



August 4, 2016

CH2M HILL Plateau Remediation Company
 2420 Stevens Center Place
 P.O. Box 1600
 Richland, WA 99354
 Attn.: Tracey A. Burch

Subject: Geotechnical Laboratory Testing Services, Data Deliverable for SDG # W606095, Rev. 0

Enclosed is the final report on geotechnical analyses performed by RJ Lee Group in conjunction with PBS Engineering and Environmental, Inc. (PBS) for Sample Delivery Group number (SDG #) W606095.

General Set Comments

RJ Lee Group received from CH2M-Hill Plateau Remediation Company (CHPRC) 1 sample to be tested for geotechnical analysis at the Columbia Basin Analytical Laboratories. There are no SIRs associated with this SDG.

The CHPRC sample, in SDG # W606095, has been assigned a PBS Geotechnical Lab Sample number per the below table.

CHPRC Sample #	SDG #	Geotechnical Lab Sample #	Date Processed
B35YC4	W606095	H-0078	07/11/2016

This project deliverable, provided in Attachment 1, contains the reports of the requested analytical results and a copy of the associated chain of custody for the sample listed above.

The analytical results provided in this deliverable relate only to the items tested. The sample was received in acceptable condition unless otherwise noted in the attached report(s).

I certify that this analytical report is in compliance with the Hanford SOW, both technically and for completeness. Release of the data contained in this hard copy report has been authorized by the Laboratory Director or a designee as verified by the following signature.

Richard Westberg
 Laboratory Director, Columbia Basin Analytical Laboratories

08/04/2016

Date

If you have any questions, please feel free to contact us at 509-545-4989 or email at rwestberg@rjleegroup.com.

Attachment 1

PBS Geotechnical Laboratory Testing Results, SDG # W606095,
dated August 4, 2016



Engineering +
Environmental

July 21, 2016

RJ Lee Group, Inc.
Attn: Mr. Larry Lockrem
Columbia Basin Analytical Laboratories
2710 North 20th Avenue
Pasco, Washington 93301

Re: Geotechnical Laboratory Testing Results
Sample Delivery Group No. W606095
PBS Project No. 63797.000

Dear Mr. Lockrem:

In accordance with your request, PBS Engineering and Environmental Inc. (PBS) is providing you with the results of our recent geotechnical laboratory testing. Our services were provided in accordance with the request provided with Sample Delivery Group (SDG) number W606095.

We performed the following tests:

- Laboratory Determination of Water (Moisture) Content of Soil and Rock by Mass (ASTM D2216)
- Density of Soil in Place by the Drive-Cylinder Method (ASTM D2937)
- Grain Size Analysis - Hydrometer (ASTM D422)

The tests were performed in general accordance with the above-mentioned ASTM Standards, except for the following case:

- **Density of Soil in Place by the Drive-Cylinder Method (ASTM D2937):** The sample was received in a disturbed condition, which may not accurately represent in-situ soil conditions. The requested test was performed as-received, per the direction of RJ Lee and CHPRC.

400 Bradley Boulevard, Suite 300, Richland, WA 99352
509.942.1600 Main
866.727.0140 Fax
www.pbsenv.com

Bend | Boise | Coos Bay | Eugene | Portland | Seattle | Tri-Cities | Vancouver | Walla Walla

Mr. Larry Lockrem
Re: Geotechnical Laboratory Testing Results – W606095
July 21, 2016
Page 2 of 2

We trust this letter meets your current needs. If you have any questions, or wish to further discuss our observations, conclusions, and recommendations, please contact us at 509.942.1600.

Sincerely,
PBS Engineering and Environmental, Inc.



7/21/2016

A handwritten signature in black ink, appearing to read "Adam Swenson".

Adam M. Swenson, P.E.
Project Geotechnical Engineer

AS/rg

Attachments: Report of Laboratory Testing – Density by Drive Cylinder and Moisture Contents
 Report of Laboratory Testing – Grain-size Analysis - Hydrometer
 Chain of Custody


REPORT OF LABORATORY TESTING

Report to: CH2M-Hill - Plateau Remediation 2420 Stevens Center Place P.O. Box 1600 Richland, WA 99354	Date: 7/21/2016
	Sample Delivery Group No.: W606095
	Sample Authorization No.: F16-043

Project: CHPRC Laboratory	Project No.: 63797.000
Report of: Density by Drive Cylinder (ASTM D2937) Moisture Content (ASTM D2216)	Lab Technician: A. Jaimes

Items Received:

One sample was provided to us containing soil material obtained by you, the client. PBS performed the following tests:

Density by Drive Cylinder (ASTM D2937).

The dry densities (dry unit weight) of representative soils were determined in the laboratory using the relatively undisturbed soil samples.* The dimensions of the specimen were carefully measured, the volume calculated, and the specimen weighed. A representative sample was obtained from the specimen, weighed, and placed in the oven to dry. After oven drying, the representative sample was reweighed and the water content calculated. The dry density was then computed. The results of tests are included in the table below.

*The sample was received in a disturbed condition and may not be representative of in-situ soil conditions

Moisture Content (ASTM D2216).

Natural moisture content determinations were made on the samples of the fine-grained soils (that is, silts, clays, and silty sands). The natural moisture content is defined as the ratio of the weight of water to dry weight of soil, expressed as a percentage.

LABORATORY TEST RESULTS
Density by Drive Cylinder (ASTM D2937)
Moisture Content (ASTM D2216)

Customer Sample Number	Laboratory Sample Number	Wet Density (lbs/ft ³)	Water Content (%)	Dry Density (lbs/ft ³)
B35YC4	H-0078	107.3	2.4	104.8

SHEET 1 OF 1

REVIEWED BY: A. Swenson, P.E.



REPORT OF LABORATORY TESTING

Report to: CH2M-Hill - Plateau Remediation 2420 Stevens Center Place P.O. Box 1600 Richland, WA 99354	Date: 7/21/2016 Sample Delivery Group No.: W606095 Sample Authorization No.: F16-043
---	---

Project: CHPRC Laboratory	Project No.: 63797.000
Report of: Grain Size Analysis - Hydrometer (ASTM D422)	Lab Technician: A. Jaimes

Items Received:

One sample was provided to us containing soil material obtained by you, the client. We performed the following test:

Particle/Grain Size Analysis - Hydrometer (ASTM D422):

Mechanical Grain Size Analyses (wet sieve) were conducted on each of the soil samples to determine their grain size distribution. In addition, hydrometer tests were conducted on portions of the soil samples passing the No. 40 sieve. The results of the mechanical grain size analyses and hydrometer testing are plotted on the attached Figures (Particle Size Analysis Test Results - Hydrometer - Pages 1 through 3).

LABORATORY TEST RESULTS

Particle Grain Size Analysis - Hydrometer (ASTM D422) - Sieve Portion

Customer Sample Number	Laboratory Sample Number	Date of Analysis	Percent Passing by Sieve Size										
			3-in.	1½-in.	¾-in.	½-in.	No. 4	No. 10	No. 20	No. 40	No. 60	No. 100	No. 200
B35YC4	H-0078	7/11/2016	100.0	100.0	95.3	77.4	61.2	50.2	42.6	35.6	27.0	20.9	15.9




PARTICLE-SIZE ANALYSIS TEST RESULTS

CHPRC - GEOTECHNICAL LABORATORY

PBS PROJECT NUMBER:
63797

TEST METHOD: ASTM C136

BOULDERS	COBBLES	GRAVEL		SAND			FINES	
		COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY



KEY	EXPLORATION NUMBER	SAMPLE NUMBER	SAMPLE DEPTH (FEET)	MOISTURE CONTENT (PERCENT)	D60 (MM)	D50 (MM)	D30 (MM)	D10 (MM)	D5 (MM)	GRAVEL (PERCENT)	SAND (PERCENT)	FINES (PERCENT)
●	H-078	B35YC4	55.1	2	4.3	2.0	0.3	0.02	0.00	39	45	16

8/4/2016

CH2MHill Plateau Remediation Company		CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST		F16-043-071	PAGE 1 OF 2
COLLECTOR W.M. WISE/CRG	COMPANY CONTACT TODAK, D	TELEPHONE NO. 376-6427	PROJECT COORDINATOR TODAK, D	PRICE CODE 8H	DATA TURNAROUND 30 Days / 30 Days
SAMPLING LOCATION C9402, I-003	PROJECT DESIGNATION 100-NR-2 Drilling - Soil	FIELD LOGBOOK NO. HMF-N-645-4	SAF NO. F16-043	AIR QUALITY <input type="checkbox"/>	ORIGINAL
ICE CHEST NO. N/A	ACTUAL SAMPLE DEPTH SS.1-S9.6	COA 304070	BILL OF LADING/AIR BILL NO. N/A	METHOD OF SHIPMENT GOVERNMENT VEHICLE	
SHIPPED TO RJ LEE - GEOTECHNICAL	OFFSITE PROPERTY NO. N/A				

MATRIX*	POSSIBLE SAMPLE HAZARDS/ REMARKS *Contains Radioactive Material at concentrations that are not be regulated for transportation per 49 CFR/LATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1, NA	PRESERVATION None	HOLDING TIME None	NO. OF CONTAINER(S) 1	VOLUME 1000g	SAMPLE ANALYSIS SEE ITEM (1) IN SPECIAL INSTRUCTIONS
A=Air DL=Drum Liquids DS=Drum Solids L=Liquid O=Oil S=Soil SE=Sediment T=Tissue V=Vegetation W=Water WT=Wipe X=Other						
SAMPLE NO. B35YC4	MATRIX* SOIL	SAMPLE DATE JUN 15 2016	SAMPLE TIME 1225			

CHAIN OF POSSESSION		SIGN/ PRINT NAMES		SPECIAL INSTRUCTIONS	
RELINQUISHED BY/REMOVED FROM W.M. WISE/CRG	DATE/TIME JUN 15 2016 1340	RECEIVED BY/STORED IN SSU-1	DATE/TIME JUN 15 2016 1340	SEE PAGE 2 FOR ALL SPECIAL INSTRUCTIONS	
RELINQUISHED BY/REMOVED FROM SSU-1	DATE/TIME JUN 16 2016 0745	RECEIVED BY/STORED IN J.C. FULTON	DATE/TIME JUN 16 2016 6745		
RELINQUISHED BY/REMOVED FROM J.C. FULTON	DATE/TIME JUN 16 2016 930	RECEIVED BY/STORED IN SHERIFF RICE RILEY GROUP	DATE/TIME JUN 16 2016 930		
RELINQUISHED BY/REMOVED FROM CHPRC	DATE/TIME JUN 16 2016 930	RECEIVED BY/STORED IN SHERIFF RICE RILEY GROUP	DATE/TIME JUN 16 2016 930		
RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME		
RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME		
RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME		

LABORATORY SECTION	RECEIVED BY	TITLE	DATE/TIME
FINAL SAMPLE DISPOSITION	DISPOSAL METHOD	DISPOSED BY	DATE/TIME
PRINTED ON 6/8/2016			
FSR ID = FSR33112			
TRVL NUM = TRVL-16-168			
A-6003-618 (REV 2)			

8/4/2016

CH2MHill Plateau Remediation Company		CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST		F16-043-071	PAGE 2 OF 2
COLLECTOR	W.M. WISECAMP	COMPANY CONTACT	TELEPHONE NO.	PROJECT COORDINATOR	PRICE CODE 8H
		TODAK, D	376-6427	TODAK, D	<input type="checkbox"/>
SAMPLING LOCATION	C9402, I-003	PROJECT DESIGNATION	FIELD LOGBOOK NO.	SAF NO.	AIR QUALITY
		100-NR-2 Drilling - Soil		F16-043	<input type="checkbox"/>
ICE CHEST NO.	N/A	ACTUAL SAMPLE DEPTH	COA	METHOD OF SHIPMENT	TURNAROUND
		55.1 - 59.6	304070	GOVERNMENT VEHICLE	30 Days / 30 Days
SHIPPED TO	RJ LEE - GEOTECHNICAL	OFFSITE PROPERTY NO.	BILL OF LADING/AIR BILL NO.		ORIGINAL
		N/A	N/A		

SPECIAL INSTRUCTIONS
 SAMPLE B35YC4 WILL BE SAMPLED FROM SPLIT SPOON PORTION C OR D BASED ON WHICHEVER LINER HAS BETTER PERCENT RECOVERY; ** All requests for Geotechnical Parameters will be given a unique HEIS sample number and be assigned to a separate COC. In addition, all split spoon sleeves will be properly stored until authorized for shipment.
 (1) D2937_ DENSITY: COMMON {Bulk density - dry, Bulk density - wet}; D422_ PARTICLE SIZE (Dry Sieve): COMMON {Percent passing 1.5 inch sieve, Percent passing 3 inch sieve, Percent passing 3/4 inch sieve, Percent passing 3/8 inch sieve, Percent passing No.100 sieve, Percent passing No.140 sieve, Percent passing No.20 sieve, Percent passing No.200 sieve, Percent passing No.4 sieve, Percent passing No.40 sieve};