

August 3, 2016

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Richland

2800 George Washington Way

Richland, WA 99352

Tel: (509)375-3131

TestAmerica Job ID: 300-3435-1

TestAmerica Sample Delivery Group: WC1241

Client Project/Site: S16-007

For:

CH2M Hill Plateau Remediation Company

PO BOX 1600

Mail Stop R3-50

Richland, Washington 99352

Attn: CPP Sample Management



Authorized for release by:

8/3/2016 3:31:45 PM

Steven Campbell, Project Mgmt. Assistant

steven.campbell@testamericainc.com

Designee for

Whitney Ritari, Project Manager I

(509)375-3131 ext164

whitney.ritari@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.testamericainc.com

I certify that this Certificate of Analysis is in compliance with the SOW, both technically and for completeness, for other than the conditions detailed in this package. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager, or a designee as verified by the attached signature.

The laboratory is accredited to EPA 7196A in Solid and Chemical Materials, per Washington State Department of Ecology this is approved for non-discharge water samples. The sample/ sample duplicate RPD agreement is not applicable if one or both results are less than five times the MDL.



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Chain of Custody	5
Detection Summary	6
Client Sample Results	7
QC Sample Results	8
QC Association Summary	10
Lab Chronicle	11
Method Summary	12
Sample Summary	13
Receipt Checklists	14

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
D	The reported value is from a dilution.
U	Analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)



August 3, 2016 Case Narrative

Client: CH2M Hill Plateau Remediation Company
Project/Site: S16-007

TestAmerica Job ID: 300-3435-1
SDG: WC1241

Job ID: 300-3435-1

Laboratory: TestAmerica Richland

Narrative

**Job Narrative
300-3435-1**

Comments

No additional comments.

Receipt

The sample was received on 7/8/2016 3:10 PM; the sample arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 8.9° C.

HPLC/IC

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

CH2MHill Plateau Remediation Company

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C.#
S16-007-280
Page 1 of 1

Collector Chris Fulton CHPRC	Contact/Requester Karen Waters-Husted	Telephone No. 509-376-4650
SAF No. S16-007	Sampling Origin Hanford Site	Purchase Order/Charge Code 300071
Project Title SURV, JULY 2016	Logbook No. HNF-N-506_85/_87	Ice Chest No. N/A
Shipped To (Lab) TestAmerica Incorporated, Richland	Method of Shipment GOVERNMENT VEHICLE	Bill of Lading/Air Bill No. N/A
Protocol SURV	Priority: 30 Days	Offsite Property No. N/A
POSSIBLE SAMPLE HAZARDS/REMARKS *** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR /IATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1		SPECIAL INSTRUCTIONS N/A Special Handling: N/A
Hold Time		Total Activity Exemption: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>

Sample No.	Filter	*	Date	Time	No./Type Container	Sample Analysis	Holding Time	Preservative
B351X7	N		W JUL 08 2016	1409	1x500-mL P	300.0_ANIONS_IC: COMMON	48 Hours	Cool <=6C

3435
we1241

300-3435 COC



Relinquished By Chris Fulton CHPRC	Print 	Sign	Date/Time JUL 08 2016 1425	Received By Leslye Wadsworth	Print 	Sign	Date/Time JUL 08 2016 1425
Relinquished By Leslye Wadsworth CHPRC			Date/Time JUL 08 2016 1510	Received By J. Bock, TARI			Date/Time JUL 08 2016 1510
Relinquished By			Date/Time	Received By			Date/Time

Matrix *	
S	= Soil
SE	= Sediment
SO	= Solid
SL	= Sludge
W	= Water
O	= Oil
A	= Air
DS	= Drum Solids
DL	= Drum Liquids
T	= Tissue
WI	= Wipe
L	= Liquid
V	= Vegetation
X	= Other

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time
---------------------------------	--	-------------	-----------

August 3, 2016 Detection Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: S16-007

TestAmerica Job ID: 300-3435-1
SDG: WC1241

Client Sample ID: B35TX7

Lab Sample ID: 300-3435-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	18	D	0.40	0.20	mg/L	2		300.0	Total/NA
Nitrate as N	23	D	0.14	0.070	mg/L	5		300.0	Total/NA
Fluoride	0.34	D	0.10	0.050	mg/L	2		300.0	Total/NA
Nitrite as N	0.13	D	0.076	0.038	mg/L	2		300.0	Total/NA
Sulfate	37	D	0.50	0.25	mg/L	2		300.0	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Richland



August 3, 2016

Client Sample Results

Client: CH2M Hill Plateau Remediation Company
Project/Site: S16-007

TestAmerica Job ID: 300-3435-1
SDG: WC1241

Client Sample ID: B35TX7

Lab Sample ID: 300-3435-1

Date Collected: 07/08/16 14:09

Matrix: Water

Date Received: 07/08/16 15:10

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	18	D	0.40	0.20	mg/L			07/08/16 19:09	2
Nitrate as N	23	D	0.14	0.070	mg/L			07/08/16 20:10	5
Fluoride	0.34	D	0.10	0.050	mg/L			07/08/16 19:09	2
Nitrite as N	0.13	D	0.076	0.038	mg/L			07/08/16 19:09	2
Sulfate	37	D	0.50	0.25	mg/L			07/08/16 19:09	2

August 3, 2016

QC Sample Results

Client: CH2M Hill Plateau Remediation Company
 Project/Site: S16-007

TestAmerica Job ID: 300-3435-1
 SDG: WC1241

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 300-4815/5
Matrix: Water
Analysis Batch: 4815

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	0.014	U	0.028	0.014	mg/L			07/08/16 17:54	1
Nitrite as N	0.019	U	0.038	0.019	mg/L			07/08/16 17:54	1

Lab Sample ID: LCS 300-4815/6
Matrix: Water
Analysis Batch: 4815

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrate as N	2.26	2.36		mg/L		104	80 - 120
Nitrite as N	3.04	3.17		mg/L		104	80 - 120

Lab Sample ID: 300-3430-A-1 MS
Matrix: Water
Analysis Batch: 4815

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrate as N	1.6	D	0.452	2.07	D	mg/L		100	75 - 125
Nitrite as N	0.038	U D	0.609	0.529	D	mg/L		87	75 - 125

Lab Sample ID: 300-3430-A-1 DU
Matrix: Water
Analysis Batch: 4815

Client Sample ID: Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Nitrate as N	1.6	D	1.62	D	mg/L		0.2	20
Nitrite as N	0.038	U D	0.038	U D	mg/L		NC	20

Lab Sample ID: MB 300-4816/5
Matrix: Water
Analysis Batch: 4816

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	0.10	U	0.20	0.10	mg/L			07/08/16 17:54	1
Fluoride	0.025	U	0.050	0.025	mg/L			07/08/16 17:54	1
Sulfate	0.13	U	0.25	0.13	mg/L			07/08/16 17:54	1

Lab Sample ID: LCS 300-4816/6
Matrix: Water
Analysis Batch: 4816

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	16.0	16.4		mg/L		102	80 - 120
Fluoride	4.00	4.11		mg/L		103	80 - 120
Sulfate	20.0	20.6		mg/L		103	80 - 120

August 3, 2016

QC Sample Results

Client: CH2M Hill Plateau Remediation Company
 Project/Site: S16-007

TestAmerica Job ID: 300-3435-1
 SDG: WC1241

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: 300-3430-A-1 MS
Matrix: Water
Analysis Batch: 4816

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec.	Limits
	Result	Qualifier		Result	Qualifier					
Chloride	5.0	D	3.20	8.15	D	mg/L		98	75 - 125	
Fluoride	0.30	D	0.800	1.04	D	mg/L		92	75 - 125	
Sulfate	22	D	4.00	25.9	D	mg/L		94	75 - 125	

Lab Sample ID: 300-3430-A-1 DU
Matrix: Water
Analysis Batch: 4816

Client Sample ID: Duplicate
Prep Type: Total/NA

Analyte	Sample	Sample	DU		Unit	D	RPD	RPD	
	Result	Qualifier	Result	Qualifier				RPD	Limit
Chloride	5.0	D	5.01	D	mg/L		0.3	20	
Fluoride	0.30	D	0.298	D	mg/L		0.1	20	
Sulfate	22	D	22.0	D	mg/L		0.3	20	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

August 3, 2016

QC Association Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: S16-007

TestAmerica Job ID: 300-3435-1
SDG: WC1241

HPLC/IC

Analysis Batch: 4815

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
300-3435-1	B35TX7	Total/NA	Water	300.0	
300-3435-1	B35TX7	Total/NA	Water	300.0	
MB 300-4815/5	Method Blank	Total/NA	Water	300.0	
LCS 300-4815/6	Lab Control Sample	Total/NA	Water	300.0	
300-3430-A-1 MS	Matrix Spike	Total/NA	Water	300.0	
300-3430-A-1 DU	Duplicate	Total/NA	Water	300.0	

Analysis Batch: 4816

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
300-3435-1	B35TX7	Total/NA	Water	300.0	
MB 300-4816/5	Method Blank	Total/NA	Water	300.0	
LCS 300-4816/6	Lab Control Sample	Total/NA	Water	300.0	
300-3430-A-1 MS	Matrix Spike	Total/NA	Water	300.0	
300-3430-A-1 DU	Duplicate	Total/NA	Water	300.0	

August 3, 2016 Lab Chronicle

Client: CH2M Hill Plateau Remediation Company
Project/Site: S16-007

TestAmerica Job ID: 300-3435-1
SDG: WC1241

Client Sample ID: B35TX7

Lab Sample ID: 300-3435-1

Date Collected: 07/08/16 14:09

Matrix: Water

Date Received: 07/08/16 15:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		2			4815	07/08/16 19:09	CPM	TAL RCH
Total/NA	Analysis	300.0		2			4816	07/08/16 19:09	CPM	TAL RCH
Total/NA	Analysis	300.0		5			4815	07/08/16 20:10	CPM	TAL RCH

Client Sample ID: Method Blank

Lab Sample ID: MB 300-4815/5

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			4815	07/08/16 17:54	CPM	TAL RCH

Client Sample ID: Method Blank

Lab Sample ID: MB 300-4816/5

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			4816	07/08/16 17:54	CPM	TAL RCH

Client Sample ID: Lab Control Sample

Lab Sample ID: LCS 300-4815/6

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			4815	07/08/16 18:09	CPM	TAL RCH

Client Sample ID: Lab Control Sample

Lab Sample ID: LCS 300-4816/6

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			4816	07/08/16 18:09	CPM	TAL RCH

Client Sample ID: Matrix Spike

Lab Sample ID: 300-3430-A-1 MS

Date Collected: 07/07/16 09:19

Matrix: Water

Date Received: 07/07/16 14:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		2			4815	07/08/16 18:39	CPM	TAL RCH
Total/NA	Analysis	300.0		2			4816	07/08/16 18:39	CPM	TAL RCH

Laboratory References:

TAL RCH = TestAmerica Richland, 2800 George Washington Way, Richland, WA 99352, TEL (509)375-3131

TestAmerica Richland

August 3, 2016

Method Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: S16-007

TestAmerica Job ID: 300-3435-1
SDG: WC1241

Method	Method Description	Protocol	Laboratory
300.0	Anions, Ion Chromatography	MCAWW	TAL RCH

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

Laboratory References:

TAL RCH = TestAmerica Richland, 2800 George Washington Way, Richland, WA 99352, TEL (509)375-3131



August 3, 2016

Sample Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: S16-007

TestAmerica Job ID: 300-3435-1
SDG: WC1241

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
300-3435-1	B35TX7	Water	07/08/16 14:09	07/08/16 15:10

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Login Sample Receipt Checklist

Client: CH2M Hill Plateau Remediation Company

Job Number: 300-3435-1

SDG Number: WC1241

Login Number: 3435

List Number: 1

Creator: Bock, Julie A

List Source: TestAmerica Richland

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	N/A	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

