

July 29, 2016

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Richland

2800 George Washington Way

Richland, WA 99352

Tel: (509)375-3131

TestAmerica Job ID: 300-3541-1

TestAmerica Sample Delivery Group: WC1282

Client Project/Site: F16-037

For:

CH2M Hill Plateau Remediation Company

PO BOX 1600

Mail Stop R3-50

Richland, Washington 99352

Attn: CPP Sample Management



Authorized for release by:

7/29/2016 4:31:32 PM

Steven Campbell, Project Mgmt. Assistant

steven.campbell@testamericainc.com

Designee for

Whitney Ritari, Project Manager I

(509)375-3131 ext164

whitney.ritari@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.testamericainc.com

I certify that this Certificate of Analysis is in compliance with the SOW, both technically and for completeness, for other than the conditions detailed in this package. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager, or a designee as verified by the attached signature.

The laboratory is accredited to EPA 7196A in Solid and Chemical Materials, per Washington State Department of Ecology this is approved for non-discharge water samples. The sample/ sample duplicate RPD agreement is not applicable if one or both results are less than five times the MDL.



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Chain of Custody	5
Detection Summary	6
Client Sample Results	7
QC Sample Results	8
QC Association Summary	9
Lab Chronicle	10
Method Summary	11
Sample Summary	12
Receipt Checklists	13

Qualifiers

General Chemistry

Qualifier	Qualifier Description
B	Estimated result. Result is less than the RL, but greater than MDL
D	The reported value is from a dilution.
U	Analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)



Client: CH2M Hill Plateau Remediation Company
Project/Site: F16-037

TestAmerica Job ID: 300-3541-1
SDG: WC1282

Job ID: 300-3541-1

Laboratory: TestAmerica Richland

Narrative

**Job Narrative
300-3541-1**

Comments

No additional comments.

Receipt

The sample was received on 7/20/2016 2:50 PM; the sample arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 9.9° C.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

CH2M Hill Plateau Remediation Company

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

FIG-037-070

PAGE 1 OF 1

COLLECTOR Curt Hoffman
COMPANY CONTACT LYNCH, SA
TELEPHONE NO. 373-5586
PROJECT COORDINATOR TODAK, D

SAMPLING LOCATION C9598, SAMPLE I-007
PROJECT DESIGNATION 100-KR-4 Long Term & Interim Action Monitoring - Soil
SAF NO. F16-037
PRICE CODE 8C
AIR QUALITY **TURNAROUND** 15 Days / 15 Days

ICE CHEST NO. N/A
FIELD LOGBOOK NO. HNF-N-645-4 ps 277
ACTUAL SAMPLE DEPTH 121.83-127.52
COA 300085
METHOD OF SHIPMENT GOVERNMENT VEHICLE
ORIGINAL

SHIPPED TO TestAmerica Incorporated, Richland
OFFSITE PROPERTY NO. N/A
BILL OF LADING/AIR BILL NO. N/A

MATRIX*
 A=Air
 DI=Drum
 L=Liquid
 DS=Drum
 Solids
 L=Liquid
 O=Oil
 S=Soil
 SF=Settlement
 T=Tissue
 V=Vegetation
 W=Water
 WI=Wipe
 X=Other

POSSIBLE SAMPLE HAZARDS/ REMARKS
 *Contains Radioactive Material at concentrations that are not be regulated for transportation per 49 CFR/JATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1.

PRESERVATION Cool <=6C
HOLDING TIME 30 Days
TYPE OF CONTAINER G/P
NO. OF CONTAINER(S) 1
VOLUME 60ml
SAMPLE ANALYSIS 7196 CR6 COMMON;

SPECIAL HANDLING AND/OR STORAGE
 RADIOACTIVE TO B36775-
 JUL 21 2016

SAMPLE NO. B36776
MATRIX* SOIL
SAMPLE DATE JUL 19 2016
SAMPLE TIME 1243



300-3541 COC

July 29 2016

#3541
 WC1282
 Due: 08/04/16

CHAIN OF POSSESSION

SIGN/ PRINT NAMES

SPECIAL INSTRUCTIONS

** All requests for Hexavalent Chromium at Test America Richland are to have a unique HETS sample number and be assigned to a separate COC.

RELINQUISHED BY/REMOVED FROM CHPRC
DATE/TIME JUL 19 2016 1431
RECEIVED BY/STORED IN SSU-1
DATE/TIME JUL 19 2016 1431

RELINQUISHED BY/REMOVED FROM SSU-1
DATE/TIME JUL 20 2016 0900
RECEIVED BY/STORED IN J. Bock, TARI
DATE/TIME JUL 20 2016 1450

RELINQUISHED BY/REMOVED FROM [Signature]
DATE/TIME JUL 20 2016 1450
RECEIVED BY/STORED IN [Signature]

RELINQUISHED BY/REMOVED FROM [Signature]
DATE/TIME [Signature]
RECEIVED BY/STORED IN [Signature]

RELINQUISHED BY/REMOVED FROM [Signature]
DATE/TIME [Signature]
RECEIVED BY/STORED IN [Signature]

RELINQUISHED BY/REMOVED FROM [Signature]
DATE/TIME [Signature]
RECEIVED BY/STORED IN [Signature]

LABORATORY SECTION RECEIVED BY [Signature]
DATE/TIME [Signature]

FINAL SAMPLE DISPOSITION DISPOSAL METHOD [Signature]
DATE/TIME [Signature]

July 29, 2016
Detection Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: F16-037

TestAmerica Job ID: 300-3541-1
SDG: WC1282

Client Sample ID: B367T6

Lab Sample ID: 300-3541-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Cr (VI)	0.16	B	2.0	0.15	mg/Kg	1		7196A	Total/NA

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

This Detection Summary does not include radiochemical test results.

TestAmerica Richland

July 29, 2016
Client Sample Results

Client: CH2M Hill Plateau Remediation Company
Project/Site: F16-037

TestAmerica Job ID: 300-3541-1
SDG: WC1282

Client Sample ID: B367T6

Lab Sample ID: 300-3541-1

Date Collected: 07/19/16 12:43

Matrix: Soil

Date Received: 07/20/16 14:50

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI)	0.16	B	2.0	0.15	mg/Kg		07/27/16 08:18	07/27/16 09:30	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Client: CH2M Hill Plateau Remediation Company
Project/Site: F16-037

TestAmerica Job ID: 300-3541-1
SDG: WC1282

Method: 7196A - Chromium, Hexavalent

Lab Sample ID: MB 300-5052/1-A
Matrix: Solid
Analysis Batch: 5089

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 5052

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI)	0.15	U	2.0	0.15	mg/Kg		07/27/16 08:18	07/27/16 09:30	1

Lab Sample ID: LCS 300-5052/2-A
Matrix: Solid
Analysis Batch: 5089

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 5052

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Cr (VI)	20.0	17.74		mg/Kg		89	85 - 115

Lab Sample ID: 300-3561-A-1-B MS
Matrix: Solid
Analysis Batch: 5089

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 5052

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Cr (VI)	0.26	B	30.0	23.65		mg/Kg		78	75 - 125

Lab Sample ID: 300-3561-A-1-D MSI
Matrix: Solid
Analysis Batch: 5089

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 5052

Analyte	Sample Result	Sample Qualifier	Spike Added	MSI Result	MSI Qualifier	Unit	D	%Rec	%Rec. Limits
Cr (VI)	0.26	B	636	561.3	D	mg/Kg		88	

Lab Sample ID: 300-3561-A-1-C DU
Matrix: Solid
Analysis Batch: 5089

Client Sample ID: Duplicate
Prep Type: Total/NA
Prep Batch: 5052

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Cr (VI)	0.26	B	0.259	B	mg/Kg		0.1	35

July 29, 2016
QC Association Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: F16-037

TestAmerica Job ID: 300-3541-1
SDG: WC1282

General Chemistry

Prep Batch: 5052

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
300-3541-1	B367T6	Total/NA	Soil	3060A	
MB 300-5052/1-A	Method Blank	Total/NA	Solid	3060A	
LCS 300-5052/2-A	Lab Control Sample	Total/NA	Solid	3060A	
300-3561-A-1-B MS	Matrix Spike	Total/NA	Solid	3060A	
300-3561-A-1-D MSI	Matrix Spike	Total/NA	Solid	3060A	
300-3561-A-1-C DU	Duplicate	Total/NA	Solid	3060A	

Analysis Batch: 5089

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
300-3541-1	B367T6	Total/NA	Soil	7196A	5052
MB 300-5052/1-A	Method Blank	Total/NA	Solid	7196A	5052
LCS 300-5052/2-A	Lab Control Sample	Total/NA	Solid	7196A	5052
300-3561-A-1-B MS	Matrix Spike	Total/NA	Solid	7196A	5052
300-3561-A-1-D MSI	Matrix Spike	Total/NA	Solid	7196A	5052
300-3561-A-1-C DU	Duplicate	Total/NA	Solid	7196A	5052



Client: CH2M Hill Plateau Remediation Company
Project/Site: F16-037

TestAmerica Job ID: 300-3541-1
SDG: WC1282

Client Sample ID: B367T6

Lab Sample ID: 300-3541-1

Date Collected: 07/19/16 12:43

Matrix: Soil

Date Received: 07/20/16 14:50

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5118 g	100 mL	5052	07/27/16 08:18	HR	TAL RCH
Total/NA	Analysis	7196A		1			5089	07/27/16 09:30	HR	TAL RCH

Client Sample ID: Method Blank

Lab Sample ID: MB 300-5052/1-A

Date Collected: N/A

Matrix: Solid

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	5052	07/27/16 08:18	HR	TAL RCH
Total/NA	Analysis	7196A		1			5089	07/27/16 09:30	HR	TAL RCH

Client Sample ID: Lab Control Sample

Lab Sample ID: LCS 300-5052/2-A

Date Collected: N/A

Matrix: Solid

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	5052	07/27/16 08:18	HR	TAL RCH
Total/NA	Analysis	7196A		1			5089	07/27/16 09:30	HR	TAL RCH

Client Sample ID: Matrix Spike

Lab Sample ID: 300-3561-A-1-B MS

Date Collected: 07/20/16 15:00

Matrix: Solid

Date Received: 07/22/16 15:35

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5009 g	100 mL	5052	07/27/16 08:18	HR	TAL RCH
Total/NA	Analysis	7196A		1			5089	07/27/16 09:30	HR	TAL RCH

Client Sample ID: Matrix Spike

Lab Sample ID: 300-3561-A-1-D MSI

Date Collected: 07/20/16 15:00

Matrix: Solid

Date Received: 07/22/16 15:35

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.503 g	100 mL	5052	07/27/16 08:18	HR	TAL RCH
Total/NA	Analysis	7196A		20			5089	07/27/16 09:30	HR	TAL RCH

Laboratory References:

TAL RCH = TestAmerica Richland, 2800 George Washington Way, Richland, WA 99352, TEL (509)375-3131

Client: CH2M Hill Plateau Remediation Company
Project/Site: F16-037

TestAmerica Job ID: 300-3541-1
SDG: WC1282

Method	Method Description	Protocol	Laboratory
7196A	Chromium, Hexavalent	SW846	TAL RCH

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL RCH = TestAmerica Richland, 2800 George Washington Way, Richland, WA 99352, TEL (509)375-3131



Client: CH2M Hill Plateau Remediation Company
Project/Site: F16-037

TestAmerica Job ID: 300-3541-1
SDG: WC1282

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
300-3541-1	B367T6	Soil	07/19/16 12:43	07/20/16 14:50

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Login Sample Receipt Checklist

Client: CH2M Hill Plateau Remediation Company

Job Number: 300-3541-1

SDG Number: WC1282

Login Number: 3541

List Number: 1

Creator: Anderson, Lori F

List Source: TestAmerica Richland

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	N/A	
Samples do not require splitting or compositing.	N/A	
Residual Chlorine Checked.	N/A	

