



July 29, 2016
ALS1607298

Ft. Collins, Colorado

LIMS Version: 6.820

Page 1 of 1

Friday, July 29, 2016

Karen Waters-Husted
CH2M HILL Plateau Remediation Company
2420 Stevens Center
Richland, WA 99352

Re: ALS Workorder: 1607298
Project Name: SURV, JULY 2016
Project Number: S16-007

Dear Ms. Waters-Husted:

One water sample was received from CH2M HILL Plateau Remediation Company, on 7/16/2016. The sample was scheduled for the following analysis:

Metals

The results for these analyses are contained in the enclosed reports.

The data contained in the following report have been reviewed and approved by the personnel listed below. In addition, ALS certifies that the analyses reported herein are true, complete and correct within the limits of the methods employed.

Thank you for your confidence in ALS Environmental. Should you have any questions, please call.

Sincerely,

ALS Environmental
Julie Ellingson
Project Manager

ADDRESS 225 Commerce Drive, Fort Collins, Colorado, USA 80524 | PHONE +1 970 490 1511 | FAX +1 970 490 1522
ALS GROUP USA, CORP. Part of the ALS Laboratory Group An ALS Limited Company

environmental

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

1 of 13

ALS Environmental – Fort Collins is accredited by the following accreditation bodies for various testing scopes in accordance with requirements of each accreditation body. All testing is performed under the laboratory management system, which is maintained to meet these requirement and regulations. Please contact the laboratory or accreditation body for the current scope testing parameters.

ALS Environmental – Fort Collins	
Accreditation Body	License or Certification Number
AIHA	214884
Alaska (AK)	UST-086
Alaska (AK)	CO01099
Arizona (AZ)	AZ0742
California (CA)	06251CA
Colorado (CO)	CO01099
Connecticut (CT)	PH-0232
Florida (FL)	E87914
Idaho (ID)	CO01099
Kansas (KS)	E-10381
Kentucky (KY)	90137
L-A-B (DoD ELAP/ISO 170250)	L2257
Louisiana (LA)	05057
Maryland (MD)	285
Missouri (MO)	175
Nebraska(NE)	NE-OS-24-13
Nevada (NV)	CO000782008A
New York (NY)	12036
North Dakota (ND)	R-057
Oklahoma (OK)	1301
Pennsylvania (PA)	68-03116
Tennessee (TN)	2976
Texas (TX)	T104704241
Utah (UT)	CO01099
Washington (WA)	C1280

July 29, 2016

ALS1607298

ALS Environmental -- FC

Sample Number(s) Cross-Reference Table

OrderNum: 1607298

Client Name: CH2M HILL Plateau Remediation Company

Client Project Name: SURV, JULY 2016

Client Project Number: S16-007

Client PO Number: BOA 54854

Client Sample Number	Lab Sample Number	COC Number	Matrix	Date Collected	Time Collected
B35TR3	1607298-1		WATER	14-Jul-16	13:24

CH2M Hill Plateau Remediation Company		C.O.C. # S16-007-012	
		Page 1 of 1	
CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST			
Collector Kevin Patterson CHPRC	Contact/Requester Karen Waters-Husted	Telephone No. 509-376-4650	
SAF No. S16-007	Sampling Origin Hanford Site	Purchase Order/Charge Code 300071	
Project Title SURV, JULY 2016	Logbook No. HNF-N-506 85194	Ice Chest No. 6005-554	
Shipped To (Lab) ALS Environmental Ft. Collins	Method of Shipment Commercial Carrier	Bill of Lading/Air Bill No. 7767166902552	
Protocol SURV	Priority: 30 Days	Offsite Property No. 6832	
POSSIBLE SAMPLE HAZARDS/REMARKS *** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR / IATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1		SPECIAL INSTRUCTIONS Hold Time	Total Activity Exemption: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Sample No. B35TR3 (1)	Filter N	Date JUL 14 2016	Time 1324
No/Type Container 1x500-mL G/P	Sample Analysis 6020_METALS_ICPMS: Uranium (1)	Holding Time 6 Months	Preservative HNO3 to pH <2

Relinquished By Kevin Patterson CHPRC	Print 	Received By SSU-1	Print	Sign 	Date/Time JUL 14 2016 1400	Matrix *
Relinquished By SSU-1		Received By Leah Wald ICIFRC			Date/Time JUL 15 2016 1000	S = Soil
Relinquished By Leah Wald ICIFRC		Received By FEDEX			Date/Time JUL 15 2016 1400	SE = Sediment
Relinquished By Fred Kn		Received By C. Thibodeau			Date/Time 7-12-16 0920	SO = Solid
FINAL SAMPLE DISPOSITION						SL = Sludge
Disposal Method (e.g., Return to customer, per lab procedure, used in process)						W = Water
Disposed By						L = Liquid
Date/Time						O = Oil
						V = Vegetation
						A = Air
						DS = Drum Solids
						DL = Drum Liquids
						T = Tissue
						WI = Wipe
						L = Liquid
						V = Vegetation
						X = Other



ALS Environmental - Fort Collins
CONDITION OF SAMPLE UPON RECEIPT FORM

Client: CHPRC

Workorder No: 1607298

Project Manager: JR

Initials: CDJ Date: 7-16-16

1. Does this project require any special handling in addition to standard ALS procedures?		YES	<input checked="" type="radio"/> NO
2. Are custody seals on shipping containers intact?	NONE	<input checked="" type="radio"/> YES	NO
3. Are Custody seals on sample containers intact?	NONE	<input checked="" type="radio"/> YES	NO
4. Is there a COC (Chain-of-Custody) present or other representative documents?		<input checked="" type="radio"/> YES	NO
5. Are the COC and bottle labels complete and legible?		<input checked="" type="radio"/> YES	NO
6. Is the COC in agreement with samples received? (IDs, dates, times, no. of samples, no. of containers, matrix, requested analyses, etc.)		<input checked="" type="radio"/> YES	NO
7. Were airbills / shipping documents present and/or removable?	DROP OFF	<input checked="" type="radio"/> YES	NO
8. Are all aqueous samples requiring preservation preserved correctly? (excluding volatiles)	N/A	<input checked="" type="radio"/> YES	NO
9. Are all aqueous non-preserved samples pH 4-9?	<input checked="" type="radio"/> N/A	YES	NO
10. Is there sufficient sample for the requested analyses?		<input checked="" type="radio"/> YES	NO
11. Were all samples placed in the proper containers for the requested analyses?		<input checked="" type="radio"/> YES	NO
12. Are all samples within holding times for the requested analyses?		<input checked="" type="radio"/> YES	NO
13. Were all sample containers received intact? (not broken or leaking, etc.)		<input checked="" type="radio"/> YES	NO
14. Are all samples requiring no headspace (VOC, GRO, RSK/MEE, Rx CN/S, radon) headspace free? Size of bubble: ___ < green pea ___ > green pea	<input checked="" type="radio"/> N/A	YES	NO
15. Do any water samples contain sediment? Amount of sediment: ___ dusting ___ moderate ___ heavy	N/A	YES	<input checked="" type="radio"/> NO
16. Were the samples shipped on ice?		YES	<input checked="" type="radio"/> NO
17. Were cooler temperatures measured at 0.1-6.0°C? IR gun used*: #2 #4 RAD ONLY		YES	<input checked="" type="radio"/> NO
Cooler #: <u>1</u>			
Temperature (°C): <u>Amb</u>			
No. of custody seals on cooler: <u>2</u>			
External µR/hr reading: <u>12</u>			
Background µR/hr reading: <u>12</u>			
Were external µR/hr readings ≤ two times background and within DOT acceptance criteria? <input checked="" type="radio"/> YES <input type="radio"/> NO <input type="radio"/> NA (If no, see Form 008.)			

Additional Information: PROVIDE DETAILS BELOW FOR A NO RESPONSE TO ANY QUESTION ABOVE, EXCEPT #1 AND #16.

If applicable, was the client contacted? YES / NO NA Contact: _____ Date/Time: _____

Project Manager Signature / Date: JR 7/18/16

1607298

ORIGIN ID:PSCA (509) 528-9426
LESLEY WALL
CH2M
6267 LATAH ST.
6269 LATAH ST.
RICHLAND, WA 99354
UNITED STATES US

SHIP DATE: 15 JUL 16
ACTWGST: 26.00 LB
CAD: 107066051/NET3730


BILL THIRD PARTY

TO: JULIE ELLINGSON
ALS GLOBAL
225 COMMERCE DRIVE

122-540J16C8D727F

FORT COLLINS CO 80524
(970) 490-1511 REF: PTR# 6332

INV: PO: DEPT:



TRK# 7767 6690 2552
0201
X0 FTCA
SATURDAY 12:00P
PRIORITY OVERNIGHT
DSR
80524
CO-US DEN



After printing this label:
1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.
Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.
Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.



Metals Case Narrative

CH2M HILL Plateau Remediation Company

SURV, JULY 2016 – S16-007

Work Order Number: 1607298

1. This report consists of 1 water sample.
2. The sample was received intact at ambient temperature by ALS on 07/16/16.
3. The sample had a pH less than 2 upon receipt.
4. The sample was prepared and analyzed based on SW-846, 3rd Edition procedures.

For analysis by ICP-MS, the sample was digested following method 3005A and the current revision of SOP 806.

5. Analysis by ICP-MS followed method 6020A and the current revision of SOP 827.
6. All standards and solutions are NIST traceable and were used within their recommended shelf life.
7. The sample was prepared and analyzed within the established hold time.

All in house quality control procedures were followed, as described below.

8. General quality control procedures.
 - A preparation (method) blank and laboratory control sample were digested and analyzed with the samples in this digestion batch.
 - The preparation (method) blank associated with this digestion batch was below the reporting limit for the requested analyte. Sample results have been compared to the blank results.
 - All laboratory control sample criteria were met.



- All initial and continuing calibration blanks were below the reporting limit for the requested analyte.
- All initial and continuing calibration verifications were within the acceptance criteria for the requested analyte.
- The interference check samples associated with Method 6020A were analyzed.

9. Matrix specific quality control procedures.


Sample 1607188-3 was designated as the quality control sample for this analysis. Results for the shared quality control samples are included at the client's request.

Similarity of matrix and therefore relevance of the QC results should not be automatically inferred for any sample other than the native sample selected for QC.

- A matrix spike and matrix spike duplicate were digested and analyzed with this batch. All acceptance criteria for accuracy were met. .
- A serial dilution was analyzed with this ICP batch. All acceptance criteria were met.

10. It is a standard practice that samples for ICP-MS are analyzed at a dilution. The 10X factor can be considered an artifact of the prep and does not indicate a secondary dilution and is therefore not flagged as a dilution.

The data contained in the following report have been reviewed and approved by the personnel listed below. In addition, ALS certifies that the analyses reported herein are true, complete and correct within the limits of the methods employed.



Jill Latelle
Inorganics Primary Data Reviewer

7/23/16
Date



Audie Ellinger
Inorganics Final Data Reviewer

7/28/16
Date



Inorganic Data Reporting Qualifiers

The following qualifiers are used as needed by the laboratory when reporting results of inorganic analyses.

- Result qualifier -- A "B" is entered if the reported value was obtained from a reading that was less than the Reporting Limit but greater than or equal to the Method Detection Limit (MDL). If the analyte was analyzed for but not detected a "U" is entered. For samples, negative values are reported as non-detects ("U" flagged). For blanks, if the absolute value of the negative value is above the MDL and below the reporting limit, then the result is "B" flagged.
- QC qualifier -- Specified entries and their meanings are as follows:
 - E - The reported value is estimated because of the presence of interference. An explanatory note may be included in the narrative.
 - M - Duplicate injection precision was not met.
 - N - Spiked sample recovery not within control limits. A post spike is analyzed for all ICP analyses when the matrix spike and or spike duplicate fail and the native sample concentration is less than four times the spike added concentration.
 - Z - Spiked recovery not within control limits. An explanatory note may be included in the narrative.
 - * - Duplicate analysis (relative percent difference) not within control limits.
 - S - SAR value is estimated as one or more analytes used in the calculation were not detected above the detection limit.
 - C - The analyte was detected in both the sample and the associated QC blank, and the sample concentration was $\leq 20X$ the blank concentration.
 - D - Analyte was reported at a secondary dilution factor, typically $DF > 1$ (i.e., the primary preparation required dilution to either bring the analyte within the calibration range or to minimize interference). Required for organics/wetchem if the sample was diluted.

Total Recoverable URANIUM

Method SW6020A

Sample Results

Lab Name: ALS -- Fort Collins
Client Name: CH2M HILL Plateau Remediation Company
Client Project ID: SURV, JULY 2016 S16-007
Work Order Number: 1607298 Final Volume: 50 ml
Reporting Basis: As Received Matrix: WATER
Analyst: Brent A. Stanfield Result Units: UG/L

Client Sample ID	Lab ID	Date Collected	Date Prepared	Date Analyzed	Percent Moisture	Dilution Factor	Result	RptLimit/ LOQ/LOD	MDL/DL	Flag	Sample Aliquot
B35TR3	1607298-1	7/14/2016	7/20/2016	07/21/2016	N/A	10	2.8	0.1	0.027		50 ml

Comments:

1. ND or U = Not Detected at or above the client requested detection limit.

Data Package ID: *im1607298-1*

July 29, 2016

ALS1607298

ICPMS Metals

Method SW6020A

Method Blank

Lab Name: ALS -- Fort Collins

Work Order Number: 1607298

Client Name: CH2M HILL Plateau Remediation Company

ClientProject ID: SURV, JULY 2016 S16-007

Lab ID: IP160720-5MB

Sample Matrix: WATER

% Moisture: N/A

Date Collected: N/A

Date Extracted: 20-Jul-16

Date Analyzed: 21-Jul-16

Prep Batch: IP160720-5

QCBatchID: IP160720-5-2

Run ID: IM160721-11A2

Cleanup: NONE

Basis: N/A

File Name: 078SMPL_

Sample Aliquot: 50 ml

Final Volume: 50 ml

Result Units: UG/L

Clean DF: 1

CASNO	Target Analyte	DF	Result	RptLimit/ LOQ/LOD	MDL/DL	Result Qualifier	EPA Qualifier
7440-61-1	URANIUM	10	0.027	0.1	0.027	U	

Data Package ID: *im1607298-1*

Date Printed: Saturday, July 23, 2016

ALS -- Fort Collins

Page 1 of 1

LIMS Version: 6.820

11 of 13

July 29, 2016

ALS1607298

ICPMS Metals

Method SW6020A

Laboratory Control Sample

Lab Name: ALS -- Fort Collins

Work Order Number: 1607298

Client Name: CH2M HILL Plateau Remediation Company

ClientProject ID: SURV, JULY 2016 S16-007

Lab ID: IM160720-5LCS

Sample Matrix: WATER

% Moisture: N/A

Date Collected: N/A

Date Extracted: 07/20/2016

Date Analyzed: 07/21/2016

Prep Method: SW3005A

Prep Batch: IP160720-5

QCBatchID: IP160720-5-2

Run ID: IM160721-11A2

Cleanup: NONE

Basis: N/A

File Name: 079SMPL_

Sample Aliquot: 50 ml

Final Volume: 50 ml

Result Units: UG/L

Clean DF: 1

CASNO	Target Analyte	Spike Added	LCS Result	Reporting Limit	Result Qualifier	LCS % Rec.	Control Limits
7440-61-1	URANIUM	10	9.02	0.1		90	80 - 120%

Data Package ID: *im1607298-1*

July 29, 2016

ALS1607298

ICPMS Metals

Method SW6020A

Matrix Spike And Matrix Spike Duplicate

Lab Name: ALS -- Fort Collins

Work Order Number: 1607298

Client Name: CH2M HILL Plateau Remediation Company

ClientProject ID: SURV, JULY 2016 S16-007

Field ID: SHARED QC
LabID: 1607188-3MS

Sample Matrix: WATER
 % Moisture: N/A
 Date Collected: 10-Jul-16
 Date Extracted: 20-Jul-16
 Date Analyzed: 21-Jul-16
 Prep Method: SW3005 Rev A

Prep Batch: IP160720-5
 QCBatchID: IP160720-5-2
 Run ID: IM160721-11A2
 Cleanup: NONE
 Basis: As Received

Sample Aliquot: 50 ml
 Final Volume: 50 ml
 Result Units: UG/L
 File Name: 085SMPL_

CASNO	Target Analyte	Sample Result	Samp Qual	MS Result	MS Qual	Reporting Limit	Spike Added	MS % Rec.	Control Limits
7440-61-1	URANIUM	0.027	U	9.16		0.1	10	92	75 - 125%

Field ID: SHARED QC
LabID: 1607188-3MSD

Sample Matrix: WATER
 % Moisture: N/A
 Date Collected: 10-Jul-16
 Date Extracted: 20-Jul-16
 Date Analyzed: 21-Jul-16
 Prep Method: SW3005 Rev A

Prep Batch: IP160720-5
 QCBatchID: IP160720-5-2
 Run ID: IM160721-11A2
 Cleanup: NONE
 Basis: As Received

Sample Aliquot: 50 ml
 Final Volume: 50 ml
 Result Units: UG/L
 File Name: 086SMPL_

CASNO	Target Analyte	MSD Result	MSD Qual	Spike Added	MSD % Rec.	Reporting Limit	RPD Limit	RPD
7440-61-1	URANIUM	9.16		10	92	0.1	20	0

Data Package ID: im1607298-1