

7/14/2016

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica St. Louis
13715 Rider Trail North
Earth City, MO 63045
Tel: (314)298-8566

TestAmerica Job ID: 160-18107-1

TestAmerica Sample Delivery Group: SL2244
Client Project/Site: X16-035

For:

CH2M Hill Plateau Remediation Company
PO BOX 1600, MS H8-41
Richland, Washington 99352

Attn: Mr. Scot Fitzgerald



Authorized for release by:
7/14/2016 3:01:26 PM

Jayna Awalt, Project Manager II
(314)298-8566
jayna.awalt@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Chain of Custody	6
Definitions/Glossary	9
Method Summary	10
Sample Summary	11
Client Sample Results	12
QC Sample Results	13
QC Association Summary	17
Surrogate Summary	18

Case Narrative

Client: CH2M Hill Plateau Remediation Company
Project/Site: X16-035

TestAmerica Job ID: 160-18107-1
SDG: SL2244

Job ID: 160-18107-1

Laboratory: TestAmerica St. Louis

Narrative

CASE NARRATIVE

CH2MHill Plateau Remediation Company
P.O. Box 1600
Richland, Washington 99352
July 14, 2016
Attention: Scot Fitzgerald

SDG	: SL2244
Number of Samples	: 1 sample
Sample Matrix	: Water
Data Deliverable	: Summary
Date SDG Closed	: July 9, 2016

II. Introduction

Between July 9, 1 sample was received by TestAmerica - St. Louis for chemical analysis. The samples were received within temperature criteria. See the COC and receipt checklists for documentation of any variations on receipt conditions and temperature. Upon receipt, samples were given laboratory Ids to correspond with specific client Ids. Please refer to the Sample Summary sheets attached to this case narrative. This report is incomplete without the narrative.

The following SAFs are associated with this SDG: X16-035

III. Analytical Results/ Methodology

The analytical results for this report are presented by analytical test. Each set of data includes sample identification information, analytical results and the appropriate detection limits. All results are based upon samples as they were received, i.e. wet weight, unless otherwise noted on the data sheets. See the attached Methods Summary Form for the methods used in this SDG.

MS/MSD/Dup analysis was done per the client requirements. Analytical batches that did not contain matrix QC were analyzed with an LCS/LCS duplicate.

Note: For Metals analyses, per standard practice, all 6020 water and soil samples are initially prepared at 2x dilution. This standard dilution does not affect reporting limits as MDL studies are also prepared in the same manner. These dilutions do not necessitate flagging unless otherwise noted in the case narrative.

For solid matrices, all Metals analyses (including Hg) use a Standard Reference Material for the Laboratory Control Sample (LCS). Certificate for this source material may be obtained from TASL.

For Anion analysis, samples have been started at a 2x dilution per CHPRC direction. The samples are flagged accordingly with a "D" flag if sample concentration is above the MDL/RL. Non-conformance will be included in the below section only if dilution is greater than 2x.

For WTPH methods, the lab utilizes method 8015B. Per CHPRC direction, the method name in the electronic data has been modified to read WTPH in the place of 8015B.

Per CHPRC direction (June 2014), Boron will be reported for Metals using method 6010. Boron will no longer be reported by method 6020.

Per CHPRC direction, due to the short hold times for Nitrate, Nitrite and Phosphate by IC (48 hours) as well as pH analysis (24 hours), a SIR request is not needed when samples are run outside 1x hold but within 2x hold. A narrative comment will be included below if a sample is run outside the lab-specified hold time for waters.

Case Narrative

Client: CH2M Hill Plateau Remediation Company
Project/Site: X16-035

TestAmerica Job ID: 160-18107-1
SDG: SL2244

Job ID: 160-18107-1 (Continued)

Laboratory: TestAmerica St. Louis (Continued)

For extractable and volatile organic analyses, several analytes are considered poor performers and will not meet CHPRC QC limits. Per CHPRC direction, the lab's statistical limits have been reported. Excursions outside these statistical limits will include a non-conformance in the sections below.

IV. Definitions

QCBLK-	Quality Control Blank, Method Blank
QCLCS-	Quality Control Laboratory Control Sample, Blank Spike
DUP-	Laboratory Duplicate
MS-	Matrix Spike
MSD-	Matrix Spike Duplicate

The term "Detection Limit" used in the analytical data report refers to either the lab's standard reporting limits or contractually required reporting limits, whichever is applicable.

The following data qualifiers may be applicable to the results in this report, as appropriate.

- **B** - For inorganic analyses, the sample result is greater than the MDL but less than the RL.
- **B** - For organic analyses, Method Blank contamination. The Method Blank contains the target analyte at a concentration above the MDL.
- **J** - For organic analyses, the sample is estimated and less than the RL.
- **C** - For inorganic analyses, Method Blank contamination. The Method Blank contains the target analyte at a concentration above the MDL.
- **D** - For all analyses, the sample result was obtained from the analysis of a dilution. For Metals analyses, per standard practice, all solid samples are initially prepared at a 2x dilution. This standard dilution does not affect reporting limits as MDL studies are also prepared in the same manner. These dilutions do not necessitate qualification unless otherwise noted in the case narrative.
- **N** - For inorganics and GC analyses, the spike/spike duplicate recoveries are outside QC limits.
- **T** - For GCMS analyses, the spike/spike duplicate recoveries are outside QC limits.
- **O** - For all analyses, the LCS (LCSD) recoveries are outside QC limits.
- **M** - For inorganic analyses, the precision was outside control limits.
- **P** - For organic analyses (PCB/Pests only), the aroclor target analyte has greater than 25% difference for detected concentrations between the two GC columns.

Volatiles

Batch: 260028

The following compounds did not meet the minimum relative response factor limits in the continuing calibration verification (CCV) associated with batch 260028: Acetone, 2- Butanone and 4- Methyl- 2- pentanone. A low level CCV was analyzed at the reporting limit (1ug/L) and the affected analytes were detected. The associated sample was not detected above the reporting limit for the affected analytes. (CCVIS 160-260028/4)

We certify that this data package is in compliance with the SOW, both technically and for completeness, including a full description of, explanation of, and corrective actions for, any and all deviations, from either the analyses requested or the case narrative requested. Release of the data contained in this hard copy data package has been authorized by the Laboratory Analytical Manager or designee and the laboratory's client services representative as verified by their signature on this report.

Reviewed and approved:

Jayna Awalt
St. Louis Project Manager

7/14/2016

Case Narrative

Client: CH2M Hill Plateau Remediation Company
Project/Site: X16-035

TestAmerica Job ID: 160-18107-1
SDG: SL2244

Job ID: 160-18107-1 (Continued)

Laboratory: TestAmerica St. Louis (Continued)

1

2

3

4

5

6

7

8

9

10

11

Login Sample Receipt Checklist

Client: CH2M Hill Plateau Remediation Company

Job Number: 160-18107-1

SDG Number: SL2244

Login Number: 18107


List Number: 1

Creator: McKinney, Gerrod E

List Source: TestAmerica St. Louis

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	1.5°, 2.3°
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

CH2M Hill Plateau Remediation Company S22244 C.O.C.# X16-035-005 Page 1 of 1		CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST	
Collector <i>Kevin Patterson</i>	Contact/Requester WATERS-HUSTED, K	Telephone No. 376-4650	
SAF No. X16-035	Sampling Origin Hanford Site	Purchase Order/Charge Code 300071	
Project Title DI water test, May 2016	Logbook No. HNF-N-506 <i>N/A</i>	Ice Chest No. 6005-519	
Shipped To (Lab) TestAmerica St. Louis	Method of Shipment Commercial Carrier	Bill of Lading/Air Bill No. 776706162506	
Protocol SURV	Priority: 7 Days	Offsite Property No. N/A	
POSSIBLE SAMPLE HAZARDS/REMARKS *Contains Radioactive Material at concentrations that are not be regulated for transportation per 49 CFR/IATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1.		SPECIAL INSTRUCTIONS N/A	Hold Time Total Activity Exemption: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Sample No. B35JD4	Filter N	Date 7/7/16	Time 1435
	No/Type Container 4x40-mL aGs*	Sample Analysis 8260_VOA_GCMS: COMMON	Holding Time 14 Days
			Preservative HCl or H2SO4 to pH <2/Cool <=6C

Relinquished By <i>Kevin Patterson</i>	Print Kevin Patterson	Sign 	Date/Time 7/7/16 1445	Received By SSU1	Print SSU1	Sign 	Date/Time 7/7/16 1445	Matrix * S = Soil SE = Sediment SO = Solid SL = Sludge W = Water O = Oil A = Air DS = Drum Solids DL = Drum Liquids T = Tissue WI = Wipe L = Liquid V = Vegetation X = Other
Relinquished By SSU1	Print SSU1	Sign 	Date/Time JUL 08 2016 1140	Received By Leahy Wall JCH/FRAC	Print Leahy Wall	Sign 	Date/Time JUL 08 2016 1140	
Relinquished By Leahy Wall JCH/FRAC	Print Leahy Wall	Sign 	Date/Time JUL 08 2016 1400	Received By FEDEX	Print FEDEX	Sign 	Date/Time JUL 08 2016 1400	
Relinquished By Leahy Wall JCH/FRAC	Print Leahy Wall	Sign 	Date/Time JUL 08 2016 1400	Received By GERRO McKENNEY C.M.C.S.	Print GERRO McKENNEY C.M.C.S.	Sign 	Date/Time 070916 0820	
FINAL SAMPLE DISPOSITION		Disposal Method (e.g., Return to customer, per lab procedure, used in process)		Disposed By 		Date/Time		





My Profile | Support | Locations | English | Search or tracking number | Subr



Shipping | Tracking | Manage | Learn | FedEx Office®

Login

FedEx® Tracking

776706162506

Ship date:

Fri 7/08/2016

Actual delivery:

Sat 7/09/2016 8:17 am

RICHLAND, WA US

Delivered

EARTH CITY, MO US

Signed for by: G.MCKINNEY

Travel History

Date/Time	Activity	Location
7/09/2016 - Saturday		
8:17 am	Delivered	EARTH CITY, MO
7:31 am	On FedEx vehicle for delivery	EARTH CITY, MO
7:28 am	At local FedEx facility	EARTH CITY, MO
5:24 am	At destination sort facility	BERKELEY, MO
4:40 am	Departed FedEx location	MEMPHIS, TN
12:32 am	Arrived at FedEx location	MEMPHIS, TN
7/08/2016 - Friday		
4:55 pm	Left FedEx origin facility	PASCO, WA
4:04 pm	Shipment information sent to FedEx	
3:22 pm	Picked up	PASCO, WA

Shipment Facts

Tracking number	776706162506	Service	FedEx Priority Overnight
Weight	82 lbs / 37.19 kgs	Delivered To	Shipping/Receiving
Total pieces	1	Total shipment weight	82 lbs / 37.19 kgs
Terms	Recipient	Shipper reference	GWS-519
Packaging	Your Packaging	Special handling section	For Saturday Delivery



Search or tracking number | Subr

Customer Focus

- New Customer Center
- Small Business Center
- Service Guide
- Customer Support

Company Information

- About FedEx
- Careers
- Investor Relations
- Subscribe to FedEx email

Featured Services

- FedEx Delivery Manager
- FedEx SameDay
- FedEx Home Delivery
- FedEx TechConnect
- Healthcare Solutions
- Online Retail Solutions
- Packaging Services
- Ancillary Clearance Services

Other Resources

- FedEx Compatible
- Developer Resource Center
- FedEx Ship Manager Software
- FedEx Mobile

Companies

- FedEx Express
- FedEx Ground
- FedEx Office
- FedEx Freight
- FedEx Custom Critical
- FedEx Trade Networks
- FedEx CrossBorder
- FedEx SupplyChain

Follow FedEx

United States - English

Definitions/Glossary

Client: CH2M Hill Plateau Remediation Company
Project/Site: X16-035

TestAmerica Job ID: 160-18107-1
SDG: SL2244

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Analyzed for but not detected.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC/MS VOA TICs

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Method Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: X16-035

TestAmerica Job ID: 160-18107-1
SDG: SL2244

Method	Method Description	Protocol	Laboratory
8260C	Volatile Organic Compounds (GC/MS)	SW846	TAL SL

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566



7/14/2016

Sample Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: X16-035

TestAmerica Job ID: 160-18107-1
SDG: SL2244

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
160-18107-1	B35JD4	Water	07/07/16 14:35	07/09/16 08:20

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

Client Sample Results

Client: CH2M Hill Plateau Remediation Company
 Project/Site: X16-035

TestAmerica Job ID: 160-18107-1
 SDG: SL2244

Method: 8260C - Volatile Organic Compounds (GC/MS)

Client Sample ID: B35JD4
 Date Collected: 07/07/16 14:35
 Date Received: 07/09/16 08:20

Lab Sample ID: 160-18107-1
 Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.17	U	1.0	0.17	ug/L			07/12/16 10:58	1
1,1,2-Trichloroethane	0.13	U	1.0	0.13	ug/L			07/12/16 10:58	1
1,1-Dichloroethane	0.070	U	1.0	0.070	ug/L			07/12/16 10:58	1
1,1-Dichloroethene	0.10	U	1.0	0.10	ug/L			07/12/16 10:58	1
1,2-Dichloroethane	0.22	U	1.0	0.22	ug/L			07/12/16 10:58	1
2-Butanone (MEK)	0.47	J	5.0	0.47	ug/L			07/12/16 10:58	1
4-Methyl-2-pentanone (MIBK)	0.22	U	5.0	0.22	ug/L			07/12/16 10:58	1
Acetone	0.55	U	2.0	0.55	ug/L			07/12/16 10:58	1
Benzene	0.10	U	1.0	0.10	ug/L			07/12/16 10:58	1
Carbon disulfide	0.10	U	1.0	0.10	ug/L			07/12/16 10:58	1
Carbon tetrachloride	0.18	U	1.0	0.18	ug/L			07/12/16 10:58	1
Chlorobenzene	0.11	U	1.0	0.11	ug/L			07/12/16 10:58	1
Chloroform	0.10	U	1.0	0.10	ug/L			07/12/16 10:58	1
Ethylbenzene	0.12	U	1.0	0.12	ug/L			07/12/16 10:58	1
Methylene Chloride	5.4		1.0	0.27	ug/L			07/12/16 10:58	1
Tetrachloroethene	0.18	U	1.0	0.18	ug/L			07/12/16 10:58	1
Toluene	0.14	U	1.0	0.14	ug/L			07/12/16 10:58	1
Trichloroethene	0.25	U	1.0	0.25	ug/L			07/12/16 10:58	1
Vinyl chloride	0.19	U	2.0	0.19	ug/L			07/12/16 10:58	1
Xylenes, Total	0.26	U	3.0	0.26	ug/L			07/12/16 10:58	1

Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Tentatively Identified Compound	None		ug/L					07/12/16 10:58	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		75 - 129		07/12/16 10:58	1
4-Bromofluorobenzene (Surr)	109		81 - 130		07/12/16 10:58	1
Dibromofluoromethane (Surr)	99		81 - 124		07/12/16 10:58	1
Toluene-d8 (Surr)	110		87 - 128		07/12/16 10:58	1

QC Sample Results

Client: CH2M Hill Plateau Remediation Company
Project/Site: X16-035TestAmerica Job ID: 160-18107-1
SDG: SL2244

Method: 8260C - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 160-260028/8

Matrix: Water

Analysis Batch: 260028

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.17	U	1.0	0.17	ug/L			07/12/16 08:14	1
1,1,2-Trichloroethane	0.13	U	1.0	0.13	ug/L			07/12/16 08:14	1
1,1-Dichloroethane	0.070	U	1.0	0.070	ug/L			07/12/16 08:14	1
1,1-Dichloroethene	0.10	U	1.0	0.10	ug/L			07/12/16 08:14	1
1,2-Dichloroethane	0.22	U	1.0	0.22	ug/L			07/12/16 08:14	1
2-Butanone (MEK)	0.47	U	5.0	0.47	ug/L			07/12/16 08:14	1
4-Methyl-2-pentanone (MIBK)	0.22	U	5.0	0.22	ug/L			07/12/16 08:14	1
Acetone	0.55	U	2.0	0.55	ug/L			07/12/16 08:14	1
Benzene	0.10	U	1.0	0.10	ug/L			07/12/16 08:14	1
Carbon disulfide	0.10	U	1.0	0.10	ug/L			07/12/16 08:14	1
Carbon tetrachloride	0.18	U	1.0	0.18	ug/L			07/12/16 08:14	1
Chlorobenzene	0.11	U	1.0	0.11	ug/L			07/12/16 08:14	1
Chloroform	0.10	U	1.0	0.10	ug/L			07/12/16 08:14	1
Ethylbenzene	0.12	U	1.0	0.12	ug/L			07/12/16 08:14	1
Methylene Chloride	0.27	U	1.0	0.27	ug/L			07/12/16 08:14	1
Tetrachloroethene	0.18	U	1.0	0.18	ug/L			07/12/16 08:14	1
Toluene	0.14	U	1.0	0.14	ug/L			07/12/16 08:14	1
Trichloroethene	0.25	U	1.0	0.25	ug/L			07/12/16 08:14	1
Vinyl chloride	0.19	U	2.0	0.19	ug/L			07/12/16 08:14	1
Xylenes, Total	0.26	U	3.0	0.26	ug/L			07/12/16 08:14	1

Tentatively Identified Compound	MB Est. Result	MB Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Naphthalene	0.229	J	ug/L		16.19	91-20-3		07/12/16 08:14	1
Tentatively Identified Compound	None		ug/L					07/12/16 08:14	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		75 - 129		07/12/16 08:14	1
4-Bromofluorobenzene (Surr)	111		81 - 130		07/12/16 08:14	1
Dibromofluoromethane (Surr)	99		81 - 124		07/12/16 08:14	1
Toluene-d8 (Surr)	107		87 - 128		07/12/16 08:14	1

Lab Sample ID: LCS 160-260028/5

Matrix: Water

Analysis Batch: 260028

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1,1-Trichloroethane	10.0	10.7		ug/L		107	85 - 116
1,1,2-Trichloroethane	10.0	10.3		ug/L		103	80 - 120
1,1-Dichloroethane	10.0	10.3		ug/L		103	80 - 120
1,1-Dichloroethene	10.0	10.3		ug/L		103	80 - 120
1,2-Dichloroethane	10.0	9.68		ug/L		97	80 - 115
2-Butanone (MEK)	10.0	10.1		ug/L		101	67 - 127
4-Methyl-2-pentanone (MIBK)	10.0	11.0		ug/L		110	75 - 126
Acetone	10.0	9.75		ug/L		98	69 - 129
Benzene	10.0	10.5		ug/L		105	80 - 120
Carbon disulfide	10.0	10.8		ug/L		108	80 - 121
Carbon tetrachloride	10.0	10.7		ug/L		107	83 - 125

TestAmerica St. Louis

QC Sample Results

Client: CH2M Hill Plateau Remediation Company
Project/Site: X16-035TestAmerica Job ID: 160-18107-1
SDG: SL2244

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 160-260028/5

Matrix: Water

Analysis Batch: 260028

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chlorobenzene	10.0	10.2		ug/L		102	80 - 120
Chloroform	10.0	10.1		ug/L		101	80 - 120
Ethylbenzene	10.0	10.5		ug/L		105	80 - 120
Methylene Chloride	10.0	9.61		ug/L		96	80 - 120
Tetrachloroethene	10.0	10.2		ug/L		102	83 - 123
Toluene	10.0	10.3		ug/L		103	80 - 120
Trichloroethene	10.0	10.5		ug/L		105	80 - 120
Vinyl chloride	10.0	9.59		ug/L		96	77 - 122
Xylenes, Total	20.0	21.2		ug/L		106	80 - 120

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	93		75 - 129
4-Bromofluorobenzene (Surr)	98		81 - 130
Dibromofluoromethane (Surr)	98		81 - 124
Toluene-d8 (Surr)	100		87 - 128

Lab Sample ID: LCSD 160-260028/6

Matrix: Water

Analysis Batch: 260028

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1,1-Trichloroethane	10.0	10.9		ug/L		109	85 - 116	2	20
1,1,2-Trichloroethane	10.0	10.8		ug/L		108	80 - 120	5	20
1,1-Dichloroethane	10.0	10.1		ug/L		101	80 - 120	2	20
1,1-Dichloroethene	10.0	10.3		ug/L		103	80 - 120	0	20
1,2-Dichloroethane	10.0	9.76		ug/L		98	80 - 115	1	20
2-Butanone (MEK)	10.0	9.59		ug/L		96	67 - 127	5	20
4-Methyl-2-pentanone (MIBK)	10.0	10.9		ug/L		109	75 - 126	0	20
Acetone	10.0	11.9		ug/L		119	69 - 129	20	20
Benzene	10.0	10.5		ug/L		105	80 - 120	0	20
Carbon disulfide	10.0	10.6		ug/L		106	80 - 121	2	20
Carbon tetrachloride	10.0	10.6		ug/L		106	83 - 125	1	20
Chlorobenzene	10.0	10.3		ug/L		103	80 - 120	1	20
Chloroform	10.0	10.4		ug/L		104	80 - 120	3	20
Ethylbenzene	10.0	10.5		ug/L		105	80 - 120	0	20
Methylene Chloride	10.0	10.0		ug/L		100	80 - 120	4	20
Tetrachloroethene	10.0	10.3		ug/L		103	83 - 123	0	20
Toluene	10.0	10.6		ug/L		106	80 - 120	3	20
Trichloroethene	10.0	10.4		ug/L		104	80 - 120	1	20
Vinyl chloride	10.0	9.44		ug/L		94	77 - 122	2	20
Xylenes, Total	20.0	21.7		ug/L		109	80 - 120	2	20

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	93		75 - 129
4-Bromofluorobenzene (Surr)	104		81 - 130
Dibromofluoromethane (Surr)	103		81 - 124
Toluene-d8 (Surr)	101		87 - 128

TestAmerica St. Louis

QC Sample Results

Client: CH2M Hill Plateau Remediation Company
 Project/Site: X16-035

TestAmerica Job ID: 160-18107-1
 SDG: SL2244

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 160-18098-C-1 MSD

Client Sample ID: Matrix Spike Duplicate

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 260028

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Toluene	0.14	U	10.0	10.3		ug/L		103	85 - 123	1	20
Trichloroethene	0.51	J	10.0	10.8		ug/L		103	81 - 125	2	20
Vinyl chloride	0.19	U	10.0	9.44		ug/L		94	70 - 129	5	20
Xylenes, Total	0.26	U	20.0	21.6		ug/L		108	80 - 120	2	20

Surrogate	MSD %Recovery	MSD Qualifier	MSD Limits
1,2-Dichloroethane-d4 (Surr)	99		75 - 129
4-Bromofluorobenzene (Surr)	105		81 - 130
Dibromofluoromethane (Surr)	100		81 - 124
Toluene-d8 (Surr)	100		87 - 128

QC Association Summary

Client: CH2M Hill Plateau Remediation Company
 Project/Site: X16-035

TestAmerica Job ID: 160-18107-1
 SDG: SL2244

GC/MS VOA

Analysis Batch: 260028

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
160-18098-B-1 MS	Matrix Spike	Total/NA	Water	8260C	
160-18098-C-1 MSD	Matrix Spike Duplicate	Total/NA	Water	8260C	
160-18107-1	B35JD4	Total/NA	Water	8260C	
LCS 160-260028/5	Lab Control Sample	Total/NA	Water	8260C	
LCSD 160-260028/6	Lab Control Sample Dup	Total/NA	Water	8260C	
MB 160-260028/8	Method Blank	Total/NA	Water	8260C	

Surrogate Summary

Client: CH2M Hill Plateau Remediation Company
 Project/Site: X16-035

TestAmerica Job ID: 160-18107-1
 SDG: SL2244

Method: 8260C - Volatile Organic Compounds (GC/MS)
Matrix: Water
Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	12DCE	BFB	DBFM	TOL
		(75-129)	(81-130)	(81-124)	(87-128)
160-18098-B-1 MS	Matrix Spike	97	100	106	103
160-18098-C-1 MSD	Matrix Spike Duplicate	99	105	100	100
160-18107-1	B35JD4	95	109	99	110
LCS 160-260028/5	Lab Control Sample	93	98	98	100
LCSD 160-260028/6	Lab Control Sample Dup	93	104	103	101
MB 160-260028/8	Method Blank	94	111	99	107

Surrogate Legend

12DCE = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

DBFM = Dibromofluoromethane (Surr)

TOL = Toluene-d8 (Surr)