TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica St. Louis
13715 Rider Trail North
Earth City, MO 63045
Tel: (314)298-8566

TestAmerica Job ID: 160-17785-1
TestAmerica Sample Delivery Group: SL2217
Client Project/Site: X16-033

For:
CH2M Hill Plateau Remediation Company
PO BOX 1600, MS H8-41
Richland, Washington 99352

Attn: Mr. Scot Fitzgerald

Authorized for release by:
7/11/2016 1:56:52 PM

Jayna Awalt, Project Manager II
(314)298-8566
jayna.awalt@testamericainc.com

LINKS

Review your project results through TotalAccess

Have a Question? Ask The Expert

Visit us at: www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page 1
Table of Contents 2
Case Narrative 3
Chain of Custody 6
Definitions/Glossary 12
Method Summary 13
Sample Summary 14
Client Sample Results 15
QC Sample Results 16
QC Association Summary 18
Surrogate Summary 19

Job ID: 160-17785-1

Laboratory: TestAmerica St. Louis

Narrative

CASE NARRATIVE

CH2MHill Plateau Remediation Company
P.O. Box 1600
Richland, Washington 99352
July 11, 2016
Attention: Scot Fitzgerald

SDG	: SL2217
Number of Samples	: 4 samples
Sample Matrix	: Water
Data Deliverable	: Summary
Date SDG Closed	: June 14, 2016

II. Introduction

On June 14, 4 samples were received by TestAmerica - St. Louis for chemical analysis. The samples were received within temperature criteria. See the COC and receipt checklists for documentation of any variations on receipt conditions and temperature. Upon receipt, samples were given laboratory Ids to correspond with specific client Ids. Please refer to the Sample Summary sheets attached to this case narrative. This report is incomplete without the narrative.

The following SAFs are associated with this SDG: X16-033

III. Analytical Results/ Methodology

The analytical results for this report are presented by analytical test. Each set of data includes sample identification information, analytical results and the appropriate detection limits. All results are based upon samples as they were received, i.e. wet weight, unless otherwise noted on the data sheets. See the attached Methods Summary Form for the methods used in this SDG.

MS/MSD/Dup analysis was done per the client requirements. Analytical batches that did not contain matrix QC were analyzed with an LCS/LCS duplicate.

Note: For Metals analyses, per standard practice, all 6020 water and soil samples are initially prepared at 2x dilution. This standard dilution does not affect reporting limits as MDL studies are also prepared in the same manner. These dilutions do not necessitate flagging unless otherwise noted in the case narrative.

For solid matrices, all Metals analyses (including Hg) use a Standard Reference Material for the Laboratory Control Sample (LCS). Certificate for this source material may be obtained from TASL.

For Anion analysis, samples have been started at a 2x dilution per CHPRC direction. The samples are flagged accordingly with a “D” flag if sample concentration is above the MDL/RL. Non-conformance will be included in the below section only if dilution is greater than 2x.

For WTPH methods, the lab utilizes method 8015B. Per CHPRC direction, the method name in the electronic data has been modified to read WTPH in the place of 8015B.

Per CHPRC direction (June 2014), Boron will be reported for Metals using method 6010. Boron will no longer be reported by method 6020.

Per CHPRC direction, due to the short hold times for Nitrate, Nitrite and Phosphate by IC (48 hours) as well as pH analysis (24 hours), a SIR request is not needed when samples are run outside 1x hold but within 2x hold. A narrative comment will be included below if a sample is run outside the lab-specified hold time for waters.

Job ID: 160-17785-1 (Continued)

Laboratory: TestAmerica St. Louis (Continued)

For extractable and volatile organic analyses, several analytes are considered poor performers and will not meet CHPRC QC limits. Per CHPRC direction, the lab's statistical limits have been reported. Excursions outside these statistical limits will include a non-conformance in the sections below.

IV. Definitions

QCBLK-	Quality Control Blank, Method Blank
QCLCS-	Quality Control Laboratory Control Sample, Blank Spike
DUP-	Laboratory Duplicate
MS-	Matrix Spike
MSD-	Matrix Spike Duplicate

The term "Detection Limit" used in the analytical data report refers to either the lab's standard reporting limits or contractually required reporting limits, whichever is applicable.

The following data qualifiers may be applicable to the results in this report, as appropriate.

- **B** - For inorganic analyses, the sample result is greater than the MDL but less than the RL.
- **B** - For organic analyses, Method Blank contamination. The Method Blank contains the target analyte at a concentration above the MDL.
- **J** - For organic analyses, the sample is estimated and less than the RL.
- **C** - For inorganic analyses, Method Blank contamination. The Method Blank contains the target analyte at a concentration above the MDL.
- **D** - For all analyses, the sample result was obtained from the analysis of a dilution. For Metals analyses, per standard practice, all solid samples are initially prepared at a 2x dilution. This standard dilution does not affect reporting limits as MDL studies are also prepared in the same manner. These dilutions do not necessitate qualification unless otherwise noted in the case narrative.
- **N** - For inorganics and GC analyses, the spike/spike duplicate recoveries are outside QC limits.
- **T** - For GCMS analyses, the spike/spike duplicate recoveries are outside QC limits.
- **O**- For all analyses, the LCS (LCSD) recoveries are outside QC limits.
- **M**- For inorganic analyses, the precision was outside control limits.
- **P -** For organic analyses (PCB/Pests only), the aroclor target analyte has greater than 25% difference for detected concentrations between the two GC columns.

DRO

Batch: 259406

The matrix spike / matrix spike duplicate (MS/MSD) precision for preparation batch 160-256778 and analytical batch 160-259406 was outside control limits. Sample matrix interference and/or non-homogeneity are suspected as the MS/MSD recoveries were within QC limits. No further action is required.

There were no observations or non-conformances associated with the following methods:

Alkalinity

We certify that this data package is in compliance with the SOW, both technically and for completeness, including a full description of, explanation of, and corrective actions for, any and all deviations, from either the analyses requested or the case narrative requested. Release of the data contained in this hard copy data package has been authorized by the Laboratory Analytical Manager or designee and the laboratory's client services representative as verified by their signature on this report.

Reviewed and approved:

Jayna Awalt

Case Narrative

Job ID: 160-17785-1 (Continued)

Laboratory: TestAmerica St. Louis (Continued)

St. Louis Project Manager

Login Sample Receipt Checklist

Client: CH2M Hill Plateau Remediation Company

Job Number: 160-17785-1
SDG Number: SL2217

Login Number: 17785
List Number: 1
Creator: Daniels, Brian J

List Source: TestAmerica St. Louis

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	0.9°
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

CH2MHill Plateau Remediation Company SL2217

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C. # **X16-033-105**

Collector	J.R. Aguilar/CHPRC	**Contact/Requester**	Karen Waters-Husted	**Telephone No.**	509-376-4650
SAF No.	X16-033	**Sampling Origin**	Hanford Site	**Purchase Order/Charge Code**	303064
Project Title	AQUIFER TUBES, JUNE 2016	**Logbook No.**	HNF-N-506 79/27	**Ice Chest No.**	GWS-486
Shipped To (Lab)	TestAmerica St. Louis	**Method of Shipment**	Commercial Carrier	**Bill of Lading/Air Bill No.**	7765 0582 6218
Protocol	CERCLA	**Priority:**	**30 Days** **PRIORITY**	**Offsite Property No.**	N/A

POSSIBLE SAMPLE HAZARDS/REMARKS

** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR / IATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐

N/A

Sample No.	Filter	*	Date	Time	No/Type Container	Sample Analysis	Holding Time	Preservative
B358C0	N	W	JUN 12 2016	0640	3x1-L aG	WTPH_DIESEL: COMMON	14/40 Days	HCl to pH <2/Cool <=6C

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
J.R. Aguilar/CHPRC			JUN 12 2016 1025	SSU-1			JUN 12 2016 1025
SSU-1			JUN 13 2016 1040	Lesly Wall /CHPRC	Lesly Wall		JUN 13 2016 1040
Lesly Wall /CHPRC	Lesly Wall		JUN 13 2016 1400	FEDEX			
FEDEX				BRIAN DANIELS			6/14/16 0905

Matrix *

S	= Soil		DS	= Drum Solids	
SE	= Sediment		DL	= Drum Liquids	
SO	= Solid		T	= Tissue	
SL	= Sludge		WI	= Wipe	
W	= Water		L	= Liquid	
O	= Oil		V	= Vegetation	
A	= Air		X	= Other	

FINAL SAMPLE DISPOSITION Disposal Method (e.g., Return to customer, per lab procedure, used in process) Disposed By Date/Time

PRINTED ON 4/21/2016 FSR ID = FSR2433 A-6004-842 (REV 2)

CH2MHill Plateau Remediation Company SL2217

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C. # **X16-033-106**

Collector	J.R. Aguilar/CHPRC	**Contact/Requester**	Karen Waters-Husted	**Telephone No.**	509-376-4650
SAF No.	X16-033	**Sampling Origin**	Hanford Site	**Purchase Order/Charge Code**	303064
Project Title	AQUIFER TUBES, JUNE 2016	**Logbook No.**	HNF-N-506 79 / 27	**Ice Chest No.**	GWS-486
Shipped To (Lab)	TestAmerica St. Louis	**Method of Shipment**	Commercial Carrier	**Bill of Lading/Air Bill No.**	776505826218
Protocol	CERCLA	**Priority:**	30 Days **PRIORITY**	**Offsite Property No.**	N/A

POSSIBLE SAMPLE HAZARDS/REMARKS

** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR / IATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐

N/A

Sample No.	Filter	*	Date	Time	No/Type Container	Sample Analysis	Holding Time	Preservative
B358C1	N	W	JUN 12 2016	0828	3x1-L aG	WTPH_DIESEL: COMMON	14/40 Days	HCl to pH <2/Cool <=6C

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
J.R. Aguilar/CHPRC			JUN 12 2016 1025	SSU-1			JUN 12 2016 1025
SSU-1			JUN 13 2016 1040	Lesly Wall /CHPRC		Lesly Wall	JUN 13 2016 1040
Lesly Wall /CHPRC		Lesly Wall	JUN 13 2016 1400	FEDEX			
FEDEX				BRIAN DANIELS			6/14/16 09:5

Matrix *

S	= Soil		DS	= Drum Solids	
SE	= Sediment		DL	= Drum Liquids	
SO	= Solid		T	= Tissue	
SL	= Sludge		WI	= Wipe	
W	= Water		L	= Liquid	
O	= Oil		V	= Vegetation	
A	= Air		X	= Other	

FINAL SAMPLE DISPOSITION Disposal Method (e.g., Return to customer, per lab procedure, used in process) Disposed By Date/Time

PRINTED ON 4/21/2016 FSR ID = FSR2431 A-6004-842 (REV 2)

CH2MHill Plateau Remediation Company SL2217

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C. # **X16-033-117**

Collector	J.R. Aguilar/CHPRC	**Contact/Requester**	Karen Waters-Husted	**Telephone No.**	509-376-4650
SAF No.	X16-033	**Sampling Origin**	Hanford Site	**Purchase Order/Charge Code**	303064
Project Title	AQUIFER TUBES, JUNE 2016	**Logbook No.**	HNF-N-506 79/27	**Ice Chest No.**	GWS-486
Shipped To (Lab)	TestAmerica St. Louis	**Method of Shipment**	Commercial Carrier	**Bill of Lading/Air Bill No.**	776505826218
Protocol	CERCLA	**Priority:**	**30 Days** **PRIORITY**	**Offsite Property No.**	N/A

POSSIBLE SAMPLE HAZARDS/REMARKS

** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR / IATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐

N/A

Sample No.	Filter	*	Date	Time	No/Type Container	Sample Analysis	Holding Time	Preservative
B358W4	N	W	JUN 12 2016	0908	1x500-mL G/P	310.1_ALKALINITY: GW 01	14 Days	Cool <=6C
B358W4	N	W	JUN 12 2016	0908	3x1-L aG	WTPH_DIESEL: COMMON	14/40 Days	HCl to pH <2/Cool <=6C

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
J.R. Aguilar/CHPRC			JUN 12 2016 1025	SSU-1			JUN 12 2016 1025
SSU-1			JUN 13 2016 1040	Lesly Wall /CHPRC		Lesly Wall	JUN 13 2016 1040
Lesly Wall /CHPRC		Lesly Wall	JUN 13 2016 1400	FEDEX			
			FEDEX	BRIAN DANIELS		B l	6/14/16 0905

Matrix *

S	= Soil		DS	= Drum Solids	
SE	= Sediment		DL	= Drum Liquids	
SO	= Solid		T	= Tissue	
SL	= Sludge		WI	= Wipe	
W	= Water		L	= Liquid	
O	= Oil		V	= Vegetation	
A	= Air		X	= Other	

FINAL SAMPLE DISPOSITION Disposal Method (e.g., Return to customer, per lab procedure, used in process) Disposed By Date/Time

PRINTED ON 4/26/2016 FSR ID = FSR22144 A-6004-842 (REV 2)

CH2MHill Plateau Remediation Company SL2217

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C. # **X16-033-118**

Collector	J.R. Aguilar/CHPRC	**Contact/Requester**	Karen Waters-Husted	**Telephone No.**	509-376-4650
SAF No.	X16-033	**Sampling Origin**	Hanford Site	**Purchase Order/Charge Code**	303064
Project Title	AQUIFER TUBES, JUNE 2016	**Logbook No.**	HNF-N-506 79/27	**Ice Chest No.**	GWS-486
Shipped To (Lab)	TestAmerica St. Louis	**Method of Shipment**	Commercial Carrier	**Bill of Lading/Air Bill No.**	7765058262 18
Protocol	CERCLA	**Priority:**	**30 Days** **PRIORITY**	**Offsite Property No.**	N/A

POSSIBLE SAMPLE HAZARDS/REMARKS

** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR / IATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐

N/A

Sample No.	Filter	*	Date	Time	No/Type Container	Sample Analysis	Holding Time	Preservative
B358W5	N	W	JUN 12 2016	0908	1x500-mL G/P	310.1_ALKALINITY: GW 01	14 Days	Cool <=6C
B358W5	N	W	JUN 12 2016	0908	3x1-L aG	WTPH_DIESEL: COMMON	14/40 Days	HCl to pH <2/Cool <=6C

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
J.R. Aguilar/CHPRC			JUN 12 2016 1025	SSU-1			JUN 12 2016 1025
SSU-1			JUN 13 2016 1040	Lesly Wall /CHPRC		Lesly Wall	JUN 13 2016 1040
Lesly Wall /CHPRC		Lesly Wall	JUN 13 2016 1400	FEDEX			
FEDEX				BRIAN DANIELS		B	6/14/16 0915

Matrix *

S	= Soil	DS	= Drum Solids
SE	= Sediment	DL	= Drum Liquids
SO	= Solid	T	= Tissue
SL	= Sludge	WI	= Wipe
W	= Water	L	= Liquid
O	= Oil	V	= Vegetation
A	= Air	X	= Other

FINAL SAMPLE DISPOSITION Disposal Method (e.g., Return to customer, per lab procedure, used in process) Disposed By Date/Time

PRINTED ON 4/26/2016 FSR ID = FSR22144 A-6004-842 (REV 2)

My Profile | Support | Locations | English | Search or tracking number Subi
FedEx. Shipping | Tracking | Manage | Learn | FedEx Office ® Login

FedEx ® Tracking

776505826218

Ship date:
Mon 6/13/2016

RICHLAND, WA US

Delivered
Signed for by: B.DANIELS

Actual delivery:
Tue 6/14/2016 9:09 am

EARTH CITY, MO US

Travel History

Date/Time	Activity	Location
- 6/14/2016 - Tuesday		
9:09 am	Delivered	EARTH CITY, MO
7:14 am	On FedEx vehicle for delivery	EARTH CITY, MO
7:06 am	At local FedEx facility	EARTH CITY, MO
5:23 am	At destination sort facility	BERKELEY, MO
4:33 am	Departed FedEx location	MEMPHIS, TN
12:54 am	Arrived at FedEx location	MEMPHIS, TN
- 6/13/2016 - Monday		
5:02 pm	Left FedEx origin facility	PASCO, WA
3:34 pm	Picked up	PASCO, WA
12:58 pm	Shipment information sent to FedEx	

Shipment Facts

Tracking number	776505826218	**Service**	FedEx Standard Overnight
Weight	85 lbs / 38.56 kgs	**Delivered To**	Shipping/Receiving
Total pieces	1	**Total shipment weight**	85 lbs / 38.56 kgs
Terms	Recipient	**Shipper reference**	GWS-486
Packaging	Your Packaging	**Special handling section**	Deliver Weekday, Additional Handling Surcharge

FedEx. Search or tracking number Subm

Customer Focus
New Customer Center
Small Business Center
Service Guide
Customer Support

Company Information
About FedEx
Careers
Investor Relations
Subscribe to FedEx email

Featured Services
FedEx Delivery Manager
FedEx SameDay
FedEx Home Delivery
FedEx TechConnect
Healthcare Solutions
Online Retail Solutions
Packaging Services
Ancillary Clearance Services

Other Resources
FedEx Compatible
Developer Resource Center
FedEx Ship Manager Software
FedEx Mobile

Companies
FedEx Express
FedEx Ground
FedEx Office
FedEx Freight
FedEx Custom Critical
FedEx Trade Networks
FedEx CrossBorder
FedEx SupplyChain

Follow FedEx

United States - English

© FedEx 1995-2016

Global Home | Site Map | fedex.com Terms of Use | Security and Privacy

Definitions/Glossary

Client: CH2M Hill Plateau Remediation Company
Project/Site: X16-033

TestAmerica Job ID: 160-17785-1
SDG: SL2217

Qualifiers

GC Semi VOA

Qualifier	Qualifier Description
U	Analyzed for but not detected.

General Chemistry

Qualifier	Qualifier Description
U	Analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Method Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: X16-033

TestAmerica Job ID: 160-17785-1
SDG: SL2217

Method	Method Description	Protocol	Laboratory
8015B	Diesel Range Organics (DRO) (GC)	SW846	TAL SL
310.1	Alkalinity	MCAWW	TAL SL

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

Sample Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: X16-033

TestAmerica Job ID: 160-17785-1
SDG: SL2217

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
160-17785-1	B358C0	Water	06/12/16 06:40	06/14/16 09:15
160-17785-2	B358C1	Water	06/12/16 08:28	06/14/16 09:15
160-17785-3	B358W4	Water	06/12/16 09:08	06/14/16 09:15
160-17785-4	B358W5	Water	06/12/16 09:08	06/14/16 09:15

Client Sample Results

Client: CH2M Hill Plateau Remediation Company
Project/Site: X16-033

TestAmerica Job ID: 160-17785-1
SDG: SL2217

Method: 8015B - Diesel Range Organics (DRO) (GC)

Client Sample ID: B358C0 — **Lab Sample ID: 160-17785-1**
Date Collected: 06/12/16 06:40 — **Matrix: Water**
Date Received: 06/14/16 09:15

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.017	U	0.50	0.017	mg/L		06/16/16 11:16	07/07/16 06:14	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o-Terphenyl	*85*		*47 - 136*	*06/16/16 11:16*	*07/07/16 06:14*	*1*

Client Sample ID: B358C1 — **Lab Sample ID: 160-17785-2**
Date Collected: 06/12/16 08:28 — **Matrix: Water**
Date Received: 06/14/16 09:15

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.017	U	0.49	0.017	mg/L		06/16/16 11:16	07/07/16 06:41	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o-Terphenyl	*70*		*47 - 136*	*06/16/16 11:16*	*07/07/16 06:41*	*1*

Client Sample ID: B358W4 — **Lab Sample ID: 160-17785-3**
Date Collected: 06/12/16 09:08 — **Matrix: Water**
Date Received: 06/14/16 09:15

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.017	U	0.49	0.017	mg/L		06/16/16 11:16	07/07/16 07:08	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o-Terphenyl	*82*		*47 - 136*	*06/16/16 11:16*	*07/07/16 07:08*	*1*

Client Sample ID: B358W5 — **Lab Sample ID: 160-17785-4**
Date Collected: 06/12/16 09:08 — **Matrix: Water**
Date Received: 06/14/16 09:15

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.017	U	0.49	0.017	mg/L		06/16/16 11:16	07/07/16 08:28	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o-Terphenyl	*75*		*47 - 136*	*06/16/16 11:16*	*07/07/16 08:28*	*1*

General Chemistry

Client Sample ID: B358W4 — **Lab Sample ID: 160-17785-3**
Date Collected: 06/12/16 09:08 — **Matrix: Water**
Date Received: 06/14/16 09:15

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	**72.0**		5.0	0.54	mg/L			06/20/16 22:56	1
Bicarbonate Alkalinity	**72.0**		5.0	0.54	mg/L			06/20/16 22:56	1
Carbonate Alkalinity	0.54	U	5.0	0.54	mg/L			06/20/16 22:56	1
Hydroxide Alkalinity	0.54	U	5.0	0.54	mg/L			06/20/16 22:56	1

Client Sample ID: B358W5 — **Lab Sample ID: 160-17785-4**
Date Collected: 06/12/16 09:08 — **Matrix: Water**
Date Received: 06/14/16 09:15

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	**74.0**		5.0	0.54	mg/L			06/20/16 23:08	1
Bicarbonate Alkalinity	**74.0**		5.0	0.54	mg/L			06/20/16 23:08	1
Carbonate Alkalinity	0.54	U	5.0	0.54	mg/L			06/20/16 23:08	1
Hydroxide Alkalinity	0.54	U	5.0	0.54	mg/L			06/20/16 23:08	1

QC Sample Results

Client: CH2M Hill Plateau Remediation Company
Project/Site: X16-033

TestAmerica Job ID: 160-17785-1
SDG: SL2217

Method: 8015B - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 160-256778/1-A
Matrix: Water
Analysis Batch: 259406

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 256778

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.017	U	0.50	0.017	mg/L		06/16/16 11:16	07/07/16 03:06	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o-Terphenyl	*90*		*47 - 136*	*06/16/16 11:16*	*07/07/16 03:06*	*1*

Lab Sample ID: LCS 160-256778/2-A
Matrix: Water
Analysis Batch: 259406

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 256778

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Diesel Range Organics [C10-C28]	2.50	2.12		mg/L		85	30 - 100

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
o-Terphenyl	*91*		*47 - 136*

Lab Sample ID: 160-17760-B-3-A MS
Matrix: Water
Analysis Batch: 259406

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 256778

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Diesel Range Organics [C10-C28]	0.017	U	2.44	1.26		mg/L		51	28 - 115

Surrogate	*MS %Recovery*	*MS Qualifier*	*Limits*
o-Terphenyl	*70*		*47 - 136*

Lab Sample ID: 160-17760-C-3-A MSD
Matrix: Water
Analysis Batch: 259406

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 256778

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Diesel Range Organics [C10-C28]	0.017	U	2.46	1.64		mg/L		67	28 - 115	26	20

Surrogate	*MSD %Recovery*	*MSD Qualifier*	*Limits*
o-Terphenyl	*79*		*47 - 136*

Method: 310.1 - Alkalinity

Lab Sample ID: MB 160-257173/1
Matrix: Water
Analysis Batch: 257173

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	0.54	U	5.0	0.54	mg/L			06/20/16 20:55	1
Bicarbonate Alkalinity	0.54	U	5.0	0.54	mg/L			06/20/16 20:55	1

QC Sample Results

Client: CH2M Hill Plateau Remediation Company
Project/Site: X16-033

TestAmerica Job ID: 160-17785-1
SDG: SL2217

Method: 310.1 - Alkalinity (Continued)

Lab Sample ID: MB 160-257173/1 — **Client Sample ID: Method Blank**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 257173

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Carbonate Alkalinity	0.54	U	5.0	0.54	mg/L			06/20/16 20:55	1
Hydroxide Alkalinity	0.54	U	5.0	0.54	mg/L			06/20/16 20:55	1

Lab Sample ID: HLCS 160-257173/3 — **Client Sample ID: Lab Control Sample**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 257173

Analyte	Spike Added	HLCS Result	HLCS Qualifier	Unit	D	%Rec	%Rec. Limits
Alkalinity	400	379.0		mg/L		95	90 - 110
Bicarbonate Alkalinity	400	379.0		mg/L		95	90 - 110

Lab Sample ID: LCS 160-257173/2 — **Client Sample ID: Lab Control Sample**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 257173

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Alkalinity	200	188.0		mg/L		94	90 - 110
Bicarbonate Alkalinity	200	188.0		mg/L		94	90 - 110

Lab Sample ID: 160-17760-E-5 MS — **Client Sample ID: Matrix Spike**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 257173

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Alkalinity	114		100	207.0		mg/L		93	80 - 120
Bicarbonate Alkalinity	114		100	207.0		mg/L		93	80 - 120

Lab Sample ID: 160-17760-E-5 DU — **Client Sample ID: Duplicate**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 257173

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Alkalinity	114		112.0		mg/L		2	20
Bicarbonate Alkalinity	114		112.0		mg/L		2	20
Carbonate Alkalinity	0.54	U	0.54	U	mg/L		NC	20
Hydroxide Alkalinity	0.54	U	0.54	U	mg/L		NC	20

QC Association Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: X16-033

TestAmerica Job ID: 160-17785-1
SDG: SL2217

GC Semi VOA

Prep Batch: 256778

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
160-17760-B-3-A MS	Matrix Spike	Total/NA	Water	3510C	
160-17760-C-3-A MSD	Matrix Spike Duplicate	Total/NA	Water	3510C	
160-17785-1	B358C0	Total/NA	Water	3510C	
160-17785-2	B358C1	Total/NA	Water	3510C	
160-17785-3	B358W4	Total/NA	Water	3510C	
160-17785-4	B358W5	Total/NA	Water	3510C	
LCS 160-256778/2-A	Lab Control Sample	Total/NA	Water	3510C	
MB 160-256778/1-A	Method Blank	Total/NA	Water	3510C	

Analysis Batch: 259406

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
160-17760-B-3-A MS	Matrix Spike	Total/NA	Water	8015B	256778
160-17760-C-3-A MSD	Matrix Spike Duplicate	Total/NA	Water	8015B	256778
160-17785-1	B358C0	Total/NA	Water	8015B	256778
160-17785-2	B358C1	Total/NA	Water	8015B	256778
160-17785-3	B358W4	Total/NA	Water	8015B	256778
160-17785-4	B358W5	Total/NA	Water	8015B	256778
LCS 160-256778/2-A	Lab Control Sample	Total/NA	Water	8015B	256778
MB 160-256778/1-A	Method Blank	Total/NA	Water	8015B	256778

General Chemistry

Analysis Batch: 257173

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
160-17760-E-5 DU	Duplicate	Total/NA	Water	310.1	
160-17760-E-5 MS	Matrix Spike	Total/NA	Water	310.1	
160-17785-3	B358W4	Total/NA	Water	310.1	
160-17785-4	B358W5	Total/NA	Water	310.1	
HLCS 160-257173/3	Lab Control Sample	Total/NA	Water	310.1	
LCS 160-257173/2	Lab Control Sample	Total/NA	Water	310.1	
MB 160-257173/1	Method Blank	Total/NA	Water	310.1	

Surrogate Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: X16-033

TestAmerica Job ID: 160-17785-1
SDG: SL2217

Method: 8015B - Diesel Range Organics (DRO) (GC)

Matrix: Water **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)							
Lab Sample ID	**Client Sample ID**	**OTPH1 (47-136)**							
160-17760-B-3-A MS	Matrix Spike	70							
160-17760-C-3-A MSD	Matrix Spike Duplicate	79							
160-17785-1	B358C0	85							
160-17785-2	B358C1	70							
160-17785-3	B358W4	82							
160-17785-4	B358W5	75							
LCS 160-256778/2-A	Lab Control Sample	91							
MB 160-256778/1-A	Method Blank	90							

Surrogate Legend

OTPH = o-Terphenyl