

6/16/2016

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Richland
2800 George Washington Way
Richland, WA 99352
Tel: (509)375-3131

TestAmerica Job ID: 300-3139-1
TestAmerica Sample Delivery Group: WC1102
Client Project/Site: F16-043

For:
CH2M Hill Plateau Remediation Company
PO BOX 1600
Mail Stop R3-50
Richland, Washington 99352

Attn: CPP Sample Management



Authorized for release by:
6/16/2016 2:59:43 PM
Steven Campbell, Quality Assurance Assistant
steven.campbell@testamericainc.com

Designee for
Whitney Ritari, Project Manager I
(509)375-3131 ext164
whitney.ritari@testamericainc.com

I certify that this Certificate of Analysis is in compliance with the SOW, both technically and for completeness, for other than the conditions detailed in this package. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager, or a designee as verified by the attached signature.

The laboratory is accredited to EPA 7196A in Solid and Chemical Materials, per Washington State Department of Ecology this is approved for non-discharge water samples. The sample/ sample duplicate RPD agreement is not applicable if one or both results are less than five times the MDL.



LINKS

Review your project results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Chain of Custody	5
Detection Summary	6
Client Sample Results	7
QC Sample Results	8
QC Association Summary	9
Lab Chronicle	10
Method Summary	12
Sample Summary	13
Receipt Checklists	14

Definitions/Glossary

Client: CH2M Hill Plateau Remediation Company
 Project/Site: F16-043

TestAmerica Job ID: 300-3139-1
 SDG: WC1102

Qualifiers

General Chemistry

Qualifier	Qualifier Description
U	Analyzed for but not detected.
D	The reported value is from a dilution.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: CH2M Hill Plateau Remediation Company
Project/Site: F16-043

TestAmerica Job ID: 300-3139-1
SDG: WC1102

Job ID: 300-3139-1

Laboratory: TestAmerica Richland

Narrative

Job Narrative
300-3139-1

Comments

No additional comments.

Receipt

The sample was received on 5/26/2016 10:15 AM; the sample arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 5.8° C.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

CH2M Hill Plateau Remediation Company

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

F16-043-018

PAGE 1 OF 1

COLLECTOR
Frank Hall
CHPRC

COMPANY CONTACT
TODAK, D

TELEPHONE NO.
376-6427

PROJECT COORDINATOR
TODAK, D

PRICE CODE 8C

DATA TURNAROUND
15 Days / 15 Days

SAMPLING LOCATION
C9400, I-004

PROJECT DESIGNATION
100-NR-2 Drilling - Soil

FIELD LOGBOOK NO.
100-NR-2 Drilling - Soil

SAF NO.
F16-043

METHOD OF SHIPMENT
GOVERNMENT VEHICLE

ORIGINAL

SHIPPED TO
TestAmerica Incorporated, Richland

OFFSITE PROPERTY NO.
HSE-N-645-4/10

ACTUAL SAMPLE DEPTH
62.30 to 64.13 ft

COA
304070

BILL OF LADING/AIR BILL NO.

MATRIX*
A=Air
DL=Drum
Liquids
DS=Drum
Solids
L=Liquid
O=Oil
S=Soil
SE=Sediment
T=Tissue
V=Vegetation
W=Water
WF=W/pipe
X=Other

PRESERVATION
Cool <=6C

HOLDING TIME
30 Days

TYPE OF CONTAINER
G/P

NO. OF CONTAINERS(S)
1

VOLUME
60ml

7196 CR6: COMMON

POSSIBLE SAMPLE HAZARDS/ REMARKS
*Contains Radioactive Material at concentrations that are not be regulated for transportation per 49 CFR/147A. Dangerous Goods Regulations but are not releasable per DOE Order 458.1. NA

SPECIAL HANDLING AND/OR STORAGE

we1102

SAMPLE NO.	MATRIX*	SAMPLE DATE	SAMPLE TIME
B35VD4	SOIL	MAY 25 2016	1440



300-3139 COC

CHAIN OF POSSESSION

SIGN/ PRINT NAMES

SPECIAL INSTRUCTIONS

RELINQUISHED BY/REMOVED FROM
Frank Hall
DATE/TIME
MAY 25 2016 0700
RECEIVED BY/STORED IN
SSV #1
DATE/TIME
MAY 25 2016 0700

SAMPLE B35VD1 PORTION D; SAMPLE B35VD2 PORTION C; SPLIT SPOON PARTS B & A WILL BE COMBINED TO ENSURE ADEQUATE SAMPLE MATERIAL FOR ANALYSIS; SAMPLE A AND B PORTION SAMPLES B35VD3, B35VD4, B35VD5, B35VD6

RELINQUISHED BY/REMOVED FROM
C.M. Aguilera/CHPRC
DATE/TIME
MAY 26 2016 1015
RECEIVED BY/STORED IN
L Anderson, TRVL
DATE/TIME
MAY 26 2016 1015

RELINQUISHED BY/REMOVED FROM
DATE/TIME
RECEIVED BY/STORED IN
DATE/TIME

TITLE

LABORATORY SECTION	RECEIVED BY	DATE/TIME	DISPOSED BY	DATE/TIME
FINAL SAMPLE DISPOSITION	DISPOSAL METHOD			

PRINTED ON 5/23/2016

FSR ID = FSR32403

TRVL NUM = TRVL-16-151

A-6003-618 (REV 2)

6/16/2016

Detection Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: F16-043

TestAmerica Job ID: 300-3139-1
SDG: WC1102

Client Sample ID: B35VD4

Lab Sample ID: 300-3139-1

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

This Detection Summary does not include radiochemical test results.

TestAmerica Richland

Client Sample Results

Client: CH2M Hill Plateau Remediation Company
 Project/Site: F16-043

TestAmerica Job ID: 300-3139-1
 SDG: WC1102

Client Sample ID: B35VD4
Date Collected: 05/25/16 14:40
Date Received: 05/26/16 10:15

Lab Sample ID: 300-3139-1
Matrix: Soil

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI)	0.15	U	2.0	0.15	mg/Kg		06/10/16 09:06	06/10/16 14:20	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

QC Sample Results

Client: CH2M Hill Plateau Remediation Company
 Project/Site: F16-043

TestAmerica Job ID: 300-3139-1
 SDG: WC1102

Method: 7196A - Chromium, Hexavalent

Lab Sample ID: MB 300-4504/1-A
 Matrix: Solid
 Analysis Batch: 4574

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 4504

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI)	0.15	U	2.0	0.15	mg/Kg		06/10/16 09:06	06/10/16 11:51	1

Lab Sample ID: LCS 300-4504/2-A
 Matrix: Solid
 Analysis Batch: 4574

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 4504

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Cr (VI)	20.0	19.67		mg/Kg		98	85 - 115

Lab Sample ID: 300-3136-A-1-B MS
 Matrix: Solid
 Analysis Batch: 4574

Client Sample ID: Matrix Spike
 Prep Type: Total/NA
 Prep Batch: 4504

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Cr (VI)	0.15	U	29.9	27.44		mg/Kg		92	75 - 125

Lab Sample ID: 300-3136-A-1-D MSI
 Matrix: Solid
 Analysis Batch: 4574

Client Sample ID: Matrix Spike
 Prep Type: Total/NA
 Prep Batch: 4504

Analyte	Sample Result	Sample Qualifier	Spike Added	MSI Result	MSI Qualifier	Unit	D	%Rec	%Rec. Limits
Cr (VI)	0.15	U	737	748.3	D	mg/Kg		102	

Lab Sample ID: 300-3136-A-1-C DU
 Matrix: Solid
 Analysis Batch: 4574

Client Sample ID: Duplicate
 Prep Type: Total/NA
 Prep Batch: 4504

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Cr (VI)	0.15	U	0.15	U	mg/Kg		NC	35

QC Association Summary

Client: CH2M Hill Plateau Remediation Company
 Project/Site: F16-043

TestAmerica Job ID: 300-3139-1
 SDG: WC1102

General Chemistry

Prep Batch: 4504

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
300-3136-A-1-B MS	Matrix Spike	Total/NA	Solid	3060A	
300-3136-A-1-C DU	Duplicate	Total/NA	Solid	3060A	
300-3136-A-1-D MSI	Matrix Spike	Total/NA	Solid	3060A	
300-3139-1	B35VD4	Total/NA	Soil	3060A	
LCS 300-4504/2-A	Lab Control Sample	Total/NA	Solid	3060A	
MB 300-4504/1-A	Method Blank	Total/NA	Solid	3060A	

Analysis Batch: 4574

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
300-3136-A-1-B MS	Matrix Spike	Total/NA	Solid	7196A	4504
300-3136-A-1-C DU	Duplicate	Total/NA	Solid	7196A	4504
300-3136-A-1-D MSI	Matrix Spike	Total/NA	Solid	7196A	4504
300-3139-1	B35VD4	Total/NA	Soil	7196A	4504
LCS 300-4504/2-A	Lab Control Sample	Total/NA	Solid	7196A	4504
MB 300-4504/1-A	Method Blank	Total/NA	Solid	7196A	4504

Lab Chronicle

Client: CH2M Hill Plateau Remediation Company
Project/Site: F16-043

TestAmerica Job ID: 300-3139-1
SDG: WC1102

Client Sample ID: B35VD4

Date Collected: 05/25/16 14:40

Date Received: 05/26/16 10:15

Lab Sample ID: 300-3139-1

Matrix: Soil

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5015 g	100 mL	4504	06/10/16 09:06	HR	TAL RCH
Total/NA	Analysis	7196A		1	2.5015 g	100 mL	4574	06/10/16 14:20	RLC	TAL RCH

Client Sample ID: Duplicate

Date Collected: 05/25/16 11:25

Date Received: 05/25/16 14:15

Lab Sample ID: 300-3136-A-1-C DU

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.509 g	100 mL	4504	06/10/16 09:06	HR	TAL RCH
Total/NA	Analysis	7196A		1	2.509 g	100 mL	4574	06/10/16 13:16	RLC	TAL RCH

Client Sample ID: Lab Control Sample

Date Collected: N/A

Date Received: N/A

Lab Sample ID: LCS 300-4504/2-A

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	4504	06/10/16 09:06	HR	TAL RCH
Total/NA	Analysis	7196A		1	2.5 g	100 mL	4574	06/10/16 12:12	RLC	TAL RCH

Client Sample ID: Method Blank

Date Collected: N/A

Date Received: N/A

Lab Sample ID: MB 300-4504/1-A

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	4504	06/10/16 09:06	HR	TAL RCH
Total/NA	Analysis	7196A		1	2.5 g	100 mL	4574	06/10/16 11:51	RLC	TAL RCH

Client Sample ID: Matrix Spike

Date Collected: 05/25/16 11:25

Date Received: 05/25/16 14:15

Lab Sample ID: 300-3136-A-1-B MS

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5034 g	100 mL	4504	06/10/16 09:06	HR	TAL RCH
Total/NA	Analysis	7196A		1	2.5034 g	100 mL	4574	06/10/16 12:55	RLC	TAL RCH

Client Sample ID: Matrix Spike

Date Collected: 05/25/16 11:25

Date Received: 05/25/16 14:15

Lab Sample ID: 300-3136-A-1-D MSI

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5104 g	100 mL	4504	06/10/16 09:06	HR	TAL RCH
Total/NA	Analysis	7196A		20	2.5104 g	100 mL	4574	06/10/16 13:38	RLC	TAL RCH

TestAmerica Richland

6/16/2016

Lab Chronicle

Client: CH2M Hill Plateau Remediation Company
Project/Site: F16-043

TestAmerica Job ID: 300-3139-1
SDG: WC1102

Laboratory References:

TAL RCH = TestAmerica Richland, 2800 George Washington Way, Richland, WA 99352, TEL (509)375-3131

1

2

3

4

5

6

7

8

9

10

11

12

13

Method Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: F16-043

TestAmerica Job ID: 300-3139-1
SDG: WC1102

Method	Method Description	Protocol	Laboratory
7196A	Chromium, Hexavalent	SW846	TAL RCH

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL RCH = TestAmerica Richland, 2800 George Washington Way, Richland, WA 99352, TEL (509)375-3131



6/16/2016

Sample Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: F16-043

TestAmerica Job ID: 300-3139-1
SDG: WC1102

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
300-3139-1	B35VD4	Soil	05/25/16 14:40	05/26/16 10:15

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Login Sample Receipt Checklist

Client: CH2M Hill Plateau Remediation Company

Job Number: 300-3139-1

SDG Number: WC1102

Login Number: 3139**List Number: 1****Creator: Anderson, Lori F****List Source: TestAmerica Richland**

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	N/A	
Samples do not require splitting or compositing.	N/A	
Residual Chlorine Checked.	N/A	