

June 6, 2016

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Richland
2800 George Washington Way
Richland, WA 99352
Tel: (509)375-3131

TestAmerica Job ID: 300-3023-1
TestAmerica Sample Delivery Group: WC1060
Client Project/Site: F16-040

For:
CH2M Hill Plateau Remediation Company
PO BOX 1600
Mail Stop R3-50
Richland, Washington 99352

Attn: CPP Sample Management



Authorized for release by:
6/6/2016 4:17:12 PM
Steven Campbell, Quality Assurance Assistant
steven.campbell@testamericainc.com

Designee for
Whitney Ritari, Project Manager I
(509)375-3131 ext164
whitney.ritari@testamericainc.com

I certify that this Certificate of Analysis is in compliance with the SOW, both technically and for completeness, for other than the conditions detailed in this package. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager, or a designee as verified by the attached signature.

The laboratory is accredited to EPA 7196A in Solid and Chemical Materials, per Washington State Department of Ecology this is approved for non-discharge water samples. The sample/ sample duplicate RPD agreement is not applicable if one or both results are less than five times the MDL.



LINKS

Review your project results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Chain of Custody	5
Detection Summary	7
Client Sample Results	8
QC Sample Results	9
QC Association Summary	10
Lab Chronicle	11
Method Summary	13
Sample Summary	14
Receipt Checklists	15

Definitions/Glossary

Client: CH2M Hill Plateau Remediation Company
 Project/Site: F16-040

TestAmerica Job ID: 300-3023-1
 SDG: WC1060

Qualifiers

General Chemistry

Qualifier	Qualifier Description
U	Analyzed for but not detected.
D	The reported value is from a dilution.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)



Case Narrative

Client: CH2M Hill Plateau Remediation Company
Project/Site: F16-040

TestAmerica Job ID: 300-3023-1
SDG: WC1060

Job ID: 300-3023-1

Laboratory: TestAmerica Richland

Narrative

Job Narrative
300-3023-1

Comments

No additional comments.

Receipt

The samples were received on 5/10/2016 1:45 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 8.5° C.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

1
2
3
4
5
6
7
8
9
10
11
12
13

June 6, 2016

CH2M Hill Plateau Remediation Company		CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST		FIG-040-029	PAGE 1 OF 1
COLLECTOR J.R. Aguilar/CHPRC	COMPANY CONTACT TODAK, D	TELEPHONE NO. 376-6427	PROJECT COORDINATOR TODAK, D	PRICE CODE 8C	DATA TURNAROUND 15 Days / 15 Days
SAMPLING LOCATION C9584, I-002 DUP	PROJECT DESIGNATION 100-HR-3 Long Term & Interim Action Monitoring - Soil	FIELD LOGBOOK NO. HAF-0-045-3/67	SAF NO. FI6-040	AIR QUALITY <input type="checkbox"/>	ORIGINAL
ICE CHEST NO. N/A	ACTUAL SAMPLE DEPTH 45.5' - 48.0'	COA 300115	METHOD OF SHIPMENT GOVERNMENT VEHICLE		
SHIPPED TO TestAmerica Incorporated, Richland	OFFSITE PROPERTY NO. N/A	BILL OF LADING/AIR BILL NO. N/A			

MATRIX* A=Air DL=Drum Liquids DS=Drum Solids L=Liquid O=Oil S=Soil SE=Sediment T=Tissue V=Vegetation W=Water WT=Mixpe X=Other	POSSIBLE SAMPLE HAZARDS/ REMARKS *Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR/JATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1. N/A	PRESERVATION Cool-4C	HOLDING TIME 30 Days	TYPE OF CONTAINER G/P	NO. OF CONTAINER(S) 1	VOLUME 60mL	SAMPLE ANALYSIS 7196, CR6; COMMON;
SAMPLE NO. B35KJ5	MATRIX* SOIL	SAMPLE DATE 5-10-16	SAMPLE TIME 0930				

#3023
WC1060



300-3023 CO

CHAIN OF POSSESSION	SIGN / PRINT NAMES	SPECIAL INSTRUCTIONS
RELINQUISHED BY/REMOVED FROM J.R. Aguilar/CHPRC	RECEIVED BY/STORED IN J. Bock, TARI	
DATE/TIME MAY 10 2016 11:00	DATE/TIME MAY 10 2016 11:00	
RELINQUISHED BY/REMOVED FROM CHPRC	RECEIVED BY/STORED IN J. Bock, TARI	
DATE/TIME MAY 10 2016 13:15	DATE/TIME MAY 10 2016 13:15	
RELINQUISHED BY/REMOVED FROM	RECEIVED BY/STORED IN	
DATE/TIME	DATE/TIME	
RELINQUISHED BY/REMOVED FROM	RECEIVED BY/STORED IN	
DATE/TIME	DATE/TIME	
RELINQUISHED BY/REMOVED FROM	RECEIVED BY/STORED IN	
DATE/TIME	DATE/TIME	

LABORATORY SECTION	RECEIVED BY	TITLE	DATE/TIME
FINAL SAMPLE DISPOSITION	DISPOSAL METHOD	DISPOSED BY	DATE/TIME

1 2 3 4 5 6 7 8 9 10 11 12 13

CH2M Hill Plateau Remediation Company		CHAIN OF CUSTODY / SAMPLE ANALYSIS REQUEST		F16-040-027	PAGE 1 OF 1
COLLECTOR J.R. Aguilar/CHPRC	COMPANY CONTACT TODAK, D	TELEPHONE NO. 376-6427	PROJECT COORDINATOR TODAK, D	PRICE CODE 8C	DATA TURNAROUND 15 Days / 15 Days
SAMPLING LOCATION C9584, I-002	PROJECT DESIGNATION 100-HR-3 Long Term & Interim Action Monitoring - Soil	FIELD LOGBOOK NO. HNF-N-445-3/67	ACTUAL SAMPLE DEPTH 45.5' - 48.0'	SAF NO. F16-040	<input type="checkbox"/> ORIGINAL
ICE CHEST NO. N/A	OFFSITE PROPERTY NO. N/A	COA 300115	BILL OF LADING/AIR BILL NO. N/A	METHOD OF SHIPMENT GOVERNMENT VEHICLE	
SHIPPED TO TestAmerica Incorporated, Richland					

MATRIX* A=Air DL=Drum Liquids DS=Drum Solids L=Liquid O=Oil S=Soil SE=Sediment T=Tissue V=Vegetation W=Water WT=Wipe X=Other	SPECIAL HANDLING AND/OR STORAGE	PRESERVATION	Cool-4C	
		HOLDING TIME	30 Days	
		TYPE OF CONTAINER	G/P	
		NO. OF CONTAINER(S)	1	
		VOLUME	60mL	
SAMPLE NO.	MATRIX*	SAMPLE DATE	SAMPLE TIME	
B35KJ3	SOIL	5-10-16	0930	✓

30023
W/1060

CHAIN OF POSSESSION		SIGN/ PRINT NAMES		SPECIAL INSTRUCTIONS	
RELINQUISHED BY/REMOVED FROM J.R. Aguilar/CHPRC	DATE/TIME MAY 10 2016 11:00	RECEIVED BY/STORED IN L.B. Wells/CHPRC	DATE/TIME MAY 10 2016 11:00		
RELINQUISHED BY/REMOVED FROM J.R. Aguilar/CHPRC	DATE/TIME MAY 10 2016 13:45	RECEIVED BY/STORED IN J. Bock/TAMAY	DATE/TIME MAY 10 2016 13:45		
RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME		
RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME		
RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME		
RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME		
LABORATORY SECTION	RECEIVED BY	TITLE		DATE/TIME	
FINAL SAMPLE DISPOSITION	DISPOSAL METHOD	DISPOSED BY		DATE/TIME	

June 6, 2016

Detection Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: F16-040

TestAmerica Job ID: 300-3023-1
SDG: WC1060

Client Sample ID: B35KJ5

Lab Sample ID: 300-3023-1

No Detections.

Client Sample ID: B35KJ3

Lab Sample ID: 300-3023-2

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

This Detection Summary does not include radiochemical test results.

TestAmerica Richland

Client Sample Results

Client: CH2M Hill Plateau Remediation Company
Project/Site: F16-040

TestAmerica Job ID: 300-3023-1
SDG: WC1060

Client Sample ID: B35KJ5

Lab Sample ID: 300-3023-1

Date Collected: 05/10/16 09:30

Matrix: Soil

Date Received: 05/10/16 13:45

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI)	0.15	U	2.0	0.15	mg/Kg		05/25/16 09:03	05/25/16 17:25	1

Client Sample ID: B35KJ3

Lab Sample ID: 300-3023-2

Date Collected: 05/10/16 09:30

Matrix: Soil

Date Received: 05/10/16 13:45

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI)	0.15	U	2.0	0.15	mg/Kg		05/25/16 09:03	05/25/16 17:25	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

QC Sample Results

Client: CH2M Hill Plateau Remediation Company
Project/Site: F16-040

TestAmerica Job ID: 300-3023-1
SDG: WC1060

Method: 7196A - Chromium, Hexavalent

Lab Sample ID: MB 300-4306/1-A
Matrix: Solid
Analysis Batch: 4358

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 4306

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI)	0.15	U	2.0	0.15	mg/Kg		05/25/16 09:03	05/25/16 17:25	1

Lab Sample ID: LCS 300-4306/2-A
Matrix: Solid
Analysis Batch: 4358

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 4306

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Cr (VI)	20.0	19.50		mg/Kg		98	85 - 115

Lab Sample ID: 300-3025-A-1-B MS
Matrix: Solid
Analysis Batch: 4358

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 4306

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Cr (VI)	0.15	U	30.0	26.98		mg/Kg		90	75 - 125

Lab Sample ID: 300-3025-A-1-D MSI
Matrix: Solid
Analysis Batch: 4358

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 4306

Analyte	Sample Result	Sample Qualifier	Spike Added	MSI Result	MSI Qualifier	Unit	D	%Rec	%Rec. Limits
Cr (VI)	0.15	U	714	731.9	D	mg/Kg		102	

Lab Sample ID: 300-3025-A-1-C DU
Matrix: Solid
Analysis Batch: 4358

Client Sample ID: Duplicate
Prep Type: Total/NA
Prep Batch: 4306

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Cr (VI)	0.15	U	0.15	U	mg/Kg		NC	35

QC Association Summary

Client: CH2M Hill Plateau Remediation Company
 Project/Site: F16-040

TestAmerica Job ID: 300-3023-1
 SDG: WC1060

General Chemistry

Prep Batch: 4306

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
300-3023-1	B35KJ5	Total/NA	Soil	3060A	
300-3023-2	B35KJ3	Total/NA	Soil	3060A	
300-3025-A-1-B MS	Matrix Spike	Total/NA	Solid	3060A	
300-3025-A-1-C DU	Duplicate	Total/NA	Solid	3060A	
300-3025-A-1-D MSI	Matrix Spike	Total/NA	Solid	3060A	
LCS 300-4306/2-A	Lab Control Sample	Total/NA	Solid	3060A	
MB 300-4306/1-A	Method Blank	Total/NA	Solid	3060A	

Analysis Batch: 4358

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
300-3023-1	B35KJ5	Total/NA	Soil	7196A	4306
300-3023-2	B35KJ3	Total/NA	Soil	7196A	4306
300-3025-A-1-B MS	Matrix Spike	Total/NA	Solid	7196A	4306
300-3025-A-1-C DU	Duplicate	Total/NA	Solid	7196A	4306
300-3025-A-1-D MSI	Matrix Spike	Total/NA	Solid	7196A	4306
LCS 300-4306/2-A	Lab Control Sample	Total/NA	Solid	7196A	4306
MB 300-4306/1-A	Method Blank	Total/NA	Solid	7196A	4306



Lab Chronicle

Client: CH2M Hill Plateau Remediation Company
Project/Site: F16-040

TestAmerica Job ID: 300-3023-1
SDG: WC1060

Client Sample ID: B35KJ5

Date Collected: 05/10/16 09:30

Date Received: 05/10/16 13:45

Lab Sample ID: 300-3023-1

Matrix: Soil

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5211 g	100 mL	4306	05/25/16 09:03	HR	TAL RCH
Total/NA	Analysis	7196A		1	2.5211 g	100 mL	4358	05/25/16 17:25	TDA	TAL RCH

Client Sample ID: B35KJ3

Date Collected: 05/10/16 09:30

Date Received: 05/10/16 13:45

Lab Sample ID: 300-3023-2

Matrix: Soil

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5162 g	100 mL	4306	05/25/16 09:03	HR	TAL RCH
Total/NA	Analysis	7196A		1	2.5162 g	100 mL	4358	05/25/16 17:25	TDA	TAL RCH

Client Sample ID: Duplicate

Date Collected: 05/09/16 16:30

Date Received: 05/10/16 16:15

Lab Sample ID: 300-3025-A-1-C DU

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5019 g	100 mL	4306	05/25/16 09:03	HR	TAL RCH
Total/NA	Analysis	7196A		1	2.5019 g	100 mL	4358	05/25/16 17:25	TDA	TAL RCH

Client Sample ID: Lab Control Sample

Date Collected: N/A

Date Received: N/A

Lab Sample ID: LCS 300-4306/2-A

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	4306	05/25/16 09:03	HR	TAL RCH
Total/NA	Analysis	7196A		1	2.5 g	100 mL	4358	05/25/16 17:25	TDA	TAL RCH

Client Sample ID: Method Blank

Date Collected: N/A

Date Received: N/A

Lab Sample ID: MB 300-4306/1-A

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	4306	05/25/16 09:03	HR	TAL RCH
Total/NA	Analysis	7196A		1	2.5 g	100 mL	4358	05/25/16 17:25	TDA	TAL RCH

Client Sample ID: Matrix Spike

Date Collected: 05/09/16 16:30

Date Received: 05/10/16 16:15

Lab Sample ID: 300-3025-A-1-B MS

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5025 g	100 mL	4306	05/25/16 09:03	HR	TAL RCH
Total/NA	Analysis	7196A		1	2.5025 g	100 mL	4358	05/25/16 17:25	TDA	TAL RCH

Lab Chronicle

Client: CH2M Hill Plateau Remediation Company
Project/Site: F16-040

TestAmerica Job ID: 300-3023-1
SDG: WC1060

Client Sample ID: Matrix Spike

Lab Sample ID: 300-3025-A-1-D MSI

Date Collected: 05/09/16 16:30

Matrix: Solid

Date Received: 05/10/16 16:15

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5006 g	100 mL	4306	05/25/16 09:03	HR	TAL RCH
Total/NA	Analysis	7196A		20	2.5006 g	100 mL	4358	05/25/16 17:25	TDA	TAL RCH

Laboratory References:

TAL RCH = TestAmerica Richland, 2800 George Washington Way, Richland, WA 99352, TEL (509)375-3131

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Method Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: F16-040

TestAmerica Job ID: 300-3023-1
SDG: WC1060

Method	Method Description	Protocol	Laboratory
7196A	Chromium, Hexavalent	SW846	TAL RCH

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL RCH = TestAmerica Richland, 2800 George Washington Way, Richland, WA 99352, TEL (509)375-3131



June 6, 2016

Sample Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: F16-040

TestAmerica Job ID: 300-3023-1
SDG: WC1060

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
300-3023-1	B35KJ5	Soil	05/10/16 09:30	05/10/16 13:45
300-3023-2	B35KJ3	Soil	05/10/16 09:30	05/10/16 13:45

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Login Sample Receipt Checklist

Client: CH2M Hill Plateau Remediation Company

Job Number: 300-3023-1

SDG Number: WC1060

Login Number: 3023

List Number: 1

Creator: Anderson, Lori F

List Source: TestAmerica Richland

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	N/A	
Samples do not require splitting or compositing.	N/A	
Residual Chlorine Checked.	N/A	

