

May 17, 2016

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING


ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Richland
2800 George Washington Way
Richland, WA 99352
Tel: (509)375-3131

TestAmerica Job ID: 300-3048-1
TestAmerica Sample Delivery Group: WC1066
Client Project/Site: F16-025

For:
CH2M Hill Plateau Remediation Company
PO BOX 1600
Mail Stop R3-50
Richland, Washington 99352

Attn: CPP Sample Management



Authorized for release by:
5/17/2016 12:08:19 PM
Steven Campbell, Quality Assurance Assistant
steven.campbell@testamericainc.com

Designee for
Whitney Ritari, Project Manager I
(509)375-3131 ext164
whitney.ritari@testamericainc.com

I certify that this Certificate of Analysis is in compliance with the SOW, both technically and for completeness, for other than the conditions detailed in this package. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager, or a designee as verified by the attached signature.

The laboratory is accredited to EPA 7196A in Solid and Chemical Materials, per Washington State Department of Ecology this is approved for non-discharge water samples. The sample/ sample duplicate RPD agreement is not applicable if one or both results are less than five times the MDL.



LINKS

Review your project results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Chain of Custody	5
Detection Summary	6
Client Sample Results	7
QC Sample Results	8
QC Association Summary	9
Lab Chronicle	10
Method Summary	11
Sample Summary	12
Receipt Checklists	13

Definitions/Glossary

Client: CH2M Hill Plateau Remediation Company
 Project/Site: F16-025

TestAmerica Job ID: 300-3048-1
 SDG: WC1066

Qualifiers

General Chemistry

Qualifier	Qualifier Description
U	Analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)



May 17, 2016
Case Narrative

Client: CH2M Hill Plateau Remediation Company
Project/Site: F16-025

TestAmerica Job ID: 300-3048-1
SDG: WC1066

Job ID: 300-3048-1

Laboratory: TestAmerica Richland

Narrative

Job Narrative
300-3048-1

Comments

No additional comments.

Receipt

The sample was received on 5/16/2016 2:00 PM; the sample arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 12.5° C.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

1
2
3
4
5
6
7
8
9
10
11
12
13

CH2M Hill Plateau Remediation Company		CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST		FIG-025-006	PAGE 1 OF 1
COLLECTOR <i>J.R. Aguilar/CHPRC</i>	COMPANY CONTACT TODAK, D	TELEPHONE NO. 376-6427	PROJECT COORDINATOR TODAK, D	PRICE CODE 1A	DATA TURNAROUND 24 Hours / 15 Days
SAMPLING LOCATION C9413, I-003	PROJECT DESIGNATION FY2016 200-Up-1 Remedial Action Wells Sampling and Analysis - Water	FIELD LOGBOOK NO. <i>HWF-N-645-3 / 70</i>	SAF NO. F16-025	AIR QUALITY <input type="checkbox"/>	METHOD OF SHIPMENT GOVERNMENT VEHICLE ORIGINAL
ICE CHEST NO.	ACTUAL SAMPLE DEPTH <i>334.2'</i>	COA 303979	BILL OF LADING/AIR BILL NO.		
SHIPPED TO TestAmerica Incorporated, Richland					

MATRIX* A=Air DL=Drum Liquids DS=Drum Solids L=Liquid O=Oil S=Soil SE=Sediment T=Tissue V=Vegetation W=Water WT=Wipe X=Other	*Possible Sample Hazards/ Remarks Concentrations that are not be regulated for transporation per 49 CFR/JATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1. NA	PRESERVATION	Cool <=6C
		HOLDING TIME	24 Hours
		TYPE OF CONTAINER	ag
		NO. OF CONTAINER(S)	1
SPECIAL HANDLING AND/OR STORAGE		SAMPLE ANALYSIS	7196, CR6: COMMON?
SAMPLE NO. B34TD3	MATRIX*	SAMPLE DATE 5-16-16	SAMPLE TIME 1231

W.C. 1006

FILTER

300-3048 CO



CHAIN OF POSSESSION		SIGN/ PRINT NAMES		SPECIAL INSTRUCTIONS	
REMOVED BY/REMOVED FROM <i>J.R. Aguilar/CHPRC</i>	DATE/TIME MAY 16 2016	RECEIVED BY/STORED IN Frank Hall CHPRC	DATE/TIME MAY 16 2016	FILTER	
REMOVED BY/REMOVED FROM Frank Hall CHPRC	DATE/TIME MAY 16 2016	RECEIVED BY/STORED IN <i>Frank Hall</i>	DATE/TIME MAY 16 2016		
REMOVED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME		
REMOVED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME		
REMOVED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME		
REMOVED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME		
REMOVED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME		
REMOVED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME		
LABORATORY SECTION	RECEIVED BY	TITLE	DATE/TIME		
FINAL SAMPLE DISPOSITION	DISPOSAL METHOD	DISPOSED BY	DATE/TIME		

PRINTED ON 3/15/2016 FSR ID = FSR26262 TRVL NUM = TRVL-16-102 A-6003-618 (REV 2)

May 17, 2016

Detection Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: F16-025

TestAmerica Job ID: 300-3048-1
SDG: WC1066

Client Sample ID: B34TD3

Lab Sample ID: 300-3048-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Cr (VI)	0.055		0.0040	0.0015	mg/L	1		7196A	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Richland

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Client Sample Results

Client: CH2M Hill Plateau Remediation Company
Project/Site: F16-025

TestAmerica Job ID: 300-3048-1
SDG: WC1066

Client Sample ID: B34TD3

Lab Sample ID: 300-3048-1

Date Collected: 05/16/16 12:31

Matrix: Water

Date Received: 05/16/16 14:00

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI)	0.055		0.0040	0.0015	mg/L			05/17/16 09:42	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

QC Sample Results

Client: CH2M Hill Plateau Remediation Company
Project/Site: F16-025

TestAmerica Job ID: 300-3048-1
SDG: WC1066

Method: 7196A - Chromium, Hexavalent

Lab Sample ID: MB 300-4176/3
Matrix: Water
Analysis Batch: 4176

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI)	0.0015	U	0.0040	0.0015	mg/L			05/17/16 09:39	1

Lab Sample ID: LCS 300-4176/4
Matrix: Water
Analysis Batch: 4176

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Cr (VI)	0.250	0.250		mg/L		100	80 - 120

Lab Sample ID: 300-3048-1 MS
Matrix: Water
Analysis Batch: 4176

Client Sample ID: B34TD3
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Cr (VI)	0.055		0.0500	0.104		mg/L		97	75 - 125

Lab Sample ID: 300-3048-1 DU
Matrix: Water
Analysis Batch: 4176

Client Sample ID: B34TD3
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Cr (VI)	0.055		0.0550		mg/L		0.2	20

QC Association Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: F16-025

TestAmerica Job ID: 300-3048-1
SDG: WC1066

General Chemistry

Analysis Batch: 4176

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
300-3048-1	B34TD3	Total/NA	Water	7196A	
300-3048-1 DU	B34TD3	Total/NA	Water	7196A	
300-3048-1 MS	B34TD3	Total/NA	Water	7196A	
LCS 300-4176/4	Lab Control Sample	Total/NA	Water	7196A	
MB 300-4176/3	Method Blank	Total/NA	Water	7196A	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Lab Chronicle

Client: CH2M Hill Plateau Remediation Company
 Project/Site: F16-025

TestAmerica Job ID: 300-3048-1
 SDG: WC1066

Client Sample ID: B34TD3

Date Collected: 05/16/16 12:31

Date Received: 05/16/16 14:00

Lab Sample ID: 300-3048-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	7196A		1			4176	05/17/16 09:42	RLC	TAL RCH

Client Sample ID: B34TD3

Date Collected: 05/16/16 12:31

Date Received: 05/16/16 14:00

Lab Sample ID: 300-3048-1 DU

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	7196A		1			4176	05/17/16 09:42	RLC	TAL RCH

Client Sample ID: Lab Control Sample

Date Collected: N/A

Date Received: N/A

Lab Sample ID: LCS 300-4176/4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	7196A		1			4176	05/17/16 09:39	RLC	TAL RCH

Client Sample ID: Method Blank

Date Collected: N/A

Date Received: N/A

Lab Sample ID: MB 300-4176/3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	7196A		1			4176	05/17/16 09:39	RLC	TAL RCH

Client Sample ID: B34TD3

Date Collected: 05/16/16 12:31

Date Received: 05/16/16 14:00

Lab Sample ID: 300-3048-1 MS

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	7196A		1		3.0 mL	4176	05/17/16 09:39	RLC	TAL RCH

Laboratory References:

TAL RCH = TestAmerica Richland, 2800 George Washington Way, Richland, WA 99352, TEL (509)375-3131

Method Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: F16-025

TestAmerica Job ID: 300-3048-1
SDG: WC1066

Method	Method Description	Protocol	Laboratory
7196A	Chromium, Hexavalent	SW846	TAL RCH

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL RCH = TestAmerica Richland, 2800 George Washington Way, Richland, WA 99352, TEL (509)375-3131



May 17, 2016
Sample Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: F16-025

TestAmerica Job ID: 300-3048-1
SDG: WC1066

<u>Lab Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Collected</u>	<u>Received</u>
300-3048-1	B34TD3	Water	05/16/16 12:31	05/16/16 14:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12**
- 13

Login Sample Receipt Checklist

Client: CH2M Hill Plateau Remediation Company

Job Number: 300-3048-1

SDG Number: WC1066

Login Number: 3048

List Number: 1

Creator: Bock, Julie A

List Source: TestAmerica Richland

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	N/A	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

