

April 11, 2016

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING


ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Richland
2800 George Washington Way
Richland, WA 99352
Tel: (509)375-3131

TestAmerica Job ID: 300-2773-1
TestAmerica Sample Delivery Group: WC0960
Client Project/Site: F16-020

For:
CH2M Hill Plateau Remediation Company
PO BOX 1600
Mail Stop R3-50
Richland, Washington 99352

Attn: CPP Sample Management



Authorized for release by:
4/11/2016 2:37:21 PM
Steven Campbell, Quality Assurance Assistant
steven.campbell@testamericainc.com

Designee for
Whitney Ritari, Project Manager I
(509)375-3131 ext164
whitney.ritari@testamericainc.com

I certify that this Certificate of Analysis is in compliance with the SOW, both technically and for completeness, for other than the conditions detailed in this package. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager, or a designee as verified by the attached signature.

The laboratory is accredited to EPA 7196A in Solid and Chemical Materials, per Washington State Department of Ecology this is approved for non-discharge water samples. The sample/ sample duplicate RPD agreement is not applicable if one or both results are less than five times the MDL.



LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

1
2
3
4
5
6
7
8
9
10
11
12
13



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Chain of Custody	5
Detection Summary	6
Client Sample Results	7
QC Sample Results	8
QC Association Summary	9
Lab Chronicle	10
Method Summary	12
Sample Summary	13
Receipt Checklists	14

Definitions/Glossary

Client: CH2M Hill Plateau Remediation Company
 Project/Site: F16-020

TestAmerica Job ID: 300-2773-1
 SDG: WC0960

Qualifiers

General Chemistry

Qualifier	Qualifier Description
U	Analyzed for but not detected.
D	The reported value is from a dilution.
B	Estimated result. Result is less than the RL, but greater than MDL

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)



Case Narrative

Client: CH2M Hill Plateau Remediation Company
Project/Site: F16-020

TestAmerica Job ID: 300-2773-1
SDG: WC0960

Job ID: 300-2773-1

Laboratory: TestAmerica Richland

Narrative

Job Narrative
300-2773-1

Comments

This job is associated with SDG # W07441. No additional comments.

Receipt

The sample was received on 4/5/2016 2:20 PM; the sample arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 4.8° C.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.



1 2 3 4 5 6 7 8 9 10 11 12 13

CH2MHill Plateau Remediation Company

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

Fig-020-436

PAGE 1 OF 1

COLLECTOR
D. Wick

COMPANY CONTACT
TODAK, D

TELEPHONE NO.
376-6427

PROJECT COORDINATOR
TODAK, D

PRICE CODE
8C

DATA TURNAROUND
15 Days / 15 Days

SAMPLING LOCATION
C9507, Core 1

PROJECT DESIGNATION
200-DV-1 Operable Unit Characterization of Waste Sites Phase 3 Sampling

FIELD LOGBOOK NO.
HNF-N-507-133-16

SAF NO.
F16-020

AIR QUALITY

METHOD OF SHIPMENT
ORIGINAL

ICE CHEST NO.
N/A

OFFSITE PROPERTY NO.
N/A

ACTUAL SAMPLE DEPTH
0-5

COA
302632

BILL OF LADING/AIR BILL NO.
N/A

GOVERNMENT VEHICLE

SHIPPED TO
TestAmerica Incorporated, Richland

TESTAMERICA INCORPORATED, RICHLAND

NO. OF CONTAINER(S)
1

VOLUME
60ml

SEE ITEM (1) IN SPECIAL INSTRUCTIONS

MATRIX*
A=Air
DL=Drum
Liquids
DS=Drum
Solids
L=Liquid
O=Oil
S=Soil
SE=Sediment
T=Tissue
V=Vegetation
W=Water
WI=Wipe
X=Other

PRESERVATION
Cool <=6C
None

HOLDING TIME
30 Days
6 Months

TYPE OF CONTAINER
g/p

SAMPLE ANALYSIS

SPECIAL HANDLING AND/OR STORAGE
DOE Order 458.1, NA

SAMPLE DATE
APR 05 2016

SAMPLE TIME
0840

2213
used
Due 4-20-16

SAMPLE NO.
B353Y5

MATRIX*
SOIL

DATE/TIME
APR 05 2016

DATE/TIME
APR 05 2016

300-2773 CO



CHAIN OF POSSESSION

SIGN/PRINT NAMES

SPECIAL INSTRUCTIONS

RELINQUISHED BY/REMOVED FROM
D. Wick
DATE/TIME
APR 05 2016
1335

RECEIVED BY/STORED IN
FRANK HALL
CHPRC
DATE/TIME
APR 05 2016
1335

RELINQUISHED BY/REMOVED FROM
Frank Hall
CHPRC
DATE/TIME
APR 05 2016
1420

RECEIVED BY/STORED IN
Frank Hall
CHPRC
DATE/TIME
APR 05 2016
1420

RELINQUISHED BY/REMOVED FROM
[Signature]
DATE/TIME
APR 05 2016
1420

RECEIVED BY/STORED IN
[Signature]
DATE/TIME
APR 05 2016
1420

RELINQUISHED BY/REMOVED FROM
[Signature]
DATE/TIME
APR 05 2016
1420

RECEIVED BY/STORED IN
[Signature]
DATE/TIME
APR 05 2016
1420

RELINQUISHED BY/REMOVED FROM
[Signature]
DATE/TIME
APR 05 2016
1420

RECEIVED BY/STORED IN
[Signature]
DATE/TIME
APR 05 2016
1420

PORTION 1B
(1) GAMMA_GS: COMMON; AMCMISO_EIE_PLATE_AEA: COMMON;
PUISO_PLATE_AEA: COMMON {Plutonium-238, Plutonium-239/240};
UISO_PLATE_AEA: COMMON {Uranium-233/234, Uranium-235, Uranium-238};
C14_LSC: COMMON; I129_SEP_LEPS_GS: COMMON; NI63_LSC: COMMON;
NP237_LLE_PLATE_AEA: COMMON;
SRTOT_SEP_PRECIP_GPC: COMMON {Total beta radiostromtrium};
TC99_ETVDSK_LSC: COMMON; TRITIUM_DIST_LSC: COMMON;

RELINQUISHED BY/REMOVED FROM
DATE/TIME

RECEIVED BY/STORED IN
DATE/TIME

TITLE

DISPOSED BY

DATE/TIME

LABORATORY SECTION
RECEIVED BY

FINAL SAMPLE DISPOSITION
DISPOSAL METHOD

PRINTED ON 3/30/2016

FSR ID = FSR31155

TRVL NUM = TRVL-16-117

A-6003-618 (REV 2)

April 11, 2016

Detection Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: F16-020

TestAmerica Job ID: 300-2773-1
SDG: WC0960

Client Sample ID: B353Y5

Lab Sample ID: 300-2773-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Cr (VI)	0.15	B	2.0	0.15	mg/Kg	1		7196A	Total/NA

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

This Detection Summary does not include radiochemical test results.

TestAmerica Richland

April 11, 2016

Client Sample Results

Client: CH2M Hill Plateau Remediation Company
Project/Site: F16-020

TestAmerica Job ID: 300-2773-1
SDG: WC0960

Client Sample ID: B353Y5

Lab Sample ID: 300-2773-1

Date Collected: 04/05/16 08:40

Matrix: Solid

Date Received: 04/05/16 14:20

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI)	0.15	B	2.0	0.15	mg/Kg		04/08/16 11:17	04/08/16 14:16	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

QC Sample Results

Client: CH2M Hill Plateau Remediation Company
Project/Site: F16-020

TestAmerica Job ID: 300-2773-1
SDG: WC0960

Method: 7196A - Chromium, Hexavalent

Lab Sample ID: MB 300-3737/1-A
Matrix: Solid
Analysis Batch: 3744

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 3737

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI)	0.15	U	2.0	0.15	mg/Kg		04/08/16 11:17	04/08/16 12:16	1

Lab Sample ID: LCS 300-3737/2-A
Matrix: Solid
Analysis Batch: 3744

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 3737

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Cr (VI)	20.0	18.53		mg/Kg		93	85 - 115

Lab Sample ID: 300-2648-A-1-B MS
Matrix: Solid
Analysis Batch: 3744

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 3737

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Cr (VI)	0.15	U	29.9	26.73		mg/Kg		89	75 - 125

Lab Sample ID: 300-2648-A-1-D MSI
Matrix: Solid
Analysis Batch: 3744

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 3737

Analyte	Sample Result	Sample Qualifier	Spike Added	MSI Result	MSI Qualifier	Unit	D	%Rec	%Rec. Limits
Cr (VI)	0.15	U	699	732.1	D	mg/Kg		105	

Lab Sample ID: 300-2648-A-1-C DU
Matrix: Solid
Analysis Batch: 3744

Client Sample ID: Duplicate
Prep Type: Total/NA
Prep Batch: 3737

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Cr (VI)	0.15	U	0.15	U	mg/Kg		NC	35

QC Association Summary

Client: CH2M Hill Plateau Remediation Company
 Project/Site: F16-020

TestAmerica Job ID: 300-2773-1
 SDG: WC0960

General Chemistry

Prep Batch: 3737

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
300-2648-A-1-B MS	Matrix Spike	Total/NA	Solid	3060A	
300-2648-A-1-C DU	Duplicate	Total/NA	Solid	3060A	
300-2648-A-1-D MSI	Matrix Spike	Total/NA	Solid	3060A	
300-2773-1	B353Y5	Total/NA	Solid	3060A	
LCS 300-3737/2-A	Lab Control Sample	Total/NA	Solid	3060A	
MB 300-3737/1-A	Method Blank	Total/NA	Solid	3060A	

Analysis Batch: 3744

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
300-2648-A-1-B MS	Matrix Spike	Total/NA	Solid	7196A	3737
300-2648-A-1-C DU	Duplicate	Total/NA	Solid	7196A	3737
300-2648-A-1-D MSI	Matrix Spike	Total/NA	Solid	7196A	3737
300-2773-1	B353Y5	Total/NA	Solid	7196A	3737
LCS 300-3737/2-A	Lab Control Sample	Total/NA	Solid	7196A	3737
MB 300-3737/1-A	Method Blank	Total/NA	Solid	7196A	3737



Lab Chronicle

Client: CH2M Hill Plateau Remediation Company
 Project/Site: F16-020

TestAmerica Job ID: 300-2773-1
 SDG: WC0960

Client Sample ID: B353Y5

Lab Sample ID: 300-2773-1

Date Collected: 04/05/16 08:40

Matrix: Solid

Date Received: 04/05/16 14:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.4997 g	100 mL	3737	04/08/16 11:17	HR	TAL RCH
Total/NA	Analysis	7196A		1	2.4997 g	100 mL	3744	04/08/16 14:16	HR	TAL RCH

Client Sample ID: Duplicate

Lab Sample ID: 300-2648-A-1-C DU

Date Collected: 03/18/16 09:00

Matrix: Solid

Date Received: 03/21/16 15:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5041 g	100 mL	3737	04/08/16 11:17	HR	TAL RCH
Total/NA	Analysis	7196A		1	2.5041 g	100 mL	3744	04/08/16 13:25	HR	TAL RCH

Client Sample ID: Lab Control Sample

Lab Sample ID: LCS 300-3737/2-A

Date Collected: N/A

Matrix: Solid

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	3737	04/08/16 11:17	HR	TAL RCH
Total/NA	Analysis	7196A		1	2.5 g	100 mL	3744	04/08/16 12:33	HR	TAL RCH

Client Sample ID: Method Blank

Lab Sample ID: MB 300-3737/1-A

Date Collected: N/A

Matrix: Solid

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	3737	04/08/16 11:17	HR	TAL RCH
Total/NA	Analysis	7196A		1	2.5 g	100 mL	3744	04/08/16 12:16	HR	TAL RCH

Client Sample ID: Matrix Spike

Lab Sample ID: 300-2648-A-1-B MS

Date Collected: 03/18/16 09:00

Matrix: Solid

Date Received: 03/21/16 15:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5044 g	100 mL	3737	04/08/16 11:17	HR	TAL RCH
Total/NA	Analysis	7196A		1	2.5044 g	100 mL	3744	04/08/16 13:08	HR	TAL RCH

Client Sample ID: Matrix Spike

Lab Sample ID: 300-2648-A-1-D MSI

Date Collected: 03/18/16 09:00

Matrix: Solid

Date Received: 03/21/16 15:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5087 g	100 mL	3737	04/08/16 11:17	HR	TAL RCH
Total/NA	Analysis	7196A		20	2.5087 g	100 mL	3744	04/08/16 13:42	HR	TAL RCH

April 11, 2016

Lab Chronicle

Client: CH2M Hill Plateau Remediation Company
Project/Site: F16-020

TestAmerica Job ID: 300-2773-1
SDG: WC0960

Laboratory References:

TAL RCH = TestAmerica Richland, 2800 George Washington Way, Richland, WA 99352, TEL (509)375-3131

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Method Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: F16-020

TestAmerica Job ID: 300-2773-1
SDG: WC0960

Method	Method Description	Protocol	Laboratory
7196A	Chromium, Hexavalent	SW846	TAL RCH

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL RCH = TestAmerica Richland, 2800 George Washington Way, Richland, WA 99352, TEL (509)375-3131



April 11, 2016

Sample Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: F16-020

TestAmerica Job ID: 300-2773-1
SDG: WC0960

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
300-2773-1	B353Y5	Solid	04/05/16 08:40	04/05/16 14:20

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Login Sample Receipt Checklist

Client: CH2M Hill Plateau Remediation Company

Job Number: 300-2773-1

SDG Number: WC0960

Login Number: 2773

List Number: 1

Creator: Bock, Julie A

List Source: TestAmerica Richland

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	N/A	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

