

December 29, 2015

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Richland
2800 George Washington Way
Richland, WA 99352
Tel: (509)375-3131

TestAmerica Job ID: 300-1876-1
TestAmerica Sample Delivery Group: WC0726
Client Project/Site: X15-070

For:
CH2M Hill Plateau Remediation Company
PO BOX 1600
Mail Stop R3-50
Richland, Washington 99352

Attn: CPP Sample Management



Authorized for release by:
12/29/2015 8:35:14 AM
Steven Campbell, Quality Assurance Assistant
steven.campbell@testamericainc.com

Designee for
Whitney Ritari, Project Manager I
(509)375-3131 ext164
whitney.ritari@testamericainc.com

I certify that this Certificate of Analysis is in compliance with the SOW, both technically and for completeness, for other than the conditions detailed in this package. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager, or a designee as verified by the attached signature.

The laboratory is accredited to EPA 7196A in Solid and Chemical Materials, per Washington State Department of Ecology this is approved for non-discharge water samples. The sample/ sample duplicate RPD agreement is not applicable if one or both results are elss than five times the MDL.



LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Chain of Custody	5
Detection Summary	7
Client Sample Results	8
QC Sample Results	9
QC Association Summary	11
Lab Chronicle	12
Method Summary	14
Sample Summary	15
Receipt Checklists	16

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
D	The reported value is from a dilution.
U	Analyzed for but not detected.
N	MS, MSD: Spike recovery is outside acceptance limits.
B	Estimated result. Result is less than the RL, but greater than MDL

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client: CH2M Hill Plateau Remediation Company
Project/Site: X15-070

TestAmerica Job ID: 300-1876-1
SDG: WC0726

Job ID: 300-1876-1

Laboratory: TestAmerica Richland

Narrative

**Job Narrative
300-1876-1**

Comments

No additional comments.

Receipt

The samples were received on 12/16/2015 2:30 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 8.4° C.

HPLC/IC

Method 300.0: The following sample required filtration to reduce matrix interferences and solids: B339L0 (300-1876-1). The matrix spike (MS) recoveries for analytical batch 300-2394 were outside control limits for Orthophosphate as P. Sample matrix interference is suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

CH2MHill Plateau Remediation Company

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C. #
X15-070-045

Page 1 of 1

Collector	s.w. kingchprcc	Contact/Requester	WHITLEY, KM	Telephone No.	373-4929
SAF No.	X15-070	Sampling Origin	Hanford Site	Purchase Order/Charge Code	300205
Project Title	300 Area Uranium Sequestration Post Inj	Logbook No.	HNF-N-506 <u>81/102</u>	Ice Chest No.	N/A
Shipped To (Lab)	TestAmerica Incorporated, Richland	Method of Shipment	GOVERNMENT VEHICLE	Bill of Lading/Air Bill No.	N/A
Protocol	CERCLA	Priority:	30 Days	Offsite Property No.	N/A
POSSIBLE SAMPLE HAZARDS/REMARKS			SPECIAL INSTRUCTIONS		
*Contains Radioactive Material at concentrations that are not be regulated for transportation per 49 CER/LATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1.			Hold Time		
			Total Activity Exemption: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		

Sample No.	Filter	* Date	Time	No./Type Container	Sample Analysis	Holding Time	Preservative
B339L0	N	DEC 16 2015	1000	1x500-mL P	300.0 ANIONS_IC: COMMON; 300.0 ANIONS_IC: GW 01	48 Hours	Cool <=6C

Handwritten: 18114
WONAVE



300-1876 COC

Relinquished By	<i>[Signature]</i>	Print	<i>[Signature]</i>	Date/Time	DEC 16 2015 1010	Received By	<i>[Signature]</i>	Print	<i>[Signature]</i>	Date/Time	DEC 16 2015 1010	Matrix * S = Soil SE = Sediment SO = Solid SL = Sludge W = Water O = Oil A = Air DS = Drum Solids DL = Drum Liquids T = Tissue WI = Wipe L = Liquid V = Vegetation X = Other
Relinquished By	T.L. BACON/CHPRC	<i>[Signature]</i>	Tony L. Bacon	Date/Time	DEC 16 2015 1430	Received By	J. Friesz, TARL	<i>[Signature]</i>	Tony L. Bacon	Date/Time	DEC 16 2015 1430	
Relinquished By				Date/Time		Received By				Date/Time		

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time
--------------------------	--	-------------	-----------

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C. #
X15-070-054
Page 1 of 1

Collector	J.R. Aguilar/CHPRC	Contact/Requester	WHITLEY, KM	Telephone No.	373-4929
SAF No.	X15-070	Sampling Origin	Hanford Site	Purchase Order/Charge Code	300205
Project Title	300 Area Uranium Segregation Post Inj	Logbook No.	HNF-N-506 80/62	Ice Chest No.	N/A
Shipped To (Lab)	TestAmerica Incorporated, Richland	Method of Shipment	GOVERNMENT VEHICLE	Bill of Lading/Air Bill No.	N/A
Protocol	CERCLA	Priority:	30 Days	Offsite Property No.	N/A
POSSIBLE SAMPLE HAZARDS/REMARKS			SPECIAL INSTRUCTIONS		
*Contains Radioactive Material at concentrations that are not be regulated for transportation per 49 CFR/LATA Dangerous Goods Regulations but are not releasable per DOE Order 438.1.			Hold Time		
			Total Activity Exemption: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		

Sample No.	Filter	*	Date	Time	No./Type Container	Sample Analysis	Holding Time	Preservative
B339R8	N	W	12-16-15	1000	1x500-mL P	300.0 ANIONS_IC: COMMON; 3000.0 ANIONS_IC: GW 01	48 Hours	Cool <=6C

December 29, 2015

1814
150724

Relinquished By	J.R. Aguilar/CHPRC	Print	Sign	DEC 16 2015	Date/Time	12/15	Received By	T.L. BACON/CHPRC	Print	Sign	DEC 16 2015	Date/Time	12/15	Received By	J. Friesz, TARR	Print	Sign	DEC 16 2015	Date/Time	12/15	Received By		Print	Sign	DEC 16 2015	Date/Time	12/15
Relinquished By	T.L. BACON/CHPRC	Print	Sign	DEC 16 2015	Date/Time	12/15	Received By		Print	Sign	DEC 16 2015	Date/Time	12/15	Received By		Print	Sign	DEC 16 2015	Date/Time	12/15	Received By		Print	Sign	DEC 16 2015	Date/Time	12/15
Relinquished By		Print	Sign		Date/Time		Received By		Print	Sign		Date/Time		Received By		Print	Sign		Date/Time		Received By		Print	Sign		Date/Time	

Matrix *	
S	= Soil
SE	= Sediment
SO	= Solid
SL	= Sludge
W	= Water
O	= Oil
A	= Air
DS	= Drum Solids
DL	= Drum Liquids
T	= Tissue
WI	= Wipe
L	= Liquid
V	= Vegetation
X	= Other

~~December 29, 2015~~
Detection Summary

Client: CH2M Hill Plateau Remediation Company
 Project/Site: X15-070

TestAmerica Job ID: 300-1876-1
 SDG: WC0726

Client Sample ID: B339L0

Lab Sample ID: 300-1876-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	16	D	0.40	0.20	mg/L	2		300.0	Total/NA
Nitrate as N	4.7	D	0.056	0.028	mg/L	2		300.0	Total/NA
Fluoride	0.35	D	0.10	0.050	mg/L	2		300.0	Total/NA
Orthophosphate as P	4.8	D N	0.16	0.082	mg/L	2		300.0	Total/NA
Sulfate	50	D	0.50	0.25	mg/L	2		300.0	Total/NA

Client Sample ID: B339R8

Lab Sample ID: 300-1876-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	16	D	2.0	1.0	mg/L	10		300.0	Total/NA
Nitrate as N	5.7	D	0.28	0.14	mg/L	10		300.0	Total/NA
Fluoride	0.34	B D	0.50	0.25	mg/L	10		300.0	Total/NA
Orthophosphate as P	200	D N	4.1	2.1	mg/L	50		300.0	Total/NA
Sulfate	48	D	2.5	1.3	mg/L	10		300.0	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Richland

December 29, 2015
Client Sample Results

Client: CH2M Hill Plateau Remediation Company
Project/Site: X15-070

TestAmerica Job ID: 300-1876-1
SDG: WC0726

Client Sample ID: B339L0
Date Collected: 12/16/15 10:00
Date Received: 12/16/15 14:30

Lab Sample ID: 300-1876-1
Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	16	D	0.40	0.20	mg/L			12/16/15 20:47	2
Nitrate as N	4.7	D	0.056	0.028	mg/L			12/16/15 20:47	2
Fluoride	0.35	D	0.10	0.050	mg/L			12/16/15 20:47	2
Nitrite as N	0.038	U	0.076	0.038	mg/L			12/16/15 20:47	2
Orthophosphate as P	4.8	D N	0.16	0.082	mg/L			12/16/15 20:47	2
Sulfate	50	D	0.50	0.25	mg/L			12/16/15 20:47	2

Client Sample ID: B339R8
Date Collected: 12/16/15 10:00
Date Received: 12/16/15 14:30

Lab Sample ID: 300-1876-2
Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	16	D	2.0	1.0	mg/L			12/17/15 13:34	10
Nitrate as N	5.7	D	0.28	0.14	mg/L			12/17/15 13:34	10
Fluoride	0.34	B D	0.50	0.25	mg/L			12/17/15 13:34	10
Nitrite as N	0.19	U	0.38	0.19	mg/L			12/17/15 13:34	10
Orthophosphate as P	200	D N	4.1	2.1	mg/L			12/16/15 23:32	50
Sulfate	48	D	2.5	1.3	mg/L			12/17/15 13:34	10

Client: CH2M Hill Plateau Remediation Company
Project/Site: X15-070

TestAmerica Job ID: 300-1876-1
SDG: WC0726

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 300-2394/27
Matrix: Water
Analysis Batch: 2394

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	0.014	U	0.028	0.014	mg/L			12/16/15 20:16	1
Nitrite as N	0.019	U	0.038	0.019	mg/L			12/16/15 20:16	1
Orthophosphate as P	0.041	U	0.082	0.041	mg/L			12/16/15 20:16	1

Lab Sample ID: LCS 300-2394/28
Matrix: Water
Analysis Batch: 2394

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrate as N	2.26	2.34		mg/L		104	80 - 120
Nitrite as N	3.04	3.16		mg/L		104	80 - 120
Orthophosphate as P	6.53	6.78		mg/L		104	80 - 120

Lab Sample ID: 300-1876-1 MS
Matrix: Water
Analysis Batch: 2394

Client Sample ID: B339L0
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrate as N	4.7	D	0.452	5.16	D	mg/L		98	75 - 125
Nitrite as N	0.038	U	0.609	0.555	D	mg/L		91	75 - 125
Orthophosphate as P	4.8	D N	1.31	5.30	D N	mg/L		40	75 - 125

Lab Sample ID: 300-1876-1 DU
Matrix: Water
Analysis Batch: 2394

Client Sample ID: B339L0
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Nitrate as N	4.7	D	4.69	D	mg/L		0.5	20
Nitrite as N	0.038	U	0.038	U	mg/L		NC	20
Orthophosphate as P	4.8	D N	4.82	D	mg/L		0.8	20

Lab Sample ID: MB 300-2395/27
Matrix: Water
Analysis Batch: 2395

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	0.10	U	0.20	0.10	mg/L			12/16/15 20:16	1
Fluoride	0.025	U	0.050	0.025	mg/L			12/16/15 20:16	1
Sulfate	0.13	U	0.25	0.13	mg/L			12/16/15 20:16	1

Lab Sample ID: LCS 300-2395/28
Matrix: Water
Analysis Batch: 2395

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	16.0	16.3		mg/L		102	80 - 120
Fluoride	4.00	4.12		mg/L		103	80 - 120
Sulfate	20.0	20.5		mg/L		103	80 - 120

Client: CH2M Hill Plateau Remediation Company
Project/Site: X15-070

TestAmerica Job ID: 300-1876-1
SDG: WC0726

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: 300-1876-1 MS
Matrix: Water
Analysis Batch: 2395

Client Sample ID: B339L0
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS MS		Unit	D	%Rec	%Rec.	Limits
	Result	Qualifier		Result	Qualifier					
Chloride	16	D	3.20	19.3	D	mg/L		99	75 - 125	
Fluoride	0.35	D	0.800	1.10	D	mg/L		94	75 - 125	
Sulfate	50	D	4.00	53.9	D	mg/L		97	75 - 125	

Lab Sample ID: 300-1876-1 DU
Matrix: Water
Analysis Batch: 2395

Client Sample ID: B339L0
Prep Type: Total/NA

Analyte	Sample	Sample	DU DU		Unit	D	RPD	RPD	Limit
	Result	Qualifier	Result	Qualifier					
Chloride	16	D	16.0	D	mg/L		0.5	20	
Fluoride	0.35	D	0.348	D	mg/L		0.4	20	
Sulfate	50	D	49.8	D	mg/L		0.4	20	

December 29, 2015
QC Association Summary

Client: CH2M Hill Plateau Remediation Company
 Project/Site: X15-070

TestAmerica Job ID: 300-1876-1
 SDG: WC0726

HPLC/IC

Analysis Batch: 2394

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
300-1876-1	B339L0	Total/NA	Water	300.0	
300-1876-1 DU	B339L0	Total/NA	Water	300.0	
300-1876-1 MS	B339L0	Total/NA	Water	300.0	
300-1876-2	B339R8	Total/NA	Water	300.0	
LCS 300-2394/28	Lab Control Sample	Total/NA	Water	300.0	
MB 300-2394/27	Method Blank	Total/NA	Water	300.0	

Analysis Batch: 2395

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
300-1876-1	B339L0	Total/NA	Water	300.0	
300-1876-1 DU	B339L0	Total/NA	Water	300.0	
300-1876-1 MS	B339L0	Total/NA	Water	300.0	
LCS 300-2395/28	Lab Control Sample	Total/NA	Water	300.0	
MB 300-2395/27	Method Blank	Total/NA	Water	300.0	

Analysis Batch: 2420

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
300-1876-2	B339R8	Total/NA	Water	300.0	

Analysis Batch: 2421

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
300-1876-2	B339R8	Total/NA	Water	300.0	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Client: CH2M Hill Plateau Remediation Company
Project/Site: X15-070

TestAmerica Job ID: 300-1876-1
SDG: WC0726

Client Sample ID: B339L0
Date Collected: 12/16/15 10:00
Date Received: 12/16/15 14:30

Lab Sample ID: 300-1876-1
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		2	10 mL		2394	12/16/15 20:47	CPM	TAL RCH
Total/NA	Analysis	300.0		2	10 mL		2395	12/16/15 20:47	CPM	TAL RCH

Client Sample ID: B339R8
Date Collected: 12/16/15 10:00
Date Received: 12/16/15 14:30

Lab Sample ID: 300-1876-2
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		50	10 mL		2394	12/16/15 23:32	CPM	TAL RCH
Total/NA	Analysis	300.0		10	10 mL		2420	12/17/15 13:34	CPM	TAL RCH
Total/NA	Analysis	300.0		10	10 mL		2421	12/17/15 13:34	CPM	TAL RCH

Client Sample ID: B339L0
Date Collected: 12/16/15 10:00
Date Received: 12/16/15 14:30

Lab Sample ID: 300-1876-1 DU
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		2	10 mL		2394	12/16/15 21:17	CPM	TAL RCH
Total/NA	Analysis	300.0		2	10 mL		2395	12/16/15 21:17	CPM	TAL RCH

Client Sample ID: Lab Control Sample
Date Collected: N/A
Date Received: N/A

Lab Sample ID: LCS 300-2394/28
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	10 mL		2394	12/16/15 20:31	CPM	TAL RCH

Client Sample ID: Lab Control Sample
Date Collected: N/A
Date Received: N/A

Lab Sample ID: LCS 300-2395/28
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	10 mL		2395	12/16/15 20:31	CPM	TAL RCH

Client Sample ID: Method Blank
Date Collected: N/A
Date Received: N/A

Lab Sample ID: MB 300-2394/27
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	10 mL		2394	12/16/15 20:16	CPM	TAL RCH

Client: CH2M Hill Plateau Remediation Company
Project/Site: X15-070

TestAmerica Job ID: 300-1876-1
SDG: WC0726

Client Sample ID: Method Blank

Lab Sample ID: MB 300-2395/27

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	10 mL		2395	12/16/15 20:16	CPM	TAL RCH

Client Sample ID: B339L0

Lab Sample ID: 300-1876-1 MS

Date Collected: 12/16/15 10:00

Matrix: Water

Date Received: 12/16/15 14:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		2	10 mL		2394	12/16/15 21:02	CPM	TAL RCH
Total/NA	Analysis	300.0		2	10 mL		2395	12/16/15 21:02	CPM	TAL RCH

Laboratory References:

TAL RCH = TestAmerica Richland, 2800 George Washington Way, Richland, WA 99352, TEL (509)375-3131



Client: CH2M Hill Plateau Remediation Company
Project/Site: X15-070

TestAmerica Job ID: 300-1876-1
SDG: WC0726

Method	Method Description	Protocol	Laboratory
300.0	Anions, Ion Chromatography	MCAWW	TAL RCH

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

Laboratory References:

TAL RCH = TestAmerica Richland, 2800 George Washington Way, Richland, WA 99352, TEL (509)375-3131



Client: CH2M Hill Plateau Remediation Company
Project/Site: X15-070

TestAmerica Job ID: 300-1876-1
SDG: WC0726

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
300-1876-1	B339L0	Water	12/16/15 10:00	12/16/15 14:30
300-1876-2	B339R8	Water	12/16/15 10:00	12/16/15 14:30

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Login Sample Receipt Checklist

Client: CH2M Hill Plateau Remediation Company

Job Number: 300-1876-1
SDG Number: WC0726

Login Number: 1876
List Number: 1
Creator: Bock, Julie A

List Source: TestAmerica Richland

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	N/A	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

