TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Richland
2800 George Washington Way
Richland, WA 99352
Tel: (509)375-3131

TestAmerica Job ID: 300-1817-1
TestAmerica Sample Delivery Group: WC0697
Client Project/Site: X15-069

For:
CH2M Hill Plateau Remediation Company
PO BOX 1600
Mail Stop R3-50
Richland, Washington 99352

Attn: CPP Sample Management

Authorized for release by:
12/21/2015 12:07:29 PM
Steven Campbell, Quality Assurance Assistant
steven.campbell@testamericainc.com

Designee for

Whitney Ritari, Project Manager I
(509)375-3131 ext164
whitney.ritari@testamericainc.com

LINKS

Review your project results through TotalAccess

Have a Question? Ask The Expert

Visit us at: www.testamericainc.com

I certify that this Certificate of Analysis is in compliance with the SOW, both technically and for completeness, for other than the conditions detailed in this package. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager, or a desingee as verified by the attached signature.

The laboratory is accredited to EPA 7196A in Solid and Chemical Materials, per Washington State Department of Ecology this is approved for non-discharge water samples. The sample/ sample duplicate RPD agreement is not applicable if one or both results are elss than five times the MDL.

Table of Contents

Cover Page 1
Table of Contents 2
Definitions/Glossary 3
Case Narrative 4
Chain of Custody 5
Detection Summary 11
Client Sample Results 12
QC Sample Results 14
QC Association Summary 16
Lab Chronicle 17
Method Summary 20
Sample Summary 21
Receipt Checklists 22

Definitions/Glossary

Client: CH2M Hill Plateau Remediation Company
Project/Site: X15-069

TestAmerica Job ID: 300-1817-1
SDG: WC0697

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
D	The reported value is from a dilution.
U	Analyzed for but not detected.
N	MS, MSD: Spike recovery is outside acceptance limits.
B	Estimated result. Result is less than the RL, but greater than MDL

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Job ID: 300-1817-1

Laboratory: TestAmerica Richland

Narrative

Job Narrative
300-1817-1

Comments
No additional comments.

Receipt
The samples were received on 12/11/2015 9:45 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 8.0º C.

HPLC/IC
Method 300.0: The matrix spike (MS) recoveries for analytical batch 300-2344 were outside control limits for Orthophosphate as P. Sample matrix interference is suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

CH2MHill Plateau Remediation Company	CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST	C.O.C. # X15-069-049 Page 1 of 1

Collector	S.W. King/CHPRC	Contact/Requester	WHITLEY, KM	Telephone No.	373-4929
SAF No.	X15-069	Sampling Origin	Hanford Site	Purchase Order/Charge Code	300205
Project Title	300 Area Uranium Sequestration Post Inj	Logbook No.	HNF-N-506 83/9	Ice Chest No.	N/A
Shipped To (Lab)	TestAmerica Incorporated, Richland	Method of Shipment	GOVERNMENT VEHICLE	Bill of Lading/Air Bill No.	N/A
Protocol	CERCLA	Priority:	30 Days PRIORITY	Offsite Property No.	N/A

POSSIBLE SAMPLE HAZARDS/REMARKS

*Contains Radioactive Material at concentrations that are not be regulated for transportation per 49 CFR/IATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1.

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐

Sample No.	Filter	*	Date	Time	No/Type Container	Sample Analysis	Holding Time	Preservative
B33942	N	W	DEC 11 2015	0855	1x500-mL P	300.0_ANIONS_IC: COMMON; 300.0_ANIONS_IC: GW 01	48 Hours	Cool <=6C

300-1817 COC

#1817
WC0697

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
S.W. King/CHPRC			DEC 11 2015 0925	F.M. Hall/CHPRC			DEC 11 2015 0920
F.M. Hall/CHPRC			12-11-15 0945	J. Friesz, TARL			12-11-15 0945

Matrix *

S	=	Soil	DS	=	Drum Solids
SE	=	Sediment	DL	=	Drum Liquids
SO	=	Solid	T	=	Tissue
SL	=	Sludge	WI	=	Wipe
W	=	Water	L	=	Liquid
O	=	Oil	V	=	Vegetation
A	=	Air	X	=	Other

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

December 21, 2015

CH2MHill Plateau Remediation Company	CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST	C.O.C. # X15-069-045 Page 1 of 1

Collector	S.W. King/CHPRC	Contact/Requester	WHITLEY, KM	Telephone No.	373-4929
SAF No.	X15-069	Sampling Origin	Hanford Site	Purchase Order/Charge Code	300205
Project Title	300 Area Uranium Sequestration Post Inj	Logbook No.	HNF-N-506 ~~83~~ 319	Ice Chest No.	N/A
Shipped To (Lab)	TestAmerica Incorporated, Richland	Method of Shipment	GOVERNMENT VEHICLE	Bill of Lading/Air Bill No.	N/A
Protocol	CERCLA	Priority:	30 Days **PRIORITY**	Offsite Property No.	N/A

POSSIBLE SAMPLE HAZARDS/REMARKS

*Contains Radioactive Material at concentrations that are not be regulated for transportation per 49 CFR/IATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1.

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐

Sample No.	Filter	*	Date	Time	No/Type Container	Sample Analysis	Holding Time	Preservative
B339H1	N	W	DEC 11 2015	0825	1x500-mL P	300.0_ANIONS_IC: COMMON; 300.0_ANIONS_IC: GW 01	48 Hours	Cool <=6C

#1817
WC0697

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
S.W. King/CHPRC	Scott King		DEC 11 2015 0920	F.M. Hall/CHPRC			DEC 11 2015 12-11-15 0920
F.M. Hall/CHPRC			12-11-15 0945	J. Friesz, TARL			12-11-15 0945

Matrix *

S	= Soil	DS	= Drum Solids		
SE	= Sediment	DL	= Drum Liquids		
SO	= Solid	T	= Tissue		
SL	= Sludge	WI	= Wipe		
W	= Water	L	= Liquid		
O	= Oil	V	= Vegetation		
A	= Air	X	= Other		

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

PRINTED ON 10/1/2015 FSR ID = FSR7353 A-6004-842 (REV 2)

December 21, 2015

CH2MHill Plateau Remediation Company	CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST	C.O.C. # X15-069-041 Page 1 of 1

Collector	K.C. Patterson CHPRC	Contact/Requester	WHITLEY, KM	Telephone No.	373-4929
SAF No.	X15-069	Sampling Origin	Hanford Site	Purchase Order/Charge Code	300205
Project Title	300 Area Uranium Sequestration Post Inj	Logbook No.	HNF-N-506 80/58	Ice Chest No.	N/A
Shipped To (Lab)	TestAmerica Incorporated, Richland	Method of Shipment	GOVERNMENT VEHICLE	Bill of Lading/Air Bill No.	N/A
Protocol	CERCLA	Priority:	30 Days PRIORITY	Offsite Property No.	N/A

POSSIBLE SAMPLE HAZARDS/REMARKS

*Contains Radioactive Material at concentrations that are not be regulated for transportation per 49 CFR/IATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1.

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐

Sample No.	Filter	*	Date	Time	No/Type Container	Sample Analysis	Holding Time	Preservative
B33974	N	W	DEC 11 2015	0857	1x500-mL P	300.0_ANIONS_IC: COMMON; 300.0_ANIONS_IC: GW 01	48 Hours	Cool <=6C

#1817
WC0697

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
K.C. Patterson CHPRC			DEC 11 2015 0920	F.M. Hall/CHPRC			DEC 11 2015 0920
F.M. Hall/CHPRC			0845 12-11-15	J. Friesz, TARL			0845 12-11-15

Matrix *

S	= Soil	DS	= Drum Solids		
SE	= Sediment	DL	= Drum Liquids		
SO	= Solid	T	= Tissue		
SL	= Sludge	WI	= Wipe		
W	= Water	L	= Liquid		
O	= Oil	V	= Vegetation		
A	= Air	X	= Other		

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

December 21, 2015
7 of 22
12/21/2015
Page 7 of 22

CH2MHill Plateau Remediation Company	CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST	C.O.C. # X15-069-034 Page 1 of 1

Collector	K.C. Patterson CHPRC	Contact/Requester	WHITLEY, KM	Telephone No.	373-4929
SAF No.	X15-069	Sampling Origin	Hanford Site	Purchase Order/Charge Code	300205
Project Title	300 Area Uranium Sequestration Post Inj	Logbook No.	HNF-N-506 80158	Ice Chest No.	N/A
Shipped To (Lab)	TestAmerica Incorporated, Richland	Method of Shipment	GOVERNMENT VEHICLE	Bill of Lading/Air Bill No.	N/A
Protocol	CERCLA	Priority:	30 Days **PRIORITY**	Offsite Property No.	N/A

POSSIBLE SAMPLE HAZARDS/REMARKS
*Contains Radioactive Material at concentrations that are not be regulated for transportation per 49 CFR/IATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1.

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐

Sample No.	Filter	*	Date	Time	No/Type Container	Sample Analysis	Holding Time	Preservative
B33970	N	W	DEC 11 2015	0806	1x500-mL P	300.0_ANIONS_IC: COMMON; 300.0_ANIONS_IC: GW 01	48 Hours	Cool <=6C

#1817
WC0697

December 21, 2015

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
K.C. Patterson CHPRC			DEC 11 2015 0920	F.M. Hall/CHPRC			DEC 11 2015 0920
F.M. Hall/CHPRC			0945 12-11-15	J. Friesz, TARL			0945 12-11-15

Matrix *

S	= Soil	DS	= Drum Solids		
SE	= Sediment	DL	= Drum Liquids		
SO	= Solid	T	= Tissue		
SL	= Sludge	WI	= Wipe		
W	= Water	L	= Liquid		
O	= Oil	V	= Vegetation		
A	= Air	X	= Other		

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

CH2MHill Plateau Remediation Company	CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST	C.O.C. # X15-069-040 Page 1 of 1

Collector	S.W. King/CHPRC	Contact/Requester	WHITLEY, KM	Telephone No.	373-4929
SAF No.	X15-069	Sampling Origin	Hanford Site	Purchase Order/Charge Code	300205
Project Title	300 Area Uranium Sequestration Post Inj	Logbook No.	HNF-N-506 839	Ice Chest No.	N/A
Shipped To (Lab)	TestAmerica Incorporated, Richland	Method of Shipment	GOVERNMENT VEHICLE	Bill of Lading/Air Bill No.	N/A
Protocol	CERCLA	Priority:	30 Days PRIORITY	Offsite Property No.	N/A

POSSIBLE SAMPLE HAZARDS/REMARKS

*Contains Radioactive Material at concentrations that are not be regulated for transportation per 49 CFR/IATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1.

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐

Sample No.	Filter	*	Date	Time	No/Type Container	Sample Analysis	Holding Time	Preservative
B33938	N	W	DEC 11 2015	0825	1x500-mL P	300.0_ANIONS_IC: COMMON; 300.0_ANIONS_IC: GW 01	48 Hours	Cool <=6C

#1817
W 10697

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
S.W. King/CHPRC			DEC 11 2015 0920	F.M. Hall/CHPRC			DEC 11 2015 0920
F.M. Hall/CHPRC			12-11-15 0945	J. Friesz, TARL			12-11-15 0945

Matrix *

S	= Soil		DS	= Drum Solids	
SE	= Sediment		DL	= Drum Liquids	
SO	= Solid		T	= Tissue	
SL	= Sludge		WI	= Wipe	
W	= Water		L	= Liquid	
O	= Oil		V	= Vegetation	
A	= Air		X	= Other	

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

PRINTED ON 10/1/2015 FSR ID = FSR7353 A-6004-842 (REV 2)

December 21, 2015

CH2MHill Plateau Remediation Company	CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST	C.O.C. # X15-069-044 Page 1 of 1

Collector	K.C. Patterson CHPRC	Contact/Requester	WHITLEY, KM	Telephone No.	373-4929
SAF No.	X15-069	Sampling Origin	Hanford Site	Purchase Order/Charge Code	300205
Project Title	300 Area Uranium Sequestration Post Inj	Logbook No.	HNF-N-506 80158	Ice Chest No.	N/A
Shipped To (Lab)	TestAmerica Incorporated, Richland	Method of Shipment	GOVERNMENT VEHICLE	Bill of Lading/Air Bill No.	N/A
Protocol	CERCLA	Priority:	30 Days **PRIORITY**	Offsite Property No.	N/A

POSSIBLE SAMPLE HAZARDS/REMARKS

*Contains Radioactive Material at concentrations that are not be regulated for transportation per 49 CFR/IATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1.

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐

Sample No.	Filter	*	Date	Time	No/Type Container	Sample Analysis	Holding Time	Preservative
B33962	N	W	DEC 11 2015	0926	1x500-mL P	300.0_ANIONS_IC: COMMON; 300.0_ANIONS_IC: GW 01	48 Hours	Cool <=6C

#1817
WC0697

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
K.C. Patterson CHPRC			DEC 11 2015 0930	F.M. Hall/CHPRC			DEC 11 2015 0930
F.M. Hall/CHPRC			0945 12-11-15	J. Friesz, TARL			0945 12-11-15

Matrix *

S	= Soil	DS	= Drum Solids		
SE	= Sediment	DL	= Drum Liquids		
SO	= Solid	T	= Tissue		
SL	= Sludge	WI	= Wipe		
W	= Water	L	= Liquid		
O	= Oil	V	= Vegetation		
A	= Air	X	= Other		

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

December 21, 2015

Detection Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: X15-069

TestAmerica Job ID: 300-1817-1
SDG: WC0697

Client Sample ID: B33942 — Lab Sample ID: 300-1817-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	27	D	2.0	1.0	mg/L	10		300.0	Total/NA
Nitrate as N	7.6	D	0.28	0.14	mg/L	10		300.0	Total/NA
Fluoride	1.1	D	0.50	0.25	mg/L	10		300.0	Total/NA
Orthophosphate as P	87	D N	0.82	0.41	mg/L	10		300.0	Total/NA
Sulfate	64	D	2.5	1.3	mg/L	10		300.0	Total/NA

Client Sample ID: B339H1 — Lab Sample ID: 300-1817-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	21	D	0.40	0.20	mg/L	2		300.0	Total/NA
Nitrate as N	5.1	D	0.056	0.028	mg/L	2		300.0	Total/NA
Fluoride	0.34	D	0.10	0.050	mg/L	2		300.0	Total/NA
Orthophosphate as P	27	D N	0.16	0.082	mg/L	2		300.0	Total/NA
Sulfate	60	D	0.50	0.25	mg/L	2		300.0	Total/NA

Client Sample ID: B33974 — Lab Sample ID: 300-1817-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	20	D	2.0	1.0	mg/L	10		300.0	Total/NA
Nitrate as N	5.8	D	0.28	0.14	mg/L	10		300.0	Total/NA
Fluoride	0.40	B D	0.50	0.25	mg/L	10		300.0	Total/NA
Orthophosphate as P	190	D N	4.1	2.1	mg/L	50		300.0	Total/NA
Sulfate	50	D	2.5	1.3	mg/L	10		300.0	Total/NA

Client Sample ID: B33970 — Lab Sample ID: 300-1817-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	21	D	0.40	0.20	mg/L	2		300.0	Total/NA
Nitrate as N	5.5	D	0.056	0.028	mg/L	2		300.0	Total/NA
Fluoride	0.28	D	0.10	0.050	mg/L	2		300.0	Total/NA
Orthophosphate as P	20	D N	0.16	0.082	mg/L	2		300.0	Total/NA
Sulfate	58	D	0.50	0.25	mg/L	2		300.0	Total/NA

Client Sample ID: B33938 — Lab Sample ID: 300-1817-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	21	D	0.40	0.20	mg/L	2		300.0	Total/NA
Nitrate as N	5.1	D	0.056	0.028	mg/L	2		300.0	Total/NA
Fluoride	0.34	D	0.10	0.050	mg/L	2		300.0	Total/NA
Orthophosphate as P	26	D N	0.16	0.082	mg/L	2		300.0	Total/NA
Sulfate	60	D	0.50	0.25	mg/L	2		300.0	Total/NA

Client Sample ID: B33962 — Lab Sample ID: 300-1817-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	23	D	0.40	0.20	mg/L	2		300.0	Total/NA
Nitrate as N	5.6	D	0.056	0.028	mg/L	2		300.0	Total/NA
Fluoride	0.35	D	0.10	0.050	mg/L	2		300.0	Total/NA
Orthophosphate as P	1.4	D N	0.16	0.082	mg/L	2		300.0	Total/NA
Sulfate	59	D	0.50	0.25	mg/L	2		300.0	Total/NA

This Detection Summary does not include radiochemical test results.

Client Sample Results

Client: CH2M Hill Plateau Remediation Company
Project/Site: X15-069

TestAmerica Job ID: 300-1817-1
SDG: WC0697

Client Sample ID: B33942
Lab Sample ID: 300-1817-1
Date Collected: 12/11/15 08:55
Matrix: Water
Date Received: 12/11/15 09:45

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	27	D	2.0	1.0	mg/L			12/11/15 15:28	10
Nitrate as N	7.6	D	0.28	0.14	mg/L			12/11/15 15:28	10
Fluoride	1.1	D	0.50	0.25	mg/L			12/11/15 15:28	10
Nitrite as N	0.19	U	0.38	0.19	mg/L			12/11/15 15:28	10
Orthophosphate as P	87	D N	0.82	0.41	mg/L			12/11/15 15:28	10
Sulfate	64	D	2.5	1.3	mg/L			12/11/15 15:28	10

Client Sample ID: B339H1
Lab Sample ID: 300-1817-2
Date Collected: 12/11/15 08:25
Matrix: Water
Date Received: 12/11/15 09:45

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	21	D	0.40	0.20	mg/L			12/11/15 13:27	2
Nitrate as N	5.1	D	0.056	0.028	mg/L			12/11/15 13:27	2
Fluoride	0.34	D	0.10	0.050	mg/L			12/11/15 13:27	2
Nitrite as N	0.038	U	0.076	0.038	mg/L			12/11/15 13:27	2
Orthophosphate as P	27	D N	0.16	0.082	mg/L			12/11/15 13:27	2
Sulfate	60	D	0.50	0.25	mg/L			12/11/15 13:27	2

Client Sample ID: B33974
Lab Sample ID: 300-1817-3
Date Collected: 12/11/15 08:57
Matrix: Water
Date Received: 12/11/15 09:45

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	20	D	2.0	1.0	mg/L			12/11/15 15:13	10
Nitrate as N	5.8	D	0.28	0.14	mg/L			12/11/15 15:13	10
Fluoride	0.40	B D	0.50	0.25	mg/L			12/11/15 15:13	10
Nitrite as N	0.19	U	0.38	0.19	mg/L			12/11/15 15:13	10
Orthophosphate as P	190	D N	4.1	2.1	mg/L			12/11/15 14:28	50
Sulfate	50	D	2.5	1.3	mg/L			12/11/15 15:13	10

Client Sample ID: B33970
Lab Sample ID: 300-1817-4
Date Collected: 12/11/15 08:06
Matrix: Water
Date Received: 12/11/15 09:45

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	21	D	0.40	0.20	mg/L			12/11/15 13:42	2
Nitrate as N	5.5	D	0.056	0.028	mg/L			12/11/15 13:42	2
Fluoride	0.28	D	0.10	0.050	mg/L			12/11/15 13:42	2
Nitrite as N	0.038	U	0.076	0.038	mg/L			12/11/15 13:42	2
Orthophosphate as P	20	D N	0.16	0.082	mg/L			12/11/15 13:42	2
Sulfate	58	D	0.50	0.25	mg/L			12/11/15 13:42	2

Client Sample Results

Client: CH2M Hill Plateau Remediation Company
Project/Site: X15-069

TestAmerica Job ID: 300-1817-1
SDG: WC0697

Client Sample ID: B33938

Lab Sample ID: 300-1817-5
Date Collected: 12/11/15 08:25
Matrix: Water
Date Received: 12/11/15 09:45

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	21	D	0.40	0.20	mg/L			12/11/15 13:58	2
Nitrate as N	5.1	D	0.056	0.028	mg/L			12/11/15 13:58	2
Fluoride	0.34	D	0.10	0.050	mg/L			12/11/15 13:58	2
Nitrite as N	0.038	U	0.076	0.038	mg/L			12/11/15 13:58	2
Orthophosphate as P	26	D N	0.16	0.082	mg/L			12/11/15 13:58	2
Sulfate	60	D	0.50	0.25	mg/L			12/11/15 13:58	2

Client Sample ID: B33962

Lab Sample ID: 300-1817-6
Date Collected: 12/11/15 09:26
Matrix: Water
Date Received: 12/11/15 09:45

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	23	D	0.40	0.20	mg/L			12/11/15 12:42	2
Nitrate as N	5.6	D	0.056	0.028	mg/L			12/11/15 12:42	2
Fluoride	0.35	D	0.10	0.050	mg/L			12/11/15 12:42	2
Nitrite as N	0.038	U	0.076	0.038	mg/L			12/11/15 12:42	2
Orthophosphate as P	1.4	D N	0.16	0.082	mg/L			12/11/15 12:42	2
Sulfate	59	D	0.50	0.25	mg/L			12/11/15 12:42	2

QC Sample Results

Client: CH2M Hill Plateau Remediation Company
Project/Site: X15-069

TestAmerica Job ID: 300-1817-1
SDG: WC0697

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 300-2344/5 — **Client Sample ID: Method Blank**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 2344

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	0.014	U	0.028	0.014	mg/L			12/11/15 12:12	1
Nitrite as N	0.019	U	0.038	0.019	mg/L			12/11/15 12:12	1
Orthophosphate as P	0.041	U	0.082	0.041	mg/L			12/11/15 12:12	1

Lab Sample ID: LCS 300-2344/6 — **Client Sample ID: Lab Control Sample**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 2344

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrate as N	2.26	2.34		mg/L		104	80 - 120
Nitrite as N	3.04	3.16		mg/L		104	80 - 120
Orthophosphate as P	6.53	6.72		mg/L		103	80 - 120

Lab Sample ID: 300-1817-6 MS — **Client Sample ID: B33962**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 2344

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrate as N	5.6	D	0.452	6.06	D	mg/L		96	75 - 125
Nitrite as N	0.038	U	0.609	0.542	D	mg/L		89	75 - 125
Orthophosphate as P	1.4	D N	1.31	1.69	D N	mg/L		24	75 - 125

Lab Sample ID: 300-1817-6 DU — **Client Sample ID: B33962**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 2344

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Nitrate as N	5.6	D	5.61	D	mg/L		0.3	20
Nitrite as N	0.038	U	0.038	U	mg/L		NC	20
Orthophosphate as P	1.4	D N	1.37	D	mg/L		0.08	20

Lab Sample ID: MB 300-2345/5 — **Client Sample ID: Method Blank**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 2345

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	0.10	U	0.20	0.10	mg/L			12/11/15 12:12	1
Fluoride	0.025	U	0.050	0.025	mg/L			12/11/15 12:12	1
Sulfate	0.13	U	0.25	0.13	mg/L			12/11/15 12:12	1

Lab Sample ID: LCS 300-2345/6 — **Client Sample ID: Lab Control Sample**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 2345

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	16.0	16.3		mg/L		102	80 - 120
Fluoride	4.00	4.11		mg/L		103	80 - 120
Sulfate	20.0	20.4		mg/L		102	80 - 120

QC Sample Results

Client: CH2M Hill Plateau Remediation Company
Project/Site: X15-069

TestAmerica Job ID: 300-1817-1
SDG: WC0697

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: 300-1817-6 MS
Matrix: Water
Analysis Batch: 2345

Client Sample ID: B33962
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits		
Chloride	23	D	3.20	25.6	D	mg/L		95	75 - 125		
Fluoride	0.35	D	0.800	1.11	D	mg/L		96	75 - 125		
Sulfate	59	D	4.00	62.4	D	mg/L		95	75 - 125		

Lab Sample ID: 300-1817-6 DU
Matrix: Water
Analysis Batch: 2345

Client Sample ID: B33962
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier		DU Result	DU Qualifier	Unit	D			RPD	RPD Limit
Chloride	23	D		22.6	D	mg/L				0.2	20
Fluoride	0.35	D		0.345	D	mg/L				0.4	20
Sulfate	59	D		58.5	D	mg/L				0.1	20

QC Association Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: X15-069

TestAmerica Job ID: 300-1817-1
SDG: WC0697

HPLC/IC

Analysis Batch: 2344

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
300-1817-1	B33942	Total/NA	Water	300.0	
300-1817-2	B339H1	Total/NA	Water	300.0	
300-1817-3	B33974	Total/NA	Water	300.0	
300-1817-3	B33974	Total/NA	Water	300.0	
300-1817-4	B33970	Total/NA	Water	300.0	
300-1817-5	B33938	Total/NA	Water	300.0	
300-1817-6	B33962	Total/NA	Water	300.0	
300-1817-6 DU	B33962	Total/NA	Water	300.0	
300-1817-6 MS	B33962	Total/NA	Water	300.0	
LCS 300-2344/6	Lab Control Sample	Total/NA	Water	300.0	
MB 300-2344/5	Method Blank	Total/NA	Water	300.0	

Analysis Batch: 2345

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
300-1817-1	B33942	Total/NA	Water	300.0	
300-1817-2	B339H1	Total/NA	Water	300.0	
300-1817-3	B33974	Total/NA	Water	300.0	
300-1817-4	B33970	Total/NA	Water	300.0	
300-1817-5	B33938	Total/NA	Water	300.0	
300-1817-6	B33962	Total/NA	Water	300.0	
300-1817-6 DU	B33962	Total/NA	Water	300.0	
300-1817-6 MS	B33962	Total/NA	Water	300.0	
LCS 300-2345/6	Lab Control Sample	Total/NA	Water	300.0	
MB 300-2345/5	Method Blank	Total/NA	Water	300.0	

Lab Chronicle

Client: CH2M Hill Plateau Remediation Company
Project/Site: X15-069

TestAmerica Job ID: 300-1817-1
SDG: WC0697

Client Sample ID: B33942
Date Collected: 12/11/15 08:55
Date Received: 12/11/15 09:45

Lab Sample ID: 300-1817-1
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		10	10 mL		2344	12/11/15 15:28	CPM	TAL RCH
Total/NA	Analysis	300.0		10	10 mL		2345	12/11/15 15:28	CPM	TAL RCH

Client Sample ID: B339H1
Date Collected: 12/11/15 08:25
Date Received: 12/11/15 09:45

Lab Sample ID: 300-1817-2
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		2	10 mL		2344	12/11/15 13:27	CPM	TAL RCH
Total/NA	Analysis	300.0		2	10 mL		2345	12/11/15 13:27	CPM	TAL RCH

Client Sample ID: B33974
Date Collected: 12/11/15 08:57
Date Received: 12/11/15 09:45

Lab Sample ID: 300-1817-3
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		50	10 mL		2344	12/11/15 14:28	CPM	TAL RCH
Total/NA	Analysis	300.0		10	10 mL		2344	12/11/15 15:13	CPM	TAL RCH
Total/NA	Analysis	300.0		10	10 mL		2345	12/11/15 15:13	CPM	TAL RCH

Client Sample ID: B33970
Date Collected: 12/11/15 08:06
Date Received: 12/11/15 09:45

Lab Sample ID: 300-1817-4
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		2	10 mL		2344	12/11/15 13:42	CPM	TAL RCH
Total/NA	Analysis	300.0		2	10 mL		2345	12/11/15 13:42	CPM	TAL RCH

Client Sample ID: B33938
Date Collected: 12/11/15 08:25
Date Received: 12/11/15 09:45

Lab Sample ID: 300-1817-5
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		2	10 mL		2344	12/11/15 13:58	CPM	TAL RCH
Total/NA	Analysis	300.0		2	10 mL		2345	12/11/15 13:58	CPM	TAL RCH

Lab Chronicle

Client: CH2M Hill Plateau Remediation Company
Project/Site: X15-069

TestAmerica Job ID: 300-1817-1
SDG: WC0697

Client Sample ID: B33962
Date Collected: 12/11/15 09:26
Date Received: 12/11/15 09:45

Lab Sample ID: 300-1817-6
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		2	10 mL		2344	12/11/15 12:42	CPM	TAL RCH
Total/NA	Analysis	300.0		2	10 mL		2345	12/11/15 12:42	CPM	TAL RCH

Client Sample ID: B33962
Date Collected: 12/11/15 09:26
Date Received: 12/11/15 09:45

Lab Sample ID: 300-1817-6 DU
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		2	10 mL		2344	12/11/15 13:12	CPM	TAL RCH
Total/NA	Analysis	300.0		2	10 mL		2345	12/11/15 13:12	CPM	TAL RCH

Client Sample ID: Lab Control Sample
Date Collected: N/A
Date Received: N/A

Lab Sample ID: LCS 300-2344/6
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	10 mL		2344	12/11/15 12:27	CPM	TAL RCH

Client Sample ID: Lab Control Sample
Date Collected: N/A
Date Received: N/A

Lab Sample ID: LCS 300-2345/6
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	10 mL		2345	12/11/15 12:27	CPM	TAL RCH

Client Sample ID: Method Blank
Date Collected: N/A
Date Received: N/A

Lab Sample ID: MB 300-2344/5
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	10 mL		2344	12/11/15 12:12	CPM	TAL RCH

Client Sample ID: Method Blank
Date Collected: N/A
Date Received: N/A

Lab Sample ID: MB 300-2345/5
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	10 mL		2345	12/11/15 12:12	CPM	TAL RCH

Lab Chronicle

Client: CH2M Hill Plateau Remediation Company
Project/Site: X15-069

TestAmerica Job ID: 300-1817-1
SDG: WC0697

Client Sample ID: B33962

Date Collected: 12/11/15 09:26
Date Received: 12/11/15 09:45

Lab Sample ID: 300-1817-6 MS

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		2	10 mL		2344	12/11/15 12:57	CPM	TAL RCH
Total/NA	Analysis	300.0		2	10 mL		2345	12/11/15 12:57	CPM	TAL RCH

Laboratory References:

TAL RCH = TestAmerica Richland, 2800 George Washington Way, Richland, WA 99352, TEL (509)375-3131

Method Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: X15-069

TestAmerica Job ID: 300-1817-1
SDG: WC0697

Method	Method Description	Protocol	Laboratory
300.0	Anions, Ion Chromatography	MCAWW	TAL RCH

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

Laboratory References:

TAL RCH = TestAmerica Richland, 2800 George Washington Way, Richland, WA 99352, TEL (509)375-3131

Sample Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: X15-069

TestAmerica Job ID: 300-1817-1
SDG: WC0697

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
300-1817-1	B33942	Water	12/11/15 08:55	12/11/15 09:45
300-1817-2	B339H1	Water	12/11/15 08:25	12/11/15 09:45
300-1817-3	B33974	Water	12/11/15 08:57	12/11/15 09:45
300-1817-4	B33970	Water	12/11/15 08:06	12/11/15 09:45
300-1817-5	B33938	Water	12/11/15 08:25	12/11/15 09:45
300-1817-6	B33962	Water	12/11/15 09:26	12/11/15 09:45

Login Sample Receipt Checklist

Client: CH2M Hill Plateau Remediation Company

Job Number: 300-1817-1
SDG Number: WC0697

Login Number: 1817
List Number: 1
Creator: Friesz, Jordan D

List Source: TestAmerica Richland

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	N/A	
Samples do not require splitting or compositing.	N/A	
Residual Chlorine Checked.	N/A	