TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica St. Louis
13715 Rider Trail North
Earth City, MO 63045
Tel: (314)298-8566

TestAmerica Job ID: 160-14929-1
TestAmerica Sample Delivery Group: SL2020
Client Project/Site: X15-066

For:
CH2M Hill Plateau Remediation Company
PO BOX 1600, MS H8-41
Richland, Washington 99352

Attn: Mr. Scot Fitzgerald

Authorized for release by:
12/4/2015 11:41:30 AM

Jayna Awalt, Project Manager II
(314)298-8566
jayna.awalt@testamericainc.com

LINKS

Review your project results through TotalAccess

Have a Question? Ask The Expert

Visit us at: www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page 1
Table of Contents 2
Case Narrative 3
Chain of Custody 7
Definitions/Glossary 11
Method Summary 12
Sample Summary 13
Client Sample Results 14
QC Sample Results 17
QC Association Summary 21

Job ID: 160-14929-1

Laboratory: TestAmerica St. Louis

Narrative

CASE NARRATIVE

CH2MHill Plateau Remediation Company
P.O. Box 1600
Richland, Washington 99352
December 4, 2015
Attention: Scot Fitzgerald

SDG	: SL2020
Number of Samples	: 4 samples
Sample Matrix	: Water
Data Deliverable	: Summary
Date SDG Closed	: November 19, 2015

II. Introduction

On November 19, 4 samples were received by TestAmerica - St. Louis for chemical analysis. The samples were received within temperature criteria. See the COC and receipt checklists for documentation of any variations on receipt conditions and temperature. Upon receipt, samples were given laboratory Ids to correspond with specific client Ids. Please refer to the Sample Summary sheets attached to this case narrative. This report is incomplete without the narrative.

The following SAFs are associated with this SDG: X15-066

III. Analytical Results/ Methodology

The analytical results for this report are presented by analytical test. Each set of data includes sample identification information, analytical results and the appropriate detection limits. All results are based upon samples as they were received, i.e. wet weight, unless otherwise noted on the data sheets. See the attached Methods Summary Form for the methods used in this SDG.

MS/MSD/Dup analysis was done per the client requirements. Analytical batches that did not contain matrix QC were analyzed with an LCS/LCS duplicate.

Note: For Metals analyses, per standard practice, all 6020 water and soil samples are initially prepared at 2x dilution. This standard dilution does not affect reporting limits as MDL studies are also prepared in the same manner. These dilutions do not necessitate flagging unless otherwise noted in the case narrative.

For Anion analysis, samples have been started at a 2x dilution per CHPRC direction. The samples are flagged accordingly with a “D” flag if sample concentration is above the MDL/RL. Non-conformance will be included in the below section only if dilution is greater than 2x.

For WTPH methods, the lab utilizes method 8015B. Per CHPRC direction, the method name in the electronic data has been modified to read WTPH in the place of 8015B.

Per CHPRC direction (June 2014), Boron will be reported for Metals using method 6010. Boron will no longer be reported by method 6020.

Per CHPRC direction, due to the short hold times for Nitrate, Nitrite and Phosphate by IC (48 hours) as well as pH analysis (24 hours), a SIR request is not needed when samples are run outside 1x hold but within 2x hold. A narrative comment will be included below if a sample is run outside the lab-specified hold time for waters.

Per CHPRC direction, data for pH analysis will be reported outside 1x 24 hour hold time due to this being a field parameter.

IV. Definitions

Job ID: 160-14929-1 (Continued)

Laboratory: TestAmerica St. Louis (Continued)

QCBLK-	Quality Control Blank, Method Blank
QCLCS-	Quality Control Laboratory Control Sample, Blank Spike
DUP-	Laboratory Duplicate
MS-	Matrix Spike
MSD-	Matrix Spike Duplicate

The term “Detection Limit” used in the analytical data report refers to either the lab’s standard reporting limits or contractually required reporting limits, whichever is applicable.

The following data qualifiers may be applicable to the results in this report, as appropriate.

- **B** - For inorganic analyses, the sample result is greater than the MDL but less than the RL.
- **B** - For organic analyses, Method Blank contamination. The Method Blank contains the target analyte at a concentration above the MDL.
- **J** - For organic analyses, the sample is estimated and less than the RL.
- **C** - For inorganic analyses, Method Blank contamination. The Method Blank contains the target analyte at a concentration above the MDL.
- **D** - For all analyses, the sample result was obtained from the analysis of a dilution. For Metals analyses, per standard practice, all solid samples are initially prepared at a 2x dilution. This standard dilution does not affect reporting limits as MDL studies are also prepared in the same manner. These dilutions do not necessitate qualification unless otherwise noted in the case narrative.
- **N** - For inorganics and GC analyses, the spike/spike duplicate recoveries are outside QC limits.
- **T** - For GCMS analyses, the spike/spike duplicate recoveries are outside QC limits.
- **O**- For all analyses, the LCS (LCSD) recoveries are outside QC limits.
- **M**- For inorganic analyses, the precision was outside control limits.
- **P -** For organic analyses (PCB/Pests only), the aroclor target analyte has greater than 25% difference for detected concentrations between the two GC columns.

ICP Metals

Batch: 225231

Magnesium was detected in method blank MB 160-224079/1-A at levels that were above the method detection limit but below the reporting limit. The values should be considered estimates, and have been flagged “B”. If the associated sample reported a result above the MDL and/or RL and is not greater than 5x the method blank, the result has been flagged “C”.

Batch: 225409

The following samples were diluted to bring the concentration of target analytes within the calibration range: B33055 (160-14929-1), B33054 (160-14929-2), B33059 (160-14929-3) and B33058 (160-14929-4). Elevated reporting limits (RLs) are provided. These analytes have been qualified accordingly with a "D" flag in the associated samples.

There were no observations or non-conformances associated with the following methods:

ICPMS Metals - Uranium
Alkalinity

We certify that this data package is in compliance with the SOW, both technically and for completeness, including a full description of, explanation of, and corrective actions for, any and all deviations, from either the analyses requested or the case narrative requested. Release of the data contained in this hard copy data package has been authorized by the Laboratory Analytical Manager or designee and the laboratory’s client services representative as verified by their signature on this report.

Reviewed and approved:

Job ID: 160-14929-1 (Continued)

Laboratory: TestAmerica St. Louis (Continued)

Jayna Awalt
St. Louis Project Manager

December 04, 2015

Awalt, Jayna

From: Waters-husted, Karen S [Karen_S_Waters-husted@rl.gov]

Sent: Tuesday, November 10, 2015 11:25 AM

To: Awalt, Jayna; Franks, Mike; Heather Shaffer (heather.shaffer@gel.com); Julie Ellingson; Nancy Mattern; Ritari, Whitney; Seger, Sandra; Wagar, Rhonda; Waters-husted, Karen S

Cc: Ayres, Doris E; Sumner, Laine C; Gibson, Gayelyn G; Lynch, Sherry A; Medley, Heather A; Fitzgerald, Scot L; ^CPP Sample Management

Subject: Groundwater packages

Follow Up Flag: Follow up

Flag Status: Green

The GW annual report is written for a calendar year. This means that we have requested all the samples collected through December 31 to be reported by January 31. However, this year our sampling work load is higher than normal for November and December. In order to meet the GW reporting needs and the large sampling events, CHPRC needs all GW (SAFs A, I, S, W, and some X) SDGs to be on 15 day TATs starting with samples received on 11-16-15 through 1-31-16. I will be adding the new TAT to the SAFs and re-sending them shortly.

Currently, all the November and December paperwork is out in the field, so we will not be recalling it all and making the changes on the chains due to the volume of paperwork impacted.

Please include this email in the data packages as the direction for the TAT change. A SIR will not be necessary.

Please let me know if you have any questions or any problems arise that will impact these packages.

Thank you,

Karen Waters-Husted
CH2M Plateau Remediation Company
Sample Management and Reporting
Groundwater Project Coordinator
200 East / MO-277 / 108
509-376-4650
Karen_S_Waters-husted@rl.gov

Login Sample Receipt Checklist

Client: CH2M Hill Plateau Remediation Company

Job Number: 160-14929-1
SDG Number: SL2020

Login Number: 14929
List Number: 1
Creator: Clarke, Jill C

List Source: TestAmerica St. Louis

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	2.8°
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

CH2MHill Plateau Remediation Company SL2020

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C. # **X15-066-017**

Collector		**Contact/Requester**	WHITLEY, KM	**Telephone No.**	373-4929
SAF No.	X15-066	**Sampling Origin**	HANFORD SITE	**Purchase Order/Charge Code**	300205
Project Title	Uranium Sequestration - Day 10	**Logbook No.**	HNF-N-506 80 / 31	**Ice Chest No.**	GWS-378
Shipped To (Lab)	TestAmerica St. Louis	**Method of Shipment**	Commercial Carrier	**Bill of Lading/Air Bill No.**	7749973628 18
Protocol	CERCLA	**Priority:**	**30 Days** **PRIORITY**	**Offsite Property No.**	N/A

POSSIBLE SAMPLE HAZARDS/REMARKS

*Contains Radioactive Material at concentrations that are not be regulated for transportation per 49 CFR/IATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1.

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐

Sample No.	Filter	*	Date	Time	No/Type Container	Sample Analysis	Holding Time	Preservative
B33055	N	W	11-16-15	1108	1x500-mL G/P	6020_METALS_ICPMS: Uranium (1); 6010_METALS_ICP: COMMON	6 Months	HNO3 to pH <2
B33055	N	W	11-16-15	1108	1x500-mL G/P	310.1_ALKALINITY: GW 01	14 Days	Cool <=6C
B33054	Y	W	11-16-15	1108	1x500-mL G/P	6020_METALS_ICPMS: Uranium (1); 6010_METALS_ICP: COMMON	6 Months	HNO3 to pH <2

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
J.R. Aguilar/CHPRC			NOV 16 2015 1410	SSU #1			NOV 16 2015 1410
SSU-1			NOV 17 2015 1055	L.D. Wall CHPRC		L.D. Wall	NOV 17 2015 1055
L.D. Wall CHPRC		L.D. Wall	NOV 17 2015 1400	FEDEX			
FED EX				Jill Clarke		Jill Clarke	11.19.15 0920

Matrix *

S	= Soil		DS	= Drum Solids	
SE	= Sediment		DL	= Drum Liquids	
SO	= Solid		T	= Tissue	
SL	= Sludge		WI	= Wipe	
W	= Water		L	= Liquid	
O	= Oil		V	= Vegetation	
A	= Air		X	= Other	

FINAL SAMPLE DISPOSITION Disposal Method (e.g., Return to customer, per lab procedure, used in process) Disposed By Date/Time

PRINTED ON 9/16/2015 **FSR ID = FSR3290** A-6004-842 (REV 2)

CH2MHill Plateau Remediation Company SL2020

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C. # **X15-066-018**

Collector	J.R. Aguilar/CHPRC	**Contact/Requester**	WHITLEY, KM	**Telephone No.**	373-4929
SAF No.	X15-066	**Sampling Origin**	HANFORD SITE	**Purchase Order/Charge Code**	300205
Project Title	Uranium Sequestration - Day 10	**Logbook No.**	HNF-N-506 80 / 31	**Ice Chest No.**	GWS-378
Shipped To (Lab)	TestAmerica St. Louis	**Method of Shipment**	Commercial Carrier	**Bill of Lading/Air Bill No.**	774997362818
Protocol	CERCLA	**Priority:**	**30 Days** **PRIORITY**	**Offsite Property No.**	N/A

POSSIBLE SAMPLE HAZARDS/REMARKS

*Contains Radioactive Material at concentrations that are not be regulated for transportation per 49 CFR/IATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1.

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐

Sample No.	Filter	*	Date	Time	No/Type Container	Sample Analysis	Holding Time	Preservative
B33059	N	W	11-16-15	1155	1x500-mL G/P	6020_METALS_ICPMS: Uranium (1); 6010_METALS_ICP: COMMON	6 Months	HNO3 to pH <2
B33059	N	W	11-16-15	1155	1x500-mL G/P	310.1_ALKALINITY: GW 01	14 Days	Cool <=6C
B33058	Y	W	11-16-15	1155	1x500-mL G/P	6020_METALS_ICPMS: Uranium (1); 6010_METALS_ICP: COMMON	6 Months	HNO3 to pH <2

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
J.R. Aguilar/CHPRC			NOV 16 2015 1410	SSU#1			NOV 16 2015 1410
SSU-1			NOV 17 2015 1055	L.D. Wall CHPRC		L.D. Wall	NOV 17 2015 1055
L.D. Wall CHPRC		L.D. Wall	NOV 17 2015 1400	FEDEX			
FED EX				Jill Clarke		Jill Clarke	11-19-15 0920

Matrix *

S	= Soil	DS	= Drum Solids
SE	= Sediment	DL	= Drum Liquids
SO	= Solid	T	= Tissue
SL	= Sludge	WI	= Wipe
W	= Water	L	= Liquid
O	= Oil	V	= Vegetation
A	= Air	X	= Other

FINAL SAMPLE DISPOSITION Disposal Method (e.g., Return to customer, per lab procedure, used in process) Disposed By Date/Time

PRINTED ON 9/16/2015 **FSR ID = FSR2557** A-6004-842 (REV 2)

FedEx ® Tracking

774997362818

Ship date:
Tue 11/17/2015

RICHLAND, WA US

Delivered
Signed for by: J.CLARKE

Actual delivery:
Thu 11/19/2015 9:13 am

EARTH CITY, MO US

Travel History

Date/Time	Activity	Location
- 11/19/2015 - Thursday		
9:13 am	Delivered	EARTH CITY, MO
7:11 am	On FedEx vehicle for delivery	EARTH CITY, MO
7:03 am	At local FedEx facility	EARTH CITY, MO
5:18 am	At destination sort facility	BERKELEY, MO
4:29 am	Departed FedEx location	MEMPHIS, TN
12:25 am	Arrived at FedEx location	MEMPHIS, TN
- 11/18/2015 - Wednesday		
8:05 am	Left FedEx origin facility	PASCO, WA
- 11/17/2015 - Tuesday		
5:23 pm	At FedEx origin facility	PASCO, WA
5:22 pm	Shipment exception Delay beyond our control	PASCO, WA
3:22 pm	Picked up	PASCO, WA
2:48 pm	Shipment information sent to FedEx	

Shipment Facts

Tracking number	774997362818	**Service**	FedEx Priority Overnight
Weight	71 lbs / 32.21 kgs	**Delivered To**	Shipping/Receiving
Total pieces	1	**Total shipment weight**	71 lbs / 32.21 kgs
Shipper reference	gws-378	**Packaging**	Your Packaging
Special handling section	Deliver Weekday, Additional Handling Surcharge		

© FedEx 1995-2015

Definitions/Glossary

Qualifiers

Metals

Qualifier	Qualifier Description
U	Analyzed for but not detected.
B	Estimated result. Result is less than the RL, but greater than MDL
D	The reported value is from a dilution.

General Chemistry

Qualifier	Qualifier Description
U	Analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Method Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: X15-066

TestAmerica Job ID: 160-14929-1
SDG: SL2020

Method	Method Description	Protocol	Laboratory
6010C	Metals (ICP)	SW846	TAL SL
6020A	Metals (ICP/MS)	SW846	TAL SL
310.1	Alkalinity	MCAWW	TAL SL

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

Sample Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: X15-066

TestAmerica Job ID: 160-14929-1
SDG: SL2020

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
160-14929-1	B33055	Water	11/16/15 11:08	11/19/15 09:20
160-14929-2	B33054	Water	11/16/15 11:08	11/19/15 09:20
160-14929-3	B33059	Water	11/16/15 11:55	11/19/15 09:20
160-14929-4	B33058	Water	11/16/15 11:55	11/19/15 09:20

Client Sample Results

Client: CH2M Hill Plateau Remediation Company
Project/Site: X15-066

TestAmerica Job ID: 160-14929-1
SDG: SL2020

Method: 6010C - Metals (ICP)

Client Sample ID: B33055 — **Lab Sample ID: 160-14929-1**
Date Collected: 11/16/15 11:08 — **Matrix: Water**
Date Received: 11/19/15 09:20

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	3.7	U	10.0	3.7	ug/L		11/24/15 14:21	12/02/15 18:08	1
Arsenic	**47.1**		10.0	1.8	ug/L		11/24/15 14:21	12/02/15 18:08	1
Barium	**51.0**		50.0	2.1	ug/L		11/24/15 14:21	12/02/15 18:08	1
Cadmium	0.34	U	5.0	0.34	ug/L		11/24/15 14:21	12/02/15 18:08	1
Calcium	**53000**		1000	54.2	ug/L		11/24/15 14:21	12/02/15 18:08	1
Chromium	**7.2**	**B**	10.0	3.4	ug/L		11/24/15 14:21	12/02/15 18:08	1
Cobalt	2.7	U	50.0	2.7	ug/L		11/24/15 14:21	12/02/15 18:08	1
Copper	2.1	U	25.0	2.1	ug/L		11/24/15 14:21	12/02/15 18:08	1
Iron	**38.8**	**B**	100	12.8	ug/L		11/24/15 14:21	12/02/15 18:08	1
Magnesium	**16400**		1000	50.5	ug/L		11/24/15 14:21	12/02/15 18:08	1
Manganese	**3.5**	**B**	15.0	1.0	ug/L		11/24/15 14:21	12/02/15 18:08	1
Nickel	**7.5**	**B**	40.0	2.6	ug/L		11/24/15 14:21	12/02/15 18:08	1
Potassium	**113000**	**D**	50000	4560	ug/L		11/24/15 14:21	12/03/15 14:36	10
Silver	0.99	U	20.0	0.99	ug/L		11/24/15 14:21	12/02/15 18:08	1
Sodium	**301000**	**D**	10000	1050	ug/L		11/24/15 14:21	12/03/15 14:36	10
Vanadium	**27.4**	**B**	50.0	4.4	ug/L		11/24/15 14:21	12/02/15 18:08	1
Zinc	**31.2**		20.0	8.3	ug/L		11/24/15 14:21	12/02/15 18:08	1

Client Sample ID: B33059 — **Lab Sample ID: 160-14929-3**
Date Collected: 11/16/15 11:55 — **Matrix: Water**
Date Received: 11/19/15 09:20

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	3.7	U	10.0	3.7	ug/L		11/24/15 14:21	12/02/15 18:16	1
Arsenic	**84.8**		10.0	1.8	ug/L		11/24/15 14:21	12/02/15 18:16	1
Barium	**89.6**		50.0	2.1	ug/L		11/24/15 14:21	12/02/15 18:16	1
Cadmium	0.34	U	5.0	0.34	ug/L		11/24/15 14:21	12/02/15 18:16	1
Calcium	**61800**		1000	54.2	ug/L		11/24/15 14:21	12/02/15 18:16	1
Chromium	**6.7**	**B**	10.0	3.4	ug/L		11/24/15 14:21	12/02/15 18:16	1
Cobalt	2.7	U	50.0	2.7	ug/L		11/24/15 14:21	12/02/15 18:16	1
Copper	2.1	U	25.0	2.1	ug/L		11/24/15 14:21	12/02/15 18:16	1
Iron	**156**		100	12.8	ug/L		11/24/15 14:21	12/02/15 18:16	1
Magnesium	**22600**		1000	50.5	ug/L		11/24/15 14:21	12/02/15 18:16	1
Manganese	**4.1**	**B**	15.0	1.0	ug/L		11/24/15 14:21	12/02/15 18:16	1
Nickel	**13.3**	**B**	40.0	2.6	ug/L		11/24/15 14:21	12/02/15 18:16	1
Potassium	**7290**	**B D**	50000	4560	ug/L		11/24/15 14:21	12/03/15 14:45	10
Silver	0.99	U	20.0	0.99	ug/L		11/24/15 14:21	12/02/15 18:16	1
Sodium	**348000**	**D**	10000	1050	ug/L		11/24/15 14:21	12/03/15 14:45	10
Vanadium	**34.7**	**B**	50.0	4.4	ug/L		11/24/15 14:21	12/02/15 18:16	1
Zinc	8.3	U	20.0	8.3	ug/L		11/24/15 14:21	12/02/15 18:16	1

Method: 6010C - Metals (ICP) - Dissolved

Client Sample ID: B33054 — **Lab Sample ID: 160-14929-2**
Date Collected: 11/16/15 11:08 — **Matrix: Water**
Date Received: 11/19/15 09:20

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	3.7	U	10.0	3.7	ug/L		11/24/15 14:21	12/02/15 18:12	1
Arsenic	**47.8**		10.0	1.8	ug/L		11/24/15 14:21	12/02/15 18:12	1
Barium	**43.9**	**B**	50.0	2.1	ug/L		11/24/15 14:21	12/02/15 18:12	1
Cadmium	0.34	U	5.0	0.34	ug/L		11/24/15 14:21	12/02/15 18:12	1

Client Sample Results

Client: CH2M Hill Plateau Remediation Company
Project/Site: X15-066

TestAmerica Job ID: 160-14929-1
SDG: SL2020

Method: 6010C - Metals (ICP) - Dissolved (Continued)

Client Sample ID: B33054 — **Lab Sample ID: 160-14929-2**
Date Collected: 11/16/15 11:08 — **Matrix: Water**
Date Received: 11/19/15 09:20

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	51900		1000	54.2	ug/L		11/24/15 14:21	12/02/15 18:12	1
Chromium	8.4	B	10.0	3.4	ug/L		11/24/15 14:21	12/02/15 18:12	1
Cobalt	2.7	U	50.0	2.7	ug/L		11/24/15 14:21	12/02/15 18:12	1
Copper	2.1	U	25.0	2.1	ug/L		11/24/15 14:21	12/02/15 18:12	1
Iron	32.7	B	100	12.8	ug/L		11/24/15 14:21	12/02/15 18:12	1
Magnesium	16200		1000	50.5	ug/L		11/24/15 14:21	12/02/15 18:12	1
Manganese	3.9	B	15.0	1.0	ug/L		11/24/15 14:21	12/02/15 18:12	1
Nickel	7.6	B	40.0	2.6	ug/L		11/24/15 14:21	12/02/15 18:12	1
Potassium	128000	D	50000	4560	ug/L		11/24/15 14:21	12/03/15 14:41	10
Silver	0.99	U	20.0	0.99	ug/L		11/24/15 14:21	12/02/15 18:12	1
Sodium	342000	D	10000	1050	ug/L		11/24/15 14:21	12/03/15 14:41	10
Vanadium	24.5	B	50.0	4.4	ug/L		11/24/15 14:21	12/02/15 18:12	1
Zinc	26.9		20.0	8.3	ug/L		11/24/15 14:21	12/02/15 18:12	1

Client Sample ID: B33058 — **Lab Sample ID: 160-14929-4**
Date Collected: 11/16/15 11:55 — **Matrix: Water**
Date Received: 11/19/15 09:20

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	3.7	U	10.0	3.7	ug/L		11/24/15 14:21	12/02/15 18:21	1
Arsenic	84.9		10.0	1.8	ug/L		11/24/15 14:21	12/02/15 18:21	1
Barium	85.6		50.0	2.1	ug/L		11/24/15 14:21	12/02/15 18:21	1
Cadmium	0.34	U	5.0	0.34	ug/L		11/24/15 14:21	12/02/15 18:21	1
Calcium	62100		1000	54.2	ug/L		11/24/15 14:21	12/02/15 18:21	1
Chromium	7.3	B	10.0	3.4	ug/L		11/24/15 14:21	12/02/15 18:21	1
Cobalt	2.7	U	50.0	2.7	ug/L		11/24/15 14:21	12/02/15 18:21	1
Copper	2.1	U	25.0	2.1	ug/L		11/24/15 14:21	12/02/15 18:21	1
Iron	12.8	U	100	12.8	ug/L		11/24/15 14:21	12/02/15 18:21	1
Magnesium	22300		1000	50.5	ug/L		11/24/15 14:21	12/02/15 18:21	1
Manganese	2.1	B	15.0	1.0	ug/L		11/24/15 14:21	12/02/15 18:21	1
Nickel	12.8	B	40.0	2.6	ug/L		11/24/15 14:21	12/02/15 18:21	1
Potassium	6620	B D	50000	4560	ug/L		11/24/15 14:21	12/03/15 15:01	10
Silver	0.99	U	20.0	0.99	ug/L		11/24/15 14:21	12/02/15 18:21	1
Sodium	326000	D	10000	1050	ug/L		11/24/15 14:21	12/03/15 15:01	10
Vanadium	32.5	B	50.0	4.4	ug/L		11/24/15 14:21	12/02/15 18:21	1
Zinc	8.3	U	20.0	8.3	ug/L		11/24/15 14:21	12/02/15 18:21	1

Method: 6020A - Metals (ICP/MS)

Client Sample ID: B33055 — **Lab Sample ID: 160-14929-1**
Date Collected: 11/16/15 11:08 — **Matrix: Water**
Date Received: 11/19/15 09:20

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Uranium	7.7		1.0	0.23	ug/L		11/24/15 14:23	11/27/15 18:54	2

Client Sample ID: B33059 — **Lab Sample ID: 160-14929-3**
Date Collected: 11/16/15 11:55 — **Matrix: Water**
Date Received: 11/19/15 09:20

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Uranium	8.1		1.0	0.23	ug/L		11/24/15 14:23	11/27/15 19:07	2

Client Sample Results

Client: CH2M Hill Plateau Remediation Company
Project/Site: X15-066

TestAmerica Job ID: 160-14929-1
SDG: SL2020

Method: 6020A - Metals (ICP/MS) - Dissolved

Client Sample ID: B33054 — **Lab Sample ID: 160-14929-2**
Date Collected: 11/16/15 11:08 — **Matrix: Water**
Date Received: 11/19/15 09:20

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Uranium	7.0		1.0	0.23	ug/L		11/24/15 14:23	11/27/15 19:01	2

Client Sample ID: B33058 — **Lab Sample ID: 160-14929-4**
Date Collected: 11/16/15 11:55 — **Matrix: Water**
Date Received: 11/19/15 09:20

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Uranium	7.7		1.0	0.23	ug/L		11/24/15 14:23	11/27/15 19:14	2

General Chemistry

Client Sample ID: B33055 — **Lab Sample ID: 160-14929-1**
Date Collected: 11/16/15 11:08 — **Matrix: Water**
Date Received: 11/19/15 09:20

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	425		5.0	0.54	mg/L			11/23/15 20:21	1
Bicarbonate Alkalinity	425		5.0	0.54	mg/L			11/23/15 20:21	1
Carbonate Alkalinity	0.54	U	5.0	0.54	mg/L			11/23/15 20:21	1
Hydroxide Alkalinity	0.54	U	5.0	0.54	mg/L			11/23/15 20:21	1

Client Sample ID: B33059 — **Lab Sample ID: 160-14929-3**
Date Collected: 11/16/15 11:55 — **Matrix: Water**
Date Received: 11/19/15 09:20

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	322		5.0	0.54	mg/L			11/23/15 20:36	1
Bicarbonate Alkalinity	322		5.0	0.54	mg/L			11/23/15 20:36	1
Carbonate Alkalinity	0.54	U	5.0	0.54	mg/L			11/23/15 20:36	1
Hydroxide Alkalinity	0.54	U	5.0	0.54	mg/L			11/23/15 20:36	1

QC Sample Results

Client: CH2M Hill Plateau Remediation Company
Project/Site: X15-066

TestAmerica Job ID: 160-14929-1
SDG: SL2020

Method: 6010C - Metals (ICP)

Lab Sample ID: MB 160-224079/1-A
Matrix: Water
Analysis Batch: 225231

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 224079

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	3.7	U	10.0	3.7	ug/L		11/24/15 14:21	12/02/15 16:18	1
Arsenic	1.8	U	10.0	1.8	ug/L		11/24/15 14:21	12/02/15 16:18	1
Barium	2.1	U	50.0	2.1	ug/L		11/24/15 14:21	12/02/15 16:18	1
Cadmium	0.34	U	5.0	0.34	ug/L		11/24/15 14:21	12/02/15 16:18	1
Calcium	54.2	U	1000	54.2	ug/L		11/24/15 14:21	12/02/15 16:18	1
Chromium	3.4	U	10.0	3.4	ug/L		11/24/15 14:21	12/02/15 16:18	1
Cobalt	2.7	U	50.0	2.7	ug/L		11/24/15 14:21	12/02/15 16:18	1
Copper	2.1	U	25.0	2.1	ug/L		11/24/15 14:21	12/02/15 16:18	1
Iron	12.8	U	100	12.8	ug/L		11/24/15 14:21	12/02/15 16:18	1
Magnesium	62.40	B	1000	50.5	ug/L		11/24/15 14:21	12/02/15 16:18	1
Manganese	1.0	U	15.0	1.0	ug/L		11/24/15 14:21	12/02/15 16:18	1
Nickel	2.6	U	40.0	2.6	ug/L		11/24/15 14:21	12/02/15 16:18	1
Silver	0.99	U	20.0	0.99	ug/L		11/24/15 14:21	12/02/15 16:18	1
Sodium	105	U	1000	105	ug/L		11/24/15 14:21	12/02/15 16:18	1
Vanadium	4.4	U	50.0	4.4	ug/L		11/24/15 14:21	12/02/15 16:18	1
Zinc	8.3	U	20.0	8.3	ug/L		11/24/15 14:21	12/02/15 16:18	1

Lab Sample ID: MB 160-224079/1-A
Matrix: Water
Analysis Batch: 225409

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 224079

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Potassium	456	U	5000	456	ug/L		11/24/15 14:21	12/03/15 12:46	1

Lab Sample ID: LCS 160-224079/2-A
Matrix: Water
Analysis Batch: 225231

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 224079

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Antimony	500	493.3		ug/L		99	80 - 120
Arsenic	1000	941.7		ug/L		94	80 - 120
Barium	1000	988.0		ug/L		99	80 - 120
Cadmium	1000	981.4		ug/L		98	80 - 120
Calcium	10000	11260		ug/L		113	80 - 120
Chromium	1000	1046		ug/L		105	80 - 120
Cobalt	1000	1083		ug/L		108	80 - 120
Copper	1000	1002		ug/L		100	80 - 120
Iron	10000	9837		ug/L		98	80 - 120
Magnesium	10000	9481		ug/L		95	80 - 120
Manganese	1000	985.2		ug/L		99	80 - 120
Nickel	1000	1075		ug/L		108	80 - 120
Silver	200	222.2		ug/L		111	80 - 120
Sodium	10000	9550		ug/L		96	80 - 120
Vanadium	1000	974.8		ug/L		97	80 - 120
Zinc	1000	1002		ug/L		100	80 - 120

Method: 6010C - Metals (ICP) (Continued)

Lab Sample ID: LCS 160-224079/2-A — **Client Sample ID: Lab Control Sample**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 225409 — **Prep Batch: 224079**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Potassium	10000	8840		ug/L		88	80 - 120

Lab Sample ID: 160-14927-A-1-B MS — **Client Sample ID: Matrix Spike**
Matrix: Water — **Prep Type: Dissolved**
Analysis Batch: 225231 — **Prep Batch: 224079**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Antimony	3.7	U	500	498.1		ug/L		100	75 - 125
Arsenic	1.8	U	1000	954.8		ug/L		95	75 - 125
Barium	19.0	B	1000	991.7		ug/L		97	75 - 125
Cadmium	0.34	U	1000	984.2		ug/L		98	75 - 125
Calcium	37200		10000	47220		ug/L		100	75 - 125
Chromium	18.9		1000	1036		ug/L		102	75 - 125
Cobalt	2.7	U	1000	1059		ug/L		106	75 - 125
Copper	11.4	B	1000	1010		ug/L		100	75 - 125
Iron	12.8	U	10000	9761		ug/L		98	75 - 125
Magnesium	6280		10000	15780		ug/L		95	75 - 125
Manganese	1.0	U	1000	975.8		ug/L		98	75 - 125
Nickel	3.0	B	1000	1054		ug/L		105	75 - 125
Silver	0.99	U	200	219.1		ug/L		110	75 - 125
Sodium	4640		10000	14150		ug/L		95	75 - 125
Vanadium	4.4	U	1000	973.2		ug/L		97	75 - 125
Zinc	8.8	B	1000	1012		ug/L		100	75 - 125

Lab Sample ID: 160-14927-A-1-B MS — **Client Sample ID: Matrix Spike**
Matrix: Water — **Prep Type: Dissolved**
Analysis Batch: 225409 — **Prep Batch: 224079**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Potassium	2030	B	10000	11130		ug/L		91	75 - 125

Lab Sample ID: 160-14927-A-1-C MSD — **Client Sample ID: Matrix Spike Duplicate**
Matrix: Water — **Prep Type: Dissolved**
Analysis Batch: 225231 — **Prep Batch: 224079**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Antimony	3.7	U	500	500.6		ug/L		100	75 - 125	1	20
Arsenic	1.8	U	1000	964.7		ug/L		96	75 - 125	1	20
Barium	19.0	B	1000	968.6		ug/L		95	75 - 125	2	20
Cadmium	0.34	U	1000	997.9		ug/L		100	75 - 125	1	20
Calcium	37200		10000	48250		ug/L		110	75 - 125	2	20
Chromium	18.9		1000	1048		ug/L		103	75 - 125	1	20
Cobalt	2.7	U	1000	1073		ug/L		107	75 - 125	1	20
Copper	11.4	B	1000	1022		ug/L		101	75 - 125	1	20
Iron	12.8	U	10000	9844		ug/L		98	75 - 125	1	20
Magnesium	6280		10000	16270		ug/L		100	75 - 125	3	20
Manganese	1.0	U	1000	984.2		ug/L		98	75 - 125	1	20
Nickel	3.0	B	1000	1068		ug/L		107	75 - 125	1	20
Silver	0.99	U	200	220.1		ug/L		110	75 - 125	0	20

Method: 6010C - Metals (ICP) (Continued)

Lab Sample ID: 160-14927-A-1-C MSD — **Client Sample ID: Matrix Spike Duplicate**
Matrix: Water — **Prep Type: Dissolved**
Analysis Batch: 225231 — **Prep Batch: 224079**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Sodium	4640		10000	13630		ug/L		90	75 - 125	4	20
Vanadium	4.4	U	1000	972.4		ug/L		97	75 - 125	0	20
Zinc	8.8	B	1000	1024		ug/L		102	75 - 125	1	20

Lab Sample ID: 160-14927-A-1-C MSD — **Client Sample ID: Matrix Spike Duplicate**
Matrix: Water — **Prep Type: Dissolved**
Analysis Batch: 225409 — **Prep Batch: 224079**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Potassium	2030	B	10000	11290		ug/L		93	75 - 125	1	20

Method: 6020A - Metals (ICP/MS)

Lab Sample ID: MB 160-224081/1-A — **Client Sample ID: Method Blank**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 224561 — **Prep Batch: 224081**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Uranium	0.23	U	1.0	0.23	ug/L		11/24/15 14:23	11/27/15 17:21	2

Lab Sample ID: LCS 160-224081/2-A — **Client Sample ID: Lab Control Sample**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 224561 — **Prep Batch: 224081**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Uranium	1000	1072		ug/L		107	80 - 120

Lab Sample ID: 160-14927-A-1-E MS — **Client Sample ID: Matrix Spike**
Matrix: Water — **Prep Type: Dissolved**
Analysis Batch: 224561 — **Prep Batch: 224081**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Uranium	0.80	B	1000	1066		ug/L		107	75 - 125

Lab Sample ID: 160-14927-A-1-F MSD — **Client Sample ID: Matrix Spike Duplicate**
Matrix: Water — **Prep Type: Dissolved**
Analysis Batch: 224561 — **Prep Batch: 224081**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Uranium	0.80	B	1000	1065		ug/L		106	75 - 125	0	20

Method: 310.1 - Alkalinity

Lab Sample ID: MB 160-223438/1 — **Client Sample ID: Method Blank**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 223438

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	0.54	U	5.0	0.54	mg/L			11/23/15 17:00	1

Method: 310.1 - Alkalinity (Continued)

Lab Sample ID: MB 160-223438/1 — **Client Sample ID: Method Blank**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 223438

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Bicarbonate Alkalinity	0.54	U	5.0	0.54	mg/L			11/23/15 17:00	1
Carbonate Alkalinity	0.54	U	5.0	0.54	mg/L			11/23/15 17:00	1
Hydroxide Alkalinity	0.54	U	5.0	0.54	mg/L			11/23/15 17:00	1

Lab Sample ID: HLCS 160-223438/3 — **Client Sample ID: Lab Control Sample**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 223438

Analyte	Spike Added	HLCS Result	HLCS Qualifier	Unit	D	%Rec	%Rec. Limits
Alkalinity	400	376.0		mg/L		94	90 - 110
Bicarbonate Alkalinity	400	376.0		mg/L		94	90 - 110

Lab Sample ID: LCS 160-223438/2 — **Client Sample ID: Lab Control Sample**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 223438

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Alkalinity	200	189.0		mg/L		94	90 - 110
Bicarbonate Alkalinity	200	189.0		mg/L		94	90 - 110

Method: 310.1 - Alkalinity - DL

Lab Sample ID: 160-14926-A-6 MS — **Client Sample ID: Matrix Spike**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 223438

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Alkalinity - DL	705		501	1170		mg/L		93	80 - 120
Bicarbonate Alkalinity - DL	705		501	1170		mg/L		93	80 - 120

Lab Sample ID: 160-14926-A-6 DU — **Client Sample ID: Duplicate**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 223438

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Alkalinity - DL	705		710.0		mg/L		0.7	20
Bicarbonate Alkalinity - DL	705		710.0		mg/L		0.7	20
Carbonate Alkalinity - DL	2.7	U	2.7	U	mg/L		NC	20
Hydroxide Alkalinity - DL	2.7	U	2.7	U	mg/L		NC	20

QC Association Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: X15-066

TestAmerica Job ID: 160-14929-1
SDG: SL2020

Metals

Prep Batch: 224079

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
160-14927-A-1-B MS	Matrix Spike	Dissolved	Water	3010A	
160-14927-A-1-C MSD	Matrix Spike Duplicate	Dissolved	Water	3010A	
160-14929-1	B33055	Total/NA	Water	3010A	
160-14929-2	B33054	Dissolved	Water	3010A	
160-14929-3	B33059	Total/NA	Water	3010A	
160-14929-4	B33058	Dissolved	Water	3010A	
LCS 160-224079/2-A	Lab Control Sample	Total/NA	Water	3010A	
MB 160-224079/1-A	Method Blank	Total/NA	Water	3010A	

Prep Batch: 224081

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
160-14927-A-1-E MS	Matrix Spike	Dissolved	Water	3010A	
160-14927-A-1-F MSD	Matrix Spike Duplicate	Dissolved	Water	3010A	
160-14929-1	B33055	Total/NA	Water	3010A	
160-14929-2	B33054	Dissolved	Water	3010A	
160-14929-3	B33059	Total/NA	Water	3010A	
160-14929-4	B33058	Dissolved	Water	3010A	
LCS 160-224081/2-A	Lab Control Sample	Total/NA	Water	3010A	
MB 160-224081/1-A	Method Blank	Total/NA	Water	3010A	

Analysis Batch: 224561

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
160-14927-A-1-E MS	Matrix Spike	Dissolved	Water	6020A	224081
160-14927-A-1-F MSD	Matrix Spike Duplicate	Dissolved	Water	6020A	224081
160-14929-1	B33055	Total/NA	Water	6020A	224081
160-14929-2	B33054	Dissolved	Water	6020A	224081
160-14929-3	B33059	Total/NA	Water	6020A	224081
160-14929-4	B33058	Dissolved	Water	6020A	224081
LCS 160-224081/2-A	Lab Control Sample	Total/NA	Water	6020A	224081
MB 160-224081/1-A	Method Blank	Total/NA	Water	6020A	224081

Analysis Batch: 225231

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
160-14927-A-1-B MS	Matrix Spike	Dissolved	Water	6010C	224079
160-14927-A-1-C MSD	Matrix Spike Duplicate	Dissolved	Water	6010C	224079
160-14929-1	B33055	Total/NA	Water	6010C	224079
160-14929-2	B33054	Dissolved	Water	6010C	224079
160-14929-3	B33059	Total/NA	Water	6010C	224079
160-14929-4	B33058	Dissolved	Water	6010C	224079
LCS 160-224079/2-A	Lab Control Sample	Total/NA	Water	6010C	224079
MB 160-224079/1-A	Method Blank	Total/NA	Water	6010C	224079

Analysis Batch: 225409

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
160-14927-A-1-B MS	Matrix Spike	Dissolved	Water	6010C	224079
160-14927-A-1-C MSD	Matrix Spike Duplicate	Dissolved	Water	6010C	224079
160-14929-1	B33055	Total/NA	Water	6010C	224079
160-14929-2	B33054	Dissolved	Water	6010C	224079
160-14929-3	B33059	Total/NA	Water	6010C	224079
160-14929-4	B33058	Dissolved	Water	6010C	224079
LCS 160-224079/2-A	Lab Control Sample	Total/NA	Water	6010C	224079

QC Association Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: X15-066

TestAmerica Job ID: 160-14929-1
SDG: SL2020

Metals (Continued)

Analysis Batch: 225409 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 160-224079/1-A	Method Blank	Total/NA	Water	6010C	224079

General Chemistry

Analysis Batch: 223438

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
160-14926-A-6 DU - DL	Duplicate	Total/NA	Water	310.1	
160-14926-A-6 MS - DL	Matrix Spike	Total/NA	Water	310.1	
160-14929-1	B33055	Total/NA	Water	310.1	
160-14929-3	B33059	Total/NA	Water	310.1	
HLCS 160-223438/3	Lab Control Sample	Total/NA	Water	310.1	
LCS 160-223438/2	Lab Control Sample	Total/NA	Water	310.1	
MB 160-223438/1	Method Blank	Total/NA	Water	310.1	