

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Richland
2800 George Washington Way
Richland, WA 99352
Tel: (509)375-3131

TestAmerica Job ID: 300-1746-1
TestAmerica Sample Delivery Group: WC0659
Client Project/Site: F12-024

For:
CH2M Hill Plateau Remediation Company
PO BOX 1600
Mail Stop R3-50
Richland, Washington 99352

Attn: CPP Sample Management



Authorized for release by:
12/8/2015 10:43:07 AM
Steven Campbell, Quality Assurance Assistant
steven.campbell@testamericainc.com

Designee for
Whitney Ritari, Project Manager I
(509)375-3131 ext164
whitney.ritari@testamericainc.com

I certify that this Certificate of Analysis is in compliance with the SOW, both technically and for completeness, for other than the conditions detailed in this package. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager, or a designee as verified by the attached signature.

The laboratory is accredited to EPA 7196A in Solid and Chemical Materials, per Washington State Department of Ecology this is approved for non-discharge water samples. The sample/ sample duplicate RPD agreement is not applicable if one or both results are elss than five times the MDL.



LINKS

Review your project results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Chain of Custody	5
Detection Summary	7
Client Sample Results	8
QC Sample Results	9
QC Association Summary	11
Lab Chronicle	12
Method Summary	14
Sample Summary	15
Receipt Checklists	16

Qualifiers**HPLC/IC**

Qualifier	Qualifier Description
D	The reported value is from a dilution.
U	Analyzed for but not detected.

General Chemistry

Qualifier	Qualifier Description
U	Analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client: CH2M Hill Plateau Remediation Company
Project/Site: F12-024

TestAmerica Job ID: 300-1746-1
SDG: WC0659

Job ID: 300-1746-1

Laboratory: TestAmerica Richland

Narrative

**Job Narrative
300-1746-1**

Comments

No additional comments.

Receipt

The samples were received on 12/3/2015 3:15 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 7.9° C.

HPLC/IC

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.



CH2MHill Plateau Remediation Company		CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST		F12-024-218	PAGE 1 OF 1
COLLECTOR	S.W. King/CHPRC	COMPANY CONTACT	SUMNER, LC	TELEPHONE NO.	376-3922
SAMPLING LOCATION	100-HX PROC Bldg. 689 EFF Tank VAL T-H5 V-H5A6AA	PROJECT DESIGNATION	100-HX Pump and Treat - INF/EFF/TRANSFER TANK - WATER	PROJECT COORDINATOR	SUMNER, LC
ICE CHEST NO.		FIELD LOGBOOK NO.	INF-N-491-1512	SAF NO.	F12-024
SHIPPED TO	TestAmerica Incorporated, Richland	OFFSITE PROPERTY NO.		COA	302845
				BILL OF LADING/AIR BILL NO.	
				PRICE CODE	7H
				AIR QUALITY	<input type="checkbox"/>
				METHOD OF SHIPMENT	GOVERNMENT VEHICLE
					DATA TURNAROUND 30 Days / 30 Days
					ORIGINAL

SAMPLE NO.	MATRIX*	SAMPLE DATE	SAMPLE TIME	PRESERVATION				NO. OF CONTAINER(S)	SPECIAL HANDLING AND/OR STORAGE				
				COOL <=6C	HNO3 TO PH <2	HCl TO PH <2	NONE		COOL <=6C	VOLUME	7196 GRG: COMMON;	SPTOT_SRP_RR ECP_GRC: COMMON;	TC99_ETVDSK_LSC: COMMON;
B33KK1	WATER	DEC 03 2015	121D	✓	✓	✓	✓	1	60ml	1L	500ml	500ml	

21746
W00059

CHAIN OF POSSESSION	SIGN/ PRINT NAMES	SPECIAL INSTRUCTIONS
RELINQUISHED BY/REMOVED FROM S.W. King/CHPRC	RECEIVED BY/STORED IN CHRIS FULTON	TRVL-16-013: The 100 Area S&GRP Characterization and Monitoring Sampling and Analysis GKI applies to this SAF. The extraction wells associated with this SAF are all located at the Transfer Building. (1) 300.0 ANIONS_IC: COMMON {Chloride, Fluoride, Nitrogen in Nitrate, Nitrogen in Nitrite, Sulfate};
RELINQUISHED BY/REMOVED FROM CHRIS FULTON	RECEIVED BY/STORED IN CHRIS FULTON	
RELINQUISHED BY/REMOVED FROM	RECEIVED BY/STORED IN	
RELINQUISHED BY/REMOVED FROM	RECEIVED BY/STORED IN	
RELINQUISHED BY/REMOVED FROM	RECEIVED BY/STORED IN	

December 08 2015

LABORATORY SECTION	RECEIVED BY	TITLE	DATE/TIME
FINAL SAMPLE DISPOSITION	DISPOSAL METHOD	DISPOSED BY	DATE/TIME

Detection Summary

Client: CH2M Hill Plateau Remediation Company
 Project/Site: F12-024

TestAmerica Job ID: 300-1746-1
 SDG: WC0659

Client Sample ID: B33KJ9

Lab Sample ID: 300-1746-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	9.1	D	0.40	0.20	mg/L	2		300.0	Total/NA
Nitrate as N	3.4	D	0.056	0.028	mg/L	2		300.0	Total/NA
Fluoride	0.22	D	0.10	0.050	mg/L	2		300.0	Total/NA
Sulfate	85	D	0.50	0.25	mg/L	2		300.0	Total/NA
Cr (VI)	0.031		0.0040	0.0015	mg/L	1		7196A	Total/NA

Client Sample ID: B33KK1

Lab Sample ID: 300-1746-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	9.0	D	0.40	0.20	mg/L	2		300.0	Total/NA
Nitrate as N	3.4	D	0.056	0.028	mg/L	2		300.0	Total/NA
Fluoride	0.22	D	0.10	0.050	mg/L	2		300.0	Total/NA
Sulfate	83	D	0.50	0.25	mg/L	2		300.0	Total/NA

This Detection Summary does not include radiochemical test results.



Client: CH2M Hill Plateau Remediation Company
 Project/Site: F12-024

TestAmerica Job ID: 300-1746-1
 SDG: WC0659

Client Sample ID: B33KJ9

Date Collected: 12/03/15 12:25

Date Received: 12/03/15 15:15

Lab Sample ID: 300-1746-1

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9.1	D	0.40	0.20	mg/L			12/03/15 21:19	2
Nitrate as N	3.4	D	0.056	0.028	mg/L			12/03/15 21:19	2
Fluoride	0.22	D	0.10	0.050	mg/L			12/03/15 21:19	2
Nitrite as N	0.038	U	0.076	0.038	mg/L			12/03/15 21:19	2
Sulfate	85	D	0.50	0.25	mg/L			12/03/15 21:19	2

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI)	0.031		0.0040	0.0015	mg/L			12/03/15 19:38	1

Client Sample ID: B33KK1

Date Collected: 12/03/15 12:10

Date Received: 12/03/15 15:15

Lab Sample ID: 300-1746-2

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9.0	D	0.40	0.20	mg/L			12/03/15 21:34	2
Nitrate as N	3.4	D	0.056	0.028	mg/L			12/03/15 21:34	2
Fluoride	0.22	D	0.10	0.050	mg/L			12/03/15 21:34	2
Nitrite as N	0.038	U	0.076	0.038	mg/L			12/03/15 21:34	2
Sulfate	83	D	0.50	0.25	mg/L			12/03/15 21:34	2

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI)	0.0015	U	0.0040	0.0015	mg/L			12/03/15 19:38	1

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 300-2228/27

Matrix: Water

Analysis Batch: 2228

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	0.014	U	0.028	0.014	mg/L			12/03/15 19:34	1
Nitrite as N	0.019	U	0.038	0.019	mg/L			12/03/15 19:34	1

Lab Sample ID: LCS 300-2228/28

Matrix: Water

Analysis Batch: 2228

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrate as N	2.26	2.38		mg/L		105	80 - 120
Nitrite as N	3.04	3.22		mg/L		106	80 - 120

Lab Sample ID: 300-1744-A-3 MS

Matrix: Water

Analysis Batch: 2228

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrate as N	2.2	D	0.452	2.73	D	mg/L		108	75 - 125
Nitrite as N	0.038	U	0.609	0.582	D	mg/L		96	75 - 125

Lab Sample ID: 300-1744-A-3 DU

Matrix: Water

Analysis Batch: 2228

Client Sample ID: Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Nitrate as N	2.2	D	2.26	D	mg/L		0.6	20
Nitrite as N	0.038	U	0.038	U	mg/L		NC	20

Lab Sample ID: MB 300-2229/27

Matrix: Water

Analysis Batch: 2229

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	0.10	U	0.20	0.10	mg/L			12/03/15 19:34	1
Fluoride	0.025	U	0.050	0.025	mg/L			12/03/15 19:34	1
Sulfate	0.13	U	0.25	0.13	mg/L			12/03/15 19:34	1

Lab Sample ID: LCS 300-2229/28

Matrix: Water

Analysis Batch: 2229

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	16.0	16.6		mg/L		104	80 - 120
Fluoride	4.00	4.18		mg/L		105	80 - 120
Sulfate	20.0	21.0		mg/L		105	80 - 120

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: 300-1744-A-3 MS

Matrix: Water

Analysis Batch: 2229

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	5.9	D	3.20	9.30	D	mg/L		106	75 - 125
Fluoride	0.18	D	0.800	0.972	D	mg/L		99	75 - 125
Sulfate	60	D	4.00	64.4	D	mg/L		99	75 - 125

Lab Sample ID: 300-1744-A-3 DU

Matrix: Water

Analysis Batch: 2229

Client Sample ID: Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Chloride	5.9	D	5.95	D	mg/L		0.7	20
Fluoride	0.18	D	0.184	D	mg/L		0.2	20
Sulfate	60	D	60.9	D	mg/L		0.7	20

Method: 7196A - Chromium, Hexavalent

Lab Sample ID: MB 300-2248/3

Matrix: Water

Analysis Batch: 2248

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI)	0.0015	U	0.0040	0.0015	mg/L			12/03/15 19:33	1

Lab Sample ID: LCS 300-2248/4

Matrix: Water

Analysis Batch: 2248

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Cr (VI)	0.250	0.268		mg/L		107	80 - 120

Lab Sample ID: 300-1745-A-1 MS

Matrix: Water

Analysis Batch: 2248

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Cr (VI)	0.048		0.0500	0.0985		mg/L		101	85 - 115

Lab Sample ID: 300-1745-A-1 DU

Matrix: Water

Analysis Batch: 2248

Client Sample ID: Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Cr (VI)	0.048		0.0485		mg/L		0.8	20

Client: CH2M Hill Plateau Remediation Company
 Project/Site: F12-024

TestAmerica Job ID: 300-1746-1
 SDG: WC0659

HPLC/IC

Analysis Batch: 2228

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
300-1744-A-3 DU	Duplicate	Total/NA	Water	300.0	
300-1744-A-3 MS	Matrix Spike	Total/NA	Water	300.0	
300-1746-1	B33KJ9	Total/NA	Water	300.0	
300-1746-2	B33KK1	Total/NA	Water	300.0	
LCS 300-2228/28	Lab Control Sample	Total/NA	Water	300.0	
MB 300-2228/27	Method Blank	Total/NA	Water	300.0	

Analysis Batch: 2229

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
300-1744-A-3 DU	Duplicate	Total/NA	Water	300.0	
300-1744-A-3 MS	Matrix Spike	Total/NA	Water	300.0	
300-1746-1	B33KJ9	Total/NA	Water	300.0	
300-1746-2	B33KK1	Total/NA	Water	300.0	
LCS 300-2229/28	Lab Control Sample	Total/NA	Water	300.0	
MB 300-2229/27	Method Blank	Total/NA	Water	300.0	

General Chemistry

Analysis Batch: 2248

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
300-1745-A-1 DU	Duplicate	Total/NA	Water	7196A	
300-1745-A-1 MS	Matrix Spike	Total/NA	Water	7196A	
300-1746-1	B33KJ9	Total/NA	Water	7196A	
300-1746-2	B33KK1	Total/NA	Water	7196A	
LCS 300-2248/4	Lab Control Sample	Total/NA	Water	7196A	
MB 300-2248/3	Method Blank	Total/NA	Water	7196A	

Client Sample ID: B33KJ9

Date Collected: 12/03/15 12:25

Date Received: 12/03/15 15:15

Lab Sample ID: 300-1746-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		2	10 mL		2228	12/03/15 21:19	CPM	TAL RCH
Total/NA	Analysis	300.0		2	10 mL		2229	12/03/15 21:19	CPM	TAL RCH
Total/NA	Analysis	7196A		1			2248	12/03/15 19:38	AMC	TAL RCH

Client Sample ID: B33KK1

Date Collected: 12/03/15 12:10

Date Received: 12/03/15 15:15

Lab Sample ID: 300-1746-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		2	10 mL		2228	12/03/15 21:34	CPM	TAL RCH
Total/NA	Analysis	300.0		2	10 mL		2229	12/03/15 21:34	CPM	TAL RCH
Total/NA	Analysis	7196A		1			2248	12/03/15 19:38	AMC	TAL RCH

Client Sample ID: Duplicate

Date Collected: 12/03/15 11:02

Date Received: 12/03/15 15:28

Lab Sample ID: 300-1744-A-3 DU

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		2	10 mL		2228	12/03/15 20:34	CPM	TAL RCH
Total/NA	Analysis	300.0		2	10 mL		2229	12/03/15 20:34	CPM	TAL RCH

Client Sample ID: Duplicate

Date Collected: 12/03/15 11:30

Date Received: 12/03/15 15:15

Lab Sample ID: 300-1745-A-1 DU

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	7196A		1			2248	12/03/15 19:37	AMC	TAL RCH

Client Sample ID: Lab Control Sample

Date Collected: N/A

Date Received: N/A

Lab Sample ID: LCS 300-2228/28

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	10 mL		2228	12/03/15 19:49	CPM	TAL RCH

Client Sample ID: Lab Control Sample

Date Collected: N/A

Date Received: N/A

Lab Sample ID: LCS 300-2229/28

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	10 mL		2229	12/03/15 19:49	CPM	TAL RCH

Client: CH2M Hill Plateau Remediation Company
Project/Site: F12-024

TestAmerica Job ID: 300-1746-1
SDG: WC0659

Client Sample ID: Lab Control Sample

Lab Sample ID: LCS 300-2248/4

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	7196A		1			2248	12/03/15 19:33	AMC	TAL RCH

Client Sample ID: Method Blank

Lab Sample ID: MB 300-2228/27

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	10 mL		2228	12/03/15 19:34	CPM	TAL RCH

Client Sample ID: Method Blank

Lab Sample ID: MB 300-2229/27

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	10 mL		2229	12/03/15 19:34	CPM	TAL RCH

Client Sample ID: Method Blank

Lab Sample ID: MB 300-2248/3

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	7196A		1			2248	12/03/15 19:33	AMC	TAL RCH

Client Sample ID: Matrix Spike

Lab Sample ID: 300-1744-A-3 MS

Date Collected: 12/03/15 11:02

Matrix: Water

Date Received: 12/03/15 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		2	10 mL		2228	12/03/15 20:19	CPM	TAL RCH
Total/NA	Analysis	300.0		2	10 mL		2229	12/03/15 20:19	CPM	TAL RCH

Client Sample ID: Matrix Spike

Lab Sample ID: 300-1745-A-1 MS

Date Collected: 12/03/15 11:30

Matrix: Water

Date Received: 12/03/15 15:15

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	7196A		1		3.0 mL	2248	12/03/15 19:34	AMC	TAL RCH

Laboratory References:

TAL RCH = TestAmerica Richland, 2800 George Washington Way, Richland, WA 99352, TEL (509)375-3131

Client: CH2M Hill Plateau Remediation Company
Project/Site: F12-024

TestAmerica Job ID: 300-1746-1
SDG: WC0659

Method	Method Description	Protocol	Laboratory
300.0	Anions, Ion Chromatography	MCAWW	TAL RCH
7196A	Chromium, Hexavalent	SW846	TAL RCH

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.
SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL RCH = TestAmerica Richland, 2800 George Washington Way, Richland, WA 99352, TEL (509)375-3131



Sample Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: F12-024

TestAmerica Job ID: 300-1746-1
SDG: WC0659

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
300-1746-1	B33KJ9	Water	12/03/15 12:25	12/03/15 15:15
300-1746-2	B33KK1	Water	12/03/15 12:10	12/03/15 15:15

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Login Sample Receipt Checklist

Client: CH2M Hill Plateau Remediation Company

Job Number: 300-1746-1

SDG Number: WC0659

Login Number: 1746

List Number: 1

Creator: Bock, Julie A

List Source: TestAmerica Richland

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	N/A	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

