

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Richland
2800 George Washington Way
Richland, WA 99352
Tel: (509)375-3131

TestAmerica Job ID: 300-1515-1
TestAmerica Sample Delivery Group: WC0602
Client Project/Site: CHPRC Chemical Hanford

For:
CH2M Hill Plateau Remediation Company
PO BOX 1600
Mail Stop R3-50
Richland, Washington 99352

Attn: CPP Sample Management



Authorized for release by:
12/7/2015 2:29:36 PM
Steven Campbell, Quality Assurance Assistant
steven.campbell@testamericainc.com

Designee for
Whitney Ritari, Project Manager I
(509)375-3131 ext164
whitney.ritari@testamericainc.com

I certify that this Certificate of Analysis is in compliance with the SOW, both technically and for completeness, for other than the conditions detailed in this package. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager, or a designee as verified by the attached signature.

The laboratory is accredited to EPA 7196A in Solid and Chemical Materials, per Washington State Department of Ecology this is approved for non-discharge water samples. The sample/ sample duplicate RPD agreement is not applicable if one or both results are elss than five times the MDL.



LINKS

Review your project results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Chain of Custody	5
Detection Summary	8
Client Sample Results	9
QC Sample Results	10
QC Association Summary	12
Lab Chronicle	13
Method Summary	16
Sample Summary	17
Receipt Checklists	18

Qualifiers**HPLC/IC**

Qualifier	Qualifier Description
D	The reported value is from a dilution.
B	Estimated result. Result is less than the RL, but greater than MDL
U	Analyzed for but not detected.

General Chemistry

Qualifier	Qualifier Description
B	Estimated result. Result is less than the RL, but greater than MDL
U	Analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client: CH2M Hill Plateau Remediation Company
Project/Site: CHPRC Chemical Hanford

TestAmerica Job ID: 300-1515-1
SDG: WC0602

Job ID: 300-1515-1

Laboratory: TestAmerica Richland

Narrative

**Job Narrative
300-1515-1**

Comments

No additional comments.

Receipt

The samples were received on 11/13/2015 3:00 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 4.5° C.

HPLC/IC

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.



Collector	J.R. Aguilar/CHPRC	Contact/Requester	Karen Waters-Husted	Telephone No.	509-376-4650
SAF No.	I16-002	Sampling Origin	Hanford Site	Purchase Order/Charge Code	300071
Project Title	100KR4, NOVEMBER 2015	Logbook No.	HNF-N-506 80 / 27	Ice Chest No.	N/A
Shipped To (Lab)	TestAmerica Incorporated, Richland	Method of Shipment	GOVERNMENT VEHICLE	Bill of Lading/Air Bill No.	N/A
Protocol	CERCLA	Priority:	30 Days	Offsite Property No.	N/A
POSSIBLE SAMPLE HAZARDS/REMARKS			SPECIAL INSTRUCTIONS		
*** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR / IATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1			Hold Time		
			Total Activity Exemption: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		

Sample No.	Filter	*	Date	Time	No/Type Container	Sample Analysis	Holding Time	Preservative
B33498	N	W	11-13-15	1211	1x60-ml aG	7196_CR6: COMMON	24 Hours	Cool <=6C
B334B0	Y	W	11-13-15	1211	1x60-ml aG	7196_CR6: COMMON	24 Hours	Cool <=6C

300-1515 COC



#1515
W C 602

December 07, 2015

Relinquished By	J.R. Aguilar/CHPRC	Print	Sign	Date/Time	NOV 13 2015	Received By	F.M. Haulch/CHPRC	Print	Sign	Date/Time	NOV 13 2015
Relinquished By	F.M. Haulch/CHPRC	Print	Sign	Date/Time	NOV 13 2015	Received By	FRANZ, TARI	Print	Sign	Date/Time	NOV 13 2015
Relinquished By		Print	Sign	Date/Time		Received By		Print	Sign	Date/Time	

- Matrix *
- S = Soil
 - SE = Sediment
 - SO = Solid
 - SL = Sludge
 - W = Water
 - O = Oil
 - A = Air
 - DS = Drum Solids
 - DL = Drum Liquids
 - T = Tissue
 - WT = Wipe
 - L = Liquid
 - V = Vegetation
 - X = Other

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time
--------------------------	--	-------------	-----------

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C. #

I16-002-125

Page 1 of 1

Collector	J.R. Aguilar/CH2MRC	Contact/Requester	Karen Waters-Husted	Telephone No.	509-376-4650
SAF No.	I16-002	Sampling Origin	Hanford Site	Purchase Order/Charge Code	300071
Project Title	100KR4, NOVEMBER 2015	Logbook No.	HNF-N-506 50 / 27	Ice Chest No.	N/A
Shipped To (Lab)	CH2M Laboratories, LLC TARL	Method of Shipment	Commercial Carrier	Bill of Lading/Air Bill No.	N/A
Protocol	CERCLA	Priority:	30 Days	Offsite Property No.	N/A
POSSIBLE SAMPLE HAZARDS/REMARKS			SPECIAL INSTRUCTIONS		
*** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR / IATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1			Hold Time		
Sample No.	B33497	Filter	N	No/Type Container	1x250-mL G/P
				Sample Analysis	9056_ANIONS_IC: COMMON
				Holding Time	48 Hours
				Preservative	Cool <=6C
				Total Activity Exemption: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	

December 07 2015

Relinquished By	J.R. Aguilar/CH2MRC	Print		Sign	NOV 13 2015	Date/Time	12:55	Received By	F.M. Haul/CH2MRC	Print		Sign	NOV 13 2015	Date/Time	12:55
Relinquished By	F.M. Haul/CH2MRC	Print		Sign	NOV 13 2015	Date/Time	1:50	Received By	J. Friez, TARL	Print		Sign	NOV 13 2015	Date/Time	1:50
Relinquished By		Print		Sign		Date/Time		Received By		Print		Sign		Date/Time	

#1515
W color

Relinquished By		Print		Sign		Date/Time		Received By		Print		Sign		Date/Time	
Relinquished By		Print		Sign		Date/Time		Received By		Print		Sign		Date/Time	

- Matrix *
- S = Soil
 - SE = Sediment
 - SO = Solid
 - SL = Sludge
 - W = Water
 - O = Oil
 - A = Air
 - DS = Drum Solids
 - DL = Drum Liquids
 - T = Tissue
 - WI = Wipe
 - L = Liquid
 - V = Vegetation
 - X = Other

December 07, 2015

Nagel, Sarah

From: Loeber, Bob
Sent: Tuesday, July 21, 2015 2:22 PM
To: Nagel, Sarah
Subject: Direction on IC samples diverted to TARL from GEL

From: Fitzgerald, Scot L [mailto:Scot_L_Fitzgerald@rl.gov]
Sent: Tuesday, November 25, 2014 3:40 PM
To: Seger, Sandra
Cc: Fitzgerald, Scot L; Waters-husted, Karen S
Subject: Direction on IC samples diverted to TARL from GEL

Sandra,

This e-mail serves as a blanket instruction to allow Test America Richland to change the method from 9056_Anions_IC to 300.0_Anions_IC on all chains that are diverted from GEL laboratory.

Please place a copy of this e-mail in each affected data package. An individual SIR form will not be needed.

Scot Fitzgerald
Analytical Support Group
Soil & Groundwater Remediation Project (S&GRP)
Phone: (509) 373-7495



Detection Summary

Client: CH2M Hill Plateau Remediation Company
 Project/Site: CHPRC Chemical Hanford

TestAmerica Job ID: 300-1515-1
 SDG: WC0602

Client Sample ID: B33498

Lab Sample ID: 300-1515-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Cr (VI)	0.0017	B	0.0040	0.0015	mg/L	1		7196A	Total/NA

Client Sample ID: B334B0

Lab Sample ID: 300-1515-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Cr (VI)	0.0017	B	0.0040	0.0015	mg/L	1		7196A	Total/NA

Client Sample ID: B33497

Lab Sample ID: 300-1515-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	25	D	0.40	0.20	mg/L	2		300.0	Total/NA
Nitrate as N	8.1	D	0.056	0.028	mg/L	2		300.0	Total/NA
Fluoride	0.20	D	0.10	0.050	mg/L	2		300.0	Total/NA
Sulfate	26	D	0.50	0.25	mg/L	2		300.0	Total/NA

This Detection Summary does not include radiochemical test results.



Client Sample Results

Client: CH2M Hill Plateau Remediation Company
 Project/Site: CHPRC Chemical Hanford

TestAmerica Job ID: 300-1515-1
 SDG: WC0602

Client Sample ID: B33498
Date Collected: 11/13/15 12:11
Date Received: 11/13/15 15:00

Lab Sample ID: 300-1515-1
Matrix: Water

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI)	0.0017	B	0.0040	0.0015	mg/L			11/13/15 18:39	1

Client Sample ID: B334B0
Date Collected: 11/13/15 12:11
Date Received: 11/13/15 15:00

Lab Sample ID: 300-1515-2
Matrix: Water

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI)	0.0017	B	0.0040	0.0015	mg/L			11/13/15 18:39	1

Client Sample ID: B33497
Date Collected: 11/13/15 12:11
Date Received: 11/13/15 15:00

Lab Sample ID: 300-1515-3
Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	25	D	0.40	0.20	mg/L			11/13/15 19:22	2
Nitrate as N	8.1	D	0.056	0.028	mg/L			11/13/15 19:22	2
Fluoride	0.20	D	0.10	0.050	mg/L			11/13/15 19:22	2
Nitrite as N	0.038	U	0.076	0.038	mg/L			11/13/15 19:22	2
Sulfate	26	D	0.50	0.25	mg/L			11/13/15 19:22	2

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 300-1988/5
 Matrix: Water
 Analysis Batch: 1988

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	0.014	U	0.028	0.014	mg/L			11/13/15 13:06	1
Nitrite as N	0.019	U	0.038	0.019	mg/L			11/13/15 13:06	1

Lab Sample ID: LCS 300-1988/6
 Matrix: Water
 Analysis Batch: 1988

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrate as N	2.26	2.37		mg/L		105	80 - 120
Nitrite as N	3.04	3.24		mg/L		107	80 - 120

Lab Sample ID: 300-1514-A-9 MS
 Matrix: Water
 Analysis Batch: 1988

Client Sample ID: Matrix Spike
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrate as N	3.2	D	0.452	3.67	D	mg/L		102	75 - 125
Nitrite as N	0.042	B D	0.609	0.579	D	mg/L		88	75 - 125

Lab Sample ID: 300-1514-A-9 DU
 Matrix: Water
 Analysis Batch: 1988

Client Sample ID: Duplicate
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Nitrate as N	3.2	D	3.20	D	mg/L		0.2	20
Nitrite as N	0.042	B D	0.0421	B D	mg/L		0.1	20

Lab Sample ID: MB 300-1989/5
 Matrix: Water
 Analysis Batch: 1989

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	0.10	U	0.20	0.10	mg/L			11/13/15 13:06	1
Fluoride	0.025	U	0.050	0.025	mg/L			11/13/15 13:06	1
Sulfate	0.13	U	0.25	0.13	mg/L			11/13/15 13:06	1

Lab Sample ID: LCS 300-1989/6
 Matrix: Water
 Analysis Batch: 1989

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	16.0	16.7		mg/L		104	80 - 120
Fluoride	4.00	4.21		mg/L		105	80 - 120
Sulfate	20.0	21.0		mg/L		105	80 - 120

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: 300-1514-A-9 MS
 Matrix: Water
 Analysis Batch: 1989

Client Sample ID: Matrix Spike
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	9.1	D	3.20	12.4	D	mg/L		103	75 - 125
Fluoride	0.18	D	0.800	0.941	D	mg/L		95	75 - 125
Sulfate	43	D	4.00	47.1	D	mg/L		101	75 - 125

Lab Sample ID: 300-1514-A-9 DU
 Matrix: Water
 Analysis Batch: 1989

Client Sample ID: Duplicate
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Chloride	9.1	D	9.09	D	mg/L		0.2	20
Fluoride	0.18	D	0.179	D	mg/L		0.1	20
Sulfate	43	D	43.0	D	mg/L		0.08	20

Method: 7196A - Chromium, Hexavalent

Lab Sample ID: MB 300-2033/31
 Matrix: Water
 Analysis Batch: 2033

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI)	0.0015	U	0.0040	0.0015	mg/L			11/13/15 18:34	1

Lab Sample ID: LCS 300-2033/32
 Matrix: Water
 Analysis Batch: 2033

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Cr (VI)	0.250	0.247		mg/L		99	80 - 120

Lab Sample ID: 300-1514-A-7 MS
 Matrix: Water
 Analysis Batch: 2033

Client Sample ID: Matrix Spike
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Cr (VI)	0.0082		0.0500	0.0624		mg/L		108	85 - 115

Lab Sample ID: 300-1514-A-7 DU
 Matrix: Water
 Analysis Batch: 2033

Client Sample ID: Duplicate
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Cr (VI)	0.0082		0.00800		mg/L		2	20

Client: CH2M Hill Plateau Remediation Company
 Project/Site: CHPRC Chemical Hanford

TestAmerica Job ID: 300-1515-1
 SDG: WC0602

HPLC/IC

Analysis Batch: 1988

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
300-1514-A-9 DU	Duplicate	Total/NA	Water	300.0	
300-1514-A-9 MS	Matrix Spike	Total/NA	Water	300.0	
300-1515-3	B33497	Total/NA	Water	300.0	
LCS 300-1988/6	Lab Control Sample	Total/NA	Water	300.0	
MB 300-1988/5	Method Blank	Total/NA	Water	300.0	

Analysis Batch: 1989

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
300-1514-A-9 DU	Duplicate	Total/NA	Water	300.0	
300-1514-A-9 MS	Matrix Spike	Total/NA	Water	300.0	
300-1515-3	B33497	Total/NA	Water	300.0	
LCS 300-1989/6	Lab Control Sample	Total/NA	Water	300.0	
MB 300-1989/5	Method Blank	Total/NA	Water	300.0	

General Chemistry

Analysis Batch: 2033

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
300-1514-A-7 DU	Duplicate	Total/NA	Water	7196A	
300-1514-A-7 MS	Matrix Spike	Total/NA	Water	7196A	
300-1515-1	B33498	Total/NA	Water	7196A	
300-1515-2	B334B0	Total/NA	Water	7196A	
LCS 300-2033/32	Lab Control Sample	Total/NA	Water	7196A	
MB 300-2033/31	Method Blank	Total/NA	Water	7196A	

Client: CH2M Hill Plateau Remediation Company
 Project/Site: CHPRC Chemical Hanford

TestAmerica Job ID: 300-1515-1
 SDG: WC0602

Client Sample ID: B33498

Date Collected: 11/13/15 12:11

Date Received: 11/13/15 15:00

Lab Sample ID: 300-1515-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	7196A		1			2033	11/13/15 18:39	AMC	TAL RCH

Client Sample ID: B334B0

Date Collected: 11/13/15 12:11

Date Received: 11/13/15 15:00

Lab Sample ID: 300-1515-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	7196A		1			2033	11/13/15 18:39	AMC	TAL RCH

Client Sample ID: B33497

Date Collected: 11/13/15 12:11

Date Received: 11/13/15 15:00

Lab Sample ID: 300-1515-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		2	10 mL		1988	11/13/15 19:22	CPM	TAL RCH
Total/NA	Analysis	300.0		2	10 mL		1989	11/13/15 19:22	CPM	TAL RCH

Client Sample ID: Duplicate

Date Collected: 11/13/15 10:35

Date Received: 11/13/15 15:26

Lab Sample ID: 300-1514-A-7 DU

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	7196A		1			2033	11/13/15 18:35	AMC	TAL RCH

Client Sample ID: Duplicate

Date Collected: 11/13/15 10:50

Date Received: 11/13/15 15:26

Lab Sample ID: 300-1514-A-9 DU

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		2	10 mL		1988	11/13/15 18:52	CPM	TAL RCH
Total/NA	Analysis	300.0		2	10 mL		1989	11/13/15 18:52	CPM	TAL RCH

Client Sample ID: Lab Control Sample

Date Collected: N/A

Date Received: N/A

Lab Sample ID: LCS 300-1988/6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	10 mL		1988	11/13/15 13:21	CPM	TAL RCH

Client Sample ID: Lab Control Sample

Lab Sample ID: LCS 300-1989/6

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	10 mL		1989	11/13/15 13:21	CPM	TAL RCH

Client Sample ID: Lab Control Sample

Lab Sample ID: LCS 300-2033/32

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	7196A		1			2033	11/13/15 18:34	AMC	TAL RCH

Client Sample ID: Method Blank

Lab Sample ID: MB 300-1988/5

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	10 mL		1988	11/13/15 13:06	CPM	TAL RCH

Client Sample ID: Method Blank

Lab Sample ID: MB 300-1989/5

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	10 mL		1989	11/13/15 13:06	CPM	TAL RCH

Client Sample ID: Method Blank

Lab Sample ID: MB 300-2033/31

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	7196A		1			2033	11/13/15 18:34	AMC	TAL RCH

Client Sample ID: Matrix Spike

Lab Sample ID: 300-1514-A-7 MS

Date Collected: 11/13/15 10:35

Matrix: Water

Date Received: 11/13/15 15:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	7196A		1		3.0 mL	2033	11/13/15 18:34	AMC	TAL RCH

Client: CH2M Hill Plateau Remediation Company
 Project/Site: CHPRC Chemical Hanford

TestAmerica Job ID: 300-1515-1
 SDG: WC0602

Client Sample ID: Matrix Spike

Lab Sample ID: 300-1514-A-9 MS

Date Collected: 11/13/15 10:50

Matrix: Water

Date Received: 11/13/15 15:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		2	10 mL		1988	11/13/15 18:37	CPM	TAL RCH
Total/NA	Analysis	300.0		2	10 mL		1989	11/13/15 18:37	CPM	TAL RCH

Laboratory References:

TAL RCH = TestAmerica Richland, 2800 George Washington Way, Richland, WA 99352, TEL (509)375-3131

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Client: CH2M Hill Plateau Remediation Company
Project/Site: CHPRC Chemical Hanford

TestAmerica Job ID: 300-1515-1
SDG: WC0602

Method	Method Description	Protocol	Laboratory
300.0	Anions, Ion Chromatography	MCAWW	TAL RCH
7196A	Chromium, Hexavalent	SW846	TAL RCH

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.
SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL RCH = TestAmerica Richland, 2800 George Washington Way, Richland, WA 99352, TEL (509)375-3131



Sample Summary

Client: CH2M Hill Plateau Remediation Company
Project/Site: CHPRC Chemical Hanford

TestAmerica Job ID: 300-1515-1
SDG: WC0602

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
300-1515-1	B33498	Water	11/13/15 12:11	11/13/15 15:00
300-1515-2	B334B0	Water	11/13/15 12:11	11/13/15 15:00
300-1515-3	B33497	Water	11/13/15 12:11	11/13/15 15:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Login Sample Receipt Checklist

Client: CH2M Hill Plateau Remediation Company

Job Number: 300-1515-1
SDG Number: WC0602

Login Number: 1515
List Number: 1
Creator: Friesz, Jordan D

List Source: TestAmerica Richland

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	N/A	
Samples do not require splitting or compositing.	N/A	
Residual Chlorine Checked.	N/A	

