

Tuesday, March 31, 2015

Laine Sumner
CH2M HILL Plateau Remediation Company
2420 Stevens Center
Richland, WA 99352

Re: ALS Workorder: 1503380
Project Name: 100-KX Pump and Treat Influent & Effluent Tanks - Water
Project Number: F11-003

Dear Ms. Sumner:

Two water samples were received from CH2M HILL Plateau Remediation Company, on 3/19/2015. The samples were scheduled for the following analysis:

Metals

The results for these analyses are contained in the enclosed reports.

The data contained in the following report have been reviewed and approved by the personnel listed below. In addition, ALS certifies that the analyses reported herein are true, complete and correct within the limits of the methods employed.

Thank you for your confidence in ALS Environmental. Should you have any questions, please call.

Sincerely,



ALS Environmental
Julie Ellingson
Project Manager

JME/jme
Enclosure(s):

ALS is accredited by the following accreditation bodies for various testing scopes in accordance with requirements of each accreditation body. All testing is performed under the laboratory management system, which is maintained to meet these requirement and regulations. Please contact the laboratory or accreditation body for the current scope testing parameters.

| ALS Laboratory Certifications | |
|-------------------------------|---------------------------------|
| Accreditation Body | License or Certification Number |
| Alaska (AK) | UST-086 |
| Alaska (AK) | CO01099 |
| Arizona (AZ) | AZ0742 |
| California (CA) | 06251CA |
| Colorado (CO) | CO01099 |
| Connecticut (CT) | PH-0232 |
| Florida (FL) | E87914 |
| Idaho (ID) | CO01099 |
| Kansas (KS) | E-10381 |
| Kentucky (KY) | 90137 |
| L-A-B (DoD ELAP/ISO 170250) | L2257 |
| Maryland (MD) | 285 |
| Missouri | 175 |
| Nebraska | NE-OS-24-13 |
| Nevada (NV) | CO000782008A |
| New Jersey (NJ) | CO003 |
| North Dakota (ND) | R-057 |
| Oklahoma | 1301 |
| Pennsylvania (PA) | 68-03116 |
| Tennessee (TN) | 2976 |
| Texas (TX) | T104704241 |
| Utah (UT) | CO01099 |
| Washington | C1280 |

Revised 8/15/2013

ALS Environmental -- FC**Sample Number(s) Cross-Reference Table**

OrderNum: 1503380**Client Name:** CH2M HILL Plateau Remediation Company**Client Project Name:** 100-KX Pump and Treat Influent & Effluent Tanks - Water**Client Project Number:** F11-003**Client PO Number:** BOA 54854

| Client Sample Number | Lab Sample Number | COC Number | Matrix | Date Collected | Time Collected |
|----------------------|-------------------|------------|--------|----------------|----------------|
| B30C81 | 1503380-1 | | WATER | 17-Mar-15 | 8:26 |
| B30C79 | 1503380-2 | | WATER | 17-Mar-15 | 8:26 |

| | | | | | |
|--------------------------------------|---|--|---|---------------------|--------------------------|
| CH2MHill Plateau Remediation Company | | CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST | | F11-003-087 | PAGE 1 OF 1 |
| COLLECTOR | S.W. King CHPRC | COMPANY CONTACT | SUMNER, LC | PROJECT COORDINATOR | SUMNER, LC |
| SAMPLING LOCATION | Effluent Valve, V-X030A DUP | PROJECT DESIGNATION | 100-KX Pump and Treat Influent & Effluent Tanks - Water | PRICE CODE | 7H |
| ICE CHEST NO. | GWS-420 | FIELD LOGBOOK NO. | HAF-N 506 69 | AIR QUALITY | <input type="checkbox"/> |
| SHIPPED TO | ALS Environmental | OFFSITE PROPERTY NO. | 5490 | METHOD OF SHIPMENT | FEDERAL EXPRESS |
| MATRIX* | A=Air DL=Drum Liquids DS=Drum Solids L=Liquid O=Oil S=Soil SE=Sediment T=Tissue V=Vegetation W=Water WI=Wipe X=Other | ACTUAL SAMPLE DEPTH | NIA | COA | 302879 |
| POSSIBLE SAMPLE HAZARDS/ REMARKS | *Contains Radioactive Material at concentrations that are not be regulated for transportation per 49 CFR/IATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1. | BILL OF LADING/AIR BILL NO. | 733/54699514 | | |
| SPECIAL HANDLING AND/OR STORAGE | TRVL-15-019 ** The 200 Area 5&6GRP Characterization and Monitoring Sampling and Analysis GKI applies to this SAF. | | 1503380 | | |

| MATRIX* | PRESCRIPTION | HOLDING TIME | TYPE OF CONTAINER | NO. OF CONTAINER(S) | VOLUME | SAMPLE ANALYSIS | SAMPLE DATE | SAMPLE TIME |
|---|---------------|--------------|-------------------|---------------------|--------|-----------------|-------------|-------------|
| 6020 METALS ICPMS COMMON (Chromium); | HNO3 to pH <2 | 6 Months | G/P | 1 | 500mL | | MAR 17 2015 | 0826 |
| ✓ | | | | | | | | |

4 of 15

| CHAIN OF POSSESSION | SIGN/ PRINT NAMES | SPECIAL INSTRUCTIONS |
|--|--|-------------------------------|
| RELINQUISHED BY/REMOVED FROM S.W. King CHPRC | RECEIVED BY/STORED IN SSU-1 CHRIS FULTON CHPRC | DATE/TIME 1/20 MAR 17 2015 |
| RELINQUISHED BY/REMOVED FROM SSU-1 CHRIS FULTON CHPRC | RECEIVED BY/STORED IN FED SA C. Jumblich C Trimbic | DATE/TIME 1/20 MAR 18 2015 |
| RELINQUISHED BY/REMOVED FROM FED SA | RECEIVED BY/STORED IN C. Jumblich C Trimbic | DATE/TIME 1/20 MAR 18 2015 |
| RELINQUISHED BY/REMOVED FROM | RECEIVED BY/STORED IN | DATE/TIME |
| RELINQUISHED BY/REMOVED FROM | RECEIVED BY/STORED IN | DATE/TIME |
| RELINQUISHED BY/REMOVED FROM | RECEIVED BY/STORED IN | DATE/TIME |
| RELINQUISHED BY/REMOVED FROM | RECEIVED BY/STORED IN | DATE/TIME |
| LABORATORY SECTION | RECEIVED BY | TITLE |
| FINAL SAMPLE DISPOSITION | DISPOSAL METHOD | DISPOSED BY |

TRVL-15-019

DATE/TIME 3-19-15 0950

DATE/TIME

SCGL

C Jumblich C Trimbic

| | | | | | |
|---------------------------------------|---|--|---|-----------------------------|-----------------|
| CH2M Hill Plateau Remediation Company | | CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST | | F11-003-085 | PAGE 1 OF 1 |
| COLLECTOR | S.W. King CHPRC | COMPANY CONTACT | SUMNER, LC | PROJECT COORDINATOR | SUMNER, LC |
| SAMPLING LOCATION | Effluent Valve, V-X3030A | PROJECT DESIGNATION | 100-KX Pump and Treat Influent & Effluent Tanks - Water | SAF NO. | F11-003 |
| ICE CHEST NO. | GWS-446 | FIELD LOGBOOK NO. | HWF-N-826-69 | COA | 302879 |
| SHIPPED TO | ALS Environmental | OFFSITE PROPERTY NO. | 5490 | BILL OF LADING/AIR BILL NO. | F73154699514 |
| MATRIX* | A=Air DL=Drum L=Liquid DS=Drum S=Soil SE=Sediment T=Tissue V=Vegetation W=Water WT=Wipe X=Other | PRESERVATION | HNO3 to pH <2 | METHOD OF SHIPMENT | FEDERAL EXPRESS |
| POSSIBLE SAMPLE HAZARDS/ REMARKS | *Contains Radioactive Material at concentrations that are not be regulated for transportation per 49 CFR/IATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1. | HOLDING TIME | 6 Months | | |
| SPECIAL HANDLING AND/OR STORAGE | TRVL-15-019 ** The 200 Area S&GRP Characterization and Monitoring Sampling and Analysis GKI applies to this SAF. | TYPE OF CONTAINER | G/P | | |
| | | NO. OF CONTAINER(S) | 1 | | |
| | | VOLUME | 500mL | | |
| | | SAMPLE ANALYSIS | 6020. METALS. ICPKS. COMMON (Chromium); | | |
| SAMPLE NO. | B30C79 | MATRIX* | WATER | | |
| | | SAMPLE DATE | MAR 17 2015 | | |
| | | SAMPLE TIME | 0826 | | |

1503380

| CHAIN OF POSSESSION | SIGN/ PRINT NAMES | SPECIAL INSTRUCTIONS |
|--|--|--------------------------|
| RELINQUISHED BY/REMOVED FROM S.W. King | RECEIVED BY/STORED IN SSU-1 CHRIS FULTON | DATE/TIME MAR 17 2015 |
| RELINQUISHED BY/REMOVED FROM CHRIS FULTON | RECEIVED BY/STORED IN CHRIS | DATE/TIME MAR 18 2015 |
| RELINQUISHED BY/REMOVED FROM FED EX | RECEIVED BY/STORED IN C Trimble | DATE/TIME 3-15-15 |
| RELINQUISHED BY/REMOVED FROM | RECEIVED BY/STORED IN | DATE/TIME |
| RELINQUISHED BY/REMOVED FROM | RECEIVED BY/STORED IN | DATE/TIME |
| RELINQUISHED BY/REMOVED FROM | RECEIVED BY/STORED IN | DATE/TIME |
| LABORATORY SECTION | RECEIVED BY | DATE/TIME |
| FINAL SAMPLE DISPOSITION | DISPOSAL METHOD | DATE/TIME |
| | C Trimble | 3-19-15 |
| | SCAL | 0950 |

TRVL 15- 110



ALS Environmental - Fort Collins
CONDITION OF SAMPLE UPON RECEIPT FORM

Client: CHPRC

Workorder No: 1503380

Project Manager: JE

Initials: COT Date: 3-19-15

| | | | |
|---|--------------------------------------|--------------------------------------|---|
| 1. Does this project require any special handling in addition to standard ALS procedures? | | YES | <input checked="" type="radio"/> NO |
| 2. Are custody seals on shipping containers intact? | NONE | <input checked="" type="radio"/> YES | NO |
| 3. Are Custody seals on sample containers intact? | NONE | <input checked="" type="radio"/> YES | NO |
| 4. Is there a COC (Chain-of-Custody) present or other representative documents? | | <input checked="" type="radio"/> YES | NO |
| 5. Are the COC and bottle labels complete and legible? | | <input checked="" type="radio"/> YES | NO |
| 6. Is the COC in agreement with samples received? (IDs, dates, times, no. of samples, no. of containers, matrix, requested analyses, etc.) | | <input checked="" type="radio"/> YES | NO |
| 7. Were airbills / shipping documents present and/or removable? | DROP OFF | <input checked="" type="radio"/> YES | NO |
| 8. Are all aqueous samples requiring preservation preserved correctly? (excluding volatiles) | N/A | <input checked="" type="radio"/> YES | NO |
| 9. Are all aqueous non-preserved samples pH 4-9? | <input checked="" type="radio"/> N/A | YES | NO |
| 10. Is there sufficient sample for the requested analyses? | | <input checked="" type="radio"/> YES | NO |
| 11. Were all samples placed in the proper containers for the requested analyses? | | <input checked="" type="radio"/> YES | NO |
| 12. Are all samples within holding times for the requested analyses? | | <input checked="" type="radio"/> YES | NO |
| 13. Were all sample containers received intact? (not broken or leaking, etc.) | | <input checked="" type="radio"/> YES | NO |
| 14. Are all samples requiring no headspace (VOC, GRO, RSK/MEE, Rx CN/S, radon) headspace free? Size of bubble: ___ < green pea ___ > green pea | <input checked="" type="radio"/> N/A | YES | NO |
| 15. Do any water samples contain sediment? Amount Amount of sediment: ___ dusting ___ moderate ___ heavy | N/A | YES | <input checked="" type="radio"/> NO |
| 16. Were the samples shipped on ice? | | YES | <input checked="" type="radio"/> NO |
| 17. Were cooler temperatures measured at 0.1-6.0°C? IR gun used*: #2 #4 | | RAD ONLY | YES <input checked="" type="radio"/> NO |
| Cooler #: <u>1</u> | | | |
| Temperature (°C): <u>Amb</u> | | | |
| No. of custody seals on cooler: <u>2</u> | | | |
| External µR/hr reading: <u>11</u> | | | |
| Background µR/hr reading: <u>11</u> | | | |
| Were external µR/hr readings ≤ two times background and within DOT acceptance criteria? <input checked="" type="radio"/> YES / NO / NA (If no, see Form 008.) | | | |

Additional Information: PROVIDE DETAILS BELOW FOR A NO RESPONSE TO ANY QUESTION ABOVE, EXCEPT #1 AND #16.

If applicable, was the client contacted? YES / NO NA Contact: _____ Date/Time: _____

Project Manager Signature / Date: JE 3/23/15

112

May 15, 2015

Amb

ISO3380

From: (509) 373-3547
chris fulton
CH2M
6287 latak st
richland, WA 99354

Origin ID: PSCA



Ship Date: 18MAR
ActWgt: 21.0 LB
CAD: 107086051/MET3810

Delivery Address Bar Code



SHIP TO: (970) 490-1511
Julie Ellingson

BILL THIRD PARTY


Ref # ptr#5490
Invoice #
PO #
Dept #

225 Commerce Drive
FORT COLLINS, CO 80524


THU - 19 MAR 10:30A
PRIORITY OVERNIGHT

TRK# 7731 5489 9514
E291

DSR
80524
CO-US
DEN



XH FTCA



53711879MEE48

After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.



Metals

Case Narrative

CH2M HILL Plateau Remediation Company

100-KX Pump and Treat Influent & Effluent Tanks – Water -- F11-003

Work Order Number: 1503380

1. This report consists of 2 water samples.
2. The samples were received intact at ambient temperature by ALS on 03/19/15.
3. The samples had a pH less than 2 upon receipt.
4. The samples were prepared and analyzed based on SW-846, 3rd Edition procedures.

For analysis by ICP-MS, the samples were digested following method 3005A and the current revision of SOP 806.

5. Analysis by ICP-MS followed method 6020A and the current revision of SOP 827.
6. All standards and solutions are NIST traceable and were used within their recommended shelf life.
7. The samples were prepared and analyzed within the established hold time.

All in house quality control procedures were followed, as described below.

8. General quality control procedures.
 - A preparation (method) blank and laboratory control sample were digested and analyzed with the samples in this digestion batch.
 - The preparation (method) blank associated with this digestion batch was below the reporting limit for the requested analyte. Sample results have been compared to the blank results.
 - All laboratory control sample criteria were met.



- All initial and continuing calibration blanks were below the reporting limit for the requested analyte.
- All initial and continuing calibration verifications were within the acceptance criteria for the requested analyte.
- The interference check samples associated with Method 6020A were analyzed.

9. Matrix specific quality control procedures.

Sample 1503380-1 was designated as the quality control sample for this analysis.

Similarity of matrix and therefore relevance of the QC results should not be automatically inferred for any sample other than the native sample selected for QC.

- A matrix spike and matrix spike duplicate were digested and analyzed with this batch. All acceptance criteria for accuracy were met.
- A sample duplicate and matrix spike duplicate were digested and analyzed with this batch. All acceptance criteria for precision were met.
- A serial dilution was analyzed with this ICP batch. All acceptance criteria were met.

10. It is a standard practice that samples for ICP-MS are analyzed at a dilution. The 10X factor can be considered an artifact of the prep and does not indicate a secondary dilution and is therefore not flagged as a dilution.

The data contained in the following report have been reviewed and approved by the personnel listed below. In addition, ALS certifies that the analyses reported herein are true, complete and correct within the limits of the methods employed.



Jill Latelle
Inorganics Primary Data Reviewer

3/30/15
Date



Julie Ellinger
Inorganics Final Data Reviewer

3/30/15
Date

SAMPLE ISSUE RESOLUTION

| | |
|-----------------------|-----------|
| SIR NUM | SDR15-299 |
| REV NUM | 0 |
| DATE INITIATED | 5/7/2015 |

SAMPLE EVENT INFORMATION

SAF NUM(S) F11-003
OPERABLE UNIT(S) 100-KR-4
PROJECT(S) 100 AREA GRP
SAMPLE EVENT TITLE(S) 100-KX Pump & Treat
LABORATORY ALS Environmental Ft. Collins

SAMPLING INFORMATION

NUMBER OF SAMPLES 1
SAMPLE NUMBERS B30C79
SAMPLE MATRIX WATER
COLLECTION DATE 3/17/2015 - 3/17/2015
SDG NUM ALS1503380

ISSUE BACKGROUND

CLASS Chain of Custody Issue (Field)
TYPE Crossed-out Information not Dated/Initialed
DESCRIPTION COC F11-003-085, SAMPLE B30C79.
 DATE CROSSED OUT AND CORRECTED WITHOUT INITIAL AND DATE ON RECEIVED BY LINE.

DISPOSITION

DESCRIPTION DOCUMENT AND CLOSE
JUSTIFICATION DOCUMENT AND CLOSE

SUBMITTED BY: Bruce Hey DATE: 05/05/2015
 ACCEPTED BY: Kirsten Killand DATE: 05/07/2015



Inorganic Data Reporting Qualifiers

The following qualifiers are used as needed by the laboratory when reporting results of inorganic analyses.

- Result qualifier -- A "B" is entered if the reported value was obtained from a reading that was less than the Reporting Limit but greater than or equal to the Method Detection Limit (MDL). If the analyte was analyzed for but not detected a "U" is entered. For samples, negative values are reported as non-detects ("U" flagged). For blanks, if the absolute value of the negative value is above the MDL and below the reporting limit, then the result is "B" flagged.
- QC qualifier -- Specified entries and their meanings are as follows:
 - E - The reported value is estimated because of the presence of interference. An explanatory note may be included in the narrative.
 - M - Duplicate injection precision was not met.
 - N - Spiked sample recovery not within control limits. A post spike is analyzed for all ICP analyses when the matrix spike and or spike duplicate fail and the native sample concentration is less than four times the spike added concentration.
 - Z - Spiked recovery not within control limits. An explanatory note may be included in the narrative.
 - * - Duplicate analysis (relative percent difference) not within control limits.
 - S - SAR value is estimated as one or more analytes used in the calculation were not detected above the detection limit.
 - C - The analyte was detected in both the sample and the associated QC blank, and the sample concentration was $\leq 5X$ the blank concentration.
 - D - Analyte was reported at a secondary dilution factor, typically $DF > 1$ (i.e., the primary preparation required dilution to either bring the analyte within the calibration range or to minimize interference). Required for organics/wetchem if the sample was diluted.

Total Recoverable CHROMIUM**Method SW6020A****Sample Results**

Lab Name: ALS Environmental -- FC
Client Name: CH2M HILL Plateau Remediation Company
Client Project ID: 100-KX Pump and Treat Influent & Effluent Tanks - Water F11-003
Work Order Number: 1503380 **Final Volume:** 50 ml
Reporting Basis: As Received **Matrix:** WATER
Analyst: Brent A. Stanfield **Result Units:** UG/L

| Client Sample ID | Lab ID | Date Collected | Date Prepared | Date Analyzed | Percent Moisture | Dilution Factor | Result | RptLimit/ LOQ/LOD | MDL/DL | Flag | Sample Aliquot |
|------------------|-----------|----------------|---------------|---------------|------------------|-----------------|--------|-------------------|--------|------|----------------|
| B30C81 | 1503380-1 | 3/17/2015 | 3/25/2015 | 03/27/2015 | N/A | 10 | 2.2 | 10 | 0.74 | B | 50 ml |
| B30C79 | 1503380-2 | 3/17/2015 | 3/25/2015 | 03/27/2015 | N/A | 10 | 2.3 | 10 | 0.74 | B | 50 ml |

Comments:

1. ND or U = Not Detected at or above the client requested detection limit.

Data Package ID: *IM1503380-1*

ICPMS Metals

Method SW6020A

Method Blank

Lab Name: ALS Environmental -- FC

Work Order Number: 1503380

Client Name: CH2M HILL Plateau Remediation Company

ClientProject ID: 100-KX Pump and Treat Influent & Effluent Tanks - Water F11-0

Lab ID: IP150325-3MB

Sample Matrix: WATER

% Moisture: N/A

Date Collected: N/A

Date Extracted: 25-Mar-15

Date Analyzed: 26-Mar-15

Prep Batch: IP150325-3

QCBatchID: IP150325-3-3

Run ID: im150326-10a2

Cleanup: NONE

Basis: N/A

File Name: 100SMPL_

Sample Aliquot: 50 ml

Final Volume: 50 ml

Result Units: UG/L

Clean DF: 1

| CASNO | Target Analyte | DF | Result | RptLimit/ LOQ/LOD | MDL/DL | Result Qualifier | EPA Qualifier |
|-----------|----------------|----|--------|----------------------|--------|---------------------|------------------|
| 7440-47-3 | CHROMIUM | 10 | 0.74 | 10 | 0.74 | U | |

Data Package ID: IM1503380-1

ICPMS Metals

Method SW6020A

Laboratory Control Sample

Lab Name: ALS Environmental -- FC

Work Order Number: 1503380

Client Name: CH2M HILL Plateau Remediation Company

ClientProject ID: 100-KX Pump and Treat Influent & Effluent Tanks - Water F11-0

Lab ID: IM150325-3LCS

Sample Matrix: WATER

% Moisture: N/A

Date Collected: N/A

Date Extracted: 03/25/2015

Date Analyzed: 03/26/2015

Prep Method: SW3005A

Prep Batch: IP150325-3

QCBatchID: IP150325-3-3

Run ID: im150326-10a2

Cleanup: NONE

Basis: N/A

File Name: 101SMPL_

Sample Aliquot: 50 ml

Final Volume: 50 ml

Result Units: UG/L

Clean DF: 1

| CASNO | Target Analyte | Spike Added | LCS Result | Reporting Limit | Result Qualifier | LCS % Rec. | Control Limits |
|-----------|----------------|-------------|------------|-----------------|------------------|------------|----------------|
| 7440-47-3 | CHROMIUM | 500 | 477 | 10 | | 95 | 80 - 120% |

Data Package ID: IM1503380-1

ICPMS Metals

Method SW6020A

Matrix Spike And Matrix Spike Duplicate

Lab Name: ALS Environmental -- FC

Work Order Number: 1503380

Client Name: CH2M HILL Plateau Remediation Company

ClientProject ID: 100-KX Pump and Treat Influent & Effluent Tanks - Water F

| | | | |
|--|--|---|---|
| Field ID: B30C81 LabID: 1503380-1MS | Sample Matrix: WATER % Moisture: N/A Date Collected: 17-Mar-15 Date Extracted: 25-Mar-15 Date Analyzed: 27-Mar-15 Prep Method: SW3005 Rev A | Prep Batch: IP150325-3 QCBatchID: IP150325-3-3 Run ID: im150326-10a2 Cleanup: NONE Basis: As Received | Sample Aliquot: 50 ml Final Volume: 50 ml Result Units: UG/L File Name: 115SMPL_ |
|--|--|---|---|

| CASNO | Target Analyte | Sample Result | Samp Qual | MS Result | MS Qual | Reporting Limit | Spike Added | MS % Rec. | Control Limits |
|-----------|----------------|---------------|-----------|-----------|---------|-----------------|-------------|-----------|----------------|
| 7440-47-3 | CHROMIUM | 2.2 | B | 492 | | 10 | 500 | 98 | 75 - 125% |

| | | | |
|---|--|---|---|
| Field ID: B30C81 LabID: 1503380-1MSD | Sample Matrix: WATER % Moisture: N/A Date Collected: 17-Mar-15 Date Extracted: 25-Mar-15 Date Analyzed: 27-Mar-15 Prep Method: SW3005 Rev A | Prep Batch: IP150325-3 QCBatchID: IP150325-3-3 Run ID: im150326-10a2 Cleanup: NONE Basis: As Received | Sample Aliquot: 50 ml Final Volume: 50 ml Result Units: UG/L File Name: 116SMPL_ |
|---|--|---|---|

| CASNO | Target Analyte | MSD Result | MSD Qual | Spike Added | MSD % Rec. | Reporting Limit | RPD Limit | RPD |
|-----------|----------------|------------|----------|-------------|------------|-----------------|-----------|-----|
| 7440-47-3 | CHROMIUM | 482 | | 500 | 96 | 10 | 20 | 2 |

Data Package ID: *IM1503380-1*