

Tuesday, March 31, 2015

Laine Sumner
CH2M HILL Plateau Remediation Company
2420 Stevens Center
Richland, WA 99352

Re: ALS Workorder: 1503384
Project Name: 100-DX Pump and Treat-INF/EFF/TRANSFER TANK - Water
Project Number: F12-023

Dear Ms. Sumner:

Two water samples were received from CH2M HILL Plateau Remediation Company, on 3/19/2015. The samples were scheduled for the following analysis:

Metals

The results for these analyses are contained in the enclosed reports.

The data contained in the following report have been reviewed and approved by the personnel listed below. In addition, ALS certifies that the analyses reported herein are true, complete and correct within the limits of the methods employed.

Thank you for your confidence in ALS Environmental. Should you have any questions, please call.

Sincerely,



ALS Environmental
Julie Ellingson
Project Manager

JME/jme
Enclosure(s):

ALS is accredited by the following accreditation bodies for various testing scopes in accordance with requirements of each accreditation body. All testing is performed under the laboratory management system, which is maintained to meet these requirement and regulations. Please contact the laboratory or accreditation body for the current scope testing parameters.

ALS Laboratory Certifications	
Accreditation Body	License or Certification Number
Alaska (AK)	UST-086
Alaska (AK)	CO01099
Arizona (AZ)	AZ0742
California (CA)	06251CA
Colorado (CO)	CO01099
Connecticut (CT)	PH-0232
Florida (FL)	E87914
Idaho (ID)	CO01099
Kansas (KS)	E-10381
Kentucky (KY)	90137
L-A-B (DoD ELAP/ISO 170250)	L2257
Maryland (MD)	285
Missouri	175
Nebraska	NE-OS-24-13
Nevada (NV)	CO000782008A
New Jersey (NJ)	CO003
North Dakota (ND)	R-057
Oklahoma	1301
Pennsylvania (PA)	68-03116
Tennessee (TN)	2976
Texas (TX)	T104704241
Utah (UT)	CO01099
Washington	C1280

ALS Environmental -- FC**Sample Number(s) Cross-Reference Table**

OrderNum: 1503384**Client Name:** CH2M HILL Plateau Remediation Company**Client Project Name:** 100-DX Pump and Treat-INF/EFF/TRANSFER TANK - Water**Client Project Number:** F12-023**Client PO Number:** BOA 54854

Client Sample Number	Lab Sample Number	COC Number	Matrix	Date Collected	Time Collected
B30BX4	1503384-1		WATER	17-Mar-15	9:42
B30BX6	1503384-2		WATER	17-Mar-15	9:42

CH2M Hill Plateau Remediation Company		CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST		F12-023-230	PAGE 1 OF 1
COLLECTOR	S.W. King CHPRC	COMPANY CONTACT	SUMNER, LC	TELEPHONE NO.	373-7924
SAMPLING LOCATION	100-DX Bldg 1804D Eff Tank VAL T-M5 V-MJ030A DUP	PROJECT DESIGNATION	100-DX Pump and Treat - INF/EFF/TRANSFER TANK - WATER	PROJECT COORDINATOR	SUMNER, LC
ICE CHEST NO.	625-420	FIELD LOGBOOK NO.	HAF N 306-69	SAF NO.	F12-023
SHIPPED TO	ALS Environmental	OFFSITE PROPERTY NO.	N/A	COA	302841
MATRIX*	A=Air DL=Drum L=Liquid S=Soil SE=Sediment T=Tissue V=Vegetation W=Water WI=Wipe X=Other	PREPARATION	5490	BILL OF LADING/AIR BILL NO.	73354699514
POSSIBLE SAMPLE HAZARDS/ REMARKS	*Contains Radioactive Material at concentrations that are not be regulated for transportation per 49 CFR/JATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1.	HOLDING TIME	6 Months		
SPECIAL HANDLING AND/OR STORAGE		TYPE OF CONTAINER	G/P		
SAMPLE NO.	B30BX4	NO. OF CONTAINER(S)	1		
MATRIX*	WATER	VOLUME	500ml		
		SAMPLE ANALYSIS	6020 METALS ICPMS COMMON (Chromium);		
		SAMPLE DATE	MAR 17 2015		
		SAMPLE TIME	0942		

3/18/15
1503378
3-19-15
1503384

CHAIN OF POSSESSION		SIGN/ PRINT NAMES		SPECIAL INSTRUCTIONS	
RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME	** The 100 Area S&GRP Characterization and Monitoring Sampling and Analysis GKI applies to this SAF. ** The extraction wells associated with this SAF are all located at the Transfer Building. TRVL-15-013	
CHPRC	MAR 17 2015	SSU-1	MAR 17 2015		
RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME		
CHRIS FULTON	MAR 18 2015	CHRIS FULTON	MAR 18 2015		
RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME		
CHRIS FULTON	MAR 18 2015	CHRIS FULTON	MAR 18 2015		
RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME		
CHRIS FULTON	MAR 18 2015	CHRIS FULTON	MAR 18 2015		
RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME		
CHRIS FULTON	MAR 18 2015	CHRIS FULTON	MAR 18 2015		
RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME		
CHRIS FULTON	MAR 18 2015	CHRIS FULTON	MAR 18 2015		
RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME		
CHRIS FULTON	MAR 18 2015	CHRIS FULTON	MAR 18 2015		
RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME		
CHRIS FULTON	MAR 18 2015	CHRIS FULTON	MAR 18 2015		
RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME		
CHRIS FULTON	MAR 18 2015	CHRIS FULTON	MAR 18 2015		
LABORATORY SECTION	4	RECEIVED BY	C Jumble	TITLE	SCGL
FINAL SAMPLE DISPOSITION	1	DISPOSAL METHOD	C Jumble	DATE/TIME	3-19-15 0950

CH2M Hill Plateau Remediation Company		CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST		PAGE 1 OF 1
COLLECTOR S.W. King CHPRC	COMPANY CONTACT SUMNER, LC	TELEPHONE NO. 373-7924	PROJECT COORDINATOR SUMNER, LC	PRICE CODE 7H
SAMPLING LOCATION 100-DX Bldg 1804D EFF Tank VAL T-M5 V-MJ030A	PROJECT DESIGNATION 100-DX Pump and Treat - INF/EFF/TRANSFER TANK - WATER	FIELD LOGBOOK NO. HMF-2506-69	SAF NO. F12-023	AIR QUALITY <input type="checkbox"/>
ICE CHEST NO. GWS-400	ACTUAL SAMPLE DEPTH N/A	COA 302841	METHOD OF SHIPMENT FEDERAL EXPRESS	DATA TURNAROUND 30 Days / 30 Days
SHIPPED TO ALS Environmental	OFFSITE PROPERTY NO. 5490	BILL OF LADING/AIR BILL NO. 77375469514	ORIGINAL	

MATRIX* A=Air DL=Drum L=Liquid O=Oil S=Soil SE=Sediment T=Tissue V=Vegetation W=Water WI=Wipe X=Other	POSSIBLE SAMPLE HAZARDS/ REMARKS *Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR/ATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1.	HNO3 to pH <2	6 Months	G/P	1	500mL	6020_METALS, ICPMs, COMMON (Chromium);
SPECIAL HANDLING AND/OR STORAGE	HOLDING TIME	TYPE OF CONTAINER	NO. OF CONTAINER(S)	VOLUME	SAMPLE ANALYSIS	SAMPLE DATE MAY 12	SAMPLE TIME ✓
SAMPLE NO. B30BX6	MATRIX* WATER	SAMPLE DATE MAR 17 2015					

CHAIN OF POSSESSION	SIGN/ PRINT NAMES	SPECIAL INSTRUCTIONS
RELINQUISHED BY/REMOVED FROM CHPRC SSU-1	RECEIVED BY/STORED IN SSU-1 CHRIS FULTON CHPRC	** The 100 Area S&GRP Characterization and Monitoring Sampling and Analysis GKI applies to this SAF. ** The extraction wells associated with this SAF are all located at the Transfer Building, TRVL-15-013
RELINQUISHED BY/REMOVED FROM CHRIS FULTON CHPRC	RECEIVED BY/STORED IN C Trimble CHPRC	
RELINQUISHED BY/REMOVED FROM FED EX	RECEIVED BY/STORED IN FED EX	
RELINQUISHED BY/REMOVED FROM FED EX	RECEIVED BY/STORED IN FED EX	
RELINQUISHED BY/REMOVED FROM	RECEIVED BY/STORED IN	
RELINQUISHED BY/REMOVED FROM	RECEIVED BY/STORED IN	
RELINQUISHED BY/REMOVED FROM	RECEIVED BY/STORED IN	
RELINQUISHED BY/REMOVED FROM	RECEIVED BY/STORED IN	
LABORATORY SECTION	RECEIVED BY	TITLE
FINAL SAMPLE DISPOSITION	DISPOSAL METHOD	DATE/TIME
	C Trimble	SCGL
		3-19-15 0950



ALS Environmental - Fort Collins
CONDITION OF SAMPLE UPON RECEIPT FORM

Client: CHPRC

Workorder No: 1503384

Project Manager: JE

Initials: CDT Date: 3-19-15

1. Does this project require any special handling in addition to standard ALS procedures?		YES	<input checked="" type="radio"/> NO
2. Are custody seals on shipping containers intact?	NONE	<input checked="" type="radio"/> YES	NO
3. Are Custody seals on sample containers intact?	NONE	<input checked="" type="radio"/> YES	NO
4. Is there a COC (Chain-of-Custody) present or other representative documents?		<input checked="" type="radio"/> YES	NO
5. Are the COC and bottle labels complete and legible?		<input checked="" type="radio"/> YES	NO
6. Is the COC in agreement with samples received? (IDs, dates, times, no. of samples, no. of containers, matrix, requested analyses, etc.)		<input checked="" type="radio"/> YES	NO
7. Were airbills / shipping documents present and/or removable?	DROP OFF	<input checked="" type="radio"/> YES	NO
8. Are all aqueous samples requiring preservation preserved correctly? (excluding volatiles)	N/A	<input checked="" type="radio"/> YES	NO
9. Are all aqueous non-preserved samples pH 4-9?	<input checked="" type="radio"/> N/A	YES	NO
10. Is there sufficient sample for the requested analyses?		<input checked="" type="radio"/> YES	NO
11. Were all samples placed in the proper containers for the requested analyses?		<input checked="" type="radio"/> YES	NO
12. Are all samples within holding times for the requested analyses?		<input checked="" type="radio"/> YES	NO
13. Were all sample containers received intact? (not broken or leaking, etc.)		<input checked="" type="radio"/> YES	NO
14. Are all samples requiring no headspace (VOC, GRO, RSK/MEE, Rx CN/S, radon) headspace free? Size of bubble: ___ < green pea ___ > green pea	<input checked="" type="radio"/> N/A	YES	NO
15. Do any water samples contain sediment? Amount of sediment: ___ dusting ___ moderate ___ heavy	Amount N/A	YES	<input checked="" type="radio"/> NO
16. Were the samples shipped on ice?		YES	<input checked="" type="radio"/> NO
17. Were cooler temperatures measured at 0.1-6.0°C? IR gun used*: #2 #4	RAD ONLY	YES	<input checked="" type="radio"/> NO
Cooler #: <u>1</u>			
Temperature (°C): <u>Amb</u>			
No. of custody seals on cooler: <u>2</u>			
External µR/hr reading: <u>11</u>			
Background µR/hr reading: <u>11</u>			
Were external µR/hr readings ≤ two times background and within DOT acceptance criteria? <input checked="" type="radio"/> YES / NO / NA (If no, see Form 008.)			

Additional Information: PROVIDE DETAILS BELOW FOR A NO RESPONSE TO ANY QUESTION ABOVE, EXCEPT #1 AND #16.

If applicable, was the client contacted? YES / NO NA Contact: _____ Date/Time: _____

Project Manager Signature / Date: [Signature] 3/23/15

112

ALS1503384

April 1, 2015 Page 1 of 2

Armb

1503384

From: (509) 373-3547
Chia Fulton
CH2M
6287 Ingraham St
Richland, WA 98354

Origin ID: PSCA



J151215022303uw

Ship Date: 18MAR
ActWgt: 21.0 LB
CAD: 10706051/NET3810

Delivery Address Bar Code



SHIP TO: (970) 498-1511
Julie Ellingson

BILL THIRD PARTY

225 Commerce Drive
FORT COLLINS, CO 80524

Ref # pbr#5480
Invoice #
PO #
Dept #



THU - 19 MAR 10:30A
PRIORITY OVERNIGHT

TRK# 7731 5489 9514



DSR
80524
CO-US
DEN

XH FTCA



537J1879AEE48

After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.



Metals

Case Narrative

CH2M HILL Plateau Remediation Company

100-DX Pump and Treat-INF/EFF/TRANSFER TANK – Water -- F12-023

Work Order Number: 1503384

1. This report consists of 2 water samples.
2. The samples were received intact at ambient temperature by ALS on 03/19/15.
3. The samples had a pH less than 2 upon receipt.
4. The samples were prepared and analyzed based on SW-846, 3rd Edition procedures.

For analysis by ICP-MS, the samples were digested following method 3005A and the current revision of SOP 806.

5. Analysis by ICP-MS followed method 6020A and the current revision of SOP 827.
6. All standards and solutions are NIST traceable and were used within their recommended shelf life.
7. The samples were prepared and analyzed within the established hold time.

All in house quality control procedures were followed, as described below.

8. General quality control procedures.
 - A preparation (method) blank and laboratory control sample were digested and analyzed with the samples in this digestion batch.
 - The preparation (method) blank associated with this digestion batch was below the reporting limit for the requested analyte. Sample results have been compared to the blank results.
 - All laboratory control sample criteria were met.



- All initial and continuing calibration blanks were below the reporting limit for the requested analyte.
- All initial and continuing calibration verifications were within the acceptance criteria for the requested analyte.
- The interference check samples associated with Method 6020A were analyzed.

9. Matrix specific quality control procedures.

Sample 1503384-1 was designated as the quality control sample for this analysis.

Similarity of matrix and therefore relevance of the QC results should not be automatically inferred for any sample other than the native sample selected for QC.

- A matrix spike and matrix spike duplicate were digested and analyzed with this batch. All acceptance criteria for accuracy were met.
- A sample duplicate and matrix spike duplicate were digested and analyzed with this batch. All acceptance criteria for precision were met.
- A serial dilution was analyzed with this ICP batch. All acceptance criteria were met.

10. It is a standard practice that samples for ICP-MS are analyzed at a dilution. The 10X factor can be considered an artifact of the prep and does not indicate a secondary dilution and is therefore not flagged as a dilution.

The data contained in the following report have been reviewed and approved by the personnel listed below. In addition, ALS certifies that the analyses reported herein are true, complete and correct within the limits of the methods employed.



Jill Latelle
Inorganics Primary Data Reviewer

3/30/15
Date



Julie E. Eliza
Inorganics Final Data Reviewer

3/30/15
Date



Inorganic Data Reporting Qualifiers

The following qualifiers are used as needed by the laboratory when reporting results of inorganic analyses.

- Result qualifier -- A "B" is entered if the reported value was obtained from a reading that was less than the Reporting Limit but greater than or equal to the Method Detection Limit (MDL). If the analyte was analyzed for but not detected a "U" is entered. For samples, negative values are reported as non-detects ("U" flagged). For blanks, if the absolute value of the negative value is above the MDL and below the reporting limit, then the result is "B" flagged.
- QC qualifier -- Specified entries and their meanings are as follows:
 - E - The reported value is estimated because of the presence of interference. An explanatory note may be included in the narrative.
 - M - Duplicate injection precision was not met.
 - N - Spiked sample recovery not within control limits. A post spike is analyzed for all ICP analyses when the matrix spike and or spike duplicate fail and the native sample concentration is less than four times the spike added concentration.
 - Z - Spiked recovery not within control limits. An explanatory note may be included in the narrative.
 - * - Duplicate analysis (relative percent difference) not within control limits.
 - S - SAR value is estimated as one or more analytes used in the calculation were not detected above the detection limit.
 - C - The analyte was detected in both the sample and the associated QC blank, and the sample concentration was $\leq 5X$ the blank concentration.
 - D - Analyte was reported at a secondary dilution factor, typically $DF > 1$ (i.e., the primary preparation required dilution to either bring the analyte within the calibration range or to minimize interference). Required for organics/wetchem if the sample was diluted.

Total Recoverable CHROMIUM**Method SW6020A****Sample Results****Lab Name:** ALS Environmental -- FC**Client Name:** CH2M HILL Plateau Remediation Company**Client Project ID:** 100-DX Pump and Treat-INF/EFF/TRANSFER TANK - Water F12-023**Work Order Number:** 1503384**Final Volume:** 50 ml**Reporting Basis:** As Received**Matrix:** WATER**Analyst:** Brent A. Stanfield**Result Units:** UG/L

Client Sample ID	Lab ID	Date Collected	Date Prepared	Date Analyzed	Percent Moisture	Dilution Factor	Result	RptLimit/LOQ/LOD	MDL/DL	Flag	Sample Aliquot
B30BX4	1503384-1	3/17/2015	3/25/2015	03/26/2015	N/A	10	2.9	10	0.74	B	50 ml
B30BX6	1503384-2	3/17/2015	3/25/2015	03/26/2015	N/A	10	3	10	0.74	B	50 ml

Comments:

1. ND or U = Not Detected at or above the client requested detection limit.

Data Package ID: *IM1503384-1*

ICPMS Metals

Method SW6020A

Method Blank

Lab Name: ALS Environmental -- FC

Work Order Number: 1503384

Client Name: CH2M HILL Plateau Remediation Company

ClientProject ID: 100-DX Pump and Treat-INF/EFF/TRANSFER TANK - Water F

Lab ID: IP150325-5MB

Sample Matrix: WATER

% Moisture: N/A

Date Collected: N/A

Date Extracted: 25-Mar-15

Date Analyzed: 26-Mar-15

Prep Batch: IP150325-5

QCBatchID: IP150325-5-3

Run ID: im150326-10a2

Cleanup: NONE

Basis: N/A

File Name: 060SMPL_

Sample Aliquot: 50 ml

Final Volume: 50 ml

Result Units: UG/L

Clean DF: 1

CASNO	Target Analyte	DF	Result	RptLimit/ LOQ/LOD	MDL/DL	Result Qualifier	EPA Qualifier
7440-47-3	CHROMIUM	10	0.74	10	0.74	U	

Data Package ID: IM1503384-1

ALS1503384
ICPMS Metals

April 1, 2015

Method SW6020A
Laboratory Control Sample

Lab Name: ALS Environmental -- FC

Work Order Number: 1503384

Client Name: CH2M HILL Plateau Remediation Company

ClientProject ID: 100-DX Pump and Treat-INF/EFF/TRANSFER TANK - Water F

Lab ID: IM150325-5LCS

Sample Matrix: WATER

% Moisture: N/A

Date Collected: N/A

Date Extracted: 03/25/2015

Date Analyzed: 03/26/2015

Prep Method: SW3005A

Prep Batch: IP150325-5

QCBatchID: IP150325-5-3

Run ID: im150326-10a2

Cleanup: NONE

Basis: N/A

File Name: 061SMPL_

Sample Aliquot: 50 ml

Final Volume: 50 ml

Result Units: UG/L

Clean DF: 1

CASNO	Target Analyte	Spike Added	LCS Result	Reporting Limit	Result Qualifier	LCS % Rec.	Control Limits
7440-47-3	CHROMIUM	500	482	10		96	80 - 120%

Data Package ID: IM1503384-1

ICPMS Metals

Method SW6020A

Matrix Spike And Matrix Spike Duplicate

Lab Name: ALS Environmental -- FC

Work Order Number: 1503384

Client Name: CH2M HILL Plateau Remediation Company

ClientProject ID: 100-DX Pump and Treat-INF/EFF/TRANSFER TANK - Wat

Field ID: B30BX4	Sample Matrix: WATER	Prep Batch: IP150325-5	Sample Aliquot: 50 ml
LabID: 1503384-1MS	% Moisture: N/A	QCBatchID: IP150325-5-3	Final Volume: 50 ml
	Date Collected: 17-Mar-15	Run ID: im150326-10a2	Result Units: UG/L
	Date Extracted: 25-Mar-15	Cleanup: NONE	File Name: 074SMPL_
	Date Analyzed: 26-Mar-15	Basis: As Received	
	Prep Method: SW3005 Rev A		

CASNO	Target Analyte	Sample Result	Samp Qual	MS Result	MS Qual	Reporting Limit	Spike Added	MS % Rec.	Control Limits
7440-47-3	CHROMIUM	2.9	B	462		10	500	92	75 - 125%

Field ID: B30BX4	Sample Matrix: WATER	Prep Batch: IP150325-5	Sample Aliquot: 50 ml
LabID: 1503384-1MSD	% Moisture: N/A	QCBatchID: IP150325-5-3	Final Volume: 50 ml
	Date Collected: 17-Mar-15	Run ID: im150326-10a2	Result Units: UG/L
	Date Extracted: 25-Mar-15	Cleanup: NONE	File Name: 075SMPL_
	Date Analyzed: 26-Mar-15	Basis: As Received	
	Prep Method: SW3005 Rev A		

CASNO	Target Analyte	MSD Result	MSD Qual	Spike Added	MSD % Rec.	Reporting Limit	RPD Limit	RPD
7440-47-3	CHROMIUM	475		500	95	10	20	3

Data Package ID: IM1503384-1