

SAF-RC-233
100-IU-2 & 100-IU-6 Remaining
Waste Sites – Soil In-Process
FINAL DATA PACKAGE

COMPLETE COPY OF DATA PACKAGE TO:

Kathy Wendt

H4-21

KW 10/22/14
INITIAL/DATE

COMMENTS:

SDG XP0145

SAF-RC-233

Rad only

Chem only

Rad & Chem

Complete

Partial

Sample Location: 100-B-35:1, electrical switchyard



October 14, 2014

Joan Kessner
WC-Hanford, Inc.
2620 Fermi Avenue
MSIN H4-21
Richland, Washington 99354

Re: RC-233 Soil
Work Order: 358640
SDG: XP0145

Dear Joan Kessner:

GEL Laboratories, LLC (GEL) appreciates the opportunity to provide the enclosed analytical results for the sample(s) we received on October 09, 2014. This original data report has been prepared and reviewed in accordance with GEL's standard operating procedures.

Our policy is to provide high quality, personalized analytical services to enable you to meet your analytical needs on time every time. We trust that you will find everything in order and to your satisfaction. If you have any questions, please do not hesitate to call me at (843) 556-8171, ext. 1616.

Sincerely,

Orlette Johnson
Project Manager

Purchase Order: 1510
Chain of Custody: RC-233-068
Enclosures



Table of Contents

Case Narrative.....	1
Chain of Custody and Supporting Documentation.....	3
Laboratory Certifications.....	7
FID Diesel Range Organics Analysis.....	9
Case Narrative.....	10
Sample Data Summary.....	16
Quality Control Summary.....	23
Miscellaneous.....	26
PCB Analysis.....	28
Case Narrative.....	29
Sample Data Summary.....	35
Quality Control Summary.....	42
Miscellaneous.....	45

Case Narrative

**Receipt Narrative
for
WC-HANFORD, INC.
SDG: XP0145
Work Order: 358640**

October 14, 2014

Laboratory Identification:

GEL Laboratories LLC
2040 Savage Road
Charleston, South Carolina 29407
(843) 556-8171

Summary:

Sample receipt: The samples arrived at GEL Laboratories LLC, Charleston, South Carolina on October 09, 2014 for analysis.

Sample Identification: The laboratory received the following samples:

<u>Laboratory ID</u>	<u>Client ID</u>
358640001	J1V102
358640002	J1V103
358640003	J1V104
358640004	J1V105
358640005	J1V106
358640006	J1V107

Case Narrative:

Sample analyses were conducted using methodology as outlined in GEL's Standard Operating Procedures. Any technical or administrative problems during analysis, data review, and reduction are contained in the analytical case narratives in the enclosed data package.

The enclosed data package contains the following sections: Case Narrative, Chain of Custody, Cooler Receipt Checklist, Data Package Qualifier Definitions and data from the following fractions: Diesel Range Organics and GC Semivolatile PCB.



Orlette Johnson
Project Manager

Chain of Custody and Supporting Documentation

SAMPLE RECEIPT & REVIEW FORM

Client: <u>WCHA</u>		SDG/AR/COC/Work Order: <u>358640</u>
Received By: <u>P. Went</u>		Date Received: <u>10/9/14</u>
Suspected Hazard Information	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	*If Net Counts > 100cpm on samples not marked "radioactive", contact the Radiation Safety Group for further investigation.
COC/Samples marked as radioactive?	<input checked="" type="checkbox"/>	Maximum Net Counts Observed* (Observed Counts - Area Background Counts): <u>0/cpm</u>
Classified Radioactive II or III by RSO?	<input checked="" type="checkbox"/>	If yes, Were swipes taken of sample containers < action levels?
COC/Samples marked containing PCBs?	<input checked="" type="checkbox"/>	
Package, COC, and/or Samples marked as beryllium or asbestos containing?	<input checked="" type="checkbox"/>	If yes, samples are to be segregated as Safety Controlled Samples, and opened by the GEL Safety Group.
Shipped as a DOT Hazardous?	<input checked="" type="checkbox"/>	Hazard Class Shipped: UN#:
Samples identified as Foreign Soil?	<input checked="" type="checkbox"/>	

Sample Receipt Criteria	Yes	NA	No	Comments/Qualifiers (Required for Non-Conforming Items)
1 Shipping containers received intact and sealed?	<input checked="" type="checkbox"/>			Circle Applicable: Seals broken Damaged container Leaking container Other (describe)
2 Samples requiring cold preservation within (0 ≤ 6 deg. C)?*	<input checked="" type="checkbox"/>			Preservation Method: Ice bags <u>Blue ice</u> Dry ice None Other (describe) *all temperatures are recorded in Celsius
2a Daily check performed and passed on IR temperature gun?	<input checked="" type="checkbox"/>			Temperature Device Serial #: Secondary Temperature Device Serial # (If Applicable): <u>130462966</u>
3 Chain of custody documents included with shipment?	<input checked="" type="checkbox"/>			
4 Sample containers intact and sealed?	<input checked="" type="checkbox"/>			Circle Applicable: Seals broken Damaged container Leaking container Other (describe)
5 Samples requiring chemical preservation at proper pH?		<input checked="" type="checkbox"/>		Sample ID's, containers affected and observed pH: If Preservation added, Lot#:
6 VOA vials free of headspace (defined as < 6mm bubble)?		<input checked="" type="checkbox"/>		Sample ID's and containers affected:
7 Are Encore containers present?			<input checked="" type="checkbox"/>	(If yes, immediately deliver to Volatiles laboratory)
8 Samples received within holding time?	<input checked="" type="checkbox"/>			ID's and tests affected:
9 Sample ID's on COC match ID's on bottles?	<input checked="" type="checkbox"/>			Sample ID's and containers affected:
10 Date & time on COC match date & time on bottles?	<input checked="" type="checkbox"/>			Sample ID's affected:
11 Number of containers received match number indicated on COC?	<input checked="" type="checkbox"/>			Sample ID's affected:
12 Are sample containers identifiable as GEL provided?			<input checked="" type="checkbox"/>	
13 COC form is properly signed in relinquished/received sections?	<input checked="" type="checkbox"/>			
14 Carrier and tracking number.				Circle Applicable: FedEx Air <u> </u> FedEx Ground UPS Field Services Courier Other <u>7714 3021 0127-2c</u>

Comments (Use Continuation Form if needed):

Laboratory Certifications

List of current GEL Certifications as of 14 October 2014

State	Certification
Alaska	UST-110
Arkansas	88-0651
CLIA	42D0904046
California NELAP	01151CA
Colorado	SC00012
Connecticut	PH-0169
Delaware	SC000122013-10
DoD ELAP/ ISO17025 A2LA	2567.01
Florida NELAP	E87156
Foreign Soils Permit	P330-12-00283, P330-12-00284
Georgia	SC00012
Georgia SDWA	967
Hawaii	SC000122013-10
Idaho Chemistry	SC00012
Idaho Radiochemistry	SC00012
Illinois NELAP	200029
Indiana	C-SC-01
Kansas NELAP	E-10332
Kentucky	90129
Louisiana NELAP	03046 (AI33904)
Louisiana SDWA	LA130005
Maryland	270
Massachusetts	M-SC012
Michigan	9976
Mississippi	SC000122013-10
Nebraska	NE-OS-26-13
Nevada	SC000122014-1
New Hampshire NELAP	2054
New Jersey NELAP	SC002
New Mexico	SC00012
New York NELAP	11501
North Carolina	233
North Carolina SDWA	45709
Oklahoma	9904
Pennsylvania NELAP	68-00485
Plant Material Permit	PDEP-12-00260
South Carolina Chemistry	10120001
South Carolina GVL	23611001
South Carolina Radiochemi	10120002
Tennessee	TN 02934
Texas NELAP	T104704235-14-9
Utah NELAP	SC000122014-14
Vermont	VT87156
Virginia NELAP	460202
Washington	C780-12
Wisconsin	999887790

FID Diesel Range Organics Analysis

Case Narrative

**FID Diesel Range Organics
WC-HANFORD, INC. (WCHN)
SDG XP0145**

Method/Analysis Information

Procedure: Analysis of Diesel Range Organics by Flame Ionization Detector
Analytical Method: NWTPH-Dx in Soil
Prep Method: SW846 3541
Analytical Batch Number: 1426146
Prep Batch Number: 1426145

Sample Analysis

The following samples were analyzed using the analytical protocol as established in NWTPH-Dx in Soil:

Sample ID	Client ID
358640001	J1V102
358640002	J1V103
358640003	J1V104
358640004	J1V105
358640005	J1V106
358640006	J1V107
1203184705	MB for batch 1426145
1203184706	Laboratory Control Sample (LCS)
1203184709	358640002(J1V103) Matrix Spike (MS)
1203184710	358640002(J1V103) Matrix Spike Duplicate (MSD)

The samples in this SDG were analyzed on a "dry weight" basis.

Preparation/Analytical Method Verification

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by GEL Laboratories LLC as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-OA-E-003 REV# 24.

Raw data reports are processed and reviewed by the analyst using the Chemstation software package. False positives have been removed from the quantitation reports per standard operating procedures (SOP).

Calibration Information

Initial Calibration

All initial calibration requirements have been met for this sample delivery group (SDG).

Continuing Calibration Verification (CCV) Requirements

All associated calibration verification standard(s) (ICV or CCV) met the acceptance criteria. Analyte peaks

eluted within the established retention time windows for this method.

Quality Control (QC) Information

Method Blank (MB) Statement

The MB analyzed with this SDG met the acceptance criteria.

Surrogate Recoveries

All surrogate recoveries were within the established acceptance criteria for this SDG.

Laboratory Control Sample (LCS) Recovery

The LCS spike recoveries met the acceptance limits.

QC Sample Designation

Sample 358640002 (J1V103) was selected for the matrix spike and matrix spike duplicate analysis.

Matrix Spike (MS) Recovery Statement

QC sample 1203184709 (J1V103)(MS) did not meet spike recovery acceptance criteria due to sample matrix interference as the MS and MSD displayed similar recoveries.

Matrix Spike Duplicate (MSD) Recovery Statement

QC sample 1203184710 (J1V103)(MSD) did not meet spike recovery acceptance criteria due to sample matrix interference as the MS and MSD displayed similar recoveries.

MS/MSD Relative Percent Difference (RPD) Statement

The RPD between the MS and MSD met the acceptance limits.

Technical Information

Holding Time Specifications

GEL assigns holding times based on the associated methodology, which assigns the date and time from sample collection of sample receipt. Those holding times expressed in hours are calculated in the AlphaLIMS system. Those holding times expressed as days expire at midnight on the day of expiration. All samples in this SDG met the specified holding time.

Preparation/Analytical Method Verification

All procedures were performed as stated in the SOP. Analyte peaks eluted within the established retention time windows for this method.

Sample Dilutions

The samples in this SDG did not require dilutions.

Sample Re-extraction/Re-analysis

Re-extractions or re-analyses were not required in this SDG.

Miscellaneous Information

Electronic Package Comment

This package was generated using an electronic data processing program referred to as "virtual packaging". In an effort to increase quality and efficiency, the laboratory is developing systems to eventually generate all data packages electronically. The following change from "traditional" packages should be noted:

Analyst/peer reviewer initials and dates are not present on the electronic data files. Presently, all initials and dates are present on the original raw data. These hard copies are temporarily stored in the laboratory. The data validator will always sign and date the case narrative.

Data Exception (DER) Documentation

Data exception report (DER) is generated to document procedural anomalies that may deviate from referenced SOP or contractual documents. DER #1343059 was generated for this SDG.

Manual Integrations

Certain standards and samples may have required manual integration to correctly position the baseline as set in the calibration standard injections. If manual integration was performed, copies of all manual integration peak profiles are included in the raw data section of this fraction.

Additional Comments

The additional comments field is used to address special issues associated with each analysis, clarify method/contractual issues pertaining to the analysis, and to list any report documents generated as a result of sample analysis or review. The additional comments were not required.

System Configuration

The Diesel Range Organics analysis was performed on the following instrument configuration:

Instrument ID	Instrument	System Configuration	Column ID	Column Description
FID7.I	Agilent Gas Chromatograph	Agilent 6890N GC/FID	DB-5MS	30m x 0.25mm, 0.25um(J&W)

Certification Statement

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless otherwise noted in the analytical case narrative.

DATA EXCEPTION REPORT

Mo.Day Yr. 13-OCT-14	Division: Federal	Quality Criteria: Specifications	Type: Process
Instrument Type: GC/FID	Test / Method: NWTPH-Dx in Soil, SW846 3541/8015B	Matrix Type: Solid	Client Code: DMAX, WCHN
Batch ID: 1426146	Sample Numbers: See Below		

Potentially affected work order(s)(SDG): 358549,358636(XP0144),358640(XP0145)

Application Issues:

- Failed Recovery for MS/PS
- Failed RPD for MS/MSD, or PS/PSD
- Failed Yield for Surrogates
- Failed Recovery for MSD/PSD

Specification and Requirements Exception Description:

1. Samples 358549001, -002, -003, -004, and 358636001 did not meet surrogate recovery acceptance limits. Please see the data report for specific failures.
2. The MSD(1203184708), MS(1203184709) and MSD(1203184710) did not meet spike recovery acceptance limits for diesel range organics.
3. The MS(1203184707)/MSD(1203184708) RPD value for diesel range organics and motor oil was not within the acceptance limits.

DER Disposition:

1. Samples were diluted due to over-range target analyte. As a result, the surrogates were diluted out of the acceptance limits. Data were reported.
- 2., 3. As the MS and MSD displayed similar recoveries, the failures were attributed to sample matrix interference and the data have been reported.

Originator's Name:

Benjamin Taft 13-OCT-14

Data Validator/Group Leader:

Cameron Bearden 13-OCT-14

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Qualifier Definition Report for

WCHN001 WC-HANFORD, INC.

Client SDG: XP0145 GEL Work Order: 358640 Project: RC-233 Soil


The Qualifiers in this report are defined as follows:

- J The analyte was detected at a value less than the contract required detection limit (RDL), but greater than or equal to the IDL/MDL (as appropriate). Value is estimated
- T Spike and/or spike duplicate sample recovery is outside control limits.
- U Analyzed for but not detected above limiting criteria. Includes MDL, MDA, PQL, zero, counting error, and total analytical error.
- DL Indicates that sample is diluted.
- RA Indicates that sample is re-analyzed without re-extraction.
- RE Indicates that sample is re-extracted.

Review/Validation

GEL requires all analytical data to be verified by a qualified data reviewer. In addition, all CLP-like deliverables receive a third level review of the fractional data package.

The following data validator verified the information presented in this data report:

Signature: 

Name: Jimin Cao

Date: 17 OCT 2014

Title: Data Validator

Sample Data Summary

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Report Date: October 13, 2014

Company : WC-Hanford, Inc.
 Address : 2620 Fermi Avenue
 MSIN H4-21
 Richland, Washington 99354
 Contact: Joan Kessner
 Project: RC-233 Soil

Client SDG: XP0145

Client Sample ID: J1V103 Project: WCHN00313
 Sample ID: 358640002 Client ID: WCHN001
 Matrix: SOIL
 Collect Date: 08-OCT-14 09:44
 Receive Date: 09-OCT-14
 Collector: Client
 Moisture: 1.24%

Parameter	Qualifier	Result	DL	RL	Units	DF	Analyst	Date	Time	Batch	Method
Diesel Range Organics											
SW 3541/NWTPH-Dx in Soil "Dry Weight Corrected"											
Diesel Range Organics (C10-C20)	TU	2190	2190	6750	ug/kg	1	BYT1	10/12/14	1127	1426146	1
Motor Oil (C20-C36)	J	4790	2190	6750	ug/kg	1					

The following Prep Methods were performed:

Method	Description	Analyst	Date	Time	Prep Batch
SW846 3541	3541 DRO IN SOIL PREP	MXD2	10/10/14	0955	1426145

The following Analytical Methods were performed:

Method	Description	Analyst	Result	Nominal	Recovery%	Acceptable Limits
1	NWTPH-Dx in Soil					
Surrogate/Tracer Recovery	Test		Result	Nominal	Recovery%	Acceptable Limits
o-Terphenyl	SW 3541/NWTPH-Dx in Soil "Dry Weight Corrected"		370 ug/kg	675	54.7	(50%-150%)

Notes:

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Report Date: October 13, 2014

Company : WC-Hanford, Inc.
Address : 2620 Fermi Avenue
MSIN H4-21
Richland, Washington 99354

Contact: Joan Kessner
Project: RC-233 Soil

Client SDG: XP0145

Client Sample ID: J1V104
Sample ID: 358640003
Matrix: SOIL
Collect Date: 08-OCT-14 09:52
Receive Date: 09-OCT-14
Collector: Client
Moisture: 2.2%

Project: WCHN00313
Client ID: WCHN001

Parameter	Qualifier	Result	DL	RL	Units	DF	Analyst	Date	Time	Batch	Method
Diesel Range Organics											
SW 3541/NWTPH-Dx in Soil "Dry Weight Corrected"											
Diesel Range Organics (C10-C20)	TU	2210	2210	6810	ug/kg	1	BYT1	10/12/14	1324	1426146	1
Motor Oil (C20-C36)		7050	2210	6810	ug/kg	1					

The following Prep Methods were performed:

Method	Description	Analyst	Date	Time	Prep Batch
SW846 3541	3541 DRO IN SOIL PREP	MXD2	10/10/14	0955	1426145

The following Analytical Methods were performed:

Method	Description	Analyst	Comments
1	NWTPH-Dx in Soil		

Surrogate/Tracer Recovery	Test	Result	Nominal	Recovery%	Acceptable Limits
o-Terphenyl	SW 3541/NWTPH-Dx in Soil "Dry Weight Corrected"	470 ug/kg	681	69.1	(50%-150%)

Notes:

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Report Date: October 13, 2014

Company : WC-Hanford, Inc.
Address : 2620 Fermi Avenue
MSIN H4-21
Richland, Washington 99354
Contact: Joan Kessner
Project: RC-233 Soil

Client SDG: XP0145

Client Sample ID: J1V105
Sample ID: 358640004
Matrix: SOIL
Collect Date: 08-OCT-14 10:08
Receive Date: 09-OCT-14
Collector: Client
Moisture: 4.68%

Project: WCHN00313
Client ID: WCHN001

Parameter	Qualifier	Result	DL	RL	Units	DF	Analyst	Date	Time	Batch	Method
Diesel Range Organics											
SW 3541/NWTPH-Dx in Soil "Dry Weight Corrected"											
Diesel Range Organics (C10-C20)	TU	2260	2260	6940	ug/kg	1	BYT1	10/12/14	1403	1426146	1
Motor Oil (C20-C36)	J	3510	2260	6940	ug/kg	1					

The following Prep Methods were performed:

Method	Description	Analyst	Date	Time	Prep Batch
SW846 3541	3541 DRO IN SOIL PREP	MXD2	10/10/14	0955	1426145

The following Analytical Methods were performed:

Method	Description	Analyst	Comments
1	NWTPH-Dx in Soil		

Surrogate/Tracer Recovery	Test	Result	Nominal	Recovery%	Acceptable Limits
o-Terphenyl	SW 3541/NWTPH-Dx in Soil "Dry Weight Corrected"	388 ug/kg	694	56.0	(50%-150%)

Notes:

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Report Date: October 13, 2014

Company : WC-Hanford, Inc.
Address : 2620 Fermi Avenue
MSIN H4-21
Richland, Washington 99354
Contact: Joan Kessner
Project: RC-233 Soil

Client SDG: XP0145

Client Sample ID: J1V106
Sample ID: 358640005
Matrix: SOIL
Collect Date: 08-OCT-14 10:15
Receive Date: 09-OCT-14
Collector: Client
Moisture: 3.09%

Project: WCHN00313
Client ID: WCHN001

Parameter	Qualifier	Result	DL	RL	Units	DF	Analyst	Date	Time	Batch	Method
Diesel Range Organics											
SW 3541/NWTPH-Dx in Soil "Dry Weight Corrected"											
Diesel Range Organics (C10-C20)	TU	2230	2230	6850	ug/kg	1	BYT1	10/12/14	1442	1426146	1
Motor Oil (C20-C36)	J	4840	2230	6850	ug/kg	1					

The following Prep Methods were performed:

Method	Description	Analyst	Date	Time	Prep Batch
SW846 3541	3541 DRO IN SOIL PREP	MXD2	10/10/14	0955	1426145

The following Analytical Methods were performed:

Method	Description	Analyst Comments
1	NWTPH-Dx in Soil	

Surrogate/Tracer Recovery	Test	Result	Nominal	Recovery%	Acceptable Limits
o-Terphenyl	SW 3541/NWTPH-Dx in Soil "Dry Weight Corrected"	392 ug/kg	685	57.2	(50%-150%)

Notes:

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Report Date: October 13, 2014

Company : WC-Hanford, Inc.
Address : 2620 Fermi Avenue
MSIN H4-21
Richland, Washington 99354
Contact: Joan Kessner
Project: RC-233 Soil

Client SDG: XP0145

Client Sample ID: J1V107
Sample ID: 358640006
Matrix: SOIL
Collect Date: 08-OCT-14 10:22
Receive Date: 09-OCT-14
Collector: Client
Moisture: 5.1%

Project: WCHN00313
Client ID: WCHN001

Parameter	Qualifier	Result	DL	RL	Units	DF	Analyst	Date	Time	Batch	Method
Diesel Range Organics											
SW 3541/NWTPH-Dx in Soil "Dry Weight Corrected"											
Diesel Range Organics (C10-C20)	TU	2280	2280	7010	ug/kg	1	BYT1	10/12/14	1522	1426146	1
Motor Oil (C20-C36)		7360	2280	7010	ug/kg	1					

The following Prep Methods were performed:

Method	Description	Analyst	Date	Time	Prep Batch
SW846 3541	3541 DRO IN SOIL PREP	MXD2	10/10/14	0955	1426145

The following Analytical Methods were performed:

Method	Description	Analyst Comments
1	NWTPH-Dx in Soil	

Surrogate/Tracer Recovery	Test	Result	Nominal	Recovery%	Acceptable Limits
o-Terphenyl	SW 3541/NWTPH-Dx in Soil "Dry Weight Corrected"	412 ug/kg	701	58.8	(50%-150%)

Notes:

Quality Control Summary

GEL LABORATORIES LLC

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Report Date: October 13, 2014

Page 1 of 2

WC-Hanford, Inc.
2620 Fermi Avenue
MSIN H4-21
Richland, Washington
Contact: Joan Kessner

Workorder: 358640

Client SDG: XP0145

Project Description: RC-233 Soil

Parmname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date	Time
Diesel Range Organics											
Batch	1426146										
QC1203184706	LCS										
Diesel Range Organics (C10-C20)	66600			51000	ug/kg		76.6	(57%-116%)	BYT1	10/11/14	07:02
Motor Oil (C20-C36)	66600			63900	ug/kg		96	(52%-122%)			
**o-Terphenyl	666			532	ug/kg		79.9	(37%-120%)			
QC1203184705	MB										
Diesel Range Organics (C10-C20)			U	2170	ug/kg					10/11/14	06:23
Motor Oil (C20-C36)			U	2170	ug/kg						
**o-Terphenyl	667			470	ug/kg		70.4	(37%-120%)			
QC1203184709	358640002 MS										
Diesel Range Organics (C10-C20)	67500	TU	2190	T	42600	ug/kg	63.1 *	(70%-130%)		10/12/14	12:06
Motor Oil (C20-C36)	67500	J	4790		57400	ug/kg	77.9	(70%-130%)			
**o-Terphenyl	675		370		461	ug/kg	68.2	(50%-150%)			
QC1203184710	358640002 MSD										
Diesel Range Organics (C10-C20)	67300	TU	2190	T	44600	ug/kg	4.44	66.2 *	(0%-20%)	10/12/14	12:45
Motor Oil (C20-C36)	67300	J	4790		58200	ug/kg	1.46	79.4	(0%-20%)		
**o-Terphenyl	673		370		469	ug/kg	69.8	(50%-150%)			

Notes:

The Qualifiers in this report are defined as follows:

- A The TIC is a suspected aldol-condensation product
- B The analyte was detected in both the associated QC blank and in the sample.
- C Analyte has been confirmed by GC/MS analysis
- D Results are reported from a diluted aliquot of sample.
- E Concentration exceeds the calibration range of the instrument
- J The analyte was detected at a value less than the contract required detection limit (RDL), but greater than or equal to the IDL/MDL (as appropriate). Value is estimated

GEL LABORATORIES LLC

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Workorder: 358640

Client SDG: XP0145

Project Description: RC-233 Soil

Page 2 of 2

Parmname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date	Time
P	Aroclor target analyte with greater than 25% difference between column analyses.										
T	Spike and/or spike duplicate sample recovery is outside control limits.										
U	Analyzed for but not detected above limiting criteria. Includes MDL, MDA, PQL, zero, counting error, and total analytical error.										
X	Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier										
Y	Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier										
Z	Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier										
o	Analyte failed to recover within LCS limits (Organics only)										

N/A indicates that spike recovery limits do not apply when sample concentration exceeds spike conc. by a factor of 4 or more or %RPD not applicable.

^ The Relative Percent Difference (RPD) obtained from the sample duplicate (DUP) is evaluated against the acceptance criteria when the sample is greater than five times (5X) the contract required detection limit (RL). In cases where either the sample or duplicate value is less than 5X the RL, a control limit of +/- the RL is used to evaluate the DUP result.

* Indicates that a Quality Control parameter was not within specifications.

For PS, PSD, and SDILT results, the values listed are the measured amounts, not final concentrations.

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless qualified on the QC Summary.

Miscellaneous

Prep Logbook

Extraction of Semivolatile and Nonvolatile Organic Compounds from Soil, Sludge, and Other Miscellaneous Solid Samples

Batch ID: 1426145 Verified by: _____
 Analyst: Mia DeLee
 Method: SW846 3541

Lab SOP: GL-OA-E-010 REV# 22
 Instrument: Semi-Volatiles Manual

Sample ID	Run Date	Aliquot (g)	Prepped Aliquot (mL)	Prepped Factor (mL/g)
1203184705 MB	10-OCT-2014 09:55:00	30	1	0.03333
1203184706 LCS	10-OCT-2014 09:55:00	30.05	1	0.03328
358549001	10-OCT-2014 09:55:00	30.16	12.75	0.42275
358549002	10-OCT-2014 09:55:00	30.06	44	1.46374
358549003	10-OCT-2014 09:55:00	30.57	21	0.68695
358549004	10-OCT-2014 09:55:00	30.35	20	0.65898
358636001	10-OCT-2014 09:55:00	30.08	1	0.03324
358636002	10-OCT-2014 09:55:00	30.05	1	0.03328
1203184707 MS (358636002)	10-OCT-2014 09:55:00	30.05	1	0.03328
1203184708 MSD (358636002)	10-OCT-2014 09:55:00	30	1	0.03333
358640001	10-OCT-2014 09:55:00	30.08	1	0.03324
358640002	10-OCT-2014 09:55:00	30	1	0.03333
1203184709 MS (358640002)	10-OCT-2014 09:55:00	30	1	0.03333
1203184710 MSD (358640002)	10-OCT-2014 09:55:00	30.1	1	0.03322
358640003	10-OCT-2014 09:55:00	30.05	1	0.03328
358640004	10-OCT-2014 09:55:00	30.24	1	0.03307
358640005	10-OCT-2014 09:55:00	30.14	1	0.03318
358640006	10-OCT-2014 09:55:00	30.07	1	0.03326

Type	Sample Id	Description	Serial Number	Spike Amt	Units	Comments:
LCS	1203184706	AZDRO SPIKE LCS STD,4000ug/ml	WFI141003-62	1	mL	Final Solvent: CH2CL2 Verified by: SJW
MS	1203184707	AZDRO SPIKE LCS STD,4000ug/ml	WFI141003-62	1	mL	
MS	1203184709	AZDRO SPIKE LCS STD,4000ug/ml	WFI141003-62	1	mL	Samples 358549001 - 49004 became thick and oily while concentrating on the TurboVap and they did not concentrate to 1mL; their final volumes are recorded above.
MSD	1203184708	AZDRO SPIKE LCS STD,4000ug/ml	WFI141003-62	1	mL	
MSD	1203184710	AZDRO SPIKE LCS STD,4000ug/ml	WFI141003-62	1	mL	
SURR	All	20 ppm surrogate	WE141001-04	1	mL	
REGNT	All	Methylene Chloride	2165776-D	120	mL	
SOURC	All	SODIUM SULFATE	2148821	30	g	

PCB Analysis

Case Narrative

**PCB Case Narrative
WC-HANFORD, INC. (WCHN)
SDG XP0145**

Method/Analysis Information

Procedure: Analysis of Polychlorinated Biphenyls by ECD
Analytical Method: SW846 3541/8082A
Prep Method: SW846 3541
Analytical Batch Number: 1426143
Prep Batch Number: 1426142

Sample Analysis

The following samples were analyzed using the analytical protocol as established in SW846 3541/8082A:

Sample ID	Client ID
358640001	J1V102
358640002	J1V103
358640003	J1V104
358640004	J1V105
358640005	J1V106
358640006	J1V107
1203184694	MB for batch 1426142
1203184695	Laboratory Control Sample (LCS)
1203184698	358640001(J1V102) Matrix Spike (MS)
1203184699	358640001(J1V102) Matrix Spike Duplicate (MSD)

The samples in this SDG were analyzed on a "dry weight" basis.

Preparation/Analytical Method Verification

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by GEL Laboratories LLC as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-OA-E-040 REV# 20.

Raw data reports are processed and reviewed by the analyst using the Chemstation software package. False positives have been removed from the quantitation reports per standard operating procedures (SOP).

Calibration Information

A complete list of the initial calibration data files are shown in the Calibration History report located in the Standard Data section of the data package.

Initial Calibration

All initial calibration requirements have been met for this sample delivery group (SDG).

Continuing Calibration Verification (CCV) Requirements

All associated calibration verification standards (ICV or CCV) met the acceptance criteria for the target analytes. All analytes were within the established retention time windows for this method.

Quality Control (QC) Information

Method Blank (MB) Statement

The MB analyzed with this SDG met the acceptance criteria.

Surrogate Recoveries

All surrogate recoveries were within the established acceptance criteria for the samples in this SDG in this batch.

Laboratory Control Sample (LCS) Recovery

The LCS spike recoveries met the acceptance limits.

QC Sample Designation

Sample 358640001 (J1V102) was selected for the matrix spike and matrix spike duplicate analysis.

Matrix Spike (MS) Recovery Statement

The MS recoveries for this SDG were within the established acceptance limits.

Matrix Spike Duplicate (MSD) Recovery Statement

The MSD recoveries for this SDG were within the established acceptance limits.

MS/MSD Relative Percent Difference (RPD) Statement

The RPD between the MS and MSD met the acceptance limits.

Technical Information

Holding Time Specifications

GEL assigns holding times based on the associated methodology, which assigns the date and time from sample collection of sample receipt. Those holding times expressed in hours are calculated in the AlphaLIMS system. Those holding times expressed as days expire at midnight on the day of expiration. All samples in this SDG met the specified holding time.

Preparation/Analytical Method Verification

All procedures were performed as stated in the SOP. All reported analyte detections in client and quality control samples were within the established retention time windows. Reported analyte concentrations were confirmed on dissimilar columns. All sample extracts were cleaned using alumina. Additionally, copper was added to all sample extracts to remove sulfur.

Sample Dilutions

The samples in this SDG in this batch did not require dilutions.

Sample Re-extraction/Re-analysis

Re-extractions or re-analyses were not required in this SDG in this batch.

Miscellaneous Information

Electronic Package Comment

The following package was generated using an electronic data processing program referred to as "virtual packaging". In an effort to increase quality and efficiency, the laboratory is developing systems to eventually generate all data packages electronically. The following change from "traditional" packages should be noted:

Analyst/peer reviewer initials and dates are not present on the electronic data files. Presently, all initials and dates are present on the original raw data. These hard copies are temporarily stored in the laboratory. The data validator will always sign and date the case narrative. Data that are not generated electronically, such as hand written pages, will be scanned and inserted into the electronic package.

Data Exception (DER) Documentation

Data exception report (DER) is generated to document procedural anomalies that may deviate from referenced SOP or contractual documents. A DER was not required for the samples in this SDG in this batch.

Manual Integrations

Certain standards and samples may have required manual integration to correctly position the baseline as set in the calibration standard injections. If manual integration was performed, copies of all manual integration peak profiles are included in the raw data section of this PCB fraction.

Additional Comments

The additional comments field is used to address special issues associated with each analysis, clarify method/contractual issues pertaining to the analysis, and to list any report documents generated as a result of sample analysis or review. The following additional comments were required:

The higher results from either column have been chosen and reported in the data package for the client samples, MB and LCS. The data reported for the MS and MSD are from the same analytical column as the parent sample.

Due to software issue, the surrogate recovery range was not indicated or possibly indicated incorrectly in Quantitation Report. Please see Surrogate Recovery Report for correct surrogate acceptance limits.

Due to rounding differences in the calculation between the forms, the data reported in Sample Summary (form 1) and Spike Recovery Report (form 3) may differ slightly from the data reported in Identification Summary (form 10).

Aroclors quantitated on the raw data report by ChemStation data system do not necessarily represent positive Aroclor identification. In order for positive identification to be made, the Aroclor must match in pattern and retention time; as well as quantitate relatively close between the primary and confirmation columns, as specified in SW846 method 8000. When these conditions are not met, the Aroclor is reported as a non-detect on the data report.

System Configuration

The Semi-Volatiles-PCB analysis was performed on the following instrument configuration:

Instrument ID	Instrument	System Configuration	Column ID	Column Description
ECD8A.I_1	Agilent 6890 Gas Chromatograph/Dual ECD w/ 7683 Autosampler	HP6890 Series ECD	Rtx-CLP I	30m x 0.25mm, 0.25um (Rtx-CLPesticide I)
ECD8A.I_2	Agilent 6890 Gas Chromatograph/Dual ECD w/ 7683 Autosampler	HP6890 Series ECD	Rtx-CLP II	30m x 0.25mm, 0.20um (Rtx-CLPesticide II)

Certification Statement

Where the analytical method has been performed under NELAP certification, the analysis has met all of the

requirements of the NELAC standard unless otherwise noted in the analytical case narrative.

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Qualifier Definition Report for

WCHN001 WC-HANFORD, INC.

Client SDG: XP0145 GEL Work Order: 358640 Project: RC-233 Soil

The Qualifiers in this report are defined as follows:

U Analyzed for but not detected above limiting criteria. Includes MDL, MDA, PQL, zero, counting error, and total analytical error.

DL Indicates that sample is diluted.

RA Indicates that sample is re-analyzed without re-extraction.

RE Indicates that sample is re-extracted.

Review/Validation

GEL requires all analytical data to be verified by a qualified data reviewer. In addition, all CLP-like deliverables receive a third level review of the fractional data package.

The following data validator verified the information presented in this data report:

Signature: 

Name: Jimin Cao

Date: 17 OCT 2014

Title: Data Validator

Sample Data Summary

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Report Date: October 14, 2014

Company : WC-Hanford, Inc.
 Address : 2620 Fermi Avenue
 MSIN H4-21
 Richland, Washington 99354
 Contact: Joan Kessner
 Project: RC-233 Soil

Client SDG: XP0145

Client Sample ID: J1V102	Project: WCHN00313
Sample ID: 358640001	Client ID: WCHN001
Matrix: SOIL	
Collect Date: 08-OCT-14 09:39	
Receive Date: 09-OCT-14	
Collector: Client	
Moisture: 3%	

Parameter	Qualifier	Result	DL	RL	Units	DF	Analyst	Date	Time	Batch	Method
Semi-Volatiles-PCB											
SW846 3541/8082A PCB - 3 day TAT "Dry Weight Corrected"											
Aroclor-1016	U	1.14	1.14	3.44	ug/kg	1	JXM	10/11/14	1008	1426143	1
Aroclor-1221	U	1.14	1.14	3.44	ug/kg	1					
Aroclor-1232	U	1.14	1.14	3.44	ug/kg	1					
Aroclor-1242	U	1.14	1.14	3.44	ug/kg	1					
Aroclor-1248	U	1.14	1.14	3.44	ug/kg	1					
Aroclor-1254	U	1.14	1.14	3.44	ug/kg	1					
Aroclor-1260	U	1.14	1.14	3.44	ug/kg	1					
Aroclor-1262	U	1.14	1.14	3.44	ug/kg	1					
Aroclor-1268	U	1.14	1.14	3.44	ug/kg	1					

The following Prep Methods were performed:

Method	Description	Analyst	Date	Time	Prep Batch
SW846 3541	Prep Method 3541 PCB Prep Soil	SXW3	10/10/14	1740	1426142

The following Analytical Methods were performed:

Method	Description	Analyst Comments
1	SW846 3541/8082A	

Surrogate/Tracer Recovery	Test	Result	Nominal	Recovery%	Acceptable Limits
4cmx	SW846 3541/8082A PCB - 3 day TAT "Dry Weight Corrected"	5.14 ug/kg	6.87	74.7	(29%-106%)
Decachlorobiphenyl	SW846 3541/8082A PCB - 3 day TAT "Dry Weight Corrected"	5.03 ug/kg	6.87	73.2	(25%-131%)

Notes:

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Report Date: October 14, 2014

Company : WC-Hanford, Inc.
 Address : 2620 Fermi Avenue
 MSIN H4-21
 Richland, Washington 99354
 Contact: Joan Kessner
 Project: RC-233 Soil

Client SDG: XP0145

Client Sample ID: J1V103	Project: WCHN00313
Sample ID: 358640002	Client ID: WCHN001
Matrix: SOIL	
Collect Date: 08-OCT-14 09:44	
Receive Date: 09-OCT-14	
Collector: Client	
Moisture: 1.24%	

Parameter	Qualifier	Result	DL	RL	Units	DF	Analyst	Date	Time	Batch	Method
Semi-Volatiles-PCB											
SW846 3541/8082A PCB - 3 day TAT "Dry Weight Corrected"											
Aroclor-1016	U	1.12	1.12	3.37	ug/kg	1	JXM	10/11/14	1130	1426143	1
Aroclor-1221	U	1.12	1.12	3.37	ug/kg	1					
Aroclor-1232	U	1.12	1.12	3.37	ug/kg	1					
Aroclor-1242	U	1.12	1.12	3.37	ug/kg	1					
Aroclor-1248	U	1.12	1.12	3.37	ug/kg	1					
Aroclor-1254	U	1.12	1.12	3.37	ug/kg	1					
Aroclor-1260	U	1.12	1.12	3.37	ug/kg	1					
Aroclor-1262	U	1.12	1.12	3.37	ug/kg	1					
Aroclor-1268	U	1.12	1.12	3.37	ug/kg	1					

The following Prep Methods were performed:

Method	Description	Analyst	Date	Time	Prep Batch
SW846 3541	Prep Method 3541 PCB Prep Soil	SXW3	10/10/14	1740	1426142

The following Analytical Methods were performed:

Method	Description	Analyst Comments
1	SW846 3541/8082A	
2	SW846 3541/8082A	

Surrogate/Tracer Recovery	Test	Result	Nominal	Recovery%	Acceptable Limits
4cmx	SW846 3541/8082A PCB - 3 day TAT "Dry Weight Corrected"	4.94 ug/kg	6.74	73.3	(29%-106%)
Decachlorobiphenyl	SW846 3541/8082A PCB - 3 day TAT "Dry Weight Corrected"	4.65 ug/kg	6.74	69.0	(25%-131%)

Notes:

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Report Date: October 14, 2014

Company : WC-Hanford, Inc.
 Address : 2620 Fermi Avenue
 MSIN H4-21
 Richland, Washington 99354
 Contact: Joan Kessner
 Project: RC-233 Soil

Client SDG: XP0145

Client Sample ID: J1V104	Project: WCHN00313
Sample ID: 358640003	Client ID: WCHN001
Matrix: SOIL	
Collect Date: 08-OCT-14 09:52	
Receive Date: 09-OCT-14	
Collector: Client	
Moisture: 2.2%	

Parameter	Qualifier	Result	DL	RL	Units	DF	Analyst	Date	Time	Batch	Method
Semi-Volatiles-PCB											
SW846 3541/8082A PCB - 3 day TAT "Dry Weight Corrected"											
Aroclor-1016	U	1.14	1.14	3.41	ug/kg	1	JXM	10/11/14	1144	1426143	1
Aroclor-1221	U	1.14	1.14	3.41	ug/kg	1					
Aroclor-1232	U	1.14	1.14	3.41	ug/kg	1					
Aroclor-1242	U	1.14	1.14	3.41	ug/kg	1					
Aroclor-1248	U	1.14	1.14	3.41	ug/kg	1					
Aroclor-1254	U	1.14	1.14	3.41	ug/kg	1					
Aroclor-1260	U	1.14	1.14	3.41	ug/kg	1					
Aroclor-1262	U	1.14	1.14	3.41	ug/kg	1					
Aroclor-1268	U	1.14	1.14	3.41	ug/kg	1					

The following Prep Methods were performed:

Method	Description	Analyst	Date	Time	Prep Batch
SW846 3541	Prep Method 3541 PCB Prep Soil	SXW3	10/10/14	1740	1426142

The following Analytical Methods were performed:

Method	Description	Analyst Comments
1	SW846 3541/8082A	
2	SW846 3541/8082A	

Surrogate/Tracer Recovery	Test	Result	Nominal	Recovery%	Acceptable Limits
4cmx	SW846 3541/8082A PCB - 3 day TAT "Dry Weight Corrected"	5.15 ug/kg	6.82	75.6	(29%-106%)
Decachlorobiphenyl	SW846 3541/8082A PCB - 3 day TAT "Dry Weight Corrected"	4.63 ug/kg	6.82	68.0	(25%-131%)

Notes:

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Report Date: October 14, 2014

Company : WC-Hanford, Inc.
 Address : 2620 Fermi Avenue
 MSIN H4-21
 Richland, Washington 99354
 Contact: Joan Kessner
 Project: RC-233 Soil

Client SDG: XP0145

Client Sample ID: J1V105	Project: WCHN00313
Sample ID: 358640004	Client ID: WCHN001
Matrix: SOIL	
Collect Date: 08-OCT-14 10:08	
Receive Date: 09-OCT-14	
Collector: Client	
Moisture: 4.68%	

Parameter	Qualifier	Result	DL	RL	Units	DF	Analyst	Date	Time	Batch	Method
Semi-Volatiles-PCB											
SW846 3541/8082A PCB - 3 day TAT "Dry Weight Corrected"											
Aroclor-1016	U	1.16	1.16	3.49	ug/kg	1	JXM	10/11/14	1159	1426143	1
Aroclor-1221	U	1.16	1.16	3.49	ug/kg	1					
Aroclor-1232	U	1.16	1.16	3.49	ug/kg	1					
Aroclor-1242	U	1.16	1.16	3.49	ug/kg	1					
Aroclor-1248	U	1.16	1.16	3.49	ug/kg	1					
Aroclor-1254	U	1.16	1.16	3.49	ug/kg	1					
Aroclor-1260	U	1.16	1.16	3.49	ug/kg	1					
Aroclor-1262	U	1.16	1.16	3.49	ug/kg	1					
Aroclor-1268	U	1.16	1.16	3.49	ug/kg	1					

The following Prep Methods were performed:

Method	Description	Analyst	Date	Time	Prep Batch
SW846 3541	Prep Method 3541 PCB Prep Soil	SXW3	10/10/14	1740	1426142

The following Analytical Methods were performed:

Method	Description	Analyst Comments
1	SW846 3541/8082A	

Surrogate/Tracer Recovery	Test	Result	Nominal	Recovery%	Acceptable Limits
4cmx	SW846 3541/8082A PCB - 3 day TAT "Dry Weight Corrected"	4.50 ug/kg	6.98	64.4	(29%-106%)
Decachlorobiphenyl	SW846 3541/8082A PCB - 3 day TAT "Dry Weight Corrected"	4.40 ug/kg	6.98	63.1	(25%-131%)

Notes:

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Report Date: October 14, 2014

Company : WC-Hanford, Inc.
 Address : 2620 Fermi Avenue
 MSIN H4-21
 Richland, Washington 99354
 Contact: Joan Kessner
 Project: RC-233 Soil

Client SDG: XP0145

Client Sample ID: J1V106	Project: WCHN00313
Sample ID: 358640005	Client ID: WCHN001
Matrix: SOIL	
Collect Date: 08-OCT-14 10:15	
Receive Date: 09-OCT-14	
Collector: Client	
Moisture: 3.09%	

Parameter	Qualifier	Result	DL	RL	Units	DF	Analyst	Date	Time	Batch	Method
Semi-Volatiles-PCB											
SW846 3541/8082A PCB - 3 day TAT "Dry Weight Corrected"											
Aroclor-1016	U	1.14	1.14	3.43	ug/kg	1	JXM	10/11/14	1213	1426143	1
Aroclor-1221	U	1.14	1.14	3.43	ug/kg	1					
Aroclor-1232	U	1.14	1.14	3.43	ug/kg	1					
Aroclor-1242	U	1.14	1.14	3.43	ug/kg	1					
Aroclor-1248	U	1.14	1.14	3.43	ug/kg	1					
Aroclor-1254	U	1.14	1.14	3.43	ug/kg	1					
Aroclor-1260	U	1.14	1.14	3.43	ug/kg	1					
Aroclor-1262	U	1.14	1.14	3.43	ug/kg	1					
Aroclor-1268	U	1.14	1.14	3.43	ug/kg	1					

The following Prep Methods were performed:

Method	Description	Analyst	Date	Time	Prep Batch
SW846 3541	Prep Method 3541 PCB Prep Soil	SXW3	10/10/14	1740	1426142

The following Analytical Methods were performed:

Method	Description	Analyst Comments
1	SW846 3541/8082A	
2	SW846 3541/8082A	

Surrogate/Tracer Recovery	Test	Result	Nominal	Recovery%	Acceptable Limits
4cmx	SW846 3541/8082A PCB - 3 day TAT "Dry Weight Corrected"	5.34 ug/kg	6.87	77.8	(29%-106%)
Decachlorobiphenyl	SW846 3541/8082A PCB - 3 day TAT "Dry Weight Corrected"	5.03 ug/kg	6.87	73.3	(25%-131%)

Notes:

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Report Date: October 14, 2014

Company : WC-Hanford, Inc.
 Address : 2620 Fermi Avenue
 MSIN H4-21
 Richland, Washington 99354
 Contact: Joan Kessner
 Project: RC-233 Soil

Client SDG: XP0145

Client Sample ID: J1V107	Project: WCHN00313
Sample ID: 358640006	Client ID: WCHN001
Matrix: SOIL	
Collect Date: 08-OCT-14 10:22	
Receive Date: 09-OCT-14	
Collector: Client	
Moisture: 5.1%	

Parameter	Qualifier	Result	DL	RL	Units	DF	Analyst	Date	Time	Batch	Method
Semi-Volatiles-PCB											
SW846 3541/8082A PCB - 3 day TAT "Dry Weight Corrected"											
Aroclor-1016	U	1.17	1.17	3.51	ug/kg	1	JXM	10/11/14	1227	1426143	1
Aroclor-1221	U	1.17	1.17	3.51	ug/kg	1					
Aroclor-1232	U	1.17	1.17	3.51	ug/kg	1					
Aroclor-1242	U	1.17	1.17	3.51	ug/kg	1					
Aroclor-1248	U	1.17	1.17	3.51	ug/kg	1					
Aroclor-1254	U	1.17	1.17	3.51	ug/kg	1					
Aroclor-1260	U	1.17	1.17	3.51	ug/kg	1					
Aroclor-1262	U	1.17	1.17	3.51	ug/kg	1					
Aroclor-1268	U	1.17	1.17	3.51	ug/kg	1					

The following Prep Methods were performed:

Method	Description	Analyst	Date	Time	Prep Batch
SW846 3541	Prep Method 3541 PCB Prep Soil	SXW3	10/10/14	1740	1426142

The following Analytical Methods were performed:

Method	Description	Analyst Comments
1	SW846 3541/8082A	

Surrogate/Tracer Recovery	Test	Result	Nominal	Recovery%	Acceptable Limits
4cmx	SW846 3541/8082A PCB - 3 day TAT "Dry Weight Corrected"	4.32 ug/kg	7.02	61.5	(29%-106%)
Decachlorobiphenyl	SW846 3541/8082A PCB - 3 day TAT "Dry Weight Corrected"	3.97 ug/kg	7.02	56.5	(25%-131%)

Notes:

Quality Control Summary

GEL LABORATORIES LLC

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Report Date: October 14, 2014

Page 1 of 2

WC-Hanford, Inc.
2620 Fermi Avenue
MSIN H4-21
Richland, Washington
Contact: Joan Kessner

Workorder: 358640

Client SDG: XP0145

Project Description: RC-233 Soil

Parmname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date	Time
Semi-Volatiles-PCB											
Batch	1426143										
QC1203184695	LCS										
Aroclor-1016	33.3			23.7	ug/kg		71.1	(44%-97%)	JXM	10/11/14	08:44
Aroclor-1260	33.3			22.7	ug/kg		68	(49%-109%)			
**4cmx	6.66			4.81	ug/kg		72.2	(29%-106%)			
**Decachlorobiphenyl	6.66			5.94	ug/kg		89.1	(25%-131%)			
QC1203184694	MB										
Aroclor-1016			U	1.11	ug/kg					10/11/14	08:32
Aroclor-1221			U	1.11	ug/kg						
Aroclor-1232			U	1.11	ug/kg						
Aroclor-1242			U	1.11	ug/kg						
Aroclor-1248			U	1.11	ug/kg						
Aroclor-1254			U	1.11	ug/kg						
Aroclor-1260			U	1.11	ug/kg						
Aroclor-1262			U	1.11	ug/kg						
Aroclor-1268			U	1.11	ug/kg						
**4cmx	6.66			5.32	ug/kg		79.9	(29%-106%)			
**Decachlorobiphenyl	6.66			5.94	ug/kg		89.2	(25%-131%)			
QC1203184698	358640001	MS									
Aroclor-1016	34.3	U	1.14	15.3	ug/kg		44.5	(22%-127%)		10/11/14	10:22
Aroclor-1260	34.3	U	1.14	16.1	ug/kg		46.9	(18%-130%)			
**4cmx	6.86		5.14	3.58	ug/kg		52.2	(29%-106%)			
**Decachlorobiphenyl	6.86		5.03	3.57	ug/kg		52.1	(25%-131%)			

GEL LABORATORIES LLC

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Workorder: **358640**

Client SDG: XP0145

Project Description: RC-233 Soil

Page 2 of 2

Parmname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date	Time
Semi-Volatiles-PCB											
Batch	1426143										
QC1203184699	358640001	MSD									
Aroclor-1016	34.3	U	1.14	18.0	ug/kg	16.2	52.3	(0%-30%)	JXM	10/11/14	10:37
Aroclor-1260	34.3	U	1.14	19.2	ug/kg	17.6	55.9	(0%-30%)			
**4cmx	6.87		5.14	4.49	ug/kg		65.4	(29%-106%)			
**Decachlorobiphenyl	6.87		5.03	4.19	ug/kg		61.1	(25%-131%)			

Notes:

The Qualifiers in this report are defined as follows:

- A The TIC is a suspected aldol-condensation product
- B The analyte was detected in both the associated QC blank and in the sample.
- C Analyte has been confirmed by GC/MS analysis
- D Results are reported from a diluted aliquot of sample.
- E Concentration exceeds the calibration range of the instrument
- J The analyte was detected at a value less than the contract required detection limit (RDL), but greater than or equal to the IDL/MDL (as appropriate). Value is estimated
- P Aroclor target analyte with greater than 25% difference between column analyses.
- T Spike and/or spike duplicate sample recovery is outside control limits.
- U Analyzed for but not detected above limiting criteria. Includes MDL, MDA, PQL, zero, counting error, and total analytical error.
- X Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier
- Y Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier
- Z Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier
- o Analyte failed to recover within LCS limits (Organics only)

N/A indicates that spike recovery limits do not apply when sample concentration exceeds spike conc. by a factor of 4 or more or %RPD not applicable.

^ The Relative Percent Difference (RPD) obtained from the sample duplicate (DUP) is evaluated against the acceptance criteria when the sample is greater than five times (5X) the contract required detection limit (RL). In cases where either the sample or duplicate value is less than 5X the RL, a control limit of +/- the RL is used to evaluate the DUP result.

* Indicates that a Quality Control parameter was not within specifications.

For PS, PSD, and SDILT results, the values listed are the measured amounts, not final concentrations.

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless qualified on the QC Summary.

Miscellaneous

Prep Logbook

Automated Soxhlet Extraction

Batch ID: 1426142 Verified by: _____
 Analyst: Shannon Whitehead
 Method: SW846 3541

Lab SOP: GL-OA-E-066 REV# 5
 Instrument: Semi-Volatiles Manual

Sample ID	Run Date	Aliquot (g)	Clean Up 1 Amount 1 (mL)	Clean Up Post Clean Up Amount 1 (mL)	Final Volume (mL)	Prepped Factor (mL/g)
1203184694 MB	10-OCT-2014 17:40:00	30.01	H2SO4/KM 2 nO4	9	1	0.03332
1203184695 LCS	10-OCT-2014 17:40:00	30.02	H2SO4/KM 2 nO4	9	1	0.03331
358596001	10-OCT-2014 17:40:00	10.03	H2SO4/KM 2 nO4	9	1	0.0997
358636001	10-OCT-2014 17:40:00	30.01	H2SO4/KM 2 nO4	9	1	0.03332
1203184696 MS (358636001)	10-OCT-2014 17:40:00	30.05	H2SO4/KM 2 nO4	9	1	0.03328
1203184697 MSD (358636001)	10-OCT-2014 17:40:00	30	H2SO4/KM 2 nO4	9	1	0.03333
358636002	10-OCT-2014 17:40:00	30.05	H2SO4/KM 2 nO4	9	1	0.03328
358640001	10-OCT-2014 17:40:00	30	H2SO4/KM 2 nO4	9	1	0.03333
1203184698 MS (358640001)	10-OCT-2014 17:40:00	30.04	H2SO4/KM 2 nO4	9	1	0.03329
1203184699 MSD (358640001)	10-OCT-2014 17:40:00	30.02	H2SO4/KM 2 nO4	9	1	0.03331
358640002	10-OCT-2014 17:40:00	30.05	H2SO4/KM 2 nO4	9	1	0.03328
358640003	10-OCT-2014 17:40:00	30	H2SO4/KM 2 nO4	9	1	0.03333
358640004	10-OCT-2014 17:40:00	30.05	H2SO4/KM 2 nO4	9	1	0.03328
358640005	10-OCT-2014 17:40:00	30.06	H2SO4/KM 2 nO4	9	1	0.03327
358640006	10-OCT-2014 17:40:00	30.04	H2SO4/KM 2 nO4	9	1	0.03329
358672001	10-OCT-2014 17:40:00	10.3	H2SO4/KM 2 nO4	9	1	0.09709
358789001	10-OCT-2014 17:40:00	30.02	H2SO4/KM 2 nO4	9	1	0.03331
358789002	10-OCT-2014 17:40:00	30.03	H2SO4/KM 2 nO4	9	1	0.0333
1203185541 MS (358789002)	10-OCT-2014 17:40:00	30	H2SO4/KM 2 nO4	9	1	0.03333
1203185542 MSD (358789002)	10-OCT-2014 17:40:00	30.02	H2SO4/KM 2 nO4	9	1	0.03331

Type	Sample Id	Description	Serial Number	Spike Amt	Units	Comments:
LCS	1203184695	PCB Laboratory Control	WE141001-06	1	mL	Final Solvent: Hexane
MS	1203184696	PCB Laboratory Control	WE141001-06	1	mL	Verified By: AV
MS	1203184698	PCB Laboratory Control	WE141001-06	1	mL	Clean up Initials: SLW Clean up SOP: GL-OA-E-037

Prep Logbook

Batch ID: 1426142 **Verified by:** _____
Analyst: Shannon Whitehead
Method: SW846 3541

Lab SOP: GL-OA-E-066 REV# 5
Instrument: Semi-Volatiles Manual

Sample ID	Run Date	Aliquot (g)	Clean Up 1	Clean Up Amount 1 (mL)	Post Clean Up Amount 1 (mL)	Final Volume (mL)	Prepped Factor (mL/g)
MS	1203185541	PCB Laboratory Control	WE141001-06		1	mL	Clean up Date: 10-10-14
MSD	1203184697	PCB Laboratory Control	WE141001-06		1	mL	* Sample 358596001 is light weight and has characteristics of lint. Aliquoted at 10g.
MSD	1203184699	PCB Laboratory Control	WE141001-06		1	mL	
MSD	1203185542	PCB Laboratory Control	WE141001-06		1	mL	* Sample 358672001 is light weight tree bark and was aliquoted at 10g.
SURR	All	PEST LOW LEVEL SURROGATE 200 UG/L	WE140922-01		1	mL	
REGNT	All	5% Potassium Permanganate	2159385		5	mL	
REGNT	All	1:1 sulfuric acid	2159476		5	mL	
REGNT	All	Hexane	2160260-B10		120	mL	
SOURC	All	SODIUM SULFATE	2148821		30	g	