



April 24, 2014

Mr. Scot Fitzgerald
CH2MHill Plateau Remediation Company
MSIN R3-50 CHPRC
PO Box 1600
Richland, Washington 99352

Re: CHPRC F14-004|Drilling Waste FY14 M24 Wells
Work Order: 346808
SDG: GEL346808

Dear Mr. Fitzgerald:

GEL Laboratories, LLC (GEL) appreciates the opportunity to provide the enclosed analytical results for the sample(s) we received on April 16, 2014. This original data report has been prepared and reviewed in accordance with GEL's standard operating procedures.

Our policy is to provide high quality, personalized analytical services to enable you to meet your analytical needs on time every time. We trust that you will find everything in order and to your satisfaction. If you have any questions, please do not hesitate to call me at (843) 556-8171, ext. 4505.

Sincerely,

Heather Shaffer
Project Manager

Purchase Order: 300058ES20
Chain of Custody: F14-004-003
Enclosures



Table of Contents

Case Narrative.....1

Chain of Custody and Supporting Documentation.....3

Data Review Qualifier Definitions.....6

Laboratory Certifications.....8

Radiological Analysis.....10

 Sample Data Summary.....15

 Quality Control Data.....17

Case Narrative

**Receipt Narrative
for
Hanford MSA (51204)
SDG: GEL346808
Work Order: 346808**

April 24, 2014

Laboratory Identification:

GEL Laboratories LLC
2040 Savage Road
Charleston, South Carolina 29407
(843) 556-8171

Summary:

Sample receipt: The sample arrived at GEL Laboratories LLC, Charleston, South Carolina on April 16, 2014 for analysis. The sample was delivered with proper chain of custody documentation and signatures. All sample containers arrived without any visible signs of tampering or breakage. There are no additional comments concerning sample receipt.

Sample Identification: The laboratory received the following sample:

<u>Laboratory ID</u>	<u>Client ID</u>
346808001	B2WB57

Case Narrative:

Sample analyses were conducted using methodology as outlined in GEL’s Standard Operating Procedures. Any technical or administrative problems during analysis, data review, and reduction are contained in the analytical case narratives in the enclosed data package.

The enclosed data package contains the following sections: Case Narrative, Chain of Custody, Cooler Receipt Checklist, Data Package Qualifier Definitions and data from the following fractions: Radiochemistry.

Heather Shaffer

Heather Shaffer
Project Manager

SAMPLE ISSUE RESOLUTION

SIR NUM	SDR14-192
REV NUM	0
DATE INITIATED	5/29/2014

SAMPLE EVENT INFORMATION

SAF NUM(S)	F14-004
OPERABLE UNIT(S)	200-PO-1
PROJECT(S)	M-24
SAMPLE EVENT TITLE(S)	DRILLING WASTE FROM M24 WELLS
LABORATORY	GEL Laboratories, LLC

SAMPLING INFORMATION

NUMBER OF SAMPLES	1
SAMPLE NUMBERS	B2WB57
SAMPLE MATRIX	SOIL
COLLECTION DATE	4/14/2014 - 4/14/2014
SDG NUM	GEL346808

ISSUE BACKGROUND

CLASS	Chain of Custody Issue (Field)
TYPE	No/Illegible Relinquish/Receipt Date/Time
DESCRIPTION	B2WB57; Third relinquish line to FedEx does not have a time.

DISPOSITION

DESCRIPTION	PROPOSED DISPOSITION: Document the excursion, insert the SIR into the data package and close the SIR.
JUSTIFICATION	ACCEPTED DISPOSITION: Accept the proposed resolution.
	SUBMITTED BY: Sara Champoux/CHPRC DATE: 5/29/14
	ACCEPTED BY: Susan Puckett/CHPRC DATE: 5/29/14

Chain of Custody and Supporting Documentation

577

014000

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

CH2MHill Plateau Remediation Company

PAGE 1 OF 1

F14-004-003

COLLECTOR
K. Patterson

SAMPLING LOCATION
C8200, I-001

ICE CHEST NO.
GWS-263

SHIPPED TO
GEL Laboratories, LLC

COMPANY CONTACT
TODAK, D
376-6427

PROJECT COORDINATOR
TODAK, D

PROJECT DESIGNATION
Characterization of Drilling Wastes from FY14 M24 Wells

FIELD LOGBOOK NO.
HNF.A-507-29/52
OFFSITE PROPERTY NO. #4740

SAF NO.
F14-004

PRICE CODE
8C

AIR QUALITY

METHOD OF SHIPMENT
GOVERNMENT VEHICLE

ACTUAL SAMPLE DEPTH
147'

COA
300058E510

BILL OF LADING/AIR BILL NO.
7778 9/15/14 7985-4928-1414

DATA TURNAROUND
15 Days / 15 Days

ORIGINAL

MATRIX*	POSSIBLE SAMPLE HAZARDS/ REMARKS	PRESERVATION	HOLDING TIME	TYPE OF CONTAINER	NO. OF CONTAINER(S)	VOLUME	SAMPLE ANALYSIS	SPECIAL HANDLING AND/OR STORAGE
A=Air DL=Drum L=Liquid O=Oil S=Soil SE=Sediment T=Tissue V=Vegetation W=Water WI=Wipe X=Other	Contains Radioactive Material at concentrations that may or may not be regulated for transportation per 49 CFR/JATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1.	None	6 Months	G	1	20g	TRITIUM_DIST. LSC. COMMON;	RADIOACTIVE TIE TO: B2VPR8-A
B2WB57	SOIL	None	6 Months	G/P	1	50g	TRITIUM_DIST. LSC. COMMON;	

SAMPLE NO.	MATRIX*	SAMPLE DATE	SAMPLE TIME
B2WB57	SOIL	4-14-14	1028

CHAIN OF POSSESSION

RELINQUISHED BY/REMOVED FROM	DATE/TIME	SIGN/ PRINT NAMES	RECEIVED BY/STORED IN	DATE/TIME
K. Patterson	4-14-14 1028		SSU-1	APR 14 2014 1028
SSU-1	4/15/14 0730		RA-SHEPARD	4/15/14 0730
RA-SHEPARD	4/15/14		FEDEX	4-16-14 0905
FEDEX			Jeneykanni J.	4-16-14 0905
RELINQUISHED BY/REMOVED FROM	DATE/TIME		RECEIVED BY/STORED IN	DATE/TIME
RELINQUISHED BY/REMOVED FROM	DATE/TIME		RECEIVED BY/STORED IN	DATE/TIME
RELINQUISHED BY/REMOVED FROM	DATE/TIME		RECEIVED BY/STORED IN	DATE/TIME
RELINQUISHED BY/REMOVED FROM	DATE/TIME		RECEIVED BY/STORED IN	DATE/TIME

SPECIAL INSTRUCTIONS
** The 200 Area S&GRP Characterization and Monitoring Sampling and Analysis GKI applies to this SAF TRVL-14-029

TRVL-14-029



June 3, 2014

Revision 1

Client: <u>HMSA</u>		SDG/AR/COC/Work Order: <u>346808</u>
Received By: <u>JP</u>		Date Received: <u>4-16-14</u>
Suspected Hazard Information	Yes	No
COC/Samples marked as radioactive?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Classified Radioactive II or III by RSO?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
COC/Samples marked containing PCBs?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Package, COC, and/or Samples marked as beryllium or asbestos containing?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Shipped as a DOT Hazardous?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Samples identified as Foreign Soil?	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Sample Receipt Criteria	Yes	NA	No	Comments/Qualifiers (Required for Non-Conforming Items)
1 Shipping containers received intact and sealed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Circle Applicable: Seals broken Damaged container Leaking container Other (describe)
2 Samples requiring cold preservation within (0 ≤ 6 deg. C)?*	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Preservation Method: Ice bags Blue ice Dry ice <u>None</u> Other (describe) *all temperatures are recorded in Celsius
2a Daily check performed and passed on IR temperature gun?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Temperature Device Serial #: <u>130442941</u> Secondary Temperature Device Serial # (If Applicable):
3 Chain of custody documents included with shipment?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4 Sample containers intact and sealed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Circle Applicable: Seals broken Damaged container Leaking container Other (describe)
5 Samples requiring chemical preservation at proper pH?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Sample ID's, containers affected and observed pH: If Preservation added, Lot#:
6 VOA vials free of headspace (defined as < 6mm bubble)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Sample ID's and containers affected:
7 Are Encore containers present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	(If yes, immediately deliver to Volatiles laboratory)
8 Samples received within holding time?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	ID's and tests affected:
9 Sample ID's on COC match ID's on bottles?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Sample ID's and containers affected:
10 Date & time on COC match date & time on bottles?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Sample ID's affected:
11 Number of containers received match number indicated on COC?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Sample ID's affected:
12 Are sample containers identifiable as GEL provided?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
13 COC form is properly signed in relinquished/received sections?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
14 Carrier and tracking number.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Circle Applicable: <u>FedEx Air</u> FedEx Ground UPS Field Services Courier Other <u>7985 4928 1414</u>

Comments (Use Continuation Form if needed):

Data Review Qualifier Definitions

Project Specific Qualifier Definitions for GEL Client Code: **HMSA**

Code	Status	Qualifier Definition	CofA	Department	Fraction	Additional Comments
U	Programmed	Analyzed for but not detected above limiting criteria. Includes MDL, MDA, PQL, zero, counting error, and total analytical error.	Y			Includes MDA, TPU, count uncert.
J	Programmed	The analyte was detected at a value less than the contract required detection limit (RDL), but greater than or equal to the IDL/MDL (as appropriate). Value is estimated	Y	Organics		Organics only
P	Programmed	Aroclor target analyte with greater than 25% difference between column analyses.	Y	Organics		PCB only
C	Manual	Analyte has been confirmed by GC/MS analysis	Y	Organics	Pesticide	IF GC/MS confirmation was attempted but unsuccessful do not qualify with C
B	Programmed	The analyte was detected in both the associated QC blank and in the sample.	Y	Organics		
E	Manual	Concentration exceeds the calibration range of the instrument	Y	Organics		Qualifier Uploaded
A	Manual	The TIC is a suspected aldol-condensation product	Y	Organics	Semi-Volatile	Uploaded with TIC
X	Programmed	Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier	Y			Replaces H h flags. In RAD replaces UI. Same usage as standard X as well.
N	Programmed	Spike Sample recovery is outside control limits.	Y			
*	Programmed	Duplicate analysis not within control limits	Y	Inorganics		
>	Programmed	Result greater than quantifiable range or greater than upper limit of the analysis range	Y	General Chemistry		
Z	Manual	Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier	Y			
B	Programmed	The analyte was detected at a value less than the contract required detection limit (RDL), but greater than or equal to the IDL/MDL (as appropriate).	Y	Inorganics	Metals	Replaces J
D	Programmed	Results are reported from a diluted aliquot of sample.	Y			Dilution
E	Programmed	Reported value is estimated due to interferences. See comment in narrative.	Y	Inorganics	Metals	GEL E
M	Manual	Duplicate precision not met.	Y	Inorganics	Metals	Replaces *
o	Programmed	Analyte failed to recover within LCS limits (Organics only)	Y	Organics		
S	Manual	Reported value determined by the Method of Standard Additions (MSA)	Y	Inorganics		Not coded B/C Rarely performed
T	Programmed	Spike and/or spike duplicate sample recovery is outside control limits.	Y	Organics		GC/MS only
W	Manual	Post-digestion spike recovery for GFAA out of control limit. Sample absorbency < 50% of spike absorbency.	Y	Inorganics		No GFAA in house.
B	Programmed	The associated QC sample blank has a result $\geq 2X$ the MDA and, after corrections, result is \geq MDA for this sample	Y	Radiological		
Y	Manual	Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier	Y			
+	Manual	Correlation coefficient for Method of Standard Additions (MSA) is < 0.995	Y	Inorganics		
B	Programmed	The analyte was detected at a value less than the contract required detection limit (RDL), but greater than or equal to the IDL/MDL (as appropriate).	Y	General Chemistry		Replaces J
C	Programmed	Target analyte was detected in the sample and the associated blank, and the sample concentration was ≤ 5 times the blank concentration.	Y	Inorganics	Metals	Replaces B
C	Programmed	Target analyte was detected in the sample and the associated blank, and the sample concentration was ≤ 5 times the blank concentration.	Y	General Chemistry		Replaces B

Laboratory Certifications

List of current GEL Certifications as of 24 April 2014

State	Certification
Alaska	UST-110
Arkansas	88-0651
CLIA	42D0904046
California NELAP	01151CA
Colorado	SC00012
Connecticut	PH-0169
Delaware	SC000122013-10
DoD ELAP/ ISO17025 A2LA	2567.01
Florida NELAP	E87156
Foreign Soils Permit	P330-12-00283, P330-12-00284
Georgia	SC00012
Georgia SDWA	967
Hawaii	SC000122013-10
Idaho Chemistry	SC00012
Idaho Radiochemistry	SC00012
Illinois NELAP	200029
Indiana	C-SC-01
Kansas NELAP	E-10332
Kentucky	90129
Louisiana NELAP	03046 (AI33904)
Louisiana SDWA	LA130005
Maryland	270
Massachusetts	M-SC012
Michigan	9976
Mississippi	SC000122013-10
Nebraska	NE-OS-26-13
Nevada	SC000122014-1
New Hampshire NELAP	2054
New Jersey NELAP	SC002
New Mexico	SC00012
New York NELAP	11501
North Carolina	233
North Carolina SDWA	45709
Oklahoma	9904
Pennsylvania NELAP	68-00485
Plant Material Permit	PDEP-12-00260
South Carolina Chemistry	10120001
South Carolina GVL	23611001
South Carolina Radiochemi	10120002
Tennessee	TN 02934
Texas NELAP	T104704235-14-9
Utah NELAP	SC000122013-11
Vermont	VT87156
Virginia NELAP	460202
Washington	C780-12
Wisconsin	999887790

Radiological Analysis

**Radiochemistry Case Narrative
Hanford MSA (HMSA)
SDG GEL346808
Work Order 346808**

Method/Analysis Information

Product: I129_SEP_LEPS_GS: COMMON

Analytical Method: I129_SEP_LEPS_GS

Analytical Batch Number: 1380433

Sample ID	Client ID
346808001	B2WB57
1203069097	Method Blank (MB)
1203069098	346808001(B2WB57) Sample Duplicate (DUP)
1203069099	346808001(B2WB57) Matrix Spike (MS)
1203069100	Laboratory Control Sample (LCS)

The samples in this SDG were analyzed on an "as received" basis.

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by GEL Laboratories LLC as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-RAD-A-006 REV# 21.

Calibration Information:

Calibration Information

All initial and continuing calibration requirements have been met.

Standards Information

Standard solutions for these analysis are NIST traceable or verified with a NIST traceable standard and used before the expiration dates.

Sample Geometry

All counting sources were prepared in the same geometry as the calibration standards.

Quality Control (QC) Information:

Blank Information

The blank volume is representative of the sample volume in this batch.

Designated QC

The following sample was used for QC: 346808001 (B2WB57).

QC Information

All of the QC samples met the required acceptance limits.

Technical Information:**Holding Time**

All sample procedures for this sample set were performed within the required holding time.

Sample Re-prep/Re-analysis

None of the samples in this sample set required reprep or reanalysis.

Recounts

None of the samples in this batch were recounted.

Miscellaneous Information:**Data Exception (DER) Documentation**

Data exception reports are generated to document any procedural anomalies that may deviate from referenced SOP or contractual documents. A data exception report (DER) was not generated for this SDG.

Sample-Specific MDA/MDC

The MDA/MDC reported on the certificate of analysis is a sample-specific MDA/MDC.

Additional Comments

Additional comments were not required for this sample set.

Qualifier Information

Manual qualifiers were not required.

Method/Analysis Information

Product: TRITIUM_DIST_LSC: COMMON

Analytical Method: TRITIUM_DIST_LSC

Analytical Batch Number: 1381494

Sample ID	Client ID
346808001	B2WB57
1203071798	Method Blank (MB)
1203071799	347056001(B2WB64) Sample Duplicate (DUP)
1203071800	347056001(B2WB64) Matrix Spike (MS)
1203071801	Laboratory Control Sample (LCS)

The samples in this SDG were analyzed on an "as received" basis.

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by GEL Laboratories LLC as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-RAD-A-002 REV# 21.

Calibration Information:**Calibration Information**

All initial and continuing calibration requirements have been met.

Standards Information

Standard solutions for these analysis are NIST traceable or verified with a NIST traceable standard and used before the expiration dates.

Sample Geometry

All counting sources were prepared in the same geometry as the calibration standards.

Quality Control (QC) Information:**Blank Information**

The blank volume is representative of the sample volume in this batch.

Designated QC

The following sample was used for QC: 347056001 (B2WB64).

QC Information

All of the QC samples met the required acceptance limits.

Technical Information:**Holding Time**

All sample procedures for this sample set were performed within the required holding time.

Sample Re-prep/Re-analysis

None of the samples in this sample set required reprep or reanalysis.

Recounts

None of the samples in this batch were recounted.

Miscellaneous Information:**Data Exception (DER) Documentation**

Data exception reports are generated to document any procedural anomalies that may deviate from referenced SOP or contractual documents. A data exception report (DER) was not generated for this SDG.

Sample-Specific MDA/MDC

The MDA/MDC reported on the certificate of analysis is a sample-specific MDA/MDC.

Additional Comments

Additional comments were not required for this sample set.

Qualifier Information

Manual qualifiers were not required.

Certification Statement

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless otherwise noted in the analytical case narrative.

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

**Qualifier Definition Report
for**

HMSA001 Hanford MSA (51204)

Client SDG: GEL346808 GEL Work Order: 346808


The Qualifiers in this report are defined as follows:

U Analyzed for but not detected above limiting criteria. Includes MDL, MDA, PQL, zero, counting error, and total analytical error.

Review/Validation

GEL requires all analytical data to be verified by a qualified data reviewer. In addition, all CLP-like deliverables receive a third level review of the fractional data package.

The following data validator verified the information presented in this data report:

Signature: 

Name: Heather McCarty

Date: 24 APR 2014

Title: Analyst II

Sample Data Summary

Certificate of Analysis

Company : CH2MHill Plateau Remediation
 Address : Company
 MSIN R3-50 CHPRC
 PO Box 1600
 Richland, Washington 99352

Report Date: April 24, 2014

Contact: Mr. Scot Fitzgerald

Project: CHPRC F14-004|Drilling Waste FY14 M24 Wells

Client Sample ID: B2WB57
 Sample ID: 346808001
 Matrix: OTHERSOLID
 Collect Date: 14-APR-14
 Receive Date: 16-APR-14
 Collector: Client

Project: HMSA00123
 Client ID: HMSA001

Parameter	Qualifier	Result	Uncertainty	MDC	TPU	RL	Units	DF	Analyst	Date	Time	Batch	Mtd.
Rad Gamma Spec Analysis													
<i>1129_SEP_LEPS_GS: COMMON "As Received"</i>													
Iodine-129	U	-0.295	+/-0.822	1.42	+/-0.833	2.00	pCi/g		BSW1	04/18/14	1117	1380433	1
Rad Liquid Scintillation Analysis													
<i>TRITIUM_DIST_LSC: COMMON "As Received"</i>													
Tritium	U	-1.18	+/-9.84	18.4	+/-9.85	30.0	pCi/g		BYS1	04/22/14	1204	1381494	2

The following Analytical Methods were performed

Method	Description
1	DOE EML HASL-300,I-01 Modified
2	EPA 906.0 Modified

Surrogate/Tracer Recovery	Test	Batch ID	Recovery%	Acceptable Limits
---------------------------	------	----------	-----------	-------------------

Notes:
 TPU and Counting Uncertainty are calculated at the 95% confidence level (1.96-sigma).

Quality Control Data

QC Summary

Report Date: April 24, 2014
Page 1 of 2

Client : CH2MHill Plateau Remediation Company
MSIN R3-50 CHPRC
PO Box 1600
Richland, Washington 99352
Contact: Mr. Scot Fitzgerald
Workorder: 346808

Parmname	NOM	Sample	Qual	QC	Units	QC Criteria	Range	Analyst	Date Time
Rad Gamma Spec									
Batch	1380433								
QC1203069097	MB								
Iodine-129			U	-0.169	pCi/g			BSW1	04/18/1411:18
				Uncert: +/-0.470					
				TPU: +/-0.477					
QC1203069098	346808001	DUP							
Iodine-129		U	-0.295	U	0.548				04/18/1411:46
				Uncert: +/-0.822		RPD: 0	N/A		
				TPU: +/-0.833		RER: 1.65	(0-2)		
QC1203069099	346808001	MS							
Iodine-129		19.2	U	-0.295	16.9	REC: 88	(75%-125%)		04/18/1411:55
				Uncert: +/-0.822					
				TPU: +/-0.833					
QC1203069100	LCS								
Iodine-129		19.2			17.5	REC: 91	(80%-120%)		04/18/1411:55
				Uncert: +/-2.47					
				TPU: +/-3.03					
Rad Liquid Scintillation									
Batch	1381494								
QC1203071798	MB								
Tritium			U	0.929	pCi/g			BYS1	04/22/1412:36
				Uncert: +/-10.4					
				TPU: +/-10.4					
QC1203071799	347056001	DUP							
Tritium		U	-5.03	U	0.647				04/22/1412:52
				Uncert: +/-10.6		RPD: 0	N/A		
				TPU: +/-10.6		RER: 0.720	(0-2)		
QC1203071800	347056001	MS							
Tritium		63.8	U	-5.03	60.4	REC: 95	(75%-125%)		04/22/1413:09
				Uncert: +/-10.6					
				TPU: +/-10.6					
QC1203071801	LCS								
Tritium		63.7			64.5	REC: 101	(80%-120%)		04/22/1413:25
				Uncert: +/-15.8					
				TPU: +/-21.5					

Notes:

TPU and Counting Uncertainty are calculated at the 95% confidence level (1.96-sigma).

The Qualifiers in this report are defined as follows:

- B The associated QC sample blank has a result $\geq 2X$ the MDA and, after corrections, result is \geq MDA for this sample
- D Results are reported from a diluted aliquot of sample.
- N Spike Sample recovery is outside control limits.
- U Analyzed for but not detected above limiting criteria. Includes MDL, MDA, PQL, zero, counting error, and total analytical error.
- X Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier

QC Summary

Workorder: 346808

Page 2 of 2

Parmname	NOM	Sample	Qual	QC	Units	QC Criteria	Range	Analyst	Date	Time
Y	Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier									
Z	Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier									

N/A indicates that spike recovery limits do not apply when sample concentration exceeds spike conc. by a factor of 4 or more.

** Indicates analyte is a surrogate compound.

^ The Relative Percent Difference (RPD) obtained from the sample duplicate (DUP) is evaluated against the acceptance criteria when the sample is greater than five times (5X) the contract required detection limit (RL). In cases where either the sample or duplicate value is less than 5X the RL, a control limit of +/- the RL is used to evaluate the DUP result.

For PS, PSD, and SDILT results, the values listed are the measured amounts, not final concentrations.

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless qualified on the QC Summary.