Analytical Data Package Prepared For

CH2M Hill Plateau Remediation

Radiochemical Analysis By

TestAmerica TARL

2800 G.W. Way, Richland Wa, 99354, (509)-375-3131.

Data Package Contains _____ Pages

Report Nbr: 55794

SDG Nbr	ORDER Nbr	CLIENT ID NUMBER	LOT Nbr	WORK ORDER	RPT DB ID	BATCH
W06569	F13-002	B2PDC8	J3E160444-1	M0V3R1AA	9M0V3R10	3137036

Comments:

JUNE 17, 2013

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Certificate of Analysis

TestAmerica Laboratories, Inc.

CH2M Hill Plateau Remediation Company
P.O. Box 1600
Mail Stop – R3-60
Richland, WA 99352

June 17, 2013

Attention: Scot Fitzgerald

SAF Number	:	F13-002
Date SDG Closed	:	May 15, 2013
Number of Samples	:	One (1)
Sample Type	:	Water
SDG Number	:	W06569
Data Deliverable	:	30 Day / 30 Day Summary

CASE NARRATIVE

I. Introduction

On May 15, 2013, one water sample was received at TestAmerica (TARL). Upon receipt, the sample was assigned the following laboratory ID numbers to correspond with the CH2M specific ID:

CH2M ID#	TARL ID#	MATRIX	DATE OF RECEIPT
B2PDC8	M0V3R	WATER	5/15/13

II. Sample Receipt

The sample was received in good condition and no anomalies were noted during check-in.

III. Analytical Results/Methodology

The analytical results for this report are presented by laboratory sample ID. Each set of data includes sample identification information, analytical results and the appropriate associated statistical errors. The requested analyses were:

Gamma Spectroscopy
Iodine-129 (LL) by method RL-GAM-002

CH2M Hill Plateau Remediation Company
June 17, 2013

IV. Quality Control

The analytical results for each analysis performed includes a minimum of one laboratory control sample (LCS), one method (reagent) blank, and one duplicate sample analysis. Any exceptions have been noted in the "Comments" section.

QC and sample results are reported in the same units.

V. Comments

Gamma Spectroscopy

Iodine-129 (LL) by method RL-GAM-002:

The LCS, batch blank, samples and sample duplicate (B2PDC8) results are within contractual requirements.

I certify that this Certificate of Analysis is in compliance with the SOW, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager, or a designee as verified by the following signature.

Reviewed and approved:

Sandra Seger
Project Manager

Drinking Water Method Cross References

	DRINKING WATER ASTM METHOD CROSS REFERENCES	
Referenced Method	**Isotope(s)**	**TestAmerica Richland's SOP No.**
EPA 901.1	Cs-134, I-131	RL-GAM-001
EPA 900.0	Alpha & Beta	RL-GPC-001
EPA 00-02	Gross Alpha (Coprecipitation)	RL-GPC-002
EPA 903.0	Total Alpha Radium (Ra-226)	RL-RA-002
EPA 903.1	Ra-226	RL-RA-001
EPA 904.0	Ra-228	RL-RA-001
EPA 905.0	Sr-89/90	RL-GPC-003
ASTM D5174	Uranium	RL-KPA-003
EPA 906.0	Tritium	RL-LSC-005

Results in this report relate only to the sample(s) analyzed.

Uncertainty Estimation

TestAmerica Richland has adopted the internationally accepted approach to estimating uncertainties described in "NIST Technical Note 1297, 1994 Edition". The approach, "Law of Propagation of Errors", involves the identification of all variables in an analytical method which are used to derive a result. These variables are related to the analytical result (R) by some functional relationship, R = constants * f(x,y,z,...). The components (x,y,z) are evaluated to determine their contribution to the overall method uncertainty. The individual component uncertainties (u_i) are then combined using a statistical model that provides the most probable overall uncertainty value. All component uncertainties are categorized as type A, evaluated by statistical methods, or type B, evaluated by other means. Uncertainties not included in the components, such as sample homogeneity, are combined with the component uncertainty as the square root of the sum-of-the-squares of the individual uncertainties. The uncertainty associated with the derived result is the combined uncertainty (u_c) multiplied by the coverage factor (1,2, or 3).

When three or more sample replicates are used to derive the analytical result, the type A uncertainty is the standard deviation of the mean value (S/? n), where S is the standard deviation of the derived results. The type B uncertainties are all other random or non-random components that are not included in the standard deviation.

The derivation of the general "Law of Propagation of Errors" equations and specific example are available on request.

Report Definitions

Action Lev	An agreed upon activity level used to trigger some action when the final result is greater than or equal to the Action Level. Often the Action Level is related to the Decision Limit.
Batch	The QC preparation batch number that relates laboratory samples to QC samples that were prepared and analyzed together.
Bias	Defined by the equation (Result/Expected)-1 as defined by ANSI N13.30.
COC No	Chain of Custody Number assigned by the Client or TestAmerica.
Count Error (#s)	Poisson counting statistics of the gross sample count and background. The uncertainty is absolute and in the same units as the result. For Liquid Scintillation Counting (LSC) the batch blank count is the background.
Total Uncert (#s) ***u_c - Combined Uncertainty.***	All known uncertainties associated with the preparation and analysis of the sample are propagated to give a measure of the uncertainty associated with the result, ***u_c the combined uncertainty.*** The uncertainty is absolute and in the same units as the result.
(#s), Coverage Factor	The coverage factor defines the width of the confidence interval, 1, 2 or 3 standard deviations.
CRDL (RL)	Contractual Required Detection Limit as defined in the Client's Statement Of Work or TestAmerica "default" nominal detection limit. Often referred to the reporting level (RL)
Lc	Decision Level based on instrument background or blank, adjusted by the Efficiency, Chemical Yield, and Volume associated with the sample. The Type I error probability is approximately 5%. Lc=(1.645 * Sqrt(2*(BkgrndCnt/BkgrndCntMin)/SCntMin)) * (ConvFct/(Eff*Yld*Abn*Vol) * IngrFct). For LSC methods the batch blank is used as a measure of the background variability. Lc cannot be calculated when the background count is zero.
Lot-Sample No	The number assigned by the LIMS software to track samples received on the same day for a given client. The sample number is a sequential number assigned to each sample in the Lot.
MDC|MDA	Detection Level based on instrument background or blank, adjusted by the Efficiency, Chemical Yield, and Volume with a Type I and II error probability of approximately 5%. MDC = (4.65 * Sqrt((BkgrndCnt/BkgrndCntMin)/SCntMin) + 2.71/SCntMin) * (ConvFct/(Eff * Yld * Abn * Vol) * IngrFct). For LSC methods the batch blank is used as a measure of the background variability.
Primary Detector	The instrument identifier associated with the analysis of the sample aliquot.
Ratio U-234/U-238	The U-234 result divided by the U-238 result. The U-234/U-238 ratio for natural uranium in NIST SRM 4321C is 1.038.
Rst/MDC	Ratio of the Result to the MDC. A value greater than 1 may indicate activity above background at a high level of confidence. Caution should be used when applying this factor and it should be used in concert with the qualifiers associated with the result.
Rst/TotUcert	Ratio of the Result to the Total Uncertainty. If the uncertainty has a coverage factor of 2 a value greater than 1 may indicate activity above background at approximately the 95% level of confidence assuming a two-sided confidence interval. Caution should be used when applying this factor and it should be used in concert with the qualifiers associated with the result.
Report DB No	Sample Identifier used by the report system. The number is based upon the first five digits of the **Work Order** Number.
RER	The equation Replicate Error Ratio = (S-D)/[sqrt($TPUs^2$ + $TPUd^2$)] as defined by ICPT BOA where S is the original sample result, D is the result of the duplicate, TPUs is the total uncertainty of the original sample and TPUd is the total uncertainty of the duplicate sample.
SDG	Sample Delivery Group Number assigned by the Client or assigned by TestAmerica upon sample receipt.
Sum Rpt Alpha Spec Rst(s)	The sum of the reported alpha spec results for tests derived from the same sample excluding duplicate result where the results are in the same units.
Work Order	The LIMS software assign test specific identifier.
Yield	The recovery of the tracer added to the sample such as Pu-242 used to trace a Pu-239/40 method.

6/17/2013 10:59:54 AM

TestAmerica Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **Version:** 05 **Rpt Nbr:** 55794 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W06569.Edd, h:\Reportdb\edd\FeadIV\Rad\55794.Ed

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9M0V3R10	B2PDC8	F13-002	MW6-SBB-A1	F13-002	W06569					05/15/2013 08:04

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
3137036	I-129	15046-84-1	2.94E-01	pCi/L	2.0E-01	2.0E-01		1.93E-01	89.5	I129LL_SEP_LEPS	3.8661E+00	L	06/10/2013 10:43	I

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

JUNE 17, 2013

Monday, June 17, 2013

TestAmerica QC Blank Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W06569.Edd, h:\Reportdb\edd\FeadIV\Rad\55794.Ed

Lab Sample Id: M0V731AB **Sdg/Rept Nbr:** W06569 55794 **Collection Date:** 05/15/2013 08:04

Client Id: NA **Matrix:** WATER WATER **Sample On Date:**

Moisture/Solids%*: **QC Type:** BLK **Received Date:** 05/15/2013

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								AC	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
3137036	I-129	-1.54E-02	pCi/L	1.1E-01	U	1.91E-01	91.6		I129LL_SEP_L	3.9773E+00	06/10/2013				D
BLK	15046-84-1			1.1E-01						L	14:09				

JUNE 17, 2013

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Monday, June 17, 2013

TestAmerica QC Control Sample Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W06569.Edd, h:\Reportdb\edd\FeadIV\Rad\55794.Ed

Lab Sample Id:	M0V731CS	**Sdg/Rept Nbr:**	W06569	55794	**Collection Date:** 05/15/2013 08:04
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BS		**Received Date:** 05/15/2013

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								AD	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
3137036	I-129	1.10E+01	pCi/L	1.3E+00		2.46E-01	91.2	9.76E+00	I129LL_SEP_L	3.9783E+00	06/10/2013			70	D
BS	15046-84-1			1.3E+00				113.0		L	14:10			130	

JUNE 17, 2013

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Monday, June 17, 2013

TestAmerica QC Duplicate Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W06569.Edd, h:\Reportdb\edd\FeadIV\Rad\55794.Ed

Lab Sample Id:	M0V3R1CR	**Sdg/Rept Nbr:**	W06569	55794	**Collection Date:** 05/15/2013 08:04
Client Id:	B2PDC8	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	DUP		**Received Date:** 05/15/2013

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
F13-002	MW6-SBB-A19981								AB	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
3137036	I-129	1.83E-01	pCi/L	1.2E-01	U	2.35E-01	88.9		I129LL_SEP_L	3.9059E+00	06/10/2013	46.7	1.3		D
DUP	15046-84-1	2.94E-01		1.2E-01						L	10:44	20.0	3		

JUNE 17, 2013

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Data Review/Verification Checklist
RADIOCHEMISTRY, First Level Review

6/13/2013 11:19:50 AM

Lot No., Due Date: J3E160444; 06/17/2013
Client, Site: 108302; FLH HANFORD
QC Batch No., Method Test: 3137036; RGAMLEPS Gamma by LEPS
SDG, Matrix: W06569; WATER

	Yes	No	N/A
1.0 COC			
1.1 Is the ICOC page complete; includes all applicable analysis, dates, SOP numbers, and revisions?	✓		
2.0 QC Batch			
2.1 Do the Summary/Detailed Reports include a calculated result for each sample listed on the QC Batch Sheet?	✓		
2.2 Are the QC appropriate for the analysis included in the batch?	✓		
2.3 Is the Analytical Batch Worksheet complete; includes as appropriate, volumes, count times, etc?	✓		
2.4 Does the Worksheets include a Tracer Vial label for each sample?	✓		
3.0 QC & Samples			
3.1 Is the blank results, yield, and MDA within contract limits?	✓		
3.2 Is the LCS result, yield, and MDA within contract limits?	✓		
3.3 Are the MS/MSD results, yields, and MDA within contract limits?			✓
3.4 Are the duplicate result, yields, and MDAs within contract limits?	✓		
3.5 Are the sample yields and MDAs within contract limits?	✓		
4.0 Raw Data			
4.1 Were results calculated in the correct units?	✓		
4.2 Were analysis volumes entered correctly?	✓		
4.3 Were Yields entered correctly?	✓		
4.4 Were spectra reviewed/meet contractual requirements?	✓		
4.5 Were raw counts reviewed for anomalies?	✓		
5.0 Other			
5.1 Are all nonconformances included and noted?			✓
5.2 Are all required forms filled out?	✓		
5.3 Was the correct methodology used?	✓		
5.4 Was transcription checked?	✓		
5.5 Were all calculations checked at a minimum frequency?			✓
5.6 Are worksheet entries complete and correct?	✓		

6.0 Comments on any No response:

First Level Lisa Austanson **Date** 6/13/13

TestAmerica Richland
QAS_RADCALCv4.8.44

Page 1

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Data Review Checklist

RADIOCHEMISTRY

Second Level Review

Batch Number: 3137036

Review Item	Yes (√)	No (√)	NA (√)
A. Sample Analysis 1. Are the sample yields within acceptance criteria?	✓		
2. Is the sample Minimum Detectable Activity < the Contract Detection Limit?	✓		
3. Are the correct isotopes reported?	✓		
B. QC Samples 1. Is the Minimum Detectable Activity for the blank result ≤ the Contract Detection Limit?	✓		
2. Does the blank result meet the Contract criteria?	✓		
3. Is the blank result < the Contract Detection Limit?	✓		
4. Is the blank result > the Contract Detection Limit but the sample result < the Contract Detection Limit?			✓
5. Is the LCS recovery within contract acceptance criteria?	✓		
6. Is the LCS Minimum Detectable Activity ≤ the Contract Detection Limit?	✓		
7. Do the MS/MSD results and yields meet acceptance criteria?			✓
8. Do the duplicate sample results and yields meet acceptance criteria?	✓		
C. Other 1. Are all Non-conformances included and noted?			✓
2. Are all required forms filled out?	✓		
3. Was the correct methodology used?	✓		
4. Was transcription checked?	✓		
5. Were all calculations checked at a minimum frequency?	✓		
6. Were units checked?	✓		

Comments on any "No" response: _____

Second Level Review: Sandra Segee Date: 6-17-13

LS-038B, Rev. 10, 9/07

CH2MHill Plateau Remediation Company	CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST			F13-002-241	PAGE 1 OF 1
COLLECTOR McIntyre / Floyd	COMPANY CONTACT EVANS, RT	TELEPHONE NO. 373-7924	PROJECT COORDINATOR EVANS, RT	PRICE CODE 7H	DATA TURNAROUND
SAMPLING LOCATION 289TC, 299-W11-50, Valve V03-YE06 --DUP	PROJECT DESIGNATION 200W Pump & Treat - Extraction Well Water Sampling		SAF NO. F13-002	AIR QUALITY ☐	30 Days / 30 Days
ICE CHEST NO.	FIELD LOGBOOK NO. HNF-N-491-9 Pg. 79	ACTUAL SAMPLE DEPTH N/A	COA 303111ES10	METHOD OF SHIPMENT GOVERNMENT VEHICLE	ORIGINAL
SHIPPED TO TestAmerica Incorporated, Richland	OFFSITE PROPERTY NO. SEE PTR		BILL OF LADING/AIR BILL NO. SEE PTR		

MATRIX*
A=Air
DL=Drum Liquids
DS=Drum Solids
L=Liquid
O=Oil
S=Soil
SE=Sediment
T=Tissue
V=Vegetation
W=Water
WI=Wipe
X=Other

POSSIBLE SAMPLE HAZARDS/ REMARKS
Contains Radioactive Material at concentrations that may or may not be regulated for transportation per 49 CFR/IATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1.

SPECIAL HANDLING AND/OR STORAGE

PRESERVATION	None
HOLDING TIME	6 Months
TYPE OF CONTAINER	G/P
NO. OF CONTAINER(S)	2
VOLUME	4L
SAMPLE ANALYSIS	I129LL_SEP_LEPS_GS_LL: COMMON;

SAMPLE NO.	MATRIX*	SAMPLE DATE	SAMPLE TIME	
B2PDC8	WATER	5-15-13	0804	✓

J3E160444 B ~~5-15-13~~ 5-16-13
W06569
Due 6-17-13
MOV3R

J3E160444

CHAIN OF POSSESSION		SIGN/ PRINT NAMES	
RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME
Dave Floyd / [illegible]	5-15-13 / 1010	J. Bockbock TALS	5-15-13 1010
RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME
RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME
RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME
RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME
RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME
RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME

SPECIAL INSTRUCTIONS
** The 200 Area S&GRP Characterization and Monitoring Sampling and Analysis GKI applies to this SAF. TRVL13-060

TRVL- 13- 060

LABORATORY SECTION	RECEIVED BY	TITLE	DATE/TIME
FINAL SAMPLE DISPOSITION	DISPOSAL METHOD	DISPOSED BY	DATE/TIME

PRINTED ON 5/9/2013

A-6003-618 (REV 2)

JUNE 17, 2013

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Sample Check-in List

Date/Time Received: FL 5-15-13 | 1010 Container GM Screen Result: (Airlock) 16 Initials[ ]
Sample GM Screen Result (Sample Receiving) 12 Initials[ ]

Client: FLH SDG #: W0L6569 SAF #: F13-002 NA[ ]

Lot Number: J3E160444

Chain of Custody # F13-002--241

Shipping Container ID or Air Bill Number : hand deliv NA [ ]

Samples received inside shipping container/cooler/box Yes [ ] Continue with 1 through 4. Initial appropriate response.
No [ ] Go to 5, add comment to #16.

1. Custody Seals on shipping container intact? Yes [ ] No [ ] No Custody Seal [ ]
2. Custody Seals dated and signed? Yes [ ] No [ ] No Custody Seal [ ]
3. Cooler temperature: _____°C NA [ ]
4. Vermiculite/packing materials is NA [ ] Wet [ ] Dry [ ]

Item 5 through 16 for samples. Initial appropriate response.

5. Chain of Custody record present? Yes [ ] No [ ]
6. Number of samples received (Each sample may contain multiple bottles): 1
7. Containers received: 2x 4L
8. Sample holding times exceeded? NA [ ] Yes [ ] No [ ]
9. Samples have: ____tape ____hazard labels ____custody seals ____appropriate sample labels
10. Matrix: ____A (FLT, Wipe, Solid, Soil) ____I (Water) ____S (Air, Niosh 7400) ____T (Biological, Ni-63)
11. Samples:
____are in good condition ____are leaking ____are broken
____have air bubbles (Only for samples requiring no head space) ____Other _____
12. Sample pH appropriate for analysis requested Yes [ ] No [ ] NA [ ]
(If acidification is necessary go to 17, then document sample ID, initial pH, amount of HNO_3 added and pH after addition on table)
13. Were any anomalies identified in sample receipt? Yes [ ] No [ ]
14. Description of anomalies (include sample numbers): NA [ ] _____
15. Sample Location, Sample Collector Listed on COC? * Yes [ ] No [ ]
*For documentation only. No corrective action needed.
16. Additional Information: N/A

[ ] Client/Courier denied temperature check. [ ] Client/Courier unpack cooler.

Sample Check-in List completed by Sample Custodian:
Signature: Janet Bosch Date: 5-15-13

Client Notification needed? Yes [ ] No [ ] Date: _____
By: _____
Person contacted: _____

No action necessary; process as is

Project Manager Sandra Lego Date 5-17-13

LS-023 Rev. 16, 02/13

Page 1 of 1

FLH

6/7/2013 2:46:03 PM

Sample Preparation/Analysis

Balance Id:1120482733

108302, CH2M Hill Plateau Remediation DOE RL
, Waste Management Federal Servi

BN I-129 Prp/Sep GAM002
TB Gamma by LEPD
5I CLIENT: HANFORD

Pipet #:

AnalyDueDate: 06/17/2013

Sep1 DT/Tm Tech:

Batch: 3137036 WATER pCi/L
SEQ Batch, Test: None All Tests: 3137036 BNTB,

PM, Quote: SS , 29754

Sep2 DT/Tm Tech:

Prep Tech: ,SannohS

Work Ord, Lot, Sample Date	Total Amt/Unit	Total Acidified/Unit	Initial Aliquot Amt/Unit	Adj Aliq Amt (Un-Acidified)	QC Tracer Prep Date	Tracer Yield	Dish Size	Ppt or Geometry	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
1 M0V3R-1-AA J3E160444-1-SAMP			3866.10g,in	3866.10g	ITA12985 04/25/13			33.1mg	200	L4	1403	6/10/13 m	
05/15/2013 08:04			AmtRec: 2X4LP	#Containers: 2					Scr:	Alpha: 1.44E-03 uCi/Sa		Beta: 8.89E-05 uCi/Sa	
2 M0V3R-1-AC-X J3E160444-1-DUP			3905.90g,in	3905.90g	ITA12986 04/25/13			32.9mg	200	L5	1404		
05/15/2013 08:04			AmtRec: 2X4LP	#Containers: 2					Scr:	Alpha: 1.44E-03 uCi/Sa		Beta: 8.89E-05 uCi/Sa	
3 M0V73-1-AA-B J3E170000-36-BLK			3977.30g,in	3977.30g	ITA12987 04/25/13			33.9mg	200	L4	1729	6/10/13 m	
05/20/2013 11:09 pd			AmtRec:	#Containers: 1					Scr:	Alpha:		Beta:	
4 M0V73-1-AC-C J3E170000-36-LCS			3978.30g,in	3978.30g	ISD1559 03/26/13			34.3mg	200	L5	1730		
05/20/2013 11:09 pd			AmtRec:	#Containers: 1					Scr:	Alpha:		Beta:	

6/7/2013 2:46:04 PM

Sample Preparation/Analysis

BN I-129 Prp/Sep GAM002
TB Gamma by LEPD
5I CLIENT: HANFORD

Balance Id:1120482733

Pipet #: _____

AnalyDueDate: 06/17/2013

Sep1 DT/Tm Tech:

Batch: 3137036 pCi/L
SEQ Batch, Test: None

Sep2 DT/Tm Tech:

Prep Tech: HarbinsonD,SannohS

Work Ord, Lot, Sample Date	Total Amt/Unit	Total Acidified/Unit	Initial Aliquot Amt/Unit	Adj Aliq Amt (Un-Acidified)	QC Tracer Prep Date	Tracer Yield	Dish Size	Ppt or Geometry	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:

Comments: M0V73-BLK CommentsS-12-00228DHP-1094,P-12-00571,S-12-00282,P-13-00069,S-13-000041,S-12-00193,S-12-00141,S-12-00061,P-13-00215,

```
All Clients for Batch:
   108302, CH2M Hill Plateau Remediation DOE RL      Waste Management Federal Servi,  SS , 29754

M0V3R1AA-SAMP Constituent List:
  I-129       RDL:5.00E-01    pCi/L     LCL:        UCL:        RPD:
M0V731AA-BLK:
  I-129       RDL:5.00E-01    pCi/L     LCL:        UCL:        RPD:
M0V731AC-LCS:
  I-129       RDL:5           pCi/L     LCL:70      UCL:130     RPD:20

M0V3R1AA-SAMP Calc Info:
     Uncert Level (#s).: 2     Decay to SaDt: Y     Blk Subt.: N     Sci.Not.: Y     ODRs: B
M0V731AA-BLK:
     Uncert Level (#s).: 2     Decay to SaDt: Y     Blk Subt.: N     Sci.Not.: Y     ODRs: B
M0V731AC-LCS:
     Uncert Level (#s).: 2     Decay to SaDt: Y     Blk Subt.: N     Sci.Not.: Y     ODRs: B
```


JUNE 17, 2013

6/13/2013 11:14:46 AM

ICOC Fraction Transfer/Status Report

ByDate: 6/13/2012, 6/18/2013, Batch: '3137036', User: *ALL Order By DateTimeAccepting

Q Batch	Work Ord	CurStatus	Accepting			Comments
3137036						
AC		**Rev1C**	**SannohS**	5/21/2013 8:56:06		
SC			mcginnist	IsBatched	5/20/2013 11:13:33 AM	ICOC_RADCALC v4.8.49
SC			SannohS	InPrep	5/21/2013 8:56:06 AM	RL-GAM-002 REVISION 3
SC			HarbinsonD	Sep2C	6/7/2013 2:47:07 PM	RL-GAM-002 REVISION 3
SC			NortonJ	InCnt1	6/7/2013 3:14:18 PM	RL-CI-007 REVISION 3
SC			DawkinsO	InRev1	6/12/2013 3:46:50 AM	RL-CI-007 REVISION 3
SC			antonsonl	Rev1C	6/13/2013 11:14:31 AM	RL-DR-001 Rev 2
AC			**HarbinsonD**	6/7/2013 2:47:07 PM		
AC			**NortonJ**	6/7/2013 3:14:18 PM		
AC			**DawkinsO**	6/12/2013 3:46:50		
AC			**antonsonl**	6/13/2013 11:14:31		

AC: Accepting Entry; SC: Status Change

TestAmerica Richland

Richland Wa.

Page 1

Grp Rec Cnt: 5

ICOCFractions v4.8.44