

SAF-RC-189
100N Field Remediation –
Soil Full Protocol
FINAL DATA PACKAGE

COMPLETE COPY OF DATA PACKAGE TO:

Kathy Wendt H4-21

KW 10/30/12
INITIAL/DATE

COMMENTS:

SDG D1229853

SAF-RC-189

Rad only

Chem only

Rad & Chem

Complete

Partial

Sample Location: 116-N-2 Verification



ANALYTICAL REPORT

Report Date: October 26, 2012

Joan Kessner
Washington Closure Hanford, LLC
2620 Fermi Ave.
Richland, WA 99354

Phone: (509) 375-4688

E-mail: Joan.kessner@wch-rcc.com

Workorder: **34-1229853**

Client Project ID: 100N Field Remediation

Purchase Order: RC-189-133

Project Manager: Kevin Griffiths

Analytical Results

| Sample ID: J1R3P0 | Media: Bulk | Collected: 10/18/2012 |
|--------------------------|---|-----------------------|
| Lab ID: 1229853001 | Sampling Location: 116-N-2 Verification | Received: 10/24/2012 |
| Method: NIOSH 9002 | | Analyzed: 10/25/2012 |
| Analyte | % | RL (%) |
| Chrysotile | ND | 1.0 |
| Amosite | ND | 1.0 |
| Crocidolite | ND | 1.0 |
| Actinolite/Tremolite | ND | 1.0 |
| Anthophyllite | ND | 1.0 |

Report Authorization

| Method | Analyst | Peer Review |
|------------|----------------|----------------------|
| NIOSH 9002 | Peter P. Steen | Paul M. Megerdichian |

Laboratory Contact Information

ALS Environmental
960 W LeVoy Drive
Salt Lake City, Utah 84123

Phone: (801) 266-7700
Email: als.lt.lab@ALSGlobal.com
Web: www.alssl.com

ADDRESS 960 West LeVoy Drive, Salt Lake City, Utah, USA 84123 | PHONE +1 801 266 7700 | FAX +1 801 268 9992
ALS GROUP USA, CORP. Part of the ALS Laboratory Group A Campbell Brothers Limited Company

Environmental

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



ANALYTICAL REPORT

Workorder: **34-1229853**

Client Project ID: 100N Field Remediation

Purchase Order: RC-189-133

Project Manager: Kevin Griffiths

General Lab Comments

The results provided in this report relate only to the items tested.
Samples were received in acceptable condition unless otherwise noted.
Samples have not been blank corrected unless otherwise noted.
This test report shall not be reproduced, except in full, without written approval of ALS.

ALS provides professional analytical services for all samples submitted. ALS is not in a position to interpret the data and assumes no responsibility for the quality of the samples submitted.

All quality control samples processed with the samples in this report yielded acceptable results unless otherwise noted.

ALS is accredited for specific fields of testing (scopes) in the following testing sectors. The quality system implemented at ALS conforms to accreditation requirements and is applied to all analytical testing performed by ALS. The following table lists testing sector, accreditation body, accreditation number and website. Please contact these accrediting bodies or your ALS project manager for the current scope of accreditation that applies to your analytical testing.

| Testing Sector | Accreditation Body (Standard) | Certificate Number | Website |
|------------------------|--|--------------------|---|
| Environmental | ACCLASS (DoD ELAP) | ADE-1420 | http://www.aiclasscorp.com |
| | Utah (NELAC) | DATA1 | http://health.utah.gov/lab/labimp/ |
| | Nevada | UT00009 | http://ndep.nv.gov/bsdwlabservice.htm |
| | Oklahoma | UT00009 | http://www.deq.state.ok.us/CSDnew/ |
| | Iowa | IA# 376 | http://www.iowadnr.gov/InsideDNR/RegulatoryWater.aspx |
| | Florida (TNI) | E871067 | http://www.dep.state.fl.us/labs/bars/sas/qa/ |
| | Texas (TNI) | T104704456-11-1 | http://www.tceq.texas.gov/field/qa/lab_accred_certif.html |
| Industrial Hygiene | AIHA (ISO 17025 & AIHA IHLAP/ELLAP) | 101574 | http://www.aihaaccreditedlabs.org |
| Lead Testing: | | | |
| CPSC | ACCLASS (ISO 17025, CPSC) | ADE-1420 | http://www.aiclasscorp.com |
| Soil, Dust, Paint ,Air | AIHA (ISO 17025, AIHA ELLAP and NLLAP) | 101574 | http://www.aihaaccreditedlabs.org |
| Dietary Supplements | ACCLASS (ISO 17025) | ADE-1420 | http://www.aiclasscorp.com |

Definitions

LOD = Limit of Detection = MDL = Method Detection Limit, A statistical estimate of method/media/instrument sensitivity.

LOQ = Limit of Quantitation = RL = Reporting Limit, A verified value of method/media/instrument sensitivity.

ND = Not Detected, Testing result not detected above the LOD or LOQ.

** No result could be reported, see sample comments for details.

< This testing result is less than the numerical value.

() This testing result is between the LOD and LOQ and has higher analytical uncertainty than values at or above the LOQ.

Project Shipment Specific Client/Shipper's Notification of Sample Radioactivity

Please complete this form and include it with each shipment.

Sample Number/RCF Number:

U1R3J4 / (rcf 34721)

Shipment Date:

10/23/12

All samples shipped in this cooler have been screened for radioactivity. All samples have activity less than:

| Total Activity | Gross Alpha Activity | Gross Beta/Gamma Activity |
|----------------|----------------------|---------------------------|
| <1500 pCi/g | <500 pCi/sample | <1000 pCi/sample |

I certify that the samples shipped to DataChem are below the criteria above.

WCH Signature:

Jonathan Cooper

Date:

10/23/12

Any samples in the shipment which have activity above the levels specified above require DataChem approval prior to shipment in accordance with the DataChem SOP WA-DC-002.

DataChem Nuclear Material License UT 1800237

This release has been authorized by Robert P. Di Rienzo, DataChem Radiation Safety Officer on December 6, 2007.



Analysis Report for RCF34721

J1R3J4 SAF:RC-189 100NFR/116-N-2 VERIFICATION SOIL SAMPLE

GAMMA SPECTRUM ANALYSIS

Sample Identification : RCF34721
Sample Description : J1R3J4 SAF:RC-189 100NFR/116-N-2 VERIFICATION SOIL SAMPLE
Sample Type : 80g pillbox

Sample Size : 7.700E+01 grams
Facility : Default

Sample Taken On : 10/18/2012 10:50:00AM
Acquisition Started : 10/22/2012 10:54:20AM

Procedure : 80 Gram Pill Box
Operator : RCT
Detector Name : REGIE2
Geometry : 80 Gram Pill Box
Live Time : 1800.0 seconds
Real Time : 1800.4 seconds

Dead Time : 0.02 %

Peak Locate Threshold : 3.00
Peak Locate Range (in channels) : 40 - 4096
Peak Area Range (in channels) : 40 - 4096
Identification Energy Tolerance : 1.000 keV

Energy Calibration Used Done On : 7/9/2012
Efficiency Calibration Used Done On : 3/7/2012
Efficiency Calibration Description : REGIE2 80g PB EC030212 SN85269-238

Sample Number : 28627

INTERFERENCE CORRECTED REPORT

| Nuclide Name | Nuclide Id Confidence | Wt mean Activity (pCi/grams) | Wt mean Activity Uncertainty | Comments |
|---------------------|------------------------------|-------------------------------------|-------------------------------------|-----------------|
| K-40 | 0.997 | 1.01E+01 | 2.94E+00 | |