



Shaw Environmental & Infrastructure, Inc.

RECEIVED JUNE 30, 2009

REVISION 1

Geotechnical Laboratory
1570 Bear Creek Road
Kingston TN 37763
(865) 482-6497

CERTIFICATE OF ANALYSIS

Stephen Trent
Fluor Hanford, Inc.
825 Jadwin Avenue
Richland, Washington 99352

November 14, 2008

This is the Certificate of Analysis for the following samples:

Shaw Project ID:	Eberline - Hanford
Shaw Project Number:	100846.840000
Client SDG Number:	H3845
Date Received by Lab:	September 9, 2008
Number of Samples:	Two (2)
Sample Type:	Soil

I. Introduction/Case Narrative

Two soil samples were received by the Shaw Geotechnical Laboratory on September 9, 2008. The samples were submitted for determination of moisture content, bulk density, and sieve analysis. The sample numbers received were B1VJ74 and B1VJ75.

Please see Appendix A, Sample Number Cross Reference List; Appendix B, Analysis Results; and Appendix C, Chain-of-Custody/Sample Receipt Records.

"I certify that this data package is in compliance with the SOW, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or a designee, as verified by the following signature."

Reviewed and Approved:

Ralph Cole
Laboratory Manager, Geotechnical Services

II. Analytical Results/Methodology

REFERENCES: United States Army Corps of Engineers (USACE), Engineer Manual 1110-2-1906, *Laboratory Soils Testing*, appendix II, 1970; United States Environmental Protection Agency, SW846, *Test Methods for Examining Solid Waste, Physical/Chemical Methods*, 3rd ed., Nov 1986 (EPA SW-846). Annual Book of ASTM Standards, Section 4, Construction, Volume 04.08, *Soil and Rock (I)*, and Volume 04.09, *Soil and Rock (II)*, 2008. Shaw Environmental and infrastructure, Standard Operating Procedures.

Moisture Content of Soil and Rock**ASTM D 2216**
Particle-Size Distribution of Soils**ASTM D 422**
Unit Weight **USACE EM 1110-2-1906 app. II**

III. Quality Control

Quality control checks such as duplicates and spikes (QC samples), are not normally applicable to geotechnical testing. This is due largely to the inability of obtaining samples with known characteristics, the heterogenous nature of the samples, and quality control procedures built-in to the analytical method.

QC measures to ensure accuracy and precision of test results include the following:

- 100% verification of all numerical results - raw data entries, transcriptions and calculations entered by lab technicians are checked, recalculated and verified. Most data calculations are performed by computer programs.
- Data validation through test reasonableness - summaries of all test results for individual reports are reviewed to determine the overall reasonableness of data and to determine the presence of any data that may be considered outliers.
- Quality control procedures are built into most standardized geotechnical procedures. For example, liquid limit and plastic limit analyses call for re-analyses and specify acceptance criteria.
- Routine instrument calibration - instruments, gauges and equipment used in testing are calibrated on a routine basis. All instrument calibration follows ASTM or manufacturer guidelines.
- Maintenance of all past calibration records - calibration records and certification documents of all instruments, gauges and equipment are updated routinely and maintained in the Quality Control Coordinators Quality/Operations files.

- Certified and trained personnel - all technicians are trained in the application of standard laboratory procedures for geotechnical analyses as well as the quality assurance measures implemented by Shaw.
- Quantitative analyses frequently used in geotechnical/physical testing programs do not use QC tools common to wet chemistry or radiochemistry laboratories. Measures not employed in the analysis of samples reported in this report include: laboratory control samples (LCS), blanks, matrix spikes (MS), duplicate analyses, dilutions, digestions, correction factors, surrogate sample analyses, detection limit determinations, control charts, and/or tentatively identified compounds (TICs).

IV. Data Qualification

A separate sample container was submitted for moisture determination. The entire contents of the sample container was used to determine the moisture content of the sample. An aliquot of this sample was not used. The moisture content of the sieve analysis sample is given on the sieve results sheet.

Appendix A
Sample Cross-Reference List

SAMPLE NUMBER CROSS-REFERENCE LIST

LAB SAMPLE NO.	CLIENT SAMPLE NO.	MATRIX
BC1432	B1VJ74	Soil
BC1433	B1VJ75	Soil

Appendix B
Data Results

**PARTICLE-SIZE DISTRIBUTION
 ASTM D 422**

Project Name Eberline Hanford

Field Sample No. B1VJ74

Project No. 100846.84000000


Lab Sample No. BC1432

SIEVE ANALYSIS

C O A R S E	Sieve No.	Diameter mm	Percent Finer
	3"	75.000	100.0%
	1.5"	37.500	100.0%
	0.75"	19.000	100.0%
	0.375"	9.500	100.0%
	#4	4.750	100.0%
	#10	2.000	99.0%

F I N E	Sieve No.	Diameter mm	Percent Finer
	#20	0.850	90.4%
	#40	0.425	61.7%
	#60	0.250	29.5%
	#100	0.149	15.6%
	#140	0.106	11.0%
	#200	0.075	8.4%

DISTRIBUTION CURVE



0.0% Gravel

91.6% Sand

8.4% Silt/Clay

**PARTICLE-SIZE DISTRIBUTION
 ASTM D 422**

Project Name Eberline Hanford

Field Sample No. B1VJ75

Project No. 100846.84000000


Lab Sample No. BC1433

SIEVE ANALYSIS

C O A R S E	Sieve No.	Diameter mm	Percent Finer
	3"	75.000	100.0%
	1.5"	37.500	100.0%
	0.75"	19.000	100.0%
	0.375"	9.500	94.7%
	#4	4.750	81.4%
	#10	2.000	44.5%

F I N E	Sieve No.	Diameter mm	Percent Finer
	#20	0.850	33.1%
	#40	0.425	22.6%
	#60	0.250	16.2%
	#100	0.149	12.0%
	#140	0.106	9.6%
	#200	0.075	7.9%

DISTRIBUTION CURVE



18.6% Gravel

73.4% Sand

7.9% Silt/Clay

Appendix C
Chain of Custody Records

COLLECTOR Mokler	COMPANY CONTACT TRENT, SJ	TELEPHONE NO. 373-5869	PROJECT COORDINATOR WIDRIG, DL	PRICE CODE 8N	DATA TURNAROUND 45 Days / 45 Days
SAMPLING LOCATION C6552, I-039	PROJECT DESIGNATION 216-A-5 Crib Characterization Sampling and Analysis - Soil		SAF NO. F08-126	AIR QUALITY <input type="checkbox"/>	
ICE CHEST NO. GWO-06-3	FIELD LOGBOOK NO. HNF-N-585 2	ACTUAL SAMPLE DEPTH 175.0' - 177.5'	COA 123124ES10	METHOD OF SHIPMENT FEDERAL EXPRESS	
SHIPPED TO Shaw Group	OFFSITE PROPERTY NO. SEE PTR		BILL OF LADING/AIR BILL NO. SEE PTR <i>Ship # 10070000</i>		

MATRIX* A=Air DL=Drum Liquids DS=Drum Solids L=Liquid O=Oil S=Soil SE=Sediment T=Tissue V=Vegetation W=Water WI=Wipe X=Other	POSSIBLE SAMPLE HAZARDS/ REMARKS Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)	PRESERVATION	None	None								
		TYPE OF CONTAINER	Split Spoon Liner	Moisture Resistant Cont								
		NO. OF CONTAINER(S)	1	1								
		VOLUME	1000g	200g								
		SPECIAL HANDLING AND/OR STORAGE	Radioactive Tie To: B1VJ26	SAMPLE ANALYSIS	SEE ITEM (1) IN SPECIAL INSTRUCTIONS	Moisture Content - D2216;						

SAMPLE NO.	MATRIX*	SAMPLE DATE	SAMPLE TIME								
B1VJ74	SOIL	8-12-08	1345	✓	✓	BC	1432				

CHAIN OF POSSESSION	SIGN/ PRINT NAMES
RELINQUISHED BY/REMOVED FROM J. Mokler	DATE/TIME 8-12-08 - 1530
RECEIVED BY/STORED IN A-5 Site Fridge	DATE/TIME 8/12/08 - 1530
RELINQUISHED BY/REMOVED FROM A-5 Fridge	DATE/TIME AUG 27 2008 / 0830
RECEIVED BY/STORED IN Kevin Patterson	DATE/TIME AUG 27 2008 / 0830
RELINQUISHED BY/REMOVED FROM Kevin Patterson	DATE/TIME AUG 27 2008 / 0900
RECEIVED BY/STORED IN Fluor Hanford	DATE/TIME AUG 27 2008 / 0900
RELINQUISHED BY/REMOVED FROM M0413 RMA	DATE/TIME 9-8-8 0730
RECEIVED BY/STORED IN DConnolly	DATE/TIME 9-8-8 0730
RELINQUISHED BY/REMOVED FROM DConnolly	DATE/TIME 9-8-8 1400
RECEIVED BY/STORED IN Felix	DATE/TIME
RELINQUISHED BY/REMOVED FROM	DATE/TIME
RECEIVED BY/STORED IN	DATE/TIME

SPECIAL INSTRUCTIONS

** The 200 Area S&GRP Characterization and Monitoring Sampling and Analysis GKI applies to this SAF.

** Analytical batch QC must be run on a sample associated with this SAF.
 (1) Bulk Density - D2937; Particle Size (Dry Sieve) - D422;

LABORATORY SECTION	RECEIVED BY <i>Paul Blum</i>	TITLE R50	DATE/TIME 9-9-08 @ 1000
FINAL SAMPLE DISPOSITION	DISPOSAL METHOD	DISPOSED BY	DATE/TIME

Fluor Hanford Inc.

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

F08-126-047 **REVISION 1** PAGE 1 OF 1

COLLECTOR Morton	COMPANY CONTACT TRENT, SJ	TELEPHONE NO. 373-5869	PROJECT COORDINATOR WIDRIG, DL	PRICE CODE 8N	DATA TURNAROUND 45 Days / 45 Days
SAMPLING LOCATION C6552, I-057	PROJECT DESIGNATION 216-A-5 Crib Characterization Sampling and Analysis - Soil		SAF NO. F08-126	AIR QUALITY <input type="checkbox"/>	
ICE CHEST NO. GWO-06-3	FIELD LOGBOOK NO. 44R-N-5352	ACTUAL SAMPLE DEPTH 265'	COA 123124E510	METHOD OF SHIPMENT FEDERAL EXPRESS	
SHIPPED TO Shaw Group	OFFSITE PROPERTY NO. SEE PTR		BILL OF LADING/AIR BILL NO. SEE PTR Ship # 110070000		

MATRIX* A=Air DL=Drum Liquids DS=Drum Solids L=Liquid O=Oil S=Soil SE=Sediment T=Tissue V=Vegetation W=Water WI=Wipe X=Other	POSSIBLE SAMPLE HAZARDS/ REMARKS Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)	PRESERVATION	None	None																		
		TYPE OF CONTAINER	Split Spoon Liner	Moisture Resistant Cont																		
		NO. OF CONTAINER(S)	1	1																		
		VOLUME	1000g	200g																		
		SPECIAL HANDLING AND/OR STORAGE Radioactive Tie To: B1VJ44	SAMPLE ANALYSIS	SEE ITEM (1) IN SPECIAL INSTRUCTIONS	Moisture Content - D2216;																	

SAMPLE NO.	MATRIX*	SAMPLE DATE	SAMPLE TIME																		
B1VJ75	SOIL	8/20/08	1255	-	-																

CHAIN OF POSSESSION	SIGN/ PRINT NAMES	SPECIAL INSTRUCTIONS
RELINQUISHED BY/REMOVED FROM S. Morton DATE/TIME 8/20/08 1518	RECEIVED BY/STORED IN AS JHE FRIDGE DATE/TIME 8/20/08 1518	** The 200 Area S&GRP Characterization and Monitoring Sampling and Analysis GKI applies to this SAF.
RELINQUISHED BY/REMOVED FROM A.S. Fridge DATE/TIME AUG 25 2008/1800	RECEIVED BY/STORED IN Kevin Patterson DATE/TIME AUG 27 2008/0800	** Analytical batch QC must be run on a sample associated with this SAF. (1) Bulk Density - D2937; Particle Size (Dry Sieve) - D422;
RELINQUISHED BY/REMOVED FROM Fluor Hanford DATE/TIME AUG 27 2008/0800	RECEIVED BY/STORED IN MOYIB RMA DATE/TIME AUG 27 2008/0800	
RELINQUISHED BY/REMOVED FROM MOYIB RMA DATE/TIME 9-8-8 0730	RECEIVED BY/STORED IN D Connolly DATE/TIME 9-8-8 0730	
RELINQUISHED BY/REMOVED FROM D Connolly DATE/TIME 9-8-8 1400	RECEIVED BY/STORED IN Fed Ex DATE/TIME	
RELINQUISHED BY/REMOVED FROM	RECEIVED BY/STORED IN	

LABORATORY SECTION	RECEIVED BY [Signature]	TITLE R50	DATE/TIME 9-9-08 @1000
FINAL SAMPLE DISPOSITION	DISPOSAL METHOD	DISPOSED BY	DATE/TIME