

Fluor Hanford
WSCF Analytical Lab
P.O. Box 1000
Richland, WA 99352
Telephone 373-7495
Telefax 372-0456

FLUOR

Memorandum

M4W41-SLF-08-581

To: H. Hampt E6-35 Date: June 2, 2008

From: S. L. Fitzgerald, Manager
WSCF Analytical Lab 

cc: w/Attachments

T. F. Dale	S3-30	J. E. Trechter	S3-30
A. J. Kopriva	S3-30	S. J. Trent	E6-35
H. K. Meznarich	S3-30	File/LB	
P. D. Mix	S3-30		

Subject: FINAL RESULTS FOR SAMPLE DELIVERY GROUP WSCF20080813 – SAF NUMBER F08-066

Reference: (1) Groundwater Protection Program-Letter of Instruction, FH-EIS-2003-MEM-001, October 31, 2002

(2) HNF-SD-CD-QAPP-017, Rev. 8, Waste Sampling & Characterization Facility Quality Assurance Plan

This letter contains the following information for sample delivery group WSCF20080813:

- Cover Sheet (Attachment 1)
- Narrative (Attachment 2)
- Analytical Results (Attachment 3)
- Sample Receipt Information (Attachment 4)
- Sample Record Sheet (Attachment 5)

SLF/grf

Attachments 5

M4W41-SLF-08-581

ATTACHMENT 1

COVER SHEET

Consisting of 2 pages
Including cover page

WSCF SAF NUMBER CROSS REFERENCE

Group#: WSCF20080813
Data Deliverable Date: 29-may-2008
Data Deliverable: Cover Sheet

SAF#	Sample ID	WSCF#	Matrix
F08-066	B1TFC4	W08GR01057	SOIL
	B1TFC6	W08GR01053	SOIL
	B1TFC7	W08GR01058	SOIL
	B1TFC9	W08GR01054	SOIL

M4W41-SLF-08-581

ATTACHMENT 2

NARRATIVE

Consisting of 4 pages
Including cover page

Introduction

Six S&GRP samples were received at the WSCF Laboratory on April 16, 2008. Four of the samples were analyzed for the analytes indicated on the attached copy of the chain of custody (COC) form in accordance with the *Groundwater Remediation Program – Letter of Instruction*, referenced in the cover letter. Analysis of the high concentration VOA samples and corresponding Blanks (B1TFC5 and B1TFC8) was not required.

The narrative (Attachment 2) will address sample characteristics, analyses requested and general information in performance of the analytical methods. A Data Summary Report (Attachment 3) includes analytical results, a comment report detailing method abnormalities, tentatively identified peaks if applicable, method references, and Laboratory QC information as applicable. Copies of the chain of custody and sample receipt documentation are included as Attachment 4. Additionally, copies of the sample record sheets are included as Attachment 5.

It should be noted that the attached chain of custody was stamped “ICED” by the WSCF Laboratory Sample Custodian during sample receiving, indicating the presence of ice in the sample container.

Analytical Methodology for Requested Analyses

Refer to *WSCF Method References Report*, pages 13 through 15, for a complete listing of approved analytical methods.

Inorganic Comments

Anions – Hold time requirements for this analysis were met. A Duplicate, Matrix Spike, Matrix Spike Duplicate, Blank and Laboratory Control Sample were analyzed with this delivery group per GRP Letter of Instruction. See pages 18 through 19 for QC details. Analytical Note(s):

- Duplicate, Matrix Spike and Matrix Spike Duplicate were analyzed on sample# B1TNV4 (SDG# 20080786, SAF# F08-046).
- Sample results were D flagged if dilution(s) were required.
- Sample results that were less than the reportable limit, however greater than the method detection limit were B flagged.

All QC controls are within the established limits.

ICP-MS Metals – The hold time requirements for this analysis were met. A Matrix Spike, Matrix Spike Duplicate, Blank and Laboratory Control Sample were analyzed with this delivery group per the GRP Letter of Instruction. See pages 20 through 22 for QC details. Analytical Note(s):

- Matrix Spikes and Matrix Spike Duplicates were analyzed on samples B1TNV4 (SDG# 20080786, SAF# F08-046) and B1TTM7 (SDG# 20080787, SAF# F07-026).
- B1TNV4 (Barium) – Spike Relative Percent Difference (RPD) slightly exceeded established laboratory limits. Sample result was X flagged.

All QC controls are within the established limits.

pH – The hold time requirement for this analysis was met. A Duplicate and Laboratory Control Sample were analyzed with this delivery group per the GRP Letter of Instruction. See page 23 for QC details. Analytical Note(s):

- Duplicate QC was analyzed on sample# B1TFC3 (SDG# 20080797, SAF# F08-066).

All QC controls are within the established limits.

Organic Comments

All results area corrected for moisture and reported on a dry weight basis.

PCB – The hold time requirements for this analysis were met. A Matrix Spike, Matrix Spike Duplicate, Blank and Laboratory Control Sample were analyzed with this delivery group per the GRP Letter of Instruction. See pages 34 through 35 for QC details. Analytical Note(s):

- Matrix Spike and Matrix Spike Duplicate were analyzed on sample# B1TFC3 (SDG# 20080797, SAF# F08-066).

All QC controls are within the established limits.

Semi-VOA – The hold time requirements for this analysis were met. A Matrix Spike, Matrix Spike Duplicate, Blank and Laboratory Control Sample were analyzed with this delivery group per the GPP Letter of Instruction. See pages 36 through 39 for QC details. Analytical Note(s):

- Matrix Spike and Matrix Spike Duplicate were analyzed on sample# B1V2L5 (SDG# 20080801, SAF# F08-043).

All QC controls are within the established limits.

TPHD-WA – The hold time requirements for this analysis were met. A Matrix Spike, Matrix Spike Duplicate, Blank and Laboratory Control Sample were analyzed with this delivery group. See page 40 for QC details.

All QC controls are within the established limits.

VOA – The hold time requirement for this analysis was met. A Matrix Spike, Matrix Spike Duplicate, Blank and Laboratory Control Sample, were analyzed with this delivery group per the GRP Letter of Instruction. See pages 41 through 43 for QC details. Analytical Note(s):

- Analysis of the high concentration VOA samples and corresponding Blanks (B1TFC5 and B1TFC8) was not required.
- Sample results that were less than the lowest calibration standard, however greater than the method detection limit were J flagged.

All QC controls are within the established limits.


Radiochemistry Comments


Rad Chem – There are no hold times associated with WSCF’s radiochemical methods. A Duplicate, Matrix Spike, Matrix Spike Duplicate, Blank and Laboratory Control Sample were analyzed with this delivery group. See pages 50 through 55 for QC details. Analytical Note(s):

- Americium-241 and 243 (tracer) – Duplicate RPD for Americium-241 exceeded established laboratory limits due to low sample activity. No flags issued.
- Plutonium-238, 239/240 and 242 (tracer) – Duplicate RPD for Plutonium-238 and 239/240 slightly exceeded established laboratory limits. No flags issued.
- Strontium-89/90 and 85 (tracer) – Duplicate RPD for Strontium-89/90 exceeded established laboratory limits. No flags issued.
- Uranium-233/234, 235, 238 and 232 (tracer) – Duplicate RPD for Uranium-235 slightly exceeded established laboratory limits. No flags issued.
- Uranium-232 (tracer) – Surrogate recovery slightly exceeded established laboratory limits. No flags issued.

All other QC controls are within the established limits.

I certify that this data package is in compliance with the LOI, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Analytical Manager and Client Services as verified by the following signatures.


Scot L. Fitzgerald
WSCF Analytical Laboratory Manager


Pauline D. Mix
WSCF Client Services

M4W41-SLF-08-581

ATTACHMENT 3

ANALYTICAL RESULTS

Consisting of 50 pages
Including cover page

WSCF
ANALYTICAL RESULTS REPORT

for
Groundwater Remediation Program

Richland, WA 99354

Attention: Steve Trent

Analytical: ~~AS~~ S.F. + syc 11 6/2/08
Client Services: GW by P.D. Mix 6/2/2008

All results are reported on an "as received" basis unless otherwise noted in the comment section.

This information is intended for the use of the addressee only. If the reader of this report is not the intended recipient or is not authorized by the recipient to receive the report, you are hereby notified that any dissemination, distribution or copying of this report is strictly prohibited. If you have received this report in error, please notify WSCF Laboratory immediately by telephone at (509) 373-7020 or (509) 531-8004. Information designation of this report is the responsibility of the customer.

Contract#: FH-EIS-2003-MEM-001
Report#: WSCF20080813
Report Date: 29-may-2008
Report WGPP/ver. 5.2
Groundwater Remediation Program

Department: Inorganic

W13q Worklist/Batch/QC Report for Group# WSCF20080813

WL#	S#	Batch	QC#	Tray Type	Sample#	Test
				SAMPLE	W08GR01053	Percent Solids
				SAMPLE	W08GR01054	Percent Solids
			40819	DUP	W08GR01029	pH Soil and Waste Measurement
			40819	SAMPLE	W08GR01053	pH Soil and Waste Measurement
			40819	SAMPLE	W08GR01054	pH Soil and Waste Measurement
36149	2	36566	40890	BLANK		Anions by Ion Chromatography
36149	17	36566	40890	BLANK		Anions by Ion Chromatography
36149	3	36566	40890	LCS		Anions by Ion Chromatography
36149	5	36566	40890	DUP	W08GR01020	Anions by Ion Chromatography
36149	6	36566	40890	MS	W08GR01020	Anions by Ion Chromatography
36149	7	36566	40890	MSD	W08GR01020	Anions by Ion Chromatography
36149	7	36566	40890	SPK-RPD	W08GR01020	Anions by Ion Chromatography
36149	14	36566	40890	SAMPLE	W08GR01053	Anions by Ion Chromatography
36149	15	36566	40890	SAMPLE	W08GR01054	Anions by Ion Chromatography
36177	1	36594	40927	BLANK		ICP-200.8 MS All possible meta
36177	2	36594	40927	LCS		ICP-200.8 MS All possible meta
36177	4	36594	40927	MS	W08GR01020	ICP-200.8 MS All possible meta
36177	5	36594	40927	MSD	W08GR01020	ICP-200.8 MS All possible meta
36177	5	36594	40927	SPK-RPD	W08GR01020	ICP-200.8 MS All possible meta
36177	7	36594	40927	MS	W08GR01023	ICP-200.8 MS All possible meta
36177	8	36594	40927	MSD	W08GR01023	ICP-200.8 MS All possible meta
36177	8	36594	40927	SPK-RPD	W08GR01023	ICP-200.8 MS All possible meta
36177	13	36594	40927	SAMPLE	W08GR01053	ICP-200.8 MS All possible meta
36177	14	36594	40927	SAMPLE	W08GR01054	ICP-200.8 MS All possible meta

Department: Organic

W13q Worklist/Batch/QC Report for Group# WSCF20080813

WL#	S#	Batch	QC#	Tray Type	Sample#	Test
			40815	BLANK		PCBs complete list
			40815	LCS		PCBs complete list
			40815	MS	W08GR01029	PCBs complete list
			40815	MSD	W08GR01029	PCBs complete list
			40815	SPK-RPD	W08GR01029	PCBs complete list
			40815	SAMPLE	W08GR01053	PCBs complete list
			40815	SURR	W08GR01053	PCBs complete list
			40815	SAMPLE	W08GR01054	PCBs complete list
			40815	SURR	W08GR01054	PCBs complete list
			40959	BLANK		NWTPH-D TPH Diesel Range (Wa)
			40959	LCS		NWTPH-D TPH Diesel Range (Wa)
			40959	MS	W08GR01053	NWTPH-D TPH Diesel Range (Wa)
			40959	MSD	W08GR01053	NWTPH-D TPH Diesel Range (Wa)
			40959	SAMPLE	W08GR01053	NWTPH-D TPH Diesel Range (Wa)
			40959	SPK-RPD	W08GR01053	NWTPH-D TPH Diesel Range (Wa)
			40959	SURR	W08GR01053	NWTPH-D TPH Diesel Range (Wa)
			40959	SAMPLE	W08GR01054	NWTPH-D TPH Diesel Range (Wa)
			40959	SURR	W08GR01054	NWTPH-D TPH Diesel Range (Wa)
			40965	BLANK		SW-846 8270C Semi-Vols
			40965	LCS		SW-846 8270C Semi-Vols
			40965	MS	W08GR01038	SW-846 8270C Semi-Vols
			40965	MSD	W08GR01038	SW-846 8270C Semi-Vols
			40965	SPK-RPD	W08GR01038	SW-846 8270C Semi-Vols
			40965	SAMPLE	W08GR01053	SW-846 8270C Semi-Vols
			40965	SURR	W08GR01053	SW-846 8270C Semi-Vols
			40965	SAMPLE	W08GR01054	SW-846 8270C Semi-Vols
			40965	SURR	W08GR01054	SW-846 8270C Semi-Vols
			41191	BLANK		VOA Ground Water Protection
			41191	LCS		VOA Ground Water Protection
			41191	MS	W08GR01057	VOA Ground Water Protection
			41191	MSD	W08GR01057	VOA Ground Water Protection
			41191	SAMPLE	W08GR01057	VOA Ground Water Protection
			41191	SPK-RPD	W08GR01057	VOA Ground Water Protection
			41191	SURR	W08GR01057	VOA Ground Water Protection
			41191	SAMPLE	W08GR01058	VOA Ground Water Protection
			41191	SURR	W08GR01058	VOA Ground Water Protection

W13q Worklist/Batch/QC Report for Group# WSCF20080813

WL#	S#	Batch	QC#	Tray Type	Sample#	Test
36131	1	36546	41103	BLANK		Strontium 89/90
36131	2	36546	41103	LCS		Strontium 89/90
36131	3	36546	41103	DUP	W08GR01053	Strontium 89/90
36131	4	36546	41103	SAMPLE	W08GR01053	Strontium 89/90
36131	5	36546	41103	SURR	W08GR01053	Strontium 89/90
36131	6	36546	41103	SAMPLE	W08GR01054	Strontium 89/90
36131	7	36546	41103	SURR	W08GR01054	Strontium 89/90
36198	1	36614	41178	BLANK		Uranium Isotopics by AEA
36198	2	36614	41178	LCS		Uranium Isotopics by AEA
36198	3	36614	41178	DUP	W08GR01053	Uranium Isotopics by AEA
36198	10	36614	41178	SAMPLE	W08GR01053	Uranium Isotopics by AEA
36198	11	36614	41178	SURR	W08GR01053	Uranium Isotopics by AEA
36198	12	36614	41178	SAMPLE	W08GR01054	Uranium Isotopics by AEA
36198	13	36614	41178	SURR	W08GR01054	Uranium Isotopics by AEA
36316	1	36732	41180	BLANK		Plutonium Isotopics by AEA
36316	2	36732	41180	LCS		Plutonium Isotopics by AEA
36316	3	36732	41180	DUP	W08GR01053	Plutonium Isotopics by AEA
36316	10	36732	41180	SAMPLE	W08GR01053	Plutonium Isotopics by AEA
36316	11	36732	41180	SURR	W08GR01053	Plutonium Isotopics by AEA
36316	12	36732	41180	SAMPLE	W08GR01054	Plutonium Isotopics by AEA
36316	13	36732	41180	SURR	W08GR01054	Plutonium Isotopics by AEA
36385	1	36800	41182	BLANK		Neptunium by AEA
36385	2	36800	41182	LCS		Neptunium by AEA
36385	3	36800	41182	DUP	W08GR01053	Neptunium by AEA
36385	5	36800	41182	MS	W08GR01053	Neptunium by AEA
36385	6	36800	41182	MSD	W08GR01053	Neptunium by AEA
36385	4	36800	41182	SAMPLE	W08GR01053	Neptunium by AEA
36385	6	36800	41182	SPK-RPD	W08GR01053	Neptunium by AEA
36385	8	36800	41182	MS	W08GR01054	Neptunium by AEA
36385	7	36800	41182	SAMPLE	W08GR01054	Neptunium by AEA
36094	1	36510	41198	BLANK		Gamma Energy Analysis-grd H2O
36094	2	36510	41198	LCS		Gamma Energy Analysis-grd H2O
36094	3	36510	41198	DUP	W08GR01053	Gamma Energy Analysis-grd H2O
36094	4	36510	41198	SAMPLE	W08GR01053	Gamma Energy Analysis-grd H2O
36094	5	36510	41198	SAMPLE	W08GR01054	Gamma Energy Analysis-grd H2O
36317	1	36733	41206	BLANK		Americium by AEA
36317	2	36733	41206	LCS		Americium by AEA
36317	3	36733	41206	DUP	W08GR01053	Americium by AEA
36317	10	36733	41206	SAMPLE	W08GR01053	Americium by AEA
36317	11	36733	41206	SURR	W08GR01053	Americium by AEA
36317	12	36733	41206	SAMPLE	W08GR01054	Americium by AEA
36317	13	36733	41206	SURR	W08GR01054	Americium by AEA

WSCF

METHOD REFERENCES REPORT

Department: Inorganic

The results provided in this report were generated using the following WSCF Laboratory procedures. For your convenience, this table provides a listing of the regulatory or industry methods that are referenced by each of these WSCF procedures. Please note that the most recent version of the regulatory or industry method is listed here even though the WSCF procedure may reference an older version of the method. Also, a reference to a regulatory or industry method here does not necessarily indicate a verbatim implementation of that method.

LA-212-411	Determination of Soil pH Measurement EPA SW-846 9045D SOIL AND WASTE pH HEIS 150.1_PH pH
LA-505-412	LA-505-412: DETERMINATION OF TRACE ELEMENTS IN WATERS AND WASTES BY INDUCTIVELY COUPLED PLASMA EPA-600/R-94-111 200.8 DETERMINATION OF TRACE ELEMENTS IN WATERS AND WASTES BY INDUCTIVELY COUPLED PLASMA HEIS 200.8_METALS_ICPMS Inductively Coupled Plasma - Mass Spectrometry HEIS RADISOTOPES_ICPMS Radioisotopes by ICP/MS
LA-519-412	LA-519-412: TOTAL RESIDUE/% SOLIDS DRIED AT 103 - 105 C EPA-600/4-79-020 160.1 Residual, Filterable EPA-600/4-79-020 160.3 RESIDUE, TOTAL HEIS 160.1_TDS Residual, Filterable Standard Methods 2540B Total Solids Dried at 103-105 C
LA-533-410	LA-533-410: ANION ANALYSIS BY ION CHROMATOGRAPHY EPA-600/R-94-111 300.0 DETERMINATION OF INORGANIC ANIONS BY ION CHROMATOGRAPHY HEIS 300.0_ANIONS_IC Determination of Inorganic Anions by Ion Chromatography

Note: A complete list of WSCF analytical procedures and referenced regulatory or industry methods is available online at <http://www2.rl.gov/phmc/as-dol>.

Report Date: 29-may-2008
Report#: WSCF20080813
Report WGPMM/5.2

WSCF

METHOD REFERENCES REPORT

Department: Organic

The results provided in this report were generated using the following WSCF Laboratory procedures. For your convenience, this table provides a listing of the regulatory or industry methods that are referenced by each of these WSCF procedures. Please note that the most recent version of the regulatory or industry method is listed here even though the WSCF procedure may reference an older version of the method. Also, a reference to a regulatory or industry method here does not necessarily indicate a verbatim implementation of that method.

LA-523-427	LA-523-427: POLYCHLORINATED BIPHENYLS (PCBs) BY GAS CHROMATOGRAPHY
EPA SW-846 3510C	SEPARATORY FUNNEL LIQUID-LIQUID EXTRACTION
EPA SW-846 3545	PRESSURIZED FLUID EXTRACTION (PFE)
EPA SW-846 3665A	SULFURIC ACID/PERMANGANATE CLEANUP
EPA SW-846 8000B	DETERMINATIVE CHROMATOGRAPHIC SEPARATIONS
EPA SW-846 8082A	POLYCHLORINATED BIPHENYLS (PCBs) BY GAS CHROMATOGRAPHY
HEIS 8082_PCB_GC	Polychlorinated Biphenyls (PCBs) by Gas Chromatography
LA-523-455	LA-523-455: VOLATILE SAMPLE ANALYSIS BY SW-846
EPA SW-846 8000B	DETERMINATIVE CHROMATOGRAPHIC SEPARATIONS
EPA SW-846 8260B	VOLATILE ORGANIC COMPOUNDS BY GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)
HEIS 8260_VOA_GCMS	Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)
LA-523-456	LA-523-456: SEMIVOLATILE SAMPLE ANALYSIS BY SW-846, METHOD 8270C
EPA SW-846 8000B	DETERMINATIVE CHROMATOGRAPHIC SEPARATIONS
EPA SW-846 8270C	SEMIVOLATILE ORGANIC COMPOUNDS BY GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)
HEIS 8270_SVOA_GCMS	Semivolatile Organic Compounds By Gas Chromatography/Mass Spectrometry (GC/MS)
LA-523-493	NWTPH-Diesel and/or Gasoline
HEIS WTPH_DIESEL (HEIS)	Total Petroleum Hydrocarbons in Diesel
WDOE TPHD	Total Petroleum Hydrocarbons in Diesel

Note: A complete list of WSCF analytical procedures and referenced regulatory or industry methods is available online at <http://www2.rl.gov/phmc/as-dol>.

Report Date: 29-may-2008
Report#: WSCF20080813
Report WGPMM/5.2

WSCF

METHOD REFERENCES REPORT

Department: Radiochemistry

The results provided in this report were generated using the following WSCF Laboratory procedures. For your convenience, this table provides a listing of the regulatory or industry methods that are referenced by each of these WSCF procedures. Please note that the most recent version of the regulatory or industry method is listed here even though the WSCF procedure may reference an older version of the method. Also, a reference to a regulatory or industry method here does not necessarily indicate a verbatim implementation of that method.

- LA-508-415** LA-508-415: OPERATION OF THE PROTEAN 2-INCH ALPHA/BETA COUNTING SYSTEM FOR GROSS
HEIS ALPHA_GPC GROSS ALPHA GPC
HEIS BETA_GPC GROSS BETA GPC
HEIS SRTOT_SEP_PRECIP_GPC Radium-226
HEIS SRTOT_SEP_PRECIP_GPC Radium-226
- LA-508-471** LA-508-471: ALPHA ENERGY ANALYZER DATA ACQUISITION AND SYSTEM CHECKOUT USING ALP
HEIS PUIISO_IE_PRECIP_AEA Plutonium by Alpha Energy Analysis
HEIS RAISO_AEA Radium-226
- LA-508-481** LA-508-481: GAMMA ENERGY ANALYSIS USING PROCOUNT SOFTWARE
HEIS GAMMA_GS Gamma Emission Spectrometry

Note: A complete list of WSCF analytical procedures and referenced regulatory or industry methods is available online at <http://www2.ri.gov/phmc/as-doi>.

Report Date: 29-may-2008
Report #: WSCF20080813
Report WGPFM/5.2

WSCF ANALYTICAL RESULTS REPORT

Attention: Steve Trent **Group #:** WSCF20080813
SAF Number: F08-066 **Department:** Inorganic
Sample #: W08GR01053 **Sampled:** 04/10/08
Client ID: BITFC6 **Received:** 04/16/08

GPP **TRENT** **Matrix:** SOIL
WSCF

Test Performed	CAS #	Method	RQ	Result	Unit	TP Err	Unit	DF	MDL	PQL	Analysis Date
----------------	-------	--------	----	--------	------	--------	------	----	-----	-----	---------------

Anions by Ion Chromatography Prep

Anions by Ion Chromatography

Fluoride	16984-48-8	LA-533-410	DU	< 0.300	mg/kg			50.00	0.30		04/30/08
Nitrogen in Nitrite	NO2-N	LA-533-410	DU	< 0.500	mg/kg			50.00	0.50		04/30/08
Nitrogen in Nitrate	NO3-N	LA-533-410	BD	1.53	mg/kg			50.00	0.25		04/30/08
Sulfate	14808-79-8	LA-533-410	BD	14.6	mg/kg			50.00	3.5		04/30/08

ICP-200.8 MS All possible meta Prep

ICP-200.8 MS All possible meta

Nickel	7440-02-0	LA-505-412		11.0	mg/kg			0.99	0.197		05/01/08
Silver	7440-22-4	LA-505-412	U	< 0.0986	mg/kg			0.99	0.0986		05/01/08
Barium	7440-39-3	LA-505-412	X	66.3	mg/kg			0.99	0.197		05/01/08
Beryllium	7440-41-7	LA-505-412		0.160	mg/kg			0.99	0.0493		05/01/08
Cadmium	7440-43-9	LA-505-412		0.130	mg/kg			0.99	0.0986		05/01/08
Chromium	7440-47-3	LA-505-412		8.65	mg/kg			0.99	0.493		05/01/08
Copper	7440-50-8	LA-505-412		18.3	mg/kg			0.99	0.0986		05/01/08
Zinc	7440-66-6	LA-505-412		32.4	mg/kg			0.99	0.789		05/01/08
Lead	7439-92-1	LA-505-412		2.56	mg/kg			0.99	0.0986		05/01/08
Mercury	7439-97-6	LA-505-412	U	< 0.0493	mg/kg			0.99	0.0493		05/01/08
Arsenic	7440-38-2	LA-505-412		1.67	mg/kg			0.99	0.394		05/01/08
Selenium	7782-49-2	LA-505-412		0.380	mg/kg			0.99	0.296		05/01/08

Total solids

Total solids	TS	LA-519-412		97.4	Percent			1.00	0.0		04/24/08
--------------	----	------------	--	------	---------	--	--	------	-----	--	----------

pH Measurement

pH Measurement	PH	LA-212-411		9.18	unitless			1.00	0.010		04/25/08
----------------	----	------------	--	------	----------	--	--	------	-------	--	----------

MDL = Minimum Detection Limit B - The analyte < the RDL but > = the IDL/MDL (inorg)

RQ = Result Qualifier J - Analyte < lowest calibration but > = MDL (org)

TP Err = Total Propagated Error U - Analyzed for but not detected above limiting criteria.

DF = Dilution Factor X - Other flags/notes described in the comments/narrative(inorg)

* - Indicates results that have NOT been validated; + - Indicates more than six qualifier symbols

Report WGPP/ver. 5.2

Groundwater Remediation Program

D - Analyte was identified at a secondary dilution factor(inorg)

U - Analyzed for but not detected above limiting criteria(inorg)

U - Analyzed for but not detected above limiting criteria.(org)

U - Analyzed for but not detected above limiting criteria.(org)

WSCF ANALYTICAL RESULTS REPORT

Attention: Steve Trent
SAF Number: F08-066
Sample #: W08GR01054
Client ID: BITFC9

Group #: WSCF20080813
Department: Inorganic
Sampled: 04/10/08
Received: 04/16/08

GPP WSCF
TRENT
Matrix: SOIL

Test Performed	CAS #	Method	RQ	Result	Unit	TP Err	Unit	DF	MDL	PQL	Analysis Date
Anions by Ion Chromatography Prep											
Anions by Ion Chromatography											
Fluoride	16984-48-8	LA-533-410	DU	< 0.300	mg/kg			50.00	0.30		04/30/08
Nitrogen in Nitrite	NO2-N	LA-533-410	DU	< 0.500	mg/kg			50.00	0.50		04/30/08
Nitrogen in Nitrate	NO3-N	LA-533-410	BD	0.983	mg/kg			50.00	0.25		04/30/08
Sulfate	14808-79-8	LA-533-410	BD	16.4	mg/kg			50.00	3.5		04/30/08
ICP-200.8 MS All possible meta Prep											
ICP-200.8 MS All possible meta											
Nickel	7440-02-0	LA-505-412		21.7	mg/kg			0.97	0.193		05/01/08
Silver	7440-22-4	LA-505-412	U	< 0.0967	mg/kg			0.97	0.0967		05/01/08
Barium	7440-39-3	LA-505-412	X	61.4	mg/kg			0.97	0.193		05/01/08
Beryllium	7440-41-7	LA-505-412		0.150	mg/kg			0.97	0.0483		05/01/08
Cadmium	7440-43-9	LA-505-412		0.120	mg/kg			0.97	0.0967		05/01/08
Chromium	7440-47-3	LA-505-412		29.0	mg/kg			0.97	0.483		05/01/08
Copper	7440-50-8	LA-505-412		14.5	mg/kg			0.97	0.0967		05/01/08
Zinc	7440-66-6	LA-505-412		29.6	mg/kg			0.97	0.773		05/01/08
Lead	7439-92-1	LA-505-412		3.86	mg/kg			0.97	0.0967		05/01/08
Mercury	7439-97-6	LA-505-412	U	< 0.0483	mg/kg			0.97	0.0483		05/01/08
Arsenic	7440-38-2	LA-505-412		3.82	mg/kg			0.97	0.387		05/01/08
Selenium	7782-49-2	LA-505-412	U	< 0.290	mg/kg			0.97	0.290		05/01/08
Total solids											
Total solids	TS	LA-519-412		98.2	Percent			1.00	0.0		04/24/08
pH Measurement											
pH Measurement	PH	LA-212-411		9.22	unitless			1.00	0.010		04/25/08

MDL = Minimum Detection Limit B - The analyte < the RDL but > = the IDL/MDL (inorg)
RQ = Result Qualifier J - Analyte < lowest calibration but > = MDL (org)
TP Err = Total Propagated Error U - Analyzed for but not detected above limiting criteria.
DF = Dilution Factor X - Other flags/notes described in the comments/narrative (inorg)

* - Indicates results that have NOT been validated; + - Indicates more than six qualifier symbols
 Report WGPP/ver. 5.2
 Groundwater Remediation Program

WSCF ANALYTICAL LABORATORY QC REPORT

Department: Inorganic

SDG Number: WSCF20080813

Matrix: SOLID

Test: Anions by Ion Chromatography

Sample Date: 04/11/08

Receive Date: 04/11/08

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date	
Lab ID: W08GR01020												
BATCH QC ASSOCIATED WITH SAMPLE												
DUP	Fluoride	16984-48-8	<0.294		RPD			n/a	20.000	U	04/30/08	
DUP	Nitrogen in Nitrite	NO2-N	<0.49		RPD			n/a	20.000	U	04/30/08	
DUP	Nitrogen in Nitrate	NO3-N	0.8625		RPD			14.964	20.000		04/30/08	
DUP	Sulfate	14808-79-8	74.0417		RPD			0.233	20.000		04/30/08	
MS	Fluoride	16984-48-8	0.45807	91.982	% Recov	75.000	125.000				04/30/08	
MS	Nitrogen in Nitrite	NO2-N	0.451126	90.770	% Recov	75.000	125.000				04/30/08	
MS	Nitrogen in Nitrate	NO3-N	0.447867	99.526	% Recov	75.000	125.000				04/30/08	
MS	Sulfate	14808-79-8	1.64835	83.250	% Recov	75.000	125.000				04/30/08	
MSD	Fluoride	16984-48-8	0.454836	91.333	% Recov	75.000	125.000				04/30/08	
MSD	Nitrogen in Nitrite	NO2-N	0.451113	90.771	% Recov	75.000	125.000				04/30/08	
MSD	Nitrogen in Nitrate	NO3-N	0.450613	100.136	% Recov	75.000	125.000				04/30/08	
MSD	Sulfate	14808-79-8	1.64534	83.098	% Recov	75.000	125.000				04/30/08	
SPK-RPD	Fluoride	16984-48-8	91.333		RPD			0.708	20.000		04/30/08	
SPK-RPD	Nitrogen in Nitrite	NO2-N	90.771		RPD			0.001	20.000		04/30/08	
SPK-RPD	Nitrogen in Nitrate	NO3-N	100.136		RPD			0.611	20.000		04/30/08	
SPK-RPD	Sulfate	14808-79-8	83.098		RPD			0.183	20.000		04/30/08	
BATCH QC												
BLANK	Fluoride	16984-48-8	< 6e-3	n/a	mg/L	0.000	0.030			U	04/30/08	
BLANK	Fluoride	16984-48-8	< 6e-3	n/a	mg/L	0.000	0.030			U	04/30/08	
BLANK	Nitrogen in Nitrite	NO2-N	< 1e-2	n/a	mg/L	0.000	0.020			U	04/30/08	
BLANK	Nitrogen in Nitrite	NO2-N	< 1e-2	n/a	mg/L	0.000	0.020			U	04/30/08	
BLANK	Nitrogen in Nitrate	NO3-N	< 5e-3	n/a	mg/L	0.000	0.040			U	04/30/08	
BLANK	Nitrogen in Nitrate	NO3-N	< 5e-3	n/a	mg/L	0.000	0.040			U	04/30/08	
BLANK	Sulfate	14808-79-8	< 7e-2	n/a	mg/L	0.000	0.200			U	04/30/08	
BLANK	Sulfate	14808-79-8	< 7e-2	n/a	mg/L	0.000	0.200			U	04/30/08	

WSCF ANALYTICAL LABORATORY QC REPORT

Department: **Inorganic**

SDG Number: **WSCF20080813**

Matrix: **SOLID**

Test: **Anions by Ion Chromatography**

Sample Date:
Receive Date:

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date
LCS	Fluoride	16984-48-8	105.3073	105.730	% Recov	80.000	120.000				04/30/08
LCS	Nitrogen in Nitrite	NO2-N	98.4199	99.014	% Recov	80.000	120.000				04/30/08
LCS	Nitrogen in Nitrate	NO3-N	92.8608	103.064	% Recov	80.000	120.000				04/30/08
LCS	Sulfate	14808-79-8	380.1465	95.997	% Recov	80.000	120.000				04/30/08

WSCF ANALYTICAL LABORATORY QC REPORT

Department: Inorganic

SDG Number: WSCF20080813

Matrix: SOLID

Test: ICP-200.8 MS All possible meta

Sample Date: 04/11/08

Receive Date: 04/11/08

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date
MS	Silver	7440-22-4	190.8	95.400	% Recov	70.000	130.000				05/01/08
MS	Arsenic	7440-38-2	193.78	96.890	% Recov	70.000	130.000				05/01/08
MS	Barium	7440-39-3	233.79	116.895	% Recov	70.000	130.000				05/01/08
MS	Beryllium	7440-41-7	187.88	93.940	% Recov	70.000	130.000				05/01/08
MS	Cadmium	7440-43-9	191.4	95.700	% Recov	70.000	130.000				05/01/08
MS	Chromium	7440-47-3	190.9	95.450	% Recov	70.000	130.000				05/01/08
MS	Copper	7440-50-8	185.06	92.530	% Recov	70.000	130.000				05/01/08
MS	Mercury	7439-97-6	1.98	99.000	% Recov	70.000	130.000				05/01/08
MS	Nickel	7440-02-0	184.94	92.470	% Recov	70.000	130.000				05/01/08
MS	Lead	7439-92-1	195.21	97.605	% Recov	70.000	130.000				05/01/08
MS	Selenium	7782-49-2	190.3	95.150	% Recov	70.000	130.000				05/01/08
MS	Zinc	7440-66-6	185.26	92.630	% Recov	70.000	130.000				05/01/08
MSD	Silver	7440-22-4	184.4	92.200	% Recov	70.000	130.000				05/01/08
MSD	Arsenic	7440-38-2	186.58	93.290	% Recov	70.000	130.000				05/01/08
MSD	Barium	7440-39-3	180.09	90.045	% Recov	70.000	130.000				05/01/08
MSD	Beryllium	7440-41-7	181.78	90.890	% Recov	70.000	130.000				05/01/08
MSD	Cadmium	7440-43-9	185.4	92.700	% Recov	70.000	130.000				05/01/08
MSD	Chromium	7440-47-3	181.3	90.650	% Recov	70.000	130.000				05/01/08
MSD	Copper	7440-50-8	178.56	89.280	% Recov	70.000	130.000				05/01/08
MSD	Mercury	7439-97-6	1.91	95.500	% Recov	70.000	130.000				05/01/08
MSD	Nickel	7440-02-0	181.94	90.970	% Recov	70.000	130.000				05/01/08
MSD	Lead	7439-92-1	188.81	94.405	% Recov	70.000	130.000				05/01/08
MSD	Selenium	7782-49-2	184.6	92.300	% Recov	70.000	130.000				05/01/08
MSD	Zinc	7440-66-6	177.96	88.980	% Recov	70.000	130.000				05/01/08
SPK-RPD	Silver	7440-22-4	92.200		RPD			3.412	20.000		05/01/08
SPK-RPD	Arsenic	7440-38-2	93.290		RPD			3.786	20.000		05/01/08

Lab ID: W08GR01020
 BATCH QC ASSOCIATED WITH SAMPLE

WSCF ANALYTICAL LABORATORY QC REPORT

Department: **Inorganic**

SDG Number: WSCF20080813

Matrix: SOLID

Test: ICP-200.8 MS All possible meta

Sample Date: 04/11/08
Receive Date: 04/11/08

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date
SPK-RPD	Barium	7440-39-3	90.045		RPD			25.950	20.000 *		05/01/08
SPK-RPD	Beryllium	7440-41-7	90.890		RPD			3.300	20.000		05/01/08
SPK-RPD	Cadmium	7440-43-9	92.700		RPD			3.185	20.000		05/01/08
SPK-RPD	Chromium	7440-47-3	90.650		RPD			5.159	20.000		05/01/08
SPK-RPD	Copper	7440-50-8	89.280		RPD			3.575	20.000		05/01/08
SPK-RPD	Mercury	7439-97-6	95.500		RPD			3.599	20.000		05/01/08
SPK-RPD	Nickel	7440-02-0	90.970		RPD			1.635	20.000		05/01/08
SPK-RPD	Lead	7439-92-1	94.405		RPD			3.333	20.000		05/01/08
SPK-RPD	Selenium	7782-49-2	92.300		RPD			3.041	20.000		05/01/08
SPK-RPD	Zinc	7440-66-6	88.980		RPD			4.020	20.000		05/01/08
Lab ID: W08GR01023											
BATCH QC ASSOCIATED WITH SAMPLE											
MS	Silver	7440-22-4	185	92.500	% Recov	70.000	130.000				05/01/08
MS	Arsenic	7440-38-2	183	91.500	% Recov	70.000	130.000				05/01/08
MS	Cadmium	7440-43-9	185.5	92.750	% Recov	70.000	130.000				05/01/08
MS	Chromium	7440-47-3	172.37	86.185	% Recov	70.000	130.000				05/01/08
MS	Lead	7439-92-1	188.94	94.470	% Recov	70.000	130.000				05/01/08
MSD	Silver	7440-22-4	187.5	93.750	% Recov	70.000	130.000				05/01/08
MSD	Arsenic	7440-38-2	185.9	92.950	% Recov	70.000	130.000				05/01/08
MSD	Cadmium	7440-43-9	188.1	94.050	% Recov	70.000	130.000				05/01/08
MSD	Chromium	7440-47-3	179.47	89.735	% Recov	70.000	130.000				05/01/08
MSD	Lead	7439-92-1	191.84	95.920	% Recov	70.000	130.000				05/01/08
SPK-RPD	Silver	7440-22-4	93.750		RPD			1.342	20.000		05/01/08
SPK-RPD	Arsenic	7440-38-2	92.950		RPD			1.572	20.000		05/01/08
SPK-RPD	Cadmium	7440-43-9	94.050		RPD			1.392	20.000		05/01/08
SPK-RPD	Chromium	7440-47-3	89.735		RPD			4.036	20.000		05/01/08
SPK-RPD	Lead	7439-92-1	95.920		RPD			1.523	20.000		05/01/08

WSCF ANALYTICAL LABORATORY QC REPORT

Department: **Inorganic**

SDG Number: WSCF20080813

Matrix: SOLID

Test: ICP-200.8 MS All possible meta

Sample Date:
Receive Date:

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date	
BATCH QC												
BLANK	Silver	7440-22-4	<0.1	n/a	ug/L					U	05/01/08	
BLANK	Arsenic	7440-38-2	<0.4	n/a	ug/L					U	05/01/08	
BLANK	Barium	7440-39-3	<0.2	n/a	ug/L					U	05/01/08	
BLANK	Beryllium	7440-41-7	<5e-2	n/a	ug/L					U	05/01/08	
BLANK	Cadmium	7440-43-9	<0.1	n/a	ug/L					U	05/01/08	
BLANK	Chromium	7440-47-3	<0.5	n/a	ug/L					U	05/01/08	
BLANK	Copper	7440-50-8	<0.1	n/a	ug/L					U	05/01/08	
BLANK	Mercury	7439-97-6	<5e-2	n/a	ug/L					U	05/01/08	
BLANK	Nickel	7440-02-0	<0.2	n/a	ug/L					U	05/01/08	
BLANK	Lead	7439-92-1	<0.1	n/a	ug/L					U	05/01/08	
BLANK	Selenium	7782-49-2	<0.3	n/a	ug/L					U	05/01/08	
BLANK	Zinc	7440-66-6	<0.8	n/a	ug/L					U	05/01/08	
LCS	Silver	7440-22-4	109.2	108.119	% Recov	98.000	134.000		134.000		05/01/08	
LCS	Arsenic	7440-38-2	134.4	101.818	% Recov	75.000	134.000		134.000		05/01/08	
LCS	Barium	7440-39-3	318.1	99.718	% Recov	87.000	121.000		121.000		05/01/08	
LCS	Beryllium	7440-41-7	87.87	98.179	% Recov	70.000	153.000		153.000		05/01/08	
LCS	Cadmium	7440-43-9	66.13	99.444	% Recov	95.000	124.000		124.000		05/01/08	
LCS	Chromium	7440-47-3	68.72	94.266	% Recov	77.000	125.000		125.000		05/01/08	
LCS	Copper	7440-50-8	67.33	98.292	% Recov	84.000	122.000		122.000		05/01/08	
LCS	Mercury	7439-97-6	7.73	93.357	% Recov	71.000	132.000		132.000		05/01/08	
LCS	Nickel	7440-02-0	55.74	100.252	% Recov	90.000	121.000		121.000		05/01/08	
LCS	Lead	7439-92-1	133.7	102.846	% Recov	92.000	123.000		123.000		05/01/08	
LCS	Selenium	7782-49-2	172.5	107.143	% Recov	52.000	157.000		157.000		05/01/08	
LCS	Zinc	7440-66-6	184.5	104.237	% Recov	85.000	130.000		130.000		05/01/08	

WSCF ANALYTICAL LABORATORY QC REPORT

Department: Inorganic

SDG Number: WSCF20080813
 Matrix: SOLID
 Test: pH Soil and Waste Measurement

Sample Date: 04/03/08
 Receive Date: 04/15/08

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date
---------	---------	-------	----------	----------	-------	-------------	-------------	--------	-----------	----	---------------

Lab ID: W08GR01029
 BATCH QC ASSOCIATED WITH SAMPLE

DUP	pH Soil and Waste Measurement	PH	8.99		RPD			0.558	3.000		04/25/08
-----	-------------------------------	----	------	--	-----	--	--	-------	-------	--	----------

WSCF ANALYTICAL COMMENT REPORT

Attention: Steve Trent
Project Number: F08-066

Group #: WSCF20080813
Department: Inorganic

Sample #	Client ID	Lab Area	Test	Comment
----------	-----------	----------	------	---------

VALGROUP

Organics: All results are corrected for moisture and reported on a dry weight basis. cgc

ICP-MS: Barium spike RPD over 20% but still pass. X-flag GEA results may be biased due to excessive dead time. The dead time is caused by the high Cs-137 activity of the sample. Imh

Sr89/90 duplicate is flagged for poor RPD due to the inhomogeneity of the sample. Imh

U-235 duplicate is flagged for poor RPD due to the inhomogeneity of the sample. Imh

W08GR01054/U-232 tracer recovery is out of limits. Since all the other recoveries came out fine, this batch has been approved. Imh

Pu238 duplicate is flagged for poor RPD but the sample activity is low level. RPD does not apply to low level samples. Imh

Pu239 duplicate is flagged for poor RPD due to the inhomogeneity of the sample. Imh

Lab Areas: VALGROUP - Group Validation VALTEST - Test Validation TESTDATA - Test Data Entry
 LOGSAMP - Login for Sample LOGTEST - Login for Tests

This report may not be reproduced, except in its entirety without the written approval of the WSCF Laboratory.

wgppc/5.2 Report#: WSCF20080813 Report Date: 29-may-2008

WSCF ANALYTICAL RESULTS REPORT

Attention: Steve Trent **Group #:** WSCF20080813
SAF Number: F08-066 **Department:** Organic
Sample #: W08GR01053 **Sampled:** 04/10/08
Client ID: BITFC6 **Received:** 04/16/08

GPP: WSCF **Matrix:** SOIL

Test Performed	CAS #	Method	RQ	Result	Unit	TP Err	Unit	DF	MDL	PQL	Analysis Date
NWTPH-D TPH Diesel Range (Wa) Prep											
NWTPH-D TPH Diesel Range (Wa)											
Total Pet. Hydrocarbons Diesel	TPHDIESEL	LA-523-493	U	< 3.00e+03	ug/kg			1.00	3.0e+03		05/05/08
Kerosene	TPHKEROSENE	LA-523-493	U	< 3.00e+03	ug/kg			1.00	3.0e+03		05/05/08
PCBs complete list Prep											
PCBs complete list											
Aroclor-1016	12674-11-2	LA-523-427	U	< 10.0	ug/kg			1.00	10		04/24/08
Aroclor-1221	11104-28-2	LA-523-427	U	< 20.0	ug/kg			1.00	20		04/24/08
Aroclor-1232	11141-16-5	LA-523-427	U	< 10.0	ug/kg			1.00	10		04/24/08
Aroclor-1242	53469-21-9	LA-523-427	U	< 10.0	ug/kg			1.00	10		04/24/08
Aroclor-1248	12672-29-6	LA-523-427	U	< 10.0	ug/kg			1.00	10		04/24/08
Aroclor-1254	11097-69-1	LA-523-427	U	< 10.0	ug/kg			1.00	10		04/24/08
Aroclor-1260	11096-82-5	LA-523-427	U	< 10.0	ug/kg			1.00	10		04/24/08
Aroclor-1262	37324-23-5	LA-523-427	U	< 10.0	ug/kg			1.00	10		04/24/08
Aroclor-1268	11100-14-4	LA-523-427	U	< 10.0	ug/kg			1.00	10		04/24/08
SW-846 8270C Semi-Vols Prep											
SW-846 8270C Semi-Vols											
4-Nitrophenol	100-02-7	LA-523-456	U	< 200	ug/kg			1.00	2.0e+02		05/06/08
1,4-Dichlorobenzene	106-46-7	LA-523-456	U	< 250	ug/kg			1.00	2.5e+02		05/06/08
Phenol	108-95-2	LA-523-456	U	< 140	ug/kg			1.00	1.4e+02		05/06/08
1,2,4-Trichlorobenzene	120-82-1	LA-523-456	U	< 140	ug/kg			1.00	1.4e+02		05/06/08
2,4-Dinitrotoluene	121-14-2	LA-523-456	U	< 140	ug/kg			1.00	1.4e+02		05/06/08
Pyrene	129-00-0	LA-523-456	U	< 140	ug/kg			1.00	1.4e+02		05/06/08
4-Chloro-3-methylphenol	59-50-7	LA-523-456	U	< 140	ug/kg			1.00	1.4e+02		05/06/08
N-Nitrosodi-n-dipropylamine	621-64-7	LA-523-456	U	< 140	ug/kg			1.00	1.4e+02		05/06/08

MDL = Minimum Detection Limit B - The analyte < the RDL but > = the IDL/MDL (inorg)
RQ = Result Qualifier J - Analyte < lowest calibration but > = MDL (org)
TP Err = Total Propagated Error U - Analyzed for but not detected above limiting criteria.
DF = Dilution Factor X - Other flags/notes described in the comments/narrative(inorg)

* - Indicates results that have NOT been validated; + - Indicates more than six qualifier symbols
 Report WGGP/ver. 5.2
 Groundwater Remediation Program

WSCF ANALYTICAL RESULTS REPORT

Attention: Steve Trent **Group #:** WSCF20080813
SAF Number: F08-066 **Department:** Organic
Sample #: W08GR01053 **Sampled:** 04/10/08
Client ID: BITFC6 **Received:** 04/16/08

GPP: TREN **Matrix:** SOIL
WSCF

Test Performed	CAS #	Method	RQ	Result	Unit	TP Err	Unit	DF	MDL	PQL	Analysis Date
Acenaphthene	83-32-9	LA-523-456	U	< 140	ug/kg			1.00	1.4e+02		05/06/08
Pentachlorophenol	87-86-5	LA-523-456	U	< 200	ug/kg			1.00	2.0e+02		05/06/08
2-Chlorophenol	95-57-8	LA-523-456	U	< 140	ug/kg			1.00	1.4e+02		05/06/08
Tributyl phosphate	126-73-8	LA-523-456	U	< 140	ug/kg			1.00	1.4e+02		05/06/08
1,2,4-Trimethylbenzene	95-63-6	LA-523-456	U	< 180	ug/kg			1.00	1.8e+02		05/06/08

MDL = Minimum Detection Limit B - The analyte < the RDL but > = the IDL/MDL (inorg)
RQ = Result Qualifier J - Analyte < lowest calibration but > = MDL (org)
TP Err = Total Propagated Error U - Analyzed for but not detected above limiting criteria.
DF = Dilution Factor X - Other flags/notes described in the comments/narrative(inorg)

* - Indicates results that have NOT been validated; + - Indicates more than six qualifier symbols
 Report WGGP/ver. 5.2

Groundwater Remediation Program

WSCF ANALYTICAL RESULTS REPORT

Attention: Steve Trent
SAF Number: F08-066
Sample # W08GR01054
Client ID: BITFC9

Group #: WSCF20080813
Department: Organic
Sampled: 04/10/08
Received: 04/16/08

GPP WSCF **TRENT** **Matrix:** SOIL

Test Performed	CAS #	Method	RQ	Result	Unit	TP Err	Unit	DF	MDL	PQL	Analysis Date
Acenaphthene	83-32-9	LA-523-456	U	< 140	ug/kg			1.00	1.4e+02		05/06/08
Pentachlorophenol	87-86-5	LA-523-456	U	< 200	ug/kg			1.00	2.0e+02		05/06/08
2-Chlorophenol	95-57-8	LA-523-456	U	< 140	ug/kg			1.00	1.4e+02		05/06/08
Tributyl phosphate	126-73-8	LA-523-456	U	< 140	ug/kg			1.00	1.4e+02		05/06/08
1,2,4-Trimethylbenzene	95-63-6	LA-523-456	U	< 180	ug/kg			1.00	1.8e+02		05/06/08

MDL = Minimum Detection Limit B - The analyte < the RDL but > = the IDL/MDL (inorg)
RQ = Result Qualifier J - Analyte < lowest calibration but > = MDL (org)
TP Err = Total Propagated Error U - Analyzed for but not detected above limiting criteria.
DF = Dilution Factor X - Other flags/notes described in the comments/narrative(inorg)

* - Indicates results that have NOT been validated; + - Indicates more than six qualifier symbols
 Report WGGP/ver. 5.2

Groundwater Remediation Program

WSCF ANALYTICAL RESULTS REPORT

Attention: Steve Trent **Group #:** WSCF20080813
SAF Number: F08-066 **Department:** Organic
Sample #: W08GR01057 **Sampled:** 04/10/08
Client ID: BITFC4 **Received:** 04/16/08

GPP **TRENT** **Matrix:** SOIL
WSCF

Test Performed	CAS #	Method	RQ	Result	Unit	TP Err	Unit	DF	MDL	PQL	Analysis Date
VOA Ground Water Protection											
1,1-Dichloroethene	75-35-4	LA-523-455	U	< 0.870	ug/kg			1.00	0.87		04/24/08
Trichloroethene	79-01-6	LA-523-455	U	< 0.870	ug/kg			1.00	0.87		04/24/08
Benzene	71-43-2	LA-523-455	U	< 0.870	ug/kg			1.00	0.87		04/24/08
Toluene	108-88-3	LA-523-455	U	< 0.870	ug/kg			1.00	0.87		04/24/08
Chlorobenzene	108-90-7	LA-523-455	U	< 0.870	ug/kg			1.00	0.87		04/24/08
1,1-Dichloroethane	75-34-3	LA-523-455	U	< 0.870	ug/kg			1.00	0.87		04/24/08
Ethylbenzene	100-41-4	LA-523-455	U	< 0.870	ug/kg			1.00	0.87		04/24/08
Styrene	100-42-5	LA-523-455	U	< 0.870	ug/kg			1.00	0.87		04/24/08
cis-1,3-Dichloropropene	10061-01-5	LA-523-455	U	< 0.870	ug/kg			1.00	0.87		04/24/08
trans-1,3-Dichloropropene	10061-02-6	LA-523-455	U	< 0.870	ug/kg			1.00	0.87		04/24/08
1,2-Dichloroethane	107-06-2	LA-523-455	U	< 0.870	ug/kg			1.00	0.87		04/24/08
4-Methyl-2-Pentanone	108-10-1	LA-523-455	U	< 0.870	ug/kg			1.00	0.87		04/24/08
Dibromochloromethane	124-48-1	LA-523-455	U	< 0.870	ug/kg			1.00	0.87		04/24/08
Tetrachloroethene	127-18-4	LA-523-455	U	< 0.870	ug/kg			1.00	0.87		04/24/08
Xylenes (total)	1330-20-7	LA-523-455	U	< 0.870	ug/kg			1.00	0.87		04/24/08
1,2-Dichloroethene(Total)	540-59-0	LA-523-455	U	< 0.870	ug/kg			1.00	0.87		04/24/08
Carbon tetrachloride	56-23-5	LA-523-455	U	< 0.870	ug/kg			1.00	0.87		04/24/08
2-Hexanone	591-78-6	LA-523-455	U	< 0.870	ug/kg			1.00	0.87		04/24/08
Acetone	67-64-1	LA-523-455	U	< 0.870	ug/kg			1.00	0.87		04/24/08
Chloroform	67-66-3	LA-523-455	U	< 0.870	ug/kg			1.00	0.87		04/24/08
1,1,1-Trichloroethane	71-55-6	LA-523-455	U	< 0.870	ug/kg			1.00	0.87		04/24/08
Bromomethane	74-83-9	LA-523-455	U	< 0.870	ug/kg			1.00	0.87		04/24/08
Chloromethane	74-87-3	LA-523-455	U	< 0.870	ug/kg			1.00	0.87		04/24/08
Chloroethane	75-00-3	LA-523-455	U	< 0.870	ug/kg			1.00	0.87		04/24/08

MDL = Minimum Detection Limit B - The analyte < the RDL but > = the IDL/MDL (inorg) D - Analyte was identified at a secondary dilution factor (inorg)
RQ = Result Qualifier J - Analyte < lowest calibration but > = MDL (org) U - Analyzed for but not detected above limiting criteria (inorg)
TP Err = Total Propagated Error U - Analyzed for but not detected above limiting criteria.
DF = Dilution Factor X - Other flags/notes described in the comments/narrative (inorg) U - Analyzed for but not detected above limiting criteria (org)

* - Indicates results that have NOT been validated; + - Indicates more than six qualifier symbols
Report WGPP/ver. 5.2
Groundwater Remediation Program

WSCF ANALYTICAL RESULTS REPORT

Attention: Steve Trent
SAF Number: F08-066
Sample # W08GR01057
Client ID: BITFC4

Group #: WSCF20080813
Department: Organic
Sampled: 04/10/08
Received: 04/16/08

GPP WSCF **TRENT** **Matrix:** SOIL

Test Performed	CAS #	Method	RQ	Result	Unit	TP Err	Unit	DF	MDL	PQL	Analysis Date
Vinyl chloride	75-01-4	LA-523-455	U	< 0.870	ug/kg			1.00	0.87		04/24/08
Methylenechloride	75-09-2	LA-523-455	U	< 0.870	ug/kg			1.00	0.87		04/24/08
Carbon disulfide	75-15-0	LA-523-455	U	< 0.870	ug/kg			1.00	0.87		04/24/08
Bromoform	75-25-2	LA-523-455	U	< 0.870	ug/kg			1.00	0.87		04/24/08
Bromodichloromethane	75-27-4	LA-523-455	U	< 0.870	ug/kg			1.00	0.87		04/24/08
1,2-Dichloropropane	78-87-5	LA-523-455	U	< 0.870	ug/kg			1.00	0.87		04/24/08
2-Butanone	78-93-3	LA-523-455	U	< 0.870	ug/kg			1.00	0.87		04/24/08
1,1,2-Trichloroethane	79-00-5	LA-523-455	U	< 0.870	ug/kg			1.00	0.87		04/24/08
1,1,2,2-Tetrachloroethane	79-34-5	LA-523-455	U	< 0.870	ug/kg			1.00	0.87		04/24/08
Hexane	110-54-3	LA-523-455	U	< 0.870	ug/kg			1.00	0.87		04/24/08
Tetrahydrofuran	109-99-9	LA-523-455	U	< 1.70	ug/kg			1.00	1.7		04/24/08
Acetonitrile	75-05-8	LA-523-455	U	< 1.70	ug/kg			1.00	1.7		04/24/08

MDL = Minimum Detection Limit B - The analyte < the RDL but > = the IDL/MDL (inorg)
RQ = Result Qualifier J - Analyte < lowest calibration but > = MDL (org)
TP Err = Total Propagated Error U - Analyzed for but not detected above limiting criteria.
DF = Dilution Factor X - Other flags/notes described in the comments/narrative (inorg)

* - Indicates results that have NOT been validated; + - Indicates more than six qualifier symbols
 Report WGPP/ver. 5.2

D - Analyte was identified at a secondary dilution factor (inorg)
 U - Analyzed for but not detected above limiting criteria (inorg)
 U - Analyzed for but not detected above limiting criteria (org)

WSCF ANALYTICAL RESULTS REPORT

Attention: Steve Trent
SAF Number: F08-066
Sample #: W08GR01058
Client ID: BITFC7

Group #: WSCF20080813
Department: Organic
Sampled: 04/10/08
Received: 04/16/08

GPP WSCF **TRENT** **Matrix:** SOIL

Test Performed	CAS #	Method	RQ	Result	Unit	TP Err	Unit	DF	MDL	PQL	Analysis Date
VOA Ground Water Protection											
1,1-Dichloroethene	75-35-4	LA-523-455	U	< 0.980	ug/kg			1.00	0.98		04/24/08
Trichloroethene	79-01-6	LA-523-455	U	< 0.980	ug/kg			1.00	0.98		04/24/08
Benzene	71-43-2	LA-523-455	U	< 0.980	ug/kg			1.00	0.98		04/24/08
Toluene	108-88-3	LA-523-455	U	< 0.980	ug/kg			1.00	0.98		04/24/08
Chlorobenzene	108-90-7	LA-523-455	U	< 0.980	ug/kg			1.00	0.98		04/24/08
1,1-Dichloroethane	75-34-3	LA-523-455	U	< 0.980	ug/kg			1.00	0.98		04/24/08
Ethylbenzene	100-41-4	LA-523-455	U	< 0.980	ug/kg			1.00	0.98		04/24/08
Styrene	100-42-5	LA-523-455	U	< 0.980	ug/kg			1.00	0.98		04/24/08
cis-1,3-Dichloropropene	10061-01-5	LA-523-455	U	< 0.980	ug/kg			1.00	0.98		04/24/08
trans-1,3-Dichloropropene	10061-02-6	LA-523-455	U	< 0.980	ug/kg			1.00	0.98		04/24/08
1,2-Dichloroethane	107-06-2	LA-523-455	U	< 0.980	ug/kg			1.00	0.98		04/24/08
4-Methyl-2-Pentanone	108-10-1	LA-523-455	U	< 0.980	ug/kg			1.00	0.98		04/24/08
Dibromochloromethane	124-48-1	LA-523-455	U	< 0.980	ug/kg			1.00	0.98		04/24/08
Tetrachloroethene	127-18-4	LA-523-455	U	< 0.980	ug/kg			1.00	0.98		04/24/08
Xylenes (total)	1330-20-7	LA-523-455	U	< 0.980	ug/kg			1.00	0.98		04/24/08
1,2-Dichloroethene(Total)	540-59-0	LA-523-455	U	< 0.980	ug/kg			1.00	0.98		04/24/08
Carbon tetrachloride	56-23-5	LA-523-455	U	< 0.980	ug/kg			1.00	0.98		04/24/08
2-Hexanone	591-78-6	LA-523-455	U	< 0.980	ug/kg			1.00	0.98		04/24/08
Acetone	67-64-1	LA-523-455	U	< 0.980	ug/kg			1.00	0.98		04/24/08
Chloroform	67-66-3	LA-523-455	U	< 0.980	ug/kg			1.00	0.98		04/24/08
1,1,1-Trichloroethane	71-55-6	LA-523-455	U	< 0.980	ug/kg			1.00	0.98		04/24/08
Bromomethane	74-83-9	LA-523-455	U	< 0.980	ug/kg			1.00	0.98		04/24/08
Chloromethane	74-87-3	LA-523-455	U	< 0.980	ug/kg			1.00	0.98		04/24/08
Chloroethane	75-00-3	LA-523-455	U	< 0.980	ug/kg			1.00	0.98		04/24/08

MDL = Minimum Detection Limit B - The analyte < the RDL but > = the IDL/MDL (inorg) D - Analyte was identified at a secondary dilution factor (inorg)
RQ = Result Qualifier J - Analyte < lowest calibration but > = MDL (org) U - Analyzed for but not detected above limiting criteria (inorg)
TP Err = Total Propagated Error U - Analyzed for but not detected above limiting criteria.
DF = Dilution Factor X - Other flags/notes described in the comments/narrative (inorg) U - Analyzed for but not detected above limiting criteria (org)

* - Indicates results that have NOT been validated; + - Indicates more than six qualifier symbols
 Report WGPP/ver. 5.2
 Groundwater Remediation Program

WSCF ANALYTICAL RESULTS REPORT

Attention: Steve Trent
SAF Number: F08-066
Sample #: W08GR01058
Client ID: BITFC7

Group #: WSCF20080813
Department: Organic
Sampled: 04/10/08
Received: 04/16/08

GPP WSCF
TRENT
Matrix: SOIL

Test Performed	CAS #	Method	RQ	Result	Unit	TP Err	Unit	DF	MDL	PQL	Analysis Date
Vinyl chloride	75-01-4	LA-523-455	U	< 0.980	ug/kg			1.00	0.98		04/24/08
Methylenechloride	75-09-2	LA-523-455	J	2.20	ug/kg			1.00	0.98		04/24/08
Carbon disulfide	75-15-0	LA-523-455	U	< 0.980	ug/kg			1.00	0.98		04/24/08
Bromoform	75-25-2	LA-523-455	U	< 0.980	ug/kg			1.00	0.98		04/24/08
Bromodichloromethane	75-27-4	LA-523-455	U	< 0.980	ug/kg			1.00	0.98		04/24/08
1,2-Dichloropropane	78-87-5	LA-523-455	U	< 0.980	ug/kg			1.00	0.98		04/24/08
2-Butanone	78-93-3	LA-523-455	U	< 0.980	ug/kg			1.00	0.98		04/24/08
1,1,2-Trichloroethane	79-00-5	LA-523-455	U	< 0.980	ug/kg			1.00	0.98		04/24/08
1,1,2,2-Tetrachloroethane	79-34-5	LA-523-455	U	< 0.980	ug/kg			1.00	0.98		04/24/08
Hexane	110-54-3	LA-523-455	U	< 0.980	ug/kg			1.00	0.98		04/24/08
Tetrahydrofuran	109-99-9	LA-523-455	U	< 2.00	ug/kg			1.00	2.0		04/24/08
Acetonitrile	75-05-8	LA-523-455	U	< 2.00	ug/kg			1.00	2.0		04/24/08

MDL = Minimum Detection Limit
RQ = Result Qualifier
TP Err = Total Propagated Error
DF = Dilution Factor

B - The analyte < the RDL but > = the IDL/MDL (inorg)
 J - Analyte < lowest calibration but > = MDL (org)
 U - Analyzed for but not detected above limiting criteria.
 X - Other flags/notes described in the comments/narrative(inorg)

* - Indicates results that have NOT been validated; + - Indicates more than six qualifier symbols

D - Analyte was identified at a secondary dilution factor(inorg)
 U - Analyzed for but not detected above limiting criteria(inorg)
 U - Analyzed for but not detected above limiting criteria (org)

Report WGPP/ver. 5.2
Groundwater Remediation Program

WSCF TENTATIVELY IDENTIFIED PEAK REPORT

Attention: Steve Trent
 Project Number F08-066 : F08-066

Group #: WSCF20080813
 Department: Organic

Sample #	Client ID	Test Name	Peak Name	CAS#	RT	RQ	Result	Units
W08GRO1053	B1TFC6	GPP TREN	SMP 13.485 Di-n-butylphthalate	84-74-2	13.48531		3.3e +02	ug/kg
W08GRO1054	B1TFC9	GPP TREN	SMP 13.506 Di-n-butylphthalate	84-74-2	13.50668		5.5e +02	ug/kg

RQ = Result Qualifier

This report may not be reproduced, except in its entirety without the written approval of the WSCF Laboratory.

Groundwater Remediation Program

WGPE v 5.2 Report#: WSCF20080813 Report Date: 29-may-2008

WSCF ANALYTICAL LABORATORY QC REPORT

Department: Organic

SDG Number: WSCF20080813

Matrix: SOLID

Test: PCBs complete list

Sample Date: 04/03/08
Receive Date: 04/15/08

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date	
Lab ID: W08GR01029												
BATCH QC ASSOCIATED WITH SAMPLE												
MS	Aroclor-1254	11097-69-1	196.49	88.300	% Recov	75.000	125.000				04/24/08	
MS	Decachlorobiphenyl	2051-24-3	197.78	88.800	% Recov	50.000	150.000				04/24/08	
MS	Tetrachloro-m-xylene	877-09-8	193.03	86.700	% Recov	50.000	150.000				04/24/08	
MSD	Aroclor-1254	11097-69-1	201.96	90.600	% Recov	75.000	125.000				04/24/08	
MSD	Decachlorobiphenyl	2051-24-3	203.77	91.400	% Recov	50.000	150.000				04/24/08	
MSD	Tetrachloro-m-xylene	877-09-8	192.84	86.500	% Recov	50.000	150.000				04/24/08	
SPK-RPD	Aroclor-1254	11097-69-1	90.600		RPD			2.571	25.000		04/24/08	
SPK-RPD	Decachlorobiphenyl	2051-24-3	91.400		RPD			2.886	20.000		04/24/08	
SPK-RPD	Tetrachloro-m-xylene	877-09-8	86.500		RPD			0.231	20.000		04/24/08	
Lab ID: W08GR01053												
BATCH QC ASSOCIATED WITH SAMPLE												
SURR	Decachlorobiphenyl	2051-24-3	192.96	95.700	% Recov	50.000	150.000				04/24/08	
SURR	Tetrachloro-m-xylene	877-09-8	164.14	81.400	% Recov	50.000	150.000				04/24/08	
Lab ID: W08GR01054												
BATCH QC ASSOCIATED WITH SAMPLE												
SURR	Decachlorobiphenyl	2051-24-3	178.40	90.400	% Recov	50.000	150.000				04/24/08	
SURR	Tetrachloro-m-xylene	877-09-8	168.63	85.400	% Recov	50.000	150.000				04/24/08	
BATCH QC												
BLANK	Aroclor-1016	12674-11-2	< 10	n/a	UGKG					U	04/24/08	
BLANK	Aroclor-1221	11104-28-2	< 20	n/a	ug/Kg					U	04/24/08	
BLANK	Aroclor-1232	11141-16-5	< 10	n/a	ug/Kg					U	04/24/08	
BLANK	Aroclor-1242	53469-21-9	< 10	n/a	ug/Kg					U	04/24/08	
BLANK	Aroclor-1248	12672-29-6	< 10	n/a	ug/Kg					U	04/24/08	

WSCF ANALYTICAL LABORATORY QC REPORT

Department: **Organic**

SDG Number: **WSCF20080813**

Matrix: **SOLID**

Test: **PCBs complete list**

Sample Date:
Receive Date:

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date
BLANK	Aroclor-1254	11097-69-1	< 10	n/a	ug/Kg					U	04/24/08
BLANK	Aroclor-1260	11096-82-5	< 10	n/a	ug/Kg					U	04/24/08
BLANK	Aroclor-1262	37324-23-5	< 10	n/a	ug/Kg					U	04/24/08
BLANK	Aroclor-1268	11100-14-4	< 10	n/a	ug/Kg					U	04/24/08
BLANK	Decachlorobiphenyl	2051-24-3	181.46	90.700	% Recov	50.000	150.000				04/24/08
BLANK	Tetrachloro-m-xylene	877-09-8	176.90	88.400	% Recov	50.000	150.000				04/24/08
LCS	Aroclor-1254	11097-69-1	176.50	88.200	% Recov	70.000	130.000				04/24/08
LCS	Decachlorobiphenyl	2051-24-3	184.11	92.100	% Recov	50.000	150.000				04/24/08
LCS	Tetrachloro-m-xylene	877-09-8	169.52	84.800	% Recov	50.000	150.000				04/24/08

WSCF ANALYTICAL LABORATORY QC REPORT

Department: Organic

SDG Number: WSCF20080813
 Matrix: SOLID
 Test: SW-846 8270C Semi-Vols

Sample Date: 03/26/08
 Receive Date: 04/15/08

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date
MS	1,2,4-Trichlorobenzene	120-82-1	4855.4	109.000	% Recov	75.000	121.000				05/06/08
MS	1,4-Dichlorobenzene	106-46-7	4834.2	109.000	% Recov	68.000	121.000				05/06/08
MS	2,4-Dinitrotoluene	121-14-2	4628.0	104.000	% Recov	66.000	113.000				05/06/08
MS	2-Fluorophenol(Surr)	367-12-4	4428.8	99.900	% Recov	72.000	120.000				05/06/08
MS	Acenaphthene	83-32-9	5009.1	113.000	% Recov	69.000	125.000				05/06/08
MS	4-Chloro-3-methylphenol	59-50-7	7004.0	105.000	% Recov	68.000	116.000				05/06/08
MS	2-Chlorophenol	95-57-8	6983.5	105.000	% Recov	65.000	124.000				05/06/08
MS	N-Nitrosodi-n-dipropylamine	621-64-7	4919.2	111.000	% Recov	69.000	127.000				05/06/08
MS	2-Fluorobiphenyl(Surr)	321-60-8	4763.2	107.000	% Recov	66.000	122.000				05/06/08
MS	Phenol	108-95-2	7009.8	105.000	% Recov	71.000	122.000				05/06/08
MS	Nitrobenzene-d5(Surr)	4165-60-0	4747.5	107.000	% Recov	63.000	125.000				05/06/08
MS	4-Nitrophenol	100-02-7	5908.3	88.800	% Recov	55.000	113.000				05/06/08
MS	Pentachlorophenol	87-86-5	5767.6	86.700	% Recov	50.000	113.000				05/06/08
MS	Phenol-d5(Surr)	4165-62-2	4699.5	106.000	% Recov	66.000	124.000				05/06/08
MS	Pyrene	129-00-0	5508.6	124.000	% Recov	67.000	125.000				05/06/08
MS	2,4,6-Tribromophenol(Surr)	118-79-6	4594.5	104.000	% Recov	49.000	120.000				05/06/08
MS	Terphenyl-d14(Surr)	98904-43-9	5356.6	121.000	% Recov	58.000	128.000				05/06/08
MSD	1,2,4-Trichlorobenzene	120-82-1	4965.4	112.000	% Recov	75.000	121.000				05/06/08
MSD	1,4-Dichlorobenzene	106-46-7	4770.4	108.000	% Recov	68.000	121.000				05/06/08
MSD	2,4-Dinitrotoluene	121-14-2	4720.4	107.000	% Recov	66.000	113.000				05/06/08
MSD	2-Fluorophenol(Surr)	367-12-4	4652.6	105.000	% Recov	72.000	120.000				05/06/08
MSD	Acenaphthene	83-32-9	5116.2	116.000	% Recov	69.000	125.000				05/06/08
MSD	4-Chloro-3-methylphenol	59-50-7	7395.4	111.000	% Recov	68.000	116.000				05/06/08
MSD	2-Chlorophenol	95-57-8	7185.2	108.000	% Recov	65.000	124.000				05/06/08
MSD	N-Nitrosodi-n-dipropylamine	621-64-7	5172.5	117.000	% Recov	69.000	127.000				05/06/08
MSD	2-Fluorobiphenyl(Surr)	321-60-8	4923.2	111.000	% Recov	66.000	122.000				05/06/08

Lab ID: W08GR01038
 BATCH QC ASSOCIATED WITH SAMPLE

WSCF ANALYTICAL LABORATORY QC REPORT

Department: **Organic**

SDG Number: **WSCF20080813**
 Matrix: **SOLID**
 Test: **SW-846 8270C Semi-Vols**

Sample Date: **03/26/08**
 Receive Date: **04/15/08**

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date
MSD	Phenol	108-95-2	7386.0	111.000	% Recov	71.000	122.000				05/06/08
MSD	Nitrobenzene-d5(Surr)	4165-60-0	4904.8	111.000	% Recov	63.000	125.000				05/06/08
MSD	4-Nitrophenol	100-02-7	6615.4	99.700	% Recov	55.000	113.000				05/06/08
MSD	Pentachlorophenol	87-86-5	6594.1	99.300	% Recov	50.000	113.000				05/06/08
MSD	Phenol-d5(Surr)	4165-62-2	4740.8	107.000	% Recov	66.000	124.000				05/06/08
MSD	Pyrene	129-00-0	5471.2	124.000	% Recov	67.000	125.000				05/06/08
MSD	2,4,6-Tribromophenol(Surr)	118-79-6	4730.5	107.000	% Recov	49.000	120.000				05/06/08
MSD	Terphenyl-d14(Surr)	98904-43-9	5552.1	125.000	% Recov	58.000	128.000				05/06/08
SPK-RPD	1,2,4-Trichlorobenzene	120-82-1	112.000		RPD			2.715	20.000		05/06/08
SPK-RPD	1,4-Dichlorobenzene	106-46-7	108.000		RPD			0.922	20.000		05/06/08
SPK-RPD	2,4-Dinitrotoluene	121-14-2	107.000		RPD			2.844	20.000		05/06/08
SPK-RPD	2-Fluorophenol(Surr)	367-12-4	105.000		RPD			4.978	20.000		05/06/08
SPK-RPD	Acenaphthene	83-32-9	116.000		RPD			2.620	20.000		05/06/08
SPK-RPD	4-Chloro-3-methylphenol	59-50-7	111.000		RPD			5.556	20.000		05/06/08
SPK-RPD	2-Chlorophenol	95-57-8	108.000		RPD			2.817	20.000		05/06/08
SPK-RPD	N-Nitrosodi-n-dipropylamine	621-64-7	117.000		RPD			5.263	20.000		05/06/08
SPK-RPD	2-Fluorobiphenyl(Surr)	321-60-8	111.000		RPD			3.670	20.000		05/06/08
SPK-RPD	Phenol	108-95-2	111.000		RPD			5.556	20.000		05/06/08
SPK-RPD	Nitrobenzene-d5(Surr)	4165-60-0	111.000		RPD			3.670	20.000		05/06/08
SPK-RPD	4-Nitrophenol	100-02-7	99.700		RPD			11.565	20.000		05/06/08
SPK-RPD	Pentachlorophenol	87-86-5	99.300		RPD			13.548	20.000		05/06/08
SPK-RPD	Phenol-d5(Surr)	4165-62-2	107.000		RPD			0.939	20.000		05/06/08
SPK-RPD	Pyrene	129-00-0	124.000		RPD			0.000	20.000		05/06/08
SPK-RPD	2,4,6-Tribromophenol(Surr)	118-79-6	107.000		RPD			2.844	20.000		05/06/08
SPK-RPD	Terphenyl-d14(Surr)	98904-43-9	125.000		RPD			3.252	20.000		05/06/08
Lab ID: W08GR01053											
BATCH QC ASSOCIATED WITH SAMPLE											
SURR	2-Fluorophenol(Surr)	367-12-4	4338.6	106.000	% Recov	72.000	120.000				05/06/08
SURR	2-Fluorobiphenyl(Surr)	321-60-8	4405.2	108.000	% Recov	66.000	122.000				05/06/08

WSCF ANALYTICAL LABORATORY QC REPORT

Department: **Organic**

SDG Number: WSCF20080813
 Matrix: SOLID
 Test: SW-846 8270C Semi-Vols

Sample Date: 04/10/08
 Receive Date: 04/16/08

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date
SURR	Nitrobenzene-d5(Surr)	4165-60-0	4462.3	109.000	% Recov	63.000	125.000				05/06/08
SURR	Phenol-d5(Surr)	4165-62-2	4431.3	108.000	% Recov	66.000	124.000				05/06/08
SURR	2,4,6-Tribromophenol(Surr)	118-79-6	3772.9	92.200	% Recov	49.000	120.000				05/06/08
SURR	Terphenyl-d14(Surr)	98904-43-9	5041.0	123.000	% Recov	58.000	128.000				05/06/08
Lab ID: W08GR01054											
BATCH QC ASSOCIATED WITH SAMPLE											
SURR	2-Fluorophenol(Surr)	367-12-4	4226.9	106.000	% Recov	72.000	120.000				05/06/08
SURR	2-Fluorobiphenyl(Surr)	321-60-8	4525.3	113.000	% Recov	66.000	122.000				05/06/08
SURR	Nitrobenzene-d5(Surr)	4165-60-0	4560.6	114.000	% Recov	63.000	125.000				05/06/08
SURR	Phenol-d5(Surr)	4165-62-2	4436.8	111.000	% Recov	66.000	124.000				05/06/08
SURR	2,4,6-Tribromophenol(Surr)	118-79-6	3935.7	98.500	% Recov	49.000	120.000				05/06/08
SURR	Terphenyl-d14(Surr)	98904-43-9	4944.8	124.000	% Recov	58.000	128.000				05/06/08
BATCH QC											
BLANK	1,2,4-Trimethylbenzene	95-63-6	< 180	n/a	ug/Kg					U	05/06/08
BLANK	1,2,4-Trichlorobenzene	120-82-1	< 140	n/a	ug/Kg					U	05/06/08
BLANK	1,4-Dichlorobenzene	106-46-7	< 240	n/a	ug/Kg					U	05/06/08
BLANK	2,4-Dinitrotoluene	121-14-2	< 140	n/a	ug/Kg					U	05/06/08
BLANK	2-Fluorophenol(Surr)	367-12-4	3245.6	81.100	% Recov	72.000	120.000				05/06/08
BLANK	Acenaphthene	83-32-9	< 140	n/a	ug/Kg					U	05/06/08
BLANK	4-Chloro-3-methylphenol	59-50-7	< 140	n/a	ug/Kg					U	05/06/08
BLANK	2-Chlorophenol	95-57-8	< 140	n/a	ug/Kg					U	05/06/08
BLANK	N-Nitrosodi-n-dipropylamine	621-64-7	< 140	n/a	ug/Kg					U	05/06/08
BLANK	2-Fluorobiphenyl(Surr)	321-60-8	3223.3	80.600	% Recov	66.000	122.000			U	05/06/08
BLANK	Phenol	108-95-2	< 140	n/a	ug/Kg					U	05/06/08
BLANK	Nitrobenzene-d5(Surr)	4165-60-0	3268.5	81.700	% Recov	63.000	125.000			U	05/06/08
BLANK	4-Nitrophenol	100-02-7	< 200	n/a	ug/Kg					U	05/06/08
BLANK	Pentachlorophenol	87-86-5	< 200	n/a	ug/Kg					U	05/06/08
BLANK	Phenol-d5(Surr)	4165-62-2	3227.2	80.700	% Recov	66.000	124.000			U	05/06/08

WSCF ANALYTICAL LABORATORY QC REPORT

Department: **Organic**

SDG Number: **WSCF20080813**
 Matrix: **SOLID**
 Test: **SW-846 8270C Semi-Vols**

Sample Date:
 Receive Date:

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date
BLANK	Pyrene	129-00-0	< 140	n/a	ug/Kg					U	05/06/08
BLANK	Tributyl phosphate	126-73-8	< 140	n/a	ug/Kg					U	05/06/08
BLANK	2,4,6-Tribromophenol(Surr)	118-79-6	2693.6	67.300	% Recov	49.000	120.000				05/06/08
BLANK	Terphenyl-d14(Surr)	98904-43-9	3511.7	87.800	% Recov	58.000	128.000				05/06/08
LCS	1,2,4-Trichlorobenzene	120-82-1	4451.0	111.000	% Recov	76.000	118.000				05/06/08
LCS	1,4-Dichlorobenzene	106-46-7	4474.7	112.000	% Recov	68.000	121.000				05/06/08
LCS	2,4-Dinitrotoluene	121-14-2	4243.3	106.000	% Recov	68.000	112.000				05/06/08
LCS	2-Fluorophenol(Surr)	367-12-4	4399.7	110.000	% Recov	50.000	110.000				05/06/08
LCS	Acenaphthene	83-32-9	4541.2	114.000	% Recov	75.000	121.000				05/06/08
LCS	4-Chloro-3-methylphenol	59-50-7	6574.7	110.000	% Recov	68.000	117.000				05/06/08
LCS	2-Chlorophenol	95-57-8	6755.2	113.000	% Recov	84.000	114.000				05/06/08
LCS	N-Nitrosodi-n-propylamine	621-64-7	4533.2	113.000	% Recov	76.000	119.000				05/06/08
LCS	2-Fluorobiphenyl(Surr)	321-60-8	4304.0	107.600	% Recov	58.000	109.000				05/06/08
LCS	Phenol	108-95-2	6775.8	112.930	% Recov	80.000	113.000				05/06/08
LCS	Nitrobenzene-d5(Surr)	4165-60-0	4479.7	112.000	% Recov	60.000	118.000				05/06/08
LCS	4-Nitrophenol	100-02-7	5440.8	90.700	% Recov	42.000	123.000				05/06/08
LCS	Pentachlorophenol	87-86-5	5921.1	98.700	% Recov	55.000	120.000				05/06/08
LCS	Phenol-d5(Surr)	4165-62-2	4489.2	112.000	% Recov	59.000	116.000				05/06/08
LCS	Pyrene	129-00-0	4837.4	120.935	% Recov	67.000	122.000				05/06/08
LCS	2,4,6-Tribromophenol(Surr)	118-79-6	4078.1	102.000	% Recov	60.000	120.000				05/06/08
LCS	Terphenyl-d14(Surr)	98904-43-9	4723.9	118.097	% Recov	60.000	120.000				05/06/08

WSCF ANALYTICAL LABORATORY QC REPORT

Department: **Organic**

SDG Number: WSCF20080813

Matrix: SOLID

Test: NWTPH-D TPH Diesel Range (Wa)

Sample Date: 04/10/08
Receive Date: 04/16/08

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date
Lab ID: W08GR01053											
BATCH QC ASSOCIATED WITH SAMPLE											
MS	ortho-Terphenyl Surr	84-15-1	20260	101.000	% Recov	70.000	130.000				05/05/08
MS	Total Pet. Hydrocarbons Diesel	TPHDIESEL	111020	110.000	% Recov	75.000	125.000				05/05/08
MSD	ortho-Terphenyl Surr	84-15-1	19493	97.700	% Recov	70.000	130.000				05/05/08
MSD	Total Pet. Hydrocarbons Diesel	TPHDIESEL	107400	108.000	% Recov	75.000	125.000				05/05/08
SPK-RPD	ortho-Terphenyl Surr	84-15-1	97.700		RPD			3.322	20.000		05/05/08
SPK-RPD	Total Pet. Hydrocarbons Diesel	TPHDIESEL	108.000		RPD			1.835	20.000		05/05/08
SURR	ortho-Terphenyl Surr	84-15-1	19184	95.100	% Recov	70.000	130.000				05/05/08
Lab ID: W08GR01054											
BATCH QC ASSOCIATED WITH SAMPLE											
SURR	ortho-Terphenyl Surr	84-15-1	20045	98.300	% Recov	70.000	130.000				05/05/08
BATCH QC											
BLANK	Kerosene	TPHKEROSENE	< 3000	n/a	ug/Kg					U	05/05/08
BLANK	ortho-Terphenyl Surr	84-15-1	16572	82.900	% Recov	70.000	130.000				05/05/08
BLANK	Total Pet. Hydrocarbons Diesel	TPHDIESEL	< 3000	n/a	ug/Kg					U	05/05/08
LCS	ortho-Terphenyl Surr	84-15-1	19214	96.100	% Recov	70.000	130.000				05/05/08
LCS	Total Pet. Hydrocarbons Diesel	TPHDIESEL	98085	98.100	% Recov	80.000	120.000				05/05/08

WSCF ANALYTICAL LABORATORY QC REPORT

Department: **Organic**

SDG Number: WSCF20080813

Matrix: SOLID

Test: VOA Ground Water Protection

Sample Date: 04/10/08
Receive Date: 04/16/08

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date
MS	1,1-Dichloroethene	75-35-4	17.060	75.800	% Recov	63.000	117.000				04/24/08
MS	Benzene	71-43-2	22.030	97.800	% Recov	75.000	129.000				04/24/08
MS	4-Bromofluorobenzene(Surr)	460-00-4	45.090	100.000	% Recov	75.000	125.000				04/24/08
MS	Chlorobenzene	108-90-7	21.390	95.000	% Recov	79.000	119.000				04/24/08
MS	1,2-Dichloroethane-d4(Surr)	17060-07-0	44.260	98.300	% Recov	75.000	125.000				04/24/08
MS	Toluene-d8(Surr)	2037-26-5	45.590	101.000	% Recov	75.000	125.000				04/24/08
MS	Toluene	108-88-3	22.750	101.000	% Recov	76.000	120.000				04/24/08
MS	Trichloroethene	79-01-6	20.500	91.000	% Recov	73.000	123.000				04/24/08
MSD	1,1-Dichloroethene	75-35-4	16.330	77.600	% Recov	63.000	117.000				04/24/08
MSD	Benzene	71-43-2	21.140	100.000	% Recov	75.000	129.000				04/24/08
MSD	4-Bromofluorobenzene(Surr)	460-00-4	41.740	99.200	% Recov	75.000	125.000				04/24/08
MSD	Chlorobenzene	108-90-7	20.170	95.900	% Recov	79.000	119.000				04/24/08
MSD	1,2-Dichloroethane-d4(Surr)	17060-07-0	38.570	91.700	% Recov	75.000	125.000				04/24/08
MSD	Toluene-d8(Surr)	2037-26-5	43.060	102.000	% Recov	75.000	125.000				04/24/08
MSD	Toluene	108-88-3	21.820	104.000	% Recov	76.000	120.000				04/24/08
MSD	Trichloroethene	79-01-6	19.750	93.900	% Recov	73.000	123.000				04/24/08
SPK-RPD	1,1-Dichloroethene	75-35-4	77.600		RPD			2.347	20.000		04/24/08
SPK-RPD	Benzene	71-43-2	100.000		RPD			2.224	20.000		04/24/08
SPK-RPD	4-Bromofluorobenzene(Surr)	460-00-4	99.200		RPD			0.803	20.000		04/24/08
SPK-RPD	Chlorobenzene	108-90-7	95.900		RPD			0.943	20.000		04/24/08
SPK-RPD	1,2-Dichloroethane-d4(Surr)	17060-07-0	91.700		RPD			6.947	20.000		04/24/08
SPK-RPD	Toluene-d8(Surr)	2037-26-5	102.000		RPD			0.985	20.000		04/24/08
SPK-RPD	Toluene	108-88-3	104.000		RPD			2.927	20.000		04/24/08
SPK-RPD	Trichloroethene	79-01-6	93.900		RPD			3.137	20.000		04/24/08
SURR	4-Bromofluorobenzene(Surr)	460-00-4	44.190	102.000	% Recov	75.000	125.000				04/24/08
SURR	1,2-Dichloroethane-d4(Surr)	17060-07-0	45.110	104.000	% Recov	75.000	125.000				04/24/08

Lab ID: W08GR01057
BATCH QC ASSOCIATED WITH SAMPLE

WSCF ANALYTICAL LABORATORY QC REPORT

Department: **Organic**

SDG Number: WSCF20080813

Matrix: SOLID

Test: VOA Ground Water Protection

Sample Date: 04/10/08
Receive Date: 04/16/08

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date
SURR	Toluene-d8(Surr)	2037-26-5	44.300	102.000	% Recov	80.000	126.000				04/24/08
Lab ID: W08GR01058											
BATCH QC ASSOCIATED WITH SAMPLE											
SURR	4-Bromofluorobenzene(Surr)	460-00-4	48.690	99.500	% Recov	75.000	125.000				04/24/08
SURR	1,2-Dichloroethane-d4(Surr)	17060-07-0	52.160	107.000	% Recov	75.000	125.000				04/24/08
SURR	Toluene-d8(Surr)	2037-26-5	49.600	101.000	% Recov	80.000	126.000				04/24/08
BATCH QC											
BLANK	1,1-Dichloroethane	75-34-3	< 1.0	n/a	ug/Kg					U	04/24/08
BLANK	1,1,1-Trichloroethane	71-55-6	< 1.0	n/a	ug/Kg					U	04/24/08
BLANK	1,1,2-Trichloroethane	79-00-5	< 1.0	n/a	ug/Kg					U	04/24/08
BLANK	1,1,2,2-Tetrachloroethane	79-34-5	< 1.0	n/a	ug/Kg					U	04/24/08
BLANK	1,1-Dichloroethene	75-35-4	< 1.0	n/a	ug/Kg					U	04/24/08
BLANK	1,2-Dichloroethane	107-06-2	< 1.0	n/a	ug/Kg					U	04/24/08
BLANK	1,2-Dichloroethene(Total)	540-59-0	< 1.0	n/a	ug/Kg					U	04/24/08
BLANK	2-Hexanone	591-78-6	< 1.0	n/a	ug/Kg					U	04/24/08
BLANK	4-Methyl-2-Pentanone	108-10-1	< 1.0	n/a	ug/Kg					U	04/24/08
BLANK	Acetone	67-64-1	< 1.0	n/a	ug/Kg					U	04/24/08
BLANK	Bromodichloromethane	75-27-4	< 1.0	n/a	ug/Kg					U	04/24/08
BLANK	Benzene	71-43-2	< 1.0	n/a	ug/Kg					U	04/24/08
BLANK	4-Bromofluorobenzene(Surr)	460-00-4	51.170	102.000	% Recov	75.000	125.000			U	04/24/08
BLANK	Bromoform	75-25-2	< 1.0	n/a	ug/Kg					U	04/24/08
BLANK	Carbon disulfide	75-15-0	< 1.0	n/a	ug/Kg					U	04/24/08
BLANK	Carbon tetrachloride	56-23-5	< 1.0	n/a	ug/Kg					U	04/24/08
BLANK	Dibromochloromethane	124-48-1	< 1.0	n/a	ug/Kg					U	04/24/08
BLANK	Chloroform	67-66-3	< 1.0	n/a	ug/Kg					U	04/24/08
BLANK	Chlorobenzene	108-90-7	< 1.0	n/a	ug/Kg					U	04/24/08
BLANK	cis-1,3-Dichloropropene	10061-01-5	< 1.0	n/a	ug/Kg					U	04/24/08
BLANK	Chloroethane	75-00-3	< 1.0	n/a	ug/Kg					U	04/24/08

WSCF ANALYTICAL LABORATORY QC REPORT

Department: **Organic**

SDG Number: **WSCF20080813**

Matrix: **SOLID**

Test: **VOA Ground Water Protection**

Sample Date:
Receive Date:

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date
BLANK	1,2-Dichloroethane-d4(Surr)	17060-07-0	50.060	100.000	% Recov	75.000	125.000				04/24/08
BLANK	1,2-Dichloropropane	78-87-5	< 1.0	n/a	ug/Kg					U	04/24/08
BLANK	Ethylbenzene	100-41-4	< 1.0	n/a	ug/Kg					U	04/24/08
BLANK	Hexane	110-54-3	< 1.0	n/a	ug/Kg					U	04/24/08
BLANK	Bromomethane	74-83-9	< 1.0	n/a	ug/Kg					U	04/24/08
BLANK	Chloromethane	74-87-3	< 1.0	n/a	ug/Kg					U	04/24/08
BLANK	2-Butanone	78-93-3	< 1.0	n/a	ug/Kg					U	04/24/08
BLANK	Methylenechloride	75-09-2	< 1.0	n/a	ug/Kg					U	04/24/08
BLANK	Tetrachloroethene	127-18-4	< 1.0	n/a	ug/Kg					U	04/24/08
BLANK	Styrene	100-42-5	< 1.0	n/a	ug/Kg					U	04/24/08
BLANK	Xylenes (total)	1330-20-7	< 1.0	n/a	ug/Kg					U	04/24/08
BLANK	Tetrahydrofuran	109-99-9	< 2.0	n/a	ug/Kg					U	04/24/08
BLANK	Toluene-d8(Surr)	2037-26-5	50.420	101.000	% Recov	80.000	126.000				04/24/08
BLANK	Toluene	108-88-3	< 1.0	n/a	ug/Kg					U	04/24/08
BLANK	trans-1,3-Dichloropropene	10061-02-6	< 1.0	n/a	ug/Kg					U	04/24/08
BLANK	Trichloroethene	79-01-6	< 1.0	n/a	ug/Kg					U	04/24/08
BLANK	Vinyl chloride	75-01-4	< 1.0	n/a	ug/Kg					U	04/24/08
LCS	1,1-Dichloroethene	75-35-4	19.640	78.600	% Recov	75.000	125.000				04/25/08
LCS	Benzene	71-43-2	24.620	98.500	% Recov	75.000	125.000				04/25/08
LCS	4-Bromofluorobenzene(Surr)	460-00-4	49.220	98.400	% Recov	75.000	125.000				04/25/08
LCS	Chlorobenzene	108-90-7	24.180	96.700	% Recov	75.000	125.000				04/25/08
LCS	1,2-Dichloroethane-d4(Surr)	17060-07-0	42.940	85.900	% Recov	75.000	125.000				04/25/08
LCS	Toluene-d8(Surr)	2037-26-5	50.210	100.000	% Recov	80.000	126.000				04/25/08
LCS	Toluene	108-88-3	26.430	106.000	% Recov	75.000	125.000				04/25/08
LCS	Trichloroethene	79-01-6	23.290	93.200	% Recov	75.000	125.000				04/25/08

WSCF ANALYTICAL COMMENT REPORT

Attention: Steve Trent
Project Number: F08-066

Group #: WSCF20080813
Department: Organic

Sample #	Client ID	Lab Area	Test	Comment
VALGROUP				
				Organics: All results are corrected for moisture and reported on a dry weight basis. cgc
				ICP-MS: Barium spike RPD over 20% but still pass. X-flag GEA results may be biased due to excessive dead time. The dead time is caused by the high Cs-137 activity of the sample. Imh
				Sr89/90 duplicate is flagged for poor RPD due to the inhomogeneity of the sample. Imh
				U-235 duplicate is flagged for poor RPD due to the inhomogeneity of the sample. Imh
				W08GR01054/U-232 tracer recovery is out of limits. Since all the other recoveries came out fine, this batch has been approved. Imh
				Pu238 duplicate is flagged for poor RPD but the sample activity is low level. RPD does not apply to low level samples. Imh
				Pu239 duplicate is flagged for poor RPD due to the inhomogeneity of the sample. Imh

Lab Areas: VALGROUP - Group Validation VALTEST - Test Validation TESTDATA - Test Data Entry
LOGSAMP - Login for Sample LOGTEST - Login for Tests

This report may not be reproduced, except in its entirety without the written approval of the WSCF Laboratory.

WSCF ANALYTICAL RESULTS REPORT

Attention: Steve Trent
SAF Number: F08-066
Sample #: W08GR01053
Client ID: BITFC6

Group #: WSCF20080813
Department: Radiochemistry
Sampled: 04/10/08
Received: 04/16/08

GPP TREN T
WSCF
Matrix: SOIL

Test Performed by AEA	CAS #	Method	RQ	Result	Unit	TP Err	Unit	DF	MDL	PQL	Analysis Date
Americium-241	14596-10-2	LA-508-471	U	210	pCi/g	+46.2	pCi/g	1.00	1.8		05/16/08
Am-243 tracer by AEA	AM243	LA-508-471		384	pCi/g			1.00	0.48		05/16/08
Gamma Energy Analysis-grd H2O											
Cobalt-60	10198-40-0	LA-508-481	U	0.831	pCi/g	+0.416	pCi/g	1.00	0.60		05/02/08
Cesium-137	10045-97-3	LA-508-481	U	7.62e+03	pCi/g	+1.21e+03	pCi/g	1.00	2.6		05/02/08
Europium-152	14683-23-9	LA-508-481	U	-0.535	pCi/g	+3.02	pCi/g	1.00	5.0		05/02/08
Europium-154	15585-10-1	LA-508-481	U	1.14	pCi/g	+1.45	pCi/g	1.00	2.4		05/02/08
Europium-155	14391-16-3	LA-508-481	U	0.980	pCi/g	+3.01	pCi/g	1.00	4.9		05/02/08
Niobium-94	14681-63-1	LA-508-481	U	0.0172	pCi/g	+0.172	pCi/g	1.00	1.4		05/02/08
Radium-226	13982-63-3	LA-508-481	U	-0.889	pCi/g	+1.66	pCi/g	1.00	2.8		05/02/08
Radium-228	15262-20-1	LA-508-481	U	0.457	pCi/g	+2.37	pCi/g	1.00	3.9		05/02/08
Neptunium by AEA											
Neptunium-237	13994-20-2	LA-508-471		0.290	pCi/g	+0.0783	pCi/g	1.00	0.049		05/21/08
Plutonium Isotopes by AEA											
Plutonium-238	13981-16-3	LA-508-471		19.0	pCi/g	+6.84	pCi/g	1.00	4.8		05/16/08
Pu-239/240 by AEA	PU-239/240	LA-508-471		870	pCi/g	+226	pCi/g	1.00	0.56		05/16/08
Pu-242 tracer by AEA	PU242	LA-508-471		600	pCi/g			1.00	1.5		05/16/08
Strontium 89/90											
Strontium-89/90	SR-RAD	LA-508-415		1.00e+03	pCi/g	+120	pCi/g	1.00	0.40		05/13/08
Sr-85 Tracer by Beta Counting	SR85	LA-508-415		97.6	Percent			1.00	0.0		05/13/08
Uranium Isotopes by AEA											
Uranium-233/234	U-233/234	LA-508-471		1.60	pCi/g	+0.448	pCi/g	1.00	0.012		05/06/08
Uranium-235	15117-96-1	LA-508-471		0.160	pCi/g	+0.0688	pCi/g	1.00	0.013		05/06/08
Uranium-238	U-238	LA-508-471		1.10	pCi/g	+0.319	pCi/g	1.00	0.012		05/06/08

MDL = Minimum Detection Limit B - The analyte < the RDL but > = the IDL/MDL (inorg)
RQ = Result Qualifier J - Analyte < lowest calibration but > = MDL (org)
TP Err = Total Propagated Error U - Analyzed for but not detected above limiting criteria.
DF = Dilution Factor X - Other flags/notes described in the comments/narrative (inorg)

* - Indicates results that have NOT been validated; + - Indicates more than six qualifier symbols
 Report WGPP/ver. 5.2

WSCF ANALYTICAL RESULTS REPORT

Attention: Steve Trent
SAF Number: F08-066
Sample # W08GR01053
Client ID: BITFC6

Group #: WSCF20080813
Department: Radiochemistry
Sampled: 04/10/08
Received: 04/16/08

GPP TRENT **Matrix:** SOIL
WSCF

Test Performed	CAS #	Method	RQ	Result	Unit	TP Err	Unit	DF	MDL	PQL	Analysis Date
U-232 tracer by AEA	U232	LA-508-471		10.0	pCi/g			1.00	0.055		05/06/08

MDL = Minimum Detection Limit B - The analyte < the RDL but > = the IDL/MDL (inorg)
RQ = Result Qualifier J - Analyte < lowest calibration but > = MDL (org)
TP Err = Total Propagated Error U - Analyzed for but not detected above limiting criteria.
DF = Dilution Factor X - Other flags/notes described in the comments/narrative(inorg)

* - Indicates results that have NOT been validated; + - Indicates more than six qualifier symbols

Report WGPP/ver. 5.2
Groundwater Remediation Program

D - Analyte was identified at a secondary dilution factor(inorg)
 U - Analyzed for but not detected above limiting criteria(inorg)
 U - Analyzed for but not detected above limiting criteria.(org)

WSCF ANALYTICAL RESULTS REPORT

Attention: Steve Trent
SAF Number: F08-066
Sample # W08GR01054
Client ID: BITFC9

Group #: WSCF20080813
Department: Radiochemistry
Sampled: 04/10/08
Received: 04/16/08

GPP
WSCF

TRENT
Matrix: SOIL

Test Performed	CAS #	Method	RQ	Result	Unit	TP Err	Unit	DF	MDL	PQL	Analysis Date
Americium by AEA											
Americium-241	14596-10-2	LA-508-471	U	273	pCi/g	+60.1	pCi/g	1.00	0.15		05/16/08
Am-243 tracer by AEA	AM243	LA-508-471		38.0	pCi/g			1.00	0.15		05/16/08
Gamma Energy Analysis-grd H2O											
Cobalt-60	10198-40-0	LA-508-481	U	0.191	pCi/g	+0.287	pCi/g	1.00	0.46		04/28/08
Cesium-137	10045-97-3	LA-508-481		6.52e+03	pCi/g	+1.03e+03	pCi/g	1.00	2.2		04/28/08
Europium-152	14683-23-9	LA-508-481	U	0.276	pCi/g	+2.70	pCi/g	1.00	4.5		04/28/08
Europium-154	15585-10-1	LA-508-481	U	1.77	pCi/g	+1.20	pCi/g	1.00	2.0		04/28/08
Europium-155	14391-16-3	LA-508-481	U	-1.85	pCi/g	+2.76	pCi/g	1.00	4.4		04/28/08
Niobium-94	14681-63-1	LA-508-481	U	-0.717	pCi/g	+0.724	pCi/g	1.00	1.2		04/28/08
Radium-226	13982-63-3	LA-508-481	U	-0.839	pCi/g	+1.47	pCi/g	1.00	2.5		04/28/08
Radium-228	15262-20-1	LA-508-481	U	-0.834	pCi/g	+1.97	pCi/g	1.00	3.2		04/28/08
Neptunium by AEA											
Neptunium-237	13994-20-2	LA-508-471		0.330	pCi/g	+0.0990	pCi/g	1.00	0.060		05/21/08
Plutonium Isotopes by AEA											
Plutonium-238	13981-16-3	LA-508-471		20.0	pCi/g	+7.00	pCi/g	1.00	5.6		05/16/08
Pu-239/240 by AEA	PU-239/240	LA-508-471		1.00e+03	pCi/g	+260	pCi/g	1.00	1.7		05/16/08
Pu-242 tracer by AEA	PU242	LA-508-471		590	pCi/g			1.00	1.7		05/16/08
Strontium 89/90											
Strontium-89/90	SR-RAD	LA-508-415		940	pCi/g	+113	pCi/g	1.00	0.39		05/13/08
Sr-85 Tracer by Beta Counting	SR85	LA-508-415		95.7	Percent			1.00	0.0		05/13/08
Uranium Isotopes by AEA											
Uranium-233/234	U-233/234	LA-508-471		1.50	pCi/g	+0.420	pCi/g	1.00	0.010		05/06/08
Uranium-235	15117-96-1	LA-508-471		0.140	pCi/g	+0.0602	pCi/g	1.00	0.011		05/06/08
Uranium-238	U-238	LA-508-471		1.20	pCi/g	+0.336	pCi/g	1.00	0.010		05/06/08

MDL = Minimum Detection Limit B - The analyte < the RDL but > = the IDL/MDL (inorg)
RQ = Result Qualifier J - Analyte < lowest calibration but > = MDL (org)
TP Err = Total Propagated Error U - Analyzed for but not detected above limiting criteria.
DF = Dilution Factor X - Other flags/notes described in the comments/narrative (inorg)

* - Indicates results that have NOT been validated; + - Indicates more than six qualifier symbols
 D - Analyte was identified at a secondary dilution factor (inorg)
 U - Analyzed for but not detected above limiting criteria (inorg)
 U - Analyzed for but not detected above limiting criteria (org)

Report WGPP/ver. 5.2

Groundwater Remediation Program

WSCF ANALYTICAL RESULTS REPORT

Attention: Steve Trent
SAF Number: F08-066
Sample # W08GR01054
Client ID: BITFC9

Group #: WSCF20080813
Department: Radiochemistry
Sampled: 04/10/08
Received: 04/16/08

GPP TREN
WSCF SOIL

Test Performed	CAS #	Method	RQ	Result	Unit	TP Err	Unit	DF	MDL	PQL	Analysis Date
U-232 tracer by AEA	U232	LA-508-471		9.80	pCi/g			1.00	0.046		05/06/08

MDL = Minimum Detection Limit B - The analyte < the RDL but > = the IDL/MDL (inorg)
RQ = Result Qualifier J - Analyte < lowest calibration but > = MDL (org)
TP Err = Total Propagated Error U - Analyzed for but not detected above limiting criteria.
DF = Dilution Factor X - Other flags/notes described in the comments/narrative(inorg)

* - Indicates results that have NOT been validated; + - Indicates more than six qualifier symbols
 Report WGPP/ver. 5.2

WSCF

TENTATIVELY IDENTIFIED PEAK REPORT

Attention: Steve Trent
 Project Number F08-066 : F08-066

Group #: WSCF20080813
 Department: Radiochemistry

Sample #	Client ID	GPP	TRENT	Test Name	Peak Name	CAS#	RT	RQ	Result	Units
W08GR01053	B1TFC6	GPP	TRENT	Gamma Energy Analysis-grd H2O	AM-241				1.1e+02	pCi/g
W08GR01053	B1TFC6	GPP	TRENT	Gamma Energy Analysis-grd H2O	AM-241 Count Error				15	%
W08GR01054	B1TFC9	GPP	TRENT	Gamma Energy Analysis-grd H2O	AM-241				91	pCi/g
W08GR01054	B1TFC9	GPP	TRENT	Gamma Energy Analysis-grd H2O	AM-241 Count Error				15	%
W08GR01054	B1TFC9	GPP	TRENT	Gamma Energy Analysis-grd H2O	K-40				5.4	pCi/g
W08GR01054	B1TFC9	GPP	TRENT	Gamma Energy Analysis-grd H2O	K-40 Count Error				46	%

RQ=Result Qualifier

This report may not be reproduced, except in its entirety without the written approval of the WSCF Laboratory.

Groundwater Remediation Program

WGPE v 5.2 Report#: WSCF20080813 Report Date: 29-may-2008

WSCF ANALYTICAL LABORATORY QC REPORT

Department: Radiochemistry

SDG Number: WSCF20080813

Matrix: SOLID

Test: Gamma Energy Analysis-grd H2O

Sample Date: 04/10/08

Receive Date: 04/16/08

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date
Lab ID: W08GR01053											
BATCH QC ASSOCIATED WITH SAMPLE											
DUP	Cobalt-60	10198-40-0	U0.2452		RPD			n/a	20.000		05/02/08
DUP	Cesium-137	10045-97-3	7565		RPD			0.790	20.000		05/02/08
DUP	Europium-152	14683-23-9	U-1.06		RPD			n/a	20.000		05/02/08
DUP	Europium-154	15585-10-1	U2.567		RPD			n/a	20.000		05/02/08
DUP	Europium-155	14391-16-3	U-2.493		RPD			n/a	20.000		05/02/08
DUP	Niobium-94	14681-63-1	U-0.8863		RPD			n/a	20.000		05/02/08
DUP	Radium-226	13982-63-3	U-0.2046		RPD			n/a	20.000		05/02/08
DUP	Radium-228	15262-20-1	U-2.571		RPD			n/a	20.000		05/02/08
BATCH QC											
BLANK	Cobalt-60	10198-40-0	U1.255e-3	n/a	pCi/g	-10.000	1000.000				04/28/08
BLANK	Cesium-137	10045-97-3	U1.111e-3	n/a	pCi/g	-10.000	1000.000				04/28/08
BLANK	Europium-152	14683-23-9	U1.731e-4	n/a	pCi/g	-10.000	1000.000				04/28/08
BLANK	Europium-154	15585-10-1	U-1.513e-3	n/a	pCi/g	-10.000	1000.000				04/28/08
BLANK	Europium-155	14391-16-3	U1.213e-2	n/a	pCi/g	-10.000	1000.000				04/28/08
BLANK	Niobium-94	14681-63-1	U4.09e-3	n/a	pCi/g	-10.000	1000.000				04/28/08
BLANK	Radium-226	13982-63-3	0.1059	0.106	pCi/g	-10.000	1000.000				04/28/08
BLANK	Radium-228	15262-20-1	4.853e-2	0.049	pCi/g	-10.000	1000.000				04/28/08
LCS	Cobalt-60	10198-40-0	10200	102.616	% Recov	80.000	120.000				05/02/08
LCS	Cesium-137	10045-97-3	6318	104.603	% Recov	80.000	120.000				05/02/08

WSCF ANALYTICAL LABORATORY QC REPORT

Department: Radiochemistry

SDG Number: WSCF20080813
 Matrix: SOLID
 Test: Americium by AEA

Sample Date: 04/10/08
 Receive Date: 04/16/08

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date
Lab ID: W08GR01053											
BATCH QC ASSOCIATED WITH SAMPLE											
DUP	Americium-241	14596-10-2	290		RPD			30.616	20.000 *		05/16/08
DUP	Am-243 tracer by AEA	AM243	384	66.020	% Recov	30.000	105.000				05/16/08
SURR	Am-243 tracer by AEA	AM243	39.45	75.310	% Recov	30.000	105.000				05/16/08
Lab ID: W08GR01054											
BATCH QC ASSOCIATED WITH SAMPLE											
SURR	Am-243 tracer by AEA	AM243	38.04	63.050	% Recov	30.000	105.000				05/16/08
BATCH QC											
BLANK	Americium-241	14596-10-2	U0.55	n/a	pCi/g	-10.000	1000.000				05/16/08
BLANK	Am-243 tracer by AEA	AM243	99.81	77.530	% Recov	30.000	105.000				05/16/08
LCS	Americium-241	14596-10-2	12.18	102.785	% Recov	80.000	120.000				05/16/08
LCS	Am-243 tracer by AEA	AM243	11.17	79.030	% Recov	30.000	105.000				05/16/08

WSCF ANALYTICAL LABORATORY QC REPORT

Department: Radiochemistry

SDG Number: WSCF20080813
 Matrix: SOLID
 Test: Neptunium by AEA

Sample Date: 04/10/08
 Receive Date: 04/16/08

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date
Lab ID: W08GR01053											
BATCH QC ASSOCIATED WITH SAMPLE											
DUP	Neptunium-237	13994-20-2	0.27		RPD			7.143	25.000		05/21/08
MS	Neptunium-237	13994-20-2	100.2	100.200	% Recov	75.000	125.000				05/21/08
MSD	Neptunium-237	13994-20-2	97.01	97.010	% Recov	75.000	125.000				05/21/08
SPK-RPD	Neptunium-237	13994-20-2	97.010		% RPD			2.945	20.000		05/21/08
Lab ID: W08GR01054											
BATCH QC ASSOCIATED WITH SAMPLE											
MS	Neptunium-237	13994-20-2	98.6	98.600	% Recov	75.000	125.000				05/21/08
BATCH QC											
BLANK	Neptunium-237	13994-20-2	U4.4e-3	n/a	pCi/G	-10.000	1000.000				05/21/08
LCS	Neptunium-237	13994-20-2	12.06	94.625	% Recov	80.000	120.000				05/21/08

WSCF ANALYTICAL LABORATORY QC REPORT

Department: Radiochemistry

SDG Number: WSCF20080813
 Matrix: SOLID
 Test: Plutonium Isotopics by AEA

Sample Date: 04/10/08
 Receive Date: 04/16/08

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date
Lab ID: W08GR01053											
BATCH QC ASSOCIATED WITH SAMPLE											
DUP	Plutonium-238	13981-16-3	27		RPD			34.783	20.000 *		05/16/08
DUP	Pu-239/240 by AEA	PU-239/240	1200		RPD			31.884	20.000 *		05/16/08
DUP	Pu-242 tracer by AEA	PU242	595	85.390	% Recov	30.000	105.000				05/16/08
SURR	Pu-242 tracer by AEA	PU242	595	78.920	% Recov	30.000	105.000				05/16/08
Lab ID: W08GR01054											
BATCH QC ASSOCIATED WITH SAMPLE											
SURR	Pu-242 tracer by AEA	PU242	589.4	89.560	% Recov	30.000	105.000				05/16/08
BATCH QC											
BLANK	Plutonium-238	13981-16-3	U0.8	n/a	pCi/g	-10.000	1000.000				05/16/08
BLANK	Pu-239/240 by AEA	PU-239/240	U0.21	n/a	pCi/g	-10.000	1000.000				05/16/08
BLANK	Pu-242 tracer by AEA	PU242	154.7	72.970	% Recov	30.000	105.000				05/16/08
LCS	Pu-239/240 by AEA	PU-239/240	13.52	105.255	% Recov	80.000	120.000				05/16/08
LCS	Pu-242 tracer by AEA	PU242	17.3	80.890	% Recov	30.000	105.000				05/16/08

WSCF ANALYTICAL LABORATORY QC REPORT

Department: Radiochemistry

SDG Number: WSCF20080813
 Matrix: SOLID
 Test: Strontium 89/90

Sample Date: 04/10/08
 Receive Date: 04/16/08

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date
Lab ID: W08GR01053											
BATCH QC ASSOCIATED WITH SAMPLE											
DUP	Sr-85 Tracer by Beta Counting	SR85	98.6	98.600	% Recov	30.000	105.000				05/13/08
DUP	Strontium-89/90	SR-RAD	1.4E+03		RPD			33.333	20.000 *		05/13/08
SURR	Sr-85 Tracer by Beta Counting	SR85	97.6	97.600	% Recov	30.000	105.000				05/13/08
Lab ID: W08GR01054											
BATCH QC ASSOCIATED WITH SAMPLE											
SURR	Sr-85 Tracer by Beta Counting	SR85	95.7	95.700	% Recov	30.000	105.000				05/13/08
BATCH QC											
BLANK	Sr-85 Tracer by Beta Counting	SR85	89.7	89.700	% Recov	30.000	105.000				05/13/08
BLANK	Strontium-89/90	10098-97-2	U-1.3E-01	n/a	pCi/g	-10.000	300.000				05/13/08
LCS	Sr-85 Tracer by Beta Counting	SR85	98.5	98.500	% Recov	30.000	105.000				05/13/08
LCS	Strontium-89/90	10098-97-2	64.9	92.549	% Recov	80.000	120.000				05/13/08

WSCF ANALYTICAL LABORATORY QC REPORT

Department: Radiochemistry

SDG Number: WSCF20080813
 Matrix: SOLID
 Test: Uranium Isotopics by AEA

Sample Date: 04/10/08
 Receive Date: 04/16/08

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Lower Limit	Upper Limit	RPD(%)	RPD Limit	RQ	Analysis Date
Lab ID: W08GR01053											
BATCH QC ASSOCIATED WITH SAMPLE											
DUP	U-232 tracer by AEA	U232	9.874	101.520	% Recov	30.000	105.000				05/06/08
DUP	Uranium-233/234	U-233/234	1.7		RPD			6.061	20.000		05/06/08
DUP	Uranium-235	15117-96-1	0.13		RPD			20.690	20.000	*	05/06/08
DUP	Uranium-238	U-238	1.2		RPD			8.696	20.000		05/06/08
SURR	U-232 tracer by AEA	U232	10.15	90.370	% Recov	30.000	105.000				05/06/08
Lab ID: W08GR01054											
BATCH QC ASSOCIATED WITH SAMPLE											
SURR	U-232 tracer by AEA	U232	9.781	109.010	% Recov	30.000	105.000			*	05/06/08
BATCH QC											
BLANK	U-232 tracer by AEA	U232	10.35	79.410	% Recov	30.000	105.000				05/06/08
BLANK	Uranium-233/234	13966-29-5	U3.6e-2	n/a	pCi/g	-10.000	1000.000				05/06/08
BLANK	Uranium-235	15117-96-1	2.2e-2	0.022	pCi/g	-10.000	1000.000				05/06/08
BLANK	Uranium-238	24678-82-8	5.1e-2	0.051	pCi/g	-10.000	1000.000				05/06/08
LCS	U-232 tracer by AEA	U232	11.49	84.860	% Recov	30.000	105.000				05/06/08
LCS	Uranium-233/234	13966-29-5	N/A	n/a	% Recov	75.000	125.000				05/06/08
LCS	Uranium-235	15117-96-1	N/A	n/a	% Recov	75.000	125.000				05/06/08
LCS	Uranium-238	24678-82-8	19.2	101.293	% Recov	80.000	120.000				05/06/08

WSCF ANALYTICAL COMMENT REPORT

Attention: Steve Trent
Project Number: F08-066
Group #: WSCF20080813
Department: Radiochemistry

Sample #	Client ID	Lab Area	Test	Comment
		VALGROUP		Organics: All results are corrected for moisture and reported on a dry weight basis. cgc
				ICP-MS: Barium spike RPD over 20% but still pass. X-flag GEA results may be biased due to excessive dead time. The dead time is caused by the high Cs-137 activity of the sample. Imh
				Sr89/90 duplicate is flagged for poor RPD due to the inhomogeneity of the sample. Imh
				U-235 duplicate is flagged for poor RPD due to the inhomogeneity of the sample. Imh
				W08GR01054/U-232 tracer recovery is out of limits. Since all the other recoveries came out fine, this batch has been approved. Imh
				Pu238 duplicate is flagged for poor RPD but the sample activity is low level. RPD does not apply to low level samples. Imh
				Pu239 duplicate is flagged for poor RPD due to the inhomogeneity of the sample. Imh

Lab Areas: VALGROUP - Group Validation VALTEST - Test Validation TESTDATA - Test Data Entry
LOGSAMP - Login for Sample LOGTEST - Login for Tests

This report may not be reproduced, except in its entirety without the written approval of the WSCF Laboratory.

WSCF ANALYTICAL COMMENT REPORT

Attention: Steve Trent
Project Number F08-066

Group #: WSCF20080813
Department: Radiochemistry

Sample #	Client ID	Lab Area	Test	Comment
----------	-----------	----------	------	---------

				Am241 duplicate is flagged for poor RPD but the sample activity is low level. RPD does not apply to low level samples. lrmh
--	--	--	--	---

Lab Areas: VALGROUP - Group Validation
LOGSAMP - Login for Sample

VALTEST - Test Validation
LOGTEST - Login for Tests

TESTDATA - Test Data Entry

This report may not be reproduced, except in its entirety without the written approval of the WSCF Laboratory.

wgppc/5.2 Report #: WSCF20080813

Report Date: 29-may-2008

Page 4

M4W41-SLF-08-581

ATTACHMENT 4

SAMPLE RECEIPT INFORMATION

Consisting of 13 pages
Including cover page

Waste Sampling and Characterization Facility

P.O. BOX 1970 S3-30, Richland, WA 99352
 PHONE: (509) 373-7004/FAX: (509) 373-7134

ACKNOWLEDGMENT OF SAMPLES RECEIVED

Groundwater Remediation Program

Richland, WA 99354
 Attn: Steve Trent

Customer Code: GPP
 PO#: 123210/ES20
 Group#: 20080813
 Project#: F08-066
 Proj Mgr: Steve Trent E6-35
 Phone: 373-5869

The following samples were received from you on 04/16/08. They have been scheduled for the tests listed beside each sample. If this information is incorrect, please contact your service representative. Thank you for using Waste Sampling and Characterization Facility.

Sample#	Sample Id	Tests Scheduled	Matrix	Sample Date
W08GR01053	B1TFC6	GPP @2008 @GEA-GPP PERSOLID	TRENT Solid, or handle as if solid @AEA-30 @AEA-31 @AEA-32 @AEA-33 @IC-30 @PCBGPP @SR89_90 @SVOCGPP @TPHD PH-30	04/10/08
W08GR01054	B1TFC9	GPP @2008 @GEA-GPP PERSOLID	TRENT Solid, or handle as if solid @AEA-30 @AEA-31 @AEA-32 @AEA-33 @IC-30 @PCBGPP @SR89_90 @SVOCGPP @TPHD PH-30	04/10/08
W08GR01055	B1TFC5	GPP	TRENT Solid, or handle as if solid	04/10/08
W08GR01056	B1TFC8	GPP	TRENT Solid, or handle as if solid	04/10/08
W08GR01057	B1TFC4	GPP @VOA-GPP	TRENT Solid, or handle as if solid	04/10/08
W08GR01058	B1TFC7	GPP @VOA-GPP	TRENT Solid, or handle as if solid	04/10/08

Test Acronym Description

Test Acronym	Description
@2008	ICP-200.8 MS All possible meta
@AEA-30	Plutonium Isotopics by AEA
@AEA-31	Americium by AEA
@AEA-32	Uranium Isotopics by AEA
@AEA-33	Neptunium by AEA
@GEA-GPP	Gamma Energy Analysis-grd H2O
@IC-30	Anions by Ion Chromatography
@PCBGPP	PCBs complete list
@SR89_90	Strontium 89/90
@SVOCGPP	SW-846 8270C Semi-Vols
@TPHD-WA	NWTPH-D TPH Diesel Range (Wa)
@VOA-GPP	VOA Ground Water Protection
PERSOLID	Percent Solids

Groundwater Remediation Program

Richland, WA 99354
Attn: Steve Trent

Customer Code: GPP
PO#: 123210/ES20
Group#: 20080813
Project#: F08-066
Proj Mgr: Steve Trent E6-35
Phone: 373-5869

Test Acronym Description

Test Acronym	Description
PH-30	pH Soil and Waste Measurement

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

Fluor Hanford Inc.

COLLECTOR
NCO Sampler
D Connolly

COMPANY CONTACT
TRENT, SJ

TELEPHONE NO.
373-5869

PROJECT COORDINATOR
WIDRIG, DL

PRICE CODE
8N

DATA
TURNAROUND
45 Days / 45 Days

PROJECT DESIGNATION
216-S-6 Crib Sampling - Soil

AIR QUALITY

METHOD OF SHIPMENT
GOVERNMENT VEHICLE

FIELD LOGBOOK NO.
HW-NSIS-25 B 25 135-175

SAF NO.
F08-066

COA
123210ES20

ACTUAL SAMPLE DEPTH
135-175

OFFSITE PROPERTY NO.
N/A

BILL OF LADING/AIR BILL NO.
N/A

SHIPPED TO
Waste Sampling & Characterization

MATRIX*
A=Air
DL=Drum
L=Liquid
DS=Drum
S=Solids
O=Oil
S=Soil
SE=Sediment
T=Tissue
V=Vegetation
W=Water
WI=Wipe
X=Other

POSSIBLE SAMPLE HAZARDS/REMARKS
Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

PRESERVATION
Cool--4C :None

TYPE OF CONTAINER
G/P ag ag G/P

NO. OF CONTAINER(S)
1 1 1 1 1

VOLUME
120mL 120mL 120mL 120mL 500mL

SAMPLE ANALYSIS
SEE ITEM (1) IN SPECIAL INSTRUCTIONS
SEE ITEM (2) IN SPECIAL INSTRUCTIONS
SEE ITEM (3) IN SPECIAL INSTRUCTIONS
SEE ITEM (4) IN SPECIAL INSTRUCTIONS
SEE ITEM (5) IN SPECIAL INSTRUCTIONS
SEE ITEM (6) IN SPECIAL INSTRUCTIONS

SPECIAL HANDLING AND/OR STORAGE
Radioactive tie to BITFB1

SAMPLE DATE
4-10-8 12-10

MATRIX*
20080813

SAMPLE NO.
BITFC6 W08460 1053 SOIL

ICED

CHAIN OF POSSESSION

SIGN/PRINT NAMES
LUT # 024875

SPECIAL INSTRUCTIONS
SEE PAGE 2 FOR ALL SPECIAL INSTRUCTIONS

RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME
D Connolly	4-10-8 1315	ON SITE Fridge	4-10-8 1315
ON SITE Fridge	4-16-8 1100	D Connolly	4-16-8 1100
D Connolly	4-16-8 1145	Victor B	4-16-8 1145

RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME
RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME
RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME

LABORATORY SECTION RECEIVED BY

FINAL SAMPLE DISPOSITION

Fluor Hanford Inc.		CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST		F08-066-020	PAGE 2 OF 2
COLLECTOR NCO Sampler	COMPANY CONTACT TRENT, SJ	TELEPHONE NO. 373-5869	PROJECT COORDINATOR WIDRIG, DL	PRICE CODE 8N	DATA TURNAROUND 45 Days / 45 Days
SAMPLING LOCATION C6174, I-003	PROJECT DESIGNATION 216-S-6 Crib Sampling - Soil	SAF NO. F08-066	COA 123210ES20	AIR QUALITY <input type="checkbox"/>	METHOD OF SHIPMENT GOVERNMENT VEHICLE
ICE CHEST NO.	FIELD LOGBOOK NO.	ACTUAL SAMPLE DEPTH	BILL OF LADING/AIR BILL NO. N/A		
SHIPPED TO Waste Sampling & Characterization	OFFSITE PROPERTY NO. N/A				

SPECIAL INSTRUCTIONS

** The 200 Area S&GRP Characterization and Monitoring Sampling and Analysis GKI applies to this SAF.

** Analytical batch QC must be run on a sample associated with this SAF.

(1)Conductivity - 9050 (Specific Conductance) pH (Soil) - 9045 (pH Measurement)

(2)Semi-VOA - 8270B (Add-On) (1,2,4-Trimethylbenzene, Tributyl phosphate)

(3)TPH-DieselKerosene Range - WTPH-D (Total petroleum hydrocarbons - diesel range, Total petroleum hydrocarbons - kerosene range)

(4)ICP/MS - 200.8 (TAL) (Barium, Cadmium, Chromium, Copper, Nickel, Silver, Zinc) ICP/MS - 200.8 (Add-on) (Arsenic, Beryllium, Lead, Selenium) 200.8_HG - ICPMS;

(5)IC Anions - 300.0 (Fluoride, Nitrogen in Nitrate, Nitrogen in Nitrite, Sulfate)

(6)Gamma Spectroscopy (Cesium-137, Cobalt-60, Europium-152, Europium-154, Europium-155, Radium-226) Gamma Spec - Add-on (Niobium-94, Radium-228) Isotopic Uranium; Neptunium-237; Strontium-89,90 -- Total Sr; Isotopic Plutonium; Americium-241 (Americium-241)

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

Fluor Hanford Inc.

COLLECTOR NCO Sampler	COMPANY CONTACT TRENT, SJ	TELEPHONE NO. 373-5869	PROJECT COORDINATOR WIDRIG, DL	PRICE CODE 8N	DATA TURNAROUND
SAMPLING LOCATION C6174, I-003-D	PROJECT DESIGNATION 216-S-6 Crib Sampling - Soil	SAF NO. F08-066	AIR QUALITY <input type="checkbox"/>	AIR QUALITY <input type="checkbox"/>	45 Days / 45 Days
ICE CHEST NO.	FIELD LOGBOOK NO.	ACTUAL SAMPLE DEPTH	COA 123210ES20	METHOD OF SHIPMENT GOVERNMENT VEHICLE	
SHIPPED TO Waste Sampling & Characterization	OFFSITE PROPERTY NO. N/A	BILL OF LADING/AIR BILL NO. N/A			

SPECIAL INSTRUCTIONS

** The 200 Area S&GRP Characterization and Monitoring Sampling and Analysis GKI applies to this SAF.

** Analytical batch QC must be run on a sample associated with this SAF.

(1)Conductivity - 9050 (Specific Conductance) pH (Soil) - 9045 (pH Measurement)

(2)Semi-VOA - 82708 (Add-On) {1,2,4-Trimethylbenzene, Tributyl phosphate}

(3)TPH-DieselKerosene Range - WTPH-D (Total petroleum hydrocarbons - diesel range, Total petroleum hydrocarbons - kerosene range)

(4)ICP/MS - 200.8 (TAL) {Barium, Cadmium, Chromium, Copper, Nickel, Silver, Zinc} ICP/MS - 200.8 (Add-on) {Arsenic, Beryllium, Lead, Selenium} 200.8_HG - ICPMS;

(5)IC Anions - 300.0 (Fluoride, Nitrogen in Nitrate, Nitrogen in Nitrite, Sulfate)

(6)Gamma Spectroscopy {Cesium-137, Cobalt-60, Europium-152, Europium-154, Europium-155, Radium-226} Gamma Spec - Add-on {Niobium-94, Radium-228} Isotopic Uranium; Neptunium-237; Strontium-89,90 -- Total Sr; Isotopic Plutonium; Americium-241 {Americium-241}

COLLECTOR
 NCO Sampler
SAMPLING LOCATION
 C6174, 1-003
ICE CHEST NO.
 Waste Sampling & Characterization

COMPANY CONTACT
 TRENT, SJ
PROJECT DESIGNATION
 216-56 Crib Sampling - Soil
FIELD LOGBOOK NO.
 N/A
OFFSITE PROPERTY NO.
 N/A

TELEPHONE NO.
 373-5869
PROJECT COORDINATOR
 WIDRIG, DL
SAF NO.
 F08-066
COA
 123210ES20
BILL OF LADING/AIR BILL NO.
 N/A

PRICE CODE
 8N
AIR QUALITY

METHOD OF SHIPMENT
 GOVERNMENT VEHICLE
DATA TURNAROUND
 45 Days / 45 Days

POSSIBLE SAMPLE HAZARDS/ REMARKS
 Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)
PRESERVATION
 Cool-4C
TYPE OF CONTAINER
 aGS*
NO. OF CONTAINER(S)
 1
VOLUME
 40ml

SPECIAL HANDLING AND/OR STORAGE
 Radioactive tie to B1TF81
SAMPLE NO.
 B1TF5 1008 a201055 SOIL
MATRIX*
 4-10-8 1210 -
SAMPLE DATE
 4-10-8 1210 -
SAMPLE TIME
 4-10-8 1210 -

CHAIN OF POSSESSION
 RELINQUISHED BY/REMOVED FROM
 D Connolly
 RELINQUISHED BY/REMOVED FROM
 on site fridge
 RELINQUISHED BY/REMOVED FROM
 D Connolly
 RELINQUISHED BY/REMOVED FROM
 V. [Signature]

SIGN/ PRINT NAMES
 RECEIVED BY/STORED IN
 4-10-8 1311 on site fridge
 4-16-8 1100 D Connolly
 4-16-8 1145 V. [Signature]

DATE/TIME
 4-10-8 1315
 4-16-8 1100
 4-16-8 1145

RECEIVED BY/STORED IN
 RECEIVED BY/STORED IN
 RECEIVED BY/STORED IN
 RECEIVED BY/STORED IN
RECEIVED BY
DISPOSAL METHOD
 RECEIVED BY
 DISPOSAL METHOD

DATE/TIME
 DATE/TIME
 DATE/TIME
 DATE/TIME
DATE/TIME
 DATE/TIME
 DATE/TIME
 DATE/TIME

ICED

SPECIAL INSTRUCTIONS

** The 200 Area S&GRP Characterization and Monitoring Sampling and Analysis GK1 applies to this SAF.
 ** Analytical batch QC must be run on a sample associated with this SAF.
 ** All VOA samples will be collected using EPA Method 5035A.
 (1)VOA - 5035/8260 (TCL); VOA - 5035/8260 - (Add-On) {Acetonitrile, Hexane, Tetrhydrofuran}

COLLECTOR: NCO Sampler *D Collins 16*
 COMPANY CONTACT: TRENT, NJ 373-5869
 PROJECT COORDINATOR: WDRIG, DL
 PRICE CODE: 8N
 DATA TURNAROUND: 45 Days / 45 Days

SAMPLING LOCATION: C6174, I-003-D
 PROJECT DESIGNATION: 216-S-6 Crib Sampling - Soil
 SAF NO.: F08-066
 AIR QUALITY:

ICE CHEST NO.:
 FIELD LOGBOOK NO.: *HNF-N-585.5 Pg 25 15'-17.5'*
 ACTUAL SAMPLE DEPTH: *15'-17.5'*
 COA: 123210ES20
 METHOD OF SHIPMENT: GOVERNMENT VEHICLE
 BILL OF LADING/AIR BILL NO.: N/A

SHIPPED TO: Waste Sampling & Characterization
 MATRIX*: A=Air, DI=Drum, L=Liquid, O=Oil, S=Soil, SE=Sediment, T=Tissue, V=Vegetation, W=Water, WI=Wipe, X=Other
 PRESERVATION: Cool-to-4C
 TYPE OF CONTAINER: aGs*
 NO. OF CONTAINER(S): 1
 VOLUME: 40ml

SPECIAL HANDLING AND/OR STORAGE: Radioactive tie to BITFB1
 SEE ITEM (1) IN SPECIAL INSTRUCTIONS

SAMPLE NO.: BITFC8 *W of B2010 Sp SOIL*
 SAMPLE DATE: 4-10-8
 SAMPLE TIME: 1210
 MATRIX*:
 SPECIAL INSTRUCTIONS: *10215060*

ICED

RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME
<i>D Collins 16</i>	4-10-8 1315	<i>ON SITE Fridge</i>	4-10-8 1315
<i>on site Fridge</i>	4-16-8 1100	<i>D Collins 16</i>	4-16-8 1100
<i>D Collins 16</i>	4-16-8 1145	<i>D Collins 16</i>	4-16-8 1145
RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME
RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME
RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME
RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME

LABORATORY SECTION: RECEIVED BY
 FINAL SAMPLE DISPOSITION: DISPOSAL METHOD
 TITLE: DATE/TIME
 DISPOSED BY: DATE/TIME
 A-6003-618(01/06)

COLLECTOR
 NCO Sampler *D Connolly*
SAMPLING LOCATION
 C6174, I-003
ICE CHEST NO.
 Waste Sampling & Characterization

COMPANY CONTACT
 TRENT, NJ
PROJECT DESIGNATION
 216-S-6 Crib Sampling - Soil
FIELD LOGBOOK NO.
 HNF-N-5855 *25*
 OFFSITE PROPERTY NO. *15-17.5*
 N/A

TELEPHONE NO.
 373-5869
PROJECT COORDINATOR
 WIDRIG, DL
SAF NO.
 F08-066
COA
 123210ES20
BILL OF LADING/AIR BILL NO.
 N/A

PRICE CODE
 8N
AIR QUALITY

METHOD OF SHIPMENT
 GOVERNMENT VEHICLE
DATA TURNAROUND
 45 Days / 45 Days

PRESERVATION
 Cool < 7°C and MEQH/Cool-4
 > -20°C
TYPE OF CONTAINER
 aGs*
NO. OF CONTAINER(S)
 5
VOLUME
 40mL

SPECIAL HANDLING AND/OR STORAGE
 Radioactive tie to BITFB1
SAMPLE ANALYSIS
 SEE ITEM (1) IN SPECIAL INSTRUCTIONS
 SEE ITEM (2) IN SPECIAL INSTRUCTIONS

SAMPLE NO.	MATRIX*	SAMPLE DATE	SAMPLE TIME
BITFC4	W 0882405ZSOIL	4-10-8	1210 ✓

ICED

CHAIN OF POSSESSION
 SIGN/ PRINT NAMES
 Lot # 6215060

RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME
<i>D Connolly</i>	4-10-8 1315	ON SITE Fridge	4-10-8 1315
on site Fridge	4-16-8 1100	<i>D Connolly</i>	4-16-8 1100
<i>D Connolly</i>	4-16-8 1145	<i>[Signature]</i>	4-16-8 1145

RELINQUISHED BY/REMOVED FROM	DATE/TIME	RECEIVED BY/STORED IN	DATE/TIME

LABORATORY SECTION	RECEIVED BY	TITLE	DATE/TIME

FINAL SAMPLE DISPOSITION	DISPOSAL METHOD	DISPOSED BY	DATE/TIME

COLLECTOR NCO Sampler	COMPANY CONTACT TREM, SJ	TELEPHONE NO. 373-5869	PROJECT COORDINATOR WIDRIG, DL	PRICE CODE 8N	DATA TURNAROUND 45 Days / 45 Days
SAMPLING LOCATION C6174, I-003	PROJECT DESIGNATION 216-5-6 Crib Sampling - Soil	SAF NO. F08-066	AIR QUALITY <input type="checkbox"/>	AIR QUALITY <input type="checkbox"/>	
ICE CHEST NO.	FIELD LOGBOOK NO.	ACTUAL SAMPLE DEPTH	COA 123210ES20	METHOD OF SHIPMENT GOVERNMENT VEHICLE	
SHIPPED TO Waste Sampling & Characterization	OFFSITE PROPERTY NO. N/A	BILL OF LADING/AIR BILL NO. N/A			

SPECIAL INSTRUCTIONS

** The 200 Area S&GRP Characterization and Monitoring Sampling and Analysis GK1 applies to this SAF.

** Analytical batch QC must be run on a sample associated with this SAF.

** All VOA samples will be collected using EPA Method 5035A.

** VOA sample bottle sets will include 3 bottles for high level analysis, 5 bottles for low level analysis, and 1 methanol process control sample.

** The laboratory is to use one of the low level VOA bottles for moisture content determination.

** VOA bottles will be labeled with an appended suffix of K, L, M, N, or P for low level and W, X, or Y for high level. These suffixes are for the purpose of providing bottle weights to the laboratories. These suffixes should not be include as part of the sample ID reported in the final data packages.

(1)VOA - 5035/8260 (LOW LEVEL); VOA - 5035/8260 (LOW LEVEL) - (Add-On) {Acetonitrile, Hexane, Tetrahydrofuran}

(2)VOA - 5035/8260 (HIGH LEVEL); VOA - 5035/8260 (HIGH LEVEL) - (Add-On) {Acetonitrile, Hexane, Tetrahydrofuran}

COLLECTOR
NCO Sampler *D Connolly*

SAMPLING LOCATION
C6174, I-003-D

ICE CHEST NO.
N/A

COMPANY CONTACT
TRENT, SJ

TELEPHONE NO.
373-5869

PROJECT COORDINATOR
WIDRIG, DL

PRICE CODE
8N

DATA TURNAROUND
45 Days / 45 Days

PROJECT DESIGNATION
216-S-6 Chb Sampling - Soil

SAF NO.
F08-066

AIR QUALITY

METHOD OF SHIPMENT
GOVERNMENT VEHICLE

FIELD LOGBOOK NO.
HNF-N-585-5 pgs 15' - 17.5'

ACTUAL SAMPLE DEPTH
17.5'

COA
123210ES20

BILL OF LADING/AIR BILL NO.
N/A

SHIPPED TO
Waste Sampling & Characterization

MATRIX*
A=Air
DL=Drum
L=Liquid
S=Soil
SE=Sediment
T=Tissue
V=Vegetation
W=Water
WI=Wipe
X=Other

POSSIBLE SAMPLE HAZARDS / REMARKS
Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

PRESERVATION
Cool <-7C and MEQH/Cool-4
>-20C

TYPE OF CONTAINER
ags*

NO. OF CONTAINER(S)
5

VOLUME
40mL

SPECIAL HANDLING AND/OR STORAGE
Radioactive tie to BITFB1

SAMPLE ANALYSIS
SEE ITEM (1) IN SPECIAL INSTRUCTIONS
SEE ITEM (2) IN SPECIAL INSTRUCTIONS

SAMPLE NO.
BITFC7 W 8621058 SOIL

MATRIX*
✓

SAMPLE DATE
4-10-8

SAMPLE TIME
12:10

ICED

CHAIN OF POSSESSION

RELINQUISHED BY / REMOVED FROM	DATE/TIME	RECEIVED BY / STORED IN	DATE/TIME
<i>D Connolly</i>	4-10-8 1315	ON SITE Fridge	4-10-8 1315
<i>on site Fridge</i>	4-16-8 1100	<i>D Connolly</i>	4-16-8 1100
<i>D Connolly</i>	4-16-8 1145	<i>D Connolly</i>	4-16-8 1145

SPECIAL INSTRUCTIONS
SEE PAGE 2 FOR ALL SPECIAL INSTRUCTIONS

RELINQUISHED BY / REMOVED FROM	DATE/TIME	RECEIVED BY / STORED IN	DATE/TIME

LABORATORY SECTION
RECEIVED BY

FINAL SAMPLE DISPOSITION
DISPOSAL METHOD

TITLE

DISPOSED BY

DATE/TIME

Fluor Hanford Inc.		CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST		F08-066-021	PAGE 2 OF 2
COLLECTOR NCO Sampler	COMPANY CONTACT TRENT, SJ	TELEPHONE NO. 373-5869	PROJECT COORDINATOR WIDRIG, DL	PRICE CODE 8N	DATA TURNAROUND 45 Days / 45 Days
SAMPLING LOCATION C6174, I-003-D	PROJECT DESIGNATION 216-5-6 Crib Sampling - Soil		SAF NO. F08-066	AIR QUALITY <input type="checkbox"/>	
ICE CHEST NO.	FIELD LOGBOOK NO. <i>HNF-N-585-5</i>	ACTUAL SAMPLE DEPTH <i>7'-9'</i>	COA 123210ES20	METHOD OF SHIPMENT GOVERNMENT VEHICLE	
SHIPPED TO Waste Sampling & Characterization	OFFSITE PROPERTY NO. N/A		BILL OF LADING/AIR BILL NO. N/A		

SPECIAL INSTRUCTIONS

** The 200 Area S&GRP Characterization and Monitoring Sampling and Analysis GKI applies to this SAF.

** Analytical batch QC must be run on a sample associated with this SAF.

** All VOA samples will be collected using EPA Method 5035A.

** VOA sample bottle sets will include 3 bottles for high level analysis, 5 bottles for low level analysis, and 1 methanol process control sample.

** The laboratory is to use one of the low level VOA bottles for moisture content determination.

** VOA bottles will be labeled with an appended suffix of K, L, M, N, or P for low level and W, X, or Y for high level. These suffixes are for the purpose of providing bottle weights to the laboratories. These suffixes should not be include as part of the sample ID reported in the final data packages.

(1)VOA - 5035/8260 (LOW LEVEL); VOA - 5035/8260 (LOW LEVEL) - (Add-On) {Acetonitrile, Hexane, Tetrahydrofuran}

(2)VOA - 5035/8260 (HIGH LEVEL); VOA - 5035/8260 (HIGH LEVEL) - (Add-On) {Acetonitrile, Hexane, Tetrahydrofuran}

M4W41-SLF-08-581

ATTACHMENT 5

SAMPLE RECORD SHEET

Consisting of 3 pages
Including cover page

I-003

C6174

Depth: 15.0-17.5'

SAMPLE RECORD SHEET

Sample Number	Sample Suffix ¹	Empty Weight ² (g)	Weight with Sample ³ (g)	Weight of Sample ⁴ (g)	Methanol Added (g)	Methanol Added (mL)	Weight of Methanol and Sample
BITEC4	K	31.4	36.1	4.7	---	---	---
↓	L	31.2	36.0	4.8	---	---	---
↓	M	31.5	37.6	6.1	---	---	---
↓	N	31.4	37.3	5.9	---	---	---
↓	P	31.6	37.3	5.7	---	---	---
BITEC5		30.5	30.5	0	3.3	5.0	33.8
BITEC4	W	30.2	35.7	5.5	3.5	5.5	39.2
↓	X	30.3	34.7	4.4	5.9	4.5	40.6
↓	Y	30.4	36.5	6.1	4.8	6.0	41.3

¹Sample suffix of L, K, M, N and P relate to low-level concentration samples and will not have any preservation beyond freezing between -7C and -20C.

Sample suffix of W, X, and Y relate to methanol preservation for high-level samples.

²Empty weight is to include all labels, stickers, bags, and anything else that will be associated with the bottle when it is weighed with the sample.

³Ensure that everything weighed for the empty bottle and no additional items (besides the sample) is weighed.

⁴Sample weight is the vial with sample minus the vial empty

I.003 Dup

C 6174
Depth: 15.0 - 17.5 Bgs

SAMPLE RECORD SHEET

Sample Number	Sample Suffix ¹	Empty Weight ² (g)	Weight with Sample ³ (g)	Weight of Sample ⁴ (g)	Methanol Added (g)	Methanol Added (mL)	Weight of Methanol and Sample
BITFL7	K	32.0	37.2	5.2	---	---	---
↓	L	31.4	37.3	5.9	---	---	---
↓	M	31.0	36.2	5.2	---	---	---
↓	N	31.2	36.3	5.1	---	---	---
↓	P	31.5	35.5	4.0	---	---	---
BITFL8		29.9	29.9	0.0	4.5	5.0	34.4
BITFL7	W	30.5	35.2	4.7	4.9	5.0	40.1
↓	X	30.0	35.9	5.9	2.5	6.0	38.4
↓	Y	30.5	36.4	5.9	4.8	6.0	41.2

¹Sample suffix of L, K, M, N and P relate to low-level concentration samples and will not have any preservation beyond freezing between -7C and -20C.
Sample suffix of W, X, and Y relate to methanol preservation for high-level samples.

²Empty weight is to include all labels, stickers, bags, and anything else that will be associated with the bottle when it is weighed with the sample.

³Ensure that everything weighed for the empty bottle and no additional items (besides the sample) is weighed.

⁴Sample weight is the vial with sample minus the vial empty