

## Waste Site Reclassification Form

<b>Date Submitted:</b> 02/11/2008	<b>Operable Units:</b> 200-SW-1	<b>Control Number:</b> 2008-010
<b>Originator:</b> Greg Berlin	<b>Waste Site ID:</b> 200-W-4	
<b>Phone:</b> 376-2389	<b>Type of Reclassification Action:</b>	
	Closed Out: <input type="checkbox"/>	Interim Closed Out: <input type="checkbox"/>
	No Action: <input type="checkbox"/>	RCRA Postclosure: <input type="checkbox"/>
	Rejected: <input checked="" type="checkbox"/>	Consolidated: <input type="checkbox"/>

This form documents agreement among parties listed authorizing classification of the subject unit as Closed Out, Interim Closed Out, No Action, RCRA Postclosure, Rejected, or Consolidated. This form also authorizes backfill of the waste management unit, if appropriate, for Closed Out and Interim Closed out units. Final removal from the NPL of No Action and Closed Out waste management units will occur at a future date.

**Description of Current Waste Site Conditions:**

(Summarize status of investigation/remediation of the waste sites.)

The site was a small excavation, outside the 241-U farm fence. A yellow paint-like material was encountered by workers while digging a trench to install something, perhaps a pipeline, related to the 241-U Tank Farm. A radiological survey determined the material was not radioactive. The material was a layer of dried yellow paint, measuring approximately 2.5 centimeters (1 inch) in thickness and not placed back into the excavation. The trench was backfilled with clean fill after the sample results were obtained.

**Basis for Reclassification:**

(For closeout, reference supporting documentation, as listed in Table 3.)

Samples of the material were collected and a radiological survey was done. There was no detectable contamination above background. Samples were collected and were found to contain lead, cadmium and chromium and determined to be paint.

This site was originally reclassified to "No Action" on 5/6/2004. It is requested that the reclassification status be re-evaluated to a status of "Rejected". The Rejected status will preclude carrying the site forward through the CERCLA process.

**Waste Site Controls**

Engineered Controls: Yes  No  Institutional Controls: Yes  No  O&M requirements: Yes  No

If any of the Waste Site Controls are checked Yes specify control requirements including reference to the Record of Decision, TSD Closure Letter, or other relevant documents.

None required.

Briant Charbonneau  
DOE Project Manager

[Signature]  
Signature

4-29-2008  
Date

John B. Price  
Ecology Project Manager

[Signature]  
Signature

5-13-2008  
Date

\_\_\_\_\_  
EPA Project Manager

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Date

**RECEIVED**  
MAY 29 2008

**EDMC**