

## Waste Site Reclassification Form

|                                   |  |                                 |
|-----------------------------------|--|---------------------------------|
| <b>Date Submitted:</b> 02/11/2008 | <b>Operable Units:</b> 200-SW-1  | <b>Control Number:</b> 2008-011 |
| <b>Originator:</b> Greg Berlin    | <b>Waste Site ID:</b> 200-W-10   |                                 |
| <b>Phone:</b> 376-2389            | <b>Type of Reclassification Action:</b>  |                                 |
|                                   | Closed Out: <input type="checkbox"/> Interim Closed Out: <input type="checkbox"/>    |                                 |
|                                   | No Action: <input type="checkbox"/> RCRA Postclosure: <input type="checkbox"/>       |                                 |
|                                   | Rejected: <input checked="" type="checkbox"/> Consolidated: <input type="checkbox"/> |                                 |

This form documents agreement among parties listed authorizing classification of the subject unit as Closed Out, Interim Closed Out, No Action, RCRA Postclosure, Rejected, or Consolidated. This form also authorizes backfill of the waste management unit, if appropriate, for Closed Out and Interim Closed out units. Final removal from the NPL of No Action and Closed Out waste management units will occur at a future date.

**Description of Current Waste Site Conditions:**

(Summarize status of investigation/remediation of the waste sites.)

The area was used in 1976 for a grout wall test. The test was designed to simulate a ten foot diameter tank with the bottom being ten feet below grade. Grout was injected into soil through injection wells in a circular pattern. The simulated tank was excavated within the grouted area. A grout floor was poured in the excavation. The void was filled with water to determine the integrity of the grout. Tests were performed to see if this technology could minimize or control leaks from underground waste storage tanks. The sodium silicate grout may still remain in the soil. The wood covered pit presented a physical hazard and was backfilled to grade in June 1997.

**Basis for Reclassification:**

(For closeout, reference supporting documentation, as listed in Table 3.)

In 1997, the wood planks that had been used as a cover for the pit were pushed into it and the pit backfilled with clean dirt. The vertical pipes surrounding the pit were not disturbed. The grout material did not contain any hazardous material.

This site was originally reclassified to "No Action" on 5/6/2004. It is requested that the reclassification status be re-evaluated to a status of "Rejected". The Rejected status will preclude carrying the site forward through the CERCLA process.

**Waste Site Controls**

Engineered Controls: Yes  No  Institutional Controls: Yes  No  O&M requirements: Yes  No

If any of the Waste Site Controls are checked Yes specify control requirements including reference to the Record of Decision, TSD Closure Letter, or other relevant documents.

None required.

|   |  |                          |
|---|--|--------------------------|
| <u>Briant Charboneau</u><br>DOE Project Manager | <u><i>Briant Charboneau</i></u><br>Signature | <u>4-29-2008</u><br>Date |
| <u>John B. Price</u><br>Ecology Project Manager | <u><i>John B Price</i></u><br>Signature      | <u>5-13-2008</u><br>Date |
| _____<br>EPA Project Manager                    | _____<br>Signature                           | _____<br>Date            |

**RECEIVED**  
MAY 29 2008  
**EDMC**