SECTION

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-122	7/5/2008 5:50	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VX12	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/5/2008 5:50	Y	7440-23-5	Sodium	1310000	ug/L	D	[NULL]	[NULL]	S	B1VX12	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/5/2008 5:50	Y	CONDUCT	Specific Conductance	5114	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWY7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	7/5/2008 5:50	Y	7440-24-6	Strontium	279	ug/L	D	[NULL]	[NULL]	S	B1VX12	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/5/2008 5:50	Y	14808-79-8	Sulfate	12900	ug/L	D	[NULL]	[NULL]	S	B1VX12	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/5/2008 5:50	Y	TEMPERATURE	Temperature	15.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWY7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	7/5/2008 5:50	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VX12	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/5/2008 5:50	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VX12	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/5/2008 5:50	Y	PH	pH Measurement	7.13	unitless	[NULL]	[NULL]	[NULL]	S	B1VWY7	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-122	7/6/2008 8:33	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W761	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/6/2008 8:33	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W761	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/6/2008 8:33	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W761	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/6/2008 8:33	Y	7440-39-3	Barium	44	ug/L	D	[NULL]	[NULL]	S	B1W761	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/6/2008 8:33	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W761	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/6/2008 8:33	Y	7440-70-2	Calcium	16300	ug/L	D	[NULL]	[NULL]	S	B1W761	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/6/2008 8:33	Y	16887-00-6	Chloride	208000	ug/L	D	[NULL]	[NULL]	S	B1W761	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/6/2008 8:33	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W761	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/6/2008 8:33	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W761	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/6/2008 8:33	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W761	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/6/2008 8:33	Y	DO	Dissolved oxygen	1790	ug/L	[NULL]	[NULL]	[NULL]	S	B1VX35	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	7/6/2008 8:33	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W761	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/6/2008 8:33	Y	12587-46-1	Gross alpha	18	pCi/L	U	[NULL]	[NULL]	S	B1VX35	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-122	7/6/2008 8:33	Y	12587-47-2	Gross beta	3000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VX35	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-122	7/6/2008 8:33	Y	7439-89-6	Iron	136	ug/L	D	[NULL]	[NULL]	S	B1W761	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/6/2008 8:33	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W761	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/6/2008 8:33	Y	7439-95-4	Magnesium	8640	ug/L	DN	[NULL]	[NULL]	S	B1W761	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/6/2008 8:33	Y	7439-96-5	Manganese	1370	ug/L	D	[NULL]	[NULL]	S	B1W761	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/6/2008 8:33	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W761	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/6/2008 8:33	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W761	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/6/2008 8:33	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W761	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/6/2008 8:33	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W761	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/6/2008 8:33	Y	EH	Oxidation Reduction Potential	-126	mV	[NULL]	[NULL]	[NULL]	S	B1VX35	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	7/6/2008 8:33	Y	14265-44-2	Phosphate	1190000	ug/L	D	[NULL]	[NULL]	S	B1W761	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/6/2008 8:33	Y	7440-09-7	Potassium	5230	ug/L	D	[NULL]	[NULL]	S	B1W761	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/6/2008 8:33	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W761	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/6/2008 8:33	Y	7440-23-5	Sodium	1170000	ug/L	D	[NULL]	[NULL]	S	B1W761	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/6/2008 8:33	Y	CONDUCT	Specific Conductance	4276	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VX35	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	7/6/2008 8:33	Y	7440-24-6	Strontium	229	ug/L	D	[NULL]	[NULL]	S	B1W761	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/6/2008 8:33	Y	14808-79-8	Sulfate	11400	ug/L	D	[NULL]	[NULL]	S	B1W761	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/6/2008 8:33	Y	TEMPERATURE	Temperature	16.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1VX35	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	7/6/2008 8:33	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W761	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/6/2008 8:33	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W761	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/6/2008 8:33	Y	PH	pH Measurement	7.38	unitless	[NULL]	[NULL]	[NULL]	S	B1VX35	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-122	7/7/2008 9:35	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W791	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/7/2008 9:35	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W791	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/7/2008 9:35	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W791	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/7/2008 9:35	Y	7440-39-3	Barium	41	ug/L	D	[NULL]	[NULL]	S	B1W791	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/7/2008 9:35	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W791	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/7/2008 9:35	Y	7440-70-2	Calcium	15000	ug/L	D	[NULL]	[NULL]	S	B1W791	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/7/2008 9:35	Y	16887-00-6	Chloride	208000	ug/L	D	[NULL]	[NULL]	S	B1W791	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/7/2008 9:35	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W791	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/7/2008 9:35	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W791	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/7/2008 9:35	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W791	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/7/2008 9:35	Y	DO	Dissolved oxygen	1740	ug/L	[NULL]	[NULL]	[NULL]	S	B1W776	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-122	7/7/2008 9:35	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W791	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/7/2008 9:35	Y	12587-46-1	Gross alpha	9.3	pCi/L	U	[NULL]	[NULL]	S	B1W776	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-122	7/7/2008 9:35	Y	12587-47-2	Gross beta	2800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W776	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-122	7/7/2008 9:35	Y	7439-89-6	Iron	191	ug/L	D	[NULL]	[NULL]	S	B1W791	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/7/2008 9:35	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W791	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/7/2008 9:35	Y	7439-95-4	Magnesium	7080	ug/L	DN	[NULL]	[NULL]	S	B1W791	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/7/2008 9:35	Y	7439-96-5	Manganese	1190	ug/L	D	[NULL]	[NULL]	S	B1W791	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/7/2008 9:35	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W791	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/7/2008 9:35	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W791	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/7/2008 9:35	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W791	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/7/2008 9:35	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W791	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/7/2008 9:35	Y	EH	Oxidation Reduction Potential	-135	mV	[NULL]	[NULL]	[NULL]	S	B1W776	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	7/7/2008 9:35	Y	14265-44-2	Phosphate	1090000	ug/L	D	[NULL]	[NULL]	S	B1W791	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/7/2008 9:35	Y	7440-09-7	Potassium	4710	ug/L	D	[NULL]	[NULL]	S	B1W791	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/7/2008 9:35	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W791	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/7/2008 9:35	Y	7440-23-5	Sodium	1030000	ug/L	D	[NULL]	[NULL]	S	B1W791	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/7/2008 9:35	Y	CONDUCT	Specific Conductance	3804	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W776	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	7/7/2008 9:35	Y	7440-24-6	Strontium	190	ug/L	D	[NULL]	[NULL]	S	B1W791	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/7/2008 9:35	Y	14808-79-8	Sulfate	9280	ug/L	BD	[NULL]	[NULL]	S	B1W791	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/7/2008 9:35	Y	TEMPERATURE	Temperature	15.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1W776	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	7/7/2008 9:35	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W791	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/7/2008 9:35	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W791	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/7/2008 9:35	Y	PH	pH Measurement	7.29	unitless	[NULL]	[NULL]	[NULL]	S	B1W776	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-122	7/8/2008 10:25	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7F7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/8/2008 10:25	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7F7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/8/2008 10:25	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7F7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/8/2008 10:25	Y	7440-39-3	Barium	46	ug/L	D	[NULL]	[NULL]	S	B1W7F7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/8/2008 10:25	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7F7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/8/2008 10:25	Y	7440-70-2	Calcium	19500	ug/L	D	[NULL]	[NULL]	S	B1W7F7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/8/2008 10:25	Y	16887-00-6	Chloride	202000	ug/L	D	[NULL]	[NULL]	S	B1W7F7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/8/2008 10:25	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7F7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/8/2008 10:25	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7F7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/8/2008 10:25	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7F7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/8/2008 10:25	Y	DO	Dissolved oxygen	109000	ug/L	[NULL]	Y	[NULL]	S	B1W7C4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	7/8/2008 10:25	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W7F7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/8/2008 10:25	Y	12587-46-1	Gross alpha	11	pCi/L	U	[NULL]	[NULL]	S	B1W7C4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-122	7/8/2008 10:25	Y	12587-47-2	Gross beta	2900	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7C4	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-122	7/8/2008 10:25	Y	7439-89-6	Iron	332	ug/L	D	[NULL]	[NULL]	S	B1W7F7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/8/2008 10:25	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7F7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/8/2008 10:25	Y	7439-95-4	Magnesium	8950	ug/L	D	[NULL]	[NULL]	S	B1W7F7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/8/2008 10:25	Y	7439-96-5	Manganese	1730	ug/L	D	[NULL]	[NULL]	S	B1W7F7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/8/2008 10:25	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7F7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/8/2008 10:25	Y	7440-02-0	Nickel	24.5	ug/L	D	[NULL]	[NULL]	S	B1W7F7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/8/2008 10:25	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W7F7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/8/2008 10:25	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W7F7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/8/2008 10:25	Y	EH	Oxidation Reduction Potential	-140	mV	[NULL]	[NULL]	[NULL]	S	B1W7C4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	7/8/2008 10:25	Y	14265-44-2	Phosphate	1000000	ug/L	D	[NULL]	[NULL]	S	B1W7F7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/8/2008 10:25	Y	7440-09-7	Potassium	5260	ug/L	D	[NULL]	[NULL]	S	B1W7F7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/8/2008 10:25	Y	7440-22-4	Silver	44	ug/L	CD	[NULL]	[NULL]	S	B1W7F7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/8/2008 10:25	Y	7440-23-5	Sodium	1140000	ug/L	DN	[NULL]	[NULL]	S	B1W7F7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/8/2008 10:25	Y	CONDUCT	Specific Conductance	3665	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7C4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	7/8/2008 10:25	Y	7440-24-6	Strontium	227	ug/L	D	[NULL]	[NULL]	S	B1W7F7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/8/2008 10:25	Y	14808-79-8	Sulfate	7860	ug/L	BD	[NULL]	[NULL]	S	B1W7F7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-122	7/8/2008 10:25	Y	TEMPERATURE	Temperature	15.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7C4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	7/8/2008 10:25	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7F7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/8/2008 10:25	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7F7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/8/2008 10:25	Y	PH	pH Measurement	7.36	unitless	[NULL]	[NULL]	[NULL]	S	B1W7C4	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-122	7/9/2008 10:55	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W859	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/9/2008 10:55	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W859	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/9/2008 10:55	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W859	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/9/2008 10:55	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W859	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/9/2008 10:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W859	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/9/2008 10:55	Y	7440-70-2	Calcium	14300	ug/L	D	[NULL]	[NULL]	S	B1W859	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/9/2008 10:55	Y	16887-00-6	Chloride	167000	ug/L	DN	[NULL]	[NULL]	S	B1W859	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/9/2008 10:55	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W859	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/9/2008 10:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W859	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/9/2008 10:55	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W859	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/9/2008 10:55	Y	DO	Dissolved oxygen	1500	ug/L	[NULL]	[NULL]	[NULL]	S	B1W844	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	7/9/2008 10:55	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W859	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/9/2008 10:55	Y	12587-46-1	Gross alpha	8.7	pCi/L	U	[NULL]	[NULL]	S	B1W844	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-122	7/9/2008 10:55	Y	12587-47-2	Gross beta	2100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W844	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-122	7/9/2008 10:55	Y	7439-89-6	Iron	216	ug/L	D	[NULL]	[NULL]	S	B1W859	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/9/2008 10:55	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W859	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/9/2008 10:55	Y	7439-95-4	Magnesium	6510	ug/L	D	[NULL]	[NULL]	S	B1W859	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/9/2008 10:55	Y	7439-96-5	Manganese	1370	ug/L	D	[NULL]	[NULL]	S	B1W859	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/9/2008 10:55	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W859	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/9/2008 10:55	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W859	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/9/2008 10:55	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W859	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/9/2008 10:55	Y	14797-65-0	Nitrite	2040	ug/L	BD	[NULL]	[NULL]	S	B1W859	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/9/2008 10:55	Y	EH	Oxidation Reduction Potential	-135	mV	[NULL]	[NULL]	[NULL]	S	B1W844	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	7/9/2008 10:55	Y	14265-44-2	Phosphate	831000	ug/L	D	[NULL]	[NULL]	S	B1W859	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/9/2008 10:55	Y	7440-09-7	Potassium	4050	ug/L	D	[NULL]	[NULL]	S	B1W859	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/9/2008 10:55	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W859	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/9/2008 10:55	Y	7440-23-5	Sodium	894000	ug/L	DN	[NULL]	[NULL]	S	B1W859	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/9/2008 10:55	Y	CONDUCT	Specific Conductance	3367	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W844	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	7/9/2008 10:55	Y	7440-24-6	Strontium	168	ug/L	D	[NULL]	[NULL]	S	B1W859	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/9/2008 10:55	Y	14808-79-8	Sulfate	4860	ug/L	BD	[NULL]	[NULL]	S	B1W859	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/9/2008 10:55	Y	TEMPERATURE	Temperature	18	Deg C	[NULL]	[NULL]	[NULL]	S	B1W844	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	7/9/2008 10:55	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W859	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/9/2008 10:55	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W859	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/9/2008 10:55	Y	PH	pH Measurement	7.27	unitless	[NULL]	[NULL]	[NULL]	S	B1W844	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-122	7/10/2008 9:25	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7M3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/10/2008 9:25	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7M3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/10/2008 9:25	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7M3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/10/2008 9:25	Y	7440-39-3	Barium	30	ug/L	D	[NULL]	[NULL]	S	B1W7M3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/10/2008 9:25	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7M3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/10/2008 9:25	Y	7440-70-2	Calcium	12200	ug/L	D	[NULL]	[NULL]	S	B1W7M3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/10/2008 9:25	Y	16887-00-6	Chloride	139000	ug/L	D	[NULL]	[NULL]	S	B1W7M3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/10/2008 9:25	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7M3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/10/2008 9:25	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7M3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/10/2008 9:25	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7M3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/10/2008 9:25	Y	DO	Dissolved oxygen	1490	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7K0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	7/10/2008 9:25	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W7M3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/10/2008 9:25	Y	12587-46-1	Gross alpha	1.7	pCi/L	U	[NULL]	[NULL]	S	B1W7K0	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-122	7/10/2008 9:25	Y	12587-47-2	Gross beta	2100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7K0	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-122	7/10/2008 9:25	Y	7439-89-6	Iron	302	ug/L	D	[NULL]	[NULL]	S	B1W7M3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/10/2008 9:25	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7M3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-122	7/10/2008 9:25	Y	7439-95-4	Magnesium	5620	ug/L	D	[NULL]	[NULL]	S	B1W7M3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/10/2008 9:25	Y	7439-96-5	Manganese	1130	ug/L	D	[NULL]	[NULL]	S	B1W7M3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/10/2008 9:25	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7M3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/10/2008 9:25	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7M3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/10/2008 9:25	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W7M3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/10/2008 9:25	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W7M3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/10/2008 9:25	Y	EH	Oxidation Reduction Potential	-164	mV	[NULL]	[NULL]	[NULL]	S	B1W7K0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	7/10/2008 9:25	Y	14265-44-2	Phosphate	690000	ug/L	D	[NULL]	[NULL]	S	B1W7M3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/10/2008 9:25	Y	7440-09-7	Potassium	3950	ug/L	D	[NULL]	[NULL]	S	B1W7M3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/10/2008 9:25	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W7M3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/10/2008 9:25	Y	7440-23-5	Sodium	750000	ug/L	D	[NULL]	[NULL]	S	B1W7M3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/10/2008 9:25	Y	CONDUCT	Specific Conductance	2954	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7K0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	7/10/2008 9:25	Y	7440-24-6	Strontium	141	ug/L	D	[NULL]	[NULL]	S	B1W7M3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/10/2008 9:25	Y	14808-79-8	Sulfate	4690	ug/L	BD	[NULL]	[NULL]	S	B1W7M3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/10/2008 9:25	Y	TEMPERATURE	Temperature	15.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7K0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	7/10/2008 9:25	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7M3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/10/2008 9:25	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7M3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/10/2008 9:25	Y	PH	pH Measurement	7.59	unitless	[NULL]	[NULL]	[NULL]	S	B1W7K0	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-122	7/12/2008 7:45	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7T9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/12/2008 7:45	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7T9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/12/2008 7:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7T9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/12/2008 7:45	Y	7440-39-3	Barium	32	ug/L	D	[NULL]	[NULL]	S	B1W7T9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/12/2008 7:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7T9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/12/2008 7:45	Y	7440-70-2	Calcium	16400	ug/L	DX	[NULL]	[NULL]	S	B1W7T9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/12/2008 7:45	Y	16887-00-6	Chloride	146000	ug/L	D	[NULL]	[NULL]	S	B1W7T9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/12/2008 7:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7T9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/12/2008 7:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7T9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/12/2008 7:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7T9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/12/2008 7:45	Y	DO	Dissolved oxygen	2980	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7P6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	7/12/2008 7:45	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1W7T9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/12/2008 7:45	Y	12587-46-1	Gross alpha	17	pCi/L	U	[NULL]	[NULL]	S	B1W7P6	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-122	7/12/2008 7:45	Y	12587-47-2	Gross beta	2700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7P6	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-122	7/12/2008 7:45	Y	7439-89-6	Iron	190	ug/L	D	[NULL]	[NULL]	S	B1W7T9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/12/2008 7:45	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7T9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/12/2008 7:45	Y	7439-95-4	Magnesium	6300	ug/L	D	[NULL]	[NULL]	S	B1W7T9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/12/2008 7:45	Y	7439-96-5	Manganese	1410	ug/L	D	[NULL]	[NULL]	S	B1W7T9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/12/2008 7:45	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7T9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/12/2008 7:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7T9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/12/2008 7:45	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1W7T9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/12/2008 7:45	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1W7T9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/12/2008 7:45	Y	EH	Oxidation Reduction Potential	-58	mV	[NULL]	[NULL]	[NULL]	S	B1W7P6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	7/12/2008 7:45	Y	14265-44-2	Phosphate	509000	ug/L	D	[NULL]	[NULL]	S	B1W7T9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/12/2008 7:45	Y	7440-09-7	Potassium	3850	ug/L	D	[NULL]	[NULL]	S	B1W7T9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/12/2008 7:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W7T9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/12/2008 7:45	Y	7440-23-5	Sodium	677000	ug/L	DX	[NULL]	[NULL]	S	B1W7T9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/12/2008 7:45	Y	CONDUCT	Specific Conductance	2703	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7P6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	7/12/2008 7:45	Y	7440-24-6	Strontium	141	ug/L	DN	[NULL]	[NULL]	S	B1W7T9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/12/2008 7:45	Y	14808-79-8	Sulfate	3890	ug/L	BD	[NULL]	[NULL]	S	B1W7T9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/12/2008 7:45	Y	TEMPERATURE	Temperature	15.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7P6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	7/12/2008 7:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7T9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/12/2008 7:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7T9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/12/2008 7:45	Y	PH	pH Measurement	7.42	unitless	[NULL]	[NULL]	[NULL]	S	B1W7P6	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-122	7/13/2008 11:15	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WBJ0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-122	7/13/2008 11:15	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WBJ0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/13/2008 11:15	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WBJ0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/13/2008 11:15	Y	7440-39-3	Barium	33	ug/L	BD	[NULL]	[NULL]	S	B1WBJ0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/13/2008 11:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WBJ0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/13/2008 11:15	Y	7440-70-2	Calcium	19500	ug/L	DX	[NULL]	[NULL]	S	B1WBJ0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/13/2008 11:15	Y	16887-00-6	Chloride	127000	ug/L	D	[NULL]	[NULL]	S	B1WBJ0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/13/2008 11:15	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WBJ0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/13/2008 11:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WBJ0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/13/2008 11:15	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WBJ0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/13/2008 11:15	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WBJ0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/13/2008 11:15	Y	12587-46-1	Gross alpha	7.7	pCi/L	[NULL]	G	[NULL]	S	B1WBD5	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-122	7/13/2008 11:15	Y	12587-47-2	Gross beta	2600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WBD5	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-122	7/13/2008 11:15	Y	7439-89-6	Iron	152	ug/L	BD	[NULL]	[NULL]	S	B1WBJ0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/13/2008 11:15	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WBJ0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/13/2008 11:15	Y	7439-95-4	Magnesium	6400	ug/L	D	[NULL]	[NULL]	S	B1WBJ0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/13/2008 11:15	Y	7439-96-5	Manganese	1500	ug/L	DN	[NULL]	[NULL]	S	B1WBJ0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/13/2008 11:15	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WBJ0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/13/2008 11:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WBJ0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/13/2008 11:15	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WBJ0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/13/2008 11:15	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WBJ0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/13/2008 11:15	Y	14265-44-2	Phosphate	423000	ug/L	D	[NULL]	[NULL]	S	B1WBJ0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/13/2008 11:15	Y	7440-09-7	Potassium	3870	ug/L	BD	[NULL]	[NULL]	S	B1WBJ0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/13/2008 11:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WBJ0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/13/2008 11:15	Y	7440-23-5	Sodium	666000	ug/L	DX	[NULL]	[NULL]	S	B1WBJ0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/13/2008 11:15	Y	7440-24-6	Strontium	164	ug/L	D	[NULL]	[NULL]	S	B1WBJ0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/13/2008 11:15	Y	14808-79-8	Sulfate	5050	ug/L	BD	[NULL]	[NULL]	S	B1WBJ0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/13/2008 11:15	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WBJ0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/13/2008 11:15	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WBJ0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/14/2008 9:20	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W889	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/14/2008 9:20	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W889	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/14/2008 9:20	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W889	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/14/2008 9:20	Y	7440-39-3	Barium	28	ug/L	BD	[NULL]	[NULL]	S	B1W889	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/14/2008 9:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W889	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/14/2008 9:20	Y	7440-70-2	Calcium	18300	ug/L	DX	[NULL]	[NULL]	S	B1W889	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/14/2008 9:20	Y	16887-00-6	Chloride	123000	ug/L	D	[NULL]	[NULL]	S	B1W889	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/14/2008 9:20	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W889	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/14/2008 9:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W889	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/14/2008 9:20	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W889	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/14/2008 9:20	Y	DO	Dissolved oxygen	1590	ug/L	[NULL]	[NULL]	[NULL]	S	B1W874	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	7/14/2008 9:20	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1W889	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/14/2008 9:20	Y	12587-46-1	Gross alpha	3.3	pCi/L	U	G	[NULL]	S	B1W874	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-122	7/14/2008 9:20	Y	12587-47-2	Gross beta	3100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W874	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-122	7/14/2008 9:20	Y	7439-89-6	Iron	216	ug/L	BD	[NULL]	[NULL]	S	B1W889	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/14/2008 9:20	Y	7439-92-1	Lead	225	ug/L	DNU	[NULL]	[NULL]	S	B1W889	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/14/2008 9:20	Y	7439-95-4	Magnesium	5910	ug/L	D	[NULL]	[NULL]	S	B1W889	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/14/2008 9:20	Y	7439-96-5	Manganese	1390	ug/L	D	[NULL]	[NULL]	S	B1W889	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/14/2008 9:20	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W889	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/14/2008 9:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W889	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/14/2008 9:20	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1W889	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/14/2008 9:20	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1W889	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/14/2008 9:20	Y	EH	Oxidation Reduction Potential	-177	mV	[NULL]	[NULL]	[NULL]	S	B1W874	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	7/14/2008 9:20	Y	14265-44-2	Phosphate	414000	ug/L	D	[NULL]	[NULL]	S	B1W889	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/14/2008 9:20	Y	7440-09-7	Potassium	3160	ug/L	BD	[NULL]	[NULL]	S	B1W889	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/14/2008 9:20	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W889	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-122	7/14/2008 9:20	Y	7440-23-5	Sodium	588000	ug/L	DX	[NULL]	[NULL]	S	B1W889	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/14/2008 9:20	Y	CONDUCT	Specific Conductance	2367	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W874	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	7/14/2008 9:20	Y	7440-24-6	Strontium	131	ug/L	D	[NULL]	[NULL]	S	B1W889	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/14/2008 9:20	Y	14808-79-8	Sulfate	3990	ug/L	BD	[NULL]	[NULL]	S	B1W889	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/14/2008 9:20	Y	TEMPERATURE	Temperature	16.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1W874	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	7/14/2008 9:20	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W889	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/14/2008 9:20	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W889	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/14/2008 9:20	Y	PH	pH Measurement	7.44	unitless	[NULL]	[NULL]	[NULL]	S	B1W874	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-122	7/17/2008 16:25	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W816	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/17/2008 16:25	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W816	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/17/2008 16:25	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W816	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/17/2008 16:25	Y	7440-39-3	Barium	40	ug/L	D	[NULL]	[NULL]	S	B1W816	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/17/2008 16:25	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W816	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/17/2008 16:25	Y	7440-70-2	Calcium	25800	ug/L	D	[NULL]	[NULL]	S	B1W816	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/17/2008 16:25	Y	16887-00-6	Chloride	150000	ug/L	D	[NULL]	[NULL]	S	B1W816	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/17/2008 16:25	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W816	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/17/2008 16:25	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W816	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/17/2008 16:25	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W816	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/17/2008 16:25	Y	DO	Dissolved oxygen	2020	ug/L	[NULL]	[NULL]	[NULL]	S	B1W801	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	7/17/2008 16:25	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1W816	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/17/2008 16:25	Y	12587-46-1	Gross alpha	-4.3	pCi/L	U	[NULL]	[NULL]	S	B1W801	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-122	7/17/2008 16:25	Y	12587-47-2	Gross beta	2700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W801	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-122	7/17/2008 16:25	Y	7439-89-6	Iron	206	ug/L	D	[NULL]	[NULL]	S	B1W816	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/17/2008 16:25	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W816	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/17/2008 16:25	Y	7439-95-4	Magnesium	10900	ug/L	D	[NULL]	[NULL]	S	B1W816	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/17/2008 16:25	Y	7439-96-5	Manganese	3090	ug/L	D	[NULL]	[NULL]	S	B1W816	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/17/2008 16:25	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W816	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/17/2008 16:25	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W816	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/17/2008 16:25	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1W816	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/17/2008 16:25	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1W816	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/17/2008 16:25	Y	EH	Oxidation Reduction Potential	-99	mV	[NULL]	[NULL]	[NULL]	S	B1W801	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	7/17/2008 16:25	Y	14265-44-2	Phosphate	760000	ug/L	D	[NULL]	[NULL]	S	B1W816	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/17/2008 16:25	Y	7440-09-7	Potassium	4760	ug/L	D	[NULL]	[NULL]	S	B1W816	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/17/2008 16:25	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W816	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/17/2008 16:25	Y	7440-23-5	Sodium	862000	ug/L	DX	[NULL]	[NULL]	S	B1W816	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/17/2008 16:25	Y	CONDUCT	Specific Conductance	380	uS/cm	[NULL]	Y	[NULL]	S	B1W801	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	7/17/2008 16:25	Y	7440-24-6	Strontium	221	ug/L	D	[NULL]	[NULL]	S	B1W816	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/17/2008 16:25	Y	14808-79-8	Sulfate	4880	ug/L	BD	[NULL]	[NULL]	S	B1W816	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/17/2008 16:25	Y	TEMPERATURE	Temperature	20	Deg C	[NULL]	[NULL]	[NULL]	S	B1W801	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	7/17/2008 16:25	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W816	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/17/2008 16:25	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W816	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/17/2008 16:25	Y	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	S	B1W801	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-122	7/19/2008 8:16	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WCF5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/19/2008 8:16	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WCF5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/19/2008 8:16	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WCF5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/19/2008 8:16	Y	7440-39-3	Barium	26	ug/L	D	[NULL]	[NULL]	S	B1WCF5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/19/2008 8:16	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCF5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/19/2008 8:16	Y	7440-70-2	Calcium	17000	ug/L	D	[NULL]	[NULL]	S	B1WCF5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/19/2008 8:16	Y	16887-00-6	Chloride	108000	ug/L	D	[NULL]	[NULL]	S	B1WCF5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/19/2008 8:16	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WCF5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/19/2008 8:16	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WCF5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/19/2008 8:16	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WCF5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/19/2008 8:16	Y	DO	Dissolved oxygen	1190	ug/L	[NULL]	[NULL]	[NULL]	S	B1WCD4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	7/19/2008 8:16	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WCF5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-122	7/19/2008 8:16	Y	12587-46-1	Gross alpha	4.38	pCi/L	U	[NULL]	[NULL]	S	B1WCD4	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-122	7/19/2008 8:16	Y	12587-47-2	Gross beta	1830	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WCD4	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-122	7/19/2008 8:16	Y	7439-89-6	Iron	169	ug/L	D	[NULL]	[NULL]	S	B1WCF5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/19/2008 8:16	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WCF5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/19/2008 8:16	Y	7439-95-4	Magnesium	6540	ug/L	D	[NULL]	[NULL]	S	B1WCF5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/19/2008 8:16	Y	7439-96-5	Manganese	1890	ug/L	D	[NULL]	[NULL]	S	B1WCF5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/19/2008 8:16	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WCF5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/19/2008 8:16	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WCF5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/19/2008 8:16	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WCF5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/19/2008 8:16	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WCF5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/19/2008 8:16	Y	EH	Oxidation Reduction Potential	-133	mV	[NULL]	[NULL]	[NULL]	S	B1WCD4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	7/19/2008 8:16	Y	14265-44-2	Phosphate	503000	ug/L	D	[NULL]	[NULL]	S	B1WCF5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/19/2008 8:16	Y	7440-09-7	Potassium	3850	ug/L	D	[NULL]	[NULL]	S	B1WCF5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/19/2008 8:16	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WCF5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/19/2008 8:16	Y	7440-23-5	Sodium	622000	ug/L	D	[NULL]	[NULL]	S	B1WCF5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/19/2008 8:16	Y	CONDUCT	Specific Conductance	2295	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WCD4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	7/19/2008 8:16	Y	7440-24-6	Strontium	135	ug/L	D	[NULL]	[NULL]	S	B1WCF5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/19/2008 8:16	Y	14808-79-8	Sulfate	5650	ug/L	BD	[NULL]	[NULL]	S	B1WCF5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/19/2008 8:16	Y	TEMPERATURE	Temperature	15.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1WCD4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	7/19/2008 8:16	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WCF5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/19/2008 8:16	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WCF5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/19/2008 8:16	Y	PH	pH Measurement	7.56	unitless	[NULL]	[NULL]	[NULL]	S	B1WCD4	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-122	7/24/2008 10:27	Y	7429-90-5	Aluminum	317	ug/L	BD	[NULL]	[NULL]	S	B1WC85	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/24/2008 10:27	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WC85	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/24/2008 10:27	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WC85	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/24/2008 10:27	Y	7440-39-3	Barium	74	ug/L	BD	[NULL]	[NULL]	S	B1WC85	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/24/2008 10:27	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WC85	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/24/2008 10:27	Y	7440-70-2	Calcium	47000	ug/L	DX	[NULL]	[NULL]	S	B1WC85	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/24/2008 10:27	Y	16887-00-6	Chloride	256000	ug/L	D	[NULL]	[NULL]	S	B1WC85	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/24/2008 10:27	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WC85	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/24/2008 10:27	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WC85	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/24/2008 10:27	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WC85	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/24/2008 10:27	Y	16984-48-8	Fluoride	464	ug/L	DU	[NULL]	[NULL]	S	B1WC85	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/24/2008 10:27	Y	12587-46-1	Gross alpha	2.6	pCi/L	U	[NULL]	[NULL]	S	B1WC74	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-122	7/24/2008 10:27	Y	12587-47-2	Gross beta	5100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WC74	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-122	7/24/2008 10:27	Y	7439-89-6	Iron	181	ug/L	BD	[NULL]	[NULL]	S	B1WC85	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/24/2008 10:27	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WC85	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/24/2008 10:27	Y	7439-95-4	Magnesium	14400	ug/L	D	[NULL]	[NULL]	S	B1WC85	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/24/2008 10:27	Y	7439-96-5	Manganese	1410	ug/L	D	[NULL]	[NULL]	S	B1WC85	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/24/2008 10:27	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WC85	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/24/2008 10:27	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WC85	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/24/2008 10:27	Y	14797-55-8	Nitrate	1070	ug/L	DU	[NULL]	[NULL]	S	B1WC85	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/24/2008 10:27	Y	14797-65-0	Nitrite	841	ug/L	DU	[NULL]	[NULL]	S	B1WC85	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/24/2008 10:27	Y	14265-44-2	Phosphate	3800000	ug/L	D	[NULL]	[NULL]	S	B1WC85	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/24/2008 10:27	Y	7440-09-7	Potassium	6860	ug/L	D	[NULL]	[NULL]	S	B1WC85	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/24/2008 10:27	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WC85	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/24/2008 10:27	Y	7440-23-5	Sodium	2210000	ug/L	D	[NULL]	[NULL]	S	B1WC85	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/24/2008 10:27	Y	7440-24-6	Strontium	729	ug/L	D	[NULL]	[NULL]	S	B1WC85	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/24/2008 10:27	Y	14808-79-8	Sulfate	14100	ug/L	BD	[NULL]	[NULL]	S	B1WC85	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/24/2008 10:27	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WC85	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/24/2008 10:27	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WC85	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/25/2008 8:35	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WLD9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/25/2008 8:35	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WLD9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/25/2008 8:35	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WLD9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-122	7/25/2008 8:35	Y	7440-39-3	Barium	31	ug/L	BD	[NULL]	[NULL]	S	B1WLD9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/25/2008 8:35	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLD9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/25/2008 8:35	Y	7440-70-2	Calcium	14200	ug/L	DX	[NULL]	[NULL]	S	B1WLD9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/25/2008 8:35	Y	16887-00-6	Chloride	109000	ug/L	D	[NULL]	[NULL]	S	B1WLD9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/25/2008 8:35	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WLD9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/25/2008 8:35	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WLD9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/25/2008 8:35	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WLD9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/25/2008 8:35	Y	DO	Dissolved oxygen	1240	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLD9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	7/25/2008 8:35	Y	DO	Dissolved oxygen	1240	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLC6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	7/25/2008 8:35	Y	16984-48-8	Fluoride	464	ug/L	DNU	[NULL]	[NULL]	S	B1WLD9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/25/2008 8:35	Y	12587-46-1	Gross alpha	3.22	pCi/L	U	[NULL]	[NULL]	S	B1WLC6	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-122	7/25/2008 8:35	Y	12587-47-2	Gross beta	1430	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WLC6	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-122	7/25/2008 8:35	Y	7439-89-6	Iron	368	ug/L	BD	[NULL]	[NULL]	S	B1WLD9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/25/2008 8:35	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WLD9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/25/2008 8:35	Y	7439-95-4	Magnesium	9600	ug/L	D	[NULL]	[NULL]	S	B1WLD9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/25/2008 8:35	Y	7439-96-5	Manganese	1080	ug/L	D	[NULL]	[NULL]	S	B1WLD9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/25/2008 8:35	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WLD9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/25/2008 8:35	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WLD9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/25/2008 8:35	Y	14797-55-8	Nitrate	1070	ug/L	DU	[NULL]	[NULL]	S	B1WLD9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/25/2008 8:35	Y	14797-65-0	Nitrite	841	ug/L	DNU	[NULL]	[NULL]	S	B1WLD9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/25/2008 8:35	Y	EH	Oxidation Reduction Potential	-234.7	mV	[NULL]	[NULL]	[NULL]	S	B1WLD9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	7/25/2008 8:35	Y	EH	Oxidation Reduction Potential	-234.7	mV	[NULL]	[NULL]	[NULL]	S	B1WLC6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	7/25/2008 8:35	Y	14265-44-2	Phosphate	1090000	ug/L	D	[NULL]	[NULL]	S	B1WLD9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/25/2008 8:35	Y	7440-09-7	Potassium	8330	ug/L	D	[NULL]	[NULL]	S	B1WLD9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/25/2008 8:35	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WLD9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/25/2008 8:35	Y	7440-23-5	Sodium	1770000	ug/L	DX	[NULL]	[NULL]	S	B1WLD9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/25/2008 8:35	Y	CONDUCT	Specific Conductance	6617	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLC6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	7/25/2008 8:35	Y	CONDUCT	Specific Conductance	6617	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLD9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	7/25/2008 8:35	Y	7440-24-6	Strontium	435	ug/L	D	[NULL]	[NULL]	S	B1WLD9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/25/2008 8:35	Y	14808-79-8	Sulfate	2640	ug/L	DU	[NULL]	[NULL]	S	B1WLD9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/25/2008 8:35	Y	TEMPERATURE	Temperature	20.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLC6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	7/25/2008 8:35	Y	TEMPERATURE	Temperature	20.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLD9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	7/25/2008 8:35	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WLD9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/25/2008 8:35	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WLD9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/25/2008 8:35	Y	PH	pH Measurement	7.23	unitless	[NULL]	[NULL]	[NULL]	S	B1WLC6	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-122	7/25/2008 8:35	Y	PH	pH Measurement	7.23	unitless	[NULL]	[NULL]	[NULL]	S	B1WLD9	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-122	7/26/2008 8:05	Y	7429-90-5	Aluminum	333	ug/L	D	[NULL]	[NULL]	S	B1WLM6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/26/2008 8:05	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WLM6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/26/2008 8:05	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WLM6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/26/2008 8:05	Y	7440-39-3	Barium	30	ug/L	D	[NULL]	[NULL]	S	B1WLM6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/26/2008 8:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLM6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/26/2008 8:05	Y	7440-70-2	Calcium	13600	ug/L	DN	[NULL]	[NULL]	S	B1WLM6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/26/2008 8:05	Y	16887-00-6	Chloride	221000	ug/L	D	[NULL]	[NULL]	S	B1WLM6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/26/2008 8:05	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WLM6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/26/2008 8:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WLM6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/26/2008 8:05	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WLM6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/26/2008 8:05	Y	DO	Dissolved oxygen	1310	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLK1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	7/26/2008 8:05	Y	16984-48-8	Fluoride	464	ug/L	DNU	[NULL]	[NULL]	S	B1WLM6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/26/2008 8:05	Y	12587-46-1	Gross alpha	3.19	pCi/L	U	[NULL]	[NULL]	S	B1WLK1	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-122	7/26/2008 8:05	Y	12587-47-2	Gross beta	1280	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WLK1	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-122	7/26/2008 8:05	Y	7439-89-6	Iron	602	ug/L	D	[NULL]	[NULL]	S	B1WLM6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/26/2008 8:05	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WLM6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/26/2008 8:05	Y	7439-95-4	Magnesium	9760	ug/L	D	[NULL]	[NULL]	S	B1WLM6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-122	7/26/2008 8:05	Y	7439-96-5	Manganese	1290	ug/L	D	[NULL]	[NULL]	S	B1WLM6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/26/2008 8:05	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WLM6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/26/2008 8:05	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WLM6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/26/2008 8:05	Y	14797-55-8	Nitrate	1070	ug/L	DU	[NULL]	[NULL]	S	B1WLM6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/26/2008 8:05	Y	14797-65-0	Nitrite	841	ug/L	DU	[NULL]	[NULL]	S	B1WLM6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/26/2008 8:05	Y	EH	Oxidation Reduction Potential	-326	mV	[NULL]	[NULL]	[NULL]	S	B1WLK1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	7/26/2008 8:05	Y	14265-44-2	Phosphate	2000000	ug/L	DN	[NULL]	[NULL]	S	B1WLM6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/26/2008 8:05	Y	7440-09-7	Potassium	7980	ug/L	D	[NULL]	[NULL]	S	B1WLM6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/26/2008 8:05	Y	7440-22-4	Silver	85	ug/L	D	[NULL]	[NULL]	S	B1WLM6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/26/2008 8:05	Y	7440-23-5	Sodium	1720000	ug/L	DX	[NULL]	[NULL]	S	B1WLM6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/26/2008 8:05	Y	CONDUCT	Specific Conductance	5771	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLK1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	7/26/2008 8:05	Y	7440-24-6	Strontium	366	ug/L	D	[NULL]	[NULL]	S	B1WLM6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/26/2008 8:05	Y	14808-79-8	Sulfate	2640	ug/L	DU	[NULL]	[NULL]	S	B1WLM6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/26/2008 8:05	Y	TEMPERATURE	Temperature	20.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLK1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	7/26/2008 8:05	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WLM6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/26/2008 8:05	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WLM6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/26/2008 8:05	Y	PH	pH Measurement	7.21	unitless	[NULL]	[NULL]	[NULL]	S	B1WLK1	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-122	7/27/2008 6:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WLR2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/27/2008 6:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WLR2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/27/2008 6:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WLR2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/27/2008 6:30	Y	7440-39-3	Barium	27	ug/L	D	[NULL]	[NULL]	S	B1WLR2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/27/2008 6:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLR2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/27/2008 6:30	Y	7440-70-2	Calcium	14000	ug/L	D	[NULL]	[NULL]	S	B1WLR2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/27/2008 6:30	Y	16887-00-6	Chloride	223000	ug/L	DN	[NULL]	[NULL]	S	B1WLR2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/27/2008 6:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WLR2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/27/2008 6:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WLR2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/27/2008 6:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WLR2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/27/2008 6:30	Y	DO	Dissolved oxygen	660	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLN9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	7/27/2008 6:30	Y	DO	Dissolved oxygen	660	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLR2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	7/27/2008 6:30	Y	16984-48-8	Fluoride	232	ug/L	DNU	[NULL]	[NULL]	S	B1WLR2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/27/2008 6:30	Y	12587-46-1	Gross alpha	-3.73	pCi/L	U	[NULL]	[NULL]	S	B1WLN9	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-122	7/27/2008 6:30	Y	12587-47-2	Gross beta	942	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WLN9	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-122	7/27/2008 6:30	Y	7439-89-6	Iron	816	ug/L	D	[NULL]	[NULL]	S	B1WLR2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/27/2008 6:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WLR2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/27/2008 6:30	Y	7439-95-4	Magnesium	10100	ug/L	D	[NULL]	[NULL]	S	B1WLR2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/27/2008 6:30	Y	7439-96-5	Manganese	1440	ug/L	D	[NULL]	[NULL]	S	B1WLR2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/27/2008 6:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WLR2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/27/2008 6:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WLR2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/27/2008 6:30	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WLR2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/27/2008 6:30	Y	14797-65-0	Nitrite	420	ug/L	DNU	[NULL]	[NULL]	S	B1WLR2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/27/2008 6:30	Y	EH	Oxidation Reduction Potential	-327	mV	[NULL]	[NULL]	[NULL]	S	B1WLR2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	7/27/2008 6:30	Y	EH	Oxidation Reduction Potential	-327	mV	[NULL]	[NULL]	[NULL]	S	B1WLN9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	7/27/2008 6:30	Y	14265-44-2	Phosphate	1720000	ug/L	D	[NULL]	[NULL]	S	B1WLR2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/27/2008 6:30	Y	7440-09-7	Potassium	7590	ug/L	D	[NULL]	[NULL]	S	B1WLR2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/27/2008 6:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WLR2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/27/2008 6:30	Y	7440-23-5	Sodium	1680000	ug/L	D	[NULL]	[NULL]	S	B1WLR2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/27/2008 6:30	Y	CONDUCT	Specific Conductance	5324	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLR2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	7/27/2008 6:30	Y	CONDUCT	Specific Conductance	5324	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLN9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	7/27/2008 6:30	Y	7440-24-6	Strontium	309	ug/L	D	[NULL]	[NULL]	S	B1WLR2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/27/2008 6:30	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WLR2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/27/2008 6:30	Y	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLN9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	7/27/2008 6:30	Y	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLR2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-122	7/27/2008 6:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WLR2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/27/2008 6:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WLR2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/27/2008 6:30	Y	PH	pH Measurement	7.81	unitless	[NULL]	[NULL]	[NULL]	S	B1WLN9	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-122	7/27/2008 6:30	Y	PH	pH Measurement	7.81	unitless	[NULL]	[NULL]	[NULL]	S	B1WLR2	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-122	7/28/2008 11:04	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WLY2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/28/2008 11:04	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WLY2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/28/2008 11:04	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WLY2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/28/2008 11:04	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLY2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/28/2008 11:04	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLY2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/28/2008 11:04	Y	7440-70-2	Calcium	12000	ug/L	D	[NULL]	[NULL]	S	B1WLY2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/28/2008 11:04	Y	16887-00-6	Chloride	159000	ug/L	D	[NULL]	[NULL]	S	B1WLY2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/28/2008 11:04	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WLY2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/28/2008 11:04	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WLY2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/28/2008 11:04	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WLY2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/28/2008 11:04	Y	DO	Dissolved oxygen	2330	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLY2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	7/28/2008 11:04	Y	DO	Dissolved oxygen	2330	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLV7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	7/28/2008 11:04	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WLY2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/28/2008 11:04	Y	12587-46-1	Gross alpha	-2.88	pCi/L	U	[NULL]	[NULL]	S	B1WLV7	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-122	7/28/2008 11:04	Y	12587-47-2	Gross beta	538	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WLV7	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-122	7/28/2008 11:04	Y	7439-89-6	Iron	386	ug/L	D	[NULL]	[NULL]	S	B1WLY2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/28/2008 11:04	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WLY2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/28/2008 11:04	Y	7439-95-4	Magnesium	5810	ug/L	D	[NULL]	[NULL]	S	B1WLY2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/28/2008 11:04	Y	7439-96-5	Manganese	905	ug/L	D	[NULL]	[NULL]	S	B1WLY2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/28/2008 11:04	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WLY2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/28/2008 11:04	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WLY2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/28/2008 11:04	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WLY2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/28/2008 11:04	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WLY2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/28/2008 11:04	Y	EH	Oxidation Reduction Potential	-284	mV	[NULL]	[NULL]	[NULL]	S	B1WLY2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	7/28/2008 11:04	Y	EH	Oxidation Reduction Potential	-284	mV	[NULL]	[NULL]	[NULL]	S	B1WLV7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	7/28/2008 11:04	Y	14265-44-2	Phosphate	1070000	ug/L	D	[NULL]	[NULL]	S	B1WLY2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/28/2008 11:04	Y	7440-09-7	Potassium	4700	ug/L	D	[NULL]	[NULL]	S	B1WLY2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/28/2008 11:04	Y	7440-22-4	Silver	72	ug/L	CD	[NULL]	[NULL]	S	B1WLY2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/28/2008 11:04	Y	7440-23-5	Sodium	1080000	ug/L	D	[NULL]	[NULL]	S	B1WLY2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/28/2008 11:04	Y	CONDUCT	Specific Conductance	3384	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLV7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	7/28/2008 11:04	Y	CONDUCT	Specific Conductance	3384	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLY2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	7/28/2008 11:04	Y	7440-24-6	Strontium	219	ug/L	D	[NULL]	[NULL]	S	B1WLY2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/28/2008 11:04	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WLY2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/28/2008 11:04	Y	TEMPERATURE	Temperature	21.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLV7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	7/28/2008 11:04	Y	TEMPERATURE	Temperature	21.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLY2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	7/28/2008 11:04	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WLY2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/28/2008 11:04	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WLY2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/28/2008 11:04	Y	PH	pH Measurement	7.78	unitless	[NULL]	[NULL]	[NULL]	S	B1WLY2	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-122	7/28/2008 11:04	Y	PH	pH Measurement	7.98	unitless	[NULL]	[NULL]	[NULL]	S	B1WLV7	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-122	7/29/2008 9:50	N	7429-90-5	Aluminum	300	ug/L	UD	[NULL]	[NULL]	S	B1WM18	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/29/2008 9:50	N	7440-36-0	Antimony	300	ug/L	UD	[NULL]	[NULL]	S	B1WM18	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/29/2008 9:50	N	7440-38-2	Arsenic	400	ug/L	UD	[NULL]	[NULL]	S	B1WM18	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/29/2008 9:50	N	7440-39-3	Barium	20	ug/L	UD	[NULL]	[NULL]	S	B1WM18	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/29/2008 9:50	N	7440-43-9	Cadmium	20	ug/L	UD	[NULL]	[NULL]	S	B1WM18	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/29/2008 9:50	N	7440-70-2	Calcium	12200	ug/L	D	[NULL]	[NULL]	S	B1WM18	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/29/2008 9:50	N	16887-00-6	Chloride	128000	ug/L	DN	[NULL]	[NULL]	S	B1WM18	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/29/2008 9:50	N	7440-47-3	Chromium	60	ug/L	UD	[NULL]	[NULL]	S	B1WM18	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/29/2008 9:50	N	7440-48-4	Cobalt	20	ug/L	UD	[NULL]	[NULL]	S	B1WM18	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/29/2008 9:50	N	7440-50-8	Copper	30	ug/L	UD	[NULL]	[NULL]	S	B1WM18	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-122	7/29/2008 9:50	Y	DO	Dissolved oxygen	1650	ug/L	[NULL]	[NULL]	[NULL]	S	B1WM05	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	7/29/2008 9:50	N	16984-48-8	Fluoride	200	ug/L	UD	[NULL]	[NULL]	S	B1WM18	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/29/2008 9:50	Y	12587-46-1	Gross alpha	-1.41	pCi/L	U	[NULL]	[NULL]	S	B1WM05	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-122	7/29/2008 9:50	Y	12587-47-2	Gross beta	465	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WM05	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-122	7/29/2008 9:50	N	7439-89-6	Iron	536	ug/L	BD	[NULL]	[NULL]	S	B1WM18	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/29/2008 9:50	N	7439-92-1	Lead	200	ug/L	UD	[NULL]	[NULL]	S	B1WM18	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/29/2008 9:50	N	7439-95-4	Magnesium	5170	ug/L	D	[NULL]	[NULL]	S	B1WM18	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/29/2008 9:50	N	7439-96-5	Manganese	877	ug/L	D	[NULL]	[NULL]	S	B1WM18	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/29/2008 9:50	N	7439-98-7	Molybdenum	20	ug/L	UD	[NULL]	[NULL]	S	B1WM18	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/29/2008 9:50	N	7440-02-0	Nickel	30	ug/L	UD	[NULL]	[NULL]	S	B1WM18	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/29/2008 9:50	N	14797-55-8	Nitrate	443	ug/L	UD	[NULL]	[NULL]	S	B1WM18	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/29/2008 9:50	N	14797-65-0	Nitrite	328	ug/L	UD	[NULL]	[NULL]	S	B1WM18	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/29/2008 9:50	Y	EH	Oxidation Reduction Potential	-287	mV	[NULL]	[NULL]	[NULL]	S	B1WM05	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	7/29/2008 9:50	N	14265-44-2	Phosphate	819000	ug/L	DN	[NULL]	[NULL]	S	B1WM18	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/29/2008 9:50	N	7440-09-7	Potassium	4240	ug/L	D	[NULL]	[NULL]	S	B1WM18	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/29/2008 9:50	N	7440-22-4	Silver	20	ug/L	UD	[NULL]	[NULL]	S	B1WM18	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/29/2008 9:50	N	7440-23-5	Sodium	970000	ug/L	D	[NULL]	[NULL]	S	B1WM18	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/29/2008 9:50	Y	CONDUCT	Specific Conductance	3055	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WM05	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	7/29/2008 9:50	N	7440-24-6	Strontium	191	ug/L	D	[NULL]	[NULL]	S	B1WM18	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/29/2008 9:50	N	14808-79-8	Sulfate	1000	ug/L	UD	[NULL]	[NULL]	S	B1WM18	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/29/2008 9:50	Y	TEMPERATURE	Temperature	20.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1WM05	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	7/29/2008 9:50	N	7440-62-2	Vanadium	60	ug/L	UD	[NULL]	[NULL]	S	B1WM18	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/29/2008 9:50	N	7440-66-6	Zinc	40	ug/L	UD	[NULL]	[NULL]	S	B1WM18	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/29/2008 9:50	Y	PH	pH Measurement	7.99	unitless	[NULL]	[NULL]	[NULL]	S	B1WM05	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-122	7/30/2008 11:15	N	7429-90-5	Aluminum	300	ug/L	UD	[NULL]	[NULL]	S	B1WM73	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/30/2008 11:15	N	7440-36-0	Antimony	300	ug/L	UD	[NULL]	[NULL]	S	B1WM73	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/30/2008 11:15	N	7440-38-2	Arsenic	400	ug/L	UD	[NULL]	[NULL]	S	B1WM73	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/30/2008 11:15	N	7440-39-3	Barium	20	ug/L	UD	[NULL]	[NULL]	S	B1WM73	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/30/2008 11:15	N	7440-43-9	Cadmium	20	ug/L	UD	[NULL]	[NULL]	S	B1WM73	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/30/2008 11:15	N	7440-70-2	Calcium	15300	ug/L	D	[NULL]	[NULL]	S	B1WM73	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/30/2008 11:15	N	16887-00-6	Chloride	140000	ug/L	D	[NULL]	[NULL]	S	B1WM73	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/30/2008 11:15	N	7440-47-3	Chromium	60	ug/L	UD	[NULL]	[NULL]	S	B1WM73	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/30/2008 11:15	N	7440-48-4	Cobalt	20	ug/L	UD	[NULL]	[NULL]	S	B1WM73	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/30/2008 11:15	N	7440-50-8	Copper	30	ug/L	UD	[NULL]	[NULL]	S	B1WM73	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/30/2008 11:15	Y	DO	Dissolved oxygen	1920	ug/L	[NULL]	[NULL]	[NULL]	S	B1WM48	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	7/30/2008 11:15	N	16984-48-8	Fluoride	200	ug/L	UD	[NULL]	[NULL]	S	B1WM73	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/30/2008 11:15	Y	12587-46-1	Gross alpha	-1.13	pCi/L	U	[NULL]	[NULL]	S	B1WM48	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-122	7/30/2008 11:15	Y	12587-47-2	Gross beta	497	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WM48	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-122	7/30/2008 11:15	N	7439-89-6	Iron	632	ug/L	D	[NULL]	[NULL]	S	B1WM73	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/30/2008 11:15	N	7439-92-1	Lead	200	ug/L	UD	[NULL]	[NULL]	S	B1WM73	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/30/2008 11:15	N	7439-95-4	Magnesium	5740	ug/L	D	[NULL]	[NULL]	S	B1WM73	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/30/2008 11:15	N	7439-96-5	Manganese	1080	ug/L	D	[NULL]	[NULL]	S	B1WM73	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/30/2008 11:15	N	7439-98-7	Molybdenum	20	ug/L	UD	[NULL]	[NULL]	S	B1WM73	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/30/2008 11:15	N	7440-02-0	Nickel	30	ug/L	UD	[NULL]	[NULL]	S	B1WM73	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/30/2008 11:15	N	14797-55-8	Nitrate	443	ug/L	UD	[NULL]	[NULL]	S	B1WM73	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/30/2008 11:15	N	14797-65-0	Nitrite	328	ug/L	UD	[NULL]	[NULL]	S	B1WM73	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/30/2008 11:15	Y	EH	Oxidation Reduction Potential	-145	mV	[NULL]	[NULL]	[NULL]	S	B1WM48	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	7/30/2008 11:15	N	14265-44-2	Phosphate	920000	ug/L	D	[NULL]	[NULL]	S	B1WM73	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/30/2008 11:15	N	7440-09-7	Potassium	4510	ug/L	D	[NULL]	[NULL]	S	B1WM73	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/30/2008 11:15	N	7440-22-4	Silver	20	ug/L	UD	[NULL]	[NULL]	S	B1WM73	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/30/2008 11:15	N	7440-23-5	Sodium	1060000	ug/L	D	[NULL]	[NULL]	S	B1WM73	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/30/2008 11:15	Y	CONDUCT	Specific Conductance	3419	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WM48	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	7/30/2008 11:15	N	7440-24-6	Strontium	221	ug/L	D	[NULL]	[NULL]	S	B1WM73	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-122	7/30/2008 11:15	N	14808-79-8	Sulfate	1000	ug/L	UD	[NULL]	[NULL]	S	B1WM73	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/30/2008 11:15	Y	TEMPERATURE	Temperature	20.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1WM48	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	7/30/2008 11:15	N	7440-62-2	Vanadium	60	ug/L	UD	[NULL]	[NULL]	S	B1WM73	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/30/2008 11:15	N	7440-66-6	Zinc	40	ug/L	UD	[NULL]	[NULL]	S	B1WM73	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/30/2008 11:15	Y	PH	pH Measurement	7.41	unitless	[NULL]	[NULL]	[NULL]	S	B1WM48	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-122	7/31/2008 9:43	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VWJ3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/31/2008 9:43	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VWJ3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/31/2008 9:43	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VWJ3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/31/2008 9:43	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWJ3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/31/2008 9:43	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWJ3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/31/2008 9:43	Y	7440-70-2	Calcium	12800	ug/L	CD	[NULL]	[NULL]	S	B1VWJ3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/31/2008 9:43	Y	16887-00-6	Chloride	125000	ug/L	D	[NULL]	[NULL]	S	B1VWJ3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/31/2008 9:43	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VWJ3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/31/2008 9:43	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VWJ3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/31/2008 9:43	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VWJ3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/31/2008 9:43	Y	DO	Dissolved oxygen	1370	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWD7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	7/31/2008 9:43	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1VWJ3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/31/2008 9:43	Y	12587-46-1	Gross alpha	6.55	pCi/L	U	[NULL]	[NULL]	S	B1VWD7	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-122	7/31/2008 9:43	Y	12587-47-2	Gross beta	548	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VWD7	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-122	7/31/2008 9:43	Y	7439-89-6	Iron	630	ug/L	D	[NULL]	[NULL]	S	B1VWJ3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/31/2008 9:43	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VWJ3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/31/2008 9:43	Y	7439-95-4	Magnesium	5060	ug/L	D	[NULL]	[NULL]	S	B1VWJ3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/31/2008 9:43	Y	7439-96-5	Manganese	939	ug/L	D	[NULL]	[NULL]	S	B1VWJ3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/31/2008 9:43	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VWJ3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/31/2008 9:43	Y	7440-02-0	Nickel	37.6	ug/L	D	[NULL]	[NULL]	S	B1VWJ3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/31/2008 9:43	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1VWJ3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/31/2008 9:43	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1VWJ3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/31/2008 9:43	Y	EH	Oxidation Reduction Potential	-165	mV	[NULL]	[NULL]	[NULL]	S	B1VWD7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	7/31/2008 9:43	Y	14265-44-2	Phosphate	874000	ug/L	D	[NULL]	[NULL]	S	B1VWJ3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/31/2008 9:43	Y	7440-09-7	Potassium	4370	ug/L	D	[NULL]	[NULL]	S	B1VWJ3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/31/2008 9:43	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VWJ3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/31/2008 9:43	Y	7440-23-5	Sodium	924000	ug/L	D	[NULL]	[NULL]	S	B1VWJ3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/31/2008 9:43	Y	CONDUCT	Specific Conductance	3144	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWD7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	7/31/2008 9:43	Y	7440-24-6	Strontium	192	ug/L	D	[NULL]	[NULL]	S	B1VWJ3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/31/2008 9:43	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1VWJ3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	7/31/2008 9:43	Y	TEMPERATURE	Temperature	19.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWD7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	7/31/2008 9:43	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VWJ3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/31/2008 9:43	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VWJ3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	7/31/2008 9:43	Y	PH	pH Measurement	7.2	unitless	[NULL]	[NULL]	[NULL]	S	B1VWD7	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-122	8/1/2008 9:40	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WN54	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/1/2008 9:40	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WN54	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/1/2008 9:40	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WN54	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/1/2008 9:40	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WN54	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/1/2008 9:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WN54	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/1/2008 9:40	Y	7440-70-2	Calcium	12500	ug/L	D	[NULL]	[NULL]	S	B1WN54	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/1/2008 9:40	Y	16887-00-6	Chloride	121000	ug/L	D	[NULL]	[NULL]	S	B1WNR2	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	8/1/2008 9:40	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WN54	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/1/2008 9:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WN54	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/1/2008 9:40	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WN54	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/1/2008 9:40	Y	DO	Dissolved oxygen	900	ug/L	[NULL]	[NULL]	[NULL]	S	B1WN54	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	8/1/2008 9:40	Y	16984-48-8	Fluoride	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNR2	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	8/1/2008 9:40	Y	12587-46-1	Gross alpha	-0.56	pCi/L	U	[NULL]	[NULL]	S	B1WN54	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-122	8/1/2008 9:40	Y	12587-47-2	Gross beta	800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WN54	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-122	8/1/2008 9:40	Y	7439-89-6	Iron	544	ug/L	D	[NULL]	[NULL]	S	B1WN54	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-122	8/1/2008 9:40	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WN54	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/1/2008 9:40	Y	7439-95-4	Magnesium	4610	ug/L	D	[NULL]	[NULL]	S	B1WN54	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/1/2008 9:40	Y	7439-96-5	Manganese	922	ug/L	D	[NULL]	[NULL]	S	B1WN54	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/1/2008 9:40	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WN54	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/1/2008 9:40	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WN54	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/1/2008 9:40	Y	14797-55-8	Nitrate	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNR2	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	8/1/2008 9:40	Y	14797-65-0	Nitrite	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNR2	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	8/1/2008 9:40	Y	EH	Oxidation Reduction Potential	-172	mV	[NULL]	[NULL]	[NULL]	S	B1WN54	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	8/1/2008 9:40	Y	14265-44-2	Phosphate	902000	ug/L	D	[NULL]	[NULL]	S	B1WNR2	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	8/1/2008 9:40	Y	7440-09-7	Potassium	3940	ug/L	D	[NULL]	[NULL]	S	B1WN54	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/1/2008 9:40	Y	7440-22-4	Silver	61	ug/L	CD	[NULL]	[NULL]	S	B1WN54	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/1/2008 9:40	Y	7440-23-5	Sodium	828000	ug/L	D	[NULL]	[NULL]	S	B1WN54	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/1/2008 9:40	Y	CONDUCT	Specific Conductance	2930	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WN54	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	8/1/2008 9:40	Y	7440-24-6	Strontium	173	ug/L	D	[NULL]	[NULL]	S	B1WN54	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/1/2008 9:40	Y	14808-79-8	Sulfate	16800	ug/L	D	[NULL]	[NULL]	S	B1WNR2	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	8/1/2008 9:40	Y	TEMPERATURE	Temperature	19.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1WN54	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	8/1/2008 9:40	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WN54	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/1/2008 9:40	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WN54	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/1/2008 9:40	Y	PH	pH Measurement	7.46	unitless	[NULL]	[NULL]	[NULL]	S	B1WN54	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-122	8/2/2008 7:20	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WN83	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/2/2008 7:20	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WN83	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/2/2008 7:20	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WN83	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/2/2008 7:20	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WN83	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/2/2008 7:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WN83	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/2/2008 7:20	Y	7440-70-2	Calcium	13600	ug/L	D	[NULL]	[NULL]	S	B1WN83	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/2/2008 7:20	Y	16887-00-6	Chloride	105000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNT4	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	8/2/2008 7:20	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WN83	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/2/2008 7:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WN83	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/2/2008 7:20	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WN83	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/2/2008 7:20	Y	DO	Dissolved oxygen	2040	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNT4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	8/2/2008 7:20	Y	DO	Dissolved oxygen	2040	ug/L	[NULL]	[NULL]	[NULL]	S	B1WN70	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	8/2/2008 7:20	Y	16984-48-8	Fluoride	2500	ug/L	U	[NULL]	[NULL]	S	B1WNT4	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	8/2/2008 7:20	Y	12587-46-1	Gross alpha	0	pCi/L	U	[NULL]	[NULL]	S	B1WN70	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-122	8/2/2008 7:20	Y	12587-47-2	Gross beta	645	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WN70	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-122	8/2/2008 7:20	Y	7439-89-6	Iron	426	ug/L	D	[NULL]	[NULL]	S	B1WN83	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/2/2008 7:20	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WN83	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/2/2008 7:20	Y	7439-95-4	Magnesium	4190	ug/L	D	[NULL]	[NULL]	S	B1WN83	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/2/2008 7:20	Y	7439-96-5	Manganese	925	ug/L	D	[NULL]	[NULL]	S	B1WN83	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/2/2008 7:20	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WN83	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/2/2008 7:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WN83	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/2/2008 7:20	Y	14797-55-8	Nitrate	2500	ug/L	U	[NULL]	[NULL]	S	B1WNT4	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	8/2/2008 7:20	Y	14797-65-0	Nitrite	2500	ug/L	U	[NULL]	[NULL]	S	B1WNT4	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	8/2/2008 7:20	Y	EH	Oxidation Reduction Potential	-102	mV	[NULL]	[NULL]	[NULL]	S	B1WNT4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	8/2/2008 7:20	Y	EH	Oxidation Reduction Potential	-102	mV	[NULL]	[NULL]	[NULL]	S	B1WN70	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	8/2/2008 7:20	Y	14265-44-2	Phosphate	2330000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNT4	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	8/2/2008 7:20	Y	7440-09-7	Potassium	3420	ug/L	D	[NULL]	[NULL]	S	B1WN83	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/2/2008 7:20	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WN83	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/2/2008 7:20	Y	7440-23-5	Sodium	737000	ug/L	D	[NULL]	[NULL]	S	B1WN83	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/2/2008 7:20	Y	CONDUCT	Specific Conductance	2527	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WNT4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	8/2/2008 7:20	Y	CONDUCT	Specific Conductance	2527	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WN70	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	8/2/2008 7:20	Y	7440-24-6	Strontium	161	ug/L	D	[NULL]	[NULL]	S	B1WN83	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/2/2008 7:20	Y	14808-79-8	Sulfate	2500	ug/L	U	[NULL]	[NULL]	S	B1WNT4	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-122	8/2/2008 7:20	Y	TEMPERATURE	Temperature	17.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1WNT4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	8/2/2008 7:20	Y	TEMPERATURE	Temperature	17.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1WN70	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	8/2/2008 7:20	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WN83	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/2/2008 7:20	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WN83	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/2/2008 7:20	Y	PH	pH Measurement	7.38	unitless	[NULL]	[NULL]	[NULL]	S	B1WN70	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-122	8/2/2008 7:20	Y	PH	pH Measurement	7.38	unitless	[NULL]	[NULL]	[NULL]	S	B1WNT4	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-122	8/4/2008 8:50	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WNB9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/4/2008 8:50	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WNB9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/4/2008 8:50	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WNB9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/4/2008 8:50	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WNB9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/4/2008 8:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WNB9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/4/2008 8:50	Y	7440-70-2	Calcium	11900	ug/L	D	[NULL]	[NULL]	S	B1WNB9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/4/2008 8:50	Y	16887-00-6	Chloride	93300	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNV7	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	8/4/2008 8:50	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WNB9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/4/2008 8:50	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WNB9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/4/2008 8:50	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WNB9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/4/2008 8:50	Y	DO	Dissolved oxygen	1800	ug/L	[NULL]	[NULL]	[NULL]	S	B1WN96	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	8/4/2008 8:50	Y	DO	Dissolved oxygen	1800	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNV7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	8/4/2008 8:50	Y	16984-48-8	Fluoride	2500	ug/L	U	[NULL]	[NULL]	S	B1WNV7	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	8/4/2008 8:50	Y	12587-46-1	Gross alpha	-0.912	pCi/L	U	[NULL]	[NULL]	S	B1WN96	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-122	8/4/2008 8:50	Y	12587-47-2	Gross beta	367	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WN96	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-122	8/4/2008 8:50	Y	7439-89-6	Iron	249	ug/L	D	[NULL]	[NULL]	S	B1WNB9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/4/2008 8:50	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WNB9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/4/2008 8:50	Y	7439-95-4	Magnesium	3360	ug/L	D	[NULL]	[NULL]	S	B1WNB9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/4/2008 8:50	Y	7439-96-5	Manganese	733	ug/L	D	[NULL]	[NULL]	S	B1WNB9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/4/2008 8:50	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WNB9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/4/2008 8:50	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WNB9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/4/2008 8:50	Y	14797-55-8	Nitrate	2500	ug/L	U	[NULL]	[NULL]	S	B1WNV7	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	8/4/2008 8:50	Y	14797-65-0	Nitrite	2500	ug/L	U	[NULL]	[NULL]	S	B1WNV7	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	8/4/2008 8:50	Y	EH	Oxidation Reduction Potential	-135	mV	[NULL]	[NULL]	[NULL]	S	B1WN96	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	8/4/2008 8:50	Y	EH	Oxidation Reduction Potential	-135	mV	[NULL]	[NULL]	[NULL]	S	B1WNV7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	8/4/2008 8:50	Y	14265-44-2	Phosphate	615000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNV7	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	8/4/2008 8:50	Y	7440-09-7	Potassium	2860	ug/L	D	[NULL]	[NULL]	S	B1WNB9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/4/2008 8:50	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WNB9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/4/2008 8:50	Y	7440-23-5	Sodium	485000	ug/L	D	[NULL]	[NULL]	S	B1WNB9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/4/2008 8:50	Y	CONDUCT	Specific Conductance	2292	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WNV7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	8/4/2008 8:50	Y	CONDUCT	Specific Conductance	2292	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WN96	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	8/4/2008 8:50	Y	7440-24-6	Strontium	123	ug/L	D	[NULL]	[NULL]	S	B1WNB9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/4/2008 8:50	Y	14808-79-8	Sulfate	2500	ug/L	U	[NULL]	[NULL]	S	B1WNV7	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	8/4/2008 8:50	Y	TEMPERATURE	Temperature	18.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1WN96	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	8/4/2008 8:50	Y	TEMPERATURE	Temperature	18.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1WNV7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	8/4/2008 8:50	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WNB9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/4/2008 8:50	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WNB9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/4/2008 8:50	Y	PH	pH Measurement	7.45	unitless	[NULL]	[NULL]	[NULL]	S	B1WNV7	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-122	8/4/2008 8:50	Y	PH	pH Measurement	7.45	unitless	[NULL]	[NULL]	[NULL]	S	B1WN96	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-122	8/6/2008 10:00	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WNF5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/6/2008 10:00	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WNF5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/6/2008 10:00	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WNF5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/6/2008 10:00	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WNF5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/6/2008 10:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WNF5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/6/2008 10:00	Y	7440-70-2	Calcium	9420	ug/L	D	[NULL]	[NULL]	S	B1WNF5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/6/2008 10:00	Y	16887-00-6	Chloride	80400	ug/L	D	[NULL]	[NULL]	S	B1WNX0	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	8/6/2008 10:00	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WNF5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-122	8/6/2008 10:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WNF5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/6/2008 10:00	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WNF5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/6/2008 10:00	Y	DO	Dissolved oxygen	1940	ug/L	[NULL]	[NULL]	[NULL]	S	B1WND2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	8/6/2008 10:00	Y	16984-48-8	Fluoride	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNX0	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	8/6/2008 10:00	Y	12587-46-1	Gross alpha	2.32	pCi/L	U	[NULL]	[NULL]	S	B1WND2	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-122	8/6/2008 10:00	Y	12587-47-2	Gross beta	356	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WND2	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-122	8/6/2008 10:00	Y	7439-89-6	Iron	323	ug/L	D	[NULL]	[NULL]	S	B1WNF5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/6/2008 10:00	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WNF5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/6/2008 10:00	Y	7439-95-4	Magnesium	2730	ug/L	DN	[NULL]	[NULL]	S	B1WNF5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/6/2008 10:00	Y	7439-96-5	Manganese	611	ug/L	D	[NULL]	[NULL]	S	B1WNF5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/6/2008 10:00	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WNF5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/6/2008 10:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WNF5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/6/2008 10:00	Y	14797-55-8	Nitrate	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNX0	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	8/6/2008 10:00	Y	14797-65-0	Nitrite	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNX0	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	8/6/2008 10:00	Y	EH	Oxidation Reduction Potential	-151	mV	[NULL]	[NULL]	[NULL]	S	B1WND2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	8/6/2008 10:00	Y	14265-44-2	Phosphate	655000	ug/L	D	[NULL]	[NULL]	S	B1WNX0	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	8/6/2008 10:00	Y	7440-09-7	Potassium	2510	ug/L	D	[NULL]	[NULL]	S	B1WNF5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/6/2008 10:00	Y	7440-22-4	Silver	50	ug/L	CD	[NULL]	[NULL]	S	B1WNF5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/6/2008 10:00	Y	7440-23-5	Sodium	416000	ug/L	D	[NULL]	[NULL]	S	B1WNF5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/6/2008 10:00	Y	CONDUCT	Specific Conductance	2265	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WND2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	8/6/2008 10:00	Y	7440-24-6	Strontium	92.4	ug/L	DN	[NULL]	[NULL]	S	B1WNF5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/6/2008 10:00	Y	14808-79-8	Sulfate	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNX0	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	8/6/2008 10:00	Y	TEMPERATURE	Temperature	21.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1WND2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	8/6/2008 10:00	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WNF5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/6/2008 10:00	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WNF5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/6/2008 10:00	Y	PH	pH Measurement	7.49	unitless	[NULL]	[NULL]	[NULL]	S	B1WND2	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-122	8/8/2008 11:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WNK6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/8/2008 11:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WNK6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/8/2008 11:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WNK6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/8/2008 11:30	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WNK6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/8/2008 11:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WNK6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/8/2008 11:30	Y	7440-70-2	Calcium	9710	ug/L	DN	[NULL]	[NULL]	S	B1WNK6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/8/2008 11:30	Y	16887-00-6	Chloride	71600	ug/L	D	[NULL]	[NULL]	S	B1WNY8	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	8/8/2008 11:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WNK6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/8/2008 11:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WNK6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/8/2008 11:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WNK6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/8/2008 11:30	Y	DO	Dissolved oxygen	1990	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNJ3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	8/8/2008 11:30	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WNY8	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	8/8/2008 11:30	Y	12587-46-1	Gross alpha	0.435	pCi/L	U	[NULL]	[NULL]	S	B1WNJ3	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-122	8/8/2008 11:30	Y	12587-47-2	Gross beta	552	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WNJ3	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-122	8/8/2008 11:30	Y	7439-89-6	Iron	307	ug/L	CD	[NULL]	[NULL]	S	B1WNK6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/8/2008 11:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WNK6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/8/2008 11:30	Y	7439-95-4	Magnesium	2620	ug/L	DN	[NULL]	[NULL]	S	B1WNK6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/8/2008 11:30	Y	7439-96-5	Manganese	649	ug/L	D	[NULL]	[NULL]	S	B1WNK6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/8/2008 11:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WNK6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/8/2008 11:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WNK6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/8/2008 11:30	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WNY8	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	8/8/2008 11:30	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WNY8	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	8/8/2008 11:30	Y	EH	Oxidation Reduction Potential	-294	mV	[NULL]	[NULL]	[NULL]	S	B1WNJ3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	8/8/2008 11:30	Y	14265-44-2	Phosphate	607000	ug/L	D	[NULL]	[NULL]	S	B1WNY8	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	8/8/2008 11:30	Y	7440-09-7	Potassium	2320	ug/L	D	[NULL]	[NULL]	S	B1WNK6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/8/2008 11:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WNK6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/8/2008 11:30	Y	7440-23-5	Sodium	370000	ug/L	D	[NULL]	[NULL]	S	B1WNK6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-122	8/8/2008 11:30	Y	CONDUCT	Specific Conductance	2039	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WNJ3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	8/8/2008 11:30	Y	7440-24-6	Strontium	93.4	ug/L	D	[NULL]	[NULL]	S	B1WNK6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/8/2008 11:30	Y	14808-79-8	Sulfate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WNY8	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	8/8/2008 11:30	Y	TEMPERATURE	Temperature	19.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1WNJ3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	8/8/2008 11:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WNK6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/8/2008 11:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WNK6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/8/2008 11:30	Y	PH	pH Measurement	8.01	unitless	[NULL]	[NULL]	[NULL]	S	B1WNJ3	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-122	8/15/2008 8:55	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WP38	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/15/2008 8:55	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WP38	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/15/2008 8:55	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WP38	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/15/2008 8:55	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WP38	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/15/2008 8:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WP38	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/15/2008 8:55	Y	7440-70-2	Calcium	13100	ug/L	DN	[NULL]	[NULL]	S	B1WP38	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/15/2008 8:55	Y	16887-00-6	Chloride	56300	ug/L	D	[NULL]	[NULL]	S	B1WP68	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	8/15/2008 8:55	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WP38	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/15/2008 8:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WP38	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/15/2008 8:55	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WP38	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/15/2008 8:55	Y	DO	Dissolved oxygen	1330	ug/L	[NULL]	[NULL]	[NULL]	S	B1WP38	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	8/15/2008 8:55	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP68	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	8/15/2008 8:55	Y	12587-46-1	Gross alpha	2.3	pCi/L	U	[NULL]	[NULL]	S	B1WP38	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-122	8/15/2008 8:55	Y	12587-47-2	Gross beta	790	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WP38	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-122	8/15/2008 8:55	Y	7439-89-6	Iron	424	ug/L	D	[NULL]	[NULL]	S	B1WP38	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/15/2008 8:55	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WP38	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/15/2008 8:55	Y	7439-95-4	Magnesium	3020	ug/L	D	[NULL]	[NULL]	S	B1WP38	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/15/2008 8:55	Y	7439-96-5	Manganese	770	ug/L	D	[NULL]	[NULL]	S	B1WP38	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/15/2008 8:55	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WP38	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/15/2008 8:55	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WP38	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/15/2008 8:55	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP68	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	8/15/2008 8:55	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP68	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	8/15/2008 8:55	Y	EH	Oxidation Reduction Potential	-174	mV	[NULL]	[NULL]	[NULL]	S	B1WP38	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	8/15/2008 8:55	Y	14265-44-2	Phosphate	551000	ug/L	D	[NULL]	[NULL]	S	B1WP68	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	8/15/2008 8:55	Y	7440-09-7	Potassium	2540	ug/L	D	[NULL]	[NULL]	S	B1WP38	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/15/2008 8:55	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WP38	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/15/2008 8:55	Y	7440-23-5	Sodium	397000	ug/L	D	[NULL]	[NULL]	S	B1WP38	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/15/2008 8:55	Y	CONDUCT	Specific Conductance	1831	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WP38	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	8/15/2008 8:55	Y	7440-24-6	Strontium	109	ug/L	D	[NULL]	[NULL]	S	B1WP38	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/15/2008 8:55	Y	14808-79-8	Sulfate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP68	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	8/15/2008 8:55	Y	TEMPERATURE	Temperature	21	Deg C	[NULL]	[NULL]	[NULL]	S	B1WP38	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	8/15/2008 8:55	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WP38	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/15/2008 8:55	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WP38	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/15/2008 8:55	Y	PH	pH Measurement	7.52	unitless	[NULL]	[NULL]	[NULL]	S	B1WP38	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-122	8/22/2008 8:10	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WP98	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/22/2008 8:10	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WP98	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/22/2008 8:10	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WP98	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/22/2008 8:10	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WP98	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/22/2008 8:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WP98	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/22/2008 8:10	Y	7440-70-2	Calcium	12600	ug/L	D	[NULL]	[NULL]	S	B1WP98	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/22/2008 8:10	Y	16887-00-6	Chloride	50500	ug/L	D	[NULL]	[NULL]	S	B1WP98	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	8/22/2008 8:10	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WP98	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/22/2008 8:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WP98	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/22/2008 8:10	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WP98	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/22/2008 8:10	Y	DO	Dissolved oxygen	1600	ug/L	[NULL]	[NULL]	[NULL]	S	B1WP98	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	8/22/2008 8:10	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WP98	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	8/22/2008 8:10	Y	12587-46-1	Gross alpha	-4.1	pCi/L	U	[NULL]	[NULL]	S	B1WP98	12587-46-1	WSCF	ALPHA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-122	8/22/2008 8:10	Y	12587-47-2	Gross beta	860	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WP98	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-122	8/22/2008 8:10	Y	7439-89-6	Iron	198	ug/L	D	[NULL]	[NULL]	S	B1WP98	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/22/2008 8:10	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WP98	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/22/2008 8:10	Y	7439-95-4	Magnesium	3160	ug/L	D	[NULL]	[NULL]	S	B1WP98	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/22/2008 8:10	Y	7439-96-5	Manganese	602	ug/L	D	[NULL]	[NULL]	S	B1WP98	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/22/2008 8:10	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WP98	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/22/2008 8:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WP98	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/22/2008 8:10	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WP98	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	8/22/2008 8:10	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WP98	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	8/22/2008 8:10	Y	EH	Oxidation Reduction Potential	-308	mV	[NULL]	[NULL]	[NULL]	S	B1WP98	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	8/22/2008 8:10	Y	14265-44-2	Phosphate	518000	ug/L	D	[NULL]	[NULL]	S	B1WP98	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	8/22/2008 8:10	Y	7440-09-7	Potassium	2700	ug/L	D	[NULL]	[NULL]	S	B1WP98	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/22/2008 8:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WP98	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/22/2008 8:10	Y	7440-23-5	Sodium	408000	ug/L	D	[NULL]	[NULL]	S	B1WP98	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/22/2008 8:10	Y	CONDUCT	Specific Conductance	1568	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WP98	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	8/22/2008 8:10	Y	7440-24-6	Strontium	94.3	ug/L	D	[NULL]	[NULL]	S	B1WP98	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/22/2008 8:10	Y	14808-79-8	Sulfate	2140	ug/L	BD	[NULL]	[NULL]	S	B1WP98	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	8/22/2008 8:10	Y	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1WP98	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	8/22/2008 8:10	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WP98	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/22/2008 8:10	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WP98	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	8/22/2008 8:10	Y	PH	pH Measurement	7.94	unitless	[NULL]	[NULL]	[NULL]	S	B1WP98	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-122	9/2/2008 10:24	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WWP5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/2/2008 10:24	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WWP5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/2/2008 10:24	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WWP5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/2/2008 10:24	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WWP5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/2/2008 10:24	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WWP5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/2/2008 10:24	Y	7440-70-2	Calcium	16900	ug/L	DN	[NULL]	[NULL]	S	B1WWP5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/2/2008 10:24	Y	16887-00-6	Chloride	42900	ug/L	D	[NULL]	[NULL]	S	B1WWM2	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	9/2/2008 10:24	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WWP5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/2/2008 10:24	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WWP5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/2/2008 10:24	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WWP5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/2/2008 10:24	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWM2	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	9/2/2008 10:24	Y	12587-46-1	Gross alpha	-0.44	pCi/L	U	G	[NULL]	S	B1WWP5	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-122	9/2/2008 10:24	Y	12587-47-2	Gross beta	780	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WWP5	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-122	9/2/2008 10:24	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WWP5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/2/2008 10:24	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WWP5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/2/2008 10:24	Y	7439-95-4	Magnesium	3520	ug/L	D	[NULL]	[NULL]	S	B1WWP5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/2/2008 10:24	Y	7439-96-5	Manganese	602	ug/L	D	[NULL]	[NULL]	S	B1WWP5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/2/2008 10:24	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WWP5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/2/2008 10:24	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WWP5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/2/2008 10:24	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWM2	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	9/2/2008 10:24	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWM2	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	9/2/2008 10:24	Y	EH	Oxidation Reduction Potential	-75	mV	[NULL]	[NULL]	[NULL]	S	B1WWM2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	9/2/2008 10:24	Y	14265-44-2	Phosphate	479000	ug/L	D	[NULL]	[NULL]	S	B1WWM2	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	9/2/2008 10:24	Y	7440-09-7	Potassium	3870	ug/L	BD	[NULL]	[NULL]	S	B1WWP5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/2/2008 10:24	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WWP5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/2/2008 10:24	Y	7440-23-5	Sodium	444000	ug/L	D	[NULL]	[NULL]	S	B1WWP5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/2/2008 10:24	Y	CONDUCT	Specific Conductance	1306	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WWM2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	9/2/2008 10:24	Y	7440-24-6	Strontium	124	ug/L	D	[NULL]	[NULL]	S	B1WWP5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/2/2008 10:24	Y	14808-79-8	Sulfate	31800	ug/L	D	[NULL]	[NULL]	S	B1WWM2	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	9/2/2008 10:24	Y	TEMPERATURE	Temperature	18.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1WWM2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	9/2/2008 10:24	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WWP5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/2/2008 10:24	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WWP5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-122	9/2/2008 10:24	Y	PH	pH Measurement	7.52	unitless	[NULL]	[NULL]	[NULL]	S	B1WWM2	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-122	9/3/2008 9:20	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WWL0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/3/2008 9:20	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WWL0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/3/2008 9:20	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WWL0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/3/2008 9:20	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WWL0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/3/2008 9:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WWL0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/3/2008 9:20	Y	7440-70-2	Calcium	14100	ug/L	D	[NULL]	[NULL]	S	B1WWL0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/3/2008 9:20	Y	16887-00-6	Chloride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWD8	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	9/3/2008 9:20	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WWL0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/3/2008 9:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WWL0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/3/2008 9:20	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WWL0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/3/2008 9:20	Y	DO	Dissolved oxygen	1850	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWD8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	9/3/2008 9:20	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWD8	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	9/3/2008 9:20	Y	12587-46-1	Gross alpha	0.017	pCi/L	U	[NULL]	[NULL]	S	B1WWL0	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-122	9/3/2008 9:20	Y	12587-47-2	Gross beta	940	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WWL0	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-122	9/3/2008 9:20	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WWL0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/3/2008 9:20	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WWL0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/3/2008 9:20	Y	7439-95-4	Magnesium	2550	ug/L	D	[NULL]	[NULL]	S	B1WWL0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/3/2008 9:20	Y	7439-96-5	Manganese	496	ug/L	D	[NULL]	[NULL]	S	B1WWL0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/3/2008 9:20	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WWL0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/3/2008 9:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WWL0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/3/2008 9:20	Y	14797-55-8	Nitrate	39200	ug/L	D	[NULL]	[NULL]	S	B1WWD8	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	9/3/2008 9:20	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWD8	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	9/3/2008 9:20	Y	EH	Oxidation Reduction Potential	7	mV	[NULL]	[NULL]	[NULL]	S	B1WWD8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	9/3/2008 9:20	Y	14265-44-2	Phosphate	429000	ug/L	D	[NULL]	[NULL]	S	B1WWD8	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	9/3/2008 9:20	Y	7440-09-7	Potassium	2610	ug/L	BD	[NULL]	[NULL]	S	B1WWL0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/3/2008 9:20	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WWL0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/3/2008 9:20	Y	7440-23-5	Sodium	293000	ug/L	D	[NULL]	[NULL]	S	B1WWL0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/3/2008 9:20	Y	CONDUCT	Specific Conductance	1306	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WWD8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	9/3/2008 9:20	Y	7440-24-6	Strontium	94	ug/L	BD	[NULL]	[NULL]	S	B1WWL0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/3/2008 9:20	Y	14808-79-8	Sulfate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWD8	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	9/3/2008 9:20	Y	TEMPERATURE	Temperature	18	Deg C	[NULL]	[NULL]	[NULL]	S	B1WWD8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	9/3/2008 9:20	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WWL0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/3/2008 9:20	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WWL0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/3/2008 9:20	Y	PH	pH Measurement	7.55	unitless	[NULL]	[NULL]	[NULL]	S	B1WWD8	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-122	9/9/2008 10:25	Y	7429-90-5	Aluminum	52	ug/L	U	[NULL]	[NULL]	S	B1WWW1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/9/2008 10:25	Y	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	S	B1WWW1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/9/2008 10:25	Y	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	S	B1WWW1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/9/2008 10:25	Y	7440-39-3	Barium	6	ug/L	B	[NULL]	[NULL]	S	B1WWW1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/9/2008 10:25	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1WWW1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/9/2008 10:25	Y	7440-70-2	Calcium	11700	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWW1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/9/2008 10:25	Y	16887-00-6	Chloride	34200	ug/L	D	[NULL]	[NULL]	S	B1WWT8	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	9/9/2008 10:25	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B1WWW1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/9/2008 10:25	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1WWW1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/9/2008 10:25	Y	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1WWW1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/9/2008 10:25	Y	DO	Dissolved oxygen	1200	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWT8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	9/9/2008 10:25	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWT8	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	9/9/2008 10:25	Y	12587-46-1	Gross alpha	-5.4	pCi/L	U	[NULL]	[NULL]	S	B1WWW1	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-122	9/9/2008 10:25	Y	12587-47-2	Gross beta	700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WWW1	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-122	9/9/2008 10:25	Y	7439-89-6	Iron	111	ug/L	B	[NULL]	[NULL]	S	B1WWW1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/9/2008 10:25	Y	7439-92-1	Lead	45	ug/L	U	[NULL]	[NULL]	S	B1WWW1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/9/2008 10:25	Y	7439-95-4	Magnesium	2900	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWW1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/9/2008 10:25	Y	7439-96-5	Manganese	489	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWW1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/9/2008 10:25	Y	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	S	B1WWW1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-122	9/9/2008 10:25	Y	7440-02-0	Nickel	8.8	ug/L	B	[NULL]	[NULL]	S	B1WWW1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/9/2008 10:25	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWT8	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	9/9/2008 10:25	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWT8	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	9/9/2008 10:25	Y	EH	Oxidation Reduction Potential	-175	mV	[NULL]	[NULL]	[NULL]	S	B1WWT8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	9/9/2008 10:25	Y	14265-44-2	Phosphate	608000	ug/L	D	[NULL]	[NULL]	S	B1WWT8	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	9/9/2008 10:25	Y	7440-09-7	Potassium	2580	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWW1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/9/2008 10:25	Y	7440-22-4	Silver	7	ug/L	B	[NULL]	[NULL]	S	B1WWW1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/9/2008 10:25	Y	7440-23-5	Sodium	440000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWW1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/9/2008 10:25	Y	CONDUCT	Specific Conductance	1738	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WWT8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	9/9/2008 10:25	Y	7440-24-6	Strontium	88.3	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWW1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/9/2008 10:25	Y	14808-79-8	Sulfate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWT8	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-122	9/9/2008 10:25	Y	TEMPERATURE	Temperature	17.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WWT8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	9/9/2008 10:25	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	S	B1WWW1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/9/2008 10:25	Y	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1WWW1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/9/2008 10:25	Y	PH	pH Measurement	7.48	unitless	[NULL]	[NULL]	[NULL]	S	B1WWT8	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-122	9/21/2008 9:55	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WX18	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/21/2008 9:55	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WX18	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/21/2008 9:55	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WX18	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/21/2008 9:55	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WX18	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/21/2008 9:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WX18	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/21/2008 9:55	Y	7440-70-2	Calcium	12500	ug/L	DN	[NULL]	[NULL]	S	B1WX18	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/21/2008 9:55	Y	16887-00-6	Chloride	33700	ug/L	D	[NULL]	[NULL]	S	B1WWW3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	9/21/2008 9:55	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WX18	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/21/2008 9:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WX18	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/21/2008 9:55	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WX18	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/21/2008 9:55	Y	DO	Dissolved oxygen	2300	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX18	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	9/21/2008 9:55	Y	DO	Dissolved oxygen	2300	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWW3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	9/21/2008 9:55	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WWW3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	9/21/2008 9:55	Y	12587-46-1	Gross alpha	11	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WX18	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-122	9/21/2008 9:55	Y	12587-47-2	Gross beta	1000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WX18	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-122	9/21/2008 9:55	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WX18	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/21/2008 9:55	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WX18	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/21/2008 9:55	Y	7439-95-4	Magnesium	3030	ug/L	D	[NULL]	[NULL]	S	B1WX18	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/21/2008 9:55	Y	7439-96-5	Manganese	316	ug/L	D	[NULL]	[NULL]	S	B1WX18	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/21/2008 9:55	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WX18	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/21/2008 9:55	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WX18	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/21/2008 9:55	Y	14797-55-8	Nitrate	72600	ug/L	D	[NULL]	[NULL]	S	B1WWW3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	9/21/2008 9:55	Y	14797-65-0	Nitrite	1060	ug/L	BD	[NULL]	[NULL]	S	B1WWW3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	9/21/2008 9:55	Y	EH	Oxidation Reduction Potential	-19	mV	[NULL]	[NULL]	[NULL]	S	B1WWW3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	9/21/2008 9:55	Y	EH	Oxidation Reduction Potential	-19	mV	[NULL]	[NULL]	[NULL]	S	B1WX18	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	9/21/2008 9:55	Y	14265-44-2	Phosphate	534000	ug/L	D	[NULL]	[NULL]	S	B1WWW3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	9/21/2008 9:55	Y	7440-09-7	Potassium	3780	ug/L	BD	[NULL]	[NULL]	S	B1WX18	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/21/2008 9:55	Y	7440-22-4	Silver	25	ug/L	DNUX	[NULL]	[NULL]	S	B1WX18	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/21/2008 9:55	Y	7440-23-5	Sodium	462000	ug/L	D	[NULL]	[NULL]	S	B1WX18	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/21/2008 9:55	Y	CONDUCT	Specific Conductance	184	uS/cm	[NULL]	Y	[NULL]	S	B1WWW3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	9/21/2008 9:55	Y	CONDUCT	Specific Conductance	184	uS/cm	[NULL]	Y	[NULL]	S	B1WX18	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	9/21/2008 9:55	Y	7440-24-6	Strontium	89.5	ug/L	BD	[NULL]	[NULL]	S	B1WX18	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/21/2008 9:55	Y	14808-79-8	Sulfate	16100	ug/L	D	[NULL]	[NULL]	S	B1WWW3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	9/21/2008 9:55	Y	TEMPERATURE	Temperature	18.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1WX18	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	9/21/2008 9:55	Y	TEMPERATURE	Temperature	18.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1WWW3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	9/21/2008 9:55	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WX18	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	9/21/2008 9:55	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WX18	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-122	9/21/2008 9:55	Y	PH	pH Measurement	7.61	unitless	[NULL]	[NULL]	[NULL]	S	B1WWW3	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-122	9/21/2008 9:55	Y	PH	pH Measurement	7.61	unitless	[NULL]	[NULL]	[NULL]	S	B1WX18	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-122	10/30/2008 11:45	N	7429-90-5	Aluminum	50	ug/L	U	[NULL]	[NULL]	S	B1WX86	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	10/30/2008 11:45	N	7440-36-0	Antimony	60	ug/L	U	[NULL]	[NULL]	S	B1WX86	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	10/30/2008 11:45	N	7440-38-2	Arsenic	174	ug/L	B	[NULL]	[NULL]	S	B1WX86	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	10/30/2008 11:45	N	7440-39-3	Barium	7.1	ug/L	B	[NULL]	[NULL]	S	B1WX86	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	10/30/2008 11:45	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1WX86	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	10/30/2008 11:45	N	7440-70-2	Calcium	17000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX86	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	10/30/2008 11:45	N	16887-00-6	Chloride	12000	ug/L	DN	[NULL]	[NULL]	S	B1WX86	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	10/30/2008 11:45	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	S	B1WX86	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	10/30/2008 11:45	N	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	S	B1WX86	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	10/30/2008 11:45	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1WX86	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	10/30/2008 11:45	N	DO	Dissolved oxygen	1390	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX86	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	10/30/2008 11:45	N	16984-48-8	Fluoride	200	ug/L	UD	[NULL]	[NULL]	S	B1WX86	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	10/30/2008 11:45	N	12587-46-1	Gross alpha	-1.04	pCi/L	U	[NULL]	[NULL]	S	B1WX86	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-122	10/30/2008 11:45	N	12587-47-2	Gross beta	1030	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WX86	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-122	10/30/2008 11:45	N	7439-89-6	Iron	20	ug/L	U	[NULL]	[NULL]	S	B1WX86	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	10/30/2008 11:45	N	7439-92-1	Lead	40	ug/L	U	[NULL]	[NULL]	S	B1WX86	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	10/30/2008 11:45	N	7439-95-4	Magnesium	3550	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX86	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	10/30/2008 11:45	N	7439-96-5	Manganese	401	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX86	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	10/30/2008 11:45	N	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	S	B1WX86	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	10/30/2008 11:45	N	7440-02-0	Nickel	15.9	ug/L	B	[NULL]	[NULL]	S	B1WX86	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	10/30/2008 11:45	N	14797-55-8	Nitrate	593000	ug/L	D	[NULL]	[NULL]	S	B1WX86	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	10/30/2008 11:45	N	14797-65-0	Nitrite	959	ug/L	BD	[NULL]	[NULL]	S	B1WX86	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	10/30/2008 11:45	N	EH	Oxidation Reduction Potential	-32	mV	[NULL]	[NULL]	[NULL]	S	B1WX86	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	10/30/2008 11:45	N	14265-44-2	Phosphate	454000	ug/L	D	[NULL]	[NULL]	S	B1WX86	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	10/30/2008 11:45	N	7440-09-7	Potassium	3000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX86	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	10/30/2008 11:45	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1WX86	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	10/30/2008 11:45	N	7440-23-5	Sodium	449000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX86	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	10/30/2008 11:45	N	CONDUCT	Specific Conductance	2054	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WX86	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	10/30/2008 11:45	N	7440-24-6	Strontium	122	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX86	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	10/30/2008 11:45	N	14808-79-8	Sulfate	55100	ug/L	D	[NULL]	[NULL]	S	B1WX86	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	10/30/2008 11:45	N	TEMPERATURE	Temperature	16.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1WX86	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	10/30/2008 11:45	N	7440-62-2	Vanadium	10.9	ug/L	B	[NULL]	[NULL]	S	B1WX86	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	10/30/2008 11:45	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1WX86	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	10/30/2008 11:45	N	PH	pH Measurement	7	unitless	[NULL]	[NULL]	[NULL]	S	B1WX86	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-122	12/8/2008 12:03	N	7429-90-5	Aluminum	106	ug/L	B	[NULL]	[NULL]	S	B1XXR7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	12/8/2008 12:03	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	S	B1XXR7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	12/8/2008 12:03	N	7440-38-2	Arsenic	83	ug/L	B	[NULL]	[NULL]	S	B1XXR7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	12/8/2008 12:03	N	7440-39-3	Barium	5	ug/L	B	[NULL]	[NULL]	S	B1XXR7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	12/8/2008 12:03	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1XXR7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	12/8/2008 12:03	N	7440-70-2	Calcium	15600	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXR7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	12/8/2008 12:03	N	16887-00-6	Chloride	3360	ug/L	BD	[NULL]	[NULL]	S	B1XXR7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	12/8/2008 12:03	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B1XXR7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	12/8/2008 12:03	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1XXR7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	12/8/2008 12:03	N	7440-50-8	Copper	6	ug/L	B	[NULL]	[NULL]	S	B1XXR7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	12/8/2008 12:03	N	DO	Dissolved oxygen	6680	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXR7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	12/8/2008 12:03	N	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1XXR7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	12/8/2008 12:03	N	12587-46-1	Gross alpha	-3.5	pCi/L	U	[NULL]	[NULL]	S	B1XXR7	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-122	12/8/2008 12:03	N	12587-47-2	Gross beta	620	pCi/L	[NULL]	[NULL]	[NULL]	S	B1XXR7	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-122	12/8/2008 12:03	N	7439-89-6	Iron	51.7	ug/L	B	[NULL]	[NULL]	S	B1XXR7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	12/8/2008 12:03	N	7439-92-1	Lead	45	ug/L	U	[NULL]	[NULL]	S	B1XXR7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	12/8/2008 12:03	N	7439-95-4	Magnesium	1910	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXR7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	12/8/2008 12:03	N	7439-96-5	Manganese	196	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXR7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-122	12/8/2008 12:03	N	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	S	B1XXR7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	12/8/2008 12:03	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B1XXR7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	12/8/2008 12:03	N	14797-55-8	Nitrate	46000	ug/L	D	[NULL]	[NULL]	S	B1XXR7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	12/8/2008 12:03	N	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1XXR7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	12/8/2008 12:03	N	EH	Oxidation Reduction Potential	154	mV	[NULL]	[NULL]	[NULL]	S	B1XXR7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	12/8/2008 12:03	N	14265-44-2	Phosphate	276000	ug/L	D	[NULL]	[NULL]	S	B1XXR7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	12/8/2008 12:03	N	7440-09-7	Potassium	1250	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXR7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	12/8/2008 12:03	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1XXR7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	12/8/2008 12:03	N	7440-23-5	Sodium	139000	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXR7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	12/8/2008 12:03	N	CONDUCT	Specific Conductance	601	uS/cm	[NULL]	[NULL]	[NULL]	S	B1XXR7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	12/8/2008 12:03	N	7440-24-6	Strontium	72.3	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXR7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	12/8/2008 12:03	N	14808-79-8	Sulfate	13700	ug/L	D	[NULL]	[NULL]	S	B1XXR7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	12/8/2008 12:03	N	TEMPERATURE	Temperature	13.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1XXR7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	12/8/2008 12:03	N	7440-62-2	Vanadium	39	ug/L	B	[NULL]	[NULL]	S	B1XXR7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	12/8/2008 12:03	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1XXR7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	12/8/2008 12:03	N	PH	pH Measurement	7.35	unitless	[NULL]	[NULL]	[NULL]	S	B1XXR7	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-122	2/4/2009 10:28	N	7429-90-5	Aluminum	65.1	ug/L	B	[NULL]	[NULL]	S	B1YLR1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	2/4/2009 10:28	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	S	B1YLR1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	2/4/2009 10:28	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	S	B1YLR1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	2/4/2009 10:28	N	7440-39-3	Barium	4.7	ug/L	B	[NULL]	[NULL]	S	B1YLR1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	2/4/2009 10:28	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1YLR1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	2/4/2009 10:28	N	7440-70-2	Calcium	18700	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLR1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	2/4/2009 10:28	N	16887-00-6	Chloride	4990	ug/L	D	Z	[NULL]	S	B1YLR1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	2/4/2009 10:28	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B1YLR1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	2/4/2009 10:28	N	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	S	B1YLR1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	2/4/2009 10:28	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1YLR1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	2/4/2009 10:28	N	DO	Dissolved oxygen	5460	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLR1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	2/4/2009 10:28	N	16984-48-8	Fluoride	230	ug/L	UD	Z	[NULL]	S	B1YLR1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	2/4/2009 10:28	N	12587-46-1	Gross alpha	0.006	pCi/L	U	[NULL]	[NULL]	S	B1YLR1	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-122	2/4/2009 10:28	N	12587-47-2	Gross beta	670	pCi/L	[NULL]	[NULL]	[NULL]	S	B1YLR1	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-122	2/4/2009 10:28	N	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	S	B1YLR1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	2/4/2009 10:28	N	7439-92-1	Lead	45	ug/L	U	[NULL]	[NULL]	S	B1YLR1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	2/4/2009 10:28	N	7439-95-4	Magnesium	2920	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLR1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	2/4/2009 10:28	N	7439-96-5	Manganese	10.5	ug/L	B	[NULL]	[NULL]	S	B1YLR1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	2/4/2009 10:28	N	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	S	B1YLR1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	2/4/2009 10:28	N	7440-02-0	Nickel	6	ug/L	U	[NULL]	[NULL]	S	B1YLR1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	2/4/2009 10:28	N	14797-55-8	Nitrate	36900	ug/L	D	Z	[NULL]	S	B1YLR1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	2/4/2009 10:28	N	14797-65-0	Nitrite	427	ug/L	UD	Z	[NULL]	S	B1YLR1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	2/4/2009 10:28	N	EH	Oxidation Reduction Potential	255	mV	[NULL]	[NULL]	[NULL]	S	B1YLR1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	2/4/2009 10:28	N	14265-44-2	Phosphate	149000	ug/L	D	Z	[NULL]	S	B1YLR1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	2/4/2009 10:28	N	7440-09-7	Potassium	991	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLR1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	2/4/2009 10:28	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1YLR1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	2/4/2009 10:28	N	7440-23-5	Sodium	81200	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLR1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	2/4/2009 10:28	N	CONDUCT	Specific Conductance	488.6	uS/cm	[NULL]	[NULL]	[NULL]	S	B1YLR1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	2/4/2009 10:28	N	7440-24-6	Strontium	65.3	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLR1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	2/4/2009 10:28	N	14808-79-8	Sulfate	11800	ug/L	D	Z	[NULL]	S	B1YLR1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	2/4/2009 10:28	N	TEMPERATURE	Temperature	9.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1YLR1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	2/4/2009 10:28	N	7440-62-2	Vanadium	23.3	ug/L	B	[NULL]	[NULL]	S	B1YLR1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	2/4/2009 10:28	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1YLR1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	2/4/2009 10:28	N	PH	pH Measurement	7.41	unitless	[NULL]	[NULL]	[NULL]	S	B1YLR1	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-122	5/26/2009 11:53	N	DO	Dissolved oxygen	3890	ug/L	[NULL]	[NULL]	[NULL]	S	B203K5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	5/26/2009 11:53	N	12587-46-1	Gross alpha	0.45	pCi/L	U	[NULL]	[NULL]	S	B203K5	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-122	5/26/2009 11:53	N	12587-47-2	Gross beta	600	pCi/L	[NULL]	[NULL]	[NULL]	S	B203K5	12587-47-2	WSCF	BETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-122	5/26/2009 11:53	N	EH	Oxidation Reduction Potential	204	mV	[NULL]	[NULL]	[NULL]	S	B203K5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	5/26/2009 11:53	N	CONDUCT	Specific Conductance	320.4	uS/cm	[NULL]	[NULL]	[NULL]	S	B203K5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	5/26/2009 11:53	N	TEMPERATURE	Temperature	12.9	Deg C	[NULL]	[NULL]	[NULL]	S	B203K5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	5/26/2009 11:53	N	PH	pH Measurement	7.4	unitless	[NULL]	[NULL]	[NULL]	S	B203K5	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-122	8/13/2009 13:28	Y	10098-97-2	Strontium-90	230	pCi/L	[NULL]	[NULL]	[NULL]	S	B21BF3	SR-RAD	TARL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-122	8/13/2009 15:30	N	DO	Dissolved oxygen	5370	ug/L	[NULL]	[NULL]	[NULL]	S	B21BD3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	8/13/2009 15:30	N	12587-46-1	Gross alpha	0.47	pCi/L	U	[NULL]	[NULL]	S	B21BD3	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-122	8/13/2009 15:30	N	12587-47-2	Gross beta	200	pCi/L	[NULL]	F	[NULL]	S	B21BD3	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-122	8/13/2009 15:30	N	EH	Oxidation Reduction Potential	113	mV	[NULL]	[NULL]	[NULL]	S	B21BD3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	8/13/2009 15:30	N	CONDUCT	Specific Conductance	328.3	uS/cm	[NULL]	[NULL]	[NULL]	S	B21BD3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	8/13/2009 15:30	N	10098-97-2	Strontium-90	260	pCi/L	[NULL]	F	[NULL]	S	B21BD3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-122	8/13/2009 15:30	N	TEMPERATURE	Temperature	20.7	Deg C	[NULL]	[NULL]	[NULL]	S	B21BD3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	8/13/2009 15:30	N	PH	pH Measurement	7.23	unitless	[NULL]	[NULL]	[NULL]	S	B21BD3	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-122	11/20/2009 11:20	N	7429-90-5	Aluminum	54.1	ug/L	B	[NULL]	[NULL]	S	B22WX1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	11/20/2009 11:20	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	S	B22WX1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	11/20/2009 11:20	N	7440-38-2	Arsenic	65	ug/L	U	[NULL]	[NULL]	S	B22WX1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	11/20/2009 11:20	N	7440-39-3	Barium	6.4	ug/L	B	[NULL]	[NULL]	S	B22WX1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	11/20/2009 11:20	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B22WX1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	11/20/2009 11:20	N	7440-70-2	Calcium	14200	ug/L	[NULL]	[NULL]	[NULL]	S	B22WX1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	11/20/2009 11:20	N	16887-00-6	Chloride	1160	ug/L	D	[NULL]	[NULL]	S	B22WX1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	11/20/2009 11:20	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B22WX1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	11/20/2009 11:20	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B22WX1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	11/20/2009 11:20	N	7440-50-8	Copper	4.3	ug/L	B	[NULL]	[NULL]	S	B22WX1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	11/20/2009 11:20	N	DO	Dissolved oxygen	8620	ug/L	[NULL]	[NULL]	[NULL]	S	B22WX1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-122	11/20/2009 11:20	N	16984-48-8	Fluoride	60	ug/L	UD	[NULL]	[NULL]	S	B22WX1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	11/20/2009 11:20	N	12587-47-2	Gross beta	480	pCi/L	[NULL]	F	[NULL]	S	B22WX1	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-122	11/20/2009 11:20	N	7439-89-6	Iron	28	ug/L	B	[NULL]	[NULL]	S	B22WX1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	11/20/2009 11:20	N	7439-92-1	Lead	23	ug/L	U	[NULL]	[NULL]	S	B22WX1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	11/20/2009 11:20	N	7439-95-4	Magnesium	3190	ug/L	[NULL]	[NULL]	[NULL]	S	B22WX1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	11/20/2009 11:20	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	S	B22WX1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	11/20/2009 11:20	N	7439-98-7	Molybdenum	4	ug/L	U	[NULL]	[NULL]	S	B22WX1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	11/20/2009 11:20	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B22WX1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	11/20/2009 11:20	N	14797-55-8	Nitrate	8410	ug/L	DX	[NULL]	[NULL]	S	B22WX1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	11/20/2009 11:20	N	14797-65-0	Nitrite	118	ug/L	UDX	[NULL]	[NULL]	S	B22WX1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	11/20/2009 11:20	N	EH	Oxidation Reduction Potential	147.3	mV	[NULL]	[NULL]	[NULL]	S	B22WX1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-122	11/20/2009 11:20	N	14265-44-2	Phosphate	45700	ug/L	DX	[NULL]	[NULL]	S	B22WX1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	11/20/2009 11:20	N	7440-09-7	Potassium	914	ug/L	[NULL]	[NULL]	[NULL]	S	B22WX1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	11/20/2009 11:20	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B22WX1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	11/20/2009 11:20	N	7440-23-5	Sodium	30600	ug/L	[NULL]	[NULL]	[NULL]	S	B22WX1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	11/20/2009 11:20	N	CONDUCT	Specific Conductance	205.2	uS/cm	[NULL]	[NULL]	[NULL]	S	B22WX1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-122	11/20/2009 11:20	N	7440-24-6	Strontium	64.6	ug/L	[NULL]	[NULL]	[NULL]	S	B22WX1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	11/20/2009 11:20	N	10098-97-2	Strontium-90	210	pCi/L	[NULL]	F	[NULL]	S	B22WX1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-122	11/20/2009 11:20	N	14808-79-8	Sulfate	10600	ug/L	D	[NULL]	[NULL]	S	B22WX1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-122	11/20/2009 11:20	N	TEMPERATURE	Temperature	13.9	Deg C	[NULL]	[NULL]	[NULL]	S	B22WX1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-122	11/20/2009 11:20	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	S	B22WX1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	11/20/2009 11:20	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	S	B22WX1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-122	11/20/2009 11:20	N	PH	pH Measurement	7.45	unitless	[NULL]	[NULL]	[NULL]	S	B22WX1	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-122	2/24/2010 11:45	N	12587-46-1	Gross alpha	-1.1	pCi/L	U	[NULL]	[NULL]	C	B23R51	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-122	2/24/2010 11:45	N	12587-46-1	Gross alpha	-1	pCi/L	U	[NULL]	[NULL]	C	B23R50	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-122	2/24/2010 11:45	N	12587-47-2	Gross beta	520	pCi/L	[NULL]	[NULL]	[NULL]	C	B23R50	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-122	2/24/2010 11:45	N	12587-47-2	Gross beta	482	pCi/L	[NULL]	[NULL]	[NULL]	S	B244L2	12587-47-2	EBRLNE	900.0_ALPHABETA_GPC	100-NR-2
199-N-122	2/24/2010 11:45	N	12587-47-2	Gross beta	520	pCi/L	[NULL]	[NULL]	[NULL]	C	B23R51	12587-47-2	WSCF	BETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-122	2/24/2010 11:45	N	12587-47-2	Gross beta	516	pCi/L	[NULL]	[NULL]	[NULL]	S	B244L1	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-122	2/24/2010 11:45	N	10098-97-2	Strontium-90	260	pCi/L	[NULL]	[NULL]	[NULL]	C	B23R51	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-122	2/24/2010 11:45	N	10098-97-2	Strontium-90	220	pCi/L	[NULL]	[NULL]	[NULL]	C	B23R50	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-122	2/24/2010 11:45	N	10098-97-2	Strontium-90	283	pCi/L	[NULL]	[NULL]	[NULL]	S	B244L2	SR-RAD	EBRLNE	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-122	2/24/2010 11:45	N	10098-97-2	Strontium-90	188	pCi/L	[NULL]	[NULL]	[NULL]	S	B244L1	SR-RAD	TARL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	11/28/2005 10:47	Y	7429-90-5	Aluminum	75.9	ug/L	BC	Q	[NULL]	R	B1H180	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	11/28/2005 10:47	Y	7440-36-0	Antimony	23	ug/L	U	[NULL]	[NULL]	R	B1H180	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	11/28/2005 10:47	Y	7440-39-3	Barium	32.9	ug/L	BC	[NULL]	[NULL]	R	B1H180	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	11/28/2005 10:47	Y	7440-41-7	Beryllium	0.18	ug/L	U	[NULL]	[NULL]	R	B1H180	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	11/28/2005 10:47	Y	7440-43-9	Cadmium	0.86	ug/L	U	[NULL]	[NULL]	R	B1H180	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	11/28/2005 10:47	Y	7440-70-2	Calcium	26800	ug/L	C	[NULL]	[NULL]	R	B1H180	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	11/28/2005 10:47	N	16887-00-6	Chloride	1700	ug/L	[NULL]	Q	[NULL]	R	B1FW29	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	11/28/2005 10:47	Y	7440-47-3	Chromium	1.9	ug/L	U	[NULL]	[NULL]	R	B1H180	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	11/28/2005 10:47	Y	7440-48-4	Cobalt	2.9	ug/L	B	[NULL]	[NULL]	R	B1H180	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	11/28/2005 10:47	Y	7440-50-8	Copper	4.3	ug/L	U	[NULL]	[NULL]	R	B1H180	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	11/28/2005 10:47	N	16984-48-8	Fluoride	47	ug/L	B	[NULL]	[NULL]	R	B1FW29	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	11/28/2005 10:47	N	12587-47-2	Gross beta	1400	pCi/L	[NULL]	[NULL]	[NULL]	R	B1FW27	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-123	11/28/2005 10:47	Y	7439-89-6	Iron	23	ug/L	B	[NULL]	[NULL]	R	B1H180	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	11/28/2005 10:47	Y	7439-95-4	Magnesium	4120	ug/L	B	[NULL]	[NULL]	R	B1H180	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	11/28/2005 10:47	Y	7439-96-5	Manganese	10.5	ug/L	B	[NULL]	[NULL]	R	B1H180	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	11/28/2005 10:47	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1H180	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	11/28/2005 10:47	N	14797-55-8	Nitrate	2920	ug/L	[NULL]	[NULL]	[NULL]	R	B1FW29	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	11/28/2005 10:47	N	14797-65-0	Nitrite	20	ug/L	U	[NULL]	[NULL]	R	B1FW29	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	11/28/2005 10:47	Y	7440-09-7	Potassium	1610	ug/L	U	[NULL]	[NULL]	R	B1H180	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	11/28/2005 10:47	Y	7440-22-4	Silver	2.2	ug/L	U	[NULL]	[NULL]	R	B1H180	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	11/28/2005 10:47	Y	7440-23-5	Sodium	2760	ug/L	B	[NULL]	[NULL]	R	B1H180	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	11/28/2005 10:47	N	CONDUCT	Specific Conductance	177.8	uS/cm	[NULL]	[NULL]	[NULL]	R	B1FW25	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-123	11/28/2005 10:47	Y	7440-24-6	Strontium	103	ug/L	[NULL]	[NULL]	[NULL]	R	B1H180	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	11/28/2005 10:47	N	10098-97-2	Strontium-90	871	pCi/L	[NULL]	[NULL]	[NULL]	R	B1FW27	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-123	11/28/2005 10:47	N	14808-79-8	Sulfate	12900	ug/L	[NULL]	[NULL]	[NULL]	R	B1FW29	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	11/28/2005 10:47	N	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1FW25	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-123	11/28/2005 10:47	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	50	ug/L	U	[NULL]	[NULL]	R	B1FW29	TPHDIESEL	STLSL	WTPH_DIESEL	100-NR-2
199-N-123	11/28/2005 10:47	N	TPHGASOLINE	Total petroleum hydrocarbons - gasoline range	20	ug/L	U	[NULL]	[NULL]	R	B1FW29	TPHGASOLINE	STLSL	WTPH_GASOLINE	100-NR-2
199-N-123	11/28/2005 10:47	N	10028-17-8	Tritium	166	pCi/L	U	[NULL]	[NULL]	R	B1FW27	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-123	11/28/2005 10:47	N	TURBIDITY	Turbidity	0.79	NTU	[NULL]	[NULL]	[NULL]	R	B1FW25	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-123	11/28/2005 10:47	Y	7440-62-2	Vanadium	2.3	ug/L	B	[NULL]	[NULL]	R	B1H180	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	11/28/2005 10:47	Y	7440-66-6	Zinc	3.6	ug/L	BC	Q	[NULL]	R	B1H180	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	11/28/2005 10:47	N	PH	pH Measurement	8.42	unitless	[NULL]	[NULL]	[NULL]	R	B1FW25	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-123	12/6/2005 11:48	Y	7440-36-0	Antimony	23	ug/L	U	[NULL]	[NULL]	R	B1H182	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	12/6/2005 11:48	Y	7440-39-3	Barium	30.5	ug/L	B	[NULL]	[NULL]	R	B1H182	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	12/6/2005 11:48	Y	7440-41-7	Beryllium	0.41	ug/L	B	[NULL]	[NULL]	R	B1H182	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	12/6/2005 11:48	Y	7440-43-9	Cadmium	0.86	ug/L	U	[NULL]	[NULL]	R	B1H182	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	12/6/2005 11:48	Y	7440-70-2	Calcium	24200	ug/L	C	[NULL]	[NULL]	R	B1H182	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	12/6/2005 11:48	N	16887-00-6	Chloride	1400	ug/L	[NULL]	[NULL]	[NULL]	R	B1FVY6	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	12/6/2005 11:48	Y	7440-47-3	Chromium	1.9	ug/L	U	[NULL]	[NULL]	R	B1H182	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	12/6/2005 11:48	Y	7440-48-4	Cobalt	1.7	ug/L	U	[NULL]	[NULL]	R	B1H182	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	12/6/2005 11:48	Y	7440-50-8	Copper	4.3	ug/L	U	[NULL]	[NULL]	R	B1H182	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	12/6/2005 11:48	N	16984-48-8	Fluoride	45	ug/L	B	[NULL]	[NULL]	R	B1FVY6	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	12/6/2005 11:48	N	12587-47-2	Gross beta	1380	pCi/L	[NULL]	[NULL]	[NULL]	R	B1FVY5	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-123	12/6/2005 11:48	Y	7439-89-6	Iron	12.6	ug/L	U	[NULL]	[NULL]	R	B1H182	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	12/6/2005 11:48	Y	7439-95-4	Magnesium	3750	ug/L	B	[NULL]	[NULL]	R	B1H182	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	12/6/2005 11:48	Y	7439-96-5	Manganese	2.3	ug/L	B	[NULL]	[NULL]	R	B1H182	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	12/6/2005 11:48	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1H182	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	12/6/2005 11:48	N	14797-55-8	Nitrate	1640	ug/L	[NULL]	[NULL]	[NULL]	R	B1FVY6	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	12/6/2005 11:48	N	14797-65-0	Nitrite	20	ug/L	U	[NULL]	[NULL]	R	B1FVY6	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	12/6/2005 11:48	Y	7440-09-7	Potassium	1610	ug/L	U	[NULL]	[NULL]	R	B1H182	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	12/6/2005 11:48	Y	7440-22-4	Silver	2.2	ug/L	U	[NULL]	[NULL]	R	B1H182	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	12/6/2005 11:48	Y	7440-23-5	Sodium	2560	ug/L	B	[NULL]	[NULL]	R	B1H182	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	12/6/2005 11:48	N	CONDUCT	Specific Conductance	157	uS/cm	[NULL]	[NULL]	[NULL]	R	B1FVY4	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-123	12/6/2005 11:48	Y	7440-24-6	Strontium	93.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1H182	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	12/6/2005 11:48	N	10098-97-2	Strontium-90	745	pCi/L	[NULL]	[NULL]	[NULL]	R	B1FVY5	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-123	12/6/2005 11:48	N	14808-79-8	Sulfate	11600	ug/L	N	[NULL]	[NULL]	R	B1FVY6	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	12/6/2005 11:48	N	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1FVY4	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-123	12/6/2005 11:48	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	50	ug/L	U	[NULL]	[NULL]	R	B1FVY6	TPHDIESEL	STLSL	WTPH_DIESEL	100-NR-2
199-N-123	12/6/2005 11:48	N	TPHGASOLINE	Total petroleum hydrocarbons - gasoline range	20	ug/L	U	[NULL]	[NULL]	R	B1FVY6	TPHGASOLINE	STLSL	WTPH_GASOLINE	100-NR-2
199-N-123	12/6/2005 11:48	N	10028-17-8	Tritium	192	pCi/L	U	[NULL]	[NULL]	R	B1FVY5	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-123	12/6/2005 11:48	N	TURBIDITY	Turbidity	0.48	NTU	[NULL]	[NULL]	[NULL]	R	B1FVY4	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-123	12/6/2005 11:48	Y	7440-62-2	Vanadium	1.8	ug/L	B	[NULL]	[NULL]	R	B1H182	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	12/6/2005 11:48	Y	7440-66-6	Zinc	2.6	ug/L	BC	[NULL]	[NULL]	R	B1H182	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	12/6/2005 11:48	N	PH	pH Measurement	7.86	unitless	[NULL]	[NULL]	[NULL]	R	B1FVY4	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-123	1/16/2006 9:54	N	16887-00-6	Chloride	8900	ug/L	CD	[NULL]	[NULL]	R	B1H9K9	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	1/16/2006 9:54	N	16984-48-8	Fluoride	46	ug/L	B	[NULL]	[NULL]	R	B1H9K9	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	1/16/2006 9:54	N	12587-47-2	Gross beta	2310	pCi/L	[NULL]	[NULL]	[NULL]	R	B1H9K8	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-123	1/16/2006 9:54	N	14797-55-8	Nitrate	12400	ug/L	D	[NULL]	[NULL]	R	B1H9K9	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	1/16/2006 9:54	N	14797-65-0	Nitrite	20	ug/L	U	[NULL]	[NULL]	R	B1H9K9	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	1/16/2006 9:54	N	CONDUCT	Specific Conductance	305	uS/cm	[NULL]	[NULL]	[NULL]	R	B1H9K7	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-123	1/16/2006 9:54	N	10098-97-2	Strontium-90	1180	pCi/L	[NULL]	[NULL]	[NULL]	R	B1H9K8	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-123	1/16/2006 9:54	N	14808-79-8	Sulfate	38200	ug/L	D	[NULL]	[NULL]	R	B1H9K9	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	1/16/2006 9:54	N	TEMPERATURE	Temperature	16.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1H9K7	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-123	1/16/2006 9:54	N	10028-17-8	Tritium	722	pCi/L	[NULL]	[NULL]	[NULL]	R	B1H9K8	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-123	1/16/2006 9:54	N	TURBIDITY	Turbidity	3.15	NTU	[NULL]	[NULL]	[NULL]	R	B1H9K7	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-123	1/16/2006 9:54	N	PH	pH Measurement	7.82	unitless	[NULL]	[NULL]	[NULL]	R	B1H9K7	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-123	1/31/2006 10:01	N	24959-67-9	Bromide	250	ug/L	U	[NULL]	[NULL]	R	B1HFN7	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-123	1/31/2006 10:01	N	16887-00-6	Chloride	1400	ug/L	C	[NULL]	[NULL]	R	B1HFN9	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	1/31/2006 10:01	N	16887-00-6	Chloride	1300	ug/L	[NULL]	[NULL]	[NULL]	R	B1HFN7	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-123	1/31/2006 10:01	N	16984-48-8	Fluoride	250	ug/L	U	[NULL]	[NULL]	R	B1HFN7	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-123	1/31/2006 10:01	N	16984-48-8	Fluoride	51	ug/L	B	[NULL]	[NULL]	R	B1HFN9	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	1/31/2006 10:01	N	12587-47-2	Gross beta	1360	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HFP0	12587-47-2	EBRLNE	BETA_GPC	100-NR-2
199-N-123	1/31/2006 10:01	N	12587-47-2	Gross beta	1280	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HFN8	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-123	1/31/2006 10:01	N	14797-55-8	Nitrate	1860	ug/L	[NULL]	[NULL]	[NULL]	R	B1HFN9	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	1/31/2006 10:01	N	14797-55-8	Nitrate	1770	ug/L	[NULL]	H	[NULL]	R	B1HFN7	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-123	1/31/2006 10:01	N	14797-65-0	Nitrite	20	ug/L	U	[NULL]	[NULL]	R	B1HFN9	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	1/31/2006 10:01	N	14797-65-0	Nitrite	250	ug/L	U	H	[NULL]	R	B1HFN7	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-123	1/31/2006 10:01	N	14265-44-2	Phosphate	250	ug/L	U	H	[NULL]	R	B1HFN7	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-123	1/31/2006 10:01	N	CONDUCT	Specific Conductance	162	uS/cm	[NULL]	[NULL]	[NULL]	R	B1HFN6	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-123	1/31/2006 10:01	N	10098-97-2	Strontium-90	689	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HFP0	10098-97-2	EBRLNE	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-123	1/31/2006 10:01	N	10098-97-2	Strontium-90	757	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HFN8	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-123	1/31/2006 10:01	N	14808-79-8	Sulfate	11300	ug/L	[NULL]	[NULL]	[NULL]	R	B1HFN9	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	1/31/2006 10:01	N	14808-79-8	Sulfate	10500	ug/L	D	[NULL]	[NULL]	R	B1HFN7	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-123	1/31/2006 10:01	N	TEMPERATURE	Temperature	16	Deg C	[NULL]	[NULL]	[NULL]	R	B1HFN6	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-123	1/31/2006 10:01	N	10028-17-8	Tritium	80.6	pCi/L	U	[NULL]	[NULL]	R	B1HFN8	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-123	1/31/2006 10:01	N	10028-17-8	Tritium	-70.6	pCi/L	U	[NULL]	[NULL]	R	B1HFP0	10028-17-8	EBRLNE	TRITIUM_DIST_LSC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	1/31/2006 10:01	N	TURBIDITY	Turbidity	0.7	NTU	[NULL]	[NULL]	[NULL]	R	B1HFN6	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-123	1/31/2006 10:01	N	PH	pH Measurement	8.07	unitless	[NULL]	[NULL]	[NULL]	R	B1HFN6	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-123	3/1/2006 12:20	N	16887-00-6	Chloride	3400	ug/L	N	[NULL]	[NULL]	R	B1HPY1	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	3/1/2006 12:20	N	16984-48-8	Fluoride	24	ug/L	B	[NULL]	[NULL]	R	B1HPY1	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	3/1/2006 12:20	N	12587-47-2	Gross beta	1640	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HPY0	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-123	3/1/2006 12:20	N	14797-55-8	Nitrate	4430	ug/L	DN	[NULL]	[NULL]	R	B1HPY1	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	3/1/2006 12:20	N	14797-65-0	Nitrite	20	ug/L	UN	[NULL]	[NULL]	R	B1HPY1	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	3/1/2006 12:20	N	CONDUCT	Specific Conductance	152	uS/cm	[NULL]	[NULL]	[NULL]	R	B1HPX9	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-123	3/1/2006 12:20	N	10098-97-2	Strontium-90	857	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HPY0	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-123	3/1/2006 12:20	N	14808-79-8	Sulfate	19500	ug/L	[NULL]	[NULL]	[NULL]	R	B1HPY1	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	3/1/2006 12:20	N	TEMPERATURE	Temperature	14.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1HPX9	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-123	3/1/2006 12:20	N	10028-17-8	Tritium	116	pCi/L	U	[NULL]	[NULL]	R	B1HPY0	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-123	3/1/2006 12:20	N	TURBIDITY	Turbidity	0.59	NTU	[NULL]	[NULL]	[NULL]	R	B1HPX9	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-123	3/1/2006 12:20	N	PH	pH Measurement	7.98	unitless	[NULL]	[NULL]	[NULL]	R	B1HPX9	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-123	4/12/2006 10:32	N	16887-00-6	Chloride	8500	ug/L	CD	[NULL]	[NULL]	R	B1HXY7	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	4/12/2006 10:32	N	16984-48-8	Fluoride	73	ug/L	B	[NULL]	[NULL]	R	B1HXY7	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	4/12/2006 10:32	N	12587-47-2	Gross beta	1930	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HXY6	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-123	4/12/2006 10:32	N	14797-55-8	Nitrate	13700	ug/L	D	[NULL]	[NULL]	R	B1HXY7	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	4/12/2006 10:32	N	14797-65-0	Nitrite	20	ug/L	U	[NULL]	[NULL]	R	B1HXY7	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	4/12/2006 10:32	N	CONDUCT	Specific Conductance	327	uS/cm	[NULL]	[NULL]	[NULL]	R	B1HXY5	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-123	4/12/2006 10:32	N	10098-97-2	Strontium-90	1040	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HXY6	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-123	4/12/2006 10:32	N	14808-79-8	Sulfate	41900	ug/L	D	[NULL]	[NULL]	R	B1HXY7	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	4/12/2006 10:32	N	TEMPERATURE	Temperature	14.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1HXY5	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-123	4/12/2006 10:32	N	10028-17-8	Tritium	925	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HXY6	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-123	4/12/2006 10:32	N	TURBIDITY	Turbidity	1	NTU	[NULL]	[NULL]	[NULL]	R	B1HXY5	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-123	4/12/2006 10:32	N	PH	pH Measurement	7.89	unitless	[NULL]	[NULL]	[NULL]	R	B1HXY5	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-123	6/21/2006 10:00	N	12587-46-1	Gross alpha	3.4	pCi/L	U	[NULL]	[NULL]	S	B1JMB9	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-123	6/21/2006 10:00	N	12587-47-2	Gross beta	310	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JMB9	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-123	6/21/2006 10:00	N	10098-97-2	Strontium-90	209	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JMB9	SR-RAD	STLRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	8/8/2006 11:16	N	16887-00-6	Chloride	83100	ug/L	CDN	[NULL]	[NULL]	R	B1K531	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	8/8/2006 11:16	N	DO	Dissolved oxygen	170	ug/L	[NULL]	[NULL]	[NULL]	R	B1K4C7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-123	8/8/2006 11:16	N	16984-48-8	Fluoride	34	ug/L	BC	[NULL]	[NULL]	R	B1K531	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	8/8/2006 11:16	N	12587-47-2	Gross beta	5080	pCi/L	[NULL]	[NULL]	[NULL]	R	B1K4C8	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-123	8/8/2006 11:16	N	14797-55-8	Nitrate	177	ug/L	UDN	[NULL]	[NULL]	R	B1K531	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	8/8/2006 11:16	N	14797-65-0	Nitrite	13.1	ug/L	UN	[NULL]	[NULL]	R	B1K531	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	8/8/2006 11:16	N	CONDUCT	Specific Conductance	1140	uS/cm	[NULL]	[NULL]	[NULL]	R	B1K4C7	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-123	8/8/2006 11:16	N	10098-97-2	Strontium-90	2720	pCi/L	[NULL]	[NULL]	[NULL]	R	B1K530	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-123	8/8/2006 11:16	N	14808-79-8	Sulfate	14700	ug/L	[NULL]	[NULL]	[NULL]	R	B1K531	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	8/8/2006 11:16	N	TEMPERATURE	Temperature	17.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1K4C7	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-123	8/8/2006 11:16	N	10028-17-8	Tritium	333	pCi/L	[NULL]	[NULL]	[NULL]	R	B1K530	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-123	8/8/2006 11:16	N	TURBIDITY	Turbidity	3.2	NTU	[NULL]	[NULL]	[NULL]	R	B1K4C7	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-123	8/8/2006 11:16	N	PH	pH Measurement	7.86	unitless	[NULL]	[NULL]	[NULL]	R	B1K4C7	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-123	9/21/2006 11:05	N	ALKALINITY	Alkalinity	344000	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBC6	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-123	9/21/2006 11:05	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1KBC5	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	9/21/2006 11:05	N	14234-35-6	Antimony-125	-0.885	pCi/L	U	[NULL]	[NULL]	R	B1KBC8	14234-35-6	STLRL	GAMMA_GS	100-NR-2
199-N-123	9/21/2006 11:05	Y	7440-39-3	Barium	100	ug/L	B	[NULL]	[NULL]	R	B1KBC5	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	9/21/2006 11:05	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1KBC5	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	9/21/2006 11:05	N	13966-02-4	Beryllium-7	-10.8	pCi/L	U	[NULL]	[NULL]	R	B1KBC8	13966-02-4	STLRL	GAMMA_GS	100-NR-2
199-N-123	9/21/2006 11:05	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1KBC5	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	9/21/2006 11:05	Y	7440-70-2	Calcium	58500	ug/L	C	[NULL]	[NULL]	R	B1KBC5	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	9/21/2006 11:05	N	13967-70-9	Cesium-134	1.92	pCi/L	U	[NULL]	[NULL]	R	B1KBC8	13967-70-9	STLRL	GAMMA_GS	100-NR-2
199-N-123	9/21/2006 11:05	N	10045-97-3	Cesium-137	-0.407	pCi/L	U	[NULL]	[NULL]	R	B1KBC8	10045-97-3	STLRL	GAMMA_GS	100-NR-2
199-N-123	9/21/2006 11:05	N	16887-00-6	Chloride	59400	ug/L	CDN	[NULL]	[NULL]	R	B1KBC6	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	9/21/2006 11:05	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1KBC5	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	9/21/2006 11:05	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1KBC5	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	9/21/2006 11:05	N	10198-40-0	Cobalt-60	1.47	pCi/L	U	[NULL]	[NULL]	R	B1KBC8	10198-40-0	STLRL	GAMMA_GS	100-NR-2
199-N-123	9/21/2006 11:05	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1KBC5	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	9/21/2006 11:05	N	DO	Dissolved oxygen	190	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBC7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-123	9/21/2006 11:05	N	14683-23-9	Europium-152	0.772	pCi/L	U	[NULL]	[NULL]	R	B1KBC8	14683-23-9	STLRL	GAMMA_GS	100-NR-2
199-N-123	9/21/2006 11:05	N	15585-10-1	Europium-154	0.922	pCi/L	U	[NULL]	[NULL]	R	B1KBC8	15585-10-1	STLRL	GAMMA_GS	100-NR-2
199-N-123	9/21/2006 11:05	N	14391-16-3	Europium-155	-0.567	pCi/L	U	[NULL]	[NULL]	R	B1KBC8	14391-16-3	STLRL	GAMMA_GS	100-NR-2
199-N-123	9/21/2006 11:05	N	16984-48-8	Fluoride	170	ug/L	N	[NULL]	[NULL]	R	B1KBC6	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	9/21/2006 11:05	N	12587-46-1	Gross alpha	8.83	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBC8	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-123	9/21/2006 11:05	N	12587-47-2	Gross beta	3030	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBC8	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-123	9/21/2006 11:05	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1KBC5	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	9/21/2006 11:05	Y	7439-95-4	Magnesium	10200	ug/L	C	[NULL]	[NULL]	R	B1KBC5	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	9/21/2006 11:05	Y	7439-96-5	Manganese	623	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBC5	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	9/21/2006 11:05	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1KBC5	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	9/21/2006 11:05	N	14797-55-8	Nitrate	5750	ug/L	D	[NULL]	[NULL]	R	B1KBC6	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	9/21/2006 11:05	N	14797-65-0	Nitrite	13.1	ug/L	UN	[NULL]	[NULL]	R	B1KBC6	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	9/21/2006 11:05	N	14265-44-2	Phosphate	780	ug/L	N	[NULL]	[NULL]	R	B1KBC6	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	9/21/2006 11:05	Y	7440-09-7	Potassium	5080	ug/L	C	[NULL]	[NULL]	R	B1KBC5	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	9/21/2006 11:05	N	13966-00-2	Potassium-40	15.7	pCi/L	U	[NULL]	[NULL]	R	B1KBC8	13966-00-2	STLRL	GAMMA_GS	100-NR-2
199-N-123	9/21/2006 11:05	N	13967-48-1	Ruthenium-106	-8.42	pCi/L	U	[NULL]	[NULL]	R	B1KBC8	13967-48-1	STLRL	GAMMA_GS	100-NR-2
199-N-123	9/21/2006 11:05	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1KBC5	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	9/21/2006 11:05	Y	7440-23-5	Sodium	130000	ug/L	C	[NULL]	[NULL]	R	B1KBC5	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	9/21/2006 11:05	N	CONDUCT	Specific Conductance	970	uS/cm	[NULL]	[NULL]	[NULL]	R	B1KBC7	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-123	9/21/2006 11:05	Y	7440-24-6	Strontium	295	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBC5	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	9/21/2006 11:05	N	10098-97-2	Strontium-90	2120	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KCB7	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-123	9/21/2006 11:05	N	14808-79-8	Sulfate	85400	ug/L	D	[NULL]	[NULL]	R	B1KBC6	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	9/21/2006 11:05	N	TEMPERATURE	Temperature	17.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1KBC7	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-123	9/21/2006 11:05	N	TOC	Total organic carbon	1400	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBC6	TOC	STLSL	9060_TOC	100-NR-2
199-N-123	9/21/2006 11:05	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	50	ug/L	U	H	[NULL]	R	B1KBC6	TPHDIESEL	STLSL	WTPH_DIESEL	100-NR-2
199-N-123	9/21/2006 11:05	N	10028-17-8	Tritium	1960	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KCB7	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-123	9/21/2006 11:05	N	TURBIDITY	Turbidity	0.83	NTU	[NULL]	[NULL]	[NULL]	R	B1KBC7	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-123	9/21/2006 11:05	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1KBC5	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	9/21/2006 11:05	Y	7440-66-6	Zinc	21.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBC5	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	9/21/2006 11:05	N	PH	pH Measurement	7.95	unitless	[NULL]	[NULL]	[NULL]	R	B1KBC7	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-123	11/13/2006 12:04	N	16887-00-6	Chloride	7900	ug/L	D	[NULL]	[NULL]	R	B1L1P5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	11/13/2006 12:04	N	DO	Dissolved oxygen	730	ug/L	[NULL]	[NULL]	[NULL]	R	B1L1P3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-123	11/13/2006 12:04	N	16984-48-8	Fluoride	122	ug/L	[NULL]	[NULL]	[NULL]	R	B1L1P5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	11/13/2006 12:04	N	12587-47-2	Gross beta	1090	pCi/L	[NULL]	[NULL]	[NULL]	R	B1L1P4	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-123	11/13/2006 12:04	N	14797-55-8	Nitrate	2730	ug/L	[NULL]	[NULL]	[NULL]	R	B1L1P5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	11/13/2006 12:04	N	14797-65-0	Nitrite	99.2	ug/L	B	[NULL]	[NULL]	R	B1L1P5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	11/13/2006 12:04	N	CONDUCT	Specific Conductance	341	uS/cm	[NULL]	[NULL]	[NULL]	R	B1L1P3	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-123	11/13/2006 12:04	N	10098-97-2	Strontium-90	651	pCi/L	[NULL]	[NULL]	[NULL]	R	B1L1P4	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-123	11/13/2006 12:04	N	14808-79-8	Sulfate	17700	ug/L	D	[NULL]	[NULL]	R	B1L1P5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	11/13/2006 12:04	N	TEMPERATURE	Temperature	17.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1L1P3	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-123	11/13/2006 12:04	N	10028-17-8	Tritium	230	pCi/L	[NULL]	[NULL]	[NULL]	R	B1L1P5	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-123	11/13/2006 12:04	N	TURBIDITY	Turbidity	3.13	NTU	[NULL]	[NULL]	[NULL]	R	B1L1P3	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-123	11/13/2006 12:04	N	PH	pH Measurement	7.92	unitless	[NULL]	[NULL]	[NULL]	R	B1L1P3	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-123	2/15/2007 9:25	N	ALKALINITY	Alkalinity	81000	ug/L	[NULL]	[NULL]	[NULL]	R	B1LK03	ALKALINITY	WSCF	310.1_ALKALINITY	100-NR-2
199-N-123	2/15/2007 9:25	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1LK60	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	2/15/2007 9:25	N	14234-35-6	Antimony-125	2.33	pCi/L	U	[NULL]	[NULL]	R	B1LK01	14234-35-6	STLRL	GAMMA_GS	100-NR-2
199-N-123	2/15/2007 9:25	Y	7440-39-3	Barium	17.8	ug/L	B	[NULL]	[NULL]	R	B1LK60	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	2/15/2007 9:25	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1LK60	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	2/15/2007 9:25	N	13966-02-4	Beryllium-7	7.26	pCi/L	U	[NULL]	[NULL]	R	B1LK01	13966-02-4	STLRL	GAMMA_GS	100-NR-2
199-N-123	2/15/2007 9:25	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1LK60	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	2/15/2007 9:25	Y	7440-70-2	Calcium	14100	ug/L	[NULL]	[NULL]	[NULL]	R	B1LK60	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	2/15/2007 9:25	N	13967-70-9	Cesium-134	-0.0404	pCi/L	U	[NULL]	[NULL]	R	B1LK01	13967-70-9	STLRL	GAMMA_GS	100-NR-2
199-N-123	2/15/2007 9:25	N	10045-97-3	Cesium-137	0.308	pCi/L	U	[NULL]	[NULL]	R	B1LK01	10045-97-3	STLRL	GAMMA_GS	100-NR-2
199-N-123	2/15/2007 9:25	N	16887-00-6	Chloride	2700	ug/L	CN	[NULL]	[NULL]	R	B1LK02	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	2/15/2007 9:25	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1LK60	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	2/15/2007 9:25	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1LK60	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	2/15/2007 9:25	N	10198-40-0	Cobalt-60	-0.247	pCi/L	U	[NULL]	[NULL]	R	B1LK01	10198-40-0	STLRL	GAMMA_GS	100-NR-2
199-N-123	2/15/2007 9:25	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1LK60	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	2/15/2007 9:25	N	DO	Dissolved oxygen	4190	ug/L	[NULL]	[NULL]	[NULL]	R	B1LK00	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-123	2/15/2007 9:25	N	14683-23-9	Europium-152	0.781	pCi/L	U	[NULL]	[NULL]	R	B1LK01	14683-23-9	STLRL	GAMMA_GS	100-NR-2
199-N-123	2/15/2007 9:25	N	15585-10-1	Europium-154	2.83	pCi/L	U	[NULL]	[NULL]	R	B1LK01	15585-10-1	STLRL	GAMMA_GS	100-NR-2
199-N-123	2/15/2007 9:25	N	14391-16-3	Europium-155	0.517	pCi/L	U	[NULL]	[NULL]	R	B1LK01	14391-16-3	STLRL	GAMMA_GS	100-NR-2
199-N-123	2/15/2007 9:25	N	16984-48-8	Fluoride	90	ug/L	B	[NULL]	[NULL]	R	B1LK02	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	2/15/2007 9:25	N	12587-46-1	Gross alpha	-0.13	pCi/L	U	[NULL]	[NULL]	R	B1LK01	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-123	2/15/2007 9:25	N	12587-47-2	Gross beta	689	pCi/L	[NULL]	[NULL]	[NULL]	R	B1LK01	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-123	2/15/2007 9:25	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1LK60	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	2/15/2007 9:25	Y	7439-95-4	Magnesium	2500	ug/L	B	[NULL]	[NULL]	R	B1LK60	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	2/15/2007 9:25	Y	7439-96-5	Manganese	2.6	ug/L	B	[NULL]	[NULL]	R	B1LK60	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	2/15/2007 9:25	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1LK60	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	2/15/2007 9:25	N	14797-55-8	Nitrate	2300	ug/L	N	[NULL]	[NULL]	R	B1LK02	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	2/15/2007 9:25	N	14797-65-0	Nitrite	690	ug/L	N	R	[NULL]	R	B1LK02	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	2/15/2007 9:25	N	14265-44-2	Phosphate	278	ug/L	[NULL]	[NULL]	[NULL]	R	B1LK02	14265-44-2	STLSL	365.2_PHOSPHATE	100-NR-2
199-N-123	2/15/2007 9:25	Y	7440-09-7	Potassium	3260	ug/L	B	[NULL]	[NULL]	R	B1LK60	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	2/15/2007 9:25	N	13966-00-2	Potassium-40	-12.5	pCi/L	U	[NULL]	[NULL]	R	B1LK01	13966-00-2	STLRL	GAMMA_GS	100-NR-2
199-N-123	2/15/2007 9:25	N	13967-48-1	Ruthenium-106	-2.71	pCi/L	U	[NULL]	[NULL]	R	B1LK01	13967-48-1	STLRL	GAMMA_GS	100-NR-2
199-N-123	2/15/2007 9:25	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1LK60	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	2/15/2007 9:25	Y	7440-23-5	Sodium	25500	ug/L	[NULL]	[NULL]	[NULL]	R	B1LK60	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	2/15/2007 9:25	N	CONDUCT	Specific Conductance	187	uS/cm	[NULL]	[NULL]	[NULL]	R	B1LK00	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-123	2/15/2007 9:25	Y	7440-24-6	Strontium	56	ug/L	[NULL]	[NULL]	[NULL]	R	B1LK60	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	2/15/2007 9:25	N	10098-97-2	Strontium-90	410	pCi/L	[NULL]	[NULL]	[NULL]	R	B1LK63	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-123	2/15/2007 9:25	N	10098-97-2	Strontium-90	2100	pCi/L	[NULL]	Y	[NULL]	R	B1LK64	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	2/15/2007 9:25	N	14808-79-8	Sulfate	12900	ug/L	[NULL]	[NULL]	[NULL]	R	B1LK02	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	2/15/2007 9:25	N	TEMPERATURE	Temperature	13.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1LK00	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-123	2/15/2007 9:25	N	TOC	Total organic carbon	688	ug/L	X	R	[NULL]	R	B1LK03	TOC	WSCF	9060_TOC	100-NR-2
199-N-123	2/15/2007 9:25	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	50	ug/L	U	H	[NULL]	R	B1LK61	TPHDIESEL	STLSL	WTPH_DIESEL	100-NR-2
199-N-123	2/15/2007 9:25	N	TPHGASOLINE	Total petroleum hydrocarbons - gasoline range	9.5	ug/L	U	[NULL]	[NULL]	R	B1LK61	TPHGASOLINE	STLSL	WTPH_GASOLINE	100-NR-2
199-N-123	2/15/2007 9:25	N	10028-17-8	Tritium	210	pCi/L	U	[NULL]	[NULL]	R	B1LK63	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-123	2/15/2007 9:25	N	TURBIDITY	Turbidity	1.99	NTU	[NULL]	[NULL]	[NULL]	R	B1LK00	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-123	2/15/2007 9:25	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1LK60	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	2/15/2007 9:25	Y	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1LK60	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-123	2/15/2007 9:25	N	PH	pH Measurement	7.83	unitless	[NULL]	[NULL]	[NULL]	R	B1LK00	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-123	3/16/2007 13:35	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1MWJ8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/16/2007 13:35	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MWJ8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/16/2007 13:35	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MWJ8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/16/2007 13:35	Y	7440-39-3	Barium	72	ug/L	D	[NULL]	[NULL]	S	B1MWJ8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/16/2007 13:35	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWJ8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/16/2007 13:35	Y	7440-70-2	Calcium	52000	ug/L	D	[NULL]	[NULL]	S	B1MWJ8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/16/2007 13:35	Y	16887-00-6	Chloride	25900	ug/L	D	[NULL]	[NULL]	S	B1MWJ8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/16/2007 13:35	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWJ8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/16/2007 13:35	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MWJ8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/16/2007 13:35	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MWJ8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	3/16/2007 13:35	Y	16984-48-8	Fluoride	83	ug/L	B	[NULL]	[NULL]	S	B1MWJ8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/16/2007 13:35	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1MWJ8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/16/2007 13:35	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MWJ8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/16/2007 13:35	Y	7439-95-4	Magnesium	8780	ug/L	D	[NULL]	[NULL]	S	B1MWJ8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/16/2007 13:35	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1MWJ8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/16/2007 13:35	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MWJ8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/16/2007 13:35	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MWJ8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/16/2007 13:35	Y	14797-55-8	Nitrate	16500	ug/L	D	[NULL]	[NULL]	S	B1MWJ8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/16/2007 13:35	Y	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	S	B1MWJ8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/16/2007 13:35	Y	14265-44-2	Phosphate	1160	ug/L	[NULL]	[NULL]	[NULL]	S	B1MWJ8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/16/2007 13:35	Y	7440-09-7	Potassium	2840	ug/L	D	[NULL]	[NULL]	S	B1MWJ8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/16/2007 13:35	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MWJ8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/16/2007 13:35	Y	7440-23-5	Sodium	62200	ug/L	D	[NULL]	[NULL]	S	B1MWJ8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/16/2007 13:35	Y	7440-24-6	Strontium	222	ug/L	D	[NULL]	[NULL]	S	B1MWJ8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/16/2007 13:35	Y	10098-97-2	Strontium-90	1300	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MWJ8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	3/16/2007 13:35	Y	14808-79-8	Sulfate	53400	ug/L	D	[NULL]	[NULL]	S	B1MWJ8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/16/2007 13:35	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MWJ8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/16/2007 13:35	Y	7440-66-6	Zinc	20.6	ug/L	D	[NULL]	[NULL]	S	B1MWJ8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/23/2007 7:00	Y	7429-90-5	Aluminum	717	ug/L	D	[NULL]	[NULL]	S	B1MWL1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/23/2007 7:00	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MWL1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/23/2007 7:00	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MWL1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/23/2007 7:00	Y	7440-39-3	Barium	267	ug/L	D	[NULL]	[NULL]	S	B1MWL1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/23/2007 7:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWL1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/23/2007 7:00	Y	7440-70-2	Calcium	105000	ug/L	D	[NULL]	[NULL]	S	B1MWL1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/23/2007 7:00	Y	16887-00-6	Chloride	69700	ug/L	D	[NULL]	[NULL]	S	B1MWL1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/23/2007 7:00	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWL1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/23/2007 7:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MWL1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/23/2007 7:00	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MWL1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/23/2007 7:00	Y	16984-48-8	Fluoride	32	ug/L	DU	[NULL]	[NULL]	S	B1MWL1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/23/2007 7:00	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1MWL1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/23/2007 7:00	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MWL1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/23/2007 7:00	Y	7439-95-4	Magnesium	14800	ug/L	D	[NULL]	[NULL]	S	B1MWL1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/23/2007 7:00	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1MWL1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/23/2007 7:00	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MWL1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/23/2007 7:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MWL1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/23/2007 7:00	Y	14797-55-8	Nitrate	9870	ug/L	D	[NULL]	[NULL]	S	B1MWL1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/23/2007 7:00	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1MWL1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/23/2007 7:00	Y	14265-44-2	Phosphate	770000	ug/L	D	[NULL]	[NULL]	S	B1MWL1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/23/2007 7:00	Y	7440-09-7	Potassium	7640	ug/L	D	[NULL]	[NULL]	S	B1MWL1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/23/2007 7:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MWL1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/23/2007 7:00	Y	7440-23-5	Sodium	437000	ug/L	D	[NULL]	[NULL]	S	B1MWL1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/23/2007 7:00	Y	7440-24-6	Strontium	530	ug/L	D	[NULL]	[NULL]	S	B1MWL1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/23/2007 7:00	Y	10098-97-2	Strontium-90	1500	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MWL1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	3/23/2007 7:00	Y	14808-79-8	Sulfate	6030	ug/L	D	[NULL]	[NULL]	S	B1MWL1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/23/2007 7:00	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MWL1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/23/2007 7:00	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MWL1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/24/2007 8:35	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MW05	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/24/2007 8:35	Y	10098-97-2	Strontium-90	1200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MW05	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	3/25/2007 8:45	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MW09	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/25/2007 8:45	Y	10098-97-2	Strontium-90	980	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MW09	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	3/26/2007 10:25	Y	7429-90-5	Aluminum	673	ug/L	D	[NULL]	[NULL]	S	B1MW13	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/26/2007 10:25	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MW13	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/26/2007 10:25	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MW13	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/26/2007 10:25	Y	7440-39-3	Barium	106	ug/L	D	[NULL]	[NULL]	S	B1MW13	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/26/2007 10:25	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MW13	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	3/26/2007 10:25	Y	7440-70-2	Calcium	48600	ug/L	D	[NULL]	[NULL]	S	B1MW13	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/26/2007 10:25	Y	16887-00-6	Chloride	49200	ug/L	D	[NULL]	[NULL]	S	B1MW13	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/26/2007 10:25	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MW13	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/26/2007 10:25	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MW13	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/26/2007 10:25	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MW13	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/26/2007 10:25	Y	16984-48-8	Fluoride	145	ug/L	DU	[NULL]	[NULL]	S	B1MW13	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/26/2007 10:25	Y	7439-89-6	Iron	92.9	ug/L	D	[NULL]	[NULL]	S	B1MW13	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/26/2007 10:25	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MW13	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/26/2007 10:25	Y	7439-95-4	Magnesium	7990	ug/L	D	[NULL]	[NULL]	S	B1MW13	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/26/2007 10:25	Y	7439-96-5	Manganese	558	ug/L	D	[NULL]	[NULL]	S	B1MW13	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/26/2007 10:25	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MW13	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/26/2007 10:25	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MW13	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/26/2007 10:25	Y	14797-55-8	Nitrate	974	ug/L	DU	[NULL]	[NULL]	S	B1MW13	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/26/2007 10:25	Y	14797-65-0	Nitrite	361	ug/L	DNU	[NULL]	[NULL]	S	B1MW13	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/26/2007 10:25	Y	14265-44-2	Phosphate	402000	ug/L	D	[NULL]	[NULL]	S	B1MW13	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/26/2007 10:25	Y	7440-09-7	Potassium	2900	ug/L	D	[NULL]	[NULL]	S	B1MW13	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/26/2007 10:25	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MW13	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/26/2007 10:25	Y	7440-23-5	Sodium	315000	ug/L	D	[NULL]	[NULL]	S	B1MW13	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/26/2007 10:25	Y	7440-24-6	Strontium	271	ug/L	D	[NULL]	[NULL]	S	B1MW13	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/26/2007 10:25	Y	10098-97-2	Strontium-90	740	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MW13	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	3/26/2007 10:25	Y	14808-79-8	Sulfate	8420	ug/L	D	[NULL]	[NULL]	S	B1MW13	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/26/2007 10:25	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MW13	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/26/2007 10:25	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MW13	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/27/2007 11:30	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1MW17	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/27/2007 11:30	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MW17	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/27/2007 11:30	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MW17	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/27/2007 11:30	Y	7440-39-3	Barium	50	ug/L	D	[NULL]	[NULL]	S	B1MW17	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/27/2007 11:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MW17	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/27/2007 11:30	Y	7440-70-2	Calcium	41600	ug/L	D	[NULL]	[NULL]	S	B1MW17	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/27/2007 11:30	Y	16887-00-6	Chloride	37900	ug/L	D	[NULL]	[NULL]	S	B1MW17	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/27/2007 11:30	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MW17	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/27/2007 11:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MW17	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/27/2007 11:30	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MW17	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/27/2007 11:30	Y	16984-48-8	Fluoride	32	ug/L	DU	[NULL]	[NULL]	S	B1MW17	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/27/2007 11:30	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1MW17	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/27/2007 11:30	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MW17	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/27/2007 11:30	Y	7439-95-4	Magnesium	7720	ug/L	D	[NULL]	[NULL]	S	B1MW17	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/27/2007 11:30	Y	7439-96-5	Manganese	1320	ug/L	D	[NULL]	[NULL]	S	B1MW17	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/27/2007 11:30	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MW17	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/27/2007 11:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MW17	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/27/2007 11:30	Y	14797-55-8	Nitrate	146	ug/L	DU	[NULL]	[NULL]	S	B1MW17	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/27/2007 11:30	Y	14797-65-0	Nitrite	808	ug/L	BD	[NULL]	[NULL]	S	B1MW17	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/27/2007 11:30	Y	14265-44-2	Phosphate	77900	ug/L	D	[NULL]	[NULL]	S	B1MW17	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/27/2007 11:30	Y	7440-09-7	Potassium	2430	ug/L	D	[NULL]	[NULL]	S	B1MW17	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/27/2007 11:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MW17	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/27/2007 11:30	Y	7440-23-5	Sodium	117000	ug/L	D	[NULL]	[NULL]	S	B1MW17	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/27/2007 11:30	Y	7440-24-6	Strontium	176	ug/L	D	[NULL]	[NULL]	S	B1MW17	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/27/2007 11:30	Y	10098-97-2	Strontium-90	910	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MW17	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	3/27/2007 11:30	Y	14808-79-8	Sulfate	10300	ug/L	D	[NULL]	[NULL]	S	B1MW17	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/27/2007 11:30	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MW17	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/27/2007 11:30	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MW17	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/28/2007 8:50	Y	7429-90-5	Aluminum	167	ug/L	CD	[NULL]	[NULL]	S	B1MWN3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/28/2007 8:50	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MWN3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/28/2007 8:50	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MWN3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/28/2007 8:50	Y	7440-39-3	Barium	36	ug/L	D	[NULL]	[NULL]	S	B1MWN3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	3/28/2007 8:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWN3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/28/2007 8:50	Y	7440-70-2	Calcium	12300	ug/L	D	[NULL]	[NULL]	S	B1MWN3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/28/2007 8:50	Y	16887-00-6	Chloride	19800	ug/L	D	[NULL]	[NULL]	S	B1MWN3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/28/2007 8:50	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWN3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/28/2007 8:50	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MWN3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/28/2007 8:50	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MWN3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/28/2007 8:50	Y	16984-48-8	Fluoride	32	ug/L	DU	[NULL]	[NULL]	S	B1MWN3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/28/2007 8:50	Y	7439-89-6	Iron	65.2	ug/L	CD	[NULL]	[NULL]	S	B1MWN3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/28/2007 8:50	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MWN3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/28/2007 8:50	Y	7439-95-4	Magnesium	2320	ug/L	D	[NULL]	[NULL]	S	B1MWN3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/28/2007 8:50	Y	7439-96-5	Manganese	302	ug/L	D	[NULL]	[NULL]	S	B1MWN3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/28/2007 8:50	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MWN3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/28/2007 8:50	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MWN3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/28/2007 8:50	Y	14797-55-8	Nitrate	6200	ug/L	D	[NULL]	[NULL]	S	B1MWN3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/28/2007 8:50	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1MWN3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/28/2007 8:50	Y	14265-44-2	Phosphate	188000	ug/L	D	[NULL]	[NULL]	S	B1MWN3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/28/2007 8:50	Y	7440-09-7	Potassium	1840	ug/L	D	[NULL]	[NULL]	S	B1MWN3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/28/2007 8:50	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MWN3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/28/2007 8:50	Y	7440-23-5	Sodium	182000	ug/L	D	[NULL]	[NULL]	S	B1MWN3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/28/2007 8:50	Y	7440-24-6	Strontium	77.5	ug/L	D	[NULL]	[NULL]	S	B1MWN3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/28/2007 8:50	Y	10098-97-2	Strontium-90	260	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MWN3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	3/28/2007 8:50	Y	14808-79-8	Sulfate	9410	ug/L	D	[NULL]	[NULL]	S	B1MWN3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/28/2007 8:50	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MWN3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/28/2007 8:50	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MWN3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/29/2007 9:20	Y	7429-90-5	Aluminum	226	ug/L	D	[NULL]	[NULL]	S	B1MWN7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/29/2007 9:20	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MWN7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/29/2007 9:20	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MWN7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/29/2007 9:20	Y	7440-39-3	Barium	23	ug/L	D	[NULL]	[NULL]	S	B1MWN7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/29/2007 9:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWN7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/29/2007 9:20	Y	7440-70-2	Calcium	4550	ug/L	D	[NULL]	[NULL]	S	B1MWN7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/29/2007 9:20	Y	16887-00-6	Chloride	2550	ug/L	D	[NULL]	[NULL]	S	B1MWN7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/29/2007 9:20	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWN7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/29/2007 9:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MWN7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/29/2007 9:20	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MWN7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/29/2007 9:20	Y	16984-48-8	Fluoride	32	ug/L	DU	[NULL]	[NULL]	S	B1MWN7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/29/2007 9:20	Y	7439-89-6	Iron	125	ug/L	CD	[NULL]	[NULL]	S	B1MWN7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/29/2007 9:20	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MWN7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/29/2007 9:20	Y	7439-95-4	Magnesium	924	ug/L	D	[NULL]	[NULL]	S	B1MWN7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/29/2007 9:20	Y	7439-96-5	Manganese	24	ug/L	D	[NULL]	[NULL]	S	B1MWN7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/29/2007 9:20	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MWN7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/29/2007 9:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MWN7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/29/2007 9:20	Y	14797-55-8	Nitrate	1280	ug/L	BD	[NULL]	[NULL]	S	B1MWN7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/29/2007 9:20	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1MWN7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/29/2007 9:20	Y	14265-44-2	Phosphate	57600	ug/L	D	[NULL]	[NULL]	S	B1MWN7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/29/2007 9:20	Y	7440-09-7	Potassium	986	ug/L	D	[NULL]	[NULL]	S	B1MWN7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/29/2007 9:20	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1MWN7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/29/2007 9:20	Y	7440-23-5	Sodium	59800	ug/L	D	[NULL]	[NULL]	S	B1MWN7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/29/2007 9:20	Y	7440-24-6	Strontium	35.3	ug/L	D	[NULL]	[NULL]	S	B1MWN7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/29/2007 9:20	Y	10098-97-2	Strontium-90	57	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MWN7	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	3/29/2007 9:20	Y	14808-79-8	Sulfate	8560	ug/L	D	[NULL]	[NULL]	S	B1MWN7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/29/2007 9:20	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MWN7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/29/2007 9:20	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MWN7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/30/2007 9:36	Y	7429-90-5	Aluminum	189	ug/L	D	[NULL]	[NULL]	S	B1MWM4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/30/2007 9:36	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MWM4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/30/2007 9:36	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MWM4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	3/30/2007 9:36	Y	7440-39-3	Barium	23	ug/L	D	[NULL]	[NULL]	S	B1MWM4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/30/2007 9:36	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWM4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/30/2007 9:36	Y	7440-70-2	Calcium	7640	ug/L	D	[NULL]	[NULL]	S	B1MWM4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/30/2007 9:36	Y	16887-00-6	Chloride	2790	ug/L	D	[NULL]	[NULL]	S	B1MWM4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/30/2007 9:36	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWM4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/30/2007 9:36	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MWM4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/30/2007 9:36	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MWM4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/30/2007 9:36	Y	16984-48-8	Fluoride	32	ug/L	DU	[NULL]	[NULL]	S	B1MWM4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/30/2007 9:36	Y	7439-89-6	Iron	133	ug/L	CD	[NULL]	[NULL]	S	B1MWM4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/30/2007 9:36	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MWM4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/30/2007 9:36	Y	7439-95-4	Magnesium	1540	ug/L	D	[NULL]	[NULL]	S	B1MWM4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/30/2007 9:36	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1MWM4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/30/2007 9:36	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MWM4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/30/2007 9:36	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MWM4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/30/2007 9:36	Y	14797-55-8	Nitrate	3090	ug/L	D	[NULL]	[NULL]	S	B1MWM4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/30/2007 9:36	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1MWM4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/30/2007 9:36	Y	14265-44-2	Phosphate	47500	ug/L	D	[NULL]	[NULL]	S	B1MWM4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/30/2007 9:36	Y	7440-09-7	Potassium	1290	ug/L	D	[NULL]	[NULL]	S	B1MWM4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/30/2007 9:36	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MWM4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/30/2007 9:36	Y	7440-23-5	Sodium	54400	ug/L	D	[NULL]	[NULL]	S	B1MWM4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/30/2007 9:36	Y	7440-24-6	Strontium	60.4	ug/L	D	[NULL]	[NULL]	S	B1MWM4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/30/2007 9:36	Y	10098-97-2	Strontium-90	94	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MWM4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	3/30/2007 9:36	Y	14808-79-8	Sulfate	8990	ug/L	D	[NULL]	[NULL]	S	B1MWM4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/30/2007 9:36	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MWM4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/30/2007 9:36	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MWM4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/31/2007 9:00	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1MWP1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/31/2007 9:00	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MWP1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/31/2007 9:00	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MWP1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/31/2007 9:00	Y	7440-39-3	Barium	25	ug/L	D	[NULL]	[NULL]	S	B1MWP1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/31/2007 9:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWP1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/31/2007 9:00	Y	7440-70-2	Calcium	11300	ug/L	D	[NULL]	[NULL]	S	B1MWP1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/31/2007 9:00	Y	16887-00-6	Chloride	1270	ug/L	D	[NULL]	[NULL]	S	B1MWP1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/31/2007 9:00	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWP1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/31/2007 9:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MWP1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/31/2007 9:00	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MWP1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/31/2007 9:00	Y	16984-48-8	Fluoride	145	ug/L	DU	[NULL]	[NULL]	S	B1MWP1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/31/2007 9:00	Y	7439-89-6	Iron	70.7	ug/L	D	[NULL]	[NULL]	S	B1MWP1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/31/2007 9:00	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MWP1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/31/2007 9:00	Y	7439-95-4	Magnesium	2210	ug/L	D	[NULL]	[NULL]	S	B1MWP1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/31/2007 9:00	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1MWP1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/31/2007 9:00	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MWP1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/31/2007 9:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MWP1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/31/2007 9:00	Y	14797-55-8	Nitrate	1440	ug/L	BD	[NULL]	[NULL]	S	B1MWP1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/31/2007 9:00	Y	14797-65-0	Nitrite	361	ug/L	DU	[NULL]	[NULL]	S	B1MWP1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/31/2007 9:00	Y	14265-44-2	Phosphate	28100	ug/L	D	[NULL]	[NULL]	S	B1MWP1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/31/2007 9:00	Y	7440-09-7	Potassium	1180	ug/L	D	[NULL]	[NULL]	S	B1MWP1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/31/2007 9:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MWP1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/31/2007 9:00	Y	7440-23-5	Sodium	35000	ug/L	D	[NULL]	[NULL]	S	B1MWP1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/31/2007 9:00	Y	7440-24-6	Strontium	75.7	ug/L	D	[NULL]	[NULL]	S	B1MWP1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/31/2007 9:00	Y	10098-97-2	Strontium-90	130	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MWP1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	3/31/2007 9:00	Y	14808-79-8	Sulfate	8600	ug/L	D	[NULL]	[NULL]	S	B1MWP1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/31/2007 9:00	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MWP1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/31/2007 9:00	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MWP1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/6/2007 10:15	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MWP9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/6/2007 10:15	Y	10098-97-2	Strontium-90	190	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MWP9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	4/13/2007 12:00	Y	7429-90-5	Aluminum	166	ug/L	D	[NULL]	[NULL]	S	B1MWW1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/13/2007 12:00	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MWW1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/13/2007 12:00	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MWW1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/13/2007 12:00	Y	7440-39-3	Barium	33	ug/L	D	[NULL]	[NULL]	S	B1MWW1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/13/2007 12:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWW1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/13/2007 12:00	Y	7440-70-2	Calcium	16300	ug/L	D	[NULL]	[NULL]	S	B1MWW1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/13/2007 12:00	Y	16887-00-6	Chloride	1900	ug/L	D	[NULL]	[NULL]	S	B1MWW1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	4/13/2007 12:00	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWW1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/13/2007 12:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MWW1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/13/2007 12:00	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MWW1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/13/2007 12:00	Y	16984-48-8	Fluoride	58	ug/L	DNU	[NULL]	[NULL]	S	B1MWW1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	4/13/2007 12:00	Y	7439-89-6	Iron	66.9	ug/L	CD	[NULL]	[NULL]	S	B1MWW1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/13/2007 12:00	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MWW1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/13/2007 12:00	Y	7439-95-4	Magnesium	3100	ug/L	D	[NULL]	[NULL]	S	B1MWW1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/13/2007 12:00	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1MWW1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/13/2007 12:00	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MWW1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/13/2007 12:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MWW1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/13/2007 12:00	Y	14797-55-8	Nitrate	17400	ug/L	D	[NULL]	[NULL]	S	B1MWW1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	4/13/2007 12:00	Y	14797-65-0	Nitrite	355	ug/L	BDN	[NULL]	[NULL]	S	B1MWW1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	4/13/2007 12:00	Y	14265-44-2	Phosphate	39200	ug/L	D	[NULL]	[NULL]	S	B1MWW1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	4/13/2007 12:00	Y	7440-09-7	Potassium	1450	ug/L	D	[NULL]	[NULL]	S	B1MWW1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/13/2007 12:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MWW1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/13/2007 12:00	Y	7440-23-5	Sodium	49700	ug/L	D	[NULL]	[NULL]	S	B1MWW1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/13/2007 12:00	Y	7440-24-6	Strontium	99.5	ug/L	D	[NULL]	[NULL]	S	B1MWW1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/13/2007 12:00	Y	10098-97-2	Strontium-90	210	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MWW1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	4/13/2007 12:00	Y	14808-79-8	Sulfate	9470	ug/L	D	[NULL]	[NULL]	S	B1MWW1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	4/13/2007 12:00	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MWW1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/13/2007 12:00	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MWW1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/18/2007 11:16	N	ALKALINITY	Alkalinity	80000	ug/L	[NULL]	[NULL]	[NULL]	R	B1MD29	ALKALINITY	WSCF	310.1_ALKALINITY	100-NR-2
199-N-123	4/18/2007 11:16	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1MDB4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/18/2007 11:16	N	14234-35-6	Antimony-125	-0.359	pCi/L	U	[NULL]	[NULL]	R	B1MD27	14234-35-6	STLRL	GAMMA_GS	100-NR-2
199-N-123	4/18/2007 11:16	Y	7440-39-3	Barium	26.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDB4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/18/2007 11:16	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1MDB4	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/18/2007 11:16	N	13966-02-4	Beryllium-7	-10.1	pCi/L	U	[NULL]	[NULL]	R	B1MD27	13966-02-4	STLRL	GAMMA_GS	100-NR-2
199-N-123	4/18/2007 11:16	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1MDB4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/18/2007 11:16	Y	7440-70-2	Calcium	15700	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDB4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/18/2007 11:16	N	13967-70-9	Cesium-134	0.277	pCi/L	U	[NULL]	[NULL]	R	B1MD27	13967-70-9	STLRL	GAMMA_GS	100-NR-2
199-N-123	4/18/2007 11:16	N	10045-97-3	Cesium-137	0.5	pCi/L	U	[NULL]	[NULL]	R	B1MD27	10045-97-3	STLRL	GAMMA_GS	100-NR-2
199-N-123	4/18/2007 11:16	N	16887-00-6	Chloride	1500	ug/L	CN	[NULL]	[NULL]	R	B1MD28	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	4/18/2007 11:16	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	R	B1MDB4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/18/2007 11:16	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1MDB4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/18/2007 11:16	N	10198-40-0	Cobalt-60	0.71	pCi/L	U	[NULL]	[NULL]	R	B1MD27	10198-40-0	STLRL	GAMMA_GS	100-NR-2
199-N-123	4/18/2007 11:16	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1MDB4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/18/2007 11:16	N	DO	Dissolved oxygen	8350	ug/L	[NULL]	[NULL]	[NULL]	R	B1MD26	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-123	4/18/2007 11:16	N	14683-23-9	Europium-152	1.62	pCi/L	U	[NULL]	[NULL]	R	B1MD27	14683-23-9	STLRL	GAMMA_GS	100-NR-2
199-N-123	4/18/2007 11:16	N	15585-10-1	Europium-154	-2.88	pCi/L	U	[NULL]	[NULL]	R	B1MD27	15585-10-1	STLRL	GAMMA_GS	100-NR-2
199-N-123	4/18/2007 11:16	N	14391-16-3	Europium-155	-0.817	pCi/L	U	[NULL]	[NULL]	R	B1MD27	14391-16-3	STLRL	GAMMA_GS	100-NR-2
199-N-123	4/18/2007 11:16	N	16984-48-8	Fluoride	61	ug/L	B	[NULL]	[NULL]	R	B1MD28	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	4/18/2007 11:16	N	12587-46-1	Gross alpha	1.4	pCi/L	U	[NULL]	[NULL]	R	B1MD29	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-123	4/18/2007 11:16	N	12587-47-2	Gross beta	330	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MD29	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-123	4/18/2007 11:16	Y	7439-89-6	Iron	19.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDB4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/18/2007 11:16	Y	7439-95-4	Magnesium	2960	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDB4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/18/2007 11:16	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1MDB4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/18/2007 11:16	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1MDB4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/18/2007 11:16	N	14797-55-8	Nitrate	10200	ug/L	D	[NULL]	[NULL]	R	B1MD28	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	4/18/2007 11:16	N	14797-65-0	Nitrite	887	ug/L	DN	R	[NULL]	R	B1MD28	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	4/18/2007 11:16	N	14265-44-2	Phosphate	8320	ug/L	D	H	[NULL]	R	B1MD28	14265-44-2	STLSL	365.2_PHOSPHATE	100-NR-2
199-N-123	4/18/2007 11:16	Y	7440-09-7	Potassium	1010	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDB4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/18/2007 11:16	N	13966-00-2	Potassium-40	3.72	pCi/L	U	[NULL]	[NULL]	R	B1MD27	13966-00-2	STLRL	GAMMA_GS	100-NR-2
199-N-123	4/18/2007 11:16	N	13967-48-1	Ruthenium-106	4.26	pCi/L	U	[NULL]	[NULL]	R	B1MD27	13967-48-1	STLRL	GAMMA_GS	100-NR-2
199-N-123	4/18/2007 11:16	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1MDB4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/18/2007 11:16	Y	7440-23-5	Sodium	29400	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDB4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/18/2007 11:16	N	CONDUCT	Specific Conductance	222	uS/cm	[NULL]	[NULL]	[NULL]	R	B1MD26	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-123	4/18/2007 11:16	Y	7440-24-6	Strontium	96.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDB4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/18/2007 11:16	N	10098-97-2	Strontium-90	215	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MDB7	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-123	4/18/2007 11:16	N	14808-79-8	Sulfate	9100	ug/L	[NULL]	[NULL]	[NULL]	R	B1MD28	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	4/18/2007 11:16	N	TEMPERATURE	Temperature	9.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1MD26	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-123	4/18/2007 11:16	N	TOC	Total organic carbon	1100	ug/L	[NULL]	[NULL]	[NULL]	R	B1MD28	TOC	STLSL	9060_TOC	100-NR-2
199-N-123	4/18/2007 11:16	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	50	ug/L	U	[NULL]	[NULL]	R	B1MDB8	TPHDIESEL	STLSL	WTPH_DIESEL	100-NR-2
199-N-123	4/18/2007 11:16	N	TPHGASOLINE	Total petroleum hydrocarbons - gasoline range	9.5	ug/L	U	[NULL]	[NULL]	R	B1MDB8	TPHGASOLINE	STLSL	WTPH_GASOLINE	100-NR-2
199-N-123	4/18/2007 11:16	N	10028-17-8	Tritium	-130	pCi/L	U	[NULL]	[NULL]	R	B1MDB5	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-123	4/18/2007 11:16	N	TURBIDITY	Turbidity	3.25	NTU	[NULL]	[NULL]	[NULL]	R	B1MD26	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-123	4/18/2007 11:16	Y	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	R	B1MDB4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/18/2007 11:16	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1MDB4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/18/2007 11:16	N	PH	pH Measurement	7.71	unitless	[NULL]	[NULL]	[NULL]	R	B1MD26	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-123	4/20/2007 9:55	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1MWT8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/20/2007 9:55	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MWT8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/20/2007 9:55	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MWT8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/20/2007 9:55	Y	7440-39-3	Barium	24	ug/L	D	[NULL]	[NULL]	S	B1MWT8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/20/2007 9:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWT8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/20/2007 9:55	Y	7440-70-2	Calcium	17000	ug/L	D	[NULL]	[NULL]	S	B1MWT8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/20/2007 9:55	Y	16887-00-6	Chloride	1410	ug/L	[NULL]	[NULL]	[NULL]	S	B1MWT8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	4/20/2007 9:55	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWT8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/20/2007 9:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MWT8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/20/2007 9:55	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MWT8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/20/2007 9:55	Y	16984-48-8	Fluoride	22	ug/L	B	[NULL]	[NULL]	S	B1MWT8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	4/20/2007 9:55	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1MWT8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/20/2007 9:55	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MWT8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/20/2007 9:55	Y	7439-95-4	Magnesium	3260	ug/L	D	[NULL]	[NULL]	S	B1MWT8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/20/2007 9:55	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1MWT8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/20/2007 9:55	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MWT8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/20/2007 9:55	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MWT8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/20/2007 9:55	Y	14797-55-8	Nitrate	7570	ug/L	[NULL]	[NULL]	[NULL]	S	B1MWT8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	4/20/2007 9:55	Y	14797-65-0	Nitrite	348	ug/L	[NULL]	[NULL]	[NULL]	S	B1MWT8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	4/20/2007 9:55	Y	14265-44-2	Phosphate	12400	ug/L	[NULL]	[NULL]	[NULL]	S	B1MWT8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	4/20/2007 9:55	Y	7440-09-7	Potassium	993	ug/L	D	[NULL]	[NULL]	S	B1MWT8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/20/2007 9:55	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MWT8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/20/2007 9:55	Y	7440-23-5	Sodium	15800	ug/L	D	[NULL]	[NULL]	S	B1MWT8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/20/2007 9:55	Y	7440-24-6	Strontium	101	ug/L	D	[NULL]	[NULL]	S	B1MWT8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/20/2007 9:55	Y	10098-97-2	Strontium-90	160	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MWT8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	4/20/2007 9:55	Y	14808-79-8	Sulfate	9230	ug/L	[NULL]	[NULL]	[NULL]	S	B1MWT8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	4/20/2007 9:55	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MWT8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/20/2007 9:55	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MWT8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/27/2007 8:45	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1MWX3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/27/2007 8:45	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MWX3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/27/2007 8:45	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MWX3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	4/27/2007 8:45	Y	7440-39-3	Barium	25.7	ug/L	D	[NULL]	[NULL]	S	B1MWX3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/27/2007 8:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWX3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/27/2007 8:45	Y	7440-70-2	Calcium	16800	ug/L	D	[NULL]	[NULL]	S	B1MWX3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/27/2007 8:45	Y	16887-00-6	Chloride	1620	ug/L	[NULL]	[NULL]	[NULL]	S	B1MWX3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	4/27/2007 8:45	Y	7440-47-3	Chromium	26	ug/L	CD	[NULL]	[NULL]	S	B1MWX3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/27/2007 8:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MWX3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/27/2007 8:45	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MWX3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/27/2007 8:45	Y	16984-48-8	Fluoride	7	ug/L	U	[NULL]	[NULL]	S	B1MWX3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	4/27/2007 8:45	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1MWX3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/27/2007 8:45	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MWX3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/27/2007 8:45	Y	7439-95-4	Magnesium	3220	ug/L	D	[NULL]	[NULL]	S	B1MWX3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/27/2007 8:45	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1MWX3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/27/2007 8:45	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MWX3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/27/2007 8:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MWX3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/27/2007 8:45	Y	14797-55-8	Nitrate	14800	ug/L	[NULL]	[NULL]	[NULL]	S	B1MWX3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	4/27/2007 8:45	Y	14797-65-0	Nitrite	23	ug/L	U	[NULL]	[NULL]	S	B1MWX3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	4/27/2007 8:45	Y	14265-44-2	Phosphate	17700	ug/L	[NULL]	[NULL]	[NULL]	S	B1MWX3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	4/27/2007 8:45	Y	7440-09-7	Potassium	1040	ug/L	D	[NULL]	[NULL]	S	B1MWX3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/27/2007 8:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MWX3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/27/2007 8:45	Y	7440-23-5	Sodium	22300	ug/L	D	[NULL]	[NULL]	S	B1MWX3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/27/2007 8:45	Y	7440-24-6	Strontium	106	ug/L	D	[NULL]	[NULL]	S	B1MWX3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/27/2007 8:45	Y	10098-97-2	Strontium-90	210	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MWX3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	4/27/2007 8:45	Y	14808-79-8	Sulfate	9320	ug/L	[NULL]	[NULL]	[NULL]	S	B1MWX3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	4/27/2007 8:45	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MWX3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	4/27/2007 8:45	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MWX3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/4/2007 9:15	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NDV2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/4/2007 9:15	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NDV2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/4/2007 9:15	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NDV2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/4/2007 9:15	Y	7440-39-3	Barium	26	ug/L	D	[NULL]	[NULL]	S	B1NDV2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/4/2007 9:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NDV2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/4/2007 9:15	Y	7440-70-2	Calcium	17300	ug/L	D	[NULL]	[NULL]	S	B1NDV2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/4/2007 9:15	Y	16887-00-6	Chloride	1510	ug/L	[NULL]	[NULL]	[NULL]	S	B1NDV2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	5/4/2007 9:15	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NDV2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/4/2007 9:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NDV2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/4/2007 9:15	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NDV2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/4/2007 9:15	Y	16984-48-8	Fluoride	7	ug/L	U	[NULL]	[NULL]	S	B1NDV2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	5/4/2007 9:15	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NDV2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/4/2007 9:15	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NDV2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/4/2007 9:15	Y	7439-95-4	Magnesium	3380	ug/L	D	[NULL]	[NULL]	S	B1NDV2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/4/2007 9:15	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1NDV2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/4/2007 9:15	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NDV2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/4/2007 9:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NDV2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/4/2007 9:15	Y	14797-55-8	Nitrate	10900	ug/L	[NULL]	[NULL]	[NULL]	S	B1NDV2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	5/4/2007 9:15	Y	14797-65-0	Nitrite	23	ug/L	U	[NULL]	[NULL]	S	B1NDV2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	5/4/2007 9:15	Y	14265-44-2	Phosphate	13700	ug/L	[NULL]	[NULL]	[NULL]	S	B1NDV2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	5/4/2007 9:15	Y	7440-09-7	Potassium	1120	ug/L	D	[NULL]	[NULL]	S	B1NDV2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/4/2007 9:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NDV2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/4/2007 9:15	Y	7440-23-5	Sodium	18500	ug/L	D	[NULL]	[NULL]	S	B1NDV2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/4/2007 9:15	Y	7440-24-6	Strontium	110	ug/L	D	[NULL]	[NULL]	S	B1NDV2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/4/2007 9:15	Y	10098-97-2	Strontium-90	190	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NDV2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	5/4/2007 9:15	Y	14808-79-8	Sulfate	8890	ug/L	[NULL]	[NULL]	[NULL]	S	B1NDV2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	5/4/2007 9:15	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NDV2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/4/2007 9:15	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NDV2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 7:42	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NHF6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 7:42	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NHF6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	5/11/2007 7:42	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NHF6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 7:42	Y	7440-39-3	Barium	29	ug/L	D	[NULL]	[NULL]	S	B1NHF6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 7:42	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NHF6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 7:42	Y	7440-70-2	Calcium	20000	ug/L	D	[NULL]	[NULL]	S	B1NHF6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 7:42	Y	16887-00-6	Chloride	3130	ug/L	D	[NULL]	[NULL]	S	B1NHF6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	5/11/2007 7:42	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NHF6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 7:42	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NHF6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 7:42	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NHF6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 7:42	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NHF6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	5/11/2007 7:42	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NHF6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 7:42	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NHF6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 7:42	Y	7439-95-4	Magnesium	3940	ug/L	D	[NULL]	[NULL]	S	B1NHF6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 7:42	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1NHF6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 7:42	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NHF6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 7:42	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NHF6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 7:42	Y	14797-55-8	Nitrate	5750	ug/L	D	[NULL]	[NULL]	S	B1NHF6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	5/11/2007 7:42	Y	14797-65-0	Nitrite	729	ug/L	BD	[NULL]	[NULL]	S	B1NHF6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	5/11/2007 7:42	Y	14265-44-2	Phosphate	40800	ug/L	D	[NULL]	[NULL]	S	B1NHF6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	5/11/2007 7:42	Y	7440-09-7	Potassium	1590	ug/L	D	[NULL]	[NULL]	S	B1NHF6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 7:42	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NHF6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 7:42	Y	7440-23-5	Sodium	39600	ug/L	D	[NULL]	[NULL]	S	B1NHF6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 7:42	Y	7440-24-6	Strontium	99	ug/L	D	[NULL]	[NULL]	S	B1NHF6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 7:42	Y	10098-97-2	Strontium-90	500	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NHF6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	5/11/2007 7:42	Y	14808-79-8	Sulfate	8260	ug/L	D	[NULL]	[NULL]	S	B1NHF6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	5/11/2007 7:42	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NHF6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 7:42	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NHF6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 10:57	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NHH6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 10:57	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NHH6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 10:57	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NHH6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 10:57	Y	7440-39-3	Barium	24	ug/L	D	[NULL]	[NULL]	S	B1NHH6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 10:57	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NHH6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 10:57	Y	7440-70-2	Calcium	20400	ug/L	D	[NULL]	[NULL]	S	B1NHH6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 10:57	Y	16887-00-6	Chloride	1400	ug/L	BD	[NULL]	[NULL]	S	B1NHH6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	5/11/2007 10:57	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NHH6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 10:57	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NHH6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 10:57	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NHH6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 10:57	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NHH6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	5/11/2007 10:57	Y	7439-89-6	Iron	46.8	ug/L	D	[NULL]	[NULL]	S	B1NHH6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 10:57	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NHH6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 10:57	Y	7439-95-4	Magnesium	3890	ug/L	D	[NULL]	[NULL]	S	B1NHH6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 10:57	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1NHH6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 10:57	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NHH6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 10:57	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NHH6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 10:57	Y	14797-55-8	Nitrate	4690	ug/L	D	[NULL]	[NULL]	S	B1NHH6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	5/11/2007 10:57	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NHH6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	5/11/2007 10:57	Y	14265-44-2	Phosphate	5890	ug/L	D	[NULL]	[NULL]	S	B1NHH6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	5/11/2007 10:57	Y	7440-09-7	Potassium	1120	ug/L	D	[NULL]	[NULL]	S	B1NHH6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 10:57	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NHH6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 10:57	Y	7440-23-5	Sodium	9500	ug/L	D	[NULL]	[NULL]	S	B1NHH6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 10:57	Y	7440-24-6	Strontium	115	ug/L	D	[NULL]	[NULL]	S	B1NHH6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 10:57	Y	10098-97-2	Strontium-90	180	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NHH6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	5/11/2007 10:57	Y	14808-79-8	Sulfate	8050	ug/L	D	[NULL]	[NULL]	S	B1NHH6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	5/11/2007 10:57	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NHH6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/11/2007 10:57	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NHH6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/18/2007 6:50	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NJD8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	5/18/2007 6:50	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NJD8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/18/2007 6:50	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NJD8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/18/2007 6:50	Y	7440-39-3	Barium	26	ug/L	D	[NULL]	[NULL]	S	B1NJD8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/18/2007 6:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NJD8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/18/2007 6:50	Y	7440-70-2	Calcium	18500	ug/L	D	[NULL]	[NULL]	S	B1NJD8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/18/2007 6:50	Y	16887-00-6	Chloride	1460	ug/L	[NULL]	[NULL]	[NULL]	S	B1NJD8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	5/18/2007 6:50	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NJD8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/18/2007 6:50	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NJD8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/18/2007 6:50	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NJD8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/18/2007 6:50	Y	16984-48-8	Fluoride	36	ug/L	B	[NULL]	[NULL]	S	B1NJD8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	5/18/2007 6:50	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NJD8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/18/2007 6:50	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NJD8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/18/2007 6:50	Y	7439-95-4	Magnesium	3590	ug/L	D	[NULL]	[NULL]	S	B1NJD8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/18/2007 6:50	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1NJD8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/18/2007 6:50	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NJD8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/18/2007 6:50	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NJD8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/18/2007 6:50	Y	14797-55-8	Nitrate	5360	ug/L	[NULL]	[NULL]	[NULL]	S	B1NJD8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	5/18/2007 6:50	Y	14797-65-0	Nitrite	42.7	ug/L	U	[NULL]	[NULL]	S	B1NJD8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	5/18/2007 6:50	Y	14265-44-2	Phosphate	8860	ug/L	[NULL]	[NULL]	[NULL]	S	B1NJD8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	5/18/2007 6:50	Y	7440-09-7	Potassium	1080	ug/L	D	[NULL]	[NULL]	S	B1NJD8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/18/2007 6:50	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NJD8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/18/2007 6:50	Y	7440-23-5	Sodium	11800	ug/L	D	[NULL]	[NULL]	S	B1NJD8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/18/2007 6:50	Y	7440-24-6	Strontium	109	ug/L	D	[NULL]	[NULL]	S	B1NJD8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/18/2007 6:50	Y	10098-97-2	Strontium-90	140	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NJD8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	5/18/2007 6:50	Y	14808-79-8	Sulfate	8620	ug/L	[NULL]	[NULL]	[NULL]	S	B1NJD8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	5/18/2007 6:50	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NJD8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/18/2007 6:50	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NJD8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/25/2007 7:30	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NJH1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/25/2007 7:30	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NJH1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/25/2007 7:30	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NJH1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/25/2007 7:30	Y	7440-39-3	Barium	24.5	ug/L	D	[NULL]	[NULL]	S	B1NJH1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/25/2007 7:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NJH1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/25/2007 7:30	Y	7440-70-2	Calcium	19700	ug/L	D	[NULL]	[NULL]	S	B1NJH1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/25/2007 7:30	Y	16887-00-6	Chloride	2530	ug/L	D	[NULL]	[NULL]	S	B1NJH1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	5/25/2007 7:30	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NJH1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/25/2007 7:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NJH1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/25/2007 7:30	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NJH1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/25/2007 7:30	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NJH1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	5/25/2007 7:30	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NJH1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/25/2007 7:30	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NJH1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/25/2007 7:30	Y	7439-95-4	Magnesium	3860	ug/L	D	[NULL]	[NULL]	S	B1NJH1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/25/2007 7:30	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1NJH1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/25/2007 7:30	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NJH1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/25/2007 7:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NJH1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/25/2007 7:30	Y	14797-55-8	Nitrate	4300	ug/L	D	[NULL]	[NULL]	S	B1NJH1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	5/25/2007 7:30	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NJH1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	5/25/2007 7:30	Y	14265-44-2	Phosphate	12100	ug/L	D	[NULL]	[NULL]	S	B1NJH1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	5/25/2007 7:30	Y	7440-09-7	Potassium	1240	ug/L	D	[NULL]	[NULL]	S	B1NJH1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/25/2007 7:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NJH1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/25/2007 7:30	Y	7440-23-5	Sodium	8130	ug/L	D	[NULL]	[NULL]	S	B1NJH1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/25/2007 7:30	Y	7440-24-6	Strontium	107	ug/L	D	[NULL]	[NULL]	S	B1NJH1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/25/2007 7:30	Y	10098-97-2	Strontium-90	100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NJH1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	5/25/2007 7:30	Y	14808-79-8	Sulfate	20000	ug/L	D	[NULL]	[NULL]	S	B1NJH1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	5/25/2007 7:30	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NJH1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	5/25/2007 7:30	Y	7440-66-6	Zinc	169	ug/L	DN	[NULL]	[NULL]	S	B1NJH1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	6/1/2007 11:20	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NJJ4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/1/2007 11:20	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NJJ4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/1/2007 11:20	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NJJ4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/1/2007 11:20	Y	7440-39-3	Barium	24.7	ug/L	D	[NULL]	[NULL]	S	B1NJJ4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/1/2007 11:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NJJ4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/1/2007 11:20	Y	7440-70-2	Calcium	21100	ug/L	D	[NULL]	[NULL]	S	B1NJJ4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/1/2007 11:20	Y	16887-00-6	Chloride	1120	ug/L	BD	[NULL]	[NULL]	S	B1NJJ4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/1/2007 11:20	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NJJ4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/1/2007 11:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NJJ4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/1/2007 11:20	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NJJ4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/1/2007 11:20	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NJJ4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/1/2007 11:20	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NJJ4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/1/2007 11:20	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NJJ4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/1/2007 11:20	Y	7439-95-4	Magnesium	4030	ug/L	D	[NULL]	[NULL]	S	B1NJJ4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/1/2007 11:20	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1NJJ4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/1/2007 11:20	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NJJ4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/1/2007 11:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NJJ4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/1/2007 11:20	Y	14797-55-8	Nitrate	2230	ug/L	D	[NULL]	[NULL]	S	B1NJJ4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/1/2007 11:20	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NJJ4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/1/2007 11:20	Y	14265-44-2	Phosphate	4720	ug/L	BD	[NULL]	[NULL]	S	B1NJJ4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/1/2007 11:20	Y	7440-09-7	Potassium	1100	ug/L	D	[NULL]	[NULL]	S	B1NJJ4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/1/2007 11:20	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NJJ4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/1/2007 11:20	Y	7440-23-5	Sodium	8520	ug/L	D	[NULL]	[NULL]	S	B1NJJ4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/1/2007 11:20	Y	7440-24-6	Strontium	113	ug/L	D	[NULL]	[NULL]	S	B1NJJ4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/1/2007 11:20	Y	10098-97-2	Strontium-90	120	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NJJ4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	6/1/2007 11:20	Y	14808-79-8	Sulfate	7750	ug/L	D	[NULL]	[NULL]	S	B1NJJ4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/1/2007 11:20	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NJJ4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/1/2007 11:20	Y	7440-66-6	Zinc	26.8	ug/L	D	[NULL]	[NULL]	S	B1NJJ4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/4/2007 10:49	Y	7440-36-0	Antimony	32	ug/L	U	G	[NULL]	R	B1N2L6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/4/2007 10:49	Y	7440-39-3	Barium	34.5	ug/L	C	G	[NULL]	R	B1N2L6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/4/2007 10:49	Y	7440-41-7	Beryllium	4	ug/L	U	G	[NULL]	R	B1N2L6	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/4/2007 10:49	Y	7440-43-9	Cadmium	4	ug/L	U	G	[NULL]	R	B1N2L6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/4/2007 10:49	Y	7440-70-2	Calcium	20800	ug/L	[NULL]	G	[NULL]	R	B1N2L6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/4/2007 10:49	N	16887-00-6	Chloride	1060	ug/L	[NULL]	[NULL]	[NULL]	R	B1N2L7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/4/2007 10:49	Y	7440-47-3	Chromium	4	ug/L	U	G	[NULL]	R	B1N2L6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/4/2007 10:49	Y	7440-48-4	Cobalt	4	ug/L	U	G	[NULL]	R	B1N2L6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/4/2007 10:49	Y	7440-50-8	Copper	12.5	ug/L	C	G	[NULL]	R	B1N2L6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/4/2007 10:49	N	DO	Dissolved oxygen	3850	ug/L	[NULL]	[NULL]	[NULL]	R	B1N2L8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-123	6/4/2007 10:49	N	16984-48-8	Fluoride	55.2	ug/L	B	[NULL]	[NULL]	R	B1N2L7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/4/2007 10:49	N	12587-47-2	Gross beta	418	pCi/L	[NULL]	[NULL]	[NULL]	R	B1N2L9	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-123	6/4/2007 10:49	Y	7439-89-6	Iron	93.1	ug/L	C	G	[NULL]	R	B1N2L6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/4/2007 10:49	Y	7439-95-4	Magnesium	3980	ug/L	[NULL]	G	[NULL]	R	B1N2L6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/4/2007 10:49	Y	7439-96-5	Manganese	18	ug/L	C	G	[NULL]	R	B1N2L6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/4/2007 10:49	Y	7440-02-0	Nickel	4	ug/L	U	G	[NULL]	R	B1N2L6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/4/2007 10:49	N	14797-55-8	Nitrate	3940	ug/L	[NULL]	[NULL]	[NULL]	R	B1N2L7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/4/2007 10:49	N	14797-65-0	Nitrite	42.7	ug/L	U	[NULL]	[NULL]	R	B1N2L7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/4/2007 10:49	Y	7440-09-7	Potassium	1010	ug/L	[NULL]	G	[NULL]	R	B1N2L6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/4/2007 10:49	Y	7440-22-4	Silver	18.3	ug/L	C	G	[NULL]	R	B1N2L6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/4/2007 10:49	Y	7440-23-5	Sodium	10800	ug/L	[NULL]	G	[NULL]	R	B1N2L6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/4/2007 10:49	N	CONDUCT	Specific Conductance	175	uS/cm	[NULL]	[NULL]	[NULL]	R	B1N2L8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-123	6/4/2007 10:49	Y	7440-24-6	Strontium	106	ug/L	[NULL]	G	[NULL]	R	B1N2L6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/4/2007 10:49	N	10098-97-2	Strontium-90	221	pCi/L	[NULL]	[NULL]	[NULL]	R	B1N2L9	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-123	6/4/2007 10:49	N	14808-79-8	Sulfate	8240	ug/L	[NULL]	[NULL]	[NULL]	R	B1N2L7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/4/2007 10:49	N	TEMPERATURE	Temperature	12.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1N2L8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	6/4/2007 10:49	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	50	ug/L	U	[NULL]	[NULL]	R	B1N2M0	TPHDIESEL	STLSL	WTPH_DIESEL	100-NR-2
199-N-123	6/4/2007 10:49	N	TPHGASOLINE	Total petroleum hydrocarbons - gasoline range	9.5	ug/L	U	[NULL]	[NULL]	R	B1N2M0	TPHGASOLINE	STLSL	WTPH_GASOLINE	100-NR-2
199-N-123	6/4/2007 10:49	N	10028-17-8	Tritium	-20	pCi/L	U	[NULL]	[NULL]	R	B1N2L7	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-123	6/4/2007 10:49	N	TURBIDITY	Turbidity	3.97	NTU	[NULL]	[NULL]	[NULL]	R	B1N2L8	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-123	6/4/2007 10:49	Y	7440-62-2	Vanadium	8.4	ug/L	C	G	[NULL]	R	B1N2L6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/4/2007 10:49	Y	7440-66-6	Zinc	7.5	ug/L	[NULL]	G	[NULL]	R	B1N2L6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/4/2007 10:49	N	PH	pH Measurement	7.56	unitless	[NULL]	[NULL]	[NULL]	R	B1N2L8	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-123	6/8/2007 8:10	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NV52	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2007 8:10	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NV52	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2007 8:10	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NV52	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2007 8:10	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV52	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2007 8:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV52	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2007 8:10	Y	7440-70-2	Calcium	17000	ug/L	D	[NULL]	[NULL]	S	B1NV52	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2007 8:10	Y	16887-00-6	Chloride	884	ug/L	D	[NULL]	[NULL]	S	B1NV52	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/8/2007 8:10	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV52	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2007 8:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NV52	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2007 8:10	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NV52	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2007 8:10	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NV52	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/8/2007 8:10	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NV52	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2007 8:10	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NV52	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2007 8:10	Y	7439-95-4	Magnesium	3450	ug/L	D	[NULL]	[NULL]	S	B1NV52	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2007 8:10	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1NV52	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2007 8:10	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NV52	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2007 8:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NV52	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2007 8:10	Y	14797-55-8	Nitrate	956	ug/L	BD	[NULL]	[NULL]	S	B1NV52	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/8/2007 8:10	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NV52	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/8/2007 8:10	Y	14265-44-2	Phosphate	4110	ug/L	BD	[NULL]	[NULL]	S	B1NV52	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/8/2007 8:10	Y	7440-09-7	Potassium	1330	ug/L	D	[NULL]	[NULL]	S	B1NV52	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2007 8:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NV52	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2007 8:10	Y	7440-23-5	Sodium	6150	ug/L	D	[NULL]	[NULL]	S	B1NV52	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2007 8:10	Y	7440-24-6	Strontium	96.3	ug/L	D	[NULL]	[NULL]	S	B1NV52	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2007 8:10	Y	10098-97-2	Strontium-90	140	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NV52	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	6/8/2007 8:10	Y	14808-79-8	Sulfate	6860	ug/L	D	[NULL]	[NULL]	S	B1NV52	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/8/2007 8:10	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NV52	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2007 8:10	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NV52	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2007 9:45	Y	7429-90-5	Aluminum	1400	ug/L	D	[NULL]	[NULL]	S	B1NV64	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2007 9:45	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NV64	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2007 9:45	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NV64	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2007 9:45	Y	7440-39-3	Barium	166	ug/L	D	[NULL]	[NULL]	S	B1NV64	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2007 9:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV64	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2007 9:45	Y	7440-70-2	Calcium	81200	ug/L	D	[NULL]	[NULL]	S	B1NV64	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2007 9:45	Y	16887-00-6	Chloride	58900	ug/L	D	[NULL]	[NULL]	S	B1NV64	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/9/2007 9:45	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV64	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2007 9:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NV64	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2007 9:45	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NV64	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2007 9:45	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NV64	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/9/2007 9:45	Y	7439-89-6	Iron	78.4	ug/L	D	[NULL]	[NULL]	S	B1NV64	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2007 9:45	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NV64	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2007 9:45	Y	7439-95-4	Magnesium	12200	ug/L	D	[NULL]	[NULL]	S	B1NV64	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2007 9:45	Y	7439-96-5	Manganese	632	ug/L	D	[NULL]	[NULL]	S	B1NV64	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2007 9:45	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NV64	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	6/9/2007 9:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NV64	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2007 9:45	Y	14797-55-8	Nitrate	850	ug/L	BD	[NULL]	[NULL]	S	B1NV64	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/9/2007 9:45	Y	14797-65-0	Nitrite	411	ug/L	BD	[NULL]	[NULL]	S	B1NV64	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/9/2007 9:45	Y	14265-44-2	Phosphate	552000	ug/L	D	[NULL]	[NULL]	S	B1NV64	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/9/2007 9:45	Y	7440-09-7	Potassium	3550	ug/L	D	[NULL]	[NULL]	S	B1NV64	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2007 9:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NV64	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2007 9:45	Y	7440-23-5	Sodium	315000	ug/L	D	[NULL]	[NULL]	S	B1NV64	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2007 9:45	Y	7440-24-6	Strontium	388	ug/L	D	[NULL]	[NULL]	S	B1NV64	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2007 9:45	Y	10098-97-2	Strontium-90	1100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NV64	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	6/9/2007 9:45	Y	14808-79-8	Sulfate	7100	ug/L	D	[NULL]	[NULL]	S	B1NV64	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/9/2007 9:45	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NV64	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2007 9:45	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NV64	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2007 9:20	Y	7429-90-5	Aluminum	2510	ug/L	D	[NULL]	[NULL]	S	B1NV76	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2007 9:20	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NV76	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2007 9:20	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NV76	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2007 9:20	Y	7440-39-3	Barium	207	ug/L	D	[NULL]	[NULL]	S	B1NV76	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2007 9:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV76	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2007 9:20	Y	7440-70-2	Calcium	92200	ug/L	D	[NULL]	[NULL]	S	B1NV76	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2007 9:20	Y	16887-00-6	Chloride	84900	ug/L	D	[NULL]	[NULL]	S	B1NV76	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/10/2007 9:20	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV76	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2007 9:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NV76	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2007 9:20	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NV76	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2007 9:20	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NV76	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/10/2007 9:20	Y	7439-89-6	Iron	245	ug/L	D	[NULL]	[NULL]	S	B1NV76	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2007 9:20	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NV76	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2007 9:20	Y	7439-95-4	Magnesium	11400	ug/L	D	[NULL]	[NULL]	S	B1NV76	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2007 9:20	Y	7439-96-5	Manganese	1670	ug/L	D	[NULL]	[NULL]	S	B1NV76	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2007 9:20	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NV76	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2007 9:20	Y	7440-02-0	Nickel	32.2	ug/L	D	[NULL]	[NULL]	S	B1NV76	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2007 9:20	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NV76	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/10/2007 9:20	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NV76	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/10/2007 9:20	Y	14265-44-2	Phosphate	638000	ug/L	D	[NULL]	[NULL]	S	B1NV76	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/10/2007 9:20	Y	7440-09-7	Potassium	4070	ug/L	D	[NULL]	[NULL]	S	B1NV76	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2007 9:20	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NV76	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2007 9:20	Y	7440-23-5	Sodium	449000	ug/L	D	[NULL]	[NULL]	S	B1NV76	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2007 9:20	Y	7440-24-6	Strontium	400	ug/L	D	[NULL]	[NULL]	S	B1NV76	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2007 9:20	Y	10098-97-2	Strontium-90	940	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NV76	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	6/10/2007 9:20	Y	14808-79-8	Sulfate	7180	ug/L	D	[NULL]	[NULL]	S	B1NV76	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/10/2007 9:20	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NV76	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2007 9:20	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NV76	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2007 18:40	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NV88	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2007 18:40	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NV88	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2007 18:40	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NV88	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2007 18:40	Y	7440-39-3	Barium	84	ug/L	D	[NULL]	[NULL]	S	B1NV88	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2007 18:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV88	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2007 18:40	Y	7440-70-2	Calcium	34300	ug/L	D	[NULL]	[NULL]	S	B1NV88	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2007 18:40	Y	16887-00-6	Chloride	64300	ug/L	D	[NULL]	[NULL]	S	B1NV88	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/11/2007 18:40	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV88	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2007 18:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NV88	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2007 18:40	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NV88	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2007 18:40	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NV88	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/11/2007 18:40	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NV88	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2007 18:40	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NV88	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2007 18:40	Y	7439-95-4	Magnesium	6210	ug/L	D	[NULL]	[NULL]	S	B1NV88	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2007 18:40	Y	7439-96-5	Manganese	487	ug/L	D	[NULL]	[NULL]	S	B1NV88	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	6/11/2007 18:40	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NV88	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2007 18:40	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NV88	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2007 18:40	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NV88	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/11/2007 18:40	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NV88	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/11/2007 18:40	Y	14265-44-2	Phosphate	380000	ug/L	D	[NULL]	[NULL]	S	B1NV88	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/11/2007 18:40	Y	7440-09-7	Potassium	3470	ug/L	D	[NULL]	[NULL]	S	B1NV88	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2007 18:40	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NV88	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2007 18:40	Y	7440-23-5	Sodium	358000	ug/L	D	[NULL]	[NULL]	S	B1NV88	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2007 18:40	Y	7440-24-6	Strontium	233	ug/L	D	[NULL]	[NULL]	S	B1NV88	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2007 18:40	Y	10098-97-2	Strontium-90	680	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NV88	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	6/11/2007 18:40	Y	14808-79-8	Sulfate	7630	ug/L	D	[NULL]	[NULL]	S	B1NV88	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/11/2007 18:40	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NV88	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2007 18:40	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NV88	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/12/2007 18:05	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVB0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/12/2007 18:05	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVB0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/12/2007 18:05	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVB0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/12/2007 18:05	Y	7440-39-3	Barium	25	ug/L	D	[NULL]	[NULL]	S	B1NVB0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/12/2007 18:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVB0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/12/2007 18:05	Y	7440-70-2	Calcium	8890	ug/L	D	[NULL]	[NULL]	S	B1NVB0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/12/2007 18:05	Y	16887-00-6	Chloride	14000	ug/L	D	[NULL]	[NULL]	S	B1NVB0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/12/2007 18:05	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVB0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/12/2007 18:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVB0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/12/2007 18:05	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVB0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/12/2007 18:05	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NVB0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/12/2007 18:05	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NVB0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/12/2007 18:05	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVB0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/12/2007 18:05	Y	7439-95-4	Magnesium	1480	ug/L	D	[NULL]	[NULL]	S	B1NVB0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/12/2007 18:05	Y	7439-96-5	Manganese	157	ug/L	D	[NULL]	[NULL]	S	B1NVB0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/12/2007 18:05	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVB0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/12/2007 18:05	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVB0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/12/2007 18:05	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NVB0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/12/2007 18:05	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NVB0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/12/2007 18:05	Y	14265-44-2	Phosphate	182000	ug/L	D	[NULL]	[NULL]	S	B1NVB0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/12/2007 18:05	Y	7440-09-7	Potassium	1500	ug/L	D	[NULL]	[NULL]	S	B1NVB0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/12/2007 18:05	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NVB0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/12/2007 18:05	Y	7440-23-5	Sodium	129000	ug/L	D	[NULL]	[NULL]	S	B1NVB0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/12/2007 18:05	Y	7440-24-6	Strontium	64.2	ug/L	D	[NULL]	[NULL]	S	B1NVB0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/12/2007 18:05	Y	10098-97-2	Strontium-90	170	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVB0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	6/12/2007 18:05	Y	14808-79-8	Sulfate	6750	ug/L	D	[NULL]	[NULL]	S	B1NVB0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/12/2007 18:05	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVB0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/12/2007 18:05	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVB0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2007 13:30	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVC2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2007 13:30	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVC2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2007 13:30	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVC2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2007 13:30	Y	7440-39-3	Barium	38	ug/L	D	[NULL]	[NULL]	S	B1NVC2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2007 13:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVC2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2007 13:30	Y	7440-70-2	Calcium	11600	ug/L	D	[NULL]	[NULL]	S	B1NVC2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2007 13:30	Y	16887-00-6	Chloride	14900	ug/L	D	[NULL]	[NULL]	S	B1NVC2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/13/2007 13:30	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVC2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2007 13:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVC2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2007 13:30	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVC2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2007 13:30	Y	16984-48-8	Fluoride	33	ug/L	DNU	[NULL]	[NULL]	S	B1NVC2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/13/2007 13:30	Y	7439-89-6	Iron	70.2	ug/L	D	[NULL]	[NULL]	S	B1NVC2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2007 13:30	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVC2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2007 13:30	Y	7439-95-4	Magnesium	1900	ug/L	D	[NULL]	[NULL]	S	B1NVC2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	6/13/2007 13:30	Y	7439-96-5	Manganese	344	ug/L	D	[NULL]	[NULL]	S	B1NVC2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2007 13:30	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVC2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2007 13:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVC2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2007 13:30	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVC2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/13/2007 13:30	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVC2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/13/2007 13:30	Y	14265-44-2	Phosphate	178000	ug/L	D	[NULL]	[NULL]	S	B1NVC2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/13/2007 13:30	Y	7440-09-7	Potassium	1810	ug/L	D	[NULL]	[NULL]	S	B1NVC2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2007 13:30	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NVC2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2007 13:30	Y	7440-23-5	Sodium	148000	ug/L	D	[NULL]	[NULL]	S	B1NVC2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2007 13:30	Y	7440-24-6	Strontium	84.8	ug/L	D	[NULL]	[NULL]	S	B1NVC2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2007 13:30	Y	10098-97-2	Strontium-90	160	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVC2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	6/13/2007 13:30	Y	14808-79-8	Sulfate	6630	ug/L	D	[NULL]	[NULL]	S	B1NVC2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/13/2007 13:30	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVC2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2007 13:30	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVC2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2007 17:00	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVD4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2007 17:00	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVD4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2007 17:00	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVD4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2007 17:00	Y	7440-39-3	Barium	35	ug/L	D	[NULL]	[NULL]	S	B1NVD4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2007 17:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVD4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2007 17:00	Y	7440-70-2	Calcium	16100	ug/L	D	[NULL]	[NULL]	S	B1NVD4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2007 17:00	Y	16887-00-6	Chloride	19900	ug/L	D	[NULL]	[NULL]	S	B1NVD4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/14/2007 17:00	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVD4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2007 17:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVD4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2007 17:00	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVD4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2007 17:00	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NVD4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/14/2007 17:00	Y	7439-89-6	Iron	49	ug/L	D	[NULL]	[NULL]	S	B1NVD4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2007 17:00	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVD4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2007 17:00	Y	7439-95-4	Magnesium	2760	ug/L	D	[NULL]	[NULL]	S	B1NVD4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2007 17:00	Y	7439-96-5	Manganese	1070	ug/L	D	[NULL]	[NULL]	S	B1NVD4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2007 17:00	Y	7439-98-7	Molybdenum	36.4	ug/L	D	[NULL]	[NULL]	S	B1NVD4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2007 17:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVD4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2007 17:00	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NVD4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/14/2007 17:00	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NVD4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/14/2007 17:00	Y	14265-44-2	Phosphate	178000	ug/L	D	[NULL]	[NULL]	S	B1NVD4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/14/2007 17:00	Y	7440-09-7	Potassium	2540	ug/L	CD	[NULL]	[NULL]	S	B1NVD4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2007 17:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVD4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2007 17:00	Y	7440-23-5	Sodium	170000	ug/L	D	[NULL]	[NULL]	S	B1NVD4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2007 17:00	Y	7440-24-6	Strontium	104	ug/L	D	[NULL]	[NULL]	S	B1NVD4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2007 17:00	Y	10098-97-2	Strontium-90	220	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVD4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	6/14/2007 17:00	Y	14808-79-8	Sulfate	6720	ug/L	D	[NULL]	[NULL]	S	B1NVD4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/14/2007 17:00	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVD4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2007 17:00	Y	7440-66-6	Zinc	20.3	ug/L	D	[NULL]	[NULL]	S	B1NVD4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/15/2007 6:40	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVM4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/15/2007 6:40	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVM4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/15/2007 6:40	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVM4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/15/2007 6:40	Y	7440-39-3	Barium	37	ug/L	D	[NULL]	[NULL]	S	B1NVM4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/15/2007 6:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVM4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/15/2007 6:40	Y	7440-70-2	Calcium	17800	ug/L	D	[NULL]	[NULL]	S	B1NVM4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/15/2007 6:40	Y	16887-00-6	Chloride	25100	ug/L	D	[NULL]	[NULL]	S	B1NVM4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/15/2007 6:40	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVM4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/15/2007 6:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVM4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/15/2007 6:40	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVM4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/15/2007 6:40	Y	16984-48-8	Fluoride	33	ug/L	DNU	[NULL]	[NULL]	S	B1NVM4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/15/2007 6:40	Y	7439-89-6	Iron	75.9	ug/L	CD	[NULL]	[NULL]	S	B1NVM4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/15/2007 6:40	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVM4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	6/15/2007 6:40	Y	7439-95-4	Magnesium	3090	ug/L	CD	[NULL]	[NULL]	S	B1NVM4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/15/2007 6:40	Y	7439-96-5	Manganese	968	ug/L	D	[NULL]	[NULL]	S	B1NVM4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/15/2007 6:40	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVM4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/15/2007 6:40	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVM4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/15/2007 6:40	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVM4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/15/2007 6:40	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVM4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/15/2007 6:40	Y	14265-44-2	Phosphate	187000	ug/L	D	[NULL]	[NULL]	S	B1NVM4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/15/2007 6:40	Y	7440-09-7	Potassium	2420	ug/L	D	[NULL]	[NULL]	S	B1NVM4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/15/2007 6:40	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVM4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/15/2007 6:40	Y	7440-23-5	Sodium	188000	ug/L	D	[NULL]	[NULL]	S	B1NVM4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/15/2007 6:40	Y	7440-24-6	Strontium	110	ug/L	D	[NULL]	[NULL]	S	B1NVM4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/15/2007 6:40	Y	10098-97-2	Strontium-90	390	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVM4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	6/15/2007 6:40	Y	14808-79-8	Sulfate	6000	ug/L	D	[NULL]	[NULL]	S	B1NVM4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/15/2007 6:40	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVM4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/15/2007 6:40	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVM4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/17/2007 7:52	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVR8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/17/2007 7:52	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVR8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/17/2007 7:52	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVR8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/17/2007 7:52	Y	7440-39-3	Barium	29	ug/L	D	[NULL]	[NULL]	S	B1NVR8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/17/2007 7:52	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/17/2007 7:52	Y	7440-70-2	Calcium	10400	ug/L	D	[NULL]	[NULL]	S	B1NVR8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/17/2007 7:52	Y	16887-00-6	Chloride	7780	ug/L	D	[NULL]	[NULL]	S	B1NVR8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/17/2007 7:52	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/17/2007 7:52	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/17/2007 7:52	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/17/2007 7:52	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVR8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/17/2007 7:52	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NVR8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/17/2007 7:52	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVR8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/17/2007 7:52	Y	7439-95-4	Magnesium	1710	ug/L	D	[NULL]	[NULL]	S	B1NVR8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/17/2007 7:52	Y	7439-96-5	Manganese	441	ug/L	D	[NULL]	[NULL]	S	B1NVR8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/17/2007 7:52	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/17/2007 7:52	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/17/2007 7:52	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVR8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/17/2007 7:52	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVR8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/17/2007 7:52	Y	14265-44-2	Phosphate	105000	ug/L	D	[NULL]	[NULL]	S	B1NVR8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/17/2007 7:52	Y	7440-09-7	Potassium	1570	ug/L	D	[NULL]	[NULL]	S	B1NVR8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/17/2007 7:52	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVR8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/17/2007 7:52	Y	7440-23-5	Sodium	96300	ug/L	D	[NULL]	[NULL]	S	B1NVR8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/17/2007 7:52	Y	7440-24-6	Strontium	68.8	ug/L	D	[NULL]	[NULL]	S	B1NVR8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/17/2007 7:52	Y	10098-97-2	Strontium-90	130	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVR8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	6/17/2007 7:52	Y	14808-79-8	Sulfate	6790	ug/L	D	[NULL]	[NULL]	S	B1NVR8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/17/2007 7:52	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVR8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/17/2007 7:52	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/19/2007 10:30	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVX2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/19/2007 10:30	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVX2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/19/2007 10:30	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVX2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/19/2007 10:30	Y	7440-39-3	Barium	42	ug/L	D	[NULL]	[NULL]	S	B1NVX2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/19/2007 10:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVX2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/19/2007 10:30	Y	7440-70-2	Calcium	22700	ug/L	D	[NULL]	[NULL]	S	B1NVX2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/19/2007 10:30	Y	16887-00-6	Chloride	23000	ug/L	D	[NULL]	[NULL]	S	B1NVX2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/19/2007 10:30	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVX2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/19/2007 10:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVX2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/19/2007 10:30	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVX2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/19/2007 10:30	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NVX2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/19/2007 10:30	Y	7439-89-6	Iron	70.8	ug/L	CD	[NULL]	[NULL]	S	B1NVX2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	6/19/2007 10:30	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVX2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/19/2007 10:30	Y	7439-95-4	Magnesium	4380	ug/L	D	[NULL]	[NULL]	S	B1NVX2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/19/2007 10:30	Y	7439-96-5	Manganese	1790	ug/L	D	[NULL]	[NULL]	S	B1NVX2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/19/2007 10:30	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVX2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/19/2007 10:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVX2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/19/2007 10:30	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1NVX2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/19/2007 10:30	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1NVX2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/19/2007 10:30	Y	14265-44-2	Phosphate	107000	ug/L	D	[NULL]	[NULL]	S	B1NVX2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/19/2007 10:30	Y	7440-09-7	Potassium	2190	ug/L	D	[NULL]	[NULL]	S	B1NVX2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/19/2007 10:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVX2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/19/2007 10:30	Y	7440-23-5	Sodium	146000	ug/L	D	[NULL]	[NULL]	S	B1NVX2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/19/2007 10:30	Y	7440-24-6	Strontium	121	ug/L	D	[NULL]	[NULL]	S	B1NVX2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/19/2007 10:30	Y	10098-97-2	Strontium-90	370	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVX2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	6/19/2007 10:30	Y	14808-79-8	Sulfate	5310	ug/L	D	[NULL]	[NULL]	S	B1NVX2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/19/2007 10:30	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVX2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/19/2007 10:30	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVX2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/21/2007 15:00	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NW05	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/21/2007 15:00	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NW05	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/21/2007 15:00	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NW05	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/21/2007 15:00	Y	7440-39-3	Barium	36	ug/L	D	[NULL]	[NULL]	S	B1NW05	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/21/2007 15:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW05	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/21/2007 15:00	Y	7440-70-2	Calcium	17000	ug/L	D	[NULL]	[NULL]	S	B1NW05	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/21/2007 15:00	Y	16887-00-6	Chloride	16300	ug/L	D	[NULL]	[NULL]	S	B1NW05	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/21/2007 15:00	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW05	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/21/2007 15:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NW05	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/21/2007 15:00	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NW05	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/21/2007 15:00	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NW05	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/21/2007 15:00	Y	7439-89-6	Iron	46.4	ug/L	CD	[NULL]	[NULL]	S	B1NW05	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/21/2007 15:00	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NW05	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/21/2007 15:00	Y	7439-95-4	Magnesium	3010	ug/L	D	[NULL]	[NULL]	S	B1NW05	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/21/2007 15:00	Y	7439-96-5	Manganese	489	ug/L	D	[NULL]	[NULL]	S	B1NW05	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/21/2007 15:00	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NW05	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/21/2007 15:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NW05	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/21/2007 15:00	Y	14797-55-8	Nitrate	44300	ug/L	D	[NULL]	[NULL]	S	B1NW05	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/21/2007 15:00	Y	14797-65-0	Nitrite	2220	ug/L	D	[NULL]	[NULL]	S	B1NW05	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/21/2007 15:00	Y	14265-44-2	Phosphate	103000	ug/L	D	[NULL]	[NULL]	S	B1NW05	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/21/2007 15:00	Y	7440-09-7	Potassium	2000	ug/L	D	[NULL]	[NULL]	S	B1NW05	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/21/2007 15:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NW05	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/21/2007 15:00	Y	7440-23-5	Sodium	141000	ug/L	D	[NULL]	[NULL]	S	B1NW05	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/21/2007 15:00	Y	7440-24-6	Strontium	114	ug/L	D	[NULL]	[NULL]	S	B1NW05	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/21/2007 15:00	Y	10098-97-2	Strontium-90	210	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NW05	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	6/21/2007 15:00	Y	14808-79-8	Sulfate	7150	ug/L	D	[NULL]	[NULL]	S	B1NW05	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/21/2007 15:00	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NW05	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/21/2007 15:00	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NW05	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/22/2007 9:11	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NJK8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/22/2007 9:11	Y	7440-36-0	Antimony	211	ug/L	D	[NULL]	[NULL]	S	B1NJK8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/22/2007 9:11	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NJK8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/22/2007 9:11	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NJK8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/22/2007 9:11	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NJK8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/22/2007 9:11	Y	7440-70-2	Calcium	6670	ug/L	D	[NULL]	[NULL]	S	B1NJK8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/22/2007 9:11	Y	16887-00-6	Chloride	3930	ug/L	D	[NULL]	[NULL]	S	B1NJK8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/22/2007 9:11	Y	7440-47-3	Chromium	27.3	ug/L	D	[NULL]	[NULL]	S	B1NJK8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/22/2007 9:11	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NJK8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/22/2007 9:11	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NJK8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/22/2007 9:11	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NJK8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	6/22/2007 9:11	Y	7439-89-6	Iron	95.1	ug/L	D	[NULL]	[NULL]	S	B1NJK8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/22/2007 9:11	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NJK8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/22/2007 9:11	Y	7439-95-4	Magnesium	1290	ug/L	D	[NULL]	[NULL]	S	B1NJK8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/22/2007 9:11	Y	7439-96-5	Manganese	21	ug/L	D	[NULL]	[NULL]	S	B1NJK8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/22/2007 9:11	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NJK8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/22/2007 9:11	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NJK8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/22/2007 9:11	Y	14797-55-8	Nitrate	8770	ug/L	D	[NULL]	[NULL]	S	B1NJK8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/22/2007 9:11	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NJK8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/22/2007 9:11	Y	14265-44-2	Phosphate	62200	ug/L	D	[NULL]	[NULL]	S	B1NJK8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/22/2007 9:11	Y	7440-09-7	Potassium	1710	ug/L	CD	[NULL]	[NULL]	S	B1NJK8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/22/2007 9:11	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NJK8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/22/2007 9:11	Y	7440-23-5	Sodium	66900	ug/L	D	[NULL]	[NULL]	S	B1NJK8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/22/2007 9:11	Y	7440-24-6	Strontium	52.2	ug/L	D	[NULL]	[NULL]	S	B1NJK8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/22/2007 9:11	Y	10098-97-2	Strontium-90	140	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NJK8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	6/22/2007 9:11	Y	14808-79-8	Sulfate	7780	ug/L	D	[NULL]	[NULL]	S	B1NJK8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/22/2007 9:11	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NJK8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/22/2007 9:11	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NJK8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/29/2007 8:05	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P382	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/29/2007 8:05	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P382	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/29/2007 8:05	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P382	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/29/2007 8:05	Y	7440-39-3	Barium	27	ug/L	D	[NULL]	[NULL]	S	B1P382	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/29/2007 8:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P382	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/29/2007 8:05	Y	7440-70-2	Calcium	34100	ug/L	D	[NULL]	[NULL]	S	B1P382	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/29/2007 8:05	Y	16887-00-6	Chloride	38400	ug/L	D	[NULL]	[NULL]	S	B1P382	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/29/2007 8:05	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P382	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/29/2007 8:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P382	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/29/2007 8:05	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P382	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/29/2007 8:05	Y	16984-48-8	Fluoride	105	ug/L	BD	[NULL]	[NULL]	S	B1P382	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/29/2007 8:05	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1P382	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/29/2007 8:05	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P382	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/29/2007 8:05	Y	7439-95-4	Magnesium	7060	ug/L	D	[NULL]	[NULL]	S	B1P382	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/29/2007 8:05	Y	7439-96-5	Manganese	1290	ug/L	D	[NULL]	[NULL]	S	B1P382	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/29/2007 8:05	Y	7439-98-7	Molybdenum	44	ug/L	CD	[NULL]	[NULL]	S	B1P382	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/29/2007 8:05	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P382	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/29/2007 8:05	Y	14797-55-8	Nitrate	624	ug/L	BD	[NULL]	[NULL]	S	B1P382	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/29/2007 8:05	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P382	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/29/2007 8:05	Y	14265-44-2	Phosphate	93500	ug/L	D	[NULL]	[NULL]	S	B1P382	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/29/2007 8:05	Y	7440-09-7	Potassium	2720	ug/L	D	[NULL]	[NULL]	S	B1P382	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/29/2007 8:05	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P382	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/29/2007 8:05	Y	7440-23-5	Sodium	195000	ug/L	D	[NULL]	[NULL]	S	B1P382	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/29/2007 8:05	Y	7440-24-6	Strontium	144	ug/L	D	[NULL]	[NULL]	S	B1P382	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/29/2007 8:05	Y	10098-97-2	Strontium-90	580	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P382	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	6/29/2007 8:05	Y	14808-79-8	Sulfate	5120	ug/L	D	[NULL]	[NULL]	S	B1P382	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/29/2007 8:05	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P382	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/29/2007 8:05	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P382	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/6/2007 10:24	N	ALKALINITY	Alkalinity	140000	ug/L	[NULL]	[NULL]	[NULL]	R	B1NJ47	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-123	7/6/2007 10:24	Y	7440-36-0	Antimony	32	ug/L	U	G	[NULL]	R	B1NJC8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/6/2007 10:24	N	14234-35-6	Antimony-125	0.483	pCi/L	U	[NULL]	[NULL]	R	B1NJ45	14234-35-6	STLRL	GAMMA_GS	100-NR-2
199-N-123	7/6/2007 10:24	Y	7440-39-3	Barium	19.6	ug/L	[NULL]	G	[NULL]	R	B1NJC8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/6/2007 10:24	Y	7440-41-7	Beryllium	4	ug/L	U	G	[NULL]	R	B1NJC8	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/6/2007 10:24	N	13966-02-4	Beryllium-7	0.293	pCi/L	U	[NULL]	[NULL]	R	B1NJ45	13966-02-4	STLRL	GAMMA_GS	100-NR-2
199-N-123	7/6/2007 10:24	Y	7440-43-9	Cadmium	4	ug/L	U	G	[NULL]	R	B1NJC8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/6/2007 10:24	Y	7440-70-2	Calcium	11900	ug/L	[NULL]	G	[NULL]	R	B1NJC8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/6/2007 10:24	N	13967-70-9	Cesium-134	0.325	pCi/L	U	[NULL]	[NULL]	R	B1NJ45	13967-70-9	STLRL	GAMMA_GS	100-NR-2
199-N-123	7/6/2007 10:24	N	10045-97-3	Cesium-137	2.01	pCi/L	U	[NULL]	[NULL]	R	B1NJ45	10045-97-3	STLRL	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	7/6/2007 10:24	N	16887-00-6	Chloride	4700	ug/L	CD	[NULL]	[NULL]	R	B1NJ46	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	7/6/2007 10:24	Y	7440-47-3	Chromium	4	ug/L	U	G	[NULL]	R	B1NJC8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/6/2007 10:24	Y	7440-48-4	Cobalt	12.7	ug/L	C	G	[NULL]	R	B1NJC8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/6/2007 10:24	N	10198-40-0	Cobalt-60	1.07	pCi/L	U	[NULL]	[NULL]	R	B1NJ45	10198-40-0	STLRL	GAMMA_GS	100-NR-2
199-N-123	7/6/2007 10:24	Y	7440-50-8	Copper	15.9	ug/L	C	G	[NULL]	R	B1NJC8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/6/2007 10:24	N	DO	Dissolved oxygen	4010	ug/L	[NULL]	[NULL]	[NULL]	R	B1NJ44	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-123	7/6/2007 10:24	N	14683-23-9	Europium-152	3.6	pCi/L	U	[NULL]	[NULL]	R	B1NJ45	14683-23-9	STLRL	GAMMA_GS	100-NR-2
199-N-123	7/6/2007 10:24	N	15585-10-1	Europium-154	1.33	pCi/L	U	[NULL]	[NULL]	R	B1NJ45	15585-10-1	STLRL	GAMMA_GS	100-NR-2
199-N-123	7/6/2007 10:24	N	14391-16-3	Europium-155	-2.17	pCi/L	U	[NULL]	[NULL]	R	B1NJ45	14391-16-3	STLRL	GAMMA_GS	100-NR-2
199-N-123	7/6/2007 10:24	N	16984-48-8	Fluoride	25	ug/L	UN	[NULL]	[NULL]	R	B1NJ46	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	7/6/2007 10:24	N	12587-46-1	Gross alpha	0.87	pCi/L	U	[NULL]	[NULL]	R	B1NJ47	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-123	7/6/2007 10:24	N	12587-47-2	Gross beta	370	pCi/L	[NULL]	[NULL]	[NULL]	R	B1NJ47	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-123	7/6/2007 10:24	Y	7439-89-6	Iron	57.4	ug/L	[NULL]	G	[NULL]	R	B1NJC8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/6/2007 10:24	Y	7439-95-4	Magnesium	2060	ug/L	[NULL]	G	[NULL]	R	B1NJC8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/6/2007 10:24	Y	7439-96-5	Manganese	174	ug/L	[NULL]	G	[NULL]	R	B1NJC8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/6/2007 10:24	Y	7440-02-0	Nickel	4	ug/L	U	G	[NULL]	R	B1NJC8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/6/2007 10:24	N	14797-55-8	Nitrate	9300	ug/L	D	[NULL]	[NULL]	R	B1NJ46	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	7/6/2007 10:24	N	14797-65-0	Nitrite	154	ug/L	N	[NULL]	[NULL]	R	B1NJ46	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	7/6/2007 10:24	N	14265-44-2	Phosphate	60800	ug/L	CDN	[NULL]	[NULL]	R	B1NJ46	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	7/6/2007 10:24	Y	7440-09-7	Potassium	1300	ug/L	[NULL]	G	[NULL]	R	B1NJC8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/6/2007 10:24	N	13966-00-2	Potassium-40	-28.2	pCi/L	U	[NULL]	[NULL]	R	B1NJ45	13966-00-2	STLRL	GAMMA_GS	100-NR-2
199-N-123	7/6/2007 10:24	N	13967-48-1	Ruthenium-106	-1.36	pCi/L	U	[NULL]	[NULL]	R	B1NJ45	13967-48-1	STLRL	GAMMA_GS	100-NR-2
199-N-123	7/6/2007 10:24	Y	7440-22-4	Silver	5	ug/L	U	G	[NULL]	R	B1NJC8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/6/2007 10:24	Y	7440-23-5	Sodium	67700	ug/L	[NULL]	G	[NULL]	R	B1NJC8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/6/2007 10:24	N	CONDUCT	Specific Conductance	341	uS/cm	[NULL]	[NULL]	[NULL]	R	B1NJ44	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-123	7/6/2007 10:24	Y	7440-24-6	Strontium	63.1	ug/L	[NULL]	G	[NULL]	R	B1NJC8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/6/2007 10:24	N	10098-97-2	Strontium-90	224	pCi/L	[NULL]	[NULL]	[NULL]	R	B1NJD1	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-123	7/6/2007 10:24	N	14808-79-8	Sulfate	8000	ug/L	N	[NULL]	[NULL]	R	B1NJ46	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-123	7/6/2007 10:24	N	TEMPERATURE	Temperature	17.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1NJ44	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-123	7/6/2007 10:24	N	TOC	Total organic carbon	1800	ug/L	[NULL]	[NULL]	[NULL]	R	B1NJ46	TOC	STLSL	9060_TOC	100-NR-2
199-N-123	7/6/2007 10:24	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	50	ug/L	U	[NULL]	[NULL]	R	B1NJD2	TPHDIESEL	STLSL	WTPH_DIESEL	100-NR-2
199-N-123	7/6/2007 10:24	N	TPHGASOLINE	Total petroleum hydrocarbons - gasoline range	9.5	ug/L	U	[NULL]	[NULL]	R	B1NJD2	TPHGASOLINE	STLSL	WTPH_GASOLINE	100-NR-2
199-N-123	7/6/2007 10:24	N	10028-17-8	Tritium	82	pCi/L	U	[NULL]	[NULL]	R	B1NJC9	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-123	7/6/2007 10:24	N	TURBIDITY	Turbidity	5.89	NTU	[NULL]	[NULL]	[NULL]	R	B1NJ44	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-123	7/6/2007 10:24	Y	7440-62-2	Vanadium	15.2	ug/L	C	G	[NULL]	R	B1NJC8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/6/2007 10:24	Y	7440-66-6	Zinc	5.7	ug/L	C	G	[NULL]	R	B1NJC8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/6/2007 10:24	N	PH	pH Measurement	7.61	unitless	[NULL]	[NULL]	[NULL]	R	B1NJ44	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-123	7/8/2007 8:35	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P3B5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/8/2007 8:35	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P3B5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/8/2007 8:35	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P3B5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/8/2007 8:35	Y	7440-39-3	Barium	24	ug/L	D	[NULL]	[NULL]	S	B1P3B5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/8/2007 8:35	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3B5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/8/2007 8:35	Y	7440-70-2	Calcium	40800	ug/L	D	[NULL]	[NULL]	S	B1P3B5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/8/2007 8:35	Y	16887-00-6	Chloride	38100	ug/L	D	[NULL]	[NULL]	S	B1P3B5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/8/2007 8:35	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3B5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/8/2007 8:35	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P3B5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/8/2007 8:35	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P3B5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/8/2007 8:35	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P3B5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/8/2007 8:35	Y	7439-89-6	Iron	182	ug/L	CD	[NULL]	[NULL]	S	B1P3B5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/8/2007 8:35	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P3B5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/8/2007 8:35	Y	7439-95-4	Magnesium	8130	ug/L	D	[NULL]	[NULL]	S	B1P3B5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	7/8/2007 8:35	Y	7439-96-5	Manganese	1090	ug/L	D	[NULL]	[NULL]	S	B1P3B5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/8/2007 8:35	Y	7439-98-7	Molybdenum	26.2	ug/L	D	[NULL]	[NULL]	S	B1P3B5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/8/2007 8:35	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P3B5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/8/2007 8:35	Y	14797-55-8	Nitrate	456	ug/L	BD	[NULL]	[NULL]	S	B1P3B5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/8/2007 8:35	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P3B5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/8/2007 8:35	Y	14265-44-2	Phosphate	101000	ug/L	D	[NULL]	[NULL]	S	B1P3B5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/8/2007 8:35	Y	7440-09-7	Potassium	2840	ug/L	D	[NULL]	[NULL]	S	B1P3B5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/8/2007 8:35	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P3B5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/8/2007 8:35	Y	7440-23-5	Sodium	211000	ug/L	D	[NULL]	[NULL]	S	B1P3B5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/8/2007 8:35	Y	7440-24-6	Strontium	159	ug/L	D	[NULL]	[NULL]	S	B1P3B5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/8/2007 8:35	Y	10098-97-2	Strontium-90	850	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P3B5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	7/8/2007 8:35	Y	14808-79-8	Sulfate	3400	ug/L	BD	[NULL]	[NULL]	S	B1P3B5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/8/2007 8:35	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P3B5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/8/2007 8:35	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P3B5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/13/2007 7:35	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P3D8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/13/2007 7:35	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P3D8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/13/2007 7:35	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P3D8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/13/2007 7:35	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/13/2007 7:35	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/13/2007 7:35	Y	7440-70-2	Calcium	17900	ug/L	D	[NULL]	[NULL]	S	B1P3D8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/13/2007 7:35	Y	16887-00-6	Chloride	9520	ug/L	D	[NULL]	[NULL]	S	B1P3D8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/13/2007 7:35	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/13/2007 7:35	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/13/2007 7:35	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/13/2007 7:35	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P3D8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/13/2007 7:35	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1P3D8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/13/2007 7:35	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P3D8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/13/2007 7:35	Y	7439-95-4	Magnesium	3240	ug/L	D	[NULL]	[NULL]	S	B1P3D8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/13/2007 7:35	Y	7439-96-5	Manganese	227	ug/L	D	[NULL]	[NULL]	S	B1P3D8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/13/2007 7:35	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/13/2007 7:35	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/13/2007 7:35	Y	14797-55-8	Nitrate	17300	ug/L	D	[NULL]	[NULL]	S	B1P3D8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/13/2007 7:35	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P3D8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/13/2007 7:35	Y	14265-44-2	Phosphate	73900	ug/L	D	[NULL]	[NULL]	S	B1P3D8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/13/2007 7:35	Y	7440-09-7	Potassium	1880	ug/L	D	[NULL]	[NULL]	S	B1P3D8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/13/2007 7:35	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P3D8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/13/2007 7:35	Y	7440-23-5	Sodium	106000	ug/L	D	[NULL]	[NULL]	S	B1P3D8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/13/2007 7:35	Y	7440-24-6	Strontium	97.4	ug/L	D	[NULL]	[NULL]	S	B1P3D8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/13/2007 7:35	Y	10098-97-2	Strontium-90	360	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P3D8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	7/13/2007 7:35	Y	14808-79-8	Sulfate	7590	ug/L	D	[NULL]	[NULL]	S	B1P3D8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/13/2007 7:35	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P3D8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/13/2007 7:35	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/20/2007 10:10	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NW38	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/20/2007 10:10	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NW38	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/20/2007 10:10	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NW38	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/20/2007 10:10	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW38	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/20/2007 10:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW38	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/20/2007 10:10	Y	7440-70-2	Calcium	25200	ug/L	D	[NULL]	[NULL]	S	B1NW38	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/20/2007 10:10	Y	16887-00-6	Chloride	20900	ug/L	D	[NULL]	[NULL]	S	B1NW38	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/20/2007 10:10	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW38	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/20/2007 10:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NW38	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/20/2007 10:10	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NW38	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/20/2007 10:10	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NW38	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/20/2007 10:10	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NW38	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/20/2007 10:10	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NW38	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	7/20/2007 10:10	Y	7439-95-4	Magnesium	5050	ug/L	D	[NULL]	[NULL]	S	B1NW38	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/20/2007 10:10	Y	7439-96-5	Manganese	697	ug/L	D	[NULL]	[NULL]	S	B1NW38	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/20/2007 10:10	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NW38	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/20/2007 10:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NW38	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/20/2007 10:10	Y	14797-55-8	Nitrate	288	ug/L	BD	[NULL]	[NULL]	S	B1NW38	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/20/2007 10:10	Y	14797-65-0	Nitrite	266	ug/L	BD	[NULL]	[NULL]	S	B1NW38	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/20/2007 10:10	Y	14265-44-2	Phosphate	92600	ug/L	D	[NULL]	[NULL]	S	B1NW38	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/20/2007 10:10	Y	7440-09-7	Potassium	2370	ug/L	D	[NULL]	[NULL]	S	B1NW38	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/20/2007 10:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NW38	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/20/2007 10:10	Y	7440-23-5	Sodium	163000	ug/L	D	[NULL]	[NULL]	S	B1NW38	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/20/2007 10:10	Y	7440-24-6	Strontium	105	ug/L	D	[NULL]	[NULL]	S	B1NW38	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/20/2007 10:10	Y	10098-97-2	Strontium-90	460	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NW38	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	7/20/2007 10:10	Y	14808-79-8	Sulfate	6230	ug/L	D	[NULL]	[NULL]	S	B1NW38	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/20/2007 10:10	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NW38	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/20/2007 10:10	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NW38	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/27/2007 10:15	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NW51	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/27/2007 10:15	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NW51	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/27/2007 10:15	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NW51	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/27/2007 10:15	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW51	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/27/2007 10:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW51	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/27/2007 10:15	Y	7440-70-2	Calcium	11900	ug/L	D	[NULL]	[NULL]	S	B1NW51	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/27/2007 10:15	Y	16887-00-6	Chloride	2170	ug/L	D	[NULL]	[NULL]	S	B1NW51	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/27/2007 10:15	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW51	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/27/2007 10:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NW51	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/27/2007 10:15	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NW51	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/27/2007 10:15	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NW51	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/27/2007 10:15	Y	7439-89-6	Iron	45	ug/L	DNU	[NULL]	[NULL]	S	B1NW51	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/27/2007 10:15	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NW51	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/27/2007 10:15	Y	7439-95-4	Magnesium	1840	ug/L	D	[NULL]	[NULL]	S	B1NW51	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/27/2007 10:15	Y	7439-96-5	Manganese	31	ug/L	D	[NULL]	[NULL]	S	B1NW51	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/27/2007 10:15	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NW51	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/27/2007 10:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NW51	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/27/2007 10:15	Y	14797-55-8	Nitrate	4830	ug/L	D	[NULL]	[NULL]	S	B1NW51	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/27/2007 10:15	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1NW51	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/27/2007 10:15	Y	14265-44-2	Phosphate	43500	ug/L	D	[NULL]	[NULL]	S	B1NW51	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/27/2007 10:15	Y	7440-09-7	Potassium	1920	ug/L	D	[NULL]	[NULL]	S	B1NW51	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/27/2007 10:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NW51	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/27/2007 10:15	Y	7440-23-5	Sodium	43600	ug/L	D	[NULL]	[NULL]	S	B1NW51	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/27/2007 10:15	Y	7440-24-6	Strontium	63.5	ug/L	D	[NULL]	[NULL]	S	B1NW51	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/27/2007 10:15	Y	10098-97-2	Strontium-90	170	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NW51	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	7/27/2007 10:15	Y	14808-79-8	Sulfate	8840	ug/L	D	[NULL]	[NULL]	S	B1NW51	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/27/2007 10:15	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NW51	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/27/2007 10:15	Y	7440-66-6	Zinc	20.1	ug/L	D	[NULL]	[NULL]	S	B1NW51	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/2/2007 12:16	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1P576	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/2/2007 12:16	Y	7440-39-3	Barium	17.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1P576	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/2/2007 12:16	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1P576	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/2/2007 12:16	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1P576	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/2/2007 12:16	Y	7440-70-2	Calcium	12700	ug/L	[NULL]	[NULL]	[NULL]	R	B1P576	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/2/2007 12:16	N	16887-00-6	Chloride	3860	ug/L	[NULL]	[NULL]	[NULL]	R	B1P577	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	8/2/2007 12:16	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	R	B1P576	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/2/2007 12:16	Y	7440-48-4	Cobalt	9.5	ug/L	C	[NULL]	[NULL]	R	B1P576	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/2/2007 12:16	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1P576	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/2/2007 12:16	N	DO	Dissolved oxygen	3710	ug/L	[NULL]	[NULL]	[NULL]	R	B1P578	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-123	8/2/2007 12:16	N	16984-48-8	Fluoride	85.1	ug/L	B	[NULL]	[NULL]	R	B1P577	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	8/2/2007 12:16	N	12587-47-2	Gross beta	524	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P579	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	8/2/2007 12:16	Y	7439-89-6	Iron	52.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1P576	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/2/2007 12:16	Y	7439-95-4	Magnesium	2230	ug/L	[NULL]	[NULL]	[NULL]	R	B1P576	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/2/2007 12:16	Y	7439-96-5	Manganese	11.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1P576	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/2/2007 12:16	Y	7440-02-0	Nickel	13.8	ug/L	C	[NULL]	[NULL]	R	B1P576	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/2/2007 12:16	N	14797-55-8	Nitrate	3920	ug/L	[NULL]	[NULL]	[NULL]	R	B1P577	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	8/2/2007 12:16	N	14797-65-0	Nitrite	327	ug/L	[NULL]	[NULL]	[NULL]	R	B1P577	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	8/2/2007 12:16	Y	7440-09-7	Potassium	1400	ug/L	[NULL]	[NULL]	[NULL]	R	B1P576	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/2/2007 12:16	Y	7440-22-4	Silver	18.2	ug/L	C	[NULL]	[NULL]	R	B1P576	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/2/2007 12:16	Y	7440-23-5	Sodium	66200	ug/L	[NULL]	[NULL]	[NULL]	R	B1P576	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/2/2007 12:16	N	CONDUCT	Specific Conductance	353	uS/cm	[NULL]	[NULL]	[NULL]	R	B1P578	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-123	8/2/2007 12:16	Y	7440-24-6	Strontium	62.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1P576	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/2/2007 12:16	N	10098-97-2	Strontium-90	265	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P579	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-123	8/2/2007 12:16	N	14808-79-8	Sulfate	8930	ug/L	[NULL]	[NULL]	[NULL]	R	B1P577	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	8/2/2007 12:16	N	TEMPERATURE	Temperature	15.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1P578	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-123	8/2/2007 12:16	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	33	ug/L	U	H	[NULL]	R	B1P580	TPHDIESEL	STLSL	WTPH_DIESEL	100-NR-2
199-N-123	8/2/2007 12:16	N	TPHGASOLINE	Total petroleum hydrocarbons - gasoline range	9.5	ug/L	U	[NULL]	[NULL]	R	B1P580	TPHGASOLINE	STLSL	WTPH_GASOLINE	100-NR-2
199-N-123	8/2/2007 12:16	N	10028-17-8	Tritium	0.45	pCi/L	U	[NULL]	[NULL]	R	B1P577	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-123	8/2/2007 12:16	N	TURBIDITY	Turbidity	11.4	NTU	[NULL]	[NULL]	[NULL]	R	B1P578	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-123	8/2/2007 12:16	Y	7440-62-2	Vanadium	27.7	ug/L	C	[NULL]	[NULL]	R	B1P576	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/2/2007 12:16	Y	7440-66-6	Zinc	47.7	ug/L	C	[NULL]	[NULL]	R	B1P576	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/2/2007 12:16	N	PH	pH Measurement	7.61	unitless	[NULL]	[NULL]	[NULL]	R	B1P578	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-123	8/3/2007 10:10	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NW64	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/3/2007 10:10	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NW64	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/3/2007 10:10	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NW64	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/3/2007 10:10	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW64	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/3/2007 10:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW64	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/3/2007 10:10	Y	7440-70-2	Calcium	20800	ug/L	D	[NULL]	[NULL]	S	B1NW64	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/3/2007 10:10	Y	16887-00-6	Chloride	11700	ug/L	D	[NULL]	[NULL]	S	B1NW64	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	8/3/2007 10:10	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW64	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/3/2007 10:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NW64	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/3/2007 10:10	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NW64	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/3/2007 10:10	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NW64	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	8/3/2007 10:10	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NW64	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/3/2007 10:10	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NW64	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/3/2007 10:10	Y	7439-95-4	Magnesium	3730	ug/L	D	[NULL]	[NULL]	S	B1NW64	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/3/2007 10:10	Y	7439-96-5	Manganese	290	ug/L	D	[NULL]	[NULL]	S	B1NW64	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/3/2007 10:10	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NW64	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/3/2007 10:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NW64	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/3/2007 10:10	Y	14797-55-8	Nitrate	5140	ug/L	D	[NULL]	[NULL]	S	B1NW64	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	8/3/2007 10:10	Y	14797-65-0	Nitrite	953	ug/L	BD	[NULL]	[NULL]	S	B1NW64	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	8/3/2007 10:10	Y	14265-44-2	Phosphate	99000	ug/L	D	[NULL]	[NULL]	S	B1NW64	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	8/3/2007 10:10	Y	7440-09-7	Potassium	2190	ug/L	D	[NULL]	[NULL]	S	B1NW64	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/3/2007 10:10	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NW64	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/3/2007 10:10	Y	7440-23-5	Sodium	140000	ug/L	D	[NULL]	[NULL]	S	B1NW64	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/3/2007 10:10	Y	7440-24-6	Strontium	75.1	ug/L	D	[NULL]	[NULL]	S	B1NW64	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/3/2007 10:10	Y	10098-97-2	Strontium-90	380	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NW64	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	8/3/2007 10:10	Y	14808-79-8	Sulfate	7140	ug/L	D	[NULL]	[NULL]	S	B1NW64	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	8/3/2007 10:10	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NW64	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/3/2007 10:10	Y	7440-66-6	Zinc	23.6	ug/L	D	[NULL]	[NULL]	S	B1NW64	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/10/2007 12:07	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NW77	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/10/2007 12:07	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NW77	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	8/10/2007 12:07	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NW77	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/10/2007 12:07	Y	7440-39-3	Barium	44	ug/L	CD	[NULL]	[NULL]	S	B1NW77	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/10/2007 12:07	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW77	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/10/2007 12:07	Y	7440-70-2	Calcium	32500	ug/L	D	[NULL]	[NULL]	S	B1NW77	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/10/2007 12:07	Y	16887-00-6	Chloride	29400	ug/L	D	[NULL]	[NULL]	S	B1NW77	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	8/10/2007 12:07	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW77	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/10/2007 12:07	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NW77	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/10/2007 12:07	Y	7440-50-8	Copper	84	ug/L	CD	[NULL]	[NULL]	S	B1NW77	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/10/2007 12:07	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NW77	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	8/10/2007 12:07	Y	7439-89-6	Iron	364	ug/L	D	[NULL]	[NULL]	S	B1NW77	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/10/2007 12:07	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NW77	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/10/2007 12:07	Y	7439-95-4	Magnesium	6060	ug/L	D	[NULL]	[NULL]	S	B1NW77	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/10/2007 12:07	Y	7439-96-5	Manganese	890	ug/L	D	[NULL]	[NULL]	S	B1NW77	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/10/2007 12:07	Y	7439-98-7	Molybdenum	53.9	ug/L	CD	[NULL]	[NULL]	S	B1NW77	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/10/2007 12:07	Y	7440-02-0	Nickel	86.8	ug/L	CD	[NULL]	[NULL]	S	B1NW77	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/10/2007 12:07	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1NW77	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	8/10/2007 12:07	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1NW77	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	8/10/2007 12:07	Y	14265-44-2	Phosphate	79100	ug/L	D	[NULL]	[NULL]	S	B1NW77	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	8/10/2007 12:07	Y	7440-09-7	Potassium	3240	ug/L	CD	[NULL]	[NULL]	S	B1NW77	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/10/2007 12:07	Y	7440-22-4	Silver	155	ug/L	CDN	[NULL]	[NULL]	S	B1NW77	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/10/2007 12:07	Y	7440-23-5	Sodium	176000	ug/L	D	[NULL]	[NULL]	S	B1NW77	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/10/2007 12:07	Y	7440-24-6	Strontium	126	ug/L	D	[NULL]	[NULL]	S	B1NW77	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/10/2007 12:07	Y	10098-97-2	Strontium-90	730	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NW77	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	8/10/2007 12:07	Y	14808-79-8	Sulfate	1080	ug/L	BD	[NULL]	[NULL]	S	B1NW77	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	8/10/2007 12:07	Y	7440-62-2	Vanadium	99	ug/L	CD	[NULL]	[NULL]	S	B1NW77	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	8/10/2007 12:07	Y	7440-66-6	Zinc	164	ug/L	CD	[NULL]	[NULL]	S	B1NW77	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/7/2007 13:16	N	ALKALINITY	Alkalinity	610000	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDH3	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-123	9/7/2007 13:16	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1PDT4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/7/2007 13:16	N	14234-35-6	Antimony-125	-0.723	pCi/L	U	[NULL]	[NULL]	R	B1PDH3	14234-35-6	WSCF	GAMMA_GS	100-NR-2
199-N-123	9/7/2007 13:16	Y	7440-39-3	Barium	32.6	ug/L	C	[NULL]	[NULL]	R	B1PDT4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/7/2007 13:16	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1PDT4	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/7/2007 13:16	N	13966-02-4	Beryllium-7	-14	pCi/L	U	[NULL]	[NULL]	R	B1PDH3	13966-02-4	WSCF	GAMMA_GS	100-NR-2
199-N-123	9/7/2007 13:16	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1PDT4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/7/2007 13:16	Y	7440-70-2	Calcium	40200	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDT4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/7/2007 13:16	N	13967-70-9	Cesium-134	3.51	pCi/L	U	[NULL]	[NULL]	R	B1PDH3	13967-70-9	WSCF	GAMMA_GS	100-NR-2
199-N-123	9/7/2007 13:16	N	10045-97-3	Cesium-137	-4.38	pCi/L	U	[NULL]	[NULL]	R	B1PDH3	10045-97-3	WSCF	GAMMA_GS	100-NR-2
199-N-123	9/7/2007 13:16	N	16887-00-6	Chloride	50200	ug/L	D	[NULL]	[NULL]	R	B1PDH3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	9/7/2007 13:16	Y	7440-47-3	Chromium	13.4	ug/L	C	Q	[NULL]	R	B1PDT4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/7/2007 13:16	Y	7440-48-4	Cobalt	14.3	ug/L	C	Q	[NULL]	R	B1PDT4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/7/2007 13:16	N	10198-40-0	Cobalt-60	2.11	pCi/L	U	[NULL]	[NULL]	R	B1PDH3	10198-40-0	WSCF	GAMMA_GS	100-NR-2
199-N-123	9/7/2007 13:16	Y	7440-50-8	Copper	7.2	ug/L	C	[NULL]	[NULL]	R	B1PDT4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/7/2007 13:16	N	DO	Dissolved oxygen	1420	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDT6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-123	9/7/2007 13:16	N	14683-23-9	Europium-152	-10.6	pCi/L	U	[NULL]	[NULL]	R	B1PDH3	14683-23-9	WSCF	GAMMA_GS	100-NR-2
199-N-123	9/7/2007 13:16	N	15585-10-1	Europium-154	8.42	pCi/L	U	[NULL]	[NULL]	R	B1PDH3	15585-10-1	WSCF	GAMMA_GS	100-NR-2
199-N-123	9/7/2007 13:16	N	14391-16-3	Europium-155	17.5	pCi/L	U	[NULL]	[NULL]	R	B1PDH3	14391-16-3	WSCF	GAMMA_GS	100-NR-2
199-N-123	9/7/2007 13:16	N	16984-48-8	Fluoride	191	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDH3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	9/7/2007 13:16	N	12587-46-1	Gross alpha	1.27	pCi/L	U	[NULL]	[NULL]	R	B1PDT7	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-123	9/7/2007 13:16	N	12587-47-2	Gross beta	2630	pCi/L	[NULL]	[NULL]	[NULL]	R	B1PDT7	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-123	9/7/2007 13:16	Y	7439-89-6	Iron	74.7	ug/L	C	Q	[NULL]	R	B1PDT4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/7/2007 13:16	Y	7439-95-4	Magnesium	7850	ug/L	[NULL]	Q	[NULL]	R	B1PDT4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/7/2007 13:16	Y	7439-96-5	Manganese	510	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDT4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/7/2007 13:16	Y	7440-02-0	Nickel	11	ug/L	C	Q	[NULL]	R	B1PDT4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/7/2007 13:16	N	14797-55-8	Nitrate	14900	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDH3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	9/7/2007 13:16	N	14797-65-0	Nitrite	962	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDH3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	9/7/2007 13:16	N	14265-44-2	Phosphate	41400	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDH3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	9/7/2007 13:16	Y	7440-09-7	Potassium	3320	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDT4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/7/2007 13:16	N	13966-00-2	Potassium-40	-41.6	pCi/L	U	[NULL]	[NULL]	R	B1PDH3	13966-00-2	WSCF	GAMMA_GS	100-NR-2
199-N-123	9/7/2007 13:16	N	13967-48-1	Ruthenium-106	-13	pCi/L	U	[NULL]	[NULL]	R	B1PDH3	13967-48-1	WSCF	GAMMA_GS	100-NR-2
199-N-123	9/7/2007 13:16	Y	7440-22-4	Silver	13.2	ug/L	C	Q	[NULL]	R	B1PDT4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/7/2007 13:16	Y	7440-23-5	Sodium	255000	ug/L	D	[NULL]	[NULL]	R	B1PDT4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/7/2007 13:16	N	CONDUCT	Specific Conductance	1333	uS/cm	[NULL]	[NULL]	[NULL]	R	B1PDT6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-123	9/7/2007 13:16	Y	7440-24-6	Strontium	153	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDT4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/7/2007 13:16	N	10098-97-2	Strontium-90	1480	pCi/L	[NULL]	Q	[NULL]	R	B1PDT7	10098-97-2	TARL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-123	9/7/2007 13:16	N	14808-79-8	Sulfate	4470	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDH3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	9/7/2007 13:16	N	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1PDT6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-123	9/7/2007 13:16	N	TOC	Total organic carbon	3440	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDH3	TOC	WSCF	9060_TOC	100-NR-2
199-N-123	9/7/2007 13:16	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	71	ug/L	U	[NULL]	[NULL]	R	B1PDT5	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
199-N-123	9/7/2007 13:16	N	TPHGASOLINE	Total petroleum hydrocarbons - gasoline range	250	ug/L	U	[NULL]	[NULL]	R	B1PDT5	TPHGASOLINE	WSCF	WTPH_GASOLINE	100-NR-2
199-N-123	9/7/2007 13:16	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	71	ug/L	U	[NULL]	[NULL]	R	B1PDT5	TPHKEROSENE	WSCF	WTPH_DIESEL	100-NR-2
199-N-123	9/7/2007 13:16	N	10028-17-8	Tritium	75	pCi/L	U	[NULL]	[NULL]	R	B1PDT5	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-123	9/7/2007 13:16	N	TURBIDITY	Turbidity	1.76	NTU	[NULL]	[NULL]	[NULL]	R	B1PDT6	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-123	9/7/2007 13:16	Y	7440-62-2	Vanadium	15.8	ug/L	C	Q	[NULL]	R	B1PDT4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/7/2007 13:16	Y	7440-66-6	Zinc	16.2	ug/L	C	Q	[NULL]	R	B1PDT4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/7/2007 13:16	N	PH	pH Measurement	7.67	unitless	[NULL]	[NULL]	[NULL]	R	B1PDT6	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-123	9/19/2007 11:00	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1PMT5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/19/2007 11:00	Y	7440-36-0	Antimony	32	ug/L	U	G	[NULL]	S	B1PMT5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/19/2007 11:00	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1PMT5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/19/2007 11:00	Y	7440-39-3	Barium	25.3	ug/L	[NULL]	G	[NULL]	S	B1PMT5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/19/2007 11:00	Y	7440-43-9	Cadmium	4	ug/L	U	G	[NULL]	S	B1PMT5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/19/2007 11:00	Y	7440-70-2	Calcium	39000	ug/L	D	[NULL]	[NULL]	S	B1PMT5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/19/2007 11:00	Y	16887-00-6	Chloride	60300	ug/L	D	[NULL]	[NULL]	S	B1PMT5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	9/19/2007 11:00	Y	7440-47-3	Chromium	4	ug/L	U	G	[NULL]	S	B1PMT5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/19/2007 11:00	Y	7440-48-4	Cobalt	4	ug/L	U	G	[NULL]	S	B1PMT5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/19/2007 11:00	Y	7440-50-8	Copper	4	ug/L	U	G	[NULL]	S	B1PMT5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/19/2007 11:00	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1PMT5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	9/19/2007 11:00	Y	7439-89-6	Iron	23.2	ug/L	[NULL]	G	[NULL]	S	B1PMT5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/19/2007 11:00	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1PMT5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/19/2007 11:00	Y	7439-95-4	Magnesium	7390	ug/L	D	[NULL]	[NULL]	S	B1PMT5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/19/2007 11:00	Y	7439-96-5	Manganese	587	ug/L	D	[NULL]	[NULL]	S	B1PMT5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/19/2007 11:00	Y	7439-98-7	Molybdenum	74.6	ug/L	CD	[NULL]	[NULL]	S	B1PMT5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/19/2007 11:00	Y	7440-02-0	Nickel	5	ug/L	[NULL]	G	[NULL]	S	B1PMT5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/19/2007 11:00	Y	14797-55-8	Nitrate	496	ug/L	BD	[NULL]	[NULL]	S	B1PMT5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	9/19/2007 11:00	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1PMT5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	9/19/2007 11:00	Y	14265-44-2	Phosphate	47500	ug/L	D	[NULL]	[NULL]	S	B1PMT5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	9/19/2007 11:00	Y	7440-09-7	Potassium	3850	ug/L	D	[NULL]	[NULL]	S	B1PMT5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/19/2007 11:00	Y	7440-22-4	Silver	5	ug/L	U	G	[NULL]	S	B1PMT5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/19/2007 11:00	Y	7440-23-5	Sodium	267000	ug/L	D	[NULL]	[NULL]	S	B1PMT5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/19/2007 11:00	Y	7440-24-6	Strontium	134	ug/L	D	[NULL]	[NULL]	S	B1PMT5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/19/2007 11:00	Y	10098-97-2	Strontium-90	1100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1PMT5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	9/19/2007 11:00	Y	14808-79-8	Sulfate	15200	ug/L	D	[NULL]	[NULL]	S	B1PMT5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	9/19/2007 11:00	Y	7440-62-2	Vanadium	7.2	ug/L	C	G	[NULL]	S	B1PMT5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/19/2007 11:00	Y	7440-66-6	Zinc	4	ug/L	U	G	[NULL]	S	B1PMT5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/19/2007 11:13	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1R4L2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/19/2007 11:13	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1R4L2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	10/19/2007 11:13	Y	7440-38-2	Arsenic	352	ug/L	DN	[NULL]	[NULL]	S	B1R4L2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/19/2007 11:13	Y	7440-39-3	Barium	35	ug/L	D	[NULL]	[NULL]	S	B1R4L2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/19/2007 11:13	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1R4L2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/19/2007 11:13	Y	7440-70-2	Calcium	36300	ug/L	D	[NULL]	[NULL]	S	B1R4L2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/19/2007 11:13	Y	16887-00-6	Chloride	49200	ug/L	D	[NULL]	[NULL]	S	B1R4L2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	10/19/2007 11:13	Y	7440-47-3	Chromium	54.6	ug/L	CD	[NULL]	[NULL]	S	B1R4L2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/19/2007 11:13	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1R4L2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/19/2007 11:13	Y	7440-50-8	Copper	22	ug/L	CD	[NULL]	[NULL]	S	B1R4L2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/19/2007 11:13	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1R4L2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	10/19/2007 11:13	Y	7439-89-6	Iron	95.5	ug/L	CD	[NULL]	[NULL]	S	B1R4L2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/19/2007 11:13	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1R4L2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/19/2007 11:13	Y	7439-95-4	Magnesium	6830	ug/L	D	[NULL]	[NULL]	S	B1R4L2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/19/2007 11:13	Y	7439-96-5	Manganese	129	ug/L	D	[NULL]	[NULL]	S	B1R4L2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/19/2007 11:13	Y	7439-98-7	Molybdenum	64.2	ug/L	CD	[NULL]	[NULL]	S	B1R4L2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/19/2007 11:13	Y	7440-02-0	Nickel	29.9	ug/L	CD	[NULL]	[NULL]	S	B1R4L2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/19/2007 11:13	Y	14797-55-8	Nitrate	4280	ug/L	D	[NULL]	[NULL]	S	B1R4L2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	10/19/2007 11:13	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1R4L2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	10/19/2007 11:13	Y	14265-44-2	Phosphate	33700	ug/L	D	[NULL]	[NULL]	S	B1R4L2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	10/19/2007 11:13	Y	7440-09-7	Potassium	3520	ug/L	D	[NULL]	[NULL]	S	B1R4L2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/19/2007 11:13	Y	7440-22-4	Silver	106	ug/L	CD	[NULL]	[NULL]	S	B1R4L2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/19/2007 11:13	Y	7440-23-5	Sodium	194000	ug/L	D	[NULL]	[NULL]	S	B1R4L2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/19/2007 11:13	Y	7440-24-6	Strontium	127	ug/L	D	[NULL]	[NULL]	S	B1R4L2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/19/2007 11:13	Y	10098-97-2	Strontium-90	930	pCi/L	[NULL]	[NULL]	[NULL]	S	B1R4L2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	10/19/2007 11:13	Y	14808-79-8	Sulfate	53700	ug/L	D	[NULL]	[NULL]	S	B1R4L2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	10/19/2007 11:13	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1R4L2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/19/2007 11:13	Y	7440-66-6	Zinc	66.4	ug/L	CD	[NULL]	[NULL]	S	B1R4L2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/23/2007 11:10	N	12587-47-2	Gross beta	1570	pCi/L	[NULL]	[NULL]	[NULL]	R	B1PPM8	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-123	10/23/2007 11:10	N	CONDUCT	Specific Conductance	1155	uS/cm	[NULL]	[NULL]	[NULL]	R	B1PPM7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-123	10/23/2007 11:10	N	CONDUCT	Specific Conductance	862	uS/cm	[NULL]	[NULL]	[NULL]	R	B1PPM8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-123	10/23/2007 11:10	N	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1PPM7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-123	10/23/2007 11:10	N	TEMPERATURE	Temperature	16.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1PPM8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-123	10/23/2007 11:10	N	TURBIDITY	Turbidity	0.56	NTU	[NULL]	[NULL]	[NULL]	R	B1PPM8	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-123	10/23/2007 11:10	N	TURBIDITY	Turbidity	5.18	NTU	[NULL]	[NULL]	[NULL]	R	B1PPM7	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-123	10/23/2007 11:10	N	PH	pH Measurement	7.98	unitless	[NULL]	[NULL]	[NULL]	R	B1PPM7	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-123	10/23/2007 11:10	N	PH	pH Measurement	7.89	unitless	[NULL]	[NULL]	[NULL]	R	B1PPM8	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-123	11/2/2007 10:31	N	DO	Dissolved oxygen	90	ug/L	[NULL]	[NULL]	[NULL]	R	B1R132	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-123	11/2/2007 10:31	N	12587-47-2	Gross beta	1750	pCi/L	[NULL]	[NULL]	[NULL]	R	B1R133	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-123	11/2/2007 10:31	N	CONDUCT	Specific Conductance	1115	uS/cm	[NULL]	[NULL]	[NULL]	R	B1R132	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-123	11/2/2007 10:31	N	TEMPERATURE	Temperature	16.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1R132	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-123	11/2/2007 10:31	N	TURBIDITY	Turbidity	0.44	NTU	[NULL]	[NULL]	[NULL]	R	B1R132	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-123	11/2/2007 10:31	N	PH	pH Measurement	7.79	unitless	[NULL]	[NULL]	[NULL]	R	B1R132	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-123	11/14/2007 11:50	Y	7429-90-5	Aluminum	30	ug/L	U	[NULL]	[NULL]	S	B1R8Y6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/14/2007 11:50	Y	7440-36-0	Antimony	43.2	ug/L	[NULL]	Y	[NULL]	S	B1R8Y6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/14/2007 11:50	Y	7440-38-2	Arsenic	84	ug/L	C	[NULL]	[NULL]	S	B1R8Y6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/14/2007 11:50	Y	7440-39-3	Barium	27	ug/L	C	[NULL]	[NULL]	S	B1R8Y6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/14/2007 11:50	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1R8Y6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/14/2007 11:50	Y	7440-70-2	Calcium	54100	ug/L	[NULL]	[NULL]	[NULL]	S	B1R8Y6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/14/2007 11:50	Y	16887-00-6	Chloride	42500	ug/L	D	[NULL]	[NULL]	S	B1R8Y6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	11/14/2007 11:50	Y	7440-47-3	Chromium	5.2	ug/L	[NULL]	[NULL]	[NULL]	S	B1R8Y6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/14/2007 11:50	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1R8Y6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/14/2007 11:50	Y	7440-50-8	Copper	9	ug/L	C	[NULL]	[NULL]	S	B1R8Y6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/14/2007 11:50	Y	16984-48-8	Fluoride	32	ug/L	BD	[NULL]	[NULL]	S	B1R8Y6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	11/14/2007 11:50	Y	7439-89-6	Iron	9	ug/L	U	[NULL]	[NULL]	S	B1R8Y6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/14/2007 11:50	Y	7439-92-1	Lead	27	ug/L	U	[NULL]	[NULL]	S	B1R8Y6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/14/2007 11:50	Y	7439-95-4	Magnesium	10200	ug/L	[NULL]	[NULL]	[NULL]	S	B1R8Y6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	11/14/2007 11:50	Y	7439-96-5	Manganese	84	ug/L	C	[NULL]	[NULL]	S	B1R8Y6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/14/2007 11:50	Y	7439-98-7	Molybdenum	20.4	ug/L	C	[NULL]	[NULL]	S	B1R8Y6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/14/2007 11:50	Y	7440-02-0	Nickel	14.8	ug/L	C	[NULL]	[NULL]	S	B1R8Y6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/14/2007 11:50	Y	14797-55-8	Nitrate	8320	ug/L	D	[NULL]	[NULL]	S	B1R8Y6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	11/14/2007 11:50	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1R8Y6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	11/14/2007 11:50	Y	14265-44-2	Phosphate	21000	ug/L	D	[NULL]	[NULL]	S	B1R8Y6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	11/14/2007 11:50	Y	7440-09-7	Potassium	3220	ug/L	[NULL]	[NULL]	[NULL]	S	B1R8Y6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/14/2007 11:50	Y	7440-22-4	Silver	27	ug/L	C	[NULL]	[NULL]	S	B1R8Y6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/14/2007 11:50	Y	7440-23-5	Sodium	124000	ug/L	[NULL]	[NULL]	[NULL]	S	B1R8Y6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/14/2007 11:50	Y	7440-24-6	Strontium	193	ug/L	[NULL]	[NULL]	[NULL]	S	B1R8Y6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/14/2007 11:50	Y	10098-97-2	Strontium-90	1200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1R8Y6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	11/14/2007 11:50	Y	14808-79-8	Sulfate	76800	ug/L	D	[NULL]	[NULL]	S	B1R8Y6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	11/14/2007 11:50	Y	7440-62-2	Vanadium	19	ug/L	C	[NULL]	[NULL]	S	B1R8Y6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/14/2007 11:50	Y	7440-66-6	Zinc	20.2	ug/L	C	[NULL]	[NULL]	S	B1R8Y6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	ALKALINITY	Alkalinity	250000	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9L0	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-123	12/17/2007 12:49	N	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1R9L0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1R9K8	7440-36-0	TASL	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1R9K9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1R9K7	7440-36-0	TASL	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	14234-35-6	Antimony-125	1.58	pCi/L	U	[NULL]	[NULL]	R	B1R9L0	14234-35-6	WSCF	GAMMA_GS	100-NR-2
199-N-123	12/17/2007 12:49	N	7440-39-3	Barium	13.8	ug/L	B	[NULL]	[NULL]	R	B1R9K8	7440-39-3	TASL	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	7440-39-3	Barium	13.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9L0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	Y	7440-39-3	Barium	11.8	ug/L	B	[NULL]	[NULL]	R	B1R9K7	7440-39-3	TASL	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	Y	7440-39-3	Barium	11.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9K9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	7440-41-7	Beryllium	1.1	ug/L	U	[NULL]	[NULL]	R	B1R9K8	7440-41-7	TASL	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1R9L0	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	Y	7440-41-7	Beryllium	1.1	ug/L	U	[NULL]	[NULL]	R	B1R9K7	7440-41-7	TASL	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1R9K9	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	13966-02-4	Beryllium-7	-16	pCi/L	U	[NULL]	[NULL]	R	B1R9L0	13966-02-4	WSCF	GAMMA_GS	100-NR-2
199-N-123	12/17/2007 12:49	N	7440-43-9	Cadmium	3.5	ug/L	U	[NULL]	[NULL]	R	B1R9K8	7440-43-9	TASL	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1R9K9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	Y	7440-43-9	Cadmium	3.5	ug/L	U	[NULL]	[NULL]	R	B1R9K7	7440-43-9	TASL	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1R9L0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	7440-70-2	Calcium	14200	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9K8	7440-70-2	TASL	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	Y	7440-70-2	Calcium	14900	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9K9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	Y	7440-70-2	Calcium	14500	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9K7	7440-70-2	TASL	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	7440-70-2	Calcium	14900	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9L0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	13967-70-9	Cesium-134	-1.64	pCi/L	U	[NULL]	[NULL]	R	B1R9L0	13967-70-9	WSCF	GAMMA_GS	100-NR-2
199-N-123	12/17/2007 12:49	N	10045-97-3	Cesium-137	1.32	pCi/L	U	[NULL]	[NULL]	R	B1R9L0	10045-97-3	WSCF	GAMMA_GS	100-NR-2
199-N-123	12/17/2007 12:49	N	16887-00-6	Chloride	17900	ug/L	D	[NULL]	[NULL]	R	B1R9L0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	12/17/2007 12:49	N	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	R	B1R9L0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	Y	7440-47-3	Chromium	5.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9K9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	Y	7440-47-3	Chromium	2.5	ug/L	U	[NULL]	[NULL]	R	B1R9K7	7440-47-3	TASL	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	7440-47-3	Chromium	2.5	ug/L	U	[NULL]	[NULL]	R	B1R9K8	7440-47-3	TASL	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1R9K9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1R9L0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	7440-48-4	Cobalt	2	ug/L	U	[NULL]	[NULL]	R	B1R9K8	7440-48-4	TASL	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	Y	7440-48-4	Cobalt	2.2	ug/L	B	[NULL]	[NULL]	R	B1R9K7	7440-48-4	TASL	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	10198-40-0	Cobalt-60	-1.11	pCi/L	U	[NULL]	[NULL]	R	B1R9L0	10198-40-0	WSCF	GAMMA_GS	100-NR-2
199-N-123	12/17/2007 12:49	N	7440-50-8	Copper	2	ug/L	U	[NULL]	[NULL]	R	B1R9K8	7440-50-8	TASL	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	Y	7440-50-8	Copper	2	ug/L	U	[NULL]	[NULL]	R	B1R9K7	7440-50-8	TASL	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1R9K9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1R9L0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	DO	Dissolved oxygen	4680	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9L1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-123	12/17/2007 12:49	N	14683-23-9	Europium-152	-12	pCi/L	U	[NULL]	[NULL]	R	B1R9L0	14683-23-9	WSCF	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	12/17/2007 12:49	N	15585-10-1	Europium-154	-11.8	pCi/L	U	[NULL]	[NULL]	R	B1R9L0	15585-10-1	WSCF	GAMMA_GS	100-NR-2
199-N-123	12/17/2007 12:49	N	14391-16-3	Europium-155	7.66	pCi/L	U	[NULL]	[NULL]	R	B1R9L0	14391-16-3	WSCF	GAMMA_GS	100-NR-2
199-N-123	12/17/2007 12:49	N	16984-48-8	Fluoride	128	ug/L	BD	[NULL]	[NULL]	R	B1R9L0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	12/17/2007 12:49	N	12587-46-1	Gross alpha	0.542	pCi/L	U	[NULL]	[NULL]	R	B1R9L3	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-123	12/17/2007 12:49	N	12587-47-2	Gross beta	514	pCi/L	[NULL]	[NULL]	[NULL]	R	B1R9L3	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-123	12/17/2007 12:49	N	7439-89-6	Iron	53.5	ug/L	B	[NULL]	[NULL]	R	B1R9K8	7439-89-6	TASL	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	Y	7439-89-6	Iron	13.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9K9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	7439-89-6	Iron	81.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9L0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	Y	7439-89-6	Iron	18.6	ug/L	U	[NULL]	[NULL]	R	B1R9K7	7439-89-6	TASL	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	7439-95-4	Magnesium	2800	ug/L	N	[NULL]	[NULL]	R	B1R9L0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	7439-95-4	Magnesium	2730	ug/L	B	[NULL]	[NULL]	R	B1R9K8	7439-95-4	TASL	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	Y	7439-95-4	Magnesium	2770	ug/L	N	[NULL]	[NULL]	R	B1R9K9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	Y	7439-95-4	Magnesium	2790	ug/L	B	[NULL]	[NULL]	R	B1R9K7	7439-95-4	TASL	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	7439-96-5	Manganese	6.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9L0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	7439-96-5	Manganese	8.6	ug/L	B	[NULL]	[NULL]	R	B1R9K8	7439-96-5	TASL	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	Y	7439-96-5	Manganese	1	ug/L	U	[NULL]	[NULL]	R	B1R9K7	7439-96-5	TASL	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1R9K9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1R9L0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	7440-02-0	Nickel	4.6	ug/L	U	[NULL]	[NULL]	R	B1R9K8	7440-02-0	TASL	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	Y	7440-02-0	Nickel	4.6	ug/L	U	[NULL]	[NULL]	R	B1R9K7	7440-02-0	TASL	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1R9K9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	14797-55-8	Nitrate	2480	ug/L	D	[NULL]	[NULL]	R	B1R9L0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	12/17/2007 12:49	N	14797-65-0	Nitrite	137	ug/L	BD	[NULL]	[NULL]	R	B1R9L0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	12/17/2007 12:49	N	14265-44-2	Phosphate	33100	ug/L	D	[NULL]	[NULL]	R	B1R9L0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	12/17/2007 12:49	Y	7440-09-7	Potassium	3290	ug/L	BC	[NULL]	[NULL]	R	B1R9K7	7440-09-7	TASL	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	7440-09-7	Potassium	2380	ug/L	N	[NULL]	[NULL]	R	B1R9L0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	7440-09-7	Potassium	3450	ug/L	BC	[NULL]	[NULL]	R	B1R9K8	7440-09-7	TASL	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	Y	7440-09-7	Potassium	2340	ug/L	N	[NULL]	[NULL]	R	B1R9K9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	13966-00-2	Potassium-40	-36	pCi/L	U	[NULL]	[NULL]	R	B1R9L0	13966-00-2	WSCF	GAMMA_GS	100-NR-2
199-N-123	12/17/2007 12:49	N	13967-48-1	Ruthenium-106	16.3	pCi/L	U	[NULL]	[NULL]	R	B1R9L0	13967-48-1	WSCF	GAMMA_GS	100-NR-2
199-N-123	12/17/2007 12:49	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1R9L0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1R9K9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	7440-22-4	Silver	1.7	ug/L	U	[NULL]	[NULL]	R	B1R9K8	7440-22-4	TASL	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	Y	7440-22-4	Silver	1.7	ug/L	U	[NULL]	[NULL]	R	B1R9K7	7440-22-4	TASL	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	7440-23-5	Sodium	113000	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9L0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	7440-23-5	Sodium	131000	ug/L	D	[NULL]	[NULL]	R	B1R9K8	7440-23-5	TASL	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	Y	7440-23-5	Sodium	134000	ug/L	D	[NULL]	[NULL]	R	B1R9K7	7440-23-5	TASL	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	Y	7440-23-5	Sodium	116000	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9K9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	CONDUCT	Specific Conductance	600	uS/cm	[NULL]	[NULL]	[NULL]	R	B1R9L1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-123	12/17/2007 12:49	N	7440-24-6	Strontium	61.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9K8	7440-24-6	TASL	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	Y	7440-24-6	Strontium	63.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9K7	7440-24-6	TASL	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	7440-24-6	Strontium	57.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9L0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	Y	7440-24-6	Strontium	58.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9K9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	10098-97-2	Strontium-90	385	pCi/L	[NULL]	[NULL]	[NULL]	R	B1R9L3	10098-97-2	TARL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-123	12/17/2007 12:49	N	14808-79-8	Sulfate	29100	ug/L	D	[NULL]	[NULL]	R	B1R9L0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	12/17/2007 12:49	N	TEMPERATURE	Temperature	15.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1R9L1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-123	12/17/2007 12:49	N	TOC	Total organic carbon	1120	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9L0	TOC	WSCF	9060_TOC	100-NR-2
199-N-123	12/17/2007 12:49	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	72	ug/L	U	[NULL]	[NULL]	R	B1R9L0	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
199-N-123	12/17/2007 12:49	N	10028-17-8	Tritium	570	pCi/L	[NULL]	[NULL]	[NULL]	R	B1R9L0	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-123	12/17/2007 12:49	N	TURBIDITY	Turbidity	2.31	NTU	[NULL]	[NULL]	[NULL]	R	B1R9L1	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-123	12/17/2007 12:49	N	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	R	B1R9L0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	Y	7440-62-2	Vanadium	14.8	ug/L	B	[NULL]	[NULL]	R	B1R9K7	7440-62-2	TASL	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	7440-62-2	Vanadium	13.4	ug/L	B	[NULL]	[NULL]	R	B1R9K8	7440-62-2	TASL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	12/17/2007 12:49	Y	7440-62-2	Vanadium	9.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9K9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	7440-66-6	Zinc	4.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9L0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	Y	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1R9K7	7440-66-6	TASL	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1R9K9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1R9K8	7440-66-6	TASL	6010_METALS_ICP	100-NR-2
199-N-123	12/17/2007 12:49	N	PH	pH Measurement	7.97	unitless	[NULL]	[NULL]	[NULL]	R	B1R9L1	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-123	1/23/2008 11:38	N	DO	Dissolved oxygen	410	ug/L	[NULL]	[NULL]	[NULL]	R	B1RR04	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-123	1/23/2008 11:38	N	12587-47-2	Gross beta	790	pCi/L	[NULL]	[NULL]	[NULL]	R	B1RR05	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-123	1/23/2008 11:38	N	CONDUCT	Specific Conductance	426	uS/cm	[NULL]	[NULL]	[NULL]	R	B1RR04	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-123	1/23/2008 11:38	N	TEMPERATURE	Temperature	14.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1RR04	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-123	1/23/2008 11:38	N	TURBIDITY	Turbidity	1.33	NTU	[NULL]	[NULL]	[NULL]	R	B1RR04	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-123	1/23/2008 11:38	N	PH	pH Measurement	7.86	unitless	[NULL]	[NULL]	[NULL]	R	B1RR04	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-123	2/17/2008 12:25	N	DO	Dissolved oxygen	2960	ug/L	[NULL]	[NULL]	[NULL]	R	B1T222	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-123	2/17/2008 12:25	N	12587-47-2	Gross beta	417	pCi/L	[NULL]	[NULL]	[NULL]	R	B1T220	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-123	2/17/2008 12:25	N	CONDUCT	Specific Conductance	343	uS/cm	[NULL]	[NULL]	[NULL]	R	B1T222	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-123	2/17/2008 12:25	N	TEMPERATURE	Temperature	13.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1T222	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-123	2/17/2008 12:25	N	TURBIDITY	Turbidity	1.62	NTU	[NULL]	[NULL]	[NULL]	R	B1T222	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-123	2/17/2008 12:25	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	R	B1T222	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-123	3/9/2008 8:56	N	ALKALINITY	Alkalinity	150000	ug/L	[NULL]	[NULL]	[NULL]	R	B1TH85	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-123	3/9/2008 8:56	N	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1TH85	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/9/2008 8:56	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1TH84	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/9/2008 8:56	N	14234-35-6	Antimony-125	6.54	pCi/L	U	[NULL]	[NULL]	R	B1TH85	14234-35-6	WSCF	GAMMA_GS	100-NR-2
199-N-123	3/9/2008 8:56	Y	7440-39-3	Barium	7.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1TH84	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/9/2008 8:56	N	7440-39-3	Barium	7.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1TH85	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/9/2008 8:56	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1TH84	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/9/2008 8:56	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1TH85	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/9/2008 8:56	N	13966-02-4	Beryllium-7	-20	pCi/L	U	[NULL]	[NULL]	R	B1TH85	13966-02-4	WSCF	GAMMA_GS	100-NR-2
199-N-123	3/9/2008 8:56	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1TH84	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/9/2008 8:56	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1TH85	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/9/2008 8:56	N	7440-70-2	Calcium	9050	ug/L	[NULL]	[NULL]	[NULL]	R	B1TH85	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/9/2008 8:56	Y	7440-70-2	Calcium	9250	ug/L	[NULL]	[NULL]	[NULL]	R	B1TH84	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/9/2008 8:56	N	13967-70-9	Cesium-134	1.38	pCi/L	U	[NULL]	[NULL]	R	B1TH85	13967-70-9	WSCF	GAMMA_GS	100-NR-2
199-N-123	3/9/2008 8:56	N	10045-97-3	Cesium-137	-5.89	pCi/L	U	[NULL]	[NULL]	R	B1TH85	10045-97-3	WSCF	GAMMA_GS	100-NR-2
199-N-123	3/9/2008 8:56	N	16887-00-6	Chloride	6850	ug/L	D	[NULL]	[NULL]	R	B1TH85	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/9/2008 8:56	Y	7440-47-3	Chromium	6.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1TH84	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/9/2008 8:56	N	7440-47-3	Chromium	7.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1TH85	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/9/2008 8:56	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1TH85	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/9/2008 8:56	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1TH84	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/9/2008 8:56	N	10198-40-0	Cobalt-60	-3.5	pCi/L	U	[NULL]	[NULL]	R	B1TH85	10198-40-0	WSCF	GAMMA_GS	100-NR-2
199-N-123	3/9/2008 8:56	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1TH85	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/9/2008 8:56	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1TH84	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/9/2008 8:56	N	DO	Dissolved oxygen	2710	ug/L	[NULL]	[NULL]	[NULL]	R	B1TH86	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-123	3/9/2008 8:56	N	14683-23-9	Europium-152	0.879	pCi/L	U	[NULL]	[NULL]	R	B1TH85	14683-23-9	WSCF	GAMMA_GS	100-NR-2
199-N-123	3/9/2008 8:56	N	15585-10-1	Europium-154	7.21	pCi/L	U	[NULL]	[NULL]	R	B1TH85	15585-10-1	WSCF	GAMMA_GS	100-NR-2
199-N-123	3/9/2008 8:56	N	14391-16-3	Europium-155	22.1	pCi/L	U	[NULL]	[NULL]	R	B1TH85	14391-16-3	WSCF	GAMMA_GS	100-NR-2
199-N-123	3/9/2008 8:56	N	16984-48-8	Fluoride	133	ug/L	BD	[NULL]	[NULL]	R	B1TH85	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/9/2008 8:56	N	12587-46-1	Gross alpha	0.91	pCi/L	U	[NULL]	[NULL]	R	B1TH85	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-123	3/9/2008 8:56	N	12587-47-2	Gross beta	360	pCi/L	[NULL]	[NULL]	[NULL]	R	B1TH85	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-123	3/9/2008 8:56	Y	7439-89-6	Iron	39.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1TH84	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/9/2008 8:56	N	7439-89-6	Iron	44.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1TH85	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/9/2008 8:56	Y	7439-95-4	Magnesium	1670	ug/L	[NULL]	[NULL]	[NULL]	R	B1TH84	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/9/2008 8:56	N	7439-95-4	Magnesium	1650	ug/L	[NULL]	[NULL]	[NULL]	R	B1TH85	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/9/2008 8:56	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1TH85	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/9/2008 8:56	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1TH84	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/9/2008 8:56	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1TH85	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	3/9/2008 8:56	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1TH84	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/9/2008 8:56	N	14797-55-8	Nitrate	3060	ug/L	D	[NULL]	[NULL]	R	B1TH85	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/9/2008 8:56	N	14797-65-0	Nitrite	65.7	ug/L	DU	[NULL]	[NULL]	R	B1TH85	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/9/2008 8:56	N	14265-44-2	Phosphate	34600	ug/L	D	[NULL]	[NULL]	R	B1TH85	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/9/2008 8:56	N	7440-09-7	Potassium	1440	ug/L	[NULL]	[NULL]	[NULL]	R	B1TH85	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/9/2008 8:56	Y	7440-09-7	Potassium	1460	ug/L	[NULL]	[NULL]	[NULL]	R	B1TH84	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/9/2008 8:56	N	13966-00-2	Potassium-40	-34.8	pCi/L	U	[NULL]	[NULL]	R	B1TH85	13966-00-2	WSCF	GAMMA_GS	100-NR-2
199-N-123	3/9/2008 8:56	N	13967-48-1	Ruthenium-106	14.9	pCi/L	U	[NULL]	[NULL]	R	B1TH85	13967-48-1	WSCF	GAMMA_GS	100-NR-2
199-N-123	3/9/2008 8:56	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1TH85	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/9/2008 8:56	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1TH84	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/9/2008 8:56	N	7440-23-5	Sodium	71100	ug/L	[NULL]	[NULL]	[NULL]	R	B1TH85	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/9/2008 8:56	Y	7440-23-5	Sodium	71400	ug/L	[NULL]	[NULL]	[NULL]	R	B1TH84	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/9/2008 8:56	N	68-04-2	Sodium citrate	100	ug/L	U	[NULL]	[NULL]	R	B1TH87	68-04-2	ESL	300.0_ANIONS_IC	100-NR-2
199-N-123	3/9/2008 8:56	N	CONDUCT	Specific Conductance	366	uS/cm	[NULL]	[NULL]	[NULL]	R	B1TH86	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-123	3/9/2008 8:56	Y	7440-24-6	Strontium	36.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1TH84	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/9/2008 8:56	N	7440-24-6	Strontium	35.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1TH85	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/9/2008 8:56	N	10098-97-2	Strontium-90	255	pCi/L	[NULL]	[NULL]	[NULL]	R	B1TH88	10098-97-2	TARL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-123	3/9/2008 8:56	N	14808-79-8	Sulfate	19700	ug/L	D	[NULL]	[NULL]	R	B1TH85	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	3/9/2008 8:56	N	TEMPERATURE	Temperature	12.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1TH86	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-123	3/9/2008 8:56	N	TOC	Total organic carbon	955	ug/L	[NULL]	[NULL]	[NULL]	R	B1TH85	TOC	WSCF	9060_TOC	100-NR-2
199-N-123	3/9/2008 8:56	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	75	ug/L	U	[NULL]	[NULL]	R	B1TH85	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
199-N-123	3/9/2008 8:56	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	75	ug/L	U	[NULL]	[NULL]	R	B1TH85	TPHKEROSENE	WSCF	WTPH_DIESEL	100-NR-2
199-N-123	3/9/2008 8:56	N	10028-17-8	Tritium	310	pCi/L	[NULL]	[NULL]	[NULL]	R	B1TH85	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-123	3/9/2008 8:56	N	TURBIDITY	Turbidity	1.8	NTU	[NULL]	[NULL]	[NULL]	R	B1TH86	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-123	3/9/2008 8:56	N	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	R	B1TH85	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/9/2008 8:56	Y	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	R	B1TH84	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/9/2008 8:56	N	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1TH85	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/9/2008 8:56	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1TH84	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	3/9/2008 8:56	N	PH	pH Measurement	7.54	unitless	[NULL]	[NULL]	[NULL]	R	B1TH86	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-123	4/10/2008 13:42	N	DO	Dissolved oxygen	910	ug/L	[NULL]	[NULL]	[NULL]	R	B1TVN4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-123	4/10/2008 13:42	N	12587-47-2	Gross beta	828	pCi/L	[NULL]	[NULL]	[NULL]	R	B1TVN5	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-123	4/10/2008 13:42	N	CONDUCT	Specific Conductance	560	uS/cm	[NULL]	[NULL]	[NULL]	R	B1TVN4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-123	4/10/2008 13:42	N	TEMPERATURE	Temperature	14	Deg C	[NULL]	[NULL]	[NULL]	R	B1TVN4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-123	4/10/2008 13:42	N	TURBIDITY	Turbidity	2.78	NTU	[NULL]	[NULL]	[NULL]	R	B1TVN4	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-123	4/10/2008 13:42	N	PH	pH Measurement	7.55	unitless	[NULL]	[NULL]	[NULL]	R	B1TVN4	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-123	6/3/2008 16:40	Y	7429-90-5	Aluminum	30	ug/L	U	[NULL]	[NULL]	S	B1VJL0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/3/2008 16:40	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	S	B1VJL0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/3/2008 16:40	Y	7440-38-2	Arsenic	50	ug/L	U	[NULL]	[NULL]	S	B1VJL0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/3/2008 16:40	Y	7440-39-3	Barium	19	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/3/2008 16:40	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1VJL0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/3/2008 16:40	Y	7440-70-2	Calcium	19600	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/3/2008 16:40	Y	16887-00-6	Chloride	1260	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/3/2008 16:40	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	S	B1VJL0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/3/2008 16:40	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1VJL0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/3/2008 16:40	Y	7440-50-8	Copper	5	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/3/2008 16:40	Y	16984-48-8	Fluoride	44.4	ug/L	B	[NULL]	[NULL]	S	B1VJL0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/3/2008 16:40	Y	12587-46-1	Gross alpha	1.4	pCi/L	U	[NULL]	[NULL]	S	B1VJL0	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-123	6/3/2008 16:40	Y	12587-47-2	Gross beta	200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VJL0	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-123	6/3/2008 16:40	Y	7439-89-6	Iron	13.9	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/3/2008 16:40	Y	7439-92-1	Lead	27	ug/L	U	[NULL]	[NULL]	S	B1VJL0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/3/2008 16:40	Y	7439-95-4	Magnesium	3740	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	6/3/2008 16:40	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	S	B1VJL0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/3/2008 16:40	Y	7439-98-7	Molybdenum	4	ug/L	U	[NULL]	[NULL]	S	B1VJL0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/3/2008 16:40	Y	7440-02-0	Nickel	5.9	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/3/2008 16:40	Y	14797-55-8	Nitrate	748	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/3/2008 16:40	Y	14797-65-0	Nitrite	32.5	ug/L	U	[NULL]	[NULL]	S	B1VJL0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/3/2008 16:40	Y	14265-44-2	Phosphate	1850	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/3/2008 16:40	Y	7440-09-7	Potassium	898	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/3/2008 16:40	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1VJL0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/3/2008 16:40	Y	7440-23-5	Sodium	3520	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/3/2008 16:40	Y	7440-24-6	Strontium	96.4	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/3/2008 16:40	Y	14808-79-8	Sulfate	7880	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/3/2008 16:40	Y	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	S	B1VJL0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/3/2008 16:40	Y	7440-66-6	Zinc	6.7	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/6/2008 7:20	Y	7429-90-5	Aluminum	3620	ug/L	D	[NULL]	[NULL]	S	B1VTV1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/6/2008 7:20	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1VTV1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/6/2008 7:20	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1VTV1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/6/2008 7:20	Y	7440-39-3	Barium	377	ug/L	D	[NULL]	[NULL]	S	B1VTV1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/6/2008 7:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VTV1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/6/2008 7:20	Y	7440-70-2	Calcium	193000	ug/L	D	[NULL]	[NULL]	S	B1VTV1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/6/2008 7:20	Y	16887-00-6	Chloride	180000	ug/L	D	[NULL]	[NULL]	S	B1VTV1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/6/2008 7:20	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1VTV1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/6/2008 7:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VTV1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/6/2008 7:20	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1VTV1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/6/2008 7:20	Y	DO	Dissolved oxygen	270	ug/L	[NULL]	[NULL]	[NULL]	S	B1VTV1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-123	6/6/2008 7:20	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VTV1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/6/2008 7:20	Y	12587-46-1	Gross alpha	-15	pCi/L	U	[NULL]	[NULL]	S	B1VTV1	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-123	6/6/2008 7:20	Y	12587-47-2	Gross beta	4000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VTV1	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-123	6/6/2008 7:20	Y	7439-89-6	Iron	432	ug/L	CD	[NULL]	[NULL]	S	B1VTV1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/6/2008 7:20	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1VTV1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/6/2008 7:20	Y	7439-95-4	Magnesium	25800	ug/L	D	[NULL]	[NULL]	S	B1VTV1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/6/2008 7:20	Y	7439-96-5	Manganese	2410	ug/L	D	[NULL]	[NULL]	S	B1VTV1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/6/2008 7:20	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1VTV1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/6/2008 7:20	Y	7440-02-0	Nickel	40.1	ug/L	D	[NULL]	[NULL]	S	B1VTV1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/6/2008 7:20	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VTV1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/6/2008 7:20	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VTV1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/6/2008 7:20	Y	EH	Oxidation Reduction Potential	127	mV	[NULL]	[NULL]	[NULL]	S	B1VTV1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-123	6/6/2008 7:20	Y	14265-44-2	Phosphate	3460000	ug/L	DEX	[NULL]	[NULL]	S	B1VTV1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/6/2008 7:20	Y	7440-09-7	Potassium	7130	ug/L	D	[NULL]	[NULL]	S	B1VTV1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/6/2008 7:20	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VTV1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/6/2008 7:20	Y	7440-23-5	Sodium	1510000	ug/L	D	[NULL]	[NULL]	S	B1VTV1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/6/2008 7:20	Y	CONDUCT	Specific Conductance	4850	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VTV1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-123	6/6/2008 7:20	Y	7440-24-6	Strontium	1200	ug/L	D	[NULL]	[NULL]	S	B1VTV1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/6/2008 7:20	Y	14808-79-8	Sulfate	32900	ug/L	D	[NULL]	[NULL]	S	B1VTV1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/6/2008 7:20	Y	TEMPERATURE	Temperature	13.64	Deg C	[NULL]	[NULL]	[NULL]	S	B1VTV1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-123	6/6/2008 7:20	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1VTV1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/6/2008 7:20	Y	7440-66-6	Zinc	24.8	ug/L	D	[NULL]	[NULL]	S	B1VTV1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/6/2008 7:20	Y	PH	pH Measurement	7.4	unitless	[NULL]	[NULL]	[NULL]	S	B1VTV1	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-123	6/7/2008 8:05	Y	7429-90-5	Aluminum	2720	ug/L	D	[NULL]	[NULL]	S	B1VTX7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/7/2008 8:05	Y	7440-36-0	Antimony	226	ug/L	DN	Y	[NULL]	S	B1VTX7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/7/2008 8:05	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1VTX7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/7/2008 8:05	Y	7440-39-3	Barium	116	ug/L	D	[NULL]	[NULL]	S	B1VTX7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/7/2008 8:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VTX7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/7/2008 8:05	Y	7440-70-2	Calcium	57100	ug/L	D	[NULL]	[NULL]	S	B1VTX7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/7/2008 8:05	Y	16887-00-6	Chloride	74300	ug/L	D	[NULL]	[NULL]	S	B1VTX7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	6/7/2008 8:05	Y	7440-47-3	Chromium	36.1	ug/L	D	[NULL]	[NULL]	S	B1VTX7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/7/2008 8:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VTX7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/7/2008 8:05	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1VTX7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/7/2008 8:05	Y	DO	Dissolved oxygen	220	ug/L	[NULL]	[NULL]	[NULL]	S	B1VTX7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-123	6/7/2008 8:05	Y	16984-48-8	Fluoride	113	ug/L	BD	[NULL]	[NULL]	S	B1VTX7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/7/2008 8:05	Y	12587-46-1	Gross alpha	4	pCi/L	U	[NULL]	[NULL]	S	B1VTX7	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-123	6/7/2008 8:05	Y	12587-47-2	Gross beta	1100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VTX7	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-123	6/7/2008 8:05	Y	7439-89-6	Iron	246	ug/L	CD	[NULL]	[NULL]	S	B1VTX7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/7/2008 8:05	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1VTX7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/7/2008 8:05	Y	7439-95-4	Magnesium	8200	ug/L	D	[NULL]	[NULL]	S	B1VTX7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/7/2008 8:05	Y	7439-96-5	Manganese	1390	ug/L	D	[NULL]	[NULL]	S	B1VTX7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/7/2008 8:05	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1VTX7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/7/2008 8:05	Y	7440-02-0	Nickel	28	ug/L	D	[NULL]	[NULL]	S	B1VTX7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/7/2008 8:05	Y	14797-55-8	Nitrate	797	ug/L	DU	[NULL]	[NULL]	S	B1VTX7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/7/2008 8:05	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1VTX7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/7/2008 8:05	Y	EH	Oxidation Reduction Potential	45	mV	[NULL]	[NULL]	[NULL]	S	B1VTX7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-123	6/7/2008 8:05	Y	14265-44-2	Phosphate	1160000	ug/L	DN	[NULL]	[NULL]	S	B1VTX7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/7/2008 8:05	Y	7440-09-7	Potassium	3360	ug/L	D	[NULL]	[NULL]	S	B1VTX7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/7/2008 8:05	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VTX7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/7/2008 8:05	Y	7440-23-5	Sodium	594000	ug/L	D	[NULL]	[NULL]	S	B1VTX7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/7/2008 8:05	Y	CONDUCT	Specific Conductance	2410	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VTX7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-123	6/7/2008 8:05	Y	7440-24-6	Strontium	298	ug/L	D	[NULL]	[NULL]	S	B1VTX7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/7/2008 8:05	Y	14808-79-8	Sulfate	5700	ug/L	D	[NULL]	[NULL]	S	B1VTX7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/7/2008 8:05	Y	TEMPERATURE	Temperature	13.44	Deg C	[NULL]	[NULL]	[NULL]	S	B1VTX7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-123	6/7/2008 8:05	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1VTX7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/7/2008 8:05	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1VTX7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/7/2008 8:05	Y	PH	pH Measurement	7.49	unitless	[NULL]	[NULL]	[NULL]	S	B1VTX7	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-123	6/8/2008 7:10	Y	7429-90-5	Aluminum	186	ug/L	D	[NULL]	[NULL]	S	B1VV13	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2008 7:10	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1VV13	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2008 7:10	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1VV13	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2008 7:10	Y	7440-39-3	Barium	30	ug/L	D	[NULL]	[NULL]	S	B1VV13	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2008 7:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV13	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2008 7:10	Y	7440-70-2	Calcium	7400	ug/L	CDN	[NULL]	[NULL]	S	B1VV13	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2008 7:10	Y	16887-00-6	Chloride	16800	ug/L	D	[NULL]	[NULL]	S	B1VV13	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/8/2008 7:10	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV13	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2008 7:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VV13	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2008 7:10	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1VV13	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2008 7:10	Y	DO	Dissolved oxygen	1290	ug/L	[NULL]	[NULL]	[NULL]	S	B1VV13	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-123	6/8/2008 7:10	Y	16984-48-8	Fluoride	105	ug/L	DU	[NULL]	[NULL]	S	B1VV13	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/8/2008 7:10	Y	12587-46-1	Gross alpha	-0.81	pCi/L	U	[NULL]	[NULL]	S	B1VV13	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-123	6/8/2008 7:10	Y	12587-47-2	Gross beta	170	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV13	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-123	6/8/2008 7:10	Y	7439-89-6	Iron	128	ug/L	D	[NULL]	[NULL]	S	B1VV13	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2008 7:10	Y	7439-92-1	Lead	255	ug/L	CDN	G	[NULL]	S	B1VV13	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2008 7:10	Y	7439-95-4	Magnesium	1300	ug/L	D	[NULL]	[NULL]	S	B1VV13	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2008 7:10	Y	7439-96-5	Manganese	73	ug/L	D	[NULL]	[NULL]	S	B1VV13	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2008 7:10	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1VV13	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2008 7:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VV13	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2008 7:10	Y	14797-55-8	Nitrate	797	ug/L	DU	[NULL]	[NULL]	S	B1VV13	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/8/2008 7:10	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1VV13	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/8/2008 7:10	Y	EH	Oxidation Reduction Potential	178	mV	[NULL]	[NULL]	[NULL]	S	B1VV13	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-123	6/8/2008 7:10	Y	14265-44-2	Phosphate	374000	ug/L	D	[NULL]	[NULL]	S	B1VV13	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/8/2008 7:10	Y	7440-09-7	Potassium	2030	ug/L	D	[NULL]	[NULL]	S	B1VV13	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2008 7:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VV13	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	6/8/2008 7:10	Y	7440-23-5	Sodium	246000	ug/L	D	[NULL]	[NULL]	S	B1VV13	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2008 7:10	Y	CONDUCT	Specific Conductance	929	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VV13	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-123	6/8/2008 7:10	Y	7440-24-6	Strontium	59	ug/L	D	[NULL]	[NULL]	S	B1VV13	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2008 7:10	Y	14808-79-8	Sulfate	8170	ug/L	D	[NULL]	[NULL]	S	B1VV13	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/8/2008 7:10	Y	TEMPERATURE	Temperature	12.99	Deg C	[NULL]	[NULL]	[NULL]	S	B1VV13	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-123	6/8/2008 7:10	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1VV13	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2008 7:10	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1VV13	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/8/2008 7:10	Y	PH	pH Measurement	7.65	unitless	[NULL]	[NULL]	[NULL]	S	B1VV13	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-123	6/9/2008 9:57	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1VV39	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2008 9:57	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1VV39	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2008 9:57	Y	7440-38-2	Arsenic	250	ug/L	DNU	[NULL]	[NULL]	S	B1VV39	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2008 9:57	Y	7440-39-3	Barium	48	ug/L	D	[NULL]	[NULL]	S	B1VV39	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2008 9:57	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV39	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2008 9:57	Y	7440-70-2	Calcium	15800	ug/L	D	[NULL]	[NULL]	S	B1VV39	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2008 9:57	Y	16887-00-6	Chloride	40200	ug/L	D	[NULL]	[NULL]	S	B1VV39	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/9/2008 9:57	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV39	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2008 9:57	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VV39	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2008 9:57	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1VV39	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2008 9:57	Y	DO	Dissolved oxygen	1160	ug/L	[NULL]	[NULL]	[NULL]	S	B1VV39	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-123	6/9/2008 9:57	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VV39	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/9/2008 9:57	Y	12587-46-1	Gross alpha	0.027	pCi/L	U	[NULL]	[NULL]	S	B1VV39	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-123	6/9/2008 9:57	Y	12587-47-2	Gross beta	570	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV39	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-123	6/9/2008 9:57	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1VV39	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2008 9:57	Y	7439-92-1	Lead	279	ug/L	CD	G	[NULL]	S	B1VV39	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2008 9:57	Y	7439-95-4	Magnesium	2920	ug/L	D	[NULL]	[NULL]	S	B1VV39	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2008 9:57	Y	7439-96-5	Manganese	349	ug/L	D	[NULL]	[NULL]	S	B1VV39	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2008 9:57	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1VV39	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2008 9:57	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VV39	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2008 9:57	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VV39	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/9/2008 9:57	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VV39	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/9/2008 9:57	Y	EH	Oxidation Reduction Potential	61	mV	[NULL]	[NULL]	[NULL]	S	B1VV39	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-123	6/9/2008 9:57	Y	14265-44-2	Phosphate	580000	ug/L	D	[NULL]	[NULL]	S	B1VV39	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/9/2008 9:57	Y	7440-09-7	Potassium	3010	ug/L	D	[NULL]	[NULL]	S	B1VV39	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2008 9:57	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VV39	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2008 9:57	Y	7440-23-5	Sodium	419000	ug/L	D	[NULL]	[NULL]	S	B1VV39	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2008 9:57	Y	CONDUCT	Specific Conductance	1600	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VV39	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-123	6/9/2008 9:57	Y	7440-24-6	Strontium	141	ug/L	D	[NULL]	[NULL]	S	B1VV39	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2008 9:57	Y	14808-79-8	Sulfate	8980	ug/L	BD	[NULL]	[NULL]	S	B1VV39	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/9/2008 9:57	Y	TEMPERATURE	Temperature	13.37	Deg C	[NULL]	[NULL]	[NULL]	S	B1VV39	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-123	6/9/2008 9:57	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1VV39	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2008 9:57	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1VV39	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/9/2008 9:57	Y	PH	pH Measurement	7.42	unitless	[NULL]	[NULL]	[NULL]	S	B1VV39	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-123	6/10/2008 15:08	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VV65	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2008 15:08	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VV65	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2008 15:08	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VV65	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2008 15:08	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV65	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2008 15:08	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV65	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2008 15:08	Y	7440-70-2	Calcium	3510	ug/L	D	[NULL]	[NULL]	S	B1VV65	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2008 15:08	Y	16887-00-6	Chloride	4240	ug/L	D	[NULL]	[NULL]	S	B1VV65	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/10/2008 15:08	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VV65	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2008 15:08	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VV65	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2008 15:08	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VV65	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2008 15:08	Y	16984-48-8	Fluoride	105	ug/L	DU	[NULL]	[NULL]	S	B1VV65	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/10/2008 15:08	Y	12587-46-1	Gross alpha	0.71	pCi/L	U	[NULL]	[NULL]	S	B1VV65	12587-46-1	WSCF	ALPHA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	6/10/2008 15:08	Y	12587-47-2	Gross beta	69	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV65	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-123	6/10/2008 15:08	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VV65	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2008 15:08	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VV65	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2008 15:08	Y	7439-95-4	Magnesium	590	ug/L	D	[NULL]	[NULL]	S	B1VV65	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2008 15:08	Y	7439-96-5	Manganese	47	ug/L	D	[NULL]	[NULL]	S	B1VV65	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2008 15:08	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VV65	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2008 15:08	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VV65	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2008 15:08	Y	14797-55-8	Nitrate	797	ug/L	DU	[NULL]	[NULL]	S	B1VV65	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/10/2008 15:08	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1VV65	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/10/2008 15:08	Y	14265-44-2	Phosphate	136000	ug/L	D	[NULL]	[NULL]	S	B1VV65	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/10/2008 15:08	Y	7440-09-7	Potassium	1370	ug/L	D	[NULL]	[NULL]	S	B1VV65	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2008 15:08	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VV65	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2008 15:08	Y	7440-23-5	Sodium	101000	ug/L	D	[NULL]	[NULL]	S	B1VV65	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2008 15:08	Y	7440-24-6	Strontium	28.6	ug/L	D	[NULL]	[NULL]	S	B1VV65	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2008 15:08	Y	14808-79-8	Sulfate	6670	ug/L	D	[NULL]	[NULL]	S	B1VV65	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/10/2008 15:08	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VV65	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/10/2008 15:08	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VV65	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2008 10:29	Y	7429-90-5	Aluminum	349	ug/L	D	[NULL]	[NULL]	S	B1VV91	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2008 10:29	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VV91	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2008 10:29	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VV91	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2008 10:29	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV91	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2008 10:29	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV91	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2008 10:29	Y	7440-70-2	Calcium	4750	ug/L	DN	[NULL]	[NULL]	S	B1VV91	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2008 10:29	Y	16887-00-6	Chloride	2870	ug/L	D	[NULL]	[NULL]	S	B1VV91	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/11/2008 10:29	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VV91	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2008 10:29	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VV91	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2008 10:29	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VV91	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2008 10:29	Y	16984-48-8	Fluoride	105	ug/L	DU	[NULL]	[NULL]	S	B1VV91	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/11/2008 10:29	Y	12587-46-1	Gross alpha	0.94	pCi/L	U	[NULL]	[NULL]	S	B1VV91	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-123	6/11/2008 10:29	Y	12587-47-2	Gross beta	100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV91	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-123	6/11/2008 10:29	Y	7439-89-6	Iron	255	ug/L	D	[NULL]	[NULL]	S	B1VV91	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2008 10:29	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VV91	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2008 10:29	Y	7439-95-4	Magnesium	845	ug/L	D	[NULL]	[NULL]	S	B1VV91	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2008 10:29	Y	7439-96-5	Manganese	27	ug/L	D	[NULL]	[NULL]	S	B1VV91	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2008 10:29	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VV91	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2008 10:29	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VV91	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2008 10:29	Y	14797-55-8	Nitrate	797	ug/L	DU	[NULL]	[NULL]	S	B1VV91	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/11/2008 10:29	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1VV91	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/11/2008 10:29	Y	14265-44-2	Phosphate	98700	ug/L	D	[NULL]	[NULL]	S	B1VV91	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/11/2008 10:29	Y	7440-09-7	Potassium	1480	ug/L	D	[NULL]	[NULL]	S	B1VV91	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2008 10:29	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1VV91	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2008 10:29	Y	7440-23-5	Sodium	81600	ug/L	D	[NULL]	[NULL]	S	B1VV91	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2008 10:29	Y	7440-24-6	Strontium	36.3	ug/L	D	[NULL]	[NULL]	S	B1VV91	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2008 10:29	Y	14808-79-8	Sulfate	6250	ug/L	D	[NULL]	[NULL]	S	B1VV91	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/11/2008 10:29	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VV91	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/11/2008 10:29	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VV91	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2008 12:47	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVC7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2008 12:47	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVC7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2008 12:47	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVC7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2008 12:47	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVC7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2008 12:47	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVC7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2008 12:47	Y	7440-70-2	Calcium	7460	ug/L	DN	[NULL]	[NULL]	S	B1VVC7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2008 12:47	Y	16887-00-6	Chloride	1530	ug/L	BD	[NULL]	[NULL]	S	B1VVC7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/13/2008 12:47	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVC7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2008 12:47	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVC7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	6/13/2008 12:47	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVC7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2008 12:47	Y	DO	Dissolved oxygen	2500	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVC7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-123	6/13/2008 12:47	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVC7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/13/2008 12:47	Y	12587-46-1	Gross alpha	0.96	pCi/L	U	G	[NULL]	S	B1VVC7	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-123	6/13/2008 12:47	Y	12587-47-2	Gross beta	150	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVC7	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-123	6/13/2008 12:47	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VVC7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2008 12:47	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVC7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2008 12:47	Y	7439-95-4	Magnesium	1340	ug/L	D	[NULL]	[NULL]	S	B1VVC7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2008 12:47	Y	7439-96-5	Manganese	22	ug/L	D	[NULL]	[NULL]	S	B1VVC7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2008 12:47	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVC7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2008 12:47	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVC7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2008 12:47	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVC7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/13/2008 12:47	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVC7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/13/2008 12:47	Y	EH	Oxidation Reduction Potential	2.25	mV	[NULL]	[NULL]	[NULL]	S	B1VVC7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-123	6/13/2008 12:47	Y	14265-44-2	Phosphate	57300	ug/L	D	[NULL]	[NULL]	S	B1VVC7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/13/2008 12:47	Y	7440-09-7	Potassium	1510	ug/L	D	[NULL]	[NULL]	S	B1VVC7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2008 12:47	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVC7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2008 12:47	Y	7440-23-5	Sodium	54300	ug/L	D	[NULL]	[NULL]	S	B1VVC7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2008 12:47	Y	CONDUCT	Specific Conductance	278	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVC7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-123	6/13/2008 12:47	Y	7440-24-6	Strontium	59.8	ug/L	D	[NULL]	[NULL]	S	B1VVC7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2008 12:47	Y	14808-79-8	Sulfate	6370	ug/L	BD	[NULL]	[NULL]	S	B1VVC7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/13/2008 12:47	Y	TEMPERATURE	Temperature	16.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVC7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-123	6/13/2008 12:47	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVC7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2008 12:47	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVC7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/13/2008 12:47	Y	PH	pH Measurement	7.89	unitless	[NULL]	[NULL]	[NULL]	S	B1VVC7	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-123	6/14/2008 10:02	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVH3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2008 10:02	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVH3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2008 10:02	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVH3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2008 10:02	Y	7440-39-3	Barium	31	ug/L	D	[NULL]	[NULL]	S	B1VVH3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2008 10:02	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVH3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2008 10:02	Y	7440-70-2	Calcium	12000	ug/L	D	[NULL]	[NULL]	S	B1VVH3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2008 10:02	Y	16887-00-6	Chloride	3650	ug/L	BD	[NULL]	[NULL]	S	B1VVH3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/14/2008 10:02	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVH3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2008 10:02	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVH3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2008 10:02	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVH3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2008 10:02	Y	DO	Dissolved oxygen	1350	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVH3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-123	6/14/2008 10:02	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVH3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/14/2008 10:02	Y	12587-46-1	Gross alpha	1.3	pCi/L	U	G	[NULL]	S	B1VVH3	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-123	6/14/2008 10:02	Y	12587-47-2	Gross beta	210	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVH3	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-123	6/14/2008 10:02	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VVH3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2008 10:02	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVH3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2008 10:02	Y	7439-95-4	Magnesium	2070	ug/L	D	[NULL]	[NULL]	S	B1VVH3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2008 10:02	Y	7439-96-5	Manganese	77	ug/L	D	[NULL]	[NULL]	S	B1VVH3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2008 10:02	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVH3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2008 10:02	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVH3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2008 10:02	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVH3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/14/2008 10:02	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVH3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/14/2008 10:02	Y	EH	Oxidation Reduction Potential	12	mV	[NULL]	[NULL]	[NULL]	S	B1VVH3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-123	6/14/2008 10:02	Y	14265-44-2	Phosphate	127000	ug/L	D	[NULL]	[NULL]	S	B1VVH3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/14/2008 10:02	Y	7440-09-7	Potassium	1610	ug/L	D	[NULL]	[NULL]	S	B1VVH3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2008 10:02	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVH3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2008 10:02	Y	7440-23-5	Sodium	102000	ug/L	D	[NULL]	[NULL]	S	B1VVH3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2008 10:02	Y	CONDUCT	Specific Conductance	451.1	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVH3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	6/14/2008 10:02	Y	7440-24-6	Strontium	98.5	ug/L	D	[NULL]	[NULL]	S	B1VVH3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2008 10:02	Y	14808-79-8	Sulfate	6380	ug/L	BD	[NULL]	[NULL]	S	B1VVH3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/14/2008 10:02	Y	TEMPERATURE	Temperature	13.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVH3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-123	6/14/2008 10:02	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVH3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2008 10:02	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVH3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/14/2008 10:02	Y	PH	pH Measurement	7.86	unitless	[NULL]	[NULL]	[NULL]	S	B1VVH3	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-123	6/16/2008 10:58	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVK9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/16/2008 10:58	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVK9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/16/2008 10:58	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVK9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/16/2008 10:58	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVK9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/16/2008 10:58	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVK9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/16/2008 10:58	Y	7440-70-2	Calcium	5540	ug/L	D	[NULL]	[NULL]	S	B1VVK9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/16/2008 10:58	Y	16887-00-6	Chloride	2030	ug/L	BD	[NULL]	[NULL]	S	B1VVK9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/16/2008 10:58	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVK9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/16/2008 10:58	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVK9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/16/2008 10:58	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVK9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/16/2008 10:58	Y	DO	Dissolved oxygen	2260	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVK9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-123	6/16/2008 10:58	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVK9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/16/2008 10:58	Y	12587-46-1	Gross alpha	-0.79	pCi/L	U	[NULL]	[NULL]	S	B1VVK9	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-123	6/16/2008 10:58	Y	12587-47-2	Gross beta	110	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVK9	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-123	6/16/2008 10:58	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VVK9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/16/2008 10:58	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVK9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/16/2008 10:58	Y	7439-95-4	Magnesium	923	ug/L	D	[NULL]	[NULL]	S	B1VVK9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/16/2008 10:58	Y	7439-96-5	Manganese	59	ug/L	D	[NULL]	[NULL]	S	B1VVK9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/16/2008 10:58	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVK9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/16/2008 10:58	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVK9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/16/2008 10:58	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVK9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/16/2008 10:58	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVK9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/16/2008 10:58	Y	EH	Oxidation Reduction Potential	-72	mV	[NULL]	[NULL]	[NULL]	S	B1VVK9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-123	6/16/2008 10:58	Y	14265-44-2	Phosphate	62900	ug/L	D	[NULL]	[NULL]	S	B1VVK9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/16/2008 10:58	Y	7440-09-7	Potassium	1280	ug/L	D	[NULL]	[NULL]	S	B1VVK9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/16/2008 10:58	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVK9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/16/2008 10:58	Y	7440-23-5	Sodium	58700	ug/L	D	[NULL]	[NULL]	S	B1VVK9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/16/2008 10:58	Y	CONDUCT	Specific Conductance	301.9	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVK9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-123	6/16/2008 10:58	Y	7440-24-6	Strontium	41.9	ug/L	D	[NULL]	[NULL]	S	B1VVK9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/16/2008 10:58	Y	14808-79-8	Sulfate	6290	ug/L	BD	[NULL]	[NULL]	S	B1VVK9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/16/2008 10:58	Y	TEMPERATURE	Temperature	15.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVK9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-123	6/16/2008 10:58	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVK9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/16/2008 10:58	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVK9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/16/2008 10:58	Y	PH	pH Measurement	7.94	unitless	[NULL]	[NULL]	[NULL]	S	B1VVK9	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-123	6/18/2008 7:05	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVN5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/18/2008 7:05	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVN5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/18/2008 7:05	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVN5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/18/2008 7:05	Y	7440-39-3	Barium	21	ug/L	D	[NULL]	[NULL]	S	B1VVN5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/18/2008 7:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVN5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/18/2008 7:05	Y	7440-70-2	Calcium	12400	ug/L	DN	[NULL]	[NULL]	S	B1VVN5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/18/2008 7:05	Y	16887-00-6	Chloride	1250	ug/L	BD	[NULL]	[NULL]	S	B1VVN5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/18/2008 7:05	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVN5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/18/2008 7:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVN5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/18/2008 7:05	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVN5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/18/2008 7:05	Y	DO	Dissolved oxygen	1850	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVN5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-123	6/18/2008 7:05	Y	16984-48-8	Fluoride	105	ug/L	DU	[NULL]	[NULL]	S	B1VVN5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/18/2008 7:05	Y	12587-46-1	Gross alpha	0.92	pCi/L	U	[NULL]	[NULL]	S	B1VVN5	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-123	6/18/2008 7:05	Y	12587-47-2	Gross beta	140	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVN5	12587-47-2	WSCF	BETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	6/18/2008 7:05	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VVN5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/18/2008 7:05	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVN5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/18/2008 7:05	Y	7439-95-4	Magnesium	2020	ug/L	DN	[NULL]	[NULL]	S	B1VVN5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/18/2008 7:05	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VVN5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/18/2008 7:05	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVN5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/18/2008 7:05	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVN5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/18/2008 7:05	Y	14797-55-8	Nitrate	1550	ug/L	BD	[NULL]	[NULL]	S	B1VVN5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/18/2008 7:05	Y	14797-65-0	Nitrite	769	ug/L	BD	[NULL]	[NULL]	S	B1VVN5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/18/2008 7:05	Y	EH	Oxidation Reduction Potential	-1	mV	[NULL]	[NULL]	[NULL]	S	B1VVN5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-123	6/18/2008 7:05	Y	14265-44-2	Phosphate	31300	ug/L	D	[NULL]	[NULL]	S	B1VVN5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/18/2008 7:05	Y	7440-09-7	Potassium	1560	ug/L	D	[NULL]	[NULL]	S	B1VVN5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/18/2008 7:05	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVN5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/18/2008 7:05	Y	7440-23-5	Sodium	40200	ug/L	D	[NULL]	[NULL]	S	B1VVN5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/18/2008 7:05	Y	CONDUCT	Specific Conductance	209.2	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVN5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-123	6/18/2008 7:05	Y	7440-24-6	Strontium	86.7	ug/L	D	[NULL]	[NULL]	S	B1VVN5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/18/2008 7:05	Y	14808-79-8	Sulfate	6350	ug/L	D	[NULL]	[NULL]	S	B1VVN5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/18/2008 7:05	Y	TEMPERATURE	Temperature	13.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVN5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-123	6/18/2008 7:05	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVN5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/18/2008 7:05	Y	7440-66-6	Zinc	165	ug/L	D	[NULL]	[NULL]	S	B1VVN5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/18/2008 7:05	Y	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	S	B1VVN5	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-123	6/27/2008 7:44	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVT7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/27/2008 7:44	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVT7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/27/2008 7:44	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVT7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/27/2008 7:44	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVT7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/27/2008 7:44	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVT7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/27/2008 7:44	Y	7440-70-2	Calcium	17400	ug/L	D	[NULL]	[NULL]	S	B1VVT7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/27/2008 7:44	Y	16887-00-6	Chloride	1100	ug/L	DU	[NULL]	[NULL]	S	B1VVT7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/27/2008 7:44	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVT7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/27/2008 7:44	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVT7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/27/2008 7:44	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVT7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/27/2008 7:44	Y	DO	Dissolved oxygen	5900	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVT7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-123	6/27/2008 7:44	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVT7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/27/2008 7:44	Y	12587-46-1	Gross alpha	2	pCi/L	U	[NULL]	[NULL]	S	B1VVT7	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-123	6/27/2008 7:44	Y	12587-47-2	Gross beta	260	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVT7	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-123	6/27/2008 7:44	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VVT7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/27/2008 7:44	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVT7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/27/2008 7:44	Y	7439-95-4	Magnesium	3060	ug/L	DN	[NULL]	[NULL]	S	B1VVT7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/27/2008 7:44	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VVT7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/27/2008 7:44	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVT7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/27/2008 7:44	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVT7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/27/2008 7:44	Y	14797-55-8	Nitrate	2080	ug/L	BD	[NULL]	[NULL]	S	B1VVT7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/27/2008 7:44	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVT7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/27/2008 7:44	Y	EH	Oxidation Reduction Potential	193	mV	[NULL]	[NULL]	[NULL]	S	B1VVT7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-123	6/27/2008 7:44	Y	14265-44-2	Phosphate	12900	ug/L	D	[NULL]	[NULL]	S	B1VVT7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/27/2008 7:44	Y	7440-09-7	Potassium	1200	ug/L	D	[NULL]	[NULL]	S	B1VVT7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/27/2008 7:44	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVT7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/27/2008 7:44	Y	7440-23-5	Sodium	14800	ug/L	D	[NULL]	[NULL]	S	B1VVT7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/27/2008 7:44	Y	CONDUCT	Specific Conductance	3700	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVT7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-123	6/27/2008 7:44	Y	7440-24-6	Strontium	110	ug/L	D	[NULL]	[NULL]	S	B1VVT7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/27/2008 7:44	Y	14808-79-8	Sulfate	6010	ug/L	BD	[NULL]	[NULL]	S	B1VVT7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	6/27/2008 7:44	Y	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVT7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-123	6/27/2008 7:44	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVT7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	6/27/2008 7:44	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVT7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	6/27/2008 7:44	Y	PH	pH Measurement	6.89	unitless	[NULL]	[NULL]	[NULL]	S	B1VVT7	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-123	7/4/2008 10:00	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VWT6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/4/2008 10:00	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VWT6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/4/2008 10:00	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VWT6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/4/2008 10:00	Y	7440-39-3	Barium	53	ug/L	D	[NULL]	[NULL]	S	B1VWT6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/4/2008 10:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWT6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/4/2008 10:00	Y	7440-70-2	Calcium	15800	ug/L	DN	[NULL]	[NULL]	S	B1VWT6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/4/2008 10:00	Y	16887-00-6	Chloride	37700	ug/L	D	[NULL]	[NULL]	S	B1VWT6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/4/2008 10:00	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VWT6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/4/2008 10:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VWT6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/4/2008 10:00	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VWT6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/4/2008 10:00	Y	DO	Dissolved oxygen	1870	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWT6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-123	7/4/2008 10:00	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VWT6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/4/2008 10:00	Y	12587-46-1	Gross alpha	-42	pCi/L	U	[NULL]	[NULL]	S	B1VWT6	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-123	7/4/2008 10:00	Y	12587-47-2	Gross beta	1500	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VWT6	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-123	7/4/2008 10:00	Y	7439-89-6	Iron	276	ug/L	D	[NULL]	[NULL]	S	B1VWT6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/4/2008 10:00	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VWT6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/4/2008 10:00	Y	7439-95-4	Magnesium	6860	ug/L	DN	[NULL]	[NULL]	S	B1VWT6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/4/2008 10:00	Y	7439-96-5	Manganese	798	ug/L	D	[NULL]	[NULL]	S	B1VWT6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/4/2008 10:00	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VWT6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/4/2008 10:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VWT6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/4/2008 10:00	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VWT6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/4/2008 10:00	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VWT6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/4/2008 10:00	Y	EH	Oxidation Reduction Potential	-143	mV	[NULL]	[NULL]	[NULL]	S	B1VWT6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-123	7/4/2008 10:00	Y	14265-44-2	Phosphate	307000	ug/L	D	[NULL]	[NULL]	S	B1VWT6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/4/2008 10:00	Y	7440-09-7	Potassium	5900	ug/L	D	[NULL]	[NULL]	S	B1VWT6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/4/2008 10:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VWT6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/4/2008 10:00	Y	7440-23-5	Sodium	1100000	ug/L	D	[NULL]	[NULL]	S	B1VWT6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/4/2008 10:00	Y	CONDUCT	Specific Conductance	4922	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWT6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-123	7/4/2008 10:00	Y	7440-24-6	Strontium	247	ug/L	D	[NULL]	[NULL]	S	B1VWT6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/4/2008 10:00	Y	14808-79-8	Sulfate	1900	ug/L	BD	[NULL]	[NULL]	S	B1VWT6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/4/2008 10:00	Y	TEMPERATURE	Temperature	20.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWT6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-123	7/4/2008 10:00	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VWT6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/4/2008 10:00	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VWT6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/4/2008 10:00	Y	PH	pH Measurement	7.19	unitless	[NULL]	[NULL]	[NULL]	S	B1VWT6	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-123	7/11/2008 10:35	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7V0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/11/2008 10:35	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7V0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/11/2008 10:35	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7V0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/11/2008 10:35	Y	7440-39-3	Barium	36	ug/L	BD	[NULL]	[NULL]	S	B1W7V0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/11/2008 10:35	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7V0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/11/2008 10:35	Y	7440-70-2	Calcium	15900	ug/L	D	[NULL]	[NULL]	S	B1W7V0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/11/2008 10:35	Y	16887-00-6	Chloride	94000	ug/L	D	[NULL]	[NULL]	S	B1W7V0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/11/2008 10:35	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7V0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/11/2008 10:35	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7V0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/11/2008 10:35	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7V0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/11/2008 10:35	Y	DO	Dissolved oxygen	1380	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7V0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-123	7/11/2008 10:35	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W7V0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/11/2008 10:35	Y	12587-46-1	Gross alpha	-9.2	pCi/L	U	G	[NULL]	S	B1W7V0	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-123	7/11/2008 10:35	Y	12587-47-2	Gross beta	550	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7V0	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-123	7/11/2008 10:35	Y	7439-89-6	Iron	830	ug/L	BD	[NULL]	[NULL]	S	B1W7V0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/11/2008 10:35	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7V0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/11/2008 10:35	Y	7439-95-4	Magnesium	4260	ug/L	D	[NULL]	[NULL]	S	B1W7V0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/11/2008 10:35	Y	7439-96-5	Manganese	813	ug/L	D	[NULL]	[NULL]	S	B1W7V0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/11/2008 10:35	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7V0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	7/11/2008 10:35	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7V0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/11/2008 10:35	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W7V0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/11/2008 10:35	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W7V0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/11/2008 10:35	Y	EH	Oxidation Reduction Potential	-165	mV	[NULL]	[NULL]	[NULL]	S	B1W7V0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-123	7/11/2008 10:35	Y	14265-44-2	Phosphate	626000	ug/L	D	[NULL]	[NULL]	S	B1W7V0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/11/2008 10:35	Y	7440-09-7	Potassium	3560	ug/L	BD	[NULL]	[NULL]	S	B1W7V0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/11/2008 10:35	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W7V0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/11/2008 10:35	Y	7440-23-5	Sodium	653000	ug/L	DX	[NULL]	[NULL]	S	B1W7V0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/11/2008 10:35	Y	CONDUCT	Specific Conductance	2320	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7V0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-123	7/11/2008 10:35	Y	7440-24-6	Strontium	186	ug/L	D	[NULL]	[NULL]	S	B1W7V0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/11/2008 10:35	Y	14808-79-8	Sulfate	1290	ug/L	BD	[NULL]	[NULL]	S	B1W7V0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/11/2008 10:35	Y	TEMPERATURE	Temperature	15.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7V0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-123	7/11/2008 10:35	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7V0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/11/2008 10:35	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7V0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/11/2008 10:35	Y	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	S	B1W7V0	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-123	7/18/2008 9:52	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WC96	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/18/2008 9:52	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WC96	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/18/2008 9:52	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WC96	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/18/2008 9:52	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WC96	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/18/2008 9:52	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WC96	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/18/2008 9:52	Y	7440-70-2	Calcium	23100	ug/L	D	[NULL]	[NULL]	S	B1WC96	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/18/2008 9:52	Y	16887-00-6	Chloride	41500	ug/L	D	[NULL]	[NULL]	S	B1WC96	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/18/2008 9:52	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WC96	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/18/2008 9:52	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WC96	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/18/2008 9:52	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WC96	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/18/2008 9:52	Y	DO	Dissolved oxygen	2030	ug/L	[NULL]	[NULL]	[NULL]	S	B1WC96	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-123	7/18/2008 9:52	Y	16984-48-8	Fluoride	232	ug/L	DNU	[NULL]	[NULL]	S	B1WC96	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/18/2008 9:52	Y	12587-46-1	Gross alpha	2.5	pCi/L	U	G	[NULL]	S	B1WC96	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-123	7/18/2008 9:52	Y	12587-47-2	Gross beta	720	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WC96	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-123	7/18/2008 9:52	Y	7439-89-6	Iron	722	ug/L	D	[NULL]	[NULL]	S	B1WC96	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/18/2008 9:52	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WC96	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/18/2008 9:52	Y	7439-95-4	Magnesium	6500	ug/L	D	[NULL]	[NULL]	S	B1WC96	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/18/2008 9:52	Y	7439-96-5	Manganese	667	ug/L	D	[NULL]	[NULL]	S	B1WC96	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/18/2008 9:52	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WC96	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/18/2008 9:52	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WC96	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/18/2008 9:52	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WC96	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/18/2008 9:52	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WC96	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/18/2008 9:52	Y	EH	Oxidation Reduction Potential	-154	mV	[NULL]	[NULL]	[NULL]	S	B1WC96	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-123	7/18/2008 9:52	Y	14265-44-2	Phosphate	299000	ug/L	D	[NULL]	[NULL]	S	B1WC96	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/18/2008 9:52	Y	7440-09-7	Potassium	2870	ug/L	D	[NULL]	[NULL]	S	B1WC96	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/18/2008 9:52	Y	7440-22-4	Silver	41	ug/L	D	[NULL]	[NULL]	S	B1WC96	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/18/2008 9:52	Y	7440-23-5	Sodium	270000	ug/L	DX	[NULL]	[NULL]	S	B1WC96	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/18/2008 9:52	Y	CONDUCT	Specific Conductance	1230	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WC96	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-123	7/18/2008 9:52	Y	7440-24-6	Strontium	130	ug/L	D	[NULL]	[NULL]	S	B1WC96	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/18/2008 9:52	Y	14808-79-8	Sulfate	2700	ug/L	BD	[NULL]	[NULL]	S	B1WC96	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	7/18/2008 9:52	Y	TEMPERATURE	Temperature	16.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1WC96	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-123	7/18/2008 9:52	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WC96	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/18/2008 9:52	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WC96	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	7/18/2008 9:52	Y	PH	pH Measurement	7.76	unitless	[NULL]	[NULL]	[NULL]	S	B1WC96	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-123	9/3/2008 10:40	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WWD9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/3/2008 10:40	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WWD9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/3/2008 10:40	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WWD9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/3/2008 10:40	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WWD9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	9/3/2008 10:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WWD9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/3/2008 10:40	Y	7440-70-2	Calcium	50600	ug/L	DN	[NULL]	[NULL]	S	B1WWD9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/3/2008 10:40	Y	16887-00-6	Chloride	120000	ug/L	D	[NULL]	[NULL]	S	B1WW87	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-123	9/3/2008 10:40	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WWD9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/3/2008 10:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WWD9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/3/2008 10:40	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WWD9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/3/2008 10:40	Y	DO	Dissolved oxygen	1630	ug/L	[NULL]	[NULL]	[NULL]	S	B1WW87	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-123	9/3/2008 10:40	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WW87	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-123	9/3/2008 10:40	Y	12587-46-1	Gross alpha	2.2	pCi/L	U	[NULL]	[NULL]	S	B1WWD9	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-123	9/3/2008 10:40	Y	12587-47-2	Gross beta	1500	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WWD9	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-123	9/3/2008 10:40	Y	7439-89-6	Iron	582	ug/L	BD	[NULL]	[NULL]	S	B1WWD9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/3/2008 10:40	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WWD9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/3/2008 10:40	Y	7439-95-4	Magnesium	11600	ug/L	D	[NULL]	[NULL]	S	B1WWD9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/3/2008 10:40	Y	7439-96-5	Manganese	768	ug/L	D	[NULL]	[NULL]	S	B1WWD9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/3/2008 10:40	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WWD9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/3/2008 10:40	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WWD9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/3/2008 10:40	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WW87	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-123	9/3/2008 10:40	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WW87	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-123	9/3/2008 10:40	Y	EH	Oxidation Reduction Potential	-92	mV	[NULL]	[NULL]	[NULL]	S	B1WW87	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-123	9/3/2008 10:40	Y	14265-44-2	Phosphate	138000	ug/L	D	[NULL]	[NULL]	S	B1WW87	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-123	9/3/2008 10:40	Y	7440-09-7	Potassium	4240	ug/L	BD	[NULL]	[NULL]	S	B1WWD9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/3/2008 10:40	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WWD9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/3/2008 10:40	Y	7440-23-5	Sodium	476000	ug/L	D	[NULL]	[NULL]	S	B1WWD9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/3/2008 10:40	Y	CONDUCT	Specific Conductance	1981	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WW87	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-123	9/3/2008 10:40	Y	7440-24-6	Strontium	230	ug/L	D	[NULL]	[NULL]	S	B1WWD9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/3/2008 10:40	Y	14808-79-8	Sulfate	29300	ug/L	D	[NULL]	[NULL]	S	B1WW87	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-123	9/3/2008 10:40	Y	TEMPERATURE	Temperature	18.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1WW87	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-123	9/3/2008 10:40	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WWD9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/3/2008 10:40	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WWD9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	9/3/2008 10:40	Y	PH	pH Measurement	7.57	unitless	[NULL]	[NULL]	[NULL]	S	B1WW87	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-123	10/30/2008 11:13	N	7429-90-5	Aluminum	63.2	ug/L	B	[NULL]	[NULL]	S	B1WX65	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/30/2008 11:13	N	7440-36-0	Antimony	60	ug/L	U	[NULL]	[NULL]	S	B1WX65	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/30/2008 11:13	N	7440-38-2	Arsenic	80	ug/L	U	[NULL]	[NULL]	S	B1WX65	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/30/2008 11:13	N	7440-39-3	Barium	28	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX65	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/30/2008 11:13	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1WX65	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/30/2008 11:13	N	7440-70-2	Calcium	24700	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX65	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/30/2008 11:13	N	16887-00-6	Chloride	73900	ug/L	D	[NULL]	[NULL]	S	B1WX65	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	10/30/2008 11:13	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	S	B1WX65	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/30/2008 11:13	N	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	S	B1WX65	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/30/2008 11:13	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1WX65	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/30/2008 11:13	N	DO	Dissolved oxygen	2650	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX65	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-123	10/30/2008 11:13	N	16984-48-8	Fluoride	200	ug/L	UD	[NULL]	[NULL]	S	B1WX65	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	10/30/2008 11:13	N	12587-46-1	Gross alpha	2.34	pCi/L	U	[NULL]	[NULL]	S	B1WX65	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-123	10/30/2008 11:13	N	12587-47-2	Gross beta	848	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WX65	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-123	10/30/2008 11:13	N	7439-89-6	Iron	754	ug/L	C	[NULL]	[NULL]	S	B1WX65	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/30/2008 11:13	N	7439-92-1	Lead	40	ug/L	U	[NULL]	[NULL]	S	B1WX65	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/30/2008 11:13	N	7439-95-4	Magnesium	6360	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX65	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/30/2008 11:13	N	7439-96-5	Manganese	423	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX65	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/30/2008 11:13	N	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	S	B1WX65	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/30/2008 11:13	N	7440-02-0	Nickel	6	ug/L	U	[NULL]	[NULL]	S	B1WX65	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/30/2008 11:13	N	14797-55-8	Nitrate	443	ug/L	UD	[NULL]	[NULL]	S	B1WX65	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	10/30/2008 11:13	N	14797-65-0	Nitrite	328	ug/L	UD	[NULL]	[NULL]	S	B1WX65	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	10/30/2008 11:13	N	EH	Oxidation Reduction Potential	-175	mV	[NULL]	[NULL]	[NULL]	S	B1WX65	EH	FIELD	REDOX_PROBE_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	10/30/2008 11:13	N	14265-44-2	Phosphate	223000	ug/L	D	[NULL]	[NULL]	S	B1WX65	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	10/30/2008 11:13	N	7440-09-7	Potassium	3300	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX65	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/30/2008 11:13	N	7440-22-4	Silver	10	ug/L	B	[NULL]	[NULL]	S	B1WX65	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/30/2008 11:13	N	7440-23-5	Sodium	436000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX65	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/30/2008 11:13	N	CONDUCT	Specific Conductance	1895	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WX65	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-123	10/30/2008 11:13	N	7440-24-6	Strontium	160	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX65	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/30/2008 11:13	N	14808-79-8	Sulfate	15200	ug/L	D	[NULL]	[NULL]	S	B1WX65	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	10/30/2008 11:13	N	TEMPERATURE	Temperature	14.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1WX65	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-123	10/30/2008 11:13	N	7440-62-2	Vanadium	10	ug/L	U	[NULL]	[NULL]	S	B1WX65	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/30/2008 11:13	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1WX65	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	10/30/2008 11:13	N	PH	pH Measurement	7.67	unitless	[NULL]	[NULL]	[NULL]	S	B1WX65	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-123	12/8/2008 9:33	N	7429-90-5	Aluminum	52.5	ug/L	B	[NULL]	[NULL]	S	B1XXN8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/8/2008 9:33	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	S	B1XXN8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/8/2008 9:33	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	S	B1XXN8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/8/2008 9:33	N	7440-39-3	Barium	4	ug/L	B	[NULL]	[NULL]	S	B1XXN8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/8/2008 9:33	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1XXN8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/8/2008 9:33	N	7440-70-2	Calcium	17600	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXN8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/8/2008 9:33	N	16887-00-6	Chloride	25200	ug/L	D	[NULL]	[NULL]	S	B1XXN8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	12/8/2008 9:33	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B1XXN8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/8/2008 9:33	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1XXN8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/8/2008 9:33	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1XXN8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/8/2008 9:33	N	DO	Dissolved oxygen	3490	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXN8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-123	12/8/2008 9:33	N	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1XXN8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	12/8/2008 9:33	N	12587-46-1	Gross alpha	0.2	pCi/L	U	[NULL]	[NULL]	S	B1XXN8	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-123	12/8/2008 9:33	N	12587-47-2	Gross beta	290	pCi/L	[NULL]	[NULL]	[NULL]	S	B1XXN8	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-123	12/8/2008 9:33	N	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	S	B1XXN8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/8/2008 9:33	N	7439-92-1	Lead	45	ug/L	U	[NULL]	[NULL]	S	B1XXN8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/8/2008 9:33	N	7439-95-4	Magnesium	2980	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXN8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/8/2008 9:33	N	7439-96-5	Manganese	7	ug/L	B	[NULL]	[NULL]	S	B1XXN8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/8/2008 9:33	N	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	S	B1XXN8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/8/2008 9:33	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B1XXN8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/8/2008 9:33	N	14797-55-8	Nitrate	34300	ug/L	D	[NULL]	[NULL]	S	B1XXN8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	12/8/2008 9:33	N	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1XXN8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	12/8/2008 9:33	N	EH	Oxidation Reduction Potential	46	mV	[NULL]	[NULL]	[NULL]	S	B1XXN8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-123	12/8/2008 9:33	N	14265-44-2	Phosphate	197000	ug/L	D	[NULL]	[NULL]	S	B1XXN8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	12/8/2008 9:33	N	7440-09-7	Potassium	2370	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXN8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/8/2008 9:33	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1XXN8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/8/2008 9:33	N	7440-23-5	Sodium	252000	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXN8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/8/2008 9:33	N	CONDUCT	Specific Conductance	100	uS/cm	[NULL]	Y	[NULL]	S	B1XXN8	CONDUCT	FIELD	D1125A_CONDUCT	100-NR-2
199-N-123	12/8/2008 9:33	N	7440-24-6	Strontium	78.2	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXN8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/8/2008 9:33	N	14808-79-8	Sulfate	22300	ug/L	D	[NULL]	[NULL]	S	B1XXN8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	12/8/2008 9:33	N	TEMPERATURE	Temperature	14.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1XXN8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-123	12/8/2008 9:33	N	7440-62-2	Vanadium	21	ug/L	B	[NULL]	[NULL]	S	B1XXN8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/8/2008 9:33	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1XXN8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	12/8/2008 9:33	N	PH	pH Measurement	7.77	unitless	[NULL]	[NULL]	[NULL]	S	B1XXN8	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-123	2/4/2009 9:23	Y	7429-90-5	Aluminum	134	ug/L	B	Z	[NULL]	S	B1YLN1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	N	7429-90-5	Aluminum	80.9	ug/L	B	[NULL]	[NULL]	S	B1YLN2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	S	B1YLN2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	Y	7440-36-0	Antimony	56	ug/L	U	Z	[NULL]	S	B1YLN1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	Y	7440-38-2	Arsenic	78	ug/L	U	Z	[NULL]	S	B1YLN1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	S	B1YLN2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	N	7440-39-3	Barium	4.6	ug/L	B	[NULL]	[NULL]	S	B1YLN2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	Y	7440-39-3	Barium	4	ug/L	U	Z	[NULL]	S	B1YLN1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1YLN2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	2/4/2009 9:23	Y	7440-43-9	Cadmium	4	ug/L	U	Z	[NULL]	S	B1YLN1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	N	7440-70-2	Calcium	13500	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	Y	7440-70-2	Calcium	13300	ug/L	[NULL]	Z	[NULL]	S	B1YLN1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	Y	16887-00-6	Chloride	4150	ug/L	D	[NULL]	[NULL]	S	B1YLN1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	2/4/2009 9:23	N	16887-00-6	Chloride	4200	ug/L	D	[NULL]	[NULL]	S	B1YLN2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	2/4/2009 9:23	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B1YLN2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	Y	7440-47-3	Chromium	13	ug/L	U	Z	[NULL]	S	B1YLN1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	N	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	S	B1YLN2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	Y	7440-48-4	Cobalt	5	ug/L	U	Z	[NULL]	S	B1YLN1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	Y	7440-50-8	Copper	6	ug/L	U	Z	[NULL]	S	B1YLN1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1YLN2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	Y	DO	Dissolved oxygen	4540	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-123	2/4/2009 9:23	Y	16984-48-8	Fluoride	230	ug/L	UD	[NULL]	[NULL]	S	B1YLN1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	2/4/2009 9:23	N	16984-48-8	Fluoride	230	ug/L	UD	[NULL]	[NULL]	S	B1YLN2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	2/4/2009 9:23	Y	12587-46-1	Gross alpha	0.098	pCi/L	U	Z	[NULL]	S	B1YLN1	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-123	2/4/2009 9:23	N	12587-46-1	Gross alpha	0.97	pCi/L	U	[NULL]	[NULL]	S	B1YLN2	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-123	2/4/2009 9:23	Y	12587-47-2	Gross beta	220	pCi/L	[NULL]	Z	[NULL]	S	B1YLN1	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-123	2/4/2009 9:23	N	12587-47-2	Gross beta	230	pCi/L	[NULL]	[NULL]	[NULL]	S	B1YLN2	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-123	2/4/2009 9:23	Y	7439-89-6	Iron	32	ug/L	B	Z	[NULL]	S	B1YLN1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	N	7439-89-6	Iron	26.2	ug/L	B	[NULL]	[NULL]	S	B1YLN2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	Y	7439-92-1	Lead	45	ug/L	U	Z	[NULL]	S	B1YLN1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	N	7439-92-1	Lead	45	ug/L	U	[NULL]	[NULL]	S	B1YLN2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	Y	7439-95-4	Magnesium	1560	ug/L	[NULL]	Z	[NULL]	S	B1YLN1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	N	7439-95-4	Magnesium	1570	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	Y	7439-96-5	Manganese	4	ug/L	U	Z	[NULL]	S	B1YLN1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	S	B1YLN2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	Y	7439-98-7	Molybdenum	5	ug/L	U	Z	[NULL]	S	B1YLN1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	N	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	S	B1YLN2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	Y	7440-02-0	Nickel	6	ug/L	U	Z	[NULL]	S	B1YLN1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	N	7440-02-0	Nickel	6	ug/L	U	[NULL]	[NULL]	S	B1YLN2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	N	14797-55-8	Nitrate	48700	ug/L	D	[NULL]	[NULL]	S	B1YLN2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	2/4/2009 9:23	Y	14797-55-8	Nitrate	48700	ug/L	D	[NULL]	[NULL]	S	B1YLN1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	2/4/2009 9:23	Y	14797-65-0	Nitrite	427	ug/L	UD	[NULL]	[NULL]	S	B1YLN1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	2/4/2009 9:23	N	14797-65-0	Nitrite	427	ug/L	UD	[NULL]	[NULL]	S	B1YLN2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	2/4/2009 9:23	Y	EH	Oxidation Reduction Potential	234	mV	[NULL]	[NULL]	[NULL]	S	B1YLN1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-123	2/4/2009 9:23	N	14265-44-2	Phosphate	186000	ug/L	D	[NULL]	[NULL]	S	B1YLN2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	2/4/2009 9:23	Y	14265-44-2	Phosphate	183000	ug/L	D	[NULL]	[NULL]	S	B1YLN1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	2/4/2009 9:23	N	7440-09-7	Potassium	1410	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	Y	7440-09-7	Potassium	1430	ug/L	[NULL]	Z	[NULL]	S	B1YLN1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	Y	7440-22-4	Silver	5	ug/L	U	Z	[NULL]	S	B1YLN1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1YLN2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	Y	7440-23-5	Sodium	134000	ug/L	[NULL]	Z	[NULL]	S	B1YLN1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	N	7440-23-5	Sodium	134000	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	Y	CONDUCT	Specific Conductance	623	uS/cm	[NULL]	[NULL]	[NULL]	S	B1YLN1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-123	2/4/2009 9:23	Y	7440-24-6	Strontium	32.3	ug/L	[NULL]	Z	[NULL]	S	B1YLN1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	N	7440-24-6	Strontium	33.6	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	Y	14808-79-8	Sulfate	11400	ug/L	D	[NULL]	[NULL]	S	B1YLN1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	2/4/2009 9:23	N	14808-79-8	Sulfate	11400	ug/L	D	[NULL]	[NULL]	S	B1YLN2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	2/4/2009 9:23	Y	TEMPERATURE	Temperature	13.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1YLN1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-123	2/4/2009 9:23	N	7440-62-2	Vanadium	33.6	ug/L	B	[NULL]	[NULL]	S	B1YLN2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	Y	7440-62-2	Vanadium	34.2	ug/L	B	Z	[NULL]	S	B1YLN1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1YLN2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	Y	7440-66-6	Zinc	9	ug/L	U	Z	[NULL]	S	B1YLN1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	2/4/2009 9:23	Y	PH	pH Measurement	7.77	unitless	[NULL]	[NULL]	[NULL]	S	B1YLN1	PH	FIELD	PH_ELECT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	5/26/2009 10:21	N	DO	Dissolved oxygen	3060	ug/L	[NULL]	[NULL]	[NULL]	S	B203J6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-123	5/26/2009 10:21	N	12587-46-1	Gross alpha	3.6	pCi/L	[NULL]	[NULL]	[NULL]	S	B203J6	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-123	5/26/2009 10:21	N	12587-47-2	Gross beta	110	pCi/L	[NULL]	[NULL]	[NULL]	S	B203J6	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-123	5/26/2009 10:21	N	EH	Oxidation Reduction Potential	300	mV	[NULL]	[NULL]	[NULL]	S	B203J6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-123	5/26/2009 10:21	N	CONDUCT	Specific Conductance	593	uS/cm	[NULL]	[NULL]	[NULL]	S	B203J6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-123	5/26/2009 10:21	N	TEMPERATURE	Temperature	14.6	Deg C	[NULL]	[NULL]	[NULL]	S	B203J6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-123	5/26/2009 10:21	N	PH	pH Measurement	7.66	unitless	[NULL]	[NULL]	[NULL]	S	B203J6	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-123	8/13/2009 10:41	N	DO	Dissolved oxygen	3360	ug/L	[NULL]	[NULL]	[NULL]	S	B21BC4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-123	8/13/2009 10:41	N	12587-46-1	Gross alpha	-0.27	pCi/L	U	[NULL]	[NULL]	S	B21BC4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-123	8/13/2009 10:41	N	12587-47-2	Gross beta	140	pCi/L	[NULL]	[NULL]	[NULL]	S	B21BC4	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-123	8/13/2009 10:41	N	EH	Oxidation Reduction Potential	149	mV	[NULL]	[NULL]	[NULL]	S	B21BC4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-123	8/13/2009 10:41	N	CONDUCT	Specific Conductance	641	uS/cm	[NULL]	[NULL]	[NULL]	S	B21BC4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-123	8/13/2009 10:41	N	10098-97-2	Strontium-90	-1.6	pCi/L	U	[NULL]	[NULL]	S	B21BC4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	8/13/2009 10:41	N	TEMPERATURE	Temperature	18.6	Deg C	[NULL]	[NULL]	[NULL]	S	B21BC4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-123	8/13/2009 10:41	N	PH	pH Measurement	7.62	unitless	[NULL]	[NULL]	[NULL]	S	B21BC4	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-123	11/20/2009 10:10	N	7429-90-5	Aluminum	134	ug/L	[NULL]	[NULL]	[NULL]	S	B22WW2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/20/2009 10:10	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	S	B22WW2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/20/2009 10:10	N	7440-38-2	Arsenic	65	ug/L	U	[NULL]	[NULL]	S	B22WW2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/20/2009 10:10	N	7440-39-3	Barium	5.4	ug/L	B	[NULL]	[NULL]	S	B22WW2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/20/2009 10:10	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B22WW2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/20/2009 10:10	N	7440-70-2	Calcium	6380	ug/L	[NULL]	[NULL]	[NULL]	S	B22WW2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/20/2009 10:10	N	16887-00-6	Chloride	3980	ug/L	D	[NULL]	[NULL]	S	B22WW2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	11/20/2009 10:10	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B22WW2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/20/2009 10:10	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B22WW2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/20/2009 10:10	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	S	B22WW2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/20/2009 10:10	N	DO	Dissolved oxygen	7620	ug/L	[NULL]	[NULL]	[NULL]	S	B22WW2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-123	11/20/2009 10:10	N	16984-48-8	Fluoride	71.1	ug/L	BD	[NULL]	[NULL]	S	B22WW2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	11/20/2009 10:10	N	12587-47-2	Gross beta	230	pCi/L	[NULL]	F	[NULL]	S	B22WW2	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-123	11/20/2009 10:10	N	7439-89-6	Iron	52.4	ug/L	B	[NULL]	[NULL]	S	B22WW2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/20/2009 10:10	N	7439-92-1	Lead	23	ug/L	U	[NULL]	[NULL]	S	B22WW2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/20/2009 10:10	N	7439-95-4	Magnesium	1400	ug/L	[NULL]	[NULL]	[NULL]	S	B22WW2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/20/2009 10:10	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	S	B22WW2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/20/2009 10:10	N	7439-98-7	Molybdenum	4	ug/L	U	[NULL]	[NULL]	S	B22WW2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/20/2009 10:10	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B22WW2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/20/2009 10:10	N	14797-55-8	Nitrate	17400	ug/L	D	[NULL]	[NULL]	S	B22WW2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	11/20/2009 10:10	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	S	B22WW2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	11/20/2009 10:10	N	EH	Oxidation Reduction Potential	155.9	mV	[NULL]	[NULL]	[NULL]	S	B22WW2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-123	11/20/2009 10:10	N	14265-44-2	Phosphate	94700	ug/L	D	[NULL]	[NULL]	S	B22WW2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	11/20/2009 10:10	N	7440-09-7	Potassium	1210	ug/L	[NULL]	[NULL]	[NULL]	S	B22WW2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/20/2009 10:10	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B22WW2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/20/2009 10:10	N	7440-23-5	Sodium	86900	ug/L	[NULL]	[NULL]	[NULL]	S	B22WW2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/20/2009 10:10	N	CONDUCT	Specific Conductance	406	uS/cm	[NULL]	[NULL]	[NULL]	S	B22WW2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-123	11/20/2009 10:10	N	7440-24-6	Strontium	30	ug/L	[NULL]	[NULL]	[NULL]	S	B22WW2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/20/2009 10:10	N	10098-97-2	Strontium-90	69	pCi/L	[NULL]	F	[NULL]	S	B22WW2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	11/20/2009 10:10	N	14808-79-8	Sulfate	12800	ug/L	D	[NULL]	[NULL]	S	B22WW2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-123	11/20/2009 10:10	N	TEMPERATURE	Temperature	14.5	Deg C	[NULL]	[NULL]	[NULL]	S	B22WW2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-123	11/20/2009 10:10	N	7440-62-2	Vanadium	31.6	ug/L	B	[NULL]	[NULL]	S	B22WW2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/20/2009 10:10	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	S	B22WW2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-123	11/20/2009 10:10	N	PH	pH Measurement	7.77	unitless	[NULL]	[NULL]	[NULL]	S	B22WW2	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-123	2/24/2010 12:55	N	12587-46-1	Gross alpha	-1.2	pCi/L	U	[NULL]	[NULL]	C	B23R42	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-123	2/24/2010 12:55	N	12587-47-2	Gross beta	785	pCi/L	[NULL]	[NULL]	[NULL]	S	B244K7	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-123	2/24/2010 12:55	N	12587-47-2	Gross beta	782	pCi/L	[NULL]	[NULL]	[NULL]	S	B244K8	12587-47-2	EBRLNE	900.0_ALPHABETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-123	2/24/2010 12:55	N	12587-47-2	Gross beta	800	pCi/L	[NULL]	[NULL]	[NULL]	C	B23R42	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-123	2/24/2010 12:55	N	10098-97-2	Strontium-90	360	pCi/L	[NULL]	[NULL]	[NULL]	C	B23R42	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	2/24/2010 12:55	N	10098-97-2	Strontium-90	314	pCi/L	[NULL]	[NULL]	[NULL]	S	B244K7	SR-RAD	TARL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-123	2/24/2010 12:55	N	10098-97-2	Strontium-90	429	pCi/L	[NULL]	[NULL]	[NULL]	S	B244K8	SR-RAD	EBRLNE	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-126	6/9/2006 3:31	Y	12587-46-1	Gross alpha	12	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JHC3	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-126	6/9/2006 3:31	Y	12587-47-2	Gross beta	6600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JHC3	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-126	6/21/2006 10:36	N	12587-46-1	Gross alpha	0.9	pCi/L	U	[NULL]	[NULL]	S	B1JMC2	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-126	6/21/2006 10:36	N	12587-47-2	Gross beta	2900	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JMC2	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-126	6/21/2006 10:36	N	10098-97-2	Strontium-90	2410	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JMC2	SR-RAD	STLRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-126	6/28/2006 8:43	N	10098-97-2	Strontium-90	1900	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JWB0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-126	7/7/2006 8:50	N	10098-97-2	Strontium-90	4800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K013	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-126	7/17/2006 14:57	Y	7429-90-5	Aluminum	370	ug/L	U	[NULL]	[NULL]	S	B1K4W8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/17/2006 14:57	Y	7440-36-0	Antimony	720	ug/L	U	[NULL]	[NULL]	S	B1K4W8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/17/2006 14:57	Y	7440-38-2	Arsenic	790	ug/L	U	[NULL]	[NULL]	S	B1K4W8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/17/2006 14:57	Y	7440-39-3	Barium	189	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4W8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/17/2006 14:57	Y	7440-43-9	Cadmium	30	ug/L	U	[NULL]	[NULL]	S	B1K4W8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/17/2006 14:57	Y	7440-70-2	Calcium	132000	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4W8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/17/2006 14:57	Y	16887-00-6	Chloride	70500	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4W8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	7/17/2006 14:57	Y	7440-47-3	Chromium	70	ug/L	U	[NULL]	[NULL]	S	B1K4W8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/17/2006 14:57	Y	7440-48-4	Cobalt	70	ug/L	U	[NULL]	[NULL]	S	B1K4W8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/17/2006 14:57	Y	7440-50-8	Copper	70	ug/L	U	[NULL]	[NULL]	S	B1K4W8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/17/2006 14:57	Y	16984-48-8	Fluoride	45	ug/L	U	[NULL]	[NULL]	S	B1K4W8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	7/17/2006 14:57	Y	7439-89-6	Iron	330	ug/L	U	[NULL]	[NULL]	S	B1K4W8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/17/2006 14:57	Y	7439-92-1	Lead	470	ug/L	U	[NULL]	[NULL]	S	B1K4W8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/17/2006 14:57	Y	7439-95-4	Magnesium	23500	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4W8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/17/2006 14:57	Y	7439-96-5	Manganese	4700	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4W8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/17/2006 14:57	Y	7439-98-7	Molybdenum	110	ug/L	U	[NULL]	[NULL]	S	B1K4W8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/17/2006 14:57	Y	7440-02-0	Nickel	50	ug/L	U	[NULL]	[NULL]	S	B1K4W8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/17/2006 14:57	Y	14797-55-8	Nitrate	128	ug/L	U	[NULL]	[NULL]	S	B1K4W8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	7/17/2006 14:57	Y	14797-65-0	Nitrite	115	ug/L	U	[NULL]	[NULL]	S	B1K4W8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	7/17/2006 14:57	Y	14265-44-2	Phosphate	337	ug/L	U	[NULL]	[NULL]	S	B1K4W8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	7/17/2006 14:57	Y	7440-09-7	Potassium	2470	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4W8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/17/2006 14:57	Y	7440-22-4	Silver	110	ug/L	U	[NULL]	[NULL]	S	B1K4W8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/17/2006 14:57	Y	7440-23-5	Sodium	105000	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4W8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/17/2006 14:57	Y	7440-24-6	Strontium	572	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4W8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/17/2006 14:57	Y	10098-97-2	Strontium-90	4000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K4V8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-126	7/17/2006 14:57	Y	14808-79-8	Sulfate	2800	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4W8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	7/17/2006 14:57	Y	7440-62-2	Vanadium	140	ug/L	U	[NULL]	[NULL]	S	B1K4W8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/17/2006 14:57	Y	7440-66-6	Zinc	45.6	ug/L	C	[NULL]	[NULL]	S	B1K4W8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/24/2006 13:16	Y	10098-97-2	Strontium-90	5000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K730	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-126	7/26/2006 9:47	N	ALKALINITY	Alkalinity	524000	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK52	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-126	7/26/2006 9:47	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1JK51	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-126	7/26/2006 9:47	N	14234-35-6	Antimony-125	1.37	pCi/L	U	[NULL]	[NULL]	R	B1JK54	14234-35-6	STLRL	GAMMA_GS	100-NR-2
199-N-126	7/26/2006 9:47	Y	7440-39-3	Barium	241	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK51	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-126	7/26/2006 9:47	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1JK51	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-126	7/26/2006 9:47	N	13966-02-4	Beryllium-7	-14.9	pCi/L	U	[NULL]	[NULL]	R	B1JK54	13966-02-4	STLRL	GAMMA_GS	100-NR-2
199-N-126	7/26/2006 9:47	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1JK51	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-126	7/26/2006 9:47	Y	7440-70-2	Calcium	143000	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK51	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-126	7/26/2006 9:47	N	13967-70-9	Cesium-134	0.184	pCi/L	U	[NULL]	[NULL]	R	B1JK54	13967-70-9	STLRL	GAMMA_GS	100-NR-2
199-N-126	7/26/2006 9:47	N	10045-97-3	Cesium-137	-1.77	pCi/L	U	[NULL]	[NULL]	R	B1JK54	10045-97-3	STLRL	GAMMA_GS	100-NR-2
199-N-126	7/26/2006 9:47	N	16887-00-6	Chloride	90300	ug/L	DN	[NULL]	[NULL]	R	B1JK52	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-126	7/26/2006 9:47	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1JK51	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-126	7/26/2006 9:47	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1JK51	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-126	7/26/2006 9:47	N	10198-40-0	Cobalt-60	0.934	pCi/L	U	[NULL]	[NULL]	R	B1JK54	10198-40-0	STLRL	GAMMA_GS	100-NR-2
199-N-126	7/26/2006 9:47	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1JK51	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-126	7/26/2006 9:47	N	DO	Dissolved oxygen	190	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK53	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-126	7/26/2006 9:47	N	14683-23-9	Europium-152	3.53	pCi/L	U	[NULL]	[NULL]	R	B1JK54	14683-23-9	STLRL	GAMMA_GS	100-NR-2
199-N-126	7/26/2006 9:47	N	15585-10-1	Europium-154	1.34	pCi/L	U	[NULL]	[NULL]	R	B1JK54	15585-10-1	STLRL	GAMMA_GS	100-NR-2
199-N-126	7/26/2006 9:47	N	14391-16-3	Europium-155	-4.19	pCi/L	U	[NULL]	[NULL]	R	B1JK54	14391-16-3	STLRL	GAMMA_GS	100-NR-2
199-N-126	7/26/2006 9:47	N	16984-48-8	Fluoride	54	ug/L	B	[NULL]	[NULL]	R	B1JK52	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-126	7/26/2006 9:47	N	12587-46-1	Gross alpha	3.6	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JK54	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-126	7/26/2006 9:47	N	12587-47-2	Gross beta	8710	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JK54	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-126	7/26/2006 9:47	Y	7439-89-6	Iron	934	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK51	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-126	7/26/2006 9:47	Y	7439-95-4	Magnesium	26500	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK51	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-126	7/26/2006 9:47	Y	7439-96-5	Manganese	5880	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK51	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-126	7/26/2006 9:47	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1JK51	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-126	7/26/2006 9:47	N	14797-55-8	Nitrate	204	ug/L	N	H	[NULL]	R	B1JK52	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-126	7/26/2006 9:47	N	14797-65-0	Nitrite	13.1	ug/L	U	H	[NULL]	R	B1JK52	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-126	7/26/2006 9:47	N	14265-44-2	Phosphate	100	ug/L	U	H	[NULL]	R	B1JK52	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-126	7/26/2006 9:47	Y	7440-09-7	Potassium	4730	ug/L	B	[NULL]	[NULL]	R	B1JK51	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-126	7/26/2006 9:47	N	13966-00-2	Potassium-40	-13.1	pCi/L	U	[NULL]	[NULL]	R	B1JK54	13966-00-2	STLRL	GAMMA_GS	100-NR-2
199-N-126	7/26/2006 9:47	N	13967-48-1	Ruthenium-106	-4.18	pCi/L	U	[NULL]	[NULL]	R	B1JK54	13967-48-1	STLRL	GAMMA_GS	100-NR-2
199-N-126	7/26/2006 9:47	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1JK51	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-126	7/26/2006 9:47	Y	7440-23-5	Sodium	113000	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK51	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-126	7/26/2006 9:47	N	CONDUCT	Specific Conductance	1267	uS/cm	[NULL]	[NULL]	[NULL]	R	B1JK53	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-126	7/26/2006 9:47	Y	7440-24-6	Strontium	556	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK51	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-126	7/26/2006 9:47	N	10098-97-2	Strontium-90	4990	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JK54	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-126	7/26/2006 9:47	N	14808-79-8	Sulfate	1600	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK52	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-126	7/26/2006 9:47	N	TEMPERATURE	Temperature	16.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1JK53	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-126	7/26/2006 9:47	N	10028-17-8	Tritium	49.9	pCi/L	U	[NULL]	[NULL]	R	B1JK54	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-126	7/26/2006 9:47	N	TURBIDITY	Turbidity	2.08	NTU	[NULL]	[NULL]	[NULL]	R	B1JK53	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-126	7/26/2006 9:47	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1JK51	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-126	7/26/2006 9:47	Y	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1JK51	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-126	7/26/2006 9:47	N	PH	pH Measurement	7.79	unitless	[NULL]	[NULL]	[NULL]	R	B1JK53	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-126	8/7/2006 9:40	Y	10098-97-2	Strontium-90	4800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K8V2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-126	8/9/2006 11:28	N	DO	Dissolved oxygen	180	ug/L	[NULL]	[NULL]	[NULL]	R	B1K4C9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-126	8/9/2006 11:28	N	12587-47-2	Gross beta	9460	pCi/L	[NULL]	[NULL]	[NULL]	R	B1K4D0	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-126	8/9/2006 11:28	N	CONDUCT	Specific Conductance	1506	uS/cm	[NULL]	[NULL]	[NULL]	R	B1K4C9	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-126	8/9/2006 11:28	N	TEMPERATURE	Temperature	16.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1K4C9	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-126	8/9/2006 11:28	N	TURBIDITY	Turbidity	1.2	NTU	[NULL]	[NULL]	[NULL]	R	B1K4C9	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-126	8/9/2006 11:28	N	PH	pH Measurement	7.53	unitless	[NULL]	[NULL]	[NULL]	R	B1K4C9	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-126	8/28/2006 11:47	Y	DO	Dissolved oxygen	210	ug/L	[NULL]	[NULL]	[NULL]	S	B1KJ00	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-126	8/28/2006 11:47	Y	EH	Oxidation Reduction Potential	-169	mV	[NULL]	[NULL]	[NULL]	S	B1KJ00	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-126	8/28/2006 11:47	Y	CONDUCT	Specific Conductance	1244	uS/cm	[NULL]	[NULL]	[NULL]	S	B1KJ00	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-126	8/28/2006 11:47	Y	10098-97-2	Strontium-90	1600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1KJ00	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-126	8/28/2006 11:47	Y	TEMPERATURE	Temperature	17.11	Deg C	[NULL]	[NULL]	[NULL]	S	B1KJ00	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-126	8/28/2006 11:47	Y	PH	pH Measurement	7.54	unitless	[NULL]	[NULL]	[NULL]	S	B1KJ00	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-126	9/12/2006 14:00	Y	10098-97-2	Strontium-90	3100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1KKF2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-126	9/21/2006 9:25	N	DO	Dissolved oxygen	380	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBC9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-126	9/21/2006 9:25	N	12587-47-2	Gross beta	4770	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBD0	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-126	9/21/2006 9:25	N	CONDUCT	Specific Conductance	1200	uS/cm	[NULL]	[NULL]	[NULL]	R	B1KBC9	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-126	9/21/2006 9:25	N	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	R	B1KBC9	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-126	9/21/2006 9:25	N	TURBIDITY	Turbidity	0.91	NTU	[NULL]	[NULL]	[NULL]	R	B1KBC9	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-126	9/21/2006 9:25	N	PH	pH Measurement	7.62	unitless	[NULL]	[NULL]	[NULL]	R	B1KBC9	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-126	9/25/2006 14:07	Y	10098-97-2	Strontium-90	2500	pCi/L	[NULL]	[NULL]	[NULL]	S	B1KKH2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-126	10/9/2006 14:31	Y	10098-97-2	Strontium-90	2000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1KWF9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-126	10/23/2006 14:10	Y	7429-90-5	Aluminum	433	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX73	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/23/2006 14:10	Y	7440-36-0	Antimony	72	ug/L	U	[NULL]	[NULL]	S	B1KX73	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/23/2006 14:10	Y	7440-38-2	Arsenic	79	ug/L	U	[NULL]	[NULL]	S	B1KX73	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-126	10/23/2006 14:10	Y	7440-39-3	Barium	136	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX73	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/23/2006 14:10	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	S	B1KX73	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/23/2006 14:10	Y	7440-70-2	Calcium	57400	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX73	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/23/2006 14:10	Y	16887-00-6	Chloride	55100	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX73	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	10/23/2006 14:10	Y	7440-47-3	Chromium	7	ug/L	U	[NULL]	[NULL]	S	B1KX73	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/23/2006 14:10	Y	7440-48-4	Cobalt	7	ug/L	U	[NULL]	[NULL]	S	B1KX73	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/23/2006 14:10	Y	7440-50-8	Copper	7	ug/L	U	[NULL]	[NULL]	S	B1KX73	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/23/2006 14:10	Y	16984-48-8	Fluoride	32	ug/L	U	[NULL]	[NULL]	S	B1KX73	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	10/23/2006 14:10	Y	7439-89-6	Iron	89.5	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX73	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/23/2006 14:10	Y	7439-92-1	Lead	47	ug/L	U	[NULL]	[NULL]	S	B1KX73	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/23/2006 14:10	Y	7439-95-4	Magnesium	10500	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX73	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/23/2006 14:10	Y	7439-96-5	Manganese	1580	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX73	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/23/2006 14:10	Y	7439-98-7	Molybdenum	26.9	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX73	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/23/2006 14:10	Y	7440-02-0	Nickel	5	ug/L	U	[NULL]	[NULL]	S	B1KX73	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/23/2006 14:10	Y	14797-55-8	Nitrate	212	ug/L	U	[NULL]	[NULL]	S	B1KX73	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	10/23/2006 14:10	Y	14797-65-0	Nitrite	378	ug/L	U	[NULL]	[NULL]	S	B1KX73	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	10/23/2006 14:10	Y	14265-44-2	Phosphate	675	ug/L	U	[NULL]	[NULL]	S	B1KX73	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	10/23/2006 14:10	Y	7440-09-7	Potassium	4160	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX73	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/23/2006 14:10	Y	7440-22-4	Silver	11	ug/L	UX	[NULL]	[NULL]	S	B1KX73	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/23/2006 14:10	Y	7440-23-5	Sodium	174000	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX73	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/23/2006 14:10	Y	7440-24-6	Strontium	243	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX73	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/23/2006 14:10	Y	10098-97-2	Strontium-90	2200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1KX73	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-126	10/23/2006 14:10	Y	14808-79-8	Sulfate	31200	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX73	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	10/23/2006 14:10	Y	7440-62-2	Vanadium	14	ug/L	U	[NULL]	[NULL]	S	B1KX73	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/23/2006 14:10	Y	7440-66-6	Zinc	33.3	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX73	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	11/8/2006 14:24	Y	10098-97-2	Strontium-90	840	pCi/L	[NULL]	[NULL]	[NULL]	S	B1L9Y0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-126	2/15/2007 15:15	Y	10098-97-2	Strontium-90	430	pCi/L	[NULL]	[NULL]	[NULL]	S	B1LBN6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-126	5/11/2007 11:10	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NHH7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	5/11/2007 11:10	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NHH7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	5/11/2007 11:10	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NHH7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	5/11/2007 11:10	Y	7440-39-3	Barium	28	ug/L	D	[NULL]	[NULL]	S	B1NHH7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	5/11/2007 11:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NHH7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	5/11/2007 11:10	Y	7440-70-2	Calcium	20300	ug/L	D	[NULL]	[NULL]	S	B1NHH7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	5/11/2007 11:10	Y	16887-00-6	Chloride	5130	ug/L	D	[NULL]	[NULL]	S	B1NHH7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	5/11/2007 11:10	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NHH7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	5/11/2007 11:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NHH7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	5/11/2007 11:10	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NHH7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	5/11/2007 11:10	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NHH7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	5/11/2007 11:10	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NHH7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	5/11/2007 11:10	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NHH7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	5/11/2007 11:10	Y	7439-95-4	Magnesium	3310	ug/L	D	[NULL]	[NULL]	S	B1NHH7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	5/11/2007 11:10	Y	7439-96-5	Manganese	22	ug/L	D	[NULL]	[NULL]	S	B1NHH7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	5/11/2007 11:10	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NHH7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	5/11/2007 11:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NHH7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	5/11/2007 11:10	Y	14797-55-8	Nitrate	2270	ug/L	D	[NULL]	[NULL]	S	B1NHH7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	5/11/2007 11:10	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NHH7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	5/11/2007 11:10	Y	14265-44-2	Phosphate	537	ug/L	DU	[NULL]	[NULL]	S	B1NHH7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	5/11/2007 11:10	Y	7440-09-7	Potassium	1680	ug/L	D	[NULL]	[NULL]	S	B1NHH7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	5/11/2007 11:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NHH7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	5/11/2007 11:10	Y	7440-23-5	Sodium	23800	ug/L	D	[NULL]	[NULL]	S	B1NHH7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	5/11/2007 11:10	Y	7440-24-6	Strontium	79.2	ug/L	D	[NULL]	[NULL]	S	B1NHH7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	5/11/2007 11:10	Y	10098-97-2	Strontium-90	740	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NHH7	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-126	5/11/2007 11:10	Y	14808-79-8	Sulfate	9700	ug/L	D	[NULL]	[NULL]	S	B1NHH7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	5/11/2007 11:10	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NHH7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	5/11/2007 11:10	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NHH7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-126	6/11/2007 19:45	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVF4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2007 19:45	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVF4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2007 19:45	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVF4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2007 19:45	Y	7440-39-3	Barium	58	ug/L	D	[NULL]	[NULL]	S	B1NVF4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2007 19:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2007 19:45	Y	7440-70-2	Calcium	62300	ug/L	D	[NULL]	[NULL]	S	B1NVF4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2007 19:45	Y	16887-00-6	Chloride	49700	ug/L	D	[NULL]	[NULL]	S	B1NVF4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/11/2007 19:45	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2007 19:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2007 19:45	Y	7440-50-8	Copper	23	ug/L	CD	[NULL]	[NULL]	S	B1NVF4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2007 19:45	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NVF4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/11/2007 19:45	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NVF4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2007 19:45	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVF4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2007 19:45	Y	7439-95-4	Magnesium	11900	ug/L	D	[NULL]	[NULL]	S	B1NVF4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2007 19:45	Y	7439-96-5	Manganese	2640	ug/L	D	[NULL]	[NULL]	S	B1NVF4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2007 19:45	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2007 19:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2007 19:45	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NVF4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/11/2007 19:45	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NVF4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/11/2007 19:45	Y	14265-44-2	Phosphate	47800	ug/L	D	[NULL]	[NULL]	S	B1NVF4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/11/2007 19:45	Y	7440-09-7	Potassium	3530	ug/L	D	[NULL]	[NULL]	S	B1NVF4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2007 19:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVF4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2007 19:45	Y	7440-23-5	Sodium	92800	ug/L	D	[NULL]	[NULL]	S	B1NVF4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2007 19:45	Y	7440-24-6	Strontium	224	ug/L	D	[NULL]	[NULL]	S	B1NVF4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2007 19:45	Y	10098-97-2	Strontium-90	1600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVF4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-126	6/11/2007 19:45	Y	14808-79-8	Sulfate	6130	ug/L	D	[NULL]	[NULL]	S	B1NVF4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/11/2007 19:45	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVF4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2007 19:45	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/12/2007 19:05	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVH5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/12/2007 19:05	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVH5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/12/2007 19:05	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVH5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/12/2007 19:05	Y	7440-39-3	Barium	44	ug/L	D	[NULL]	[NULL]	S	B1NVH5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/12/2007 19:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/12/2007 19:05	Y	7440-70-2	Calcium	60000	ug/L	D	[NULL]	[NULL]	S	B1NVH5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/12/2007 19:05	Y	16887-00-6	Chloride	51000	ug/L	D	[NULL]	[NULL]	S	B1NVH5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/12/2007 19:05	Y	7440-47-3	Chromium	20	ug/L	D	[NULL]	[NULL]	S	B1NVH5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/12/2007 19:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/12/2007 19:05	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/12/2007 19:05	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NVH5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/12/2007 19:05	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NVH5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/12/2007 19:05	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVH5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/12/2007 19:05	Y	7439-95-4	Magnesium	11000	ug/L	D	[NULL]	[NULL]	S	B1NVH5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/12/2007 19:05	Y	7439-96-5	Manganese	2070	ug/L	D	[NULL]	[NULL]	S	B1NVH5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/12/2007 19:05	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/12/2007 19:05	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/12/2007 19:05	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NVH5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/12/2007 19:05	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NVH5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/12/2007 19:05	Y	14265-44-2	Phosphate	47200	ug/L	D	[NULL]	[NULL]	S	B1NVH5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/12/2007 19:05	Y	7440-09-7	Potassium	2710	ug/L	D	[NULL]	[NULL]	S	B1NVH5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/12/2007 19:05	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NVH5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/12/2007 19:05	Y	7440-23-5	Sodium	79700	ug/L	D	[NULL]	[NULL]	S	B1NVH5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/12/2007 19:05	Y	7440-24-6	Strontium	213	ug/L	D	[NULL]	[NULL]	S	B1NVH5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/12/2007 19:05	Y	10098-97-2	Strontium-90	1600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVH5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-126	6/12/2007 19:05	Y	14808-79-8	Sulfate	6570	ug/L	D	[NULL]	[NULL]	S	B1NVH5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/12/2007 19:05	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVH5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-126	6/12/2007 19:05	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2007 14:15	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVJ6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2007 14:15	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVJ6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2007 14:15	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVJ6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2007 14:15	Y	7440-39-3	Barium	48	ug/L	D	[NULL]	[NULL]	S	B1NVJ6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2007 14:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2007 14:15	Y	7440-70-2	Calcium	58000	ug/L	D	[NULL]	[NULL]	S	B1NVJ6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2007 14:15	Y	16887-00-6	Chloride	49600	ug/L	D	[NULL]	[NULL]	S	B1NVJ6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/13/2007 14:15	Y	7440-47-3	Chromium	25.5	ug/L	CD	[NULL]	[NULL]	S	B1NVJ6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2007 14:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2007 14:15	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2007 14:15	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVJ6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/13/2007 14:15	Y	7439-89-6	Iron	103	ug/L	D	[NULL]	[NULL]	S	B1NVJ6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2007 14:15	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVJ6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2007 14:15	Y	7439-95-4	Magnesium	11600	ug/L	D	[NULL]	[NULL]	S	B1NVJ6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2007 14:15	Y	7439-96-5	Manganese	2270	ug/L	D	[NULL]	[NULL]	S	B1NVJ6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2007 14:15	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2007 14:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2007 14:15	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVJ6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/13/2007 14:15	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVJ6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/13/2007 14:15	Y	14265-44-2	Phosphate	42300	ug/L	D	[NULL]	[NULL]	S	B1NVJ6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/13/2007 14:15	Y	7440-09-7	Potassium	2680	ug/L	D	[NULL]	[NULL]	S	B1NVJ6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2007 14:15	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NVJ6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2007 14:15	Y	7440-23-5	Sodium	79100	ug/L	D	[NULL]	[NULL]	S	B1NVJ6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2007 14:15	Y	7440-24-6	Strontium	237	ug/L	D	[NULL]	[NULL]	S	B1NVJ6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2007 14:15	Y	10098-97-2	Strontium-90	2200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVJ6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-126	6/13/2007 14:15	Y	14808-79-8	Sulfate	5840	ug/L	D	[NULL]	[NULL]	S	B1NVJ6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/13/2007 14:15	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVJ6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2007 14:15	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2007 18:55	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVK7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2007 18:55	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVK7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2007 18:55	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVK7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2007 18:55	Y	7440-39-3	Barium	42	ug/L	D	[NULL]	[NULL]	S	B1NVK7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2007 18:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2007 18:55	Y	7440-70-2	Calcium	68400	ug/L	D	[NULL]	[NULL]	S	B1NVK7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2007 18:55	Y	16887-00-6	Chloride	46500	ug/L	D	[NULL]	[NULL]	S	B1NVK7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/14/2007 18:55	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2007 18:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2007 18:55	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2007 18:55	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVK7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/14/2007 18:55	Y	7439-89-6	Iron	234	ug/L	D	[NULL]	[NULL]	S	B1NVK7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2007 18:55	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVK7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2007 18:55	Y	7439-95-4	Magnesium	12500	ug/L	D	[NULL]	[NULL]	S	B1NVK7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2007 18:55	Y	7439-96-5	Manganese	2410	ug/L	D	[NULL]	[NULL]	S	B1NVK7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2007 18:55	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2007 18:55	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2007 18:55	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVK7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/14/2007 18:55	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVK7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/14/2007 18:55	Y	14265-44-2	Phosphate	23900	ug/L	D	[NULL]	[NULL]	S	B1NVK7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/14/2007 18:55	Y	7440-09-7	Potassium	3220	ug/L	D	[NULL]	[NULL]	S	B1NVK7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2007 18:55	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NVK7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2007 18:55	Y	7440-23-5	Sodium	89700	ug/L	D	[NULL]	[NULL]	S	B1NVK7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2007 18:55	Y	7440-24-6	Strontium	228	ug/L	D	[NULL]	[NULL]	S	B1NVK7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2007 18:55	Y	10098-97-2	Strontium-90	1600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVK7	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-126	6/14/2007 18:55	Y	14808-79-8	Sulfate	4950	ug/L	D	[NULL]	[NULL]	S	B1NVK7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-126	6/14/2007 18:55	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVK7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2007 18:55	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/15/2007 8:45	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVN4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/15/2007 8:45	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVN4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/15/2007 8:45	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVN4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/15/2007 8:45	Y	7440-39-3	Barium	44	ug/L	D	[NULL]	[NULL]	S	B1NVN4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/15/2007 8:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/15/2007 8:45	Y	7440-70-2	Calcium	67800	ug/L	D	[NULL]	[NULL]	S	B1NVN4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/15/2007 8:45	Y	16887-00-6	Chloride	49800	ug/L	D	[NULL]	[NULL]	S	B1NVN4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/15/2007 8:45	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/15/2007 8:45	Y	7440-48-4	Cobalt	26.6	ug/L	D	[NULL]	[NULL]	S	B1NVN4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/15/2007 8:45	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/15/2007 8:45	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVN4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/15/2007 8:45	Y	7439-89-6	Iron	383	ug/L	D	[NULL]	[NULL]	S	B1NVN4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/15/2007 8:45	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVN4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/15/2007 8:45	Y	7439-95-4	Magnesium	12600	ug/L	D	[NULL]	[NULL]	S	B1NVN4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/15/2007 8:45	Y	7439-96-5	Manganese	2560	ug/L	D	[NULL]	[NULL]	S	B1NVN4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/15/2007 8:45	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/15/2007 8:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/15/2007 8:45	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVN4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/15/2007 8:45	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVN4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/15/2007 8:45	Y	14265-44-2	Phosphate	30500	ug/L	D	[NULL]	[NULL]	S	B1NVN4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/15/2007 8:45	Y	7440-09-7	Potassium	3270	ug/L	D	[NULL]	[NULL]	S	B1NVN4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/15/2007 8:45	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NVN4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/15/2007 8:45	Y	7440-23-5	Sodium	98800	ug/L	D	[NULL]	[NULL]	S	B1NVN4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/15/2007 8:45	Y	7440-24-6	Strontium	229	ug/L	D	[NULL]	[NULL]	S	B1NVN4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/15/2007 8:45	Y	10098-97-2	Strontium-90	2000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVN4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-126	6/15/2007 8:45	Y	14808-79-8	Sulfate	4730	ug/L	BD	[NULL]	[NULL]	S	B1NVN4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/15/2007 8:45	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVN4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/15/2007 8:45	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2007 8:18	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVP5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2007 8:18	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVP5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2007 8:18	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVP5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2007 8:18	Y	7440-39-3	Barium	50	ug/L	D	[NULL]	[NULL]	S	B1NVP5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2007 8:18	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2007 8:18	Y	7440-70-2	Calcium	72000	ug/L	D	[NULL]	[NULL]	S	B1NVP5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2007 8:18	Y	16887-00-6	Chloride	48300	ug/L	D	[NULL]	[NULL]	S	B1NVP5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/16/2007 8:18	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2007 8:18	Y	7440-48-4	Cobalt	25	ug/L	D	[NULL]	[NULL]	S	B1NVP5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2007 8:18	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2007 8:18	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVP5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/16/2007 8:18	Y	7439-89-6	Iron	456	ug/L	D	[NULL]	[NULL]	S	B1NVP5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2007 8:18	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVP5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2007 8:18	Y	7439-95-4	Magnesium	12900	ug/L	D	[NULL]	[NULL]	S	B1NVP5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2007 8:18	Y	7439-96-5	Manganese	2260	ug/L	D	[NULL]	[NULL]	S	B1NVP5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2007 8:18	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2007 8:18	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2007 8:18	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVP5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/16/2007 8:18	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVP5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/16/2007 8:18	Y	14265-44-2	Phosphate	26000	ug/L	D	[NULL]	[NULL]	S	B1NVP5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/16/2007 8:18	Y	7440-09-7	Potassium	3120	ug/L	D	[NULL]	[NULL]	S	B1NVP5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2007 8:18	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVP5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2007 8:18	Y	7440-23-5	Sodium	88500	ug/L	D	[NULL]	[NULL]	S	B1NVP5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2007 8:18	Y	7440-24-6	Strontium	249	ug/L	D	[NULL]	[NULL]	S	B1NVP5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2007 8:18	Y	10098-97-2	Strontium-90	1600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVP5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-126	6/16/2007 8:18	Y	14808-79-8	Sulfate	5590	ug/L	D	[NULL]	[NULL]	S	B1NVP5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/16/2007 8:18	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVP5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2007 8:18	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/17/2007 9:15	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVT8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/17/2007 9:15	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVT8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/17/2007 9:15	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVT8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/17/2007 9:15	Y	7440-39-3	Barium	40	ug/L	D	[NULL]	[NULL]	S	B1NVT8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/17/2007 9:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVT8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/17/2007 9:15	Y	7440-70-2	Calcium	70300	ug/L	D	[NULL]	[NULL]	S	B1NVT8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/17/2007 9:15	Y	16887-00-6	Chloride	47600	ug/L	D	[NULL]	[NULL]	S	B1NVT8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/17/2007 9:15	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVT8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/17/2007 9:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVT8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/17/2007 9:15	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVT8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/17/2007 9:15	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVT8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/17/2007 9:15	Y	7439-89-6	Iron	492	ug/L	D	[NULL]	[NULL]	S	B1NVT8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/17/2007 9:15	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVT8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/17/2007 9:15	Y	7439-95-4	Magnesium	12600	ug/L	D	[NULL]	[NULL]	S	B1NVT8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/17/2007 9:15	Y	7439-96-5	Manganese	2250	ug/L	D	[NULL]	[NULL]	S	B1NVT8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/17/2007 9:15	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVT8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/17/2007 9:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVT8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/17/2007 9:15	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVT8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/17/2007 9:15	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVT8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/17/2007 9:15	Y	14265-44-2	Phosphate	25100	ug/L	D	[NULL]	[NULL]	S	B1NVT8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/17/2007 9:15	Y	7440-09-7	Potassium	3080	ug/L	D	[NULL]	[NULL]	S	B1NVT8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/17/2007 9:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVT8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/17/2007 9:15	Y	7440-23-5	Sodium	92800	ug/L	D	[NULL]	[NULL]	S	B1NVT8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/17/2007 9:15	Y	7440-24-6	Strontium	243	ug/L	D	[NULL]	[NULL]	S	B1NVT8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/17/2007 9:15	Y	10098-97-2	Strontium-90	1900	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVT8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-126	6/17/2007 9:15	Y	14808-79-8	Sulfate	5000	ug/L	D	[NULL]	[NULL]	S	B1NVT8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/17/2007 9:15	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVT8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/17/2007 9:15	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVT8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2007 15:35	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVV9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2007 15:35	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVV9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2007 15:35	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVV9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2007 15:35	Y	7440-39-3	Barium	39	ug/L	D	[NULL]	[NULL]	S	B1NVV9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2007 15:35	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2007 15:35	Y	7440-70-2	Calcium	60700	ug/L	D	[NULL]	[NULL]	S	B1NVV9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2007 15:35	Y	16887-00-6	Chloride	41200	ug/L	D	[NULL]	[NULL]	S	B1NVV9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/18/2007 15:35	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2007 15:35	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2007 15:35	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2007 15:35	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NVV9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/18/2007 15:35	Y	7439-89-6	Iron	868	ug/L	D	[NULL]	[NULL]	S	B1NVV9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2007 15:35	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVV9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2007 15:35	Y	7439-95-4	Magnesium	10600	ug/L	D	[NULL]	[NULL]	S	B1NVV9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2007 15:35	Y	7439-96-5	Manganese	2090	ug/L	D	[NULL]	[NULL]	S	B1NVV9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2007 15:35	Y	7439-98-7	Molybdenum	21.6	ug/L	D	[NULL]	[NULL]	S	B1NVV9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2007 15:35	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2007 15:35	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1NVV9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/18/2007 15:35	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1NVV9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/18/2007 15:35	Y	14265-44-2	Phosphate	17400	ug/L	DN	[NULL]	[NULL]	S	B1NVV9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/18/2007 15:35	Y	7440-09-7	Potassium	3170	ug/L	D	[NULL]	[NULL]	S	B1NVV9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2007 15:35	Y	7440-22-4	Silver	25	ug/L	D	[NULL]	[NULL]	S	B1NVV9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2007 15:35	Y	7440-23-5	Sodium	84600	ug/L	D	[NULL]	[NULL]	S	B1NVV9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2007 15:35	Y	7440-24-6	Strontium	208	ug/L	D	[NULL]	[NULL]	S	B1NVV9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-126	6/18/2007 15:35	Y	10098-97-2	Strontium-90	1300	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVV9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-126	6/18/2007 15:35	Y	14808-79-8	Sulfate	5120	ug/L	D	[NULL]	[NULL]	S	B1NVV9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/18/2007 15:35	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVV9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2007 15:35	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/20/2007 7:40	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVY2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/20/2007 7:40	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVY2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/20/2007 7:40	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVY2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/20/2007 7:40	Y	7440-39-3	Barium	33	ug/L	D	[NULL]	[NULL]	S	B1NVY2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/20/2007 7:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/20/2007 7:40	Y	7440-70-2	Calcium	43700	ug/L	D	[NULL]	[NULL]	S	B1NVY2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/20/2007 7:40	Y	16887-00-6	Chloride	27800	ug/L	D	[NULL]	[NULL]	S	B1NVY2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/20/2007 7:40	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/20/2007 7:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/20/2007 7:40	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/20/2007 7:40	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NVY2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/20/2007 7:40	Y	7439-89-6	Iron	725	ug/L	D	[NULL]	[NULL]	S	B1NVY2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/20/2007 7:40	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVY2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/20/2007 7:40	Y	7439-95-4	Magnesium	8080	ug/L	D	[NULL]	[NULL]	S	B1NVY2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/20/2007 7:40	Y	7439-96-5	Manganese	1530	ug/L	D	[NULL]	[NULL]	S	B1NVY2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/20/2007 7:40	Y	7439-98-7	Molybdenum	28.7	ug/L	CD	[NULL]	[NULL]	S	B1NVY2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/20/2007 7:40	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/20/2007 7:40	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NVY2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/20/2007 7:40	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NVY2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/20/2007 7:40	Y	14265-44-2	Phosphate	13400	ug/L	D	[NULL]	[NULL]	S	B1NVY2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/20/2007 7:40	Y	7440-09-7	Potassium	2370	ug/L	D	[NULL]	[NULL]	S	B1NVY2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/20/2007 7:40	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVY2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/20/2007 7:40	Y	7440-23-5	Sodium	62300	ug/L	D	[NULL]	[NULL]	S	B1NVY2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/20/2007 7:40	Y	7440-24-6	Strontium	154	ug/L	D	[NULL]	[NULL]	S	B1NVY2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/20/2007 7:40	Y	10098-97-2	Strontium-90	670	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVY2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-126	6/20/2007 7:40	Y	14808-79-8	Sulfate	6280	ug/L	D	[NULL]	[NULL]	S	B1NVY2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/20/2007 7:40	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVY2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/20/2007 7:40	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/22/2007 7:55	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NW18	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/22/2007 7:55	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NW18	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/22/2007 7:55	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NW18	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/22/2007 7:55	Y	7440-39-3	Barium	50	ug/L	D	[NULL]	[NULL]	S	B1NW18	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/22/2007 7:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW18	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/22/2007 7:55	Y	7440-70-2	Calcium	54200	ug/L	D	[NULL]	[NULL]	S	B1NW18	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/22/2007 7:55	Y	16887-00-6	Chloride	37700	ug/L	D	[NULL]	[NULL]	S	B1NW18	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/22/2007 7:55	Y	7440-47-3	Chromium	52.9	ug/L	D	[NULL]	[NULL]	S	B1NW18	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/22/2007 7:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NW18	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/22/2007 7:55	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NW18	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/22/2007 7:55	Y	16984-48-8	Fluoride	69	ug/L	BD	[NULL]	[NULL]	S	B1NW18	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/22/2007 7:55	Y	7439-89-6	Iron	1200	ug/L	D	[NULL]	[NULL]	S	B1NW18	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/22/2007 7:55	Y	7439-92-1	Lead	157	ug/L	CD	[NULL]	[NULL]	S	B1NW18	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/22/2007 7:55	Y	7439-95-4	Magnesium	10400	ug/L	D	[NULL]	[NULL]	S	B1NW18	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/22/2007 7:55	Y	7439-96-5	Manganese	2150	ug/L	D	[NULL]	[NULL]	S	B1NW18	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/22/2007 7:55	Y	7439-98-7	Molybdenum	21.8	ug/L	D	[NULL]	[NULL]	S	B1NW18	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/22/2007 7:55	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NW18	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/22/2007 7:55	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NW18	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/22/2007 7:55	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NW18	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/22/2007 7:55	Y	14265-44-2	Phosphate	17100	ug/L	D	[NULL]	[NULL]	S	B1NW18	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/22/2007 7:55	Y	7440-09-7	Potassium	3270	ug/L	CD	[NULL]	[NULL]	S	B1NW18	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/22/2007 7:55	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NW18	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/22/2007 7:55	Y	7440-23-5	Sodium	85000	ug/L	D	[NULL]	[NULL]	S	B1NW18	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-126	6/22/2007 7:55	Y	7440-24-6	Strontium	217	ug/L	D	[NULL]	[NULL]	S	B1NW18	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/22/2007 7:55	Y	10098-97-2	Strontium-90	1200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NW18	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-126	6/22/2007 7:55	Y	14808-79-8	Sulfate	4890	ug/L	D	[NULL]	[NULL]	S	B1NW18	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/22/2007 7:55	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NW18	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/22/2007 7:55	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NW18	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/29/2007 9:59	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P369	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/29/2007 9:59	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P369	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/29/2007 9:59	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P369	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/29/2007 9:59	Y	7440-39-3	Barium	72	ug/L	D	[NULL]	[NULL]	S	B1P369	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/29/2007 9:59	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P369	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/29/2007 9:59	Y	7440-70-2	Calcium	72900	ug/L	D	[NULL]	[NULL]	S	B1P369	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/29/2007 9:59	Y	16887-00-6	Chloride	54300	ug/L	D	[NULL]	[NULL]	S	B1P369	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/29/2007 9:59	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P369	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/29/2007 9:59	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P369	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/29/2007 9:59	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P369	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/29/2007 9:59	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P369	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/29/2007 9:59	Y	7439-89-6	Iron	1340	ug/L	CD	[NULL]	[NULL]	S	B1P369	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/29/2007 9:59	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P369	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/29/2007 9:59	Y	7439-95-4	Magnesium	13200	ug/L	D	[NULL]	[NULL]	S	B1P369	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/29/2007 9:59	Y	7439-96-5	Manganese	2290	ug/L	D	[NULL]	[NULL]	S	B1P369	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/29/2007 9:59	Y	7439-98-7	Molybdenum	27.1	ug/L	D	[NULL]	[NULL]	S	B1P369	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/29/2007 9:59	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P369	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/29/2007 9:59	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1P369	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/29/2007 9:59	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P369	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/29/2007 9:59	Y	14265-44-2	Phosphate	19400	ug/L	D	[NULL]	[NULL]	S	B1P369	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/29/2007 9:59	Y	7440-09-7	Potassium	3700	ug/L	D	[NULL]	[NULL]	S	B1P369	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/29/2007 9:59	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P369	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/29/2007 9:59	Y	7440-23-5	Sodium	147000	ug/L	D	[NULL]	[NULL]	S	B1P369	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/29/2007 9:59	Y	7440-24-6	Strontium	276	ug/L	D	[NULL]	[NULL]	S	B1P369	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/29/2007 9:59	Y	10098-97-2	Strontium-90	2200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P369	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-126	6/29/2007 9:59	Y	14808-79-8	Sulfate	350	ug/L	DU	[NULL]	[NULL]	S	B1P369	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/29/2007 9:59	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P369	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/29/2007 9:59	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P369	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/8/2007 8:10	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P392	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/8/2007 8:10	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P392	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/8/2007 8:10	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P392	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/8/2007 8:10	Y	7440-39-3	Barium	86	ug/L	D	[NULL]	[NULL]	S	B1P392	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/8/2007 8:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P392	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/8/2007 8:10	Y	7440-70-2	Calcium	86000	ug/L	D	[NULL]	[NULL]	S	B1P392	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/8/2007 8:10	Y	16887-00-6	Chloride	66200	ug/L	D	[NULL]	[NULL]	S	B1P392	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	7/8/2007 8:10	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P392	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/8/2007 8:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P392	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/8/2007 8:10	Y	7440-50-8	Copper	41	ug/L	D	[NULL]	[NULL]	S	B1P392	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/8/2007 8:10	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P392	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	7/8/2007 8:10	Y	7439-89-6	Iron	1120	ug/L	D	[NULL]	[NULL]	S	B1P392	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/8/2007 8:10	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P392	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/8/2007 8:10	Y	7439-95-4	Magnesium	15300	ug/L	D	[NULL]	[NULL]	S	B1P392	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/8/2007 8:10	Y	7439-96-5	Manganese	2470	ug/L	D	[NULL]	[NULL]	S	B1P392	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/8/2007 8:10	Y	7439-98-7	Molybdenum	21.3	ug/L	D	[NULL]	[NULL]	S	B1P392	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/8/2007 8:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P392	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/8/2007 8:10	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1P392	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	7/8/2007 8:10	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P392	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	7/8/2007 8:10	Y	14265-44-2	Phosphate	27800	ug/L	D	[NULL]	[NULL]	S	B1P392	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	7/8/2007 8:10	Y	7440-09-7	Potassium	4740	ug/L	D	[NULL]	[NULL]	S	B1P392	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/8/2007 8:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P392	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-126	7/8/2007 8:10	Y	7440-23-5	Sodium	201000	ug/L	D	[NULL]	[NULL]	S	B1P392	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/8/2007 8:10	Y	7440-24-6	Strontium	331	ug/L	D	[NULL]	[NULL]	S	B1P392	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/8/2007 8:10	Y	10098-97-2	Strontium-90	2500	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P392	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-126	7/8/2007 8:10	Y	14808-79-8	Sulfate	350	ug/L	DU	[NULL]	[NULL]	S	B1P392	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	7/8/2007 8:10	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P392	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/8/2007 8:10	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P392	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/13/2007 11:25	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P3C5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/13/2007 11:25	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P3C5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/13/2007 11:25	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P3C5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/13/2007 11:25	Y	7440-39-3	Barium	80	ug/L	D	[NULL]	[NULL]	S	B1P3C5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/13/2007 11:25	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/13/2007 11:25	Y	7440-70-2	Calcium	86100	ug/L	D	[NULL]	[NULL]	S	B1P3C5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/13/2007 11:25	Y	16887-00-6	Chloride	64600	ug/L	D	[NULL]	[NULL]	S	B1P3C5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	7/13/2007 11:25	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/13/2007 11:25	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/13/2007 11:25	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/13/2007 11:25	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P3C5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	7/13/2007 11:25	Y	7439-89-6	Iron	1120	ug/L	CD	[NULL]	[NULL]	S	B1P3C5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/13/2007 11:25	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P3C5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/13/2007 11:25	Y	7439-95-4	Magnesium	15300	ug/L	D	[NULL]	[NULL]	S	B1P3C5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/13/2007 11:25	Y	7439-96-5	Manganese	2480	ug/L	D	[NULL]	[NULL]	S	B1P3C5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/13/2007 11:25	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/13/2007 11:25	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/13/2007 11:25	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1P3C5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	7/13/2007 11:25	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P3C5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	7/13/2007 11:25	Y	14265-44-2	Phosphate	26100	ug/L	D	[NULL]	[NULL]	S	B1P3C5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	7/13/2007 11:25	Y	7440-09-7	Potassium	4270	ug/L	D	[NULL]	[NULL]	S	B1P3C5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/13/2007 11:25	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P3C5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/13/2007 11:25	Y	7440-23-5	Sodium	196000	ug/L	D	[NULL]	[NULL]	S	B1P3C5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/13/2007 11:25	Y	7440-24-6	Strontium	332	ug/L	D	[NULL]	[NULL]	S	B1P3C5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/13/2007 11:25	Y	10098-97-2	Strontium-90	360	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P3C5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-126	7/13/2007 11:25	Y	14808-79-8	Sulfate	350	ug/L	DU	[NULL]	[NULL]	S	B1P3C5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	7/13/2007 11:25	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P3C5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/13/2007 11:25	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/19/2007 10:05	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1PMR3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/19/2007 10:05	Y	7440-36-0	Antimony	32	ug/L	U	G	[NULL]	S	B1PMR3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/19/2007 10:05	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1PMR3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/19/2007 10:05	Y	7440-39-3	Barium	61.4	ug/L	[NULL]	G	[NULL]	S	B1PMR3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/19/2007 10:05	Y	7440-43-9	Cadmium	4	ug/L	U	G	[NULL]	S	B1PMR3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/19/2007 10:05	Y	7440-70-2	Calcium	63100	ug/L	D	[NULL]	[NULL]	S	B1PMR3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/19/2007 10:05	Y	16887-00-6	Chloride	63400	ug/L	D	[NULL]	[NULL]	S	B1PMR3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	9/19/2007 10:05	Y	7440-47-3	Chromium	8.5	ug/L	C	G	[NULL]	S	B1PMR3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/19/2007 10:05	Y	7440-48-4	Cobalt	4	ug/L	U	G	[NULL]	S	B1PMR3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/19/2007 10:05	Y	7440-50-8	Copper	4	ug/L	U	G	[NULL]	S	B1PMR3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/19/2007 10:05	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1PMR3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	9/19/2007 10:05	Y	7439-89-6	Iron	264	ug/L	D	[NULL]	[NULL]	S	B1PMR3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/19/2007 10:05	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1PMR3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/19/2007 10:05	Y	7439-95-4	Magnesium	11100	ug/L	D	[NULL]	[NULL]	S	B1PMR3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/19/2007 10:05	Y	7439-96-5	Manganese	1700	ug/L	D	[NULL]	[NULL]	S	B1PMR3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/19/2007 10:05	Y	7439-98-7	Molybdenum	103	ug/L	CD	[NULL]	[NULL]	S	B1PMR3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/19/2007 10:05	Y	7440-02-0	Nickel	4	ug/L	U	G	[NULL]	S	B1PMR3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/19/2007 10:05	Y	14797-55-8	Nitrate	996	ug/L	BD	[NULL]	[NULL]	S	B1PMR3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	9/19/2007 10:05	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1PMR3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	9/19/2007 10:05	Y	14265-44-2	Phosphate	20900	ug/L	D	[NULL]	[NULL]	S	B1PMR3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	9/19/2007 10:05	Y	7440-09-7	Potassium	4370	ug/L	D	[NULL]	[NULL]	S	B1PMR3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-126	9/19/2007 10:05	Y	7440-22-4	Silver	5	ug/L	U	G	[NULL]	S	B1PMR3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/19/2007 10:05	Y	7440-23-5	Sodium	237000	ug/L	D	[NULL]	[NULL]	S	B1PMR3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/19/2007 10:05	Y	7440-24-6	Strontium	237	ug/L	D	[NULL]	[NULL]	S	B1PMR3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/19/2007 10:05	Y	10098-97-2	Strontium-90	1800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1PMR3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-126	9/19/2007 10:05	Y	14808-79-8	Sulfate	3970	ug/L	BD	[NULL]	[NULL]	S	B1PMR3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	9/19/2007 10:05	Y	7440-62-2	Vanadium	7	ug/L	U	G	[NULL]	S	B1PMR3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/19/2007 10:05	Y	7440-66-6	Zinc	4	ug/L	U	G	[NULL]	S	B1PMR3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/19/2007 12:05	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1R4M6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/19/2007 12:05	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1R4M6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/19/2007 12:05	Y	7440-38-2	Arsenic	250	ug/L	DN	[NULL]	[NULL]	S	B1R4M6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/19/2007 12:05	Y	7440-39-3	Barium	60	ug/L	D	[NULL]	[NULL]	S	B1R4M6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/19/2007 12:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1R4M6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/19/2007 12:05	Y	7440-70-2	Calcium	42000	ug/L	D	[NULL]	[NULL]	S	B1R4M6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/19/2007 12:05	Y	16887-00-6	Chloride	56200	ug/L	D	[NULL]	[NULL]	S	B1R4M6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	10/19/2007 12:05	Y	7440-47-3	Chromium	62.2	ug/L	CD	[NULL]	[NULL]	S	B1R4M6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/19/2007 12:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1R4M6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/19/2007 12:05	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1R4M6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/19/2007 12:05	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1R4M6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	10/19/2007 12:05	Y	7439-89-6	Iron	152	ug/L	CD	[NULL]	[NULL]	S	B1R4M6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/19/2007 12:05	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1R4M6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/19/2007 12:05	Y	7439-95-4	Magnesium	7240	ug/L	D	[NULL]	[NULL]	S	B1R4M6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/19/2007 12:05	Y	7439-96-5	Manganese	914	ug/L	D	[NULL]	[NULL]	S	B1R4M6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/19/2007 12:05	Y	7439-98-7	Molybdenum	67.2	ug/L	CD	[NULL]	[NULL]	S	B1R4M6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/19/2007 12:05	Y	7440-02-0	Nickel	30.3	ug/L	CD	[NULL]	[NULL]	S	B1R4M6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/19/2007 12:05	Y	14797-55-8	Nitrate	204	ug/L	BD	[NULL]	[NULL]	S	B1R4M6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	10/19/2007 12:05	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1R4M6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	10/19/2007 12:05	Y	14265-44-2	Phosphate	18100	ug/L	D	[NULL]	[NULL]	S	B1R4M6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	10/19/2007 12:05	Y	7440-09-7	Potassium	3660	ug/L	D	[NULL]	[NULL]	S	B1R4M6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/19/2007 12:05	Y	7440-22-4	Silver	80	ug/L	CD	[NULL]	[NULL]	S	B1R4M6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/19/2007 12:05	Y	7440-23-5	Sodium	195000	ug/L	D	[NULL]	[NULL]	S	B1R4M6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/19/2007 12:05	Y	7440-24-6	Strontium	160	ug/L	D	[NULL]	[NULL]	S	B1R4M6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/19/2007 12:05	Y	10098-97-2	Strontium-90	1400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1R4M6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-126	10/19/2007 12:05	Y	14808-79-8	Sulfate	14900	ug/L	D	[NULL]	[NULL]	S	B1R4M6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	10/19/2007 12:05	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1R4M6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/19/2007 12:05	Y	7440-66-6	Zinc	65.6	ug/L	CD	[NULL]	[NULL]	S	B1R4M6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/3/2008 16:56	Y	7429-90-5	Aluminum	30	ug/L	U	[NULL]	[NULL]	S	B1VJL3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/3/2008 16:56	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	S	B1VJL3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/3/2008 16:56	Y	7440-38-2	Arsenic	50	ug/L	U	[NULL]	[NULL]	S	B1VJL3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/3/2008 16:56	Y	7440-39-3	Barium	8	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/3/2008 16:56	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1VJL3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/3/2008 16:56	Y	7440-70-2	Calcium	7280	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/3/2008 16:56	Y	16887-00-6	Chloride	1340	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/3/2008 16:56	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	S	B1VJL3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/3/2008 16:56	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1VJL3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/3/2008 16:56	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	S	B1VJL3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/3/2008 16:56	Y	16984-48-8	Fluoride	62	ug/L	B	[NULL]	[NULL]	S	B1VJL3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/3/2008 16:56	Y	12587-46-1	Gross alpha	0.38	pCi/L	U	[NULL]	[NULL]	S	B1VJL3	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-126	6/3/2008 16:56	Y	12587-47-2	Gross beta	290	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VJL3	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-126	6/3/2008 16:56	Y	7439-89-6	Iron	19.5	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/3/2008 16:56	Y	7439-92-1	Lead	36	ug/L	[NULL]	G	[NULL]	S	B1VJL3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/3/2008 16:56	Y	7439-95-4	Magnesium	1240	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/3/2008 16:56	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	S	B1VJL3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/3/2008 16:56	Y	7439-98-7	Molybdenum	4	ug/L	U	[NULL]	[NULL]	S	B1VJL3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/3/2008 16:56	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B1VJL3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/3/2008 16:56	Y	14797-55-8	Nitrate	1510	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-126	6/3/2008 16:56	Y	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	S	B1VJL3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/3/2008 16:56	Y	14265-44-2	Phosphate	2330	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/3/2008 16:56	Y	7440-09-7	Potassium	1110	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/3/2008 16:56	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1VJL3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/3/2008 16:56	Y	7440-23-5	Sodium	26300	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/3/2008 16:56	Y	7440-24-6	Strontium	29.9	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/3/2008 16:56	Y	14808-79-8	Sulfate	10200	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/3/2008 16:56	Y	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	S	B1VJL3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/3/2008 16:56	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	S	B1VJL3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/6/2008 17:04	Y	7429-90-5	Aluminum	2950	ug/L	D	[NULL]	[NULL]	S	B1VTV4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/6/2008 17:04	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1VTV4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/6/2008 17:04	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1VTV4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/6/2008 17:04	Y	7440-39-3	Barium	32	ug/L	D	[NULL]	[NULL]	S	B1VTV4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/6/2008 17:04	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VTV4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/6/2008 17:04	Y	7440-70-2	Calcium	56900	ug/L	D	[NULL]	[NULL]	S	B1VTV4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/6/2008 17:04	Y	16887-00-6	Chloride	61300	ug/L	D	[NULL]	[NULL]	S	B1VTV4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/6/2008 17:04	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1VTV4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/6/2008 17:04	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VTV4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/6/2008 17:04	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1VTV4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/6/2008 17:04	Y	DO	Dissolved oxygen	13120	ug/L	[NULL]	[NULL]	[NULL]	S	B1VTV4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-126	6/6/2008 17:04	Y	16984-48-8	Fluoride	105	ug/L	DU	[NULL]	[NULL]	S	B1VTV4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/6/2008 17:04	Y	12587-46-1	Gross alpha	-0.95	pCi/L	U	[NULL]	[NULL]	S	B1VTV4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-126	6/6/2008 17:04	Y	12587-47-2	Gross beta	2600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VTV4	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-126	6/6/2008 17:04	Y	7439-89-6	Iron	527	ug/L	CD	[NULL]	[NULL]	S	B1VTV4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/6/2008 17:04	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1VTV4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/6/2008 17:04	Y	7439-95-4	Magnesium	8550	ug/L	D	[NULL]	[NULL]	S	B1VTV4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/6/2008 17:04	Y	7439-96-5	Manganese	535	ug/L	D	[NULL]	[NULL]	S	B1VTV4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/6/2008 17:04	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1VTV4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/6/2008 17:04	Y	7440-02-0	Nickel	29.3	ug/L	D	[NULL]	[NULL]	S	B1VTV4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/6/2008 17:04	Y	14797-55-8	Nitrate	797	ug/L	DU	[NULL]	[NULL]	S	B1VTV4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/6/2008 17:04	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1VTV4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/6/2008 17:04	Y	EH	Oxidation Reduction Potential	96	mV	[NULL]	[NULL]	[NULL]	S	B1VTV4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-126	6/6/2008 17:04	Y	14265-44-2	Phosphate	86500	ug/L	D	[NULL]	[NULL]	S	B1VTV4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/6/2008 17:04	Y	7440-09-7	Potassium	2460	ug/L	CD	[NULL]	[NULL]	S	B1VTV4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/6/2008 17:04	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VTV4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/6/2008 17:04	Y	7440-23-5	Sodium	95700	ug/L	D	[NULL]	[NULL]	S	B1VTV4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/6/2008 17:04	Y	CONDUCT	Specific Conductance	544	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VTV4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-126	6/6/2008 17:04	Y	7440-24-6	Strontium	169	ug/L	D	[NULL]	[NULL]	S	B1VTV4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/6/2008 17:04	Y	14808-79-8	Sulfate	11700	ug/L	D	[NULL]	[NULL]	S	B1VTV4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/6/2008 17:04	Y	TEMPERATURE	Temperature	13.86	Deg C	[NULL]	[NULL]	[NULL]	S	B1VTV4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-126	6/6/2008 17:04	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1VTV4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/6/2008 17:04	Y	7440-66-6	Zinc	26.8	ug/L	D	[NULL]	[NULL]	S	B1VTV4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/6/2008 17:04	Y	PH	pH Measurement	6.97	unitless	[NULL]	[NULL]	[NULL]	S	B1VTV4	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-126	6/7/2008 8:36	Y	7429-90-5	Aluminum	2430	ug/L	D	[NULL]	[NULL]	S	B1VTY0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/7/2008 8:36	Y	7440-36-0	Antimony	211	ug/L	DN	Y	[NULL]	S	B1VTY0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/7/2008 8:36	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1VTY0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/7/2008 8:36	Y	7440-39-3	Barium	30	ug/L	D	[NULL]	[NULL]	S	B1VTY0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/7/2008 8:36	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/7/2008 8:36	Y	7440-70-2	Calcium	50400	ug/L	D	[NULL]	[NULL]	S	B1VTY0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/7/2008 8:36	Y	16887-00-6	Chloride	58300	ug/L	D	[NULL]	[NULL]	S	B1VTY0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/7/2008 8:36	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/7/2008 8:36	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/7/2008 8:36	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/7/2008 8:36	Y	DO	Dissolved oxygen	14910	ug/L	[NULL]	[NULL]	[NULL]	S	B1VTY0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-126	6/7/2008 8:36	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VTY0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/7/2008 8:36	Y	12587-46-1	Gross alpha	1.1	pCi/L	U	G	[NULL]	S	B1VTY0	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-126	6/7/2008 8:36	Y	12587-47-2	Gross beta	2600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VTY0	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-126	6/7/2008 8:36	Y	7439-89-6	Iron	498	ug/L	CD	[NULL]	[NULL]	S	B1VTY0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/7/2008 8:36	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1VTY0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/7/2008 8:36	Y	7439-95-4	Magnesium	7890	ug/L	D	[NULL]	[NULL]	S	B1VTY0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/7/2008 8:36	Y	7439-96-5	Manganese	407	ug/L	D	[NULL]	[NULL]	S	B1VTY0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/7/2008 8:36	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/7/2008 8:36	Y	7440-02-0	Nickel	31.1	ug/L	D	[NULL]	[NULL]	S	B1VTY0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/7/2008 8:36	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VTY0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/7/2008 8:36	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VTY0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/7/2008 8:36	Y	EH	Oxidation Reduction Potential	64	mV	[NULL]	[NULL]	[NULL]	S	B1VTY0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-126	6/7/2008 8:36	Y	14265-44-2	Phosphate	65300	ug/L	D	[NULL]	[NULL]	S	B1VTY0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/7/2008 8:36	Y	7440-09-7	Potassium	2080	ug/L	D	[NULL]	[NULL]	S	B1VTY0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/7/2008 8:36	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VTY0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/7/2008 8:36	Y	7440-23-5	Sodium	87000	ug/L	D	[NULL]	[NULL]	S	B1VTY0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/7/2008 8:36	Y	CONDUCT	Specific Conductance	491	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VTY0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-126	6/7/2008 8:36	Y	7440-24-6	Strontium	156	ug/L	D	[NULL]	[NULL]	S	B1VTY0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/7/2008 8:36	Y	14808-79-8	Sulfate	10300	ug/L	D	[NULL]	[NULL]	S	B1VTY0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/7/2008 8:36	Y	TEMPERATURE	Temperature	13.36	Deg C	[NULL]	[NULL]	[NULL]	S	B1VTY0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-126	6/7/2008 8:36	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1VTY0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/7/2008 8:36	Y	7440-66-6	Zinc	41.2	ug/L	D	[NULL]	[NULL]	S	B1VTY0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/7/2008 8:36	Y	PH	pH Measurement	7	unitless	[NULL]	[NULL]	[NULL]	S	B1VTY0	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-126	6/8/2008 7:45	Y	7429-90-5	Aluminum	1320	ug/L	D	[NULL]	[NULL]	S	B1VV16	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/8/2008 7:45	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1VV16	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/8/2008 7:45	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1VV16	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/8/2008 7:45	Y	7440-39-3	Barium	26	ug/L	D	[NULL]	[NULL]	S	B1VV16	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/8/2008 7:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV16	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/8/2008 7:45	Y	7440-70-2	Calcium	45500	ug/L	DN	[NULL]	[NULL]	S	B1VV16	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/8/2008 7:45	Y	16887-00-6	Chloride	53100	ug/L	D	[NULL]	[NULL]	S	B1VV16	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/8/2008 7:45	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV16	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/8/2008 7:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VV16	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/8/2008 7:45	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1VV16	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/8/2008 7:45	Y	DO	Dissolved oxygen	14760	ug/L	[NULL]	[NULL]	[NULL]	S	B1VV16	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-126	6/8/2008 7:45	Y	16984-48-8	Fluoride	105	ug/L	DU	[NULL]	[NULL]	S	B1VV16	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/8/2008 7:45	Y	12587-46-1	Gross alpha	2	pCi/L	U	[NULL]	[NULL]	S	B1VV16	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-126	6/8/2008 7:45	Y	12587-47-2	Gross beta	2500	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV16	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-126	6/8/2008 7:45	Y	7439-89-6	Iron	198	ug/L	D	[NULL]	[NULL]	S	B1VV16	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/8/2008 7:45	Y	7439-92-1	Lead	296	ug/L	CDN	G	[NULL]	S	B1VV16	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/8/2008 7:45	Y	7439-95-4	Magnesium	8000	ug/L	D	[NULL]	[NULL]	S	B1VV16	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/8/2008 7:45	Y	7439-96-5	Manganese	1630	ug/L	D	[NULL]	[NULL]	S	B1VV16	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/8/2008 7:45	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1VV16	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/8/2008 7:45	Y	7440-02-0	Nickel	32.2	ug/L	D	[NULL]	[NULL]	S	B1VV16	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/8/2008 7:45	Y	14797-55-8	Nitrate	797	ug/L	DU	[NULL]	[NULL]	S	B1VV16	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/8/2008 7:45	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1VV16	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/8/2008 7:45	Y	EH	Oxidation Reduction Potential	64	mV	[NULL]	[NULL]	[NULL]	S	B1VV16	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-126	6/8/2008 7:45	Y	14265-44-2	Phosphate	68400	ug/L	D	[NULL]	[NULL]	S	B1VV16	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/8/2008 7:45	Y	7440-09-7	Potassium	2360	ug/L	D	[NULL]	[NULL]	S	B1VV16	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/8/2008 7:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VV16	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/8/2008 7:45	Y	7440-23-5	Sodium	85800	ug/L	D	[NULL]	[NULL]	S	B1VV16	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/8/2008 7:45	Y	CONDUCT	Specific Conductance	4720	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VV16	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-126	6/8/2008 7:45	Y	7440-24-6	Strontium	143	ug/L	D	[NULL]	[NULL]	S	B1VV16	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/8/2008 7:45	Y	14808-79-8	Sulfate	11100	ug/L	D	[NULL]	[NULL]	S	B1VV16	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-126	6/8/2008 7:45	Y	TEMPERATURE	Temperature	12.97	Deg C	[NULL]	[NULL]	[NULL]	S	B1VV16	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-126	6/8/2008 7:45	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1VV16	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/8/2008 7:45	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1VV16	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/8/2008 7:45	Y	PH	pH Measurement	7.16	unitless	[NULL]	[NULL]	[NULL]	S	B1VV16	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-126	6/9/2008 11:06	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1VV42	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/9/2008 11:06	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1VV42	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/9/2008 11:06	Y	7440-38-2	Arsenic	250	ug/L	DNU	[NULL]	[NULL]	S	B1VV42	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/9/2008 11:06	Y	7440-39-3	Barium	32	ug/L	D	[NULL]	[NULL]	S	B1VV42	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/9/2008 11:06	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV42	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/9/2008 11:06	Y	7440-70-2	Calcium	51900	ug/L	D	[NULL]	[NULL]	S	B1VV42	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/9/2008 11:06	Y	16887-00-6	Chloride	53900	ug/L	DN	[NULL]	[NULL]	S	B1VV42	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/9/2008 11:06	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV42	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/9/2008 11:06	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VV42	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/9/2008 11:06	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1VV42	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/9/2008 11:06	Y	DO	Dissolved oxygen	1930	ug/L	[NULL]	[NULL]	[NULL]	S	B1VV42	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-126	6/9/2008 11:06	Y	16984-48-8	Fluoride	105	ug/L	DU	[NULL]	[NULL]	S	B1VV42	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/9/2008 11:06	Y	12587-46-1	Gross alpha	2.5	pCi/L	U	G	[NULL]	S	B1VV42	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-126	6/9/2008 11:06	Y	12587-47-2	Gross beta	2600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV42	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-126	6/9/2008 11:06	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1VV42	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/9/2008 11:06	Y	7439-92-1	Lead	289	ug/L	CD	G	[NULL]	S	B1VV42	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/9/2008 11:06	Y	7439-95-4	Magnesium	9810	ug/L	D	[NULL]	[NULL]	S	B1VV42	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/9/2008 11:06	Y	7439-96-5	Manganese	3420	ug/L	D	[NULL]	[NULL]	S	B1VV42	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/9/2008 11:06	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1VV42	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/9/2008 11:06	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VV42	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/9/2008 11:06	Y	14797-55-8	Nitrate	797	ug/L	DU	[NULL]	[NULL]	S	B1VV42	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/9/2008 11:06	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1VV42	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/9/2008 11:06	Y	EH	Oxidation Reduction Potential	-88	mV	[NULL]	[NULL]	[NULL]	S	B1VV42	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-126	6/9/2008 11:06	Y	14265-44-2	Phosphate	28700	ug/L	D	[NULL]	[NULL]	S	B1VV42	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/9/2008 11:06	Y	7440-09-7	Potassium	2890	ug/L	D	[NULL]	[NULL]	S	B1VV42	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/9/2008 11:06	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VV42	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/9/2008 11:06	Y	7440-23-5	Sodium	89100	ug/L	D	[NULL]	[NULL]	S	B1VV42	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/9/2008 11:06	Y	CONDUCT	Specific Conductance	594	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VV42	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-126	6/9/2008 11:06	Y	7440-24-6	Strontium	172	ug/L	D	[NULL]	[NULL]	S	B1VV42	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/9/2008 11:06	Y	14808-79-8	Sulfate	11300	ug/L	D	[NULL]	[NULL]	S	B1VV42	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/9/2008 11:06	Y	TEMPERATURE	Temperature	13.35	Deg C	[NULL]	[NULL]	[NULL]	S	B1VV42	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-126	6/9/2008 11:06	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1VV42	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/9/2008 11:06	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1VV42	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/9/2008 11:06	Y	PH	pH Measurement	7.27	unitless	[NULL]	[NULL]	[NULL]	S	B1VV42	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-126	6/10/2008 15:40	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VV68	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/10/2008 15:40	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VV68	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/10/2008 15:40	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VV68	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/10/2008 15:40	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV68	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/10/2008 15:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV68	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/10/2008 15:40	Y	7440-70-2	Calcium	17600	ug/L	D	[NULL]	[NULL]	S	B1VV68	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/10/2008 15:40	Y	16887-00-6	Chloride	9740	ug/L	D	[NULL]	[NULL]	S	B1VV68	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/10/2008 15:40	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VV68	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/10/2008 15:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VV68	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/10/2008 15:40	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VV68	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/10/2008 15:40	Y	16984-48-8	Fluoride	105	ug/L	DU	[NULL]	[NULL]	S	B1VV68	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/10/2008 15:40	Y	12587-46-1	Gross alpha	-0.19	pCi/L	U	G	[NULL]	S	B1VV68	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-126	6/10/2008 15:40	Y	12587-47-2	Gross beta	1000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV68	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-126	6/10/2008 15:40	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VV68	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/10/2008 15:40	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VV68	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/10/2008 15:40	Y	7439-95-4	Magnesium	3180	ug/L	D	[NULL]	[NULL]	S	B1VV68	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-126	6/10/2008 15:40	Y	7439-96-5	Manganese	1070	ug/L	D	[NULL]	[NULL]	S	B1VV68	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/10/2008 15:40	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VV68	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/10/2008 15:40	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VV68	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/10/2008 15:40	Y	14797-55-8	Nitrate	797	ug/L	DU	[NULL]	[NULL]	S	B1VV68	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/10/2008 15:40	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1VV68	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/10/2008 15:40	Y	14265-44-2	Phosphate	21400	ug/L	D	[NULL]	[NULL]	S	B1VV68	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/10/2008 15:40	Y	7440-09-7	Potassium	1850	ug/L	D	[NULL]	[NULL]	S	B1VV68	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/10/2008 15:40	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VV68	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/10/2008 15:40	Y	7440-23-5	Sodium	42700	ug/L	D	[NULL]	[NULL]	S	B1VV68	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/10/2008 15:40	Y	7440-24-6	Strontium	69.2	ug/L	D	[NULL]	[NULL]	S	B1VV68	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/10/2008 15:40	Y	14808-79-8	Sulfate	9300	ug/L	D	[NULL]	[NULL]	S	B1VV68	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/10/2008 15:40	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VV68	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/10/2008 15:40	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VV68	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2008 11:57	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VV94	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2008 11:57	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VV94	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2008 11:57	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VV94	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2008 11:57	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV94	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2008 11:57	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV94	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2008 11:57	Y	7440-70-2	Calcium	13300	ug/L	DN	[NULL]	[NULL]	S	B1VV94	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2008 11:57	Y	16887-00-6	Chloride	3790	ug/L	D	[NULL]	[NULL]	S	B1VV94	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/11/2008 11:57	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VV94	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2008 11:57	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VV94	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2008 11:57	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VV94	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2008 11:57	Y	16984-48-8	Fluoride	105	ug/L	DU	[NULL]	[NULL]	S	B1VV94	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/11/2008 11:57	Y	12587-46-1	Gross alpha	0.67	pCi/L	U	[NULL]	[NULL]	S	B1VV94	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-126	6/11/2008 11:57	Y	12587-47-2	Gross beta	660	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV94	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-126	6/11/2008 11:57	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VV94	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2008 11:57	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VV94	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2008 11:57	Y	7439-95-4	Magnesium	2150	ug/L	D	[NULL]	[NULL]	S	B1VV94	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2008 11:57	Y	7439-96-5	Manganese	513	ug/L	D	[NULL]	[NULL]	S	B1VV94	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2008 11:57	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VV94	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2008 11:57	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VV94	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2008 11:57	Y	14797-55-8	Nitrate	797	ug/L	DU	[NULL]	[NULL]	S	B1VV94	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/11/2008 11:57	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1VV94	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/11/2008 11:57	Y	14265-44-2	Phosphate	15900	ug/L	D	[NULL]	[NULL]	S	B1VV94	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/11/2008 11:57	Y	7440-09-7	Potassium	1440	ug/L	D	[NULL]	[NULL]	S	B1VV94	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2008 11:57	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1VV94	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2008 11:57	Y	7440-23-5	Sodium	34100	ug/L	D	[NULL]	[NULL]	S	B1VV94	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2008 11:57	Y	7440-24-6	Strontium	47.6	ug/L	D	[NULL]	[NULL]	S	B1VV94	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2008 11:57	Y	14808-79-8	Sulfate	8920	ug/L	D	[NULL]	[NULL]	S	B1VV94	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/11/2008 11:57	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VV94	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/11/2008 11:57	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VV94	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2008 12:34	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVD0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2008 12:34	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVD0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2008 12:34	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVD0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2008 12:34	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVD0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2008 12:34	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVD0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2008 12:34	Y	7440-70-2	Calcium	11400	ug/L	DN	[NULL]	[NULL]	S	B1VVD0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2008 12:34	Y	16887-00-6	Chloride	1890	ug/L	BD	[NULL]	[NULL]	S	B1VVD0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/13/2008 12:34	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVD0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2008 12:34	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVD0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2008 12:34	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVD0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2008 12:34	Y	DO	Dissolved oxygen	3860	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVD0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-126	6/13/2008 12:34	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVD0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/13/2008 12:34	Y	12587-46-1	Gross alpha	3.2	pCi/L	[NULL]	G	[NULL]	S	B1VVD0	12587-46-1	WSCF	ALPHA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-126	6/13/2008 12:34	Y	12587-47-2	Gross beta	610	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVD0	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-126	6/13/2008 12:34	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VVD0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2008 12:34	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVD0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2008 12:34	Y	7439-95-4	Magnesium	1790	ug/L	D	[NULL]	[NULL]	S	B1VVD0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2008 12:34	Y	7439-96-5	Manganese	54	ug/L	D	[NULL]	[NULL]	S	B1VVD0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2008 12:34	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVD0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2008 12:34	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVD0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2008 12:34	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVD0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/13/2008 12:34	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVD0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/13/2008 12:34	Y	EH	Oxidation Reduction Potential	-27	mV	[NULL]	[NULL]	[NULL]	S	B1VVD0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-126	6/13/2008 12:34	Y	14265-44-2	Phosphate	11300	ug/L	D	[NULL]	[NULL]	S	B1VVD0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/13/2008 12:34	Y	7440-09-7	Potassium	1360	ug/L	D	[NULL]	[NULL]	S	B1VVD0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2008 12:34	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVD0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2008 12:34	Y	7440-23-5	Sodium	30600	ug/L	D	[NULL]	[NULL]	S	B1VVD0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2008 12:34	Y	CONDUCT	Specific Conductance	228.2	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVD0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-126	6/13/2008 12:34	Y	7440-24-6	Strontium	41.5	ug/L	D	[NULL]	[NULL]	S	B1VVD0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2008 12:34	Y	14808-79-8	Sulfate	9210	ug/L	BD	[NULL]	[NULL]	S	B1VVD0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/13/2008 12:34	Y	TEMPERATURE	Temperature	14.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVD0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-126	6/13/2008 12:34	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVD0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2008 12:34	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVD0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/13/2008 12:34	Y	PH	pH Measurement	7.8	unitless	[NULL]	[NULL]	[NULL]	S	B1VVD0	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-126	6/14/2008 8:58	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVH6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2008 8:58	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVH6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2008 8:58	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVH6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2008 8:58	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVH6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2008 8:58	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVH6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2008 8:58	Y	7440-70-2	Calcium	11200	ug/L	DN	[NULL]	[NULL]	S	B1VVH6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2008 8:58	Y	16887-00-6	Chloride	2220	ug/L	D	[NULL]	[NULL]	S	B1VVH6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/14/2008 8:58	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVH6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2008 8:58	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVH6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2008 8:58	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVH6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2008 8:58	Y	DO	Dissolved oxygen	2260	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVH6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-126	6/14/2008 8:58	Y	16984-48-8	Fluoride	105	ug/L	DU	[NULL]	[NULL]	S	B1VVH6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/14/2008 8:58	Y	12587-46-1	Gross alpha	1.9	pCi/L	U	[NULL]	[NULL]	S	B1VVH6	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-126	6/14/2008 8:58	Y	12587-47-2	Gross beta	600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVH6	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-126	6/14/2008 8:58	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VVH6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2008 8:58	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVH6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2008 8:58	Y	7439-95-4	Magnesium	1940	ug/L	D	[NULL]	[NULL]	S	B1VVH6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2008 8:58	Y	7439-96-5	Manganese	43	ug/L	D	[NULL]	[NULL]	S	B1VVH6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2008 8:58	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVH6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2008 8:58	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVH6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2008 8:58	Y	14797-55-8	Nitrate	797	ug/L	DU	[NULL]	[NULL]	S	B1VVH6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/14/2008 8:58	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1VVH6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/14/2008 8:58	Y	EH	Oxidation Reduction Potential	-31	mV	[NULL]	[NULL]	[NULL]	S	B1VVH6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-126	6/14/2008 8:58	Y	14265-44-2	Phosphate	12300	ug/L	D	[NULL]	[NULL]	S	B1VVH6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/14/2008 8:58	Y	7440-09-7	Potassium	1380	ug/L	D	[NULL]	[NULL]	S	B1VVH6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2008 8:58	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVH6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2008 8:58	Y	7440-23-5	Sodium	32700	ug/L	D	[NULL]	[NULL]	S	B1VVH6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2008 8:58	Y	CONDUCT	Specific Conductance	2046	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVH6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-126	6/14/2008 8:58	Y	7440-24-6	Strontium	45.9	ug/L	D	[NULL]	[NULL]	S	B1VVH6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2008 8:58	Y	14808-79-8	Sulfate	9710	ug/L	D	[NULL]	[NULL]	S	B1VVH6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/14/2008 8:58	Y	TEMPERATURE	Temperature	13.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVH6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-126	6/14/2008 8:58	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVH6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-126	6/14/2008 8:58	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVH6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/14/2008 8:58	Y	PH	pH Measurement	7.68	unitless	[NULL]	[NULL]	[NULL]	S	B1VVH6	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-126	6/16/2008 11:22	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVL2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2008 11:22	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVL2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2008 11:22	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVL2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2008 11:22	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVL2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2008 11:22	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVL2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2008 11:22	Y	7440-70-2	Calcium	11800	ug/L	D	[NULL]	[NULL]	S	B1VVL2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2008 11:22	Y	16887-00-6	Chloride	2290	ug/L	BD	[NULL]	[NULL]	S	B1VVL2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/16/2008 11:22	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVL2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2008 11:22	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVL2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2008 11:22	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVL2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2008 11:22	Y	DO	Dissolved oxygen	2910	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVL2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-126	6/16/2008 11:22	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVL2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/16/2008 11:22	Y	12587-46-1	Gross alpha	-0.95	pCi/L	U	G	[NULL]	S	B1VVL2	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-126	6/16/2008 11:22	Y	12587-47-2	Gross beta	620	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVL2	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-126	6/16/2008 11:22	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VVL2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2008 11:22	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVL2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2008 11:22	Y	7439-95-4	Magnesium	1990	ug/L	D	[NULL]	[NULL]	S	B1VVL2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2008 11:22	Y	7439-96-5	Manganese	522	ug/L	D	[NULL]	[NULL]	S	B1VVL2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2008 11:22	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVL2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2008 11:22	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVL2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2008 11:22	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVL2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/16/2008 11:22	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVL2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/16/2008 11:22	Y	EH	Oxidation Reduction Potential	54	mV	[NULL]	[NULL]	[NULL]	S	B1VVL2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-126	6/16/2008 11:22	Y	14265-44-2	Phosphate	12600	ug/L	D	[NULL]	[NULL]	S	B1VVL2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/16/2008 11:22	Y	7440-09-7	Potassium	1070	ug/L	D	[NULL]	[NULL]	S	B1VVL2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2008 11:22	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVL2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2008 11:22	Y	7440-23-5	Sodium	34600	ug/L	D	[NULL]	[NULL]	S	B1VVL2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2008 11:22	Y	CONDUCT	Specific Conductance	223.7	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVL2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-126	6/16/2008 11:22	Y	7440-24-6	Strontium	45	ug/L	D	[NULL]	[NULL]	S	B1VVL2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2008 11:22	Y	14808-79-8	Sulfate	8570	ug/L	BD	[NULL]	[NULL]	S	B1VVL2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/16/2008 11:22	Y	TEMPERATURE	Temperature	15.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVL2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-126	6/16/2008 11:22	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVL2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2008 11:22	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVL2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/16/2008 11:22	Y	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	S	B1VVL2	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-126	6/18/2008 6:58	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVN8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2008 6:58	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVN8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2008 6:58	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVN8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2008 6:58	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVN8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2008 6:58	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVN8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2008 6:58	Y	7440-70-2	Calcium	10600	ug/L	DN	[NULL]	[NULL]	S	B1VVN8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2008 6:58	Y	16887-00-6	Chloride	1420	ug/L	BD	[NULL]	[NULL]	S	B1VVN8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/18/2008 6:58	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVN8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2008 6:58	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVN8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2008 6:58	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVN8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2008 6:58	Y	DO	Dissolved oxygen	3220	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVN8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-126	6/18/2008 6:58	Y	16984-48-8	Fluoride	105	ug/L	DU	[NULL]	[NULL]	S	B1VVN8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/18/2008 6:58	Y	12587-46-1	Gross alpha	1.1	pCi/L	U	[NULL]	[NULL]	S	B1VVN8	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-126	6/18/2008 6:58	Y	12587-47-2	Gross beta	430	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVN8	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-126	6/18/2008 6:58	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VVN8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2008 6:58	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVN8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2008 6:58	Y	7439-95-4	Magnesium	1770	ug/L	DN	[NULL]	[NULL]	S	B1VVN8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2008 6:58	Y	7439-96-5	Manganese	57	ug/L	D	[NULL]	[NULL]	S	B1VVN8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-126	6/18/2008 6:58	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVN8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2008 6:58	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVN8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2008 6:58	Y	14797-55-8	Nitrate	797	ug/L	DU	[NULL]	[NULL]	S	B1VVN8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/18/2008 6:58	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1VVN8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/18/2008 6:58	Y	EH	Oxidation Reduction Potential	-58	mV	[NULL]	[NULL]	[NULL]	S	B1VVN8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-126	6/18/2008 6:58	Y	14265-44-2	Phosphate	10900	ug/L	D	[NULL]	[NULL]	S	B1VVN8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/18/2008 6:58	Y	7440-09-7	Potassium	1240	ug/L	D	[NULL]	[NULL]	S	B1VVN8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2008 6:58	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVN8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2008 6:58	Y	7440-23-5	Sodium	30700	ug/L	D	[NULL]	[NULL]	S	B1VVN8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2008 6:58	Y	CONDUCT	Specific Conductance	193.4	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVN8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-126	6/18/2008 6:58	Y	7440-24-6	Strontium	41.9	ug/L	D	[NULL]	[NULL]	S	B1VVN8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2008 6:58	Y	14808-79-8	Sulfate	8820	ug/L	D	[NULL]	[NULL]	S	B1VVN8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/18/2008 6:58	Y	TEMPERATURE	Temperature	12.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVN8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-126	6/18/2008 6:58	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVN8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2008 6:58	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVN8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/18/2008 6:58	Y	PH	pH Measurement	7.72	unitless	[NULL]	[NULL]	[NULL]	S	B1VVN8	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-126	6/27/2008 8:10	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVV0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/27/2008 8:10	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVV0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/27/2008 8:10	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVV0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/27/2008 8:10	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVV0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/27/2008 8:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVV0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/27/2008 8:10	Y	7440-70-2	Calcium	14100	ug/L	D	[NULL]	[NULL]	S	B1VVV0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/27/2008 8:10	Y	16887-00-6	Chloride	6160	ug/L	D	[NULL]	[NULL]	S	B1VVV0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/27/2008 8:10	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVV0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/27/2008 8:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVV0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/27/2008 8:10	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVV0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/27/2008 8:10	Y	DO	Dissolved oxygen	3300	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVV0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-126	6/27/2008 8:10	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVV0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/27/2008 8:10	Y	12587-46-1	Gross alpha	-0.55	pCi/L	U	[NULL]	[NULL]	S	B1VVV0	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-126	6/27/2008 8:10	Y	12587-47-2	Gross beta	620	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVV0	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-126	6/27/2008 8:10	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VVV0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/27/2008 8:10	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVV0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/27/2008 8:10	Y	7439-95-4	Magnesium	2430	ug/L	DN	[NULL]	[NULL]	S	B1VVV0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/27/2008 8:10	Y	7439-96-5	Manganese	79	ug/L	D	[NULL]	[NULL]	S	B1VVV0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/27/2008 8:10	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVV0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/27/2008 8:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVV0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/27/2008 8:10	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVV0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/27/2008 8:10	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVV0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/27/2008 8:10	Y	EH	Oxidation Reduction Potential	143	mV	[NULL]	[NULL]	[NULL]	S	B1VVV0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-126	6/27/2008 8:10	Y	14265-44-2	Phosphate	8280	ug/L	BD	[NULL]	[NULL]	S	B1VVV0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/27/2008 8:10	Y	7440-09-7	Potassium	1620	ug/L	D	[NULL]	[NULL]	S	B1VVV0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/27/2008 8:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVV0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/27/2008 8:10	Y	7440-23-5	Sodium	38100	ug/L	D	[NULL]	[NULL]	S	B1VVV0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/27/2008 8:10	Y	CONDUCT	Specific Conductance	211.1	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVV0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-126	6/27/2008 8:10	Y	7440-24-6	Strontium	54.7	ug/L	D	[NULL]	[NULL]	S	B1VVV0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/27/2008 8:10	Y	14808-79-8	Sulfate	8310	ug/L	BD	[NULL]	[NULL]	S	B1VVV0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	6/27/2008 8:10	Y	TEMPERATURE	Temperature	13.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVV0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-126	6/27/2008 8:10	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVV0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/27/2008 8:10	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVV0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	6/27/2008 8:10	Y	PH	pH Measurement	6.88	unitless	[NULL]	[NULL]	[NULL]	S	B1VVV0	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-126	7/4/2008 10:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VWT9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/4/2008 10:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VWT9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/4/2008 10:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VWT9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-126	7/4/2008 10:30	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWT9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/4/2008 10:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWT9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/4/2008 10:30	Y	7440-70-2	Calcium	20900	ug/L	DN	[NULL]	[NULL]	S	B1VWT9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/4/2008 10:30	Y	16887-00-6	Chloride	12200	ug/L	D	[NULL]	[NULL]	S	B1VWT9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	7/4/2008 10:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VWT9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/4/2008 10:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VWT9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/4/2008 10:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VWT9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/4/2008 10:30	Y	DO	Dissolved oxygen	1030	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWT9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-126	7/4/2008 10:30	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VWT9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	7/4/2008 10:30	Y	12587-46-1	Gross alpha	0.41	pCi/L	U	[NULL]	[NULL]	S	B1VWT9	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-126	7/4/2008 10:30	Y	12587-47-2	Gross beta	1100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VWT9	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-126	7/4/2008 10:30	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VWT9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/4/2008 10:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VWT9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/4/2008 10:30	Y	7439-95-4	Magnesium	4010	ug/L	DN	[NULL]	[NULL]	S	B1VWT9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/4/2008 10:30	Y	7439-96-5	Manganese	1290	ug/L	D	[NULL]	[NULL]	S	B1VWT9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/4/2008 10:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VWT9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/4/2008 10:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VWT9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/4/2008 10:30	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VWT9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	7/4/2008 10:30	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VWT9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	7/4/2008 10:30	Y	EH	Oxidation Reduction Potential	21	mV	[NULL]	[NULL]	[NULL]	S	B1VWT9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-126	7/4/2008 10:30	Y	14265-44-2	Phosphate	65300	ug/L	D	[NULL]	[NULL]	S	B1VWT9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	7/4/2008 10:30	Y	7440-09-7	Potassium	2170	ug/L	D	[NULL]	[NULL]	S	B1VWT9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/4/2008 10:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VWT9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/4/2008 10:30	Y	7440-23-5	Sodium	86500	ug/L	D	[NULL]	[NULL]	S	B1VWT9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/4/2008 10:30	Y	CONDUCT	Specific Conductance	561.5	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWT9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-126	7/4/2008 10:30	Y	7440-24-6	Strontium	79.1	ug/L	D	[NULL]	[NULL]	S	B1VWT9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/4/2008 10:30	Y	14808-79-8	Sulfate	6620	ug/L	BD	[NULL]	[NULL]	S	B1VWT9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	7/4/2008 10:30	Y	TEMPERATURE	Temperature	18.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWT9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-126	7/4/2008 10:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VWT9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/4/2008 10:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VWT9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/4/2008 10:30	Y	PH	pH Measurement	7.73	unitless	[NULL]	[NULL]	[NULL]	S	B1VWT9	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-126	7/11/2008 10:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7V3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/11/2008 10:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7V3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/11/2008 10:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7V3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/11/2008 10:30	Y	7440-39-3	Barium	44	ug/L	BD	[NULL]	[NULL]	S	B1W7V3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/11/2008 10:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7V3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/11/2008 10:30	Y	7440-70-2	Calcium	52700	ug/L	D	[NULL]	[NULL]	S	B1W7V3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/11/2008 10:30	Y	16887-00-6	Chloride	50100	ug/L	D	[NULL]	[NULL]	S	B1W7V3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	7/11/2008 10:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7V3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/11/2008 10:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7V3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/11/2008 10:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7V3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/11/2008 10:30	Y	DO	Dissolved oxygen	1460	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7V3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-126	7/11/2008 10:30	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W7V3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	7/11/2008 10:30	Y	12587-46-1	Gross alpha	-2.9	pCi/L	U	G	[NULL]	S	B1W7V3	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-126	7/11/2008 10:30	Y	12587-47-2	Gross beta	2800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7V3	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-126	7/11/2008 10:30	Y	7439-89-6	Iron	946	ug/L	D	[NULL]	[NULL]	S	B1W7V3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/11/2008 10:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7V3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/11/2008 10:30	Y	7439-95-4	Magnesium	9450	ug/L	D	[NULL]	[NULL]	S	B1W7V3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/11/2008 10:30	Y	7439-96-5	Manganese	2850	ug/L	D	[NULL]	[NULL]	S	B1W7V3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/11/2008 10:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7V3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/11/2008 10:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7V3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/11/2008 10:30	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W7V3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	7/11/2008 10:30	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W7V3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-126	7/11/2008 10:30	Y	EH	Oxidation Reduction Potential	-140	mV	[NULL]	[NULL]	[NULL]	S	B1W7V3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-126	7/11/2008 10:30	Y	14265-44-2	Phosphate	20900	ug/L	D	[NULL]	[NULL]	S	B1W7V3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	7/11/2008 10:30	Y	7440-09-7	Potassium	2750	ug/L	BD	[NULL]	[NULL]	S	B1W7V3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/11/2008 10:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W7V3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/11/2008 10:30	Y	7440-23-5	Sodium	112000	ug/L	DX	[NULL]	[NULL]	S	B1W7V3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/11/2008 10:30	Y	CONDUCT	Specific Conductance	758.2	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7V3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-126	7/11/2008 10:30	Y	7440-24-6	Strontium	192	ug/L	D	[NULL]	[NULL]	S	B1W7V3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/11/2008 10:30	Y	14808-79-8	Sulfate	4310	ug/L	BD	[NULL]	[NULL]	S	B1W7V3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	7/11/2008 10:30	Y	TEMPERATURE	Temperature	14.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7V3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-126	7/11/2008 10:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7V3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/11/2008 10:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7V3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/11/2008 10:30	Y	PH	pH Measurement	7.43	unitless	[NULL]	[NULL]	[NULL]	S	B1W7V3	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-126	7/18/2008 10:00	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WC99	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/18/2008 10:00	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WC99	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/18/2008 10:00	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WC99	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/18/2008 10:00	Y	7440-39-3	Barium	78	ug/L	D	[NULL]	[NULL]	S	B1WC99	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/18/2008 10:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WC99	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/18/2008 10:00	Y	7440-70-2	Calcium	79400	ug/L	D	[NULL]	[NULL]	S	B1WC99	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/18/2008 10:00	Y	16887-00-6	Chloride	98900	ug/L	D	[NULL]	[NULL]	S	B1WC99	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	7/18/2008 10:00	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WC99	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/18/2008 10:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WC99	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/18/2008 10:00	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WC99	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/18/2008 10:00	Y	DO	Dissolved oxygen	1710	ug/L	[NULL]	[NULL]	[NULL]	S	B1WC99	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-126	7/18/2008 10:00	Y	16984-48-8	Fluoride	232	ug/L	DNU	[NULL]	[NULL]	S	B1WC99	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	7/18/2008 10:00	Y	12587-46-1	Gross alpha	5.8	pCi/L	[NULL]	G	[NULL]	S	B1WC99	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-126	7/18/2008 10:00	Y	12587-47-2	Gross beta	5100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WC99	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-126	7/18/2008 10:00	Y	7439-89-6	Iron	1910	ug/L	D	[NULL]	[NULL]	S	B1WC99	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/18/2008 10:00	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WC99	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/18/2008 10:00	Y	7439-95-4	Magnesium	14700	ug/L	D	[NULL]	[NULL]	S	B1WC99	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/18/2008 10:00	Y	7439-96-5	Manganese	2470	ug/L	D	[NULL]	[NULL]	S	B1WC99	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/18/2008 10:00	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WC99	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/18/2008 10:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WC99	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/18/2008 10:00	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WC99	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	7/18/2008 10:00	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WC99	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	7/18/2008 10:00	Y	EH	Oxidation Reduction Potential	-141	mV	[NULL]	[NULL]	[NULL]	S	B1WC99	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-126	7/18/2008 10:00	Y	14265-44-2	Phosphate	55800	ug/L	D	[NULL]	[NULL]	S	B1WC99	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	7/18/2008 10:00	Y	7440-09-7	Potassium	4520	ug/L	D	[NULL]	[NULL]	S	B1WC99	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/18/2008 10:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WC99	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/18/2008 10:00	Y	7440-23-5	Sodium	266000	ug/L	DX	[NULL]	[NULL]	S	B1WC99	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/18/2008 10:00	Y	CONDUCT	Specific Conductance	1440	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WC99	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-126	7/18/2008 10:00	Y	7440-24-6	Strontium	346	ug/L	D	[NULL]	[NULL]	S	B1WC99	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/18/2008 10:00	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WC99	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	7/18/2008 10:00	Y	TEMPERATURE	Temperature	15.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1WC99	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-126	7/18/2008 10:00	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WC99	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/18/2008 10:00	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WC99	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	7/18/2008 10:00	Y	PH	pH Measurement	7.46	unitless	[NULL]	[NULL]	[NULL]	S	B1WC99	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-126	9/3/2008 10:55	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WWF2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/3/2008 10:55	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WWF2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/3/2008 10:55	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WWF2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/3/2008 10:55	Y	7440-39-3	Barium	192	ug/L	D	[NULL]	[NULL]	S	B1WWF2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/3/2008 10:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WWF2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/3/2008 10:55	Y	7440-70-2	Calcium	134000	ug/L	DN	[NULL]	[NULL]	S	B1WWF2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/3/2008 10:55	Y	16887-00-6	Chloride	181000	ug/L	D	[NULL]	[NULL]	S	B1WW90	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-126	9/3/2008 10:55	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WWF2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/3/2008 10:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WWF2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/3/2008 10:55	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WWF2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/3/2008 10:55	Y	DO	Dissolved oxygen	1010	ug/L	[NULL]	[NULL]	[NULL]	S	B1WW90	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-126	9/3/2008 10:55	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WW90	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-126	9/3/2008 10:55	Y	12587-46-1	Gross alpha	0.62	pCi/L	U	[NULL]	[NULL]	S	B1WWF2	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-126	9/3/2008 10:55	Y	12587-47-2	Gross beta	7400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WWF2	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-126	9/3/2008 10:55	Y	7439-89-6	Iron	3710	ug/L	D	[NULL]	[NULL]	S	B1WWF2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/3/2008 10:55	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WWF2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/3/2008 10:55	Y	7439-95-4	Magnesium	25200	ug/L	D	[NULL]	[NULL]	S	B1WWF2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/3/2008 10:55	Y	7439-96-5	Manganese	3640	ug/L	D	[NULL]	[NULL]	S	B1WWF2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/3/2008 10:55	Y	7439-98-7	Molybdenum	44.4	ug/L	BD	[NULL]	[NULL]	S	B1WWF2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/3/2008 10:55	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WWF2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/3/2008 10:55	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WW90	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-126	9/3/2008 10:55	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WW90	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-126	9/3/2008 10:55	Y	EH	Oxidation Reduction Potential	-186	mV	[NULL]	[NULL]	[NULL]	S	B1WW90	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-126	9/3/2008 10:55	Y	14265-44-2	Phosphate	26200	ug/L	D	[NULL]	[NULL]	S	B1WW90	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-126	9/3/2008 10:55	Y	7440-09-7	Potassium	6820	ug/L	D	[NULL]	[NULL]	S	B1WWF2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/3/2008 10:55	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WWF2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/3/2008 10:55	Y	7440-23-5	Sodium	542000	ug/L	D	[NULL]	[NULL]	S	B1WWF2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/3/2008 10:55	Y	CONDUCT	Specific Conductance	2315	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WW90	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-126	9/3/2008 10:55	Y	7440-24-6	Strontium	681	ug/L	D	[NULL]	[NULL]	S	B1WWF2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/3/2008 10:55	Y	14808-79-8	Sulfate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WW90	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-126	9/3/2008 10:55	Y	TEMPERATURE	Temperature	17.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1WW90	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-126	9/3/2008 10:55	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WWF2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/3/2008 10:55	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WWF2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/3/2008 10:55	Y	PH	pH Measurement	7.37	unitless	[NULL]	[NULL]	[NULL]	S	B1WW90	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-126	9/21/2008 7:35	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WX20	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/21/2008 7:35	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WX20	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/21/2008 7:35	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WX20	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/21/2008 7:35	Y	7440-39-3	Barium	51	ug/L	BD	[NULL]	[NULL]	S	B1WX20	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/21/2008 7:35	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WX20	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/21/2008 7:35	Y	7440-70-2	Calcium	51400	ug/L	DN	[NULL]	[NULL]	S	B1WX20	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/21/2008 7:35	Y	16887-00-6	Chloride	96700	ug/L	D	[NULL]	[NULL]	S	B1WWW5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	9/21/2008 7:35	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WX20	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/21/2008 7:35	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WX20	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/21/2008 7:35	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WX20	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/21/2008 7:35	Y	DO	Dissolved oxygen	1630	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWW5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-126	9/21/2008 7:35	Y	DO	Dissolved oxygen	1630	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX20	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-126	9/21/2008 7:35	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WWW5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	9/21/2008 7:35	Y	12587-46-1	Gross alpha	5.2	pCi/L	U	[NULL]	[NULL]	S	B1WX20	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-126	9/21/2008 7:35	Y	12587-47-2	Gross beta	3200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WX20	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-126	9/21/2008 7:35	Y	7439-89-6	Iron	1420	ug/L	D	[NULL]	[NULL]	S	B1WX20	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/21/2008 7:35	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WX20	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/21/2008 7:35	Y	7439-95-4	Magnesium	10400	ug/L	D	[NULL]	[NULL]	S	B1WX20	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/21/2008 7:35	Y	7439-96-5	Manganese	1330	ug/L	D	[NULL]	[NULL]	S	B1WX20	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/21/2008 7:35	Y	7439-98-7	Molybdenum	30.3	ug/L	BD	[NULL]	[NULL]	S	B1WX20	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/21/2008 7:35	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WX20	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/21/2008 7:35	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WWW5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	9/21/2008 7:35	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WWW5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	9/21/2008 7:35	Y	EH	Oxidation Reduction Potential	-112	mV	[NULL]	[NULL]	[NULL]	S	B1WWW5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-126	9/21/2008 7:35	Y	EH	Oxidation Reduction Potential	-112	mV	[NULL]	[NULL]	[NULL]	S	B1WX20	EH	FIELD	REDOX_PROBE_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-126	9/21/2008 7:35	Y	14265-44-2	Phosphate	144000	ug/L	D	[NULL]	[NULL]	S	B1WWW5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	9/21/2008 7:35	Y	7440-09-7	Potassium	4740	ug/L	D	[NULL]	[NULL]	S	B1WX20	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/21/2008 7:35	Y	7440-22-4	Silver	25	ug/L	DNUX	[NULL]	[NULL]	S	B1WX20	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/21/2008 7:35	Y	7440-23-5	Sodium	424000	ug/L	D	[NULL]	[NULL]	S	B1WX20	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/21/2008 7:35	Y	CONDUCT	Specific Conductance	1629	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WX20	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-126	9/21/2008 7:35	Y	CONDUCT	Specific Conductance	1629	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WWW5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-126	9/21/2008 7:35	Y	7440-24-6	Strontium	236	ug/L	D	[NULL]	[NULL]	S	B1WX20	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/21/2008 7:35	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WWW5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	9/21/2008 7:35	Y	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WWW5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-126	9/21/2008 7:35	Y	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WX20	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-126	9/21/2008 7:35	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WX20	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/21/2008 7:35	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WX20	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	9/21/2008 7:35	Y	PH	pH Measurement	7.4	unitless	[NULL]	[NULL]	[NULL]	S	B1WWW5	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-126	9/21/2008 7:35	Y	PH	pH Measurement	7.4	unitless	[NULL]	[NULL]	[NULL]	S	B1WX20	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-126	10/30/2008 10:59	N	7429-90-5	Aluminum	102	ug/L	B	[NULL]	[NULL]	S	B1WX66	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/30/2008 10:59	N	7440-36-0	Antimony	60	ug/L	U	[NULL]	[NULL]	S	B1WX66	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/30/2008 10:59	N	7440-38-2	Arsenic	80	ug/L	U	[NULL]	[NULL]	S	B1WX66	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/30/2008 10:59	N	7440-39-3	Barium	46.7	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX66	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/30/2008 10:59	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1WX66	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/30/2008 10:59	N	7440-70-2	Calcium	41400	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX66	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/30/2008 10:59	N	16887-00-6	Chloride	91200	ug/L	D	[NULL]	[NULL]	S	B1WX66	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	10/30/2008 10:59	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	S	B1WX66	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/30/2008 10:59	N	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	S	B1WX66	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/30/2008 10:59	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1WX66	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/30/2008 10:59	N	DO	Dissolved oxygen	2680	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX66	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-126	10/30/2008 10:59	N	16984-48-8	Fluoride	200	ug/L	UD	[NULL]	[NULL]	S	B1WX66	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	10/30/2008 10:59	N	12587-46-1	Gross alpha	3.23	pCi/L	U	[NULL]	[NULL]	S	B1WX66	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-126	10/30/2008 10:59	N	12587-47-2	Gross beta	2470	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WX66	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-126	10/30/2008 10:59	N	7439-89-6	Iron	795	ug/L	C	[NULL]	[NULL]	S	B1WX66	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/30/2008 10:59	N	7439-92-1	Lead	40	ug/L	U	[NULL]	[NULL]	S	B1WX66	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/30/2008 10:59	N	7439-95-4	Magnesium	8480	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX66	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/30/2008 10:59	N	7439-96-5	Manganese	944	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX66	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/30/2008 10:59	N	7439-98-7	Molybdenum	24.3	ug/L	B	[NULL]	[NULL]	S	B1WX66	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/30/2008 10:59	N	7440-02-0	Nickel	6	ug/L	B	[NULL]	[NULL]	S	B1WX66	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/30/2008 10:59	N	14797-55-8	Nitrate	443	ug/L	UD	[NULL]	[NULL]	S	B1WX66	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	10/30/2008 10:59	N	14797-65-0	Nitrite	328	ug/L	UD	[NULL]	[NULL]	S	B1WX66	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	10/30/2008 10:59	N	EH	Oxidation Reduction Potential	-156	mV	[NULL]	[NULL]	[NULL]	S	B1WX66	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-126	10/30/2008 10:59	N	14265-44-2	Phosphate	147000	ug/L	D	[NULL]	[NULL]	S	B1WX66	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	10/30/2008 10:59	N	7440-09-7	Potassium	3930	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX66	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/30/2008 10:59	N	7440-22-4	Silver	7	ug/L	B	[NULL]	[NULL]	S	B1WX66	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/30/2008 10:59	N	7440-23-5	Sodium	458000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX66	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/30/2008 10:59	N	CONDUCT	Specific Conductance	1913	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WX66	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-126	10/30/2008 10:59	N	7440-24-6	Strontium	242	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX66	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/30/2008 10:59	N	14808-79-8	Sulfate	1110	ug/L	BD	[NULL]	[NULL]	S	B1WX66	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	10/30/2008 10:59	N	TEMPERATURE	Temperature	15.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1WX66	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-126	10/30/2008 10:59	N	7440-62-2	Vanadium	10	ug/L	U	[NULL]	[NULL]	S	B1WX66	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/30/2008 10:59	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1WX66	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	10/30/2008 10:59	N	PH	pH Measurement	7.67	unitless	[NULL]	[NULL]	[NULL]	S	B1WX66	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-126	12/8/2008 9:25	N	7429-90-5	Aluminum	52	ug/L	U	[NULL]	[NULL]	S	B1XXN9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	12/8/2008 9:25	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	S	B1XXN9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	12/8/2008 9:25	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	S	B1XXN9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	12/8/2008 9:25	N	7440-39-3	Barium	15	ug/L	B	[NULL]	[NULL]	S	B1XXN9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	12/8/2008 9:25	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1XXN9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	12/8/2008 9:25	N	7440-70-2	Calcium	16500	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXN9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-126	12/8/2008 9:25	N	16887-00-6	Chloride	24900	ug/L	D	[NULL]	[NULL]	S	B1XXN9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	12/8/2008 9:25	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B1XXN9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	12/8/2008 9:25	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1XXN9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	12/8/2008 9:25	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1XXN9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	12/8/2008 9:25	N	DO	Dissolved oxygen	2350	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXN9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-126	12/8/2008 9:25	N	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1XXN9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	12/8/2008 9:25	N	12587-46-1	Gross alpha	1.7	pCi/L	U	[NULL]	[NULL]	S	B1XXN9	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-126	12/8/2008 9:25	N	12587-47-2	Gross beta	780	pCi/L	[NULL]	[NULL]	[NULL]	S	B1XXN9	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-126	12/8/2008 9:25	N	7439-89-6	Iron	63.6	ug/L	B	[NULL]	[NULL]	S	B1XXN9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	12/8/2008 9:25	N	7439-92-1	Lead	45	ug/L	U	[NULL]	[NULL]	S	B1XXN9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	12/8/2008 9:25	N	7439-95-4	Magnesium	3060	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXN9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	12/8/2008 9:25	N	7439-96-5	Manganese	380	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXN9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	12/8/2008 9:25	N	7439-98-7	Molybdenum	8.7	ug/L	B	[NULL]	[NULL]	S	B1XXN9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	12/8/2008 9:25	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B1XXN9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	12/8/2008 9:25	N	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1XXN9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	12/8/2008 9:25	N	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1XXN9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	12/8/2008 9:25	N	EH	Oxidation Reduction Potential	-45	mV	[NULL]	[NULL]	[NULL]	S	B1XXN9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-126	12/8/2008 9:25	N	14265-44-2	Phosphate	62900	ug/L	D	[NULL]	[NULL]	S	B1XXN9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	12/8/2008 9:25	N	7440-09-7	Potassium	2610	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXN9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	12/8/2008 9:25	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1XXN9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	12/8/2008 9:25	N	7440-23-5	Sodium	214000	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXN9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	12/8/2008 9:25	N	CONDUCT	Specific Conductance	834	uS/cm	[NULL]	[NULL]	[NULL]	S	B1XXN9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-126	12/8/2008 9:25	N	7440-24-6	Strontium	89.2	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXN9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	12/8/2008 9:25	N	14808-79-8	Sulfate	11500	ug/L	D	[NULL]	[NULL]	S	B1XXN9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	12/8/2008 9:25	N	TEMPERATURE	Temperature	14.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1XXN9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-126	12/8/2008 9:25	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	S	B1XXN9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	12/8/2008 9:25	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1XXN9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	12/8/2008 9:25	N	PH	pH Measurement	7.88	unitless	[NULL]	[NULL]	[NULL]	S	B1XXN9	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-126	2/4/2009 9:37	N	7429-90-5	Aluminum	52	ug/L	U	[NULL]	[NULL]	S	B1YLN3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	2/4/2009 9:37	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	S	B1YLN3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	2/4/2009 9:37	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	S	B1YLN3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	2/4/2009 9:37	N	7440-39-3	Barium	8.5	ug/L	B	[NULL]	[NULL]	S	B1YLN3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	2/4/2009 9:37	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1YLN3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	2/4/2009 9:37	N	7440-70-2	Calcium	6180	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	2/4/2009 9:37	N	16887-00-6	Chloride	2510	ug/L	BD	[NULL]	[NULL]	S	B1YLN3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	2/4/2009 9:37	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B1YLN3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	2/4/2009 9:37	N	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	S	B1YLN3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	2/4/2009 9:37	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1YLN3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	2/4/2009 9:37	N	DO	Dissolved oxygen	1570	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-126	2/4/2009 9:37	N	16984-48-8	Fluoride	230	ug/L	UD	[NULL]	[NULL]	S	B1YLN3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	2/4/2009 9:37	N	12587-46-1	Gross alpha	0.31	pCi/L	U	[NULL]	[NULL]	S	B1YLN3	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-126	2/4/2009 9:37	N	12587-47-2	Gross beta	320	pCi/L	[NULL]	[NULL]	[NULL]	S	B1YLN3	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-126	2/4/2009 9:37	N	7439-89-6	Iron	61	ug/L	B	[NULL]	[NULL]	S	B1YLN3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	2/4/2009 9:37	N	7439-92-1	Lead	45	ug/L	U	[NULL]	[NULL]	S	B1YLN3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	2/4/2009 9:37	N	7439-95-4	Magnesium	1120	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	2/4/2009 9:37	N	7439-96-5	Manganese	218	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	2/4/2009 9:37	N	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	S	B1YLN3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	2/4/2009 9:37	N	7440-02-0	Nickel	6	ug/L	U	[NULL]	[NULL]	S	B1YLN3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	2/4/2009 9:37	N	14797-55-8	Nitrate	531	ug/L	UD	[NULL]	[NULL]	S	B1YLN3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	2/4/2009 9:37	N	14797-65-0	Nitrite	427	ug/L	UD	[NULL]	[NULL]	S	B1YLN3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	2/4/2009 9:37	N	EH	Oxidation Reduction Potential	74	mV	[NULL]	[NULL]	[NULL]	S	B1YLN3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-126	2/4/2009 9:37	N	14265-44-2	Phosphate	80300	ug/L	D	[NULL]	[NULL]	S	B1YLN3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	2/4/2009 9:37	N	7440-09-7	Potassium	1290	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-126	2/4/2009 9:37	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1YLN3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	2/4/2009 9:37	N	7440-23-5	Sodium	93800	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	2/4/2009 9:37	N	CONDUCT	Specific Conductance	438	uS/cm	[NULL]	[NULL]	[NULL]	S	B1YLN3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-126	2/4/2009 9:37	N	7440-24-6	Strontium	23.5	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	2/4/2009 9:37	N	14808-79-8	Sulfate	8530	ug/L	BD	[NULL]	[NULL]	S	B1YLN3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-126	2/4/2009 9:37	N	TEMPERATURE	Temperature	11.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1YLN3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-126	2/4/2009 9:37	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	S	B1YLN3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	2/4/2009 9:37	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1YLN3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-126	2/4/2009 9:37	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	S	B1YLN3	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-127	6/9/2006 3:15	Y	12587-46-1	Gross alpha	4.2	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JHC4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-127	6/9/2006 3:15	Y	12587-47-2	Gross beta	1400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JHC4	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-127	6/21/2006 10:24	N	12587-46-1	Gross alpha	6.6	pCi/L	U	[NULL]	[NULL]	S	B1JMC1	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-127	6/21/2006 10:24	N	12587-47-2	Gross beta	750	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JMC1	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-127	6/21/2006 10:24	N	10098-97-2	Strontium-90	513	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JMC1	SR-RAD	STLRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-127	6/28/2006 8:26	N	10098-97-2	Strontium-90	500	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JW99	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-127	7/7/2006 8:40	N	10098-97-2	Strontium-90	600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K012	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-127	7/17/2006 14:45	Y	7429-90-5	Aluminum	370	ug/L	U	[NULL]	[NULL]	S	B1K4W7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/17/2006 14:45	Y	7440-36-0	Antimony	720	ug/L	U	[NULL]	[NULL]	S	B1K4W7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/17/2006 14:45	Y	7440-38-2	Arsenic	790	ug/L	U	[NULL]	[NULL]	S	B1K4W7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/17/2006 14:45	Y	7440-39-3	Barium	65.2	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4W7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/17/2006 14:45	Y	7440-43-9	Cadmium	30	ug/L	U	[NULL]	[NULL]	S	B1K4W7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/17/2006 14:45	Y	7440-70-2	Calcium	35100	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4W7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/17/2006 14:45	Y	16887-00-6	Chloride	3630	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4W7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	7/17/2006 14:45	Y	7440-47-3	Chromium	70	ug/L	U	[NULL]	[NULL]	S	B1K4W7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/17/2006 14:45	Y	7440-48-4	Cobalt	70	ug/L	U	[NULL]	[NULL]	S	B1K4W7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/17/2006 14:45	Y	7440-50-8	Copper	70	ug/L	U	[NULL]	[NULL]	S	B1K4W7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/17/2006 14:45	Y	16984-48-8	Fluoride	45	ug/L	U	[NULL]	[NULL]	S	B1K4W7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	7/17/2006 14:45	Y	7439-89-6	Iron	330	ug/L	U	[NULL]	[NULL]	S	B1K4W7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/17/2006 14:45	Y	7439-92-1	Lead	470	ug/L	U	[NULL]	[NULL]	S	B1K4W7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/17/2006 14:45	Y	7439-95-4	Magnesium	6800	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4W7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/17/2006 14:45	Y	7439-96-5	Manganese	36.3	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4W7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/17/2006 14:45	Y	7439-98-7	Molybdenum	110	ug/L	U	[NULL]	[NULL]	S	B1K4W7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/17/2006 14:45	Y	7440-02-0	Nickel	50	ug/L	U	[NULL]	[NULL]	S	B1K4W7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/17/2006 14:45	Y	14797-55-8	Nitrate	691	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4W7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	7/17/2006 14:45	Y	14797-65-0	Nitrite	299	ug/L	B	[NULL]	[NULL]	S	B1K4W7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	7/17/2006 14:45	Y	14265-44-2	Phosphate	644	ug/L	B	[NULL]	[NULL]	S	B1K4W7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	7/17/2006 14:45	Y	7440-09-7	Potassium	2200	ug/L	U	[NULL]	[NULL]	S	B1K4W7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/17/2006 14:45	Y	7440-22-4	Silver	110	ug/L	U	[NULL]	[NULL]	S	B1K4W7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/17/2006 14:45	Y	7440-23-5	Sodium	24300	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4W7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/17/2006 14:45	Y	7440-24-6	Strontium	181	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4W7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/17/2006 14:45	Y	10098-97-2	Strontium-90	750	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K4V7	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-127	7/17/2006 14:45	Y	14808-79-8	Sulfate	7410	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4W7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	7/17/2006 14:45	Y	7440-62-2	Vanadium	140	ug/L	U	[NULL]	[NULL]	S	B1K4W7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/17/2006 14:45	Y	7440-66-6	Zinc	58.4	ug/L	C	[NULL]	[NULL]	S	B1K4W7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/24/2006 13:08	Y	10098-97-2	Strontium-90	690	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K729	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-127	7/26/2006 10:22	N	ALKALINITY	Alkalinity	140000	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK56	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-127	7/26/2006 10:22	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1JK55	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-127	7/26/2006 10:22	N	14234-35-6	Antimony-125	2.35	pCi/L	U	[NULL]	[NULL]	R	B1JK58	14234-35-6	STLRL	GAMMA_GS	100-NR-2
199-N-127	7/26/2006 10:22	Y	7440-39-3	Barium	51.1	ug/L	B	[NULL]	[NULL]	R	B1JK55	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-127	7/26/2006 10:22	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1JK55	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-127	7/26/2006 10:22	N	13966-02-4	Beryllium-7	-11.5	pCi/L	U	[NULL]	[NULL]	R	B1JK58	13966-02-4	STLRL	GAMMA_GS	100-NR-2
199-N-127	7/26/2006 10:22	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1JK55	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-127	7/26/2006 10:22	Y	7440-70-2	Calcium	34300	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK55	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-127	7/26/2006 10:22	N	13967-70-9	Cesium-134	1.13	pCi/L	U	[NULL]	[NULL]	R	B1JK58	13967-70-9	STLRL	GAMMA_GS	100-NR-2
199-N-127	7/26/2006 10:22	N	10045-97-3	Cesium-137	-1.32	pCi/L	U	[NULL]	[NULL]	R	B1JK58	10045-97-3	STLRL	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-127	7/26/2006 10:22	N	16887-00-6	Chloride	3500	ug/L	N	[NULL]	[NULL]	R	B1JK56	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-127	7/26/2006 10:22	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1JK55	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-127	7/26/2006 10:22	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1JK55	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-127	7/26/2006 10:22	N	10198-40-0	Cobalt-60	0.627	pCi/L	U	[NULL]	[NULL]	R	B1JK58	10198-40-0	STLRL	GAMMA_GS	100-NR-2
199-N-127	7/26/2006 10:22	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1JK55	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-127	7/26/2006 10:22	N	DO	Dissolved oxygen	1010	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK57	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-127	7/26/2006 10:22	N	14683-23-9	Europium-152	-0.0631	pCi/L	U	[NULL]	[NULL]	R	B1JK58	14683-23-9	STLRL	GAMMA_GS	100-NR-2
199-N-127	7/26/2006 10:22	N	15585-10-1	Europium-154	2.37	pCi/L	U	[NULL]	[NULL]	R	B1JK58	15585-10-1	STLRL	GAMMA_GS	100-NR-2
199-N-127	7/26/2006 10:22	N	14391-16-3	Europium-155	0.712	pCi/L	U	[NULL]	[NULL]	R	B1JK58	14391-16-3	STLRL	GAMMA_GS	100-NR-2
199-N-127	7/26/2006 10:22	N	16984-48-8	Fluoride	100	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK56	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-127	7/26/2006 10:22	N	12587-46-1	Gross alpha	3.76	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JK58	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-127	7/26/2006 10:22	N	12587-47-2	Gross beta	1980	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JK58	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-127	7/26/2006 10:22	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1JK55	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-127	7/26/2006 10:22	Y	7439-95-4	Magnesium	6560	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK55	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-127	7/26/2006 10:22	Y	7439-96-5	Manganese	37.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK55	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-127	7/26/2006 10:22	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1JK55	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-127	7/26/2006 10:22	N	14797-55-8	Nitrate	1460	ug/L	N	H	[NULL]	R	B1JK56	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-127	7/26/2006 10:22	N	14797-65-0	Nitrite	115	ug/L	[NULL]	H	[NULL]	R	B1JK56	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-127	7/26/2006 10:22	N	14265-44-2	Phosphate	680	ug/L	[NULL]	H	[NULL]	R	B1JK56	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-127	7/26/2006 10:22	Y	7440-09-7	Potassium	2130	ug/L	B	[NULL]	[NULL]	R	B1JK55	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-127	7/26/2006 10:22	N	13966-00-2	Potassium-40	-32.1	pCi/L	U	[NULL]	[NULL]	R	B1JK58	13966-00-2	STLRL	GAMMA_GS	100-NR-2
199-N-127	7/26/2006 10:22	N	13967-48-1	Ruthenium-106	5.93	pCi/L	U	[NULL]	[NULL]	R	B1JK58	13967-48-1	STLRL	GAMMA_GS	100-NR-2
199-N-127	7/26/2006 10:22	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1JK55	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-127	7/26/2006 10:22	Y	7440-23-5	Sodium	24600	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK55	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-127	7/26/2006 10:22	N	CONDUCT	Specific Conductance	293	uS/cm	[NULL]	[NULL]	[NULL]	R	B1JK57	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-127	7/26/2006 10:22	Y	7440-24-6	Strontium	143	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK55	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-127	7/26/2006 10:22	N	10098-97-2	Strontium-90	868	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JK58	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-127	7/26/2006 10:22	N	14808-79-8	Sulfate	7100	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK56	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-127	7/26/2006 10:22	N	TEMPERATURE	Temperature	17.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1JK57	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-127	7/26/2006 10:22	N	10028-17-8	Tritium	-135	pCi/L	U	[NULL]	[NULL]	R	B1JK58	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-127	7/26/2006 10:22	N	TURBIDITY	Turbidity	2.54	NTU	[NULL]	[NULL]	[NULL]	R	B1JK57	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-127	7/26/2006 10:22	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1JK55	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-127	7/26/2006 10:22	Y	7440-66-6	Zinc	15.8	ug/L	B	[NULL]	[NULL]	R	B1JK55	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-127	7/26/2006 10:22	N	PH	pH Measurement	7.63	unitless	[NULL]	[NULL]	[NULL]	R	B1JK57	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-127	8/9/2006 11:35	N	DO	Dissolved oxygen	9480	ug/L	[NULL]	[NULL]	[NULL]	R	B1K4D1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-127	8/9/2006 11:35	N	12587-47-2	Gross beta	1470	pCi/L	[NULL]	[NULL]	[NULL]	R	B1K4D2	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-127	8/9/2006 11:35	N	CONDUCT	Specific Conductance	275	uS/cm	[NULL]	[NULL]	[NULL]	R	B1K4D1	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-127	8/9/2006 11:35	N	TEMPERATURE	Temperature	20.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1K4D1	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-127	8/9/2006 11:35	N	TURBIDITY	Turbidity	2.6	NTU	[NULL]	[NULL]	[NULL]	R	B1K4D1	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-127	8/9/2006 11:35	N	PH	pH Measurement	8.03	unitless	[NULL]	[NULL]	[NULL]	R	B1K4D1	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-127	6/11/2007 19:35	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVF3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2007 19:35	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVF3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2007 19:35	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVF3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2007 19:35	Y	7440-39-3	Barium	92	ug/L	D	[NULL]	[NULL]	S	B1NVF3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2007 19:35	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2007 19:35	Y	7440-70-2	Calcium	44000	ug/L	D	[NULL]	[NULL]	S	B1NVF3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2007 19:35	Y	16887-00-6	Chloride	41100	ug/L	D	[NULL]	[NULL]	S	B1NVF3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/11/2007 19:35	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2007 19:35	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2007 19:35	Y	7440-50-8	Copper	22	ug/L	CD	[NULL]	[NULL]	S	B1NVF3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2007 19:35	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NVF3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/11/2007 19:35	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NVF3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2007 19:35	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVF3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2007 19:35	Y	7439-95-4	Magnesium	8410	ug/L	D	[NULL]	[NULL]	S	B1NVF3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2007 19:35	Y	7439-96-5	Manganese	279	ug/L	D	[NULL]	[NULL]	S	B1NVF3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-127	6/11/2007 19:35	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2007 19:35	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2007 19:35	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NVF3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/11/2007 19:35	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NVF3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/11/2007 19:35	Y	14265-44-2	Phosphate	233000	ug/L	D	[NULL]	[NULL]	S	B1NVF3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/11/2007 19:35	Y	7440-09-7	Potassium	3010	ug/L	D	[NULL]	[NULL]	S	B1NVF3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2007 19:35	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVF3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2007 19:35	Y	7440-23-5	Sodium	211000	ug/L	D	[NULL]	[NULL]	S	B1NVF3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2007 19:35	Y	7440-24-6	Strontium	236	ug/L	D	[NULL]	[NULL]	S	B1NVF3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2007 19:35	Y	10098-97-2	Strontium-90	1000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVF3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-127	6/11/2007 19:35	Y	14808-79-8	Sulfate	6300	ug/L	D	[NULL]	[NULL]	S	B1NVF3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/11/2007 19:35	Y	7440-62-2	Vanadium	36	ug/L	D	[NULL]	[NULL]	S	B1NVF3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2007 19:35	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/12/2007 18:50	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVH4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/12/2007 18:50	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVH4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/12/2007 18:50	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVH4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/12/2007 18:50	Y	7440-39-3	Barium	72	ug/L	D	[NULL]	[NULL]	S	B1NVH4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/12/2007 18:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/12/2007 18:50	Y	7440-70-2	Calcium	38000	ug/L	D	[NULL]	[NULL]	S	B1NVH4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/12/2007 18:50	Y	16887-00-6	Chloride	31100	ug/L	D	[NULL]	[NULL]	S	B1NVH4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/12/2007 18:50	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/12/2007 18:50	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/12/2007 18:50	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/12/2007 18:50	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NVH4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/12/2007 18:50	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NVH4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/12/2007 18:50	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVH4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/12/2007 18:50	Y	7439-95-4	Magnesium	7020	ug/L	D	[NULL]	[NULL]	S	B1NVH4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/12/2007 18:50	Y	7439-96-5	Manganese	257	ug/L	D	[NULL]	[NULL]	S	B1NVH4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/12/2007 18:50	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/12/2007 18:50	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/12/2007 18:50	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NVH4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/12/2007 18:50	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NVH4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/12/2007 18:50	Y	14265-44-2	Phosphate	225000	ug/L	D	[NULL]	[NULL]	S	B1NVH4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/12/2007 18:50	Y	7440-09-7	Potassium	2770	ug/L	D	[NULL]	[NULL]	S	B1NVH4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/12/2007 18:50	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NVH4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/12/2007 18:50	Y	7440-23-5	Sodium	196000	ug/L	D	[NULL]	[NULL]	S	B1NVH4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/12/2007 18:50	Y	7440-24-6	Strontium	197	ug/L	D	[NULL]	[NULL]	S	B1NVH4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/12/2007 18:50	Y	10098-97-2	Strontium-90	700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVH4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-127	6/12/2007 18:50	Y	14808-79-8	Sulfate	6530	ug/L	D	[NULL]	[NULL]	S	B1NVH4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/12/2007 18:50	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVH4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/12/2007 18:50	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2007 14:00	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVJ5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2007 14:00	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVJ5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2007 14:00	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVJ5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2007 14:00	Y	7440-39-3	Barium	66	ug/L	D	[NULL]	[NULL]	S	B1NVJ5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2007 14:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2007 14:00	Y	7440-70-2	Calcium	38800	ug/L	D	[NULL]	[NULL]	S	B1NVJ5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2007 14:00	Y	16887-00-6	Chloride	30900	ug/L	D	[NULL]	[NULL]	S	B1NVJ5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/13/2007 14:00	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2007 14:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2007 14:00	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2007 14:00	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVJ5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/13/2007 14:00	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NVJ5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2007 14:00	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVJ5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2007 14:00	Y	7439-95-4	Magnesium	7290	ug/L	D	[NULL]	[NULL]	S	B1NVJ5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-127	6/13/2007 14:00	Y	7439-96-5	Manganese	385	ug/L	D	[NULL]	[NULL]	S	B1NVJ5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2007 14:00	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2007 14:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2007 14:00	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVJ5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/13/2007 14:00	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVJ5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/13/2007 14:00	Y	14265-44-2	Phosphate	173000	ug/L	D	[NULL]	[NULL]	S	B1NVJ5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/13/2007 14:00	Y	7440-09-7	Potassium	2440	ug/L	D	[NULL]	[NULL]	S	B1NVJ5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2007 14:00	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NVJ5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2007 14:00	Y	7440-23-5	Sodium	161000	ug/L	D	[NULL]	[NULL]	S	B1NVJ5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2007 14:00	Y	7440-24-6	Strontium	200	ug/L	D	[NULL]	[NULL]	S	B1NVJ5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2007 14:00	Y	10098-97-2	Strontium-90	670	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVJ5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-127	6/13/2007 14:00	Y	14808-79-8	Sulfate	6630	ug/L	D	[NULL]	[NULL]	S	B1NVJ5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/13/2007 14:00	Y	7440-62-2	Vanadium	39	ug/L	D	[NULL]	[NULL]	S	B1NVJ5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2007 14:00	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2007 18:45	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVK6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2007 18:45	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVK6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2007 18:45	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVK6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2007 18:45	Y	7440-39-3	Barium	57	ug/L	D	[NULL]	[NULL]	S	B1NVK6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2007 18:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2007 18:45	Y	7440-70-2	Calcium	36400	ug/L	D	[NULL]	[NULL]	S	B1NVK6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2007 18:45	Y	16887-00-6	Chloride	29700	ug/L	D	[NULL]	[NULL]	S	B1NVK6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/14/2007 18:45	Y	7440-47-3	Chromium	31	ug/L	D	[NULL]	[NULL]	S	B1NVK6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2007 18:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2007 18:45	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2007 18:45	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVK6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/14/2007 18:45	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NVK6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2007 18:45	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVK6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2007 18:45	Y	7439-95-4	Magnesium	6740	ug/L	D	[NULL]	[NULL]	S	B1NVK6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2007 18:45	Y	7439-96-5	Manganese	354	ug/L	D	[NULL]	[NULL]	S	B1NVK6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2007 18:45	Y	7439-98-7	Molybdenum	28.9	ug/L	D	[NULL]	[NULL]	S	B1NVK6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2007 18:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2007 18:45	Y	14797-55-8	Nitrate	766	ug/L	BD	[NULL]	[NULL]	S	B1NVK6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/14/2007 18:45	Y	14797-65-0	Nitrite	368	ug/L	BD	[NULL]	[NULL]	S	B1NVK6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/14/2007 18:45	Y	14265-44-2	Phosphate	149000	ug/L	D	[NULL]	[NULL]	S	B1NVK6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/14/2007 18:45	Y	7440-09-7	Potassium	2560	ug/L	D	[NULL]	[NULL]	S	B1NVK6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2007 18:45	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NVK6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2007 18:45	Y	7440-23-5	Sodium	164000	ug/L	D	[NULL]	[NULL]	S	B1NVK6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2007 18:45	Y	7440-24-6	Strontium	179	ug/L	D	[NULL]	[NULL]	S	B1NVK6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2007 18:45	Y	10098-97-2	Strontium-90	540	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVK6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-127	6/14/2007 18:45	Y	14808-79-8	Sulfate	6750	ug/L	D	[NULL]	[NULL]	S	B1NVK6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/14/2007 18:45	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVK6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2007 18:45	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/15/2007 8:40	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVN3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/15/2007 8:40	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVN3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/15/2007 8:40	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVN3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/15/2007 8:40	Y	7440-39-3	Barium	49	ug/L	D	[NULL]	[NULL]	S	B1NVN3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/15/2007 8:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/15/2007 8:40	Y	7440-70-2	Calcium	38300	ug/L	D	[NULL]	[NULL]	S	B1NVN3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/15/2007 8:40	Y	16887-00-6	Chloride	21900	ug/L	D	[NULL]	[NULL]	S	B1NVN3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/15/2007 8:40	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/15/2007 8:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/15/2007 8:40	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/15/2007 8:40	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVN3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/15/2007 8:40	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NVN3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/15/2007 8:40	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVN3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-127	6/15/2007 8:40	Y	7439-95-4	Magnesium	7200	ug/L	D	[NULL]	[NULL]	S	B1NVN3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/15/2007 8:40	Y	7439-96-5	Manganese	557	ug/L	D	[NULL]	[NULL]	S	B1NVN3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/15/2007 8:40	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/15/2007 8:40	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/15/2007 8:40	Y	14797-55-8	Nitrate	753	ug/L	BD	[NULL]	[NULL]	S	B1NVN3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/15/2007 8:40	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVN3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/15/2007 8:40	Y	14265-44-2	Phosphate	63500	ug/L	D	[NULL]	[NULL]	S	B1NVN3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/15/2007 8:40	Y	7440-09-7	Potassium	2480	ug/L	D	[NULL]	[NULL]	S	B1NVN3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/15/2007 8:40	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NVN3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/15/2007 8:40	Y	7440-23-5	Sodium	103000	ug/L	D	[NULL]	[NULL]	S	B1NVN3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/15/2007 8:40	Y	7440-24-6	Strontium	175	ug/L	D	[NULL]	[NULL]	S	B1NVN3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/15/2007 8:40	Y	10098-97-2	Strontium-90	710	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVN3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-127	6/15/2007 8:40	Y	14808-79-8	Sulfate	6800	ug/L	D	[NULL]	[NULL]	S	B1NVN3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/15/2007 8:40	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVN3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/15/2007 8:40	Y	7440-66-6	Zinc	25.3	ug/L	D	[NULL]	[NULL]	S	B1NVN3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2007 8:23	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVP4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2007 8:23	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVP4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2007 8:23	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVP4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2007 8:23	Y	7440-39-3	Barium	31	ug/L	D	[NULL]	[NULL]	S	B1NVP4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2007 8:23	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2007 8:23	Y	7440-70-2	Calcium	19300	ug/L	D	[NULL]	[NULL]	S	B1NVP4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2007 8:23	Y	16887-00-6	Chloride	10600	ug/L	D	[NULL]	[NULL]	S	B1NVP4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/16/2007 8:23	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2007 8:23	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2007 8:23	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2007 8:23	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVP4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/16/2007 8:23	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NVP4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2007 8:23	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVP4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2007 8:23	Y	7439-95-4	Magnesium	3570	ug/L	D	[NULL]	[NULL]	S	B1NVP4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2007 8:23	Y	7439-96-5	Manganese	110	ug/L	D	[NULL]	[NULL]	S	B1NVP4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2007 8:23	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2007 8:23	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2007 8:23	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVP4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/16/2007 8:23	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVP4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/16/2007 8:23	Y	14265-44-2	Phosphate	136000	ug/L	D	[NULL]	[NULL]	S	B1NVP4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/16/2007 8:23	Y	7440-09-7	Potassium	1840	ug/L	D	[NULL]	[NULL]	S	B1NVP4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2007 8:23	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVP4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2007 8:23	Y	7440-23-5	Sodium	108000	ug/L	D	[NULL]	[NULL]	S	B1NVP4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2007 8:23	Y	7440-24-6	Strontium	95.3	ug/L	D	[NULL]	[NULL]	S	B1NVP4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2007 8:23	Y	10098-97-2	Strontium-90	370	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVP4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-127	6/16/2007 8:23	Y	14808-79-8	Sulfate	6880	ug/L	D	[NULL]	[NULL]	S	B1NVP4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/16/2007 8:23	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVP4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2007 8:23	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/17/2007 9:20	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVT7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/17/2007 9:20	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVT7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/17/2007 9:20	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVT7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/17/2007 9:20	Y	7440-39-3	Barium	32	ug/L	D	[NULL]	[NULL]	S	B1NVT7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/17/2007 9:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVT7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/17/2007 9:20	Y	7440-70-2	Calcium	25800	ug/L	D	[NULL]	[NULL]	S	B1NVT7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/17/2007 9:20	Y	16887-00-6	Chloride	15500	ug/L	D	[NULL]	[NULL]	S	B1NVT7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/17/2007 9:20	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVT7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/17/2007 9:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVT7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/17/2007 9:20	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVT7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/17/2007 9:20	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVT7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/17/2007 9:20	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NVT7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-127	6/17/2007 9:20	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVT7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/17/2007 9:20	Y	7439-95-4	Magnesium	4600	ug/L	D	[NULL]	[NULL]	S	B1NVT7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/17/2007 9:20	Y	7439-96-5	Manganese	318	ug/L	D	[NULL]	[NULL]	S	B1NVT7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/17/2007 9:20	Y	7439-98-7	Molybdenum	31.7	ug/L	CD	[NULL]	[NULL]	S	B1NVT7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/17/2007 9:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVT7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/17/2007 9:20	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVT7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/17/2007 9:20	Y	14797-65-0	Nitrite	355	ug/L	BD	[NULL]	[NULL]	S	B1NVT7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/17/2007 9:20	Y	14265-44-2	Phosphate	128000	ug/L	D	[NULL]	[NULL]	S	B1NVT7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/17/2007 9:20	Y	7440-09-7	Potassium	2040	ug/L	D	[NULL]	[NULL]	S	B1NVT7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/17/2007 9:20	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVT7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/17/2007 9:20	Y	7440-23-5	Sodium	119000	ug/L	D	[NULL]	[NULL]	S	B1NVT7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/17/2007 9:20	Y	7440-24-6	Strontium	122	ug/L	D	[NULL]	[NULL]	S	B1NVT7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/17/2007 9:20	Y	10098-97-2	Strontium-90	380	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVT7	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-127	6/17/2007 9:20	Y	14808-79-8	Sulfate	6950	ug/L	D	[NULL]	[NULL]	S	B1NVT7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/17/2007 9:20	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVT7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/17/2007 9:20	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVT7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2007 15:26	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVV8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2007 15:26	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVV8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2007 15:26	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVV8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2007 15:26	Y	7440-39-3	Barium	29	ug/L	D	[NULL]	[NULL]	S	B1NVV8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2007 15:26	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2007 15:26	Y	7440-70-2	Calcium	23200	ug/L	D	[NULL]	[NULL]	S	B1NVV8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2007 15:26	Y	16887-00-6	Chloride	10100	ug/L	D	[NULL]	[NULL]	S	B1NVV8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/18/2007 15:26	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2007 15:26	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2007 15:26	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2007 15:26	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NVV8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/18/2007 15:26	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NVV8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2007 15:26	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVV8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2007 15:26	Y	7439-95-4	Magnesium	4230	ug/L	D	[NULL]	[NULL]	S	B1NVV8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2007 15:26	Y	7439-96-5	Manganese	291	ug/L	D	[NULL]	[NULL]	S	B1NVV8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2007 15:26	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2007 15:26	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2007 15:26	Y	14797-55-8	Nitrate	3900	ug/L	D	[NULL]	[NULL]	S	B1NVV8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/18/2007 15:26	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1NVV8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/18/2007 15:26	Y	14265-44-2	Phosphate	57600	ug/L	DN	[NULL]	[NULL]	S	B1NVV8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/18/2007 15:26	Y	7440-09-7	Potassium	2280	ug/L	D	[NULL]	[NULL]	S	B1NVV8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2007 15:26	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVV8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2007 15:26	Y	7440-23-5	Sodium	74700	ug/L	D	[NULL]	[NULL]	S	B1NVV8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2007 15:26	Y	7440-24-6	Strontium	105	ug/L	D	[NULL]	[NULL]	S	B1NVV8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2007 15:26	Y	10098-97-2	Strontium-90	290	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVV8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-127	6/18/2007 15:26	Y	14808-79-8	Sulfate	7610	ug/L	D	[NULL]	[NULL]	S	B1NVV8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/18/2007 15:26	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVV8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2007 15:26	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/20/2007 7:27	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVY1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/20/2007 7:27	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVY1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/20/2007 7:27	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVY1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/20/2007 7:27	Y	7440-39-3	Barium	28	ug/L	D	[NULL]	[NULL]	S	B1NVY1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/20/2007 7:27	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/20/2007 7:27	Y	7440-70-2	Calcium	22000	ug/L	D	[NULL]	[NULL]	S	B1NVY1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/20/2007 7:27	Y	16887-00-6	Chloride	14200	ug/L	D	[NULL]	[NULL]	S	B1NVY1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/20/2007 7:27	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/20/2007 7:27	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/20/2007 7:27	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/20/2007 7:27	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NVY1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-127	6/20/2007 7:27	Y	7439-89-6	Iron	69.7	ug/L	D	[NULL]	[NULL]	S	B1NVY1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/20/2007 7:27	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVY1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/20/2007 7:27	Y	7439-95-4	Magnesium	4180	ug/L	D	[NULL]	[NULL]	S	B1NVY1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/20/2007 7:27	Y	7439-96-5	Manganese	173	ug/L	D	[NULL]	[NULL]	S	B1NVY1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/20/2007 7:27	Y	7439-98-7	Molybdenum	38.4	ug/L	CD	[NULL]	[NULL]	S	B1NVY1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/20/2007 7:27	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/20/2007 7:27	Y	14797-55-8	Nitrate	5000	ug/L	D	[NULL]	[NULL]	S	B1NVY1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/20/2007 7:27	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NVY1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/20/2007 7:27	Y	14265-44-2	Phosphate	26500	ug/L	D	[NULL]	[NULL]	S	B1NVY1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/20/2007 7:27	Y	7440-09-7	Potassium	1760	ug/L	D	[NULL]	[NULL]	S	B1NVY1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/20/2007 7:27	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVY1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/20/2007 7:27	Y	7440-23-5	Sodium	42100	ug/L	D	[NULL]	[NULL]	S	B1NVY1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/20/2007 7:27	Y	7440-24-6	Strontium	99.2	ug/L	D	[NULL]	[NULL]	S	B1NVY1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/20/2007 7:27	Y	10098-97-2	Strontium-90	1400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVY1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-127	6/20/2007 7:27	Y	14808-79-8	Sulfate	7300	ug/L	D	[NULL]	[NULL]	S	B1NVY1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/20/2007 7:27	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVY1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/20/2007 7:27	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/22/2007 7:45	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NW17	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/22/2007 7:45	Y	7440-36-0	Antimony	186	ug/L	D	Y	[NULL]	S	B1NW17	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/22/2007 7:45	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NW17	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/22/2007 7:45	Y	7440-39-3	Barium	34	ug/L	D	[NULL]	[NULL]	S	B1NW17	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/22/2007 7:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW17	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/22/2007 7:45	Y	7440-70-2	Calcium	17500	ug/L	D	[NULL]	[NULL]	S	B1NW17	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/22/2007 7:45	Y	16887-00-6	Chloride	8720	ug/L	D	[NULL]	[NULL]	S	B1NW17	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/22/2007 7:45	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW17	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/22/2007 7:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NW17	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/22/2007 7:45	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NW17	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/22/2007 7:45	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NW17	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/22/2007 7:45	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NW17	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/22/2007 7:45	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NW17	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/22/2007 7:45	Y	7439-95-4	Magnesium	3420	ug/L	D	[NULL]	[NULL]	S	B1NW17	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/22/2007 7:45	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1NW17	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/22/2007 7:45	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NW17	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/22/2007 7:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NW17	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/22/2007 7:45	Y	14797-55-8	Nitrate	9780	ug/L	D	[NULL]	[NULL]	S	B1NW17	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/22/2007 7:45	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NW17	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/22/2007 7:45	Y	14265-44-2	Phosphate	122000	ug/L	D	[NULL]	[NULL]	S	B1NW17	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/22/2007 7:45	Y	7440-09-7	Potassium	2190	ug/L	CD	[NULL]	[NULL]	S	B1NW17	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/22/2007 7:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NW17	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/22/2007 7:45	Y	7440-23-5	Sodium	105000	ug/L	D	[NULL]	[NULL]	S	B1NW17	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/22/2007 7:45	Y	7440-24-6	Strontium	97	ug/L	D	[NULL]	[NULL]	S	B1NW17	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/22/2007 7:45	Y	10098-97-2	Strontium-90	280	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NW17	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-127	6/22/2007 7:45	Y	14808-79-8	Sulfate	7740	ug/L	D	[NULL]	[NULL]	S	B1NW17	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/22/2007 7:45	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NW17	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/22/2007 7:45	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NW17	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/29/2007 9:55	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P368	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/29/2007 9:55	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P368	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/29/2007 9:55	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P368	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/29/2007 9:55	Y	7440-39-3	Barium	71	ug/L	D	[NULL]	[NULL]	S	B1P368	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/29/2007 9:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P368	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/29/2007 9:55	Y	7440-70-2	Calcium	53000	ug/L	D	[NULL]	[NULL]	S	B1P368	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/29/2007 9:55	Y	16887-00-6	Chloride	22400	ug/L	D	[NULL]	[NULL]	S	B1P368	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/29/2007 9:55	Y	7440-47-3	Chromium	20.1	ug/L	D	[NULL]	[NULL]	S	B1P368	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/29/2007 9:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P368	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/29/2007 9:55	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P368	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-127	6/29/2007 9:55	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P368	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/29/2007 9:55	Y	7439-89-6	Iron	45.8	ug/L	CD	[NULL]	[NULL]	S	B1P368	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/29/2007 9:55	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P368	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/29/2007 9:55	Y	7439-95-4	Magnesium	9550	ug/L	D	[NULL]	[NULL]	S	B1P368	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/29/2007 9:55	Y	7439-96-5	Manganese	20	ug/L	D	[NULL]	[NULL]	S	B1P368	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/29/2007 9:55	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1P368	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/29/2007 9:55	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P368	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/29/2007 9:55	Y	14797-55-8	Nitrate	5050	ug/L	D	[NULL]	[NULL]	S	B1P368	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/29/2007 9:55	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P368	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/29/2007 9:55	Y	14265-44-2	Phosphate	28500	ug/L	D	[NULL]	[NULL]	S	B1P368	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/29/2007 9:55	Y	7440-09-7	Potassium	2660	ug/L	D	[NULL]	[NULL]	S	B1P368	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/29/2007 9:55	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P368	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/29/2007 9:55	Y	7440-23-5	Sodium	74200	ug/L	D	[NULL]	[NULL]	S	B1P368	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/29/2007 9:55	Y	7440-24-6	Strontium	240	ug/L	D	[NULL]	[NULL]	S	B1P368	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/29/2007 9:55	Y	10098-97-2	Strontium-90	1200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P368	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-127	6/29/2007 9:55	Y	14808-79-8	Sulfate	6630	ug/L	D	[NULL]	[NULL]	S	B1P368	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/29/2007 9:55	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P368	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/29/2007 9:55	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P368	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/8/2007 7:40	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P391	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/8/2007 7:40	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P391	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/8/2007 7:40	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P391	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/8/2007 7:40	Y	7440-39-3	Barium	54	ug/L	D	[NULL]	[NULL]	S	B1P391	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/8/2007 7:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P391	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/8/2007 7:40	Y	7440-70-2	Calcium	40500	ug/L	D	[NULL]	[NULL]	S	B1P391	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/8/2007 7:40	Y	16887-00-6	Chloride	11900	ug/L	D	[NULL]	[NULL]	S	B1P391	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	7/8/2007 7:40	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P391	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/8/2007 7:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P391	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/8/2007 7:40	Y	7440-50-8	Copper	37	ug/L	D	[NULL]	[NULL]	S	B1P391	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/8/2007 7:40	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P391	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	7/8/2007 7:40	Y	7439-89-6	Iron	73.9	ug/L	D	[NULL]	[NULL]	S	B1P391	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/8/2007 7:40	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P391	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/8/2007 7:40	Y	7439-95-4	Magnesium	7070	ug/L	D	[NULL]	[NULL]	S	B1P391	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/8/2007 7:40	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1P391	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/8/2007 7:40	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1P391	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/8/2007 7:40	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P391	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/8/2007 7:40	Y	14797-55-8	Nitrate	11600	ug/L	D	[NULL]	[NULL]	S	B1P391	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	7/8/2007 7:40	Y	14797-65-0	Nitrite	273	ug/L	BD	[NULL]	[NULL]	S	B1P391	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	7/8/2007 7:40	Y	14265-44-2	Phosphate	22400	ug/L	D	[NULL]	[NULL]	S	B1P391	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	7/8/2007 7:40	Y	7440-09-7	Potassium	2980	ug/L	D	[NULL]	[NULL]	S	B1P391	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/8/2007 7:40	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P391	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/8/2007 7:40	Y	7440-23-5	Sodium	77300	ug/L	D	[NULL]	[NULL]	S	B1P391	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/8/2007 7:40	Y	7440-24-6	Strontium	188	ug/L	D	[NULL]	[NULL]	S	B1P391	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/8/2007 7:40	Y	10098-97-2	Strontium-90	490	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P391	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-127	7/8/2007 7:40	Y	14808-79-8	Sulfate	8320	ug/L	D	[NULL]	[NULL]	S	B1P391	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	7/8/2007 7:40	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P391	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/8/2007 7:40	Y	7440-66-6	Zinc	20.4	ug/L	D	[NULL]	[NULL]	S	B1P391	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/13/2007 11:05	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P3C4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/13/2007 11:05	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P3C4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/13/2007 11:05	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P3C4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/13/2007 11:05	Y	7440-39-3	Barium	34	ug/L	D	[NULL]	[NULL]	S	B1P3C4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/13/2007 11:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/13/2007 11:05	Y	7440-70-2	Calcium	21500	ug/L	D	[NULL]	[NULL]	S	B1P3C4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/13/2007 11:05	Y	16887-00-6	Chloride	4280	ug/L	D	[NULL]	[NULL]	S	B1P3C4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	7/13/2007 11:05	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/13/2007 11:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-127	7/13/2007 11:05	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/13/2007 11:05	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P3C4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	7/13/2007 11:05	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1P3C4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/13/2007 11:05	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P3C4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/13/2007 11:05	Y	7439-95-4	Magnesium	3850	ug/L	D	[NULL]	[NULL]	S	B1P3C4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/13/2007 11:05	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/13/2007 11:05	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/13/2007 11:05	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/13/2007 11:05	Y	14797-55-8	Nitrate	10900	ug/L	D	[NULL]	[NULL]	S	B1P3C4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	7/13/2007 11:05	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P3C4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	7/13/2007 11:05	Y	14265-44-2	Phosphate	58300	ug/L	D	[NULL]	[NULL]	S	B1P3C4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	7/13/2007 11:05	Y	7440-09-7	Potassium	1880	ug/L	D	[NULL]	[NULL]	S	B1P3C4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/13/2007 11:05	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P3C4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/13/2007 11:05	Y	7440-23-5	Sodium	70400	ug/L	D	[NULL]	[NULL]	S	B1P3C4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/13/2007 11:05	Y	7440-24-6	Strontium	105	ug/L	D	[NULL]	[NULL]	S	B1P3C4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/13/2007 11:05	Y	10098-97-2	Strontium-90	2.8	pCi/L	U	G	[NULL]	S	B1P3C4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-127	7/13/2007 11:05	Y	14808-79-8	Sulfate	7980	ug/L	D	[NULL]	[NULL]	S	B1P3C4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	7/13/2007 11:05	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P3C4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/13/2007 11:05	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/3/2008 17:09	Y	7429-90-5	Aluminum	30	ug/L	U	[NULL]	[NULL]	S	B1VJL4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/3/2008 17:09	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	S	B1VJL4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/3/2008 17:09	Y	7440-38-2	Arsenic	50	ug/L	U	[NULL]	[NULL]	S	B1VJL4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/3/2008 17:09	Y	7440-39-3	Barium	20	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/3/2008 17:09	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1VJL4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/3/2008 17:09	Y	7440-70-2	Calcium	20300	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/3/2008 17:09	Y	16887-00-6	Chloride	1340	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/3/2008 17:09	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	S	B1VJL4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/3/2008 17:09	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1VJL4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/3/2008 17:09	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	S	B1VJL4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/3/2008 17:09	Y	16984-48-8	Fluoride	48	ug/L	B	[NULL]	[NULL]	S	B1VJL4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/3/2008 17:09	Y	12587-46-1	Gross alpha	0.4	pCi/L	U	[NULL]	[NULL]	S	B1VJL4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-127	6/3/2008 17:09	Y	12587-47-2	Gross beta	460	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VJL4	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-127	6/3/2008 17:09	Y	7439-89-6	Iron	9	ug/L	U	[NULL]	[NULL]	S	B1VJL4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/3/2008 17:09	Y	7439-92-1	Lead	27	ug/L	U	[NULL]	[NULL]	S	B1VJL4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/3/2008 17:09	Y	7439-95-4	Magnesium	3650	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/3/2008 17:09	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	S	B1VJL4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/3/2008 17:09	Y	7439-98-7	Molybdenum	7.7	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/3/2008 17:09	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B1VJL4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/3/2008 17:09	Y	14797-55-8	Nitrate	2160	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/3/2008 17:09	Y	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	S	B1VJL4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/3/2008 17:09	Y	14265-44-2	Phosphate	5760	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/3/2008 17:09	Y	7440-09-7	Potassium	1080	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/3/2008 17:09	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1VJL4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/3/2008 17:09	Y	7440-23-5	Sodium	8330	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/3/2008 17:09	Y	7440-24-6	Strontium	91.1	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/3/2008 17:09	Y	14808-79-8	Sulfate	8570	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/3/2008 17:09	Y	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	S	B1VJL4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/3/2008 17:09	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	S	B1VJL4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/6/2008 17:14	Y	7429-90-5	Aluminum	3610	ug/L	D	[NULL]	[NULL]	S	B1VTV5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/6/2008 17:14	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1VTV5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/6/2008 17:14	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1VTV5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/6/2008 17:14	Y	7440-39-3	Barium	233	ug/L	D	[NULL]	[NULL]	S	B1VTV5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/6/2008 17:14	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VTV5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/6/2008 17:14	Y	7440-70-2	Calcium	164000	ug/L	D	[NULL]	[NULL]	S	B1VTV5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/6/2008 17:14	Y	16887-00-6	Chloride	147000	ug/L	D	[NULL]	[NULL]	S	B1VTV5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-127	6/6/2008 17:14	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1VTV5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/6/2008 17:14	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VTV5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/6/2008 17:14	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1VTV5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/6/2008 17:14	Y	DO	Dissolved oxygen	3190	ug/L	[NULL]	[NULL]	[NULL]	S	B1VTV5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-127	6/6/2008 17:14	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VTV5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/6/2008 17:14	Y	12587-46-1	Gross alpha	-18	pCi/L	U	[NULL]	[NULL]	S	B1VTV5	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-127	6/6/2008 17:14	Y	12587-47-2	Gross beta	3400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VTV5	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-127	6/6/2008 17:14	Y	7439-89-6	Iron	269	ug/L	CD	[NULL]	[NULL]	S	B1VTV5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/6/2008 17:14	Y	7439-92-1	Lead	168	ug/L	D	G	[NULL]	S	B1VTV5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/6/2008 17:14	Y	7439-95-4	Magnesium	25800	ug/L	D	[NULL]	[NULL]	S	B1VTV5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/6/2008 17:14	Y	7439-96-5	Manganese	1060	ug/L	D	[NULL]	[NULL]	S	B1VTV5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/6/2008 17:14	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1VTV5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/6/2008 17:14	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VTV5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/6/2008 17:14	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VTV5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/6/2008 17:14	Y	14797-65-0	Nitrite	1310	ug/L	BD	[NULL]	[NULL]	S	B1VTV5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/6/2008 17:14	Y	EH	Oxidation Reduction Potential	112	mV	[NULL]	[NULL]	[NULL]	S	B1VTV5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-127	6/6/2008 17:14	Y	14265-44-2	Phosphate	1830000	ug/L	D	[NULL]	[NULL]	S	B1VTV5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/6/2008 17:14	Y	7440-09-7	Potassium	4830	ug/L	CD	[NULL]	[NULL]	S	B1VTV5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/6/2008 17:14	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VTV5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/6/2008 17:14	Y	7440-23-5	Sodium	900000	ug/L	D	[NULL]	[NULL]	S	B1VTV5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/6/2008 17:14	Y	CONDUCT	Specific Conductance	3020	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VTV5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-127	6/6/2008 17:14	Y	7440-24-6	Strontium	600	ug/L	D	[NULL]	[NULL]	S	B1VTV5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/6/2008 17:14	Y	14808-79-8	Sulfate	18400	ug/L	D	[NULL]	[NULL]	S	B1VTV5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/6/2008 17:14	Y	TEMPERATURE	Temperature	13.35	Deg C	[NULL]	[NULL]	[NULL]	S	B1VTV5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-127	6/6/2008 17:14	Y	7440-62-2	Vanadium	49	ug/L	D	[NULL]	[NULL]	S	B1VTV5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/6/2008 17:14	Y	7440-66-6	Zinc	22.7	ug/L	D	[NULL]	[NULL]	S	B1VTV5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/6/2008 17:14	Y	PH	pH Measurement	7.29	unitless	[NULL]	[NULL]	[NULL]	S	B1VTV5	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-127	6/7/2008 8:45	Y	7429-90-5	Aluminum	3530	ug/L	D	[NULL]	[NULL]	S	B1VTY1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/7/2008 8:45	Y	7440-36-0	Antimony	160	ug/L	DNU	[NULL]	[NULL]	S	B1VTY1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/7/2008 8:45	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1VTY1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/7/2008 8:45	Y	7440-39-3	Barium	144	ug/L	D	[NULL]	[NULL]	S	B1VTY1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/7/2008 8:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/7/2008 8:45	Y	7440-70-2	Calcium	105000	ug/L	D	[NULL]	[NULL]	S	B1VTY1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/7/2008 8:45	Y	16887-00-6	Chloride	110000	ug/L	D	[NULL]	[NULL]	S	B1VTY1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/7/2008 8:45	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/7/2008 8:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/7/2008 8:45	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/7/2008 8:45	Y	DO	Dissolved oxygen	1370	ug/L	[NULL]	[NULL]	[NULL]	S	B1VTY1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-127	6/7/2008 8:45	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VTY1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/7/2008 8:45	Y	12587-46-1	Gross alpha	17	pCi/L	U	[NULL]	[NULL]	S	B1VTY1	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-127	6/7/2008 8:45	Y	12587-47-2	Gross beta	2400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VTY1	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-127	6/7/2008 8:45	Y	7439-89-6	Iron	134	ug/L	CD	[NULL]	[NULL]	S	B1VTY1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/7/2008 8:45	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1VTY1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/7/2008 8:45	Y	7439-95-4	Magnesium	18000	ug/L	D	[NULL]	[NULL]	S	B1VTY1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/7/2008 8:45	Y	7439-96-5	Manganese	959	ug/L	D	[NULL]	[NULL]	S	B1VTY1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/7/2008 8:45	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/7/2008 8:45	Y	7440-02-0	Nickel	33.5	ug/L	D	[NULL]	[NULL]	S	B1VTY1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/7/2008 8:45	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VTY1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/7/2008 8:45	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VTY1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/7/2008 8:45	Y	EH	Oxidation Reduction Potential	84	mV	[NULL]	[NULL]	[NULL]	S	B1VTY1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-127	6/7/2008 8:45	Y	14265-44-2	Phosphate	1400000	ug/L	D	[NULL]	[NULL]	S	B1VTY1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/7/2008 8:45	Y	7440-09-7	Potassium	3820	ug/L	D	[NULL]	[NULL]	S	B1VTY1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/7/2008 8:45	Y	7440-22-4	Silver	40	ug/L	D	[NULL]	[NULL]	S	B1VTY1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-127	6/7/2008 8:45	Y	7440-23-5	Sodium	715000	ug/L	D	[NULL]	[NULL]	S	B1VTY1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/7/2008 8:45	Y	CONDUCT	Specific Conductance	2630	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VTY1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-127	6/7/2008 8:45	Y	7440-24-6	Strontium	353	ug/L	D	[NULL]	[NULL]	S	B1VTY1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/7/2008 8:45	Y	14808-79-8	Sulfate	15800	ug/L	BD	[NULL]	[NULL]	S	B1VTY1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/7/2008 8:45	Y	TEMPERATURE	Temperature	13.23	Deg C	[NULL]	[NULL]	[NULL]	S	B1VTY1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-127	6/7/2008 8:45	Y	7440-62-2	Vanadium	44	ug/L	D	[NULL]	[NULL]	S	B1VTY1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/7/2008 8:45	Y	7440-66-6	Zinc	30.7	ug/L	D	[NULL]	[NULL]	S	B1VTY1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/7/2008 8:45	Y	PH	pH Measurement	7.31	unitless	[NULL]	[NULL]	[NULL]	S	B1VTY1	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-127	6/8/2008 7:56	Y	7429-90-5	Aluminum	182	ug/L	D	[NULL]	[NULL]	S	B1VV17	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/8/2008 7:56	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1VV17	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/8/2008 7:56	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1VV17	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/8/2008 7:56	Y	7440-39-3	Barium	62	ug/L	D	[NULL]	[NULL]	S	B1VV17	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/8/2008 7:56	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV17	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/8/2008 7:56	Y	7440-70-2	Calcium	30800	ug/L	DN	[NULL]	[NULL]	S	B1VV17	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/8/2008 7:56	Y	16887-00-6	Chloride	49800	ug/L	D	[NULL]	[NULL]	S	B1VV17	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/8/2008 7:56	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV17	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/8/2008 7:56	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VV17	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/8/2008 7:56	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1VV17	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/8/2008 7:56	Y	DO	Dissolved oxygen	700	ug/L	[NULL]	[NULL]	[NULL]	S	B1VV17	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-127	6/8/2008 7:56	Y	16984-48-8	Fluoride	105	ug/L	DU	[NULL]	[NULL]	S	B1VV17	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/8/2008 7:56	Y	12587-46-1	Gross alpha	0.031	pCi/L	U	[NULL]	[NULL]	S	B1VV17	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-127	6/8/2008 7:56	Y	12587-47-2	Gross beta	1100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV17	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-127	6/8/2008 7:56	Y	7439-89-6	Iron	105	ug/L	D	[NULL]	[NULL]	S	B1VV17	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/8/2008 7:56	Y	7439-92-1	Lead	332	ug/L	CDN	G	[NULL]	S	B1VV17	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/8/2008 7:56	Y	7439-95-4	Magnesium	6510	ug/L	D	[NULL]	[NULL]	S	B1VV17	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/8/2008 7:56	Y	7439-96-5	Manganese	160	ug/L	D	[NULL]	[NULL]	S	B1VV17	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/8/2008 7:56	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1VV17	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/8/2008 7:56	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VV17	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/8/2008 7:56	Y	14797-55-8	Nitrate	797	ug/L	DU	[NULL]	[NULL]	S	B1VV17	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/8/2008 7:56	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1VV17	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/8/2008 7:56	Y	EH	Oxidation Reduction Potential	95	mV	[NULL]	[NULL]	[NULL]	S	B1VV17	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-127	6/8/2008 7:56	Y	14265-44-2	Phosphate	638000	ug/L	D	[NULL]	[NULL]	S	B1VV17	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/8/2008 7:56	Y	7440-09-7	Potassium	3210	ug/L	D	[NULL]	[NULL]	S	B1VV17	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/8/2008 7:56	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VV17	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/8/2008 7:56	Y	7440-23-5	Sodium	433000	ug/L	D	[NULL]	[NULL]	S	B1VV17	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/8/2008 7:56	Y	CONDUCT	Specific Conductance	1680	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VV17	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-127	6/8/2008 7:56	Y	7440-24-6	Strontium	148	ug/L	D	[NULL]	[NULL]	S	B1VV17	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/8/2008 7:56	Y	14808-79-8	Sulfate	15700	ug/L	D	[NULL]	[NULL]	S	B1VV17	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/8/2008 7:56	Y	TEMPERATURE	Temperature	12.99	Deg C	[NULL]	[NULL]	[NULL]	S	B1VV17	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-127	6/8/2008 7:56	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1VV17	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/8/2008 7:56	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1VV17	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/8/2008 7:56	Y	PH	pH Measurement	7.33	unitless	[NULL]	[NULL]	[NULL]	S	B1VV17	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-127	6/9/2008 11:20	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1VV43	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/9/2008 11:20	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1VV43	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/9/2008 11:20	Y	7440-38-2	Arsenic	250	ug/L	DNU	[NULL]	[NULL]	S	B1VV43	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/9/2008 11:20	Y	7440-39-3	Barium	74	ug/L	D	[NULL]	[NULL]	S	B1VV43	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/9/2008 11:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV43	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/9/2008 11:20	Y	7440-70-2	Calcium	30500	ug/L	D	[NULL]	[NULL]	S	B1VV43	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/9/2008 11:20	Y	16887-00-6	Chloride	60200	ug/L	D	[NULL]	[NULL]	S	B1VV43	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/9/2008 11:20	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV43	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/9/2008 11:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VV43	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/9/2008 11:20	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1VV43	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/9/2008 11:20	Y	DO	Dissolved oxygen	500	ug/L	[NULL]	[NULL]	[NULL]	S	B1VV43	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-127	6/9/2008 11:20	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VV43	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-127	6/9/2008 11:20	Y	12587-46-1	Gross alpha	-2.5	pCi/L	U	[NULL]	[NULL]	S	B1VV43	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-127	6/9/2008 11:20	Y	12587-47-2	Gross beta	1200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV43	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-127	6/9/2008 11:20	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1VV43	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/9/2008 11:20	Y	7439-92-1	Lead	369	ug/L	CD	G	[NULL]	S	B1VV43	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/9/2008 11:20	Y	7439-95-4	Magnesium	6410	ug/L	D	[NULL]	[NULL]	S	B1VV43	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/9/2008 11:20	Y	7439-96-5	Manganese	128	ug/L	D	[NULL]	[NULL]	S	B1VV43	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/9/2008 11:20	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1VV43	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/9/2008 11:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VV43	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/9/2008 11:20	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VV43	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/9/2008 11:20	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VV43	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/9/2008 11:20	Y	EH	Oxidation Reduction Potential	-71	mV	[NULL]	[NULL]	[NULL]	S	B1VV43	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-127	6/9/2008 11:20	Y	14265-44-2	Phosphate	576000	ug/L	D	[NULL]	[NULL]	S	B1VV43	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/9/2008 11:20	Y	7440-09-7	Potassium	3780	ug/L	D	[NULL]	[NULL]	S	B1VV43	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/9/2008 11:20	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VV43	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/9/2008 11:20	Y	7440-23-5	Sodium	472000	ug/L	D	[NULL]	[NULL]	S	B1VV43	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/9/2008 11:20	Y	CONDUCT	Specific Conductance	1810	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VV43	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-127	6/9/2008 11:20	Y	7440-24-6	Strontium	164	ug/L	D	[NULL]	[NULL]	S	B1VV43	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/9/2008 11:20	Y	14808-79-8	Sulfate	10800	ug/L	D	[NULL]	[NULL]	S	B1VV43	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/9/2008 11:20	Y	TEMPERATURE	Temperature	13.67	Deg C	[NULL]	[NULL]	[NULL]	S	B1VV43	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-127	6/9/2008 11:20	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1VV43	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/9/2008 11:20	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1VV43	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/9/2008 11:20	Y	PH	pH Measurement	7.34	unitless	[NULL]	[NULL]	[NULL]	S	B1VV43	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-127	6/10/2008 15:49	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VV69	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/10/2008 15:49	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VV69	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/10/2008 15:49	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VV69	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/10/2008 15:49	Y	7440-39-3	Barium	23	ug/L	D	[NULL]	[NULL]	S	B1VV69	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/10/2008 15:49	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV69	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/10/2008 15:49	Y	7440-70-2	Calcium	10400	ug/L	D	[NULL]	[NULL]	S	B1VV69	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/10/2008 15:49	Y	16887-00-6	Chloride	10300	ug/L	D	[NULL]	[NULL]	S	B1VV69	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/10/2008 15:49	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VV69	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/10/2008 15:49	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VV69	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/10/2008 15:49	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VV69	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/10/2008 15:49	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VV69	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/10/2008 15:49	Y	12587-46-1	Gross alpha	0.71	pCi/L	U	[NULL]	[NULL]	S	B1VV69	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-127	6/10/2008 15:49	Y	12587-47-2	Gross beta	380	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV69	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-127	6/10/2008 15:49	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VV69	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/10/2008 15:49	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VV69	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/10/2008 15:49	Y	7439-95-4	Magnesium	2080	ug/L	D	[NULL]	[NULL]	S	B1VV69	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/10/2008 15:49	Y	7439-96-5	Manganese	48	ug/L	D	[NULL]	[NULL]	S	B1VV69	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/10/2008 15:49	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VV69	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/10/2008 15:49	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VV69	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/10/2008 15:49	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VV69	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/10/2008 15:49	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VV69	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/10/2008 15:49	Y	14265-44-2	Phosphate	287000	ug/L	D	[NULL]	[NULL]	S	B1VV69	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/10/2008 15:49	Y	7440-09-7	Potassium	1880	ug/L	D	[NULL]	[NULL]	S	B1VV69	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/10/2008 15:49	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VV69	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/10/2008 15:49	Y	7440-23-5	Sodium	174000	ug/L	D	[NULL]	[NULL]	S	B1VV69	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/10/2008 15:49	Y	7440-24-6	Strontium	56.9	ug/L	D	[NULL]	[NULL]	S	B1VV69	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/10/2008 15:49	Y	14808-79-8	Sulfate	6850	ug/L	BD	[NULL]	[NULL]	S	B1VV69	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/10/2008 15:49	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VV69	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/10/2008 15:49	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VV69	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2008 11:20	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VV95	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2008 11:20	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VV95	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2008 11:20	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VV95	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-127	6/11/2008 11:20	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV95	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2008 11:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV95	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2008 11:20	Y	7440-70-2	Calcium	9800	ug/L	DN	[NULL]	[NULL]	S	B1VV95	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2008 11:20	Y	16887-00-6	Chloride	7200	ug/L	D	[NULL]	[NULL]	S	B1VV95	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/11/2008 11:20	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VV95	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2008 11:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VV95	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2008 11:20	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VV95	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2008 11:20	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VV95	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/11/2008 11:20	Y	12587-46-1	Gross alpha	0.21	pCi/L	U	G	[NULL]	S	B1VV95	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-127	6/11/2008 11:20	Y	12587-47-2	Gross beta	230	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV95	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-127	6/11/2008 11:20	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VV95	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2008 11:20	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VV95	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2008 11:20	Y	7439-95-4	Magnesium	1830	ug/L	D	[NULL]	[NULL]	S	B1VV95	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2008 11:20	Y	7439-96-5	Manganese	49	ug/L	D	[NULL]	[NULL]	S	B1VV95	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2008 11:20	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VV95	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2008 11:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VV95	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2008 11:20	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VV95	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/11/2008 11:20	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VV95	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/11/2008 11:20	Y	14265-44-2	Phosphate	200000	ug/L	D	[NULL]	[NULL]	S	B1VV95	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/11/2008 11:20	Y	7440-09-7	Potassium	1670	ug/L	D	[NULL]	[NULL]	S	B1VV95	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2008 11:20	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1VV95	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2008 11:20	Y	7440-23-5	Sodium	134000	ug/L	D	[NULL]	[NULL]	S	B1VV95	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2008 11:20	Y	7440-24-6	Strontium	48.8	ug/L	D	[NULL]	[NULL]	S	B1VV95	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2008 11:20	Y	14808-79-8	Sulfate	7280	ug/L	BD	[NULL]	[NULL]	S	B1VV95	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/11/2008 11:20	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VV95	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/11/2008 11:20	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VV95	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2008 12:40	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVD1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2008 12:40	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVD1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2008 12:40	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVD1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2008 12:40	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVD1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2008 12:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVD1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2008 12:40	Y	7440-70-2	Calcium	11500	ug/L	DN	[NULL]	[NULL]	S	B1VVD1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2008 12:40	Y	16887-00-6	Chloride	3840	ug/L	D	[NULL]	[NULL]	S	B1VVD1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/13/2008 12:40	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVD1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2008 12:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVD1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2008 12:40	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVD1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2008 12:40	Y	DO	Dissolved oxygen	1970	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVD1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-127	6/13/2008 12:40	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVD1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/13/2008 12:40	Y	12587-46-1	Gross alpha	2.3	pCi/L	U	[NULL]	[NULL]	S	B1VVD1	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-127	6/13/2008 12:40	Y	12587-47-2	Gross beta	390	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVD1	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-127	6/13/2008 12:40	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VVD1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2008 12:40	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVD1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2008 12:40	Y	7439-95-4	Magnesium	1980	ug/L	D	[NULL]	[NULL]	S	B1VVD1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2008 12:40	Y	7439-96-5	Manganese	91	ug/L	D	[NULL]	[NULL]	S	B1VVD1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2008 12:40	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVD1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2008 12:40	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVD1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2008 12:40	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVD1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/13/2008 12:40	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVD1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/13/2008 12:40	Y	EH	Oxidation Reduction Potential	6	mV	[NULL]	[NULL]	[NULL]	S	B1VVD1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-127	6/13/2008 12:40	Y	14265-44-2	Phosphate	124000	ug/L	D	[NULL]	[NULL]	S	B1VVD1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/13/2008 12:40	Y	7440-09-7	Potassium	1580	ug/L	D	[NULL]	[NULL]	S	B1VVD1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2008 12:40	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVD1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2008 12:40	Y	7440-23-5	Sodium	94700	ug/L	D	[NULL]	[NULL]	S	B1VVD1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2008 12:40	Y	CONDUCT	Specific Conductance	469.9	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVD1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-127	6/13/2008 12:40	Y	7440-24-6	Strontium	54.4	ug/L	D	[NULL]	[NULL]	S	B1VVD1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2008 12:40	Y	14808-79-8	Sulfate	6610	ug/L	BD	[NULL]	[NULL]	S	B1VVD1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/13/2008 12:40	Y	TEMPERATURE	Temperature	15.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVD1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-127	6/13/2008 12:40	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVD1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2008 12:40	Y	7440-66-6	Zinc	45.6	ug/L	D	[NULL]	[NULL]	S	B1VVD1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/13/2008 12:40	Y	PH	pH Measurement	7.89	unitless	[NULL]	[NULL]	[NULL]	S	B1VVD1	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-127	6/14/2008 9:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVH7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2008 9:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVH7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2008 9:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVH7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2008 9:30	Y	7440-39-3	Barium	40	ug/L	D	[NULL]	[NULL]	S	B1VVH7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2008 9:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVH7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2008 9:30	Y	7440-70-2	Calcium	22600	ug/L	DN	[NULL]	[NULL]	S	B1VVH7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2008 9:30	Y	16887-00-6	Chloride	15900	ug/L	D	[NULL]	[NULL]	S	B1VVH7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/14/2008 9:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVH7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2008 9:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVH7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2008 9:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVH7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2008 9:30	Y	DO	Dissolved oxygen	3380	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVH7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-127	6/14/2008 9:30	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVH7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/14/2008 9:30	Y	12587-46-1	Gross alpha	2.4	pCi/L	U	[NULL]	[NULL]	S	B1VVH7	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-127	6/14/2008 9:30	Y	12587-47-2	Gross beta	790	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVH7	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-127	6/14/2008 9:30	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VVH7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2008 9:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVH7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2008 9:30	Y	7439-95-4	Magnesium	4190	ug/L	D	[NULL]	[NULL]	S	B1VVH7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2008 9:30	Y	7439-96-5	Manganese	209	ug/L	D	[NULL]	[NULL]	S	B1VVH7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2008 9:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVH7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2008 9:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVH7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2008 9:30	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVH7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/14/2008 9:30	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVH7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/14/2008 9:30	Y	EH	Oxidation Reduction Potential	13	mV	[NULL]	[NULL]	[NULL]	S	B1VVH7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-127	6/14/2008 9:30	Y	14265-44-2	Phosphate	165000	ug/L	D	[NULL]	[NULL]	S	B1VVH7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/14/2008 9:30	Y	7440-09-7	Potassium	2350	ug/L	D	[NULL]	[NULL]	S	B1VVH7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2008 9:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVH7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2008 9:30	Y	7440-23-5	Sodium	158000	ug/L	D	[NULL]	[NULL]	S	B1VVH7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2008 9:30	Y	CONDUCT	Specific Conductance	764.9	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVH7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-127	6/14/2008 9:30	Y	7440-24-6	Strontium	121	ug/L	D	[NULL]	[NULL]	S	B1VVH7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2008 9:30	Y	14808-79-8	Sulfate	7940	ug/L	BD	[NULL]	[NULL]	S	B1VVH7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/14/2008 9:30	Y	TEMPERATURE	Temperature	13.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVH7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-127	6/14/2008 9:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVH7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2008 9:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVH7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/14/2008 9:30	Y	PH	pH Measurement	7.75	unitless	[NULL]	[NULL]	[NULL]	S	B1VVH7	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-127	6/16/2008 11:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVL3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2008 11:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVL3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2008 11:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVL3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2008 11:30	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVL3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2008 11:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVL3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2008 11:30	Y	7440-70-2	Calcium	10400	ug/L	D	[NULL]	[NULL]	S	B1VVL3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2008 11:30	Y	16887-00-6	Chloride	5810	ug/L	D	[NULL]	[NULL]	S	B1VVL3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/16/2008 11:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVL3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2008 11:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVL3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2008 11:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVL3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2008 11:30	Y	DO	Dissolved oxygen	3060	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVL3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-127	6/16/2008 11:30	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVL3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/16/2008 11:30	Y	12587-46-1	Gross alpha	2.3	pCi/L	U	[NULL]	[NULL]	S	B1VVL3	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-127	6/16/2008 11:30	Y	12587-47-2	Gross beta	330	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVL3	12587-47-2	WSCF	BETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-127	6/16/2008 11:30	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VVL3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2008 11:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVL3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2008 11:30	Y	7439-95-4	Magnesium	1930	ug/L	D	[NULL]	[NULL]	S	B1VVL3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2008 11:30	Y	7439-96-5	Manganese	121	ug/L	D	[NULL]	[NULL]	S	B1VVL3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2008 11:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVL3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2008 11:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVL3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2008 11:30	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVL3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/16/2008 11:30	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVL3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/16/2008 11:30	Y	EH	Oxidation Reduction Potential	31	mV	[NULL]	[NULL]	[NULL]	S	B1VVL3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-127	6/16/2008 11:30	Y	14265-44-2	Phosphate	131000	ug/L	D	[NULL]	[NULL]	S	B1VVL3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/16/2008 11:30	Y	7440-09-7	Potassium	1450	ug/L	D	[NULL]	[NULL]	S	B1VVL3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2008 11:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVL3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2008 11:30	Y	7440-23-5	Sodium	96800	ug/L	D	[NULL]	[NULL]	S	B1VVL3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2008 11:30	Y	CONDUCT	Specific Conductance	549.4	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVL3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-127	6/16/2008 11:30	Y	7440-24-6	Strontium	51.2	ug/L	D	[NULL]	[NULL]	S	B1VVL3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2008 11:30	Y	14808-79-8	Sulfate	6820	ug/L	BD	[NULL]	[NULL]	S	B1VVL3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/16/2008 11:30	Y	TEMPERATURE	Temperature	15.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVL3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-127	6/16/2008 11:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVL3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2008 11:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVL3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/16/2008 11:30	Y	PH	pH Measurement	7.87	unitless	[NULL]	[NULL]	[NULL]	S	B1VVL3	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-127	6/18/2008 6:52	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVN9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2008 6:52	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVN9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2008 6:52	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVN9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2008 6:52	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVN9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2008 6:52	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVN9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2008 6:52	Y	7440-70-2	Calcium	9440	ug/L	DN	[NULL]	[NULL]	S	B1VVN9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2008 6:52	Y	16887-00-6	Chloride	2970	ug/L	BD	[NULL]	[NULL]	S	B1VVN9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/18/2008 6:52	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVN9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2008 6:52	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVN9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2008 6:52	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVN9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2008 6:52	Y	DO	Dissolved oxygen	1680	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVN9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-127	6/18/2008 6:52	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVN9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/18/2008 6:52	Y	12587-46-1	Gross alpha	0.3	pCi/L	U	[NULL]	[NULL]	S	B1VVN9	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-127	6/18/2008 6:52	Y	12587-47-2	Gross beta	280	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVN9	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-127	6/18/2008 6:52	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VVN9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2008 6:52	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVN9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2008 6:52	Y	7439-95-4	Magnesium	1740	ug/L	DN	[NULL]	[NULL]	S	B1VVN9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2008 6:52	Y	7439-96-5	Manganese	111	ug/L	D	[NULL]	[NULL]	S	B1VVN9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2008 6:52	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVN9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2008 6:52	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVN9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2008 6:52	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVN9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/18/2008 6:52	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVN9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/18/2008 6:52	Y	EH	Oxidation Reduction Potential	-142	mV	[NULL]	[NULL]	[NULL]	S	B1VVN9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-127	6/18/2008 6:52	Y	14265-44-2	Phosphate	91400	ug/L	DN	[NULL]	[NULL]	S	B1VVN9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/18/2008 6:52	Y	7440-09-7	Potassium	1240	ug/L	D	[NULL]	[NULL]	S	B1VVN9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2008 6:52	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVN9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2008 6:52	Y	7440-23-5	Sodium	73600	ug/L	D	[NULL]	[NULL]	S	B1VVN9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2008 6:52	Y	CONDUCT	Specific Conductance	375.8	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVN9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-127	6/18/2008 6:52	Y	7440-24-6	Strontium	47.2	ug/L	D	[NULL]	[NULL]	S	B1VVN9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2008 6:52	Y	14808-79-8	Sulfate	7040	ug/L	BD	[NULL]	[NULL]	S	B1VVN9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/18/2008 6:52	Y	TEMPERATURE	Temperature	13.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVN9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-127	6/18/2008 6:52	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVN9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/18/2008 6:52	Y	7440-66-6	Zinc	55.7	ug/L	D	[NULL]	[NULL]	S	B1VVN9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-127	6/18/2008 6:52	Y	PH	pH Measurement	7.89	unitless	[NULL]	[NULL]	[NULL]	S	B1VVN9	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-127	6/27/2008 8:15	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVV1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/27/2008 8:15	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVV1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/27/2008 8:15	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVV1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/27/2008 8:15	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVV1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/27/2008 8:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVV1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/27/2008 8:15	Y	7440-70-2	Calcium	14100	ug/L	D	[NULL]	[NULL]	S	B1VVV1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/27/2008 8:15	Y	16887-00-6	Chloride	2720	ug/L	BD	[NULL]	[NULL]	S	B1VVV1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/27/2008 8:15	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVV1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/27/2008 8:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVV1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/27/2008 8:15	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVV1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/27/2008 8:15	Y	DO	Dissolved oxygen	2700	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVV1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-127	6/27/2008 8:15	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVV1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/27/2008 8:15	Y	12587-46-1	Gross alpha	-0.76	pCi/L	U	[NULL]	[NULL]	S	B1VVV1	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-127	6/27/2008 8:15	Y	12587-47-2	Gross beta	420	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVV1	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-127	6/27/2008 8:15	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VVV1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/27/2008 8:15	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVV1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/27/2008 8:15	Y	7439-95-4	Magnesium	2510	ug/L	DN	[NULL]	[NULL]	S	B1VVV1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/27/2008 8:15	Y	7439-96-5	Manganese	32	ug/L	D	[NULL]	[NULL]	S	B1VVV1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/27/2008 8:15	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVV1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/27/2008 8:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVV1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/27/2008 8:15	Y	14797-55-8	Nitrate	2710	ug/L	BD	[NULL]	[NULL]	S	B1VVV1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/27/2008 8:15	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVV1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/27/2008 8:15	Y	EH	Oxidation Reduction Potential	107	mV	[NULL]	[NULL]	[NULL]	S	B1VVV1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-127	6/27/2008 8:15	Y	14265-44-2	Phosphate	54600	ug/L	D	[NULL]	[NULL]	S	B1VVV1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/27/2008 8:15	Y	7440-09-7	Potassium	1480	ug/L	D	[NULL]	[NULL]	S	B1VVV1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/27/2008 8:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVV1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/27/2008 8:15	Y	7440-23-5	Sodium	51800	ug/L	D	[NULL]	[NULL]	S	B1VVV1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/27/2008 8:15	Y	CONDUCT	Specific Conductance	272.5	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVV1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-127	6/27/2008 8:15	Y	7440-24-6	Strontium	68.5	ug/L	D	[NULL]	[NULL]	S	B1VVV1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/27/2008 8:15	Y	14808-79-8	Sulfate	6630	ug/L	BD	[NULL]	[NULL]	S	B1VVV1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	6/27/2008 8:15	Y	TEMPERATURE	Temperature	14.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVV1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-127	6/27/2008 8:15	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVV1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/27/2008 8:15	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVV1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	6/27/2008 8:15	Y	PH	pH Measurement	7.51	unitless	[NULL]	[NULL]	[NULL]	S	B1VVV1	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-127	7/4/2008 10:45	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VWV0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/4/2008 10:45	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VWV0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/4/2008 10:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VWV0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/4/2008 10:45	Y	7440-39-3	Barium	95	ug/L	D	[NULL]	[NULL]	S	B1VWV0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/4/2008 10:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWV0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/4/2008 10:45	Y	7440-70-2	Calcium	51000	ug/L	DN	[NULL]	[NULL]	S	B1VWV0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/4/2008 10:45	Y	16887-00-6	Chloride	124000	ug/L	D	[NULL]	[NULL]	S	B1VWV0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	7/4/2008 10:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VWV0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/4/2008 10:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VWV0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/4/2008 10:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VWV0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/4/2008 10:45	Y	DO	Dissolved oxygen	1210	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWV0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-127	7/4/2008 10:45	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VWV0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	7/4/2008 10:45	Y	12587-46-1	Gross alpha	-7.7	pCi/L	U	[NULL]	[NULL]	S	B1VWV0	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-127	7/4/2008 10:45	Y	12587-47-2	Gross beta	1700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VWV0	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-127	7/4/2008 10:45	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VWV0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/4/2008 10:45	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VWV0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/4/2008 10:45	Y	7439-95-4	Magnesium	11700	ug/L	DN	[NULL]	[NULL]	S	B1VWV0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/4/2008 10:45	Y	7439-96-5	Manganese	942	ug/L	D	[NULL]	[NULL]	S	B1VWV0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/4/2008 10:45	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VWV0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-127	7/4/2008 10:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VWV0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/4/2008 10:45	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VWV0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	7/4/2008 10:45	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VWV0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	7/4/2008 10:45	Y	EH	Oxidation Reduction Potential	42	mV	[NULL]	[NULL]	[NULL]	S	B1VWV0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-127	7/4/2008 10:45	Y	14265-44-2	Phosphate	524000	ug/L	D	[NULL]	[NULL]	S	B1VWV0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	7/4/2008 10:45	Y	7440-09-7	Potassium	5110	ug/L	D	[NULL]	[NULL]	S	B1VWV0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/4/2008 10:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VWV0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/4/2008 10:45	Y	7440-23-5	Sodium	629000	ug/L	D	[NULL]	[NULL]	S	B1VWV0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/4/2008 10:45	Y	CONDUCT	Specific Conductance	1552	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWV0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-127	7/4/2008 10:45	Y	7440-24-6	Strontium	295	ug/L	D	[NULL]	[NULL]	S	B1VWV0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/4/2008 10:45	Y	14808-79-8	Sulfate	10300	ug/L	D	[NULL]	[NULL]	S	B1VWV0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	7/4/2008 10:45	Y	TEMPERATURE	Temperature	18.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWV0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-127	7/4/2008 10:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VWV0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/4/2008 10:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VWV0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/4/2008 10:45	Y	PH	pH Measurement	7.28	unitless	[NULL]	[NULL]	[NULL]	S	B1VWV0	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-127	7/11/2008 10:25	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7V4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/11/2008 10:25	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7V4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/11/2008 10:25	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7V4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/11/2008 10:25	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7V4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/11/2008 10:25	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7V4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/11/2008 10:25	Y	7440-70-2	Calcium	14000	ug/L	D	[NULL]	[NULL]	S	B1W7V4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/11/2008 10:25	Y	16887-00-6	Chloride	29600	ug/L	D	[NULL]	[NULL]	S	B1W7V4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	7/11/2008 10:25	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7V4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/11/2008 10:25	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7V4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/11/2008 10:25	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7V4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/11/2008 10:25	Y	DO	Dissolved oxygen	1520	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7V4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-127	7/11/2008 10:25	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W7V4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	7/11/2008 10:25	Y	12587-46-1	Gross alpha	-2	pCi/L	U	G	[NULL]	S	B1W7V4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-127	7/11/2008 10:25	Y	12587-47-2	Gross beta	310	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7V4	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-127	7/11/2008 10:25	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1W7V4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/11/2008 10:25	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7V4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/11/2008 10:25	Y	7439-95-4	Magnesium	2870	ug/L	D	[NULL]	[NULL]	S	B1W7V4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/11/2008 10:25	Y	7439-96-5	Manganese	277	ug/L	D	[NULL]	[NULL]	S	B1W7V4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/11/2008 10:25	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7V4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/11/2008 10:25	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7V4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/11/2008 10:25	Y	14797-55-8	Nitrate	2170	ug/L	BD	[NULL]	[NULL]	S	B1W7V4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	7/11/2008 10:25	Y	14797-65-0	Nitrite	785	ug/L	BD	[NULL]	[NULL]	S	B1W7V4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	7/11/2008 10:25	Y	EH	Oxidation Reduction Potential	-169	mV	[NULL]	[NULL]	[NULL]	S	B1W7V4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-127	7/11/2008 10:25	Y	14265-44-2	Phosphate	155000	ug/L	D	[NULL]	[NULL]	S	B1W7V4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	7/11/2008 10:25	Y	7440-09-7	Potassium	1990	ug/L	BD	[NULL]	[NULL]	S	B1W7V4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/11/2008 10:25	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W7V4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/11/2008 10:25	Y	7440-23-5	Sodium	174000	ug/L	DX	[NULL]	[NULL]	S	B1W7V4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/11/2008 10:25	Y	CONDUCT	Specific Conductance	569.4	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7V4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-127	7/11/2008 10:25	Y	7440-24-6	Strontium	63	ug/L	BD	[NULL]	[NULL]	S	B1W7V4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/11/2008 10:25	Y	14808-79-8	Sulfate	8400	ug/L	BD	[NULL]	[NULL]	S	B1W7V4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	7/11/2008 10:25	Y	TEMPERATURE	Temperature	15.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7V4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-127	7/11/2008 10:25	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7V4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/11/2008 10:25	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7V4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/11/2008 10:25	Y	PH	pH Measurement	7.74	unitless	[NULL]	[NULL]	[NULL]	S	B1W7V4	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-127	7/18/2008 10:06	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WCB0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/18/2008 10:06	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WCB0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/18/2008 10:06	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WCB0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/18/2008 10:06	Y	7440-39-3	Barium	190	ug/L	D	[NULL]	[NULL]	S	B1WCB0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-127	7/18/2008 10:06	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCB0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/18/2008 10:06	Y	7440-70-2	Calcium	189000	ug/L	D	[NULL]	[NULL]	S	B1WCB0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/18/2008 10:06	Y	16887-00-6	Chloride	178000	ug/L	D	[NULL]	[NULL]	S	B1WCB0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	7/18/2008 10:06	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WCB0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/18/2008 10:06	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WCB0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/18/2008 10:06	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WCB0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/18/2008 10:06	Y	DO	Dissolved oxygen	6310	ug/L	[NULL]	[NULL]	[NULL]	S	B1WCB0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-127	7/18/2008 10:06	Y	16984-48-8	Fluoride	232	ug/L	DNU	[NULL]	[NULL]	S	B1WCB0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	7/18/2008 10:06	Y	12587-46-1	Gross alpha	5.4	pCi/L	U	G	[NULL]	S	B1WCB0	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-127	7/18/2008 10:06	Y	12587-47-2	Gross beta	10000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WCB0	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-127	7/18/2008 10:06	Y	7439-89-6	Iron	356	ug/L	D	[NULL]	[NULL]	S	B1WCB0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/18/2008 10:06	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WCB0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/18/2008 10:06	Y	7439-95-4	Magnesium	35800	ug/L	D	[NULL]	[NULL]	S	B1WCB0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/18/2008 10:06	Y	7439-96-5	Manganese	3600	ug/L	D	[NULL]	[NULL]	S	B1WCB0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/18/2008 10:06	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WCB0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/18/2008 10:06	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WCB0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/18/2008 10:06	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WCB0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	7/18/2008 10:06	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WCB0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	7/18/2008 10:06	Y	EH	Oxidation Reduction Potential	-109	mV	[NULL]	[NULL]	[NULL]	S	B1WCB0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-127	7/18/2008 10:06	Y	14265-44-2	Phosphate	24400	ug/L	D	[NULL]	[NULL]	S	B1WCB0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	7/18/2008 10:06	Y	7440-09-7	Potassium	6380	ug/L	D	[NULL]	[NULL]	S	B1WCB0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/18/2008 10:06	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WCB0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/18/2008 10:06	Y	7440-23-5	Sodium	361000	ug/L	DX	[NULL]	[NULL]	S	B1WCB0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/18/2008 10:06	Y	CONDUCT	Specific Conductance	2387	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WCB0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-127	7/18/2008 10:06	Y	7440-24-6	Strontium	954	ug/L	D	[NULL]	[NULL]	S	B1WCB0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/18/2008 10:06	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WCB0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-127	7/18/2008 10:06	Y	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1WCB0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-127	7/18/2008 10:06	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WCB0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/18/2008 10:06	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WCB0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-127	7/18/2008 10:06	Y	PH	pH Measurement	7.3	unitless	[NULL]	[NULL]	[NULL]	S	B1WCB0	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-128	6/9/2006 4:06	Y	12587-46-1	Gross alpha	10	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JHC5	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	6/9/2006 4:06	Y	12587-47-2	Gross beta	5900	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JHC5	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	6/21/2006 11:00	N	12587-46-1	Gross alpha	30	pCi/L	U	[NULL]	[NULL]	S	B1JMC4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	6/21/2006 11:00	N	12587-47-2	Gross beta	5600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JMC4	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	6/21/2006 11:00	N	10098-97-2	Strontium-90	4020	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JMC4	SR-RAD	STLRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-128	6/28/2006 9:13	N	10098-97-2	Strontium-90	4800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JWB2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-128	7/7/2006 9:15	N	10098-97-2	Strontium-90	6900	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K015	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-128	7/17/2006 15:35	Y	7429-90-5	Aluminum	370	ug/L	U	[NULL]	[NULL]	S	B1K4X0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2006 15:35	Y	7440-36-0	Antimony	720	ug/L	U	[NULL]	[NULL]	S	B1K4X0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2006 15:35	Y	7440-38-2	Arsenic	790	ug/L	U	[NULL]	[NULL]	S	B1K4X0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2006 15:35	Y	7440-39-3	Barium	293	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2006 15:35	Y	7440-43-9	Cadmium	30	ug/L	U	[NULL]	[NULL]	S	B1K4X0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2006 15:35	Y	7440-70-2	Calcium	122000	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2006 15:35	Y	16887-00-6	Chloride	128000	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/17/2006 15:35	Y	7440-47-3	Chromium	70	ug/L	U	[NULL]	[NULL]	S	B1K4X0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2006 15:35	Y	7440-48-4	Cobalt	70	ug/L	U	[NULL]	[NULL]	S	B1K4X0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2006 15:35	Y	7440-50-8	Copper	70.5	ug/L	C	[NULL]	[NULL]	S	B1K4X0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2006 15:35	Y	16984-48-8	Fluoride	225	ug/L	U	[NULL]	[NULL]	S	B1K4X0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/17/2006 15:35	Y	7439-89-6	Iron	1440	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2006 15:35	Y	7439-92-1	Lead	470	ug/L	U	[NULL]	[NULL]	S	B1K4X0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2006 15:35	Y	7439-95-4	Magnesium	20500	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2006 15:35	Y	7439-96-5	Manganese	4790	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2006 15:35	Y	7439-98-7	Molybdenum	110	ug/L	U	[NULL]	[NULL]	S	B1K4X0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2006 15:35	Y	7440-02-0	Nickel	50	ug/L	U	[NULL]	[NULL]	S	B1K4X0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-128	7/17/2006 15:35	Y	14797-55-8	Nitrate	642	ug/L	U	[NULL]	[NULL]	S	B1K4X0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/17/2006 15:35	Y	14797-65-0	Nitrite	575	ug/L	U	[NULL]	[NULL]	S	B1K4X0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/17/2006 15:35	Y	14265-44-2	Phosphate	1690	ug/L	U	[NULL]	[NULL]	S	B1K4X0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/17/2006 15:35	Y	7440-09-7	Potassium	5920	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2006 15:35	Y	7440-22-4	Silver	110	ug/L	U	[NULL]	[NULL]	S	B1K4X0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2006 15:35	Y	7440-23-5	Sodium	297000	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2006 15:35	Y	7440-24-6	Strontium	660	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2006 15:35	Y	10098-97-2	Strontium-90	4300	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K4W0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-128	7/17/2006 15:35	Y	14808-79-8	Sulfate	485	ug/L	U	[NULL]	[NULL]	S	B1K4X0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/17/2006 15:35	Y	7440-62-2	Vanadium	140	ug/L	U	[NULL]	[NULL]	S	B1K4X0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2006 15:35	Y	7440-66-6	Zinc	93.6	ug/L	C	[NULL]	[NULL]	S	B1K4X0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/21/2006 9:54	N	ALKALINITY	Alkalinity	830000	ug/L	D	[NULL]	[NULL]	R	B1JK60	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-128	7/21/2006 9:54	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1JK59	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-128	7/21/2006 9:54	N	14234-35-6	Antimony-125	-6.22	pCi/L	U	[NULL]	[NULL]	R	B1JK62	14234-35-6	STLRL	GAMMA_GS	100-NR-2
199-N-128	7/21/2006 9:54	Y	7440-39-3	Barium	318	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK59	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-128	7/21/2006 9:54	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1JK59	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-128	7/21/2006 9:54	N	13966-02-4	Beryllium-7	7.77	pCi/L	U	[NULL]	[NULL]	R	B1JK62	13966-02-4	STLRL	GAMMA_GS	100-NR-2
199-N-128	7/21/2006 9:54	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1JK59	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-128	7/21/2006 9:54	Y	7440-70-2	Calcium	136000	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK59	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-128	7/21/2006 9:54	N	13967-70-9	Cesium-134	-1.65	pCi/L	U	[NULL]	[NULL]	R	B1JK62	13967-70-9	STLRL	GAMMA_GS	100-NR-2
199-N-128	7/21/2006 9:54	N	10045-97-3	Cesium-137	-0.693	pCi/L	U	[NULL]	[NULL]	R	B1JK62	10045-97-3	STLRL	GAMMA_GS	100-NR-2
199-N-128	7/21/2006 9:54	N	16887-00-6	Chloride	149000	ug/L	D	[NULL]	[NULL]	R	B1JK60	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-128	7/21/2006 9:54	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1JK59	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-128	7/21/2006 9:54	Y	7440-48-4	Cobalt	5.5	ug/L	B	[NULL]	[NULL]	R	B1JK59	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-128	7/21/2006 9:54	N	10198-40-0	Cobalt-60	-1.65	pCi/L	U	[NULL]	[NULL]	R	B1JK62	10198-40-0	STLRL	GAMMA_GS	100-NR-2
199-N-128	7/21/2006 9:54	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1JK59	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-128	7/21/2006 9:54	N	DO	Dissolved oxygen	10770	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK61	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	7/21/2006 9:54	N	14683-23-9	Europium-152	3.38	pCi/L	U	[NULL]	[NULL]	R	B1JK62	14683-23-9	STLRL	GAMMA_GS	100-NR-2
199-N-128	7/21/2006 9:54	N	15585-10-1	Europium-154	-1.53	pCi/L	U	[NULL]	[NULL]	R	B1JK62	15585-10-1	STLRL	GAMMA_GS	100-NR-2
199-N-128	7/21/2006 9:54	N	14391-16-3	Europium-155	-12.5	pCi/L	U	[NULL]	[NULL]	R	B1JK62	14391-16-3	STLRL	GAMMA_GS	100-NR-2
199-N-128	7/21/2006 9:54	N	16984-48-8	Fluoride	1000	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK60	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-128	7/21/2006 9:54	N	12587-46-1	Gross alpha	1.67	pCi/L	U	[NULL]	[NULL]	R	B1JK62	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-128	7/21/2006 9:54	N	12587-47-2	Gross beta	9420	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JK62	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-128	7/21/2006 9:54	Y	7439-89-6	Iron	1260	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK59	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-128	7/21/2006 9:54	Y	7439-95-4	Magnesium	22800	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK59	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-128	7/21/2006 9:54	Y	7439-96-5	Manganese	5610	ug/L	N	[NULL]	[NULL]	R	B1JK59	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-128	7/21/2006 9:54	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1JK59	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-128	7/21/2006 9:54	N	14797-55-8	Nitrate	17.7	ug/L	U	H	[NULL]	R	B1JK60	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-128	7/21/2006 9:54	N	14797-65-0	Nitrite	13.1	ug/L	U	H	[NULL]	R	B1JK60	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-128	7/21/2006 9:54	N	14265-44-2	Phosphate	1000	ug/L	[NULL]	H	[NULL]	R	B1JK60	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-128	7/21/2006 9:54	Y	7440-09-7	Potassium	4600	ug/L	B	[NULL]	[NULL]	R	B1JK59	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-128	7/21/2006 9:54	N	13966-00-2	Potassium-40	-98.8	pCi/L	U	[NULL]	[NULL]	R	B1JK62	13966-00-2	STLRL	GAMMA_GS	100-NR-2
199-N-128	7/21/2006 9:54	N	13967-48-1	Ruthenium-106	-3.15	pCi/L	U	[NULL]	[NULL]	R	B1JK62	13967-48-1	STLRL	GAMMA_GS	100-NR-2
199-N-128	7/21/2006 9:54	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1JK59	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-128	7/21/2006 9:54	Y	7440-23-5	Sodium	293000	ug/L	N	[NULL]	[NULL]	R	B1JK59	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-128	7/21/2006 9:54	N	CONDUCT	Specific Conductance	1825	uS/cm	[NULL]	[NULL]	[NULL]	R	B1JK61	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-128	7/21/2006 9:54	Y	7440-24-6	Strontium	642	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK59	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-128	7/21/2006 9:54	N	10098-97-2	Strontium-90	5280	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JK62	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-128	7/21/2006 9:54	N	14808-79-8	Sulfate	180	ug/L	BN	Q	[NULL]	R	B1JK60	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-128	7/21/2006 9:54	N	TEMPERATURE	Temperature	16.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1JK61	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-128	7/21/2006 9:54	N	10028-17-8	Tritium	235	pCi/L	U	[NULL]	[NULL]	R	B1JK62	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-128	7/21/2006 9:54	N	TURBIDITY	Turbidity	5.11	NTU	[NULL]	[NULL]	[NULL]	R	B1JK61	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-128	7/21/2006 9:54	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1JK59	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-128	7/21/2006 9:54	Y	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1JK59	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-128	7/21/2006 9:54	N	PH	pH Measurement	7.83	unitless	[NULL]	[NULL]	[NULL]	R	B1JK61	PH	FIELD	PH_ELECT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-128	7/24/2006 13:35	Y	10098-97-2	Strontium-90	3900	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K732	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-128	8/7/2006 9:50	Y	10098-97-2	Strontium-90	3000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K8V4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-128	8/9/2006 9:53	N	DO	Dissolved oxygen	290	ug/L	[NULL]	[NULL]	[NULL]	R	B1K4D3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	8/9/2006 9:53	N	12587-47-2	Gross beta	6850	pCi/L	[NULL]	[NULL]	[NULL]	R	B1K4D4	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-128	8/9/2006 9:53	N	CONDUCT	Specific Conductance	1806	uS/cm	[NULL]	[NULL]	[NULL]	R	B1K4D3	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-128	8/9/2006 9:53	N	TEMPERATURE	Temperature	16.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1K4D3	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-128	8/9/2006 9:53	N	TURBIDITY	Turbidity	0.98	NTU	[NULL]	[NULL]	[NULL]	R	B1K4D3	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-128	8/9/2006 9:53	N	PH	pH Measurement	7.72	unitless	[NULL]	[NULL]	[NULL]	R	B1K4D3	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-128	8/28/2006 11:55	Y	DO	Dissolved oxygen	180	ug/L	[NULL]	[NULL]	[NULL]	S	B1KJ02	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	8/28/2006 11:55	Y	EH	Oxidation Reduction Potential	-185	mV	[NULL]	[NULL]	[NULL]	S	B1KJ02	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-128	8/28/2006 11:55	Y	CONDUCT	Specific Conductance	1367	uS/cm	[NULL]	[NULL]	[NULL]	S	B1KJ02	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-128	8/28/2006 11:55	Y	10098-97-2	Strontium-90	1200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1KJ02	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-128	8/28/2006 11:55	Y	TEMPERATURE	Temperature	17.41	Deg C	[NULL]	[NULL]	[NULL]	S	B1KJ02	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-128	8/28/2006 11:55	Y	PH	pH Measurement	7.63	unitless	[NULL]	[NULL]	[NULL]	S	B1KJ02	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-128	9/12/2006 14:07	Y	10098-97-2	Strontium-90	2200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1KKF4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-128	9/21/2006 9:53	N	DO	Dissolved oxygen	10000	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBD3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	9/21/2006 9:53	N	12587-47-2	Gross beta	3810	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBD4	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-128	9/21/2006 9:53	N	CONDUCT	Specific Conductance	1179	uS/cm	[NULL]	[NULL]	[NULL]	R	B1KBD3	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-128	9/21/2006 9:53	N	TEMPERATURE	Temperature	17.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1KBD3	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-128	9/21/2006 9:53	N	TURBIDITY	Turbidity	2.65	NTU	[NULL]	[NULL]	[NULL]	R	B1KBD3	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-128	9/21/2006 9:53	N	PH	pH Measurement	8.02	unitless	[NULL]	[NULL]	[NULL]	R	B1KBD3	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-128	9/25/2006 14:15	Y	10098-97-2	Strontium-90	2300	pCi/L	[NULL]	[NULL]	[NULL]	S	B1KKH4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-128	10/9/2006 14:38	Y	10098-97-2	Strontium-90	2000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1KWH0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-128	10/23/2006 2:20	Y	7429-90-5	Aluminum	351	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX74	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/23/2006 2:20	Y	7440-36-0	Antimony	72	ug/L	U	[NULL]	[NULL]	S	B1KX74	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/23/2006 2:20	Y	7440-38-2	Arsenic	79	ug/L	U	[NULL]	[NULL]	S	B1KX74	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/23/2006 2:20	Y	7440-39-3	Barium	120	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX74	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/23/2006 2:20	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	S	B1KX74	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/23/2006 2:20	Y	7440-70-2	Calcium	49700	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX74	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/23/2006 2:20	Y	16887-00-6	Chloride	48500	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX74	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	10/23/2006 2:20	Y	7440-47-3	Chromium	7	ug/L	U	[NULL]	[NULL]	S	B1KX74	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/23/2006 2:20	Y	7440-48-4	Cobalt	7	ug/L	U	[NULL]	[NULL]	S	B1KX74	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/23/2006 2:20	Y	7440-50-8	Copper	7	ug/L	U	[NULL]	[NULL]	S	B1KX74	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/23/2006 2:20	Y	16984-48-8	Fluoride	32	ug/L	U	[NULL]	[NULL]	S	B1KX74	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	10/23/2006 2:20	Y	7439-89-6	Iron	467	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX74	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/23/2006 2:20	Y	7439-92-1	Lead	47	ug/L	U	[NULL]	[NULL]	S	B1KX74	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/23/2006 2:20	Y	7439-95-4	Magnesium	8120	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX74	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/23/2006 2:20	Y	7439-96-5	Manganese	1540	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX74	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/23/2006 2:20	Y	7439-98-7	Molybdenum	22.8	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX74	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/23/2006 2:20	Y	7440-02-0	Nickel	5	ug/L	U	[NULL]	[NULL]	S	B1KX74	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/23/2006 2:20	Y	14797-55-8	Nitrate	248	ug/L	B	[NULL]	[NULL]	S	B1KX74	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	10/23/2006 2:20	Y	14797-65-0	Nitrite	378	ug/L	U	[NULL]	[NULL]	S	B1KX74	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	10/23/2006 2:20	Y	14265-44-2	Phosphate	2090	ug/L	B	[NULL]	[NULL]	S	B1KX74	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	10/23/2006 2:20	Y	7440-09-7	Potassium	4010	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX74	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/23/2006 2:20	Y	7440-22-4	Silver	11	ug/L	UX	[NULL]	[NULL]	S	B1KX74	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/23/2006 2:20	Y	7440-23-5	Sodium	169000	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX74	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/23/2006 2:20	Y	7440-24-6	Strontium	247	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX74	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/23/2006 2:20	Y	10098-97-2	Strontium-90	1900	pCi/L	[NULL]	[NULL]	[NULL]	S	B1KX74	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-128	10/23/2006 2:20	Y	14808-79-8	Sulfate	29200	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX74	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	10/23/2006 2:20	Y	7440-62-2	Vanadium	14	ug/L	U	[NULL]	[NULL]	S	B1KX74	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/23/2006 2:20	Y	7440-66-6	Zinc	19.7	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX74	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	11/8/2006 14:30	Y	10098-97-2	Strontium-90	2100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1L9Y1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-128	2/15/2007 15:25	Y	10098-97-2	Strontium-90	680	pCi/L	[NULL]	[NULL]	[NULL]	S	B1LBN7	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-128	5/11/2007 11:16	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NHH8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-128	5/11/2007 11:16	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NHH8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	5/11/2007 11:16	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NHH8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	5/11/2007 11:16	Y	7440-39-3	Barium	24	ug/L	D	[NULL]	[NULL]	S	B1NHH8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	5/11/2007 11:16	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NHH8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	5/11/2007 11:16	Y	7440-70-2	Calcium	23100	ug/L	D	[NULL]	[NULL]	S	B1NHH8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	5/11/2007 11:16	Y	16887-00-6	Chloride	12100	ug/L	D	[NULL]	[NULL]	S	B1NHH8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	5/11/2007 11:16	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NHH8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	5/11/2007 11:16	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NHH8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	5/11/2007 11:16	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NHH8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	5/11/2007 11:16	Y	16984-48-8	Fluoride	91	ug/L	BD	[NULL]	[NULL]	S	B1NHH8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	5/11/2007 11:16	Y	7439-89-6	Iron	63.7	ug/L	D	[NULL]	[NULL]	S	B1NHH8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	5/11/2007 11:16	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NHH8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	5/11/2007 11:16	Y	7439-95-4	Magnesium	3780	ug/L	D	[NULL]	[NULL]	S	B1NHH8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	5/11/2007 11:16	Y	7439-96-5	Manganese	567	ug/L	D	[NULL]	[NULL]	S	B1NHH8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	5/11/2007 11:16	Y	7439-98-7	Molybdenum	21.5	ug/L	D	[NULL]	[NULL]	S	B1NHH8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	5/11/2007 11:16	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NHH8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	5/11/2007 11:16	Y	14797-55-8	Nitrate	491	ug/L	BD	[NULL]	[NULL]	S	B1NHH8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	5/11/2007 11:16	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NHH8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	5/11/2007 11:16	Y	14265-44-2	Phosphate	18200	ug/L	D	[NULL]	[NULL]	S	B1NHH8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	5/11/2007 11:16	Y	7440-09-7	Potassium	2280	ug/L	D	[NULL]	[NULL]	S	B1NHH8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	5/11/2007 11:16	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NHH8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	5/11/2007 11:16	Y	7440-23-5	Sodium	58200	ug/L	D	[NULL]	[NULL]	S	B1NHH8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	5/11/2007 11:16	Y	7440-24-6	Strontium	113	ug/L	D	[NULL]	[NULL]	S	B1NHH8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	5/11/2007 11:16	Y	10098-97-2	Strontium-90	590	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NHH8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-128	5/11/2007 11:16	Y	14808-79-8	Sulfate	11200	ug/L	D	[NULL]	[NULL]	S	B1NHH8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	5/11/2007 11:16	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NHH8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	5/11/2007 11:16	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NHH8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2007 20:10	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVF6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2007 20:10	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVF6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2007 20:10	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVF6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2007 20:10	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2007 20:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2007 20:10	Y	7440-70-2	Calcium	44200	ug/L	D	[NULL]	[NULL]	S	B1NVF6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2007 20:10	Y	16887-00-6	Chloride	68900	ug/L	D	[NULL]	[NULL]	S	B1NVF6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/11/2007 20:10	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2007 20:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2007 20:10	Y	7440-50-8	Copper	20	ug/L	CD	[NULL]	[NULL]	S	B1NVF6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2007 20:10	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NVF6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/11/2007 20:10	Y	7439-89-6	Iron	175	ug/L	CD	[NULL]	[NULL]	S	B1NVF6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2007 20:10	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVF6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2007 20:10	Y	7439-95-4	Magnesium	9340	ug/L	D	[NULL]	[NULL]	S	B1NVF6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2007 20:10	Y	7439-96-5	Manganese	1030	ug/L	D	[NULL]	[NULL]	S	B1NVF6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2007 20:10	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2007 20:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2007 20:10	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NVF6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/11/2007 20:10	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NVF6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/11/2007 20:10	Y	14265-44-2	Phosphate	337000	ug/L	D	[NULL]	[NULL]	S	B1NVF6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/11/2007 20:10	Y	7440-09-7	Potassium	4220	ug/L	D	[NULL]	[NULL]	S	B1NVF6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2007 20:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVF6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2007 20:10	Y	7440-23-5	Sodium	345000	ug/L	D	[NULL]	[NULL]	S	B1NVF6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2007 20:10	Y	7440-24-6	Strontium	170	ug/L	D	[NULL]	[NULL]	S	B1NVF6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2007 20:10	Y	10098-97-2	Strontium-90	860	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVF6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-128	6/11/2007 20:10	Y	14808-79-8	Sulfate	340	ug/L	DU	[NULL]	[NULL]	S	B1NVF6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/11/2007 20:10	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVF6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2007 20:10	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-128	6/12/2007 19:50	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVH7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/12/2007 19:50	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVH7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/12/2007 19:50	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVH7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/12/2007 19:50	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/12/2007 19:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/12/2007 19:50	Y	7440-70-2	Calcium	32800	ug/L	D	[NULL]	[NULL]	S	B1NVH7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/12/2007 19:50	Y	16887-00-6	Chloride	57600	ug/L	D	[NULL]	[NULL]	S	B1NVH7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/12/2007 19:50	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/12/2007 19:50	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/12/2007 19:50	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/12/2007 19:50	Y	16984-48-8	Fluoride	124	ug/L	BD	[NULL]	[NULL]	S	B1NVH7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/12/2007 19:50	Y	7439-89-6	Iron	379	ug/L	D	[NULL]	[NULL]	S	B1NVH7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/12/2007 19:50	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVH7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/12/2007 19:50	Y	7439-95-4	Magnesium	6520	ug/L	D	[NULL]	[NULL]	S	B1NVH7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/12/2007 19:50	Y	7439-96-5	Manganese	830	ug/L	D	[NULL]	[NULL]	S	B1NVH7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/12/2007 19:50	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/12/2007 19:50	Y	7440-02-0	Nickel	22.7	ug/L	D	[NULL]	[NULL]	S	B1NVH7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/12/2007 19:50	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NVH7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/12/2007 19:50	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NVH7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/12/2007 19:50	Y	14265-44-2	Phosphate	286000	ug/L	D	[NULL]	[NULL]	S	B1NVH7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/12/2007 19:50	Y	7440-09-7	Potassium	3550	ug/L	D	[NULL]	[NULL]	S	B1NVH7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/12/2007 19:50	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NVH7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/12/2007 19:50	Y	7440-23-5	Sodium	297000	ug/L	D	[NULL]	[NULL]	S	B1NVH7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/12/2007 19:50	Y	7440-24-6	Strontium	131	ug/L	D	[NULL]	[NULL]	S	B1NVH7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/12/2007 19:50	Y	10098-97-2	Strontium-90	710	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVH7	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-128	6/12/2007 19:50	Y	14808-79-8	Sulfate	340	ug/L	DU	[NULL]	[NULL]	S	B1NVH7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/12/2007 19:50	Y	7440-62-2	Vanadium	51	ug/L	D	[NULL]	[NULL]	S	B1NVH7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/12/2007 19:50	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2007 14:35	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVJ8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2007 14:35	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVJ8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2007 14:35	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVJ8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2007 14:35	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2007 14:35	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2007 14:35	Y	7440-70-2	Calcium	35000	ug/L	D	[NULL]	[NULL]	S	B1NVJ8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2007 14:35	Y	16887-00-6	Chloride	53800	ug/L	D	[NULL]	[NULL]	S	B1NVJ8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/13/2007 14:35	Y	7440-47-3	Chromium	23.1	ug/L	CD	[NULL]	[NULL]	S	B1NVJ8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2007 14:35	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2007 14:35	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2007 14:35	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVJ8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/13/2007 14:35	Y	7439-89-6	Iron	398	ug/L	D	[NULL]	[NULL]	S	B1NVJ8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2007 14:35	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVJ8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2007 14:35	Y	7439-95-4	Magnesium	6830	ug/L	D	[NULL]	[NULL]	S	B1NVJ8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2007 14:35	Y	7439-96-5	Manganese	939	ug/L	D	[NULL]	[NULL]	S	B1NVJ8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2007 14:35	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2007 14:35	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2007 14:35	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVJ8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/13/2007 14:35	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVJ8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/13/2007 14:35	Y	14265-44-2	Phosphate	235000	ug/L	D	[NULL]	[NULL]	S	B1NVJ8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/13/2007 14:35	Y	7440-09-7	Potassium	3510	ug/L	D	[NULL]	[NULL]	S	B1NVJ8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2007 14:35	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NVJ8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2007 14:35	Y	7440-23-5	Sodium	261000	ug/L	D	[NULL]	[NULL]	S	B1NVJ8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2007 14:35	Y	7440-24-6	Strontium	147	ug/L	D	[NULL]	[NULL]	S	B1NVJ8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2007 14:35	Y	10098-97-2	Strontium-90	710	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVJ8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-128	6/13/2007 14:35	Y	14808-79-8	Sulfate	457	ug/L	BD	[NULL]	[NULL]	S	B1NVJ8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/13/2007 14:35	Y	7440-62-2	Vanadium	42	ug/L	D	[NULL]	[NULL]	S	B1NVJ8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-128	6/13/2007 14:35	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2007 19:15	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVK9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2007 19:15	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVK9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2007 19:15	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVK9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2007 19:15	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2007 19:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2007 19:15	Y	7440-70-2	Calcium	37800	ug/L	D	[NULL]	[NULL]	S	B1NVK9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2007 19:15	Y	16887-00-6	Chloride	60700	ug/L	D	[NULL]	[NULL]	S	B1NVK9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/14/2007 19:15	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2007 19:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2007 19:15	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2007 19:15	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVK9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/14/2007 19:15	Y	7439-89-6	Iron	429	ug/L	D	[NULL]	[NULL]	S	B1NVK9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2007 19:15	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVK9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2007 19:15	Y	7439-95-4	Magnesium	7520	ug/L	D	[NULL]	[NULL]	S	B1NVK9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2007 19:15	Y	7439-96-5	Manganese	918	ug/L	D	[NULL]	[NULL]	S	B1NVK9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2007 19:15	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2007 19:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2007 19:15	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVK9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/14/2007 19:15	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVK9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/14/2007 19:15	Y	14265-44-2	Phosphate	228000	ug/L	D	[NULL]	[NULL]	S	B1NVK9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/14/2007 19:15	Y	7440-09-7	Potassium	3840	ug/L	D	[NULL]	[NULL]	S	B1NVK9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2007 19:15	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NVK9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2007 19:15	Y	7440-23-5	Sodium	291000	ug/L	D	[NULL]	[NULL]	S	B1NVK9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2007 19:15	Y	7440-24-6	Strontium	147	ug/L	D	[NULL]	[NULL]	S	B1NVK9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2007 19:15	Y	10098-97-2	Strontium-90	640	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVK9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-128	6/14/2007 19:15	Y	14808-79-8	Sulfate	350	ug/L	DU	[NULL]	[NULL]	S	B1NVK9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/14/2007 19:15	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVK9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2007 19:15	Y	7440-66-6	Zinc	20.5	ug/L	D	[NULL]	[NULL]	S	B1NVK9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/15/2007 9:00	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVN6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/15/2007 9:00	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVN6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/15/2007 9:00	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVN6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/15/2007 9:00	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/15/2007 9:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/15/2007 9:00	Y	7440-70-2	Calcium	36100	ug/L	D	[NULL]	[NULL]	S	B1NVN6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/15/2007 9:00	Y	16887-00-6	Chloride	63900	ug/L	D	[NULL]	[NULL]	S	B1NVN6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/15/2007 9:00	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/15/2007 9:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/15/2007 9:00	Y	7440-50-8	Copper	27	ug/L	D	[NULL]	[NULL]	S	B1NVN6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/15/2007 9:00	Y	16984-48-8	Fluoride	33	ug/L	DNU	[NULL]	[NULL]	S	B1NVN6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/15/2007 9:00	Y	7439-89-6	Iron	418	ug/L	D	[NULL]	[NULL]	S	B1NVN6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/15/2007 9:00	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVN6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/15/2007 9:00	Y	7439-95-4	Magnesium	7410	ug/L	D	[NULL]	[NULL]	S	B1NVN6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/15/2007 9:00	Y	7439-96-5	Manganese	879	ug/L	D	[NULL]	[NULL]	S	B1NVN6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/15/2007 9:00	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/15/2007 9:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/15/2007 9:00	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVN6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/15/2007 9:00	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVN6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/15/2007 9:00	Y	14265-44-2	Phosphate	225000	ug/L	D	[NULL]	[NULL]	S	B1NVN6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/15/2007 9:00	Y	7440-09-7	Potassium	3540	ug/L	D	[NULL]	[NULL]	S	B1NVN6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/15/2007 9:00	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NVN6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/15/2007 9:00	Y	7440-23-5	Sodium	273000	ug/L	D	[NULL]	[NULL]	S	B1NVN6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/15/2007 9:00	Y	7440-24-6	Strontium	143	ug/L	D	[NULL]	[NULL]	S	B1NVN6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/15/2007 9:00	Y	10098-97-2	Strontium-90	1100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVN6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-128	6/15/2007 9:00	Y	14808-79-8	Sulfate	350	ug/L	D	[NULL]	[NULL]	S	B1NVN6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-128	6/15/2007 9:00	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVN6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/15/2007 9:00	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2007 8:01	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVP7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2007 8:01	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVP7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2007 8:01	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVP7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2007 8:01	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2007 8:01	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2007 8:01	Y	7440-70-2	Calcium	25800	ug/L	D	[NULL]	[NULL]	S	B1NVP7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2007 8:01	Y	16887-00-6	Chloride	39500	ug/L	D	[NULL]	[NULL]	S	B1NVP7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/16/2007 8:01	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2007 8:01	Y	7440-48-4	Cobalt	21.9	ug/L	D	[NULL]	[NULL]	S	B1NVP7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2007 8:01	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2007 8:01	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVP7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/16/2007 8:01	Y	7439-89-6	Iron	308	ug/L	D	[NULL]	[NULL]	S	B1NVP7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2007 8:01	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVP7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2007 8:01	Y	7439-95-4	Magnesium	5000	ug/L	D	[NULL]	[NULL]	S	B1NVP7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2007 8:01	Y	7439-96-5	Manganese	654	ug/L	D	[NULL]	[NULL]	S	B1NVP7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2007 8:01	Y	7439-98-7	Molybdenum	31	ug/L	D	[NULL]	[NULL]	S	B1NVP7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2007 8:01	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2007 8:01	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVP7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/16/2007 8:01	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVP7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/16/2007 8:01	Y	14265-44-2	Phosphate	184000	ug/L	D	[NULL]	[NULL]	S	B1NVP7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/16/2007 8:01	Y	7440-09-7	Potassium	3150	ug/L	D	[NULL]	[NULL]	S	B1NVP7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2007 8:01	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVP7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2007 8:01	Y	7440-23-5	Sodium	218000	ug/L	D	[NULL]	[NULL]	S	B1NVP7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2007 8:01	Y	7440-24-6	Strontium	102	ug/L	D	[NULL]	[NULL]	S	B1NVP7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2007 8:01	Y	10098-97-2	Strontium-90	580	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVP7	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-128	6/16/2007 8:01	Y	14808-79-8	Sulfate	2490	ug/L	BD	[NULL]	[NULL]	S	B1NVP7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/16/2007 8:01	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVP7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2007 8:01	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/17/2007 9:00	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVV0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/17/2007 9:00	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVV0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/17/2007 9:00	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVV0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/17/2007 9:00	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/17/2007 9:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/17/2007 9:00	Y	7440-70-2	Calcium	37700	ug/L	D	[NULL]	[NULL]	S	B1NVV0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/17/2007 9:00	Y	16887-00-6	Chloride	58000	ug/L	D	[NULL]	[NULL]	S	B1NVV0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/17/2007 9:00	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/17/2007 9:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/17/2007 9:00	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/17/2007 9:00	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVV0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/17/2007 9:00	Y	7439-89-6	Iron	206	ug/L	D	[NULL]	[NULL]	S	B1NVV0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/17/2007 9:00	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVV0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/17/2007 9:00	Y	7439-95-4	Magnesium	7120	ug/L	D	[NULL]	[NULL]	S	B1NVV0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/17/2007 9:00	Y	7439-96-5	Manganese	889	ug/L	D	[NULL]	[NULL]	S	B1NVV0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/17/2007 9:00	Y	7439-98-7	Molybdenum	20.4	ug/L	CD	[NULL]	[NULL]	S	B1NVV0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/17/2007 9:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/17/2007 9:00	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVV0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/17/2007 9:00	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVV0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/17/2007 9:00	Y	14265-44-2	Phosphate	172000	ug/L	D	[NULL]	[NULL]	S	B1NVV0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/17/2007 9:00	Y	7440-09-7	Potassium	3590	ug/L	D	[NULL]	[NULL]	S	B1NVV0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/17/2007 9:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVV0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/17/2007 9:00	Y	7440-23-5	Sodium	263000	ug/L	D	[NULL]	[NULL]	S	B1NVV0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/17/2007 9:00	Y	7440-24-6	Strontium	150	ug/L	D	[NULL]	[NULL]	S	B1NVV0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/17/2007 9:00	Y	10098-97-2	Strontium-90	1200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVV0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-128	6/17/2007 9:00	Y	14808-79-8	Sulfate	275	ug/L	DU	[NULL]	[NULL]	S	B1NVV0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/17/2007 9:00	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVV0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/17/2007 9:00	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2007 15:52	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVW1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2007 15:52	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVW1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2007 15:52	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVW1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2007 15:52	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2007 15:52	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2007 15:52	Y	7440-70-2	Calcium	40800	ug/L	D	[NULL]	[NULL]	S	B1NVW1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2007 15:52	Y	16887-00-6	Chloride	63500	ug/L	D	[NULL]	[NULL]	S	B1NVW1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/18/2007 15:52	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2007 15:52	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2007 15:52	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2007 15:52	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NVW1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/18/2007 15:52	Y	7439-89-6	Iron	618	ug/L	D	[NULL]	[NULL]	S	B1NVW1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2007 15:52	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVW1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2007 15:52	Y	7439-95-4	Magnesium	7770	ug/L	D	[NULL]	[NULL]	S	B1NVW1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2007 15:52	Y	7439-96-5	Manganese	1040	ug/L	D	[NULL]	[NULL]	S	B1NVW1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2007 15:52	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2007 15:52	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2007 15:52	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1NVW1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/18/2007 15:52	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1NVW1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/18/2007 15:52	Y	14265-44-2	Phosphate	181000	ug/L	DN	[NULL]	[NULL]	S	B1NVW1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/18/2007 15:52	Y	7440-09-7	Potassium	3970	ug/L	D	[NULL]	[NULL]	S	B1NVW1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2007 15:52	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVW1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2007 15:52	Y	7440-23-5	Sodium	291000	ug/L	D	[NULL]	[NULL]	S	B1NVW1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2007 15:52	Y	7440-24-6	Strontium	163	ug/L	D	[NULL]	[NULL]	S	B1NVW1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2007 15:52	Y	10098-97-2	Strontium-90	780	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVW1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-128	6/18/2007 15:52	Y	14808-79-8	Sulfate	350	ug/L	DU	[NULL]	[NULL]	S	B1NVW1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/18/2007 15:52	Y	7440-62-2	Vanadium	53	ug/L	CD	[NULL]	[NULL]	S	B1NVW1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2007 15:52	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/20/2007 8:03	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVY4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/20/2007 8:03	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVY4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/20/2007 8:03	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVY4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/20/2007 8:03	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/20/2007 8:03	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/20/2007 8:03	Y	7440-70-2	Calcium	39300	ug/L	D	[NULL]	[NULL]	S	B1NVY4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/20/2007 8:03	Y	16887-00-6	Chloride	63000	ug/L	D	[NULL]	[NULL]	S	B1NVY4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/20/2007 8:03	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/20/2007 8:03	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/20/2007 8:03	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/20/2007 8:03	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NVY4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/20/2007 8:03	Y	7439-89-6	Iron	736	ug/L	D	[NULL]	[NULL]	S	B1NVY4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/20/2007 8:03	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVY4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/20/2007 8:03	Y	7439-95-4	Magnesium	7840	ug/L	D	[NULL]	[NULL]	S	B1NVY4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/20/2007 8:03	Y	7439-96-5	Manganese	937	ug/L	D	[NULL]	[NULL]	S	B1NVY4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/20/2007 8:03	Y	7439-98-7	Molybdenum	21.2	ug/L	CD	[NULL]	[NULL]	S	B1NVY4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/20/2007 8:03	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/20/2007 8:03	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NVY4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/20/2007 8:03	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NVY4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/20/2007 8:03	Y	14265-44-2	Phosphate	159000	ug/L	D	[NULL]	[NULL]	S	B1NVY4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/20/2007 8:03	Y	7440-09-7	Potassium	3730	ug/L	D	[NULL]	[NULL]	S	B1NVY4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/20/2007 8:03	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVY4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/20/2007 8:03	Y	7440-23-5	Sodium	270000	ug/L	D	[NULL]	[NULL]	S	B1NVY4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/20/2007 8:03	Y	7440-24-6	Strontium	160	ug/L	D	[NULL]	[NULL]	S	B1NVY4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-128	6/20/2007 8:03	Y	10098-97-2	Strontium-90	1100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVY4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-128	6/20/2007 8:03	Y	14808-79-8	Sulfate	340	ug/L	DU	[NULL]	[NULL]	S	B1NVY4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/20/2007 8:03	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVY4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/20/2007 8:03	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/22/2007 8:15	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NW20	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/22/2007 8:15	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NW20	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/22/2007 8:15	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NW20	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/22/2007 8:15	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW20	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/22/2007 8:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW20	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/22/2007 8:15	Y	7440-70-2	Calcium	37000	ug/L	D	[NULL]	[NULL]	S	B1NW20	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/22/2007 8:15	Y	16887-00-6	Chloride	56200	ug/L	D	[NULL]	[NULL]	S	B1NW20	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/22/2007 8:15	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW20	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/22/2007 8:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NW20	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/22/2007 8:15	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NW20	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/22/2007 8:15	Y	16984-48-8	Fluoride	103	ug/L	BD	[NULL]	[NULL]	S	B1NW20	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/22/2007 8:15	Y	7439-89-6	Iron	766	ug/L	D	[NULL]	[NULL]	S	B1NW20	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/22/2007 8:15	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NW20	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/22/2007 8:15	Y	7439-95-4	Magnesium	7240	ug/L	D	[NULL]	[NULL]	S	B1NW20	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/22/2007 8:15	Y	7439-96-5	Manganese	908	ug/L	D	[NULL]	[NULL]	S	B1NW20	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/22/2007 8:15	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NW20	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/22/2007 8:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NW20	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/22/2007 8:15	Y	14797-55-8	Nitrate	1010	ug/L	BD	[NULL]	[NULL]	S	B1NW20	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/22/2007 8:15	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NW20	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/22/2007 8:15	Y	14265-44-2	Phosphate	140000	ug/L	D	[NULL]	[NULL]	S	B1NW20	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/22/2007 8:15	Y	7440-09-7	Potassium	3730	ug/L	D	[NULL]	[NULL]	S	B1NW20	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/22/2007 8:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NW20	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/22/2007 8:15	Y	7440-23-5	Sodium	253000	ug/L	D	[NULL]	[NULL]	S	B1NW20	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/22/2007 8:15	Y	7440-24-6	Strontium	152	ug/L	D	[NULL]	[NULL]	S	B1NW20	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/22/2007 8:15	Y	10098-97-2	Strontium-90	860	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NW20	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-128	6/22/2007 8:15	Y	14808-79-8	Sulfate	340	ug/L	DU	[NULL]	[NULL]	S	B1NW20	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/22/2007 8:15	Y	7440-62-2	Vanadium	47	ug/L	D	[NULL]	[NULL]	S	B1NW20	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/22/2007 8:15	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NW20	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2007 10:12	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P371	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2007 10:12	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P371	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2007 10:12	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P371	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2007 10:12	Y	7440-39-3	Barium	23	ug/L	D	[NULL]	[NULL]	S	B1P371	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2007 10:12	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P371	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2007 10:12	Y	7440-70-2	Calcium	43600	ug/L	D	[NULL]	[NULL]	S	B1P371	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2007 10:12	Y	16887-00-6	Chloride	65900	ug/L	D	[NULL]	[NULL]	S	B1P371	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/29/2007 10:12	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P371	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2007 10:12	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P371	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2007 10:12	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P371	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2007 10:12	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P371	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/29/2007 10:12	Y	7439-89-6	Iron	837	ug/L	CD	[NULL]	[NULL]	S	B1P371	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2007 10:12	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P371	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2007 10:12	Y	7439-95-4	Magnesium	8420	ug/L	D	[NULL]	[NULL]	S	B1P371	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2007 10:12	Y	7439-96-5	Manganese	1010	ug/L	D	[NULL]	[NULL]	S	B1P371	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2007 10:12	Y	7439-98-7	Molybdenum	20.6	ug/L	D	[NULL]	[NULL]	S	B1P371	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2007 10:12	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P371	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2007 10:12	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1P371	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/29/2007 10:12	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P371	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/29/2007 10:12	Y	14265-44-2	Phosphate	130000	ug/L	D	[NULL]	[NULL]	S	B1P371	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/29/2007 10:12	Y	7440-09-7	Potassium	4100	ug/L	D	[NULL]	[NULL]	S	B1P371	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2007 10:12	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P371	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2007 10:12	Y	7440-23-5	Sodium	290000	ug/L	D	[NULL]	[NULL]	S	B1P371	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-128	6/29/2007 10:12	Y	7440-24-6	Strontium	190	ug/L	D	[NULL]	[NULL]	S	B1P371	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2007 10:12	Y	10098-97-2	Strontium-90	1300	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P371	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-128	6/29/2007 10:12	Y	14808-79-8	Sulfate	350	ug/L	DU	[NULL]	[NULL]	S	B1P371	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/29/2007 10:12	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P371	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2007 10:12	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P371	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2007 9:50	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P394	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2007 9:50	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P394	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2007 9:50	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P394	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2007 9:50	Y	7440-39-3	Barium	20	ug/L	D	[NULL]	[NULL]	S	B1P394	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2007 9:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P394	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2007 9:50	Y	7440-70-2	Calcium	48600	ug/L	D	[NULL]	[NULL]	S	B1P394	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2007 9:50	Y	16887-00-6	Chloride	65900	ug/L	D	[NULL]	[NULL]	S	B1P394	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/8/2007 9:50	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P394	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2007 9:50	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P394	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2007 9:50	Y	7440-50-8	Copper	20	ug/L	D	[NULL]	[NULL]	S	B1P394	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2007 9:50	Y	16984-48-8	Fluoride	72	ug/L	BD	[NULL]	[NULL]	S	B1P394	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/8/2007 9:50	Y	7439-89-6	Iron	533	ug/L	D	[NULL]	[NULL]	S	B1P394	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2007 9:50	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P394	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2007 9:50	Y	7439-95-4	Magnesium	8790	ug/L	D	[NULL]	[NULL]	S	B1P394	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2007 9:50	Y	7439-96-5	Manganese	1070	ug/L	D	[NULL]	[NULL]	S	B1P394	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2007 9:50	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1P394	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2007 9:50	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P394	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2007 9:50	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1P394	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/8/2007 9:50	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P394	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/8/2007 9:50	Y	14265-44-2	Phosphate	105000	ug/L	D	[NULL]	[NULL]	S	B1P394	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/8/2007 9:50	Y	7440-09-7	Potassium	4600	ug/L	D	[NULL]	[NULL]	S	B1P394	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2007 9:50	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P394	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2007 9:50	Y	7440-23-5	Sodium	289000	ug/L	D	[NULL]	[NULL]	S	B1P394	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2007 9:50	Y	7440-24-6	Strontium	208	ug/L	D	[NULL]	[NULL]	S	B1P394	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2007 9:50	Y	10098-97-2	Strontium-90	1400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P394	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-128	7/8/2007 9:50	Y	14808-79-8	Sulfate	350	ug/L	DU	[NULL]	[NULL]	S	B1P394	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/8/2007 9:50	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P394	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2007 9:50	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P394	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/13/2007 11:47	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P3C7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/13/2007 11:47	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P3C7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/13/2007 11:47	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P3C7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/13/2007 11:47	Y	7440-39-3	Barium	23	ug/L	D	[NULL]	[NULL]	S	B1P3C7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/13/2007 11:47	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/13/2007 11:47	Y	7440-70-2	Calcium	37800	ug/L	D	[NULL]	[NULL]	S	B1P3C7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/13/2007 11:47	Y	16887-00-6	Chloride	52400	ug/L	D	[NULL]	[NULL]	S	B1P3C7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/13/2007 11:47	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/13/2007 11:47	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/13/2007 11:47	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/13/2007 11:47	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P3C7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/13/2007 11:47	Y	7439-89-6	Iron	758	ug/L	CD	[NULL]	[NULL]	S	B1P3C7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/13/2007 11:47	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P3C7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/13/2007 11:47	Y	7439-95-4	Magnesium	7000	ug/L	D	[NULL]	[NULL]	S	B1P3C7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/13/2007 11:47	Y	7439-96-5	Manganese	904	ug/L	D	[NULL]	[NULL]	S	B1P3C7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/13/2007 11:47	Y	7439-98-7	Molybdenum	26.5	ug/L	D	[NULL]	[NULL]	S	B1P3C7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/13/2007 11:47	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/13/2007 11:47	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1P3C7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/13/2007 11:47	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P3C7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/13/2007 11:47	Y	14265-44-2	Phosphate	122000	ug/L	D	[NULL]	[NULL]	S	B1P3C7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/13/2007 11:47	Y	7440-09-7	Potassium	3650	ug/L	D	[NULL]	[NULL]	S	B1P3C7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/13/2007 11:47	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P3C7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-128	7/13/2007 11:47	Y	7440-23-5	Sodium	245000	ug/L	D	[NULL]	[NULL]	S	B1P3C7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/13/2007 11:47	Y	7440-24-6	Strontium	162	ug/L	D	[NULL]	[NULL]	S	B1P3C7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/13/2007 11:47	Y	10098-97-2	Strontium-90	1100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P3C7	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-128	7/13/2007 11:47	Y	14808-79-8	Sulfate	350	ug/L	DU	[NULL]	[NULL]	S	B1P3C7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/13/2007 11:47	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P3C7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/13/2007 11:47	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/23/2007 10:50	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1PCR3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/23/2007 10:50	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1PCR3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/23/2007 10:50	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1PCR3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/23/2007 10:50	Y	7440-39-3	Barium	48	ug/L	CD	[NULL]	[NULL]	S	B1PCR3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/23/2007 10:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/23/2007 10:50	Y	7440-70-2	Calcium	47700	ug/L	D	[NULL]	[NULL]	S	B1PCR3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/23/2007 10:50	Y	16887-00-6	Chloride	62800	ug/L	D	[NULL]	[NULL]	S	B1PCR3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	8/23/2007 10:50	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/23/2007 10:50	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/23/2007 10:50	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/23/2007 10:50	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1PCR3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	8/23/2007 10:50	Y	7439-89-6	Iron	374	ug/L	CD	[NULL]	[NULL]	S	B1PCR3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/23/2007 10:50	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1PCR3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/23/2007 10:50	Y	7439-95-4	Magnesium	8530	ug/L	D	[NULL]	[NULL]	S	B1PCR3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/23/2007 10:50	Y	7439-96-5	Manganese	1030	ug/L	D	[NULL]	[NULL]	S	B1PCR3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/23/2007 10:50	Y	7439-98-7	Molybdenum	44.9	ug/L	CD	[NULL]	[NULL]	S	B1PCR3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/23/2007 10:50	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/23/2007 10:50	Y	14797-55-8	Nitrate	398	ug/L	BD	[NULL]	[NULL]	S	B1PCR3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	8/23/2007 10:50	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1PCR3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	8/23/2007 10:50	Y	14265-44-2	Phosphate	58900	ug/L	D	[NULL]	[NULL]	S	B1PCR3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	8/23/2007 10:50	Y	7440-09-7	Potassium	4400	ug/L	D	[NULL]	[NULL]	S	B1PCR3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/23/2007 10:50	Y	7440-22-4	Silver	156	ug/L	CD	[NULL]	[NULL]	S	B1PCR3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/23/2007 10:50	Y	7440-23-5	Sodium	251000	ug/L	D	[NULL]	[NULL]	S	B1PCR3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/23/2007 10:50	Y	7440-24-6	Strontium	202	ug/L	D	[NULL]	[NULL]	S	B1PCR3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/23/2007 10:50	Y	10098-97-2	Strontium-90	1400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1PCR3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-128	8/23/2007 10:50	Y	14808-79-8	Sulfate	350	ug/L	DU	[NULL]	[NULL]	S	B1PCR3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	8/23/2007 10:50	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1PCR3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/23/2007 10:50	Y	7440-66-6	Zinc	92.8	ug/L	CD	[NULL]	[NULL]	S	B1PCR3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/19/2007 10:15	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1PMR4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/19/2007 10:15	Y	7440-36-0	Antimony	32	ug/L	U	G	[NULL]	S	B1PMR4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/19/2007 10:15	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1PMR4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/19/2007 10:15	Y	7440-39-3	Barium	28.4	ug/L	[NULL]	G	[NULL]	S	B1PMR4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/19/2007 10:15	Y	7440-43-9	Cadmium	4	ug/L	U	G	[NULL]	S	B1PMR4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/19/2007 10:15	Y	7440-70-2	Calcium	55900	ug/L	D	[NULL]	[NULL]	S	B1PMR4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/19/2007 10:15	Y	16887-00-6	Chloride	63200	ug/L	D	[NULL]	[NULL]	S	B1PMR4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	9/19/2007 10:15	Y	7440-47-3	Chromium	4	ug/L	U	G	[NULL]	S	B1PMR4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/19/2007 10:15	Y	7440-48-4	Cobalt	4	ug/L	U	G	[NULL]	S	B1PMR4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/19/2007 10:15	Y	7440-50-8	Copper	4	ug/L	U	G	[NULL]	S	B1PMR4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/19/2007 10:15	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1PMR4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	9/19/2007 10:15	Y	7439-89-6	Iron	310	ug/L	D	[NULL]	[NULL]	S	B1PMR4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/19/2007 10:15	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1PMR4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/19/2007 10:15	Y	7439-95-4	Magnesium	10600	ug/L	D	[NULL]	[NULL]	S	B1PMR4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/19/2007 10:15	Y	7439-96-5	Manganese	1230	ug/L	D	[NULL]	[NULL]	S	B1PMR4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/19/2007 10:15	Y	7439-98-7	Molybdenum	93.8	ug/L	CD	[NULL]	[NULL]	S	B1PMR4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/19/2007 10:15	Y	7440-02-0	Nickel	4	ug/L	U	G	[NULL]	S	B1PMR4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/19/2007 10:15	Y	14797-55-8	Nitrate	212	ug/L	BD	[NULL]	[NULL]	S	B1PMR4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	9/19/2007 10:15	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1PMR4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	9/19/2007 10:15	Y	14265-44-2	Phosphate	51800	ug/L	D	[NULL]	[NULL]	S	B1PMR4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	9/19/2007 10:15	Y	7440-09-7	Potassium	4760	ug/L	D	[NULL]	[NULL]	S	B1PMR4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-128	9/19/2007 10:15	Y	7440-22-4	Silver	5	ug/L	U	G	[NULL]	S	B1PMR4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/19/2007 10:15	Y	7440-23-5	Sodium	248000	ug/L	D	[NULL]	[NULL]	S	B1PMR4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/19/2007 10:15	Y	7440-24-6	Strontium	229	ug/L	D	[NULL]	[NULL]	S	B1PMR4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/19/2007 10:15	Y	10098-97-2	Strontium-90	1300	pCi/L	[NULL]	[NULL]	[NULL]	S	B1PMR4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-128	9/19/2007 10:15	Y	14808-79-8	Sulfate	3110	ug/L	BD	[NULL]	[NULL]	S	B1PMR4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	9/19/2007 10:15	Y	7440-62-2	Vanadium	10.2	ug/L	C	G	[NULL]	S	B1PMR4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/19/2007 10:15	Y	7440-66-6	Zinc	4	ug/L	U	G	[NULL]	S	B1PMR4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/19/2007 11:00	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1R4M7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/19/2007 11:00	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1R4M7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/19/2007 11:00	Y	7440-38-2	Arsenic	250	ug/L	DNU	[NULL]	[NULL]	S	B1R4M7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/19/2007 11:00	Y	7440-39-3	Barium	72	ug/L	D	[NULL]	[NULL]	S	B1R4M7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/19/2007 11:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1R4M7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/19/2007 11:00	Y	7440-70-2	Calcium	55000	ug/L	D	[NULL]	[NULL]	S	B1R4M7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/19/2007 11:00	Y	16887-00-6	Chloride	56900	ug/L	D	[NULL]	[NULL]	S	B1R4M7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	10/19/2007 11:00	Y	7440-47-3	Chromium	57.4	ug/L	CD	[NULL]	[NULL]	S	B1R4M7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/19/2007 11:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1R4M7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/19/2007 11:00	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1R4M7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/19/2007 11:00	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1R4M7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	10/19/2007 11:00	Y	7439-89-6	Iron	838	ug/L	CD	[NULL]	[NULL]	S	B1R4M7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/19/2007 11:00	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1R4M7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/19/2007 11:00	Y	7439-95-4	Magnesium	10200	ug/L	D	[NULL]	[NULL]	S	B1R4M7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/19/2007 11:00	Y	7439-96-5	Manganese	1150	ug/L	D	[NULL]	[NULL]	S	B1R4M7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/19/2007 11:00	Y	7439-98-7	Molybdenum	60.6	ug/L	CD	[NULL]	[NULL]	S	B1R4M7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/19/2007 11:00	Y	7440-02-0	Nickel	20.7	ug/L	CD	[NULL]	[NULL]	S	B1R4M7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/19/2007 11:00	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1R4M7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	10/19/2007 11:00	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1R4M7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	10/19/2007 11:00	Y	14265-44-2	Phosphate	38000	ug/L	D	[NULL]	[NULL]	S	B1R4M7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	10/19/2007 11:00	Y	7440-09-7	Potassium	4520	ug/L	D	[NULL]	[NULL]	S	B1R4M7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/19/2007 11:00	Y	7440-22-4	Silver	67	ug/L	CD	[NULL]	[NULL]	S	B1R4M7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/19/2007 11:00	Y	7440-23-5	Sodium	210000	ug/L	D	[NULL]	[NULL]	S	B1R4M7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/19/2007 11:00	Y	7440-24-6	Strontium	235	ug/L	D	[NULL]	[NULL]	S	B1R4M7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/19/2007 11:00	Y	10098-97-2	Strontium-90	1600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1R4M7	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-128	10/19/2007 11:00	Y	14808-79-8	Sulfate	11200	ug/L	D	[NULL]	[NULL]	S	B1R4M7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	10/19/2007 11:00	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1R4M7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/19/2007 11:00	Y	7440-66-6	Zinc	65.5	ug/L	CD	[NULL]	[NULL]	S	B1R4M7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/3/2008 17:20	Y	7429-90-5	Aluminum	30	ug/L	U	[NULL]	[NULL]	S	B1VJL5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/3/2008 17:20	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	S	B1VJL5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/3/2008 17:20	Y	7440-38-2	Arsenic	50	ug/L	U	[NULL]	[NULL]	S	B1VJL5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/3/2008 17:20	Y	7440-39-3	Barium	5	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/3/2008 17:20	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1VJL5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/3/2008 17:20	Y	7440-70-2	Calcium	7250	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/3/2008 17:20	Y	16887-00-6	Chloride	2200	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/3/2008 17:20	Y	7440-47-3	Chromium	7.2	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/3/2008 17:20	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1VJL5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/3/2008 17:20	Y	7440-50-8	Copper	4	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/3/2008 17:20	Y	16984-48-8	Fluoride	314	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/3/2008 17:20	Y	12587-46-1	Gross alpha	0.2	pCi/L	U	[NULL]	[NULL]	S	B1VJL5	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	6/3/2008 17:20	Y	12587-47-2	Gross beta	180	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VJL5	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	6/3/2008 17:20	Y	7439-89-6	Iron	11.5	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/3/2008 17:20	Y	7439-92-1	Lead	27	ug/L	U	[NULL]	[NULL]	S	B1VJL5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/3/2008 17:20	Y	7439-95-4	Magnesium	1300	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/3/2008 17:20	Y	7439-96-5	Manganese	102	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/3/2008 17:20	Y	7439-98-7	Molybdenum	4	ug/L	U	[NULL]	[NULL]	S	B1VJL5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/3/2008 17:20	Y	7440-02-0	Nickel	4.5	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/3/2008 17:20	Y	14797-55-8	Nitrate	558	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-128	6/3/2008 17:20	Y	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	S	B1VJL5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/3/2008 17:20	Y	14265-44-2	Phosphate	36200	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/3/2008 17:20	Y	7440-09-7	Potassium	1300	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/3/2008 17:20	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1VJL5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/3/2008 17:20	Y	7440-23-5	Sodium	56600	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/3/2008 17:20	Y	7440-24-6	Strontium	29.9	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/3/2008 17:20	Y	14808-79-8	Sulfate	12000	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/3/2008 17:20	Y	7440-62-2	Vanadium	7	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/3/2008 17:20	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	S	B1VJL5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/6/2008 17:20	Y	7429-90-5	Aluminum	1670	ug/L	D	[NULL]	[NULL]	S	B1VTV6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/6/2008 17:20	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1VTV6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/6/2008 17:20	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1VTV6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/6/2008 17:20	Y	7440-39-3	Barium	33	ug/L	D	[NULL]	[NULL]	S	B1VTV6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/6/2008 17:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VTV6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/6/2008 17:20	Y	7440-70-2	Calcium	126000	ug/L	D	[NULL]	[NULL]	S	B1VTV6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/6/2008 17:20	Y	16887-00-6	Chloride	179000	ug/L	D	[NULL]	[NULL]	S	B1VTV6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/6/2008 17:20	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1VTV6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/6/2008 17:20	Y	7440-48-4	Cobalt	27	ug/L	D	[NULL]	[NULL]	S	B1VTV6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/6/2008 17:20	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1VTV6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/6/2008 17:20	Y	DO	Dissolved oxygen	900	ug/L	[NULL]	[NULL]	[NULL]	S	B1VTV6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	6/6/2008 17:20	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VTV6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/6/2008 17:20	Y	12587-46-1	Gross alpha	-17	pCi/L	U	[NULL]	[NULL]	S	B1VTV6	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	6/6/2008 17:20	Y	12587-47-2	Gross beta	3700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VTV6	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	6/6/2008 17:20	Y	7439-89-6	Iron	634	ug/L	CD	[NULL]	[NULL]	S	B1VTV6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/6/2008 17:20	Y	7439-92-1	Lead	162	ug/L	D	G	[NULL]	S	B1VTV6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/6/2008 17:20	Y	7439-95-4	Magnesium	29500	ug/L	D	[NULL]	[NULL]	S	B1VTV6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/6/2008 17:20	Y	7439-96-5	Manganese	2090	ug/L	D	[NULL]	[NULL]	S	B1VTV6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/6/2008 17:20	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1VTV6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/6/2008 17:20	Y	7440-02-0	Nickel	128	ug/L	D	[NULL]	[NULL]	S	B1VTV6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/6/2008 17:20	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VTV6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/6/2008 17:20	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VTV6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/6/2008 17:20	Y	EH	Oxidation Reduction Potential	-76	mV	[NULL]	[NULL]	[NULL]	S	B1VTV6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-128	6/6/2008 17:20	Y	14265-44-2	Phosphate	1680000	ug/L	D	[NULL]	[NULL]	S	B1VTV6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/6/2008 17:20	Y	7440-09-7	Potassium	6250	ug/L	CD	[NULL]	[NULL]	S	B1VTV6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/6/2008 17:20	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VTV6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/6/2008 17:20	Y	7440-23-5	Sodium	880000	ug/L	D	[NULL]	[NULL]	S	B1VTV6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/6/2008 17:20	Y	CONDUCT	Specific Conductance	3270	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VTV6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-128	6/6/2008 17:20	Y	7440-24-6	Strontium	337	ug/L	D	[NULL]	[NULL]	S	B1VTV6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/6/2008 17:20	Y	14808-79-8	Sulfate	15800	ug/L	D	[NULL]	[NULL]	S	B1VTV6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/6/2008 17:20	Y	TEMPERATURE	Temperature	13.42	Deg C	[NULL]	[NULL]	[NULL]	S	B1VTV6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-128	6/6/2008 17:20	Y	7440-62-2	Vanadium	35.	ug/L	DU	[NULL]	[NULL]	S	B1VTV6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/6/2008 17:20	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1VTV6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/6/2008 17:20	Y	PH	pH Measurement	6.98	unitless	[NULL]	[NULL]	[NULL]	S	B1VTV6	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-128	6/7/2008 8:57	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1VTY2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/7/2008 8:57	Y	7440-36-0	Antimony	177	ug/L	DN	Y	[NULL]	S	B1VTY2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/7/2008 8:57	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1VTY2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/7/2008 8:57	Y	7440-39-3	Barium	24	ug/L	D	[NULL]	[NULL]	S	B1VTY2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/7/2008 8:57	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/7/2008 8:57	Y	7440-70-2	Calcium	66700	ug/L	D	[NULL]	[NULL]	S	B1VTY2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/7/2008 8:57	Y	16887-00-6	Chloride	157000	ug/L	DEX	[NULL]	[NULL]	S	B1VTY2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/7/2008 8:57	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/7/2008 8:57	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/7/2008 8:57	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/7/2008 8:57	Y	DO	Dissolved oxygen	140	ug/L	[NULL]	[NULL]	[NULL]	S	B1VTY2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-128	6/7/2008 8:57	Y	16984-48-8	Fluoride	105	ug/L	DU	[NULL]	[NULL]	S	B1VTY2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/7/2008 8:57	Y	12587-46-1	Gross alpha	2	pCi/L	U	[NULL]	[NULL]	S	B1VTY2	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	6/7/2008 8:57	Y	12587-47-2	Gross beta	2600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VTY2	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	6/7/2008 8:57	Y	7439-89-6	Iron	167	ug/L	CD	[NULL]	[NULL]	S	B1VTY2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/7/2008 8:57	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1VTY2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/7/2008 8:57	Y	7439-95-4	Magnesium	19400	ug/L	D	[NULL]	[NULL]	S	B1VTY2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/7/2008 8:57	Y	7439-96-5	Manganese	1070	ug/L	D	[NULL]	[NULL]	S	B1VTY2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/7/2008 8:57	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/7/2008 8:57	Y	7440-02-0	Nickel	29.3	ug/L	D	[NULL]	[NULL]	S	B1VTY2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/7/2008 8:57	Y	14797-55-8	Nitrate	797	ug/L	DU	[NULL]	[NULL]	S	B1VTY2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/7/2008 8:57	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1VTY2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/7/2008 8:57	Y	EH	Oxidation Reduction Potential	-119	mV	[NULL]	[NULL]	[NULL]	S	B1VTY2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-128	6/7/2008 8:57	Y	14265-44-2	Phosphate	1130000	ug/L	D	[NULL]	[NULL]	S	B1VTY2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/7/2008 8:57	Y	7440-09-7	Potassium	5310	ug/L	D	[NULL]	[NULL]	S	B1VTY2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/7/2008 8:57	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VTY2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/7/2008 8:57	Y	7440-23-5	Sodium	758000	ug/L	D	[NULL]	[NULL]	S	B1VTY2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/7/2008 8:57	Y	CONDUCT	Specific Conductance	3010	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VTY2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-128	6/7/2008 8:57	Y	7440-24-6	Strontium	218	ug/L	D	[NULL]	[NULL]	S	B1VTY2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/7/2008 8:57	Y	14808-79-8	Sulfate	13700	ug/L	D	[NULL]	[NULL]	S	B1VTY2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/7/2008 8:57	Y	TEMPERATURE	Temperature	13.31	Deg C	[NULL]	[NULL]	[NULL]	S	B1VTY2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-128	6/7/2008 8:57	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1VTY2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/7/2008 8:57	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/7/2008 8:57	Y	PH	pH Measurement	6.8	unitless	[NULL]	[NULL]	[NULL]	S	B1VTY2	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-128	6/8/2008 8:05	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1VV18	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/8/2008 8:05	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1VV18	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/8/2008 8:05	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1VV18	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/8/2008 8:05	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV18	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/8/2008 8:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV18	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/8/2008 8:05	Y	7440-70-2	Calcium	35700	ug/L	DN	[NULL]	[NULL]	S	B1VV18	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/8/2008 8:05	Y	16887-00-6	Chloride	130000	ug/L	D	[NULL]	[NULL]	S	B1VV18	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/8/2008 8:05	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV18	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/8/2008 8:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VV18	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/8/2008 8:05	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1VV18	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/8/2008 8:05	Y	DO	Dissolved oxygen	180	ug/L	[NULL]	[NULL]	[NULL]	S	B1VV18	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	6/8/2008 8:05	Y	16984-48-8	Fluoride	105	ug/L	DU	[NULL]	[NULL]	S	B1VV18	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/8/2008 8:05	Y	12587-46-1	Gross alpha	5.5	pCi/L	U	[NULL]	[NULL]	S	B1VV18	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	6/8/2008 8:05	Y	12587-47-2	Gross beta	1700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV18	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	6/8/2008 8:05	Y	7439-89-6	Iron	255	ug/L	D	[NULL]	[NULL]	S	B1VV18	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/8/2008 8:05	Y	7439-92-1	Lead	198	ug/L	CDN	G	[NULL]	S	B1VV18	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/8/2008 8:05	Y	7439-95-4	Magnesium	13200	ug/L	D	[NULL]	[NULL]	S	B1VV18	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/8/2008 8:05	Y	7439-96-5	Manganese	866	ug/L	D	[NULL]	[NULL]	S	B1VV18	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/8/2008 8:05	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1VV18	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/8/2008 8:05	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VV18	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/8/2008 8:05	Y	14797-55-8	Nitrate	797	ug/L	DU	[NULL]	[NULL]	S	B1VV18	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/8/2008 8:05	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1VV18	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/8/2008 8:05	Y	EH	Oxidation Reduction Potential	-140	mV	[NULL]	[NULL]	[NULL]	S	B1VV18	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-128	6/8/2008 8:05	Y	14265-44-2	Phosphate	742000	ug/L	D	[NULL]	[NULL]	S	B1VV18	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/8/2008 8:05	Y	7440-09-7	Potassium	5040	ug/L	D	[NULL]	[NULL]	S	B1VV18	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/8/2008 8:05	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VV18	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/8/2008 8:05	Y	7440-23-5	Sodium	623000	ug/L	D	[NULL]	[NULL]	S	B1VV18	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/8/2008 8:05	Y	CONDUCT	Specific Conductance	2440	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VV18	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-128	6/8/2008 8:05	Y	7440-24-6	Strontium	129	ug/L	D	[NULL]	[NULL]	S	B1VV18	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/8/2008 8:05	Y	14808-79-8	Sulfate	11200	ug/L	D	[NULL]	[NULL]	S	B1VV18	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-128	6/8/2008 8:05	Y	TEMPERATURE	Temperature	13.08	Deg C	[NULL]	[NULL]	[NULL]	S	B1VV18	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-128	6/8/2008 8:05	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1VV18	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/8/2008 8:05	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1VV18	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/8/2008 8:05	Y	PH	pH Measurement	6.87	unitless	[NULL]	[NULL]	[NULL]	S	B1VV18	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-128	6/9/2008 11:33	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VV44	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/9/2008 11:33	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VV44	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/9/2008 11:33	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VV44	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/9/2008 11:33	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV44	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/9/2008 11:33	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV44	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/9/2008 11:33	Y	7440-70-2	Calcium	31600	ug/L	D	[NULL]	[NULL]	S	B1VV44	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/9/2008 11:33	Y	16887-00-6	Chloride	127000	ug/L	D	[NULL]	[NULL]	S	B1VV44	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/9/2008 11:33	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VV44	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/9/2008 11:33	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VV44	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/9/2008 11:33	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VV44	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/9/2008 11:33	Y	DO	Dissolved oxygen	510	ug/L	[NULL]	[NULL]	[NULL]	S	B1VV44	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	6/9/2008 11:33	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VV44	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/9/2008 11:33	Y	12587-46-1	Gross alpha	-4.9	pCi/L	U	[NULL]	[NULL]	S	B1VV44	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	6/9/2008 11:33	Y	12587-47-2	Gross beta	1700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV44	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	6/9/2008 11:33	Y	7439-89-6	Iron	393	ug/L	D	[NULL]	[NULL]	S	B1VV44	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/9/2008 11:33	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VV44	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/9/2008 11:33	Y	7439-95-4	Magnesium	12300	ug/L	DN	[NULL]	[NULL]	S	B1VV44	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/9/2008 11:33	Y	7439-96-5	Manganese	919	ug/L	D	[NULL]	[NULL]	S	B1VV44	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/9/2008 11:33	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VV44	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/9/2008 11:33	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VV44	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/9/2008 11:33	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VV44	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/9/2008 11:33	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VV44	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/9/2008 11:33	Y	EH	Oxidation Reduction Potential	-142	mV	[NULL]	[NULL]	[NULL]	S	B1VV44	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-128	6/9/2008 11:33	Y	14265-44-2	Phosphate	576000	ug/L	D	[NULL]	[NULL]	S	B1VV44	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/9/2008 11:33	Y	7440-09-7	Potassium	4960	ug/L	D	[NULL]	[NULL]	S	B1VV44	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/9/2008 11:33	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VV44	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/9/2008 11:33	Y	7440-23-5	Sodium	582000	ug/L	D	[NULL]	[NULL]	S	B1VV44	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/9/2008 11:33	Y	CONDUCT	Specific Conductance	2250	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VV44	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-128	6/9/2008 11:33	Y	7440-24-6	Strontium	126	ug/L	D	[NULL]	[NULL]	S	B1VV44	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/9/2008 11:33	Y	14808-79-8	Sulfate	6400	ug/L	BD	[NULL]	[NULL]	S	B1VV44	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/9/2008 11:33	Y	TEMPERATURE	Temperature	13.95	Deg C	[NULL]	[NULL]	[NULL]	S	B1VV44	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-128	6/9/2008 11:33	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VV44	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/9/2008 11:33	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VV44	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/9/2008 11:33	Y	PH	pH Measurement	6.95	unitless	[NULL]	[NULL]	[NULL]	S	B1VV44	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-128	6/10/2008 15:58	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VV70	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/10/2008 15:58	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VV70	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/10/2008 15:58	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VV70	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/10/2008 15:58	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV70	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/10/2008 15:58	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV70	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/10/2008 15:58	Y	7440-70-2	Calcium	17600	ug/L	D	[NULL]	[NULL]	S	B1VV70	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/10/2008 15:58	Y	16887-00-6	Chloride	76200	ug/L	D	[NULL]	[NULL]	S	B1VV70	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/10/2008 15:58	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VV70	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/10/2008 15:58	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VV70	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/10/2008 15:58	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VV70	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/10/2008 15:58	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VV70	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/10/2008 15:58	Y	12587-46-1	Gross alpha	1.2	pCi/L	U	[NULL]	[NULL]	S	B1VV70	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	6/10/2008 15:58	Y	12587-47-2	Gross beta	920	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV70	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	6/10/2008 15:58	Y	7439-89-6	Iron	305	ug/L	D	[NULL]	[NULL]	S	B1VV70	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/10/2008 15:58	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VV70	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/10/2008 15:58	Y	7439-95-4	Magnesium	7600	ug/L	D	[NULL]	[NULL]	S	B1VV70	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-128	6/10/2008 15:58	Y	7439-96-5	Manganese	606	ug/L	D	[NULL]	[NULL]	S	B1VV70	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/10/2008 15:58	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VV70	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/10/2008 15:58	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VV70	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/10/2008 15:58	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VV70	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/10/2008 15:58	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VV70	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/10/2008 15:58	Y	14265-44-2	Phosphate	494000	ug/L	D	[NULL]	[NULL]	S	B1VV70	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/10/2008 15:58	Y	7440-09-7	Potassium	3810	ug/L	D	[NULL]	[NULL]	S	B1VV70	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/10/2008 15:58	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VV70	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/10/2008 15:58	Y	7440-23-5	Sodium	424000	ug/L	D	[NULL]	[NULL]	S	B1VV70	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/10/2008 15:58	Y	7440-24-6	Strontium	73.5	ug/L	D	[NULL]	[NULL]	S	B1VV70	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/10/2008 15:58	Y	14808-79-8	Sulfate	6070	ug/L	BD	[NULL]	[NULL]	S	B1VV70	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/10/2008 15:58	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VV70	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/10/2008 15:58	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VV70	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2008 11:21	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VV96	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2008 11:21	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VV96	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2008 11:21	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VV96	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2008 11:21	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV96	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2008 11:21	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV96	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2008 11:21	Y	7440-70-2	Calcium	16000	ug/L	DN	[NULL]	[NULL]	S	B1VV96	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2008 11:21	Y	16887-00-6	Chloride	43700	ug/L	D	[NULL]	[NULL]	S	B1VV96	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/11/2008 11:21	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VV96	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2008 11:21	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VV96	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2008 11:21	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VV96	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2008 11:21	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VV96	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/11/2008 11:21	Y	12587-46-1	Gross alpha	4.6	pCi/L	U	[NULL]	[NULL]	S	B1VV96	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	6/11/2008 11:21	Y	12587-47-2	Gross beta	720	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV96	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	6/11/2008 11:21	Y	7439-89-6	Iron	325	ug/L	D	[NULL]	[NULL]	S	B1VV96	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2008 11:21	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VV96	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2008 11:21	Y	7439-95-4	Magnesium	5590	ug/L	D	[NULL]	[NULL]	S	B1VV96	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2008 11:21	Y	7439-96-5	Manganese	563	ug/L	D	[NULL]	[NULL]	S	B1VV96	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2008 11:21	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VV96	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2008 11:21	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VV96	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2008 11:21	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VV96	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/11/2008 11:21	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VV96	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/11/2008 11:21	Y	14265-44-2	Phosphate	399000	ug/L	D	[NULL]	[NULL]	S	B1VV96	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/11/2008 11:21	Y	7440-09-7	Potassium	3140	ug/L	D	[NULL]	[NULL]	S	B1VV96	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2008 11:21	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VV96	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2008 11:21	Y	7440-23-5	Sodium	327000	ug/L	D	[NULL]	[NULL]	S	B1VV96	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2008 11:21	Y	7440-24-6	Strontium	60	ug/L	D	[NULL]	[NULL]	S	B1VV96	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2008 11:21	Y	14808-79-8	Sulfate	6510	ug/L	BD	[NULL]	[NULL]	S	B1VV96	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/11/2008 11:21	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VV96	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/11/2008 11:21	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VV96	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2008 12:20	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVD2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2008 12:20	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVD2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2008 12:20	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVD2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2008 12:20	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVD2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2008 12:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVD2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2008 12:20	Y	7440-70-2	Calcium	14800	ug/L	DN	[NULL]	[NULL]	S	B1VVD2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2008 12:20	Y	16887-00-6	Chloride	26900	ug/L	D	[NULL]	[NULL]	S	B1VVD2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/13/2008 12:20	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVD2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2008 12:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVD2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2008 12:20	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVD2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2008 12:20	Y	DO	Dissolved oxygen	1910	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVD2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	6/13/2008 12:20	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVD2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/13/2008 12:20	Y	12587-46-1	Gross alpha	1	pCi/L	U	[NULL]	[NULL]	S	B1VVD2	12587-46-1	WSCF	ALPHA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-128	6/13/2008 12:20	Y	12587-47-2	Gross beta	690	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVD2	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	6/13/2008 12:20	Y	7439-89-6	Iron	376	ug/L	D	[NULL]	[NULL]	S	B1VVD2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2008 12:20	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVD2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2008 12:20	Y	7439-95-4	Magnesium	4440	ug/L	D	[NULL]	[NULL]	S	B1VVD2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2008 12:20	Y	7439-96-5	Manganese	502	ug/L	D	[NULL]	[NULL]	S	B1VVD2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2008 12:20	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVD2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2008 12:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVD2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2008 12:20	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVD2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/13/2008 12:20	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVD2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/13/2008 12:20	Y	EH	Oxidation Reduction Potential	-178	mV	[NULL]	[NULL]	[NULL]	S	B1VVD2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-128	6/13/2008 12:20	Y	14265-44-2	Phosphate	325000	ug/L	D	[NULL]	[NULL]	S	B1VVD2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/13/2008 12:20	Y	7440-09-7	Potassium	2590	ug/L	D	[NULL]	[NULL]	S	B1VVD2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2008 12:20	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVD2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2008 12:20	Y	7440-23-5	Sodium	230000	ug/L	D	[NULL]	[NULL]	S	B1VVD2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2008 12:20	Y	CONDUCT	Specific Conductance	1035	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVD2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-128	6/13/2008 12:20	Y	7440-24-6	Strontium	53	ug/L	D	[NULL]	[NULL]	S	B1VVD2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2008 12:20	Y	14808-79-8	Sulfate	5650	ug/L	BD	[NULL]	[NULL]	S	B1VVD2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/13/2008 12:20	Y	TEMPERATURE	Temperature	15.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVD2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-128	6/13/2008 12:20	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVD2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2008 12:20	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVD2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/13/2008 12:20	Y	PH	pH Measurement	7.67	unitless	[NULL]	[NULL]	[NULL]	S	B1VVD2	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-128	6/14/2008 8:04	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVH8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2008 8:04	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVH8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2008 8:04	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVH8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2008 8:04	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVH8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2008 8:04	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVH8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2008 8:04	Y	7440-70-2	Calcium	18400	ug/L	DN	[NULL]	[NULL]	S	B1VVH8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2008 8:04	Y	16887-00-6	Chloride	33100	ug/L	D	[NULL]	[NULL]	S	B1VVH8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/14/2008 8:04	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVH8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2008 8:04	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVH8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2008 8:04	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVH8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2008 8:04	Y	DO	Dissolved oxygen	2170	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVH8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	6/14/2008 8:04	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVH8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/14/2008 8:04	Y	12587-46-1	Gross alpha	2.2	pCi/L	U	[NULL]	[NULL]	S	B1VVH8	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	6/14/2008 8:04	Y	12587-47-2	Gross beta	860	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVH8	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	6/14/2008 8:04	Y	7439-89-6	Iron	1040	ug/L	D	[NULL]	[NULL]	S	B1VVH8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2008 8:04	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVH8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2008 8:04	Y	7439-95-4	Magnesium	5230	ug/L	D	[NULL]	[NULL]	S	B1VVH8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2008 8:04	Y	7439-96-5	Manganese	604	ug/L	D	[NULL]	[NULL]	S	B1VVH8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2008 8:04	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVH8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2008 8:04	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVH8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2008 8:04	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVH8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/14/2008 8:04	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVH8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/14/2008 8:04	Y	EH	Oxidation Reduction Potential	-165	mV	[NULL]	[NULL]	[NULL]	S	B1VVH8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-128	6/14/2008 8:04	Y	14265-44-2	Phosphate	316000	ug/L	D	[NULL]	[NULL]	S	B1VVH8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/14/2008 8:04	Y	7440-09-7	Potassium	2960	ug/L	D	[NULL]	[NULL]	S	B1VVH8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2008 8:04	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVH8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2008 8:04	Y	7440-23-5	Sodium	246000	ug/L	D	[NULL]	[NULL]	S	B1VVH8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2008 8:04	Y	CONDUCT	Specific Conductance	1123	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVH8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-128	6/14/2008 8:04	Y	7440-24-6	Strontium	71	ug/L	D	[NULL]	[NULL]	S	B1VVH8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2008 8:04	Y	14808-79-8	Sulfate	3660	ug/L	BD	[NULL]	[NULL]	S	B1VVH8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/14/2008 8:04	Y	TEMPERATURE	Temperature	13.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVH8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-128	6/14/2008 8:04	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVH8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-128	6/14/2008 8:04	Y	7440-66-6	Zinc	76	ug/L	D	[NULL]	[NULL]	S	B1VVH8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/14/2008 8:04	Y	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	S	B1VVH8	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-128	6/16/2008 10:45	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVL4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2008 10:45	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVL4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2008 10:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVL4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2008 10:45	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVL4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2008 10:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVL4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2008 10:45	Y	7440-70-2	Calcium	16600	ug/L	D	[NULL]	[NULL]	S	B1VVL4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2008 10:45	Y	16887-00-6	Chloride	42900	ug/L	D	[NULL]	[NULL]	S	B1VVL4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/16/2008 10:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVL4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2008 10:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVL4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2008 10:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVL4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2008 10:45	Y	DO	Dissolved oxygen	1460	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVL4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	6/16/2008 10:45	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVL4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/16/2008 10:45	Y	12587-46-1	Gross alpha	2.8	pCi/L	U	[NULL]	[NULL]	S	B1VVL4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	6/16/2008 10:45	Y	12587-47-2	Gross beta	1100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVL4	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	6/16/2008 10:45	Y	7439-89-6	Iron	530	ug/L	D	[NULL]	[NULL]	S	B1VVL4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2008 10:45	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVL4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2008 10:45	Y	7439-95-4	Magnesium	4800	ug/L	D	[NULL]	[NULL]	S	B1VVL4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2008 10:45	Y	7439-96-5	Manganese	529	ug/L	D	[NULL]	[NULL]	S	B1VVL4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2008 10:45	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVL4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2008 10:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVL4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2008 10:45	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVL4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/16/2008 10:45	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVL4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/16/2008 10:45	Y	EH	Oxidation Reduction Potential	-184	mV	[NULL]	[NULL]	[NULL]	S	B1VVL4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-128	6/16/2008 10:45	Y	14265-44-2	Phosphate	280000	ug/L	D	[NULL]	[NULL]	S	B1VVL4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/16/2008 10:45	Y	7440-09-7	Potassium	2450	ug/L	D	[NULL]	[NULL]	S	B1VVL4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2008 10:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVL4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2008 10:45	Y	7440-23-5	Sodium	224000	ug/L	D	[NULL]	[NULL]	S	B1VVL4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2008 10:45	Y	CONDUCT	Specific Conductance	1172	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVL4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-128	6/16/2008 10:45	Y	7440-24-6	Strontium	64.2	ug/L	D	[NULL]	[NULL]	S	B1VVL4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2008 10:45	Y	14808-79-8	Sulfate	1000	ug/L	BD	[NULL]	[NULL]	S	B1VVL4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/16/2008 10:45	Y	TEMPERATURE	Temperature	15.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVL4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-128	6/16/2008 10:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVL4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2008 10:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVL4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/16/2008 10:45	Y	PH	pH Measurement	7.62	unitless	[NULL]	[NULL]	[NULL]	S	B1VVL4	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-128	6/18/2008 6:45	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVP0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2008 6:45	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVP0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2008 6:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVP0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2008 6:45	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVP0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2008 6:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVP0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2008 6:45	Y	7440-70-2	Calcium	16300	ug/L	DN	[NULL]	[NULL]	S	B1VVP0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2008 6:45	Y	16887-00-6	Chloride	28600	ug/L	D	[NULL]	[NULL]	S	B1VVP0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/18/2008 6:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVP0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2008 6:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVP0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2008 6:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVP0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2008 6:45	Y	DO	Dissolved oxygen	2220	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVP0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	6/18/2008 6:45	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVP0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/18/2008 6:45	Y	12587-46-1	Gross alpha	0.91	pCi/L	U	[NULL]	[NULL]	S	B1VVP0	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	6/18/2008 6:45	Y	12587-47-2	Gross beta	700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVP0	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	6/18/2008 6:45	Y	7439-89-6	Iron	561	ug/L	D	[NULL]	[NULL]	S	B1VVP0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2008 6:45	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVP0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2008 6:45	Y	7439-95-4	Magnesium	4370	ug/L	DN	[NULL]	[NULL]	S	B1VVP0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2008 6:45	Y	7439-96-5	Manganese	508	ug/L	D	[NULL]	[NULL]	S	B1VVP0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-128	6/18/2008 6:45	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVP0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2008 6:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVP0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2008 6:45	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVP0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/18/2008 6:45	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVP0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/18/2008 6:45	Y	EH	Oxidation Reduction Potential	-173	mV	[NULL]	[NULL]	[NULL]	S	B1VVP0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-128	6/18/2008 6:45	Y	14265-44-2	Phosphate	255000	ug/L	DN	[NULL]	[NULL]	S	B1VVP0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/18/2008 6:45	Y	7440-09-7	Potassium	2470	ug/L	D	[NULL]	[NULL]	S	B1VVP0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2008 6:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVP0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2008 6:45	Y	7440-23-5	Sodium	207000	ug/L	D	[NULL]	[NULL]	S	B1VVP0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2008 6:45	Y	CONDUCT	Specific Conductance	965.5	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVP0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-128	6/18/2008 6:45	Y	7440-24-6	Strontium	62.7	ug/L	D	[NULL]	[NULL]	S	B1VVP0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2008 6:45	Y	14808-79-8	Sulfate	3310	ug/L	BD	[NULL]	[NULL]	S	B1VVP0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/18/2008 6:45	Y	TEMPERATURE	Temperature	13.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVP0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-128	6/18/2008 6:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVP0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2008 6:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVP0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/18/2008 6:45	Y	PH	pH Measurement	7.73	unitless	[NULL]	[NULL]	[NULL]	S	B1VVP0	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-128	6/27/2008 8:27	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVV2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/27/2008 8:27	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVV2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/27/2008 8:27	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVV2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/27/2008 8:27	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVV2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/27/2008 8:27	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVV2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/27/2008 8:27	Y	7440-70-2	Calcium	17600	ug/L	DN	[NULL]	[NULL]	S	B1VVV2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/27/2008 8:27	Y	16887-00-6	Chloride	32400	ug/L	D	[NULL]	[NULL]	S	B1VVV2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/27/2008 8:27	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVV2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/27/2008 8:27	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVV2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/27/2008 8:27	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVV2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/27/2008 8:27	Y	DO	Dissolved oxygen	1800	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVV2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	6/27/2008 8:27	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVV2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/27/2008 8:27	Y	12587-46-1	Gross alpha	0.018	pCi/L	U	[NULL]	[NULL]	S	B1VVV2	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	6/27/2008 8:27	Y	12587-47-2	Gross beta	980	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVV2	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	6/27/2008 8:27	Y	7439-89-6	Iron	762	ug/L	D	[NULL]	[NULL]	S	B1VVV2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/27/2008 8:27	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVV2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/27/2008 8:27	Y	7439-95-4	Magnesium	4280	ug/L	D	[NULL]	[NULL]	S	B1VVV2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/27/2008 8:27	Y	7439-96-5	Manganese	511	ug/L	D	[NULL]	[NULL]	S	B1VVV2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/27/2008 8:27	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVV2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/27/2008 8:27	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVV2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/27/2008 8:27	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVV2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/27/2008 8:27	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVV2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/27/2008 8:27	Y	EH	Oxidation Reduction Potential	-179	mV	[NULL]	[NULL]	[NULL]	S	B1VVV2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-128	6/27/2008 8:27	Y	14265-44-2	Phosphate	192000	ug/L	D	[NULL]	[NULL]	S	B1VVV2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/27/2008 8:27	Y	7440-09-7	Potassium	2620	ug/L	D	[NULL]	[NULL]	S	B1VVV2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/27/2008 8:27	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVV2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/27/2008 8:27	Y	7440-23-5	Sodium	181000	ug/L	D	[NULL]	[NULL]	S	B1VVV2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/27/2008 8:27	Y	CONDUCT	Specific Conductance	820.1	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVV2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-128	6/27/2008 8:27	Y	7440-24-6	Strontium	74.5	ug/L	D	[NULL]	[NULL]	S	B1VVV2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/27/2008 8:27	Y	14808-79-8	Sulfate	1910	ug/L	BD	[NULL]	[NULL]	S	B1VVV2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/27/2008 8:27	Y	TEMPERATURE	Temperature	14.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVV2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-128	6/27/2008 8:27	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVV2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/27/2008 8:27	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVV2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/27/2008 8:27	Y	PH	pH Measurement	7.57	unitless	[NULL]	[NULL]	[NULL]	S	B1VVV2	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-128	6/29/2008 6:07	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W658	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2008 6:07	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W658	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2008 6:07	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W658	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-128	6/29/2008 6:07	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W658	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2008 6:07	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W658	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2008 6:07	Y	7440-70-2	Calcium	21300	ug/L	DN	[NULL]	[NULL]	S	B1W658	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2008 6:07	Y	16887-00-6	Chloride	23700	ug/L	D	[NULL]	[NULL]	S	B1W658	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/29/2008 6:07	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W658	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2008 6:07	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W658	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2008 6:07	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W658	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2008 6:07	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W658	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/29/2008 6:07	Y	7439-89-6	Iron	730	ug/L	D	[NULL]	[NULL]	S	B1W658	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2008 6:07	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W658	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2008 6:07	Y	7439-95-4	Magnesium	4380	ug/L	D	[NULL]	[NULL]	S	B1W658	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2008 6:07	Y	7439-96-5	Manganese	541	ug/L	D	[NULL]	[NULL]	S	B1W658	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2008 6:07	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W658	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2008 6:07	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W658	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2008 6:07	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W658	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/29/2008 6:07	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W658	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/29/2008 6:07	Y	14265-44-2	Phosphate	177000	ug/L	D	[NULL]	[NULL]	S	B1W658	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/29/2008 6:07	Y	7440-09-7	Potassium	2420	ug/L	D	[NULL]	[NULL]	S	B1W658	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2008 6:07	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W658	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2008 6:07	Y	7440-23-5	Sodium	160000	ug/L	D	[NULL]	[NULL]	S	B1W658	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2008 6:07	Y	7440-24-6	Strontium	76.3	ug/L	D	[NULL]	[NULL]	S	B1W658	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2008 6:07	Y	14808-79-8	Sulfate	1780	ug/L	BD	[NULL]	[NULL]	S	B1W658	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	6/29/2008 6:07	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W658	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	6/29/2008 6:07	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W658	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/3/2008 7:42	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W672	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/3/2008 7:42	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W672	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/3/2008 7:42	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W672	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/3/2008 7:42	Y	7440-39-3	Barium	27	ug/L	D	[NULL]	[NULL]	S	B1W672	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/3/2008 7:42	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W672	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/3/2008 7:42	Y	7440-70-2	Calcium	43600	ug/L	D	[NULL]	[NULL]	S	B1W672	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/3/2008 7:42	Y	16887-00-6	Chloride	137000	ug/L	D	[NULL]	[NULL]	S	B1W672	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/3/2008 7:42	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W672	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/3/2008 7:42	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W672	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/3/2008 7:42	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W672	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/3/2008 7:42	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W672	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/3/2008 7:42	Y	7439-89-6	Iron	2820	ug/L	D	[NULL]	[NULL]	S	B1W672	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/3/2008 7:42	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W672	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/3/2008 7:42	Y	7439-95-4	Magnesium	13000	ug/L	D	[NULL]	[NULL]	S	B1W672	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/3/2008 7:42	Y	7439-96-5	Manganese	1540	ug/L	D	[NULL]	[NULL]	S	B1W672	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/3/2008 7:42	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W672	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/3/2008 7:42	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W672	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/3/2008 7:42	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W672	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/3/2008 7:42	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W672	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/3/2008 7:42	Y	14265-44-2	Phosphate	365000	ug/L	D	[NULL]	[NULL]	S	B1W672	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/3/2008 7:42	Y	7440-09-7	Potassium	4570	ug/L	D	[NULL]	[NULL]	S	B1W672	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/3/2008 7:42	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W672	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/3/2008 7:42	Y	7440-23-5	Sodium	433000	ug/L	D	[NULL]	[NULL]	S	B1W672	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/3/2008 7:42	Y	7440-24-6	Strontium	192	ug/L	D	[NULL]	[NULL]	S	B1W672	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/3/2008 7:42	Y	14808-79-8	Sulfate	785	ug/L	BD	[NULL]	[NULL]	S	B1W672	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/3/2008 7:42	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W672	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/3/2008 7:42	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W672	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/4/2008 11:00	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VWT2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/4/2008 11:00	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VWT2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/4/2008 11:00	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VWT2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/4/2008 11:00	Y	7440-39-3	Barium	43	ug/L	D	[NULL]	[NULL]	S	B1VWT2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-128	7/4/2008 11:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWT2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/4/2008 11:00	Y	7440-70-2	Calcium	57200	ug/L	D	[NULL]	[NULL]	S	B1VWT2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/4/2008 11:00	Y	16887-00-6	Chloride	172000	ug/L	D	[NULL]	[NULL]	S	B1VWT2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/4/2008 11:00	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VWT2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/4/2008 11:00	Y	7440-48-4	Cobalt	22.7	ug/L	D	[NULL]	[NULL]	S	B1VWT2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/4/2008 11:00	Y	7440-50-8	Copper	141	ug/L	D	[NULL]	[NULL]	S	B1VWT2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/4/2008 11:00	Y	DO	Dissolved oxygen	1830	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWN9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	7/4/2008 11:00	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VWT2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/4/2008 11:00	Y	12587-46-1	Gross alpha	1.2	pCi/L	U	[NULL]	[NULL]	S	B1VWN9	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	7/4/2008 11:00	Y	12587-47-2	Gross beta	3200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VWN9	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	7/4/2008 11:00	Y	7439-89-6	Iron	3670	ug/L	CD	[NULL]	[NULL]	S	B1VWT2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/4/2008 11:00	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VWT2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/4/2008 11:00	Y	7439-95-4	Magnesium	16400	ug/L	D	[NULL]	[NULL]	S	B1VWT2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/4/2008 11:00	Y	7439-96-5	Manganese	1900	ug/L	D	[NULL]	[NULL]	S	B1VWT2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/4/2008 11:00	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VWT2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/4/2008 11:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VWT2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/4/2008 11:00	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VWT2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/4/2008 11:00	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VWT2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/4/2008 11:00	Y	EH	Oxidation Reduction Potential	-173	mV	[NULL]	[NULL]	[NULL]	S	B1VWN9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-128	7/4/2008 11:00	Y	14265-44-2	Phosphate	350000	ug/L	D	[NULL]	[NULL]	S	B1VWT2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/4/2008 11:00	Y	7440-09-7	Potassium	5590	ug/L	D	[NULL]	[NULL]	S	B1VWT2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/4/2008 11:00	Y	7440-22-4	Silver	26	ug/L	D	[NULL]	[NULL]	S	B1VWT2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/4/2008 11:00	Y	7440-23-5	Sodium	515000	ug/L	D	[NULL]	[NULL]	S	B1VWT2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/4/2008 11:00	Y	CONDUCT	Specific Conductance	2439	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWN9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-128	7/4/2008 11:00	Y	7440-24-6	Strontium	260	ug/L	D	[NULL]	[NULL]	S	B1VWT2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/4/2008 11:00	Y	14808-79-8	Sulfate	770	ug/L	DU	[NULL]	[NULL]	S	B1VWT2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/4/2008 11:00	Y	TEMPERATURE	Temperature	18.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWN9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-128	7/4/2008 11:00	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VWT2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/4/2008 11:00	Y	7440-66-6	Zinc	105	ug/L	D	[NULL]	[NULL]	S	B1VWT2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/4/2008 11:00	Y	PH	pH Measurement	6.87	unitless	[NULL]	[NULL]	[NULL]	S	B1VWN9	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-128	7/5/2008 9:00	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VX04	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/5/2008 9:00	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VX04	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/5/2008 9:00	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VX04	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/5/2008 9:00	Y	7440-39-3	Barium	33	ug/L	D	[NULL]	[NULL]	S	B1VX04	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/5/2008 9:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VX04	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/5/2008 9:00	Y	7440-70-2	Calcium	51700	ug/L	D	[NULL]	[NULL]	S	B1VX04	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/5/2008 9:00	Y	16887-00-6	Chloride	141000	ug/L	D	[NULL]	[NULL]	S	B1VX04	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/5/2008 9:00	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VX04	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/5/2008 9:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VX04	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/5/2008 9:00	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VX04	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/5/2008 9:00	Y	DO	Dissolved oxygen	1910	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWX9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	7/5/2008 9:00	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VX04	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/5/2008 9:00	Y	12587-46-1	Gross alpha	1.2	pCi/L	U	[NULL]	[NULL]	S	B1VWX9	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	7/5/2008 9:00	Y	12587-47-2	Gross beta	2700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VWX9	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	7/5/2008 9:00	Y	7439-89-6	Iron	2850	ug/L	CD	[NULL]	[NULL]	S	B1VX04	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/5/2008 9:00	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VX04	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/5/2008 9:00	Y	7439-95-4	Magnesium	14800	ug/L	D	[NULL]	[NULL]	S	B1VX04	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/5/2008 9:00	Y	7439-96-5	Manganese	1540	ug/L	D	[NULL]	[NULL]	S	B1VX04	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/5/2008 9:00	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VX04	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/5/2008 9:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VX04	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/5/2008 9:00	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VX04	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/5/2008 9:00	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VX04	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/5/2008 9:00	Y	EH	Oxidation Reduction Potential	-165	mV	[NULL]	[NULL]	[NULL]	S	B1VWX9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-128	7/5/2008 9:00	Y	14265-44-2	Phosphate	262000	ug/L	D	[NULL]	[NULL]	S	B1VX04	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/5/2008 9:00	Y	7440-09-7	Potassium	5250	ug/L	D	[NULL]	[NULL]	S	B1VX04	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/5/2008 9:00	Y	7440-22-4	Silver	45	ug/L	D	[NULL]	[NULL]	S	B1VX04	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/5/2008 9:00	Y	7440-23-5	Sodium	445000	ug/L	D	[NULL]	[NULL]	S	B1VX04	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/5/2008 9:00	Y	CONDUCT	Specific Conductance	2290	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWX9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-128	7/5/2008 9:00	Y	7440-24-6	Strontium	232	ug/L	D	[NULL]	[NULL]	S	B1VX04	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/5/2008 9:00	Y	14808-79-8	Sulfate	770	ug/L	DU	[NULL]	[NULL]	S	B1VX04	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/5/2008 9:00	Y	TEMPERATURE	Temperature	15.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWX9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-128	7/5/2008 9:00	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VX04	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/5/2008 9:00	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VX04	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/5/2008 9:00	Y	PH	pH Measurement	7.07	unitless	[NULL]	[NULL]	[NULL]	S	B1VWX9	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-128	7/6/2008 7:20	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W758	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/6/2008 7:20	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W758	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/6/2008 7:20	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W758	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/6/2008 7:20	Y	7440-39-3	Barium	29	ug/L	D	[NULL]	[NULL]	S	B1W758	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/6/2008 7:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W758	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/6/2008 7:20	Y	7440-70-2	Calcium	43200	ug/L	DN	[NULL]	[NULL]	S	B1W758	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/6/2008 7:20	Y	16887-00-6	Chloride	122000	ug/L	DN	[NULL]	[NULL]	S	B1W758	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/6/2008 7:20	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W758	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/6/2008 7:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W758	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/6/2008 7:20	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W758	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/6/2008 7:20	Y	DO	Dissolved oxygen	1360	ug/L	[NULL]	[NULL]	[NULL]	S	B1VX32	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	7/6/2008 7:20	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W758	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/6/2008 7:20	Y	12587-46-1	Gross alpha	3.6	pCi/L	[NULL]	G	[NULL]	S	B1VX32	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	7/6/2008 7:20	Y	12587-47-2	Gross beta	2300	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VX32	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	7/6/2008 7:20	Y	7439-89-6	Iron	2170	ug/L	D	[NULL]	[NULL]	S	B1W758	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/6/2008 7:20	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W758	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/6/2008 7:20	Y	7439-95-4	Magnesium	11900	ug/L	D	[NULL]	[NULL]	S	B1W758	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/6/2008 7:20	Y	7439-96-5	Manganese	1160	ug/L	D	[NULL]	[NULL]	S	B1W758	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/6/2008 7:20	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W758	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/6/2008 7:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W758	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/6/2008 7:20	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W758	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/6/2008 7:20	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W758	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/6/2008 7:20	Y	EH	Oxidation Reduction Potential	-167	mV	[NULL]	[NULL]	[NULL]	S	B1VX32	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-128	7/6/2008 7:20	Y	14265-44-2	Phosphate	219000	ug/L	D	[NULL]	[NULL]	S	B1W758	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/6/2008 7:20	Y	7440-09-7	Potassium	4420	ug/L	D	[NULL]	[NULL]	S	B1W758	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/6/2008 7:20	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W758	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/6/2008 7:20	Y	7440-23-5	Sodium	379000	ug/L	D	[NULL]	[NULL]	S	B1W758	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/6/2008 7:20	Y	CONDUCT	Specific Conductance	2013	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VX32	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-128	7/6/2008 7:20	Y	7440-24-6	Strontium	196	ug/L	D	[NULL]	[NULL]	S	B1W758	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/6/2008 7:20	Y	14808-79-8	Sulfate	770	ug/L	DU	[NULL]	[NULL]	S	B1W758	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/6/2008 7:20	Y	TEMPERATURE	Temperature	15.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1VX32	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-128	7/6/2008 7:20	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W758	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/6/2008 7:20	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W758	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/6/2008 7:20	Y	PH	pH Measurement	7.15	unitless	[NULL]	[NULL]	[NULL]	S	B1VX32	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-128	7/7/2008 11:35	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W783	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/7/2008 11:35	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W783	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/7/2008 11:35	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W783	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/7/2008 11:35	Y	7440-39-3	Barium	44	ug/L	D	[NULL]	[NULL]	S	B1W783	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/7/2008 11:35	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W783	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/7/2008 11:35	Y	7440-70-2	Calcium	65400	ug/L	D	[NULL]	[NULL]	S	B1W783	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/7/2008 11:35	Y	16887-00-6	Chloride	143000	ug/L	D	[NULL]	[NULL]	S	B1W783	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/7/2008 11:35	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W783	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/7/2008 11:35	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W783	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-128	7/7/2008 11:35	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W783	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/7/2008 11:35	Y	DO	Dissolved oxygen	1270	ug/L	[NULL]	[NULL]	[NULL]	S	B1W768	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	7/7/2008 11:35	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W783	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/7/2008 11:35	Y	12587-46-1	Gross alpha	3.6	pCi/L	U	[NULL]	[NULL]	S	B1W768	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	7/7/2008 11:35	Y	12587-47-2	Gross beta	2000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W768	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	7/7/2008 11:35	Y	7439-89-6	Iron	2570	ug/L	D	[NULL]	[NULL]	S	B1W783	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/7/2008 11:35	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W783	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/7/2008 11:35	Y	7439-95-4	Magnesium	16700	ug/L	DN	[NULL]	[NULL]	S	B1W783	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/7/2008 11:35	Y	7439-96-5	Manganese	1490	ug/L	D	[NULL]	[NULL]	S	B1W783	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/7/2008 11:35	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W783	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/7/2008 11:35	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W783	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/7/2008 11:35	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W783	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/7/2008 11:35	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W783	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/7/2008 11:35	Y	EH	Oxidation Reduction Potential	-169	mV	[NULL]	[NULL]	[NULL]	S	B1W768	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-128	7/7/2008 11:35	Y	14265-44-2	Phosphate	225000	ug/L	D	[NULL]	[NULL]	S	B1W783	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/7/2008 11:35	Y	7440-09-7	Potassium	5720	ug/L	D	[NULL]	[NULL]	S	B1W783	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/7/2008 11:35	Y	7440-22-4	Silver	41	ug/L	D	[NULL]	[NULL]	S	B1W783	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/7/2008 11:35	Y	7440-23-5	Sodium	557000	ug/L	D	[NULL]	[NULL]	S	B1W783	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/7/2008 11:35	Y	CONDUCT	Specific Conductance	1985	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W768	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-128	7/7/2008 11:35	Y	7440-24-6	Strontium	277	ug/L	D	[NULL]	[NULL]	S	B1W783	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/7/2008 11:35	Y	14808-79-8	Sulfate	770	ug/L	DU	[NULL]	[NULL]	S	B1W783	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/7/2008 11:35	Y	TEMPERATURE	Temperature	15.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1W768	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-128	7/7/2008 11:35	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W783	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/7/2008 11:35	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W783	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/7/2008 11:35	Y	PH	pH Measurement	7.12	unitless	[NULL]	[NULL]	[NULL]	S	B1W768	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-128	7/8/2008 12:20	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7F4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2008 12:20	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7F4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2008 12:20	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7F4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2008 12:20	Y	7440-39-3	Barium	40	ug/L	D	[NULL]	[NULL]	S	B1W7F4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2008 12:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7F4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2008 12:20	Y	7440-70-2	Calcium	60500	ug/L	DN	[NULL]	[NULL]	S	B1W7F4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2008 12:20	Y	16887-00-6	Chloride	143000	ug/L	D	[NULL]	[NULL]	S	B1W7F4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/8/2008 12:20	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7F4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2008 12:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7F4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2008 12:20	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7F4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2008 12:20	Y	DO	Dissolved oxygen	1470	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7C1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	7/8/2008 12:20	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W7F4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/8/2008 12:20	Y	12587-46-1	Gross alpha	6.1	pCi/L	U	[NULL]	[NULL]	S	B1W7C1	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	7/8/2008 12:20	Y	12587-47-2	Gross beta	2800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7C1	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	7/8/2008 12:20	Y	7439-89-6	Iron	2200	ug/L	D	[NULL]	[NULL]	S	B1W7F4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2008 12:20	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7F4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2008 12:20	Y	7439-95-4	Magnesium	14700	ug/L	D	[NULL]	[NULL]	S	B1W7F4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2008 12:20	Y	7439-96-5	Manganese	1280	ug/L	D	[NULL]	[NULL]	S	B1W7F4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2008 12:20	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7F4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2008 12:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7F4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2008 12:20	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W7F4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/8/2008 12:20	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W7F4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/8/2008 12:20	Y	EH	Oxidation Reduction Potential	-159	mV	[NULL]	[NULL]	[NULL]	S	B1W7C1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-128	7/8/2008 12:20	Y	14265-44-2	Phosphate	219000	ug/L	D	[NULL]	[NULL]	S	B1W7F4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/8/2008 12:20	Y	7440-09-7	Potassium	4920	ug/L	D	[NULL]	[NULL]	S	B1W7F4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2008 12:20	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W7F4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2008 12:20	Y	7440-23-5	Sodium	447000	ug/L	D	[NULL]	[NULL]	S	B1W7F4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2008 12:20	Y	CONDUCT	Specific Conductance	2084	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7C1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-128	7/8/2008 12:20	Y	7440-24-6	Strontium	249	ug/L	D	[NULL]	[NULL]	S	B1W7F4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2008 12:20	Y	14808-79-8	Sulfate	770	ug/L	DU	[NULL]	[NULL]	S	B1W7F4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/8/2008 12:20	Y	TEMPERATURE	Temperature	15.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7C1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-128	7/8/2008 12:20	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7F4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2008 12:20	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7F4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/8/2008 12:20	Y	PH	pH Measurement	7.15	unitless	[NULL]	[NULL]	[NULL]	S	B1W7C1	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-128	7/9/2008 12:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W851	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/9/2008 12:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W851	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/9/2008 12:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W851	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/9/2008 12:30	Y	7440-39-3	Barium	40	ug/L	D	[NULL]	[NULL]	S	B1W851	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/9/2008 12:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W851	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/9/2008 12:30	Y	7440-70-2	Calcium	57400	ug/L	D	[NULL]	[NULL]	S	B1W851	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/9/2008 12:30	Y	16887-00-6	Chloride	142000	ug/L	D	[NULL]	[NULL]	S	B1W851	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/9/2008 12:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W851	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/9/2008 12:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W851	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/9/2008 12:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W851	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/9/2008 12:30	Y	DO	Dissolved oxygen	780	ug/L	[NULL]	[NULL]	[NULL]	S	B1W836	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	7/9/2008 12:30	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W851	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/9/2008 12:30	Y	12587-46-1	Gross alpha	3.1	pCi/L	U	G	[NULL]	S	B1W836	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	7/9/2008 12:30	Y	12587-47-2	Gross beta	2800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W836	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	7/9/2008 12:30	Y	7439-89-6	Iron	1990	ug/L	D	[NULL]	[NULL]	S	B1W851	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/9/2008 12:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W851	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/9/2008 12:30	Y	7439-95-4	Magnesium	14100	ug/L	D	[NULL]	[NULL]	S	B1W851	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/9/2008 12:30	Y	7439-96-5	Manganese	1130	ug/L	D	[NULL]	[NULL]	S	B1W851	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/9/2008 12:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W851	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/9/2008 12:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W851	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/9/2008 12:30	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W851	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/9/2008 12:30	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W851	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/9/2008 12:30	Y	EH	Oxidation Reduction Potential	-141	mV	[NULL]	[NULL]	[NULL]	S	B1W836	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-128	7/9/2008 12:30	Y	14265-44-2	Phosphate	205000	ug/L	D	[NULL]	[NULL]	S	B1W851	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/9/2008 12:30	Y	7440-09-7	Potassium	5210	ug/L	D	[NULL]	[NULL]	S	B1W851	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/9/2008 12:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W851	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/9/2008 12:30	Y	7440-23-5	Sodium	452000	ug/L	DN	[NULL]	[NULL]	S	B1W851	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/9/2008 12:30	Y	CONDUCT	Specific Conductance	2086	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W836	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-128	7/9/2008 12:30	Y	7440-24-6	Strontium	244	ug/L	D	[NULL]	[NULL]	S	B1W851	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/9/2008 12:30	Y	14808-79-8	Sulfate	770	ug/L	DU	[NULL]	[NULL]	S	B1W851	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/9/2008 12:30	Y	TEMPERATURE	Temperature	15	Deg C	[NULL]	[NULL]	[NULL]	S	B1W836	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-128	7/9/2008 12:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W851	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/9/2008 12:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W851	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/9/2008 12:30	Y	PH	pH Measurement	7.25	unitless	[NULL]	[NULL]	[NULL]	S	B1W836	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-128	7/10/2008 11:25	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7M0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/10/2008 11:25	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7M0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/10/2008 11:25	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7M0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/10/2008 11:25	Y	7440-39-3	Barium	37	ug/L	D	[NULL]	[NULL]	S	B1W7M0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/10/2008 11:25	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7M0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/10/2008 11:25	Y	7440-70-2	Calcium	48700	ug/L	D	[NULL]	[NULL]	S	B1W7M0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/10/2008 11:25	Y	16887-00-6	Chloride	149000	ug/L	D	[NULL]	[NULL]	S	B1W7M0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/10/2008 11:25	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7M0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/10/2008 11:25	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7M0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/10/2008 11:25	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7M0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/10/2008 11:25	Y	DO	Dissolved oxygen	2030	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7J7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	7/10/2008 11:25	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W7M0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/10/2008 11:25	Y	12587-46-1	Gross alpha	5.5	pCi/L	U	[NULL]	[NULL]	S	B1W7J7	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	7/10/2008 11:25	Y	12587-47-2	Gross beta	3000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7J7	12587-47-2	WSCF	BETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-128	7/10/2008 11:25	Y	7439-89-6	Iron	1760	ug/L	D	[NULL]	[NULL]	S	B1W7M0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/10/2008 11:25	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7M0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/10/2008 11:25	Y	7439-95-4	Magnesium	12900	ug/L	D	[NULL]	[NULL]	S	B1W7M0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/10/2008 11:25	Y	7439-96-5	Manganese	1000	ug/L	D	[NULL]	[NULL]	S	B1W7M0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/10/2008 11:25	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7M0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/10/2008 11:25	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7M0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/10/2008 11:25	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W7M0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/10/2008 11:25	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W7M0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/10/2008 11:25	Y	EH	Oxidation Reduction Potential	-159	mV	[NULL]	[NULL]	[NULL]	S	B1W7J7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-128	7/10/2008 11:25	Y	14265-44-2	Phosphate	201000	ug/L	D	[NULL]	[NULL]	S	B1W7M0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/10/2008 11:25	Y	7440-09-7	Potassium	4690	ug/L	D	[NULL]	[NULL]	S	B1W7M0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/10/2008 11:25	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W7M0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/10/2008 11:25	Y	7440-23-5	Sodium	406000	ug/L	D	[NULL]	[NULL]	S	B1W7M0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/10/2008 11:25	Y	CONDUCT	Specific Conductance	2065	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7J7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-128	7/10/2008 11:25	Y	7440-24-6	Strontium	228	ug/L	D	[NULL]	[NULL]	S	B1W7M0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/10/2008 11:25	Y	14808-79-8	Sulfate	770	ug/L	DU	[NULL]	[NULL]	S	B1W7M0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/10/2008 11:25	Y	TEMPERATURE	Temperature	15.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7J7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-128	7/10/2008 11:25	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7M0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/10/2008 11:25	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7M0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/10/2008 11:25	Y	PH	pH Measurement	7.32	unitless	[NULL]	[NULL]	[NULL]	S	B1W7J7	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-128	7/11/2008 10:40	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7V5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/11/2008 10:40	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7V5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/11/2008 10:40	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7V5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/11/2008 10:40	Y	7440-39-3	Barium	32	ug/L	BD	[NULL]	[NULL]	S	B1W7V5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/11/2008 10:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7V5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/11/2008 10:40	Y	7440-70-2	Calcium	48300	ug/L	D	[NULL]	[NULL]	S	B1W7V5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/11/2008 10:40	Y	16887-00-6	Chloride	127000	ug/L	D	[NULL]	[NULL]	S	B1W7V5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/11/2008 10:40	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7V5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/11/2008 10:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7V5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/11/2008 10:40	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7V5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/11/2008 10:40	Y	DO	Dissolved oxygen	1900	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7V5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	7/11/2008 10:40	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W7V5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/11/2008 10:40	Y	12587-46-1	Gross alpha	-1.1	pCi/L	U	G	[NULL]	S	B1W7V5	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	7/11/2008 10:40	Y	12587-47-2	Gross beta	2700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7V5	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	7/11/2008 10:40	Y	7439-89-6	Iron	1520	ug/L	D	[NULL]	[NULL]	S	B1W7V5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/11/2008 10:40	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7V5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/11/2008 10:40	Y	7439-95-4	Magnesium	12200	ug/L	D	[NULL]	[NULL]	S	B1W7V5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/11/2008 10:40	Y	7439-96-5	Manganese	989	ug/L	D	[NULL]	[NULL]	S	B1W7V5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/11/2008 10:40	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7V5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/11/2008 10:40	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7V5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/11/2008 10:40	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W7V5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/11/2008 10:40	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W7V5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/11/2008 10:40	Y	EH	Oxidation Reduction Potential	-152	mV	[NULL]	[NULL]	[NULL]	S	B1W7V5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-128	7/11/2008 10:40	Y	14265-44-2	Phosphate	189000	ug/L	D	[NULL]	[NULL]	S	B1W7V5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/11/2008 10:40	Y	7440-09-7	Potassium	4590	ug/L	D	[NULL]	[NULL]	S	B1W7V5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/11/2008 10:40	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W7V5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/11/2008 10:40	Y	7440-23-5	Sodium	410000	ug/L	DX	[NULL]	[NULL]	S	B1W7V5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/11/2008 10:40	Y	CONDUCT	Specific Conductance	19.73	uS/cm	[NULL]	Y	[NULL]	S	B1W7V5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-128	7/11/2008 10:40	Y	7440-24-6	Strontium	205	ug/L	D	[NULL]	[NULL]	S	B1W7V5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/11/2008 10:40	Y	14808-79-8	Sulfate	770	ug/L	DU	[NULL]	[NULL]	S	B1W7V5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/11/2008 10:40	Y	TEMPERATURE	Temperature	14.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7V5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-128	7/11/2008 10:40	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7V5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/11/2008 10:40	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7V5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-128	7/11/2008 10:40	Y	PH	pH Measurement	7.35	unitless	[NULL]	[NULL]	[NULL]	S	B1W7V5	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-128	7/12/2008 6:20	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7T6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/12/2008 6:20	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7T6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/12/2008 6:20	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7T6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/12/2008 6:20	Y	7440-39-3	Barium	42	ug/L	D	[NULL]	[NULL]	S	B1W7T6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/12/2008 6:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7T6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/12/2008 6:20	Y	7440-70-2	Calcium	51200	ug/L	DX	[NULL]	[NULL]	S	B1W7T6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/12/2008 6:20	Y	16887-00-6	Chloride	118000	ug/L	D	[NULL]	[NULL]	S	B1W7T6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/12/2008 6:20	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7T6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/12/2008 6:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7T6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/12/2008 6:20	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7T6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/12/2008 6:20	Y	DO	Dissolved oxygen	1760	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7P3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	7/12/2008 6:20	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1W7T6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/12/2008 6:20	Y	12587-46-1	Gross alpha	15	pCi/L	U	[NULL]	[NULL]	S	B1W7P3	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	7/12/2008 6:20	Y	12587-47-2	Gross beta	2800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7P3	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	7/12/2008 6:20	Y	7439-89-6	Iron	1800	ug/L	D	[NULL]	[NULL]	S	B1W7T6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/12/2008 6:20	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7T6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/12/2008 6:20	Y	7439-95-4	Magnesium	12500	ug/L	D	[NULL]	[NULL]	S	B1W7T6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/12/2008 6:20	Y	7439-96-5	Manganese	1050	ug/L	D	[NULL]	[NULL]	S	B1W7T6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/12/2008 6:20	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7T6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/12/2008 6:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7T6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/12/2008 6:20	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1W7T6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/12/2008 6:20	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1W7T6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/12/2008 6:20	Y	EH	Oxidation Reduction Potential	-164	mV	[NULL]	[NULL]	[NULL]	S	B1W7P3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-128	7/12/2008 6:20	Y	14265-44-2	Phosphate	201000	ug/L	D	[NULL]	[NULL]	S	B1W7T6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/12/2008 6:20	Y	7440-09-7	Potassium	4640	ug/L	D	[NULL]	[NULL]	S	B1W7T6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/12/2008 6:20	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W7T6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/12/2008 6:20	Y	7440-23-5	Sodium	393000	ug/L	DX	[NULL]	[NULL]	S	B1W7T6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/12/2008 6:20	Y	CONDUCT	Specific Conductance	2028	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7P3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-128	7/12/2008 6:20	Y	7440-24-6	Strontium	222	ug/L	DN	[NULL]	[NULL]	S	B1W7T6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/12/2008 6:20	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1W7T6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/12/2008 6:20	Y	TEMPERATURE	Temperature	14.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7P3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-128	7/12/2008 6:20	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7T6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/12/2008 6:20	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7T6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/12/2008 6:20	Y	PH	pH Measurement	7.24	unitless	[NULL]	[NULL]	[NULL]	S	B1W7P3	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-128	7/14/2008 10:15	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W881	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/14/2008 10:15	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W881	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/14/2008 10:15	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W881	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/14/2008 10:15	Y	7440-39-3	Barium	35	ug/L	D	[NULL]	[NULL]	S	B1W881	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/14/2008 10:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W881	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/14/2008 10:15	Y	7440-70-2	Calcium	47400	ug/L	D	[NULL]	[NULL]	S	B1W881	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/14/2008 10:15	Y	16887-00-6	Chloride	111000	ug/L	D	[NULL]	[NULL]	S	B1W881	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/14/2008 10:15	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W881	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/14/2008 10:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W881	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/14/2008 10:15	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W881	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/14/2008 10:15	Y	DO	Dissolved oxygen	1130	ug/L	[NULL]	[NULL]	[NULL]	S	B1W866	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	7/14/2008 10:15	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W881	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/14/2008 10:15	Y	12587-46-1	Gross alpha	1.6	pCi/L	U	G	[NULL]	S	B1W866	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	7/14/2008 10:15	Y	12587-47-2	Gross beta	3200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W866	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	7/14/2008 10:15	Y	7439-89-6	Iron	1510	ug/L	D	[NULL]	[NULL]	S	B1W881	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/14/2008 10:15	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W881	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/14/2008 10:15	Y	7439-95-4	Magnesium	12000	ug/L	D	[NULL]	[NULL]	S	B1W881	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/14/2008 10:15	Y	7439-96-5	Manganese	1040	ug/L	D	[NULL]	[NULL]	S	B1W881	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/14/2008 10:15	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W881	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-128	7/14/2008 10:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W881	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/14/2008 10:15	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W881	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/14/2008 10:15	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W881	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/14/2008 10:15	Y	EH	Oxidation Reduction Potential	-155	mV	[NULL]	[NULL]	[NULL]	S	B1W866	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-128	7/14/2008 10:15	Y	14265-44-2	Phosphate	225000	ug/L	D	[NULL]	[NULL]	S	B1W881	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/14/2008 10:15	Y	7440-09-7	Potassium	4670	ug/L	D	[NULL]	[NULL]	S	B1W881	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/14/2008 10:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W881	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/14/2008 10:15	Y	7440-23-5	Sodium	405000	ug/L	D	[NULL]	[NULL]	S	B1W881	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/14/2008 10:15	Y	CONDUCT	Specific Conductance	1906	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W866	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-128	7/14/2008 10:15	Y	7440-24-6	Strontium	213	ug/L	DN	[NULL]	[NULL]	S	B1W881	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/14/2008 10:15	Y	14808-79-8	Sulfate	770	ug/L	DU	[NULL]	[NULL]	S	B1W881	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/14/2008 10:15	Y	TEMPERATURE	Temperature	15.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1W866	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-128	7/14/2008 10:15	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W881	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/14/2008 10:15	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W881	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/14/2008 10:15	Y	PH	pH Measurement	7.32	unitless	[NULL]	[NULL]	[NULL]	S	B1W866	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-128	7/17/2008 16:16	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W808	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2008 16:16	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W808	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2008 16:16	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W808	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2008 16:16	Y	7440-39-3	Barium	48	ug/L	D	[NULL]	[NULL]	S	B1W808	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2008 16:16	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W808	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2008 16:16	Y	7440-70-2	Calcium	69300	ug/L	D	[NULL]	[NULL]	S	B1W808	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2008 16:16	Y	16887-00-6	Chloride	139000	ug/L	D	[NULL]	[NULL]	S	B1W808	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/17/2008 16:16	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W808	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2008 16:16	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W808	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2008 16:16	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W808	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2008 16:16	Y	DO	Dissolved oxygen	930	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7Y3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	7/17/2008 16:16	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1W808	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/17/2008 16:16	Y	12587-46-1	Gross alpha	-6.2	pCi/L	U	[NULL]	[NULL]	S	B1W7Y3	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	7/17/2008 16:16	Y	12587-47-2	Gross beta	3700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7Y3	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	7/17/2008 16:16	Y	7439-89-6	Iron	1460	ug/L	D	[NULL]	[NULL]	S	B1W808	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2008 16:16	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W808	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2008 16:16	Y	7439-95-4	Magnesium	15200	ug/L	D	[NULL]	[NULL]	S	B1W808	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2008 16:16	Y	7439-96-5	Manganese	1380	ug/L	D	[NULL]	[NULL]	S	B1W808	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2008 16:16	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W808	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2008 16:16	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W808	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2008 16:16	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1W808	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/17/2008 16:16	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1W808	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/17/2008 16:16	Y	EH	Oxidation Reduction Potential	-159	mV	[NULL]	[NULL]	[NULL]	S	B1W7Y3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-128	7/17/2008 16:16	Y	14265-44-2	Phosphate	207000	ug/L	D	[NULL]	[NULL]	S	B1W808	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/17/2008 16:16	Y	7440-09-7	Potassium	4990	ug/L	D	[NULL]	[NULL]	S	B1W808	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2008 16:16	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W808	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2008 16:16	Y	7440-23-5	Sodium	442000	ug/L	DX	[NULL]	[NULL]	S	B1W808	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2008 16:16	Y	CONDUCT	Specific Conductance	2111	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7Y3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-128	7/17/2008 16:16	Y	7440-24-6	Strontium	318	ug/L	D	[NULL]	[NULL]	S	B1W808	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2008 16:16	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1W808	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/17/2008 16:16	Y	TEMPERATURE	Temperature	19.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7Y3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-128	7/17/2008 16:16	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W808	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2008 16:16	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W808	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/17/2008 16:16	Y	PH	pH Measurement	6.88	unitless	[NULL]	[NULL]	[NULL]	S	B1W7Y3	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-128	7/18/2008 9:38	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WCB1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/18/2008 9:38	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WCB1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/18/2008 9:38	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WCB1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/18/2008 9:38	Y	7440-39-3	Barium	44	ug/L	D	[NULL]	[NULL]	S	B1WCB1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-128	7/18/2008 9:38	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCB1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/18/2008 9:38	Y	7440-70-2	Calcium	65900	ug/L	D	[NULL]	[NULL]	S	B1WCB1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/18/2008 9:38	Y	16887-00-6	Chloride	142000	ug/L	D	[NULL]	[NULL]	S	B1WCB1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/18/2008 9:38	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WCB1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/18/2008 9:38	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WCB1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/18/2008 9:38	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WCB1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/18/2008 9:38	Y	DO	Dissolved oxygen	1860	ug/L	[NULL]	[NULL]	[NULL]	S	B1WCB1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	7/18/2008 9:38	Y	16984-48-8	Fluoride	232	ug/L	DNU	[NULL]	[NULL]	S	B1WCB1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/18/2008 9:38	Y	12587-46-1	Gross alpha	5.3	pCi/L	[NULL]	G	[NULL]	S	B1WCB1	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	7/18/2008 9:38	Y	12587-47-2	Gross beta	3100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WCB1	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	7/18/2008 9:38	Y	7439-89-6	Iron	1220	ug/L	D	[NULL]	[NULL]	S	B1WCB1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/18/2008 9:38	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WCB1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/18/2008 9:38	Y	7439-95-4	Magnesium	14900	ug/L	D	[NULL]	[NULL]	S	B1WCB1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/18/2008 9:38	Y	7439-96-5	Manganese	1170	ug/L	D	[NULL]	[NULL]	S	B1WCB1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/18/2008 9:38	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WCB1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/18/2008 9:38	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WCB1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/18/2008 9:38	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WCB1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/18/2008 9:38	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WCB1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/18/2008 9:38	Y	EH	Oxidation Reduction Potential	-149	mV	[NULL]	[NULL]	[NULL]	S	B1WCB1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-128	7/18/2008 9:38	Y	14265-44-2	Phosphate	175000	ug/L	D	[NULL]	[NULL]	S	B1WCB1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/18/2008 9:38	Y	7440-09-7	Potassium	5180	ug/L	D	[NULL]	[NULL]	S	B1WCB1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/18/2008 9:38	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WCB1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/18/2008 9:38	Y	7440-23-5	Sodium	436000	ug/L	DX	[NULL]	[NULL]	S	B1WCB1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/18/2008 9:38	Y	CONDUCT	Specific Conductance	2116	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WCB1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-128	7/18/2008 9:38	Y	7440-24-6	Strontium	305	ug/L	D	[NULL]	[NULL]	S	B1WCB1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/18/2008 9:38	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WCB1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/18/2008 9:38	Y	TEMPERATURE	Temperature	15.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1WCB1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-128	7/18/2008 9:38	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WCB1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/18/2008 9:38	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WCB1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/18/2008 9:38	Y	PH	pH Measurement	7.44	unitless	[NULL]	[NULL]	[NULL]	S	B1WCB1	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-128	7/19/2008 7:31	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WCD9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/19/2008 7:31	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WCD9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/19/2008 7:31	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WCD9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/19/2008 7:31	Y	7440-39-3	Barium	42	ug/L	D	[NULL]	[NULL]	S	B1WCD9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/19/2008 7:31	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCD9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/19/2008 7:31	Y	7440-70-2	Calcium	60500	ug/L	D	[NULL]	[NULL]	S	B1WCD9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/19/2008 7:31	Y	16887-00-6	Chloride	138000	ug/L	D	[NULL]	[NULL]	S	B1WCD9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/19/2008 7:31	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WCD9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/19/2008 7:31	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WCD9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/19/2008 7:31	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WCD9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/19/2008 7:31	Y	DO	Dissolved oxygen	2790	ug/L	[NULL]	[NULL]	[NULL]	S	B1WCC8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	7/19/2008 7:31	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WCD9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/19/2008 7:31	Y	12587-46-1	Gross alpha	2.67	pCi/L	U	[NULL]	[NULL]	S	B1WCC8	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-128	7/19/2008 7:31	Y	12587-47-2	Gross beta	2980	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WCC8	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-128	7/19/2008 7:31	Y	7439-89-6	Iron	1180	ug/L	D	[NULL]	[NULL]	S	B1WCD9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/19/2008 7:31	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WCD9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/19/2008 7:31	Y	7439-95-4	Magnesium	14700	ug/L	D	[NULL]	[NULL]	S	B1WCD9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/19/2008 7:31	Y	7439-96-5	Manganese	1020	ug/L	D	[NULL]	[NULL]	S	B1WCD9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/19/2008 7:31	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WCD9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/19/2008 7:31	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WCD9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/19/2008 7:31	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WCD9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/19/2008 7:31	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WCD9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/19/2008 7:31	Y	EH	Oxidation Reduction Potential	-149	mV	[NULL]	[NULL]	[NULL]	S	B1WCC8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-128	7/19/2008 7:31	Y	14265-44-2	Phosphate	158000	ug/L	D	[NULL]	[NULL]	S	B1WCD9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/19/2008 7:31	Y	7440-09-7	Potassium	4870	ug/L	D	[NULL]	[NULL]	S	B1WCD9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/19/2008 7:31	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WCD9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/19/2008 7:31	Y	7440-23-5	Sodium	415000	ug/L	D	[NULL]	[NULL]	S	B1WCD9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/19/2008 7:31	Y	CONDUCT	Specific Conductance	2183	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WCC8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-128	7/19/2008 7:31	Y	7440-24-6	Strontium	294	ug/L	D	[NULL]	[NULL]	S	B1WCD9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/19/2008 7:31	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WCD9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/19/2008 7:31	Y	TEMPERATURE	Temperature	14.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1WCC8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-128	7/19/2008 7:31	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WCD9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/19/2008 7:31	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WCD9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/19/2008 7:31	Y	PH	pH Measurement	7.36	unitless	[NULL]	[NULL]	[NULL]	S	B1WCC8	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-128	7/25/2008 9:51	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WLF4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/25/2008 9:51	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WLF4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/25/2008 9:51	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WLF4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/25/2008 9:51	Y	7440-39-3	Barium	59	ug/L	BD	[NULL]	[NULL]	S	B1WLF4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/25/2008 9:51	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLF4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/25/2008 9:51	Y	7440-70-2	Calcium	80400	ug/L	DX	[NULL]	[NULL]	S	B1WLF4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/25/2008 9:51	Y	16887-00-6	Chloride	189000	ug/L	D	[NULL]	[NULL]	S	B1WLF4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/25/2008 9:51	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WLF4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/25/2008 9:51	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WLF4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/25/2008 9:51	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WLF4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/25/2008 9:51	Y	DO	Dissolved oxygen	1110	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLF4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	7/25/2008 9:51	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WLF4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/25/2008 9:51	Y	12587-46-1	Gross alpha	3.1	pCi/L	U	[NULL]	[NULL]	S	B1WLF4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	7/25/2008 9:51	Y	12587-47-2	Gross beta	4500	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WLF4	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	7/25/2008 9:51	Y	7439-89-6	Iron	1870	ug/L	D	[NULL]	[NULL]	S	B1WLF4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/25/2008 9:51	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WLF4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/25/2008 9:51	Y	7439-95-4	Magnesium	19800	ug/L	D	[NULL]	[NULL]	S	B1WLF4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/25/2008 9:51	Y	7439-96-5	Manganese	1410	ug/L	D	[NULL]	[NULL]	S	B1WLF4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/25/2008 9:51	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WLF4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/25/2008 9:51	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WLF4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/25/2008 9:51	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WLF4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/25/2008 9:51	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WLF4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/25/2008 9:51	Y	EH	Oxidation Reduction Potential	-170	mV	[NULL]	[NULL]	[NULL]	S	B1WLF4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-128	7/25/2008 9:51	Y	14265-44-2	Phosphate	180000	ug/L	D	[NULL]	[NULL]	S	B1WLF4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/25/2008 9:51	Y	7440-09-7	Potassium	6300	ug/L	D	[NULL]	[NULL]	S	B1WLF4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/25/2008 9:51	Y	7440-22-4	Silver	65	ug/L	BCD	[NULL]	[NULL]	S	B1WLF4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/25/2008 9:51	Y	7440-23-5	Sodium	682000	ug/L	D	[NULL]	[NULL]	S	B1WLF4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/25/2008 9:51	Y	CONDUCT	Specific Conductance	3079	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLF4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-128	7/25/2008 9:51	Y	7440-24-6	Strontium	407	ug/L	D	[NULL]	[NULL]	S	B1WLF4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/25/2008 9:51	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WLF4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	7/25/2008 9:51	Y	TEMPERATURE	Temperature	16.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLF4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-128	7/25/2008 9:51	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WLF4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/25/2008 9:51	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WLF4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	7/25/2008 9:51	Y	PH	pH Measurement	7.17	unitless	[NULL]	[NULL]	[NULL]	S	B1WLF4	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-128	8/1/2008 11:15	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WN48	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/1/2008 11:15	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WN48	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/1/2008 11:15	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WN48	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/1/2008 11:15	Y	7440-39-3	Barium	104	ug/L	D	[NULL]	[NULL]	S	B1WN48	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/1/2008 11:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WN48	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/1/2008 11:15	Y	7440-70-2	Calcium	137000	ug/L	D	[NULL]	[NULL]	S	B1WN48	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/1/2008 11:15	Y	16887-00-6	Chloride	215000	ug/L	D	[NULL]	[NULL]	S	B1WNP6	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-128	8/1/2008 11:15	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WN48	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/1/2008 11:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WN48	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-128	8/1/2008 11:15	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WN48	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/1/2008 11:15	Y	DO	Dissolved oxygen	1240	ug/L	[NULL]	[NULL]	[NULL]	S	B1WN48	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	8/1/2008 11:15	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WNP6	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-128	8/1/2008 11:15	Y	12587-46-1	Gross alpha	6.1	pCi/L	U	[NULL]	[NULL]	S	B1WN48	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	8/1/2008 11:15	Y	12587-47-2	Gross beta	6300	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WN48	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	8/1/2008 11:15	Y	7439-89-6	Iron	2620	ug/L	D	[NULL]	[NULL]	S	B1WN48	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/1/2008 11:15	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WN48	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/1/2008 11:15	Y	7439-95-4	Magnesium	29400	ug/L	D	[NULL]	[NULL]	S	B1WN48	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/1/2008 11:15	Y	7439-96-5	Manganese	2090	ug/L	D	[NULL]	[NULL]	S	B1WN48	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/1/2008 11:15	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WN48	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/1/2008 11:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WN48	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/1/2008 11:15	Y	14797-55-8	Nitrate	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNP6	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-128	8/1/2008 11:15	Y	14797-65-0	Nitrite	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNP6	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-128	8/1/2008 11:15	Y	EH	Oxidation Reduction Potential	-171	mV	[NULL]	[NULL]	[NULL]	S	B1WN48	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-128	8/1/2008 11:15	Y	14265-44-2	Phosphate	134000	ug/L	D	[NULL]	[NULL]	S	B1WNP6	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-128	8/1/2008 11:15	Y	7440-09-7	Potassium	7920	ug/L	D	[NULL]	[NULL]	S	B1WN48	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/1/2008 11:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WN48	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/1/2008 11:15	Y	7440-23-5	Sodium	870000	ug/L	D	[NULL]	[NULL]	S	B1WN48	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/1/2008 11:15	Y	CONDUCT	Specific Conductance	3227	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WN48	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-128	8/1/2008 11:15	Y	7440-24-6	Strontium	658	ug/L	D	[NULL]	[NULL]	S	B1WN48	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/1/2008 11:15	Y	14808-79-8	Sulfate	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNP6	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-128	8/1/2008 11:15	Y	TEMPERATURE	Temperature	19.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1WN48	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-128	8/1/2008 11:15	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WN48	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/1/2008 11:15	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WN48	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/1/2008 11:15	Y	PH	pH Measurement	7.21	unitless	[NULL]	[NULL]	[NULL]	S	B1WN48	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-128	8/8/2008 8:25	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WNL1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/8/2008 8:25	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WNL1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/8/2008 8:25	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WNL1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/8/2008 8:25	Y	7440-39-3	Barium	71	ug/L	D	[NULL]	[NULL]	S	B1WNL1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/8/2008 8:25	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WNL1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/8/2008 8:25	Y	7440-70-2	Calcium	87600	ug/L	DN	[NULL]	[NULL]	S	B1WNL1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/8/2008 8:25	Y	16887-00-6	Chloride	252000	ug/L	D	[NULL]	[NULL]	S	B1WP03	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-128	8/8/2008 8:25	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WNL1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/8/2008 8:25	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WNL1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/8/2008 8:25	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WNL1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/8/2008 8:25	Y	DO	Dissolved oxygen	1570	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNL1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	8/8/2008 8:25	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP03	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-128	8/8/2008 8:25	Y	12587-46-1	Gross alpha	10	pCi/L	U	[NULL]	[NULL]	S	B1WNL1	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	8/8/2008 8:25	Y	12587-47-2	Gross beta	4400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WNL1	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	8/8/2008 8:25	Y	7439-89-6	Iron	1390	ug/L	CD	[NULL]	[NULL]	S	B1WNL1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/8/2008 8:25	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WNL1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/8/2008 8:25	Y	7439-95-4	Magnesium	19000	ug/L	DN	[NULL]	[NULL]	S	B1WNL1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/8/2008 8:25	Y	7439-96-5	Manganese	1170	ug/L	D	[NULL]	[NULL]	S	B1WNL1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/8/2008 8:25	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WNL1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/8/2008 8:25	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WNL1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/8/2008 8:25	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP03	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-128	8/8/2008 8:25	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP03	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-128	8/8/2008 8:25	Y	EH	Oxidation Reduction Potential	-256	mV	[NULL]	[NULL]	[NULL]	S	B1WNL1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-128	8/8/2008 8:25	Y	14265-44-2	Phosphate	180000	ug/L	D	[NULL]	[NULL]	S	B1WP03	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-128	8/8/2008 8:25	Y	7440-09-7	Potassium	6120	ug/L	D	[NULL]	[NULL]	S	B1WNL1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/8/2008 8:25	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WNL1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/8/2008 8:25	Y	7440-23-5	Sodium	669000	ug/L	D	[NULL]	[NULL]	S	B1WNL1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/8/2008 8:25	Y	CONDUCT	Specific Conductance	2824	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WNL1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-128	8/8/2008 8:25	Y	7440-24-6	Strontium	404	ug/L	D	[NULL]	[NULL]	S	B1WNL1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/8/2008 8:25	Y	14808-79-8	Sulfate	34300	ug/L	D	[NULL]	[NULL]	S	B1WP03	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-128	8/8/2008 8:25	Y	TEMPERATURE	Temperature	17.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1WNL1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-128	8/8/2008 8:25	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WNL1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/8/2008 8:25	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WNL1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/8/2008 8:25	Y	PH	pH Measurement	7.71	unitless	[NULL]	[NULL]	[NULL]	S	B1WNL1	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-128	8/15/2008 10:00	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WP53	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/15/2008 10:00	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WP53	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/15/2008 10:00	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WP53	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/15/2008 10:00	Y	7440-39-3	Barium	68	ug/L	D	[NULL]	[NULL]	S	B1WP53	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/15/2008 10:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WP53	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/15/2008 10:00	Y	7440-70-2	Calcium	84900	ug/L	DN	[NULL]	[NULL]	S	B1WP53	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/15/2008 10:00	Y	16887-00-6	Chloride	224000	ug/L	D	[NULL]	[NULL]	S	B1WP83	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-128	8/15/2008 10:00	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WP53	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/15/2008 10:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WP53	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/15/2008 10:00	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WP53	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/15/2008 10:00	Y	DO	Dissolved oxygen	930	ug/L	[NULL]	[NULL]	[NULL]	S	B1WP53	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	8/15/2008 10:00	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP83	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-128	8/15/2008 10:00	Y	12587-46-1	Gross alpha	-4.1	pCi/L	U	[NULL]	[NULL]	S	B1WP53	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	8/15/2008 10:00	Y	12587-47-2	Gross beta	4200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WP53	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	8/15/2008 10:00	Y	7439-89-6	Iron	1400	ug/L	CD	[NULL]	[NULL]	S	B1WP53	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/15/2008 10:00	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WP53	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/15/2008 10:00	Y	7439-95-4	Magnesium	18500	ug/L	D	[NULL]	[NULL]	S	B1WP53	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/15/2008 10:00	Y	7439-96-5	Manganese	973	ug/L	D	[NULL]	[NULL]	S	B1WP53	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/15/2008 10:00	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WP53	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/15/2008 10:00	Y	7440-02-0	Nickel	35.6	ug/L	D	[NULL]	[NULL]	S	B1WP53	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/15/2008 10:00	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP83	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-128	8/15/2008 10:00	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP83	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-128	8/15/2008 10:00	Y	EH	Oxidation Reduction Potential	-175	mV	[NULL]	[NULL]	[NULL]	S	B1WP53	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-128	8/15/2008 10:00	Y	14265-44-2	Phosphate	147000	ug/L	D	[NULL]	[NULL]	S	B1WP83	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-128	8/15/2008 10:00	Y	7440-09-7	Potassium	6390	ug/L	D	[NULL]	[NULL]	S	B1WP53	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/15/2008 10:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WP53	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/15/2008 10:00	Y	7440-23-5	Sodium	694000	ug/L	D	[NULL]	[NULL]	S	B1WP53	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/15/2008 10:00	Y	CONDUCT	Specific Conductance	3057	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WP53	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-128	8/15/2008 10:00	Y	7440-24-6	Strontium	398	ug/L	D	[NULL]	[NULL]	S	B1WP53	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/15/2008 10:00	Y	14808-79-8	Sulfate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP83	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-128	8/15/2008 10:00	Y	TEMPERATURE	Temperature	22.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1WP53	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-128	8/15/2008 10:00	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WP53	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/15/2008 10:00	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WP53	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	8/15/2008 10:00	Y	PH	pH Measurement	7.41	unitless	[NULL]	[NULL]	[NULL]	S	B1WP53	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-128	9/3/2008 10:50	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WWF4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/3/2008 10:50	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WWF4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/3/2008 10:50	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WWF4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/3/2008 10:50	Y	7440-39-3	Barium	56	ug/L	BD	[NULL]	[NULL]	S	B1WWF4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/3/2008 10:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WWF4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/3/2008 10:50	Y	7440-70-2	Calcium	58900	ug/L	DN	[NULL]	[NULL]	S	B1WWF4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/3/2008 10:50	Y	16887-00-6	Chloride	168000	ug/L	D	[NULL]	[NULL]	S	B1WW92	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-128	9/3/2008 10:50	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WWF4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/3/2008 10:50	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WWF4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/3/2008 10:50	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WWF4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/3/2008 10:50	Y	DO	Dissolved oxygen	1920	ug/L	[NULL]	[NULL]	[NULL]	S	B1WW92	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	9/3/2008 10:50	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WW92	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-128	9/3/2008 10:50	Y	12587-46-1	Gross alpha	-1.1	pCi/L	U	[NULL]	[NULL]	S	B1WWF4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	9/3/2008 10:50	Y	12587-47-2	Gross beta	2800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WWF4	12587-47-2	WSCF	BETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-128	9/3/2008 10:50	Y	7439-89-6	Iron	917	ug/L	D	[NULL]	[NULL]	S	B1WWF4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/3/2008 10:50	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WWF4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/3/2008 10:50	Y	7439-95-4	Magnesium	14200	ug/L	D	[NULL]	[NULL]	S	B1WWF4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/3/2008 10:50	Y	7439-96-5	Manganese	639	ug/L	D	[NULL]	[NULL]	S	B1WWF4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/3/2008 10:50	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WWF4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/3/2008 10:50	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WWF4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/3/2008 10:50	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WW92	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-128	9/3/2008 10:50	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WW92	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-128	9/3/2008 10:50	Y	EH	Oxidation Reduction Potential	-170	mV	[NULL]	[NULL]	[NULL]	S	B1WW92	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-128	9/3/2008 10:50	Y	14265-44-2	Phosphate	183000	ug/L	D	[NULL]	[NULL]	S	B1WW92	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-128	9/3/2008 10:50	Y	7440-09-7	Potassium	6100	ug/L	D	[NULL]	[NULL]	S	B1WWF4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/3/2008 10:50	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WWF4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/3/2008 10:50	Y	7440-23-5	Sodium	633000	ug/L	D	[NULL]	[NULL]	S	B1WWF4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/3/2008 10:50	Y	CONDUCT	Specific Conductance	2447	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WW92	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-128	9/3/2008 10:50	Y	7440-24-6	Strontium	314	ug/L	D	[NULL]	[NULL]	S	B1WWF4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/3/2008 10:50	Y	14808-79-8	Sulfate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WW92	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-128	9/3/2008 10:50	Y	TEMPERATURE	Temperature	18.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WW92	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-128	9/3/2008 10:50	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WWF4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/3/2008 10:50	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WWF4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/3/2008 10:50	Y	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	S	B1WW92	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-128	9/21/2008 7:45	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WX22	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/21/2008 7:45	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WX22	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/21/2008 7:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WX22	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/21/2008 7:45	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WX22	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/21/2008 7:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WX22	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/21/2008 7:45	Y	7440-70-2	Calcium	27500	ug/L	DN	[NULL]	[NULL]	S	B1WX22	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/21/2008 7:45	Y	16887-00-6	Chloride	86700	ug/L	D	[NULL]	[NULL]	S	B1WWW7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	9/21/2008 7:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WX22	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/21/2008 7:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WX22	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/21/2008 7:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WX22	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/21/2008 7:45	Y	DO	Dissolved oxygen	1450	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWW7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	9/21/2008 7:45	Y	DO	Dissolved oxygen	1450	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX22	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	9/21/2008 7:45	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WWW7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	9/21/2008 7:45	Y	12587-46-1	Gross alpha	7	pCi/L	U	[NULL]	[NULL]	S	B1WX22	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	9/21/2008 7:45	Y	12587-47-2	Gross beta	1700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WX22	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	9/21/2008 7:45	Y	7439-89-6	Iron	452	ug/L	BD	[NULL]	[NULL]	S	B1WX22	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/21/2008 7:45	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WX22	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/21/2008 7:45	Y	7439-95-4	Magnesium	6870	ug/L	D	[NULL]	[NULL]	S	B1WX22	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/21/2008 7:45	Y	7439-96-5	Manganese	304	ug/L	D	[NULL]	[NULL]	S	B1WX22	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/21/2008 7:45	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WX22	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/21/2008 7:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WX22	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/21/2008 7:45	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WWW7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	9/21/2008 7:45	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WWW7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	9/21/2008 7:45	Y	EH	Oxidation Reduction Potential	-92	mV	[NULL]	[NULL]	[NULL]	S	B1WX22	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-128	9/21/2008 7:45	Y	EH	Oxidation Reduction Potential	-92	mV	[NULL]	[NULL]	[NULL]	S	B1WWW7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-128	9/21/2008 7:45	Y	14265-44-2	Phosphate	248000	ug/L	D	[NULL]	[NULL]	S	B1WWW7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	9/21/2008 7:45	Y	7440-09-7	Potassium	4330	ug/L	D	[NULL]	[NULL]	S	B1WX22	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/21/2008 7:45	Y	7440-22-4	Silver	25	ug/L	DNUX	[NULL]	[NULL]	S	B1WX22	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/21/2008 7:45	Y	7440-23-5	Sodium	402000	ug/L	D	[NULL]	[NULL]	S	B1WX22	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/21/2008 7:45	Y	CONDUCT	Specific Conductance	1811	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WX22	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-128	9/21/2008 7:45	Y	CONDUCT	Specific Conductance	1811	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WWW7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-128	9/21/2008 7:45	Y	7440-24-6	Strontium	134	ug/L	D	[NULL]	[NULL]	S	B1WX22	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-128	9/21/2008 7:45	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WWW7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	9/21/2008 7:45	Y	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WWW7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-128	9/21/2008 7:45	Y	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WX22	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-128	9/21/2008 7:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WX22	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/21/2008 7:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WX22	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	9/21/2008 7:45	Y	PH	pH Measurement	7.44	unitless	[NULL]	[NULL]	[NULL]	S	B1WWW7	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-128	9/21/2008 7:45	Y	PH	pH Measurement	7.44	unitless	[NULL]	[NULL]	[NULL]	S	B1WX22	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-128	10/30/2008 11:19	N	7429-90-5	Aluminum	65.4	ug/L	B	[NULL]	[NULL]	S	B1WX68	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/30/2008 11:19	N	7440-36-0	Antimony	60	ug/L	U	[NULL]	[NULL]	S	B1WX68	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/30/2008 11:19	N	7440-38-2	Arsenic	80	ug/L	U	[NULL]	[NULL]	S	B1WX68	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/30/2008 11:19	N	7440-39-3	Barium	21.9	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX68	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/30/2008 11:19	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1WX68	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/30/2008 11:19	N	7440-70-2	Calcium	25500	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX68	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/30/2008 11:19	N	16887-00-6	Chloride	89300	ug/L	D	[NULL]	[NULL]	S	B1WX68	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	10/30/2008 11:19	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	S	B1WX68	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/30/2008 11:19	N	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	S	B1WX68	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/30/2008 11:19	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1WX68	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/30/2008 11:19	N	DO	Dissolved oxygen	1600	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX68	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	10/30/2008 11:19	N	16984-48-8	Fluoride	200	ug/L	UD	[NULL]	[NULL]	S	B1WX68	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	10/30/2008 11:19	N	12587-46-1	Gross alpha	0.84	pCi/L	U	[NULL]	[NULL]	S	B1WX68	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	10/30/2008 11:19	N	12587-47-2	Gross beta	1530	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WX68	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	10/30/2008 11:19	N	7439-89-6	Iron	338	ug/L	C	[NULL]	[NULL]	S	B1WX68	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/30/2008 11:19	N	7439-92-1	Lead	40	ug/L	U	[NULL]	[NULL]	S	B1WX68	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/30/2008 11:19	N	7439-95-4	Magnesium	6340	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX68	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/30/2008 11:19	N	7439-96-5	Manganese	268	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX68	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/30/2008 11:19	N	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	S	B1WX68	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/30/2008 11:19	N	7440-02-0	Nickel	6	ug/L	U	[NULL]	[NULL]	S	B1WX68	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/30/2008 11:19	N	14797-55-8	Nitrate	443	ug/L	UD	[NULL]	[NULL]	S	B1WX68	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	10/30/2008 11:19	N	14797-65-0	Nitrite	328	ug/L	UD	[NULL]	[NULL]	S	B1WX68	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	10/30/2008 11:19	N	EH	Oxidation Reduction Potential	-156	mV	[NULL]	[NULL]	[NULL]	S	B1WX68	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-128	10/30/2008 11:19	N	14265-44-2	Phosphate	290000	ug/L	D	[NULL]	[NULL]	S	B1WX68	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	10/30/2008 11:19	N	7440-09-7	Potassium	3470	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX68	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/30/2008 11:19	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1WX68	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/30/2008 11:19	N	7440-23-5	Sodium	494000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX68	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/30/2008 11:19	N	CONDUCT	Specific Conductance	2024	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WX68	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-128	10/30/2008 11:19	N	7440-24-6	Strontium	159	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX68	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/30/2008 11:19	N	14808-79-8	Sulfate	1000	ug/L	UD	[NULL]	[NULL]	S	B1WX68	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	10/30/2008 11:19	N	TEMPERATURE	Temperature	14.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1WX68	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-128	10/30/2008 11:19	N	7440-62-2	Vanadium	10	ug/L	U	[NULL]	[NULL]	S	B1WX68	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/30/2008 11:19	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1WX68	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	10/30/2008 11:19	N	PH	pH Measurement	7.71	unitless	[NULL]	[NULL]	[NULL]	S	B1WX68	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-128	12/8/2008 9:17	N	7429-90-5	Aluminum	52	ug/L	U	[NULL]	[NULL]	S	B1XXP1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	12/8/2008 9:17	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	S	B1XXP1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	12/8/2008 9:17	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	S	B1XXP1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	12/8/2008 9:17	N	7440-39-3	Barium	34	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXP1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	12/8/2008 9:17	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1XXP1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	12/8/2008 9:17	N	7440-70-2	Calcium	38600	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXP1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	12/8/2008 9:17	N	16887-00-6	Chloride	106000	ug/L	D	[NULL]	[NULL]	S	B1XXP1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	12/8/2008 9:17	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B1XXP1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	12/8/2008 9:17	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1XXP1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	12/8/2008 9:17	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1XXP1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	12/8/2008 9:17	N	DO	Dissolved oxygen	3980	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXP1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	12/8/2008 9:17	N	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1XXP1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	12/8/2008 9:17	N	12587-46-1	Gross alpha	2.9	pCi/L	U	[NULL]	[NULL]	S	B1XXP1	12587-46-1	WSCF	ALPHA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-128	12/8/2008 9:17	N	12587-47-2	Gross beta	2000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1XXP1	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	12/8/2008 9:17	N	7439-89-6	Iron	560	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXP1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	12/8/2008 9:17	N	7439-92-1	Lead	48	ug/L	B	[NULL]	[NULL]	S	B1XXP1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	12/8/2008 9:17	N	7439-95-4	Magnesium	8750	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXP1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	12/8/2008 9:17	N	7439-96-5	Manganese	451	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXP1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	12/8/2008 9:17	N	7439-98-7	Molybdenum	11.9	ug/L	B	[NULL]	[NULL]	S	B1XXP1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	12/8/2008 9:17	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B1XXP1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	12/8/2008 9:17	N	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1XXP1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	12/8/2008 9:17	N	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1XXP1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	12/8/2008 9:17	N	EH	Oxidation Reduction Potential	-117	mV	[NULL]	[NULL]	[NULL]	S	B1XXP1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-128	12/8/2008 9:17	N	14265-44-2	Phosphate	199000	ug/L	D	[NULL]	[NULL]	S	B1XXP1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	12/8/2008 9:17	N	7440-09-7	Potassium	4650	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXP1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	12/8/2008 9:17	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1XXP1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	12/8/2008 9:17	N	7440-23-5	Sodium	528000	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXP1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	12/8/2008 9:17	N	CONDUCT	Specific Conductance	205	uS/cm	[NULL]	Y	[NULL]	S	B1XXP1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-128	12/8/2008 9:17	N	7440-24-6	Strontium	211	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXP1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	12/8/2008 9:17	N	14808-79-8	Sulfate	5690	ug/L	BD	[NULL]	[NULL]	S	B1XXP1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	12/8/2008 9:17	N	TEMPERATURE	Temperature	14.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1XXP1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-128	12/8/2008 9:17	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	S	B1XXP1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	12/8/2008 9:17	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1XXP1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	12/8/2008 9:17	N	PH	pH Measurement	7.58	unitless	[NULL]	[NULL]	[NULL]	S	B1XXP1	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-128	2/4/2009 9:43	N	7429-90-5	Aluminum	74.1	ug/L	B	[NULL]	[NULL]	S	B1YLN5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	2/4/2009 9:43	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	S	B1YLN5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	2/4/2009 9:43	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	S	B1YLN5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	2/4/2009 9:43	N	7440-39-3	Barium	16	ug/L	B	[NULL]	[NULL]	S	B1YLN5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	2/4/2009 9:43	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1YLN5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	2/4/2009 9:43	N	7440-70-2	Calcium	20000	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	2/4/2009 9:43	N	16887-00-6	Chloride	38000	ug/L	D	[NULL]	[NULL]	S	B1YLN5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	2/4/2009 9:43	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B1YLN5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	2/4/2009 9:43	N	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	S	B1YLN5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	2/4/2009 9:43	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1YLN5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	2/4/2009 9:43	N	DO	Dissolved oxygen	2130	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	2/4/2009 9:43	N	16984-48-8	Fluoride	230	ug/L	UD	[NULL]	[NULL]	S	B1YLN5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	2/4/2009 9:43	N	12587-46-1	Gross alpha	3.9	pCi/L	U	[NULL]	[NULL]	S	B1YLN5	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	2/4/2009 9:43	N	12587-47-2	Gross beta	870	pCi/L	[NULL]	[NULL]	[NULL]	S	B1YLN5	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	2/4/2009 9:43	N	7439-89-6	Iron	386	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	2/4/2009 9:43	N	7439-92-1	Lead	45	ug/L	U	[NULL]	[NULL]	S	B1YLN5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	2/4/2009 9:43	N	7439-95-4	Magnesium	5330	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	2/4/2009 9:43	N	7439-96-5	Manganese	335	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	2/4/2009 9:43	N	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	S	B1YLN5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	2/4/2009 9:43	N	7440-02-0	Nickel	6	ug/L	U	[NULL]	[NULL]	S	B1YLN5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	2/4/2009 9:43	N	14797-55-8	Nitrate	531	ug/L	UD	[NULL]	[NULL]	S	B1YLN5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	2/4/2009 9:43	N	14797-65-0	Nitrite	427	ug/L	UD	[NULL]	[NULL]	S	B1YLN5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	2/4/2009 9:43	N	EH	Oxidation Reduction Potential	-24	mV	[NULL]	[NULL]	[NULL]	S	B1YLN5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-128	2/4/2009 9:43	N	14265-44-2	Phosphate	313000	ug/L	D	[NULL]	[NULL]	S	B1YLN5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	2/4/2009 9:43	N	7440-09-7	Potassium	3030	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	2/4/2009 9:43	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1YLN5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	2/4/2009 9:43	N	7440-23-5	Sodium	366000	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	2/4/2009 9:43	N	CONDUCT	Specific Conductance	1505	uS/cm	[NULL]	[NULL]	[NULL]	S	B1YLN5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-128	2/4/2009 9:43	N	7440-24-6	Strontium	70	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	2/4/2009 9:43	N	14808-79-8	Sulfate	10500	ug/L	D	[NULL]	[NULL]	S	B1YLN5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	2/4/2009 9:43	N	TEMPERATURE	Temperature	13.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1YLN5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-128	2/4/2009 9:43	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	S	B1YLN5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-128	2/4/2009 9:43	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1YLN5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	2/4/2009 9:43	N	PH	pH Measurement	7.71	unitless	[NULL]	[NULL]	[NULL]	S	B1YLN5	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-128	5/26/2009 10:44	N	DO	Dissolved oxygen	1160	ug/L	[NULL]	[NULL]	[NULL]	S	B203J7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	5/26/2009 10:44	N	12587-46-1	Gross alpha	2.6	pCi/L	U	[NULL]	[NULL]	S	B203J7	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	5/26/2009 10:44	N	12587-46-1	Gross alpha	0.87	pCi/L	U	[NULL]	[NULL]	S	B203J8	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	5/26/2009 10:44	N	12587-47-2	Gross beta	440	pCi/L	[NULL]	[NULL]	[NULL]	S	B203J8	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	5/26/2009 10:44	N	12587-47-2	Gross beta	430	pCi/L	[NULL]	[NULL]	[NULL]	S	B203J7	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	5/26/2009 10:44	N	EH	Oxidation Reduction Potential	-71	mV	[NULL]	[NULL]	[NULL]	S	B203J7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-128	5/26/2009 10:44	N	CONDUCT	Specific Conductance	1582	uS/cm	[NULL]	[NULL]	[NULL]	S	B203J7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-128	5/26/2009 10:44	N	TEMPERATURE	Temperature	15.8	Deg C	[NULL]	[NULL]	[NULL]	S	B203J7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-128	5/26/2009 10:44	N	PH	pH Measurement	7.89	unitless	[NULL]	[NULL]	[NULL]	S	B203J7	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-128	8/13/2009 10:54	N	DO	Dissolved oxygen	3280	ug/L	[NULL]	[NULL]	[NULL]	S	B21BC5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	8/13/2009 10:54	N	12587-46-1	Gross alpha	-4.1	pCi/L	U	[NULL]	[NULL]	S	B21BC5	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	8/13/2009 10:54	N	12587-47-2	Gross beta	63	pCi/L	[NULL]	[NULL]	[NULL]	S	B21BC5	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	8/13/2009 10:54	N	EH	Oxidation Reduction Potential	152	mV	[NULL]	[NULL]	[NULL]	S	B21BC5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-128	8/13/2009 10:54	N	CONDUCT	Specific Conductance	1096	uS/cm	[NULL]	[NULL]	[NULL]	S	B21BC5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-128	8/13/2009 10:54	N	TEMPERATURE	Temperature	18.3	Deg C	[NULL]	[NULL]	[NULL]	S	B21BC5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-128	8/13/2009 10:54	N	PH	pH Measurement	7.96	unitless	[NULL]	[NULL]	[NULL]	S	B21BC5	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-128	11/20/2009 10:20	N	7429-90-5	Aluminum	24.2	ug/L	B	[NULL]	[NULL]	S	B22WW3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	11/20/2009 10:20	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	S	B22WW3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	11/20/2009 10:20	N	7440-38-2	Arsenic	127	ug/L	B	[NULL]	[NULL]	S	B22WW3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	11/20/2009 10:20	N	7440-39-3	Barium	4	ug/L	U	[NULL]	[NULL]	S	B22WW3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	11/20/2009 10:20	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B22WW3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	11/20/2009 10:20	N	7440-70-2	Calcium	20600	ug/L	[NULL]	[NULL]	[NULL]	S	B22WW3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	11/20/2009 10:20	N	16887-00-6	Chloride	75400	ug/L	D	[NULL]	[NULL]	S	B22WW3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	11/20/2009 10:20	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B22WW3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	11/20/2009 10:20	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B22WW3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	11/20/2009 10:20	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	S	B22WW3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	11/20/2009 10:20	N	DO	Dissolved oxygen	2010	ug/L	[NULL]	[NULL]	[NULL]	S	B22WW3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-128	11/20/2009 10:20	N	16984-48-8	Fluoride	135	ug/L	BD	[NULL]	[NULL]	S	B22WW3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	11/20/2009 10:20	N	12587-47-2	Gross beta	400	pCi/L	[NULL]	F	[NULL]	S	B22WW3	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	11/20/2009 10:20	N	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	S	B22WW3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	11/20/2009 10:20	N	7439-92-1	Lead	23	ug/L	U	[NULL]	[NULL]	S	B22WW3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	11/20/2009 10:20	N	7439-95-4	Magnesium	4280	ug/L	[NULL]	[NULL]	[NULL]	S	B22WW3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	11/20/2009 10:20	N	7439-96-5	Manganese	192	ug/L	[NULL]	[NULL]	[NULL]	S	B22WW3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	11/20/2009 10:20	N	7439-98-7	Molybdenum	35	ug/L	[NULL]	[NULL]	[NULL]	S	B22WW3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	11/20/2009 10:20	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B22WW3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	11/20/2009 10:20	N	14797-55-8	Nitrate	257000	ug/L	D	[NULL]	[NULL]	S	B22WW3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	11/20/2009 10:20	N	14797-65-0	Nitrite	9430	ug/L	D	[NULL]	[NULL]	S	B22WW3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	11/20/2009 10:20	N	EH	Oxidation Reduction Potential	162.8	mV	[NULL]	[NULL]	[NULL]	S	B22WW3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-128	11/20/2009 10:20	N	14265-44-2	Phosphate	150000	ug/L	D	[NULL]	[NULL]	S	B22WW3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	11/20/2009 10:20	N	7440-09-7	Potassium	3250	ug/L	[NULL]	[NULL]	[NULL]	S	B22WW3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	11/20/2009 10:20	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B22WW3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	11/20/2009 10:20	N	7440-23-5	Sodium	399000	ug/L	[NULL]	[NULL]	[NULL]	S	B22WW3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	11/20/2009 10:20	N	CONDUCT	Specific Conductance	1801	uS/cm	[NULL]	[NULL]	[NULL]	S	B22WW3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-128	11/20/2009 10:20	N	7440-24-6	Strontium	37.8	ug/L	[NULL]	[NULL]	[NULL]	S	B22WW3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	11/20/2009 10:20	N	10098-97-2	Strontium-90	180	pCi/L	[NULL]	[NULL]	[NULL]	S	B22WW3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-128	11/20/2009 10:20	N	14808-79-8	Sulfate	42200	ug/L	D	[NULL]	[NULL]	S	B22WW3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-128	11/20/2009 10:20	N	TEMPERATURE	Temperature	15.6	Deg C	[NULL]	[NULL]	[NULL]	S	B22WW3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-128	11/20/2009 10:20	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	S	B22WW3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	11/20/2009 10:20	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	S	B22WW3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-128	11/20/2009 10:20	N	PH	pH Measurement	8.04	unitless	[NULL]	[NULL]	[NULL]	S	B22WW3	PH	FIELD	PH_ELECT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-128	2/24/2010 13:42	N	12587-46-1	Gross alpha	-2.4	pCi/L	U	[NULL]	[NULL]	C	B23R43	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-128	2/24/2010 13:42	N	12587-47-2	Gross beta	260	pCi/L	[NULL]	[NULL]	[NULL]	C	B23R43	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-128	2/24/2010 13:42	N	10098-97-2	Strontium-90	210	pCi/L	[NULL]	[NULL]	[NULL]	C	B23R43	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-129	6/9/2006 3:48	Y	12587-46-1	Gross alpha	4.2	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JHC6	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-129	6/9/2006 3:48	Y	12587-47-2	Gross beta	960	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JHC6	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-129	6/21/2006 10:48	N	12587-46-1	Gross alpha	3	pCi/L	U	[NULL]	[NULL]	S	B1JMC3	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-129	6/21/2006 10:48	N	12587-47-2	Gross beta	320	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JMC3	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-129	6/21/2006 10:48	N	10098-97-2	Strontium-90	212	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JMC3	SR-RAD	STLRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-129	6/28/2006 8:58	N	10098-97-2	Strontium-90	230	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JWB1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-129	7/7/2006 9:05	N	10098-97-2	Strontium-90	310	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K014	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-129	7/17/2006 15:20	Y	7429-90-5	Aluminum	867	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4W9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/17/2006 15:20	Y	7440-36-0	Antimony	720	ug/L	U	[NULL]	[NULL]	S	B1K4W9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/17/2006 15:20	Y	7440-38-2	Arsenic	790	ug/L	U	[NULL]	[NULL]	S	B1K4W9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/17/2006 15:20	Y	7440-39-3	Barium	89.9	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4W9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/17/2006 15:20	Y	7440-43-9	Cadmium	30	ug/L	U	[NULL]	[NULL]	S	B1K4W9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/17/2006 15:20	Y	7440-70-2	Calcium	15300	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4W9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/17/2006 15:20	Y	16887-00-6	Chloride	27100	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4W9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	7/17/2006 15:20	Y	7440-47-3	Chromium	70	ug/L	U	[NULL]	[NULL]	S	B1K4W9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/17/2006 15:20	Y	7440-48-4	Cobalt	70	ug/L	U	[NULL]	[NULL]	S	B1K4W9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/17/2006 15:20	Y	7440-50-8	Copper	70	ug/L	U	[NULL]	[NULL]	S	B1K4W9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/17/2006 15:20	Y	16984-48-8	Fluoride	191	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4W9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	7/17/2006 15:20	Y	7439-89-6	Iron	330	ug/L	U	[NULL]	[NULL]	S	B1K4W9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/17/2006 15:20	Y	7439-92-1	Lead	470	ug/L	U	[NULL]	[NULL]	S	B1K4W9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/17/2006 15:20	Y	7439-95-4	Magnesium	2640	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4W9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/17/2006 15:20	Y	7439-96-5	Manganese	118	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4W9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/17/2006 15:20	Y	7439-98-7	Molybdenum	110	ug/L	U	[NULL]	[NULL]	S	B1K4W9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/17/2006 15:20	Y	7440-02-0	Nickel	50	ug/L	U	[NULL]	[NULL]	S	B1K4W9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/17/2006 15:20	Y	14797-55-8	Nitrate	1180	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4W9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	7/17/2006 15:20	Y	14797-65-0	Nitrite	417	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4W9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	7/17/2006 15:20	Y	14265-44-2	Phosphate	9470	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4W9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	7/17/2006 15:20	Y	7440-09-7	Potassium	2220	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4W9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/17/2006 15:20	Y	7440-22-4	Silver	110	ug/L	U	[NULL]	[NULL]	S	B1K4W9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/17/2006 15:20	Y	7440-23-5	Sodium	141000	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4W9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/17/2006 15:20	Y	7440-24-6	Strontium	124	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4W9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/17/2006 15:20	Y	10098-97-2	Strontium-90	610	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K4V9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-129	7/17/2006 15:20	Y	14808-79-8	Sulfate	3940	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4W9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	7/17/2006 15:20	Y	7440-62-2	Vanadium	140	ug/L	U	[NULL]	[NULL]	S	B1K4W9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/17/2006 15:20	Y	7440-66-6	Zinc	44.4	ug/L	C	[NULL]	[NULL]	S	B1K4W9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/21/2006 11:13	N	ALKALINITY	Alkalinity	322000	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK64	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-129	7/21/2006 11:13	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1JK63	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-129	7/21/2006 11:13	N	14234-35-6	Antimony-125	0.0489	pCi/L	U	[NULL]	[NULL]	R	B1JK66	14234-35-6	STLRL	GAMMA_GS	100-NR-2
199-N-129	7/21/2006 11:13	Y	7440-39-3	Barium	72.6	ug/L	B	[NULL]	[NULL]	R	B1JK63	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-129	7/21/2006 11:13	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1JK63	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-129	7/21/2006 11:13	N	13966-02-4	Beryllium-7	-1.95	pCi/L	U	[NULL]	[NULL]	R	B1JK66	13966-02-4	STLRL	GAMMA_GS	100-NR-2
199-N-129	7/21/2006 11:13	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1JK63	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-129	7/21/2006 11:13	Y	7440-70-2	Calcium	16000	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK63	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-129	7/21/2006 11:13	N	13967-70-9	Cesium-134	-0.565	pCi/L	U	[NULL]	[NULL]	R	B1JK66	13967-70-9	STLRL	GAMMA_GS	100-NR-2
199-N-129	7/21/2006 11:13	N	10045-97-3	Cesium-137	0.132	pCi/L	U	[NULL]	[NULL]	R	B1JK66	10045-97-3	STLRL	GAMMA_GS	100-NR-2
199-N-129	7/21/2006 11:13	N	16887-00-6	Chloride	37100	ug/L	D	[NULL]	[NULL]	R	B1JK64	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-129	7/21/2006 11:13	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1JK63	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-129	7/21/2006 11:13	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1JK63	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-129	7/21/2006 11:13	N	10198-40-0	Cobalt-60	1.25	pCi/L	U	[NULL]	[NULL]	R	B1JK66	10198-40-0	STLRL	GAMMA_GS	100-NR-2
199-N-129	7/21/2006 11:13	Y	7440-50-8	Copper	10	ug/L	B	[NULL]	[NULL]	R	B1JK63	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-129	7/21/2006 11:13	N	DO	Dissolved oxygen	10660	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK65	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-129	7/21/2006 11:13	N	14683-23-9	Europium-152	1.27	pCi/L	U	[NULL]	[NULL]	R	B1JK66	14683-23-9	STLRL	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-129	7/21/2006 11:13	N	15585-10-1	Europium-154	0.531	pCi/L	U	[NULL]	[NULL]	R	B1JK66	15585-10-1	STLRL	GAMMA_GS	100-NR-2
199-N-129	7/21/2006 11:13	N	14391-16-3	Europium-155	0.0839	pCi/L	U	[NULL]	[NULL]	R	B1JK66	14391-16-3	STLRL	GAMMA_GS	100-NR-2
199-N-129	7/21/2006 11:13	N	16984-48-8	Fluoride	230	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK64	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-129	7/21/2006 11:13	N	12587-46-1	Gross alpha	6.93	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JK66	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-129	7/21/2006 11:13	N	12587-47-2	Gross beta	1360	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JK66	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-129	7/21/2006 11:13	Y	7439-89-6	Iron	139	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK63	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-129	7/21/2006 11:13	Y	7439-95-4	Magnesium	2570	ug/L	B	[NULL]	[NULL]	R	B1JK63	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-129	7/21/2006 11:13	Y	7439-96-5	Manganese	382	ug/L	N	[NULL]	[NULL]	R	B1JK63	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-129	7/21/2006 11:13	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1JK63	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-129	7/21/2006 11:13	N	14797-55-8	Nitrate	1330	ug/L	[NULL]	H	[NULL]	R	B1JK64	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-129	7/21/2006 11:13	N	14797-65-0	Nitrite	15.8	ug/L	B	H	[NULL]	R	B1JK64	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-129	7/21/2006 11:13	N	14265-44-2	Phosphate	8500	ug/L	[NULL]	H	[NULL]	R	B1JK64	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-129	7/21/2006 11:13	Y	7440-09-7	Potassium	2750	ug/L	B	[NULL]	[NULL]	R	B1JK63	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-129	7/21/2006 11:13	N	13966-00-2	Potassium-40	-17.2	pCi/L	U	[NULL]	[NULL]	R	B1JK66	13966-00-2	STLRL	GAMMA_GS	100-NR-2
199-N-129	7/21/2006 11:13	N	13967-48-1	Ruthenium-106	-0.707	pCi/L	U	[NULL]	[NULL]	R	B1JK66	13967-48-1	STLRL	GAMMA_GS	100-NR-2
199-N-129	7/21/2006 11:13	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1JK63	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-129	7/21/2006 11:13	Y	7440-23-5	Sodium	166000	ug/L	N	[NULL]	[NULL]	R	B1JK63	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-129	7/21/2006 11:13	N	CONDUCT	Specific Conductance	699	uS/cm	[NULL]	[NULL]	[NULL]	R	B1JK65	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-129	7/21/2006 11:13	Y	7440-24-6	Strontium	106	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK63	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-129	7/21/2006 11:13	N	10098-97-2	Strontium-90	611	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JK66	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-129	7/21/2006 11:13	N	14808-79-8	Sulfate	3300	ug/L	N	Q	[NULL]	R	B1JK64	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-129	7/21/2006 11:13	N	TEMPERATURE	Temperature	17.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1JK65	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-129	7/21/2006 11:13	N	10028-17-8	Tritium	263	pCi/L	U	[NULL]	[NULL]	R	B1JK66	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-129	7/21/2006 11:13	N	TURBIDITY	Turbidity	26.5	NTU	[NULL]	[NULL]	[NULL]	R	B1JK65	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-129	7/21/2006 11:13	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1JK63	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-129	7/21/2006 11:13	Y	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1JK63	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-129	7/21/2006 11:13	N	PH	pH Measurement	8.33	unitless	[NULL]	[NULL]	[NULL]	R	B1JK65	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-129	7/24/2006 13:25	Y	10098-97-2	Strontium-90	840	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K731	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-129	8/9/2006 11:07	N	DO	Dissolved oxygen	9720	ug/L	[NULL]	[NULL]	[NULL]	R	B1K4D5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-129	8/9/2006 11:07	N	12587-47-2	Gross beta	1970	pCi/L	[NULL]	[NULL]	[NULL]	R	B1K4D6	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-129	8/9/2006 11:07	N	CONDUCT	Specific Conductance	1238	uS/cm	[NULL]	[NULL]	[NULL]	R	B1K4D5	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-129	8/9/2006 11:07	N	TEMPERATURE	Temperature	20	Deg C	[NULL]	[NULL]	[NULL]	R	B1K4D5	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-129	8/9/2006 11:07	N	TURBIDITY	Turbidity	32.4	NTU	[NULL]	[NULL]	[NULL]	R	B1K4D5	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-129	8/9/2006 11:07	N	PH	pH Measurement	8.35	unitless	[NULL]	[NULL]	[NULL]	R	B1K4D5	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-129	6/11/2007 20:00	Y	7429-90-5	Aluminum	168	ug/L	CD	[NULL]	[NULL]	S	B1NVF5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2007 20:00	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVF5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2007 20:00	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVF5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2007 20:00	Y	7440-39-3	Barium	98	ug/L	D	[NULL]	[NULL]	S	B1NVF5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2007 20:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2007 20:00	Y	7440-70-2	Calcium	41800	ug/L	D	[NULL]	[NULL]	S	B1NVF5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2007 20:00	Y	16887-00-6	Chloride	66300	ug/L	D	[NULL]	[NULL]	S	B1NVF5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/11/2007 20:00	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2007 20:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2007 20:00	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2007 20:00	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NVF5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/11/2007 20:00	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NVF5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2007 20:00	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVF5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2007 20:00	Y	7439-95-4	Magnesium	8440	ug/L	D	[NULL]	[NULL]	S	B1NVF5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2007 20:00	Y	7439-96-5	Manganese	692	ug/L	D	[NULL]	[NULL]	S	B1NVF5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2007 20:00	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2007 20:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2007 20:00	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NVF5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/11/2007 20:00	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NVF5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/11/2007 20:00	Y	14265-44-2	Phosphate	524000	ug/L	D	[NULL]	[NULL]	S	B1NVF5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/11/2007 20:00	Y	7440-09-7	Potassium	4300	ug/L	D	[NULL]	[NULL]	S	B1NVF5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-129	6/11/2007 20:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVF5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2007 20:00	Y	7440-23-5	Sodium	429000	ug/L	D	[NULL]	[NULL]	S	B1NVF5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2007 20:00	Y	7440-24-6	Strontium	243	ug/L	D	[NULL]	[NULL]	S	B1NVF5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2007 20:00	Y	10098-97-2	Strontium-90	1400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVF5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-129	6/11/2007 20:00	Y	14808-79-8	Sulfate	6580	ug/L	D	[NULL]	[NULL]	S	B1NVF5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/11/2007 20:00	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVF5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2007 20:00	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/12/2007 19:35	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVH6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/12/2007 19:35	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVH6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/12/2007 19:35	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVH6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/12/2007 19:35	Y	7440-39-3	Barium	84	ug/L	D	[NULL]	[NULL]	S	B1NVH6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/12/2007 19:35	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/12/2007 19:35	Y	7440-70-2	Calcium	36400	ug/L	D	[NULL]	[NULL]	S	B1NVH6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/12/2007 19:35	Y	16887-00-6	Chloride	58100	ug/L	D	[NULL]	[NULL]	S	B1NVH6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/12/2007 19:35	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/12/2007 19:35	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/12/2007 19:35	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/12/2007 19:35	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NVH6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/12/2007 19:35	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NVH6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/12/2007 19:35	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVH6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/12/2007 19:35	Y	7439-95-4	Magnesium	6980	ug/L	D	[NULL]	[NULL]	S	B1NVH6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/12/2007 19:35	Y	7439-96-5	Manganese	779	ug/L	D	[NULL]	[NULL]	S	B1NVH6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/12/2007 19:35	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/12/2007 19:35	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/12/2007 19:35	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NVH6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/12/2007 19:35	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NVH6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/12/2007 19:35	Y	14265-44-2	Phosphate	399000	ug/L	D	[NULL]	[NULL]	S	B1NVH6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/12/2007 19:35	Y	7440-09-7	Potassium	3760	ug/L	D	[NULL]	[NULL]	S	B1NVH6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/12/2007 19:35	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NVH6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/12/2007 19:35	Y	7440-23-5	Sodium	371000	ug/L	D	[NULL]	[NULL]	S	B1NVH6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/12/2007 19:35	Y	7440-24-6	Strontium	219	ug/L	D	[NULL]	[NULL]	S	B1NVH6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/12/2007 19:35	Y	10098-97-2	Strontium-90	1000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVH6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-129	6/12/2007 19:35	Y	14808-79-8	Sulfate	6970	ug/L	D	[NULL]	[NULL]	S	B1NVH6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/12/2007 19:35	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVH6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/12/2007 19:35	Y	7440-66-6	Zinc	25.1	ug/L	D	[NULL]	[NULL]	S	B1NVH6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2007 14:25	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVJ7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2007 14:25	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVJ7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2007 14:25	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVJ7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2007 14:25	Y	7440-39-3	Barium	73	ug/L	D	[NULL]	[NULL]	S	B1NVJ7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2007 14:25	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2007 14:25	Y	7440-70-2	Calcium	31800	ug/L	D	[NULL]	[NULL]	S	B1NVJ7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2007 14:25	Y	16887-00-6	Chloride	49000	ug/L	D	[NULL]	[NULL]	S	B1NVJ7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/13/2007 14:25	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2007 14:25	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2007 14:25	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2007 14:25	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVJ7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/13/2007 14:25	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NVJ7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2007 14:25	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVJ7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2007 14:25	Y	7439-95-4	Magnesium	6220	ug/L	D	[NULL]	[NULL]	S	B1NVJ7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2007 14:25	Y	7439-96-5	Manganese	833	ug/L	D	[NULL]	[NULL]	S	B1NVJ7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2007 14:25	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2007 14:25	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2007 14:25	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVJ7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/13/2007 14:25	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVJ7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/13/2007 14:25	Y	14265-44-2	Phosphate	334000	ug/L	D	[NULL]	[NULL]	S	B1NVJ7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-129	6/13/2007 14:25	Y	7440-09-7	Potassium	3390	ug/L	D	[NULL]	[NULL]	S	B1NVJ7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2007 14:25	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NVJ7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2007 14:25	Y	7440-23-5	Sodium	322000	ug/L	D	[NULL]	[NULL]	S	B1NVJ7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2007 14:25	Y	7440-24-6	Strontium	198	ug/L	D	[NULL]	[NULL]	S	B1NVJ7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2007 14:25	Y	10098-97-2	Strontium-90	800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVJ7	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-129	6/13/2007 14:25	Y	14808-79-8	Sulfate	6660	ug/L	D	[NULL]	[NULL]	S	B1NVJ7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/13/2007 14:25	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVJ7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2007 14:25	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2007 19:05	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVK8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2007 19:05	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVK8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2007 19:05	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVK8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2007 19:05	Y	7440-39-3	Barium	74	ug/L	D	[NULL]	[NULL]	S	B1NVK8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2007 19:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2007 19:05	Y	7440-70-2	Calcium	33700	ug/L	D	[NULL]	[NULL]	S	B1NVK8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2007 19:05	Y	16887-00-6	Chloride	57600	ug/L	D	[NULL]	[NULL]	S	B1NVK8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/14/2007 19:05	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2007 19:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2007 19:05	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2007 19:05	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVK8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/14/2007 19:05	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NVK8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2007 19:05	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVK8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2007 19:05	Y	7439-95-4	Magnesium	6660	ug/L	D	[NULL]	[NULL]	S	B1NVK8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2007 19:05	Y	7439-96-5	Manganese	809	ug/L	D	[NULL]	[NULL]	S	B1NVK8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2007 19:05	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2007 19:05	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2007 19:05	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVK8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/14/2007 19:05	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVK8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/14/2007 19:05	Y	14265-44-2	Phosphate	316000	ug/L	D	[NULL]	[NULL]	S	B1NVK8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/14/2007 19:05	Y	7440-09-7	Potassium	3900	ug/L	D	[NULL]	[NULL]	S	B1NVK8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2007 19:05	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NVK8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2007 19:05	Y	7440-23-5	Sodium	366000	ug/L	D	[NULL]	[NULL]	S	B1NVK8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2007 19:05	Y	7440-24-6	Strontium	202	ug/L	D	[NULL]	[NULL]	S	B1NVK8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2007 19:05	Y	10098-97-2	Strontium-90	840	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVK8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-129	6/14/2007 19:05	Y	14808-79-8	Sulfate	6430	ug/L	D	[NULL]	[NULL]	S	B1NVK8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/14/2007 19:05	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVK8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2007 19:05	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/15/2007 8:50	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVN5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/15/2007 8:50	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVN5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/15/2007 8:50	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVN5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/15/2007 8:50	Y	7440-39-3	Barium	68	ug/L	D	[NULL]	[NULL]	S	B1NVN5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/15/2007 8:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/15/2007 8:50	Y	7440-70-2	Calcium	31400	ug/L	D	[NULL]	[NULL]	S	B1NVN5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/15/2007 8:50	Y	16887-00-6	Chloride	57100	ug/L	D	[NULL]	[NULL]	S	B1NVN5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/15/2007 8:50	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/15/2007 8:50	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/15/2007 8:50	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/15/2007 8:50	Y	16984-48-8	Fluoride	33	ug/L	DNU	[NULL]	[NULL]	S	B1NVN5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/15/2007 8:50	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NVN5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/15/2007 8:50	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVN5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/15/2007 8:50	Y	7439-95-4	Magnesium	6250	ug/L	D	[NULL]	[NULL]	S	B1NVN5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/15/2007 8:50	Y	7439-96-5	Manganese	840	ug/L	D	[NULL]	[NULL]	S	B1NVN5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/15/2007 8:50	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/15/2007 8:50	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/15/2007 8:50	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVN5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/15/2007 8:50	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVN5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-129	6/15/2007 8:50	Y	14265-44-2	Phosphate	306000	ug/L	D	[NULL]	[NULL]	S	B1NVN5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/15/2007 8:50	Y	7440-09-7	Potassium	3850	ug/L	D	[NULL]	[NULL]	S	B1NVN5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/15/2007 8:50	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NVN5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/15/2007 8:50	Y	7440-23-5	Sodium	356000	ug/L	D	[NULL]	[NULL]	S	B1NVN5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/15/2007 8:50	Y	7440-24-6	Strontium	190	ug/L	D	[NULL]	[NULL]	S	B1NVN5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/15/2007 8:50	Y	10098-97-2	Strontium-90	1000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVN5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-129	6/15/2007 8:50	Y	14808-79-8	Sulfate	6280	ug/L	D	[NULL]	[NULL]	S	B1NVN5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/15/2007 8:50	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVN5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/15/2007 8:50	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2007 8:10	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVP6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2007 8:10	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVP6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2007 8:10	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVP6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2007 8:10	Y	7440-39-3	Barium	47	ug/L	D	[NULL]	[NULL]	S	B1NVP6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2007 8:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2007 8:10	Y	7440-70-2	Calcium	24800	ug/L	D	[NULL]	[NULL]	S	B1NVP6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2007 8:10	Y	16887-00-6	Chloride	38800	ug/L	D	[NULL]	[NULL]	S	B1NVP6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/16/2007 8:10	Y	7440-47-3	Chromium	31.4	ug/L	CD	[NULL]	[NULL]	S	B1NVP6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2007 8:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2007 8:10	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2007 8:10	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVP6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/16/2007 8:10	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NVP6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2007 8:10	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVP6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2007 8:10	Y	7439-95-4	Magnesium	4900	ug/L	D	[NULL]	[NULL]	S	B1NVP6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2007 8:10	Y	7439-96-5	Manganese	687	ug/L	D	[NULL]	[NULL]	S	B1NVP6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2007 8:10	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2007 8:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2007 8:10	Y	14797-55-8	Nitrate	465	ug/L	BD	[NULL]	[NULL]	S	B1NVP6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/16/2007 8:10	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVP6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/16/2007 8:10	Y	14265-44-2	Phosphate	247000	ug/L	D	[NULL]	[NULL]	S	B1NVP6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/16/2007 8:10	Y	7440-09-7	Potassium	2920	ug/L	D	[NULL]	[NULL]	S	B1NVP6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2007 8:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVP6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2007 8:10	Y	7440-23-5	Sodium	267000	ug/L	D	[NULL]	[NULL]	S	B1NVP6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2007 8:10	Y	7440-24-6	Strontium	143	ug/L	D	[NULL]	[NULL]	S	B1NVP6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2007 8:10	Y	10098-97-2	Strontium-90	680	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVP6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-129	6/16/2007 8:10	Y	14808-79-8	Sulfate	7330	ug/L	D	[NULL]	[NULL]	S	B1NVP6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/16/2007 8:10	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVP6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2007 8:10	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/17/2007 9:10	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVT9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/17/2007 9:10	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVT9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/17/2007 9:10	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVT9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/17/2007 9:10	Y	7440-39-3	Barium	48	ug/L	D	[NULL]	[NULL]	S	B1NVT9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/17/2007 9:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVT9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/17/2007 9:10	Y	7440-70-2	Calcium	23500	ug/L	D	[NULL]	[NULL]	S	B1NVT9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/17/2007 9:10	Y	16887-00-6	Chloride	36900	ug/L	D	[NULL]	[NULL]	S	B1NVT9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/17/2007 9:10	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVT9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/17/2007 9:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVT9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/17/2007 9:10	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVT9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/17/2007 9:10	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVT9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/17/2007 9:10	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NVT9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/17/2007 9:10	Y	7439-92-1	Lead	156	ug/L	D	[NULL]	[NULL]	S	B1NVT9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/17/2007 9:10	Y	7439-95-4	Magnesium	4540	ug/L	D	[NULL]	[NULL]	S	B1NVT9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/17/2007 9:10	Y	7439-96-5	Manganese	739	ug/L	D	[NULL]	[NULL]	S	B1NVT9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/17/2007 9:10	Y	7439-98-7	Molybdenum	32.5	ug/L	CD	[NULL]	[NULL]	S	B1NVT9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/17/2007 9:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVT9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/17/2007 9:10	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVT9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-129	6/17/2007 9:10	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVT9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/17/2007 9:10	Y	14265-44-2	Phosphate	241000	ug/L	D	[NULL]	[NULL]	S	B1NVT9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/17/2007 9:10	Y	7440-09-7	Potassium	2880	ug/L	D	[NULL]	[NULL]	S	B1NVT9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/17/2007 9:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVT9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/17/2007 9:10	Y	7440-23-5	Sodium	272000	ug/L	D	[NULL]	[NULL]	S	B1NVT9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/17/2007 9:10	Y	7440-24-6	Strontium	137	ug/L	D	[NULL]	[NULL]	S	B1NVT9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/17/2007 9:10	Y	10098-97-2	Strontium-90	770	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVT9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-129	6/17/2007 9:10	Y	14808-79-8	Sulfate	7150	ug/L	D	[NULL]	[NULL]	S	B1NVT9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/17/2007 9:10	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVT9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/17/2007 9:10	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVT9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2007 15:44	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVW0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2007 15:44	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVW0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2007 15:44	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVW0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2007 15:44	Y	7440-39-3	Barium	50	ug/L	D	[NULL]	[NULL]	S	B1NVW0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2007 15:44	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2007 15:44	Y	7440-70-2	Calcium	27100	ug/L	D	[NULL]	[NULL]	S	B1NVW0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2007 15:44	Y	16887-00-6	Chloride	45100	ug/L	D	[NULL]	[NULL]	S	B1NVW0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/18/2007 15:44	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2007 15:44	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2007 15:44	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2007 15:44	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NVW0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/18/2007 15:44	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NVW0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2007 15:44	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVW0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2007 15:44	Y	7439-95-4	Magnesium	5330	ug/L	D	[NULL]	[NULL]	S	B1NVW0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2007 15:44	Y	7439-96-5	Manganese	840	ug/L	D	[NULL]	[NULL]	S	B1NVW0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2007 15:44	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2007 15:44	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2007 15:44	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1NVW0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/18/2007 15:44	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1NVW0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/18/2007 15:44	Y	14265-44-2	Phosphate	240000	ug/L	DN	[NULL]	[NULL]	S	B1NVW0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/18/2007 15:44	Y	7440-09-7	Potassium	3640	ug/L	D	[NULL]	[NULL]	S	B1NVW0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2007 15:44	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVW0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2007 15:44	Y	7440-23-5	Sodium	325000	ug/L	D	[NULL]	[NULL]	S	B1NVW0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2007 15:44	Y	7440-24-6	Strontium	155	ug/L	D	[NULL]	[NULL]	S	B1NVW0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2007 15:44	Y	10098-97-2	Strontium-90	840	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVW0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-129	6/18/2007 15:44	Y	14808-79-8	Sulfate	6260	ug/L	D	[NULL]	[NULL]	S	B1NVW0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/18/2007 15:44	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVW0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2007 15:44	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/20/2007 7:52	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVY3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/20/2007 7:52	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVY3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/20/2007 7:52	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVY3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/20/2007 7:52	Y	7440-39-3	Barium	53	ug/L	D	[NULL]	[NULL]	S	B1NVY3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/20/2007 7:52	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/20/2007 7:52	Y	7440-70-2	Calcium	30200	ug/L	D	[NULL]	[NULL]	S	B1NVY3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/20/2007 7:52	Y	16887-00-6	Chloride	57900	ug/L	D	[NULL]	[NULL]	S	B1NVY3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/20/2007 7:52	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/20/2007 7:52	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/20/2007 7:52	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/20/2007 7:52	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NVY3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/20/2007 7:52	Y	7439-89-6	Iron	68.9	ug/L	D	[NULL]	[NULL]	S	B1NVY3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/20/2007 7:52	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVY3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/20/2007 7:52	Y	7439-95-4	Magnesium	6130	ug/L	D	[NULL]	[NULL]	S	B1NVY3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/20/2007 7:52	Y	7439-96-5	Manganese	935	ug/L	D	[NULL]	[NULL]	S	B1NVY3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/20/2007 7:52	Y	7439-98-7	Molybdenum	28.7	ug/L	CD	[NULL]	[NULL]	S	B1NVY3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/20/2007 7:52	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-129	6/20/2007 7:52	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NVY3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/20/2007 7:52	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NVY3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/20/2007 7:52	Y	14265-44-2	Phosphate	239000	ug/L	D	[NULL]	[NULL]	S	B1NVY3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/20/2007 7:52	Y	7440-09-7	Potassium	3660	ug/L	D	[NULL]	[NULL]	S	B1NVY3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/20/2007 7:52	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVY3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/20/2007 7:52	Y	7440-23-5	Sodium	347000	ug/L	D	[NULL]	[NULL]	S	B1NVY3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/20/2007 7:52	Y	7440-24-6	Strontium	171	ug/L	D	[NULL]	[NULL]	S	B1NVY3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/20/2007 7:52	Y	10098-97-2	Strontium-90	1000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVY3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-129	6/20/2007 7:52	Y	14808-79-8	Sulfate	5290	ug/L	D	[NULL]	[NULL]	S	B1NVY3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/20/2007 7:52	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVY3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/20/2007 7:52	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/22/2007 8:05	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NW19	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/22/2007 8:05	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NW19	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/22/2007 8:05	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NW19	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/22/2007 8:05	Y	7440-39-3	Barium	35	ug/L	D	[NULL]	[NULL]	S	B1NW19	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/22/2007 8:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW19	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/22/2007 8:05	Y	7440-70-2	Calcium	19200	ug/L	D	[NULL]	[NULL]	S	B1NW19	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/22/2007 8:05	Y	16887-00-6	Chloride	33000	ug/L	D	[NULL]	[NULL]	S	B1NW19	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/22/2007 8:05	Y	7440-47-3	Chromium	27.9	ug/L	D	[NULL]	[NULL]	S	B1NW19	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/22/2007 8:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NW19	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/22/2007 8:05	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NW19	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/22/2007 8:05	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NW19	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/22/2007 8:05	Y	7439-89-6	Iron	45.1	ug/L	D	[NULL]	[NULL]	S	B1NW19	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/22/2007 8:05	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NW19	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/22/2007 8:05	Y	7439-95-4	Magnesium	3900	ug/L	D	[NULL]	[NULL]	S	B1NW19	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/22/2007 8:05	Y	7439-96-5	Manganese	693	ug/L	D	[NULL]	[NULL]	S	B1NW19	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/22/2007 8:05	Y	7439-98-7	Molybdenum	39	ug/L	D	[NULL]	[NULL]	S	B1NW19	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/22/2007 8:05	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NW19	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/22/2007 8:05	Y	14797-55-8	Nitrate	6460	ug/L	D	[NULL]	[NULL]	S	B1NW19	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/22/2007 8:05	Y	14797-65-0	Nitrite	805	ug/L	BD	[NULL]	[NULL]	S	B1NW19	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/22/2007 8:05	Y	14265-44-2	Phosphate	186000	ug/L	D	[NULL]	[NULL]	S	B1NW19	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/22/2007 8:05	Y	7440-09-7	Potassium	2860	ug/L	D	[NULL]	[NULL]	S	B1NW19	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/22/2007 8:05	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NW19	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/22/2007 8:05	Y	7440-23-5	Sodium	250000	ug/L	D	[NULL]	[NULL]	S	B1NW19	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/22/2007 8:05	Y	7440-24-6	Strontium	110	ug/L	D	[NULL]	[NULL]	S	B1NW19	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/22/2007 8:05	Y	10098-97-2	Strontium-90	550	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NW19	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-129	6/22/2007 8:05	Y	14808-79-8	Sulfate	8270	ug/L	D	[NULL]	[NULL]	S	B1NW19	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/22/2007 8:05	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NW19	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/22/2007 8:05	Y	7440-66-6	Zinc	21.4	ug/L	D	[NULL]	[NULL]	S	B1NW19	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/29/2007 10:03	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P370	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/29/2007 10:03	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P370	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/29/2007 10:03	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P370	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/29/2007 10:03	Y	7440-39-3	Barium	32	ug/L	D	[NULL]	[NULL]	S	B1P370	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/29/2007 10:03	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P370	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/29/2007 10:03	Y	7440-70-2	Calcium	21600	ug/L	D	[NULL]	[NULL]	S	B1P370	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/29/2007 10:03	Y	16887-00-6	Chloride	44800	ug/L	D	[NULL]	[NULL]	S	B1P370	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/29/2007 10:03	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P370	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/29/2007 10:03	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P370	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/29/2007 10:03	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P370	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/29/2007 10:03	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P370	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/29/2007 10:03	Y	7439-89-6	Iron	52.3	ug/L	CD	[NULL]	[NULL]	S	B1P370	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/29/2007 10:03	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P370	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/29/2007 10:03	Y	7439-95-4	Magnesium	4360	ug/L	D	[NULL]	[NULL]	S	B1P370	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/29/2007 10:03	Y	7439-96-5	Manganese	732	ug/L	D	[NULL]	[NULL]	S	B1P370	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/29/2007 10:03	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1P370	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-129	6/29/2007 10:03	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P370	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/29/2007 10:03	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1P370	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/29/2007 10:03	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P370	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/29/2007 10:03	Y	14265-44-2	Phosphate	124000	ug/L	D	[NULL]	[NULL]	S	B1P370	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/29/2007 10:03	Y	7440-09-7	Potassium	2940	ug/L	D	[NULL]	[NULL]	S	B1P370	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/29/2007 10:03	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P370	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/29/2007 10:03	Y	7440-23-5	Sodium	266000	ug/L	D	[NULL]	[NULL]	S	B1P370	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/29/2007 10:03	Y	7440-24-6	Strontium	114	ug/L	D	[NULL]	[NULL]	S	B1P370	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/29/2007 10:03	Y	10098-97-2	Strontium-90	580	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P370	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-129	6/29/2007 10:03	Y	14808-79-8	Sulfate	5140	ug/L	D	[NULL]	[NULL]	S	B1P370	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/29/2007 10:03	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P370	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/29/2007 10:03	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P370	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/8/2007 8:50	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P393	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/8/2007 8:50	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P393	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/8/2007 8:50	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P393	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/8/2007 8:50	Y	7440-39-3	Barium	36	ug/L	D	[NULL]	[NULL]	S	B1P393	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/8/2007 8:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P393	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/8/2007 8:50	Y	7440-70-2	Calcium	24300	ug/L	D	[NULL]	[NULL]	S	B1P393	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/8/2007 8:50	Y	16887-00-6	Chloride	63200	ug/L	D	[NULL]	[NULL]	S	B1P393	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	7/8/2007 8:50	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P393	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/8/2007 8:50	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P393	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/8/2007 8:50	Y	7440-50-8	Copper	49	ug/L	D	[NULL]	[NULL]	S	B1P393	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/8/2007 8:50	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P393	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	7/8/2007 8:50	Y	7439-89-6	Iron	74.6	ug/L	D	[NULL]	[NULL]	S	B1P393	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/8/2007 8:50	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P393	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/8/2007 8:50	Y	7439-95-4	Magnesium	4740	ug/L	D	[NULL]	[NULL]	S	B1P393	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/8/2007 8:50	Y	7439-96-5	Manganese	566	ug/L	D	[NULL]	[NULL]	S	B1P393	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/8/2007 8:50	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1P393	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/8/2007 8:50	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P393	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/8/2007 8:50	Y	14797-55-8	Nitrate	615	ug/L	BD	[NULL]	[NULL]	S	B1P393	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	7/8/2007 8:50	Y	14797-65-0	Nitrite	457	ug/L	BD	[NULL]	[NULL]	S	B1P393	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	7/8/2007 8:50	Y	14265-44-2	Phosphate	144000	ug/L	D	[NULL]	[NULL]	S	B1P393	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	7/8/2007 8:50	Y	7440-09-7	Potassium	4020	ug/L	D	[NULL]	[NULL]	S	B1P393	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/8/2007 8:50	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P393	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/8/2007 8:50	Y	7440-23-5	Sodium	350000	ug/L	D	[NULL]	[NULL]	S	B1P393	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/8/2007 8:50	Y	7440-24-6	Strontium	128	ug/L	D	[NULL]	[NULL]	S	B1P393	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/8/2007 8:50	Y	10098-97-2	Strontium-90	560	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P393	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-129	7/8/2007 8:50	Y	14808-79-8	Sulfate	1670	ug/L	BD	[NULL]	[NULL]	S	B1P393	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	7/8/2007 8:50	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P393	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/8/2007 8:50	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P393	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/13/2007 11:35	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P3C6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/13/2007 11:35	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P3C6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/13/2007 11:35	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P3C6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/13/2007 11:35	Y	7440-39-3	Barium	26	ug/L	D	[NULL]	[NULL]	S	B1P3C6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/13/2007 11:35	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/13/2007 11:35	Y	7440-70-2	Calcium	16400	ug/L	D	[NULL]	[NULL]	S	B1P3C6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/13/2007 11:35	Y	16887-00-6	Chloride	32900	ug/L	D	[NULL]	[NULL]	S	B1P3C6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	7/13/2007 11:35	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/13/2007 11:35	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/13/2007 11:35	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/13/2007 11:35	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P3C6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	7/13/2007 11:35	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1P3C6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/13/2007 11:35	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P3C6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/13/2007 11:35	Y	7439-95-4	Magnesium	3310	ug/L	D	[NULL]	[NULL]	S	B1P3C6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/13/2007 11:35	Y	7439-96-5	Manganese	416	ug/L	D	[NULL]	[NULL]	S	B1P3C6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-129	7/13/2007 11:35	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/13/2007 11:35	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/13/2007 11:35	Y	14797-55-8	Nitrate	18700	ug/L	D	[NULL]	[NULL]	S	B1P3C6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	7/13/2007 11:35	Y	14797-65-0	Nitrite	539	ug/L	BD	[NULL]	[NULL]	S	B1P3C6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	7/13/2007 11:35	Y	14265-44-2	Phosphate	119000	ug/L	D	[NULL]	[NULL]	S	B1P3C6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	7/13/2007 11:35	Y	7440-09-7	Potassium	2800	ug/L	D	[NULL]	[NULL]	S	B1P3C6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/13/2007 11:35	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P3C6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/13/2007 11:35	Y	7440-23-5	Sodium	239000	ug/L	D	[NULL]	[NULL]	S	B1P3C6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/13/2007 11:35	Y	7440-24-6	Strontium	89.1	ug/L	D	[NULL]	[NULL]	S	B1P3C6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/13/2007 11:35	Y	10098-97-2	Strontium-90	2600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P3C6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-129	7/13/2007 11:35	Y	14808-79-8	Sulfate	5530	ug/L	D	[NULL]	[NULL]	S	B1P3C6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	7/13/2007 11:35	Y	7440-62-2	Vanadium	35	ug/L	D	[NULL]	[NULL]	S	B1P3C6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/13/2007 11:35	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:15	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1PCR1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:15	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1PCR1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:15	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1PCR1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:15	Y	7440-39-3	Barium	66	ug/L	CD	[NULL]	[NULL]	S	B1PCR1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:15	Y	7440-70-2	Calcium	53700	ug/L	D	[NULL]	[NULL]	S	B1PCR1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:15	Y	16887-00-6	Chloride	38200	ug/L	D	[NULL]	[NULL]	S	B1PCR1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	8/23/2007 10:15	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:15	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:15	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1PCR1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	8/23/2007 10:15	Y	7439-89-6	Iron	417	ug/L	CD	[NULL]	[NULL]	S	B1PCR1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:15	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1PCR1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:15	Y	7439-95-4	Magnesium	9520	ug/L	D	[NULL]	[NULL]	S	B1PCR1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:15	Y	7439-96-5	Manganese	1440	ug/L	D	[NULL]	[NULL]	S	B1PCR1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:15	Y	7439-98-7	Molybdenum	28.7	ug/L	CD	[NULL]	[NULL]	S	B1PCR1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:15	Y	7440-02-0	Nickel	23.6	ug/L	D	[NULL]	[NULL]	S	B1PCR1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:15	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1PCR1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	8/23/2007 10:15	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1PCR1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	8/23/2007 10:15	Y	14265-44-2	Phosphate	17800	ug/L	D	[NULL]	[NULL]	S	B1PCR1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	8/23/2007 10:15	Y	7440-09-7	Potassium	3550	ug/L	D	[NULL]	[NULL]	S	B1PCR1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:15	Y	7440-22-4	Silver	138	ug/L	CD	[NULL]	[NULL]	S	B1PCR1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:15	Y	7440-23-5	Sodium	155000	ug/L	D	[NULL]	[NULL]	S	B1PCR1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:15	Y	7440-24-6	Strontium	207	ug/L	D	[NULL]	[NULL]	S	B1PCR1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:15	Y	10098-97-2	Strontium-90	1700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1PCR1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-129	8/23/2007 10:15	Y	14808-79-8	Sulfate	2460	ug/L	BD	[NULL]	[NULL]	S	B1PCR1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	8/23/2007 10:15	Y	7440-62-2	Vanadium	60	ug/L	CD	[NULL]	[NULL]	S	B1PCR1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:15	Y	7440-66-6	Zinc	94.5	ug/L	CD	[NULL]	[NULL]	S	B1PCR1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:25	Y	7429-90-5	Aluminum	246	ug/L	D	[NULL]	[NULL]	S	B1PCR2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:25	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1PCR2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:25	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1PCR2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:25	Y	7440-39-3	Barium	40	ug/L	CD	[NULL]	[NULL]	S	B1PCR2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:25	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:25	Y	7440-70-2	Calcium	8770	ug/L	D	[NULL]	[NULL]	S	B1PCR2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:25	Y	16887-00-6	Chloride	4300	ug/L	D	[NULL]	[NULL]	S	B1PCR2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	8/23/2007 10:25	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:25	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:25	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:25	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1PCR2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	8/23/2007 10:25	Y	7439-89-6	Iron	72.8	ug/L	CD	[NULL]	[NULL]	S	B1PCR2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:25	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1PCR2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:25	Y	7439-95-4	Magnesium	1680	ug/L	D	[NULL]	[NULL]	S	B1PCR2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-129	8/23/2007 10:25	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:25	Y	7439-98-7	Molybdenum	32.4	ug/L	CD	[NULL]	[NULL]	S	B1PCR2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:25	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:25	Y	14797-55-8	Nitrate	35800	ug/L	D	[NULL]	[NULL]	S	B1PCR2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	8/23/2007 10:25	Y	14797-65-0	Nitrite	1750	ug/L	D	[NULL]	[NULL]	S	B1PCR2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	8/23/2007 10:25	Y	14265-44-2	Phosphate	157000	ug/L	D	[NULL]	[NULL]	S	B1PCR2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	8/23/2007 10:25	Y	7440-09-7	Potassium	2260	ug/L	D	[NULL]	[NULL]	S	B1PCR2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:25	Y	7440-22-4	Silver	147	ug/L	CD	[NULL]	[NULL]	S	B1PCR2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:25	Y	7440-23-5	Sodium	164000	ug/L	D	[NULL]	[NULL]	S	B1PCR2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:25	Y	7440-24-6	Strontium	44.4	ug/L	D	[NULL]	[NULL]	S	B1PCR2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:25	Y	10098-97-2	Strontium-90	240	pCi/L	[NULL]	[NULL]	[NULL]	S	B1PCR2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-129	8/23/2007 10:25	Y	14808-79-8	Sulfate	9470	ug/L	D	[NULL]	[NULL]	S	B1PCR2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	8/23/2007 10:25	Y	7440-62-2	Vanadium	95	ug/L	CD	[NULL]	[NULL]	S	B1PCR2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	8/23/2007 10:25	Y	7440-66-6	Zinc	95.6	ug/L	CD	[NULL]	[NULL]	S	B1PCR2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/3/2008 11:45	Y	7429-90-5	Aluminum	103	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/3/2008 11:45	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	S	B1VJL6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/3/2008 11:45	Y	7440-38-2	Arsenic	50	ug/L	U	[NULL]	[NULL]	S	B1VJL6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/3/2008 11:45	Y	7440-39-3	Barium	15	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/3/2008 11:45	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1VJL6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/3/2008 11:45	Y	7440-70-2	Calcium	10600	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/3/2008 11:45	Y	16887-00-6	Chloride	1240	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/3/2008 11:45	Y	7440-47-3	Chromium	6.3	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/3/2008 11:45	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1VJL6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/3/2008 11:45	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	S	B1VJL6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/3/2008 11:45	Y	16984-48-8	Fluoride	40	ug/L	B	[NULL]	[NULL]	S	B1VJL6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/3/2008 11:45	Y	12587-46-1	Gross alpha	0.69	pCi/L	U	[NULL]	[NULL]	S	B1VJL6	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-129	6/3/2008 11:45	Y	12587-47-2	Gross beta	420	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VJL6	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-129	6/3/2008 11:45	Y	7439-89-6	Iron	61	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/3/2008 11:45	Y	7439-92-1	Lead	27	ug/L	U	[NULL]	[NULL]	S	B1VJL6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/3/2008 11:45	Y	7439-95-4	Magnesium	1900	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/3/2008 11:45	Y	7439-96-5	Manganese	8	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/3/2008 11:45	Y	7439-98-7	Molybdenum	4	ug/L	U	[NULL]	[NULL]	S	B1VJL6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/3/2008 11:45	Y	7440-02-0	Nickel	4.5	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/3/2008 11:45	Y	14797-55-8	Nitrate	2000	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/3/2008 11:45	Y	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	S	B1VJL6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/3/2008 11:45	Y	14265-44-2	Phosphate	13800	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/3/2008 11:45	Y	7440-09-7	Potassium	952	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/3/2008 11:45	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1VJL6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/3/2008 11:45	Y	7440-23-5	Sodium	22400	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/3/2008 11:45	Y	7440-24-6	Strontium	56.8	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/3/2008 11:45	Y	14808-79-8	Sulfate	8290	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/3/2008 11:45	Y	7440-62-2	Vanadium	8	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/3/2008 11:45	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	S	B1VJL6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/6/2008 17:26	Y	7429-90-5	Aluminum	5600	ug/L	D	[NULL]	[NULL]	S	B1VTV7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/6/2008 17:26	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1VTV7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/6/2008 17:26	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1VTV7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/6/2008 17:26	Y	7440-39-3	Barium	208	ug/L	D	[NULL]	[NULL]	S	B1VTV7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/6/2008 17:26	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VTV7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/6/2008 17:26	Y	7440-70-2	Calcium	202000	ug/L	D	[NULL]	[NULL]	S	B1VTV7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/6/2008 17:26	Y	16887-00-6	Chloride	200000	ug/L	DN	[NULL]	[NULL]	S	B1VTV7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/6/2008 17:26	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1VTV7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/6/2008 17:26	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VTV7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/6/2008 17:26	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1VTV7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/6/2008 17:26	Y	DO	Dissolved oxygen	2200	ug/L	[NULL]	[NULL]	[NULL]	S	B1VTV7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-129	6/6/2008 17:26	Y	16984-48-8	Fluoride	420	ug/L	DU	[NULL]	[NULL]	S	B1VTV7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-129	6/6/2008 17:26	Y	12587-46-1	Gross alpha	-11	pCi/L	U	[NULL]	[NULL]	S	B1VTV7	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-129	6/6/2008 17:26	Y	12587-47-2	Gross beta	6500	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VTV7	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-129	6/6/2008 17:26	Y	7439-89-6	Iron	488	ug/L	CD	[NULL]	[NULL]	S	B1VTV7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/6/2008 17:26	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1VTV7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/6/2008 17:26	Y	7439-95-4	Magnesium	27800	ug/L	D	[NULL]	[NULL]	S	B1VTV7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/6/2008 17:26	Y	7439-96-5	Manganese	6120	ug/L	D	[NULL]	[NULL]	S	B1VTV7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/6/2008 17:26	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1VTV7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/6/2008 17:26	Y	7440-02-0	Nickel	29.3	ug/L	D	[NULL]	[NULL]	S	B1VTV7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/6/2008 17:26	Y	14797-55-8	Nitrate	3190	ug/L	DNU	[NULL]	[NULL]	S	B1VTV7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/6/2008 17:26	Y	14797-65-0	Nitrite	650	ug/L	DNU	[NULL]	[NULL]	S	B1VTV7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/6/2008 17:26	Y	EH	Oxidation Reduction Potential	-75	mV	[NULL]	[NULL]	[NULL]	S	B1VTV7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-129	6/6/2008 17:26	Y	14265-44-2	Phosphate	3500000	ug/L	DN	[NULL]	[NULL]	S	B1VTV7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/6/2008 17:26	Y	7440-09-7	Potassium	8220	ug/L	D	[NULL]	[NULL]	S	B1VTV7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/6/2008 17:26	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VTV7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/6/2008 17:26	Y	7440-23-5	Sodium	1630000	ug/L	D	[NULL]	[NULL]	S	B1VTV7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/6/2008 17:26	Y	CONDUCT	Specific Conductance	5200	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VTV7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-129	6/6/2008 17:26	Y	7440-24-6	Strontium	685	ug/L	D	[NULL]	[NULL]	S	B1VTV7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/6/2008 17:26	Y	14808-79-8	Sulfate	21000	ug/L	D	[NULL]	[NULL]	S	B1VTV7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/6/2008 17:26	Y	TEMPERATURE	Temperature	13.56	Deg C	[NULL]	[NULL]	[NULL]	S	B1VTV7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-129	6/6/2008 17:26	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1VTV7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/6/2008 17:26	Y	7440-66-6	Zinc	32.3	ug/L	D	[NULL]	[NULL]	S	B1VTV7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/6/2008 17:26	Y	PH	pH Measurement	7.39	unitless	[NULL]	[NULL]	[NULL]	S	B1VTV7	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-129	6/7/2008 9:08	Y	7429-90-5	Aluminum	5900	ug/L	D	[NULL]	[NULL]	S	B1VTY3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/7/2008 9:08	Y	7440-36-0	Antimony	160	ug/L	DNU	[NULL]	[NULL]	S	B1VTY3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/7/2008 9:08	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1VTY3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/7/2008 9:08	Y	7440-39-3	Barium	138	ug/L	D	[NULL]	[NULL]	S	B1VTY3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/7/2008 9:08	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/7/2008 9:08	Y	7440-70-2	Calcium	127000	ug/L	D	[NULL]	[NULL]	S	B1VTY3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/7/2008 9:08	Y	16887-00-6	Chloride	147000	ug/L	D	[NULL]	[NULL]	S	B1VTY3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/7/2008 9:08	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/7/2008 9:08	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/7/2008 9:08	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/7/2008 9:08	Y	DO	Dissolved oxygen	80	ug/L	[NULL]	[NULL]	[NULL]	S	B1VTY3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-129	6/7/2008 9:08	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VTY3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/7/2008 9:08	Y	12587-46-1	Gross alpha	-2.2	pCi/L	U	[NULL]	[NULL]	S	B1VTY3	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-129	6/7/2008 9:08	Y	12587-47-2	Gross beta	3900	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VTY3	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-129	6/7/2008 9:08	Y	7439-89-6	Iron	306	ug/L	CD	[NULL]	[NULL]	S	B1VTY3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/7/2008 9:08	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1VTY3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/7/2008 9:08	Y	7439-95-4	Magnesium	20600	ug/L	D	[NULL]	[NULL]	S	B1VTY3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/7/2008 9:08	Y	7439-96-5	Manganese	5500	ug/L	D	[NULL]	[NULL]	S	B1VTY3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/7/2008 9:08	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/7/2008 9:08	Y	7440-02-0	Nickel	49	ug/L	D	[NULL]	[NULL]	S	B1VTY3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/7/2008 9:08	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VTY3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/7/2008 9:08	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VTY3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/7/2008 9:08	Y	EH	Oxidation Reduction Potential	-151	mV	[NULL]	[NULL]	[NULL]	S	B1VTY3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-129	6/7/2008 9:08	Y	14265-44-2	Phosphate	2030000	ug/L	DX	[NULL]	[NULL]	S	B1VTY3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/7/2008 9:08	Y	7440-09-7	Potassium	5120	ug/L	D	[NULL]	[NULL]	S	B1VTY3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/7/2008 9:08	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VTY3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/7/2008 9:08	Y	7440-23-5	Sodium	1020000	ug/L	D	[NULL]	[NULL]	S	B1VTY3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/7/2008 9:08	Y	CONDUCT	Specific Conductance	3600	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VTY3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-129	6/7/2008 9:08	Y	7440-24-6	Strontium	419	ug/L	D	[NULL]	[NULL]	S	B1VTY3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/7/2008 9:08	Y	14808-79-8	Sulfate	12300	ug/L	D	[NULL]	[NULL]	S	B1VTY3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/7/2008 9:08	Y	TEMPERATURE	Temperature	13.57	Deg C	[NULL]	[NULL]	[NULL]	S	B1VTY3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-129	6/7/2008 9:08	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1VTY3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/7/2008 9:08	Y	7440-66-6	Zinc	20.5	ug/L	D	[NULL]	[NULL]	S	B1VTY3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/7/2008 9:08	Y	PH	pH Measurement	7.34	unitless	[NULL]	[NULL]	[NULL]	S	B1VTY3	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-129	6/8/2008 8:15	Y	7429-90-5	Aluminum	3090	ug/L	D	[NULL]	[NULL]	S	B1VV19	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/8/2008 8:15	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1VV19	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/8/2008 8:15	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1VV19	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/8/2008 8:15	Y	7440-39-3	Barium	74	ug/L	D	[NULL]	[NULL]	S	B1VV19	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/8/2008 8:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV19	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/8/2008 8:15	Y	7440-70-2	Calcium	61700	ug/L	DN	[NULL]	[NULL]	S	B1VV19	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/8/2008 8:15	Y	16887-00-6	Chloride	96300	ug/L	D	[NULL]	[NULL]	S	B1VV19	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/8/2008 8:15	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV19	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/8/2008 8:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VV19	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/8/2008 8:15	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1VV19	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/8/2008 8:15	Y	DO	Dissolved oxygen	150	ug/L	[NULL]	[NULL]	[NULL]	S	B1VV19	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-129	6/8/2008 8:15	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VV19	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/8/2008 8:15	Y	12587-46-1	Gross alpha	7.1	pCi/L	U	[NULL]	[NULL]	S	B1VV19	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-129	6/8/2008 8:15	Y	12587-47-2	Gross beta	2300	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV19	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-129	6/8/2008 8:15	Y	7439-89-6	Iron	162	ug/L	D	[NULL]	[NULL]	S	B1VV19	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/8/2008 8:15	Y	7439-92-1	Lead	393	ug/L	CDN	G	[NULL]	S	B1VV19	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/8/2008 8:15	Y	7439-95-4	Magnesium	11000	ug/L	D	[NULL]	[NULL]	S	B1VV19	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/8/2008 8:15	Y	7439-96-5	Manganese	4690	ug/L	D	[NULL]	[NULL]	S	B1VV19	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/8/2008 8:15	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1VV19	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/8/2008 8:15	Y	7440-02-0	Nickel	48.1	ug/L	D	[NULL]	[NULL]	S	B1VV19	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/8/2008 8:15	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VV19	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/8/2008 8:15	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VV19	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/8/2008 8:15	Y	EH	Oxidation Reduction Potential	-138	mV	[NULL]	[NULL]	[NULL]	S	B1VV19	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-129	6/8/2008 8:15	Y	14265-44-2	Phosphate	1160000	ug/L	D	[NULL]	[NULL]	S	B1VV19	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/8/2008 8:15	Y	7440-09-7	Potassium	3980	ug/L	D	[NULL]	[NULL]	S	B1VV19	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/8/2008 8:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VV19	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/8/2008 8:15	Y	7440-23-5	Sodium	728000	ug/L	D	[NULL]	[NULL]	S	B1VV19	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/8/2008 8:15	Y	CONDUCT	Specific Conductance	2510	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VV19	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-129	6/8/2008 8:15	Y	7440-24-6	Strontium	216	ug/L	D	[NULL]	[NULL]	S	B1VV19	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/8/2008 8:15	Y	14808-79-8	Sulfate	17400	ug/L	D	[NULL]	[NULL]	S	B1VV19	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/8/2008 8:15	Y	TEMPERATURE	Temperature	13.17	Deg C	[NULL]	[NULL]	[NULL]	S	B1VV19	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-129	6/8/2008 8:15	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1VV19	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/8/2008 8:15	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1VV19	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/8/2008 8:15	Y	PH	pH Measurement	7.35	unitless	[NULL]	[NULL]	[NULL]	S	B1VV19	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-129	6/9/2008 11:45	Y	7429-90-5	Aluminum	832	ug/L	D	[NULL]	[NULL]	S	B1VV45	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/9/2008 11:45	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VV45	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/9/2008 11:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VV45	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/9/2008 11:45	Y	7440-39-3	Barium	55	ug/L	D	[NULL]	[NULL]	S	B1VV45	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/9/2008 11:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV45	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/9/2008 11:45	Y	7440-70-2	Calcium	38300	ug/L	D	[NULL]	[NULL]	S	B1VV45	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/9/2008 11:45	Y	16887-00-6	Chloride	106000	ug/L	D	[NULL]	[NULL]	S	B1VV45	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/9/2008 11:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VV45	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/9/2008 11:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VV45	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/9/2008 11:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VV45	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/9/2008 11:45	Y	DO	Dissolved oxygen	570	ug/L	[NULL]	[NULL]	[NULL]	S	B1VV45	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-129	6/9/2008 11:45	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VV45	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/9/2008 11:45	Y	12587-46-1	Gross alpha	-3.6	pCi/L	U	[NULL]	[NULL]	S	B1VV45	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-129	6/9/2008 11:45	Y	12587-47-2	Gross beta	2000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV45	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-129	6/9/2008 11:45	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VV45	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/9/2008 11:45	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VV45	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/9/2008 11:45	Y	7439-95-4	Magnesium	8920	ug/L	DN	[NULL]	[NULL]	S	B1VV45	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-129	6/9/2008 11:45	Y	7439-96-5	Manganese	1570	ug/L	D	[NULL]	[NULL]	S	B1VV45	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/9/2008 11:45	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VV45	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/9/2008 11:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VV45	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/9/2008 11:45	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VV45	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/9/2008 11:45	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VV45	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/9/2008 11:45	Y	EH	Oxidation Reduction Potential	-156	mV	[NULL]	[NULL]	[NULL]	S	B1VV45	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-129	6/9/2008 11:45	Y	14265-44-2	Phosphate	1040000	ug/L	D	[NULL]	[NULL]	S	B1VV45	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/9/2008 11:45	Y	7440-09-7	Potassium	5140	ug/L	D	[NULL]	[NULL]	S	B1VV45	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/9/2008 11:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VV45	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/9/2008 11:45	Y	7440-23-5	Sodium	810000	ug/L	D	[NULL]	[NULL]	S	B1VV45	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/9/2008 11:45	Y	CONDUCT	Specific Conductance	2720	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VV45	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-129	6/9/2008 11:45	Y	7440-24-6	Strontium	195	ug/L	D	[NULL]	[NULL]	S	B1VV45	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/9/2008 11:45	Y	14808-79-8	Sulfate	12600	ug/L	D	[NULL]	[NULL]	S	B1VV45	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/9/2008 11:45	Y	TEMPERATURE	Temperature	13.84	Deg C	[NULL]	[NULL]	[NULL]	S	B1VV45	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-129	6/9/2008 11:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VV45	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/9/2008 11:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VV45	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/9/2008 11:45	Y	PH	pH Measurement	7.24	unitless	[NULL]	[NULL]	[NULL]	S	B1VV45	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-129	6/10/2008 16:07	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VV71	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/10/2008 16:07	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VV71	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/10/2008 16:07	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VV71	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/10/2008 16:07	Y	7440-39-3	Barium	23	ug/L	D	[NULL]	[NULL]	S	B1VV71	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/10/2008 16:07	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV71	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/10/2008 16:07	Y	7440-70-2	Calcium	11700	ug/L	D	[NULL]	[NULL]	S	B1VV71	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/10/2008 16:07	Y	16887-00-6	Chloride	25100	ug/L	D	[NULL]	[NULL]	S	B1VV71	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/10/2008 16:07	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VV71	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/10/2008 16:07	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VV71	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/10/2008 16:07	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VV71	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/10/2008 16:07	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VV71	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/10/2008 16:07	Y	12587-46-1	Gross alpha	6.1	pCi/L	U	[NULL]	[NULL]	S	B1VV71	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-129	6/10/2008 16:07	Y	12587-47-2	Gross beta	730	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV71	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-129	6/10/2008 16:07	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VV71	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/10/2008 16:07	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VV71	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/10/2008 16:07	Y	7439-95-4	Magnesium	2700	ug/L	D	[NULL]	[NULL]	S	B1VV71	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/10/2008 16:07	Y	7439-96-5	Manganese	251	ug/L	D	[NULL]	[NULL]	S	B1VV71	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/10/2008 16:07	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VV71	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/10/2008 16:07	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VV71	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/10/2008 16:07	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VV71	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/10/2008 16:07	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VV71	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/10/2008 16:07	Y	14265-44-2	Phosphate	558000	ug/L	D	[NULL]	[NULL]	S	B1VV71	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/10/2008 16:07	Y	7440-09-7	Potassium	2880	ug/L	D	[NULL]	[NULL]	S	B1VV71	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/10/2008 16:07	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VV71	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/10/2008 16:07	Y	7440-23-5	Sodium	377000	ug/L	D	[NULL]	[NULL]	S	B1VV71	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/10/2008 16:07	Y	7440-24-6	Strontium	72	ug/L	D	[NULL]	[NULL]	S	B1VV71	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/10/2008 16:07	Y	14808-79-8	Sulfate	7920	ug/L	BD	[NULL]	[NULL]	S	B1VV71	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/10/2008 16:07	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VV71	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/10/2008 16:07	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VV71	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2008 11:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VV97	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2008 11:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VV97	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2008 11:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VV97	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2008 11:30	Y	7440-39-3	Barium	20	ug/L	D	[NULL]	[NULL]	S	B1VV97	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2008 11:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV97	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2008 11:30	Y	7440-70-2	Calcium	10100	ug/L	DN	[NULL]	[NULL]	S	B1VV97	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2008 11:30	Y	16887-00-6	Chloride	12800	ug/L	D	[NULL]	[NULL]	S	B1VV97	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/11/2008 11:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VV97	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-129	6/11/2008 11:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VV97	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2008 11:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VV97	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2008 11:30	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VV97	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/11/2008 11:30	Y	12587-46-1	Gross alpha	-2.8	pCi/L	U	[NULL]	[NULL]	S	B1VV97	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-129	6/11/2008 11:30	Y	12587-47-2	Gross beta	490	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV97	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-129	6/11/2008 11:30	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VV97	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2008 11:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VV97	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2008 11:30	Y	7439-95-4	Magnesium	2140	ug/L	D	[NULL]	[NULL]	S	B1VV97	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2008 11:30	Y	7439-96-5	Manganese	225	ug/L	D	[NULL]	[NULL]	S	B1VV97	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2008 11:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VV97	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2008 11:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VV97	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2008 11:30	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VV97	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/11/2008 11:30	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VV97	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/11/2008 11:30	Y	14265-44-2	Phosphate	500000	ug/L	D	[NULL]	[NULL]	S	B1VV97	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/11/2008 11:30	Y	7440-09-7	Potassium	2340	ug/L	D	[NULL]	[NULL]	S	B1VV97	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2008 11:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VV97	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2008 11:30	Y	7440-23-5	Sodium	309000	ug/L	D	[NULL]	[NULL]	S	B1VV97	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2008 11:30	Y	7440-24-6	Strontium	58.9	ug/L	D	[NULL]	[NULL]	S	B1VV97	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2008 11:30	Y	14808-79-8	Sulfate	7590	ug/L	BD	[NULL]	[NULL]	S	B1VV97	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/11/2008 11:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VV97	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/11/2008 11:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VV97	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2008 12:27	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVD3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2008 12:27	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVD3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2008 12:27	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVD3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2008 12:27	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVD3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2008 12:27	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVD3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2008 12:27	Y	7440-70-2	Calcium	8230	ug/L	DN	[NULL]	[NULL]	S	B1VVD3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2008 12:27	Y	16887-00-6	Chloride	4090	ug/L	D	[NULL]	[NULL]	S	B1VVD3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/13/2008 12:27	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVD3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2008 12:27	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVD3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2008 12:27	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVD3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2008 12:27	Y	DO	Dissolved oxygen	1950	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVD3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-129	6/13/2008 12:27	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVD3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/13/2008 12:27	Y	12587-46-1	Gross alpha	2	pCi/L	U	[NULL]	[NULL]	S	B1VVD3	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-129	6/13/2008 12:27	Y	12587-47-2	Gross beta	440	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVD3	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-129	6/13/2008 12:27	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VVD3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2008 12:27	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVD3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2008 12:27	Y	7439-95-4	Magnesium	1540	ug/L	D	[NULL]	[NULL]	S	B1VVD3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2008 12:27	Y	7439-96-5	Manganese	211	ug/L	D	[NULL]	[NULL]	S	B1VVD3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2008 12:27	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVD3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2008 12:27	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVD3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2008 12:27	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVD3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/13/2008 12:27	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVD3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/13/2008 12:27	Y	EH	Oxidation Reduction Potential	-117	mV	[NULL]	[NULL]	[NULL]	S	B1VVD3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-129	6/13/2008 12:27	Y	14265-44-2	Phosphate	334000	ug/L	D	[NULL]	[NULL]	S	B1VVD3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/13/2008 12:27	Y	7440-09-7	Potassium	1740	ug/L	D	[NULL]	[NULL]	S	B1VVD3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2008 12:27	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVD3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2008 12:27	Y	7440-23-5	Sodium	207000	ug/L	D	[NULL]	[NULL]	S	B1VVD3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2008 12:27	Y	CONDUCT	Specific Conductance	878.9	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVD3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-129	6/13/2008 12:27	Y	7440-24-6	Strontium	46.3	ug/L	D	[NULL]	[NULL]	S	B1VVD3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2008 12:27	Y	14808-79-8	Sulfate	6540	ug/L	BD	[NULL]	[NULL]	S	B1VVD3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/13/2008 12:27	Y	TEMPERATURE	Temperature	14.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVD3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-129	6/13/2008 12:27	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVD3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/13/2008 12:27	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVD3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-129	6/13/2008 12:27	Y	PH	pH Measurement	7.92	unitless	[NULL]	[NULL]	[NULL]	S	B1VVD3	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-129	6/14/2008 8:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVH9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2008 8:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVH9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2008 8:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVH9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2008 8:30	Y	7440-39-3	Barium	22	ug/L	D	[NULL]	[NULL]	S	B1VVH9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2008 8:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVH9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2008 8:30	Y	7440-70-2	Calcium	11600	ug/L	DN	[NULL]	[NULL]	S	B1VVH9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2008 8:30	Y	16887-00-6	Chloride	5590	ug/L	D	[NULL]	[NULL]	S	B1VVH9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/14/2008 8:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVH9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2008 8:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVH9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2008 8:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVH9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2008 8:30	Y	DO	Dissolved oxygen	1860	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVH9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-129	6/14/2008 8:30	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVH9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/14/2008 8:30	Y	12587-46-1	Gross alpha	3.9	pCi/L	U	[NULL]	[NULL]	S	B1VVH9	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-129	6/14/2008 8:30	Y	12587-47-2	Gross beta	570	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVH9	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-129	6/14/2008 8:30	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VVH9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2008 8:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVH9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2008 8:30	Y	7439-95-4	Magnesium	2150	ug/L	D	[NULL]	[NULL]	S	B1VVH9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2008 8:30	Y	7439-96-5	Manganese	348	ug/L	D	[NULL]	[NULL]	S	B1VVH9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2008 8:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVH9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2008 8:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVH9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2008 8:30	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVH9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/14/2008 8:30	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVH9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/14/2008 8:30	Y	EH	Oxidation Reduction Potential	-135	mV	[NULL]	[NULL]	[NULL]	S	B1VVH9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-129	6/14/2008 8:30	Y	14265-44-2	Phosphate	402000	ug/L	D	[NULL]	[NULL]	S	B1VVH9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/14/2008 8:30	Y	7440-09-7	Potassium	2140	ug/L	D	[NULL]	[NULL]	S	B1VVH9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2008 8:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVH9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2008 8:30	Y	7440-23-5	Sodium	242000	ug/L	D	[NULL]	[NULL]	S	B1VVH9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2008 8:30	Y	CONDUCT	Specific Conductance	986.5	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVH9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-129	6/14/2008 8:30	Y	7440-24-6	Strontium	66.8	ug/L	D	[NULL]	[NULL]	S	B1VVH9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2008 8:30	Y	14808-79-8	Sulfate	6970	ug/L	BD	[NULL]	[NULL]	S	B1VVH9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/14/2008 8:30	Y	TEMPERATURE	Temperature	13.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVH9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-129	6/14/2008 8:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVH9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2008 8:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVH9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/14/2008 8:30	Y	PH	pH Measurement	7.92	unitless	[NULL]	[NULL]	[NULL]	S	B1VVH9	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-129	6/16/2008 10:50	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVL5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2008 10:50	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVL5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2008 10:50	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVL5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2008 10:50	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVL5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2008 10:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVL5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2008 10:50	Y	7440-70-2	Calcium	7460	ug/L	D	[NULL]	[NULL]	S	B1VVL5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2008 10:50	Y	16887-00-6	Chloride	5830	ug/L	D	[NULL]	[NULL]	S	B1VVL5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/16/2008 10:50	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVL5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2008 10:50	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVL5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2008 10:50	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVL5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2008 10:50	Y	DO	Dissolved oxygen	1470	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVL5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-129	6/16/2008 10:50	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVL5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/16/2008 10:50	Y	12587-46-1	Gross alpha	0.92	pCi/L	U	[NULL]	[NULL]	S	B1VVL5	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-129	6/16/2008 10:50	Y	12587-47-2	Gross beta	300	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVL5	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-129	6/16/2008 10:50	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VVL5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2008 10:50	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVL5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2008 10:50	Y	7439-95-4	Magnesium	1420	ug/L	D	[NULL]	[NULL]	S	B1VVL5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2008 10:50	Y	7439-96-5	Manganese	234	ug/L	D	[NULL]	[NULL]	S	B1VVL5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2008 10:50	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVL5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-129	6/16/2008 10:50	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVL5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2008 10:50	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVL5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/16/2008 10:50	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVL5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/16/2008 10:50	Y	EH	Oxidation Reduction Potential	-148	mV	[NULL]	[NULL]	[NULL]	S	B1VVL5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-129	6/16/2008 10:50	Y	14265-44-2	Phosphate	313000	ug/L	D	[NULL]	[NULL]	S	B1VVL5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/16/2008 10:50	Y	7440-09-7	Potassium	1590	ug/L	D	[NULL]	[NULL]	S	B1VVL5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2008 10:50	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVL5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2008 10:50	Y	7440-23-5	Sodium	190000	ug/L	D	[NULL]	[NULL]	S	B1VVL5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2008 10:50	Y	CONDUCT	Specific Conductance	872.5	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVL5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-129	6/16/2008 10:50	Y	7440-24-6	Strontium	40.8	ug/L	D	[NULL]	[NULL]	S	B1VVL5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2008 10:50	Y	14808-79-8	Sulfate	6630	ug/L	BD	[NULL]	[NULL]	S	B1VVL5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/16/2008 10:50	Y	TEMPERATURE	Temperature	15.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVL5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-129	6/16/2008 10:50	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVL5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2008 10:50	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVL5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/16/2008 10:50	Y	PH	pH Measurement	7.94	unitless	[NULL]	[NULL]	[NULL]	S	B1VVL5	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-129	6/18/2008 6:38	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVP1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2008 6:38	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVP1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2008 6:38	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVP1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2008 6:38	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVP1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2008 6:38	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVP1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2008 6:38	Y	7440-70-2	Calcium	6800	ug/L	DN	[NULL]	[NULL]	S	B1VVP1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2008 6:38	Y	16887-00-6	Chloride	3520	ug/L	BD	[NULL]	[NULL]	S	B1VVP1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/18/2008 6:38	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVP1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2008 6:38	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVP1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2008 6:38	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVP1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2008 6:38	Y	DO	Dissolved oxygen	1820	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVP1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-129	6/18/2008 6:38	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVP1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/18/2008 6:38	Y	12587-46-1	Gross alpha	-5.5	pCi/L	U	[NULL]	[NULL]	S	B1VVP1	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-129	6/18/2008 6:38	Y	12587-47-2	Gross beta	280	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVP1	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-129	6/18/2008 6:38	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VVP1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2008 6:38	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVP1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2008 6:38	Y	7439-95-4	Magnesium	1240	ug/L	DN	[NULL]	[NULL]	S	B1VVP1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2008 6:38	Y	7439-96-5	Manganese	228	ug/L	D	[NULL]	[NULL]	S	B1VVP1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2008 6:38	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVP1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2008 6:38	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVP1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2008 6:38	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVP1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/18/2008 6:38	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVP1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/18/2008 6:38	Y	EH	Oxidation Reduction Potential	-146	mV	[NULL]	[NULL]	[NULL]	S	B1VVP1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-129	6/18/2008 6:38	Y	14265-44-2	Phosphate	270000	ug/L	DN	[NULL]	[NULL]	S	B1VVP1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/18/2008 6:38	Y	7440-09-7	Potassium	1530	ug/L	D	[NULL]	[NULL]	S	B1VVP1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2008 6:38	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVP1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2008 6:38	Y	7440-23-5	Sodium	162000	ug/L	D	[NULL]	[NULL]	S	B1VVP1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2008 6:38	Y	CONDUCT	Specific Conductance	683.3	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVP1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-129	6/18/2008 6:38	Y	7440-24-6	Strontium	37	ug/L	D	[NULL]	[NULL]	S	B1VVP1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2008 6:38	Y	14808-79-8	Sulfate	7140	ug/L	BD	[NULL]	[NULL]	S	B1VVP1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/18/2008 6:38	Y	TEMPERATURE	Temperature	13.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVP1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-129	6/18/2008 6:38	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVP1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2008 6:38	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVP1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/18/2008 6:38	Y	PH	pH Measurement	7.95	unitless	[NULL]	[NULL]	[NULL]	S	B1VVP1	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-129	6/27/2008 8:35	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVV3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/27/2008 8:35	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVV3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/27/2008 8:35	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVV3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/27/2008 8:35	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVV3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-129	6/27/2008 8:35	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVV3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/27/2008 8:35	Y	7440-70-2	Calcium	19300	ug/L	DN	[NULL]	[NULL]	S	B1VVV3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/27/2008 8:35	Y	16887-00-6	Chloride	30300	ug/L	D	[NULL]	[NULL]	S	B1VVV3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/27/2008 8:35	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVV3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/27/2008 8:35	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVV3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/27/2008 8:35	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVV3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/27/2008 8:35	Y	DO	Dissolved oxygen	1900	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVV3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-129	6/27/2008 8:35	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVV3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/27/2008 8:35	Y	12587-46-1	Gross alpha	-0.66	pCi/L	U	[NULL]	[NULL]	S	B1VVV3	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-129	6/27/2008 8:35	Y	12587-47-2	Gross beta	880	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVV3	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-129	6/27/2008 8:35	Y	7439-89-6	Iron	859	ug/L	D	[NULL]	[NULL]	S	B1VVV3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/27/2008 8:35	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVV3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/27/2008 8:35	Y	7439-95-4	Magnesium	4780	ug/L	D	[NULL]	[NULL]	S	B1VVV3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/27/2008 8:35	Y	7439-96-5	Manganese	572	ug/L	D	[NULL]	[NULL]	S	B1VVV3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/27/2008 8:35	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVV3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/27/2008 8:35	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVV3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/27/2008 8:35	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVV3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/27/2008 8:35	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVV3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/27/2008 8:35	Y	EH	Oxidation Reduction Potential	-192	mV	[NULL]	[NULL]	[NULL]	S	B1VVV3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-129	6/27/2008 8:35	Y	14265-44-2	Phosphate	175000	ug/L	D	[NULL]	[NULL]	S	B1VVV3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/27/2008 8:35	Y	7440-09-7	Potassium	2780	ug/L	D	[NULL]	[NULL]	S	B1VVV3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/27/2008 8:35	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVV3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/27/2008 8:35	Y	7440-23-5	Sodium	203000	ug/L	D	[NULL]	[NULL]	S	B1VVV3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/27/2008 8:35	Y	CONDUCT	Specific Conductance	842.4	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVV3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-129	6/27/2008 8:35	Y	7440-24-6	Strontium	82.2	ug/L	D	[NULL]	[NULL]	S	B1VVV3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/27/2008 8:35	Y	14808-79-8	Sulfate	2430	ug/L	BD	[NULL]	[NULL]	S	B1VVV3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	6/27/2008 8:35	Y	TEMPERATURE	Temperature	14.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVV3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-129	6/27/2008 8:35	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVV3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/27/2008 8:35	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVV3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	6/27/2008 8:35	Y	PH	pH Measurement	7.64	unitless	[NULL]	[NULL]	[NULL]	S	B1VVV3	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-129	7/4/2008 9:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VWV2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/4/2008 9:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VWV2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/4/2008 9:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VWV2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/4/2008 9:30	Y	7440-39-3	Barium	35	ug/L	D	[NULL]	[NULL]	S	B1VWV2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/4/2008 9:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWV2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/4/2008 9:30	Y	7440-70-2	Calcium	32100	ug/L	DN	[NULL]	[NULL]	S	B1VWV2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/4/2008 9:30	Y	16887-00-6	Chloride	139000	ug/L	D	[NULL]	[NULL]	S	B1VWV2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	7/4/2008 9:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VWV2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/4/2008 9:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VWV2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/4/2008 9:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VWV2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/4/2008 9:30	Y	DO	Dissolved oxygen	2180	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWV2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-129	7/4/2008 9:30	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VWV2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	7/4/2008 9:30	Y	12587-46-1	Gross alpha	-5.7	pCi/L	U	[NULL]	[NULL]	S	B1VWV2	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-129	7/4/2008 9:30	Y	12587-47-2	Gross beta	1400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VWV2	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-129	7/4/2008 9:30	Y	7439-89-6	Iron	300	ug/L	D	[NULL]	[NULL]	S	B1VWV2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/4/2008 9:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VWV2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/4/2008 9:30	Y	7439-95-4	Magnesium	13700	ug/L	DN	[NULL]	[NULL]	S	B1VWV2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/4/2008 9:30	Y	7439-96-5	Manganese	1820	ug/L	D	[NULL]	[NULL]	S	B1VWV2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/4/2008 9:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VWV2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/4/2008 9:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VWV2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/4/2008 9:30	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VWV2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	7/4/2008 9:30	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VWV2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	7/4/2008 9:30	Y	EH	Oxidation Reduction Potential	-150	mV	[NULL]	[NULL]	[NULL]	S	B1VWV2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-129	7/4/2008 9:30	Y	14265-44-2	Phosphate	684000	ug/L	D	[NULL]	[NULL]	S	B1VWV2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	7/4/2008 9:30	Y	7440-09-7	Potassium	4820	ug/L	D	[NULL]	[NULL]	S	B1VWV2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/4/2008 9:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VWV2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/4/2008 9:30	Y	7440-23-5	Sodium	696000	ug/L	D	[NULL]	[NULL]	S	B1VWV2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/4/2008 9:30	Y	CONDUCT	Specific Conductance	2832	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWV2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-129	7/4/2008 9:30	Y	7440-24-6	Strontium	182	ug/L	D	[NULL]	[NULL]	S	B1VWV2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/4/2008 9:30	Y	14808-79-8	Sulfate	5050	ug/L	BD	[NULL]	[NULL]	S	B1VWV2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	7/4/2008 9:30	Y	TEMPERATURE	Temperature	17.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWV2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-129	7/4/2008 9:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VWV2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/4/2008 9:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VWV2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/4/2008 9:30	Y	PH	pH Measurement	7.23	unitless	[NULL]	[NULL]	[NULL]	S	B1VWV2	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-129	7/11/2008 10:45	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7V6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/11/2008 10:45	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7V6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/11/2008 10:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7V6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/11/2008 10:45	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7V6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/11/2008 10:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7V6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/11/2008 10:45	Y	7440-70-2	Calcium	19600	ug/L	D	[NULL]	[NULL]	S	B1W7V6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/11/2008 10:45	Y	16887-00-6	Chloride	146000	ug/L	D	[NULL]	[NULL]	S	B1W7V6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	7/11/2008 10:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7V6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/11/2008 10:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7V6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/11/2008 10:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7V6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/11/2008 10:45	Y	DO	Dissolved oxygen	1480	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7V6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-129	7/11/2008 10:45	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W7V6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	7/11/2008 10:45	Y	12587-46-1	Gross alpha	3.6	pCi/L	U	[NULL]	[NULL]	S	B1W7V6	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-129	7/11/2008 10:45	Y	12587-47-2	Gross beta	800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7V6	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-129	7/11/2008 10:45	Y	7439-89-6	Iron	329	ug/L	D	[NULL]	[NULL]	S	B1W7V6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/11/2008 10:45	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7V6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/11/2008 10:45	Y	7439-95-4	Magnesium	5610	ug/L	D	[NULL]	[NULL]	S	B1W7V6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/11/2008 10:45	Y	7439-96-5	Manganese	1050	ug/L	D	[NULL]	[NULL]	S	B1W7V6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/11/2008 10:45	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7V6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/11/2008 10:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7V6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/11/2008 10:45	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W7V6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	7/11/2008 10:45	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W7V6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	7/11/2008 10:45	Y	EH	Oxidation Reduction Potential	-171	mV	[NULL]	[NULL]	[NULL]	S	B1W7V6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-129	7/11/2008 10:45	Y	14265-44-2	Phosphate	356000	ug/L	D	[NULL]	[NULL]	S	B1W7V6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	7/11/2008 10:45	Y	7440-09-7	Potassium	3210	ug/L	D	[NULL]	[NULL]	S	B1W7V6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/11/2008 10:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W7V6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/11/2008 10:45	Y	7440-23-5	Sodium	508000	ug/L	DX	[NULL]	[NULL]	S	B1W7V6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/11/2008 10:45	Y	CONDUCT	Specific Conductance	17.7	uS/cm	[NULL]	Y	[NULL]	S	B1W7V6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-129	7/11/2008 10:45	Y	7440-24-6	Strontium	100	ug/L	D	[NULL]	[NULL]	S	B1W7V6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/11/2008 10:45	Y	14808-79-8	Sulfate	770	ug/L	DU	[NULL]	[NULL]	S	B1W7V6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	7/11/2008 10:45	Y	TEMPERATURE	Temperature	16.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7V6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-129	7/11/2008 10:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7V6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/11/2008 10:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7V6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/11/2008 10:45	Y	PH	pH Measurement	7.45	unitless	[NULL]	[NULL]	[NULL]	S	B1W7V6	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-129	7/18/2008 9:45	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WCB2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/18/2008 9:45	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WCB2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/18/2008 9:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WCB2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/18/2008 9:45	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCB2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/18/2008 9:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCB2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/18/2008 9:45	Y	7440-70-2	Calcium	16600	ug/L	D	[NULL]	[NULL]	S	B1WCB2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/18/2008 9:45	Y	16887-00-6	Chloride	96600	ug/L	D	[NULL]	[NULL]	S	B1WCB2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	7/18/2008 9:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WCB2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/18/2008 9:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WCB2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-129	7/18/2008 9:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WCB2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/18/2008 9:45	Y	DO	Dissolved oxygen	3920	ug/L	[NULL]	[NULL]	[NULL]	S	B1WCB2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-129	7/18/2008 9:45	Y	16984-48-8	Fluoride	232	ug/L	DNU	[NULL]	[NULL]	S	B1WCB2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	7/18/2008 9:45	Y	12587-46-1	Gross alpha	2.1	pCi/L	U	G	[NULL]	S	B1WCB2	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-129	7/18/2008 9:45	Y	12587-47-2	Gross beta	760	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WCB2	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-129	7/18/2008 9:45	Y	7439-89-6	Iron	338	ug/L	D	[NULL]	[NULL]	S	B1WCB2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/18/2008 9:45	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WCB2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/18/2008 9:45	Y	7439-95-4	Magnesium	4510	ug/L	D	[NULL]	[NULL]	S	B1WCB2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/18/2008 9:45	Y	7439-96-5	Manganese	771	ug/L	D	[NULL]	[NULL]	S	B1WCB2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/18/2008 9:45	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WCB2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/18/2008 9:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WCB2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/18/2008 9:45	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WCB2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	7/18/2008 9:45	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WCB2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	7/18/2008 9:45	Y	EH	Oxidation Reduction Potential	-138	mV	[NULL]	[NULL]	[NULL]	S	B1WCB2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-129	7/18/2008 9:45	Y	14265-44-2	Phosphate	481000	ug/L	D	[NULL]	[NULL]	S	B1WCB2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	7/18/2008 9:45	Y	7440-09-7	Potassium	3400	ug/L	D	[NULL]	[NULL]	S	B1WCB2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/18/2008 9:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WCB2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/18/2008 9:45	Y	7440-23-5	Sodium	461000	ug/L	DX	[NULL]	[NULL]	S	B1WCB2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/18/2008 9:45	Y	CONDUCT	Specific Conductance	1895	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WCB2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-129	7/18/2008 9:45	Y	7440-24-6	Strontium	89.2	ug/L	D	[NULL]	[NULL]	S	B1WCB2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/18/2008 9:45	Y	14808-79-8	Sulfate	1980	ug/L	BD	[NULL]	[NULL]	S	B1WCB2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-129	7/18/2008 9:45	Y	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1WCB2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-129	7/18/2008 9:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WCB2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/18/2008 9:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WCB2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-129	7/18/2008 9:45	Y	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	S	B1WCB2	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-129	5/26/2009 10:34	N	DO	Dissolved oxygen	8720	ug/L	[NULL]	[NULL]	[NULL]	S	B203J9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-129	5/26/2009 10:34	N	12587-46-1	Gross alpha	0.64	pCi/L	U	[NULL]	[NULL]	S	B203J9	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-129	5/26/2009 10:34	N	12587-47-2	Gross beta	170	pCi/L	[NULL]	[NULL]	[NULL]	S	B203J9	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-129	5/26/2009 10:34	N	EH	Oxidation Reduction Potential	263	mV	[NULL]	[NULL]	[NULL]	S	B203J9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-129	5/26/2009 10:34	N	CONDUCT	Specific Conductance	982	uS/cm	[NULL]	[NULL]	[NULL]	S	B203J9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-129	5/26/2009 10:34	N	TEMPERATURE	Temperature	14.9	Deg C	[NULL]	[NULL]	[NULL]	S	B203J9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-129	5/26/2009 10:34	N	PH	pH Measurement	7.71	unitless	[NULL]	[NULL]	[NULL]	S	B203J9	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-130	6/21/2006 11:22	N	12587-46-1	Gross alpha	120	pCi/L	U	[NULL]	[NULL]	S	B1JMC6	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-130	6/21/2006 11:22	N	12587-47-2	Gross beta	14000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JMC6	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-130	6/21/2006 11:22	N	10098-97-2	Strontium-90	10000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JMC6	SR-RAD	STLRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-130	6/28/2006 9:44	N	10098-97-2	Strontium-90	11000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JWB4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-130	7/7/2006 9:37	N	10098-97-2	Strontium-90	11000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K017	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-130	7/17/2006 15:56	Y	7429-90-5	Aluminum	370	ug/L	U	[NULL]	[NULL]	S	B1K4X2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2006 15:56	Y	7440-36-0	Antimony	720	ug/L	U	[NULL]	[NULL]	S	B1K4X2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2006 15:56	Y	7440-38-2	Arsenic	790	ug/L	U	[NULL]	[NULL]	S	B1K4X2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2006 15:56	Y	7440-39-3	Barium	435	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2006 15:56	Y	7440-43-9	Cadmium	30	ug/L	U	[NULL]	[NULL]	S	B1K4X2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2006 15:56	Y	7440-70-2	Calcium	245000	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2006 15:56	Y	16887-00-6	Chloride	163000	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/17/2006 15:56	Y	7440-47-3	Chromium	70	ug/L	U	[NULL]	[NULL]	S	B1K4X2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2006 15:56	Y	7440-48-4	Cobalt	70	ug/L	U	[NULL]	[NULL]	S	B1K4X2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2006 15:56	Y	7440-50-8	Copper	70	ug/L	U	[NULL]	[NULL]	S	B1K4X2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2006 15:56	Y	16984-48-8	Fluoride	225	ug/L	U	[NULL]	[NULL]	S	B1K4X2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/17/2006 15:56	Y	7439-89-6	Iron	1300	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2006 15:56	Y	7439-92-1	Lead	470	ug/L	U	[NULL]	[NULL]	S	B1K4X2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2006 15:56	Y	7439-95-4	Magnesium	43400	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2006 15:56	Y	7439-96-5	Manganese	9180	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2006 15:56	Y	7439-98-7	Molybdenum	110	ug/L	U	[NULL]	[NULL]	S	B1K4X2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-130	7/17/2006 15:56	Y	7440-02-0	Nickel	50	ug/L	U	[NULL]	[NULL]	S	B1K4X2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2006 15:56	Y	14797-55-8	Nitrate	642	ug/L	U	[NULL]	[NULL]	S	B1K4X2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/17/2006 15:56	Y	14797-65-0	Nitrite	575	ug/L	U	[NULL]	[NULL]	S	B1K4X2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/17/2006 15:56	Y	14265-44-2	Phosphate	1690	ug/L	U	[NULL]	[NULL]	S	B1K4X2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/17/2006 15:56	Y	7440-09-7	Potassium	5600	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2006 15:56	Y	7440-22-4	Silver	110	ug/L	U	[NULL]	[NULL]	S	B1K4X2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2006 15:56	Y	7440-23-5	Sodium	174000	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2006 15:56	Y	7440-24-6	Strontium	1090	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2006 15:56	Y	10098-97-2	Strontium-90	8900	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K4W2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-130	7/17/2006 15:56	Y	14808-79-8	Sulfate	485	ug/L	U	[NULL]	[NULL]	S	B1K4X2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/17/2006 15:56	Y	7440-62-2	Vanadium	140	ug/L	U	[NULL]	[NULL]	S	B1K4X2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2006 15:56	Y	7440-66-6	Zinc	69.7	ug/L	C	[NULL]	[NULL]	S	B1K4X2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/24/2006 13:55	Y	10098-97-2	Strontium-90	6200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K734	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-130	8/7/2006 10:00	Y	10098-97-2	Strontium-90	4600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K8V6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-130	8/28/2006 12:05	Y	DO	Dissolved oxygen	170	ug/L	[NULL]	[NULL]	[NULL]	S	B1KJ04	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-130	8/28/2006 12:05	Y	EH	Oxidation Reduction Potential	-166	mV	[NULL]	[NULL]	[NULL]	S	B1KJ04	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-130	8/28/2006 12:05	Y	CONDUCT	Specific Conductance	1088	uS/cm	[NULL]	[NULL]	[NULL]	S	B1KJ04	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-130	8/28/2006 12:05	Y	10098-97-2	Strontium-90	2200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1KJ04	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-130	8/28/2006 12:05	Y	TEMPERATURE	Temperature	19.26	Deg C	[NULL]	[NULL]	[NULL]	S	B1KJ04	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-130	8/28/2006 12:05	Y	PH	pH Measurement	7.48	unitless	[NULL]	[NULL]	[NULL]	S	B1KJ04	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-130	9/12/2006 14:15	Y	10098-97-2	Strontium-90	3700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1KKF6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-130	9/25/2006 14:26	Y	10098-97-2	Strontium-90	3500	pCi/L	[NULL]	[NULL]	[NULL]	S	B1KKH6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-130	10/9/2006 14:45	Y	10098-97-2	Strontium-90	3000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1KWH1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-130	10/23/2006 2:30	Y	7429-90-5	Aluminum	562	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX75	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/23/2006 2:30	Y	7440-36-0	Antimony	72	ug/L	U	[NULL]	[NULL]	S	B1KX75	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/23/2006 2:30	Y	7440-38-2	Arsenic	79	ug/L	U	[NULL]	[NULL]	S	B1KX75	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/23/2006 2:30	Y	7440-39-3	Barium	138	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX75	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/23/2006 2:30	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	S	B1KX75	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/23/2006 2:30	Y	7440-70-2	Calcium	96400	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX75	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/23/2006 2:30	Y	16887-00-6	Chloride	44100	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX75	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	10/23/2006 2:30	Y	7440-47-3	Chromium	7	ug/L	U	[NULL]	[NULL]	S	B1KX75	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/23/2006 2:30	Y	7440-48-4	Cobalt	7	ug/L	U	[NULL]	[NULL]	S	B1KX75	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/23/2006 2:30	Y	7440-50-8	Copper	7	ug/L	U	[NULL]	[NULL]	S	B1KX75	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/23/2006 2:30	Y	16984-48-8	Fluoride	32	ug/L	U	[NULL]	[NULL]	S	B1KX75	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	10/23/2006 2:30	Y	7439-89-6	Iron	464	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX75	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/23/2006 2:30	Y	7439-92-1	Lead	47	ug/L	U	[NULL]	[NULL]	S	B1KX75	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/23/2006 2:30	Y	7439-95-4	Magnesium	17500	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX75	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/23/2006 2:30	Y	7439-96-5	Manganese	2920	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX75	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/23/2006 2:30	Y	7439-98-7	Molybdenum	11	ug/L	U	[NULL]	[NULL]	S	B1KX75	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/23/2006 2:30	Y	7440-02-0	Nickel	5	ug/L	U	[NULL]	[NULL]	S	B1KX75	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/23/2006 2:30	Y	14797-55-8	Nitrate	212	ug/L	U	[NULL]	[NULL]	S	B1KX75	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	10/23/2006 2:30	Y	14797-65-0	Nitrite	378	ug/L	U	[NULL]	[NULL]	S	B1KX75	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	10/23/2006 2:30	Y	14265-44-2	Phosphate	675	ug/L	U	[NULL]	[NULL]	S	B1KX75	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	10/23/2006 2:30	Y	7440-09-7	Potassium	3700	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX75	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/23/2006 2:30	Y	7440-22-4	Silver	11	ug/L	UX	[NULL]	[NULL]	S	B1KX75	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/23/2006 2:30	Y	7440-23-5	Sodium	27400	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX75	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/23/2006 2:30	Y	7440-24-6	Strontium	328	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX75	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/23/2006 2:30	Y	10098-97-2	Strontium-90	1100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1KX75	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-130	10/23/2006 2:30	Y	14808-79-8	Sulfate	36800	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX75	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	10/23/2006 2:30	Y	7440-62-2	Vanadium	14	ug/L	U	[NULL]	[NULL]	S	B1KX75	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/23/2006 2:30	Y	7440-66-6	Zinc	18.8	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX75	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	11/8/2006 14:37	Y	10098-97-2	Strontium-90	3400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1L9Y2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-130	2/15/2007 15:35	Y	10098-97-2	Strontium-90	2900	pCi/L	[NULL]	[NULL]	[NULL]	S	B1LBN8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-130	5/11/2007 11:23	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NHH9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-130	5/11/2007 11:23	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NHH9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	5/11/2007 11:23	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NHH9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	5/11/2007 11:23	Y	7440-39-3	Barium	111	ug/L	D	[NULL]	[NULL]	S	B1NHH9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	5/11/2007 11:23	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NHH9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	5/11/2007 11:23	Y	7440-70-2	Calcium	76800	ug/L	D	[NULL]	[NULL]	S	B1NHH9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	5/11/2007 11:23	Y	16887-00-6	Chloride	31800	ug/L	D	[NULL]	[NULL]	S	B1NHH9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	5/11/2007 11:23	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NHH9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	5/11/2007 11:23	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NHH9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	5/11/2007 11:23	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NHH9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	5/11/2007 11:23	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NHH9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	5/11/2007 11:23	Y	7439-89-6	Iron	1080	ug/L	D	[NULL]	[NULL]	S	B1NHH9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	5/11/2007 11:23	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NHH9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	5/11/2007 11:23	Y	7439-95-4	Magnesium	13000	ug/L	D	[NULL]	[NULL]	S	B1NHH9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	5/11/2007 11:23	Y	7439-96-5	Manganese	2990	ug/L	D	[NULL]	[NULL]	S	B1NHH9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	5/11/2007 11:23	Y	7439-98-7	Molybdenum	29.5	ug/L	D	[NULL]	[NULL]	S	B1NHH9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	5/11/2007 11:23	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NHH9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	5/11/2007 11:23	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NHH9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	5/11/2007 11:23	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NHH9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	5/11/2007 11:23	Y	14265-44-2	Phosphate	5950	ug/L	D	[NULL]	[NULL]	S	B1NHH9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	5/11/2007 11:23	Y	7440-09-7	Potassium	3280	ug/L	D	[NULL]	[NULL]	S	B1NHH9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	5/11/2007 11:23	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NHH9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	5/11/2007 11:23	Y	7440-23-5	Sodium	63900	ug/L	D	[NULL]	[NULL]	S	B1NHH9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	5/11/2007 11:23	Y	7440-24-6	Strontium	290	ug/L	D	[NULL]	[NULL]	S	B1NHH9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	5/11/2007 11:23	Y	10098-97-2	Strontium-90	220	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NHH9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-130	5/11/2007 11:23	Y	14808-79-8	Sulfate	5120	ug/L	D	[NULL]	[NULL]	S	B1NHH9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	5/11/2007 11:23	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NHH9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	5/11/2007 11:23	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NHH9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2007 20:30	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVF8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2007 20:30	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVF8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2007 20:30	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVF8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2007 20:30	Y	7440-39-3	Barium	55	ug/L	D	[NULL]	[NULL]	S	B1NVF8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2007 20:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2007 20:30	Y	7440-70-2	Calcium	74600	ug/L	D	[NULL]	[NULL]	S	B1NVF8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2007 20:30	Y	16887-00-6	Chloride	58900	ug/L	D	[NULL]	[NULL]	S	B1NVF8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/11/2007 20:30	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2007 20:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2007 20:30	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2007 20:30	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NVF8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/11/2007 20:30	Y	7439-89-6	Iron	560	ug/L	D	[NULL]	[NULL]	S	B1NVF8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2007 20:30	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVF8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2007 20:30	Y	7439-95-4	Magnesium	14100	ug/L	D	[NULL]	[NULL]	S	B1NVF8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2007 20:30	Y	7439-96-5	Manganese	2840	ug/L	D	[NULL]	[NULL]	S	B1NVF8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2007 20:30	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2007 20:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2007 20:30	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NVF8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/11/2007 20:30	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NVF8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/11/2007 20:30	Y	14265-44-2	Phosphate	61000	ug/L	D	[NULL]	[NULL]	S	B1NVF8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/11/2007 20:30	Y	7440-09-7	Potassium	3780	ug/L	D	[NULL]	[NULL]	S	B1NVF8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2007 20:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVF8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2007 20:30	Y	7440-23-5	Sodium	117000	ug/L	D	[NULL]	[NULL]	S	B1NVF8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2007 20:30	Y	7440-24-6	Strontium	271	ug/L	D	[NULL]	[NULL]	S	B1NVF8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2007 20:30	Y	10098-97-2	Strontium-90	1300	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVF8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-130	6/11/2007 20:30	Y	14808-79-8	Sulfate	340	ug/L	DU	[NULL]	[NULL]	S	B1NVF8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/11/2007 20:30	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVF8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2007 20:30	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-130	6/12/2007 20:20	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVH9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/12/2007 20:20	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVH9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/12/2007 20:20	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVH9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/12/2007 20:20	Y	7440-39-3	Barium	70	ug/L	D	[NULL]	[NULL]	S	B1NVH9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/12/2007 20:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/12/2007 20:20	Y	7440-70-2	Calcium	71800	ug/L	D	[NULL]	[NULL]	S	B1NVH9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/12/2007 20:20	Y	16887-00-6	Chloride	58800	ug/L	D	[NULL]	[NULL]	S	B1NVH9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/12/2007 20:20	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/12/2007 20:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/12/2007 20:20	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/12/2007 20:20	Y	16984-48-8	Fluoride	33	ug/L	DNU	[NULL]	[NULL]	S	B1NVH9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/12/2007 20:20	Y	7439-89-6	Iron	1390	ug/L	D	[NULL]	[NULL]	S	B1NVH9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/12/2007 20:20	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVH9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/12/2007 20:20	Y	7439-95-4	Magnesium	13000	ug/L	D	[NULL]	[NULL]	S	B1NVH9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/12/2007 20:20	Y	7439-96-5	Manganese	2890	ug/L	D	[NULL]	[NULL]	S	B1NVH9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/12/2007 20:20	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/12/2007 20:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/12/2007 20:20	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVH9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/12/2007 20:20	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVH9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/12/2007 20:20	Y	14265-44-2	Phosphate	78800	ug/L	D	[NULL]	[NULL]	S	B1NVH9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/12/2007 20:20	Y	7440-09-7	Potassium	3250	ug/L	D	[NULL]	[NULL]	S	B1NVH9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/12/2007 20:20	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NVH9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/12/2007 20:20	Y	7440-23-5	Sodium	107000	ug/L	D	[NULL]	[NULL]	S	B1NVH9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/12/2007 20:20	Y	7440-24-6	Strontium	263	ug/L	D	[NULL]	[NULL]	S	B1NVH9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/12/2007 20:20	Y	10098-97-2	Strontium-90	2300	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVH9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-130	6/12/2007 20:20	Y	14808-79-8	Sulfate	275	ug/L	DU	[NULL]	[NULL]	S	B1NVH9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/12/2007 20:20	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVH9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/12/2007 20:20	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2007 14:50	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVK0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2007 14:50	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVK0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2007 14:50	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVK0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2007 14:50	Y	7440-39-3	Barium	75	ug/L	D	[NULL]	[NULL]	S	B1NVK0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2007 14:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2007 14:50	Y	7440-70-2	Calcium	78000	ug/L	D	[NULL]	[NULL]	S	B1NVK0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2007 14:50	Y	16887-00-6	Chloride	58900	ug/L	D	[NULL]	[NULL]	S	B1NVK0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/13/2007 14:50	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2007 14:50	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2007 14:50	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2007 14:50	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVK0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/13/2007 14:50	Y	7439-89-6	Iron	1510	ug/L	D	[NULL]	[NULL]	S	B1NVK0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2007 14:50	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVK0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2007 14:50	Y	7439-95-4	Magnesium	14800	ug/L	D	[NULL]	[NULL]	S	B1NVK0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2007 14:50	Y	7439-96-5	Manganese	3040	ug/L	D	[NULL]	[NULL]	S	B1NVK0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2007 14:50	Y	7439-98-7	Molybdenum	36.4	ug/L	CD	[NULL]	[NULL]	S	B1NVK0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2007 14:50	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2007 14:50	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVK0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/13/2007 14:50	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVK0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/13/2007 14:50	Y	14265-44-2	Phosphate	64400	ug/L	D	[NULL]	[NULL]	S	B1NVK0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/13/2007 14:50	Y	7440-09-7	Potassium	4200	ug/L	D	[NULL]	[NULL]	S	B1NVK0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2007 14:50	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVK0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2007 14:50	Y	7440-23-5	Sodium	125000	ug/L	D	[NULL]	[NULL]	S	B1NVK0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2007 14:50	Y	7440-24-6	Strontium	289	ug/L	D	[NULL]	[NULL]	S	B1NVK0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2007 14:50	Y	10098-97-2	Strontium-90	2600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVK0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-130	6/13/2007 14:50	Y	14808-79-8	Sulfate	275	ug/L	DU	[NULL]	[NULL]	S	B1NVK0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/13/2007 14:50	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVK0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-130	6/13/2007 14:50	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2007 19:35	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVL1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2007 19:35	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVL1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2007 19:35	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVL1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2007 19:35	Y	7440-39-3	Barium	77	ug/L	D	[NULL]	[NULL]	S	B1NVL1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2007 19:35	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2007 19:35	Y	7440-70-2	Calcium	84700	ug/L	D	[NULL]	[NULL]	S	B1NVL1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2007 19:35	Y	16887-00-6	Chloride	59700	ug/L	D	[NULL]	[NULL]	S	B1NVL1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/14/2007 19:35	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2007 19:35	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2007 19:35	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2007 19:35	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVL1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/14/2007 19:35	Y	7439-89-6	Iron	1260	ug/L	D	[NULL]	[NULL]	S	B1NVL1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2007 19:35	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVL1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2007 19:35	Y	7439-95-4	Magnesium	15100	ug/L	D	[NULL]	[NULL]	S	B1NVL1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2007 19:35	Y	7439-96-5	Manganese	2950	ug/L	D	[NULL]	[NULL]	S	B1NVL1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2007 19:35	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2007 19:35	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2007 19:35	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVL1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/14/2007 19:35	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVL1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/14/2007 19:35	Y	14265-44-2	Phosphate	50600	ug/L	D	[NULL]	[NULL]	S	B1NVL1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/14/2007 19:35	Y	7440-09-7	Potassium	3750	ug/L	D	[NULL]	[NULL]	S	B1NVL1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2007 19:35	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NVL1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2007 19:35	Y	7440-23-5	Sodium	123000	ug/L	D	[NULL]	[NULL]	S	B1NVL1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2007 19:35	Y	7440-24-6	Strontium	299	ug/L	D	[NULL]	[NULL]	S	B1NVL1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2007 19:35	Y	10098-97-2	Strontium-90	2300	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVL1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-130	6/14/2007 19:35	Y	14808-79-8	Sulfate	350	ug/L	DU	[NULL]	[NULL]	S	B1NVL1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/14/2007 19:35	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVL1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2007 19:35	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/15/2007 9:20	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVN8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/15/2007 9:20	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVN8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/15/2007 9:20	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVN8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/15/2007 9:20	Y	7440-39-3	Barium	81	ug/L	D	[NULL]	[NULL]	S	B1NVN8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/15/2007 9:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/15/2007 9:20	Y	7440-70-2	Calcium	77500	ug/L	D	[NULL]	[NULL]	S	B1NVN8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/15/2007 9:20	Y	16887-00-6	Chloride	59500	ug/L	D	[NULL]	[NULL]	S	B1NVN8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/15/2007 9:20	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/15/2007 9:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/15/2007 9:20	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/15/2007 9:20	Y	16984-48-8	Fluoride	33	ug/L	DNU	[NULL]	[NULL]	S	B1NVN8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/15/2007 9:20	Y	7439-89-6	Iron	1120	ug/L	D	[NULL]	[NULL]	S	B1NVN8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/15/2007 9:20	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVN8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/15/2007 9:20	Y	7439-95-4	Magnesium	14000	ug/L	D	[NULL]	[NULL]	S	B1NVN8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/15/2007 9:20	Y	7439-96-5	Manganese	2790	ug/L	D	[NULL]	[NULL]	S	B1NVN8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/15/2007 9:20	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/15/2007 9:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/15/2007 9:20	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVN8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/15/2007 9:20	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVN8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/15/2007 9:20	Y	14265-44-2	Phosphate	48400	ug/L	D	[NULL]	[NULL]	S	B1NVN8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/15/2007 9:20	Y	7440-09-7	Potassium	3760	ug/L	D	[NULL]	[NULL]	S	B1NVN8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/15/2007 9:20	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NVN8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/15/2007 9:20	Y	7440-23-5	Sodium	126000	ug/L	D	[NULL]	[NULL]	S	B1NVN8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/15/2007 9:20	Y	7440-24-6	Strontium	286	ug/L	D	[NULL]	[NULL]	S	B1NVN8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/15/2007 9:20	Y	10098-97-2	Strontium-90	1600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVN8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-130	6/15/2007 9:20	Y	14808-79-8	Sulfate	425	ug/L	BD	[NULL]	[NULL]	S	B1NVN8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-130	6/15/2007 9:20	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVN8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/15/2007 9:20	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2007 7:42	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVP9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2007 7:42	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVP9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2007 7:42	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVP9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2007 7:42	Y	7440-39-3	Barium	62	ug/L	D	[NULL]	[NULL]	S	B1NVP9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2007 7:42	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2007 7:42	Y	7440-70-2	Calcium	82400	ug/L	D	[NULL]	[NULL]	S	B1NVP9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2007 7:42	Y	16887-00-6	Chloride	57600	ug/L	D	[NULL]	[NULL]	S	B1NVP9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/16/2007 7:42	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2007 7:42	Y	7440-48-4	Cobalt	21.6	ug/L	D	[NULL]	[NULL]	S	B1NVP9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2007 7:42	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2007 7:42	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVP9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/16/2007 7:42	Y	7439-89-6	Iron	940	ug/L	D	[NULL]	[NULL]	S	B1NVP9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2007 7:42	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVP9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2007 7:42	Y	7439-95-4	Magnesium	15000	ug/L	D	[NULL]	[NULL]	S	B1NVP9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2007 7:42	Y	7439-96-5	Manganese	2880	ug/L	D	[NULL]	[NULL]	S	B1NVP9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2007 7:42	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2007 7:42	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2007 7:42	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVP9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/16/2007 7:42	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVP9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/16/2007 7:42	Y	14265-44-2	Phosphate	37700	ug/L	D	[NULL]	[NULL]	S	B1NVP9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/16/2007 7:42	Y	7440-09-7	Potassium	3700	ug/L	D	[NULL]	[NULL]	S	B1NVP9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2007 7:42	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVP9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2007 7:42	Y	7440-23-5	Sodium	115000	ug/L	D	[NULL]	[NULL]	S	B1NVP9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2007 7:42	Y	7440-24-6	Strontium	298	ug/L	D	[NULL]	[NULL]	S	B1NVP9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2007 7:42	Y	10098-97-2	Strontium-90	1600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVP9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-130	6/16/2007 7:42	Y	14808-79-8	Sulfate	275	ug/L	DU	[NULL]	[NULL]	S	B1NVP9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/16/2007 7:42	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVP9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2007 7:42	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/17/2007 8:45	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVV2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/17/2007 8:45	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVV2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/17/2007 8:45	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVV2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/17/2007 8:45	Y	7440-39-3	Barium	102	ug/L	D	[NULL]	[NULL]	S	B1NVV2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/17/2007 8:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/17/2007 8:45	Y	7440-70-2	Calcium	87800	ug/L	D	[NULL]	[NULL]	S	B1NVV2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/17/2007 8:45	Y	16887-00-6	Chloride	60400	ug/L	D	[NULL]	[NULL]	S	B1NVV2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/17/2007 8:45	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/17/2007 8:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/17/2007 8:45	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/17/2007 8:45	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVV2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/17/2007 8:45	Y	7439-89-6	Iron	1840	ug/L	D	[NULL]	[NULL]	S	B1NVV2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/17/2007 8:45	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVV2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/17/2007 8:45	Y	7439-95-4	Magnesium	15700	ug/L	D	[NULL]	[NULL]	S	B1NVV2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/17/2007 8:45	Y	7439-96-5	Manganese	3240	ug/L	D	[NULL]	[NULL]	S	B1NVV2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/17/2007 8:45	Y	7439-98-7	Molybdenum	49.1	ug/L	CD	[NULL]	[NULL]	S	B1NVV2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/17/2007 8:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/17/2007 8:45	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVV2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/17/2007 8:45	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVV2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/17/2007 8:45	Y	14265-44-2	Phosphate	45100	ug/L	D	[NULL]	[NULL]	S	B1NVV2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/17/2007 8:45	Y	7440-09-7	Potassium	3780	ug/L	D	[NULL]	[NULL]	S	B1NVV2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/17/2007 8:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVV2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/17/2007 8:45	Y	7440-23-5	Sodium	130000	ug/L	D	[NULL]	[NULL]	S	B1NVV2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/17/2007 8:45	Y	7440-24-6	Strontium	320	ug/L	D	[NULL]	[NULL]	S	B1NVV2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/17/2007 8:45	Y	10098-97-2	Strontium-90	3200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVV2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-130	6/17/2007 8:45	Y	14808-79-8	Sulfate	275	ug/L	DU	[NULL]	[NULL]	S	B1NVV2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/17/2007 8:45	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVV2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/17/2007 8:45	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2007 16:08	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVW3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2007 16:08	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVW3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2007 16:08	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVW3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2007 16:08	Y	7440-39-3	Barium	89	ug/L	D	[NULL]	[NULL]	S	B1NVW3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2007 16:08	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2007 16:08	Y	7440-70-2	Calcium	79700	ug/L	D	[NULL]	[NULL]	S	B1NVW3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2007 16:08	Y	16887-00-6	Chloride	58500	ug/L	D	[NULL]	[NULL]	S	B1NVW3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/18/2007 16:08	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2007 16:08	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2007 16:08	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2007 16:08	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NVW3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/18/2007 16:08	Y	7439-89-6	Iron	1090	ug/L	D	[NULL]	[NULL]	S	B1NVW3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2007 16:08	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVW3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2007 16:08	Y	7439-95-4	Magnesium	13700	ug/L	D	[NULL]	[NULL]	S	B1NVW3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2007 16:08	Y	7439-96-5	Manganese	2920	ug/L	D	[NULL]	[NULL]	S	B1NVW3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2007 16:08	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2007 16:08	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2007 16:08	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1NVW3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/18/2007 16:08	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1NVW3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/18/2007 16:08	Y	14265-44-2	Phosphate	29600	ug/L	DN	[NULL]	[NULL]	S	B1NVW3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/18/2007 16:08	Y	7440-09-7	Potassium	3930	ug/L	D	[NULL]	[NULL]	S	B1NVW3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2007 16:08	Y	7440-22-4	Silver	26	ug/L	D	[NULL]	[NULL]	S	B1NVW3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2007 16:08	Y	7440-23-5	Sodium	116000	ug/L	D	[NULL]	[NULL]	S	B1NVW3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2007 16:08	Y	7440-24-6	Strontium	292	ug/L	D	[NULL]	[NULL]	S	B1NVW3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2007 16:08	Y	10098-97-2	Strontium-90	1900	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVW3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-130	6/18/2007 16:08	Y	14808-79-8	Sulfate	350	ug/L	DU	[NULL]	[NULL]	S	B1NVW3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/18/2007 16:08	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVW3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2007 16:08	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/20/2007 8:23	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVY6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/20/2007 8:23	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVY6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/20/2007 8:23	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVY6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/20/2007 8:23	Y	7440-39-3	Barium	92	ug/L	D	[NULL]	[NULL]	S	B1NVY6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/20/2007 8:23	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/20/2007 8:23	Y	7440-70-2	Calcium	74400	ug/L	D	[NULL]	[NULL]	S	B1NVY6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/20/2007 8:23	Y	16887-00-6	Chloride	49800	ug/L	D	[NULL]	[NULL]	S	B1NVY6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/20/2007 8:23	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/20/2007 8:23	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/20/2007 8:23	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/20/2007 8:23	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NVY6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/20/2007 8:23	Y	7439-89-6	Iron	1060	ug/L	D	[NULL]	[NULL]	S	B1NVY6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/20/2007 8:23	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVY6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/20/2007 8:23	Y	7439-95-4	Magnesium	13200	ug/L	D	[NULL]	[NULL]	S	B1NVY6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/20/2007 8:23	Y	7439-96-5	Manganese	2660	ug/L	D	[NULL]	[NULL]	S	B1NVY6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/20/2007 8:23	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/20/2007 8:23	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/20/2007 8:23	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NVY6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/20/2007 8:23	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NVY6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/20/2007 8:23	Y	14265-44-2	Phosphate	22000	ug/L	D	[NULL]	[NULL]	S	B1NVY6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/20/2007 8:23	Y	7440-09-7	Potassium	3580	ug/L	D	[NULL]	[NULL]	S	B1NVY6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/20/2007 8:23	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVY6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/20/2007 8:23	Y	7440-23-5	Sodium	98700	ug/L	D	[NULL]	[NULL]	S	B1NVY6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/20/2007 8:23	Y	7440-24-6	Strontium	278	ug/L	D	[NULL]	[NULL]	S	B1NVY6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-130	6/20/2007 8:23	Y	10098-97-2	Strontium-90	2000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVY6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-130	6/20/2007 8:23	Y	14808-79-8	Sulfate	340	ug/L	DU	[NULL]	[NULL]	S	B1NVY6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/20/2007 8:23	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVY6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/20/2007 8:23	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/22/2007 8:35	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NW22	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/22/2007 8:35	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NW22	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/22/2007 8:35	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NW22	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/22/2007 8:35	Y	7440-39-3	Barium	82	ug/L	D	[NULL]	[NULL]	S	B1NW22	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/22/2007 8:35	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW22	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/22/2007 8:35	Y	7440-70-2	Calcium	75100	ug/L	D	[NULL]	[NULL]	S	B1NW22	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/22/2007 8:35	Y	16887-00-6	Chloride	53000	ug/L	D	[NULL]	[NULL]	S	B1NW22	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/22/2007 8:35	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW22	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/22/2007 8:35	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NW22	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/22/2007 8:35	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NW22	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/22/2007 8:35	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NW22	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/22/2007 8:35	Y	7439-89-6	Iron	1170	ug/L	D	[NULL]	[NULL]	S	B1NW22	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/22/2007 8:35	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NW22	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/22/2007 8:35	Y	7439-95-4	Magnesium	13500	ug/L	D	[NULL]	[NULL]	S	B1NW22	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/22/2007 8:35	Y	7439-96-5	Manganese	2790	ug/L	D	[NULL]	[NULL]	S	B1NW22	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/22/2007 8:35	Y	7439-98-7	Molybdenum	24.9	ug/L	D	[NULL]	[NULL]	S	B1NW22	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/22/2007 8:35	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NW22	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/22/2007 8:35	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1NW22	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/22/2007 8:35	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1NW22	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/22/2007 8:35	Y	14265-44-2	Phosphate	27600	ug/L	D	[NULL]	[NULL]	S	B1NW22	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/22/2007 8:35	Y	7440-09-7	Potassium	3600	ug/L	D	[NULL]	[NULL]	S	B1NW22	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/22/2007 8:35	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NW22	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/22/2007 8:35	Y	7440-23-5	Sodium	104000	ug/L	D	[NULL]	[NULL]	S	B1NW22	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/22/2007 8:35	Y	7440-24-6	Strontium	285	ug/L	D	[NULL]	[NULL]	S	B1NW22	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/22/2007 8:35	Y	10098-97-2	Strontium-90	2500	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NW22	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-130	6/22/2007 8:35	Y	14808-79-8	Sulfate	350	ug/L	DU	[NULL]	[NULL]	S	B1NW22	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/22/2007 8:35	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NW22	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/22/2007 8:35	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NW22	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2007 10:16	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P373	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2007 10:16	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P373	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2007 10:16	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P373	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2007 10:16	Y	7440-39-3	Barium	119	ug/L	D	[NULL]	[NULL]	S	B1P373	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2007 10:16	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P373	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2007 10:16	Y	7440-70-2	Calcium	89600	ug/L	D	[NULL]	[NULL]	S	B1P373	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2007 10:16	Y	16887-00-6	Chloride	51200	ug/L	D	[NULL]	[NULL]	S	B1P373	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/29/2007 10:16	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P373	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2007 10:16	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P373	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2007 10:16	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P373	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2007 10:16	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P373	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/29/2007 10:16	Y	7439-89-6	Iron	1340	ug/L	CD	[NULL]	[NULL]	S	B1P373	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2007 10:16	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P373	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2007 10:16	Y	7439-95-4	Magnesium	15800	ug/L	D	[NULL]	[NULL]	S	B1P373	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2007 10:16	Y	7439-96-5	Manganese	3130	ug/L	D	[NULL]	[NULL]	S	B1P373	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2007 10:16	Y	7439-98-7	Molybdenum	28.8	ug/L	D	[NULL]	[NULL]	S	B1P373	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2007 10:16	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P373	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2007 10:16	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1P373	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/29/2007 10:16	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P373	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/29/2007 10:16	Y	14265-44-2	Phosphate	12100	ug/L	D	[NULL]	[NULL]	S	B1P373	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/29/2007 10:16	Y	7440-09-7	Potassium	3820	ug/L	D	[NULL]	[NULL]	S	B1P373	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2007 10:16	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P373	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2007 10:16	Y	7440-23-5	Sodium	105000	ug/L	D	[NULL]	[NULL]	S	B1P373	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-130	6/29/2007 10:16	Y	7440-24-6	Strontium	343	ug/L	D	[NULL]	[NULL]	S	B1P373	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2007 10:16	Y	10098-97-2	Strontium-90	2900	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P373	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-130	6/29/2007 10:16	Y	14808-79-8	Sulfate	350	ug/L	DU	[NULL]	[NULL]	S	B1P373	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/29/2007 10:16	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P373	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2007 10:16	Y	7440-66-6	Zinc	21.1	ug/L	D	[NULL]	[NULL]	S	B1P373	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2007 9:30	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P396	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2007 9:30	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P396	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2007 9:30	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P396	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2007 9:30	Y	7440-39-3	Barium	178	ug/L	D	[NULL]	[NULL]	S	B1P396	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2007 9:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P396	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2007 9:30	Y	7440-70-2	Calcium	156000	ug/L	D	[NULL]	[NULL]	S	B1P396	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2007 9:30	Y	16887-00-6	Chloride	72500	ug/L	D	[NULL]	[NULL]	S	B1P396	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/8/2007 9:30	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P396	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2007 9:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P396	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2007 9:30	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P396	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2007 9:30	Y	16984-48-8	Fluoride	153	ug/L	BD	[NULL]	[NULL]	S	B1P396	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/8/2007 9:30	Y	7439-89-6	Iron	1350	ug/L	D	[NULL]	[NULL]	S	B1P396	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2007 9:30	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P396	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2007 9:30	Y	7439-95-4	Magnesium	26600	ug/L	D	[NULL]	[NULL]	S	B1P396	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2007 9:30	Y	7439-96-5	Manganese	5000	ug/L	D	[NULL]	[NULL]	S	B1P396	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2007 9:30	Y	7439-98-7	Molybdenum	26.9	ug/L	D	[NULL]	[NULL]	S	B1P396	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2007 9:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P396	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2007 9:30	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1P396	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/8/2007 9:30	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P396	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/8/2007 9:30	Y	14265-44-2	Phosphate	5760	ug/L	D	[NULL]	[NULL]	S	B1P396	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/8/2007 9:30	Y	7440-09-7	Potassium	5280	ug/L	D	[NULL]	[NULL]	S	B1P396	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2007 9:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P396	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2007 9:30	Y	7440-23-5	Sodium	127000	ug/L	D	[NULL]	[NULL]	S	B1P396	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2007 9:30	Y	7440-24-6	Strontium	572	ug/L	D	[NULL]	[NULL]	S	B1P396	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2007 9:30	Y	10098-97-2	Strontium-90	3900	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P396	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-130	7/8/2007 9:30	Y	14808-79-8	Sulfate	350	ug/L	DU	[NULL]	[NULL]	S	B1P396	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/8/2007 9:30	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P396	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2007 9:30	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P396	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/13/2007 12:10	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P3C9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/13/2007 12:10	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P3C9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/13/2007 12:10	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P3C9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/13/2007 12:10	Y	7440-39-3	Barium	169	ug/L	D	[NULL]	[NULL]	S	B1P3C9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/13/2007 12:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/13/2007 12:10	Y	7440-70-2	Calcium	133000	ug/L	D	[NULL]	[NULL]	S	B1P3C9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/13/2007 12:10	Y	16887-00-6	Chloride	65800	ug/L	D	[NULL]	[NULL]	S	B1P3C9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/13/2007 12:10	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/13/2007 12:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/13/2007 12:10	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/13/2007 12:10	Y	16984-48-8	Fluoride	87	ug/L	BD	[NULL]	[NULL]	S	B1P3C9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/13/2007 12:10	Y	7439-89-6	Iron	1900	ug/L	D	[NULL]	[NULL]	S	B1P3C9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/13/2007 12:10	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P3C9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/13/2007 12:10	Y	7439-95-4	Magnesium	23000	ug/L	D	[NULL]	[NULL]	S	B1P3C9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/13/2007 12:10	Y	7439-96-5	Manganese	4450	ug/L	D	[NULL]	[NULL]	S	B1P3C9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/13/2007 12:10	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/13/2007 12:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/13/2007 12:10	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1P3C9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/13/2007 12:10	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P3C9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/13/2007 12:10	Y	14265-44-2	Phosphate	8400	ug/L	D	[NULL]	[NULL]	S	B1P3C9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/13/2007 12:10	Y	7440-09-7	Potassium	4670	ug/L	D	[NULL]	[NULL]	S	B1P3C9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/13/2007 12:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P3C9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-130	7/13/2007 12:10	Y	7440-23-5	Sodium	118000	ug/L	D	[NULL]	[NULL]	S	B1P3C9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/13/2007 12:10	Y	7440-24-6	Strontium	500	ug/L	D	[NULL]	[NULL]	S	B1P3C9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/13/2007 12:10	Y	10098-97-2	Strontium-90	4000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P3C9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-130	7/13/2007 12:10	Y	14808-79-8	Sulfate	350	ug/L	DU	[NULL]	[NULL]	S	B1P3C9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/13/2007 12:10	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P3C9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/13/2007 12:10	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/23/2007 11:05	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1PCR5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/23/2007 11:05	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1PCR5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/23/2007 11:05	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1PCR5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/23/2007 11:05	Y	7440-39-3	Barium	144	ug/L	CD	[NULL]	[NULL]	S	B1PCR5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/23/2007 11:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/23/2007 11:05	Y	7440-70-2	Calcium	108000	ug/L	D	[NULL]	[NULL]	S	B1PCR5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/23/2007 11:05	Y	16887-00-6	Chloride	61300	ug/L	D	[NULL]	[NULL]	S	B1PCR5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	8/23/2007 11:05	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/23/2007 11:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/23/2007 11:05	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/23/2007 11:05	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1PCR5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	8/23/2007 11:05	Y	7439-89-6	Iron	1050	ug/L	D	[NULL]	[NULL]	S	B1PCR5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/23/2007 11:05	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1PCR5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/23/2007 11:05	Y	7439-95-4	Magnesium	18500	ug/L	D	[NULL]	[NULL]	S	B1PCR5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/23/2007 11:05	Y	7439-96-5	Manganese	3320	ug/L	D	[NULL]	[NULL]	S	B1PCR5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/23/2007 11:05	Y	7439-98-7	Molybdenum	41.2	ug/L	CD	[NULL]	[NULL]	S	B1PCR5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/23/2007 11:05	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/23/2007 11:05	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1PCR5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	8/23/2007 11:05	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1PCR5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	8/23/2007 11:05	Y	14265-44-2	Phosphate	3770	ug/L	BD	[NULL]	[NULL]	S	B1PCR5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	8/23/2007 11:05	Y	7440-09-7	Potassium	4180	ug/L	D	[NULL]	[NULL]	S	B1PCR5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/23/2007 11:05	Y	7440-22-4	Silver	152	ug/L	CD	[NULL]	[NULL]	S	B1PCR5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/23/2007 11:05	Y	7440-23-5	Sodium	83300	ug/L	D	[NULL]	[NULL]	S	B1PCR5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/23/2007 11:05	Y	7440-24-6	Strontium	382	ug/L	D	[NULL]	[NULL]	S	B1PCR5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/23/2007 11:05	Y	10098-97-2	Strontium-90	3000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1PCR5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-130	8/23/2007 11:05	Y	14808-79-8	Sulfate	7990	ug/L	D	[NULL]	[NULL]	S	B1PCR5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	8/23/2007 11:05	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1PCR5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/23/2007 11:05	Y	7440-66-6	Zinc	94	ug/L	CD	[NULL]	[NULL]	S	B1PCR5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/19/2007 10:25	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1PMR5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/19/2007 10:25	Y	7440-36-0	Antimony	32	ug/L	U	G	[NULL]	S	B1PMR5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/19/2007 10:25	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1PMR5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/19/2007 10:25	Y	7440-39-3	Barium	172	ug/L	[NULL]	G	[NULL]	S	B1PMR5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/19/2007 10:25	Y	7440-43-9	Cadmium	4	ug/L	U	G	[NULL]	S	B1PMR5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/19/2007 10:25	Y	7440-70-2	Calcium	142000	ug/L	D	[NULL]	[NULL]	S	B1PMR5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/19/2007 10:25	Y	16887-00-6	Chloride	60700	ug/L	D	[NULL]	[NULL]	S	B1PMR5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	9/19/2007 10:25	Y	7440-47-3	Chromium	23.3	ug/L	D	[NULL]	[NULL]	S	B1PMR5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/19/2007 10:25	Y	7440-48-4	Cobalt	4	ug/L	U	G	[NULL]	S	B1PMR5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/19/2007 10:25	Y	7440-50-8	Copper	4	ug/L	U	G	[NULL]	S	B1PMR5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/19/2007 10:25	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1PMR5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	9/19/2007 10:25	Y	7439-89-6	Iron	1670	ug/L	D	[NULL]	[NULL]	S	B1PMR5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/19/2007 10:25	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1PMR5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/19/2007 10:25	Y	7439-95-4	Magnesium	25200	ug/L	D	[NULL]	[NULL]	S	B1PMR5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/19/2007 10:25	Y	7439-96-5	Manganese	4310	ug/L	D	[NULL]	[NULL]	S	B1PMR5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/19/2007 10:25	Y	7439-98-7	Molybdenum	69.6	ug/L	CD	[NULL]	[NULL]	S	B1PMR5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/19/2007 10:25	Y	7440-02-0	Nickel	4	ug/L	U	G	[NULL]	S	B1PMR5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/19/2007 10:25	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1PMR5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	9/19/2007 10:25	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1PMR5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	9/19/2007 10:25	Y	14265-44-2	Phosphate	1890	ug/L	BD	[NULL]	[NULL]	S	B1PMR5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	9/19/2007 10:25	Y	7440-09-7	Potassium	4460	ug/L	D	[NULL]	[NULL]	S	B1PMR5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-130	9/19/2007 10:25	Y	7440-22-4	Silver	5	ug/L	U	G	[NULL]	S	B1PMR5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/19/2007 10:25	Y	7440-23-5	Sodium	55200	ug/L	D	[NULL]	[NULL]	S	B1PMR5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/19/2007 10:25	Y	7440-24-6	Strontium	476	ug/L	D	[NULL]	[NULL]	S	B1PMR5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/19/2007 10:25	Y	10098-97-2	Strontium-90	3800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1PMR5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-130	9/19/2007 10:25	Y	14808-79-8	Sulfate	8770	ug/L	D	[NULL]	[NULL]	S	B1PMR5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	9/19/2007 10:25	Y	7440-62-2	Vanadium	7	ug/L	U	G	[NULL]	S	B1PMR5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/19/2007 10:25	Y	7440-66-6	Zinc	4	ug/L	U	G	[NULL]	S	B1PMR5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/19/2007 11:40	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1R4M8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/19/2007 11:40	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1R4M8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/19/2007 11:40	Y	7440-38-2	Arsenic	250	ug/L	DNU	[NULL]	[NULL]	S	B1R4M8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/19/2007 11:40	Y	7440-39-3	Barium	187	ug/L	D	[NULL]	[NULL]	S	B1R4M8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/19/2007 11:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1R4M8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/19/2007 11:40	Y	7440-70-2	Calcium	133000	ug/L	D	[NULL]	[NULL]	S	B1R4M8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/19/2007 11:40	Y	16887-00-6	Chloride	55000	ug/L	D	[NULL]	[NULL]	S	B1R4M8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	10/19/2007 11:40	Y	7440-47-3	Chromium	63.6	ug/L	CD	[NULL]	[NULL]	S	B1R4M8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/19/2007 11:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1R4M8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/19/2007 11:40	Y	7440-50-8	Copper	24	ug/L	CD	[NULL]	[NULL]	S	B1R4M8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/19/2007 11:40	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1R4M8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	10/19/2007 11:40	Y	7439-89-6	Iron	1470	ug/L	D	[NULL]	[NULL]	S	B1R4M8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/19/2007 11:40	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1R4M8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/19/2007 11:40	Y	7439-95-4	Magnesium	23700	ug/L	D	[NULL]	[NULL]	S	B1R4M8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/19/2007 11:40	Y	7439-96-5	Manganese	3910	ug/L	D	[NULL]	[NULL]	S	B1R4M8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/19/2007 11:40	Y	7439-98-7	Molybdenum	50.9	ug/L	CD	[NULL]	[NULL]	S	B1R4M8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/19/2007 11:40	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1R4M8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/19/2007 11:40	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1R4M8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	10/19/2007 11:40	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1R4M8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	10/19/2007 11:40	Y	14265-44-2	Phosphate	1000	ug/L	BD	[NULL]	[NULL]	S	B1R4M8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	10/19/2007 11:40	Y	7440-09-7	Potassium	4340	ug/L	D	[NULL]	[NULL]	S	B1R4M8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/19/2007 11:40	Y	7440-22-4	Silver	84	ug/L	CD	[NULL]	[NULL]	S	B1R4M8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/19/2007 11:40	Y	7440-23-5	Sodium	50700	ug/L	D	[NULL]	[NULL]	S	B1R4M8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/19/2007 11:40	Y	7440-24-6	Strontium	471	ug/L	D	[NULL]	[NULL]	S	B1R4M8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/19/2007 11:40	Y	10098-97-2	Strontium-90	5000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1R4M8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-130	10/19/2007 11:40	Y	14808-79-8	Sulfate	11600	ug/L	D	[NULL]	[NULL]	S	B1R4M8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	10/19/2007 11:40	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1R4M8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/19/2007 11:40	Y	7440-66-6	Zinc	64	ug/L	CD	[NULL]	[NULL]	S	B1R4M8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/3/2008 14:30	Y	7429-90-5	Aluminum	30	ug/L	U	[NULL]	[NULL]	S	B1VJL7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/3/2008 14:30	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	S	B1VJL7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/3/2008 14:30	Y	7440-38-2	Arsenic	50	ug/L	U	[NULL]	[NULL]	S	B1VJL7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/3/2008 14:30	Y	7440-39-3	Barium	61	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/3/2008 14:30	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1VJL7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/3/2008 14:30	Y	7440-70-2	Calcium	50500	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/3/2008 14:30	Y	16887-00-6	Chloride	13000	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/3/2008 14:30	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	S	B1VJL7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/3/2008 14:30	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1VJL7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/3/2008 14:30	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	S	B1VJL7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/3/2008 14:30	Y	16984-48-8	Fluoride	230	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/3/2008 14:30	Y	12587-46-1	Gross alpha	4.2	pCi/L	U	G	[NULL]	S	B1VJL7	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-130	6/3/2008 14:30	Y	12587-47-2	Gross beta	3300	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VJL7	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-130	6/3/2008 14:30	Y	7439-89-6	Iron	11.8	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/3/2008 14:30	Y	7439-92-1	Lead	27	ug/L	U	[NULL]	[NULL]	S	B1VJL7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/3/2008 14:30	Y	7439-95-4	Magnesium	8810	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/3/2008 14:30	Y	7439-96-5	Manganese	1040	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/3/2008 14:30	Y	7439-98-7	Molybdenum	22.8	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/3/2008 14:30	Y	7440-02-0	Nickel	6.3	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/3/2008 14:30	Y	14797-55-8	Nitrate	159	ug/L	U	[NULL]	[NULL]	S	B1VJL7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-130	6/3/2008 14:30	Y	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	S	B1VJL7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/3/2008 14:30	Y	14265-44-2	Phosphate	3830	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/3/2008 14:30	Y	7440-09-7	Potassium	2610	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/3/2008 14:30	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1VJL7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/3/2008 14:30	Y	7440-23-5	Sodium	59200	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/3/2008 14:30	Y	7440-24-6	Strontium	199	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/3/2008 14:30	Y	14808-79-8	Sulfate	16400	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/3/2008 14:30	Y	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	S	B1VJL7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/3/2008 14:30	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	S	B1VJL7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/6/2008 17:33	Y	7429-90-5	Aluminum	3430	ug/L	D	[NULL]	[NULL]	S	B1VTV8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/6/2008 17:33	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1VTV8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/6/2008 17:33	Y	7440-38-2	Arsenic	250	ug/L	DNU	[NULL]	[NULL]	S	B1VTV8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/6/2008 17:33	Y	7440-39-3	Barium	54	ug/L	D	[NULL]	[NULL]	S	B1VTV8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/6/2008 17:33	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VTV8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/6/2008 17:33	Y	7440-70-2	Calcium	218000	ug/L	D	[NULL]	[NULL]	S	B1VTV8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/6/2008 17:33	Y	16887-00-6	Chloride	163000	ug/L	DN	[NULL]	[NULL]	S	B1VTV8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/6/2008 17:33	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1VTV8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/6/2008 17:33	Y	7440-48-4	Cobalt	44.5	ug/L	D	[NULL]	[NULL]	S	B1VTV8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/6/2008 17:33	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1VTV8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/6/2008 17:33	Y	DO	Dissolved oxygen	480	ug/L	[NULL]	[NULL]	[NULL]	S	B1VTV8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-130	6/6/2008 17:33	Y	16984-48-8	Fluoride	105	ug/L	DU	[NULL]	[NULL]	S	B1VTV8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/6/2008 17:33	Y	12587-46-1	Gross alpha	-2.3	pCi/L	U	[NULL]	[NULL]	S	B1VTV8	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-130	6/6/2008 17:33	Y	12587-47-2	Gross beta	7800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VTV8	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-130	6/6/2008 17:33	Y	7439-89-6	Iron	1110	ug/L	CD	[NULL]	[NULL]	S	B1VTV8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/6/2008 17:33	Y	7439-92-1	Lead	135	ug/L	DNU	[NULL]	[NULL]	S	B1VTV8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/6/2008 17:33	Y	7439-95-4	Magnesium	45600	ug/L	D	[NULL]	[NULL]	S	B1VTV8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/6/2008 17:33	Y	7439-96-5	Manganese	4660	ug/L	D	[NULL]	[NULL]	S	B1VTV8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/6/2008 17:33	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1VTV8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/6/2008 17:33	Y	7440-02-0	Nickel	155	ug/L	D	[NULL]	[NULL]	S	B1VTV8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/6/2008 17:33	Y	14797-55-8	Nitrate	797	ug/L	DNU	[NULL]	[NULL]	S	B1VTV8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/6/2008 17:33	Y	14797-65-0	Nitrite	164	ug/L	DNU	[NULL]	[NULL]	S	B1VTV8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/6/2008 17:33	Y	EH	Oxidation Reduction Potential	-28	mV	[NULL]	[NULL]	[NULL]	S	B1VTV8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-130	6/6/2008 17:33	Y	14265-44-2	Phosphate	1070000	ug/L	DN	[NULL]	[NULL]	S	B1VTV8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/6/2008 17:33	Y	7440-09-7	Potassium	5700	ug/L	CD	[NULL]	[NULL]	S	B1VTV8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/6/2008 17:33	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1VTV8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/6/2008 17:33	Y	7440-23-5	Sodium	452000	ug/L	D	[NULL]	[NULL]	S	B1VTV8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/6/2008 17:33	Y	CONDUCT	Specific Conductance	2010	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VTV8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-130	6/6/2008 17:33	Y	7440-24-6	Strontium	530	ug/L	D	[NULL]	[NULL]	S	B1VTV8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/6/2008 17:33	Y	14808-79-8	Sulfate	17200	ug/L	D	[NULL]	[NULL]	S	B1VTV8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/6/2008 17:33	Y	TEMPERATURE	Temperature	15.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1VTV8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-130	6/6/2008 17:33	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1VTV8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/6/2008 17:33	Y	7440-66-6	Zinc	24.1	ug/L	D	[NULL]	[NULL]	S	B1VTV8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/6/2008 17:33	Y	PH	pH Measurement	6.57	unitless	[NULL]	[NULL]	[NULL]	S	B1VTV8	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-130	6/7/2008 9:19	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1VTY4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/7/2008 9:19	Y	7440-36-0	Antimony	160	ug/L	DNU	[NULL]	[NULL]	S	B1VTY4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/7/2008 9:19	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1VTY4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/7/2008 9:19	Y	7440-39-3	Barium	40	ug/L	D	[NULL]	[NULL]	S	B1VTY4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/7/2008 9:19	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/7/2008 9:19	Y	7440-70-2	Calcium	143000	ug/L	D	[NULL]	[NULL]	S	B1VTY4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/7/2008 9:19	Y	16887-00-6	Chloride	151000	ug/L	D	[NULL]	[NULL]	S	B1VTY4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/7/2008 9:19	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/7/2008 9:19	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/7/2008 9:19	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/7/2008 9:19	Y	DO	Dissolved oxygen	90	ug/L	[NULL]	[NULL]	[NULL]	S	B1VTY4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-130	6/7/2008 9:19	Y	16984-48-8	Fluoride	105	ug/L	DU	[NULL]	[NULL]	S	B1VTY4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/7/2008 9:19	Y	12587-46-1	Gross alpha	-1.1	pCi/L	U	[NULL]	[NULL]	S	B1VTY4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-130	6/7/2008 9:19	Y	12587-47-2	Gross beta	6500	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VTY4	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-130	6/7/2008 9:19	Y	7439-89-6	Iron	317	ug/L	CD	[NULL]	[NULL]	S	B1VTY4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/7/2008 9:19	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1VTY4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/7/2008 9:19	Y	7439-95-4	Magnesium	34800	ug/L	D	[NULL]	[NULL]	S	B1VTY4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/7/2008 9:19	Y	7439-96-5	Manganese	3010	ug/L	D	[NULL]	[NULL]	S	B1VTY4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/7/2008 9:19	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/7/2008 9:19	Y	7440-02-0	Nickel	34.2	ug/L	D	[NULL]	[NULL]	S	B1VTY4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/7/2008 9:19	Y	14797-55-8	Nitrate	797	ug/L	DU	[NULL]	[NULL]	S	B1VTY4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/7/2008 9:19	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1VTY4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/7/2008 9:19	Y	EH	Oxidation Reduction Potential	-153	mV	[NULL]	[NULL]	[NULL]	S	B1VTY4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-130	6/7/2008 9:19	Y	14265-44-2	Phosphate	488000	ug/L	D	[NULL]	[NULL]	S	B1VTY4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/7/2008 9:19	Y	7440-09-7	Potassium	5570	ug/L	D	[NULL]	[NULL]	S	B1VTY4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/7/2008 9:19	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VTY4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/7/2008 9:19	Y	7440-23-5	Sodium	412000	ug/L	D	[NULL]	[NULL]	S	B1VTY4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/7/2008 9:19	Y	CONDUCT	Specific Conductance	2080	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VTY4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-130	6/7/2008 9:19	Y	7440-24-6	Strontium	393	ug/L	D	[NULL]	[NULL]	S	B1VTY4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/7/2008 9:19	Y	14808-79-8	Sulfate	14700	ug/L	D	[NULL]	[NULL]	S	B1VTY4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/7/2008 9:19	Y	TEMPERATURE	Temperature	15.23	Deg C	[NULL]	[NULL]	[NULL]	S	B1VTY4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-130	6/7/2008 9:19	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1VTY4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/7/2008 9:19	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/7/2008 9:19	Y	PH	pH Measurement	6.45	unitless	[NULL]	[NULL]	[NULL]	S	B1VTY4	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-130	6/8/2008 8:25	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1VV20	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/8/2008 8:25	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1VV20	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/8/2008 8:25	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1VV20	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/8/2008 8:25	Y	7440-39-3	Barium	22	ug/L	D	[NULL]	[NULL]	S	B1VV20	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/8/2008 8:25	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV20	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/8/2008 8:25	Y	7440-70-2	Calcium	88300	ug/L	DN	[NULL]	[NULL]	S	B1VV20	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/8/2008 8:25	Y	16887-00-6	Chloride	96200	ug/L	D	[NULL]	[NULL]	S	B1VV20	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/8/2008 8:25	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV20	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/8/2008 8:25	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VV20	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/8/2008 8:25	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1VV20	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/8/2008 8:25	Y	DO	Dissolved oxygen	170	ug/L	[NULL]	[NULL]	[NULL]	S	B1VV20	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-130	6/8/2008 8:25	Y	16984-48-8	Fluoride	105	ug/L	DU	[NULL]	[NULL]	S	B1VV20	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/8/2008 8:25	Y	12587-46-1	Gross alpha	1.7	pCi/L	U	G	[NULL]	S	B1VV20	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-130	6/8/2008 8:25	Y	12587-47-2	Gross beta	5300	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV20	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-130	6/8/2008 8:25	Y	7439-89-6	Iron	435	ug/L	D	[NULL]	[NULL]	S	B1VV20	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/8/2008 8:25	Y	7439-92-1	Lead	259	ug/L	CDN	G	[NULL]	S	B1VV20	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/8/2008 8:25	Y	7439-95-4	Magnesium	20900	ug/L	D	[NULL]	[NULL]	S	B1VV20	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/8/2008 8:25	Y	7439-96-5	Manganese	2230	ug/L	D	[NULL]	[NULL]	S	B1VV20	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/8/2008 8:25	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1VV20	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/8/2008 8:25	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VV20	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/8/2008 8:25	Y	14797-55-8	Nitrate	797	ug/L	DU	[NULL]	[NULL]	S	B1VV20	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/8/2008 8:25	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1VV20	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/8/2008 8:25	Y	EH	Oxidation Reduction Potential	-145	mV	[NULL]	[NULL]	[NULL]	S	B1VV20	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-130	6/8/2008 8:25	Y	14265-44-2	Phosphate	281000	ug/L	D	[NULL]	[NULL]	S	B1VV20	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/8/2008 8:25	Y	7440-09-7	Potassium	4280	ug/L	D	[NULL]	[NULL]	S	B1VV20	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/8/2008 8:25	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VV20	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/8/2008 8:25	Y	7440-23-5	Sodium	266000	ug/L	D	[NULL]	[NULL]	S	B1VV20	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/8/2008 8:25	Y	CONDUCT	Specific Conductance	1385	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VV20	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-130	6/8/2008 8:25	Y	7440-24-6	Strontium	231	ug/L	D	[NULL]	[NULL]	S	B1VV20	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/8/2008 8:25	Y	14808-79-8	Sulfate	15200	ug/L	D	[NULL]	[NULL]	S	B1VV20	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-130	6/8/2008 8:25	Y	TEMPERATURE	Temperature	14.73	Deg C	[NULL]	[NULL]	[NULL]	S	B1VV20	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-130	6/8/2008 8:25	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1VV20	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/8/2008 8:25	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1VV20	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/8/2008 8:25	Y	PH	pH Measurement	6.68	unitless	[NULL]	[NULL]	[NULL]	S	B1VV20	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-130	6/9/2008 11:55	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VV46	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/9/2008 11:55	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VV46	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/9/2008 11:55	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VV46	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/9/2008 11:55	Y	7440-39-3	Barium	28	ug/L	D	[NULL]	[NULL]	S	B1VV46	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/9/2008 11:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV46	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/9/2008 11:55	Y	7440-70-2	Calcium	114000	ug/L	D	[NULL]	[NULL]	S	B1VV46	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/9/2008 11:55	Y	16887-00-6	Chloride	137000	ug/L	D	[NULL]	[NULL]	S	B1VV46	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/9/2008 11:55	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VV46	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/9/2008 11:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VV46	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/9/2008 11:55	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VV46	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/9/2008 11:55	Y	DO	Dissolved oxygen	460	ug/L	[NULL]	[NULL]	[NULL]	S	B1VV46	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-130	6/9/2008 11:55	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VV46	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/9/2008 11:55	Y	12587-46-1	Gross alpha	9.2	pCi/L	U	[NULL]	[NULL]	S	B1VV46	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-130	6/9/2008 11:55	Y	12587-47-2	Gross beta	4800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV46	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-130	6/9/2008 11:55	Y	7439-89-6	Iron	845	ug/L	D	[NULL]	[NULL]	S	B1VV46	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/9/2008 11:55	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VV46	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/9/2008 11:55	Y	7439-95-4	Magnesium	29600	ug/L	DN	[NULL]	[NULL]	S	B1VV46	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/9/2008 11:55	Y	7439-96-5	Manganese	4260	ug/L	D	[NULL]	[NULL]	S	B1VV46	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/9/2008 11:55	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VV46	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/9/2008 11:55	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VV46	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/9/2008 11:55	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VV46	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/9/2008 11:55	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VV46	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/9/2008 11:55	Y	EH	Oxidation Reduction Potential	-153	mV	[NULL]	[NULL]	[NULL]	S	B1VV46	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-130	6/9/2008 11:55	Y	14265-44-2	Phosphate	289000	ug/L	D	[NULL]	[NULL]	S	B1VV46	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/9/2008 11:55	Y	7440-09-7	Potassium	5740	ug/L	D	[NULL]	[NULL]	S	B1VV46	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/9/2008 11:55	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VV46	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/9/2008 11:55	Y	7440-23-5	Sodium	383000	ug/L	D	[NULL]	[NULL]	S	B1VV46	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/9/2008 11:55	Y	CONDUCT	Specific Conductance	1860	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VV46	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-130	6/9/2008 11:55	Y	7440-24-6	Strontium	317	ug/L	D	[NULL]	[NULL]	S	B1VV46	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/9/2008 11:55	Y	14808-79-8	Sulfate	5270	ug/L	BD	[NULL]	[NULL]	S	B1VV46	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/9/2008 11:55	Y	TEMPERATURE	Temperature	16.25	Deg C	[NULL]	[NULL]	[NULL]	S	B1VV46	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-130	6/9/2008 11:55	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VV46	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/9/2008 11:55	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VV46	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/9/2008 11:55	Y	PH	pH Measurement	6.64	unitless	[NULL]	[NULL]	[NULL]	S	B1VV46	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-130	6/10/2008 16:19	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VV72	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/10/2008 16:19	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VV72	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/10/2008 16:19	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VV72	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/10/2008 16:19	Y	7440-39-3	Barium	40	ug/L	D	[NULL]	[NULL]	S	B1VV72	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/10/2008 16:19	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV72	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/10/2008 16:19	Y	7440-70-2	Calcium	154000	ug/L	D	[NULL]	[NULL]	S	B1VV72	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/10/2008 16:19	Y	16887-00-6	Chloride	130000	ug/L	D	[NULL]	[NULL]	S	B1VV72	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/10/2008 16:19	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VV72	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/10/2008 16:19	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VV72	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/10/2008 16:19	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VV72	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/10/2008 16:19	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VV72	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/10/2008 16:19	Y	12587-46-1	Gross alpha	1.8	pCi/L	U	G	[NULL]	S	B1VV72	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-130	6/10/2008 16:19	Y	12587-47-2	Gross beta	8000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV72	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-130	6/10/2008 16:19	Y	7439-89-6	Iron	1570	ug/L	D	[NULL]	[NULL]	S	B1VV72	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/10/2008 16:19	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VV72	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/10/2008 16:19	Y	7439-95-4	Magnesium	33700	ug/L	D	[NULL]	[NULL]	S	B1VV72	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-130	6/10/2008 16:19	Y	7439-96-5	Manganese	3020	ug/L	D	[NULL]	[NULL]	S	B1VV72	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/10/2008 16:19	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VV72	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/10/2008 16:19	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VV72	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/10/2008 16:19	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VV72	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/10/2008 16:19	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VV72	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/10/2008 16:19	Y	14265-44-2	Phosphate	73000	ug/L	D	[NULL]	[NULL]	S	B1VV72	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/10/2008 16:19	Y	7440-09-7	Potassium	5040	ug/L	D	[NULL]	[NULL]	S	B1VV72	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/10/2008 16:19	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VV72	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/10/2008 16:19	Y	7440-23-5	Sodium	183000	ug/L	D	[NULL]	[NULL]	S	B1VV72	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/10/2008 16:19	Y	7440-24-6	Strontium	459	ug/L	D	[NULL]	[NULL]	S	B1VV72	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/10/2008 16:19	Y	14808-79-8	Sulfate	10400	ug/L	D	[NULL]	[NULL]	S	B1VV72	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/10/2008 16:19	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VV72	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/10/2008 16:19	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VV72	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2008 11:44	Y	7429-90-5	Aluminum	519	ug/L	D	[NULL]	[NULL]	S	B1VV98	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2008 11:44	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VV98	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2008 11:44	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VV98	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2008 11:44	Y	7440-39-3	Barium	54	ug/L	D	[NULL]	[NULL]	S	B1VV98	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2008 11:44	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV98	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2008 11:44	Y	7440-70-2	Calcium	287000	ug/L	D	[NULL]	[NULL]	S	B1VV98	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2008 11:44	Y	16887-00-6	Chloride	162000	ug/L	D	[NULL]	[NULL]	S	B1VV98	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/11/2008 11:44	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VV98	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2008 11:44	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VV98	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2008 11:44	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VV98	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2008 11:44	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VV98	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/11/2008 11:44	Y	12587-46-1	Gross alpha	-0.76	pCi/L	U	G	[NULL]	S	B1VV98	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-130	6/11/2008 11:44	Y	12587-47-2	Gross beta	12000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV98	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-130	6/11/2008 11:44	Y	7439-89-6	Iron	2450	ug/L	D	[NULL]	[NULL]	S	B1VV98	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2008 11:44	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VV98	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2008 11:44	Y	7439-95-4	Magnesium	55600	ug/L	D	[NULL]	[NULL]	S	B1VV98	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2008 11:44	Y	7439-96-5	Manganese	5670	ug/L	D	[NULL]	[NULL]	S	B1VV98	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2008 11:44	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VV98	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2008 11:44	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VV98	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2008 11:44	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VV98	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/11/2008 11:44	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VV98	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/11/2008 11:44	Y	14265-44-2	Phosphate	102000	ug/L	D	[NULL]	[NULL]	S	B1VV98	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/11/2008 11:44	Y	7440-09-7	Potassium	5550	ug/L	D	[NULL]	[NULL]	S	B1VV98	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2008 11:44	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VV98	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2008 11:44	Y	7440-23-5	Sodium	263000	ug/L	D	[NULL]	[NULL]	S	B1VV98	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2008 11:44	Y	7440-24-6	Strontium	846	ug/L	D	[NULL]	[NULL]	S	B1VV98	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2008 11:44	Y	14808-79-8	Sulfate	10400	ug/L	BD	[NULL]	[NULL]	S	B1VV98	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/11/2008 11:44	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VV98	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/11/2008 11:44	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VV98	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2008 11:54	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVD4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2008 11:54	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVD4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2008 11:54	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVD4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2008 11:54	Y	7440-39-3	Barium	88	ug/L	D	[NULL]	[NULL]	S	B1VVD4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2008 11:54	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVD4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2008 11:54	Y	7440-70-2	Calcium	305000	ug/L	DN	[NULL]	[NULL]	S	B1VVD4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2008 11:54	Y	16887-00-6	Chloride	184000	ug/L	D	[NULL]	[NULL]	S	B1VVD4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/13/2008 11:54	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVD4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2008 11:54	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVD4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2008 11:54	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVD4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2008 11:54	Y	DO	Dissolved oxygen	2970	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVD4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-130	6/13/2008 11:54	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVD4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/13/2008 11:54	Y	12587-46-1	Gross alpha	14	pCi/L	U	[NULL]	[NULL]	S	B1VVD4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-130	6/13/2008 11:54	Y	12587-47-2	Gross beta	16000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVD4	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-130	6/13/2008 11:54	Y	7439-89-6	Iron	5520	ug/L	D	[NULL]	[NULL]	S	B1VVD4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2008 11:54	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVD4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2008 11:54	Y	7439-95-4	Magnesium	58400	ug/L	D	[NULL]	[NULL]	S	B1VVD4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2008 11:54	Y	7439-96-5	Manganese	7400	ug/L	D	[NULL]	[NULL]	S	B1VVD4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2008 11:54	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVD4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2008 11:54	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVD4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2008 11:54	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVD4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/13/2008 11:54	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVD4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/13/2008 11:54	Y	EH	Oxidation Reduction Potential	-149	mV	[NULL]	[NULL]	[NULL]	S	B1VVD4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-130	6/13/2008 11:54	Y	14265-44-2	Phosphate	179000	ug/L	D	[NULL]	[NULL]	S	B1VVD4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/13/2008 11:54	Y	7440-09-7	Potassium	7290	ug/L	D	[NULL]	[NULL]	S	B1VVD4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2008 11:54	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVD4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2008 11:54	Y	7440-23-5	Sodium	366000	ug/L	D	[NULL]	[NULL]	S	B1VVD4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2008 11:54	Y	CONDUCT	Specific Conductance	2906	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVD4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-130	6/13/2008 11:54	Y	7440-24-6	Strontium	940	ug/L	D	[NULL]	[NULL]	S	B1VVD4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2008 11:54	Y	14808-79-8	Sulfate	8480	ug/L	BD	[NULL]	[NULL]	S	B1VVD4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/13/2008 11:54	Y	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVD4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-130	6/13/2008 11:54	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVD4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2008 11:54	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVD4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/13/2008 11:54	Y	PH	pH Measurement	6.76	unitless	[NULL]	[NULL]	[NULL]	S	B1VVD4	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-130	6/14/2008 11:00	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVJ0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2008 11:00	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVJ0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2008 11:00	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVJ0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2008 11:00	Y	7440-39-3	Barium	85	ug/L	D	[NULL]	[NULL]	S	B1VVJ0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2008 11:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVJ0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2008 11:00	Y	7440-70-2	Calcium	283000	ug/L	DN	[NULL]	[NULL]	S	B1VVJ0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2008 11:00	Y	16887-00-6	Chloride	182000	ug/L	D	[NULL]	[NULL]	S	B1VVJ0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/14/2008 11:00	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVJ0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2008 11:00	Y	7440-48-4	Cobalt	25.1	ug/L	D	[NULL]	[NULL]	S	B1VVJ0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2008 11:00	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVJ0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2008 11:00	Y	DO	Dissolved oxygen	1480	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVJ0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-130	6/14/2008 11:00	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVJ0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/14/2008 11:00	Y	12587-46-1	Gross alpha	3.8	pCi/L	U	G	[NULL]	S	B1VVJ0	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-130	6/14/2008 11:00	Y	12587-47-2	Gross beta	3800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVJ0	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-130	6/14/2008 11:00	Y	7439-89-6	Iron	5720	ug/L	D	[NULL]	[NULL]	S	B1VVJ0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2008 11:00	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVJ0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2008 11:00	Y	7439-95-4	Magnesium	56100	ug/L	D	[NULL]	[NULL]	S	B1VVJ0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2008 11:00	Y	7439-96-5	Manganese	8430	ug/L	D	[NULL]	[NULL]	S	B1VVJ0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2008 11:00	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVJ0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2008 11:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVJ0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2008 11:00	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVJ0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/14/2008 11:00	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVJ0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/14/2008 11:00	Y	EH	Oxidation Reduction Potential	-157	mV	[NULL]	[NULL]	[NULL]	S	B1VVJ0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-130	6/14/2008 11:00	Y	14265-44-2	Phosphate	124000	ug/L	D	[NULL]	[NULL]	S	B1VVJ0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/14/2008 11:00	Y	7440-09-7	Potassium	7400	ug/L	D	[NULL]	[NULL]	S	B1VVJ0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2008 11:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVJ0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2008 11:00	Y	7440-23-5	Sodium	377000	ug/L	D	[NULL]	[NULL]	S	B1VVJ0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2008 11:00	Y	CONDUCT	Specific Conductance	2916	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVJ0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-130	6/14/2008 11:00	Y	7440-24-6	Strontium	855	ug/L	D	[NULL]	[NULL]	S	B1VVJ0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2008 11:00	Y	14808-79-8	Sulfate	6390	ug/L	BD	[NULL]	[NULL]	S	B1VVJ0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/14/2008 11:00	Y	TEMPERATURE	Temperature	14.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVJ0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-130	6/14/2008 11:00	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVJ0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-130	6/14/2008 11:00	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVJ0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/14/2008 11:00	Y	PH	pH Measurement	6.84	unitless	[NULL]	[NULL]	[NULL]	S	B1VVJ0	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-130	6/16/2008 10:20	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVL6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2008 10:20	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVL6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2008 10:20	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVL6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2008 10:20	Y	7440-39-3	Barium	78	ug/L	D	[NULL]	[NULL]	S	B1VVL6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2008 10:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVL6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2008 10:20	Y	7440-70-2	Calcium	228000	ug/L	D	[NULL]	[NULL]	S	B1VVL6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2008 10:20	Y	16887-00-6	Chloride	182000	ug/L	D	[NULL]	[NULL]	S	B1VVL6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/16/2008 10:20	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVL6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2008 10:20	Y	7440-48-4	Cobalt	25.6	ug/L	D	[NULL]	[NULL]	S	B1VVL6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2008 10:20	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVL6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2008 10:20	Y	DO	Dissolved oxygen	1290	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVL6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-130	6/16/2008 10:20	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVL6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/16/2008 10:20	Y	12587-46-1	Gross alpha	3.9	pCi/L	U	G	[NULL]	S	B1VVL6	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-130	6/16/2008 10:20	Y	12587-47-2	Gross beta	11000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVL6	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-130	6/16/2008 10:20	Y	7439-89-6	Iron	5320	ug/L	D	[NULL]	[NULL]	S	B1VVL6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2008 10:20	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVL6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2008 10:20	Y	7439-95-4	Magnesium	48600	ug/L	D	[NULL]	[NULL]	S	B1VVL6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2008 10:20	Y	7439-96-5	Manganese	6890	ug/L	D	[NULL]	[NULL]	S	B1VVL6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2008 10:20	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVL6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2008 10:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVL6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2008 10:20	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVL6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/16/2008 10:20	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVL6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/16/2008 10:20	Y	EH	Oxidation Reduction Potential	-156	mV	[NULL]	[NULL]	[NULL]	S	B1VVL6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-130	6/16/2008 10:20	Y	14265-44-2	Phosphate	81900	ug/L	D	[NULL]	[NULL]	S	B1VVL6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/16/2008 10:20	Y	7440-09-7	Potassium	6310	ug/L	D	[NULL]	[NULL]	S	B1VVL6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2008 10:20	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVL6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2008 10:20	Y	7440-23-5	Sodium	336000	ug/L	D	[NULL]	[NULL]	S	B1VVL6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2008 10:20	Y	CONDUCT	Specific Conductance	2833	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVL6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-130	6/16/2008 10:20	Y	7440-24-6	Strontium	734	ug/L	D	[NULL]	[NULL]	S	B1VVL6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2008 10:20	Y	14808-79-8	Sulfate	1180	ug/L	BD	[NULL]	[NULL]	S	B1VVL6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/16/2008 10:20	Y	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVL6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-130	6/16/2008 10:20	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVL6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2008 10:20	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVL6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/16/2008 10:20	Y	PH	pH Measurement	6.93	unitless	[NULL]	[NULL]	[NULL]	S	B1VVL6	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-130	6/18/2008 6:18	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVP2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2008 6:18	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVP2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2008 6:18	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVP2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2008 6:18	Y	7440-39-3	Barium	97	ug/L	D	[NULL]	[NULL]	S	B1VVP2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2008 6:18	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVP2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2008 6:18	Y	7440-70-2	Calcium	270000	ug/L	DN	[NULL]	[NULL]	S	B1VVP2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2008 6:18	Y	16887-00-6	Chloride	182000	ug/L	D	[NULL]	[NULL]	S	B1VVP2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/18/2008 6:18	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVP2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2008 6:18	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVP2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2008 6:18	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVP2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2008 6:18	Y	DO	Dissolved oxygen	1860	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVP2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-130	6/18/2008 6:18	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVP2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/18/2008 6:18	Y	12587-46-1	Gross alpha	23	pCi/L	U	[NULL]	[NULL]	S	B1VVP2	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-130	6/18/2008 6:18	Y	12587-47-2	Gross beta	14000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVP2	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-130	6/18/2008 6:18	Y	7439-89-6	Iron	6720	ug/L	D	[NULL]	[NULL]	S	B1VVP2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2008 6:18	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVP2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2008 6:18	Y	7439-95-4	Magnesium	52300	ug/L	DN	[NULL]	[NULL]	S	B1VVP2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2008 6:18	Y	7439-96-5	Manganese	7670	ug/L	D	[NULL]	[NULL]	S	B1VVP2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-130	6/18/2008 6:18	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVP2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2008 6:18	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVP2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2008 6:18	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVP2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/18/2008 6:18	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVP2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/18/2008 6:18	Y	EH	Oxidation Reduction Potential	-154	mV	[NULL]	[NULL]	[NULL]	S	B1VVP2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-130	6/18/2008 6:18	Y	14265-44-2	Phosphate	126000	ug/L	D	[NULL]	[NULL]	S	B1VVP2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/18/2008 6:18	Y	7440-09-7	Potassium	6930	ug/L	D	[NULL]	[NULL]	S	B1VVP2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2008 6:18	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVP2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2008 6:18	Y	7440-23-5	Sodium	395000	ug/L	D	[NULL]	[NULL]	S	B1VVP2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2008 6:18	Y	CONDUCT	Specific Conductance	3020	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVP2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-130	6/18/2008 6:18	Y	7440-24-6	Strontium	880	ug/L	D	[NULL]	[NULL]	S	B1VVP2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2008 6:18	Y	14808-79-8	Sulfate	5180	ug/L	BD	[NULL]	[NULL]	S	B1VVP2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/18/2008 6:18	Y	TEMPERATURE	Temperature	14.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVP2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-130	6/18/2008 6:18	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVP2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2008 6:18	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVP2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/18/2008 6:18	Y	PH	pH Measurement	6.83	unitless	[NULL]	[NULL]	[NULL]	S	B1VVP2	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-130	6/27/2008 8:40	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVV4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/27/2008 8:40	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVV4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/27/2008 8:40	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVV4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/27/2008 8:40	Y	7440-39-3	Barium	76	ug/L	D	[NULL]	[NULL]	S	B1VVV4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/27/2008 8:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVV4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/27/2008 8:40	Y	7440-70-2	Calcium	178000	ug/L	DN	[NULL]	[NULL]	S	B1VVV4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/27/2008 8:40	Y	16887-00-6	Chloride	154000	ug/L	D	[NULL]	[NULL]	S	B1VVV4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/27/2008 8:40	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVV4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/27/2008 8:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVV4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/27/2008 8:40	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVV4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/27/2008 8:40	Y	DO	Dissolved oxygen	2900	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVV4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-130	6/27/2008 8:40	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVV4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/27/2008 8:40	Y	12587-46-1	Gross alpha	2.7	pCi/L	U	G	[NULL]	S	B1VVV4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-130	6/27/2008 8:40	Y	12587-47-2	Gross beta	7900	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVV4	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-130	6/27/2008 8:40	Y	7439-89-6	Iron	5270	ug/L	D	[NULL]	[NULL]	S	B1VVV4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/27/2008 8:40	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVV4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/27/2008 8:40	Y	7439-95-4	Magnesium	37000	ug/L	D	[NULL]	[NULL]	S	B1VVV4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/27/2008 8:40	Y	7439-96-5	Manganese	5500	ug/L	D	[NULL]	[NULL]	S	B1VVV4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/27/2008 8:40	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVV4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/27/2008 8:40	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVV4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/27/2008 8:40	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVV4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/27/2008 8:40	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVV4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/27/2008 8:40	Y	EH	Oxidation Reduction Potential	-169	mV	[NULL]	[NULL]	[NULL]	S	B1VVV4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-130	6/27/2008 8:40	Y	14265-44-2	Phosphate	154000	ug/L	D	[NULL]	[NULL]	S	B1VVV4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/27/2008 8:40	Y	7440-09-7	Potassium	6170	ug/L	D	[NULL]	[NULL]	S	B1VVV4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/27/2008 8:40	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVV4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/27/2008 8:40	Y	7440-23-5	Sodium	415000	ug/L	D	[NULL]	[NULL]	S	B1VVV4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/27/2008 8:40	Y	CONDUCT	Specific Conductance	2419	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVV4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-130	6/27/2008 8:40	Y	7440-24-6	Strontium	607	ug/L	D	[NULL]	[NULL]	S	B1VVV4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/27/2008 8:40	Y	14808-79-8	Sulfate	770	ug/L	DU	[NULL]	[NULL]	S	B1VVV4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/27/2008 8:40	Y	TEMPERATURE	Temperature	16.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVV4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-130	6/27/2008 8:40	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVV4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/27/2008 8:40	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVV4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/27/2008 8:40	Y	PH	pH Measurement	7	unitless	[NULL]	[NULL]	[NULL]	S	B1VVV4	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-130	6/29/2008 5:35	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W660	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2008 5:35	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W660	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2008 5:35	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W660	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-130	6/29/2008 5:35	Y	7440-39-3	Barium	49	ug/L	D	[NULL]	[NULL]	S	B1W660	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2008 5:35	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W660	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2008 5:35	Y	7440-70-2	Calcium	134000	ug/L	DN	[NULL]	[NULL]	S	B1W660	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2008 5:35	Y	16887-00-6	Chloride	122000	ug/L	D	[NULL]	[NULL]	S	B1W660	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/29/2008 5:35	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W660	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2008 5:35	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W660	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2008 5:35	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W660	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2008 5:35	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W660	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/29/2008 5:35	Y	7439-89-6	Iron	4280	ug/L	D	[NULL]	[NULL]	S	B1W660	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2008 5:35	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W660	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2008 5:35	Y	7439-95-4	Magnesium	27900	ug/L	D	[NULL]	[NULL]	S	B1W660	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2008 5:35	Y	7439-96-5	Manganese	4060	ug/L	D	[NULL]	[NULL]	S	B1W660	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2008 5:35	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W660	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2008 5:35	Y	7440-02-0	Nickel	20.8	ug/L	D	[NULL]	[NULL]	S	B1W660	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2008 5:35	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W660	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/29/2008 5:35	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W660	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/29/2008 5:35	Y	14265-44-2	Phosphate	169000	ug/L	D	[NULL]	[NULL]	S	B1W660	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/29/2008 5:35	Y	7440-09-7	Potassium	5430	ug/L	D	[NULL]	[NULL]	S	B1W660	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2008 5:35	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W660	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2008 5:35	Y	7440-23-5	Sodium	354000	ug/L	D	[NULL]	[NULL]	S	B1W660	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2008 5:35	Y	7440-24-6	Strontium	430	ug/L	D	[NULL]	[NULL]	S	B1W660	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2008 5:35	Y	14808-79-8	Sulfate	770	ug/L	DU	[NULL]	[NULL]	S	B1W660	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	6/29/2008 5:35	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W660	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	6/29/2008 5:35	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W660	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/3/2008 7:55	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W674	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/3/2008 7:55	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W674	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/3/2008 7:55	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W674	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/3/2008 7:55	Y	7440-39-3	Barium	26	ug/L	D	[NULL]	[NULL]	S	B1W674	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/3/2008 7:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W674	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/3/2008 7:55	Y	7440-70-2	Calcium	79000	ug/L	D	[NULL]	[NULL]	S	B1W674	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/3/2008 7:55	Y	16887-00-6	Chloride	124000	ug/L	D	[NULL]	[NULL]	S	B1W674	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/3/2008 7:55	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W674	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/3/2008 7:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W674	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/3/2008 7:55	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W674	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/3/2008 7:55	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W674	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/3/2008 7:55	Y	7439-89-6	Iron	1760	ug/L	DN	[NULL]	[NULL]	S	B1W674	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/3/2008 7:55	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W674	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/3/2008 7:55	Y	7439-95-4	Magnesium	18900	ug/L	D	[NULL]	[NULL]	S	B1W674	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/3/2008 7:55	Y	7439-96-5	Manganese	2170	ug/L	D	[NULL]	[NULL]	S	B1W674	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/3/2008 7:55	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W674	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/3/2008 7:55	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W674	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/3/2008 7:55	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W674	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/3/2008 7:55	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W674	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/3/2008 7:55	Y	14265-44-2	Phosphate	445000	ug/L	D	[NULL]	[NULL]	S	B1W674	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/3/2008 7:55	Y	7440-09-7	Potassium	5300	ug/L	D	[NULL]	[NULL]	S	B1W674	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/3/2008 7:55	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1W674	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/3/2008 7:55	Y	7440-23-5	Sodium	553000	ug/L	D	[NULL]	[NULL]	S	B1W674	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/3/2008 7:55	Y	7440-24-6	Strontium	266	ug/L	D	[NULL]	[NULL]	S	B1W674	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/3/2008 7:55	Y	14808-79-8	Sulfate	1350	ug/L	BD	[NULL]	[NULL]	S	B1W674	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/3/2008 7:55	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W674	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/3/2008 7:55	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W674	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/4/2008 9:45	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VWT3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/4/2008 9:45	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VWT3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/4/2008 9:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VWT3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/4/2008 9:45	Y	7440-39-3	Barium	24	ug/L	D	[NULL]	[NULL]	S	B1VWT3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-130	7/4/2008 9:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWT3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/4/2008 9:45	Y	7440-70-2	Calcium	63300	ug/L	D	[NULL]	[NULL]	S	B1VWT3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/4/2008 9:45	Y	16887-00-6	Chloride	110000	ug/L	D	[NULL]	[NULL]	S	B1VWT3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/4/2008 9:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VWT3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/4/2008 9:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VWT3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/4/2008 9:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VWT3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/4/2008 9:45	Y	DO	Dissolved oxygen	1570	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWP0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-130	7/4/2008 9:45	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VWT3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/4/2008 9:45	Y	12587-46-1	Gross alpha	1.2	pCi/L	U	[NULL]	[NULL]	S	B1VWP0	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-130	7/4/2008 9:45	Y	12587-47-2	Gross beta	3500	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VWP0	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-130	7/4/2008 9:45	Y	7439-89-6	Iron	1760	ug/L	CD	[NULL]	[NULL]	S	B1VWT3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/4/2008 9:45	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VWT3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/4/2008 9:45	Y	7439-95-4	Magnesium	15200	ug/L	D	[NULL]	[NULL]	S	B1VWT3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/4/2008 9:45	Y	7439-96-5	Manganese	2090	ug/L	D	[NULL]	[NULL]	S	B1VWT3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/4/2008 9:45	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VWT3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/4/2008 9:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VWT3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/4/2008 9:45	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VWT3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/4/2008 9:45	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VWT3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/4/2008 9:45	Y	EH	Oxidation Reduction Potential	-192	mV	[NULL]	[NULL]	[NULL]	S	B1VWP0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-130	7/4/2008 9:45	Y	14265-44-2	Phosphate	295000	ug/L	D	[NULL]	[NULL]	S	B1VWT3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/4/2008 9:45	Y	7440-09-7	Potassium	4340	ug/L	D	[NULL]	[NULL]	S	B1VWT3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/4/2008 9:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VWT3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/4/2008 9:45	Y	7440-23-5	Sodium	412000	ug/L	D	[NULL]	[NULL]	S	B1VWT3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/4/2008 9:45	Y	CONDUCT	Specific Conductance	2025	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWP0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-130	7/4/2008 9:45	Y	7440-24-6	Strontium	230	ug/L	D	[NULL]	[NULL]	S	B1VWT3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/4/2008 9:45	Y	14808-79-8	Sulfate	770	ug/L	DU	[NULL]	[NULL]	S	B1VWT3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/4/2008 9:45	Y	TEMPERATURE	Temperature	17.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWP0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-130	7/4/2008 9:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VWT3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/4/2008 9:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VWT3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/4/2008 9:45	Y	PH	pH Measurement	7.23	unitless	[NULL]	[NULL]	[NULL]	S	B1VWP0	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-130	7/5/2008 9:15	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VX06	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/5/2008 9:15	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VX06	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/5/2008 9:15	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VX06	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/5/2008 9:15	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VX06	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/5/2008 9:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VX06	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/5/2008 9:15	Y	7440-70-2	Calcium	62500	ug/L	D	[NULL]	[NULL]	S	B1VX06	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/5/2008 9:15	Y	16887-00-6	Chloride	92800	ug/L	DN	[NULL]	[NULL]	S	B1VX06	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/5/2008 9:15	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VX06	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/5/2008 9:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VX06	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/5/2008 9:15	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VX06	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/5/2008 9:15	Y	DO	Dissolved oxygen	1890	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWY1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-130	7/5/2008 9:15	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VX06	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/5/2008 9:15	Y	12587-46-1	Gross alpha	4.6	pCi/L	U	[NULL]	[NULL]	S	B1VWY1	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-130	7/5/2008 9:15	Y	12587-47-2	Gross beta	3400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VWY1	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-130	7/5/2008 9:15	Y	7439-89-6	Iron	1570	ug/L	CD	[NULL]	[NULL]	S	B1VX06	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/5/2008 9:15	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VX06	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/5/2008 9:15	Y	7439-95-4	Magnesium	14000	ug/L	D	[NULL]	[NULL]	S	B1VX06	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/5/2008 9:15	Y	7439-96-5	Manganese	1890	ug/L	D	[NULL]	[NULL]	S	B1VX06	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/5/2008 9:15	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VX06	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/5/2008 9:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VX06	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/5/2008 9:15	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VX06	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/5/2008 9:15	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VX06	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/5/2008 9:15	Y	EH	Oxidation Reduction Potential	-172	mV	[NULL]	[NULL]	[NULL]	S	B1VWY1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-130	7/5/2008 9:15	Y	14265-44-2	Phosphate	275000	ug/L	D	[NULL]	[NULL]	S	B1VX06	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/5/2008 9:15	Y	7440-09-7	Potassium	4030	ug/L	D	[NULL]	[NULL]	S	B1VX06	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/5/2008 9:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VX06	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/5/2008 9:15	Y	7440-23-5	Sodium	366000	ug/L	D	[NULL]	[NULL]	S	B1VX06	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/5/2008 9:15	Y	CONDUCT	Specific Conductance	1862	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWY1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-130	7/5/2008 9:15	Y	7440-24-6	Strontium	216	ug/L	D	[NULL]	[NULL]	S	B1VX06	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/5/2008 9:15	Y	14808-79-8	Sulfate	770	ug/L	DU	[NULL]	[NULL]	S	B1VX06	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/5/2008 9:15	Y	TEMPERATURE	Temperature	16.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWY1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-130	7/5/2008 9:15	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VX06	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/5/2008 9:15	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VX06	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/5/2008 9:15	Y	PH	pH Measurement	7.28	unitless	[NULL]	[NULL]	[NULL]	S	B1VWY1	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-130	7/6/2008 8:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W759	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/6/2008 8:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W759	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/6/2008 8:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W759	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/6/2008 8:30	Y	7440-39-3	Barium	29	ug/L	D	[NULL]	[NULL]	S	B1W759	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/6/2008 8:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W759	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/6/2008 8:30	Y	7440-70-2	Calcium	71300	ug/L	D	[NULL]	[NULL]	S	B1W759	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/6/2008 8:30	Y	16887-00-6	Chloride	89900	ug/L	DN	[NULL]	[NULL]	S	B1W759	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/6/2008 8:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W759	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/6/2008 8:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W759	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/6/2008 8:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W759	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/6/2008 8:30	Y	DO	Dissolved oxygen	1370	ug/L	[NULL]	[NULL]	[NULL]	S	B1VX33	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-130	7/6/2008 8:30	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W759	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/6/2008 8:30	Y	12587-46-1	Gross alpha	7.4	pCi/L	[NULL]	G	[NULL]	S	B1VX33	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-130	7/6/2008 8:30	Y	12587-47-2	Gross beta	3900	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VX33	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-130	7/6/2008 8:30	Y	7439-89-6	Iron	1790	ug/L	D	[NULL]	[NULL]	S	B1W759	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/6/2008 8:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W759	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/6/2008 8:30	Y	7439-95-4	Magnesium	15300	ug/L	DN	[NULL]	[NULL]	S	B1W759	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/6/2008 8:30	Y	7439-96-5	Manganese	2070	ug/L	D	[NULL]	[NULL]	S	B1W759	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/6/2008 8:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W759	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/6/2008 8:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W759	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/6/2008 8:30	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W759	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/6/2008 8:30	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W759	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/6/2008 8:30	Y	EH	Oxidation Reduction Potential	-173	mV	[NULL]	[NULL]	[NULL]	S	B1VX33	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-130	7/6/2008 8:30	Y	14265-44-2	Phosphate	259000	ug/L	D	[NULL]	[NULL]	S	B1W759	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/6/2008 8:30	Y	7440-09-7	Potassium	4160	ug/L	D	[NULL]	[NULL]	S	B1W759	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/6/2008 8:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W759	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/6/2008 8:30	Y	7440-23-5	Sodium	372000	ug/L	D	[NULL]	[NULL]	S	B1W759	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/6/2008 8:30	Y	CONDUCT	Specific Conductance	1777	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VX33	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-130	7/6/2008 8:30	Y	7440-24-6	Strontium	233	ug/L	D	[NULL]	[NULL]	S	B1W759	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/6/2008 8:30	Y	14808-79-8	Sulfate	770	ug/L	DU	[NULL]	[NULL]	S	B1W759	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/6/2008 8:30	Y	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1VX33	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-130	7/6/2008 8:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W759	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/6/2008 8:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W759	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/6/2008 8:30	Y	PH	pH Measurement	7.32	unitless	[NULL]	[NULL]	[NULL]	S	B1VX33	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-130	7/7/2008 10:55	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W785	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/7/2008 10:55	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W785	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/7/2008 10:55	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W785	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/7/2008 10:55	Y	7440-39-3	Barium	20	ug/L	D	[NULL]	[NULL]	S	B1W785	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/7/2008 10:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W785	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/7/2008 10:55	Y	7440-70-2	Calcium	66900	ug/L	D	[NULL]	[NULL]	S	B1W785	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/7/2008 10:55	Y	16887-00-6	Chloride	79100	ug/L	DN	[NULL]	[NULL]	S	B1W785	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/7/2008 10:55	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W785	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/7/2008 10:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W785	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-130	7/7/2008 10:55	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W785	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/7/2008 10:55	Y	DO	Dissolved oxygen	1470	ug/L	[NULL]	[NULL]	[NULL]	S	B1W770	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-130	7/7/2008 10:55	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W785	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/7/2008 10:55	Y	12587-46-1	Gross alpha	7.5	pCi/L	[NULL]	G	[NULL]	S	B1W770	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-130	7/7/2008 10:55	Y	12587-47-2	Gross beta	3200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W770	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-130	7/7/2008 10:55	Y	7439-89-6	Iron	1600	ug/L	D	[NULL]	[NULL]	S	B1W785	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/7/2008 10:55	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W785	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/7/2008 10:55	Y	7439-95-4	Magnesium	14700	ug/L	DN	[NULL]	[NULL]	S	B1W785	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/7/2008 10:55	Y	7439-96-5	Manganese	2070	ug/L	D	[NULL]	[NULL]	S	B1W785	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/7/2008 10:55	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W785	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/7/2008 10:55	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W785	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/7/2008 10:55	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W785	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/7/2008 10:55	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W785	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/7/2008 10:55	Y	EH	Oxidation Reduction Potential	-188	mV	[NULL]	[NULL]	[NULL]	S	B1W770	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-130	7/7/2008 10:55	Y	14265-44-2	Phosphate	229000	ug/L	D	[NULL]	[NULL]	S	B1W785	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/7/2008 10:55	Y	7440-09-7	Potassium	4190	ug/L	D	[NULL]	[NULL]	S	B1W785	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/7/2008 10:55	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W785	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/7/2008 10:55	Y	7440-23-5	Sodium	372000	ug/L	D	[NULL]	[NULL]	S	B1W785	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/7/2008 10:55	Y	CONDUCT	Specific Conductance	1696	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W770	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-130	7/7/2008 10:55	Y	7440-24-6	Strontium	221	ug/L	D	[NULL]	[NULL]	S	B1W785	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/7/2008 10:55	Y	14808-79-8	Sulfate	770	ug/L	DU	[NULL]	[NULL]	S	B1W785	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/7/2008 10:55	Y	TEMPERATURE	Temperature	23	Deg C	[NULL]	[NULL]	[NULL]	S	B1W770	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-130	7/7/2008 10:55	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W785	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/7/2008 10:55	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W785	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/7/2008 10:55	Y	PH	pH Measurement	7.19	unitless	[NULL]	[NULL]	[NULL]	S	B1W770	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-130	7/8/2008 12:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7F5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2008 12:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7F5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2008 12:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7F5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2008 12:30	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7F5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2008 12:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7F5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2008 12:30	Y	7440-70-2	Calcium	15300	ug/L	DN	[NULL]	[NULL]	S	B1W7F5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2008 12:30	Y	16887-00-6	Chloride	151000	ug/L	D	[NULL]	[NULL]	S	B1W7F5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/8/2008 12:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7F5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2008 12:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7F5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2008 12:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7F5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2008 12:30	Y	DO	Dissolved oxygen	1340	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7C2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-130	7/8/2008 12:30	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W7F5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/8/2008 12:30	Y	12587-46-1	Gross alpha	6.1	pCi/L	U	[NULL]	[NULL]	S	B1W7C2	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-130	7/8/2008 12:30	Y	12587-47-2	Gross beta	960	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7C2	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-130	7/8/2008 12:30	Y	7439-89-6	Iron	648	ug/L	D	[NULL]	[NULL]	S	B1W7F5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2008 12:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7F5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2008 12:30	Y	7439-95-4	Magnesium	5790	ug/L	D	[NULL]	[NULL]	S	B1W7F5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2008 12:30	Y	7439-96-5	Manganese	1240	ug/L	D	[NULL]	[NULL]	S	B1W7F5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2008 12:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7F5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2008 12:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7F5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2008 12:30	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W7F5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/8/2008 12:30	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W7F5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/8/2008 12:30	Y	EH	Oxidation Reduction Potential	-168	mV	[NULL]	[NULL]	[NULL]	S	B1W7C2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-130	7/8/2008 12:30	Y	14265-44-2	Phosphate	978000	ug/L	D	[NULL]	[NULL]	S	B1W7F5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/8/2008 12:30	Y	7440-09-7	Potassium	4420	ug/L	D	[NULL]	[NULL]	S	B1W7F5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2008 12:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W7F5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2008 12:30	Y	7440-23-5	Sodium	1000000	ug/L	D	[NULL]	[NULL]	S	B1W7F5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2008 12:30	Y	CONDUCT	Specific Conductance	3595	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7C2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-130	7/8/2008 12:30	Y	7440-24-6	Strontium	98.8	ug/L	D	[NULL]	[NULL]	S	B1W7F5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2008 12:30	Y	14808-79-8	Sulfate	770	ug/L	DU	[NULL]	[NULL]	S	B1W7F5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/8/2008 12:30	Y	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7C2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-130	7/8/2008 12:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7F5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2008 12:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7F5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/8/2008 12:30	Y	PH	pH Measurement	7.47	unitless	[NULL]	[NULL]	[NULL]	S	B1W7C2	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-130	7/9/2008 12:40	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W853	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/9/2008 12:40	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W853	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/9/2008 12:40	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W853	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/9/2008 12:40	Y	7440-39-3	Barium	20	ug/L	D	[NULL]	[NULL]	S	B1W853	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/9/2008 12:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W853	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/9/2008 12:40	Y	7440-70-2	Calcium	60600	ug/L	D	[NULL]	[NULL]	S	B1W853	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/9/2008 12:40	Y	16887-00-6	Chloride	85900	ug/L	DN	[NULL]	[NULL]	S	B1W853	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/9/2008 12:40	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W853	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/9/2008 12:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W853	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/9/2008 12:40	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W853	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/9/2008 12:40	Y	DO	Dissolved oxygen	4010	ug/L	[NULL]	[NULL]	[NULL]	S	B1W838	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-130	7/9/2008 12:40	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W853	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/9/2008 12:40	Y	12587-46-1	Gross alpha	4	pCi/L	U	G	[NULL]	S	B1W838	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-130	7/9/2008 12:40	Y	12587-47-2	Gross beta	2800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W838	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-130	7/9/2008 12:40	Y	7439-89-6	Iron	1590	ug/L	D	[NULL]	[NULL]	S	B1W853	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/9/2008 12:40	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W853	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/9/2008 12:40	Y	7439-95-4	Magnesium	13500	ug/L	D	[NULL]	[NULL]	S	B1W853	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/9/2008 12:40	Y	7439-96-5	Manganese	1840	ug/L	D	[NULL]	[NULL]	S	B1W853	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/9/2008 12:40	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W853	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/9/2008 12:40	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W853	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/9/2008 12:40	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W853	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/9/2008 12:40	Y	14797-65-0	Nitrite	1250	ug/L	BD	[NULL]	[NULL]	S	B1W853	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/9/2008 12:40	Y	EH	Oxidation Reduction Potential	-126	mV	[NULL]	[NULL]	[NULL]	S	B1W838	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-130	7/9/2008 12:40	Y	14265-44-2	Phosphate	202000	ug/L	D	[NULL]	[NULL]	S	B1W853	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/9/2008 12:40	Y	7440-09-7	Potassium	3880	ug/L	D	[NULL]	[NULL]	S	B1W853	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/9/2008 12:40	Y	7440-22-4	Silver	59	ug/L	CD	[NULL]	[NULL]	S	B1W853	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/9/2008 12:40	Y	7440-23-5	Sodium	337000	ug/L	DN	[NULL]	[NULL]	S	B1W853	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/9/2008 12:40	Y	CONDUCT	Specific Conductance	1686	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W838	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-130	7/9/2008 12:40	Y	7440-24-6	Strontium	206	ug/L	D	[NULL]	[NULL]	S	B1W853	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/9/2008 12:40	Y	14808-79-8	Sulfate	770	ug/L	DU	[NULL]	[NULL]	S	B1W853	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/9/2008 12:40	Y	TEMPERATURE	Temperature	16.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1W838	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-130	7/9/2008 12:40	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W853	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/9/2008 12:40	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W853	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/9/2008 12:40	Y	PH	pH Measurement	7.48	unitless	[NULL]	[NULL]	[NULL]	S	B1W838	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-130	7/10/2008 11:45	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7M1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/10/2008 11:45	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7M1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/10/2008 11:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7M1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/10/2008 11:45	Y	7440-39-3	Barium	21	ug/L	D	[NULL]	[NULL]	S	B1W7M1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/10/2008 11:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7M1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/10/2008 11:45	Y	7440-70-2	Calcium	51700	ug/L	D	[NULL]	[NULL]	S	B1W7M1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/10/2008 11:45	Y	16887-00-6	Chloride	85600	ug/L	D	[NULL]	[NULL]	S	B1W7M1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/10/2008 11:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7M1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/10/2008 11:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7M1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/10/2008 11:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7M1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/10/2008 11:45	Y	DO	Dissolved oxygen	1450	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7J8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-130	7/10/2008 11:45	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W7M1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/10/2008 11:45	Y	12587-46-1	Gross alpha	5.5	pCi/L	U	[NULL]	[NULL]	S	B1W7J8	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-130	7/10/2008 11:45	Y	12587-47-2	Gross beta	3200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7J8	12587-47-2	WSCF	BETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-130	7/10/2008 11:45	Y	7439-89-6	Iron	1600	ug/L	D	[NULL]	[NULL]	S	B1W7M1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/10/2008 11:45	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7M1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/10/2008 11:45	Y	7439-95-4	Magnesium	13000	ug/L	D	[NULL]	[NULL]	S	B1W7M1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/10/2008 11:45	Y	7439-96-5	Manganese	1740	ug/L	D	[NULL]	[NULL]	S	B1W7M1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/10/2008 11:45	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7M1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/10/2008 11:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7M1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/10/2008 11:45	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W7M1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/10/2008 11:45	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W7M1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/10/2008 11:45	Y	EH	Oxidation Reduction Potential	-150	mV	[NULL]	[NULL]	[NULL]	S	B1W7J8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-130	7/10/2008 11:45	Y	14265-44-2	Phosphate	214000	ug/L	D	[NULL]	[NULL]	S	B1W7M1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/10/2008 11:45	Y	7440-09-7	Potassium	4340	ug/L	D	[NULL]	[NULL]	S	B1W7M1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/10/2008 11:45	Y	7440-22-4	Silver	25	ug/L	CD	[NULL]	[NULL]	S	B1W7M1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/10/2008 11:45	Y	7440-23-5	Sodium	353000	ug/L	D	[NULL]	[NULL]	S	B1W7M1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/10/2008 11:45	Y	CONDUCT	Specific Conductance	1700	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7J8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-130	7/10/2008 11:45	Y	7440-24-6	Strontium	198	ug/L	D	[NULL]	[NULL]	S	B1W7M1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/10/2008 11:45	Y	14808-79-8	Sulfate	770	ug/L	DU	[NULL]	[NULL]	S	B1W7M1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/10/2008 11:45	Y	TEMPERATURE	Temperature	15.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7J8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-130	7/10/2008 11:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7M1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/10/2008 11:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7M1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/10/2008 11:45	Y	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	S	B1W7J8	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-130	7/11/2008 10:55	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7V7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/11/2008 10:55	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7V7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/11/2008 10:55	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7V7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/11/2008 10:55	Y	7440-39-3	Barium	20	ug/L	BD	[NULL]	[NULL]	S	B1W7V7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/11/2008 10:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7V7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/11/2008 10:55	Y	7440-70-2	Calcium	59200	ug/L	D	[NULL]	[NULL]	S	B1W7V7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/11/2008 10:55	Y	16887-00-6	Chloride	79200	ug/L	D	[NULL]	[NULL]	S	B1W7V7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/11/2008 10:55	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7V7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/11/2008 10:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7V7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/11/2008 10:55	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7V7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/11/2008 10:55	Y	DO	Dissolved oxygen	1070	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7V7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-130	7/11/2008 10:55	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W7V7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/11/2008 10:55	Y	12587-46-1	Gross alpha	2.2	pCi/L	U	G	[NULL]	S	B1W7V7	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-130	7/11/2008 10:55	Y	12587-47-2	Gross beta	2900	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7V7	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-130	7/11/2008 10:55	Y	7439-89-6	Iron	1590	ug/L	D	[NULL]	[NULL]	S	B1W7V7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/11/2008 10:55	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7V7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/11/2008 10:55	Y	7439-95-4	Magnesium	12400	ug/L	D	[NULL]	[NULL]	S	B1W7V7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/11/2008 10:55	Y	7439-96-5	Manganese	1880	ug/L	D	[NULL]	[NULL]	S	B1W7V7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/11/2008 10:55	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7V7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/11/2008 10:55	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7V7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/11/2008 10:55	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W7V7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/11/2008 10:55	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W7V7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/11/2008 10:55	Y	EH	Oxidation Reduction Potential	-158	mV	[NULL]	[NULL]	[NULL]	S	B1W7V7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-130	7/11/2008 10:55	Y	14265-44-2	Phosphate	194000	ug/L	D	[NULL]	[NULL]	S	B1W7V7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/11/2008 10:55	Y	7440-09-7	Potassium	3580	ug/L	BD	[NULL]	[NULL]	S	B1W7V7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/11/2008 10:55	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W7V7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/11/2008 10:55	Y	7440-23-5	Sodium	305000	ug/L	DX	[NULL]	[NULL]	S	B1W7V7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/11/2008 10:55	Y	CONDUCT	Specific Conductance	16.42	uS/cm	[NULL]	Y	[NULL]	S	B1W7V7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-130	7/11/2008 10:55	Y	7440-24-6	Strontium	192	ug/L	D	[NULL]	[NULL]	S	B1W7V7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/11/2008 10:55	Y	14808-79-8	Sulfate	770	ug/L	DU	[NULL]	[NULL]	S	B1W7V7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/11/2008 10:55	Y	TEMPERATURE	Temperature	15.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7V7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-130	7/11/2008 10:55	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7V7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/11/2008 10:55	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7V7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-130	7/11/2008 10:55	Y	PH	pH Measurement	7.35	unitless	[NULL]	[NULL]	[NULL]	S	B1W7V7	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-130	7/12/2008 6:40	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7T7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/12/2008 6:40	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7T7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/12/2008 6:40	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7T7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/12/2008 6:40	Y	7440-39-3	Barium	25	ug/L	D	[NULL]	[NULL]	S	B1W7T7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/12/2008 6:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7T7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/12/2008 6:40	Y	7440-70-2	Calcium	57700	ug/L	DX	[NULL]	[NULL]	S	B1W7T7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/12/2008 6:40	Y	16887-00-6	Chloride	82000	ug/L	D	[NULL]	[NULL]	S	B1W7T7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/12/2008 6:40	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7T7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/12/2008 6:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7T7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/12/2008 6:40	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7T7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/12/2008 6:40	Y	DO	Dissolved oxygen	2080	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7P4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-130	7/12/2008 6:40	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1W7T7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/12/2008 6:40	Y	12587-46-1	Gross alpha	16	pCi/L	U	[NULL]	[NULL]	S	B1W7P4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-130	7/12/2008 6:40	Y	12587-47-2	Gross beta	3600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7P4	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-130	7/12/2008 6:40	Y	7439-89-6	Iron	1540	ug/L	D	[NULL]	[NULL]	S	B1W7T7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/12/2008 6:40	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7T7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/12/2008 6:40	Y	7439-95-4	Magnesium	12500	ug/L	D	[NULL]	[NULL]	S	B1W7T7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/12/2008 6:40	Y	7439-96-5	Manganese	1910	ug/L	D	[NULL]	[NULL]	S	B1W7T7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/12/2008 6:40	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7T7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/12/2008 6:40	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7T7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/12/2008 6:40	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1W7T7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/12/2008 6:40	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1W7T7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/12/2008 6:40	Y	EH	Oxidation Reduction Potential	-184	mV	[NULL]	[NULL]	[NULL]	S	B1W7P4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-130	7/12/2008 6:40	Y	14265-44-2	Phosphate	200000	ug/L	D	[NULL]	[NULL]	S	B1W7T7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/12/2008 6:40	Y	7440-09-7	Potassium	3890	ug/L	D	[NULL]	[NULL]	S	B1W7T7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/12/2008 6:40	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W7T7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/12/2008 6:40	Y	7440-23-5	Sodium	318000	ug/L	DX	[NULL]	[NULL]	S	B1W7T7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/12/2008 6:40	Y	CONDUCT	Specific Conductance	1671	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7P4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-130	7/12/2008 6:40	Y	7440-24-6	Strontium	209	ug/L	DN	[NULL]	[NULL]	S	B1W7T7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/12/2008 6:40	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1W7T7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/12/2008 6:40	Y	TEMPERATURE	Temperature	15	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7P4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-130	7/12/2008 6:40	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7T7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/12/2008 6:40	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7T7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/12/2008 6:40	Y	PH	pH Measurement	7.34	unitless	[NULL]	[NULL]	[NULL]	S	B1W7P4	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-130	7/14/2008 10:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W883	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/14/2008 10:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W883	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/14/2008 10:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W883	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/14/2008 10:30	Y	7440-39-3	Barium	39	ug/L	D	[NULL]	[NULL]	S	B1W883	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/14/2008 10:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W883	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/14/2008 10:30	Y	7440-70-2	Calcium	81800	ug/L	D	[NULL]	[NULL]	S	B1W883	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/14/2008 10:30	Y	16887-00-6	Chloride	106000	ug/L	D	[NULL]	[NULL]	S	B1W883	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/14/2008 10:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W883	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/14/2008 10:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W883	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/14/2008 10:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W883	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/14/2008 10:30	Y	DO	Dissolved oxygen	1260	ug/L	[NULL]	[NULL]	[NULL]	S	B1W868	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-130	7/14/2008 10:30	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W883	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/14/2008 10:30	Y	12587-46-1	Gross alpha	6.3	pCi/L	U	G	[NULL]	S	B1W868	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-130	7/14/2008 10:30	Y	12587-47-2	Gross beta	4500	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W868	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-130	7/14/2008 10:30	Y	7439-89-6	Iron	1880	ug/L	D	[NULL]	[NULL]	S	B1W883	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/14/2008 10:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W883	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/14/2008 10:30	Y	7439-95-4	Magnesium	17200	ug/L	D	[NULL]	[NULL]	S	B1W883	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/14/2008 10:30	Y	7439-96-5	Manganese	2560	ug/L	D	[NULL]	[NULL]	S	B1W883	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/14/2008 10:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W883	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-130	7/14/2008 10:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W883	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/14/2008 10:30	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W883	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/14/2008 10:30	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W883	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/14/2008 10:30	Y	EH	Oxidation Reduction Potential	-164	mV	[NULL]	[NULL]	[NULL]	S	B1W868	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-130	7/14/2008 10:30	Y	14265-44-2	Phosphate	144000	ug/L	D	[NULL]	[NULL]	S	B1W883	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/14/2008 10:30	Y	7440-09-7	Potassium	4990	ug/L	D	[NULL]	[NULL]	S	B1W883	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/14/2008 10:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W883	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/14/2008 10:30	Y	7440-23-5	Sodium	407000	ug/L	D	[NULL]	[NULL]	S	B1W883	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/14/2008 10:30	Y	CONDUCT	Specific Conductance	1842	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W868	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-130	7/14/2008 10:30	Y	7440-24-6	Strontium	293	ug/L	DN	[NULL]	[NULL]	S	B1W883	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/14/2008 10:30	Y	14808-79-8	Sulfate	770	ug/L	DU	[NULL]	[NULL]	S	B1W883	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/14/2008 10:30	Y	TEMPERATURE	Temperature	16	Deg C	[NULL]	[NULL]	[NULL]	S	B1W868	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-130	7/14/2008 10:30	Y	U-233/234	Uranium-233/234	1.2	pCi/L	U	[NULL]	[NULL]	S	B1W868	U-233/234	WSCF	UISO_IE_PRECIP_AEA	100-NR-2
199-N-130	7/14/2008 10:30	Y	15117-96-1	Uranium-235	0.59	pCi/L	U	[NULL]	[NULL]	S	B1W868	15117-96-1	WSCF	UISO_IE_PRECIP_AEA	100-NR-2
199-N-130	7/14/2008 10:30	Y	U-238	Uranium-238	3	pCi/L	U	[NULL]	[NULL]	S	B1W868	U-238	WSCF	UISO_IE_PRECIP_AEA	100-NR-2
199-N-130	7/14/2008 10:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W883	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/14/2008 10:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W883	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/14/2008 10:30	Y	PH	pH Measurement	7.32	unitless	[NULL]	[NULL]	[NULL]	S	B1W868	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-130	7/17/2008 16:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W810	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2008 16:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W810	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2008 16:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W810	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2008 16:30	Y	7440-39-3	Barium	57	ug/L	D	[NULL]	[NULL]	S	B1W810	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2008 16:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W810	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2008 16:30	Y	7440-70-2	Calcium	99200	ug/L	D	[NULL]	[NULL]	S	B1W810	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2008 16:30	Y	16887-00-6	Chloride	153000	ug/L	D	[NULL]	[NULL]	S	B1W810	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/17/2008 16:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W810	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2008 16:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W810	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2008 16:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W810	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2008 16:30	Y	DO	Dissolved oxygen	610	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7Y5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-130	7/17/2008 16:30	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1W810	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/17/2008 16:30	Y	12587-46-1	Gross alpha	0.031	pCi/L	U	[NULL]	[NULL]	S	B1W7Y5	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-130	7/17/2008 16:30	Y	12587-47-2	Gross beta	6600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7Y5	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-130	7/17/2008 16:30	Y	7439-89-6	Iron	1520	ug/L	D	[NULL]	[NULL]	S	B1W810	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2008 16:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W810	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2008 16:30	Y	7439-95-4	Magnesium	20700	ug/L	D	[NULL]	[NULL]	S	B1W810	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2008 16:30	Y	7439-96-5	Manganese	2990	ug/L	D	[NULL]	[NULL]	S	B1W810	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2008 16:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W810	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2008 16:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W810	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2008 16:30	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1W810	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/17/2008 16:30	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1W810	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/17/2008 16:30	Y	EH	Oxidation Reduction Potential	-158	mV	[NULL]	[NULL]	[NULL]	S	B1W7Y5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-130	7/17/2008 16:30	Y	14265-44-2	Phosphate	80900	ug/L	D	[NULL]	[NULL]	S	B1W810	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/17/2008 16:30	Y	7440-09-7	Potassium	5360	ug/L	D	[NULL]	[NULL]	S	B1W810	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2008 16:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W810	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2008 16:30	Y	7440-23-5	Sodium	462000	ug/L	DX	[NULL]	[NULL]	S	B1W810	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2008 16:30	Y	CONDUCT	Specific Conductance	2510	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7Y5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-130	7/17/2008 16:30	Y	7440-24-6	Strontium	422	ug/L	D	[NULL]	[NULL]	S	B1W810	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2008 16:30	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1W810	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/17/2008 16:30	Y	TEMPERATURE	Temperature	18.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7Y5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-130	7/17/2008 16:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W810	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2008 16:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W810	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/17/2008 16:30	Y	PH	pH Measurement	7.03	unitless	[NULL]	[NULL]	[NULL]	S	B1W7Y5	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-130	7/18/2008 9:23	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WCB3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-130	7/18/2008 9:23	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WCB3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/18/2008 9:23	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WCB3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/18/2008 9:23	Y	7440-39-3	Barium	67	ug/L	D	[NULL]	[NULL]	S	B1WCB3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/18/2008 9:23	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCB3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/18/2008 9:23	Y	7440-70-2	Calcium	118000	ug/L	D	[NULL]	[NULL]	S	B1WCB3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/18/2008 9:23	Y	16887-00-6	Chloride	150000	ug/L	D	[NULL]	[NULL]	S	B1WCB3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/18/2008 9:23	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WCB3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/18/2008 9:23	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WCB3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/18/2008 9:23	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WCB3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/18/2008 9:23	Y	DO	Dissolved oxygen	1740	ug/L	[NULL]	[NULL]	[NULL]	S	B1WCB3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-130	7/18/2008 9:23	Y	16984-48-8	Fluoride	232	ug/L	DNU	[NULL]	[NULL]	S	B1WCB3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/18/2008 9:23	Y	12587-46-1	Gross alpha	2.2	pCi/L	U	G	[NULL]	S	B1WCB3	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-130	7/18/2008 9:23	Y	12587-47-2	Gross beta	6000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WCB3	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-130	7/18/2008 9:23	Y	7439-89-6	Iron	2260	ug/L	D	[NULL]	[NULL]	S	B1WCB3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/18/2008 9:23	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WCB3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/18/2008 9:23	Y	7439-95-4	Magnesium	24400	ug/L	D	[NULL]	[NULL]	S	B1WCB3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/18/2008 9:23	Y	7439-96-5	Manganese	3480	ug/L	D	[NULL]	[NULL]	S	B1WCB3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/18/2008 9:23	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WCB3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/18/2008 9:23	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WCB3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/18/2008 9:23	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WCB3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/18/2008 9:23	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WCB3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/18/2008 9:23	Y	EH	Oxidation Reduction Potential	-139	mV	[NULL]	[NULL]	[NULL]	S	B1WCB3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-130	7/18/2008 9:23	Y	14265-44-2	Phosphate	72700	ug/L	D	[NULL]	[NULL]	S	B1WCB3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/18/2008 9:23	Y	7440-09-7	Potassium	6160	ug/L	D	[NULL]	[NULL]	S	B1WCB3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/18/2008 9:23	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WCB3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/18/2008 9:23	Y	7440-23-5	Sodium	519000	ug/L	DX	[NULL]	[NULL]	S	B1WCB3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/18/2008 9:23	Y	CONDUCT	Specific Conductance	2609	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WCB3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-130	7/18/2008 9:23	Y	7440-24-6	Strontium	499	ug/L	D	[NULL]	[NULL]	S	B1WCB3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/18/2008 9:23	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WCB3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/18/2008 9:23	Y	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1WCB3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-130	7/18/2008 9:23	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WCB3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/18/2008 9:23	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WCB3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/18/2008 9:23	Y	PH	pH Measurement	7.31	unitless	[NULL]	[NULL]	[NULL]	S	B1WCB3	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-130	7/19/2008 7:19	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WCF1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/19/2008 7:19	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WCF1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/19/2008 7:19	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WCF1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/19/2008 7:19	Y	7440-39-3	Barium	45	ug/L	D	[NULL]	[NULL]	S	B1WCF1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/19/2008 7:19	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCF1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/19/2008 7:19	Y	7440-70-2	Calcium	79500	ug/L	D	[NULL]	[NULL]	S	B1WCF1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/19/2008 7:19	Y	16887-00-6	Chloride	125000	ug/L	D	[NULL]	[NULL]	S	B1WCF1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/19/2008 7:19	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WCF1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/19/2008 7:19	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WCF1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/19/2008 7:19	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WCF1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/19/2008 7:19	Y	DO	Dissolved oxygen	1640	ug/L	[NULL]	[NULL]	[NULL]	S	B1WCD0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-130	7/19/2008 7:19	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WCF1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/19/2008 7:19	Y	12587-46-1	Gross alpha	0.66	pCi/L	U	[NULL]	[NULL]	S	B1WCD0	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-130	7/19/2008 7:19	Y	12587-47-2	Gross beta	4250	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WCD0	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-130	7/19/2008 7:19	Y	7439-89-6	Iron	1680	ug/L	D	[NULL]	[NULL]	S	B1WCF1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/19/2008 7:19	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WCF1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/19/2008 7:19	Y	7439-95-4	Magnesium	16300	ug/L	D	[NULL]	[NULL]	S	B1WCF1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/19/2008 7:19	Y	7439-96-5	Manganese	2350	ug/L	D	[NULL]	[NULL]	S	B1WCF1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/19/2008 7:19	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WCF1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/19/2008 7:19	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WCF1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/19/2008 7:19	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WCF1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-130	7/19/2008 7:19	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WCF1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/19/2008 7:19	Y	EH	Oxidation Reduction Potential	-158	mV	[NULL]	[NULL]	[NULL]	S	B1WCD0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-130	7/19/2008 7:19	Y	14265-44-2	Phosphate	72700	ug/L	D	[NULL]	[NULL]	S	B1WCF1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/19/2008 7:19	Y	7440-09-7	Potassium	4210	ug/L	D	[NULL]	[NULL]	S	B1WCF1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/19/2008 7:19	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WCF1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/19/2008 7:19	Y	7440-23-5	Sodium	360000	ug/L	D	[NULL]	[NULL]	S	B1WCF1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/19/2008 7:19	Y	CONDUCT	Specific Conductance	2270	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WCD0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-130	7/19/2008 7:19	Y	7440-24-6	Strontium	335	ug/L	D	[NULL]	[NULL]	S	B1WCF1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/19/2008 7:19	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WCF1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/19/2008 7:19	Y	TEMPERATURE	Temperature	15.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WCD0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-130	7/19/2008 7:19	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WCF1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/19/2008 7:19	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WCF1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/19/2008 7:19	Y	PH	pH Measurement	7.51	unitless	[NULL]	[NULL]	[NULL]	S	B1WCD0	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-130	7/25/2008 9:48	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WLF5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/25/2008 9:48	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WLF5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/25/2008 9:48	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WLF5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/25/2008 9:48	Y	7440-39-3	Barium	31	ug/L	BD	[NULL]	[NULL]	S	B1WLF5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/25/2008 9:48	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLF5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/25/2008 9:48	Y	7440-70-2	Calcium	52400	ug/L	DX	[NULL]	[NULL]	S	B1WLF5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/25/2008 9:48	Y	16887-00-6	Chloride	71300	ug/L	D	[NULL]	[NULL]	S	B1WLF5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/25/2008 9:48	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WLF5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/25/2008 9:48	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WLF5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/25/2008 9:48	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WLF5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/25/2008 9:48	Y	DO	Dissolved oxygen	1360	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLF5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-130	7/25/2008 9:48	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WLF5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/25/2008 9:48	Y	12587-46-1	Gross alpha	3.1	pCi/L	U	[NULL]	[NULL]	S	B1WLF5	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-130	7/25/2008 9:48	Y	12587-47-2	Gross beta	3300	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WLF5	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-130	7/25/2008 9:48	Y	7439-89-6	Iron	949	ug/L	D	[NULL]	[NULL]	S	B1WLF5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/25/2008 9:48	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WLF5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/25/2008 9:48	Y	7439-95-4	Magnesium	10600	ug/L	D	[NULL]	[NULL]	S	B1WLF5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/25/2008 9:48	Y	7439-96-5	Manganese	1620	ug/L	D	[NULL]	[NULL]	S	B1WLF5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/25/2008 9:48	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WLF5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/25/2008 9:48	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WLF5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/25/2008 9:48	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WLF5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/25/2008 9:48	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WLF5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/25/2008 9:48	Y	EH	Oxidation Reduction Potential	-203	mV	[NULL]	[NULL]	[NULL]	S	B1WLF5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-130	7/25/2008 9:48	Y	14265-44-2	Phosphate	159000	ug/L	D	[NULL]	[NULL]	S	B1WLF5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/25/2008 9:48	Y	7440-09-7	Potassium	4130	ug/L	BD	[NULL]	[NULL]	S	B1WLF5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/25/2008 9:48	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WLF5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/25/2008 9:48	Y	7440-23-5	Sodium	324000	ug/L	D	[NULL]	[NULL]	S	B1WLF5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/25/2008 9:48	Y	CONDUCT	Specific Conductance	1437	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLF5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-130	7/25/2008 9:48	Y	7440-24-6	Strontium	235	ug/L	D	[NULL]	[NULL]	S	B1WLF5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/25/2008 9:48	Y	14808-79-8	Sulfate	1510	ug/L	BD	[NULL]	[NULL]	S	B1WLF5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	7/25/2008 9:48	Y	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLF5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-130	7/25/2008 9:48	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WLF5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/25/2008 9:48	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WLF5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	7/25/2008 9:48	Y	PH	pH Measurement	7.47	unitless	[NULL]	[NULL]	[NULL]	S	B1WLF5	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-130	8/1/2008 11:25	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WN50	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/1/2008 11:25	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WN50	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/1/2008 11:25	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WN50	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/1/2008 11:25	Y	7440-39-3	Barium	53	ug/L	D	[NULL]	[NULL]	S	B1WN50	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/1/2008 11:25	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WN50	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/1/2008 11:25	Y	7440-70-2	Calcium	77100	ug/L	D	[NULL]	[NULL]	S	B1WN50	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-130	8/1/2008 11:25	Y	16887-00-6	Chloride	94200	ug/L	D	[NULL]	[NULL]	S	B1WNP8	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-130	8/1/2008 11:25	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WN50	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/1/2008 11:25	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WN50	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/1/2008 11:25	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WN50	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/1/2008 11:25	Y	DO	Dissolved oxygen	1740	ug/L	[NULL]	[NULL]	[NULL]	S	B1WN50	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-130	8/1/2008 11:25	Y	16984-48-8	Fluoride	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNP8	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-130	8/1/2008 11:25	Y	12587-46-1	Gross alpha	6	pCi/L	U	[NULL]	[NULL]	S	B1WN50	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-130	8/1/2008 11:25	Y	12587-47-2	Gross beta	4200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WN50	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-130	8/1/2008 11:25	Y	7439-89-6	Iron	1880	ug/L	D	[NULL]	[NULL]	S	B1WN50	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/1/2008 11:25	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WN50	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/1/2008 11:25	Y	7439-95-4	Magnesium	14500	ug/L	D	[NULL]	[NULL]	S	B1WN50	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/1/2008 11:25	Y	7439-96-5	Manganese	2250	ug/L	D	[NULL]	[NULL]	S	B1WN50	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/1/2008 11:25	Y	7439-98-7	Molybdenum	34.5	ug/L	D	[NULL]	[NULL]	S	B1WN50	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/1/2008 11:25	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WN50	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/1/2008 11:25	Y	14797-55-8	Nitrate	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNP8	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-130	8/1/2008 11:25	Y	14797-65-0	Nitrite	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNP8	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-130	8/1/2008 11:25	Y	EH	Oxidation Reduction Potential	-149	mV	[NULL]	[NULL]	[NULL]	S	B1WN50	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-130	8/1/2008 11:25	Y	14265-44-2	Phosphate	88300	ug/L	D	[NULL]	[NULL]	S	B1WNP8	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-130	8/1/2008 11:25	Y	7440-09-7	Potassium	4980	ug/L	D	[NULL]	[NULL]	S	B1WN50	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/1/2008 11:25	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WN50	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/1/2008 11:25	Y	7440-23-5	Sodium	386000	ug/L	D	[NULL]	[NULL]	S	B1WN50	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/1/2008 11:25	Y	CONDUCT	Specific Conductance	1586	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WN50	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-130	8/1/2008 11:25	Y	7440-24-6	Strontium	334	ug/L	D	[NULL]	[NULL]	S	B1WN50	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/1/2008 11:25	Y	14808-79-8	Sulfate	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNP8	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-130	8/1/2008 11:25	Y	TEMPERATURE	Temperature	16.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1WN50	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-130	8/1/2008 11:25	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WN50	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/1/2008 11:25	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WN50	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/1/2008 11:25	Y	PH	pH Measurement	7.27	unitless	[NULL]	[NULL]	[NULL]	S	B1WN50	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-130	8/8/2008 8:05	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WNL2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/8/2008 8:05	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WNL2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/8/2008 8:05	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WNL2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/8/2008 8:05	Y	7440-39-3	Barium	52	ug/L	D	[NULL]	[NULL]	S	B1WNL2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/8/2008 8:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WNL2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/8/2008 8:05	Y	7440-70-2	Calcium	71500	ug/L	DN	[NULL]	[NULL]	S	B1WNL2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/8/2008 8:05	Y	16887-00-6	Chloride	144000	ug/L	D	[NULL]	[NULL]	S	B1WP04	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-130	8/8/2008 8:05	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WNL2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/8/2008 8:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WNL2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/8/2008 8:05	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WNL2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/8/2008 8:05	Y	DO	Dissolved oxygen	1960	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNL2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-130	8/8/2008 8:05	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP04	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-130	8/8/2008 8:05	Y	12587-46-1	Gross alpha	6.4	pCi/L	U	[NULL]	[NULL]	S	B1WNL2	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-130	8/8/2008 8:05	Y	12587-47-2	Gross beta	4100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WNL2	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-130	8/8/2008 8:05	Y	7439-89-6	Iron	1820	ug/L	CD	[NULL]	[NULL]	S	B1WNL2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/8/2008 8:05	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WNL2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/8/2008 8:05	Y	7439-95-4	Magnesium	14800	ug/L	DN	[NULL]	[NULL]	S	B1WNL2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/8/2008 8:05	Y	7439-96-5	Manganese	2030	ug/L	D	[NULL]	[NULL]	S	B1WNL2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/8/2008 8:05	Y	7439-98-7	Molybdenum	45.8	ug/L	D	[NULL]	[NULL]	S	B1WNL2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/8/2008 8:05	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WNL2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/8/2008 8:05	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP04	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-130	8/8/2008 8:05	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP04	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-130	8/8/2008 8:05	Y	EH	Oxidation Reduction Potential	-294	mV	[NULL]	[NULL]	[NULL]	S	B1WNL2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-130	8/8/2008 8:05	Y	14265-44-2	Phosphate	119000	ug/L	D	[NULL]	[NULL]	S	B1WP04	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-130	8/8/2008 8:05	Y	7440-09-7	Potassium	4280	ug/L	D	[NULL]	[NULL]	S	B1WNL2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-130	8/8/2008 8:05	Y	7440-22-4	Silver	40	ug/L	CD	[NULL]	[NULL]	S	B1WNL2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/8/2008 8:05	Y	7440-23-5	Sodium	276000	ug/L	D	[NULL]	[NULL]	S	B1WNL2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/8/2008 8:05	Y	CONDUCT	Specific Conductance	1698	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WNL2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-130	8/8/2008 8:05	Y	7440-24-6	Strontium	300	ug/L	D	[NULL]	[NULL]	S	B1WNL2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/8/2008 8:05	Y	14808-79-8	Sulfate	33400	ug/L	D	[NULL]	[NULL]	S	B1WP04	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-130	8/8/2008 8:05	Y	TEMPERATURE	Temperature	17.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1WNL2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-130	8/8/2008 8:05	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WNL2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/8/2008 8:05	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WNL2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/8/2008 8:05	Y	PH	pH Measurement	7.77	unitless	[NULL]	[NULL]	[NULL]	S	B1WNL2	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-130	8/15/2008 10:25	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WP54	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/15/2008 10:25	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WP54	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/15/2008 10:25	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WP54	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/15/2008 10:25	Y	7440-39-3	Barium	59	ug/L	D	[NULL]	[NULL]	S	B1WP54	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/15/2008 10:25	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WP54	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/15/2008 10:25	Y	7440-70-2	Calcium	89000	ug/L	DN	[NULL]	[NULL]	S	B1WP54	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/15/2008 10:25	Y	16887-00-6	Chloride	99300	ug/L	D	[NULL]	[NULL]	S	B1WP84	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-130	8/15/2008 10:25	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WP54	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/15/2008 10:25	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WP54	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/15/2008 10:25	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WP54	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/15/2008 10:25	Y	DO	Dissolved oxygen	1280	ug/L	[NULL]	[NULL]	[NULL]	S	B1WP54	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-130	8/15/2008 10:25	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP84	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-130	8/15/2008 10:25	Y	12587-46-1	Gross alpha	1.4	pCi/L	U	[NULL]	[NULL]	S	B1WP54	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-130	8/15/2008 10:25	Y	12587-47-2	Gross beta	4600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WP54	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-130	8/15/2008 10:25	Y	7439-89-6	Iron	2200	ug/L	CD	[NULL]	[NULL]	S	B1WP54	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/15/2008 10:25	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WP54	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/15/2008 10:25	Y	7439-95-4	Magnesium	18400	ug/L	D	[NULL]	[NULL]	S	B1WP54	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/15/2008 10:25	Y	7439-96-5	Manganese	2140	ug/L	D	[NULL]	[NULL]	S	B1WP54	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/15/2008 10:25	Y	7439-98-7	Molybdenum	47.7	ug/L	D	[NULL]	[NULL]	S	B1WP54	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/15/2008 10:25	Y	7440-02-0	Nickel	34.2	ug/L	D	[NULL]	[NULL]	S	B1WP54	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/15/2008 10:25	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP84	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-130	8/15/2008 10:25	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP84	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-130	8/15/2008 10:25	Y	EH	Oxidation Reduction Potential	-181	mV	[NULL]	[NULL]	[NULL]	S	B1WP54	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-130	8/15/2008 10:25	Y	14265-44-2	Phosphate	61900	ug/L	D	[NULL]	[NULL]	S	B1WP84	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-130	8/15/2008 10:25	Y	7440-09-7	Potassium	4640	ug/L	D	[NULL]	[NULL]	S	B1WP54	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/15/2008 10:25	Y	7440-22-4	Silver	73	ug/L	CD	[NULL]	[NULL]	S	B1WP54	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/15/2008 10:25	Y	7440-23-5	Sodium	252000	ug/L	D	[NULL]	[NULL]	S	B1WP54	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/15/2008 10:25	Y	CONDUCT	Specific Conductance	1481	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WP54	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-130	8/15/2008 10:25	Y	7440-24-6	Strontium	351	ug/L	D	[NULL]	[NULL]	S	B1WP54	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/15/2008 10:25	Y	14808-79-8	Sulfate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP84	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-130	8/15/2008 10:25	Y	TEMPERATURE	Temperature	22	Deg C	[NULL]	[NULL]	[NULL]	S	B1WP54	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-130	8/15/2008 10:25	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WP54	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/15/2008 10:25	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WP54	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	8/15/2008 10:25	Y	PH	pH Measurement	7.32	unitless	[NULL]	[NULL]	[NULL]	S	B1WP54	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-130	9/3/2008 10:20	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WWF6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/3/2008 10:20	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WWF6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/3/2008 10:20	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WWF6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/3/2008 10:20	Y	7440-39-3	Barium	112	ug/L	D	[NULL]	[NULL]	S	B1WWF6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/3/2008 10:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WWF6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/3/2008 10:20	Y	7440-70-2	Calcium	116000	ug/L	DN	[NULL]	[NULL]	S	B1WWF6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/3/2008 10:20	Y	16887-00-6	Chloride	116000	ug/L	D	[NULL]	[NULL]	S	B1WW94	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-130	9/3/2008 10:20	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WWF6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/3/2008 10:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WWF6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/3/2008 10:20	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WWF6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/3/2008 10:20	Y	DO	Dissolved oxygen	2060	ug/L	[NULL]	[NULL]	[NULL]	S	B1WW94	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-130	9/3/2008 10:20	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WW94	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-130	9/3/2008 10:20	Y	12587-46-1	Gross alpha	-1.6	pCi/L	U	[NULL]	[NULL]	S	B1WWF6	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-130	9/3/2008 10:20	Y	12587-47-2	Gross beta	5800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WWF6	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-130	9/3/2008 10:20	Y	7439-89-6	Iron	2380	ug/L	D	[NULL]	[NULL]	S	B1WWF6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/3/2008 10:20	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WWF6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/3/2008 10:20	Y	7439-95-4	Magnesium	25000	ug/L	D	[NULL]	[NULL]	S	B1WWF6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/3/2008 10:20	Y	7439-96-5	Manganese	2480	ug/L	D	[NULL]	[NULL]	S	B1WWF6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/3/2008 10:20	Y	7439-98-7	Molybdenum	37.4	ug/L	BD	[NULL]	[NULL]	S	B1WWF6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/3/2008 10:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WWF6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/3/2008 10:20	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WW94	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-130	9/3/2008 10:20	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WW94	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-130	9/3/2008 10:20	Y	EH	Oxidation Reduction Potential	-192	mV	[NULL]	[NULL]	[NULL]	S	B1WW94	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-130	9/3/2008 10:20	Y	14265-44-2	Phosphate	36900	ug/L	D	[NULL]	[NULL]	S	B1WW94	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-130	9/3/2008 10:20	Y	7440-09-7	Potassium	5940	ug/L	D	[NULL]	[NULL]	S	B1WWF6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/3/2008 10:20	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WWF6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/3/2008 10:20	Y	7440-23-5	Sodium	257000	ug/L	D	[NULL]	[NULL]	S	B1WWF6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/3/2008 10:20	Y	CONDUCT	Specific Conductance	1325	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WW94	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-130	9/3/2008 10:20	Y	7440-24-6	Strontium	498	ug/L	D	[NULL]	[NULL]	S	B1WWF6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/3/2008 10:20	Y	14808-79-8	Sulfate	28500	ug/L	D	[NULL]	[NULL]	S	B1WW94	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-130	9/3/2008 10:20	Y	TEMPERATURE	Temperature	19.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1WW94	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-130	9/3/2008 10:20	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WWF6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/3/2008 10:20	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WWF6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/3/2008 10:20	Y	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	S	B1WW94	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-130	9/21/2008 7:05	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WX24	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/21/2008 7:05	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WX24	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/21/2008 7:05	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WX24	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/21/2008 7:05	Y	7440-39-3	Barium	121	ug/L	D	[NULL]	[NULL]	S	B1WX24	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/21/2008 7:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WX24	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/21/2008 7:05	Y	7440-70-2	Calcium	158000	ug/L	DN	[NULL]	[NULL]	S	B1WX24	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/21/2008 7:05	Y	16887-00-6	Chloride	104000	ug/L	D	[NULL]	[NULL]	S	B1WWW9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	9/21/2008 7:05	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WX24	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/21/2008 7:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WX24	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/21/2008 7:05	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WX24	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/21/2008 7:05	Y	DO	Dissolved oxygen	1670	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWW9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-130	9/21/2008 7:05	Y	DO	Dissolved oxygen	1670	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX24	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-130	9/21/2008 7:05	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WWW9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	9/21/2008 7:05	Y	12587-46-1	Gross alpha	4	pCi/L	U	[NULL]	[NULL]	S	B1WX24	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-130	9/21/2008 7:05	Y	12587-47-2	Gross beta	9600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WX24	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-130	9/21/2008 7:05	Y	7439-89-6	Iron	2780	ug/L	D	[NULL]	[NULL]	S	B1WX24	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/21/2008 7:05	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WX24	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/21/2008 7:05	Y	7439-95-4	Magnesium	32700	ug/L	D	[NULL]	[NULL]	S	B1WX24	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/21/2008 7:05	Y	7439-96-5	Manganese	3290	ug/L	D	[NULL]	[NULL]	S	B1WX24	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/21/2008 7:05	Y	7439-98-7	Molybdenum	41.9	ug/L	BD	[NULL]	[NULL]	S	B1WX24	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/21/2008 7:05	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WX24	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/21/2008 7:05	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WWW9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	9/21/2008 7:05	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WWW9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	9/21/2008 7:05	Y	EH	Oxidation Reduction Potential	-151	mV	[NULL]	[NULL]	[NULL]	S	B1WWW9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-130	9/21/2008 7:05	Y	EH	Oxidation Reduction Potential	-151	mV	[NULL]	[NULL]	[NULL]	S	B1WX24	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-130	9/21/2008 7:05	Y	14265-44-2	Phosphate	20900	ug/L	D	[NULL]	[NULL]	S	B1WWW9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	9/21/2008 7:05	Y	7440-09-7	Potassium	6220	ug/L	D	[NULL]	[NULL]	S	B1WX24	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/21/2008 7:05	Y	7440-22-4	Silver	25	ug/L	DNUX	[NULL]	[NULL]	S	B1WX24	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/21/2008 7:05	Y	7440-23-5	Sodium	184000	ug/L	D	[NULL]	[NULL]	S	B1WX24	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-130	9/21/2008 7:05	Y	CONDUCT	Specific Conductance	1550	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WX24	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-130	9/21/2008 7:05	Y	CONDUCT	Specific Conductance	1550	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WWW9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-130	9/21/2008 7:05	Y	7440-24-6	Strontium	629	ug/L	D	[NULL]	[NULL]	S	B1WX24	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/21/2008 7:05	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WWW9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	9/21/2008 7:05	Y	TEMPERATURE	Temperature	16.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1WWW9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-130	9/21/2008 7:05	Y	TEMPERATURE	Temperature	16.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1WX24	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-130	9/21/2008 7:05	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WX24	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/21/2008 7:05	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WX24	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	9/21/2008 7:05	Y	PH	pH Measurement	7.32	unitless	[NULL]	[NULL]	[NULL]	S	B1WX24	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-130	9/21/2008 7:05	Y	PH	pH Measurement	7.32	unitless	[NULL]	[NULL]	[NULL]	S	B1WWW9	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-130	10/30/2008 10:26	N	7429-90-5	Aluminum	178	ug/L	B	[NULL]	[NULL]	S	B1WX70	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/30/2008 10:26	N	7440-36-0	Antimony	60	ug/L	U	[NULL]	[NULL]	S	B1WX70	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/30/2008 10:26	N	7440-38-2	Arsenic	80	ug/L	U	[NULL]	[NULL]	S	B1WX70	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/30/2008 10:26	N	7440-39-3	Barium	102	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX70	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/30/2008 10:26	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1WX70	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/30/2008 10:26	N	7440-70-2	Calcium	131000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX70	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/30/2008 10:26	N	16887-00-6	Chloride	70000	ug/L	DN	[NULL]	[NULL]	S	B1WX70	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	10/30/2008 10:26	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	S	B1WX70	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/30/2008 10:26	N	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	S	B1WX70	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/30/2008 10:26	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1WX70	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/30/2008 10:26	N	DO	Dissolved oxygen	2800	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX70	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-130	10/30/2008 10:26	N	16984-48-8	Fluoride	200	ug/L	UD	[NULL]	[NULL]	S	B1WX70	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	10/30/2008 10:26	N	12587-46-1	Gross alpha	0.348	pCi/L	U	[NULL]	[NULL]	S	B1WX70	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-130	10/30/2008 10:26	N	12587-47-2	Gross beta	7280	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WX70	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-130	10/30/2008 10:26	N	7439-89-6	Iron	1790	ug/L	C	[NULL]	[NULL]	S	B1WX70	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/30/2008 10:26	N	7439-92-1	Lead	40	ug/L	U	[NULL]	[NULL]	S	B1WX70	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/30/2008 10:26	N	7439-95-4	Magnesium	24700	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX70	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/30/2008 10:26	N	7439-96-5	Manganese	2740	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX70	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/30/2008 10:26	N	7439-98-7	Molybdenum	6.3	ug/L	B	[NULL]	[NULL]	S	B1WX70	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/30/2008 10:26	N	7440-02-0	Nickel	6	ug/L	U	[NULL]	[NULL]	S	B1WX70	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/30/2008 10:26	N	14797-55-8	Nitrate	443	ug/L	UD	[NULL]	[NULL]	S	B1WX70	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	10/30/2008 10:26	N	14797-65-0	Nitrite	328	ug/L	UD	[NULL]	[NULL]	S	B1WX70	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	10/30/2008 10:26	N	EH	Oxidation Reduction Potential	-142	mV	[NULL]	[NULL]	[NULL]	S	B1WX70	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-130	10/30/2008 10:26	N	14265-44-2	Phosphate	15700	ug/L	D	[NULL]	[NULL]	S	B1WX70	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	10/30/2008 10:26	N	7440-09-7	Potassium	4470	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX70	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/30/2008 10:26	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1WX70	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/30/2008 10:26	N	7440-23-5	Sodium	91600	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX70	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/30/2008 10:26	N	CONDUCT	Specific Conductance	1194	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WX70	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-130	10/30/2008 10:26	N	7440-24-6	Strontium	626	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX70	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/30/2008 10:26	N	14808-79-8	Sulfate	14200	ug/L	D	[NULL]	[NULL]	S	B1WX70	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	10/30/2008 10:26	N	TEMPERATURE	Temperature	16.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1WX70	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-130	10/30/2008 10:26	N	7440-62-2	Vanadium	10	ug/L	U	[NULL]	[NULL]	S	B1WX70	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/30/2008 10:26	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1WX70	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	10/30/2008 10:26	N	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	S	B1WX70	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-130	12/8/2008 8:57	N	7429-90-5	Aluminum	52	ug/L	U	[NULL]	[NULL]	S	B1XXP3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	12/8/2008 8:57	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	S	B1XXP3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	12/8/2008 8:57	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	S	B1XXP3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	12/8/2008 8:57	N	7440-39-3	Barium	86	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXP3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	12/8/2008 8:57	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1XXP3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	12/8/2008 8:57	N	7440-70-2	Calcium	153000	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXP3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	12/8/2008 8:57	N	16887-00-6	Chloride	96800	ug/L	D	[NULL]	[NULL]	S	B1XXP3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	12/8/2008 8:57	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B1XXP3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	12/8/2008 8:57	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1XXP3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	12/8/2008 8:57	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1XXP3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-130	12/8/2008 8:57	N	DO	Dissolved oxygen	2980	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXP3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-130	12/8/2008 8:57	N	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1XXP3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	12/8/2008 8:57	N	12587-46-1	Gross alpha	2.8	pCi/L	U	[NULL]	[NULL]	S	B1XXP3	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-130	12/8/2008 8:57	N	12587-47-2	Gross beta	8400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1XXP3	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-130	12/8/2008 8:57	N	7439-89-6	Iron	1040	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXP3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	12/8/2008 8:57	N	7439-92-1	Lead	45	ug/L	U	[NULL]	[NULL]	S	B1XXP3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	12/8/2008 8:57	N	7439-95-4	Magnesium	28500	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXP3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	12/8/2008 8:57	N	7439-96-5	Manganese	3000	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXP3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	12/8/2008 8:57	N	7439-98-7	Molybdenum	29.5	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXP3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	12/8/2008 8:57	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B1XXP3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	12/8/2008 8:57	N	14797-55-8	Nitrate	894	ug/L	BD	[NULL]	[NULL]	S	B1XXP3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	12/8/2008 8:57	N	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1XXP3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	12/8/2008 8:57	N	EH	Oxidation Reduction Potential	-68	mV	[NULL]	[NULL]	[NULL]	S	B1XXP3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-130	12/8/2008 8:57	N	14265-44-2	Phosphate	20900	ug/L	D	[NULL]	[NULL]	S	B1XXP3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	12/8/2008 8:57	N	7440-09-7	Potassium	5780	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXP3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	12/8/2008 8:57	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1XXP3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	12/8/2008 8:57	N	7440-23-5	Sodium	202000	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXP3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	12/8/2008 8:57	N	CONDUCT	Specific Conductance	141	uS/cm	[NULL]	Y	[NULL]	S	B1XXP3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-130	12/8/2008 8:57	N	7440-24-6	Strontium	644	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXP3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	12/8/2008 8:57	N	14808-79-8	Sulfate	8980	ug/L	BD	[NULL]	[NULL]	S	B1XXP3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	12/8/2008 8:57	N	TEMPERATURE	Temperature	14	Deg C	[NULL]	[NULL]	[NULL]	S	B1XXP3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-130	12/8/2008 8:57	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	S	B1XXP3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	12/8/2008 8:57	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1XXP3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	12/8/2008 8:57	N	PH	pH Measurement	7.14	unitless	[NULL]	[NULL]	[NULL]	S	B1XXP3	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-130	2/4/2009 11:12	N	7429-90-5	Aluminum	174	ug/L	B	[NULL]	[NULL]	S	B1YLN7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	2/4/2009 11:12	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	S	B1YLN7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	2/4/2009 11:12	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	S	B1YLN7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	2/4/2009 11:12	N	7440-39-3	Barium	50.4	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	2/4/2009 11:12	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1YLN7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	2/4/2009 11:12	N	7440-70-2	Calcium	158000	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	2/4/2009 11:12	N	16887-00-6	Chloride	119000	ug/L	D	[NULL]	[NULL]	S	B1YLN7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	2/4/2009 11:12	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B1YLN7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	2/4/2009 11:12	N	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	S	B1YLN7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	2/4/2009 11:12	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1YLN7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	2/4/2009 11:12	N	DO	Dissolved oxygen	2070	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-130	2/4/2009 11:12	N	16984-48-8	Fluoride	230	ug/L	UD	[NULL]	[NULL]	S	B1YLN7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	2/4/2009 11:12	N	12587-46-1	Gross alpha	3.7	pCi/L	U	[NULL]	[NULL]	S	B1YLN7	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-130	2/4/2009 11:12	N	12587-47-2	Gross beta	8400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1YLN7	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-130	2/4/2009 11:12	N	7439-89-6	Iron	37.3	ug/L	B	[NULL]	[NULL]	S	B1YLN7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	2/4/2009 11:12	N	7439-92-1	Lead	45	ug/L	U	[NULL]	[NULL]	S	B1YLN7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	2/4/2009 11:12	N	7439-95-4	Magnesium	29900	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	2/4/2009 11:12	N	7439-96-5	Manganese	2930	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	2/4/2009 11:12	N	7439-98-7	Molybdenum	34.8	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	2/4/2009 11:12	N	7440-02-0	Nickel	6	ug/L	U	[NULL]	[NULL]	S	B1YLN7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	2/4/2009 11:12	N	14797-55-8	Nitrate	96900	ug/L	D	[NULL]	[NULL]	S	B1YLN7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	2/4/2009 11:12	N	14797-65-0	Nitrite	1860	ug/L	BD	[NULL]	[NULL]	S	B1YLN7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	2/4/2009 11:12	N	EH	Oxidation Reduction Potential	236	mV	[NULL]	[NULL]	[NULL]	S	B1YLN7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-130	2/4/2009 11:12	N	14265-44-2	Phosphate	18900	ug/L	D	[NULL]	[NULL]	S	B1YLN7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	2/4/2009 11:12	N	7440-09-7	Potassium	5750	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	2/4/2009 11:12	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1YLN7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	2/4/2009 11:12	N	7440-23-5	Sodium	298000	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	2/4/2009 11:12	N	CONDUCT	Specific Conductance	2028	uS/cm	[NULL]	[NULL]	[NULL]	S	B1YLN7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-130	2/4/2009 11:12	N	7440-24-6	Strontium	429	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-130	2/4/2009 11:12	N	14808-79-8	Sulfate	20400	ug/L	D	[NULL]	[NULL]	S	B1YLN7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-130	2/4/2009 11:12	N	TEMPERATURE	Temperature	13.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1YLN7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-130	2/4/2009 11:12	N	7440-62-2	Vanadium	12.1	ug/L	B	[NULL]	[NULL]	S	B1YLN7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	2/4/2009 11:12	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1YLN7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-130	2/4/2009 11:12	N	PH	pH Measurement	7.35	unitless	[NULL]	[NULL]	[NULL]	S	B1YLN7	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-131	6/9/2006 4:22	Y	12587-46-1	Gross alpha	19	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JHC8	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-131	6/9/2006 4:22	N	12587-46-1	Gross alpha	12	pCi/L	U	[NULL]	[NULL]	S	B1JHC7	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-131	6/9/2006 4:22	N	12587-47-2	Gross beta	14000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JHC7	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-131	6/9/2006 4:22	Y	12587-47-2	Gross beta	14000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JHC8	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-131	6/21/2006 11:10	N	12587-46-1	Gross alpha	24	pCi/L	U	[NULL]	[NULL]	S	B1JMC5	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-131	6/21/2006 11:10	N	12587-47-2	Gross beta	5100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JMC5	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-131	6/21/2006 11:10	N	10098-97-2	Strontium-90	3860	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JMC5	SR-RAD	STLRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-131	6/28/2006 9:27	N	10098-97-2	Strontium-90	5800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JWB3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-131	7/7/2006 9:25	N	10098-97-2	Strontium-90	3700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K016	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-131	7/17/2006 15:45	Y	7429-90-5	Aluminum	370	ug/L	U	[NULL]	[NULL]	S	B1K4X1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/17/2006 15:45	Y	7440-36-0	Antimony	720	ug/L	U	[NULL]	[NULL]	S	B1K4X1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/17/2006 15:45	Y	7440-38-2	Arsenic	790	ug/L	U	[NULL]	[NULL]	S	B1K4X1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/17/2006 15:45	Y	7440-39-3	Barium	248	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/17/2006 15:45	Y	7440-43-9	Cadmium	30	ug/L	U	[NULL]	[NULL]	S	B1K4X1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/17/2006 15:45	Y	7440-70-2	Calcium	77100	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/17/2006 15:45	Y	16887-00-6	Chloride	97300	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	7/17/2006 15:45	Y	7440-47-3	Chromium	70	ug/L	U	[NULL]	[NULL]	S	B1K4X1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/17/2006 15:45	Y	7440-48-4	Cobalt	70	ug/L	U	[NULL]	[NULL]	S	B1K4X1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/17/2006 15:45	Y	7440-50-8	Copper	70	ug/L	U	[NULL]	[NULL]	S	B1K4X1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/17/2006 15:45	Y	16984-48-8	Fluoride	225	ug/L	U	[NULL]	[NULL]	S	B1K4X1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	7/17/2006 15:45	Y	7439-89-6	Iron	428	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/17/2006 15:45	Y	7439-92-1	Lead	470	ug/L	U	[NULL]	[NULL]	S	B1K4X1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/17/2006 15:45	Y	7439-95-4	Magnesium	12400	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/17/2006 15:45	Y	7439-96-5	Manganese	5360	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/17/2006 15:45	Y	7439-98-7	Molybdenum	110	ug/L	U	[NULL]	[NULL]	S	B1K4X1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/17/2006 15:45	Y	7440-02-0	Nickel	50	ug/L	U	[NULL]	[NULL]	S	B1K4X1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/17/2006 15:45	Y	14797-55-8	Nitrate	642	ug/L	U	[NULL]	[NULL]	S	B1K4X1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	7/17/2006 15:45	Y	14797-65-0	Nitrite	575	ug/L	U	[NULL]	[NULL]	S	B1K4X1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	7/17/2006 15:45	Y	14265-44-2	Phosphate	1690	ug/L	U	[NULL]	[NULL]	S	B1K4X1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	7/17/2006 15:45	Y	7440-09-7	Potassium	4430	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/17/2006 15:45	Y	7440-22-4	Silver	110	ug/L	U	[NULL]	[NULL]	S	B1K4X1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/17/2006 15:45	Y	7440-23-5	Sodium	261000	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/17/2006 15:45	Y	7440-24-6	Strontium	512	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/17/2006 15:45	Y	10098-97-2	Strontium-90	2700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K4W1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-131	7/17/2006 15:45	Y	14808-79-8	Sulfate	5420	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	7/17/2006 15:45	Y	7440-62-2	Vanadium	140	ug/L	U	[NULL]	[NULL]	S	B1K4X1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/17/2006 15:45	Y	7440-66-6	Zinc	77.3	ug/L	C	[NULL]	[NULL]	S	B1K4X1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/24/2006 13:48	Y	10098-97-2	Strontium-90	2300	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K733	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-131	6/11/2007 20:20	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVF7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2007 20:20	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVF7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2007 20:20	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVF7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2007 20:20	Y	7440-39-3	Barium	54	ug/L	D	[NULL]	[NULL]	S	B1NVF7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2007 20:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2007 20:20	Y	7440-70-2	Calcium	31900	ug/L	D	[NULL]	[NULL]	S	B1NVF7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2007 20:20	Y	16887-00-6	Chloride	98800	ug/L	D	[NULL]	[NULL]	S	B1NVF7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/11/2007 20:20	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2007 20:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2007 20:20	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2007 20:20	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NVF7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/11/2007 20:20	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NVF7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-131	6/11/2007 20:20	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVF7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2007 20:20	Y	7439-95-4	Magnesium	4740	ug/L	D	[NULL]	[NULL]	S	B1NVF7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2007 20:20	Y	7439-96-5	Manganese	1380	ug/L	D	[NULL]	[NULL]	S	B1NVF7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2007 20:20	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2007 20:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2007 20:20	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NVF7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/11/2007 20:20	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NVF7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/11/2007 20:20	Y	14265-44-2	Phosphate	420000	ug/L	D	[NULL]	[NULL]	S	B1NVF7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/11/2007 20:20	Y	7440-09-7	Potassium	3830	ug/L	D	[NULL]	[NULL]	S	B1NVF7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2007 20:20	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVF7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2007 20:20	Y	7440-23-5	Sodium	479000	ug/L	D	[NULL]	[NULL]	S	B1NVF7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2007 20:20	Y	7440-24-6	Strontium	169	ug/L	D	[NULL]	[NULL]	S	B1NVF7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2007 20:20	Y	10098-97-2	Strontium-90	760	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVF7	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-131	6/11/2007 20:20	Y	14808-79-8	Sulfate	2980	ug/L	BD	[NULL]	[NULL]	S	B1NVF7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/11/2007 20:20	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVF7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2007 20:20	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/12/2007 20:05	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVH8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/12/2007 20:05	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVH8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/12/2007 20:05	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVH8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/12/2007 20:05	Y	7440-39-3	Barium	43	ug/L	D	[NULL]	[NULL]	S	B1NVH8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/12/2007 20:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/12/2007 20:05	Y	7440-70-2	Calcium	28900	ug/L	D	[NULL]	[NULL]	S	B1NVH8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/12/2007 20:05	Y	16887-00-6	Chloride	75200	ug/L	D	[NULL]	[NULL]	S	B1NVH8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/12/2007 20:05	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/12/2007 20:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/12/2007 20:05	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/12/2007 20:05	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NVH8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/12/2007 20:05	Y	7439-89-6	Iron	102	ug/L	D	[NULL]	[NULL]	S	B1NVH8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/12/2007 20:05	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVH8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/12/2007 20:05	Y	7439-95-4	Magnesium	4760	ug/L	D	[NULL]	[NULL]	S	B1NVH8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/12/2007 20:05	Y	7439-96-5	Manganese	1280	ug/L	D	[NULL]	[NULL]	S	B1NVH8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/12/2007 20:05	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/12/2007 20:05	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/12/2007 20:05	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NVH8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/12/2007 20:05	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NVH8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/12/2007 20:05	Y	14265-44-2	Phosphate	343000	ug/L	D	[NULL]	[NULL]	S	B1NVH8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/12/2007 20:05	Y	7440-09-7	Potassium	3310	ug/L	D	[NULL]	[NULL]	S	B1NVH8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/12/2007 20:05	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NVH8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/12/2007 20:05	Y	7440-23-5	Sodium	378000	ug/L	D	[NULL]	[NULL]	S	B1NVH8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/12/2007 20:05	Y	7440-24-6	Strontium	146	ug/L	D	[NULL]	[NULL]	S	B1NVH8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/12/2007 20:05	Y	10098-97-2	Strontium-90	1000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVH8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-131	6/12/2007 20:05	Y	14808-79-8	Sulfate	951	ug/L	BD	[NULL]	[NULL]	S	B1NVH8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/12/2007 20:05	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVH8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/12/2007 20:05	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2007 14:45	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVJ9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2007 14:45	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVJ9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2007 14:45	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVJ9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2007 14:45	Y	7440-39-3	Barium	34	ug/L	D	[NULL]	[NULL]	S	B1NVJ9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2007 14:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2007 14:45	Y	7440-70-2	Calcium	27400	ug/L	D	[NULL]	[NULL]	S	B1NVJ9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2007 14:45	Y	16887-00-6	Chloride	68900	ug/L	D	[NULL]	[NULL]	S	B1NVJ9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/13/2007 14:45	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2007 14:45	Y	7440-48-4	Cobalt	21.7	ug/L	D	[NULL]	[NULL]	S	B1NVJ9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2007 14:45	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2007 14:45	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVJ9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-131	6/13/2007 14:45	Y	7439-89-6	Iron	70	ug/L	CD	[NULL]	[NULL]	S	B1NVJ9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2007 14:45	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVJ9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2007 14:45	Y	7439-95-4	Magnesium	4480	ug/L	D	[NULL]	[NULL]	S	B1NVJ9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2007 14:45	Y	7439-96-5	Manganese	1230	ug/L	D	[NULL]	[NULL]	S	B1NVJ9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2007 14:45	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2007 14:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2007 14:45	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVJ9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/13/2007 14:45	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVJ9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/13/2007 14:45	Y	14265-44-2	Phosphate	356000	ug/L	D	[NULL]	[NULL]	S	B1NVJ9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/13/2007 14:45	Y	7440-09-7	Potassium	3970	ug/L	D	[NULL]	[NULL]	S	B1NVJ9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2007 14:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVJ9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2007 14:45	Y	7440-23-5	Sodium	424000	ug/L	D	[NULL]	[NULL]	S	B1NVJ9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2007 14:45	Y	7440-24-6	Strontium	137	ug/L	D	[NULL]	[NULL]	S	B1NVJ9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2007 14:45	Y	10098-97-2	Strontium-90	740	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVJ9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-131	6/13/2007 14:45	Y	14808-79-8	Sulfate	2190	ug/L	BD	[NULL]	[NULL]	S	B1NVJ9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/13/2007 14:45	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVJ9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2007 14:45	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2007 19:25	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVL0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2007 19:25	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVL0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2007 19:25	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVL0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2007 19:25	Y	7440-39-3	Barium	43	ug/L	D	[NULL]	[NULL]	S	B1NVL0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2007 19:25	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2007 19:25	Y	7440-70-2	Calcium	25900	ug/L	D	[NULL]	[NULL]	S	B1NVL0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2007 19:25	Y	16887-00-6	Chloride	76600	ug/L	D	[NULL]	[NULL]	S	B1NVL0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/14/2007 19:25	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2007 19:25	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2007 19:25	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2007 19:25	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVL0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/14/2007 19:25	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NVL0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2007 19:25	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVL0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2007 19:25	Y	7439-95-4	Magnesium	4070	ug/L	D	[NULL]	[NULL]	S	B1NVL0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2007 19:25	Y	7439-96-5	Manganese	1110	ug/L	D	[NULL]	[NULL]	S	B1NVL0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2007 19:25	Y	7439-98-7	Molybdenum	33.9	ug/L	D	[NULL]	[NULL]	S	B1NVL0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2007 19:25	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2007 19:25	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVL0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/14/2007 19:25	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVL0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/14/2007 19:25	Y	14265-44-2	Phosphate	325000	ug/L	D	[NULL]	[NULL]	S	B1NVL0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/14/2007 19:25	Y	7440-09-7	Potassium	3640	ug/L	D	[NULL]	[NULL]	S	B1NVL0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2007 19:25	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NVL0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2007 19:25	Y	7440-23-5	Sodium	431000	ug/L	D	[NULL]	[NULL]	S	B1NVL0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2007 19:25	Y	7440-24-6	Strontium	139	ug/L	D	[NULL]	[NULL]	S	B1NVL0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2007 19:25	Y	10098-97-2	Strontium-90	530	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVL0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-131	6/14/2007 19:25	Y	14808-79-8	Sulfate	690	ug/L	BD	[NULL]	[NULL]	S	B1NVL0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/14/2007 19:25	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVL0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2007 19:25	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/15/2007 9:07	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVN7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/15/2007 9:07	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVN7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/15/2007 9:07	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVN7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/15/2007 9:07	Y	7440-39-3	Barium	38	ug/L	D	[NULL]	[NULL]	S	B1NVN7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/15/2007 9:07	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/15/2007 9:07	Y	7440-70-2	Calcium	22500	ug/L	D	[NULL]	[NULL]	S	B1NVN7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/15/2007 9:07	Y	16887-00-6	Chloride	79800	ug/L	D	[NULL]	[NULL]	S	B1NVN7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/15/2007 9:07	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/15/2007 9:07	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/15/2007 9:07	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-131	6/15/2007 9:07	Y	16984-48-8	Fluoride	33	ug/L	DNU	[NULL]	[NULL]	S	B1NVN7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/15/2007 9:07	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NVN7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/15/2007 9:07	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVN7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/15/2007 9:07	Y	7439-95-4	Magnesium	3470	ug/L	D	[NULL]	[NULL]	S	B1NVN7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/15/2007 9:07	Y	7439-96-5	Manganese	1020	ug/L	D	[NULL]	[NULL]	S	B1NVN7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/15/2007 9:07	Y	7439-98-7	Molybdenum	29.7	ug/L	D	[NULL]	[NULL]	S	B1NVN7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/15/2007 9:07	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/15/2007 9:07	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVN7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/15/2007 9:07	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVN7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/15/2007 9:07	Y	14265-44-2	Phosphate	322000	ug/L	D	[NULL]	[NULL]	S	B1NVN7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/15/2007 9:07	Y	7440-09-7	Potassium	3460	ug/L	D	[NULL]	[NULL]	S	B1NVN7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/15/2007 9:07	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NVN7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/15/2007 9:07	Y	7440-23-5	Sodium	427000	ug/L	D	[NULL]	[NULL]	S	B1NVN7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/15/2007 9:07	Y	7440-24-6	Strontium	125	ug/L	D	[NULL]	[NULL]	S	B1NVN7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/15/2007 9:07	Y	10098-97-2	Strontium-90	460	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVN7	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-131	6/15/2007 9:07	Y	14808-79-8	Sulfate	1610	ug/L	BD	[NULL]	[NULL]	S	B1NVN7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/15/2007 9:07	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVN7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/15/2007 9:07	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2007 7:55	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVP8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2007 7:55	Y	7440-36-0	Antimony	166	ug/L	CD	[NULL]	[NULL]	S	B1NVP8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2007 7:55	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVP8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2007 7:55	Y	7440-39-3	Barium	34	ug/L	D	[NULL]	[NULL]	S	B1NVP8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2007 7:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2007 7:55	Y	7440-70-2	Calcium	28400	ug/L	D	[NULL]	[NULL]	S	B1NVP8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2007 7:55	Y	16887-00-6	Chloride	71700	ug/L	D	[NULL]	[NULL]	S	B1NVP8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/16/2007 7:55	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2007 7:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2007 7:55	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2007 7:55	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVP8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/16/2007 7:55	Y	7439-89-6	Iron	187	ug/L	D	[NULL]	[NULL]	S	B1NVP8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2007 7:55	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVP8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2007 7:55	Y	7439-95-4	Magnesium	4970	ug/L	D	[NULL]	[NULL]	S	B1NVP8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2007 7:55	Y	7439-96-5	Manganese	1150	ug/L	D	[NULL]	[NULL]	S	B1NVP8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2007 7:55	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2007 7:55	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2007 7:55	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVP8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/16/2007 7:55	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVP8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/16/2007 7:55	Y	14265-44-2	Phosphate	211000	ug/L	D	[NULL]	[NULL]	S	B1NVP8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/16/2007 7:55	Y	7440-09-7	Potassium	3450	ug/L	D	[NULL]	[NULL]	S	B1NVP8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2007 7:55	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVP8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2007 7:55	Y	7440-23-5	Sodium	346000	ug/L	D	[NULL]	[NULL]	S	B1NVP8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2007 7:55	Y	7440-24-6	Strontium	131	ug/L	D	[NULL]	[NULL]	S	B1NVP8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2007 7:55	Y	10098-97-2	Strontium-90	630	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVP8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-131	6/16/2007 7:55	Y	14808-79-8	Sulfate	275	ug/L	DU	[NULL]	[NULL]	S	B1NVP8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/16/2007 7:55	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVP8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2007 7:55	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/17/2007 8:50	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVV1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/17/2007 8:50	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVV1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/17/2007 8:50	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVV1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/17/2007 8:50	Y	7440-39-3	Barium	36	ug/L	D	[NULL]	[NULL]	S	B1NVV1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/17/2007 8:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/17/2007 8:50	Y	7440-70-2	Calcium	23500	ug/L	D	[NULL]	[NULL]	S	B1NVV1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/17/2007 8:50	Y	16887-00-6	Chloride	70000	ug/L	D	[NULL]	[NULL]	S	B1NVV1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/17/2007 8:50	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/17/2007 8:50	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-131	6/17/2007 8:50	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/17/2007 8:50	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVV1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/17/2007 8:50	Y	7439-89-6	Iron	48.1	ug/L	D	[NULL]	[NULL]	S	B1NVV1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/17/2007 8:50	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVV1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/17/2007 8:50	Y	7439-95-4	Magnesium	3740	ug/L	D	[NULL]	[NULL]	S	B1NVV1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/17/2007 8:50	Y	7439-96-5	Manganese	1140	ug/L	D	[NULL]	[NULL]	S	B1NVV1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/17/2007 8:50	Y	7439-98-7	Molybdenum	31.7	ug/L	CD	[NULL]	[NULL]	S	B1NVV1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/17/2007 8:50	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/17/2007 8:50	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVV1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/17/2007 8:50	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVV1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/17/2007 8:50	Y	14265-44-2	Phosphate	241000	ug/L	D	[NULL]	[NULL]	S	B1NVV1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/17/2007 8:50	Y	7440-09-7	Potassium	3260	ug/L	D	[NULL]	[NULL]	S	B1NVV1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/17/2007 8:50	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVV1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/17/2007 8:50	Y	7440-23-5	Sodium	387000	ug/L	D	[NULL]	[NULL]	S	B1NVV1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/17/2007 8:50	Y	7440-24-6	Strontium	120	ug/L	D	[NULL]	[NULL]	S	B1NVV1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/17/2007 8:50	Y	10098-97-2	Strontium-90	720	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVV1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-131	6/17/2007 8:50	Y	14808-79-8	Sulfate	301	ug/L	BD	[NULL]	[NULL]	S	B1NVV1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/17/2007 8:50	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVV1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/17/2007 8:50	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2007 16:00	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVW2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2007 16:00	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVW2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2007 16:00	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVW2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2007 16:00	Y	7440-39-3	Barium	37	ug/L	D	[NULL]	[NULL]	S	B1NVW2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2007 16:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2007 16:00	Y	7440-70-2	Calcium	19800	ug/L	D	[NULL]	[NULL]	S	B1NVW2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2007 16:00	Y	16887-00-6	Chloride	71700	ug/L	D	[NULL]	[NULL]	S	B1NVW2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/18/2007 16:00	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2007 16:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2007 16:00	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2007 16:00	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NVW2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/18/2007 16:00	Y	7439-89-6	Iron	64.3	ug/L	D	[NULL]	[NULL]	S	B1NVW2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2007 16:00	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVW2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2007 16:00	Y	7439-95-4	Magnesium	3030	ug/L	D	[NULL]	[NULL]	S	B1NVW2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2007 16:00	Y	7439-96-5	Manganese	1220	ug/L	D	[NULL]	[NULL]	S	B1NVW2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2007 16:00	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2007 16:00	Y	7440-02-0	Nickel	20.2	ug/L	D	[NULL]	[NULL]	S	B1NVW2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2007 16:00	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1NVW2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/18/2007 16:00	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1NVW2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/18/2007 16:00	Y	14265-44-2	Phosphate	218000	ug/L	DN	[NULL]	[NULL]	S	B1NVW2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/18/2007 16:00	Y	7440-09-7	Potassium	3290	ug/L	D	[NULL]	[NULL]	S	B1NVW2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2007 16:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVW2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2007 16:00	Y	7440-23-5	Sodium	402000	ug/L	D	[NULL]	[NULL]	S	B1NVW2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2007 16:00	Y	7440-24-6	Strontium	108	ug/L	D	[NULL]	[NULL]	S	B1NVW2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2007 16:00	Y	10098-97-2	Strontium-90	590	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVW2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-131	6/18/2007 16:00	Y	14808-79-8	Sulfate	350	ug/L	DU	[NULL]	[NULL]	S	B1NVW2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/18/2007 16:00	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVW2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2007 16:00	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/20/2007 8:12	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVY5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/20/2007 8:12	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVY5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/20/2007 8:12	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVY5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/20/2007 8:12	Y	7440-39-3	Barium	47	ug/L	D	[NULL]	[NULL]	S	B1NVY5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/20/2007 8:12	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/20/2007 8:12	Y	7440-70-2	Calcium	21900	ug/L	D	[NULL]	[NULL]	S	B1NVY5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/20/2007 8:12	Y	16887-00-6	Chloride	80800	ug/L	D	[NULL]	[NULL]	S	B1NVY5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/20/2007 8:12	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-131	6/20/2007 8:12	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/20/2007 8:12	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/20/2007 8:12	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NVY5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/20/2007 8:12	Y	7439-89-6	Iron	124	ug/L	D	[NULL]	[NULL]	S	B1NVY5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/20/2007 8:12	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVY5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/20/2007 8:12	Y	7439-95-4	Magnesium	3430	ug/L	D	[NULL]	[NULL]	S	B1NVY5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/20/2007 8:12	Y	7439-96-5	Manganese	1300	ug/L	D	[NULL]	[NULL]	S	B1NVY5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/20/2007 8:12	Y	7439-98-7	Molybdenum	33.3	ug/L	CD	[NULL]	[NULL]	S	B1NVY5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/20/2007 8:12	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/20/2007 8:12	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NVY5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/20/2007 8:12	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NVY5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/20/2007 8:12	Y	14265-44-2	Phosphate	165000	ug/L	D	[NULL]	[NULL]	S	B1NVY5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/20/2007 8:12	Y	7440-09-7	Potassium	3220	ug/L	D	[NULL]	[NULL]	S	B1NVY5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/20/2007 8:12	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVY5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/20/2007 8:12	Y	7440-23-5	Sodium	404000	ug/L	D	[NULL]	[NULL]	S	B1NVY5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/20/2007 8:12	Y	7440-24-6	Strontium	123	ug/L	D	[NULL]	[NULL]	S	B1NVY5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/20/2007 8:12	Y	10098-97-2	Strontium-90	520	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVY5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-131	6/20/2007 8:12	Y	14808-79-8	Sulfate	340	ug/L	DU	[NULL]	[NULL]	S	B1NVY5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/20/2007 8:12	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVY5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/20/2007 8:12	Y	7440-66-6	Zinc	20.8	ug/L	D	[NULL]	[NULL]	S	B1NVY5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/22/2007 8:25	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NW21	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/22/2007 8:25	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NW21	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/22/2007 8:25	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NW21	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/22/2007 8:25	Y	7440-39-3	Barium	40	ug/L	D	[NULL]	[NULL]	S	B1NW21	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/22/2007 8:25	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW21	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/22/2007 8:25	Y	7440-70-2	Calcium	23200	ug/L	D	[NULL]	[NULL]	S	B1NW21	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/22/2007 8:25	Y	16887-00-6	Chloride	75400	ug/L	D	[NULL]	[NULL]	S	B1NW21	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/22/2007 8:25	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW21	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/22/2007 8:25	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NW21	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/22/2007 8:25	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NW21	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/22/2007 8:25	Y	16984-48-8	Fluoride	36	ug/L	BD	[NULL]	[NULL]	S	B1NW21	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/22/2007 8:25	Y	7439-89-6	Iron	207	ug/L	D	[NULL]	[NULL]	S	B1NW21	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/22/2007 8:25	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NW21	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/22/2007 8:25	Y	7439-95-4	Magnesium	3850	ug/L	D	[NULL]	[NULL]	S	B1NW21	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/22/2007 8:25	Y	7439-96-5	Manganese	1190	ug/L	D	[NULL]	[NULL]	S	B1NW21	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/22/2007 8:25	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NW21	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/22/2007 8:25	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NW21	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/22/2007 8:25	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NW21	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/22/2007 8:25	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NW21	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/22/2007 8:25	Y	14265-44-2	Phosphate	155000	ug/L	D	[NULL]	[NULL]	S	B1NW21	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/22/2007 8:25	Y	7440-09-7	Potassium	3330	ug/L	D	[NULL]	[NULL]	S	B1NW21	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/22/2007 8:25	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NW21	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/22/2007 8:25	Y	7440-23-5	Sodium	379000	ug/L	D	[NULL]	[NULL]	S	B1NW21	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/22/2007 8:25	Y	7440-24-6	Strontium	125	ug/L	D	[NULL]	[NULL]	S	B1NW21	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/22/2007 8:25	Y	10098-97-2	Strontium-90	750	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NW21	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-131	6/22/2007 8:25	Y	14808-79-8	Sulfate	340	ug/L	DU	[NULL]	[NULL]	S	B1NW21	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/22/2007 8:25	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NW21	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/22/2007 8:25	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NW21	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/29/2007 10:16	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P372	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/29/2007 10:16	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P372	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/29/2007 10:16	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P372	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/29/2007 10:16	Y	7440-39-3	Barium	50	ug/L	D	[NULL]	[NULL]	S	B1P372	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/29/2007 10:16	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P372	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/29/2007 10:16	Y	7440-70-2	Calcium	39500	ug/L	D	[NULL]	[NULL]	S	B1P372	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/29/2007 10:16	Y	16887-00-6	Chloride	77400	ug/L	D	[NULL]	[NULL]	S	B1P372	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-131	6/29/2007 10:16	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P372	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/29/2007 10:16	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P372	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/29/2007 10:16	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P372	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/29/2007 10:16	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P372	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/29/2007 10:16	Y	7439-89-6	Iron	278	ug/L	CD	[NULL]	[NULL]	S	B1P372	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/29/2007 10:16	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P372	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/29/2007 10:16	Y	7439-95-4	Magnesium	6790	ug/L	D	[NULL]	[NULL]	S	B1P372	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/29/2007 10:16	Y	7439-96-5	Manganese	1500	ug/L	D	[NULL]	[NULL]	S	B1P372	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/29/2007 10:16	Y	7439-98-7	Molybdenum	42.3	ug/L	D	[NULL]	[NULL]	S	B1P372	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/29/2007 10:16	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P372	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/29/2007 10:16	Y	14797-55-8	Nitrate	279	ug/L	BD	[NULL]	[NULL]	S	B1P372	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/29/2007 10:16	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P372	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/29/2007 10:16	Y	14265-44-2	Phosphate	58600	ug/L	D	[NULL]	[NULL]	S	B1P372	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/29/2007 10:16	Y	7440-09-7	Potassium	3920	ug/L	D	[NULL]	[NULL]	S	B1P372	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/29/2007 10:16	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P372	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/29/2007 10:16	Y	7440-23-5	Sodium	344000	ug/L	D	[NULL]	[NULL]	S	B1P372	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/29/2007 10:16	Y	7440-24-6	Strontium	189	ug/L	D	[NULL]	[NULL]	S	B1P372	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/29/2007 10:16	Y	10098-97-2	Strontium-90	920	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P372	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-131	6/29/2007 10:16	Y	14808-79-8	Sulfate	350	ug/L	DU	[NULL]	[NULL]	S	B1P372	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/29/2007 10:16	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P372	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/29/2007 10:16	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P372	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/8/2007 9:10	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P395	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/8/2007 9:10	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P395	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/8/2007 9:10	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P395	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/8/2007 9:10	Y	7440-39-3	Barium	39	ug/L	D	[NULL]	[NULL]	S	B1P395	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/8/2007 9:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P395	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/8/2007 9:10	Y	7440-70-2	Calcium	49500	ug/L	D	[NULL]	[NULL]	S	B1P395	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/8/2007 9:10	Y	16887-00-6	Chloride	69700	ug/L	D	[NULL]	[NULL]	S	B1P395	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	7/8/2007 9:10	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P395	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/8/2007 9:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P395	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/8/2007 9:10	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P395	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/8/2007 9:10	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P395	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	7/8/2007 9:10	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1P395	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/8/2007 9:10	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P395	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/8/2007 9:10	Y	7439-95-4	Magnesium	8110	ug/L	D	[NULL]	[NULL]	S	B1P395	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/8/2007 9:10	Y	7439-96-5	Manganese	1350	ug/L	D	[NULL]	[NULL]	S	B1P395	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/8/2007 9:10	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1P395	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/8/2007 9:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P395	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/8/2007 9:10	Y	14797-55-8	Nitrate	381	ug/L	BD	[NULL]	[NULL]	S	B1P395	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	7/8/2007 9:10	Y	14797-65-0	Nitrite	374	ug/L	BD	[NULL]	[NULL]	S	B1P395	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	7/8/2007 9:10	Y	14265-44-2	Phosphate	36200	ug/L	D	[NULL]	[NULL]	S	B1P395	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	7/8/2007 9:10	Y	7440-09-7	Potassium	4450	ug/L	D	[NULL]	[NULL]	S	B1P395	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/8/2007 9:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P395	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/8/2007 9:10	Y	7440-23-5	Sodium	307000	ug/L	D	[NULL]	[NULL]	S	B1P395	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/8/2007 9:10	Y	7440-24-6	Strontium	209	ug/L	D	[NULL]	[NULL]	S	B1P395	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/8/2007 9:10	Y	10098-97-2	Strontium-90	1400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P395	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-131	7/8/2007 9:10	Y	14808-79-8	Sulfate	350	ug/L	DU	[NULL]	[NULL]	S	B1P395	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	7/8/2007 9:10	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P395	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/8/2007 9:10	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P395	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/13/2007 11:57	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P3C8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/13/2007 11:57	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P3C8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/13/2007 11:57	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P3C8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/13/2007 11:57	Y	7440-39-3	Barium	41	ug/L	D	[NULL]	[NULL]	S	B1P3C8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/13/2007 11:57	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/13/2007 11:57	Y	7440-70-2	Calcium	33300	ug/L	D	[NULL]	[NULL]	S	B1P3C8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-131	7/13/2007 11:57	Y	16887-00-6	Chloride	68800	ug/L	D	[NULL]	[NULL]	S	B1P3C8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	7/13/2007 11:57	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/13/2007 11:57	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/13/2007 11:57	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/13/2007 11:57	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P3C8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	7/13/2007 11:57	Y	7439-89-6	Iron	160	ug/L	CD	[NULL]	[NULL]	S	B1P3C8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/13/2007 11:57	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P3C8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/13/2007 11:57	Y	7439-95-4	Magnesium	5580	ug/L	D	[NULL]	[NULL]	S	B1P3C8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/13/2007 11:57	Y	7439-96-5	Manganese	1160	ug/L	D	[NULL]	[NULL]	S	B1P3C8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/13/2007 11:57	Y	7439-98-7	Molybdenum	40.3	ug/L	D	[NULL]	[NULL]	S	B1P3C8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/13/2007 11:57	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/13/2007 11:57	Y	14797-55-8	Nitrate	22700	ug/L	D	[NULL]	[NULL]	S	B1P3C8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	7/13/2007 11:57	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P3C8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	7/13/2007 11:57	Y	14265-44-2	Phosphate	58300	ug/L	D	[NULL]	[NULL]	S	B1P3C8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	7/13/2007 11:57	Y	7440-09-7	Potassium	3650	ug/L	D	[NULL]	[NULL]	S	B1P3C8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/13/2007 11:57	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P3C8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/13/2007 11:57	Y	7440-23-5	Sodium	324000	ug/L	D	[NULL]	[NULL]	S	B1P3C8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/13/2007 11:57	Y	7440-24-6	Strontium	154	ug/L	D	[NULL]	[NULL]	S	B1P3C8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/13/2007 11:57	Y	10098-97-2	Strontium-90	940	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P3C8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-131	7/13/2007 11:57	Y	14808-79-8	Sulfate	1460	ug/L	BD	[NULL]	[NULL]	S	B1P3C8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	7/13/2007 11:57	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P3C8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/13/2007 11:57	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P3C8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/3/2008 14:36	Y	7429-90-5	Aluminum	82.7	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/3/2008 14:36	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	S	B1VJL8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/3/2008 14:36	Y	7440-38-2	Arsenic	50	ug/L	U	[NULL]	[NULL]	S	B1VJL8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/3/2008 14:36	Y	7440-39-3	Barium	9	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/3/2008 14:36	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1VJL8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/3/2008 14:36	Y	7440-70-2	Calcium	4310	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/3/2008 14:36	Y	16887-00-6	Chloride	3910	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/3/2008 14:36	Y	7440-47-3	Chromium	7.6	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/3/2008 14:36	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1VJL8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/3/2008 14:36	Y	7440-50-8	Copper	4	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/3/2008 14:36	Y	16984-48-8	Fluoride	179	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/3/2008 14:36	Y	12587-46-1	Gross alpha	1.9	pCi/L	U	[NULL]	[NULL]	S	B1VJL8	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-131	6/3/2008 14:36	Y	12587-47-2	Gross beta	200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VJL8	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-131	6/3/2008 14:36	Y	7439-89-6	Iron	55.5	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/3/2008 14:36	Y	7439-92-1	Lead	27	ug/L	[NULL]	G	[NULL]	S	B1VJL8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/3/2008 14:36	Y	7439-95-4	Magnesium	679	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/3/2008 14:36	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	S	B1VJL8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/3/2008 14:36	Y	7439-98-7	Molybdenum	4	ug/L	U	[NULL]	[NULL]	S	B1VJL8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/3/2008 14:36	Y	7440-02-0	Nickel	4.4	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/3/2008 14:36	Y	14797-55-8	Nitrate	9920	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/3/2008 14:36	Y	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	S	B1VJL8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/3/2008 14:36	Y	14265-44-2	Phosphate	71400	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/3/2008 14:36	Y	7440-09-7	Potassium	1100	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/3/2008 14:36	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1VJL8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/3/2008 14:36	Y	7440-23-5	Sodium	86300	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/3/2008 14:36	Y	7440-24-6	Strontium	19	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/3/2008 14:36	Y	14808-79-8	Sulfate	12800	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/3/2008 14:36	Y	7440-62-2	Vanadium	38	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/3/2008 14:36	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	S	B1VJL8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/6/2008 17:41	Y	7429-90-5	Aluminum	2130	ug/L	D	[NULL]	[NULL]	S	B1VTV9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/6/2008 17:41	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1VTV9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/6/2008 17:41	Y	7440-38-2	Arsenic	250	ug/L	DNU	[NULL]	[NULL]	S	B1VTV9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/6/2008 17:41	Y	7440-39-3	Barium	202	ug/L	D	[NULL]	[NULL]	S	B1VTV9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-131	6/6/2008 17:41	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VTV9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/6/2008 17:41	Y	7440-70-2	Calcium	128000	ug/L	D	[NULL]	[NULL]	S	B1VTV9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/6/2008 17:41	Y	16887-00-6	Chloride	213000	ug/L	DN	[NULL]	[NULL]	S	B1VTV9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/6/2008 17:41	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1VTV9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/6/2008 17:41	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VTV9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/6/2008 17:41	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1VTV9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/6/2008 17:41	Y	DO	Dissolved oxygen	500	ug/L	[NULL]	[NULL]	[NULL]	S	B1VTV9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-131	6/6/2008 17:41	Y	16984-48-8	Fluoride	420	ug/L	DU	[NULL]	[NULL]	S	B1VTV9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/6/2008 17:41	Y	12587-46-1	Gross alpha	22	pCi/L	U	[NULL]	[NULL]	S	B1VTV9	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-131	6/6/2008 17:41	Y	12587-47-2	Gross beta	2900	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VTV9	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-131	6/6/2008 17:41	Y	7439-89-6	Iron	424	ug/L	CD	[NULL]	[NULL]	S	B1VTV9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/6/2008 17:41	Y	7439-92-1	Lead	135	ug/L	DNU	[NULL]	[NULL]	S	B1VTV9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/6/2008 17:41	Y	7439-95-4	Magnesium	12700	ug/L	D	[NULL]	[NULL]	S	B1VTV9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/6/2008 17:41	Y	7439-96-5	Manganese	2770	ug/L	D	[NULL]	[NULL]	S	B1VTV9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/6/2008 17:41	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1VTV9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/6/2008 17:41	Y	7440-02-0	Nickel	43.6	ug/L	D	[NULL]	[NULL]	S	B1VTV9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/6/2008 17:41	Y	14797-55-8	Nitrate	3190	ug/L	DNU	[NULL]	[NULL]	S	B1VTV9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/6/2008 17:41	Y	14797-65-0	Nitrite	650	ug/L	DNU	[NULL]	[NULL]	S	B1VTV9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/6/2008 17:41	Y	EH	Oxidation Reduction Potential	-52	mV	[NULL]	[NULL]	[NULL]	S	B1VTV9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-131	6/6/2008 17:41	Y	14265-44-2	Phosphate	4350000	ug/L	DN	[NULL]	[NULL]	S	B1VTV9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/6/2008 17:41	Y	7440-09-7	Potassium	8320	ug/L	D	[NULL]	[NULL]	S	B1VTV9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/6/2008 17:41	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1VTV9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/6/2008 17:41	Y	7440-23-5	Sodium	1850000	ug/L	D	[NULL]	[NULL]	S	B1VTV9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/6/2008 17:41	Y	CONDUCT	Specific Conductance	5990	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VTV9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-131	6/6/2008 17:41	Y	7440-24-6	Strontium	1170	ug/L	D	[NULL]	[NULL]	S	B1VTV9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/6/2008 17:41	Y	14808-79-8	Sulfate	10900	ug/L	BD	[NULL]	[NULL]	S	B1VTV9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/6/2008 17:41	Y	TEMPERATURE	Temperature	14.48	Deg C	[NULL]	[NULL]	[NULL]	S	B1VTV9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-131	6/6/2008 17:41	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1VTV9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/6/2008 17:41	Y	7440-66-6	Zinc	34.8	ug/L	D	[NULL]	[NULL]	S	B1VTV9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/6/2008 17:41	Y	PH	pH Measurement	7.51	unitless	[NULL]	[NULL]	[NULL]	S	B1VTV9	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-131	6/7/2008 9:27	Y	7429-90-5	Aluminum	6000	ug/L	D	[NULL]	[NULL]	S	B1VTY5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/7/2008 9:27	Y	7440-36-0	Antimony	160	ug/L	DNU	[NULL]	[NULL]	S	B1VTY5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/7/2008 9:27	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1VTY5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/7/2008 9:27	Y	7440-39-3	Barium	175	ug/L	D	[NULL]	[NULL]	S	B1VTY5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/7/2008 9:27	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/7/2008 9:27	Y	7440-70-2	Calcium	149000	ug/L	D	[NULL]	[NULL]	S	B1VTY5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/7/2008 9:27	Y	16887-00-6	Chloride	197000	ug/L	D	[NULL]	[NULL]	S	B1VTY5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/7/2008 9:27	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/7/2008 9:27	Y	7440-48-4	Cobalt	21	ug/L	D	[NULL]	[NULL]	S	B1VTY5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/7/2008 9:27	Y	7440-50-8	Copper	28	ug/L	D	[NULL]	[NULL]	S	B1VTY5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/7/2008 9:27	Y	DO	Dissolved oxygen	40	ug/L	[NULL]	[NULL]	[NULL]	S	B1VTY5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-131	6/7/2008 9:27	Y	16984-48-8	Fluoride	420	ug/L	DU	[NULL]	[NULL]	S	B1VTY5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/7/2008 9:27	Y	12587-46-1	Gross alpha	-15	pCi/L	U	[NULL]	[NULL]	S	B1VTY5	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-131	6/7/2008 9:27	Y	12587-47-2	Gross beta	4000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VTY5	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-131	6/7/2008 9:27	Y	7439-89-6	Iron	532	ug/L	CD	[NULL]	[NULL]	S	B1VTY5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/7/2008 9:27	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1VTY5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/7/2008 9:27	Y	7439-95-4	Magnesium	20400	ug/L	D	[NULL]	[NULL]	S	B1VTY5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/7/2008 9:27	Y	7439-96-5	Manganese	11200	ug/L	D	[NULL]	[NULL]	S	B1VTY5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/7/2008 9:27	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/7/2008 9:27	Y	7440-02-0	Nickel	100	ug/L	D	[NULL]	[NULL]	S	B1VTY5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/7/2008 9:27	Y	14797-55-8	Nitrate	3190	ug/L	DU	[NULL]	[NULL]	S	B1VTY5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/7/2008 9:27	Y	14797-65-0	Nitrite	650	ug/L	DU	[NULL]	[NULL]	S	B1VTY5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/7/2008 9:27	Y	EH	Oxidation Reduction Potential	-193	mV	[NULL]	[NULL]	[NULL]	S	B1VTY5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-131	6/7/2008 9:27	Y	14265-44-2	Phosphate	2240000	ug/L	D	[NULL]	[NULL]	S	B1VTY5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/7/2008 9:27	Y	7440-09-7	Potassium	6460	ug/L	D	[NULL]	[NULL]	S	B1VTY5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/7/2008 9:27	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VTY5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/7/2008 9:27	Y	7440-23-5	Sodium	1300000	ug/L	D	[NULL]	[NULL]	S	B1VTY5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/7/2008 9:27	Y	CONDUCT	Specific Conductance	4560	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VTY5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-131	6/7/2008 9:27	Y	7440-24-6	Strontium	839	ug/L	D	[NULL]	[NULL]	S	B1VTY5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/7/2008 9:27	Y	14808-79-8	Sulfate	15800	ug/L	BD	[NULL]	[NULL]	S	B1VTY5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/7/2008 9:27	Y	TEMPERATURE	Temperature	14.61	Deg C	[NULL]	[NULL]	[NULL]	S	B1VTY5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-131	6/7/2008 9:27	Y	7440-62-2	Vanadium	89	ug/L	D	[NULL]	[NULL]	S	B1VTY5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/7/2008 9:27	Y	7440-66-6	Zinc	27.9	ug/L	D	[NULL]	[NULL]	S	B1VTY5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/7/2008 9:27	Y	PH	pH Measurement	7.32	unitless	[NULL]	[NULL]	[NULL]	S	B1VTY5	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-131	6/8/2008 8:35	Y	7429-90-5	Aluminum	5380	ug/L	D	[NULL]	[NULL]	S	B1VV21	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/8/2008 8:35	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1VV21	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/8/2008 8:35	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1VV21	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/8/2008 8:35	Y	7440-39-3	Barium	132	ug/L	D	[NULL]	[NULL]	S	B1VV21	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/8/2008 8:35	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV21	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/8/2008 8:35	Y	7440-70-2	Calcium	125000	ug/L	DN	[NULL]	[NULL]	S	B1VV21	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/8/2008 8:35	Y	16887-00-6	Chloride	181000	ug/L	D	[NULL]	[NULL]	S	B1VV21	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/8/2008 8:35	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV21	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/8/2008 8:35	Y	7440-48-4	Cobalt	47.3	ug/L	D	[NULL]	[NULL]	S	B1VV21	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/8/2008 8:35	Y	7440-50-8	Copper	51	ug/L	D	[NULL]	[NULL]	S	B1VV21	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/8/2008 8:35	Y	DO	Dissolved oxygen	130	ug/L	[NULL]	[NULL]	[NULL]	S	B1VV21	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-131	6/8/2008 8:35	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VV21	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/8/2008 8:35	Y	12587-46-1	Gross alpha	18	pCi/L	U	[NULL]	[NULL]	S	B1VV21	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-131	6/8/2008 8:35	Y	12587-47-2	Gross beta	3800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV21	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-131	6/8/2008 8:35	Y	7439-89-6	Iron	354	ug/L	D	[NULL]	[NULL]	S	B1VV21	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/8/2008 8:35	Y	7439-92-1	Lead	342	ug/L	CDN	G	[NULL]	S	B1VV21	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/8/2008 8:35	Y	7439-95-4	Magnesium	21800	ug/L	D	[NULL]	[NULL]	S	B1VV21	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/8/2008 8:35	Y	7439-96-5	Manganese	9920	ug/L	D	[NULL]	[NULL]	S	B1VV21	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/8/2008 8:35	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1VV21	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/8/2008 8:35	Y	7440-02-0	Nickel	117	ug/L	D	[NULL]	[NULL]	S	B1VV21	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/8/2008 8:35	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VV21	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/8/2008 8:35	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VV21	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/8/2008 8:35	Y	EH	Oxidation Reduction Potential	-137	mV	[NULL]	[NULL]	[NULL]	S	B1VV21	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-131	6/8/2008 8:35	Y	14265-44-2	Phosphate	2330000	ug/L	D	[NULL]	[NULL]	S	B1VV21	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/8/2008 8:35	Y	7440-09-7	Potassium	6220	ug/L	D	[NULL]	[NULL]	S	B1VV21	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/8/2008 8:35	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VV21	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/8/2008 8:35	Y	7440-23-5	Sodium	1190000	ug/L	D	[NULL]	[NULL]	S	B1VV21	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/8/2008 8:35	Y	CONDUCT	Specific Conductance	4240	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VV21	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-131	6/8/2008 8:35	Y	7440-24-6	Strontium	571	ug/L	D	[NULL]	[NULL]	S	B1VV21	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/8/2008 8:35	Y	14808-79-8	Sulfate	81100	ug/L	D	[NULL]	[NULL]	S	B1VV21	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/8/2008 8:35	Y	TEMPERATURE	Temperature	14.12	Deg C	[NULL]	[NULL]	[NULL]	S	B1VV21	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-131	6/8/2008 8:35	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1VV21	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/8/2008 8:35	Y	7440-66-6	Zinc	30.3	ug/L	D	[NULL]	[NULL]	S	B1VV21	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/8/2008 8:35	Y	PH	pH Measurement	7.26	unitless	[NULL]	[NULL]	[NULL]	S	B1VV21	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-131	6/9/2008 12:04	Y	7429-90-5	Aluminum	1050	ug/L	D	[NULL]	[NULL]	S	B1VV47	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/9/2008 12:04	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VV47	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/9/2008 12:04	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VV47	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/9/2008 12:04	Y	7440-39-3	Barium	64	ug/L	D	[NULL]	[NULL]	S	B1VV47	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/9/2008 12:04	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV47	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/9/2008 12:04	Y	7440-70-2	Calcium	45300	ug/L	D	[NULL]	[NULL]	S	B1VV47	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/9/2008 12:04	Y	16887-00-6	Chloride	169000	ug/L	D	[NULL]	[NULL]	S	B1VV47	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/9/2008 12:04	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VV47	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/9/2008 12:04	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VV47	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-131	6/9/2008 12:04	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VV47	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/9/2008 12:04	Y	DO	Dissolved oxygen	180	ug/L	[NULL]	[NULL]	[NULL]	S	B1VV47	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-131	6/9/2008 12:04	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VV47	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/9/2008 12:04	Y	12587-46-1	Gross alpha	8.6	pCi/L	U	[NULL]	[NULL]	S	B1VV47	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-131	6/9/2008 12:04	Y	12587-47-2	Gross beta	2000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV47	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-131	6/9/2008 12:04	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VV47	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/9/2008 12:04	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VV47	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/9/2008 12:04	Y	7439-95-4	Magnesium	11100	ug/L	DN	[NULL]	[NULL]	S	B1VV47	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/9/2008 12:04	Y	7439-96-5	Manganese	2430	ug/L	D	[NULL]	[NULL]	S	B1VV47	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/9/2008 12:04	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VV47	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/9/2008 12:04	Y	7440-02-0	Nickel	47.4	ug/L	D	[NULL]	[NULL]	S	B1VV47	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/9/2008 12:04	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VV47	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/9/2008 12:04	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VV47	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/9/2008 12:04	Y	EH	Oxidation Reduction Potential	-177	mV	[NULL]	[NULL]	[NULL]	S	B1VV47	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-131	6/9/2008 12:04	Y	14265-44-2	Phosphate	1830000	ug/L	D	[NULL]	[NULL]	S	B1VV47	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/9/2008 12:04	Y	7440-09-7	Potassium	6720	ug/L	D	[NULL]	[NULL]	S	B1VV47	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/9/2008 12:04	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VV47	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/9/2008 12:04	Y	7440-23-5	Sodium	1240000	ug/L	D	[NULL]	[NULL]	S	B1VV47	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/9/2008 12:04	Y	CONDUCT	Specific Conductance	4720	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VV47	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-131	6/9/2008 12:04	Y	7440-24-6	Strontium	317	ug/L	D	[NULL]	[NULL]	S	B1VV47	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/9/2008 12:04	Y	14808-79-8	Sulfate	16900	ug/L	D	[NULL]	[NULL]	S	B1VV47	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/9/2008 12:04	Y	TEMPERATURE	Temperature	15.53	Deg C	[NULL]	[NULL]	[NULL]	S	B1VV47	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-131	6/9/2008 12:04	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VV47	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/9/2008 12:04	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VV47	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/9/2008 12:04	Y	PH	pH Measurement	7.15	unitless	[NULL]	[NULL]	[NULL]	S	B1VV47	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-131	6/10/2008 16:30	Y	7429-90-5	Aluminum	3520	ug/L	D	[NULL]	[NULL]	S	B1VV73	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/10/2008 16:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VV73	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/10/2008 16:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VV73	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/10/2008 16:30	Y	7440-39-3	Barium	81	ug/L	D	[NULL]	[NULL]	S	B1VV73	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/10/2008 16:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV73	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/10/2008 16:30	Y	7440-70-2	Calcium	79000	ug/L	D	[NULL]	[NULL]	S	B1VV73	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/10/2008 16:30	Y	16887-00-6	Chloride	191000	ug/L	D	[NULL]	[NULL]	S	B1VV73	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/10/2008 16:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VV73	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/10/2008 16:30	Y	7440-48-4	Cobalt	21.9	ug/L	D	[NULL]	[NULL]	S	B1VV73	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/10/2008 16:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VV73	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/10/2008 16:30	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VV73	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/10/2008 16:30	Y	12587-46-1	Gross alpha	29	pCi/L	U	[NULL]	[NULL]	S	B1VV73	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-131	6/10/2008 16:30	Y	12587-47-2	Gross beta	3700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV73	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-131	6/10/2008 16:30	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VV73	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/10/2008 16:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VV73	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/10/2008 16:30	Y	7439-95-4	Magnesium	27200	ug/L	D	[NULL]	[NULL]	S	B1VV73	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/10/2008 16:30	Y	7439-96-5	Manganese	4010	ug/L	D	[NULL]	[NULL]	S	B1VV73	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/10/2008 16:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VV73	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/10/2008 16:30	Y	7440-02-0	Nickel	68.2	ug/L	D	[NULL]	[NULL]	S	B1VV73	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/10/2008 16:30	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VV73	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/10/2008 16:30	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VV73	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/10/2008 16:30	Y	14265-44-2	Phosphate	2580000	ug/L	D	[NULL]	[NULL]	S	B1VV73	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/10/2008 16:30	Y	7440-09-7	Potassium	7180	ug/L	D	[NULL]	[NULL]	S	B1VV73	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/10/2008 16:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VV73	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/10/2008 16:30	Y	7440-23-5	Sodium	1390000	ug/L	D	[NULL]	[NULL]	S	B1VV73	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/10/2008 16:30	Y	7440-24-6	Strontium	387	ug/L	D	[NULL]	[NULL]	S	B1VV73	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/10/2008 16:30	Y	14808-79-8	Sulfate	18700	ug/L	D	[NULL]	[NULL]	S	B1VV73	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/10/2008 16:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VV73	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/10/2008 16:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VV73	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-131	6/11/2008 11:52	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VV99	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2008 11:52	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VV99	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2008 11:52	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VV99	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2008 11:52	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV99	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2008 11:52	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV99	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2008 11:52	Y	7440-70-2	Calcium	37800	ug/L	D	[NULL]	[NULL]	S	B1VV99	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2008 11:52	Y	16887-00-6	Chloride	198000	ug/L	D	[NULL]	[NULL]	S	B1VV99	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/11/2008 11:52	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VV99	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2008 11:52	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VV99	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2008 11:52	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VV99	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2008 11:52	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VV99	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/11/2008 11:52	Y	12587-46-1	Gross alpha	16	pCi/L	U	[NULL]	[NULL]	S	B1VV99	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-131	6/11/2008 11:52	Y	12587-47-2	Gross beta	2400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV99	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-131	6/11/2008 11:52	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VV99	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2008 11:52	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VV99	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2008 11:52	Y	7439-95-4	Magnesium	15700	ug/L	D	[NULL]	[NULL]	S	B1VV99	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2008 11:52	Y	7439-96-5	Manganese	1540	ug/L	D	[NULL]	[NULL]	S	B1VV99	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2008 11:52	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VV99	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2008 11:52	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VV99	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2008 11:52	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VV99	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/11/2008 11:52	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VV99	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/11/2008 11:52	Y	14265-44-2	Phosphate	1990000	ug/L	D	[NULL]	[NULL]	S	B1VV99	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/11/2008 11:52	Y	7440-09-7	Potassium	4660	ug/L	D	[NULL]	[NULL]	S	B1VV99	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2008 11:52	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VV99	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2008 11:52	Y	7440-23-5	Sodium	1200000	ug/L	D	[NULL]	[NULL]	S	B1VV99	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2008 11:52	Y	7440-24-6	Strontium	201	ug/L	D	[NULL]	[NULL]	S	B1VV99	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2008 11:52	Y	14808-79-8	Sulfate	17000	ug/L	D	[NULL]	[NULL]	S	B1VV99	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/11/2008 11:52	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VV99	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/11/2008 11:52	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VV99	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2008 12:02	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVD5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2008 12:02	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVD5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2008 12:02	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVD5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2008 12:02	Y	7440-39-3	Barium	42	ug/L	D	[NULL]	[NULL]	S	B1VVD5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2008 12:02	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVD5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2008 12:02	Y	7440-70-2	Calcium	25600	ug/L	DN	[NULL]	[NULL]	S	B1VVD5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2008 12:02	Y	16887-00-6	Chloride	184000	ug/L	D	[NULL]	[NULL]	S	B1VVD5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/13/2008 12:02	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVD5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2008 12:02	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVD5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2008 12:02	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVD5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2008 12:02	Y	DO	Dissolved oxygen	1890	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVD5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-131	6/13/2008 12:02	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVD5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/13/2008 12:02	Y	12587-46-1	Gross alpha	12	pCi/L	U	[NULL]	[NULL]	S	B1VVD5	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-131	6/13/2008 12:02	Y	12587-47-2	Gross beta	2100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVD5	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-131	6/13/2008 12:02	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VVD5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2008 12:02	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVD5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2008 12:02	Y	7439-95-4	Magnesium	11200	ug/L	D	[NULL]	[NULL]	S	B1VVD5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2008 12:02	Y	7439-96-5	Manganese	1200	ug/L	D	[NULL]	[NULL]	S	B1VVD5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2008 12:02	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVD5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2008 12:02	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVD5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2008 12:02	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVD5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/13/2008 12:02	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVD5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/13/2008 12:02	Y	EH	Oxidation Reduction Potential	-129	mV	[NULL]	[NULL]	[NULL]	S	B1VVD5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-131	6/13/2008 12:02	Y	14265-44-2	Phosphate	1570000	ug/L	D	[NULL]	[NULL]	S	B1VVD5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/13/2008 12:02	Y	7440-09-7	Potassium	6150	ug/L	D	[NULL]	[NULL]	S	B1VVD5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-131	6/13/2008 12:02	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVD5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2008 12:02	Y	7440-23-5	Sodium	1230000	ug/L	D	[NULL]	[NULL]	S	B1VVD5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2008 12:02	Y	CONDUCT	Specific Conductance	5281	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVD5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-131	6/13/2008 12:02	Y	7440-24-6	Strontium	178	ug/L	D	[NULL]	[NULL]	S	B1VVD5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2008 12:02	Y	14808-79-8	Sulfate	14600	ug/L	D	[NULL]	[NULL]	S	B1VVD5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/13/2008 12:02	Y	TEMPERATURE	Temperature	16.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVD5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-131	6/13/2008 12:02	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVD5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2008 12:02	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVD5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/13/2008 12:02	Y	PH	pH Measurement	16.5	unitless	[NULL]	Y	[NULL]	S	B1VVD5	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-131	6/14/2008 11:35	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVJ1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2008 11:35	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVJ1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2008 11:35	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVJ1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2008 11:35	Y	7440-39-3	Barium	27	ug/L	D	[NULL]	[NULL]	S	B1VVJ1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2008 11:35	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVJ1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2008 11:35	Y	7440-70-2	Calcium	14700	ug/L	DN	[NULL]	[NULL]	S	B1VVJ1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2008 11:35	Y	16887-00-6	Chloride	106000	ug/L	D	[NULL]	[NULL]	S	B1VVJ1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/14/2008 11:35	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVJ1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2008 11:35	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVJ1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2008 11:35	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVJ1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2008 11:35	Y	DO	Dissolved oxygen	1060	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVJ1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-131	6/14/2008 11:35	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVJ1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/14/2008 11:35	Y	12587-46-1	Gross alpha	10	pCi/L	U	[NULL]	[NULL]	S	B1VVJ1	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-131	6/14/2008 11:35	Y	12587-47-2	Gross beta	560	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVJ1	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-131	6/14/2008 11:35	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VVJ1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2008 11:35	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVJ1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2008 11:35	Y	7439-95-4	Magnesium	5830	ug/L	D	[NULL]	[NULL]	S	B1VVJ1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2008 11:35	Y	7439-96-5	Manganese	803	ug/L	D	[NULL]	[NULL]	S	B1VVJ1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2008 11:35	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVJ1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2008 11:35	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVJ1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2008 11:35	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVJ1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/14/2008 11:35	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVJ1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/14/2008 11:35	Y	EH	Oxidation Reduction Potential	-148	mV	[NULL]	[NULL]	[NULL]	S	B1VVJ1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-131	6/14/2008 11:35	Y	14265-44-2	Phosphate	1020000	ug/L	D	[NULL]	[NULL]	S	B1VVJ1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/14/2008 11:35	Y	7440-09-7	Potassium	4610	ug/L	D	[NULL]	[NULL]	S	B1VVJ1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2008 11:35	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVJ1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2008 11:35	Y	7440-23-5	Sodium	864000	ug/L	D	[NULL]	[NULL]	S	B1VVJ1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2008 11:35	Y	CONDUCT	Specific Conductance	3468	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVJ1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-131	6/14/2008 11:35	Y	7440-24-6	Strontium	115	ug/L	D	[NULL]	[NULL]	S	B1VVJ1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2008 11:35	Y	14808-79-8	Sulfate	6410	ug/L	BD	[NULL]	[NULL]	S	B1VVJ1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/14/2008 11:35	Y	TEMPERATURE	Temperature	14.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVJ1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-131	6/14/2008 11:35	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVJ1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2008 11:35	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVJ1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/14/2008 11:35	Y	PH	pH Measurement	7.49	unitless	[NULL]	[NULL]	[NULL]	S	B1VVJ1	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-131	6/16/2008 10:25	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVL7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2008 10:25	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVL7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2008 10:25	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVL7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2008 10:25	Y	7440-39-3	Barium	25	ug/L	D	[NULL]	[NULL]	S	B1VVL7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2008 10:25	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVL7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2008 10:25	Y	7440-70-2	Calcium	14000	ug/L	DN	[NULL]	[NULL]	S	B1VVL7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2008 10:25	Y	16887-00-6	Chloride	113000	ug/L	D	[NULL]	[NULL]	S	B1VVL7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/16/2008 10:25	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVL7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2008 10:25	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVL7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2008 10:25	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVL7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2008 10:25	Y	DO	Dissolved oxygen	1350	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVL7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-131	6/16/2008 10:25	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVL7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/16/2008 10:25	Y	12587-46-1	Gross alpha	11	pCi/L	U	[NULL]	[NULL]	S	B1VVL7	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-131	6/16/2008 10:25	Y	12587-47-2	Gross beta	1000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVL7	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-131	6/16/2008 10:25	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VVL7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2008 10:25	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVL7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2008 10:25	Y	7439-95-4	Magnesium	5690	ug/L	D	[NULL]	[NULL]	S	B1VVL7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2008 10:25	Y	7439-96-5	Manganese	954	ug/L	D	[NULL]	[NULL]	S	B1VVL7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2008 10:25	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVL7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2008 10:25	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVL7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2008 10:25	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVL7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/16/2008 10:25	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVL7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/16/2008 10:25	Y	EH	Oxidation Reduction Potential	-121	mV	[NULL]	[NULL]	[NULL]	S	B1VVL7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-131	6/16/2008 10:25	Y	14265-44-2	Phosphate	1050000	ug/L	D	[NULL]	[NULL]	S	B1VVL7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/16/2008 10:25	Y	7440-09-7	Potassium	4580	ug/L	D	[NULL]	[NULL]	S	B1VVL7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2008 10:25	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVL7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2008 10:25	Y	7440-23-5	Sodium	834000	ug/L	D	[NULL]	[NULL]	S	B1VVL7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2008 10:25	Y	CONDUCT	Specific Conductance	3610	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVL7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-131	6/16/2008 10:25	Y	7440-24-6	Strontium	105	ug/L	D	[NULL]	[NULL]	S	B1VVL7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2008 10:25	Y	14808-79-8	Sulfate	5150	ug/L	BD	[NULL]	[NULL]	S	B1VVL7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/16/2008 10:25	Y	TEMPERATURE	Temperature	17.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVL7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-131	6/16/2008 10:25	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVL7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2008 10:25	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVL7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/16/2008 10:25	Y	PH	pH Measurement	7.54	unitless	[NULL]	G	[NULL]	S	B1VVL7	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-131	6/18/2008 6:25	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVP3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2008 6:25	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVP3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2008 6:25	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVP3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2008 6:25	Y	7440-39-3	Barium	36	ug/L	D	[NULL]	[NULL]	S	B1VVP3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2008 6:25	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVP3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2008 6:25	Y	7440-70-2	Calcium	25700	ug/L	DN	[NULL]	[NULL]	S	B1VVP3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2008 6:25	Y	16887-00-6	Chloride	185000	ug/L	D	[NULL]	[NULL]	S	B1VVP3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/18/2008 6:25	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVP3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2008 6:25	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVP3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2008 6:25	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVP3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2008 6:25	Y	DO	Dissolved oxygen	1930	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVP3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-131	6/18/2008 6:25	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVP3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/18/2008 6:25	Y	12587-46-1	Gross alpha	6.4	pCi/L	U	[NULL]	[NULL]	S	B1VVP3	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-131	6/18/2008 6:25	Y	12587-47-2	Gross beta	2000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVP3	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-131	6/18/2008 6:25	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VVP3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2008 6:25	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVP3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2008 6:25	Y	7439-95-4	Magnesium	11000	ug/L	DN	[NULL]	[NULL]	S	B1VVP3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2008 6:25	Y	7439-96-5	Manganese	1550	ug/L	D	[NULL]	[NULL]	S	B1VVP3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2008 6:25	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVP3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2008 6:25	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVP3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2008 6:25	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVP3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/18/2008 6:25	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVP3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/18/2008 6:25	Y	EH	Oxidation Reduction Potential	-158	mV	[NULL]	[NULL]	[NULL]	S	B1VVP3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-131	6/18/2008 6:25	Y	14265-44-2	Phosphate	1280000	ug/L	D	[NULL]	[NULL]	S	B1VVP3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/18/2008 6:25	Y	7440-09-7	Potassium	6180	ug/L	D	[NULL]	[NULL]	S	B1VVP3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2008 6:25	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVP3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2008 6:25	Y	7440-23-5	Sodium	1130000	ug/L	D	[NULL]	[NULL]	S	B1VVP3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2008 6:25	Y	CONDUCT	Specific Conductance	4928	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVP3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-131	6/18/2008 6:25	Y	7440-24-6	Strontium	173	ug/L	D	[NULL]	[NULL]	S	B1VVP3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2008 6:25	Y	14808-79-8	Sulfate	7060	ug/L	BD	[NULL]	[NULL]	S	B1VVP3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-131	6/18/2008 6:25	Y	TEMPERATURE	Temperature	13.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVP3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-131	6/18/2008 6:25	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVP3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2008 6:25	Y	7440-66-6	Zinc	83.2	ug/L	D	[NULL]	[NULL]	S	B1VVP3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/18/2008 6:25	Y	PH	pH Measurement	7.4	unitless	[NULL]	[NULL]	[NULL]	S	B1VVP3	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-131	6/27/2008 8:45	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVV5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/27/2008 8:45	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVV5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/27/2008 8:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVV5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/27/2008 8:45	Y	7440-39-3	Barium	25	ug/L	D	[NULL]	[NULL]	S	B1VVV5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/27/2008 8:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVV5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/27/2008 8:45	Y	7440-70-2	Calcium	24100	ug/L	DN	[NULL]	[NULL]	S	B1VVV5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/27/2008 8:45	Y	16887-00-6	Chloride	130000	ug/L	D	[NULL]	[NULL]	S	B1VVV5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/27/2008 8:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVV5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/27/2008 8:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVV5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/27/2008 8:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVV5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/27/2008 8:45	Y	DO	Dissolved oxygen	5500	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVV5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-131	6/27/2008 8:45	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVV5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/27/2008 8:45	Y	12587-46-1	Gross alpha	2.4	pCi/L	U	[NULL]	[NULL]	S	B1VVV5	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-131	6/27/2008 8:45	Y	12587-47-2	Gross beta	1800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVV5	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-131	6/27/2008 8:45	Y	7439-89-6	Iron	314	ug/L	D	[NULL]	[NULL]	S	B1VVV5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/27/2008 8:45	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVV5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/27/2008 8:45	Y	7439-95-4	Magnesium	8760	ug/L	D	[NULL]	[NULL]	S	B1VVV5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/27/2008 8:45	Y	7439-96-5	Manganese	1300	ug/L	D	[NULL]	[NULL]	S	B1VVV5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/27/2008 8:45	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVV5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/27/2008 8:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVV5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/27/2008 8:45	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVV5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/27/2008 8:45	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVV5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/27/2008 8:45	Y	EH	Oxidation Reduction Potential	-143	mV	[NULL]	[NULL]	[NULL]	S	B1VVV5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-131	6/27/2008 8:45	Y	14265-44-2	Phosphate	871000	ug/L	D	[NULL]	[NULL]	S	B1VVV5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/27/2008 8:45	Y	7440-09-7	Potassium	5050	ug/L	D	[NULL]	[NULL]	S	B1VVV5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/27/2008 8:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVV5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/27/2008 8:45	Y	7440-23-5	Sodium	884000	ug/L	D	[NULL]	[NULL]	S	B1VVV5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/27/2008 8:45	Y	CONDUCT	Specific Conductance	4208	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVV5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-131	6/27/2008 8:45	Y	7440-24-6	Strontium	134	ug/L	D	[NULL]	[NULL]	S	B1VVV5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/27/2008 8:45	Y	14808-79-8	Sulfate	1350	ug/L	BD	[NULL]	[NULL]	S	B1VVV5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	6/27/2008 8:45	Y	TEMPERATURE	Temperature	16.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVV5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-131	6/27/2008 8:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVV5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/27/2008 8:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVV5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	6/27/2008 8:45	Y	PH	pH Measurement	7.36	unitless	[NULL]	[NULL]	[NULL]	S	B1VVV5	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-131	7/4/2008 10:32	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VWV4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/4/2008 10:32	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VWV4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/4/2008 10:32	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VWV4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/4/2008 10:32	Y	7440-39-3	Barium	21	ug/L	D	[NULL]	[NULL]	S	B1VWV4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/4/2008 10:32	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWV4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/4/2008 10:32	Y	7440-70-2	Calcium	16500	ug/L	DN	[NULL]	[NULL]	S	B1VWV4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/4/2008 10:32	Y	16887-00-6	Chloride	123000	ug/L	D	[NULL]	[NULL]	S	B1VWV4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	7/4/2008 10:32	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VWV4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/4/2008 10:32	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VWV4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/4/2008 10:32	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VWV4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/4/2008 10:32	Y	DO	Dissolved oxygen	1860	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWV4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-131	7/4/2008 10:32	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VWV4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	7/4/2008 10:32	Y	12587-46-1	Gross alpha	-4.5	pCi/L	U	[NULL]	[NULL]	S	B1VWV4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-131	7/4/2008 10:32	Y	12587-47-2	Gross beta	1000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VWV4	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-131	7/4/2008 10:32	Y	7439-89-6	Iron	646	ug/L	D	[NULL]	[NULL]	S	B1VWV4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/4/2008 10:32	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VWV4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-131	7/4/2008 10:32	Y	7439-95-4	Magnesium	7820	ug/L	DN	[NULL]	[NULL]	S	B1VWV4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/4/2008 10:32	Y	7439-96-5	Manganese	1400	ug/L	D	[NULL]	[NULL]	S	B1VWV4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/4/2008 10:32	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VWV4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/4/2008 10:32	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VWV4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/4/2008 10:32	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VWV4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	7/4/2008 10:32	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VWV4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	7/4/2008 10:32	Y	EH	Oxidation Reduction Potential	-156	mV	[NULL]	[NULL]	[NULL]	S	B1VWV4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-131	7/4/2008 10:32	Y	14265-44-2	Phosphate	1210000	ug/L	D	[NULL]	[NULL]	S	B1VWV4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	7/4/2008 10:32	Y	7440-09-7	Potassium	5750	ug/L	D	[NULL]	[NULL]	S	B1VWV4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/4/2008 10:32	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VWV4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/4/2008 10:32	Y	7440-23-5	Sodium	1020000	ug/L	D	[NULL]	[NULL]	S	B1VWV4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/4/2008 10:32	Y	CONDUCT	Specific Conductance	3453	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWV4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-131	7/4/2008 10:32	Y	7440-24-6	Strontium	116	ug/L	D	[NULL]	[NULL]	S	B1VWV4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/4/2008 10:32	Y	14808-79-8	Sulfate	1360	ug/L	BD	[NULL]	[NULL]	S	B1VWV4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	7/4/2008 10:32	Y	TEMPERATURE	Temperature	17.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWV4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-131	7/4/2008 10:32	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VWV4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/4/2008 10:32	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VWV4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/4/2008 10:32	Y	PH	pH Measurement	7.4	unitless	[NULL]	[NULL]	[NULL]	S	B1VWV4	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-131	7/11/2008 11:00	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7V8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/11/2008 11:00	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7V8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/11/2008 11:00	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7V8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/11/2008 11:00	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7V8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/11/2008 11:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7V8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/11/2008 11:00	Y	7440-70-2	Calcium	13300	ug/L	D	[NULL]	[NULL]	S	B1W7V8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/11/2008 11:00	Y	16887-00-6	Chloride	139000	ug/L	D	[NULL]	[NULL]	S	B1W7V8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	7/11/2008 11:00	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7V8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/11/2008 11:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7V8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/11/2008 11:00	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7V8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/11/2008 11:00	Y	DO	Dissolved oxygen	1290	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7V8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-131	7/11/2008 11:00	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W7V8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	7/11/2008 11:00	Y	12587-46-1	Gross alpha	-5	pCi/L	U	G	[NULL]	S	B1W7V8	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-131	7/11/2008 11:00	Y	12587-47-2	Gross beta	2600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7V8	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-131	7/11/2008 11:00	Y	7439-89-6	Iron	503	ug/L	BD	[NULL]	[NULL]	S	B1W7V8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/11/2008 11:00	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7V8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/11/2008 11:00	Y	7439-95-4	Magnesium	4980	ug/L	D	[NULL]	[NULL]	S	B1W7V8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/11/2008 11:00	Y	7439-96-5	Manganese	1210	ug/L	D	[NULL]	[NULL]	S	B1W7V8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/11/2008 11:00	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7V8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/11/2008 11:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7V8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/11/2008 11:00	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W7V8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	7/11/2008 11:00	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W7V8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	7/11/2008 11:00	Y	EH	Oxidation Reduction Potential	-167	mV	[NULL]	[NULL]	[NULL]	S	B1W7V8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-131	7/11/2008 11:00	Y	14265-44-2	Phosphate	800000	ug/L	D	[NULL]	[NULL]	S	B1W7V8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	7/11/2008 11:00	Y	7440-09-7	Potassium	4470	ug/L	D	[NULL]	[NULL]	S	B1W7V8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/11/2008 11:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W7V8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/11/2008 11:00	Y	7440-23-5	Sodium	912000	ug/L	DX	[NULL]	[NULL]	S	B1W7V8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/11/2008 11:00	Y	CONDUCT	Specific Conductance	33.96	uS/cm	[NULL]	Y	[NULL]	S	B1W7V8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-131	7/11/2008 11:00	Y	7440-24-6	Strontium	91	ug/L	BD	[NULL]	[NULL]	S	B1W7V8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/11/2008 11:00	Y	14808-79-8	Sulfate	770	ug/L	DU	[NULL]	[NULL]	S	B1W7V8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	7/11/2008 11:00	Y	TEMPERATURE	Temperature	16.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7V8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-131	7/11/2008 11:00	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7V8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/11/2008 11:00	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7V8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/11/2008 11:00	Y	PH	pH Measurement	7.44	unitless	[NULL]	[NULL]	[NULL]	S	B1W7V8	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-131	7/18/2008 9:15	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WCB4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-131	7/18/2008 9:15	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WCB4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/18/2008 9:15	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WCB4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/18/2008 9:15	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCB4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/18/2008 9:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCB4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/18/2008 9:15	Y	7440-70-2	Calcium	12100	ug/L	D	[NULL]	[NULL]	S	B1WCB4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/18/2008 9:15	Y	16887-00-6	Chloride	90400	ug/L	D	[NULL]	[NULL]	S	B1WCB4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	7/18/2008 9:15	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WCB4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/18/2008 9:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WCB4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/18/2008 9:15	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WCB4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/18/2008 9:15	Y	DO	Dissolved oxygen	3690	ug/L	[NULL]	[NULL]	[NULL]	S	B1WCB4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-131	7/18/2008 9:15	Y	16984-48-8	Fluoride	232	ug/L	DNU	[NULL]	[NULL]	S	B1WCB4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	7/18/2008 9:15	Y	12587-46-1	Gross alpha	3.5	pCi/L	U	[NULL]	[NULL]	S	B1WCB4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-131	7/18/2008 9:15	Y	12587-47-2	Gross beta	360	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WCB4	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-131	7/18/2008 9:15	Y	7439-89-6	Iron	382	ug/L	D	[NULL]	[NULL]	S	B1WCB4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/18/2008 9:15	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WCB4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/18/2008 9:15	Y	7439-95-4	Magnesium	3680	ug/L	D	[NULL]	[NULL]	S	B1WCB4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/18/2008 9:15	Y	7439-96-5	Manganese	808	ug/L	D	[NULL]	[NULL]	S	B1WCB4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/18/2008 9:15	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WCB4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/18/2008 9:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WCB4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/18/2008 9:15	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WCB4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	7/18/2008 9:15	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WCB4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	7/18/2008 9:15	Y	EH	Oxidation Reduction Potential	-141	mV	[NULL]	[NULL]	[NULL]	S	B1WCB4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-131	7/18/2008 9:15	Y	14265-44-2	Phosphate	573000	ug/L	D	[NULL]	[NULL]	S	B1WCB4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	7/18/2008 9:15	Y	7440-09-7	Potassium	4030	ug/L	D	[NULL]	[NULL]	S	B1WCB4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/18/2008 9:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WCB4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/18/2008 9:15	Y	7440-23-5	Sodium	694000	ug/L	DX	[NULL]	[NULL]	S	B1WCB4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/18/2008 9:15	Y	CONDUCT	Specific Conductance	2807	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WCB4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-131	7/18/2008 9:15	Y	7440-24-6	Strontium	74.9	ug/L	D	[NULL]	[NULL]	S	B1WCB4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/18/2008 9:15	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WCB4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-131	7/18/2008 9:15	Y	TEMPERATURE	Temperature	18.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1WCB4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-131	7/18/2008 9:15	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WCB4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/18/2008 9:15	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WCB4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-131	7/18/2008 9:15	Y	PH	pH Measurement	7.72	unitless	[NULL]	[NULL]	[NULL]	S	B1WCB4	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-132	7/6/2003 7:00	N	DO	Dissolved oxygen	2830	ug/L	[NULL]	[NULL]	[NULL]	S	B1VX31	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-132	7/6/2003 7:00	N	12587-46-1	Gross alpha	4.9	pCi/L	U	[NULL]	[NULL]	S	B1VX31	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	7/6/2003 7:00	N	12587-47-2	Gross beta	1600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VX31	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	7/6/2003 7:00	N	EH	Oxidation Reduction Potential	-153	mV	[NULL]	[NULL]	[NULL]	S	B1VX31	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-132	7/6/2003 7:00	N	CONDUCT	Specific Conductance	4443	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VX31	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-132	7/6/2003 7:00	N	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1VX31	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-132	7/6/2003 7:00	N	PH	pH Measurement	7.24	unitless	[NULL]	[NULL]	[NULL]	S	B1VX31	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-132	6/21/2006 11:49	N	12587-46-1	Gross alpha	11	pCi/L	U	[NULL]	[NULL]	S	B1JMC8	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	6/21/2006 11:49	N	12587-47-2	Gross beta	3500	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JMC8	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	6/21/2006 11:49	N	10098-97-2	Strontium-90	2650	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JMC8	SR-RAD	STLRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-132	6/28/2006 10:10	N	10098-97-2	Strontium-90	3500	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JWB6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-132	7/7/2006 10:02	N	10098-97-2	Strontium-90	9400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K019	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-132	7/17/2006 16:14	Y	7429-90-5	Aluminum	370	ug/L	U	[NULL]	[NULL]	S	B1K4X4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2006 16:14	Y	7440-36-0	Antimony	720	ug/L	U	[NULL]	[NULL]	S	B1K4X4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2006 16:14	Y	7440-38-2	Arsenic	790	ug/L	U	[NULL]	[NULL]	S	B1K4X4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2006 16:14	Y	7440-39-3	Barium	581	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2006 16:14	Y	7440-43-9	Cadmium	30	ug/L	U	[NULL]	[NULL]	S	B1K4X4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2006 16:14	Y	7440-70-2	Calcium	342000	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2006 16:14	Y	16887-00-6	Chloride	251000	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/17/2006 16:14	Y	7440-47-3	Chromium	70	ug/L	U	[NULL]	[NULL]	S	B1K4X4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-132	7/17/2006 16:14	Y	7440-48-4	Cobalt	70	ug/L	U	[NULL]	[NULL]	S	B1K4X4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2006 16:14	Y	7440-50-8	Copper	70	ug/L	U	[NULL]	[NULL]	S	B1K4X4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2006 16:14	Y	16984-48-8	Fluoride	450	ug/L	U	[NULL]	[NULL]	S	B1K4X4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/17/2006 16:14	Y	7439-89-6	Iron	1910	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2006 16:14	Y	7439-92-1	Lead	470	ug/L	U	[NULL]	[NULL]	S	B1K4X4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2006 16:14	Y	7439-95-4	Magnesium	60800	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2006 16:14	Y	7439-96-5	Manganese	14700	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2006 16:14	Y	7439-98-7	Molybdenum	110	ug/L	U	[NULL]	[NULL]	S	B1K4X4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2006 16:14	Y	7440-02-0	Nickel	50	ug/L	U	[NULL]	[NULL]	S	B1K4X4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2006 16:14	Y	14797-55-8	Nitrate	1280	ug/L	U	[NULL]	[NULL]	S	B1K4X4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/17/2006 16:14	Y	14797-65-0	Nitrite	1150	ug/L	U	[NULL]	[NULL]	S	B1K4X4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/17/2006 16:14	Y	14265-44-2	Phosphate	3370	ug/L	U	[NULL]	[NULL]	S	B1K4X4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/17/2006 16:14	Y	7440-09-7	Potassium	6300	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2006 16:14	Y	7440-22-4	Silver	110	ug/L	U	[NULL]	[NULL]	S	B1K4X4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2006 16:14	Y	7440-23-5	Sodium	252000	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2006 16:14	Y	7440-24-6	Strontium	1640	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2006 16:14	Y	10098-97-2	Strontium-90	12000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K4W4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-132	7/17/2006 16:14	Y	14808-79-8	Sulfate	970	ug/L	U	[NULL]	[NULL]	S	B1K4X4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/17/2006 16:14	Y	7440-62-2	Vanadium	140	ug/L	U	[NULL]	[NULL]	S	B1K4X4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2006 16:14	Y	7440-66-6	Zinc	68.8	ug/L	C	[NULL]	[NULL]	S	B1K4X4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/24/2006 14:12	Y	10098-97-2	Strontium-90	11000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K736	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-132	8/7/2006 10:13	Y	10098-97-2	Strontium-90	5400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K8V8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-132	8/28/2006 12:15	Y	DO	Dissolved oxygen	170	ug/L	[NULL]	[NULL]	[NULL]	S	B1KJ06	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-132	8/28/2006 12:15	Y	EH	Oxidation Reduction Potential	-173	mV	[NULL]	[NULL]	[NULL]	S	B1KJ06	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-132	8/28/2006 12:15	Y	CONDUCT	Specific Conductance	1131	uS/cm	[NULL]	[NULL]	[NULL]	S	B1KJ06	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-132	8/28/2006 12:15	Y	10098-97-2	Strontium-90	2500	pCi/L	[NULL]	[NULL]	[NULL]	S	B1KJ06	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-132	8/28/2006 12:15	Y	TEMPERATURE	Temperature	18.51	Deg C	[NULL]	[NULL]	[NULL]	S	B1KJ06	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-132	8/28/2006 12:15	Y	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	S	B1KJ06	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-132	9/12/2006 14:23	Y	10098-97-2	Strontium-90	3500	pCi/L	[NULL]	[NULL]	[NULL]	S	B1KKF8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-132	9/25/2006 14:34	Y	10098-97-2	Strontium-90	4200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1KKH8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-132	10/9/2006 14:52	Y	10098-97-2	Strontium-90	3600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1KWH2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-132	10/23/2006 2:40	Y	7429-90-5	Aluminum	534	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX76	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/23/2006 2:40	Y	7440-36-0	Antimony	72	ug/L	U	[NULL]	[NULL]	S	B1KX76	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/23/2006 2:40	Y	7440-38-2	Arsenic	79	ug/L	U	[NULL]	[NULL]	S	B1KX76	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/23/2006 2:40	Y	7440-39-3	Barium	132	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX76	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/23/2006 2:40	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	S	B1KX76	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/23/2006 2:40	Y	7440-70-2	Calcium	91600	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX76	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/23/2006 2:40	Y	16887-00-6	Chloride	13100	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX76	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	10/23/2006 2:40	Y	7440-47-3	Chromium	7	ug/L	U	[NULL]	[NULL]	S	B1KX76	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/23/2006 2:40	Y	7440-48-4	Cobalt	7	ug/L	U	[NULL]	[NULL]	S	B1KX76	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/23/2006 2:40	Y	7440-50-8	Copper	7	ug/L	U	[NULL]	[NULL]	S	B1KX76	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/23/2006 2:40	Y	16984-48-8	Fluoride	13	ug/L	U	[NULL]	[NULL]	S	B1KX76	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	10/23/2006 2:40	Y	7439-89-6	Iron	549	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX76	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/23/2006 2:40	Y	7439-92-1	Lead	47	ug/L	U	[NULL]	[NULL]	S	B1KX76	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/23/2006 2:40	Y	7439-95-4	Magnesium	17200	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX76	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/23/2006 2:40	Y	7439-96-5	Manganese	3500	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX76	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/23/2006 2:40	Y	7439-98-7	Molybdenum	11	ug/L	U	[NULL]	[NULL]	S	B1KX76	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/23/2006 2:40	Y	7440-02-0	Nickel	5	ug/L	U	[NULL]	[NULL]	S	B1KX76	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/23/2006 2:40	Y	14797-55-8	Nitrate	3070	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX76	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	10/23/2006 2:40	Y	14797-65-0	Nitrite	151	ug/L	U	[NULL]	[NULL]	S	B1KX76	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	10/23/2006 2:40	Y	14265-44-2	Phosphate	270	ug/L	U	[NULL]	[NULL]	S	B1KX76	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	10/23/2006 2:40	Y	7440-09-7	Potassium	3880	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX76	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/23/2006 2:40	Y	7440-22-4	Silver	11	ug/L	UX	[NULL]	[NULL]	S	B1KX76	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/23/2006 2:40	Y	7440-23-5	Sodium	37200	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX76	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-132	10/23/2006 2:40	Y	7440-24-6	Strontium	332	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX76	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/23/2006 2:40	Y	10098-97-2	Strontium-90	3800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1KX76	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-132	10/23/2006 2:40	Y	14808-79-8	Sulfate	14700	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX76	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	10/23/2006 2:40	Y	7440-62-2	Vanadium	14	ug/L	U	[NULL]	[NULL]	S	B1KX76	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/23/2006 2:40	Y	7440-66-6	Zinc	23.2	ug/L	[NULL]	[NULL]	[NULL]	S	B1KX76	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/8/2006 14:45	Y	10098-97-2	Strontium-90	3900	pCi/L	[NULL]	[NULL]	[NULL]	S	B1L9Y3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-132	2/15/2007 15:45	Y	10098-97-2	Strontium-90	2500	pCi/L	[NULL]	[NULL]	[NULL]	S	B1LBN9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-132	5/11/2007 11:32	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NHJ0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	5/11/2007 11:32	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NHJ0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	5/11/2007 11:32	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NHJ0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	5/11/2007 11:32	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NHJ0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	5/11/2007 11:32	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NHJ0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	5/11/2007 11:32	Y	7440-70-2	Calcium	57800	ug/L	D	[NULL]	[NULL]	S	B1NHJ0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	5/11/2007 11:32	Y	16887-00-6	Chloride	52000	ug/L	D	[NULL]	[NULL]	S	B1NHJ0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	5/11/2007 11:32	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NHJ0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	5/11/2007 11:32	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NHJ0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	5/11/2007 11:32	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NHJ0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	5/11/2007 11:32	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NHJ0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	5/11/2007 11:32	Y	7439-89-6	Iron	518	ug/L	D	[NULL]	[NULL]	S	B1NHJ0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	5/11/2007 11:32	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NHJ0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	5/11/2007 11:32	Y	7439-95-4	Magnesium	11400	ug/L	D	[NULL]	[NULL]	S	B1NHJ0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	5/11/2007 11:32	Y	7439-96-5	Manganese	1280	ug/L	D	[NULL]	[NULL]	S	B1NHJ0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	5/11/2007 11:32	Y	7439-98-7	Molybdenum	27	ug/L	D	[NULL]	[NULL]	S	B1NHJ0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	5/11/2007 11:32	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NHJ0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	5/11/2007 11:32	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NHJ0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	5/11/2007 11:32	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NHJ0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	5/11/2007 11:32	Y	14265-44-2	Phosphate	67100	ug/L	D	[NULL]	[NULL]	S	B1NHJ0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	5/11/2007 11:32	Y	7440-09-7	Potassium	3250	ug/L	D	[NULL]	[NULL]	S	B1NHJ0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	5/11/2007 11:32	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NHJ0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	5/11/2007 11:32	Y	7440-23-5	Sodium	201000	ug/L	D	[NULL]	[NULL]	S	B1NHJ0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	5/11/2007 11:32	Y	7440-24-6	Strontium	172	ug/L	D	[NULL]	[NULL]	S	B1NHJ0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	5/11/2007 11:32	Y	10098-97-2	Strontium-90	1200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NHJ0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-132	5/11/2007 11:32	Y	14808-79-8	Sulfate	275	ug/L	DU	[NULL]	[NULL]	S	B1NHJ0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	5/11/2007 11:32	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NHJ0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	5/11/2007 11:32	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NHJ0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2007 20:50	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVH0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2007 20:50	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVH0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2007 20:50	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVH0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2007 20:50	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2007 20:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2007 20:50	Y	7440-70-2	Calcium	47100	ug/L	D	[NULL]	[NULL]	S	B1NVH0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2007 20:50	Y	16887-00-6	Chloride	60700	ug/L	D	[NULL]	[NULL]	S	B1NVH0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/11/2007 20:50	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2007 20:50	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2007 20:50	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2007 20:50	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NVH0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/11/2007 20:50	Y	7439-89-6	Iron	565	ug/L	D	[NULL]	[NULL]	S	B1NVH0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2007 20:50	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVH0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2007 20:50	Y	7439-95-4	Magnesium	12100	ug/L	D	[NULL]	[NULL]	S	B1NVH0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2007 20:50	Y	7439-96-5	Manganese	1320	ug/L	D	[NULL]	[NULL]	S	B1NVH0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2007 20:50	Y	7439-98-7	Molybdenum	25.8	ug/L	CD	[NULL]	[NULL]	S	B1NVH0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2007 20:50	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2007 20:50	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NVH0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/11/2007 20:50	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NVH0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/11/2007 20:50	Y	14265-44-2	Phosphate	350000	ug/L	D	[NULL]	[NULL]	S	B1NVH0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-132	6/11/2007 20:50	Y	7440-09-7	Potassium	3930	ug/L	D	[NULL]	[NULL]	S	B1NVH0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2007 20:50	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVH0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2007 20:50	Y	7440-23-5	Sodium	319000	ug/L	D	[NULL]	[NULL]	S	B1NVH0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2007 20:50	Y	7440-24-6	Strontium	131	ug/L	D	[NULL]	[NULL]	S	B1NVH0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2007 20:50	Y	10098-97-2	Strontium-90	1300	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVH0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-132	6/11/2007 20:50	Y	14808-79-8	Sulfate	340	ug/L	DU	[NULL]	[NULL]	S	B1NVH0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/11/2007 20:50	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVH0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2007 20:50	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVH0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/12/2007 20:42	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVJ1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/12/2007 20:42	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVJ1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/12/2007 20:42	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVJ1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/12/2007 20:42	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/12/2007 20:42	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/12/2007 20:42	Y	7440-70-2	Calcium	40000	ug/L	D	[NULL]	[NULL]	S	B1NVJ1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/12/2007 20:42	Y	16887-00-6	Chloride	58900	ug/L	D	[NULL]	[NULL]	S	B1NVJ1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/12/2007 20:42	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/12/2007 20:42	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/12/2007 20:42	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/12/2007 20:42	Y	16984-48-8	Fluoride	33	ug/L	DNU	[NULL]	[NULL]	S	B1NVJ1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/12/2007 20:42	Y	7439-89-6	Iron	980	ug/L	D	[NULL]	[NULL]	S	B1NVJ1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/12/2007 20:42	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVJ1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/12/2007 20:42	Y	7439-95-4	Magnesium	10100	ug/L	D	[NULL]	[NULL]	S	B1NVJ1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/12/2007 20:42	Y	7439-96-5	Manganese	1190	ug/L	D	[NULL]	[NULL]	S	B1NVJ1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/12/2007 20:42	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/12/2007 20:42	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/12/2007 20:42	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVJ1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/12/2007 20:42	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVJ1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/12/2007 20:42	Y	14265-44-2	Phosphate	292000	ug/L	D	[NULL]	[NULL]	S	B1NVJ1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/12/2007 20:42	Y	7440-09-7	Potassium	3630	ug/L	D	[NULL]	[NULL]	S	B1NVJ1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/12/2007 20:42	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVJ1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/12/2007 20:42	Y	7440-23-5	Sodium	272000	ug/L	D	[NULL]	[NULL]	S	B1NVJ1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/12/2007 20:42	Y	7440-24-6	Strontium	123	ug/L	D	[NULL]	[NULL]	S	B1NVJ1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/12/2007 20:42	Y	10098-97-2	Strontium-90	1100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVJ1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-132	6/12/2007 20:42	Y	14808-79-8	Sulfate	275	ug/L	DU	[NULL]	[NULL]	S	B1NVJ1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/12/2007 20:42	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVJ1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/12/2007 20:42	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2007 15:10	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVK2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2007 15:10	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVK2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2007 15:10	Y	7440-38-2	Arsenic	255	ug/L	D	[NULL]	[NULL]	S	B1NVK2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2007 15:10	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2007 15:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2007 15:10	Y	7440-70-2	Calcium	42800	ug/L	D	[NULL]	[NULL]	S	B1NVK2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2007 15:10	Y	16887-00-6	Chloride	60600	ug/L	D	[NULL]	[NULL]	S	B1NVK2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/13/2007 15:10	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2007 15:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2007 15:10	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2007 15:10	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVK2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/13/2007 15:10	Y	7439-89-6	Iron	1060	ug/L	D	[NULL]	[NULL]	S	B1NVK2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2007 15:10	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVK2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2007 15:10	Y	7439-95-4	Magnesium	11000	ug/L	D	[NULL]	[NULL]	S	B1NVK2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2007 15:10	Y	7439-96-5	Manganese	1280	ug/L	D	[NULL]	[NULL]	S	B1NVK2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2007 15:10	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2007 15:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2007 15:10	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVK2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/13/2007 15:10	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVK2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-132	6/13/2007 15:10	Y	14265-44-2	Phosphate	313000	ug/L	D	[NULL]	[NULL]	S	B1NVK2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/13/2007 15:10	Y	7440-09-7	Potassium	4170	ug/L	D	[NULL]	[NULL]	S	B1NVK2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2007 15:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVK2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2007 15:10	Y	7440-23-5	Sodium	307000	ug/L	D	[NULL]	[NULL]	S	B1NVK2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2007 15:10	Y	7440-24-6	Strontium	124	ug/L	D	[NULL]	[NULL]	S	B1NVK2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2007 15:10	Y	10098-97-2	Strontium-90	840	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVK2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-132	6/13/2007 15:10	Y	14808-79-8	Sulfate	275	ug/L	DU	[NULL]	[NULL]	S	B1NVK2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/13/2007 15:10	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVK2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2007 15:10	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2007 19:55	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVL3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2007 19:55	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVL3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2007 19:55	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVL3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2007 19:55	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2007 19:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2007 19:55	Y	7440-70-2	Calcium	45700	ug/L	D	[NULL]	[NULL]	S	B1NVL3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2007 19:55	Y	16887-00-6	Chloride	58100	ug/L	D	[NULL]	[NULL]	S	B1NVL3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/14/2007 19:55	Y	7440-47-3	Chromium	21.4	ug/L	D	[NULL]	[NULL]	S	B1NVL3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2007 19:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2007 19:55	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2007 19:55	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVL3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/14/2007 19:55	Y	7439-89-6	Iron	1110	ug/L	CD	[NULL]	[NULL]	S	B1NVL3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2007 19:55	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVL3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2007 19:55	Y	7439-95-4	Magnesium	10700	ug/L	D	[NULL]	[NULL]	S	B1NVL3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2007 19:55	Y	7439-96-5	Manganese	1210	ug/L	D	[NULL]	[NULL]	S	B1NVL3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2007 19:55	Y	7439-98-7	Molybdenum	23.1	ug/L	D	[NULL]	[NULL]	S	B1NVL3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2007 19:55	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2007 19:55	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVL3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/14/2007 19:55	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVL3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/14/2007 19:55	Y	14265-44-2	Phosphate	271000	ug/L	D	[NULL]	[NULL]	S	B1NVL3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/14/2007 19:55	Y	7440-09-7	Potassium	3880	ug/L	D	[NULL]	[NULL]	S	B1NVL3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2007 19:55	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVL3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2007 19:55	Y	7440-23-5	Sodium	282000	ug/L	D	[NULL]	[NULL]	S	B1NVL3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2007 19:55	Y	7440-24-6	Strontium	118	ug/L	D	[NULL]	[NULL]	S	B1NVL3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2007 19:55	Y	10098-97-2	Strontium-90	810	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVL3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-132	6/14/2007 19:55	Y	14808-79-8	Sulfate	130	ug/L	DU	[NULL]	[NULL]	S	B1NVL3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/14/2007 19:55	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVL3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2007 19:55	Y	7440-66-6	Zinc	142	ug/L	D	[NULL]	[NULL]	S	B1NVL3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/15/2007 9:30	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVP0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/15/2007 9:30	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVP0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/15/2007 9:30	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVP0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/15/2007 9:30	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/15/2007 9:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/15/2007 9:30	Y	7440-70-2	Calcium	41400	ug/L	D	[NULL]	[NULL]	S	B1NVP0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/15/2007 9:30	Y	16887-00-6	Chloride	58800	ug/L	D	[NULL]	[NULL]	S	B1NVP0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/15/2007 9:30	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/15/2007 9:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/15/2007 9:30	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/15/2007 9:30	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVP0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/15/2007 9:30	Y	7439-89-6	Iron	821	ug/L	D	[NULL]	[NULL]	S	B1NVP0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/15/2007 9:30	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVP0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/15/2007 9:30	Y	7439-95-4	Magnesium	10200	ug/L	D	[NULL]	[NULL]	S	B1NVP0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/15/2007 9:30	Y	7439-96-5	Manganese	1090	ug/L	D	[NULL]	[NULL]	S	B1NVP0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/15/2007 9:30	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/15/2007 9:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/15/2007 9:30	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVP0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-132	6/15/2007 9:30	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVP0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/15/2007 9:30	Y	14265-44-2	Phosphate	266000	ug/L	D	[NULL]	[NULL]	S	B1NVP0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/15/2007 9:30	Y	7440-09-7	Potassium	3580	ug/L	D	[NULL]	[NULL]	S	B1NVP0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/15/2007 9:30	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NVP0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/15/2007 9:30	Y	7440-23-5	Sodium	274000	ug/L	D	[NULL]	[NULL]	S	B1NVP0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/15/2007 9:30	Y	7440-24-6	Strontium	116	ug/L	D	[NULL]	[NULL]	S	B1NVP0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/15/2007 9:30	Y	10098-97-2	Strontium-90	900	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVP0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-132	6/15/2007 9:30	Y	14808-79-8	Sulfate	202	ug/L	BD	[NULL]	[NULL]	S	B1NVP0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/15/2007 9:30	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVP0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/15/2007 9:30	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVP0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2007 7:15	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVR1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2007 7:15	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVR1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2007 7:15	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVR1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2007 7:15	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2007 7:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2007 7:15	Y	7440-70-2	Calcium	45200	ug/L	D	[NULL]	[NULL]	S	B1NVR1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2007 7:15	Y	16887-00-6	Chloride	58800	ug/L	D	[NULL]	[NULL]	S	B1NVR1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/16/2007 7:15	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2007 7:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2007 7:15	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2007 7:15	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVR1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/16/2007 7:15	Y	7439-89-6	Iron	974	ug/L	D	[NULL]	[NULL]	S	B1NVR1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2007 7:15	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVR1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2007 7:15	Y	7439-95-4	Magnesium	11200	ug/L	D	[NULL]	[NULL]	S	B1NVR1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2007 7:15	Y	7439-96-5	Manganese	1210	ug/L	D	[NULL]	[NULL]	S	B1NVR1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2007 7:15	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2007 7:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2007 7:15	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVR1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/16/2007 7:15	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVR1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/16/2007 7:15	Y	14265-44-2	Phosphate	223000	ug/L	D	[NULL]	[NULL]	S	B1NVR1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/16/2007 7:15	Y	7440-09-7	Potassium	3620	ug/L	D	[NULL]	[NULL]	S	B1NVR1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2007 7:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVR1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2007 7:15	Y	7440-23-5	Sodium	276000	ug/L	D	[NULL]	[NULL]	S	B1NVR1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2007 7:15	Y	7440-24-6	Strontium	132	ug/L	D	[NULL]	[NULL]	S	B1NVR1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2007 7:15	Y	10098-97-2	Strontium-90	1100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVR1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-132	6/16/2007 7:15	Y	14808-79-8	Sulfate	275	ug/L	DU	[NULL]	[NULL]	S	B1NVR1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/16/2007 7:15	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVR1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2007 7:15	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/17/2007 8:40	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVV4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/17/2007 8:40	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVV4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/17/2007 8:40	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVV4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/17/2007 8:40	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/17/2007 8:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/17/2007 8:40	Y	7440-70-2	Calcium	43000	ug/L	D	[NULL]	[NULL]	S	B1NVV4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/17/2007 8:40	Y	16887-00-6	Chloride	57600	ug/L	D	[NULL]	[NULL]	S	B1NVV4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/17/2007 8:40	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/17/2007 8:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/17/2007 8:40	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/17/2007 8:40	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NVV4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/17/2007 8:40	Y	7439-89-6	Iron	1050	ug/L	D	[NULL]	[NULL]	S	B1NVV4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/17/2007 8:40	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVV4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/17/2007 8:40	Y	7439-95-4	Magnesium	10600	ug/L	D	[NULL]	[NULL]	S	B1NVV4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/17/2007 8:40	Y	7439-96-5	Manganese	1230	ug/L	D	[NULL]	[NULL]	S	B1NVV4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/17/2007 8:40	Y	7439-98-7	Molybdenum	29.5	ug/L	CD	[NULL]	[NULL]	S	B1NVV4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/17/2007 8:40	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-132	6/17/2007 8:40	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1NVV4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/17/2007 8:40	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1NVV4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/17/2007 8:40	Y	14265-44-2	Phosphate	250000	ug/L	D	[NULL]	[NULL]	S	B1NVV4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/17/2007 8:40	Y	7440-09-7	Potassium	3570	ug/L	D	[NULL]	[NULL]	S	B1NVV4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/17/2007 8:40	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVV4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/17/2007 8:40	Y	7440-23-5	Sodium	303000	ug/L	D	[NULL]	[NULL]	S	B1NVV4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/17/2007 8:40	Y	7440-24-6	Strontium	125	ug/L	D	[NULL]	[NULL]	S	B1NVV4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/17/2007 8:40	Y	10098-97-2	Strontium-90	850	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVV4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-132	6/17/2007 8:40	Y	14808-79-8	Sulfate	350	ug/L	DU	[NULL]	[NULL]	S	B1NVV4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/17/2007 8:40	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVV4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/17/2007 8:40	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2007 16:23	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVW5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2007 16:23	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVW5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2007 16:23	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVW5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2007 16:23	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2007 16:23	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2007 16:23	Y	7440-70-2	Calcium	39100	ug/L	D	[NULL]	[NULL]	S	B1NVW5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2007 16:23	Y	16887-00-6	Chloride	54200	ug/L	D	[NULL]	[NULL]	S	B1NVW5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/18/2007 16:23	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2007 16:23	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2007 16:23	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2007 16:23	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NVW5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/18/2007 16:23	Y	7439-89-6	Iron	964	ug/L	D	[NULL]	[NULL]	S	B1NVW5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2007 16:23	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVW5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2007 16:23	Y	7439-95-4	Magnesium	9210	ug/L	D	[NULL]	[NULL]	S	B1NVW5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2007 16:23	Y	7439-96-5	Manganese	1110	ug/L	D	[NULL]	[NULL]	S	B1NVW5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2007 16:23	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2007 16:23	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2007 16:23	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1NVW5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/18/2007 16:23	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1NVW5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/18/2007 16:23	Y	14265-44-2	Phosphate	206000	ug/L	DN	[NULL]	[NULL]	S	B1NVW5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/18/2007 16:23	Y	7440-09-7	Potassium	3530	ug/L	D	[NULL]	[NULL]	S	B1NVW5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2007 16:23	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVW5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2007 16:23	Y	7440-23-5	Sodium	280000	ug/L	D	[NULL]	[NULL]	S	B1NVW5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2007 16:23	Y	7440-24-6	Strontium	112	ug/L	D	[NULL]	[NULL]	S	B1NVW5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2007 16:23	Y	10098-97-2	Strontium-90	840	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVW5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-132	6/18/2007 16:23	Y	14808-79-8	Sulfate	350	ug/L	DU	[NULL]	[NULL]	S	B1NVW5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/18/2007 16:23	Y	7440-62-2	Vanadium	37	ug/L	CD	[NULL]	[NULL]	S	B1NVW5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2007 16:23	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/20/2007 8:41	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVY8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/20/2007 8:41	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVY8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/20/2007 8:41	Y	7440-38-2	Arsenic	259	ug/L	D	[NULL]	[NULL]	S	B1NVY8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/20/2007 8:41	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/20/2007 8:41	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/20/2007 8:41	Y	7440-70-2	Calcium	41100	ug/L	D	[NULL]	[NULL]	S	B1NVY8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/20/2007 8:41	Y	16887-00-6	Chloride	52200	ug/L	D	[NULL]	[NULL]	S	B1NVY8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/20/2007 8:41	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/20/2007 8:41	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/20/2007 8:41	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/20/2007 8:41	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NVY8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/20/2007 8:41	Y	7439-89-6	Iron	740	ug/L	D	[NULL]	[NULL]	S	B1NVY8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/20/2007 8:41	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVY8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/20/2007 8:41	Y	7439-95-4	Magnesium	9810	ug/L	D	[NULL]	[NULL]	S	B1NVY8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/20/2007 8:41	Y	7439-96-5	Manganese	1070	ug/L	D	[NULL]	[NULL]	S	B1NVY8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/20/2007 8:41	Y	7439-98-7	Molybdenum	64.3	ug/L	CD	[NULL]	[NULL]	S	B1NVY8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-132	6/20/2007 8:41	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/20/2007 8:41	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NVY8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/20/2007 8:41	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NVY8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/20/2007 8:41	Y	14265-44-2	Phosphate	170000	ug/L	D	[NULL]	[NULL]	S	B1NVY8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/20/2007 8:41	Y	7440-09-7	Potassium	3560	ug/L	D	[NULL]	[NULL]	S	B1NVY8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/20/2007 8:41	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVY8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/20/2007 8:41	Y	7440-23-5	Sodium	260000	ug/L	D	[NULL]	[NULL]	S	B1NVY8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/20/2007 8:41	Y	7440-24-6	Strontium	120	ug/L	D	[NULL]	[NULL]	S	B1NVY8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/20/2007 8:41	Y	10098-97-2	Strontium-90	700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVY8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-132	6/20/2007 8:41	Y	14808-79-8	Sulfate	340	ug/L	DU	[NULL]	[NULL]	S	B1NVY8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/20/2007 8:41	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVY8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/20/2007 8:41	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/22/2007 8:55	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NW24	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/22/2007 8:55	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NW24	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/22/2007 8:55	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NW24	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/22/2007 8:55	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW24	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/22/2007 8:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW24	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/22/2007 8:55	Y	7440-70-2	Calcium	40700	ug/L	D	[NULL]	[NULL]	S	B1NW24	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/22/2007 8:55	Y	16887-00-6	Chloride	56100	ug/L	D	[NULL]	[NULL]	S	B1NW24	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/22/2007 8:55	Y	7440-47-3	Chromium	24.2	ug/L	D	[NULL]	[NULL]	S	B1NW24	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/22/2007 8:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NW24	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/22/2007 8:55	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NW24	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/22/2007 8:55	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NW24	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/22/2007 8:55	Y	7439-89-6	Iron	859	ug/L	D	[NULL]	[NULL]	S	B1NW24	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/22/2007 8:55	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NW24	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/22/2007 8:55	Y	7439-95-4	Magnesium	9770	ug/L	D	[NULL]	[NULL]	S	B1NW24	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/22/2007 8:55	Y	7439-96-5	Manganese	1130	ug/L	D	[NULL]	[NULL]	S	B1NW24	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/22/2007 8:55	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NW24	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/22/2007 8:55	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NW24	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/22/2007 8:55	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1NW24	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/22/2007 8:55	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1NW24	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/22/2007 8:55	Y	14265-44-2	Phosphate	178000	ug/L	D	[NULL]	[NULL]	S	B1NW24	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/22/2007 8:55	Y	7440-09-7	Potassium	3540	ug/L	D	[NULL]	[NULL]	S	B1NW24	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/22/2007 8:55	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NW24	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/22/2007 8:55	Y	7440-23-5	Sodium	257000	ug/L	D	[NULL]	[NULL]	S	B1NW24	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/22/2007 8:55	Y	7440-24-6	Strontium	125	ug/L	D	[NULL]	[NULL]	S	B1NW24	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/22/2007 8:55	Y	10098-97-2	Strontium-90	1200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NW24	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-132	6/22/2007 8:55	Y	14808-79-8	Sulfate	350	ug/L	DU	[NULL]	[NULL]	S	B1NW24	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/22/2007 8:55	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NW24	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/22/2007 8:55	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NW24	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2007 10:26	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P375	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2007 10:26	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P375	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2007 10:26	Y	7440-38-2	Arsenic	324	ug/L	D	[NULL]	[NULL]	S	B1P375	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2007 10:26	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1P375	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2007 10:26	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P375	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2007 10:26	Y	7440-70-2	Calcium	35700	ug/L	D	[NULL]	[NULL]	S	B1P375	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2007 10:26	Y	16887-00-6	Chloride	54100	ug/L	D	[NULL]	[NULL]	S	B1P375	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/29/2007 10:26	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P375	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2007 10:26	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P375	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2007 10:26	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P375	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2007 10:26	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P375	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/29/2007 10:26	Y	7439-89-6	Iron	1010	ug/L	CD	[NULL]	[NULL]	S	B1P375	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2007 10:26	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P375	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2007 10:26	Y	7439-95-4	Magnesium	8230	ug/L	D	[NULL]	[NULL]	S	B1P375	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2007 10:26	Y	7439-96-5	Manganese	979	ug/L	D	[NULL]	[NULL]	S	B1P375	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-132	6/29/2007 10:26	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1P375	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2007 10:26	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P375	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2007 10:26	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1P375	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/29/2007 10:26	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P375	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/29/2007 10:26	Y	14265-44-2	Phosphate	128000	ug/L	D	[NULL]	[NULL]	S	B1P375	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/29/2007 10:26	Y	7440-09-7	Potassium	3130	ug/L	D	[NULL]	[NULL]	S	B1P375	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2007 10:26	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P375	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2007 10:26	Y	7440-23-5	Sodium	219000	ug/L	D	[NULL]	[NULL]	S	B1P375	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2007 10:26	Y	7440-24-6	Strontium	110	ug/L	D	[NULL]	[NULL]	S	B1P375	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2007 10:26	Y	10098-97-2	Strontium-90	780	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P375	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-132	6/29/2007 10:26	Y	14808-79-8	Sulfate	350	ug/L	DU	[NULL]	[NULL]	S	B1P375	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/29/2007 10:26	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P375	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2007 10:26	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P375	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2007 10:10	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P398	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2007 10:10	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P398	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2007 10:10	Y	7440-38-2	Arsenic	348	ug/L	D	[NULL]	[NULL]	S	B1P398	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2007 10:10	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1P398	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2007 10:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P398	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2007 10:10	Y	7440-70-2	Calcium	40200	ug/L	D	[NULL]	[NULL]	S	B1P398	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2007 10:10	Y	16887-00-6	Chloride	42600	ug/L	D	[NULL]	[NULL]	S	B1P398	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/8/2007 10:10	Y	7440-47-3	Chromium	21.7	ug/L	CD	[NULL]	[NULL]	S	B1P398	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2007 10:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P398	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2007 10:10	Y	7440-50-8	Copper	26	ug/L	D	[NULL]	[NULL]	S	B1P398	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2007 10:10	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P398	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/8/2007 10:10	Y	7439-89-6	Iron	906	ug/L	D	[NULL]	[NULL]	S	B1P398	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2007 10:10	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P398	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2007 10:10	Y	7439-95-4	Magnesium	8580	ug/L	D	[NULL]	[NULL]	S	B1P398	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2007 10:10	Y	7439-96-5	Manganese	1040	ug/L	D	[NULL]	[NULL]	S	B1P398	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2007 10:10	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1P398	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2007 10:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P398	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2007 10:10	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1P398	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/8/2007 10:10	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P398	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/8/2007 10:10	Y	14265-44-2	Phosphate	103000	ug/L	D	[NULL]	[NULL]	S	B1P398	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/8/2007 10:10	Y	7440-09-7	Potassium	3850	ug/L	D	[NULL]	[NULL]	S	B1P398	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2007 10:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P398	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2007 10:10	Y	7440-23-5	Sodium	209000	ug/L	D	[NULL]	[NULL]	S	B1P398	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2007 10:10	Y	7440-24-6	Strontium	124	ug/L	D	[NULL]	[NULL]	S	B1P398	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2007 10:10	Y	10098-97-2	Strontium-90	680	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P398	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-132	7/8/2007 10:10	Y	14808-79-8	Sulfate	350	ug/L	DU	[NULL]	[NULL]	S	B1P398	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/8/2007 10:10	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P398	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2007 10:10	Y	7440-66-6	Zinc	24.5	ug/L	D	[NULL]	[NULL]	S	B1P398	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/13/2007 12:30	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P3D1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/13/2007 12:30	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P3D1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/13/2007 12:30	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P3D1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/13/2007 12:30	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/13/2007 12:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/13/2007 12:30	Y	7440-70-2	Calcium	34300	ug/L	D	[NULL]	[NULL]	S	B1P3D1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/13/2007 12:30	Y	16887-00-6	Chloride	29100	ug/L	D	[NULL]	[NULL]	S	B1P3D1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/13/2007 12:30	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/13/2007 12:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/13/2007 12:30	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/13/2007 12:30	Y	16984-48-8	Fluoride	70	ug/L	BD	[NULL]	[NULL]	S	B1P3D1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/13/2007 12:30	Y	7439-89-6	Iron	845	ug/L	CD	[NULL]	[NULL]	S	B1P3D1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/13/2007 12:30	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P3D1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/13/2007 12:30	Y	7439-95-4	Magnesium	7630	ug/L	D	[NULL]	[NULL]	S	B1P3D1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-132	7/13/2007 12:30	Y	7439-96-5	Manganese	942	ug/L	D	[NULL]	[NULL]	S	B1P3D1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/13/2007 12:30	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/13/2007 12:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/13/2007 12:30	Y	14797-55-8	Nitrate	288	ug/L	BD	[NULL]	[NULL]	S	B1P3D1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/13/2007 12:30	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P3D1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/13/2007 12:30	Y	14265-44-2	Phosphate	106000	ug/L	D	[NULL]	[NULL]	S	B1P3D1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/13/2007 12:30	Y	7440-09-7	Potassium	3130	ug/L	D	[NULL]	[NULL]	S	B1P3D1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/13/2007 12:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P3D1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/13/2007 12:30	Y	7440-23-5	Sodium	206000	ug/L	D	[NULL]	[NULL]	S	B1P3D1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/13/2007 12:30	Y	7440-24-6	Strontium	105	ug/L	D	[NULL]	[NULL]	S	B1P3D1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/13/2007 12:30	Y	10098-97-2	Strontium-90	880	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P3D1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-132	7/13/2007 12:30	Y	14808-79-8	Sulfate	350	ug/L	DU	[NULL]	[NULL]	S	B1P3D1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/13/2007 12:30	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P3D1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/13/2007 12:30	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/23/2007 11:20	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1PCR7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/23/2007 11:20	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1PCR7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/23/2007 11:20	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1PCR7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/23/2007 11:20	Y	7440-39-3	Barium	35	ug/L	CD	[NULL]	[NULL]	S	B1PCR7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/23/2007 11:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/23/2007 11:20	Y	7440-70-2	Calcium	50100	ug/L	D	[NULL]	[NULL]	S	B1PCR7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/23/2007 11:20	Y	16887-00-6	Chloride	48300	ug/L	D	[NULL]	[NULL]	S	B1PCR7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	8/23/2007 11:20	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/23/2007 11:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/23/2007 11:20	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/23/2007 11:20	Y	16984-48-8	Fluoride	73	ug/L	BD	[NULL]	[NULL]	S	B1PCR7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	8/23/2007 11:20	Y	7439-89-6	Iron	560	ug/L	CD	[NULL]	[NULL]	S	B1PCR7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/23/2007 11:20	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1PCR7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/23/2007 11:20	Y	7439-95-4	Magnesium	10400	ug/L	D	[NULL]	[NULL]	S	B1PCR7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/23/2007 11:20	Y	7439-96-5	Manganese	1140	ug/L	D	[NULL]	[NULL]	S	B1PCR7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/23/2007 11:20	Y	7439-98-7	Molybdenum	49.2	ug/L	CD	[NULL]	[NULL]	S	B1PCR7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/23/2007 11:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1PCR7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/23/2007 11:20	Y	14797-55-8	Nitrate	956	ug/L	BD	[NULL]	[NULL]	S	B1PCR7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	8/23/2007 11:20	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1PCR7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	8/23/2007 11:20	Y	14265-44-2	Phosphate	54300	ug/L	D	[NULL]	[NULL]	S	B1PCR7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	8/23/2007 11:20	Y	7440-09-7	Potassium	3840	ug/L	D	[NULL]	[NULL]	S	B1PCR7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/23/2007 11:20	Y	7440-22-4	Silver	162	ug/L	CD	[NULL]	[NULL]	S	B1PCR7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/23/2007 11:20	Y	7440-23-5	Sodium	206000	ug/L	D	[NULL]	[NULL]	S	B1PCR7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/23/2007 11:20	Y	7440-24-6	Strontium	152	ug/L	D	[NULL]	[NULL]	S	B1PCR7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/23/2007 11:20	Y	10098-97-2	Strontium-90	1300	pCi/L	[NULL]	[NULL]	[NULL]	S	B1PCR7	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-132	8/23/2007 11:20	Y	14808-79-8	Sulfate	496	ug/L	BD	[NULL]	[NULL]	S	B1PCR7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	8/23/2007 11:20	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1PCR7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/23/2007 11:20	Y	7440-66-6	Zinc	90.6	ug/L	CD	[NULL]	[NULL]	S	B1PCR7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/19/2007 10:33	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1PMR6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/19/2007 10:33	Y	7440-36-0	Antimony	32	ug/L	U	G	[NULL]	S	B1PMR6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/19/2007 10:33	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1PMR6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/19/2007 10:33	Y	7440-39-3	Barium	29.8	ug/L	[NULL]	G	[NULL]	S	B1PMR6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/19/2007 10:33	Y	7440-43-9	Cadmium	4	ug/L	U	G	[NULL]	S	B1PMR6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/19/2007 10:33	Y	7440-70-2	Calcium	57400	ug/L	D	[NULL]	[NULL]	S	B1PMR6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/19/2007 10:33	Y	16887-00-6	Chloride	67000	ug/L	D	[NULL]	[NULL]	S	B1PMR6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	9/19/2007 10:33	Y	7440-47-3	Chromium	4	ug/L	U	G	[NULL]	S	B1PMR6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/19/2007 10:33	Y	7440-48-4	Cobalt	4	ug/L	U	G	[NULL]	S	B1PMR6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/19/2007 10:33	Y	7440-50-8	Copper	4	ug/L	U	G	[NULL]	S	B1PMR6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/19/2007 10:33	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1PMR6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	9/19/2007 10:33	Y	7439-89-6	Iron	637	ug/L	D	[NULL]	[NULL]	S	B1PMR6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/19/2007 10:33	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1PMR6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-132	9/19/2007 10:33	Y	7439-95-4	Magnesium	11600	ug/L	D	[NULL]	[NULL]	S	B1PMR6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/19/2007 10:33	Y	7439-96-5	Manganese	1500	ug/L	D	[NULL]	[NULL]	S	B1PMR6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/19/2007 10:33	Y	7439-98-7	Molybdenum	89.3	ug/L	CD	[NULL]	[NULL]	S	B1PMR6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/19/2007 10:33	Y	7440-02-0	Nickel	4	ug/L	U	G	[NULL]	S	B1PMR6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/19/2007 10:33	Y	14797-55-8	Nitrate	416	ug/L	BD	[NULL]	[NULL]	S	B1PMR6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	9/19/2007 10:33	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1PMR6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	9/19/2007 10:33	Y	14265-44-2	Phosphate	27500	ug/L	D	[NULL]	[NULL]	S	B1PMR6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	9/19/2007 10:33	Y	7440-09-7	Potassium	4060	ug/L	D	[NULL]	[NULL]	S	B1PMR6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/19/2007 10:33	Y	7440-22-4	Silver	5	ug/L	U	G	[NULL]	S	B1PMR6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/19/2007 10:33	Y	7440-23-5	Sodium	190000	ug/L	D	[NULL]	[NULL]	S	B1PMR6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/19/2007 10:33	Y	7440-24-6	Strontium	173	ug/L	D	[NULL]	[NULL]	S	B1PMR6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/19/2007 10:33	Y	10098-97-2	Strontium-90	1700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1PMR6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-132	9/19/2007 10:33	Y	14808-79-8	Sulfate	3260	ug/L	BD	[NULL]	[NULL]	S	B1PMR6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	9/19/2007 10:33	Y	7440-62-2	Vanadium	7.1	ug/L	C	G	[NULL]	S	B1PMR6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/19/2007 10:33	Y	7440-66-6	Zinc	4	ug/L	U	G	[NULL]	S	B1PMR6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/19/2007 11:55	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1R4M9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/19/2007 11:55	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1R4M9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/19/2007 11:55	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1R4M9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/19/2007 11:55	Y	7440-39-3	Barium	57	ug/L	D	[NULL]	[NULL]	S	B1R4M9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/19/2007 11:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1R4M9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/19/2007 11:55	Y	7440-70-2	Calcium	69100	ug/L	D	[NULL]	[NULL]	S	B1R4M9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/19/2007 11:55	Y	16887-00-6	Chloride	57500	ug/L	D	[NULL]	[NULL]	S	B1R4M9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	10/19/2007 11:55	Y	7440-47-3	Chromium	40.8	ug/L	CD	[NULL]	[NULL]	S	B1R4M9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/19/2007 11:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1R4M9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/19/2007 11:55	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1R4M9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/19/2007 11:55	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1R4M9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	10/19/2007 11:55	Y	7439-89-6	Iron	1220	ug/L	CD	[NULL]	[NULL]	S	B1R4M9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/19/2007 11:55	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1R4M9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/19/2007 11:55	Y	7439-95-4	Magnesium	14700	ug/L	D	[NULL]	[NULL]	S	B1R4M9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/19/2007 11:55	Y	7439-96-5	Manganese	1800	ug/L	D	[NULL]	[NULL]	S	B1R4M9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/19/2007 11:55	Y	7439-98-7	Molybdenum	70.8	ug/L	CD	[NULL]	[NULL]	S	B1R4M9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/19/2007 11:55	Y	7440-02-0	Nickel	24.9	ug/L	CD	[NULL]	[NULL]	S	B1R4M9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/19/2007 11:55	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1R4M9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	10/19/2007 11:55	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1R4M9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	10/19/2007 11:55	Y	14265-44-2	Phosphate	24400	ug/L	D	[NULL]	[NULL]	S	B1R4M9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	10/19/2007 11:55	Y	7440-09-7	Potassium	4150	ug/L	D	[NULL]	[NULL]	S	B1R4M9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/19/2007 11:55	Y	7440-22-4	Silver	90	ug/L	CD	[NULL]	[NULL]	S	B1R4M9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/19/2007 11:55	Y	7440-23-5	Sodium	145000	ug/L	D	[NULL]	[NULL]	S	B1R4M9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/19/2007 11:55	Y	7440-24-6	Strontium	218	ug/L	D	[NULL]	[NULL]	S	B1R4M9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/19/2007 11:55	Y	10098-97-2	Strontium-90	1900	pCi/L	[NULL]	[NULL]	[NULL]	S	B1R4M9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-132	10/19/2007 11:55	Y	14808-79-8	Sulfate	7580	ug/L	D	[NULL]	[NULL]	S	B1R4M9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	10/19/2007 11:55	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1R4M9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/19/2007 11:55	Y	7440-66-6	Zinc	64.6	ug/L	CD	[NULL]	[NULL]	S	B1R4M9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/14/2007 11:00	Y	7429-90-5	Aluminum	30	ug/L	U	[NULL]	[NULL]	S	B1R913	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/14/2007 11:00	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	S	B1R913	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/14/2007 11:00	Y	7440-38-2	Arsenic	72	ug/L	C	[NULL]	[NULL]	S	B1R913	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/14/2007 11:00	Y	7440-39-3	Barium	62	ug/L	C	[NULL]	[NULL]	S	B1R913	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/14/2007 11:00	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1R913	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/14/2007 11:00	Y	7440-70-2	Calcium	93900	ug/L	[NULL]	[NULL]	[NULL]	S	B1R913	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/14/2007 11:00	Y	16887-00-6	Chloride	53300	ug/L	D	[NULL]	[NULL]	S	B1R913	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	11/14/2007 11:00	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	S	B1R913	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/14/2007 11:00	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1R913	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/14/2007 11:00	Y	7440-50-8	Copper	10	ug/L	C	[NULL]	[NULL]	S	B1R913	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/14/2007 11:00	Y	16984-48-8	Fluoride	54	ug/L	BD	[NULL]	[NULL]	S	B1R913	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	11/14/2007 11:00	Y	7439-89-6	Iron	1300	ug/L	[NULL]	[NULL]	[NULL]	S	B1R913	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-132	11/14/2007 11:00	Y	7439-92-1	Lead	27	ug/L	U	[NULL]	[NULL]	S	B1R913	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/14/2007 11:00	Y	7439-95-4	Magnesium	18800	ug/L	[NULL]	[NULL]	[NULL]	S	B1R913	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/14/2007 11:00	Y	7439-96-5	Manganese	2620	ug/L	[NULL]	[NULL]	[NULL]	S	B1R913	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/14/2007 11:00	Y	7439-98-7	Molybdenum	23.2	ug/L	C	[NULL]	[NULL]	S	B1R913	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/14/2007 11:00	Y	7440-02-0	Nickel	13.3	ug/L	C	[NULL]	[NULL]	S	B1R913	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/14/2007 11:00	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1R913	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	11/14/2007 11:00	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1R913	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	11/14/2007 11:00	Y	14265-44-2	Phosphate	17900	ug/L	D	[NULL]	[NULL]	S	B1R913	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	11/14/2007 11:00	Y	7440-09-7	Potassium	4040	ug/L	[NULL]	[NULL]	[NULL]	S	B1R913	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/14/2007 11:00	Y	7440-22-4	Silver	26	ug/L	C	[NULL]	[NULL]	S	B1R913	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/14/2007 11:00	Y	7440-23-5	Sodium	100000	ug/L	[NULL]	[NULL]	[NULL]	S	B1R913	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/14/2007 11:00	Y	7440-24-6	Strontium	290	ug/L	[NULL]	[NULL]	[NULL]	S	B1R913	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/14/2007 11:00	Y	10098-97-2	Strontium-90	3000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1R913	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-132	11/14/2007 11:00	Y	14808-79-8	Sulfate	10600	ug/L	D	[NULL]	[NULL]	S	B1R913	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	11/14/2007 11:00	Y	7440-62-2	Vanadium	8	ug/L	C	[NULL]	[NULL]	S	B1R913	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/14/2007 11:00	Y	7440-66-6	Zinc	18.9	ug/L	C	[NULL]	[NULL]	S	B1R913	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/3/2008 14:19	Y	7429-90-5	Aluminum	30	ug/L	U	[NULL]	[NULL]	S	B1VJL9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/3/2008 14:19	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	S	B1VJL9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/3/2008 14:19	Y	7440-38-2	Arsenic	50	ug/L	U	[NULL]	[NULL]	S	B1VJL9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/3/2008 14:19	Y	7440-39-3	Barium	10	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/3/2008 14:19	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1VJL9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/3/2008 14:19	Y	7440-70-2	Calcium	20400	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/3/2008 14:19	Y	16887-00-6	Chloride	10000	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/3/2008 14:19	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	S	B1VJL9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/3/2008 14:19	Y	7440-48-4	Cobalt	4	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/3/2008 14:19	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	S	B1VJL9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/3/2008 14:19	Y	16984-48-8	Fluoride	261	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/3/2008 14:19	Y	12587-46-1	Gross alpha	0.82	pCi/L	U	[NULL]	[NULL]	S	B1VJL9	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	6/3/2008 14:19	Y	12587-47-2	Gross beta	970	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VJL9	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	6/3/2008 14:19	Y	7439-89-6	Iron	14.9	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/3/2008 14:19	Y	7439-92-1	Lead	27	ug/L	U	[NULL]	[NULL]	S	B1VJL9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/3/2008 14:19	Y	7439-95-4	Magnesium	3870	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/3/2008 14:19	Y	7439-96-5	Manganese	329	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/3/2008 14:19	Y	7439-98-7	Molybdenum	14.7	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/3/2008 14:19	Y	7440-02-0	Nickel	6.8	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/3/2008 14:19	Y	14797-55-8	Nitrate	159	ug/L	U	[NULL]	[NULL]	S	B1VJL9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/3/2008 14:19	Y	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	S	B1VJL9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/3/2008 14:19	Y	14265-44-2	Phosphate	33100	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/3/2008 14:19	Y	7440-09-7	Potassium	2430	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/3/2008 14:19	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1VJL9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/3/2008 14:19	Y	7440-23-5	Sodium	112000	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/3/2008 14:19	Y	7440-24-6	Strontium	66.7	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/3/2008 14:19	Y	14808-79-8	Sulfate	17700	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/3/2008 14:19	Y	7440-62-2	Vanadium	7	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJL9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/3/2008 14:19	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	S	B1VJL9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/6/2008 17:49	Y	7429-90-5	Aluminum	2730	ug/L	D	[NULL]	[NULL]	S	B1VTW0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/6/2008 17:49	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1VTW0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/6/2008 17:49	Y	7440-38-2	Arsenic	250	ug/L	DNU	[NULL]	[NULL]	S	B1VTW0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/6/2008 17:49	Y	7440-39-3	Barium	30	ug/L	D	[NULL]	[NULL]	S	B1VTW0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/6/2008 17:49	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VTW0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/6/2008 17:49	Y	7440-70-2	Calcium	155000	ug/L	D	[NULL]	[NULL]	S	B1VTW0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/6/2008 17:49	Y	16887-00-6	Chloride	148000	ug/L	DN	[NULL]	[NULL]	S	B1VTW0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/6/2008 17:49	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1VTW0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/6/2008 17:49	Y	7440-48-4	Cobalt	54.4	ug/L	D	[NULL]	[NULL]	S	B1VTW0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/6/2008 17:49	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1VTW0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-132	6/6/2008 17:49	Y	DO	Dissolved oxygen	9240	ug/L	[NULL]	[NULL]	[NULL]	S	B1VTW0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-132	6/6/2008 17:49	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VTW0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/6/2008 17:49	Y	12587-46-1	Gross alpha	-8.9	pCi/L	U	[NULL]	[NULL]	S	B1VTW0	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	6/6/2008 17:49	Y	12587-47-2	Gross beta	4200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VTW0	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	6/6/2008 17:49	Y	7439-89-6	Iron	647	ug/L	CD	[NULL]	[NULL]	S	B1VTW0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/6/2008 17:49	Y	7439-92-1	Lead	135	ug/L	DNU	[NULL]	[NULL]	S	B1VTW0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/6/2008 17:49	Y	7439-95-4	Magnesium	40900	ug/L	D	[NULL]	[NULL]	S	B1VTW0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/6/2008 17:49	Y	7439-96-5	Manganese	3080	ug/L	D	[NULL]	[NULL]	S	B1VTW0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/6/2008 17:49	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1VTW0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/6/2008 17:49	Y	7440-02-0	Nickel	129	ug/L	D	[NULL]	[NULL]	S	B1VTW0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/6/2008 17:49	Y	14797-55-8	Nitrate	1590	ug/L	DNU	[NULL]	[NULL]	S	B1VTW0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/6/2008 17:49	Y	14797-65-0	Nitrite	325	ug/L	DNU	[NULL]	[NULL]	S	B1VTW0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/6/2008 17:49	Y	EH	Oxidation Reduction Potential	3	mV	[NULL]	[NULL]	[NULL]	S	B1VTW0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-132	6/6/2008 17:49	Y	14265-44-2	Phosphate	2090000	ug/L	DN	[NULL]	[NULL]	S	B1VTW0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/6/2008 17:49	Y	7440-09-7	Potassium	6670	ug/L	CD	[NULL]	[NULL]	S	B1VTW0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/6/2008 17:49	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1VTW0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/6/2008 17:49	Y	7440-23-5	Sodium	1010000	ug/L	D	[NULL]	[NULL]	S	B1VTW0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/6/2008 17:49	Y	CONDUCT	Specific Conductance	3740	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VTW0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-132	6/6/2008 17:49	Y	7440-24-6	Strontium	371	ug/L	D	[NULL]	[NULL]	S	B1VTW0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/6/2008 17:49	Y	14808-79-8	Sulfate	6830	ug/L	BD	[NULL]	[NULL]	S	B1VTW0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/6/2008 17:49	Y	TEMPERATURE	Temperature	15.99	Deg C	[NULL]	[NULL]	[NULL]	S	B1VTW0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-132	6/6/2008 17:49	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1VTW0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/6/2008 17:49	Y	7440-66-6	Zinc	25.3	ug/L	D	[NULL]	[NULL]	S	B1VTW0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/6/2008 17:49	Y	PH	pH Measurement	7.26	unitless	[NULL]	[NULL]	[NULL]	S	B1VTW0	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-132	6/7/2008 9:35	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1VTY6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/7/2008 9:35	Y	7440-36-0	Antimony	160	ug/L	DNU	[NULL]	[NULL]	S	B1VTY6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/7/2008 9:35	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1VTY6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/7/2008 9:35	Y	7440-39-3	Barium	22	ug/L	D	[NULL]	[NULL]	S	B1VTY6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/7/2008 9:35	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/7/2008 9:35	Y	7440-70-2	Calcium	53100	ug/L	D	[NULL]	[NULL]	S	B1VTY6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/7/2008 9:35	Y	16887-00-6	Chloride	131000	ug/L	D	[NULL]	[NULL]	S	B1VTY6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/7/2008 9:35	Y	7440-47-3	Chromium	20.7	ug/L	D	[NULL]	[NULL]	S	B1VTY6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/7/2008 9:35	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/7/2008 9:35	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/7/2008 9:35	Y	DO	Dissolved oxygen	11620	ug/L	[NULL]	[NULL]	[NULL]	S	B1VTY6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-132	6/7/2008 9:35	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VTY6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/7/2008 9:35	Y	12587-46-1	Gross alpha	-21	pCi/L	U	[NULL]	[NULL]	S	B1VTY6	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	6/7/2008 9:35	Y	12587-47-2	Gross beta	2400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VTY6	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	6/7/2008 9:35	Y	7439-89-6	Iron	47.7	ug/L	CD	[NULL]	[NULL]	S	B1VTY6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/7/2008 9:35	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1VTY6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/7/2008 9:35	Y	7439-95-4	Magnesium	18300	ug/L	D	[NULL]	[NULL]	S	B1VTY6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/7/2008 9:35	Y	7439-96-5	Manganese	1140	ug/L	D	[NULL]	[NULL]	S	B1VTY6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/7/2008 9:35	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/7/2008 9:35	Y	7440-02-0	Nickel	25.6	ug/L	D	[NULL]	[NULL]	S	B1VTY6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/7/2008 9:35	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VTY6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/7/2008 9:35	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VTY6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/7/2008 9:35	Y	EH	Oxidation Reduction Potential	-101	mV	[NULL]	[NULL]	[NULL]	S	B1VTY6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-132	6/7/2008 9:35	Y	14265-44-2	Phosphate	1130000	ug/L	D	[NULL]	[NULL]	S	B1VTY6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/7/2008 9:35	Y	7440-09-7	Potassium	5460	ug/L	D	[NULL]	[NULL]	S	B1VTY6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/7/2008 9:35	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VTY6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/7/2008 9:35	Y	7440-23-5	Sodium	817000	ug/L	D	[NULL]	[NULL]	S	B1VTY6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/7/2008 9:35	Y	CONDUCT	Specific Conductance	3250	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VTY6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-132	6/7/2008 9:35	Y	7440-24-6	Strontium	179	ug/L	D	[NULL]	[NULL]	S	B1VTY6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-132	6/7/2008 9:35	Y	14808-79-8	Sulfate	16100	ug/L	D	[NULL]	[NULL]	S	B1VTY6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/7/2008 9:35	Y	TEMPERATURE	Temperature	16.06	Deg C	[NULL]	[NULL]	[NULL]	S	B1VTY6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-132	6/7/2008 9:35	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1VTY6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/7/2008 9:35	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1VTY6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/7/2008 9:35	Y	PH	pH Measurement	6.91	unitless	[NULL]	[NULL]	[NULL]	S	B1VTY6	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-132	6/8/2008 8:44	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1VV22	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/8/2008 8:44	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1VV22	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/8/2008 8:44	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1VV22	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/8/2008 8:44	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV22	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/8/2008 8:44	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV22	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/8/2008 8:44	Y	7440-70-2	Calcium	29200	ug/L	DN	[NULL]	[NULL]	S	B1VV22	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/8/2008 8:44	Y	16887-00-6	Chloride	112000	ug/L	D	[NULL]	[NULL]	S	B1VV22	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/8/2008 8:44	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV22	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/8/2008 8:44	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VV22	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/8/2008 8:44	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1VV22	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/8/2008 8:44	Y	DO	Dissolved oxygen	13370	ug/L	[NULL]	[NULL]	[NULL]	S	B1VV22	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-132	6/8/2008 8:44	Y	16984-48-8	Fluoride	105	ug/L	DU	[NULL]	[NULL]	S	B1VV22	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/8/2008 8:44	Y	12587-46-1	Gross alpha	11	pCi/L	U	[NULL]	[NULL]	S	B1VV22	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	6/8/2008 8:44	Y	12587-47-2	Gross beta	1600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV22	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	6/8/2008 8:44	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1VV22	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/8/2008 8:44	Y	7439-92-1	Lead	135	ug/L	DNU	[NULL]	[NULL]	S	B1VV22	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/8/2008 8:44	Y	7439-95-4	Magnesium	11000	ug/L	D	[NULL]	[NULL]	S	B1VV22	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/8/2008 8:44	Y	7439-96-5	Manganese	855	ug/L	D	[NULL]	[NULL]	S	B1VV22	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/8/2008 8:44	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1VV22	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/8/2008 8:44	Y	7440-02-0	Nickel	26.4	ug/L	D	[NULL]	[NULL]	S	B1VV22	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/8/2008 8:44	Y	14797-55-8	Nitrate	797	ug/L	DU	[NULL]	[NULL]	S	B1VV22	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/8/2008 8:44	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1VV22	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/8/2008 8:44	Y	EH	Oxidation Reduction Potential	-100	mV	[NULL]	[NULL]	[NULL]	S	B1VV22	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-132	6/8/2008 8:44	Y	14265-44-2	Phosphate	788000	ug/L	D	[NULL]	[NULL]	S	B1VV22	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/8/2008 8:44	Y	7440-09-7	Potassium	4900	ug/L	D	[NULL]	[NULL]	S	B1VV22	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/8/2008 8:44	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VV22	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/8/2008 8:44	Y	7440-23-5	Sodium	653000	ug/L	D	[NULL]	[NULL]	S	B1VV22	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/8/2008 8:44	Y	CONDUCT	Specific Conductance	2610	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VV22	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-132	6/8/2008 8:44	Y	7440-24-6	Strontium	104	ug/L	D	[NULL]	[NULL]	S	B1VV22	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/8/2008 8:44	Y	14808-79-8	Sulfate	16500	ug/L	D	[NULL]	[NULL]	S	B1VV22	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/8/2008 8:44	Y	TEMPERATURE	Temperature	15.15	Deg C	[NULL]	[NULL]	[NULL]	S	B1VV22	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-132	6/8/2008 8:44	Y	7440-62-2	Vanadium	51	ug/L	D	[NULL]	[NULL]	S	B1VV22	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/8/2008 8:44	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1VV22	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/8/2008 8:44	Y	PH	pH Measurement	6.98	unitless	[NULL]	[NULL]	[NULL]	S	B1VV22	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-132	6/9/2008 12:15	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VV48	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/9/2008 12:15	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VV48	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/9/2008 12:15	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VV48	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/9/2008 12:15	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV48	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/9/2008 12:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV48	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/9/2008 12:15	Y	7440-70-2	Calcium	25100	ug/L	D	[NULL]	[NULL]	S	B1VV48	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/9/2008 12:15	Y	16887-00-6	Chloride	114000	ug/L	D	[NULL]	[NULL]	S	B1VV48	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/9/2008 12:15	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VV48	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/9/2008 12:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VV48	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/9/2008 12:15	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VV48	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/9/2008 12:15	Y	DO	Dissolved oxygen	12680	ug/L	[NULL]	[NULL]	[NULL]	S	B1VV48	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-132	6/9/2008 12:15	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VV48	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/9/2008 12:15	Y	12587-46-1	Gross alpha	11	pCi/L	U	[NULL]	[NULL]	S	B1VV48	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	6/9/2008 12:15	Y	12587-47-2	Gross beta	1400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV48	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	6/9/2008 12:15	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VV48	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-132	6/9/2008 12:15	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VV48	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/9/2008 12:15	Y	7439-95-4	Magnesium	10500	ug/L	DN	[NULL]	[NULL]	S	B1VV48	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/9/2008 12:15	Y	7439-96-5	Manganese	936	ug/L	D	[NULL]	[NULL]	S	B1VV48	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/9/2008 12:15	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VV48	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/9/2008 12:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VV48	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/9/2008 12:15	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VV48	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/9/2008 12:15	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VV48	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/9/2008 12:15	Y	EH	Oxidation Reduction Potential	-121	mV	[NULL]	[NULL]	[NULL]	S	B1VV48	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-132	6/9/2008 12:15	Y	14265-44-2	Phosphate	724000	ug/L	D	[NULL]	[NULL]	S	B1VV48	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/9/2008 12:15	Y	7440-09-7	Potassium	4810	ug/L	D	[NULL]	[NULL]	S	B1VV48	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/9/2008 12:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VV48	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/9/2008 12:15	Y	7440-23-5	Sodium	656000	ug/L	D	[NULL]	[NULL]	S	B1VV48	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/9/2008 12:15	Y	CONDUCT	Specific Conductance	2500	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VV48	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-132	6/9/2008 12:15	Y	7440-24-6	Strontium	93	ug/L	D	[NULL]	[NULL]	S	B1VV48	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/9/2008 12:15	Y	14808-79-8	Sulfate	8350	ug/L	BD	[NULL]	[NULL]	S	B1VV48	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/9/2008 12:15	Y	TEMPERATURE	Temperature	17.32	Deg C	[NULL]	[NULL]	[NULL]	S	B1VV48	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-132	6/9/2008 12:15	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VV48	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/9/2008 12:15	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VV48	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/9/2008 12:15	Y	PH	pH Measurement	7.03	unitless	[NULL]	[NULL]	[NULL]	S	B1VV48	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-132	6/10/2008 16:40	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VV74	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/10/2008 16:40	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VV74	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/10/2008 16:40	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VV74	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/10/2008 16:40	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV74	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/10/2008 16:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VV74	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/10/2008 16:40	Y	7440-70-2	Calcium	15600	ug/L	D	[NULL]	[NULL]	S	B1VV74	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/10/2008 16:40	Y	16887-00-6	Chloride	41700	ug/L	D	[NULL]	[NULL]	S	B1VV74	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/10/2008 16:40	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VV74	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/10/2008 16:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VV74	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/10/2008 16:40	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VV74	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/10/2008 16:40	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VV74	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/10/2008 16:40	Y	12587-46-1	Gross alpha	-1.2	pCi/L	U	[NULL]	[NULL]	S	B1VV74	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	6/10/2008 16:40	Y	12587-47-2	Gross beta	910	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VV74	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	6/10/2008 16:40	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VV74	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/10/2008 16:40	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VV74	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/10/2008 16:40	Y	7439-95-4	Magnesium	5280	ug/L	D	[NULL]	[NULL]	S	B1VV74	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/10/2008 16:40	Y	7439-96-5	Manganese	535	ug/L	D	[NULL]	[NULL]	S	B1VV74	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/10/2008 16:40	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VV74	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/10/2008 16:40	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VV74	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/10/2008 16:40	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VV74	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/10/2008 16:40	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VV74	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/10/2008 16:40	Y	14265-44-2	Phosphate	386000	ug/L	D	[NULL]	[NULL]	S	B1VV74	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/10/2008 16:40	Y	7440-09-7	Potassium	3380	ug/L	D	[NULL]	[NULL]	S	B1VV74	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/10/2008 16:40	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VV74	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/10/2008 16:40	Y	7440-23-5	Sodium	353000	ug/L	D	[NULL]	[NULL]	S	B1VV74	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/10/2008 16:40	Y	7440-24-6	Strontium	56.5	ug/L	D	[NULL]	[NULL]	S	B1VV74	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/10/2008 16:40	Y	14808-79-8	Sulfate	17500	ug/L	D	[NULL]	[NULL]	S	B1VV74	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/10/2008 16:40	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VV74	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/10/2008 16:40	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VV74	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2008 12:03	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVB0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2008 12:03	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVB0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2008 12:03	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVB0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2008 12:03	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVB0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2008 12:03	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVB0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2008 12:03	Y	7440-70-2	Calcium	13000	ug/L	D	[NULL]	[NULL]	S	B1VVB0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-132	6/11/2008 12:03	Y	16887-00-6	Chloride	26300	ug/L	D	[NULL]	[NULL]	S	B1VVB0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/11/2008 12:03	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVB0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2008 12:03	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVB0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2008 12:03	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVB0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2008 12:03	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVB0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/11/2008 12:03	Y	12587-46-1	Gross alpha	1.1	pCi/L	U	[NULL]	[NULL]	S	B1VVB0	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	6/11/2008 12:03	Y	12587-47-2	Gross beta	660	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVB0	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	6/11/2008 12:03	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VVB0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2008 12:03	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVB0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2008 12:03	Y	7439-95-4	Magnesium	4510	ug/L	D	[NULL]	[NULL]	S	B1VVB0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2008 12:03	Y	7439-96-5	Manganese	473	ug/L	D	[NULL]	[NULL]	S	B1VVB0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2008 12:03	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVB0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2008 12:03	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVB0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2008 12:03	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVB0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/11/2008 12:03	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVB0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/11/2008 12:03	Y	14265-44-2	Phosphate	310000	ug/L	D	[NULL]	[NULL]	S	B1VVB0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/11/2008 12:03	Y	7440-09-7	Potassium	2340	ug/L	D	[NULL]	[NULL]	S	B1VVB0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2008 12:03	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVB0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2008 12:03	Y	7440-23-5	Sodium	264000	ug/L	D	[NULL]	[NULL]	S	B1VVB0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2008 12:03	Y	7440-24-6	Strontium	50.3	ug/L	D	[NULL]	[NULL]	S	B1VVB0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2008 12:03	Y	14808-79-8	Sulfate	20000	ug/L	D	[NULL]	[NULL]	S	B1VVB0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/11/2008 12:03	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVB0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/11/2008 12:03	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVB0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2008 11:45	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVD6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2008 11:45	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVD6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2008 11:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVD6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2008 11:45	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVD6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2008 11:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVD6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2008 11:45	Y	7440-70-2	Calcium	18700	ug/L	DN	[NULL]	[NULL]	S	B1VVD6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2008 11:45	Y	16887-00-6	Chloride	14800	ug/L	D	[NULL]	[NULL]	S	B1VVD6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/13/2008 11:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVD6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2008 11:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVD6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2008 11:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVD6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2008 11:45	Y	DO	Dissolved oxygen	2050	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVD6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-132	6/13/2008 11:45	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVD6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/13/2008 11:45	Y	12587-46-1	Gross alpha	3	pCi/L	U	[NULL]	[NULL]	S	B1VVD6	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	6/13/2008 11:45	Y	12587-47-2	Gross beta	860	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVD6	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	6/13/2008 11:45	Y	7439-89-6	Iron	143	ug/L	D	[NULL]	[NULL]	S	B1VVD6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2008 11:45	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVD6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2008 11:45	Y	7439-95-4	Magnesium	4670	ug/L	D	[NULL]	[NULL]	S	B1VVD6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2008 11:45	Y	7439-96-5	Manganese	537	ug/L	D	[NULL]	[NULL]	S	B1VVD6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2008 11:45	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVD6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2008 11:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVD6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2008 11:45	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVD6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/13/2008 11:45	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVD6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/13/2008 11:45	Y	EH	Oxidation Reduction Potential	-144	mV	[NULL]	[NULL]	[NULL]	S	B1VVD6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-132	6/13/2008 11:45	Y	14265-44-2	Phosphate	239000	ug/L	D	[NULL]	[NULL]	S	B1VVD6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/13/2008 11:45	Y	7440-09-7	Potassium	2860	ug/L	D	[NULL]	[NULL]	S	B1VVD6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2008 11:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVD6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2008 11:45	Y	7440-23-5	Sodium	231000	ug/L	D	[NULL]	[NULL]	S	B1VVD6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2008 11:45	Y	CONDUCT	Specific Conductance	1046	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVD6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-132	6/13/2008 11:45	Y	7440-24-6	Strontium	58.4	ug/L	D	[NULL]	[NULL]	S	B1VVD6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2008 11:45	Y	14808-79-8	Sulfate	13700	ug/L	D	[NULL]	[NULL]	S	B1VVD6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/13/2008 11:45	Y	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVD6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-132	6/13/2008 11:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVD6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2008 11:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVD6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/13/2008 11:45	Y	PH	pH Measurement	17.1	unitless	[NULL]	Y	[NULL]	S	B1VVD6	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-132	6/14/2008 7:02	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVJ2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2008 7:02	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVJ2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2008 7:02	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVJ2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2008 7:02	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVJ2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2008 7:02	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVJ2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2008 7:02	Y	7440-70-2	Calcium	22600	ug/L	DN	[NULL]	[NULL]	S	B1VVJ2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2008 7:02	Y	16887-00-6	Chloride	35400	ug/L	D	[NULL]	[NULL]	S	B1VVJ2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/14/2008 7:02	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVJ2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2008 7:02	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVJ2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2008 7:02	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVJ2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2008 7:02	Y	DO	Dissolved oxygen	2420	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVJ2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-132	6/14/2008 7:02	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVJ2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/14/2008 7:02	Y	12587-46-1	Gross alpha	4.3	pCi/L	U	[NULL]	[NULL]	S	B1VVJ2	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	6/14/2008 7:02	Y	12587-47-2	Gross beta	1000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVJ2	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	6/14/2008 7:02	Y	7439-89-6	Iron	191	ug/L	D	[NULL]	[NULL]	S	B1VVJ2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2008 7:02	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVJ2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2008 7:02	Y	7439-95-4	Magnesium	6230	ug/L	D	[NULL]	[NULL]	S	B1VVJ2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2008 7:02	Y	7439-96-5	Manganese	703	ug/L	D	[NULL]	[NULL]	S	B1VVJ2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2008 7:02	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVJ2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2008 7:02	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVJ2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2008 7:02	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVJ2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/14/2008 7:02	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVJ2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/14/2008 7:02	Y	EH	Oxidation Reduction Potential	-158	mV	[NULL]	[NULL]	[NULL]	S	B1VVJ2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-132	6/14/2008 7:02	Y	14265-44-2	Phosphate	310000	ug/L	D	[NULL]	[NULL]	S	B1VVJ2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/14/2008 7:02	Y	7440-09-7	Potassium	3380	ug/L	D	[NULL]	[NULL]	S	B1VVJ2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2008 7:02	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVJ2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2008 7:02	Y	7440-23-5	Sodium	303000	ug/L	D	[NULL]	[NULL]	S	B1VVJ2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2008 7:02	Y	CONDUCT	Specific Conductance	1375	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVJ2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-132	6/14/2008 7:02	Y	7440-24-6	Strontium	75.4	ug/L	D	[NULL]	[NULL]	S	B1VVJ2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2008 7:02	Y	14808-79-8	Sulfate	10000	ug/L	BD	[NULL]	[NULL]	S	B1VVJ2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/14/2008 7:02	Y	TEMPERATURE	Temperature	14.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVJ2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-132	6/14/2008 7:02	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVJ2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2008 7:02	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVJ2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/14/2008 7:02	Y	PH	pH Measurement	7.59	unitless	[NULL]	G	[NULL]	S	B1VVJ2	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-132	6/16/2008 10:15	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVL8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2008 10:15	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVL8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2008 10:15	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVL8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2008 10:15	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVL8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2008 10:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVL8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2008 10:15	Y	7440-70-2	Calcium	20400	ug/L	DN	[NULL]	[NULL]	S	B1VVL8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2008 10:15	Y	16887-00-6	Chloride	47600	ug/L	D	[NULL]	[NULL]	S	B1VVL8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/16/2008 10:15	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVL8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2008 10:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVL8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2008 10:15	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVL8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2008 10:15	Y	DO	Dissolved oxygen	1450	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVL8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-132	6/16/2008 10:15	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVL8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/16/2008 10:15	Y	12587-46-1	Gross alpha	3.7	pCi/L	U	[NULL]	[NULL]	S	B1VVL8	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	6/16/2008 10:15	Y	12587-47-2	Gross beta	1200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVL8	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	6/16/2008 10:15	Y	7439-89-6	Iron	330	ug/L	D	[NULL]	[NULL]	S	B1VVL8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2008 10:15	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVL8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2008 10:15	Y	7439-95-4	Magnesium	6050	ug/L	D	[NULL]	[NULL]	S	B1VVL8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-132	6/16/2008 10:15	Y	7439-96-5	Manganese	675	ug/L	D	[NULL]	[NULL]	S	B1VVL8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2008 10:15	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVL8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2008 10:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVL8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2008 10:15	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVL8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/16/2008 10:15	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVL8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/16/2008 10:15	Y	EH	Oxidation Reduction Potential	-153	mV	[NULL]	[NULL]	[NULL]	S	B1VVL8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-132	6/16/2008 10:15	Y	14265-44-2	Phosphate	276000	ug/L	D	[NULL]	[NULL]	S	B1VVL8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/16/2008 10:15	Y	7440-09-7	Potassium	3410	ug/L	D	[NULL]	[NULL]	S	B1VVL8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2008 10:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVL8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2008 10:15	Y	7440-23-5	Sodium	336000	ug/L	D	[NULL]	[NULL]	S	B1VVL8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2008 10:15	Y	CONDUCT	Specific Conductance	1593	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVL8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-132	6/16/2008 10:15	Y	7440-24-6	Strontium	69.5	ug/L	D	[NULL]	[NULL]	S	B1VVL8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2008 10:15	Y	14808-79-8	Sulfate	4280	ug/L	BD	[NULL]	[NULL]	S	B1VVL8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/16/2008 10:15	Y	TEMPERATURE	Temperature	15.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVL8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-132	6/16/2008 10:15	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVL8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2008 10:15	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVL8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/16/2008 10:15	Y	PH	pH Measurement	7.57	unitless	[NULL]	[NULL]	[NULL]	S	B1VVL8	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-132	6/18/2008 6:05	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVP4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2008 6:05	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVP4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2008 6:05	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVP4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2008 6:05	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVP4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2008 6:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVP4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2008 6:05	Y	7440-70-2	Calcium	16500	ug/L	DN	[NULL]	[NULL]	S	B1VVP4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2008 6:05	Y	16887-00-6	Chloride	20700	ug/L	D	[NULL]	[NULL]	S	B1VVP4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/18/2008 6:05	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVP4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2008 6:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVP4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2008 6:05	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVP4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2008 6:05	Y	DO	Dissolved oxygen	1890	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVP4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-132	6/18/2008 6:05	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVP4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/18/2008 6:05	Y	12587-46-1	Gross alpha	2.8	pCi/L	U	[NULL]	[NULL]	S	B1VVP4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	6/18/2008 6:05	Y	12587-47-2	Gross beta	730	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVP4	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	6/18/2008 6:05	Y	7439-89-6	Iron	297	ug/L	D	[NULL]	[NULL]	S	B1VVP4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2008 6:05	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVP4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2008 6:05	Y	7439-95-4	Magnesium	4470	ug/L	DN	[NULL]	[NULL]	S	B1VVP4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2008 6:05	Y	7439-96-5	Manganese	563	ug/L	D	[NULL]	[NULL]	S	B1VVP4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2008 6:05	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVP4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2008 6:05	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVP4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2008 6:05	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVP4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/18/2008 6:05	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVP4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/18/2008 6:05	Y	EH	Oxidation Reduction Potential	-159	mV	[NULL]	[NULL]	[NULL]	S	B1VVP4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-132	6/18/2008 6:05	Y	14265-44-2	Phosphate	220000	ug/L	DN	[NULL]	[NULL]	S	B1VVP4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/18/2008 6:05	Y	7440-09-7	Potassium	2670	ug/L	D	[NULL]	[NULL]	S	B1VVP4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2008 6:05	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVP4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2008 6:05	Y	7440-23-5	Sodium	235000	ug/L	D	[NULL]	[NULL]	S	B1VVP4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2008 6:05	Y	CONDUCT	Specific Conductance	1102	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVP4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-132	6/18/2008 6:05	Y	7440-24-6	Strontium	54.8	ug/L	D	[NULL]	[NULL]	S	B1VVP4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2008 6:05	Y	14808-79-8	Sulfate	9830	ug/L	BD	[NULL]	[NULL]	S	B1VVP4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/18/2008 6:05	Y	TEMPERATURE	Temperature	13.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVP4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-132	6/18/2008 6:05	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVP4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2008 6:05	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVP4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/18/2008 6:05	Y	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	S	B1VVP4	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-132	6/27/2008 8:52	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVV6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/27/2008 8:52	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVV6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-132	6/27/2008 8:52	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVV6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/27/2008 8:52	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVV6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/27/2008 8:52	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVV6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/27/2008 8:52	Y	7440-70-2	Calcium	16400	ug/L	DN	[NULL]	[NULL]	S	B1VVV6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/27/2008 8:52	Y	16887-00-6	Chloride	19900	ug/L	D	[NULL]	[NULL]	S	B1VVV6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/27/2008 8:52	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVV6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/27/2008 8:52	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVV6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/27/2008 8:52	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVV6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/27/2008 8:52	Y	DO	Dissolved oxygen	8300	ug/L	[NULL]	[NULL]	[NULL]	S	B1VVV6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-132	6/27/2008 8:52	Y	16984-48-8	Fluoride	398	ug/L	BD	[NULL]	[NULL]	S	B1VVV6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/27/2008 8:52	Y	12587-46-1	Gross alpha	2.4	pCi/L	U	[NULL]	[NULL]	S	B1VVV6	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	6/27/2008 8:52	Y	12587-47-2	Gross beta	730	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVV6	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	6/27/2008 8:52	Y	7439-89-6	Iron	730	ug/L	D	[NULL]	[NULL]	S	B1VVV6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/27/2008 8:52	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVV6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/27/2008 8:52	Y	7439-95-4	Magnesium	4410	ug/L	D	[NULL]	[NULL]	S	B1VVV6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/27/2008 8:52	Y	7439-96-5	Manganese	615	ug/L	D	[NULL]	[NULL]	S	B1VVV6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/27/2008 8:52	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVV6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/27/2008 8:52	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVV6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/27/2008 8:52	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVV6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/27/2008 8:52	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVV6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/27/2008 8:52	Y	EH	Oxidation Reduction Potential	-153	mV	[NULL]	[NULL]	[NULL]	S	B1VVV6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-132	6/27/2008 8:52	Y	14265-44-2	Phosphate	222000	ug/L	D	[NULL]	[NULL]	S	B1VVV6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/27/2008 8:52	Y	7440-09-7	Potassium	2670	ug/L	D	[NULL]	[NULL]	S	B1VVV6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/27/2008 8:52	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVV6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/27/2008 8:52	Y	7440-23-5	Sodium	234000	ug/L	D	[NULL]	[NULL]	S	B1VVV6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/27/2008 8:52	Y	CONDUCT	Specific Conductance	950.9	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VVV6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-132	6/27/2008 8:52	Y	7440-24-6	Strontium	57.5	ug/L	D	[NULL]	[NULL]	S	B1VVV6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/27/2008 8:52	Y	14808-79-8	Sulfate	18700	ug/L	DEX	[NULL]	[NULL]	S	B1VVV6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/27/2008 8:52	Y	TEMPERATURE	Temperature	16.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1VVV6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-132	6/27/2008 8:52	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVV6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/27/2008 8:52	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVV6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/27/2008 8:52	Y	PH	pH Measurement	7.72	unitless	[NULL]	[NULL]	[NULL]	S	B1VVV6	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-132	6/29/2008 6:20	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W657	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2008 6:20	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W657	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2008 6:20	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W657	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2008 6:20	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W657	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2008 6:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W657	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2008 6:20	Y	7440-70-2	Calcium	16800	ug/L	DN	[NULL]	[NULL]	S	B1W657	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2008 6:20	Y	16887-00-6	Chloride	12200	ug/L	D	[NULL]	[NULL]	S	B1W657	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/29/2008 6:20	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W657	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2008 6:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W657	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2008 6:20	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W657	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2008 6:20	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W657	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/29/2008 6:20	Y	7439-89-6	Iron	704	ug/L	D	[NULL]	[NULL]	S	B1W657	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2008 6:20	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W657	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2008 6:20	Y	7439-95-4	Magnesium	4090	ug/L	D	[NULL]	[NULL]	S	B1W657	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2008 6:20	Y	7439-96-5	Manganese	602	ug/L	D	[NULL]	[NULL]	S	B1W657	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2008 6:20	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W657	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2008 6:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W657	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2008 6:20	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W657	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/29/2008 6:20	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W657	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/29/2008 6:20	Y	14265-44-2	Phosphate	238000	ug/L	D	[NULL]	[NULL]	S	B1W657	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/29/2008 6:20	Y	7440-09-7	Potassium	2560	ug/L	D	[NULL]	[NULL]	S	B1W657	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2008 6:20	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W657	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-132	6/29/2008 6:20	Y	7440-23-5	Sodium	193000	ug/L	D	[NULL]	[NULL]	S	B1W657	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2008 6:20	Y	7440-24-6	Strontium	54.2	ug/L	D	[NULL]	[NULL]	S	B1W657	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2008 6:20	Y	14808-79-8	Sulfate	5330	ug/L	BD	[NULL]	[NULL]	S	B1W657	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	6/29/2008 6:20	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W657	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	6/29/2008 6:20	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W657	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/3/2008 8:02	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W671	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/3/2008 8:02	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W671	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/3/2008 8:02	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W671	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/3/2008 8:02	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W671	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/3/2008 8:02	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W671	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/3/2008 8:02	Y	7440-70-2	Calcium	35600	ug/L	D	[NULL]	[NULL]	S	B1W671	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/3/2008 8:02	Y	16887-00-6	Chloride	240000	ug/L	D	[NULL]	[NULL]	S	B1W671	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/3/2008 8:02	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W671	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/3/2008 8:02	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W671	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/3/2008 8:02	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W671	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/3/2008 8:02	Y	16984-48-8	Fluoride	693	ug/L	DU	[NULL]	[NULL]	S	B1W671	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/3/2008 8:02	Y	7439-89-6	Iron	1230	ug/L	D	[NULL]	[NULL]	S	B1W671	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/3/2008 8:02	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W671	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/3/2008 8:02	Y	7439-95-4	Magnesium	32600	ug/L	D	[NULL]	[NULL]	S	B1W671	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/3/2008 8:02	Y	7439-96-5	Manganese	2040	ug/L	D	[NULL]	[NULL]	S	B1W671	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/3/2008 8:02	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W671	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/3/2008 8:02	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W671	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/3/2008 8:02	Y	14797-55-8	Nitrate	5270	ug/L	DU	[NULL]	[NULL]	S	B1W671	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/3/2008 8:02	Y	14797-65-0	Nitrite	1070	ug/L	DU	[NULL]	[NULL]	S	B1W671	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/3/2008 8:02	Y	14265-44-2	Phosphate	1810000	ug/L	D	[NULL]	[NULL]	S	B1W671	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/3/2008 8:02	Y	7440-09-7	Potassium	8290	ug/L	D	[NULL]	[NULL]	S	B1W671	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/3/2008 8:02	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W671	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/3/2008 8:02	Y	7440-23-5	Sodium	1410000	ug/L	D	[NULL]	[NULL]	S	B1W671	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/3/2008 8:02	Y	7440-24-6	Strontium	135	ug/L	D	[NULL]	[NULL]	S	B1W671	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/3/2008 8:02	Y	14808-79-8	Sulfate	6110	ug/L	BD	[NULL]	[NULL]	S	B1W671	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/3/2008 8:02	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W671	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/3/2008 8:02	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W671	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/4/2008 11:15	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VWT1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/4/2008 11:15	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VWT1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/4/2008 11:15	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VWT1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/4/2008 11:15	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWT1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/4/2008 11:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWT1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/4/2008 11:15	Y	7440-70-2	Calcium	27100	ug/L	D	[NULL]	[NULL]	S	B1VWT1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/4/2008 11:15	Y	16887-00-6	Chloride	244000	ug/L	D	[NULL]	[NULL]	S	B1VWT1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/4/2008 11:15	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VWT1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/4/2008 11:15	Y	7440-48-4	Cobalt	22.5	ug/L	D	[NULL]	[NULL]	S	B1VWT1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/4/2008 11:15	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VWT1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/4/2008 11:15	Y	DO	Dissolved oxygen	2450	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWN8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-132	7/4/2008 11:15	Y	16984-48-8	Fluoride	420	ug/L	DU	[NULL]	[NULL]	S	B1VWT1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/4/2008 11:15	Y	12587-46-1	Gross alpha	0.07	pCi/L	U	[NULL]	[NULL]	S	B1VWN8	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	7/4/2008 11:15	Y	12587-47-2	Gross beta	1700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VWN8	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	7/4/2008 11:15	Y	7439-89-6	Iron	2440	ug/L	CD	[NULL]	[NULL]	S	B1VWT1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/4/2008 11:15	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VWT1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/4/2008 11:15	Y	7439-95-4	Magnesium	29800	ug/L	D	[NULL]	[NULL]	S	B1VWT1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/4/2008 11:15	Y	7439-96-5	Manganese	1940	ug/L	D	[NULL]	[NULL]	S	B1VWT1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/4/2008 11:15	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VWT1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/4/2008 11:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VWT1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/4/2008 11:15	Y	14797-55-8	Nitrate	3190	ug/L	DU	[NULL]	[NULL]	S	B1VWT1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/4/2008 11:15	Y	14797-65-0	Nitrite	650	ug/L	DU	[NULL]	[NULL]	S	B1VWT1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-132	7/4/2008 11:15	Y	EH	Oxidation Reduction Potential	-180	mV	[NULL]	[NULL]	[NULL]	S	B1VWN8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-132	7/4/2008 11:15	Y	14265-44-2	Phosphate	1930000	ug/L	D	[NULL]	[NULL]	S	B1VWT1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/4/2008 11:15	Y	7440-09-7	Potassium	8560	ug/L	D	[NULL]	[NULL]	S	B1VWT1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/4/2008 11:15	Y	7440-22-4	Silver	35	ug/L	D	[NULL]	[NULL]	S	B1VWT1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/4/2008 11:15	Y	7440-23-5	Sodium	1730000	ug/L	D	[NULL]	[NULL]	S	B1VWT1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/4/2008 11:15	Y	CONDUCT	Specific Conductance	5322	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWN8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-132	7/4/2008 11:15	Y	7440-24-6	Strontium	129	ug/L	D	[NULL]	[NULL]	S	B1VWT1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/4/2008 11:15	Y	14808-79-8	Sulfate	1540	ug/L	DU	[NULL]	[NULL]	S	B1VWT1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/4/2008 11:15	Y	TEMPERATURE	Temperature	19.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWN8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-132	7/4/2008 11:15	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VWT1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/4/2008 11:15	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VWT1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/4/2008 11:15	Y	PH	pH Measurement	7.13	unitless	[NULL]	[NULL]	[NULL]	S	B1VWN8	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-132	7/5/2008 8:40	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VX03	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/5/2008 8:40	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VX03	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/5/2008 8:40	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VX03	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/5/2008 8:40	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VX03	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/5/2008 8:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VX03	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/5/2008 8:40	Y	7440-70-2	Calcium	22300	ug/L	D	[NULL]	[NULL]	S	B1VX03	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/5/2008 8:40	Y	16887-00-6	Chloride	232000	ug/L	D	[NULL]	[NULL]	S	B1VX03	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/5/2008 8:40	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VX03	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/5/2008 8:40	Y	7440-48-4	Cobalt	20.5	ug/L	D	[NULL]	[NULL]	S	B1VX03	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/5/2008 8:40	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VX03	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/5/2008 8:40	Y	DO	Dissolved oxygen	3030	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWX8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-132	7/5/2008 8:40	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VX03	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/5/2008 8:40	Y	12587-46-1	Gross alpha	-1.1	pCi/L	U	[NULL]	[NULL]	S	B1VWX8	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	7/5/2008 8:40	Y	12587-47-2	Gross beta	670	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VWX8	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	7/5/2008 8:40	Y	7439-89-6	Iron	1790	ug/L	CD	[NULL]	[NULL]	S	B1VX03	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/5/2008 8:40	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VX03	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/5/2008 8:40	Y	7439-95-4	Magnesium	22800	ug/L	D	[NULL]	[NULL]	S	B1VX03	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/5/2008 8:40	Y	7439-96-5	Manganese	1530	ug/L	D	[NULL]	[NULL]	S	B1VX03	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/5/2008 8:40	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VX03	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/5/2008 8:40	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VX03	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/5/2008 8:40	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VX03	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/5/2008 8:40	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VX03	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/5/2008 8:40	Y	EH	Oxidation Reduction Potential	-159	mV	[NULL]	[NULL]	[NULL]	S	B1VWX8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-132	7/5/2008 8:40	Y	14265-44-2	Phosphate	1370000	ug/L	D	[NULL]	[NULL]	S	B1VX03	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/5/2008 8:40	Y	7440-09-7	Potassium	7090	ug/L	D	[NULL]	[NULL]	S	B1VX03	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/5/2008 8:40	Y	7440-22-4	Silver	70	ug/L	D	[NULL]	[NULL]	S	B1VX03	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/5/2008 8:40	Y	7440-23-5	Sodium	1330000	ug/L	D	[NULL]	[NULL]	S	B1VX03	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/5/2008 8:40	Y	CONDUCT	Specific Conductance	4961	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWX8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-132	7/5/2008 8:40	Y	7440-24-6	Strontium	106	ug/L	D	[NULL]	[NULL]	S	B1VX03	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/5/2008 8:40	Y	14808-79-8	Sulfate	770	ug/L	DU	[NULL]	[NULL]	S	B1VX03	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/5/2008 8:40	Y	TEMPERATURE	Temperature	16.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWX8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-132	7/5/2008 8:40	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VX03	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/5/2008 8:40	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VX03	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/5/2008 8:40	Y	PH	pH Measurement	7.16	unitless	[NULL]	[NULL]	[NULL]	S	B1VWX8	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-132	7/6/2008 7:00	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W757	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/6/2008 7:00	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W757	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/6/2008 7:00	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W757	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/6/2008 7:00	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W757	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/6/2008 7:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W757	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/6/2008 7:00	Y	7440-70-2	Calcium	22600	ug/L	DN	[NULL]	[NULL]	S	B1W757	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/6/2008 7:00	Y	16887-00-6	Chloride	209000	ug/L	D	[NULL]	[NULL]	S	B1W757	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-132	7/6/2008 7:00	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W757	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/6/2008 7:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W757	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/6/2008 7:00	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W757	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/6/2008 7:00	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W757	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/6/2008 7:00	Y	7439-89-6	Iron	1670	ug/L	D	[NULL]	[NULL]	S	B1W757	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/6/2008 7:00	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W757	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/6/2008 7:00	Y	7439-95-4	Magnesium	19800	ug/L	D	[NULL]	[NULL]	S	B1W757	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/6/2008 7:00	Y	7439-96-5	Manganese	1340	ug/L	D	[NULL]	[NULL]	S	B1W757	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/6/2008 7:00	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W757	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/6/2008 7:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W757	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/6/2008 7:00	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W757	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/6/2008 7:00	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W757	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/6/2008 7:00	Y	14265-44-2	Phosphate	1100000	ug/L	D	[NULL]	[NULL]	S	B1W757	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/6/2008 7:00	Y	7440-09-7	Potassium	6290	ug/L	D	[NULL]	[NULL]	S	B1W757	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/6/2008 7:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W757	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/6/2008 7:00	Y	7440-23-5	Sodium	1160000	ug/L	D	[NULL]	[NULL]	S	B1W757	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/6/2008 7:00	Y	7440-24-6	Strontium	106	ug/L	D	[NULL]	[NULL]	S	B1W757	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/6/2008 7:00	Y	14808-79-8	Sulfate	770	ug/L	DU	[NULL]	[NULL]	S	B1W757	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/6/2008 7:00	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W757	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/6/2008 7:00	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W757	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/7/2008 11:20	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W782	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/7/2008 11:20	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W782	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/7/2008 11:20	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W782	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/7/2008 11:20	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W782	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/7/2008 11:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W782	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/7/2008 11:20	Y	7440-70-2	Calcium	26400	ug/L	D	[NULL]	[NULL]	S	B1W782	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/7/2008 11:20	Y	16887-00-6	Chloride	226000	ug/L	DN	[NULL]	[NULL]	S	B1W782	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/7/2008 11:20	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W782	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/7/2008 11:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W782	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/7/2008 11:20	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W782	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/7/2008 11:20	Y	DO	Dissolved oxygen	1420	ug/L	[NULL]	[NULL]	[NULL]	S	B1W767	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-132	7/7/2008 11:20	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W782	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/7/2008 11:20	Y	12587-46-1	Gross alpha	7.3	pCi/L	U	[NULL]	[NULL]	S	B1W767	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	7/7/2008 11:20	Y	12587-47-2	Gross beta	1700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W767	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	7/7/2008 11:20	Y	7439-89-6	Iron	1200	ug/L	D	[NULL]	[NULL]	S	B1W782	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/7/2008 11:20	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W782	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/7/2008 11:20	Y	7439-95-4	Magnesium	23100	ug/L	DN	[NULL]	[NULL]	S	B1W782	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/7/2008 11:20	Y	7439-96-5	Manganese	1540	ug/L	D	[NULL]	[NULL]	S	B1W782	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/7/2008 11:20	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W782	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/7/2008 11:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W782	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/7/2008 11:20	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W782	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/7/2008 11:20	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W782	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/7/2008 11:20	Y	EH	Oxidation Reduction Potential	-174	mV	[NULL]	[NULL]	[NULL]	S	B1W767	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-132	7/7/2008 11:20	Y	14265-44-2	Phosphate	1130000	ug/L	D	[NULL]	[NULL]	S	B1W782	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/7/2008 11:20	Y	7440-09-7	Potassium	7440	ug/L	D	[NULL]	[NULL]	S	B1W782	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/7/2008 11:20	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W782	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/7/2008 11:20	Y	7440-23-5	Sodium	1400000	ug/L	D	[NULL]	[NULL]	S	B1W782	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/7/2008 11:20	Y	CONDUCT	Specific Conductance	4108	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W767	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-132	7/7/2008 11:20	Y	7440-24-6	Strontium	120	ug/L	D	[NULL]	[NULL]	S	B1W782	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/7/2008 11:20	Y	14808-79-8	Sulfate	770	ug/L	DU	[NULL]	[NULL]	S	B1W782	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/7/2008 11:20	Y	TEMPERATURE	Temperature	17.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1W767	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-132	7/7/2008 11:20	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W782	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/7/2008 11:20	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W782	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/7/2008 11:20	Y	PH	pH Measurement	7.23	unitless	[NULL]	[NULL]	[NULL]	S	B1W767	PH	FIELD	PH_PAPER_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-132	7/8/2008 12:15	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7F3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2008 12:15	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7F3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2008 12:15	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7F3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2008 12:15	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7F3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2008 12:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7F3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2008 12:15	Y	7440-70-2	Calcium	23000	ug/L	DN	[NULL]	[NULL]	S	B1W7F3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2008 12:15	Y	16887-00-6	Chloride	239000	ug/L	D	[NULL]	[NULL]	S	B1W7F3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/8/2008 12:15	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7F3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2008 12:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7F3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2008 12:15	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7F3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2008 12:15	Y	DO	Dissolved oxygen	1450	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7C0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-132	7/8/2008 12:15	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W7F3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/8/2008 12:15	Y	12587-46-1	Gross alpha	12	pCi/L	U	G	[NULL]	S	B1W7C0	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	7/8/2008 12:15	Y	12587-47-2	Gross beta	1700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7C0	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	7/8/2008 12:15	Y	7439-89-6	Iron	1610	ug/L	D	[NULL]	[NULL]	S	B1W7F3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2008 12:15	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7F3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2008 12:15	Y	7439-95-4	Magnesium	20400	ug/L	D	[NULL]	[NULL]	S	B1W7F3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2008 12:15	Y	7439-96-5	Manganese	1290	ug/L	D	[NULL]	[NULL]	S	B1W7F3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2008 12:15	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7F3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2008 12:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7F3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2008 12:15	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W7F3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/8/2008 12:15	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W7F3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/8/2008 12:15	Y	EH	Oxidation Reduction Potential	-175	mV	[NULL]	[NULL]	[NULL]	S	B1W7C0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-132	7/8/2008 12:15	Y	14265-44-2	Phosphate	1180000	ug/L	D	[NULL]	[NULL]	S	B1W7F3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/8/2008 12:15	Y	7440-09-7	Potassium	6890	ug/L	D	[NULL]	[NULL]	S	B1W7F3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2008 12:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W7F3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2008 12:15	Y	7440-23-5	Sodium	1280000	ug/L	D	[NULL]	[NULL]	S	B1W7F3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2008 12:15	Y	CONDUCT	Specific Conductance	4325	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7C0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-132	7/8/2008 12:15	Y	7440-24-6	Strontium	110	ug/L	D	[NULL]	[NULL]	S	B1W7F3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2008 12:15	Y	14808-79-8	Sulfate	770	ug/L	DU	[NULL]	[NULL]	S	B1W7F3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/8/2008 12:15	Y	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7C0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-132	7/8/2008 12:15	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7F3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2008 12:15	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7F3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/8/2008 12:15	Y	PH	pH Measurement	7.22	unitless	[NULL]	[NULL]	[NULL]	S	B1W7C0	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-132	7/9/2008 12:10	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W850	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/9/2008 12:10	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W850	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/9/2008 12:10	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W850	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/9/2008 12:10	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W850	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/9/2008 12:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W850	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/9/2008 12:10	Y	7440-70-2	Calcium	22100	ug/L	D	[NULL]	[NULL]	S	B1W850	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/9/2008 12:10	Y	16887-00-6	Chloride	224000	ug/L	D	[NULL]	[NULL]	S	B1W850	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/9/2008 12:10	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W850	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/9/2008 12:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W850	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/9/2008 12:10	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W850	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/9/2008 12:10	Y	DO	Dissolved oxygen	1040	ug/L	[NULL]	[NULL]	[NULL]	S	B1W835	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-132	7/9/2008 12:10	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W850	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/9/2008 12:10	Y	12587-46-1	Gross alpha	16	pCi/L	U	[NULL]	[NULL]	S	B1W835	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	7/9/2008 12:10	Y	12587-47-2	Gross beta	1700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W835	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	7/9/2008 12:10	Y	7439-89-6	Iron	1170	ug/L	D	[NULL]	[NULL]	S	B1W850	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/9/2008 12:10	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W850	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/9/2008 12:10	Y	7439-95-4	Magnesium	17700	ug/L	D	[NULL]	[NULL]	S	B1W850	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/9/2008 12:10	Y	7439-96-5	Manganese	1170	ug/L	D	[NULL]	[NULL]	S	B1W850	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/9/2008 12:10	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W850	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/9/2008 12:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W850	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-132	7/9/2008 12:10	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W850	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/9/2008 12:10	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W850	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/9/2008 12:10	Y	EH	Oxidation Reduction Potential	-159	mV	[NULL]	[NULL]	[NULL]	S	B1W835	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-132	7/9/2008 12:10	Y	14265-44-2	Phosphate	1020000	ug/L	D	[NULL]	[NULL]	S	B1W850	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/9/2008 12:10	Y	7440-09-7	Potassium	6150	ug/L	D	[NULL]	[NULL]	S	B1W850	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/9/2008 12:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W850	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/9/2008 12:10	Y	7440-23-5	Sodium	1150000	ug/L	DN	[NULL]	[NULL]	S	B1W850	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/9/2008 12:10	Y	CONDUCT	Specific Conductance	4282	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W835	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-132	7/9/2008 12:10	Y	7440-24-6	Strontium	100	ug/L	D	[NULL]	[NULL]	S	B1W850	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/9/2008 12:10	Y	14808-79-8	Sulfate	770	ug/L	DU	[NULL]	[NULL]	S	B1W850	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/9/2008 12:10	Y	TEMPERATURE	Temperature	16.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1W835	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-132	7/9/2008 12:10	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W850	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/9/2008 12:10	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W850	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/9/2008 12:10	Y	PH	pH Measurement	7.26	unitless	[NULL]	[NULL]	[NULL]	S	B1W835	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-132	7/10/2008 11:05	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7L9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/10/2008 11:05	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7L9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/10/2008 11:05	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7L9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/10/2008 11:05	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7L9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/10/2008 11:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7L9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/10/2008 11:05	Y	7440-70-2	Calcium	20500	ug/L	D	[NULL]	[NULL]	S	B1W7L9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/10/2008 11:05	Y	16887-00-6	Chloride	247000	ug/L	D	[NULL]	[NULL]	S	B1W7L9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/10/2008 11:05	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7L9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/10/2008 11:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7L9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/10/2008 11:05	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7L9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/10/2008 11:05	Y	DO	Dissolved oxygen	1370	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7J6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-132	7/10/2008 11:05	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W7L9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/10/2008 11:05	Y	12587-46-1	Gross alpha	-2.5	pCi/L	U	[NULL]	[NULL]	S	B1W7J6	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	7/10/2008 11:05	Y	12587-47-2	Gross beta	1800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7J6	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	7/10/2008 11:05	Y	7439-89-6	Iron	687	ug/L	D	[NULL]	[NULL]	S	B1W7L9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/10/2008 11:05	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7L9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/10/2008 11:05	Y	7439-95-4	Magnesium	17200	ug/L	D	[NULL]	[NULL]	S	B1W7L9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/10/2008 11:05	Y	7439-96-5	Manganese	1020	ug/L	D	[NULL]	[NULL]	S	B1W7L9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/10/2008 11:05	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7L9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/10/2008 11:05	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7L9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/10/2008 11:05	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W7L9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/10/2008 11:05	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W7L9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/10/2008 11:05	Y	EH	Oxidation Reduction Potential	156	mV	[NULL]	[NULL]	[NULL]	S	B1W7J6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-132	7/10/2008 11:05	Y	14265-44-2	Phosphate	981000	ug/L	D	[NULL]	[NULL]	S	B1W7L9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/10/2008 11:05	Y	7440-09-7	Potassium	6200	ug/L	D	[NULL]	[NULL]	S	B1W7L9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/10/2008 11:05	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W7L9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/10/2008 11:05	Y	7440-23-5	Sodium	1040000	ug/L	D	[NULL]	[NULL]	S	B1W7L9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/10/2008 11:05	Y	CONDUCT	Specific Conductance	4130	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7J6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-132	7/10/2008 11:05	Y	7440-24-6	Strontium	107	ug/L	D	[NULL]	[NULL]	S	B1W7L9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/10/2008 11:05	Y	14808-79-8	Sulfate	770	ug/L	DU	[NULL]	[NULL]	S	B1W7L9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/10/2008 11:05	Y	TEMPERATURE	Temperature	17.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7J6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-132	7/10/2008 11:05	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7L9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/10/2008 11:05	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7L9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/10/2008 11:05	Y	PH	pH Measurement	7.31	unitless	[NULL]	[NULL]	[NULL]	S	B1W7J6	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-132	7/11/2008 10:20	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7V9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/11/2008 10:20	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7V9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/11/2008 10:20	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7V9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/11/2008 10:20	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7V9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/11/2008 10:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7V9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-132	7/11/2008 10:20	Y	7440-70-2	Calcium	36300	ug/L	D	[NULL]	[NULL]	S	B1W7V9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/11/2008 10:20	Y	16887-00-6	Chloride	223000	ug/L	D	[NULL]	[NULL]	S	B1W7V9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/11/2008 10:20	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7V9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/11/2008 10:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7V9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/11/2008 10:20	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7V9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/11/2008 10:20	Y	DO	Dissolved oxygen	1480	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7V9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-132	7/11/2008 10:20	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W7V9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/11/2008 10:20	Y	12587-46-1	Gross alpha	-5.4	pCi/L	U	G	[NULL]	S	B1W7V9	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	7/11/2008 10:20	Y	12587-47-2	Gross beta	2800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7V9	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	7/11/2008 10:20	Y	7439-89-6	Iron	1370	ug/L	D	[NULL]	[NULL]	S	B1W7V9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/11/2008 10:20	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7V9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/11/2008 10:20	Y	7439-95-4	Magnesium	22200	ug/L	D	[NULL]	[NULL]	S	B1W7V9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/11/2008 10:20	Y	7439-96-5	Manganese	1320	ug/L	D	[NULL]	[NULL]	S	B1W7V9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/11/2008 10:20	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7V9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/11/2008 10:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7V9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/11/2008 10:20	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W7V9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/11/2008 10:20	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W7V9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/11/2008 10:20	Y	EH	Oxidation Reduction Potential	-182	mV	[NULL]	[NULL]	[NULL]	S	B1W7V9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-132	7/11/2008 10:20	Y	14265-44-2	Phosphate	724000	ug/L	D	[NULL]	[NULL]	S	B1W7V9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/11/2008 10:20	Y	7440-09-7	Potassium	6820	ug/L	D	[NULL]	[NULL]	S	B1W7V9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/11/2008 10:20	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W7V9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/11/2008 10:20	Y	7440-23-5	Sodium	1000000	ug/L	DX	[NULL]	[NULL]	S	B1W7V9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/11/2008 10:20	Y	CONDUCT	Specific Conductance	3245	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7V9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-132	7/11/2008 10:20	Y	7440-24-6	Strontium	155	ug/L	D	[NULL]	[NULL]	S	B1W7V9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/11/2008 10:20	Y	14808-79-8	Sulfate	770	ug/L	DU	[NULL]	[NULL]	S	B1W7V9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/11/2008 10:20	Y	TEMPERATURE	Temperature	16.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7V9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-132	7/11/2008 10:20	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7V9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/11/2008 10:20	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7V9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/11/2008 10:20	Y	PH	pH Measurement	7.2	unitless	[NULL]	[NULL]	[NULL]	S	B1W7V9	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-132	7/12/2008 7:04	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7T5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/12/2008 7:04	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7T5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/12/2008 7:04	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7T5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/12/2008 7:04	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7T5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/12/2008 7:04	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7T5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/12/2008 7:04	Y	7440-70-2	Calcium	46600	ug/L	DX	[NULL]	[NULL]	S	B1W7T5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/12/2008 7:04	Y	16887-00-6	Chloride	235000	ug/L	D	[NULL]	[NULL]	S	B1W7T5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/12/2008 7:04	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7T5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/12/2008 7:04	Y	7440-48-4	Cobalt	26.4	ug/L	D	[NULL]	[NULL]	S	B1W7T5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/12/2008 7:04	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7T5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/12/2008 7:04	Y	DO	Dissolved oxygen	1810	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7P2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-132	7/12/2008 7:04	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1W7T5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/12/2008 7:04	Y	12587-46-1	Gross alpha	18	pCi/L	U	[NULL]	[NULL]	S	B1W7P2	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	7/12/2008 7:04	Y	12587-47-2	Gross beta	3200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7P2	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	7/12/2008 7:04	Y	7439-89-6	Iron	1720	ug/L	D	[NULL]	[NULL]	S	B1W7T5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/12/2008 7:04	Y	7439-92-1	Lead	242	ug/L	D	[NULL]	[NULL]	S	B1W7T5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/12/2008 7:04	Y	7439-95-4	Magnesium	24700	ug/L	D	[NULL]	[NULL]	S	B1W7T5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/12/2008 7:04	Y	7439-96-5	Manganese	1530	ug/L	D	[NULL]	[NULL]	S	B1W7T5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/12/2008 7:04	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7T5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/12/2008 7:04	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7T5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/12/2008 7:04	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1W7T5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/12/2008 7:04	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1W7T5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/12/2008 7:04	Y	EH	Oxidation Reduction Potential	-173	mV	[NULL]	[NULL]	[NULL]	S	B1W7P2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-132	7/12/2008 7:04	Y	14265-44-2	Phosphate	865000	ug/L	D	[NULL]	[NULL]	S	B1W7T5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-132	7/12/2008 7:04	Y	7440-09-7	Potassium	7270	ug/L	D	[NULL]	[NULL]	S	B1W7T5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/12/2008 7:04	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W7T5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/12/2008 7:04	Y	7440-23-5	Sodium	1100000	ug/L	DX	[NULL]	[NULL]	S	B1W7T5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/12/2008 7:04	Y	CONDUCT	Specific Conductance	3975	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7P2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-132	7/12/2008 7:04	Y	7440-24-6	Strontium	207	ug/L	DN	[NULL]	[NULL]	S	B1W7T5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/12/2008 7:04	Y	14808-79-8	Sulfate	1320	ug/L	DNU	[NULL]	[NULL]	S	B1W7T5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/12/2008 7:04	Y	TEMPERATURE	Temperature	15.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7P2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-132	7/12/2008 7:04	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7T5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/12/2008 7:04	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7T5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/12/2008 7:04	Y	PH	pH Measurement	7.31	unitless	[NULL]	[NULL]	[NULL]	S	B1W7P2	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-132	7/14/2008 9:50	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W880	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/14/2008 9:50	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W880	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/14/2008 9:50	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W880	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/14/2008 9:50	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W880	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/14/2008 9:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W880	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/14/2008 9:50	Y	7440-70-2	Calcium	74700	ug/L	D	[NULL]	[NULL]	S	B1W880	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/14/2008 9:50	Y	16887-00-6	Chloride	250000	ug/L	D	[NULL]	[NULL]	S	B1W880	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/14/2008 9:50	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W880	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/14/2008 9:50	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W880	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/14/2008 9:50	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W880	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/14/2008 9:50	Y	DO	Dissolved oxygen	1340	ug/L	[NULL]	[NULL]	[NULL]	S	B1W865	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-132	7/14/2008 9:50	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W880	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/14/2008 9:50	Y	12587-46-1	Gross alpha	9.2	pCi/L	U	[NULL]	[NULL]	S	B1W865	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	7/14/2008 9:50	Y	12587-47-2	Gross beta	4200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W865	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	7/14/2008 9:50	Y	7439-89-6	Iron	1740	ug/L	D	[NULL]	[NULL]	S	B1W880	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/14/2008 9:50	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W880	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/14/2008 9:50	Y	7439-95-4	Magnesium	31300	ug/L	D	[NULL]	[NULL]	S	B1W880	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/14/2008 9:50	Y	7439-96-5	Manganese	2020	ug/L	D	[NULL]	[NULL]	S	B1W880	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/14/2008 9:50	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W880	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/14/2008 9:50	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W880	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/14/2008 9:50	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W880	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/14/2008 9:50	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W880	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/14/2008 9:50	Y	EH	Oxidation Reduction Potential	-169	mV	[NULL]	[NULL]	[NULL]	S	B1W865	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-132	7/14/2008 9:50	Y	14265-44-2	Phosphate	530000	ug/L	D	[NULL]	[NULL]	S	B1W880	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/14/2008 9:50	Y	7440-09-7	Potassium	7540	ug/L	D	[NULL]	[NULL]	S	B1W880	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/14/2008 9:50	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W880	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/14/2008 9:50	Y	7440-23-5	Sodium	988000	ug/L	D	[NULL]	[NULL]	S	B1W880	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/14/2008 9:50	Y	CONDUCT	Specific Conductance	3957	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W865	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-132	7/14/2008 9:50	Y	7440-24-6	Strontium	318	ug/L	DN	[NULL]	[NULL]	S	B1W880	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/14/2008 9:50	Y	14808-79-8	Sulfate	770	ug/L	DU	[NULL]	[NULL]	S	B1W880	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/14/2008 9:50	Y	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1W865	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-132	7/14/2008 9:50	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W880	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/14/2008 9:50	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W880	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/14/2008 9:50	Y	PH	pH Measurement	7.09	unitless	[NULL]	[NULL]	[NULL]	S	B1W865	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-132	7/17/2008 17:11	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W807	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2008 17:11	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W807	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2008 17:11	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W807	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2008 17:11	Y	7440-39-3	Barium	36	ug/L	D	[NULL]	[NULL]	S	B1W807	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2008 17:11	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W807	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2008 17:11	Y	7440-70-2	Calcium	132000	ug/L	D	[NULL]	[NULL]	S	B1W807	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2008 17:11	Y	16887-00-6	Chloride	257000	ug/L	D	[NULL]	[NULL]	S	B1W807	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/17/2008 17:11	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W807	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2008 17:11	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W807	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2008 17:11	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W807	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-132	7/17/2008 17:11	Y	DO	Dissolved oxygen	1250	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7Y2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-132	7/17/2008 17:11	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1W807	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/17/2008 17:11	Y	12587-46-1	Gross alpha	-15	pCi/L	U	[NULL]	[NULL]	S	B1W7Y2	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	7/17/2008 17:11	Y	12587-47-2	Gross beta	7800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7Y2	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	7/17/2008 17:11	Y	7439-89-6	Iron	1630	ug/L	D	[NULL]	[NULL]	S	B1W807	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2008 17:11	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W807	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2008 17:11	Y	7439-95-4	Magnesium	39100	ug/L	D	[NULL]	[NULL]	S	B1W807	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2008 17:11	Y	7439-96-5	Manganese	3100	ug/L	D	[NULL]	[NULL]	S	B1W807	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2008 17:11	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W807	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2008 17:11	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W807	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2008 17:11	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1W807	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/17/2008 17:11	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1W807	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/17/2008 17:11	Y	EH	Oxidation Reduction Potential	-174	mV	[NULL]	[NULL]	[NULL]	S	B1W7Y2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-132	7/17/2008 17:11	Y	14265-44-2	Phosphate	284000	ug/L	D	[NULL]	[NULL]	S	B1W807	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/17/2008 17:11	Y	7440-09-7	Potassium	7790	ug/L	D	[NULL]	[NULL]	S	B1W807	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2008 17:11	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W807	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2008 17:11	Y	7440-23-5	Sodium	748000	ug/L	DX	[NULL]	[NULL]	S	B1W807	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2008 17:11	Y	CONDUCT	Specific Conductance	3710	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7Y2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-132	7/17/2008 17:11	Y	7440-24-6	Strontium	603	ug/L	D	[NULL]	[NULL]	S	B1W807	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2008 17:11	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1W807	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/17/2008 17:11	Y	TEMPERATURE	Temperature	18.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7Y2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-132	7/17/2008 17:11	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W807	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2008 17:11	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W807	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/17/2008 17:11	Y	PH	pH Measurement	6.85	unitless	[NULL]	[NULL]	[NULL]	S	B1W7Y2	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-132	7/18/2008 10:53	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WCB5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/18/2008 10:53	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WCB5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/18/2008 10:53	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WCB5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/18/2008 10:53	Y	7440-39-3	Barium	44	ug/L	D	[NULL]	[NULL]	S	B1WCB5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/18/2008 10:53	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCB5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/18/2008 10:53	Y	7440-70-2	Calcium	161000	ug/L	D	[NULL]	[NULL]	S	B1WCB5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/18/2008 10:53	Y	16887-00-6	Chloride	247000	ug/L	DN	[NULL]	[NULL]	S	B1WCB5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/18/2008 10:53	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WCB5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/18/2008 10:53	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WCB5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/18/2008 10:53	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WCB5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/18/2008 10:53	Y	DO	Dissolved oxygen	980	ug/L	[NULL]	[NULL]	[NULL]	S	B1WCB5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-132	7/18/2008 10:53	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WCB5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/18/2008 10:53	Y	12587-46-1	Gross alpha	6.6	pCi/L	U	G	[NULL]	S	B1WCB5	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	7/18/2008 10:53	Y	12587-47-2	Gross beta	9200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WCB5	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	7/18/2008 10:53	Y	7439-89-6	Iron	2740	ug/L	D	[NULL]	[NULL]	S	B1WCB5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/18/2008 10:53	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WCB5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/18/2008 10:53	Y	7439-95-4	Magnesium	47200	ug/L	D	[NULL]	[NULL]	S	B1WCB5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/18/2008 10:53	Y	7439-96-5	Manganese	3750	ug/L	D	[NULL]	[NULL]	S	B1WCB5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/18/2008 10:53	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WCB5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/18/2008 10:53	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WCB5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/18/2008 10:53	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WCB5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/18/2008 10:53	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WCB5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/18/2008 10:53	Y	EH	Oxidation Reduction Potential	-136	mV	[NULL]	[NULL]	[NULL]	S	B1WCB5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-132	7/18/2008 10:53	Y	14265-44-2	Phosphate	187000	ug/L	D	[NULL]	[NULL]	S	B1WCB5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/18/2008 10:53	Y	7440-09-7	Potassium	8710	ug/L	D	[NULL]	[NULL]	S	B1WCB5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/18/2008 10:53	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WCB5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/18/2008 10:53	Y	7440-23-5	Sodium	699000	ug/L	DX	[NULL]	[NULL]	S	B1WCB5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/18/2008 10:53	Y	CONDUCT	Specific Conductance	3316	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WCB5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-132	7/18/2008 10:53	Y	7440-24-6	Strontium	737	ug/L	D	[NULL]	[NULL]	S	B1WCB5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-132	7/18/2008 10:53	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WCB5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/18/2008 10:53	Y	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	S	B1WCB5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-132	7/18/2008 10:53	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WCB5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/18/2008 10:53	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WCB5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/18/2008 10:53	Y	PH	pH Measurement	1.45	unitless	[NULL]	Y	[NULL]	S	B1WCB5	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-132	7/19/2008 7:25	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WCD8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/19/2008 7:25	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WCD8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/19/2008 7:25	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WCD8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/19/2008 7:25	Y	7440-39-3	Barium	39	ug/L	D	[NULL]	[NULL]	S	B1WCD8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/19/2008 7:25	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCD8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/19/2008 7:25	Y	7440-70-2	Calcium	130000	ug/L	D	[NULL]	[NULL]	S	B1WCD8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/19/2008 7:25	Y	16887-00-6	Chloride	230000	ug/L	D	[NULL]	[NULL]	S	B1WCD8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/19/2008 7:25	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WCD8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/19/2008 7:25	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WCD8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/19/2008 7:25	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WCD8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/19/2008 7:25	Y	DO	Dissolved oxygen	1710	ug/L	[NULL]	[NULL]	[NULL]	S	B1WCC7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-132	7/19/2008 7:25	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WCD8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/19/2008 7:25	Y	12587-46-1	Gross alpha	0	pCi/L	U	[NULL]	[NULL]	S	B1WCC7	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-132	7/19/2008 7:25	Y	12587-47-2	Gross beta	6830	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WCC7	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-132	7/19/2008 7:25	Y	7439-89-6	Iron	2430	ug/L	D	[NULL]	[NULL]	S	B1WCD8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/19/2008 7:25	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WCD8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/19/2008 7:25	Y	7439-95-4	Magnesium	41000	ug/L	D	[NULL]	[NULL]	S	B1WCD8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/19/2008 7:25	Y	7439-96-5	Manganese	3220	ug/L	D	[NULL]	[NULL]	S	B1WCD8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/19/2008 7:25	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WCD8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/19/2008 7:25	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WCD8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/19/2008 7:25	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WCD8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/19/2008 7:25	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WCD8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/19/2008 7:25	Y	EH	Oxidation Reduction Potential	-146	mV	[NULL]	[NULL]	[NULL]	S	B1WCC7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-132	7/19/2008 7:25	Y	14265-44-2	Phosphate	219000	ug/L	D	[NULL]	[NULL]	S	B1WCD8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/19/2008 7:25	Y	7440-09-7	Potassium	8110	ug/L	D	[NULL]	[NULL]	S	B1WCD8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/19/2008 7:25	Y	7440-22-4	Silver	26	ug/L	CD	[NULL]	[NULL]	S	B1WCD8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/19/2008 7:25	Y	7440-23-5	Sodium	693000	ug/L	D	[NULL]	[NULL]	S	B1WCD8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/19/2008 7:25	Y	CONDUCT	Specific Conductance	3206	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WCC7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-132	7/19/2008 7:25	Y	7440-24-6	Strontium	614	ug/L	D	[NULL]	[NULL]	S	B1WCD8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/19/2008 7:25	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WCD8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/19/2008 7:25	Y	TEMPERATURE	Temperature	15.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1WCC7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-132	7/19/2008 7:25	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WCD8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/19/2008 7:25	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WCD8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/19/2008 7:25	Y	PH	pH Measurement	7.3	unitless	[NULL]	[NULL]	[NULL]	S	B1WCC7	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-132	7/25/2008 9:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WLF3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/25/2008 9:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WLF3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/25/2008 9:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WLF3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/25/2008 9:30	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLF3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/25/2008 9:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLF3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/25/2008 9:30	Y	7440-70-2	Calcium	39800	ug/L	DX	[NULL]	[NULL]	S	B1WLF3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/25/2008 9:30	Y	16887-00-6	Chloride	217000	ug/L	D	[NULL]	[NULL]	S	B1WLF3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/25/2008 9:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WLF3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/25/2008 9:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WLF3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/25/2008 9:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WLF3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/25/2008 9:30	Y	DO	Dissolved oxygen	1330	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLF3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-132	7/25/2008 9:30	Y	16984-48-8	Fluoride	232	ug/L	DNU	[NULL]	[NULL]	S	B1WLF3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/25/2008 9:30	Y	12587-46-1	Gross alpha	6.4	pCi/L	U	[NULL]	[NULL]	S	B1WLF3	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	7/25/2008 9:30	Y	12587-47-2	Gross beta	2900	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WLF3	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	7/25/2008 9:30	Y	7439-89-6	Iron	1290	ug/L	D	[NULL]	[NULL]	S	B1WLF3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-132	7/25/2008 9:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WLF3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/25/2008 9:30	Y	7439-95-4	Magnesium	16300	ug/L	D	[NULL]	[NULL]	S	B1WLF3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/25/2008 9:30	Y	7439-96-5	Manganese	1320	ug/L	D	[NULL]	[NULL]	S	B1WLF3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/25/2008 9:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WLF3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/25/2008 9:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WLF3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/25/2008 9:30	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WLF3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/25/2008 9:30	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WLF3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/25/2008 9:30	Y	EH	Oxidation Reduction Potential	-176	mV	[NULL]	[NULL]	[NULL]	S	B1WLF3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-132	7/25/2008 9:30	Y	14265-44-2	Phosphate	353000	ug/L	D	[NULL]	[NULL]	S	B1WLF3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/25/2008 9:30	Y	7440-09-7	Potassium	5970	ug/L	D	[NULL]	[NULL]	S	B1WLF3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/25/2008 9:30	Y	7440-22-4	Silver	109	ug/L	BCD	[NULL]	[NULL]	S	B1WLF3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/25/2008 9:30	Y	7440-23-5	Sodium	789000	ug/L	D	[NULL]	[NULL]	S	B1WLF3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/25/2008 9:30	Y	CONDUCT	Specific Conductance	3365	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLF3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-132	7/25/2008 9:30	Y	7440-24-6	Strontium	218	ug/L	D	[NULL]	[NULL]	S	B1WLF3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/25/2008 9:30	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WLF3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	7/25/2008 9:30	Y	TEMPERATURE	Temperature	17.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLF3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-132	7/25/2008 9:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WLF3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/25/2008 9:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WLF3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	7/25/2008 9:30	Y	PH	pH Measurement	7.3	unitless	[NULL]	[NULL]	[NULL]	S	B1WLF3	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-132	8/1/2008 11:00	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WN47	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/1/2008 11:00	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WN47	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/1/2008 11:00	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WN47	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/1/2008 11:00	Y	7440-39-3	Barium	23	ug/L	D	[NULL]	[NULL]	S	B1WN47	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/1/2008 11:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WN47	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/1/2008 11:00	Y	7440-70-2	Calcium	61800	ug/L	D	[NULL]	[NULL]	S	B1WN47	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/1/2008 11:00	Y	16887-00-6	Chloride	225000	ug/L	D	[NULL]	[NULL]	S	B1WNP5	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-132	8/1/2008 11:00	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WN47	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/1/2008 11:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WN47	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/1/2008 11:00	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WN47	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/1/2008 11:00	Y	DO	Dissolved oxygen	970	ug/L	[NULL]	[NULL]	[NULL]	S	B1WN47	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-132	8/1/2008 11:00	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WNP5	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-132	8/1/2008 11:00	Y	12587-46-1	Gross alpha	6	pCi/L	U	[NULL]	[NULL]	S	B1WN47	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	8/1/2008 11:00	Y	12587-47-2	Gross beta	3000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WN47	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	8/1/2008 11:00	Y	7439-89-6	Iron	1240	ug/L	D	[NULL]	[NULL]	S	B1WN47	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/1/2008 11:00	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WN47	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/1/2008 11:00	Y	7439-95-4	Magnesium	23700	ug/L	D	[NULL]	[NULL]	S	B1WN47	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/1/2008 11:00	Y	7439-96-5	Manganese	1420	ug/L	D	[NULL]	[NULL]	S	B1WN47	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/1/2008 11:00	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WN47	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/1/2008 11:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WN47	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/1/2008 11:00	Y	14797-55-8	Nitrate	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNP5	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-132	8/1/2008 11:00	Y	14797-65-0	Nitrite	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNP5	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-132	8/1/2008 11:00	Y	EH	Oxidation Reduction Potential	-178	mV	[NULL]	[NULL]	[NULL]	S	B1WN47	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-132	8/1/2008 11:00	Y	14265-44-2	Phosphate	308000	ug/L	D	[NULL]	[NULL]	S	B1WNP5	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-132	8/1/2008 11:00	Y	7440-09-7	Potassium	7310	ug/L	D	[NULL]	[NULL]	S	B1WN47	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/1/2008 11:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WN47	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/1/2008 11:00	Y	7440-23-5	Sodium	1090000	ug/L	D	[NULL]	[NULL]	S	B1WN47	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/1/2008 11:00	Y	CONDUCT	Specific Conductance	3749	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WN47	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-132	8/1/2008 11:00	Y	7440-24-6	Strontium	314	ug/L	D	[NULL]	[NULL]	S	B1WN47	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/1/2008 11:00	Y	14808-79-8	Sulfate	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNP5	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-132	8/1/2008 11:00	Y	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1WN47	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-132	8/1/2008 11:00	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WN47	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/1/2008 11:00	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WN47	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/1/2008 11:00	Y	PH	pH Measurement	7.23	unitless	[NULL]	[NULL]	[NULL]	S	B1WN47	PH	FIELD	PH_PAPER_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-132	8/8/2008 8:35	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WNL0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/8/2008 8:35	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WNL0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/8/2008 8:35	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WNL0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/8/2008 8:35	Y	7440-39-3	Barium	20	ug/L	D	[NULL]	[NULL]	S	B1WNL0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/8/2008 8:35	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WNL0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/8/2008 8:35	Y	7440-70-2	Calcium	41200	ug/L	DN	[NULL]	[NULL]	S	B1WNL0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/8/2008 8:35	Y	16887-00-6	Chloride	426000	ug/L	D	[NULL]	[NULL]	S	B1WP02	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-132	8/8/2008 8:35	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WNL0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/8/2008 8:35	Y	7440-48-4	Cobalt	22.4	ug/L	D	[NULL]	[NULL]	S	B1WNL0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/8/2008 8:35	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WNL0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/8/2008 8:35	Y	DO	Dissolved oxygen	2870	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNL0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-132	8/8/2008 8:35	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP02	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-132	8/8/2008 8:35	Y	12587-46-1	Gross alpha	7.9	pCi/L	U	[NULL]	[NULL]	S	B1WNL0	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	8/8/2008 8:35	Y	12587-47-2	Gross beta	3000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WNL0	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	8/8/2008 8:35	Y	7439-89-6	Iron	989	ug/L	CD	[NULL]	[NULL]	S	B1WNL0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/8/2008 8:35	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WNL0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/8/2008 8:35	Y	7439-95-4	Magnesium	14500	ug/L	DN	[NULL]	[NULL]	S	B1WNL0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/8/2008 8:35	Y	7439-96-5	Manganese	847	ug/L	D	[NULL]	[NULL]	S	B1WNL0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/8/2008 8:35	Y	7439-98-7	Molybdenum	34.8	ug/L	D	[NULL]	[NULL]	S	B1WNL0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/8/2008 8:35	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WNL0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/8/2008 8:35	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP02	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-132	8/8/2008 8:35	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP02	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-132	8/8/2008 8:35	Y	EH	Oxidation Reduction Potential	-265	mV	[NULL]	[NULL]	[NULL]	S	B1WNL0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-132	8/8/2008 8:35	Y	14265-44-2	Phosphate	279000	ug/L	D	[NULL]	[NULL]	S	B1WP02	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-132	8/8/2008 8:35	Y	7440-09-7	Potassium	5180	ug/L	D	[NULL]	[NULL]	S	B1WNL0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/8/2008 8:35	Y	7440-22-4	Silver	78	ug/L	CD	[NULL]	[NULL]	S	B1WNL0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/8/2008 8:35	Y	7440-23-5	Sodium	689000	ug/L	D	[NULL]	[NULL]	S	B1WNL0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/8/2008 8:35	Y	CONDUCT	Specific Conductance	3443	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WNL0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-132	8/8/2008 8:35	Y	7440-24-6	Strontium	206	ug/L	D	[NULL]	[NULL]	S	B1WNL0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/8/2008 8:35	Y	14808-79-8	Sulfate	28700	ug/L	D	[NULL]	[NULL]	S	B1WP02	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-132	8/8/2008 8:35	Y	TEMPERATURE	Temperature	18.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1WNL0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-132	8/8/2008 8:35	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WNL0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/8/2008 8:35	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WNL0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/8/2008 8:35	Y	PH	pH Measurement	7.88	unitless	[NULL]	[NULL]	[NULL]	S	B1WNL0	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-132	8/15/2008 8:55	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WP52	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/15/2008 8:55	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WP52	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/15/2008 8:55	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WP52	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/15/2008 8:55	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WP52	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/15/2008 8:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WP52	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/15/2008 8:55	Y	7440-70-2	Calcium	37400	ug/L	DN	[NULL]	[NULL]	S	B1WP52	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/15/2008 8:55	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WP52	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/15/2008 8:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WP52	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/15/2008 8:55	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WP52	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/15/2008 8:55	Y	DO	Dissolved oxygen	2530	ug/L	[NULL]	[NULL]	[NULL]	S	B1WP52	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-132	8/15/2008 8:55	Y	12587-46-1	Gross alpha	4.1	pCi/L	U	[NULL]	[NULL]	S	B1WP52	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	8/15/2008 8:55	Y	12587-47-2	Gross beta	2400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WP52	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	8/15/2008 8:55	Y	7439-89-6	Iron	940	ug/L	CD	[NULL]	[NULL]	S	B1WP52	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/15/2008 8:55	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WP52	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/15/2008 8:55	Y	7439-95-4	Magnesium	13700	ug/L	D	[NULL]	[NULL]	S	B1WP52	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/15/2008 8:55	Y	7439-96-5	Manganese	703	ug/L	D	[NULL]	[NULL]	S	B1WP52	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/15/2008 8:55	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WP52	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/15/2008 8:55	Y	7440-02-0	Nickel	30.6	ug/L	D	[NULL]	[NULL]	S	B1WP52	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/15/2008 8:55	Y	EH	Oxidation Reduction Potential	-171	mV	[NULL]	[NULL]	[NULL]	S	B1WP52	EH	FIELD	REDOX_PROBE_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-132	8/15/2008 8:55	Y	7440-09-7	Potassium	5600	ug/L	D	[NULL]	[NULL]	S	B1WP52	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/15/2008 8:55	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WP52	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/15/2008 8:55	Y	7440-23-5	Sodium	781000	ug/L	D	[NULL]	[NULL]	S	B1WP52	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/15/2008 8:55	Y	CONDUCT	Specific Conductance	3359	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WP52	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-132	8/15/2008 8:55	Y	7440-24-6	Strontium	188	ug/L	D	[NULL]	[NULL]	S	B1WP52	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/15/2008 8:55	Y	TEMPERATURE	Temperature	22.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1WP52	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-132	8/15/2008 8:55	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WP52	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/15/2008 8:55	Y	7440-66-6	Zinc	69.1	ug/L	D	[NULL]	[NULL]	S	B1WP52	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	8/15/2008 8:55	Y	PH	pH Measurement	7.51	unitless	[NULL]	[NULL]	[NULL]	S	B1WP52	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-132	8/15/2008 9:55	Y	16887-00-6	Chloride	220000	ug/L	D	[NULL]	[NULL]	S	B1WP82	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-132	8/15/2008 9:55	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP82	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-132	8/15/2008 9:55	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP82	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-132	8/15/2008 9:55	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP82	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-132	8/15/2008 9:55	Y	14265-44-2	Phosphate	286000	ug/L	D	[NULL]	[NULL]	S	B1WP82	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-132	8/15/2008 9:55	Y	14808-79-8	Sulfate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP82	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-132	9/3/2008 10:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WWF8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/3/2008 10:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WWF8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/3/2008 10:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WWF8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/3/2008 10:30	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WWF8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/3/2008 10:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WWF8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/3/2008 10:30	Y	7440-70-2	Calcium	23200	ug/L	DN	[NULL]	[NULL]	S	B1WWF8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/3/2008 10:30	Y	16887-00-6	Chloride	161000	ug/L	D	[NULL]	[NULL]	S	B1WW96	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-132	9/3/2008 10:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WWF8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/3/2008 10:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WWF8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/3/2008 10:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WWF8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/3/2008 10:30	Y	DO	Dissolved oxygen	1400	ug/L	[NULL]	[NULL]	[NULL]	S	B1WW96	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-132	9/3/2008 10:30	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WW96	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-132	9/3/2008 10:30	Y	12587-46-1	Gross alpha	-0.5	pCi/L	U	[NULL]	[NULL]	S	B1WWF8	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	9/3/2008 10:30	Y	12587-47-2	Gross beta	1200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WWF8	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	9/3/2008 10:30	Y	7439-89-6	Iron	734	ug/L	D	[NULL]	[NULL]	S	B1WWF8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/3/2008 10:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WWF8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/3/2008 10:30	Y	7439-95-4	Magnesium	8580	ug/L	D	[NULL]	[NULL]	S	B1WWF8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/3/2008 10:30	Y	7439-96-5	Manganese	483	ug/L	D	[NULL]	[NULL]	S	B1WWF8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/3/2008 10:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WWF8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/3/2008 10:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WWF8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/3/2008 10:30	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WW96	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-132	9/3/2008 10:30	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WW96	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-132	9/3/2008 10:30	Y	EH	Oxidation Reduction Potential	-192	mV	[NULL]	[NULL]	[NULL]	S	B1WW96	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-132	9/3/2008 10:30	Y	14265-44-2	Phosphate	383000	ug/L	D	[NULL]	[NULL]	S	B1WW96	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-132	9/3/2008 10:30	Y	7440-09-7	Potassium	4710	ug/L	D	[NULL]	[NULL]	S	B1WWF8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/3/2008 10:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WWF8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/3/2008 10:30	Y	7440-23-5	Sodium	566000	ug/L	D	[NULL]	[NULL]	S	B1WWF8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/3/2008 10:30	Y	CONDUCT	Specific Conductance	2005	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WW96	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-132	9/3/2008 10:30	Y	7440-24-6	Strontium	124	ug/L	D	[NULL]	[NULL]	S	B1WWF8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/3/2008 10:30	Y	14808-79-8	Sulfate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WW96	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-132	9/3/2008 10:30	Y	TEMPERATURE	Temperature	18.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1WW96	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-132	9/3/2008 10:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WWF8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/3/2008 10:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WWF8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/3/2008 10:30	Y	PH	pH Measurement	7.57	unitless	[NULL]	[NULL]	[NULL]	S	B1WW96	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-132	9/21/2008 8:00	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WX26	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/21/2008 8:00	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WX26	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/21/2008 8:00	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WX26	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/21/2008 8:00	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WX26	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/21/2008 8:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WX26	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-132	9/21/2008 8:00	Y	7440-70-2	Calcium	17000	ug/L	DN	[NULL]	[NULL]	S	B1WX26	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/21/2008 8:00	Y	16887-00-6	Chloride	77600	ug/L	D	[NULL]	[NULL]	S	B1WWX1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	9/21/2008 8:00	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WX26	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/21/2008 8:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WX26	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/21/2008 8:00	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WX26	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/21/2008 8:00	Y	DO	Dissolved oxygen	1290	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX26	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-132	9/21/2008 8:00	Y	DO	Dissolved oxygen	1290	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWX1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-132	9/21/2008 8:00	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WWX1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	9/21/2008 8:00	Y	12587-46-1	Gross alpha	3.4	pCi/L	U	[NULL]	[NULL]	S	B1WX26	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	9/21/2008 8:00	Y	12587-47-2	Gross beta	1300	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WX26	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	9/21/2008 8:00	Y	7439-89-6	Iron	350	ug/L	BD	[NULL]	[NULL]	S	B1WX26	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/21/2008 8:00	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WX26	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/21/2008 8:00	Y	7439-95-4	Magnesium	5760	ug/L	D	[NULL]	[NULL]	S	B1WX26	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/21/2008 8:00	Y	7439-96-5	Manganese	318	ug/L	D	[NULL]	[NULL]	S	B1WX26	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/21/2008 8:00	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WX26	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/21/2008 8:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WX26	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/21/2008 8:00	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WWX1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	9/21/2008 8:00	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WWX1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	9/21/2008 8:00	Y	EH	Oxidation Reduction Potential	-84	mV	[NULL]	[NULL]	[NULL]	S	B1WX26	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-132	9/21/2008 8:00	Y	EH	Oxidation Reduction Potential	-84	mV	[NULL]	[NULL]	[NULL]	S	B1WWX1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-132	9/21/2008 8:00	Y	14265-44-2	Phosphate	374000	ug/L	D	[NULL]	[NULL]	S	B1WWX1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	9/21/2008 8:00	Y	7440-09-7	Potassium	3540	ug/L	BD	[NULL]	[NULL]	S	B1WX26	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/21/2008 8:00	Y	7440-22-4	Silver	25	ug/L	DNUX	[NULL]	[NULL]	S	B1WX26	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/21/2008 8:00	Y	7440-23-5	Sodium	335000	ug/L	D	[NULL]	[NULL]	S	B1WX26	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/21/2008 8:00	Y	CONDUCT	Specific Conductance	1399	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WWX1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-132	9/21/2008 8:00	Y	CONDUCT	Specific Conductance	1399	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WX26	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-132	9/21/2008 8:00	Y	7440-24-6	Strontium	70.2	ug/L	BD	[NULL]	[NULL]	S	B1WX26	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/21/2008 8:00	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WWX1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	9/21/2008 8:00	Y	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1WX26	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-132	9/21/2008 8:00	Y	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1WWX1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-132	9/21/2008 8:00	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WX26	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/21/2008 8:00	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WX26	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	9/21/2008 8:00	Y	PH	pH Measurement	7.39	unitless	[NULL]	[NULL]	[NULL]	S	B1WX26	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-132	9/21/2008 8:00	Y	PH	pH Measurement	7.39	unitless	[NULL]	[NULL]	[NULL]	S	B1WWX1	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-132	10/30/2008 11:37	N	7429-90-5	Aluminum	63.9	ug/L	B	[NULL]	[NULL]	S	B1WX72	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/30/2008 11:37	N	7440-36-0	Antimony	60	ug/L	U	[NULL]	[NULL]	S	B1WX72	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/30/2008 11:37	N	7440-38-2	Arsenic	80	ug/L	U	[NULL]	[NULL]	S	B1WX72	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/30/2008 11:37	N	7440-39-3	Barium	11.1	ug/L	B	[NULL]	[NULL]	S	B1WX72	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/30/2008 11:37	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1WX72	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/30/2008 11:37	N	7440-70-2	Calcium	27200	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX72	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/30/2008 11:37	N	16887-00-6	Chloride	94400	ug/L	DN	[NULL]	[NULL]	S	B1WX72	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	10/30/2008 11:37	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	S	B1WX72	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/30/2008 11:37	N	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	S	B1WX72	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/30/2008 11:37	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1WX72	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/30/2008 11:37	N	DO	Dissolved oxygen	221000	ug/L	[NULL]	Y	[NULL]	S	B1WX72	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-132	10/30/2008 11:37	N	16984-48-8	Fluoride	200	ug/L	UD	[NULL]	[NULL]	S	B1WX72	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	10/30/2008 11:37	N	12587-46-1	Gross alpha	0.02	pCi/L	U	[NULL]	[NULL]	S	B1WX72	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	10/30/2008 11:37	N	12587-47-2	Gross beta	1730	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WX72	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	10/30/2008 11:37	N	7439-89-6	Iron	393	ug/L	C	[NULL]	[NULL]	S	B1WX72	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/30/2008 11:37	N	7439-92-1	Lead	40	ug/L	U	[NULL]	[NULL]	S	B1WX72	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/30/2008 11:37	N	7439-95-4	Magnesium	8200	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX72	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/30/2008 11:37	N	7439-96-5	Manganese	410	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX72	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/30/2008 11:37	N	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	S	B1WX72	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-132	10/30/2008 11:37	N	7440-02-0	Nickel	6	ug/L	U	[NULL]	[NULL]	S	B1WX72	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/30/2008 11:37	N	14797-55-8	Nitrate	443	ug/L	UD	[NULL]	[NULL]	S	B1WX72	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	10/30/2008 11:37	N	14797-65-0	Nitrite	328	ug/L	UD	[NULL]	[NULL]	S	B1WX72	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	10/30/2008 11:37	N	EH	Oxidation Reduction Potential	-161	mV	[NULL]	[NULL]	[NULL]	S	B1WX72	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-132	10/30/2008 11:37	N	14265-44-2	Phosphate	204000	ug/L	D	[NULL]	[NULL]	S	B1WX72	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	10/30/2008 11:37	N	7440-09-7	Potassium	3700	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX72	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/30/2008 11:37	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1WX72	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/30/2008 11:37	N	7440-23-5	Sodium	371000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX72	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/30/2008 11:37	N	CONDUCT	Specific Conductance	1562	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WX72	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-132	10/30/2008 11:37	N	7440-24-6	Strontium	153	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX72	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/30/2008 11:37	N	14808-79-8	Sulfate	1140	ug/L	BD	[NULL]	[NULL]	S	B1WX72	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	10/30/2008 11:37	N	TEMPERATURE	Temperature	16.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1WX72	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-132	10/30/2008 11:37	N	7440-62-2	Vanadium	10	ug/L	U	[NULL]	[NULL]	S	B1WX72	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/30/2008 11:37	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1WX72	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	10/30/2008 11:37	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	S	B1WX72	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-132	12/8/2008 9:39	N	7429-90-5	Aluminum	52	ug/L	U	[NULL]	[NULL]	S	B1XXP5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	12/8/2008 9:39	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	S	B1XXP5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	12/8/2008 9:39	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	S	B1XXP5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	12/8/2008 9:39	N	7440-39-3	Barium	17	ug/L	B	[NULL]	[NULL]	S	B1XXP5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	12/8/2008 9:39	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1XXP5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	12/8/2008 9:39	N	7440-70-2	Calcium	35000	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXP5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	12/8/2008 9:39	N	16887-00-6	Chloride	128000	ug/L	D	[NULL]	[NULL]	S	B1XXP5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	12/8/2008 9:39	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B1XXP5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	12/8/2008 9:39	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1XXP5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	12/8/2008 9:39	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1XXP5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	12/8/2008 9:39	N	DO	Dissolved oxygen	2030	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXP5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-132	12/8/2008 9:39	N	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1XXP5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	12/8/2008 9:39	N	12587-46-1	Gross alpha	0.45	pCi/L	U	[NULL]	[NULL]	S	B1XXP5	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	12/8/2008 9:39	N	12587-47-2	Gross beta	1800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1XXP5	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	12/8/2008 9:39	N	7439-89-6	Iron	493	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXP5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	12/8/2008 9:39	N	7439-92-1	Lead	45	ug/L	U	[NULL]	[NULL]	S	B1XXP5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	12/8/2008 9:39	N	7439-95-4	Magnesium	10600	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXP5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	12/8/2008 9:39	N	7439-96-5	Manganese	477	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXP5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	12/8/2008 9:39	N	7439-98-7	Molybdenum	5.4	ug/L	B	[NULL]	[NULL]	S	B1XXP5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	12/8/2008 9:39	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B1XXP5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	12/8/2008 9:39	N	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1XXP5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	12/8/2008 9:39	N	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1XXP5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	12/8/2008 9:39	N	EH	Oxidation Reduction Potential	-130	mV	[NULL]	[NULL]	[NULL]	S	B1XXP5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-132	12/8/2008 9:39	N	14265-44-2	Phosphate	252000	ug/L	D	[NULL]	[NULL]	S	B1XXP5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	12/8/2008 9:39	N	7440-09-7	Potassium	4630	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXP5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	12/8/2008 9:39	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1XXP5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	12/8/2008 9:39	N	7440-23-5	Sodium	536000	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXP5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	12/8/2008 9:39	N	CONDUCT	Specific Conductance	211	uS/cm	[NULL]	Y	[NULL]	S	B1XXP5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-132	12/8/2008 9:39	N	7440-24-6	Strontium	175	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXP5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	12/8/2008 9:39	N	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1XXP5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	12/8/2008 9:39	N	TEMPERATURE	Temperature	15.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1XXP5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-132	12/8/2008 9:39	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	S	B1XXP5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	12/8/2008 9:39	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1XXP5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	12/8/2008 9:39	N	PH	pH Measurement	7.52	unitless	[NULL]	[NULL]	[NULL]	S	B1XXP5	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-132	2/4/2009 10:30	N	7429-90-5	Aluminum	52	ug/L	U	[NULL]	[NULL]	S	B1YLN9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	2/4/2009 10:30	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	S	B1YLN9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	2/4/2009 10:30	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	S	B1YLN9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	2/4/2009 10:30	N	7440-39-3	Barium	6.7	ug/L	B	[NULL]	[NULL]	S	B1YLN9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-132	2/4/2009 10:30	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1YLN9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	2/4/2009 10:30	N	7440-70-2	Calcium	23600	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	2/4/2009 10:30	N	16887-00-6	Chloride	94100	ug/L	D	[NULL]	[NULL]	S	B1YLN9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	2/4/2009 10:30	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B1YLN9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	2/4/2009 10:30	N	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	S	B1YLN9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	2/4/2009 10:30	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1YLN9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	2/4/2009 10:30	N	DO	Dissolved oxygen	1300	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-132	2/4/2009 10:30	N	16984-48-8	Fluoride	230	ug/L	UD	[NULL]	[NULL]	S	B1YLN9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	2/4/2009 10:30	N	12587-46-1	Gross alpha	0.027	pCi/L	U	[NULL]	[NULL]	S	B1YLN9	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	2/4/2009 10:30	N	12587-47-2	Gross beta	980	pCi/L	[NULL]	[NULL]	[NULL]	S	B1YLN9	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	2/4/2009 10:30	N	7439-89-6	Iron	68.9	ug/L	B	[NULL]	[NULL]	S	B1YLN9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	2/4/2009 10:30	N	7439-92-1	Lead	45	ug/L	U	[NULL]	[NULL]	S	B1YLN9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	2/4/2009 10:30	N	7439-95-4	Magnesium	9190	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	2/4/2009 10:30	N	7439-96-5	Manganese	382	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	2/4/2009 10:30	N	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	S	B1YLN9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	2/4/2009 10:30	N	7440-02-0	Nickel	6	ug/L	U	[NULL]	[NULL]	S	B1YLN9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	2/4/2009 10:30	N	14797-55-8	Nitrate	531	ug/L	UD	[NULL]	[NULL]	S	B1YLN9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	2/4/2009 10:30	N	14797-65-0	Nitrite	427	ug/L	UD	[NULL]	[NULL]	S	B1YLN9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	2/4/2009 10:30	N	EH	Oxidation Reduction Potential	52	mV	[NULL]	[NULL]	[NULL]	S	B1YLN9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-132	2/4/2009 10:30	N	14265-44-2	Phosphate	296000	ug/L	D	[NULL]	[NULL]	S	B1YLN9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	2/4/2009 10:30	N	7440-09-7	Potassium	4430	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	2/4/2009 10:30	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1YLN9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	2/4/2009 10:30	N	7440-23-5	Sodium	678000	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	2/4/2009 10:30	N	CONDUCT	Specific Conductance	2657	uS/cm	[NULL]	[NULL]	[NULL]	S	B1YLN9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-132	2/4/2009 10:30	N	7440-24-6	Strontium	66.1	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLN9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	2/4/2009 10:30	N	14808-79-8	Sulfate	22800	ug/L	D	[NULL]	[NULL]	S	B1YLN9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	2/4/2009 10:30	N	TEMPERATURE	Temperature	13.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1YLN9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-132	2/4/2009 10:30	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	S	B1YLN9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	2/4/2009 10:30	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1YLN9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	2/4/2009 10:30	N	PH	pH Measurement	7.67	unitless	[NULL]	[NULL]	[NULL]	S	B1YLN9	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-132	5/26/2009 10:59	N	DO	Dissolved oxygen	1750	ug/L	[NULL]	[NULL]	[NULL]	S	B203K0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-132	5/26/2009 10:59	N	12587-46-1	Gross alpha	0.51	pCi/L	U	[NULL]	[NULL]	S	B203K0	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	5/26/2009 10:59	N	12587-47-2	Gross beta	880	pCi/L	[NULL]	[NULL]	[NULL]	S	B203K0	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	5/26/2009 10:59	N	EH	Oxidation Reduction Potential	114	mV	[NULL]	[NULL]	[NULL]	S	B203K0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-132	5/26/2009 10:59	N	CONDUCT	Specific Conductance	2359	uS/cm	[NULL]	[NULL]	[NULL]	S	B203K0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-132	5/26/2009 10:59	N	TEMPERATURE	Temperature	15.4	Deg C	[NULL]	[NULL]	[NULL]	S	B203K0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-132	5/26/2009 10:59	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	S	B203K0	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-132	8/13/2009 11:07	N	DO	Dissolved oxygen	1720	ug/L	[NULL]	[NULL]	[NULL]	S	B21BC7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-132	8/13/2009 11:07	N	12587-46-1	Gross alpha	-7	pCi/L	U	[NULL]	[NULL]	S	B21BC8	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	8/13/2009 11:07	N	12587-46-1	Gross alpha	-1	pCi/L	U	[NULL]	[NULL]	S	B21BC7	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-132	8/13/2009 11:07	N	12587-47-2	Gross beta	320	pCi/L	[NULL]	[NULL]	[NULL]	S	B21BC8	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	8/13/2009 11:07	N	12587-47-2	Gross beta	410	pCi/L	[NULL]	[NULL]	[NULL]	S	B21BC7	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	8/13/2009 11:07	N	EH	Oxidation Reduction Potential	146	mV	[NULL]	[NULL]	[NULL]	S	B21BC7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-132	8/13/2009 11:07	N	CONDUCT	Specific Conductance	2327	uS/cm	[NULL]	[NULL]	[NULL]	S	B21BC7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-132	8/13/2009 11:07	N	TEMPERATURE	Temperature	18.8	Deg C	[NULL]	[NULL]	[NULL]	S	B21BC7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-132	8/13/2009 11:07	N	PH	pH Measurement	7.82	unitless	[NULL]	[NULL]	[NULL]	S	B21BC7	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-132	11/20/2009 10:32	N	7429-90-5	Aluminum	17.6	ug/L	B	[NULL]	[NULL]	S	B22WW5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/20/2009 10:32	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	S	B22WW5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/20/2009 10:32	N	7440-38-2	Arsenic	181	ug/L	B	[NULL]	[NULL]	S	B22WW5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/20/2009 10:32	N	7440-39-3	Barium	4	ug/L	U	[NULL]	[NULL]	S	B22WW5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/20/2009 10:32	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B22WW5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/20/2009 10:32	N	7440-70-2	Calcium	19000	ug/L	[NULL]	[NULL]	[NULL]	S	B22WW5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-132	11/20/2009 10:32	N	16887-00-6	Chloride	43900	ug/L	D	[NULL]	[NULL]	S	B22WW5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	11/20/2009 10:32	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B22WW5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/20/2009 10:32	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B22WW5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/20/2009 10:32	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	S	B22WW5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/20/2009 10:32	N	DO	Dissolved oxygen	2450	ug/L	[NULL]	[NULL]	[NULL]	S	B22WW5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-132	11/20/2009 10:32	N	16984-48-8	Fluoride	88.8	ug/L	BD	[NULL]	[NULL]	S	B22WW5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	11/20/2009 10:32	N	12587-47-2	Gross beta	510	pCi/L	[NULL]	F	[NULL]	S	B22WW5	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-132	11/20/2009 10:32	N	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	S	B22WW5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/20/2009 10:32	N	7439-92-1	Lead	23	ug/L	U	[NULL]	[NULL]	S	B22WW5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/20/2009 10:32	N	7439-95-4	Magnesium	5620	ug/L	[NULL]	[NULL]	[NULL]	S	B22WW5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/20/2009 10:32	N	7439-96-5	Manganese	245	ug/L	[NULL]	[NULL]	[NULL]	S	B22WW5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/20/2009 10:32	N	7439-98-7	Molybdenum	33.3	ug/L	[NULL]	[NULL]	[NULL]	S	B22WW5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/20/2009 10:32	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B22WW5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/20/2009 10:32	N	14797-55-8	Nitrate	78800	ug/L	D	[NULL]	[NULL]	S	B22WW5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	11/20/2009 10:32	N	14797-65-0	Nitrite	5160	ug/L	D	[NULL]	[NULL]	S	B22WW5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	11/20/2009 10:32	N	EH	Oxidation Reduction Potential	158.5	mV	[NULL]	[NULL]	[NULL]	S	B22WW5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-132	11/20/2009 10:32	N	14265-44-2	Phosphate	325000	ug/L	D	[NULL]	[NULL]	S	B22WW5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	11/20/2009 10:32	N	7440-09-7	Potassium	3180	ug/L	[NULL]	[NULL]	[NULL]	S	B22WW5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/20/2009 10:32	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B22WW5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/20/2009 10:32	N	7440-23-5	Sodium	384000	ug/L	[NULL]	[NULL]	[NULL]	S	B22WW5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/20/2009 10:32	N	CONDUCT	Specific Conductance	1590	uS/cm	[NULL]	[NULL]	[NULL]	S	B22WW5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-132	11/20/2009 10:32	N	7440-24-6	Strontium	35.6	ug/L	[NULL]	[NULL]	[NULL]	S	B22WW5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/20/2009 10:32	N	10098-97-2	Strontium-90	300	pCi/L	[NULL]	[NULL]	[NULL]	S	B22WW5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-132	11/20/2009 10:32	N	14808-79-8	Sulfate	37800	ug/L	D	[NULL]	[NULL]	S	B22WW5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-132	11/20/2009 10:32	N	TEMPERATURE	Temperature	16	Deg C	[NULL]	[NULL]	[NULL]	S	B22WW5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-132	11/20/2009 10:32	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	S	B22WW5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/20/2009 10:32	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	S	B22WW5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-132	11/20/2009 10:32	N	PH	pH Measurement	7.86	unitless	[NULL]	[NULL]	[NULL]	S	B22WW5	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-133	6/21/2006 11:35	N	12587-46-1	Gross alpha	2.6	pCi/L	U	[NULL]	[NULL]	S	B1JMC7	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-133	6/21/2006 11:35	N	12587-47-2	Gross beta	550	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JMC7	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-133	6/21/2006 11:35	N	10098-97-2	Strontium-90	371	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JMC7	SR-RAD	STLRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-133	6/28/2006 9:58	N	10098-97-2	Strontium-90	430	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JWB5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-133	7/7/2006 9:50	N	10098-97-2	Strontium-90	390	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K018	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-133	7/17/2006 16:05	Y	7429-90-5	Aluminum	370	ug/L	U	[NULL]	[NULL]	S	B1K4X3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	7/17/2006 16:05	Y	7440-36-0	Antimony	720	ug/L	U	[NULL]	[NULL]	S	B1K4X3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	7/17/2006 16:05	Y	7440-38-2	Arsenic	790	ug/L	U	[NULL]	[NULL]	S	B1K4X3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	7/17/2006 16:05	Y	7440-39-3	Barium	42.7	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X3	7440-39-3	WSCF.	6010_METALS_ICP	100-NR-2
199-N-133	7/17/2006 16:05	Y	7440-43-9	Cadmium	30	ug/L	U	[NULL]	[NULL]	S	B1K4X3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	7/17/2006 16:05	Y	7440-70-2	Calcium	14500	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	7/17/2006 16:05	Y	16887-00-6	Chloride	8890	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	7/17/2006 16:05	Y	7440-47-3	Chromium	70	ug/L	U	[NULL]	[NULL]	S	B1K4X3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	7/17/2006 16:05	Y	7440-48-4	Cobalt	70	ug/L	U	[NULL]	[NULL]	S	B1K4X3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	7/17/2006 16:05	Y	7440-50-8	Copper	70	ug/L	U	[NULL]	[NULL]	S	B1K4X3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	7/17/2006 16:05	Y	16984-48-8	Fluoride	177	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	7/17/2006 16:05	Y	7439-89-6	Iron	330	ug/L	U	[NULL]	[NULL]	S	B1K4X3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	7/17/2006 16:05	Y	7439-92-1	Lead	470	ug/L	U	[NULL]	[NULL]	S	B1K4X3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	7/17/2006 16:05	Y	7439-95-4	Magnesium	2790	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	7/17/2006 16:05	Y	7439-96-5	Manganese	190	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	7/17/2006 16:05	Y	7439-98-7	Molybdenum	110	ug/L	U	[NULL]	[NULL]	S	B1K4X3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	7/17/2006 16:05	Y	7440-02-0	Nickel	50	ug/L	U	[NULL]	[NULL]	S	B1K4X3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	7/17/2006 16:05	Y	14797-55-8	Nitrate	505	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	7/17/2006 16:05	Y	14797-65-0	Nitrite	328	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	7/17/2006 16:05	Y	14265-44-2	Phosphate	5550	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	7/17/2006 16:05	Y	7440-09-7	Potassium	2510	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-133	7/17/2006 16:05	Y	7440-22-4	Silver	110	ug/L	U	[NULL]	[NULL]	S	B1K4X3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	7/17/2006 16:05	Y	7440-23-5	Sodium	56000	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	7/17/2006 16:05	Y	7440-24-6	Strontium	86.7	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	7/17/2006 16:05	Y	10098-97-2	Strontium-90	440	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K4W3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-133	7/17/2006 16:05	Y	14808-79-8	Sulfate	5750	ug/L	[NULL]	[NULL]	[NULL]	S	B1K4X3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	7/17/2006 16:05	Y	7440-62-2	Vanadium	140	ug/L	U	[NULL]	[NULL]	S	B1K4X3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	7/17/2006 16:05	Y	7440-66-6	Zinc	86	ug/L	C	[NULL]	[NULL]	S	B1K4X3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	7/24/2006 14:03	Y	10098-97-2	Strontium-90	2100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K735	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-133	6/11/2007 20:40	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVF9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/11/2007 20:40	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVF9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/11/2007 20:40	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVF9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/11/2007 20:40	Y	7440-39-3	Barium	51	ug/L	D	[NULL]	[NULL]	S	B1NVF9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/11/2007 20:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/11/2007 20:40	Y	7440-70-2	Calcium	25300	ug/L	D	[NULL]	[NULL]	S	B1NVF9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/11/2007 20:40	Y	16887-00-6	Chloride	59300	ug/L	D	[NULL]	[NULL]	S	B1NVF9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/11/2007 20:40	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/11/2007 20:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/11/2007 20:40	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/11/2007 20:40	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NVF9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/11/2007 20:40	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NVF9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/11/2007 20:40	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVF9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/11/2007 20:40	Y	7439-95-4	Magnesium	4490	ug/L	D	[NULL]	[NULL]	S	B1NVF9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/11/2007 20:40	Y	7439-96-5	Manganese	918	ug/L	D	[NULL]	[NULL]	S	B1NVF9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/11/2007 20:40	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/11/2007 20:40	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/11/2007 20:40	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NVF9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/11/2007 20:40	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NVF9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/11/2007 20:40	Y	14265-44-2	Phosphate	190000	ug/L	D	[NULL]	[NULL]	S	B1NVF9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/11/2007 20:40	Y	7440-09-7	Potassium	3370	ug/L	D	[NULL]	[NULL]	S	B1NVF9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/11/2007 20:40	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVF9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/11/2007 20:40	Y	7440-23-5	Sodium	234000	ug/L	D	[NULL]	[NULL]	S	B1NVF9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/11/2007 20:40	Y	7440-24-6	Strontium	185	ug/L	D	[NULL]	[NULL]	S	B1NVF9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/11/2007 20:40	Y	10098-97-2	Strontium-90	730	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVF9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-133	6/11/2007 20:40	Y	14808-79-8	Sulfate	5660	ug/L	D	[NULL]	[NULL]	S	B1NVF9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/11/2007 20:40	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVF9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/11/2007 20:40	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVF9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/12/2007 20:30	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVJ0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/12/2007 20:30	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVJ0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/12/2007 20:30	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVJ0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/12/2007 20:30	Y	7440-39-3	Barium	48	ug/L	D	[NULL]	[NULL]	S	B1NVJ0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/12/2007 20:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/12/2007 20:30	Y	7440-70-2	Calcium	29500	ug/L	D	[NULL]	[NULL]	S	B1NVJ0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/12/2007 20:30	Y	16887-00-6	Chloride	44800	ug/L	D	[NULL]	[NULL]	S	B1NVJ0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/12/2007 20:30	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/12/2007 20:30	Y	7440-48-4	Cobalt	23	ug/L	D	[NULL]	[NULL]	S	B1NVJ0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/12/2007 20:30	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/12/2007 20:30	Y	16984-48-8	Fluoride	33	ug/L	DNU	[NULL]	[NULL]	S	B1NVJ0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/12/2007 20:30	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NVJ0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/12/2007 20:30	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVJ0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/12/2007 20:30	Y	7439-95-4	Magnesium	5090	ug/L	D	[NULL]	[NULL]	S	B1NVJ0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/12/2007 20:30	Y	7439-96-5	Manganese	978	ug/L	D	[NULL]	[NULL]	S	B1NVJ0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/12/2007 20:30	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/12/2007 20:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/12/2007 20:30	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVJ0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/12/2007 20:30	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVJ0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-133	6/12/2007 20:30	Y	14265-44-2	Phosphate	201000	ug/L	D	[NULL]	[NULL]	S	B1NVJ0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/12/2007 20:30	Y	7440-09-7	Potassium	2810	ug/L	D	[NULL]	[NULL]	S	B1NVJ0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/12/2007 20:30	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NVJ0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/12/2007 20:30	Y	7440-23-5	Sodium	198000	ug/L	D	[NULL]	[NULL]	S	B1NVJ0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/12/2007 20:30	Y	7440-24-6	Strontium	202	ug/L	D	[NULL]	[NULL]	S	B1NVJ0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/12/2007 20:30	Y	10098-97-2	Strontium-90	550	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVJ0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-133	6/12/2007 20:30	Y	14808-79-8	Sulfate	6060	ug/L	D	[NULL]	[NULL]	S	B1NVJ0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/12/2007 20:30	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVJ0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/12/2007 20:30	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVJ0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/13/2007 15:00	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVK1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/13/2007 15:00	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVK1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/13/2007 15:00	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVK1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/13/2007 15:00	Y	7440-39-3	Barium	41	ug/L	D	[NULL]	[NULL]	S	B1NVK1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/13/2007 15:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/13/2007 15:00	Y	7440-70-2	Calcium	29500	ug/L	D	[NULL]	[NULL]	S	B1NVK1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/13/2007 15:00	Y	16887-00-6	Chloride	40500	ug/L	D	[NULL]	[NULL]	S	B1NVK1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/13/2007 15:00	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/13/2007 15:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/13/2007 15:00	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/13/2007 15:00	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVK1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/13/2007 15:00	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NVK1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/13/2007 15:00	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVK1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/13/2007 15:00	Y	7439-95-4	Magnesium	5260	ug/L	D	[NULL]	[NULL]	S	B1NVK1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/13/2007 15:00	Y	7439-96-5	Manganese	976	ug/L	D	[NULL]	[NULL]	S	B1NVK1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/13/2007 15:00	Y	7439-98-7	Molybdenum	23.9	ug/L	CD	[NULL]	[NULL]	S	B1NVK1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/13/2007 15:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/13/2007 15:00	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVK1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/13/2007 15:00	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVK1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/13/2007 15:00	Y	14265-44-2	Phosphate	184000	ug/L	D	[NULL]	[NULL]	S	B1NVK1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/13/2007 15:00	Y	7440-09-7	Potassium	3290	ug/L	D	[NULL]	[NULL]	S	B1NVK1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/13/2007 15:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVK1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/13/2007 15:00	Y	7440-23-5	Sodium	208000	ug/L	D	[NULL]	[NULL]	S	B1NVK1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/13/2007 15:00	Y	7440-24-6	Strontium	204	ug/L	D	[NULL]	[NULL]	S	B1NVK1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/13/2007 15:00	Y	10098-97-2	Strontium-90	530	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVK1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-133	6/13/2007 15:00	Y	14808-79-8	Sulfate	5990	ug/L	D	[NULL]	[NULL]	S	B1NVK1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/13/2007 15:00	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVK1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/13/2007 15:00	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVK1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/14/2007 19:45	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVL2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/14/2007 19:45	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVL2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/14/2007 19:45	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVL2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/14/2007 19:45	Y	7440-39-3	Barium	43	ug/L	D	[NULL]	[NULL]	S	B1NVL2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/14/2007 19:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/14/2007 19:45	Y	7440-70-2	Calcium	30300	ug/L	D	[NULL]	[NULL]	S	B1NVL2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/14/2007 19:45	Y	16887-00-6	Chloride	47600	ug/L	D	[NULL]	[NULL]	S	B1NVL2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/14/2007 19:45	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/14/2007 19:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/14/2007 19:45	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/14/2007 19:45	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVL2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/14/2007 19:45	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NVL2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/14/2007 19:45	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVL2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/14/2007 19:45	Y	7439-95-4	Magnesium	5330	ug/L	D	[NULL]	[NULL]	S	B1NVL2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/14/2007 19:45	Y	7439-96-5	Manganese	1010	ug/L	D	[NULL]	[NULL]	S	B1NVL2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/14/2007 19:45	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/14/2007 19:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/14/2007 19:45	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVL2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-133	6/14/2007 19:45	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVL2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/14/2007 19:45	Y	14265-44-2	Phosphate	133000	ug/L	D	[NULL]	[NULL]	S	B1NVL2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/14/2007 19:45	Y	7440-09-7	Potassium	3020	ug/L	D	[NULL]	[NULL]	S	B1NVL2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/14/2007 19:45	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NVL2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/14/2007 19:45	Y	7440-23-5	Sodium	204000	ug/L	D	[NULL]	[NULL]	S	B1NVL2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/14/2007 19:45	Y	7440-24-6	Strontium	194	ug/L	D	[NULL]	[NULL]	S	B1NVL2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/14/2007 19:45	Y	10098-97-2	Strontium-90	620	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVL2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-133	6/14/2007 19:45	Y	14808-79-8	Sulfate	5950	ug/L	D	[NULL]	[NULL]	S	B1NVL2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/14/2007 19:45	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVL2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/14/2007 19:45	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/15/2007 9:25	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVN9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/15/2007 9:25	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVN9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/15/2007 9:25	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVN9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/15/2007 9:25	Y	7440-39-3	Barium	41	ug/L	D	[NULL]	[NULL]	S	B1NVN9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/15/2007 9:25	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/15/2007 9:25	Y	7440-70-2	Calcium	30000	ug/L	D	[NULL]	[NULL]	S	B1NVN9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/15/2007 9:25	Y	16887-00-6	Chloride	46600	ug/L	D	[NULL]	[NULL]	S	B1NVN9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/15/2007 9:25	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/15/2007 9:25	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/15/2007 9:25	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/15/2007 9:25	Y	16984-48-8	Fluoride	33	ug/L	DNU	[NULL]	[NULL]	S	B1NVN9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/15/2007 9:25	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NVN9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/15/2007 9:25	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVN9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/15/2007 9:25	Y	7439-95-4	Magnesium	5420	ug/L	D	[NULL]	[NULL]	S	B1NVN9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/15/2007 9:25	Y	7439-96-5	Manganese	1090	ug/L	D	[NULL]	[NULL]	S	B1NVN9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/15/2007 9:25	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/15/2007 9:25	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/15/2007 9:25	Y	14797-55-8	Nitrate	261	ug/L	D	[NULL]	[NULL]	S	B1NVN9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/15/2007 9:25	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVN9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/15/2007 9:25	Y	14265-44-2	Phosphate	119000	ug/L	D	[NULL]	[NULL]	S	B1NVN9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/15/2007 9:25	Y	7440-09-7	Potassium	3140	ug/L	D	[NULL]	[NULL]	S	B1NVN9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/15/2007 9:25	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NVN9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/15/2007 9:25	Y	7440-23-5	Sodium	207000	ug/L	D	[NULL]	[NULL]	S	B1NVN9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/15/2007 9:25	Y	7440-24-6	Strontium	188	ug/L	D	[NULL]	[NULL]	S	B1NVN9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/15/2007 9:25	Y	10098-97-2	Strontium-90	460	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVN9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-133	6/15/2007 9:25	Y	14808-79-8	Sulfate	5860	ug/L	D	[NULL]	[NULL]	S	B1NVN9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/15/2007 9:25	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVN9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/15/2007 9:25	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVN9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/16/2007 7:30	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVR0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/16/2007 7:30	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVR0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/16/2007 7:30	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVR0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/16/2007 7:30	Y	7440-39-3	Barium	34	ug/L	D	[NULL]	[NULL]	S	B1NVR0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/16/2007 7:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/16/2007 7:30	Y	7440-70-2	Calcium	29100	ug/L	D	[NULL]	[NULL]	S	B1NVR0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/16/2007 7:30	Y	16887-00-6	Chloride	26200	ug/L	D	[NULL]	[NULL]	S	B1NVR0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/16/2007 7:30	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/16/2007 7:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/16/2007 7:30	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/16/2007 7:30	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVR0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/16/2007 7:30	Y	7439-89-6	Iron	69.9	ug/L	D	[NULL]	[NULL]	S	B1NVR0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/16/2007 7:30	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVR0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/16/2007 7:30	Y	7439-95-4	Magnesium	5310	ug/L	D	[NULL]	[NULL]	S	B1NVR0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/16/2007 7:30	Y	7439-96-5	Manganese	890	ug/L	D	[NULL]	[NULL]	S	B1NVR0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/16/2007 7:30	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/16/2007 7:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-133	6/16/2007 7:30	Y	14797-55-8	Nitrate	9920	ug/L	D	[NULL]	[NULL]	S	B1NVR0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/16/2007 7:30	Y	14797-65-0	Nitrite	644	ug/L	BD	[NULL]	[NULL]	S	B1NVR0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/16/2007 7:30	Y	14265-44-2	Phosphate	163000	ug/L	D	[NULL]	[NULL]	S	B1NVR0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/16/2007 7:30	Y	7440-09-7	Potassium	2660	ug/L	D	[NULL]	[NULL]	S	B1NVR0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/16/2007 7:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVR0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/16/2007 7:30	Y	7440-23-5	Sodium	167000	ug/L	D	[NULL]	[NULL]	S	B1NVR0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/16/2007 7:30	Y	7440-24-6	Strontium	181	ug/L	D	[NULL]	[NULL]	S	B1NVR0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/16/2007 7:30	Y	10098-97-2	Strontium-90	350	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVR0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-133	6/16/2007 7:30	Y	14808-79-8	Sulfate	6890	ug/L	D	[NULL]	[NULL]	S	B1NVR0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/16/2007 7:30	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVR0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/16/2007 7:30	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/17/2007 8:35	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVV3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/17/2007 8:35	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVV3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/17/2007 8:35	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVV3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/17/2007 8:35	Y	7440-39-3	Barium	35	ug/L	D	[NULL]	[NULL]	S	B1NVV3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/17/2007 8:35	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/17/2007 8:35	Y	7440-70-2	Calcium	26600	ug/L	D	[NULL]	[NULL]	S	B1NVV3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/17/2007 8:35	Y	16887-00-6	Chloride	29700	ug/L	D	[NULL]	[NULL]	S	B1NVV3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/17/2007 8:35	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/17/2007 8:35	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/17/2007 8:35	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/17/2007 8:35	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVV3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/17/2007 8:35	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NVV3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/17/2007 8:35	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVV3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/17/2007 8:35	Y	7439-95-4	Magnesium	4820	ug/L	D	[NULL]	[NULL]	S	B1NVV3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/17/2007 8:35	Y	7439-96-5	Manganese	924	ug/L	D	[NULL]	[NULL]	S	B1NVV3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/17/2007 8:35	Y	7439-98-7	Molybdenum	31.7	ug/L	CD	[NULL]	[NULL]	S	B1NVV3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/17/2007 8:35	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/17/2007 8:35	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVV3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/17/2007 8:35	Y	14797-65-0	Nitrite	660	ug/L	BD	[NULL]	[NULL]	S	B1NVV3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/17/2007 8:35	Y	14265-44-2	Phosphate	132000	ug/L	D	[NULL]	[NULL]	S	B1NVV3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/17/2007 8:35	Y	7440-09-7	Potassium	2680	ug/L	D	[NULL]	[NULL]	S	B1NVV3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/17/2007 8:35	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVV3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/17/2007 8:35	Y	7440-23-5	Sodium	178000	ug/L	D	[NULL]	[NULL]	S	B1NVV3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/17/2007 8:35	Y	7440-24-6	Strontium	164	ug/L	D	[NULL]	[NULL]	S	B1NVV3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/17/2007 8:35	Y	10098-97-2	Strontium-90	560	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVV3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-133	6/17/2007 8:35	Y	14808-79-8	Sulfate	6390	ug/L	D	[NULL]	[NULL]	S	B1NVV3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/17/2007 8:35	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVV3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/17/2007 8:35	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVV3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/18/2007 16:15	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVW4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/18/2007 16:15	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVW4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/18/2007 16:15	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVW4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/18/2007 16:15	Y	7440-39-3	Barium	36	ug/L	D	[NULL]	[NULL]	S	B1NVW4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/18/2007 16:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/18/2007 16:15	Y	7440-70-2	Calcium	30400	ug/L	D	[NULL]	[NULL]	S	B1NVW4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/18/2007 16:15	Y	16887-00-6	Chloride	38800	ug/L	D	[NULL]	[NULL]	S	B1NVW4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/18/2007 16:15	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/18/2007 16:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/18/2007 16:15	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/18/2007 16:15	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NVW4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/18/2007 16:15	Y	7439-89-6	Iron	157	ug/L	D	[NULL]	[NULL]	S	B1NVW4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/18/2007 16:15	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVW4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/18/2007 16:15	Y	7439-95-4	Magnesium	5500	ug/L	D	[NULL]	[NULL]	S	B1NVW4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/18/2007 16:15	Y	7439-96-5	Manganese	1130	ug/L	D	[NULL]	[NULL]	S	B1NVW4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/18/2007 16:15	Y	7439-98-7	Molybdenum	22.1	ug/L	D	[NULL]	[NULL]	S	B1NVW4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-133	6/18/2007 16:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/18/2007 16:15	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1NVW4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/18/2007 16:15	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1NVW4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/18/2007 16:15	Y	14265-44-2	Phosphate	96900	ug/L	D	[NULL]	[NULL]	S	B1NVW4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/18/2007 16:15	Y	7440-09-7	Potassium	3190	ug/L	D	[NULL]	[NULL]	S	B1NVW4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/18/2007 16:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVW4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/18/2007 16:15	Y	7440-23-5	Sodium	186000	ug/L	D	[NULL]	[NULL]	S	B1NVW4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/18/2007 16:15	Y	7440-24-6	Strontium	175	ug/L	D	[NULL]	[NULL]	S	B1NVW4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/18/2007 16:15	Y	10098-97-2	Strontium-90	470	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVW4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-133	6/18/2007 16:15	Y	14808-79-8	Sulfate	5870	ug/L	D	[NULL]	[NULL]	S	B1NVW4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/18/2007 16:15	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVW4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/18/2007 16:15	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/20/2007 8:32	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVY7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/20/2007 8:32	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVY7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/20/2007 8:32	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVY7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/20/2007 8:32	Y	7440-39-3	Barium	48	ug/L	D	[NULL]	[NULL]	S	B1NVY7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/20/2007 8:32	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/20/2007 8:32	Y	7440-70-2	Calcium	40200	ug/L	D	[NULL]	[NULL]	S	B1NVY7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/20/2007 8:32	Y	16887-00-6	Chloride	56500	ug/L	D	[NULL]	[NULL]	S	B1NVY7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/20/2007 8:32	Y	7440-47-3	Chromium	26.8	ug/L	D	[NULL]	[NULL]	S	B1NVY7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/20/2007 8:32	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/20/2007 8:32	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/20/2007 8:32	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NVY7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/20/2007 8:32	Y	7439-89-6	Iron	293	ug/L	D	[NULL]	[NULL]	S	B1NVY7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/20/2007 8:32	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVY7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/20/2007 8:32	Y	7439-95-4	Magnesium	8040	ug/L	D	[NULL]	[NULL]	S	B1NVY7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/20/2007 8:32	Y	7439-96-5	Manganese	1490	ug/L	D	[NULL]	[NULL]	S	B1NVY7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/20/2007 8:32	Y	7439-98-7	Molybdenum	20.1	ug/L	CD	[NULL]	[NULL]	S	B1NVY7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/20/2007 8:32	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/20/2007 8:32	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NVY7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/20/2007 8:32	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NVY7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/20/2007 8:32	Y	14265-44-2	Phosphate	81600	ug/L	D	[NULL]	[NULL]	S	B1NVY7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/20/2007 8:32	Y	7440-09-7	Potassium	3170	ug/L	D	[NULL]	[NULL]	S	B1NVY7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/20/2007 8:32	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVY7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/20/2007 8:32	Y	7440-23-5	Sodium	198000	ug/L	D	[NULL]	[NULL]	S	B1NVY7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/20/2007 8:32	Y	7440-24-6	Strontium	222	ug/L	D	[NULL]	[NULL]	S	B1NVY7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/20/2007 8:32	Y	10098-97-2	Strontium-90	770	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVY7	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-133	6/20/2007 8:32	Y	14808-79-8	Sulfate	3810	ug/L	BD	[NULL]	[NULL]	S	B1NVY7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/20/2007 8:32	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVY7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/20/2007 8:32	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVY7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/22/2007 8:45	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NW23	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/22/2007 8:45	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NW23	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/22/2007 8:45	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NW23	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/22/2007 8:45	Y	7440-39-3	Barium	36	ug/L	D	[NULL]	[NULL]	S	B1NW23	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/22/2007 8:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW23	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/22/2007 8:45	Y	7440-70-2	Calcium	30800	ug/L	D	[NULL]	[NULL]	S	B1NW23	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/22/2007 8:45	Y	16887-00-6	Chloride	33000	ug/L	D	[NULL]	[NULL]	S	B1NW23	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/22/2007 8:45	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW23	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/22/2007 8:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NW23	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/22/2007 8:45	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NW23	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/22/2007 8:45	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NW23	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/22/2007 8:45	Y	7439-89-6	Iron	261	ug/L	D	[NULL]	[NULL]	S	B1NW23	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/22/2007 8:45	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NW23	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/22/2007 8:45	Y	7439-95-4	Magnesium	6020	ug/L	D	[NULL]	[NULL]	S	B1NW23	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/22/2007 8:45	Y	7439-96-5	Manganese	1150	ug/L	D	[NULL]	[NULL]	S	B1NW23	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-133	6/22/2007 8:45	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NW23	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/22/2007 8:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NW23	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/22/2007 8:45	Y	14797-55-8	Nitrate	15100	ug/L	D	[NULL]	[NULL]	S	B1NW23	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/22/2007 8:45	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1NW23	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/22/2007 8:45	Y	14265-44-2	Phosphate	104000	ug/L	D	[NULL]	[NULL]	S	B1NW23	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/22/2007 8:45	Y	7440-09-7	Potassium	2910	ug/L	D	[NULL]	[NULL]	S	B1NW23	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/22/2007 8:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NW23	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/22/2007 8:45	Y	7440-23-5	Sodium	168000	ug/L	D	[NULL]	[NULL]	S	B1NW23	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/22/2007 8:45	Y	7440-24-6	Strontium	172	ug/L	D	[NULL]	[NULL]	S	B1NW23	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/22/2007 8:45	Y	10098-97-2	Strontium-90	780	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NW23	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-133	6/22/2007 8:45	Y	14808-79-8	Sulfate	5690	ug/L	D	[NULL]	[NULL]	S	B1NW23	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/22/2007 8:45	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NW23	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/22/2007 8:45	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NW23	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/29/2007 10:22	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P374	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/29/2007 10:22	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P374	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/29/2007 10:22	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P374	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/29/2007 10:22	Y	7440-39-3	Barium	43	ug/L	D	[NULL]	[NULL]	S	B1P374	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/29/2007 10:22	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P374	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/29/2007 10:22	Y	7440-70-2	Calcium	38200	ug/L	D	[NULL]	[NULL]	S	B1P374	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/29/2007 10:22	Y	16887-00-6	Chloride	55000	ug/L	D	[NULL]	[NULL]	S	B1P374	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/29/2007 10:22	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P374	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/29/2007 10:22	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P374	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/29/2007 10:22	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P374	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/29/2007 10:22	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P374	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/29/2007 10:22	Y	7439-89-6	Iron	504	ug/L	CD	[NULL]	[NULL]	S	B1P374	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/29/2007 10:22	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P374	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/29/2007 10:22	Y	7439-95-4	Magnesium	7650	ug/L	D	[NULL]	[NULL]	S	B1P374	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/29/2007 10:22	Y	7439-96-5	Manganese	1350	ug/L	D	[NULL]	[NULL]	S	B1P374	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/29/2007 10:22	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1P374	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/29/2007 10:22	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P374	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/29/2007 10:22	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1P374	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/29/2007 10:22	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P374	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/29/2007 10:22	Y	14265-44-2	Phosphate	60400	ug/L	D	[NULL]	[NULL]	S	B1P374	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/29/2007 10:22	Y	7440-09-7	Potassium	3310	ug/L	D	[NULL]	[NULL]	S	B1P374	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/29/2007 10:22	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P374	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/29/2007 10:22	Y	7440-23-5	Sodium	208000	ug/L	D	[NULL]	[NULL]	S	B1P374	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/29/2007 10:22	Y	7440-24-6	Strontium	207	ug/L	D	[NULL]	[NULL]	S	B1P374	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/29/2007 10:22	Y	10098-97-2	Strontium-90	860	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P374	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-133	6/29/2007 10:22	Y	14808-79-8	Sulfate	1730	ug/L	BD	[NULL]	[NULL]	S	B1P374	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	6/29/2007 10:22	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P374	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	6/29/2007 10:22	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P374	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	7/8/2007 9:50	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P397	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	7/8/2007 9:50	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P397	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	7/8/2007 9:50	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P397	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	7/8/2007 9:50	Y	7440-39-3	Barium	43	ug/L	D	[NULL]	[NULL]	S	B1P397	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	7/8/2007 9:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P397	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	7/8/2007 9:50	Y	7440-70-2	Calcium	42500	ug/L	D	[NULL]	[NULL]	S	B1P397	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	7/8/2007 9:50	Y	16887-00-6	Chloride	65700	ug/L	D	[NULL]	[NULL]	S	B1P397	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	7/8/2007 9:50	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P397	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	7/8/2007 9:50	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P397	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	7/8/2007 9:50	Y	7440-50-8	Copper	28	ug/L	D	[NULL]	[NULL]	S	B1P397	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	7/8/2007 9:50	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P397	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-133	7/8/2007 9:50	Y	7439-89-6	Iron	541	ug/L	D	[NULL]	[NULL]	S	B1P397	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	7/8/2007 9:50	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P397	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-133	7/8/2007 9:50	Y	7439-95-4	Magnesium	8120	ug/L	D	[NULL]	[NULL]	S	B1P397	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2