SECTION

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-14	5/24/1994 8:30	N	TEMPERATURE	Temperature	20	Deg C	[NULL]	[NULL]	[NULL]	R	B0BWJ4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	5/24/1994 8:30	N	TEMPERATURE	Temperature	20	Deg C	[NULL]	[NULL]	[NULL]	R	B0BWJ3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	5/24/1994 8:30	N	TEMPERATURE	Temperature	20	Deg C	[NULL]	[NULL]	[NULL]	R	B0BWJ2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	5/24/1994 8:30	N	25167-83-3	Tetrachlorophenol	1.4	ug/L	U	[NULL]	[NULL]	R	B0BWJ1	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	5/24/1994 8:30	N	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0BWJ1	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	5/24/1994 8:30	Y	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0BWJ5	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	5/24/1994 8:30	N	1319-77-3	Total cresols	4.8	ug/L	U	[NULL]	[NULL]	R	B0BWJ1	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	5/24/1994 8:30	N	TOC	Total organic carbon	320	ug/L	U	[NULL]	[NULL]	R	B0BWJ3	TOC	DATACH	9060_TOC	100-NR-2
199-N-14	5/24/1994 8:30	N	TOC	Total organic carbon	320	ug/L	U	[NULL]	[NULL]	R	B0BWJ1	TOC	DATACH	9060_TOC	100-NR-2
199-N-14	5/24/1994 8:30	N	TOC	Total organic carbon	320	ug/L	U	[NULL]	[NULL]	R	B0BWJ4	TOC	DATACH	9060_TOC	100-NR-2
199-N-14	5/24/1994 8:30	N	TOC	Total organic carbon	320	ug/L	U	[NULL]	[NULL]	R	B0BWJ2	TOC	DATACH	9060_TOC	100-NR-2
199-N-14	5/24/1994 8:30	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B0BWJ3	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-14	5/24/1994 8:30	N	59473-04-0	Total organic halides	8.3	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWJ1	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-14	5/24/1994 8:30	N	59473-04-0	Total organic halides	9.6	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWJ2	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-14	5/24/1994 8:30	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B0BWJ4	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-14	5/24/1994 8:30	N	25167-82-2	Trichlorophenol	2.1	ug/L	U	[NULL]	[NULL]	R	B0BWJ1	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	5/24/1994 8:30	N	10028-17-8	Tritium	68900	pCi/L	[NULL]	[NULL]	[NULL]	R	B0BWJ1	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-14	5/24/1994 8:30	N	TURBIDITY	Turbidity	1.4	NTU	[NULL]	[NULL]	[NULL]	R	B0BWJ1	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-14	5/24/1994 8:30	N	7440-61-1	Uranium	0.281	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWG5	7440-61-1	ITASRL	UTOT_IE_FLUOR	100-NR-2
199-N-14	5/24/1994 8:30	N	7440-62-2	Vanadium	8	ug/L	L	[NULL]	[NULL]	R	B0BWJ1	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	5/24/1994 8:30	Y	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0BWJ5	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	5/24/1994 8:30	N	7440-66-6	Zinc	5.3	ug/L	L	[NULL]	[NULL]	R	B0BWJ1	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	5/24/1994 8:30	Y	7440-66-6	Zinc	15	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWJ5	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	5/24/1994 8:30	N	PH	pH Measurement	8.3	unitless	[NULL]	[NULL]	[NULL]	R	B0BWJ1	PH	DATACH	D1293_PH	100-NR-2
199-N-14	5/24/1994 8:30	N	PH	pH Measurement	7.78	unitless	[NULL]	R	[NULL]	R	B0BWJ1	PH	FIELD	9040_PH	100-NR-2
199-N-14	5/24/1994 8:30	N	PH	pH Measurement	7.79	unitless	[NULL]	R	[NULL]	R	B0BWJ2	PH	FIELD	9040_PH	100-NR-2
199-N-14	5/24/1994 8:30	N	PH	pH Measurement	7.79	unitless	[NULL]	R	[NULL]	R	B0BWJ4	PH	FIELD	9040_PH	100-NR-2
199-N-14	5/24/1994 8:30	N	PH	pH Measurement	7.79	unitless	[NULL]	R	[NULL]	R	B0BWJ3	PH	FIELD	9040_PH	100-NR-2
199-N-14	7/26/1994 8:17	N	CONDUCT	Specific Conductance	196	uS/cm	[NULL]	[NULL]	[NULL]	R	B09HS3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	7/26/1994 8:17	N	10098-97-2	Strontium-90	1080	pCi/L	[NULL]	[NULL]	[NULL]	R	B09HS3	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-14	7/26/1994 8:17	Y	10098-97-2	Strontium-90	1080	pCi/L	[NULL]	[NULL]	[NULL]	R	B09HS8	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-14	7/26/1994 8:17	N	TEMPERATURE	Temperature	20	Deg C	[NULL]	[NULL]	[NULL]	R	B09HS3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	7/26/1994 8:17	N	10028-17-8	Tritium	65700	pCi/L	[NULL]	[NULL]	[NULL]	R	B09HS3	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-14	7/26/1994 8:17	N	PH	pH Measurement	8.28	unitless	[NULL]	[NULL]	[NULL]	R	B09HS3	PH	FIELD	9040_PH	100-NR-2
199-N-14	7/26/1994 8:47	N	CONDUCT	Specific Conductance	194	uS/cm	[NULL]	[NULL]	[NULL]	R	B09HS4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	7/26/1994 8:47	Y	10098-97-2	Strontium-90	1120	pCi/L	[NULL]	[NULL]	[NULL]	R	B09HS9	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-14	7/26/1994 8:47	N	10098-97-2	Strontium-90	1120	pCi/L	[NULL]	[NULL]	[NULL]	R	B09HS4	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-14	7/26/1994 8:47	N	TEMPERATURE	Temperature	20	Deg C	[NULL]	[NULL]	[NULL]	R	B09HS4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	7/26/1994 8:47	N	10028-17-8	Tritium	65100	pCi/L	[NULL]	[NULL]	[NULL]	R	B09HS4	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-14	7/26/1994 8:47	N	PH	pH Measurement	8.37	unitless	[NULL]	[NULL]	[NULL]	R	B09HS4	PH	FIELD	9040_PH	100-NR-2
199-N-14	7/26/1994 9:17	N	CONDUCT	Specific Conductance	186	uS/cm	[NULL]	[NULL]	[NULL]	R	B09HS5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	7/26/1994 9:17	N	10098-97-2	Strontium-90	1040	pCi/L	[NULL]	[NULL]	[NULL]	R	B09HS5	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-14	7/26/1994 9:17	Y	10098-97-2	Strontium-90	1080	pCi/L	[NULL]	[NULL]	[NULL]	R	B09HT0	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-14	7/26/1994 9:17	N	TEMPERATURE	Temperature	20.6	Deg C	[NULL]	[NULL]	[NULL]	R	B09HS5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	7/26/1994 9:17	N	10028-17-8	Tritium	65800	pCi/L	[NULL]	[NULL]	[NULL]	R	B09HS5	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-14	7/26/1994 9:17	N	PH	pH Measurement	8.15	unitless	[NULL]	[NULL]	[NULL]	R	B09HS5	PH	FIELD	9040_PH	100-NR-2
199-N-14	7/26/1994 10:17	N	CONDUCT	Specific Conductance	186	uS/cm	[NULL]	[NULL]	[NULL]	R	B09HS6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	7/26/1994 10:17	N	10098-97-2	Strontium-90	1110	pCi/L	[NULL]	[NULL]	[NULL]	R	B09HS6	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-14	7/26/1994 10:17	Y	10098-97-2	Strontium-90	1110	pCi/L	[NULL]	[NULL]	[NULL]	R	B09HT1	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-14	7/26/1994 10:17	N	TEMPERATURE	Temperature	20.5	Deg C	[NULL]	[NULL]	[NULL]	R	B09HS6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	7/26/1994 10:17	N	10028-17-8	Tritium	64800	pCi/L	[NULL]	[NULL]	[NULL]	R	B09HS6	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-14	7/26/1994 10:17	N	PH	pH Measurement	8.19	unitless	[NULL]	[NULL]	[NULL]	R	B09HS6	PH	FIELD	9040_PH	100-NR-2
199-N-14	7/26/1994 10:32	N	CONDUCT	Specific Conductance	193	uS/cm	[NULL]	[NULL]	[NULL]	R	B09HS7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	7/26/1994 10:32	N	10098-97-2	Strontium-90	1150	pCi/L	[NULL]	[NULL]	[NULL]	R	B09HS7	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-14	7/26/1994 10:32	N	TEMPERATURE	Temperature	20.4	Deg C	[NULL]	[NULL]	[NULL]	R	B09HS7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-14	7/26/1994 10:32	N	10028-17-8	Tritium	65200	pCi/L	[NULL]	[NULL]	[NULL]	R	B09HS7	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-14	7/26/1994 10:32	N	PH	pH Measurement	8.13	unitless	[NULL]	[NULL]	[NULL]	R	B09HS7	PH	FIELD	9040_PH	100-NR-2
199-N-14	7/26/1994 10:35	Y	10098-97-2	Strontium-90	1100	pCi/L	[NULL]	[NULL]	[NULL]	R	B09HT2	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-14	9/9/1994 9:15	N	88-06-2	2,4,6-Trichlorophenol	1.6	ug/L	U	[NULL]	[NULL]	R	B0C945	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	9/9/1994 9:15	N	120-83-2	2,4-Dichlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B0C945	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	9/9/1994 9:15	N	105-67-9	2,4-Dimethylphenol	1.5	ug/L	U	[NULL]	[NULL]	R	B0C945	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	9/9/1994 9:15	N	51-28-5	2,4-Dinitrophenol	1.8	ug/L	U	[NULL]	[NULL]	R	B0C945	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	9/9/1994 9:15	N	87-65-0	2,6-Dichlorophenol	2.2	ug/L	U	[NULL]	[NULL]	R	B0C945	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	9/9/1994 9:15	N	95-57-8	2-Chlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B0C945	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	9/9/1994 9:15	N	88-75-5	2-Nitrophenol	1.7	ug/L	U	[NULL]	[NULL]	R	B0C945	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	9/9/1994 9:15	N	534-52-1	4,6-Dinitro-2-methylphenol	1.6	ug/L	U	[NULL]	[NULL]	R	B0C945	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	9/9/1994 9:15	N	59-50-7	4-Chloro-3-methylphenol	1.5	ug/L	U	[NULL]	[NULL]	R	B0C945	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	9/9/1994 9:15	N	100-02-7	4-Nitrophenol	1.4	ug/L	U	[NULL]	[NULL]	R	B0C945	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	9/9/1994 9:15	N	7429-90-5	Aluminum	29	ug/L	L	[NULL]	[NULL]	R	B0C945	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	Y	7429-90-5	Aluminum	19	ug/L	U	[NULL]	[NULL]	R	B0C949	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	Y	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C949	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	N	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C945	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	N	14234-35-6	Antimony-125	16.9	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCL7	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-14	9/9/1994 9:15	Y	7440-38-2	Arsenic	2	ug/L	L	[NULL]	[NULL]	R	B0C949	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-14	9/9/1994 9:15	N	7440-38-2	Arsenic	2	ug/L	L	[NULL]	[NULL]	R	B0C945	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-14	9/9/1994 9:15	N	7440-39-3	Barium	14	ug/L	L	[NULL]	[NULL]	R	B0C945	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	Y	7440-39-3	Barium	13	ug/L	L	[NULL]	[NULL]	R	B0C949	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	N	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C945	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	Y	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C949	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0CCL7	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	9/9/1994 9:15	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C945	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C949	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	Y	7440-70-2	Calcium	27000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C949	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	N	7440-70-2	Calcium	27000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C945	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	N	10045-97-3	Cesium-137	6.08	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCL7	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-14	9/9/1994 9:15	N	16887-00-6	Chloride	1800	ug/L	[NULL]	[NULL]	[NULL]	R	B0CCL7	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	9/9/1994 9:15	N	7440-47-3	Chromium	11	ug/L	U	[NULL]	[NULL]	R	B0C945	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	Y	7440-47-3	Chromium	11	ug/L	U	[NULL]	[NULL]	R	B0C949	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	N	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C945	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	Y	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C949	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	N	10198-40-0	Cobalt-60	-5.09	pCi/L	U	[NULL]	[NULL]	R	B0CCL7	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-14	9/9/1994 9:15	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B0C945	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-14	9/9/1994 9:15	N	7440-50-8	Copper	2.6	ug/L	U	[NULL]	[NULL]	R	B0C945	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	Y	7440-50-8	Copper	2.6	ug/L	U	[NULL]	[NULL]	R	B0C949	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1.7	ug/L	U	[NULL]	[NULL]	R	B0C945	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	9/9/1994 9:15	N	16984-48-8	Fluoride	500	ug/L	[NULL]	[NULL]	[NULL]	R	B0CCL7	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	9/9/1994 9:15	N	12587-46-1	Gross alpha	0.0209	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCL7	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-14	9/9/1994 9:15	N	12587-47-2	Gross beta	1920	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCL7	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-14	9/9/1994 9:15	N	302-01-2	Hydrazine	2.3	ug/L	U	[NULL]	[NULL]	R	B0C945	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-14	9/9/1994 9:15	N	7439-89-6	Iron	510	ug/L	[NULL]	Q	[NULL]	R	B0C945	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	Y	7439-89-6	Iron	18	ug/L	U	Q	[NULL]	R	B0C949	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	Y	7439-92-1	Lead	3.3	ug/L	BL	[NULL]	[NULL]	R	B0C949	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-14	9/9/1994 9:15	N	7439-92-1	Lead	11	ug/L	B	[NULL]	[NULL]	R	B0C945	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-14	9/9/1994 9:15	Y	7439-95-4	Magnesium	4400	ug/L	[NULL]	[NULL]	[NULL]	R	B0C949	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	N	7439-95-4	Magnesium	4400	ug/L	[NULL]	[NULL]	[NULL]	R	B0C945	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	N	7439-96-5	Manganese	4.2	ug/L	L	[NULL]	[NULL]	R	B0C945	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	Y	7439-96-5	Manganese	1	ug/L	U	[NULL]	[NULL]	R	B0C949	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-14	9/9/1994 9:15	N	7439-97-6	Mercury	0.095	ug/L	U	[NULL]	[NULL]	R	B0C945	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-14	9/9/1994 9:15	Y	7439-97-6	Mercury	0.08	ug/L	L	[NULL]	[NULL]	R	B0C949	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-14	9/9/1994 9:15	Y	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0C949	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	N	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0C945	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	N	14797-55-8	Nitrate	13000	ug/L	D	[NULL]	[NULL]	R	B0CCL7	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	9/9/1994 9:15	N	14797-65-0	Nitrite	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0CCL7	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	9/9/1994 9:15	N	87-86-5	Pentachlorophenol	1.7	ug/L	U	[NULL]	[NULL]	R	B0C945	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	9/9/1994 9:15	N	108-95-2	Phenol	0.57	ug/L	U	[NULL]	[NULL]	R	B0C945	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	9/9/1994 9:15	N	14265-44-2	Phosphate	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0CCL7	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	9/9/1994 9:15	N	7440-09-7	Potassium	1200	ug/L	[NULL]	[NULL]	[NULL]	R	B0C945	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	Y	7440-09-7	Potassium	1500	ug/L	[NULL]	[NULL]	[NULL]	R	B0C949	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	N	7440-14-4	Radium	0.038	pCi/L	U	[NULL]	[NULL]	R	B0C945	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-14	9/9/1994 9:15	N	13967-48-1	Ruthenium-106	-10.8	pCi/L	U	[NULL]	[NULL]	R	B0CCL7	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-14	9/9/1994 9:15	Y	7782-49-2	Selenium	1.4	ug/L	U	[NULL]	[NULL]	R	B0C949	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-14	9/9/1994 9:15	N	7782-49-2	Selenium	1.4	ug/L	U	[NULL]	[NULL]	R	B0C945	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-14	9/9/1994 9:15	N	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C945	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	Y	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C949	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	N	7440-23-5	Sodium	3400	ug/L	[NULL]	[NULL]	[NULL]	R	B0C945	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	Y	7440-23-5	Sodium	3400	ug/L	[NULL]	[NULL]	[NULL]	R	B0C949	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	N	CONDUCT	Specific Conductance	175	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C946	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	9/9/1994 9:15	N	CONDUCT	Specific Conductance	175	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C947	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	9/9/1994 9:15	N	CONDUCT	Specific Conductance	174	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C948	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	9/9/1994 9:15	N	CONDUCT	Specific Conductance	190	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C945	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-14	9/9/1994 9:15	N	CONDUCT	Specific Conductance	175	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C945	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	9/9/1994 9:15	N	10098-97-2	Strontium-90	1210	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCL7	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-14	9/9/1994 9:15	N	14808-79-8	Sulfate	15000	ug/L	D	[NULL]	[NULL]	R	B0CCL7	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	9/9/1994 9:15	N	TEMPERATURE	Temperature	20.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0C946	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	9/9/1994 9:15	N	TEMPERATURE	Temperature	20.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0C947	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	9/9/1994 9:15	N	TEMPERATURE	Temperature	20.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0C948	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	9/9/1994 9:15	N	TEMPERATURE	Temperature	20.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0C945	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	9/9/1994 9:15	N	25167-83-3	Tetrachlorophenol	1.4	ug/L	U	[NULL]	[NULL]	R	B0C945	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	9/9/1994 9:15	N	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0C945	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	Y	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0C949	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	N	1319-77-3	Total cresols	4.8	ug/L	U	[NULL]	[NULL]	R	B0C945	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	9/9/1994 9:15	N	TOC	Total organic carbon	400	ug/L	L	[NULL]	[NULL]	R	B0C948	TOC	DATACH	9060_TOC	100-NR-2
199-N-14	9/9/1994 9:15	N	TOC	Total organic carbon	320	ug/L	U	[NULL]	[NULL]	R	B0C945	TOC	DATACH	9060_TOC	100-NR-2
199-N-14	9/9/1994 9:15	N	TOC	Total organic carbon	400	ug/L	L	[NULL]	[NULL]	R	B0C946	TOC	DATACH	9060_TOC	100-NR-2
199-N-14	9/9/1994 9:15	N	TOC	Total organic carbon	320	ug/L	U	[NULL]	[NULL]	R	B0C947	TOC	DATACH	9060_TOC	100-NR-2
199-N-14	9/9/1994 9:15	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B0C945	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-14	9/9/1994 9:15	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B0C946	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-14	9/9/1994 9:15	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B0C947	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-14	9/9/1994 9:15	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B0C948	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-14	9/9/1994 9:15	N	25167-82-2	Trichlorophenol	2.1	ug/L	U	[NULL]	[NULL]	R	B0C945	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	9/9/1994 9:15	N	10028-17-8	Tritium	63100	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCL7	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-14	9/9/1994 9:15	N	TURBIDITY	Turbidity	0.77	NTU	[NULL]	Q	[NULL]	R	B0C945	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-14	9/9/1994 9:15	N	7440-61-1	Uranium	0.315	ug/L	[NULL]	[NULL]	[NULL]	R	B0CCL7	7440-61-1	ITASRL	UTOT_IE_FLUOR	100-NR-2
199-N-14	9/9/1994 9:15	N	13966-29-5	Uranium-234	0.1	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCL7	13966-29-5	ITASRL	UISO_IE_AEA	100-NR-2
199-N-14	9/9/1994 9:15	N	15117-96-1	Uranium-235	-0.00838	pCi/L	U	[NULL]	[NULL]	R	B0CCL7	15117-96-1	ITASRL	UISO_IE_AEA	100-NR-2
199-N-14	9/9/1994 9:15	N	U-238	Uranium-238	0.0629	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCL7	U-238	ITASRL	UISO_IE_AEA	100-NR-2
199-N-14	9/9/1994 9:15	Y	7440-62-2	Vanadium	7.5	ug/L	L	[NULL]	[NULL]	R	B0C949	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	N	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0C945	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	N	7440-66-6	Zinc	9.7	ug/L	L	Q	[NULL]	R	B0C945	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	Y	7440-66-6	Zinc	4.4	ug/L	U	Q	[NULL]	R	B0C949	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1994 9:15	N	PH	pH Measurement	8.4	unitless	[NULL]	[NULL]	[NULL]	R	B0C945	PH	DATACH	D1293_PH	100-NR-2
199-N-14	9/9/1994 9:15	N	PH	pH Measurement	8.32	unitless	[NULL]	[NULL]	[NULL]	R	B0C948	PH	FIELD	9040_PH	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-14	9/9/1994 9:15	N	PH	pH Measurement	8.33	unitless	[NULL]	[NULL]	[NULL]	R	B0C945	PH	FIELD	9040_PH	100-NR-2
199-N-14	9/9/1994 9:15	N	PH	pH Measurement	8.33	unitless	[NULL]	[NULL]	[NULL]	R	B0C946	PH	FIELD	9040_PH	100-NR-2
199-N-14	9/9/1994 9:15	N	PH	pH Measurement	8.32	unitless	[NULL]	[NULL]	[NULL]	R	B0C947	PH	FIELD	9040_PH	100-NR-2
199-N-14	11/15/1994 9:00	N	14234-35-6	Antimony-125	19.5	pCi/L	[NULL]	[NULL]	[NULL]	R	B0D7C9	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-14	11/15/1994 9:00	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0D7C9	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	11/15/1994 9:00	N	10045-97-3	Cesium-137	3.04	pCi/L	[NULL]	[NULL]	[NULL]	R	B0D7C9	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-14	11/15/1994 9:00	N	16887-00-6	Chloride	1500	ug/L	[NULL]	[NULL]	[NULL]	R	B0D7C9	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	11/15/1994 9:00	N	10198-40-0	Cobalt-60	3.65	pCi/L	[NULL]	[NULL]	[NULL]	R	B0D7C9	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-14	11/15/1994 9:00	N	16984-48-8	Fluoride	200	ug/L	[NULL]	[NULL]	[NULL]	R	B0D7C9	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	11/15/1994 9:00	N	12587-46-1	Gross alpha	-3.9	pCi/L	U	[NULL]	[NULL]	R	B0D7C9	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-14	11/15/1994 9:00	N	12587-47-2	Gross beta	2210	pCi/L	[NULL]	[NULL]	[NULL]	R	B0D7C9	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-14	11/15/1994 9:00	N	14797-55-8	Nitrate	13000	ug/L	D	[NULL]	[NULL]	R	B0D7C9	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	11/15/1994 9:00	N	14797-65-0	Nitrite	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0D7C9	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	11/15/1994 9:00	N	14265-44-2	Phosphate	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0D7C9	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	11/15/1994 9:00	N	13967-48-1	Ruthenium-106	-83.7	pCi/L	U	[NULL]	[NULL]	R	B0D7C9	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-14	11/15/1994 9:00	N	CONDUCT	Specific Conductance	202	uS/cm	[NULL]	[NULL]	[NULL]	R	B0D7C9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	11/15/1994 9:00	N	10098-97-2	Strontium-90	1310	pCi/L	[NULL]	[NULL]	[NULL]	R	B0D7C9	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-14	11/15/1994 9:00	N	14808-79-8	Sulfate	16000	ug/L	D	[NULL]	[NULL]	R	B0D7C9	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	11/15/1994 9:00	N	TEMPERATURE	Temperature	19.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0D7C9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	11/15/1994 9:00	N	10028-17-8	Tritium	63100	pCi/L	[NULL]	[NULL]	[NULL]	R	B0D7C9	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-14	11/15/1994 9:00	N	7440-61-1	Uranium	0.648	ug/L	[NULL]	[NULL]	[NULL]	R	B0D7C9	7440-61-1	ITASRL	UTOT_IE_FLUOR	100-NR-2
199-N-14	11/15/1994 9:00	N	PH	pH Measurement	8.19	unitless	[NULL]	[NULL]	[NULL]	R	B0D7C9	PH	FIELD	9040_PH	100-NR-2
199-N-14	3/8/1995 9:00	N	71-55-6	1,1,1-Trichloroethane	0.5	ug/L	U	[NULL]	[NULL]	R	B0DTK1	71-55-6	PNL1	502.2_VOA_GC	100-NR-2
199-N-14	3/8/1995 9:00	N	75-34-3	1,1-Dichloroethane	0.5	ug/L	U	[NULL]	[NULL]	R	B0DTK1	75-34-3	PNL1	502.2_VOA_GC	100-NR-2
199-N-14	3/8/1995 9:00	N	107-06-2	1,2-Dichloroethane	0.5	ug/L	U	[NULL]	[NULL]	R	B0DTK1	107-06-2	PNL1	502.2_VOA_GC	100-NR-2
199-N-14	3/8/1995 9:00	N	88-06-2	2,4,6-Trichlorophenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DWY5	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	3/8/1995 9:00	N	120-83-2	2,4-Dichlorophenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DWY5	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	3/8/1995 9:00	N	105-67-9	2,4-Dimethylphenol	1.2	ug/L	U	[NULL]	[NULL]	R	B0DWY5	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	3/8/1995 9:00	N	51-28-5	2,4-Dinitrophenol	3	ug/L	U	[NULL]	[NULL]	R	B0DWY5	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	3/8/1995 9:00	N	87-65-0	2,6-Dichlorophenol	1.4	ug/L	U	[NULL]	[NULL]	R	B0DWY5	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	3/8/1995 9:00	N	78-93-3	2-Butanone	5	ug/L	U	[NULL]	[NULL]	R	B0DTK1	78-93-3	PNL1	502.2_VOA_GC	100-NR-2
199-N-14	3/8/1995 9:00	N	95-57-8	2-Chlorophenol	1.6	ug/L	U	[NULL]	[NULL]	R	B0DWY5	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	3/8/1995 9:00	N	88-75-5	2-Nitrophenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DWY5	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	3/8/1995 9:00	N	108-10-1	2-Pentanone, 4-Methyl	5	ug/L	U	[NULL]	[NULL]	R	B0DTK1	108-10-1	PNL1	502.2_VOA_GC	100-NR-2
199-N-14	3/8/1995 9:00	N	67-63-0	2-Propanol	500	ug/L	U	[NULL]	[NULL]	R	B0DTK1	67-63-0	PNL1	502.2_VOA_GC	100-NR-2
199-N-14	3/8/1995 9:00	N	534-52-1	4,6-Dinitro-2-methylphenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DWY5	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	3/8/1995 9:00	N	59-50-7	4-Chloro-3-methylphenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DWY5	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	3/8/1995 9:00	N	100-02-7	4-Nitrophenol	3	ug/L	U	[NULL]	[NULL]	R	B0DWY5	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	3/8/1995 9:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	B0DTK1	67-64-1	PNL1	502.2_VOA_GC	100-NR-2
199-N-14	3/8/1995 9:00	N	ALKALINITY	Alkalinity	60000	ug/L	[NULL]	[NULL]	[NULL]	R	B0DTK1	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-14	3/8/1995 9:00	N	7429-90-5	Aluminum	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTK1	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/8/1995 9:00	Y	7429-90-5	Aluminum	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTK2	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/8/1995 9:00	Y	7440-36-0	Antimony	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTK2	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/8/1995 9:00	N	7440-36-0	Antimony	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTK1	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/8/1995 9:00	N	14234-35-6	Antimony-125	4.93	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DTK1	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-14	3/8/1995 9:00	Y	7440-39-3	Barium	13	ug/L	L	[NULL]	[NULL]	R	B0DTK2	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/8/1995 9:00	N	7440-39-3	Barium	14	ug/L	L	[NULL]	[NULL]	R	B0DTK1	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/8/1995 9:00	N	71-43-2	Benzene	0.5	ug/L	U	[NULL]	[NULL]	R	B0DTK1	71-43-2	PNL1	502.2_VOA_GC	100-NR-2
199-N-14	3/8/1995 9:00	Y	7440-41-7	Beryllium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTK2	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/8/1995 9:00	N	7440-41-7	Beryllium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTK1	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/8/1995 9:00	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTK1	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	3/8/1995 9:00	N	75-27-4	Bromodichloromethane	0.5	ug/L	U	[NULL]	[NULL]	R	B0DTK1	75-27-4	PNL1	502.2_VOA_GC	100-NR-2
199-N-14	3/8/1995 9:00	N	75-25-2	Bromoform	0.5	ug/L	U	[NULL]	[NULL]	R	B0DTK1	75-25-2	PNL1	502.2_VOA_GC	100-NR-2
199-N-14	3/8/1995 9:00	Y	7440-43-9	Cadmium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTK2	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-14	3/8/1995 9:00	N	7440-43-9	Cadmium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTK1	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/8/1995 9:00	N	7440-70-2	Calcium	27000	ug/L	[NULL]	[NULL]	[NULL]	R	B0DTK1	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/8/1995 9:00	Y	7440-70-2	Calcium	27000	ug/L	[NULL]	[NULL]	[NULL]	R	B0DTK2	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/8/1995 9:00	N	56-23-5	Carbon tetrachloride	0.5	ug/L	U	[NULL]	[NULL]	R	B0DTK1	56-23-5	PNL1	502.2_VOA_GC	100-NR-2
199-N-14	3/8/1995 9:00	N	10045-97-3	Cesium-137	-3.21	pCi/L	U	[NULL]	[NULL]	R	B0DTK1	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-14	3/8/1995 9:00	N	16887-00-6	Chloride	1600	ug/L	[NULL]	[NULL]	[NULL]	R	B0DTK1	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	3/8/1995 9:00	N	67-66-3	Chloroform	2.9	ug/L	[NULL]	[NULL]	[NULL]	R	B0DTK1	67-66-3	PNL1	502.2_VOA_GC	100-NR-2
199-N-14	3/8/1995 9:00	N	7440-47-3	Chromium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTK1	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/8/1995 9:00	Y	7440-47-3	Chromium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTK2	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/8/1995 9:00	N	7440-48-4	Cobalt	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTK1	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/8/1995 9:00	Y	7440-48-4	Cobalt	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTK2	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/8/1995 9:00	N	10198-40-0	Cobalt-60	4.22	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DTK1	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-14	3/8/1995 9:00	Y	7440-50-8	Copper	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTK2	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/8/1995 9:00	N	7440-50-8	Copper	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTK1	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/8/1995 9:00	N	124-48-1	Dibromochloromethane	0.5	ug/L	U	[NULL]	[NULL]	R	B0DTK1	124-48-1	PNL1	502.2_VOA_GC	100-NR-2
199-N-14	3/8/1995 9:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1.3	ug/L	U	[NULL]	[NULL]	R	B0DWY5	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	3/8/1995 9:00	N	100-41-4	Ethylbenzene	0.5	ug/L	U	[NULL]	[NULL]	R	B0DTK1	100-41-4	PNL1	502.2_VOA_GC	100-NR-2
199-N-14	3/8/1995 9:00	N	16984-48-8	Fluoride	200	ug/L	[NULL]	[NULL]	[NULL]	R	B0DTK1	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	3/8/1995 9:00	N	12587-46-1	Gross alpha	0.171	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DTK1	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-14	3/8/1995 9:00	N	12587-47-2	Gross beta	2080	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DTK1	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-14	3/8/1995 9:00	N	15046-84-1	Iodine-129	-0.168	pCi/L	U	[NULL]	[NULL]	R	B0DTK1	15046-84-1	ITASRL	I129_SEP_LEPS_GS	100-NR-2
199-N-14	3/8/1995 9:00	Y	7439-89-6	Iron	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTK2	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/8/1995 9:00	N	7439-89-6	Iron	420	ug/L	[NULL]	[NULL]	[NULL]	R	B0DTK1	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/8/1995 9:00	Y	7439-92-1	Lead	3.4	ug/L	L	[NULL]	[NULL]	R	B0DWY6	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-14	3/8/1995 9:00	N	7439-95-4	Magnesium	4500	ug/L	[NULL]	[NULL]	[NULL]	R	B0DTK1	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/8/1995 9:00	Y	7439-95-4	Magnesium	4500	ug/L	[NULL]	[NULL]	[NULL]	R	B0DTK2	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/8/1995 9:00	N	7439-96-5	Manganese	7.2	ug/L	L	[NULL]	[NULL]	R	B0DTK1	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/8/1995 9:00	Y	7439-96-5	Manganese	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTK2	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/8/1995 9:00	N	75-09-2	Methylene chloride	2	ug/L	U	[NULL]	[NULL]	R	B0DTK1	75-09-2	PNL1	502.2_VOA_GC	100-NR-2
199-N-14	3/8/1995 9:00	N	7440-02-0	Nickel	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTK1	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/8/1995 9:00	Y	7440-02-0	Nickel	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTK2	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/8/1995 9:00	N	14797-55-8	Nitrate	12000	ug/L	D	[NULL]	[NULL]	R	B0DTK1	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	3/8/1995 9:00	N	14797-65-0	Nitrite	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTK1	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	3/8/1995 9:00	N	87-86-5	Pentachlorophenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DWY5	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	3/8/1995 9:00	N	108-95-2	Phenol	0.31	ug/L	U	[NULL]	[NULL]	R	B0DWY5	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	3/8/1995 9:00	N	14265-44-2	Phosphate	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTK1	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	3/8/1995 9:00	N	7440-09-7	Potassium	1500	ug/L	[NULL]	[NULL]	[NULL]	R	B0DTK1	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/8/1995 9:00	Y	7440-09-7	Potassium	1600	ug/L	[NULL]	[NULL]	[NULL]	R	B0DTK2	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/8/1995 9:00	N	13967-48-1	Ruthenium-106	-1.36	pCi/L	U	[NULL]	[NULL]	R	B0DTK1	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-14	3/8/1995 9:00	N	7440-22-4	Silver	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTK1	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/8/1995 9:00	Y	7440-22-4	Silver	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTK2	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/8/1995 9:00	N	7440-23-5	Sodium	3400	ug/L	[NULL]	[NULL]	[NULL]	R	B0DTK1	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/8/1995 9:00	Y	7440-23-5	Sodium	3300	ug/L	[NULL]	[NULL]	[NULL]	R	B0DTK2	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/8/1995 9:00	N	CONDUCT	Specific Conductance	109	uS/cm	[NULL]	F	[NULL]	R	B0DWY5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	3/8/1995 9:00	N	CONDUCT	Specific Conductance	190	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DWY5	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-14	3/8/1995 9:00	N	10098-97-2	Strontium-90	1010	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DTK1	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-14	3/8/1995 9:00	Y	10098-97-2	Strontium-90	1090	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DTK2	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-14	3/8/1995 9:00	N	14808-79-8	Sulfate	16000	ug/L	D	[NULL]	[NULL]	R	B0DTK1	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	3/8/1995 9:00	N	14133-76-7	Technetium-99	5.1	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DTK1	14133-76-7	ITASRL	TC99_SEP_LSC	100-NR-2
199-N-14	3/8/1995 9:00	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B0DWY5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	3/8/1995 9:00	N	127-18-4	Tetrachloroethene	0.5	ug/L	U	[NULL]	[NULL]	R	B0DTK1	127-18-4	PNL1	502.2_VOA_GC	100-NR-2
199-N-14	3/8/1995 9:00	N	25167-83-3	Tetrachlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B0DWY5	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	3/8/1995 9:00	N	109-99-9	Tetrahydrofuran	5	ug/L	U	[NULL]	[NULL]	R	B0DTK1	109-99-9	PNL1	502.2_VOA_GC	100-NR-2
199-N-14	3/8/1995 9:00	Y	7440-31-5	Tin	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTK2	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-14	3/8/1995 9:00	N	7440-31-5	Tin	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTK1	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/8/1995 9:00	N	108-88-3	Toluene	1	ug/L	U	[NULL]	[NULL]	R	B0DTK1	108-88-3	PNL1	502.2_VOA_GC	100-NR-2
199-N-14	3/8/1995 9:00	N	1319-77-3	Total cresols	4.8	ug/L	U	[NULL]	[NULL]	R	B0DWY5	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	3/8/1995 9:00	N	TOC	Total organic carbon	200	ug/L	L	[NULL]	[NULL]	R	B0DWY5	TOC	DATACH	9060_TOC	100-NR-2
199-N-14	3/8/1995 9:00	N	59473-04-0	Total organic halides	10	ug/L	[NULL]	[NULL]	[NULL]	R	B0DWY5	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-14	3/8/1995 9:00	N	79-01-6	Trichloroethene	0.5	ug/L	U	[NULL]	[NULL]	R	B0DTK1	79-01-6	PNL1	502.2_VOA_GC	100-NR-2
199-N-14	3/8/1995 9:00	N	25167-82-2	Trichlorophenol	1.7	ug/L	U	[NULL]	[NULL]	R	B0DWY5	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	3/8/1995 9:00	N	10028-17-8	Tritium	59800	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DTK1	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-14	3/8/1995 9:00	N	TURBIDITY	Turbidity	1.9	NTU	[NULL]	Q	[NULL]	R	B0DWY5	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-14	3/8/1995 9:00	N	7440-61-1	Uranium	0.31	ug/L	[NULL]	[NULL]	[NULL]	R	B0DTK1	7440-61-1	ITASRL	UTOT_IE_FLUOR	100-NR-2
199-N-14	3/8/1995 9:00	N	13966-29-5	Uranium-234	0.156	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DTK1	13966-29-5	ITASRL	UISO_IE_AEA	100-NR-2
199-N-14	3/8/1995 9:00	N	15117-96-1	Uranium-235	0.00272	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DTK1	15117-96-1	ITASRL	UISO_IE_AEA	100-NR-2
199-N-14	3/8/1995 9:00	N	U-238	Uranium-238	0.126	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DTK1	U-238	ITASRL	UISO_IE_AEA	100-NR-2
199-N-14	3/8/1995 9:00	Y	7440-62-2	Vanadium	7.2	ug/L	L	[NULL]	[NULL]	R	B0DTK2	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/8/1995 9:00	N	7440-62-2	Vanadium	7.4	ug/L	L	[NULL]	[NULL]	R	B0DTK1	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/8/1995 9:00	N	1330-20-7	Xylenes (total)	1	ug/L	U	[NULL]	[NULL]	R	B0DTK1	1330-20-7	PNL1	502.2_VOA_GC	100-NR-2
199-N-14	3/8/1995 9:00	N	7440-66-6	Zinc	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTK1	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/8/1995 9:00	Y	7440-66-6	Zinc	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTK2	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/8/1995 9:00	N	156-59-2	cis-1,2-Dichloroethylene	0.5	ug/L	U	[NULL]	[NULL]	R	B0DTK1	156-59-2	PNL1	502.2_VOA_GC	100-NR-2
199-N-14	3/8/1995 9:00	N	PH	pH Measurement	8.3	unitless	[NULL]	[NULL]	[NULL]	R	B0DWY5	PH	DATACH	D1293_PH	100-NR-2
199-N-14	3/8/1995 9:00	N	PH	pH Measurement	8.13	unitless	[NULL]	[NULL]	[NULL]	R	B0DWY5	PH	FIELD	9040_PH	100-NR-2
199-N-14	3/8/1995 9:00	N	156-60-5	trans-1,2-Dichloroethylene	0.5	ug/L	U	[NULL]	[NULL]	R	B0DTK1	156-60-5	PNL1	502.2_VOA_GC	100-NR-2
199-N-14	5/19/1995 10:00	N	10098-97-2	Strontium-90	808	pCi/L	[NULL]	[NULL]	[NULL]	R	B0FGG0	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-14	8/4/1995 10:10	N	7440-70-2	Calcium	27500	ug/L	[NULL]	[NULL]	[NULL]	R	B0GB55	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	8/4/1995 10:10	N	DO	Dissolved oxygen	2400	ug/L	[NULL]	[NULL]	[NULL]	R	B0GB55	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-14	8/4/1995 10:10	N	7439-95-4	Magnesium	4710	ug/L	B	[NULL]	[NULL]	R	B0GB55	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	8/4/1995 10:10	N	CONDUCT	Specific Conductance	173	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GB55	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-14	8/4/1995 10:10	N	10098-97-2	Strontium-90	502	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GB55	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-14	8/4/1995 10:10	N	14808-79-8	Sulfate	18300	ug/L	[NULL]	[NULL]	[NULL]	R	B0GB55	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-14	8/4/1995 10:10	N	TEMPERATURE	Temperature	21.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0GB55	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	8/4/1995 10:10	N	TURBIDITY	Turbidity	0.69	NTU	[NULL]	[NULL]	[NULL]	R	B0GB55	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-14	8/4/1995 10:10	N	PH	pH Measurement	8.77	unitless	[NULL]	[NULL]	[NULL]	R	B0GB55	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-14	8/28/1995 10:10	N	10098-97-2	Strontium-90	717	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GJ09	10098-97-2	ITASRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-14	8/30/1995 10:35	N	ALKALINITY	Alkalinity	60000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBY6	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-14	8/30/1995 10:35	Y	7429-90-5	Aluminum	38	ug/L	L	[NULL]	[NULL]	R	B0GBZ0	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	8/30/1995 10:35	Y	7440-36-0	Antimony	24	ug/L	U	[NULL]	[NULL]	R	B0GBZ0	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	8/30/1995 10:35	Y	7440-39-3	Barium	28	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBZ0	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	8/30/1995 10:35	Y	7440-41-7	Beryllium	0.63	ug/L	U	[NULL]	[NULL]	R	B0GBZ0	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	8/30/1995 10:35	N	24959-67-9	Bromide	72	ug/L	U	[NULL]	[NULL]	R	B0GBY6	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	8/30/1995 10:35	Y	7440-43-9	Cadmium	1.5	ug/L	L	[NULL]	[NULL]	R	B0GBZ0	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	8/30/1995 10:35	Y	7440-70-2	Calcium	27000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBZ0	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	8/30/1995 10:35	N	16887-00-6	Chloride	2100	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBY6	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	8/30/1995 10:35	Y	7440-47-3	Chromium	3.7	ug/L	U	[NULL]	[NULL]	R	B0GBZ0	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	8/30/1995 10:35	Y	7440-48-4	Cobalt	5.3	ug/L	U	[NULL]	[NULL]	R	B0GBZ0	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	8/30/1995 10:35	Y	7440-50-8	Copper	2.9	ug/L	L	[NULL]	[NULL]	R	B0GBZ0	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	8/30/1995 10:35	N	16984-48-8	Fluoride	300	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBY6	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	8/30/1995 10:35	N	12587-46-1	Gross alpha	-0.006	pCi/L	U	[NULL]	[NULL]	R	B0GBY6	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-14	8/30/1995 10:35	N	12587-47-2	Gross beta	1400	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GBY6	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-14	8/30/1995 10:35	Y	7439-89-6	Iron	13	ug/L	BL	[NULL]	[NULL]	R	B0GBZ0	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	8/30/1995 10:35	Y	7439-92-1	Lead	0.88	ug/L	U	H	[NULL]	R	B0GBZ0	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-14	8/30/1995 10:35	Y	7439-95-4	Magnesium	4400	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBZ0	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	8/30/1995 10:35	Y	7439-96-5	Manganese	3.2	ug/L	BL	[NULL]	[NULL]	R	B0GBZ0	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	8/30/1995 10:35	Y	7440-02-0	Nickel	11	ug/L	U	[NULL]	[NULL]	R	B0GBZ0	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	8/30/1995 10:35	N	14797-55-8	Nitrate	13000	ug/L	D	[NULL]	[NULL]	R	B0GBY6	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-14	8/30/1995 10:35	N	14797-65-0	Nitrite	140	ug/L	U	[NULL]	[NULL]	R	B0GBY6	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	8/30/1995 10:35	N	14265-44-2	Phosphate	340	ug/L	U	[NULL]	[NULL]	R	B0GBY6	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	8/30/1995 10:35	Y	7440-09-7	Potassium	2000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBZ0	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	8/30/1995 10:35	Y	7440-22-4	Silver	5.5	ug/L	U	[NULL]	[NULL]	R	B0GBZ0	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	8/30/1995 10:35	Y	7440-23-5	Sodium	4100	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBZ0	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	8/30/1995 10:35	N	CONDUCT	Specific Conductance	194	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GBY8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	8/30/1995 10:35	N	CONDUCT	Specific Conductance	194	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GBY7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	8/30/1995 10:35	N	CONDUCT	Specific Conductance	194	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GBY6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	8/30/1995 10:35	N	CONDUCT	Specific Conductance	193	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GBY9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	8/30/1995 10:35	Y	7440-24-6	Strontium	130	ug/L	[NULL]	H	[NULL]	R	B0GBZ0	7440-24-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	8/30/1995 10:35	N	14808-79-8	Sulfate	17000	ug/L	D	[NULL]	[NULL]	R	B0GBY6	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	8/30/1995 10:35	N	TEMPERATURE	Temperature	20.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0GBY6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	8/30/1995 10:35	N	TEMPERATURE	Temperature	20.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0GBY8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	8/30/1995 10:35	N	TEMPERATURE	Temperature	20.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0GBY9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	8/30/1995 10:35	N	TEMPERATURE	Temperature	20.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0GBY7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	8/30/1995 10:35	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	B0GBZ0	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	8/30/1995 10:35	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B0GBY9	TOC	DATACH	9060_TOC	100-NR-2
199-N-14	8/30/1995 10:35	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B0GBY8	TOC	DATACH	9060_TOC	100-NR-2
199-N-14	8/30/1995 10:35	N	TOC	Total organic carbon	200	ug/L	L	[NULL]	[NULL]	R	B0GBY6	TOC	DATACH	9060_TOC	100-NR-2
199-N-14	8/30/1995 10:35	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B0GBY7	TOC	DATACH	9060_TOC	100-NR-2
199-N-14	8/30/1995 10:35	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0GBY8	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-14	8/30/1995 10:35	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0GBY7	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-14	8/30/1995 10:35	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0GBY9	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-14	8/30/1995 10:35	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0GBY6	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-14	8/30/1995 10:35	N	TURBIDITY	Turbidity	0.95	NTU	[NULL]	[NULL]	[NULL]	R	B0GBY6	TURBIDITY	FIELD	180.1_TURBIDITY	100-NR-2
199-N-14	8/30/1995 10:35	Y	7440-62-2	Vanadium	5.8	ug/L	L	[NULL]	[NULL]	R	B0GBZ0	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	8/30/1995 10:35	Y	7440-66-6	Zinc	3.7	ug/L	U	[NULL]	[NULL]	R	B0GBZ0	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	8/30/1995 10:35	N	PH	pH Measurement	8.82	unitless	[NULL]	[NULL]	[NULL]	R	B0GBY6	PH	FIELD	9040_PH	100-NR-2
199-N-14	8/30/1995 10:35	N	PH	pH Measurement	8.69	unitless	[NULL]	[NULL]	[NULL]	R	B0GBY7	PH	FIELD	9040_PH	100-NR-2
199-N-14	8/30/1995 10:35	N	PH	pH Measurement	8.7	unitless	[NULL]	[NULL]	[NULL]	R	B0GBY8	PH	FIELD	9040_PH	100-NR-2
199-N-14	8/30/1995 10:35	N	PH	pH Measurement	8.76	unitless	[NULL]	[NULL]	[NULL]	R	B0GBY9	PH	FIELD	9040_PH	100-NR-2
199-N-14	8/30/1995 10:35	N	PH	pH Measurement	8.6	unitless	[NULL]	[NULL]	[NULL]	R	B0GBY6	PH	DATACH	D1293_PH	100-NR-2
199-N-14	9/6/1995 10:28	N	7440-70-2	Calcium	29500	ug/L	[NULL]	[NULL]	[NULL]	R	B0GFS9	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/6/1995 10:28	N	DO	Dissolved oxygen	2730	ug/L	[NULL]	[NULL]	[NULL]	R	B0GFS9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-14	9/6/1995 10:28	N	7439-95-4	Magnesium	5160	ug/L	[NULL]	[NULL]	[NULL]	R	B0GFS9	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/6/1995 10:28	N	CONDUCT	Specific Conductance	198	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GFS9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-14	9/6/1995 10:28	N	10098-97-2	Strontium-90	791	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GFS9	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-14	9/6/1995 10:28	N	14808-79-8	Sulfate	19500	ug/L	[NULL]	[NULL]	[NULL]	R	B0GFS9	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/6/1995 10:28	N	TEMPERATURE	Temperature	19.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0GFS9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	9/6/1995 10:28	N	TURBIDITY	Turbidity	0.77	NTU	[NULL]	[NULL]	[NULL]	R	B0GFS9	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-14	9/6/1995 10:28	N	PH	pH Measurement	8.77	unitless	[NULL]	[NULL]	[NULL]	R	B0GFS9	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-14	10/2/1995 11:45	N	DO	Dissolved oxygen	6100	ug/L	[NULL]	[NULL]	[NULL]	R	B0GNZ9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-14	10/2/1995 11:45	N	CONDUCT	Specific Conductance	214	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GNZ9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-14	10/2/1995 11:45	N	10098-97-2	Strontium-90	760	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GNZ9	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-14	10/2/1995 11:45	N	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	R	B0GNZ9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	10/2/1995 11:45	N	TURBIDITY	Turbidity	0.59	NTU	[NULL]	[NULL]	[NULL]	R	B0GNZ9	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-14	10/2/1995 11:45	N	PH	pH Measurement	9.17	unitless	[NULL]	[NULL]	[NULL]	R	B0GNZ9	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-14	11/2/1995 11:24	N	DO	Dissolved oxygen	5200	ug/L	[NULL]	[NULL]	[NULL]	R	B0GRP1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-14	11/2/1995 11:24	N	CONDUCT	Specific Conductance	214	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GRP1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-14	11/2/1995 11:24	N	10098-97-2	Strontium-90	773	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GRP1	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-14	11/2/1995 11:24	N	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0GRP1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	11/2/1995 11:24	N	PH	pH Measurement	9.03	unitless	[NULL]	[NULL]	[NULL]	R	B0GRP1	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-14	12/5/1995 10:52	N	DO	Dissolved oxygen	6200	ug/L	[NULL]	[NULL]	[NULL]	R	B0GYT5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-14	12/5/1995 10:52	N	CONDUCT	Specific Conductance	250	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GYT5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-14	12/5/1995 10:52	N	10098-97-2	Strontium-90	666	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GYT5	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-14	12/5/1995 10:52	N	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	R	B0GYT5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	12/5/1995 10:52	N	TURBIDITY	Turbidity	0.82	NTU	[NULL]	[NULL]	[NULL]	R	B0GYT5	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-14	12/5/1995 10:52	N	PH	pH Measurement	8.13	unitless	[NULL]	[NULL]	[NULL]	R	B0GYT5	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-14	1/3/1996 11:52	N	DO	Dissolved oxygen	6700	ug/L	[NULL]	[NULL]	[NULL]	R	B0GZG1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-14	1/3/1996 11:52	N	CONDUCT	Specific Conductance	212	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GZG1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-14	1/3/1996 11:52	N	10098-97-2	Strontium-90	607	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GZG1	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-14	1/3/1996 11:52	N	TEMPERATURE	Temperature	18	Deg C	[NULL]	[NULL]	[NULL]	R	B0GZG1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	1/3/1996 11:52	N	TURBIDITY	Turbidity	0.87	NTU	[NULL]	[NULL]	[NULL]	R	B0GZG1	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-14	1/3/1996 11:52	N	PH	pH Measurement	8.46	unitless	[NULL]	[NULL]	[NULL]	R	B0GZG1	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-14	2/14/1996 11:37	N	DO	Dissolved oxygen	6200	ug/L	[NULL]	[NULL]	[NULL]	R	B0H6H7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-14	2/14/1996 11:37	N	CONDUCT	Specific Conductance	211	uS/cm	[NULL]	[NULL]	[NULL]	R	B0H6H7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-14	2/14/1996 11:37	N	10098-97-2	Strontium-90	621	pCi/L	[NULL]	[NULL]	[NULL]	R	B0H6H7	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-14	2/14/1996 11:37	N	TEMPERATURE	Temperature	15.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0H6H7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	2/14/1996 11:37	N	TURBIDITY	Turbidity	0.74	NTU	[NULL]	[NULL]	[NULL]	R	B0H6H7	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-14	2/14/1996 11:37	N	PH	pH Measurement	8.46	unitless	[NULL]	[NULL]	[NULL]	R	B0H6H7	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-14	3/4/1996 11:35	N	DO	Dissolved oxygen	8300	ug/L	[NULL]	[NULL]	[NULL]	R	B0H765	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-14	3/4/1996 11:35	N	CONDUCT	Specific Conductance	197	uS/cm	[NULL]	[NULL]	[NULL]	R	B0H765	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-14	3/4/1996 11:35	N	10098-97-2	Strontium-90	599	pCi/L	[NULL]	[NULL]	[NULL]	R	B0H765	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-14	3/4/1996 11:35	N	TEMPERATURE	Temperature	17.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0H765	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	3/4/1996 11:35	N	TURBIDITY	Turbidity	1	NTU	[NULL]	[NULL]	[NULL]	R	B0H765	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-14	3/4/1996 11:35	N	PH	pH Measurement	7.76	unitless	[NULL]	[NULL]	[NULL]	R	B0H765	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-14	3/25/1996 9:21	N	13966-02-4	Beryllium-7	5.22	pCi/L	U	[NULL]	[NULL]	R	B0HBG6	13966-02-4	ITASRL	GAMMA_GS	100-NR-2
199-N-14	3/25/1996 9:21	N	24959-67-9	Bromide	72	ug/L	U	[NULL]	[NULL]	R	B0HBG6	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	3/25/1996 9:21	N	13967-70-9	Cesium-134	-0.0257	pCi/L	U	[NULL]	[NULL]	R	B0HBG6	13967-70-9	ITASRL	GAMMA_GS	100-NR-2
199-N-14	3/25/1996 9:21	N	10045-97-3	Cesium-137	-0.173	pCi/L	U	[NULL]	[NULL]	R	B0HBG6	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-14	3/25/1996 9:21	N	16887-00-6	Chloride	4400	ug/L	[NULL]	[NULL]	[NULL]	R	B0HBG6	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	3/25/1996 9:21	N	10198-40-0	Cobalt-60	1.38	pCi/L	U	[NULL]	[NULL]	R	B0HBG6	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-14	3/25/1996 9:21	N	15585-10-1	Europium-154	1.67	pCi/L	U	[NULL]	[NULL]	R	B0HBG6	15585-10-1	ITASRL	GAMMA_GS	100-NR-2
199-N-14	3/25/1996 9:21	N	14391-16-3	Europium-155	0.477	pCi/L	U	[NULL]	[NULL]	R	B0HBG6	14391-16-3	ITASRL	GAMMA_GS	100-NR-2
199-N-14	3/25/1996 9:21	N	16984-48-8	Fluoride	190	ug/L	[NULL]	[NULL]	[NULL]	R	B0HBG6	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	3/25/1996 9:21	N	12587-46-1	Gross alpha	-0.037	pCi/L	U	[NULL]	[NULL]	R	B0HBG6	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-14	3/25/1996 9:21	N	12587-47-2	Gross beta	1458.7	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HBG6	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-14	3/25/1996 9:21	N	15046-84-1	Iodine-129	-0.136	pCi/L	U	[NULL]	[NULL]	R	B0HBG6	15046-84-1	ITASRL	I129_SEP_LEPS_GS	100-NR-2
199-N-14	3/25/1996 9:21	N	14797-55-8	Nitrate	16000	ug/L	D	[NULL]	[NULL]	R	B0HBG6	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	3/25/1996 9:21	N	14797-65-0	Nitrite	140	ug/L	U	[NULL]	[NULL]	R	B0HBG6	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	3/25/1996 9:21	N	14265-44-2	Phosphate	340	ug/L	U	[NULL]	[NULL]	R	B0HBG6	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	3/25/1996 9:21	N	13966-00-2	Potassium-40	59.2	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HBG6	13966-00-2	ITASRL	GAMMA_GS	100-NR-2
199-N-14	3/25/1996 9:21	N	CONDUCT	Specific Conductance	310	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HBG6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	3/25/1996 9:21	N	10098-97-2	Strontium-90	827.28	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HBG6	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-14	3/25/1996 9:21	N	14808-79-8	Sulfate	39000	ug/L	D	[NULL]	[NULL]	R	B0HBG6	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	3/25/1996 9:21	N	14133-76-7	Technetium-99	4.608	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HBG6	14133-76-7	ITASRL	TC99_SEP_LSC	100-NR-2
199-N-14	3/25/1996 9:21	N	TEMPERATURE	Temperature	19.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0HBG6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	3/25/1996 9:21	N	10028-17-8	Tritium	53259	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HBG6	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-14	3/25/1996 9:21	N	TURBIDITY	Turbidity	0.64	NTU	[NULL]	[NULL]	[NULL]	R	B0HBG6	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-14	3/25/1996 9:21	N	PH	pH Measurement	8.34	unitless	[NULL]	[NULL]	[NULL]	R	B0HBG6	PH	FIELD	9040_PH	100-NR-2
199-N-14	3/25/1996 9:27	N	88-06-2	2,4,6-Trichlorophenol	0.8	ug/L	U	[NULL]	[NULL]	R	B0HNK5	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	3/25/1996 9:27	N	120-83-2	2,4-Dichlorophenol	0.43	ug/L	U	[NULL]	[NULL]	R	B0HNK5	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	3/25/1996 9:27	N	105-67-9	2,4-Dimethylphenol	0.62	ug/L	U	[NULL]	[NULL]	R	B0HNK5	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	3/25/1996 9:27	N	51-28-5	2,4-Dinitrophenol	6.8	ug/L	U	[NULL]	[NULL]	R	B0HNK5	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	3/25/1996 9:27	N	87-65-0	2,6-Dichlorophenol	0.52	ug/L	U	[NULL]	[NULL]	R	B0HNK5	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	3/25/1996 9:27	N	95-57-8	2-Chlorophenol	0.6	ug/L	U	[NULL]	[NULL]	R	B0HNK5	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	3/25/1996 9:27	N	88-75-5	2-Nitrophenol	0.6	ug/L	U	[NULL]	[NULL]	R	B0HNK5	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	3/25/1996 9:27	N	534-52-1	4,6-Dinitro-2-methylphenol	0.84	ug/L	U	[NULL]	[NULL]	R	B0HNK5	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	3/25/1996 9:27	N	59-50-7	4-Chloro-3-methylphenol	0.52	ug/L	U	[NULL]	[NULL]	R	B0HNK5	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-14	3/25/1996 9:27	N	100-02-7	4-Nitrophenol	0.49	ug/L	U	[NULL]	[NULL]	R	B0HNK5	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	3/25/1996 9:27	N	ALKALINITY	Alkalinity	65000	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNK5	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-14	3/25/1996 9:27	Y	7429-90-5	Aluminum	31	ug/L	U	[NULL]	[NULL]	R	B0HNK9	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/25/1996 9:27	Y	7440-36-0	Antimony	24	ug/L	U	[NULL]	[NULL]	R	B0HNK9	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/25/1996 9:27	Y	7440-38-2	Arsenic	2.6	ug/L	U	[NULL]	[NULL]	R	B0HNK9	7440-38-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/25/1996 9:27	Y	7440-39-3	Barium	28	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNK9	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/25/1996 9:27	Y	7440-41-7	Beryllium	0.63	ug/L	U	[NULL]	[NULL]	R	B0HNK9	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/25/1996 9:27	Y	7440-43-9	Cadmium	0.98	ug/L	U	[NULL]	[NULL]	R	B0HNK9	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/25/1996 9:27	Y	7440-70-2	Calcium	34000	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNK9	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/25/1996 9:27	Y	7440-47-3	Chromium	4.1	ug/L	L	[NULL]	[NULL]	R	B0HNK9	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/25/1996 9:27	Y	7440-48-4	Cobalt	5.3	ug/L	U	[NULL]	[NULL]	R	B0HNK9	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/25/1996 9:27	Y	7440-50-8	Copper	2.8	ug/L	L	[NULL]	[NULL]	R	B0HNK9	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/25/1996 9:27	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	0.41	ug/L	U	[NULL]	[NULL]	R	B0HNK5	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	3/25/1996 9:27	Y	7439-89-6	Iron	25	ug/L	L	[NULL]	[NULL]	R	B0HNK9	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/25/1996 9:27	Y	7439-92-1	Lead	1.7	ug/L	U	[NULL]	[NULL]	R	B0HNK9	7439-92-1	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/25/1996 9:27	Y	7439-95-4	Magnesium	5700	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNK9	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/25/1996 9:27	Y	7439-96-5	Manganese	0.55	ug/L	U	[NULL]	[NULL]	R	B0HNK9	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/25/1996 9:27	Y	7440-02-0	Nickel	13	ug/L	L	[NULL]	[NULL]	R	B0HNK9	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/25/1996 9:27	N	87-86-5	Pentachlorophenol	0.48	ug/L	U	[NULL]	[NULL]	R	B0HNK5	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	3/25/1996 9:27	N	108-95-2	Phenol	0.58	ug/L	U	[NULL]	[NULL]	R	B0HNK5	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	3/25/1996 9:27	Y	7440-09-7	Potassium	2400	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNK9	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/25/1996 9:27	Y	7782-49-2	Selenium	3.8	ug/L	U	[NULL]	[NULL]	R	B0HNK9	7782-49-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/25/1996 9:27	Y	7440-22-4	Silver	5.5	ug/L	U	[NULL]	[NULL]	R	B0HNK9	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/25/1996 9:27	Y	7440-23-5	Sodium	6900	ug/L	[NULL]	Q	[NULL]	R	B0HNK9	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/25/1996 9:27	N	CONDUCT	Specific Conductance	287	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HNK7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	3/25/1996 9:27	N	CONDUCT	Specific Conductance	289	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HNK6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	3/25/1996 9:27	N	CONDUCT	Specific Conductance	284	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HNK8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	3/25/1996 9:27	N	CONDUCT	Specific Conductance	293	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HNK5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	3/25/1996 9:27	Y	7440-24-6	Strontium	160	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNK9	7440-24-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/25/1996 9:27	N	TEMPERATURE	Temperature	19.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0HNK5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	3/25/1996 9:27	N	TEMPERATURE	Temperature	19.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0HNK7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	3/25/1996 9:27	N	TEMPERATURE	Temperature	19.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0HNK6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	3/25/1996 9:27	N	TEMPERATURE	Temperature	19.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0HNK8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	3/25/1996 9:27	N	25167-83-3	Tetrachlorophenol	0.52	ug/L	U	[NULL]	[NULL]	R	B0HNK5	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	3/25/1996 9:27	Y	7440-28-0	Thallium	3.7	ug/L	U	[NULL]	[NULL]	R	B0HNK9	7440-28-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/25/1996 9:27	Y	7440-31-5	Tin	36	ug/L	BL	[NULL]	[NULL]	R	B0HNK9	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/25/1996 9:27	N	1319-77-3	Total cresols	1.7	ug/L	U	[NULL]	[NULL]	R	B0HNK5	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	3/25/1996 9:27	N	TOC	Total organic carbon	584	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNK5	TOC	DATACH	9060_TOC	100-NR-2
199-N-14	3/25/1996 9:27	N	TOC	Total organic carbon	673	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNK6	TOC	DATACH	9060_TOC	100-NR-2
199-N-14	3/25/1996 9:27	N	TOC	Total organic carbon	544	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNK7	TOC	DATACH	9060_TOC	100-NR-2
199-N-14	3/25/1996 9:27	N	TOC	Total organic carbon	585	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNK8	TOC	DATACH	9060_TOC	100-NR-2
199-N-14	3/25/1996 9:27	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0HNK5	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-14	3/25/1996 9:27	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0HNK8	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-14	3/25/1996 9:27	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0HNK7	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-14	3/25/1996 9:27	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0HNK6	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-14	3/25/1996 9:27	N	25167-82-2	Trichlorophenol	0.56	ug/L	U	[NULL]	[NULL]	R	B0HNK5	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-14	3/25/1996 9:27	N	TURBIDITY	Turbidity	0.52	NTU	[NULL]	[NULL]	[NULL]	R	B0HNK5	TURBIDITY	FIELD	180.1_TURBIDITY	100-NR-2
199-N-14	3/25/1996 9:27	Y	7440-62-2	Vanadium	2.9	ug/L	L	[NULL]	[NULL]	R	B0HNK9	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/25/1996 9:27	Y	7440-66-6	Zinc	8.7	ug/L	L	[NULL]	[NULL]	R	B0HNK9	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	3/25/1996 9:27	N	PH	pH Measurement	8.35	unitless	[NULL]	[NULL]	[NULL]	R	B0HNK7	PH	FIELD	9040_PH	100-NR-2
199-N-14	3/25/1996 9:27	N	PH	pH Measurement	8.35	unitless	[NULL]	[NULL]	[NULL]	R	B0HNK8	PH	FIELD	9040_PH	100-NR-2
199-N-14	3/25/1996 9:27	N	PH	pH Measurement	8.35	unitless	[NULL]	[NULL]	[NULL]	R	B0HNK5	PH	FIELD	9040_PH	100-NR-2
199-N-14	3/25/1996 9:27	N	PH	pH Measurement	8.35	unitless	[NULL]	[NULL]	[NULL]	R	B0HNK6	PH	FIELD	9040_PH	100-NR-2
199-N-14	4/4/1996 12:35	N	DO	Dissolved oxygen	6800	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8M7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-14	4/4/1996 12:35	N	CONDUCT	Specific Conductance	287	uS/cm	[NULL]	[NULL]	[NULL]	R	B0H8M7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-14	4/4/1996 12:35	N	10098-97-2	Strontium-90	858	pCi/L	[NULL]	[NULL]	[NULL]	R	B0H8M7	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-14	4/4/1996 12:35	N	TEMPERATURE	Temperature	19.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0H8M7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	4/4/1996 12:35	N	TURBIDITY	Turbidity	0.41	NTU	[NULL]	[NULL]	[NULL]	R	B0H8M7	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-14	4/4/1996 12:35	N	PH	pH Measurement	8.26	unitless	[NULL]	[NULL]	[NULL]	R	B0H8M7	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-14	5/7/1996 10:47	N	DO	Dissolved oxygen	7200	ug/L	[NULL]	[NULL]	[NULL]	R	B0HDV8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-14	5/7/1996 10:47	N	CONDUCT	Specific Conductance	351	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HDV8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-14	5/7/1996 10:47	N	10098-97-2	Strontium-90	591	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HDV8	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-14	5/7/1996 10:47	N	TEMPERATURE	Temperature	18.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0HDV8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	5/7/1996 10:47	N	TURBIDITY	Turbidity	1.03	NTU	[NULL]	[NULL]	[NULL]	R	B0HDV8	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-14	5/7/1996 10:47	N	PH	pH Measurement	8.3	unitless	[NULL]	[NULL]	[NULL]	R	B0HDV8	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-14	6/4/1996 12:50	N	DO	Dissolved oxygen	8400	ug/L	[NULL]	[NULL]	[NULL]	R	B0HG69	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-14	6/4/1996 12:50	N	CONDUCT	Specific Conductance	238	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HG69	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-14	6/4/1996 12:50	N	10098-97-2	Strontium-90	711	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HG97	10098-97-2	LASLV	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-14	6/4/1996 12:50	N	10098-97-2	Strontium-90	610	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HG69	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-14	6/4/1996 12:50	N	TEMPERATURE	Temperature	19.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0HG69	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	6/4/1996 12:50	N	TURBIDITY	Turbidity	2.07	NTU	[NULL]	[NULL]	[NULL]	R	B0HG69	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-14	6/4/1996 12:50	N	PH	pH Measurement	8.32	unitless	[NULL]	[NULL]	[NULL]	R	B0HG69	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-14	9/9/1996 10:23	N	ALKALINITY	Alkalinity	64000	ug/L	[NULL]	[NULL]	[NULL]	R	B0J934	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-14	9/9/1996 10:23	Y	7429-90-5	Aluminum	78	ug/L	L	[NULL]	[NULL]	R	B0J938	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1996 10:23	Y	7440-36-0	Antimony	43	ug/L	U	[NULL]	[NULL]	R	B0J938	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1996 10:23	Y	7440-38-2	Arsenic	2.6	ug/L	U	[NULL]	[NULL]	R	B0J938	7440-38-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1996 10:23	Y	7440-39-3	Barium	23	ug/L	[NULL]	[NULL]	[NULL]	R	B0J938	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1996 10:23	Y	7440-41-7	Beryllium	0.59	ug/L	L	[NULL]	[NULL]	R	B0J938	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1996 10:23	Y	7440-43-9	Cadmium	3.2	ug/L	U	[NULL]	[NULL]	R	B0J938	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1996 10:23	Y	7440-70-2	Calcium	33000	ug/L	[NULL]	[NULL]	[NULL]	R	B0J938	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1996 10:23	Y	7440-47-3	Chromium	4.7	ug/L	L	[NULL]	[NULL]	R	B0J938	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1996 10:23	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B0J938	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1996 10:23	Y	7440-50-8	Copper	8.7	ug/L	U	[NULL]	[NULL]	R	B0J938	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1996 10:23	Y	7439-89-6	Iron	22	ug/L	L	[NULL]	[NULL]	R	B0J938	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1996 10:23	Y	7439-92-1	Lead	1.7	ug/L	U	[NULL]	[NULL]	R	B0J938	7439-92-1	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1996 10:23	Y	7439-95-4	Magnesium	5500	ug/L	[NULL]	[NULL]	[NULL]	R	B0J938	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1996 10:23	Y	7439-96-5	Manganese	1.3	ug/L	L	[NULL]	[NULL]	R	B0J938	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1996 10:23	Y	7440-02-0	Nickel	7.7	ug/L	BL	[NULL]	[NULL]	R	B0J938	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1996 10:23	Y	7440-09-7	Potassium	2600	ug/L	B	[NULL]	[NULL]	R	B0J938	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1996 10:23	Y	7782-49-2	Selenium	3.8	ug/L	U	[NULL]	[NULL]	R	B0J938	7782-49-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1996 10:23	Y	7440-22-4	Silver	4.5	ug/L	U	[NULL]	[NULL]	R	B0J938	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1996 10:23	Y	7440-23-5	Sodium	6000	ug/L	[NULL]	[NULL]	[NULL]	R	B0J938	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1996 10:23	N	CONDUCT	Specific Conductance	228	uS/cm	[NULL]	[NULL]	[NULL]	R	B0J935	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	9/9/1996 10:23	N	CONDUCT	Specific Conductance	228	uS/cm	[NULL]	[NULL]	[NULL]	R	B0J934	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	9/9/1996 10:23	N	CONDUCT	Specific Conductance	228	uS/cm	[NULL]	[NULL]	[NULL]	R	B0J936	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	9/9/1996 10:23	N	CONDUCT	Specific Conductance	228	uS/cm	[NULL]	[NULL]	[NULL]	R	B0J937	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	9/9/1996 10:23	Y	7440-24-6	Strontium	130	ug/L	[NULL]	[NULL]	[NULL]	R	B0J938	7440-24-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1996 10:23	N	TEMPERATURE	Temperature	19.9	Deg C	[NULL]	[NULL]	[NULL]	R	B0J937	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	9/9/1996 10:23	N	TEMPERATURE	Temperature	20	Deg C	[NULL]	[NULL]	[NULL]	R	B0J934	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	9/9/1996 10:23	N	TEMPERATURE	Temperature	20.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0J935	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	9/9/1996 10:23	N	TEMPERATURE	Temperature	20	Deg C	[NULL]	[NULL]	[NULL]	R	B0J936	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	9/9/1996 10:23	Y	7440-28-0	Thallium	3.7	ug/L	U	[NULL]	[NULL]	R	B0J938	7440-28-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1996 10:23	Y	7440-31-5	Tin	17	ug/L	U	[NULL]	[NULL]	R	B0J938	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1996 10:23	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B0J934	TOC	DATACH	9060_TOC	100-NR-2
199-N-14	9/9/1996 10:23	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B0J935	TOC	DATACH	9060_TOC	100-NR-2
199-N-14	9/9/1996 10:23	N	TOC	Total organic carbon	318	ug/L	L	[NULL]	[NULL]	R	B0J936	TOC	DATACH	9060_TOC	100-NR-2
199-N-14	9/9/1996 10:23	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B0J937	TOC	DATACH	9060_TOC	100-NR-2
199-N-14	9/9/1996 10:23	N	59473-04-0	Total organic halides	13.2	ug/L	[NULL]	[NULL]	[NULL]	R	B0J934	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-14	9/9/1996 10:23	N	59473-04-0	Total organic halides	7.89	ug/L	U	[NULL]	[NULL]	R	B0J935	59473-04-0	DATACH	9020_TOX	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-14	9/9/1996 10:23	N	59473-04-0	Total organic halides	7.89	ug/L	U	[NULL]	[NULL]	R	B0J936	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-14	9/9/1996 10:23	N	59473-04-0	Total organic halides	7.89	ug/L	U	[NULL]	[NULL]	R	B0J937	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-14	9/9/1996 10:23	N	TURBIDITY	Turbidity	0.53	NTU	[NULL]	[NULL]	[NULL]	R	B0J937	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-14	9/9/1996 10:23	Y	7440-62-2	Vanadium	6.9	ug/L	L	[NULL]	[NULL]	R	B0J938	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1996 10:23	Y	7440-66-6	Zinc	7.7	ug/L	U	[NULL]	[NULL]	R	B0J938	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-14	9/9/1996 10:23	N	PH	pH Measurement	8.39	unitless	[NULL]	[NULL]	[NULL]	R	B0J934	PH	FIELD	9040_PH	100-NR-2
199-N-14	9/9/1996 10:23	N	PH	pH Measurement	8.37	unitless	[NULL]	[NULL]	[NULL]	R	B0J937	PH	FIELD	9040_PH	100-NR-2
199-N-14	9/9/1996 10:23	N	PH	pH Measurement	8.39	unitless	[NULL]	[NULL]	[NULL]	R	B0J935	PH	FIELD	9040_PH	100-NR-2
199-N-14	9/9/1996 10:23	N	PH	pH Measurement	8.39	unitless	[NULL]	[NULL]	[NULL]	R	B0J936	PH	FIELD	9040_PH	100-NR-2
199-N-14	9/24/1996 10:00	N	14234-35-6	Antimony-125	3.22	pCi/L	J	[NULL]	[NULL]	R	B0J694	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-14	9/24/1996 10:00	N	13966-02-4	Beryllium-7	-10.5	pCi/L	UJ	[NULL]	[NULL]	R	B0J694	13966-02-4	ITASRL	GAMMA_GS	100-NR-2
199-N-14	9/24/1996 10:00	N	24959-67-9	Bromide	32	ug/L	L	[NULL]	[NULL]	R	B0J694	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	9/24/1996 10:00	N	13967-70-9	Cesium-134	0.516	pCi/L	J	[NULL]	[NULL]	R	B0J694	13967-70-9	ITASRL	GAMMA_GS	100-NR-2
199-N-14	9/24/1996 10:00	N	10045-97-3	Cesium-137	-0.287	pCi/L	UJ	[NULL]	[NULL]	R	B0J694	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-14	9/24/1996 10:00	N	16887-00-6	Chloride	4700	ug/L	[NULL]	[NULL]	[NULL]	R	B0J694	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	9/24/1996 10:00	N	10198-40-0	Cobalt-60	2.25	pCi/L	J	[NULL]	[NULL]	R	B0J694	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-14	9/24/1996 10:00	N	15585-10-1	Europium-154	1.12	pCi/L	J	[NULL]	[NULL]	R	B0J694	15585-10-1	ITASRL	GAMMA_GS	100-NR-2
199-N-14	9/24/1996 10:00	N	14391-16-3	Europium-155	0.786	pCi/L	J	[NULL]	[NULL]	R	B0J694	14391-16-3	ITASRL	GAMMA_GS	100-NR-2
199-N-14	9/24/1996 10:00	N	16984-48-8	Fluoride	180	ug/L	[NULL]	[NULL]	[NULL]	R	B0J694	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	9/24/1996 10:00	N	12587-46-1	Gross alpha	1.379	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J694	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-14	9/24/1996 10:00	N	12587-47-2	Gross beta	1389.8	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J694	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-14	9/24/1996 10:00	N	14797-55-8	Nitrate	16000	ug/L	D	[NULL]	[NULL]	R	B0J694	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	9/24/1996 10:00	N	14797-65-0	Nitrite	11	ug/L	U	[NULL]	[NULL]	R	B0J694	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	9/24/1996 10:00	N	14265-44-2	Phosphate	83	ug/L	U	[NULL]	[NULL]	R	B0J694	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	9/24/1996 10:00	N	13966-00-2	Potassium-40	6.34	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J694	13966-00-2	ITASRL	GAMMA_GS	100-NR-2
199-N-14	9/24/1996 10:00	N	13967-48-1	Ruthenium-106	-2.81	pCi/L	UJ	[NULL]	[NULL]	R	B0J694	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-14	9/24/1996 10:00	N	CONDUCT	Specific Conductance	220	uS/cm	[NULL]	[NULL]	[NULL]	R	B0J694	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	9/24/1996 10:00	N	10098-97-2	Strontium-90	790.28	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J694	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-14	9/24/1996 10:00	N	14808-79-8	Sulfate	24000	ug/L	D	[NULL]	[NULL]	R	B0J694	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-14	9/24/1996 10:00	N	TEMPERATURE	Temperature	19.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0J694	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	9/24/1996 10:00	N	10028-17-8	Tritium	53901	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J694	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-14	9/24/1996 10:00	N	TURBIDITY	Turbidity	18.8	NTU	[NULL]	[NULL]	[NULL]	R	B0J694	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-14	9/24/1996 10:00	N	PH	pH Measurement	8.38	unitless	[NULL]	[NULL]	[NULL]	R	B0J694	PH	FIELD	9040_PH	100-NR-2
199-N-14	3/4/1997 13:07	Y	7429-90-5	Aluminum	53	ug/L	B	[NULL]	[NULL]	R	B0K043	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/4/1997 13:07	Y	7440-36-0	Antimony	20.2	ug/L	U	[NULL]	[NULL]	R	B0K043	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/4/1997 13:07	N	14234-35-6	Antimony-125	0.00468	pCi/L	U	[NULL]	[NULL]	R	B0JX54	14234-35-6	QTESRL	GAMMA_GS	100-NR-2
199-N-14	3/4/1997 13:07	Y	7440-39-3	Barium	37.6	ug/L	BE	[NULL]	[NULL]	R	B0K043	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/4/1997 13:07	Y	7440-41-7	Beryllium	0.46	ug/L	B	[NULL]	[NULL]	R	B0K043	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/4/1997 13:07	N	13966-02-4	Beryllium-7	0.00043	pCi/L	U	[NULL]	[NULL]	R	B0JX54	13966-02-4	QTESRL	GAMMA_GS	100-NR-2
199-N-14	3/4/1997 13:07	N	24959-67-9	Bromide	250	ug/L	U	[NULL]	[NULL]	R	B0K044	24959-67-9	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-14	3/4/1997 13:07	Y	7440-43-9	Cadmium	3.4	ug/L	U	[NULL]	[NULL]	R	B0K043	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/4/1997 13:07	Y	7440-70-2	Calcium	40700	ug/L	[NULL]	[NULL]	[NULL]	R	B0K043	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/4/1997 13:07	N	13967-70-9	Cesium-134	7.5E-05	pCi/L	U	[NULL]	[NULL]	R	B0JX54	13967-70-9	QTESRL	GAMMA_GS	100-NR-2
199-N-14	3/4/1997 13:07	N	10045-97-3	Cesium-137	0.00096	pCi/L	U	[NULL]	[NULL]	R	B0JX54	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-14	3/4/1997 13:07	N	16887-00-6	Chloride	9120	ug/L	[NULL]	[NULL]	[NULL]	R	B0K044	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-14	3/4/1997 13:07	Y	7440-47-3	Chromium	3.9	ug/L	B	[NULL]	[NULL]	R	B0K043	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/4/1997 13:07	Y	7440-48-4	Cobalt	3.4	ug/L	B	[NULL]	[NULL]	R	B0K043	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/4/1997 13:07	N	10198-40-0	Cobalt-60	0.00188	pCi/L	U	[NULL]	[NULL]	R	B0JX54	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-14	3/4/1997 13:07	Y	7440-50-8	Copper	7.5	ug/L	U	[NULL]	[NULL]	R	B0K043	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/4/1997 13:07	N	15585-10-1	Europium-154	-0.00305	pCi/L	U	[NULL]	[NULL]	R	B0JX54	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-14	3/4/1997 13:07	N	14391-16-3	Europium-155	0.00056	pCi/L	U	[NULL]	[NULL]	R	B0JX54	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-14	3/4/1997 13:07	N	16984-48-8	Fluoride	340	ug/L	[NULL]	[NULL]	[NULL]	R	B0K044	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-14	3/4/1997 13:07	N	12587-46-1	Gross alpha	4.45	pCi/L	[NULL]	[NULL]	[NULL]	R	B0JX54	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-14	3/4/1997 13:07	N	12587-47-2	Gross beta	2480	pCi/L	[NULL]	[NULL]	[NULL]	R	B0K044	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-14	3/4/1997 13:07	N	15046-84-1	Iodine-129	-0.472	pCi/L	U	[NULL]	[NULL]	R	B0JX54	15046-84-1	QTESRL	I129_SEP_LEPS_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-14	3/4/1997 13:07	Y	7439-89-6	Iron	63.7	ug/L	B	[NULL]	[NULL]	R	B0K043	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/4/1997 13:07	Y	7439-95-4	Magnesium	6910	ug/L	E	[NULL]	[NULL]	R	B0K043	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/4/1997 13:07	Y	7439-96-5	Manganese	2.7	ug/L	B	[NULL]	[NULL]	R	B0K043	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/4/1997 13:07	Y	7440-02-0	Nickel	8.7	ug/L	U	[NULL]	[NULL]	R	B0K043	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/4/1997 13:07	N	14797-55-8	Nitrate	38900	ug/L	[NULL]	[NULL]	[NULL]	R	B0K044	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-14	3/4/1997 13:07	N	14797-65-0	Nitrite	65.7	ug/L	U	[NULL]	[NULL]	R	B0K044	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-14	3/4/1997 13:07	N	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B0K044	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-14	3/4/1997 13:07	Y	7440-09-7	Potassium	2430	ug/L	B	[NULL]	[NULL]	R	B0K043	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/4/1997 13:07	N	13966-00-2	Potassium-40	0.00853	pCi/L	U	[NULL]	[NULL]	R	B0JX54	13966-00-2	QTESRL	GAMMA_GS	100-NR-2
199-N-14	3/4/1997 13:07	N	13967-48-1	Ruthenium-106	0.0127	pCi/L	U	[NULL]	[NULL]	R	B0JX54	13967-48-1	QTESRL	GAMMA_GS	100-NR-2
199-N-14	3/4/1997 13:07	Y	7440-22-4	Silver	3.6	ug/L	U	[NULL]	[NULL]	R	B0K043	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/4/1997 13:07	Y	7440-23-5	Sodium	39800	ug/L	[NULL]	[NULL]	[NULL]	R	B0K043	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/4/1997 13:07	N	CONDUCT	Specific Conductance	751	uS/cm	[NULL]	[NULL]	[NULL]	R	B0JX54	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	3/4/1997 13:07	N	10098-97-2	Strontium-90	1020	pCi/L	[NULL]	[NULL]	[NULL]	R	B0K010	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-14	3/4/1997 13:07	N	10098-97-2	Strontium-90	1270	pCi/L	[NULL]	HG	[NULL]	R	B0JX54	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-14	3/4/1997 13:07	N	14808-79-8	Sulfate	96600	ug/L	[NULL]	[NULL]	[NULL]	R	B0K044	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-14	3/4/1997 13:07	N	14133-76-7	Technetium-99	3.77	pCi/L	U	[NULL]	[NULL]	R	B0JX54	14133-76-7	QTESRL	TC99_SEP_LSC	100-NR-2
199-N-14	3/4/1997 13:07	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B0JX54	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	3/4/1997 13:07	N	10028-17-8	Tritium	31800	pCi/L	[NULL]	[NULL]	[NULL]	R	B0K044	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-14	3/4/1997 13:07	N	TURBIDITY	Turbidity	0.36	NTU	[NULL]	[NULL]	[NULL]	R	B0JX54	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-14	3/4/1997 13:07	Y	7440-62-2	Vanadium	9.1	ug/L	B	[NULL]	[NULL]	R	B0K043	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/4/1997 13:07	Y	7440-66-6	Zinc	18.4	ug/L	B	[NULL]	[NULL]	R	B0K043	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/4/1997 13:07	N	PH	pH Measurement	8.31	unitless	[NULL]	[NULL]	[NULL]	R	B0JX54	PH	FIELD	9040_PH	100-NR-2
199-N-14	7/9/1997 8:53	N	10098-97-2	Strontium-90	574	pCi/L	[NULL]	[NULL]	[NULL]	R	B0LFJ0	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-14	9/18/1997 12:01	Y	7429-90-5	Aluminum	58.3	ug/L	U	[NULL]	[NULL]	R	B0LY32	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/18/1997 12:01	Y	7440-36-0	Antimony	36.1	ug/L	U	[NULL]	[NULL]	R	B0LY32	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/18/1997 12:01	N	14234-35-6	Antimony-125	2.28	pCi/L	U	[NULL]	[NULL]	R	B0LY91	14234-35-6	QTESRL	GAMMA_GS	100-NR-2
199-N-14	9/18/1997 12:01	Y	7440-39-3	Barium	45.7	ug/L	B	[NULL]	[NULL]	R	B0LY32	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/18/1997 12:01	Y	7440-41-7	Beryllium	0.51	ug/L	B	[NULL]	[NULL]	R	B0LY32	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/18/1997 12:01	N	13966-02-4	Beryllium-7	-0.199	pCi/L	U	[NULL]	[NULL]	R	B0LY91	13966-02-4	QTESRL	GAMMA_GS	100-NR-2
199-N-14	9/18/1997 12:01	N	24959-67-9	Bromide	337	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY31	24959-67-9	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/18/1997 12:01	Y	7440-43-9	Cadmium	3	ug/L	UN	[NULL]	[NULL]	R	B0LY32	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/18/1997 12:01	Y	7440-70-2	Calcium	63800	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY32	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/18/1997 12:01	N	13967-70-9	Cesium-134	-1.78	pCi/L	U	[NULL]	[NULL]	R	B0LY91	13967-70-9	QTESRL	GAMMA_GS	100-NR-2
199-N-14	9/18/1997 12:01	N	10045-97-3	Cesium-137	-2.22	pCi/L	U	[NULL]	[NULL]	R	B0LY91	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-14	9/18/1997 12:01	N	16887-00-6	Chloride	38700	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY31	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/18/1997 12:01	Y	7440-47-3	Chromium	3.5	ug/L	U	[NULL]	[NULL]	R	B0LY32	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/18/1997 12:01	Y	7440-48-4	Cobalt	4.2	ug/L	U	[NULL]	[NULL]	R	B0LY32	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/18/1997 12:01	N	10198-40-0	Cobalt-60	1.5	pCi/L	U	[NULL]	[NULL]	R	B0LY91	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-14	9/18/1997 12:01	Y	7440-50-8	Copper	3.8	ug/L	U	[NULL]	[NULL]	R	B0LY32	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/18/1997 12:01	N	15585-10-1	Europium-154	7.02	pCi/L	U	[NULL]	[NULL]	R	B0LY91	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-14	9/18/1997 12:01	N	14391-16-3	Europium-155	2.98	pCi/L	U	[NULL]	[NULL]	R	B0LY91	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-14	9/18/1997 12:01	N	16984-48-8	Fluoride	147	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY31	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/18/1997 12:01	N	12587-46-1	Gross alpha	0.86	pCi/L	J	[NULL]	[NULL]	R	B0LY90	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-14	9/18/1997 12:01	N	12587-47-2	Gross beta	3000	pCi/L	[NULL]	[NULL]	[NULL]	R	B0LY31	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-14	9/18/1997 12:01	Y	7439-89-6	Iron	36.4	ug/L	B	[NULL]	[NULL]	R	B0LY32	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/18/1997 12:01	Y	7439-95-4	Magnesium	10900	ug/L	E	[NULL]	[NULL]	R	B0LY32	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/18/1997 12:01	Y	7439-96-5	Manganese	3.6	ug/L	B	[NULL]	[NULL]	R	B0LY32	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/18/1997 12:01	Y	7440-02-0	Nickel	9.9	ug/L	U	[NULL]	[NULL]	R	B0LY32	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/18/1997 12:01	N	14797-55-8	Nitrate	36900	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY31	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/18/1997 12:01	N	14797-65-0	Nitrite	65.7	ug/L	U	[NULL]	[NULL]	R	B0LY31	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/18/1997 12:01	N	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B0LY31	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/18/1997 12:01	Y	7440-09-7	Potassium	2780	ug/L	B	[NULL]	[NULL]	R	B0LY32	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/18/1997 12:01	N	13966-00-2	Potassium-40	169	pCi/L	U	[NULL]	[NULL]	R	B0LY91	13966-00-2	QTESRL	GAMMA_GS	100-NR-2
199-N-14	9/18/1997 12:01	N	13967-48-1	Ruthenium-106	5.73	pCi/L	U	[NULL]	[NULL]	R	B0LY91	13967-48-1	QTESRL	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-14	9/18/1997 12:01	Y	7440-22-4	Silver	5.3	ug/L	U	[NULL]	[NULL]	R	B0LY32	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/18/1997 12:01	Y	7440-23-5	Sodium	6530	ug/L	E	[NULL]	[NULL]	R	B0LY32	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/18/1997 12:01	N	CONDUCT	Specific Conductance	430	uS/cm	[NULL]	[NULL]	[NULL]	R	B0LY90	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	9/18/1997 12:01	N	10098-97-2	Strontium-90	1440	pCi/L	[NULL]	[NULL]	[NULL]	R	B0LY31	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-14	9/18/1997 12:01	N	10098-97-2	Strontium-90	1580	pCi/L	[NULL]	[NULL]	[NULL]	R	B0LY90	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-14	9/18/1997 12:01	N	14808-79-8	Sulfate	67300	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY31	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/18/1997 12:01	N	TEMPERATURE	Temperature	19.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0LY90	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	9/18/1997 12:01	N	10028-17-8	Tritium	44900	pCi/L	[NULL]	[NULL]	[NULL]	R	B0LY31	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-14	9/18/1997 12:01	N	TURBIDITY	Turbidity	0.63	NTU	[NULL]	[NULL]	[NULL]	R	B0LY90	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-14	9/18/1997 12:01	Y	7440-62-2	Vanadium	13.1	ug/L	B	[NULL]	[NULL]	R	B0LY32	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/18/1997 12:01	Y	7440-66-6	Zinc	10	ug/L	B	[NULL]	[NULL]	R	B0LY32	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/18/1997 12:01	N	PH	pH Measurement	8.03	unitless	[NULL]	[NULL]	[NULL]	R	B0LY90	PH	FIELD	9040_PH	100-NR-2
199-N-14	3/3/1998 10:06	Y	7429-90-5	Aluminum	31.3	ug/L	U	[NULL]	[NULL]	R	B0N6L6	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/3/1998 10:06	Y	7440-36-0	Antimony	42.5	ug/L	U	[NULL]	[NULL]	R	B0N6L6	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/3/1998 10:06	N	14234-35-6	Antimony-125	2.38	pCi/L	U	[NULL]	[NULL]	R	B0N490	14234-35-6	QTESRL	GAMMA_GS	100-NR-2
199-N-14	3/3/1998 10:06	Y	7440-39-3	Barium	30.2	ug/L	B	[NULL]	[NULL]	R	B0N6L6	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/3/1998 10:06	Y	7440-41-7	Beryllium	0.4	ug/L	U	[NULL]	[NULL]	R	B0N6L6	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/3/1998 10:06	N	13966-02-4	Beryllium-7	22.4	pCi/L	U	[NULL]	[NULL]	R	B0N490	13966-02-4	QTESRL	GAMMA_GS	100-NR-2
199-N-14	3/3/1998 10:06	Y	7440-43-9	Cadmium	3.3	ug/L	U	[NULL]	[NULL]	R	B0N6L6	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/3/1998 10:06	Y	7440-70-2	Calcium	42800	ug/L	[NULL]	[NULL]	[NULL]	R	B0N6L6	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/3/1998 10:06	N	13967-70-9	Cesium-134	0.828	pCi/L	U	[NULL]	[NULL]	R	B0N490	13967-70-9	QTESRL	GAMMA_GS	100-NR-2
199-N-14	3/3/1998 10:06	N	10045-97-3	Cesium-137	2.86	pCi/L	U	[NULL]	[NULL]	R	B0N490	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-14	3/3/1998 10:06	N	16887-00-6	Chloride	11100	ug/L	[NULL]	[NULL]	[NULL]	R	B0N6L7	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-14	3/3/1998 10:06	Y	7440-47-3	Chromium	2.8	ug/L	B	[NULL]	[NULL]	R	B0N6L6	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/3/1998 10:06	Y	7440-48-4	Cobalt	4.3	ug/L	U	[NULL]	[NULL]	R	B0N6L6	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/3/1998 10:06	N	10198-40-0	Cobalt-60	1.01	pCi/L	U	[NULL]	[NULL]	R	B0N490	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-14	3/3/1998 10:06	Y	7440-50-8	Copper	4.1	ug/L	U	[NULL]	[NULL]	R	B0N6L6	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/3/1998 10:06	N	14683-23-9	Europium-152	-1.8	pCi/L	U	[NULL]	[NULL]	R	B0N490	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-14	3/3/1998 10:06	N	15585-10-1	Europium-154	-0.984	pCi/L	U	[NULL]	[NULL]	R	B0N490	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-14	3/3/1998 10:06	N	14391-16-3	Europium-155	-0.366	pCi/L	U	[NULL]	[NULL]	R	B0N490	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-14	3/3/1998 10:06	N	16984-48-8	Fluoride	139	ug/L	[NULL]	[NULL]	[NULL]	R	B0N6L7	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-14	3/3/1998 10:06	N	12587-46-1	Gross alpha	0.352	pCi/L	U	[NULL]	[NULL]	R	B0N490	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-14	3/3/1998 10:06	N	12587-47-2	Gross beta	2150	pCi/L	[NULL]	[NULL]	[NULL]	R	B0N6L7	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-14	3/3/1998 10:06	N	15046-84-1	Iodine-129	-0.0584	pCi/L	U	[NULL]	[NULL]	R	B0N490	15046-84-1	QTESRL	I129_SEP_LEPS_GS	100-NR-2
199-N-14	3/3/1998 10:06	Y	7439-89-6	Iron	24	ug/L	B	[NULL]	[NULL]	R	B0N6L6	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/3/1998 10:06	Y	7439-95-4	Magnesium	7250	ug/L	[NULL]	[NULL]	[NULL]	R	B0N6L6	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/3/1998 10:06	Y	7439-96-5	Manganese	2.7	ug/L	B	[NULL]	[NULL]	R	B0N6L6	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/3/1998 10:06	Y	7440-02-0	Nickel	15.2	ug/L	B	[NULL]	[NULL]	R	B0N6L6	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/3/1998 10:06	N	14797-55-8	Nitrate	27900	ug/L	[NULL]	[NULL]	[NULL]	R	B0N6L7	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-14	3/3/1998 10:06	N	14797-65-0	Nitrite	3.28	ug/L	U	[NULL]	[NULL]	R	B0N6L7	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-14	3/3/1998 10:06	Y	7440-09-7	Potassium	2180	ug/L	U	[NULL]	[NULL]	R	B0N6L6	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/3/1998 10:06	N	13966-00-2	Potassium-40	178	pCi/L	U	[NULL]	[NULL]	R	B0N490	13966-00-2	QTESRL	GAMMA_GS	100-NR-2
199-N-14	3/3/1998 10:06	N	13967-48-1	Ruthenium-106	4.54	pCi/L	U	[NULL]	[NULL]	R	B0N490	13967-48-1	QTESRL	GAMMA_GS	100-NR-2
199-N-14	3/3/1998 10:06	Y	7440-22-4	Silver	6	ug/L	U	[NULL]	[NULL]	R	B0N6L6	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/3/1998 10:06	Y	7440-23-5	Sodium	6000	ug/L	[NULL]	[NULL]	[NULL]	R	B0N6L6	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/3/1998 10:06	N	CONDUCT	Specific Conductance	305	uS/cm	[NULL]	[NULL]	[NULL]	R	B0N490	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	3/3/1998 10:06	N	10098-97-2	Strontium-90	1030	pCi/L	[NULL]	[NULL]	[NULL]	R	B0N6L7	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-14	3/3/1998 10:06	N	14808-79-8	Sulfate	41700	ug/L	[NULL]	[NULL]	[NULL]	R	B0N6L7	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-14	3/3/1998 10:06	N	14133-76-7	Technetium-99	-0.417	pCi/L	U	[NULL]	[NULL]	R	B0N490	14133-76-7	QTESRL	TC99_SEP_LSC	100-NR-2
199-N-14	3/3/1998 10:06	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0N490	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	3/3/1998 10:06	N	10028-17-8	Tritium	43600	pCi/L	[NULL]	[NULL]	[NULL]	R	B0N6L7	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-14	3/3/1998 10:06	N	TURBIDITY	Turbidity	0.45	NTU	[NULL]	[NULL]	[NULL]	R	B0N490	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-14	3/3/1998 10:06	Y	7440-62-2	Vanadium	9.7	ug/L	B	[NULL]	[NULL]	R	B0N6L6	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/3/1998 10:06	Y	7440-66-6	Zinc	9.2	ug/L	B	[NULL]	[NULL]	R	B0N6L6	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/3/1998 10:06	N	PH	pH Measurement	8.24	unitless	[NULL]	[NULL]	[NULL]	R	B0N490	PH	FIELD	9040_PH	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-14	9/2/1998 8:31	Y	7429-90-5	Aluminum	23.6	ug/L	U	[NULL]	[NULL]	R	B0PPX9	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/2/1998 8:31	Y	7440-36-0	Antimony	33	ug/L	U	[NULL]	[NULL]	R	B0PPX9	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/2/1998 8:31	N	14234-35-6	Antimony-125	3.06	pCi/L	U	[NULL]	[NULL]	R	B0PT44	14234-35-6	QTESRL	GAMMA_GS	100-NR-2
199-N-14	9/2/1998 8:31	Y	7440-39-3	Barium	29.6	ug/L	B	[NULL]	[NULL]	R	B0PPX9	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/2/1998 8:31	Y	7440-41-7	Beryllium	0.6	ug/L	U	[NULL]	[NULL]	R	B0PPX9	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/2/1998 8:31	N	13966-02-4	Beryllium-7	2.34	pCi/L	U	[NULL]	[NULL]	R	B0PT44	13966-02-4	QTESRL	GAMMA_GS	100-NR-2
199-N-14	9/2/1998 8:31	Y	7440-43-9	Cadmium	2.6	ug/L	U	[NULL]	[NULL]	R	B0PPX9	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/2/1998 8:31	Y	7440-70-2	Calcium	39600	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPX9	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/2/1998 8:31	N	13967-70-9	Cesium-134	-0.759	pCi/L	U	[NULL]	[NULL]	R	B0PT44	13967-70-9	QTESRL	GAMMA_GS	100-NR-2
199-N-14	9/2/1998 8:31	N	10045-97-3	Cesium-137	-0.591	pCi/L	U	[NULL]	[NULL]	R	B0PT44	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-14	9/2/1998 8:31	N	16887-00-6	Chloride	9340	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPY0	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/2/1998 8:31	Y	7440-47-3	Chromium	5.7	ug/L	B	[NULL]	[NULL]	R	B0PPX9	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/2/1998 8:31	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B0PPX9	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/2/1998 8:31	N	10198-40-0	Cobalt-60	2.06	pCi/L	U	[NULL]	[NULL]	R	B0PT44	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-14	9/2/1998 8:31	Y	7440-50-8	Copper	6.2	ug/L	U	[NULL]	[NULL]	R	B0PPX9	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/2/1998 8:31	N	14683-23-9	Europium-152	0.765	pCi/L	U	[NULL]	[NULL]	R	B0PT44	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-14	9/2/1998 8:31	N	15585-10-1	Europium-154	4.33	pCi/L	U	[NULL]	[NULL]	R	B0PT44	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-14	9/2/1998 8:31	N	14391-16-3	Europium-155	-0.321	pCi/L	U	[NULL]	[NULL]	R	B0PT44	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-14	9/2/1998 8:31	N	16984-48-8	Fluoride	130	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPY0	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/2/1998 8:31	N	12587-46-1	Gross alpha	0.718	pCi/L	U	[NULL]	[NULL]	R	B0PT44	12587-46-1	QTESRL	9310_ALPHABETA_GPC	100-NR-2
199-N-14	9/2/1998 8:31	N	12587-47-2	Gross beta	1990	pCi/L	[NULL]	[NULL]	[NULL]	R	B0PPY0	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-14	9/2/1998 8:31	Y	7439-89-6	Iron	34.9	ug/L	B	[NULL]	[NULL]	R	B0PPX9	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/2/1998 8:31	Y	7439-95-4	Magnesium	6760	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPX9	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/2/1998 8:31	Y	7439-96-5	Manganese	2.1	ug/L	B	[NULL]	[NULL]	R	B0PPX9	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/2/1998 8:31	Y	7440-02-0	Nickel	11.2	ug/L	U	[NULL]	[NULL]	R	B0PPX9	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/2/1998 8:31	N	14797-55-8	Nitrate	25900	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPY0	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/2/1998 8:31	N	14797-65-0	Nitrite	65.7	ug/L	U	[NULL]	[NULL]	R	B0PPY0	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/2/1998 8:31	Y	7440-09-7	Potassium	3630	ug/L	B	[NULL]	[NULL]	R	B0PPX9	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/2/1998 8:31	N	13966-00-2	Potassium-40	-23.1	pCi/L	U	[NULL]	[NULL]	R	B0PT44	13966-00-2	QTESRL	GAMMA_GS	100-NR-2
199-N-14	9/2/1998 8:31	N	13967-48-1	Ruthenium-106	0	pCi/L	U	[NULL]	[NULL]	R	B0PT44	13967-48-1	QTESRL	GAMMA_GS	100-NR-2
199-N-14	9/2/1998 8:31	Y	7440-22-4	Silver	6	ug/L	U	[NULL]	[NULL]	R	B0PPX9	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/2/1998 8:31	Y	7440-23-5	Sodium	5640	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPX9	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/2/1998 8:31	N	CONDUCT	Specific Conductance	258	uS/cm	[NULL]	[NULL]	[NULL]	R	B0PT44	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	9/2/1998 8:31	N	10098-97-2	Strontium-90	964	pCi/L	[NULL]	[NULL]	[NULL]	R	B0PPY0	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-14	9/2/1998 8:31	N	14808-79-8	Sulfate	35900	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPY0	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/2/1998 8:31	N	TEMPERATURE	Temperature	19.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0PT44	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	9/2/1998 8:31	N	10028-17-8	Tritium	46200	pCi/L	[NULL]	[NULL]	[NULL]	R	B0PPY0	10028-17-8	QTESRL	TRITIUM_ELECT_LSC	100-NR-2
199-N-14	9/2/1998 8:31	N	TURBIDITY	Turbidity	0.72	NTU	[NULL]	[NULL]	[NULL]	R	B0PT44	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-14	9/2/1998 8:31	Y	7440-62-2	Vanadium	6.9	ug/L	B	[NULL]	[NULL]	R	B0PPX9	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/2/1998 8:31	Y	7440-66-6	Zinc	16.4	ug/L	B	[NULL]	[NULL]	R	B0PPX9	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	9/2/1998 8:31	N	PH	pH Measurement	8.39	unitless	[NULL]	[NULL]	[NULL]	R	B0PT44	PH	FIELD	9040_PH	100-NR-2
199-N-14	3/18/1999 10:07	N	ALKALINITY	Alkalinity	64000	ug/L	[NULL]	[NULL]	[NULL]	R	B0TXW4	ALKALINITY	QTESSL	310.1_ALKALINITY	100-NR-2
199-N-14	3/18/1999 10:07	Y	7429-90-5	Aluminum	28.7	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW93	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	Y	7429-90-5	Aluminum	33.5	ug/L	U	[NULL]	[NULL]	R	B0TXW3	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	Y	7440-36-0	Antimony	2.8	ug/L	U	[NULL]	[NULL]	R	B0TW93	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	Y	7440-36-0	Antimony	36.4	ug/L	U	[NULL]	[NULL]	R	B0TXW3	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	Y	7440-39-3	Barium	28.7	ug/L	[NULL]	[NULL]	[NULL]	R	B0TXW3	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	Y	7440-39-3	Barium	29.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW93	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	Y	7440-41-7	Beryllium	0.1	ug/L	U	[NULL]	[NULL]	R	B0TW93	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	Y	7440-41-7	Beryllium	0.64	ug/L	B	[NULL]	[NULL]	R	B0TXW3	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	Y	7440-43-9	Cadmium	3.9	ug/L	U	[NULL]	[NULL]	R	B0TXW3	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	Y	7440-43-9	Cadmium	0.4	ug/L	U	[NULL]	[NULL]	R	B0TW93	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	Y	7440-70-2	Calcium	43600	ug/L	[NULL]	[NULL]	[NULL]	R	B0TXW3	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	Y	7440-70-2	Calcium	42000	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW93	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	N	16887-00-6	Chloride	8410	ug/L	D	Q	[NULL]	R	B0TXW4	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-14	3/18/1999 10:07	N	16887-00-6	Chloride	9300	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW94	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	3/18/1999 10:07	Y	7440-47-3	Chromium	3.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW93	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	Y	7440-47-3	Chromium	4.8	ug/L	U	[NULL]	[NULL]	R	B0TXW3	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	Y	7440-48-4	Cobalt	0.6	ug/L	U	[NULL]	[NULL]	R	B0TW93	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	Y	7440-48-4	Cobalt	5.1	ug/L	U	[NULL]	[NULL]	R	B0TXW3	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	Y	7440-50-8	Copper	3.9	ug/L	U	[NULL]	[NULL]	R	B0TXW3	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	Y	7440-50-8	Copper	2.4	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW93	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	N	16984-48-8	Fluoride	131	ug/L	[NULL]	[NULL]	[NULL]	R	B0TXW4	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-14	3/18/1999 10:07	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	B0TW94	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	3/18/1999 10:07	N	12587-47-2	Gross beta	2010	pCi/L	J	[NULL]	[NULL]	R	B0TW94	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-14	3/18/1999 10:07	Y	7439-89-6	Iron	104	ug/L	[NULL]	[NULL]	[NULL]	R	B0TXW3	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	Y	7439-89-6	Iron	35.5	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW93	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	Y	7439-95-4	Magnesium	7740	ug/L	[NULL]	[NULL]	[NULL]	R	B0TXW3	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	Y	7439-95-4	Magnesium	6630	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW93	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	Y	7439-96-5	Manganese	0.98	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW93	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	Y	7439-96-5	Manganese	4.9	ug/L	B	Q	[NULL]	R	B0TXW3	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	Y	7440-02-0	Nickel	8.6	ug/L	U	[NULL]	[NULL]	R	B0TXW3	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	Y	7440-02-0	Nickel	1.1	ug/L	U	[NULL]	[NULL]	R	B0TW93	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	N	14797-55-8	Nitrate	26000	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW94	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	3/18/1999 10:07	N	14797-55-8	Nitrate	29300	ug/L	D	[NULL]	[NULL]	R	B0TXW4	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-14	3/18/1999 10:07	N	14797-65-0	Nitrite	23	ug/L	U	[NULL]	[NULL]	R	B0TXW4	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-14	3/18/1999 10:07	N	14797-65-0	Nitrite	250	ug/L	U	[NULL]	[NULL]	R	B0TW94	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	3/18/1999 10:07	Y	7440-09-7	Potassium	2160	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW93	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	Y	7440-09-7	Potassium	2730	ug/L	[NULL]	[NULL]	[NULL]	R	B0TXW3	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	Y	7440-22-4	Silver	0.9	ug/L	U	[NULL]	[NULL]	R	B0TW93	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	Y	7440-22-4	Silver	5.9	ug/L	U	[NULL]	[NULL]	R	B0TXW3	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	Y	7440-23-5	Sodium	5900	ug/L	[NULL]	Q	[NULL]	R	B0TXW3	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	Y	7440-23-5	Sodium	5250	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW93	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	N	CONDUCT	Specific Conductance	284	uS/cm	C	Q	[NULL]	R	B0TXW4	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-14	3/18/1999 10:07	N	CONDUCT	Specific Conductance	297	uS/cm	[NULL]	[NULL]	[NULL]	R	B0TXW4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	3/18/1999 10:07	Y	7440-24-6	Strontium	181	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW93	7440-24-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	Y	7440-24-6	Strontium	186	ug/L	[NULL]	[NULL]	[NULL]	R	B0TXW3	7440-24-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	N	10098-97-2	Strontium-90	1050	pCi/L	[NULL]	[NULL]	[NULL]	R	B0TW94	10098-97-2	TMANC	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-14	3/18/1999 10:07	N	10098-97-2	Strontium-90	1060	pCi/L	[NULL]	[NULL]	[NULL]	R	B0TXW5	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-14	3/18/1999 10:07	N	14808-79-8	Sulfate	38200	ug/L	D	Q	[NULL]	R	B0TXW4	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-14	3/18/1999 10:07	N	14808-79-8	Sulfate	37300	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW94	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	3/18/1999 10:07	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B0TXW4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	3/18/1999 10:07	N	10028-17-8	Tritium	44300	pCi/L	[NULL]	[NULL]	[NULL]	R	B0TW94	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-14	3/18/1999 10:07	N	10028-17-8	Tritium	37400	pCi/L	[NULL]	[NULL]	[NULL]	R	B0TXW5	10028-17-8	QTESRL	906.0_H3_LSC	100-NR-2
199-N-14	3/18/1999 10:07	N	TURBIDITY	Turbidity	1.65	NTU	[NULL]	[NULL]	[NULL]	R	B0TXW4	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-14	3/18/1999 10:07	Y	TURBIDITY	Turbidity	0.27	NTU	[NULL]	[NULL]	[NULL]	R	B0TXW3	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-14	3/18/1999 10:07	Y	7440-62-2	Vanadium	5.1	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW93	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	Y	7440-62-2	Vanadium	26.2	ug/L	[NULL]	[NULL]	[NULL]	R	B0TXW3	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	Y	7440-66-6	Zinc	4	ug/L	B	Q	[NULL]	R	B0TXW3	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	Y	7440-66-6	Zinc	6.6	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW93	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/18/1999 10:07	N	PH	pH Measurement	8.31	unitless	[NULL]	[NULL]	[NULL]	R	B0TXW4	PH	FIELD	9040_PH	100-NR-2
199-N-14	9/7/1999 9:39	N	ALKALINITY	Alkalinity	66000	ug/L	[NULL]	[NULL]	[NULL]	R	B0W855	ALKALINITY	QTESSL	310.1_ALKALINITY	100-NR-2
199-N-14	9/7/1999 9:39	N	ALKALINITY	Alkalinity	62000	ug/L	[NULL]	[NULL]	[NULL]	R	B0W856	ALKALINITY	QTESSL	310.1_ALKALINITY	100-NR-2
199-N-14	9/7/1999 9:39	Y	7429-90-5	Aluminum	27.6	ug/L	B	[NULL]	[NULL]	R	B0W7L2	7429-90-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	Y	7429-90-5	Aluminum	21.4	ug/L	U	[NULL]	[NULL]	R	B0W7L4	7429-90-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	Y	7440-36-0	Antimony	2.5	ug/L	U	[NULL]	[NULL]	R	B0W7L4	7440-36-0	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	Y	7440-36-0	Antimony	3.4	ug/L	B	[NULL]	[NULL]	R	B0W7L2	7440-36-0	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	Y	7440-39-3	Barium	25.2	ug/L	B	[NULL]	[NULL]	R	B0W7L2	7440-39-3	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	Y	7440-39-3	Barium	25.4	ug/L	B	[NULL]	[NULL]	R	B0W7L4	7440-39-3	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	Y	7440-41-7	Beryllium	0.2	ug/L	U	[NULL]	[NULL]	R	B0W7L2	7440-41-7	RLNP	6010_METALS_ICP_TR	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-14	9/7/1999 9:39	Y	7440-41-7	Beryllium	0.2	ug/L	U	[NULL]	[NULL]	R	B0W7L4	7440-41-7	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	Y	7440-43-9	Cadmium	0.3	ug/L	U	[NULL]	[NULL]	R	B0W7L4	7440-43-9	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	Y	7440-43-9	Cadmium	0.3	ug/L	U	[NULL]	[NULL]	R	B0W7L2	7440-43-9	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	Y	7440-70-2	Calcium	36700	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7L2	7440-70-2	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	Y	7440-70-2	Calcium	38000	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7L4	7440-70-2	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	N	16887-00-6	Chloride	8200	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7L5	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/7/1999 9:39	N	16887-00-6	Chloride	8400	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7L3	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/7/1999 9:39	Y	7440-47-3	Chromium	4.5	ug/L	B	[NULL]	[NULL]	R	B0W7L2	7440-47-3	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	Y	7440-47-3	Chromium	4.6	ug/L	B	[NULL]	[NULL]	R	B0W7L4	7440-47-3	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	Y	7440-48-4	Cobalt	0.5	ug/L	U	[NULL]	[NULL]	R	B0W7L2	7440-48-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	Y	7440-48-4	Cobalt	0.5	ug/L	U	[NULL]	[NULL]	R	B0W7L4	7440-48-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	Y	7440-50-8	Copper	1.2	ug/L	U	[NULL]	[NULL]	R	B0W7L4	7440-50-8	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	Y	7440-50-8	Copper	1.2	ug/L	U	[NULL]	[NULL]	R	B0W7L2	7440-50-8	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	B0W7L3	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/7/1999 9:39	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	B0W7L5	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/7/1999 9:39	N	12587-47-2	Gross beta	1740	pCi/L	[NULL]	[NULL]	[NULL]	R	B0W7L3	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-14	9/7/1999 9:39	N	12587-47-2	Gross beta	1520	pCi/L	[NULL]	[NULL]	[NULL]	R	B0W7L5	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-14	9/7/1999 9:39	Y	7439-89-6	Iron	19.4	ug/L	U	[NULL]	[NULL]	R	B0W7L2	7439-89-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	Y	7439-89-6	Iron	19.4	ug/L	U	[NULL]	[NULL]	R	B0W7L4	7439-89-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	Y	7439-92-1	Lead	2.1	ug/L	U	[NULL]	[NULL]	R	B0W7L2	7439-92-1	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	Y	7439-92-1	Lead	2.1	ug/L	U	[NULL]	[NULL]	R	B0W7L4	7439-92-1	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	Y	7439-95-4	Magnesium	5840	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7L2	7439-95-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	Y	7439-95-4	Magnesium	6030	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7L4	7439-95-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	Y	7439-96-5	Manganese	0.62	ug/L	B	[NULL]	[NULL]	R	B0W7L4	7439-96-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	Y	7439-96-5	Manganese	0.75	ug/L	B	[NULL]	[NULL]	R	B0W7L2	7439-96-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	Y	7440-02-0	Nickel	1.2	ug/L	U	[NULL]	[NULL]	R	B0W7L2	7440-02-0	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	Y	7440-02-0	Nickel	1.2	ug/L	U	[NULL]	[NULL]	R	B0W7L4	7440-02-0	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	N	14797-55-8	Nitrate	21000	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7L5	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/7/1999 9:39	N	14797-55-8	Nitrate	22000	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7L3	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/7/1999 9:39	N	14797-65-0	Nitrite	250	ug/L	U	[NULL]	[NULL]	R	B0W7L3	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/7/1999 9:39	N	14797-65-0	Nitrite	250	ug/L	U	[NULL]	[NULL]	R	B0W7L5	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/7/1999 9:39	Y	7440-09-7	Potassium	1920	ug/L	B	[NULL]	[NULL]	R	B0W7L2	7440-09-7	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	Y	7440-09-7	Potassium	1980	ug/L	B	[NULL]	[NULL]	R	B0W7L4	7440-09-7	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	Y	7440-22-4	Silver	1	ug/L	U	[NULL]	[NULL]	R	B0W7L2	7440-22-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	Y	7440-22-4	Silver	1	ug/L	U	[NULL]	[NULL]	R	B0W7L4	7440-22-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	Y	7440-23-5	Sodium	5270	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7L4	7440-23-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	Y	7440-23-5	Sodium	5050	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7L2	7440-23-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	N	CONDUCT	Specific Conductance	247	uS/cm	C	[NULL]	[NULL]	R	B0W855	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-14	9/7/1999 9:39	N	CONDUCT	Specific Conductance	249	uS/cm	C	[NULL]	[NULL]	R	B0W856	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-14	9/7/1999 9:39	Y	7440-24-6	Strontium	160	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7L2	7440-24-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	Y	7440-24-6	Strontium	162	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7L4	7440-24-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	N	10098-97-2	Strontium-90	859	pCi/L	[NULL]	[NULL]	[NULL]	R	B0W7L3	10098-97-2	TMANC	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-14	9/7/1999 9:39	N	10098-97-2	Strontium-90	859	pCi/L	[NULL]	[NULL]	[NULL]	R	B0W7L5	10098-97-2	TMANC	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-14	9/7/1999 9:39	N	14808-79-8	Sulfate	30100	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7L3	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/7/1999 9:39	N	14808-79-8	Sulfate	29700	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7L5	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/7/1999 9:39	Y	7440-31-5	Tin	2.1	ug/L	U	[NULL]	[NULL]	R	B0W7L4	7440-31-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	Y	7440-31-5	Tin	2.1	ug/L	U	[NULL]	[NULL]	R	B0W7L2	7440-31-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	N	10028-17-8	Tritium	45300	pCi/L	[NULL]	[NULL]	[NULL]	R	B0W7L3	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-14	9/7/1999 9:39	N	10028-17-8	Tritium	43900	pCi/L	[NULL]	[NULL]	[NULL]	R	B0W7L5	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-14	9/7/1999 9:39	Y	7440-62-2	Vanadium	5.9	ug/L	B	[NULL]	[NULL]	R	B0W7L2	7440-62-2	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	Y	7440-62-2	Vanadium	4.8	ug/L	B	[NULL]	[NULL]	R	B0W7L4	7440-62-2	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	Y	7440-66-6	Zinc	1.7	ug/L	B	[NULL]	[NULL]	R	B0W7L4	7440-66-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/7/1999 9:39	Y	7440-66-6	Zinc	2.7	ug/L	B	[NULL]	[NULL]	R	B0W7L2	7440-66-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/22/2000 12:11	N	ALKALINITY	Alkalinity	59600	ug/L	[NULL]	H	[NULL]	R	B104C4	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-14	9/22/2000 12:11	Y	7429-90-5	Aluminum	22.9	ug/L	[NULL]	[NULL]	[NULL]	R	B10429	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-14	9/22/2000 12:11	Y	7429-90-5	Aluminum	39.1	ug/L	[NULL]	[NULL]	[NULL]	R	B10427	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	Y	7440-36-0	Antimony	26.9	ug/L	U	[NULL]	[NULL]	R	B10429	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	Y	7440-36-0	Antimony	26.9	ug/L	U	[NULL]	[NULL]	R	B10427	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	Y	7440-39-3	Barium	33.1	ug/L	[NULL]	[NULL]	[NULL]	R	B10427	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	Y	7440-39-3	Barium	33.3	ug/L	[NULL]	[NULL]	[NULL]	R	B10429	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	Y	7440-41-7	Beryllium	0.1	ug/L	U	[NULL]	[NULL]	R	B10427	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	Y	7440-41-7	Beryllium	0.1	ug/L	U	[NULL]	[NULL]	R	B10429	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	N	24959-67-9	Bromide	2500	ug/L	U	[NULL]	[NULL]	R	B10428	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/22/2000 12:11	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B10430	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/22/2000 12:11	Y	7440-43-9	Cadmium	4.8	ug/L	U	[NULL]	[NULL]	R	B10429	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	Y	7440-43-9	Cadmium	4.8	ug/L	U	[NULL]	[NULL]	R	B10427	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	Y	7440-70-2	Calcium	44600	ug/L	[NULL]	[NULL]	[NULL]	R	B10427	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	Y	7440-70-2	Calcium	45900	ug/L	[NULL]	[NULL]	[NULL]	R	B10429	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	N	16887-00-6	Chloride	13800	ug/L	[NULL]	[NULL]	[NULL]	R	B10428	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/22/2000 12:11	N	16887-00-6	Chloride	13500	ug/L	[NULL]	[NULL]	[NULL]	R	B10430	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/22/2000 12:11	Y	7440-47-3	Chromium	3.5	ug/L	U	[NULL]	[NULL]	R	B10427	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	Y	7440-47-3	Chromium	3.5	ug/L	U	[NULL]	[NULL]	R	B10429	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	Y	7440-48-4	Cobalt	3.4	ug/L	U	[NULL]	[NULL]	R	B10427	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	Y	7440-48-4	Cobalt	3.4	ug/L	U	[NULL]	[NULL]	R	B10429	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	Y	7440-50-8	Copper	2.9	ug/L	U	[NULL]	[NULL]	R	B10429	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	Y	7440-50-8	Copper	2.9	ug/L	U	[NULL]	[NULL]	R	B10427	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	N	16984-48-8	Fluoride	1000	ug/L	U	[NULL]	[NULL]	R	B10428	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/22/2000 12:11	N	16984-48-8	Fluoride	1000	ug/L	U	[NULL]	[NULL]	R	B10430	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/22/2000 12:11	N	12587-47-2	Gross beta	2120	pCi/L	[NULL]	[NULL]	[NULL]	R	B10428	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-14	9/22/2000 12:11	N	12587-47-2	Gross beta	2180	pCi/L	[NULL]	[NULL]	[NULL]	R	B10430	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-14	9/22/2000 12:11	Y	7439-89-6	Iron	6.2	ug/L	[NULL]	[NULL]	[NULL]	R	B10429	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	Y	7439-89-6	Iron	13	ug/L	[NULL]	[NULL]	[NULL]	R	B10427	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	Y	7439-95-4	Magnesium	7600	ug/L	[NULL]	[NULL]	[NULL]	R	B10429	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	Y	7439-95-4	Magnesium	7430	ug/L	[NULL]	[NULL]	[NULL]	R	B10427	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	Y	7439-96-5	Manganese	1.5	ug/L	[NULL]	[NULL]	[NULL]	R	B10429	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	Y	7439-96-5	Manganese	1.2	ug/L	U	[NULL]	[NULL]	R	B10427	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	Y	7440-02-0	Nickel	14	ug/L	U	[NULL]	[NULL]	R	B10429	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	Y	7440-02-0	Nickel	14	ug/L	U	[NULL]	[NULL]	R	B10427	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	N	14797-55-8	Nitrate	31000	ug/L	[NULL]	[NULL]	[NULL]	R	B10430	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/22/2000 12:11	N	14797-55-8	Nitrate	31000	ug/L	[NULL]	[NULL]	[NULL]	R	B10428	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/22/2000 12:11	N	14797-65-0	Nitrite	500	ug/L	U	[NULL]	[NULL]	R	B10430	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/22/2000 12:11	N	14797-65-0	Nitrite	500	ug/L	U	[NULL]	[NULL]	R	B10428	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/22/2000 12:11	N	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B10430	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/22/2000 12:11	N	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B10428	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/22/2000 12:11	Y	7440-09-7	Potassium	2280	ug/L	[NULL]	[NULL]	[NULL]	R	B10429	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	Y	7440-09-7	Potassium	2330	ug/L	[NULL]	[NULL]	[NULL]	R	B10427	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	Y	7440-22-4	Silver	2.6	ug/L	U	[NULL]	[NULL]	R	B10427	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	Y	7440-22-4	Silver	2.6	ug/L	U	[NULL]	[NULL]	R	B10429	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	Y	7440-23-5	Sodium	4910	ug/L	[NULL]	[NULL]	[NULL]	R	B10427	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	Y	7440-23-5	Sodium	4860	ug/L	[NULL]	[NULL]	[NULL]	R	B10429	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	N	CONDUCT	Specific Conductance	327	uS/cm	[NULL]	[NULL]	[NULL]	R	B104C4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	9/22/2000 12:11	Y	7440-24-6	Strontium	212	ug/L	[NULL]	[NULL]	[NULL]	R	B10427	7440-24-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	Y	7440-24-6	Strontium	212	ug/L	[NULL]	[NULL]	[NULL]	R	B10429	7440-24-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	N	10098-97-2	Strontium-90	1140	pCi/L	[NULL]	[NULL]	[NULL]	R	B10428	10098-97-2	TMANC	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-14	9/22/2000 12:11	N	10098-97-2	Strontium-90	1190	pCi/L	[NULL]	[NULL]	[NULL]	R	B10430	10098-97-2	TMANC	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-14	9/22/2000 12:11	N	14808-79-8	Sulfate	45700	ug/L	[NULL]	[NULL]	[NULL]	R	B10430	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/22/2000 12:11	N	14808-79-8	Sulfate	43800	ug/L	[NULL]	[NULL]	[NULL]	R	B10428	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/22/2000 12:11	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B104C4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	9/22/2000 12:11	N	10028-17-8	Tritium	38300	pCi/L	[NULL]	[NULL]	[NULL]	R	B10430	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-14	9/22/2000 12:11	N	10028-17-8	Tritium	45000	pCi/L	[NULL]	[NULL]	[NULL]	R	B10428	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-14	9/22/2000 12:11	N	TURBIDITY	Turbidity	1.38	NTU	[NULL]	[NULL]	[NULL]	R	B104C4	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-14	9/22/2000 12:11	Y	7440-62-2	Vanadium	5.9	ug/L	[NULL]	[NULL]	[NULL]	R	B10427	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	Y	7440-62-2	Vanadium	4.8	ug/L	[NULL]	[NULL]	[NULL]	R	B10429	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	Y	7440-66-6	Zinc	5.7	ug/L	[NULL]	[NULL]	[NULL]	R	B10427	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	Y	7440-66-6	Zinc	6.5	ug/L	[NULL]	[NULL]	[NULL]	R	B10429	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2000 12:11	N	PH	pH Measurement	8.22	unitless	[NULL]	[NULL]	[NULL]	R	B104C4	PH	FIELD	9040_PH	100-NR-2
199-N-14	3/22/2001 12:39	N	ALKALINITY	Alkalinity	52000	ug/L	[NULL]	[NULL]	[NULL]	R	B11HT8	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-14	3/22/2001 12:39	Y	7429-90-5	Aluminum	12.4	ug/L	U	[NULL]	[NULL]	R	B11DB7	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/22/2001 12:39	Y	7440-36-0	Antimony	1.7	ug/L	U	[NULL]	[NULL]	R	B11DB7	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/22/2001 12:39	Y	7440-39-3	Barium	31.9	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB7	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/22/2001 12:39	Y	7440-41-7	Beryllium	0.1	ug/L	U	[NULL]	[NULL]	R	B11DB7	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/22/2001 12:39	N	24959-67-9	Bromide	2500	ug/L	U	[NULL]	[NULL]	R	B11DB8	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	3/22/2001 12:39	Y	7440-43-9	Cadmium	0.3	ug/L	U	[NULL]	[NULL]	R	B11DB7	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/22/2001 12:39	Y	7440-70-2	Calcium	42600	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB7	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/22/2001 12:39	N	16887-00-6	Chloride	27800	ug/L	[NULL]	Y	[NULL]	R	B11DB8	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	3/22/2001 12:39	Y	7440-47-3	Chromium	3.8	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB7	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/22/2001 12:39	Y	7440-48-4	Cobalt	0.7	ug/L	U	[NULL]	[NULL]	R	B11DB7	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/22/2001 12:39	Y	7440-50-8	Copper	1.1	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB7	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/22/2001 12:39	N	DO	Dissolved oxygen	5760	ug/L	[NULL]	[NULL]	[NULL]	R	B11HT8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-14	3/22/2001 12:39	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	B11DB8	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	3/22/2001 12:39	N	12587-47-2	Gross beta	2280	pCi/L	[NULL]	[NULL]	[NULL]	R	B11DB8	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-14	3/22/2001 12:39	Y	7439-89-6	Iron	17.4	ug/L	U	[NULL]	[NULL]	R	B11DB7	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/22/2001 12:39	Y	7439-95-4	Magnesium	7060	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB7	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/22/2001 12:39	Y	7439-96-5	Manganese	0.64	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB7	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/22/2001 12:39	Y	7440-02-0	Nickel	1.1	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB7	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/22/2001 12:39	N	14797-55-8	Nitrate	86400	ug/L	[NULL]	Y	[NULL]	R	B11DB8	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	3/22/2001 12:39	N	14797-65-0	Nitrite	2500	ug/L	U	[NULL]	[NULL]	R	B11DB8	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	3/22/2001 12:39	N	EH	Oxidation Reduction Potential	231.1	mV	[NULL]	[NULL]	[NULL]	R	B11HT8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-14	3/22/2001 12:39	N	14265-44-2	Phosphate	250	ug/L	U	[NULL]	[NULL]	R	B11DB8	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	3/22/2001 12:39	Y	7440-09-7	Potassium	2200	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB7	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/22/2001 12:39	Y	7440-22-4	Silver	0.6	ug/L	U	[NULL]	[NULL]	R	B11DB7	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/22/2001 12:39	Y	7440-23-5	Sodium	4830	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB7	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/22/2001 12:39	N	CONDUCT	Specific Conductance	318	uS/cm	[NULL]	[NULL]	[NULL]	R	B11HT8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	3/22/2001 12:39	Y	7440-24-6	Strontium	198	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB7	7440-24-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/22/2001 12:39	N	10098-97-2	Strontium-90	922	pCi/L	[NULL]	[NULL]	[NULL]	R	B11DB8	10098-97-2	TMANC	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-14	3/22/2001 12:39	N	14808-79-8	Sulfate	46200	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB8	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	3/22/2001 12:39	N	TEMPERATURE	Temperature	18.7	Deg C	[NULL]	[NULL]	[NULL]	R	B11HT8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	3/22/2001 12:39	N	10028-17-8	Tritium	36900	pCi/L	[NULL]	[NULL]	[NULL]	R	B11DB8	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-14	3/22/2001 12:39	N	TURBIDITY	Turbidity	2.61	NTU	[NULL]	[NULL]	[NULL]	R	B11HT8	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-14	3/22/2001 12:39	Y	7440-62-2	Vanadium	4.8	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB7	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/22/2001 12:39	Y	7440-66-6	Zinc	4.7	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB7	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/22/2001 12:39	N	PH	pH Measurement	8.39	unitless	[NULL]	[NULL]	[NULL]	R	B11HT8	PH	FIELD	9040_PH	100-NR-2
199-N-14	9/6/2001 10:44	N	ALKALINITY	Alkalinity	56000	ug/L	[NULL]	[NULL]	[NULL]	R	B12PD1	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-14	9/6/2001 10:44	Y	7429-90-5	Aluminum	45.1	ug/L	U	[NULL]	[NULL]	R	B12MW9	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/6/2001 10:44	Y	7440-36-0	Antimony	45.4	ug/L	U	[NULL]	[NULL]	R	B12MW9	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/6/2001 10:44	Y	7440-39-3	Barium	30.7	ug/L	[NULL]	[NULL]	[NULL]	R	B12MW9	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/6/2001 10:44	Y	7440-41-7	Beryllium	0.4	ug/L	U	[NULL]	[NULL]	R	B12MW9	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/6/2001 10:44	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B12MX0	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/6/2001 10:44	Y	7440-43-9	Cadmium	6.3	ug/L	U	[NULL]	[NULL]	R	B12MW9	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/6/2001 10:44	Y	7440-70-2	Calcium	42400	ug/L	[NULL]	[NULL]	[NULL]	R	B12MW9	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/6/2001 10:44	N	16887-00-6	Chloride	11000	ug/L	[NULL]	[NULL]	[NULL]	R	B12MX0	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/6/2001 10:44	Y	7440-47-3	Chromium	5.7	ug/L	[NULL]	[NULL]	[NULL]	R	B12MW9	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/6/2001 10:44	Y	7440-48-4	Cobalt	5.8	ug/L	U	[NULL]	[NULL]	R	B12MW9	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/6/2001 10:44	Y	7440-50-8	Copper	8	ug/L	U	[NULL]	[NULL]	R	B12MW9	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-14	9/6/2001 10:44	N	DO	Dissolved oxygen	6870	ug/L	[NULL]	[NULL]	[NULL]	R	B12PD1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-14	9/6/2001 10:44	N	16984-48-8	Fluoride	1000	ug/L	U	[NULL]	[NULL]	R	B12MX0	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/6/2001 10:44	N	12587-47-2	Gross beta	2410	pCi/L	[NULL]	[NULL]	[NULL]	R	B12MX0	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-14	9/6/2001 10:44	Y	7439-89-6	Iron	9	ug/L	[NULL]	[NULL]	[NULL]	R	B12MW9	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/6/2001 10:44	Y	7439-95-4	Magnesium	6480	ug/L	[NULL]	[NULL]	[NULL]	R	B12MW9	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/6/2001 10:44	Y	7439-96-5	Manganese	2.8	ug/L	U	[NULL]	[NULL]	R	B12MW9	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/6/2001 10:44	Y	7440-02-0	Nickel	11.3	ug/L	U	[NULL]	[NULL]	R	B12MW9	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/6/2001 10:44	N	14797-55-8	Nitrate	33400	ug/L	[NULL]	[NULL]	[NULL]	R	B12MX0	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/6/2001 10:44	N	14797-65-0	Nitrite	500	ug/L	U	[NULL]	[NULL]	R	B12MX0	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/6/2001 10:44	N	EH	Oxidation Reduction Potential	68	mV	[NULL]	[NULL]	[NULL]	R	B12PD1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-14	9/6/2001 10:44	N	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B12MX0	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/6/2001 10:44	Y	7440-09-7	Potassium	2410	ug/L	[NULL]	[NULL]	[NULL]	R	B12MW9	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/6/2001 10:44	Y	7440-22-4	Silver	9.6	ug/L	U	[NULL]	[NULL]	R	B12MW9	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/6/2001 10:44	Y	7440-23-5	Sodium	4810	ug/L	[NULL]	[NULL]	[NULL]	R	B12MW9	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/6/2001 10:44	N	CONDUCT	Specific Conductance	303	uS/cm	[NULL]	[NULL]	[NULL]	R	B12PD1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	9/6/2001 10:44	Y	7440-24-6	Strontium	192	ug/L	[NULL]	[NULL]	[NULL]	R	B12MW9	7440-24-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/6/2001 10:44	N	10098-97-2	Strontium-90	1130	pCi/L	[NULL]	[NULL]	[NULL]	R	B12MX0	10098-97-2	TMANC	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-14	9/6/2001 10:44	N	14808-79-8	Sulfate	43900	ug/L	[NULL]	[NULL]	[NULL]	R	B12MX0	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/6/2001 10:44	N	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	R	B12PD1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	9/6/2001 10:44	N	10028-17-8	Tritium	36700	pCi/L	[NULL]	[NULL]	[NULL]	R	B12MX0	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-14	9/6/2001 10:44	N	TURBIDITY	Turbidity	1.65	NTU	[NULL]	[NULL]	[NULL]	R	B12PD1	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-14	9/6/2001 10:44	Y	7440-62-2	Vanadium	8.9	ug/L	U	[NULL]	[NULL]	R	B12MW9	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/6/2001 10:44	Y	7440-66-6	Zinc	3.7	ug/L	[NULL]	[NULL]	[NULL]	R	B12MW9	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	9/6/2001 10:44	N	PH	pH Measurement	8.46	unitless	[NULL]	[NULL]	[NULL]	R	B12PD1	PH	FIELD	9040_PH	100-NR-2
199-N-14	3/7/2002 10:03	N	ALKALINITY	Alkalinity	90000	ug/L	[NULL]	[NULL]	[NULL]	R	B14455	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-14	3/7/2002 10:03	Y	7429-90-5	Aluminum	51.2	ug/L	[NULL]	[NULL]	[NULL]	R	B142H9	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/7/2002 10:03	Y	7440-36-0	Antimony	24.8	ug/L	U	[NULL]	[NULL]	R	B142H9	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/7/2002 10:03	Y	7440-39-3	Barium	31.1	ug/L	[NULL]	[NULL]	[NULL]	R	B142H9	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/7/2002 10:03	Y	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	R	B142H9	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/7/2002 10:03	N	24959-67-9	Bromide	250	ug/L	U	[NULL]	[NULL]	R	B142J0	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	3/7/2002 10:03	Y	7440-43-9	Cadmium	6.8	ug/L	U	[NULL]	[NULL]	R	B142H9	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/7/2002 10:03	Y	7440-70-2	Calcium	42000	ug/L	[NULL]	[NULL]	[NULL]	R	B142H9	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/7/2002 10:03	N	16887-00-6	Chloride	10200	ug/L	[NULL]	[NULL]	[NULL]	R	B142J0	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	3/7/2002 10:03	Y	7440-47-3	Chromium	8.7	ug/L	[NULL]	[NULL]	[NULL]	R	B142H9	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/7/2002 10:03	Y	7440-48-4	Cobalt	5.4	ug/L	U	[NULL]	[NULL]	R	B142H9	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/7/2002 10:03	Y	7440-50-8	Copper	2.2	ug/L	U	[NULL]	[NULL]	R	B142H9	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/7/2002 10:03	N	16984-48-8	Fluoride	250	ug/L	U	[NULL]	[NULL]	R	B142J0	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	3/7/2002 10:03	N	12587-47-2	Gross beta	2190	pCi/L	[NULL]	[NULL]	[NULL]	R	B142J0	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-14	3/7/2002 10:03	Y	7439-89-6	Iron	8.4	ug/L	[NULL]	[NULL]	[NULL]	R	B142H9	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/7/2002 10:03	Y	7439-95-4	Magnesium	6920	ug/L	[NULL]	[NULL]	[NULL]	R	B142H9	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/7/2002 10:03	Y	7439-96-5	Manganese	1	ug/L	U	[NULL]	[NULL]	R	B142H9	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/7/2002 10:03	Y	7440-02-0	Nickel	14.1	ug/L	U	[NULL]	[NULL]	R	B142H9	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/7/2002 10:03	N	14797-55-8	Nitrate	27200	ug/L	[NULL]	[NULL]	[NULL]	R	B142J0	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	3/7/2002 10:03	N	14797-65-0	Nitrite	250	ug/L	U	[NULL]	[NULL]	R	B142J0	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	3/7/2002 10:03	N	14265-44-2	Phosphate	250	ug/L	U	[NULL]	[NULL]	R	B142J0	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	3/7/2002 10:03	Y	7440-09-7	Potassium	2410	ug/L	[NULL]	[NULL]	[NULL]	R	B142H9	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/7/2002 10:03	Y	7440-22-4	Silver	2.8	ug/L	U	[NULL]	[NULL]	R	B142H9	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/7/2002 10:03	Y	7440-23-5	Sodium	4430	ug/L	[NULL]	[NULL]	[NULL]	R	B142H9	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/7/2002 10:03	N	CONDUCT	Specific Conductance	309	uS/cm	[NULL]	[NULL]	[NULL]	R	B14455	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	3/7/2002 10:03	Y	7440-24-6	Strontium	195	ug/L	[NULL]	[NULL]	[NULL]	R	B142H9	7440-24-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/7/2002 10:03	N	10098-97-2	Strontium-90	1020	pCi/L	[NULL]	[NULL]	[NULL]	R	B142J0	10098-97-2	TMANC	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-14	3/7/2002 10:03	N	14808-79-8	Sulfate	40400	ug/L	[NULL]	[NULL]	[NULL]	R	B142J0	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	3/7/2002 10:03	N	TEMPERATURE	Temperature	18.3	Deg C	[NULL]	[NULL]	[NULL]	R	B14455	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	3/7/2002 10:03	N	10028-17-8	Tritium	39300	pCi/L	[NULL]	[NULL]	[NULL]	R	B142J0	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-14	3/7/2002 10:03	N	TURBIDITY	Turbidity	0.77	NTU	[NULL]	[NULL]	[NULL]	R	B14455	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-14	3/7/2002 10:03	Y	7440-62-2	Vanadium	6.5	ug/L	[NULL]	[NULL]	[NULL]	R	B142H9	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/7/2002 10:03	Y	7440-66-6	Zinc	3.3	ug/L	U	[NULL]	[NULL]	R	B142H9	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-14	3/7/2002 10:03	N	PH	pH Measurement	8.41	unitless	[NULL]	[NULL]	[NULL]	R	B14455	PH	FIELD	9040_PH	100-NR-2
199-N-14	9/5/2002 12:18	N	ALKALINITY	Alkalinity	76000	ug/L	[NULL]	[NULL]	[NULL]	R	B159J9	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-14	9/5/2002 12:18	N	ALKALINITY	Alkalinity	70000	ug/L	[NULL]	[NULL]	[NULL]	R	B159J8	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-14	9/5/2002 12:18	Y	7429-90-5	Aluminum	43.9	ug/L	[NULL]	[NULL]	[NULL]	R	B156Y4	7429-90-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	Y	7429-90-5	Aluminum	45.1	ug/L	[NULL]	[NULL]	[NULL]	R	B156Y6	7429-90-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	Y	7440-36-0	Antimony	3.5	ug/L	U	[NULL]	[NULL]	R	B156Y4	7440-36-0	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	Y	7440-36-0	Antimony	3.5	ug/L	U	[NULL]	[NULL]	R	B156Y6	7440-36-0	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	Y	7440-39-3	Barium	27.5	ug/L	[NULL]	[NULL]	[NULL]	R	B156Y6	7440-39-3	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	Y	7440-39-3	Barium	27.6	ug/L	[NULL]	[NULL]	[NULL]	R	B156Y4	7440-39-3	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	Y	7440-41-7	Beryllium	0.1	ug/L	U	[NULL]	[NULL]	R	B156Y4	7440-41-7	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	Y	7440-41-7	Beryllium	0.1	ug/L	U	[NULL]	[NULL]	R	B156Y6	7440-41-7	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	N	24959-67-9	Bromide	250	ug/L	U	[NULL]	[NULL]	R	B156Y5	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/5/2002 12:18	N	24959-67-9	Bromide	250	ug/L	U	[NULL]	[NULL]	R	B156Y7	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/5/2002 12:18	Y	7440-43-9	Cadmium	0.3	ug/L	U	[NULL]	[NULL]	R	B156Y6	7440-43-9	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	Y	7440-43-9	Cadmium	0.3	ug/L	U	[NULL]	[NULL]	R	B156Y4	7440-43-9	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	Y	7440-70-2	Calcium	36600	ug/L	[NULL]	[NULL]	[NULL]	R	B156Y6	7440-70-2	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	Y	7440-70-2	Calcium	36500	ug/L	[NULL]	[NULL]	[NULL]	R	B156Y4	7440-70-2	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	N	16887-00-6	Chloride	9100	ug/L	[NULL]	[NULL]	[NULL]	R	B156Y7	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/5/2002 12:18	N	16887-00-6	Chloride	8900	ug/L	[NULL]	[NULL]	[NULL]	R	B156Y5	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/5/2002 12:18	Y	7440-47-3	Chromium	2.6	ug/L	[NULL]	[NULL]	[NULL]	R	B156Y4	7440-47-3	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	Y	7440-47-3	Chromium	3.4	ug/L	[NULL]	[NULL]	[NULL]	R	B156Y6	7440-47-3	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	Y	7440-48-4	Cobalt	1.4	ug/L	U	[NULL]	[NULL]	R	B156Y4	7440-48-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	Y	7440-48-4	Cobalt	1.4	ug/L	U	[NULL]	[NULL]	R	B156Y6	7440-48-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B156Y4	7440-50-8	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B156Y6	7440-50-8	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	N	16984-48-8	Fluoride	250	ug/L	U	[NULL]	[NULL]	R	B156Y5	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/5/2002 12:18	N	16984-48-8	Fluoride	250	ug/L	U	[NULL]	[NULL]	R	B156Y7	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/5/2002 12:18	N	12587-47-2	Gross beta	1880	pCi/L	[NULL]	[NULL]	[NULL]	R	B156Y5	12587-47-2	EBRLNE	900.0_ALPHABETA_GPC	100-NR-2
199-N-14	9/5/2002 12:18	N	12587-47-2	Gross beta	1850	pCi/L	[NULL]	[NULL]	[NULL]	R	B156Y7	12587-47-2	EBRLNE	900.0_ALPHABETA_GPC	100-NR-2
199-N-14	9/5/2002 12:18	Y	7439-89-6	Iron	18.1	ug/L	U	[NULL]	[NULL]	R	B156Y6	7439-89-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	Y	7439-89-6	Iron	18.1	ug/L	U	[NULL]	[NULL]	R	B156Y4	7439-89-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	Y	7439-95-4	Magnesium	6110	ug/L	[NULL]	[NULL]	[NULL]	R	B156Y6	7439-95-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	Y	7439-95-4	Magnesium	6080	ug/L	[NULL]	[NULL]	[NULL]	R	B156Y4	7439-95-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	Y	7439-96-5	Manganese	0.47	ug/L	[NULL]	[NULL]	[NULL]	R	B156Y4	7439-96-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	Y	7439-96-5	Manganese	1.1	ug/L	[NULL]	[NULL]	[NULL]	R	B156Y6	7439-96-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	Y	7440-02-0	Nickel	2.3	ug/L	[NULL]	[NULL]	[NULL]	R	B156Y6	7440-02-0	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	Y	7440-02-0	Nickel	1.6	ug/L	[NULL]	[NULL]	[NULL]	R	B156Y4	7440-02-0	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	N	14797-55-8	Nitrate	24300	ug/L	[NULL]	[NULL]	[NULL]	R	B156Y7	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/5/2002 12:18	N	14797-55-8	Nitrate	24300	ug/L	[NULL]	[NULL]	[NULL]	R	B156Y5	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/5/2002 12:18	N	14797-65-0	Nitrite	250	ug/L	U	[NULL]	[NULL]	R	B156Y5	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/5/2002 12:18	N	14797-65-0	Nitrite	250	ug/L	U	[NULL]	[NULL]	R	B156Y7	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/5/2002 12:18	N	14265-44-2	Phosphate	250	ug/L	U	[NULL]	[NULL]	R	B156Y5	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/5/2002 12:18	N	14265-44-2	Phosphate	250	ug/L	U	[NULL]	[NULL]	R	B156Y7	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/5/2002 12:18	Y	7440-09-7	Potassium	1930	ug/L	[NULL]	[NULL]	[NULL]	R	B156Y4	7440-09-7	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	Y	7440-09-7	Potassium	1950	ug/L	[NULL]	[NULL]	[NULL]	R	B156Y6	7440-09-7	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	Y	7440-22-4	Silver	1.1	ug/L	U	[NULL]	[NULL]	R	B156Y6	7440-22-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	Y	7440-22-4	Silver	1.1	ug/L	U	[NULL]	[NULL]	R	B156Y4	7440-22-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	Y	7440-23-5	Sodium	4310	ug/L	[NULL]	[NULL]	[NULL]	R	B156Y6	7440-23-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	Y	7440-23-5	Sodium	4370	ug/L	[NULL]	[NULL]	[NULL]	R	B156Y4	7440-23-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	N	CONDUCT	Specific Conductance	273	uS/cm	[NULL]	[NULL]	[NULL]	R	B159J8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	9/5/2002 12:18	Y	7440-24-6	Strontium	169	ug/L	[NULL]	[NULL]	[NULL]	R	B156Y6	7440-24-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	Y	7440-24-6	Strontium	168	ug/L	[NULL]	[NULL]	[NULL]	R	B156Y4	7440-24-6	RLNP	6010_METALS_ICP_TR	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-14	9/5/2002 12:18	N	10098-97-2	Strontium-90	912	pCi/L	[NULL]	[NULL]	[NULL]	R	B156Y7	10098-97-2	EBRLNE	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-14	9/5/2002 12:18	N	10098-97-2	Strontium-90	868	pCi/L	[NULL]	[NULL]	[NULL]	R	B156Y5	10098-97-2	EBRLNE	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-14	9/5/2002 12:18	N	14808-79-8	Sulfate	34800	ug/L	[NULL]	[NULL]	[NULL]	R	B156Y5	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/5/2002 12:18	N	14808-79-8	Sulfate	35100	ug/L	[NULL]	[NULL]	[NULL]	R	B156Y7	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-14	9/5/2002 12:18	N	TEMPERATURE	Temperature	20	Deg C	[NULL]	[NULL]	[NULL]	R	B159J8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	9/5/2002 12:18	N	10028-17-8	Tritium	37600	pCi/L	[NULL]	[NULL]	[NULL]	R	B156Y5	10028-17-8	EBRLNE	906.0_H3_LSC	100-NR-2
199-N-14	9/5/2002 12:18	N	10028-17-8	Tritium	37100	pCi/L	[NULL]	[NULL]	[NULL]	R	B156Y7	10028-17-8	EBRLNE	906.0_H3_LSC	100-NR-2
199-N-14	9/5/2002 12:18	N	TURBIDITY	Turbidity	3.35	NTU	[NULL]	[NULL]	[NULL]	R	B159J8	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-14	9/5/2002 12:18	Y	7440-62-2	Vanadium	5.4	ug/L	[NULL]	[NULL]	[NULL]	R	B156Y4	7440-62-2	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	Y	7440-62-2	Vanadium	5.3	ug/L	[NULL]	[NULL]	[NULL]	R	B156Y6	7440-62-2	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	Y	7440-66-6	Zinc	4.9	ug/L	[NULL]	[NULL]	[NULL]	R	B156Y4	7440-66-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	Y	7440-66-6	Zinc	6.5	ug/L	[NULL]	[NULL]	[NULL]	R	B156Y6	7440-66-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-14	9/5/2002 12:18	N	PH	pH Measurement	8.3	unitless	[NULL]	[NULL]	[NULL]	R	B159J8	PH	FIELD	9040_PH	100-NR-2
199-N-14	3/5/2003 11:57	N	ALKALINITY	Alkalinity	69000	ug/L	[NULL]	[NULL]	[NULL]	R	B16JR5	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-14	3/5/2003 11:57	Y	7429-90-5	Aluminum	30.4	ug/L	U	[NULL]	[NULL]	R	B16H34	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/5/2003 11:57	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B16H34	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/5/2003 11:57	Y	7440-39-3	Barium	30.9	ug/L	B	[NULL]	[NULL]	R	B16H34	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/5/2003 11:57	Y	7440-41-7	Beryllium	0.73	ug/L	U	[NULL]	[NULL]	R	B16H34	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/5/2003 11:57	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B16H34	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/5/2003 11:57	Y	7440-70-2	Calcium	43200	ug/L	[NULL]	[NULL]	[NULL]	R	B16H34	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/5/2003 11:57	N	16887-00-6	Chloride	10200	ug/L	CD	[NULL]	[NULL]	R	B16H35	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	3/5/2003 11:57	Y	7440-47-3	Chromium	4	ug/L	B	[NULL]	[NULL]	R	B16H34	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/5/2003 11:57	Y	7440-48-4	Cobalt	4.9	ug/L	U	[NULL]	[NULL]	R	B16H34	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/5/2003 11:57	Y	7440-50-8	Copper	3.1	ug/L	U	[NULL]	[NULL]	R	B16H34	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/5/2003 11:57	N	16984-48-8	Fluoride	150	ug/L	C	[NULL]	[NULL]	R	B16H35	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	3/5/2003 11:57	N	12587-47-2	Gross beta	1950	pCi/L	[NULL]	[NULL]	[NULL]	R	B16H36	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-14	3/5/2003 11:57	Y	7439-89-6	Iron	42.8	ug/L	U	[NULL]	[NULL]	R	B16H34	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/5/2003 11:57	Y	7439-95-4	Magnesium	7310	ug/L	[NULL]	[NULL]	[NULL]	R	B16H34	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/5/2003 11:57	Y	7439-96-5	Manganese	1.8	ug/L	B	[NULL]	[NULL]	R	B16H34	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/5/2003 11:57	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	B16H34	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/5/2003 11:57	N	14797-55-8	Nitrate	31900	ug/L	D	[NULL]	[NULL]	R	B16H35	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	3/5/2003 11:57	N	14797-65-0	Nitrite	36.1	ug/L	U	[NULL]	[NULL]	R	B16H35	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	3/5/2003 11:57	Y	7440-09-7	Potassium	1420	ug/L	U	[NULL]	[NULL]	R	B16H34	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/5/2003 11:57	Y	7440-22-4	Silver	3	ug/L	U	[NULL]	[NULL]	R	B16H34	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/5/2003 11:57	Y	7440-23-5	Sodium	4740	ug/L	B	[NULL]	[NULL]	R	B16H34	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/5/2003 11:57	N	CONDUCT	Specific Conductance	322	uS/cm	[NULL]	[NULL]	[NULL]	R	B16H35	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	3/5/2003 11:57	Y	7440-24-6	Strontium	199	ug/L	[NULL]	[NULL]	[NULL]	R	B16H34	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/5/2003 11:57	N	10098-97-2	Strontium-90	1110	pCi/L	[NULL]	[NULL]	[NULL]	R	B16H36	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-14	3/5/2003 11:57	N	14808-79-8	Sulfate	40800	ug/L	D	[NULL]	[NULL]	R	B16H35	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	3/5/2003 11:57	N	TEMPERATURE	Temperature	20.9	Deg C	[NULL]	[NULL]	[NULL]	R	B16H35	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	3/5/2003 11:57	N	10028-17-8	Tritium	30000	pCi/L	[NULL]	[NULL]	[NULL]	R	B16H36	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-14	3/5/2003 11:57	N	TURBIDITY	Turbidity	0.71	NTU	[NULL]	[NULL]	[NULL]	R	B16H35	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-14	3/5/2003 11:57	Y	7440-62-2	Vanadium	10.4	ug/L	U	[NULL]	[NULL]	R	B16H34	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/5/2003 11:57	Y	7440-66-6	Zinc	1.8	ug/L	U	[NULL]	[NULL]	R	B16H34	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/5/2003 11:57	N	PH	pH Measurement	8.7	unitless	[NULL]	[NULL]	[NULL]	R	B16H35	PH	FIELD	9040_PH	100-NR-2
199-N-14	9/22/2003 10:23	Y	7429-90-5	Aluminum	95.8	ug/L	U	[NULL]	[NULL]	R	B17DB9	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2003 10:23	Y	7440-36-0	Antimony	28.5	ug/L	U	[NULL]	[NULL]	R	B17DB9	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2003 10:23	Y	7440-39-3	Barium	32.7	ug/L	B	[NULL]	[NULL]	R	B17DB9	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2003 10:23	Y	7440-41-7	Beryllium	0.33	ug/L	U	[NULL]	[NULL]	R	B17DB9	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2003 10:23	Y	7440-43-9	Cadmium	2.5	ug/L	U	[NULL]	[NULL]	R	B17DB9	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2003 10:23	Y	7440-70-2	Calcium	46200	ug/L	[NULL]	[NULL]	[NULL]	R	B17DB9	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2003 10:23	N	16887-00-6	Chloride	9200	ug/L	CD	[NULL]	[NULL]	R	B17DC0	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/22/2003 10:23	Y	7440-47-3	Chromium	4.4	ug/L	U	[NULL]	[NULL]	R	B17DB9	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2003 10:23	Y	7440-48-4	Cobalt	4.5	ug/L	U	[NULL]	[NULL]	R	B17DB9	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2003 10:23	Y	7440-50-8	Copper	3.2	ug/L	U	[NULL]	[NULL]	R	B17DB9	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-14	9/22/2003 10:23	N	16984-48-8	Fluoride	180	ug/L	[NULL]	[NULL]	[NULL]	R	B17DC0	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/22/2003 10:23	N	12587-47-2	Gross beta	1980	pCi/L	[NULL]	[NULL]	[NULL]	R	B17DC1	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-14	9/22/2003 10:23	Y	7439-89-6	Iron	49.4	ug/L	U	[NULL]	[NULL]	R	B17DB9	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2003 10:23	Y	7439-95-4	Magnesium	7330	ug/L	[NULL]	[NULL]	[NULL]	R	B17DB9	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2003 10:23	Y	7439-96-5	Manganese	0.81	ug/L	U	[NULL]	[NULL]	R	B17DB9	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2003 10:23	Y	7440-02-0	Nickel	12.9	ug/L	U	[NULL]	[NULL]	R	B17DB9	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2003 10:23	N	14797-55-8	Nitrate	29700	ug/L	D	[NULL]	[NULL]	R	B17DC0	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/22/2003 10:23	N	14797-65-0	Nitrite	24.3	ug/L	U	[NULL]	[NULL]	R	B17DC0	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/22/2003 10:23	Y	7440-09-7	Potassium	2180	ug/L	U	[NULL]	[NULL]	R	B17DB9	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2003 10:23	Y	7440-22-4	Silver	3.7	ug/L	U	[NULL]	[NULL]	R	B17DB9	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2003 10:23	Y	7440-23-5	Sodium	4770	ug/L	B	[NULL]	[NULL]	R	B17DB9	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2003 10:23	N	CONDUCT	Specific Conductance	298	uS/cm	[NULL]	[NULL]	[NULL]	R	B17DC0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	9/22/2003 10:23	Y	7440-24-6	Strontium	205	ug/L	[NULL]	[NULL]	[NULL]	R	B17DB9	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2003 10:23	N	10098-97-2	Strontium-90	1040	pCi/L	[NULL]	[NULL]	[NULL]	R	B17DC1	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-14	9/22/2003 10:23	N	14808-79-8	Sulfate	40800	ug/L	D	[NULL]	[NULL]	R	B17DC0	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/22/2003 10:23	N	TEMPERATURE	Temperature	19.1	Deg C	[NULL]	[NULL]	[NULL]	R	B17DC0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	9/22/2003 10:23	N	10028-17-8	Tritium	31400	pCi/L	[NULL]	[NULL]	[NULL]	R	B17DC1	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-14	9/22/2003 10:23	N	TURBIDITY	Turbidity	0.52	NTU	[NULL]	[NULL]	[NULL]	R	B17DC0	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-14	9/22/2003 10:23	Y	7440-62-2	Vanadium	4.6	ug/L	U	[NULL]	[NULL]	R	B17DB9	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2003 10:23	Y	7440-66-6	Zinc	3.5	ug/L	U	[NULL]	[NULL]	R	B17DB9	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/22/2003 10:23	N	PH	pH Measurement	8.38	unitless	[NULL]	[NULL]	[NULL]	R	B17DC0	PH	FIELD	9040_PH	100-NR-2
199-N-14	3/18/2004 10:34	N	ALKALINITY	Alkalinity	64000	ug/L	[NULL]	[NULL]	[NULL]	R	B18MB3	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-14	3/18/2004 10:34	Y	7429-90-5	Aluminum	34.2	ug/L	U	[NULL]	[NULL]	R	B18KM0	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/2004 10:34	Y	7440-36-0	Antimony	39	ug/L	U	[NULL]	[NULL]	R	B18KM0	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/2004 10:34	Y	7440-39-3	Barium	30.1	ug/L	B	[NULL]	[NULL]	R	B18KM0	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/2004 10:34	Y	7440-41-7	Beryllium	0.4	ug/L	U	[NULL]	[NULL]	R	B18KM0	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/2004 10:34	Y	7440-43-9	Cadmium	3.3	ug/L	U	[NULL]	[NULL]	R	B18KM0	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/2004 10:34	Y	7440-70-2	Calcium	40000	ug/L	[NULL]	[NULL]	[NULL]	R	B18KM0	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/2004 10:34	N	16887-00-6	Chloride	10100	ug/L	D	[NULL]	[NULL]	R	B18KM1	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	3/18/2004 10:34	Y	7440-47-3	Chromium	4.7	ug/L	B	[NULL]	[NULL]	R	B18KM0	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/2004 10:34	Y	7440-48-4	Cobalt	4.8	ug/L	U	[NULL]	[NULL]	R	B18KM0	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/2004 10:34	Y	7440-50-8	Copper	2.9	ug/L	U	[NULL]	[NULL]	R	B18KM0	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/2004 10:34	N	DO	Dissolved oxygen	10280	ug/L	[NULL]	[NULL]	[NULL]	R	B18KM1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-14	3/18/2004 10:34	N	16984-48-8	Fluoride	60	ug/L	B	[NULL]	[NULL]	R	B18KM1	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	3/18/2004 10:34	N	12587-47-2	Gross beta	1950	pCi/L	[NULL]	[NULL]	[NULL]	R	B18KM2	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-14	3/18/2004 10:34	Y	7439-89-6	Iron	54.5	ug/L	U	[NULL]	[NULL]	R	B18KM0	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/2004 10:34	Y	7439-95-4	Magnesium	6740	ug/L	[NULL]	[NULL]	[NULL]	R	B18KM0	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/2004 10:34	Y	7439-96-5	Manganese	1.6	ug/L	B	[NULL]	[NULL]	R	B18KM0	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/2004 10:34	Y	7440-02-0	Nickel	14	ug/L	U	[NULL]	[NULL]	R	B18KM0	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/2004 10:34	N	14797-55-8	Nitrate	30500	ug/L	D	[NULL]	[NULL]	R	B18KM1	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	3/18/2004 10:34	N	14797-65-0	Nitrite	24.3	ug/L	U	[NULL]	[NULL]	R	B18KM1	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	3/18/2004 10:34	N	EH	Oxidation Reduction Potential	148.7	mV	[NULL]	[NULL]	[NULL]	R	B18KM1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-14	3/18/2004 10:34	Y	7440-09-7	Potassium	3000	ug/L	U	[NULL]	[NULL]	R	B18KM0	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/2004 10:34	Y	7440-22-4	Silver	3.5	ug/L	B	[NULL]	[NULL]	R	B18KM0	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/2004 10:34	Y	7440-23-5	Sodium	4330	ug/L	B	[NULL]	[NULL]	R	B18KM0	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/2004 10:34	N	CONDUCT	Specific Conductance	291	uS/cm	[NULL]	[NULL]	[NULL]	R	B18KM1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	3/18/2004 10:34	Y	7440-24-6	Strontium	187	ug/L	[NULL]	[NULL]	[NULL]	R	B18KM0	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/2004 10:34	N	10098-97-2	Strontium-90	909	pCi/L	[NULL]	[NULL]	[NULL]	R	B18KM2	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-14	3/18/2004 10:34	N	14808-79-8	Sulfate	40700	ug/L	D	[NULL]	[NULL]	R	B18KM1	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	3/18/2004 10:34	N	TEMPERATURE	Temperature	18.7	Deg C	[NULL]	[NULL]	[NULL]	R	B18KM1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	3/18/2004 10:34	N	10028-17-8	Tritium	28600	pCi/L	[NULL]	[NULL]	[NULL]	R	B18KM2	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-14	3/18/2004 10:34	N	TURBIDITY	Turbidity	0.72	NTU	[NULL]	[NULL]	[NULL]	R	B18KM1	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-14	3/18/2004 10:34	Y	7440-62-2	Vanadium	8.6	ug/L	B	[NULL]	[NULL]	R	B18KM0	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/18/2004 10:34	Y	7440-66-6	Zinc	2.7	ug/L	U	[NULL]	[NULL]	R	B18KM0	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-14	3/18/2004 10:34	N	PH	pH Measurement	8.42	unitless	[NULL]	[NULL]	[NULL]	R	B18KM1	PH	FIELD	9040_PH	100-NR-2
199-N-14	9/20/2004 9:48	Y	7429-90-5	Aluminum	45.5	ug/L	U	[NULL]	[NULL]	R	B1B108	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	Y	7429-90-5	Aluminum	45.5	ug/L	U	[NULL]	[NULL]	R	B1B112	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	Y	7440-36-0	Antimony	21.3	ug/L	U	[NULL]	[NULL]	R	B1B108	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	Y	7440-36-0	Antimony	21.3	ug/L	U	[NULL]	[NULL]	R	B1B112	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	Y	7440-39-3	Barium	30.7	ug/L	B	[NULL]	[NULL]	R	B1B112	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	Y	7440-39-3	Barium	31.1	ug/L	B	[NULL]	[NULL]	R	B1B108	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	Y	7440-41-7	Beryllium	0.56	ug/L	BC	[NULL]	[NULL]	R	B1B112	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	Y	7440-41-7	Beryllium	0.52	ug/L	BC	[NULL]	[NULL]	R	B1B108	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	B1B108	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	B1B112	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	Y	7440-70-2	Calcium	40900	ug/L	[NULL]	[NULL]	[NULL]	R	B1B108	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	Y	7440-70-2	Calcium	41100	ug/L	[NULL]	[NULL]	[NULL]	R	B1B112	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	N	16887-00-6	Chloride	9600	ug/L	CD	[NULL]	[NULL]	R	B1B113	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/20/2004 9:48	N	16887-00-6	Chloride	9300	ug/L	CD	[NULL]	[NULL]	R	B1B109	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/20/2004 9:48	Y	7440-47-3	Chromium	3.3	ug/L	U	[NULL]	[NULL]	R	B1B108	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	Y	7440-47-3	Chromium	3.3	ug/L	U	[NULL]	[NULL]	R	B1B112	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	Y	7440-48-4	Cobalt	3.3	ug/L	U	[NULL]	[NULL]	R	B1B112	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	Y	7440-48-4	Cobalt	3.3	ug/L	U	[NULL]	[NULL]	R	B1B108	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	Y	7440-50-8	Copper	2.4	ug/L	U	[NULL]	[NULL]	R	B1B108	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	Y	7440-50-8	Copper	2.4	ug/L	U	[NULL]	[NULL]	R	B1B112	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	N	16984-48-8	Fluoride	64	ug/L	B	[NULL]	[NULL]	R	B1B109	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/20/2004 9:48	N	16984-48-8	Fluoride	71	ug/L	B	[NULL]	[NULL]	R	B1B113	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/20/2004 9:48	N	12587-47-2	Gross beta	1760	pCi/L	[NULL]	[NULL]	[NULL]	R	B1B111	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-14	9/20/2004 9:48	N	12587-47-2	Gross beta	1910	pCi/L	[NULL]	[NULL]	[NULL]	R	B1B110	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-14	9/20/2004 9:48	Y	7439-89-6	Iron	6.9	ug/L	U	[NULL]	[NULL]	R	B1B112	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	Y	7439-89-6	Iron	6.9	ug/L	U	[NULL]	[NULL]	R	B1B108	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	Y	7439-95-4	Magnesium	7130	ug/L	[NULL]	[NULL]	[NULL]	R	B1B112	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	Y	7439-95-4	Magnesium	7130	ug/L	[NULL]	[NULL]	[NULL]	R	B1B108	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	Y	7439-96-5	Manganese	1	ug/L	B	[NULL]	[NULL]	R	B1B112	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	Y	7439-96-5	Manganese	1.2	ug/L	B	[NULL]	[NULL]	R	B1B108	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	Y	7440-02-0	Nickel	8.6	ug/L	U	[NULL]	[NULL]	R	B1B108	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	Y	7440-02-0	Nickel	8.6	ug/L	U	[NULL]	[NULL]	R	B1B112	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	N	14797-55-8	Nitrate	27400	ug/L	D	[NULL]	[NULL]	R	B1B109	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/20/2004 9:48	N	14797-55-8	Nitrate	27400	ug/L	D	[NULL]	[NULL]	R	B1B113	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/20/2004 9:48	N	14797-65-0	Nitrite	13.1	ug/L	UN	[NULL]	[NULL]	R	B1B109	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/20/2004 9:48	N	14797-65-0	Nitrite	13.1	ug/L	UN	[NULL]	[NULL]	R	B1B113	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/20/2004 9:48	Y	7440-09-7	Potassium	3020	ug/L	B	[NULL]	[NULL]	R	B1B112	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	Y	7440-09-7	Potassium	2610	ug/L	B	[NULL]	[NULL]	R	B1B108	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	Y	7440-22-4	Silver	5	ug/L	BC	[NULL]	[NULL]	R	B1B112	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	Y	7440-22-4	Silver	4.1	ug/L	U	[NULL]	[NULL]	R	B1B108	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	Y	7440-23-5	Sodium	4750	ug/L	BC	[NULL]	[NULL]	R	B1B108	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	Y	7440-23-5	Sodium	4660	ug/L	BC	[NULL]	[NULL]	R	B1B112	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	N	CONDUCT	Specific Conductance	296	uS/cm	[NULL]	[NULL]	[NULL]	R	B1B109	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	9/20/2004 9:48	Y	7440-24-6	Strontium	194	ug/L	C	[NULL]	[NULL]	R	B1B112	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	Y	7440-24-6	Strontium	196	ug/L	C	[NULL]	[NULL]	R	B1B108	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	N	10098-97-2	Strontium-90	971	pCi/L	[NULL]	[NULL]	[NULL]	R	B1B111	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-14	9/20/2004 9:48	N	10098-97-2	Strontium-90	1020	pCi/L	[NULL]	[NULL]	[NULL]	R	B1B110	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-14	9/20/2004 9:48	N	14808-79-8	Sulfate	39600	ug/L	D	[NULL]	[NULL]	R	B1B109	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/20/2004 9:48	N	14808-79-8	Sulfate	39400	ug/L	D	[NULL]	[NULL]	R	B1B113	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/20/2004 9:48	N	TEMPERATURE	Temperature	18.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1B109	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	9/20/2004 9:48	N	10028-17-8	Tritium	23800	pCi/L	[NULL]	[NULL]	[NULL]	R	B1B110	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-14	9/20/2004 9:48	N	10028-17-8	Tritium	23600	pCi/L	[NULL]	[NULL]	[NULL]	R	B1B111	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-14	9/20/2004 9:48	N	TURBIDITY	Turbidity	0.45	NTU	[NULL]	[NULL]	[NULL]	R	B1B109	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-14	9/20/2004 9:48	Y	7440-62-2	Vanadium	5.5	ug/L	B	[NULL]	[NULL]	R	B1B108	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-14	9/20/2004 9:48	Y	7440-62-2	Vanadium	5.3	ug/L	B	[NULL]	[NULL]	R	B1B112	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	Y	7440-66-6	Zinc	4.3	ug/L	BC	[NULL]	[NULL]	R	B1B108	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	Y	7440-66-6	Zinc	3.1	ug/L	BC	[NULL]	[NULL]	R	B1B112	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2004 9:48	N	PH	pH Measurement	8.55	unitless	[NULL]	[NULL]	[NULL]	R	B1B109	PH	FIELD	9040_PH	100-NR-2
199-N-14	3/8/2005 11:39	N	ALKALINITY	Alkalinity	65000	ug/L	[NULL]	[NULL]	[NULL]	R	B1CCD7	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-14	3/8/2005 11:39	Y	7429-90-5	Aluminum	52.5	ug/L	B	[NULL]	[NULL]	R	B1CB60	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/8/2005 11:39	Y	7440-36-0	Antimony	21.3	ug/L	U	[NULL]	[NULL]	R	B1CB60	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/8/2005 11:39	Y	7440-39-3	Barium	29.4	ug/L	B	[NULL]	[NULL]	R	B1CB60	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/8/2005 11:39	Y	7440-41-7	Beryllium	0.29	ug/L	U	[NULL]	[NULL]	R	B1CB60	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/8/2005 11:39	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	B1CB60	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/8/2005 11:39	Y	7440-70-2	Calcium	41400	ug/L	[NULL]	[NULL]	[NULL]	R	B1CB60	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/8/2005 11:39	N	16887-00-6	Chloride	9800	ug/L	CD	[NULL]	[NULL]	R	B1CB61	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	3/8/2005 11:39	Y	7440-47-3	Chromium	6.7	ug/L	B	[NULL]	[NULL]	R	B1CB60	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/8/2005 11:39	Y	7440-48-4	Cobalt	3.3	ug/L	U	[NULL]	[NULL]	R	B1CB60	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/8/2005 11:39	Y	7440-50-8	Copper	2.4	ug/L	U	[NULL]	[NULL]	R	B1CB60	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/8/2005 11:39	N	16984-48-8	Fluoride	59	ug/L	B	[NULL]	[NULL]	R	B1CB61	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	3/8/2005 11:39	N	12587-47-2	Gross beta	1820	pCi/L	[NULL]	[NULL]	[NULL]	R	B1CB62	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-14	3/8/2005 11:39	Y	7439-89-6	Iron	16.1	ug/L	B	[NULL]	[NULL]	R	B1CB60	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/8/2005 11:39	Y	7439-95-4	Magnesium	6780	ug/L	[NULL]	[NULL]	[NULL]	R	B1CB60	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/8/2005 11:39	Y	7439-96-5	Manganese	0.99	ug/L	U	[NULL]	[NULL]	R	B1CB60	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/8/2005 11:39	Y	7440-02-0	Nickel	8.6	ug/L	U	[NULL]	[NULL]	R	B1CB60	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/8/2005 11:39	N	14797-55-8	Nitrate	24800	ug/L	D	[NULL]	[NULL]	R	B1CB61	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	3/8/2005 11:39	N	14797-65-0	Nitrite	13.1	ug/L	U	[NULL]	[NULL]	R	B1CB61	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	3/8/2005 11:39	Y	7440-09-7	Potassium	2330	ug/L	B	[NULL]	[NULL]	R	B1CB60	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/8/2005 11:39	Y	7440-22-4	Silver	4.1	ug/L	U	[NULL]	[NULL]	R	B1CB60	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/8/2005 11:39	Y	7440-23-5	Sodium	4580	ug/L	B	[NULL]	[NULL]	R	B1CB60	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/8/2005 11:39	N	CONDUCT	Specific Conductance	300	uS/cm	[NULL]	[NULL]	[NULL]	R	B1CB61	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	3/8/2005 11:39	Y	7440-24-6	Strontium	207	ug/L	[NULL]	[NULL]	[NULL]	R	B1CB60	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/8/2005 11:39	N	10098-97-2	Strontium-90	993	pCi/L	[NULL]	[NULL]	[NULL]	R	B1CB62	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-14	3/8/2005 11:39	N	14808-79-8	Sulfate	41800	ug/L	D	[NULL]	[NULL]	R	B1CB61	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	3/8/2005 11:39	N	TEMPERATURE	Temperature	19.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1CB61	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	3/8/2005 11:39	N	10028-17-8	Tritium	22800	pCi/L	[NULL]	[NULL]	[NULL]	R	B1CB62	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-14	3/8/2005 11:39	N	TURBIDITY	Turbidity	0.73	NTU	[NULL]	[NULL]	[NULL]	R	B1CB61	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-14	3/8/2005 11:39	Y	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	B1CB60	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/8/2005 11:39	Y	7440-66-6	Zinc	3.5	ug/L	BC	[NULL]	[NULL]	R	B1CB60	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/8/2005 11:39	N	PH	pH Measurement	8.53	unitless	[NULL]	[NULL]	[NULL]	R	B1CB61	PH	FIELD	9040_PH	100-NR-2
199-N-14	9/20/2005 10:31	Y	7429-90-5	Aluminum	44.9	ug/L	BC	[NULL]	[NULL]	R	B1DP25	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2005 10:31	Y	7440-36-0	Antimony	23	ug/L	U	[NULL]	[NULL]	R	B1DP25	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2005 10:31	Y	7440-39-3	Barium	32.3	ug/L	B	[NULL]	[NULL]	R	B1DP25	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2005 10:31	Y	7440-41-7	Beryllium	0.18	ug/L	U	[NULL]	[NULL]	R	B1DP25	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2005 10:31	Y	7440-43-9	Cadmium	0.86	ug/L	U	[NULL]	[NULL]	R	B1DP25	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2005 10:31	Y	7440-70-2	Calcium	42200	ug/L	[NULL]	[NULL]	[NULL]	R	B1DP25	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2005 10:31	N	16887-00-6	Chloride	8600	ug/L	CD	[NULL]	[NULL]	R	B1DP26	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/20/2005 10:31	Y	7440-47-3	Chromium	5.5	ug/L	B	[NULL]	[NULL]	R	B1DP25	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2005 10:31	Y	7440-48-4	Cobalt	2.9	ug/L	B	[NULL]	[NULL]	R	B1DP25	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2005 10:31	Y	7440-50-8	Copper	4.3	ug/L	U	[NULL]	[NULL]	R	B1DP25	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2005 10:31	N	16984-48-8	Fluoride	49	ug/L	B	[NULL]	[NULL]	R	B1DP26	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/20/2005 10:31	N	12587-47-2	Gross beta	1790	pCi/L	[NULL]	[NULL]	[NULL]	R	B1DP28	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-14	9/20/2005 10:31	Y	7439-89-6	Iron	12.6	ug/L	U	[NULL]	[NULL]	R	B1DP25	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2005 10:31	Y	7439-95-4	Magnesium	6850	ug/L	[NULL]	[NULL]	[NULL]	R	B1DP25	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2005 10:31	Y	7439-96-5	Manganese	4.6	ug/L	B	[NULL]	[NULL]	R	B1DP25	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2005 10:31	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1DP25	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2005 10:31	N	14797-55-8	Nitrate	26100	ug/L	D	[NULL]	[NULL]	R	B1DP26	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/20/2005 10:31	N	14797-65-0	Nitrite	20	ug/L	UN	[NULL]	[NULL]	R	B1DP26	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/20/2005 10:31	Y	7440-09-7	Potassium	1610	ug/L	U	[NULL]	[NULL]	R	B1DP25	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-14	9/20/2005 10:31	Y	7440-22-4	Silver	2.2	ug/L	U	[NULL]	[NULL]	R	B1DP25	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2005 10:31	Y	7440-23-5	Sodium	4120	ug/L	B	[NULL]	[NULL]	R	B1DP25	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2005 10:31	N	CONDUCT	Specific Conductance	291	uS/cm	[NULL]	[NULL]	[NULL]	R	B1DP27	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-14	9/20/2005 10:31	Y	7440-24-6	Strontium	218	ug/L	[NULL]	[NULL]	[NULL]	R	B1DP25	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2005 10:31	N	10098-97-2	Strontium-90	1070	pCi/L	[NULL]	[NULL]	[NULL]	R	B1DP28	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-14	9/20/2005 10:31	N	14808-79-8	Sulfate	37700	ug/L	D	[NULL]	[NULL]	R	B1DP26	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/20/2005 10:31	N	TEMPERATURE	Temperature	20.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1DP27	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	9/20/2005 10:31	N	10028-17-8	Tritium	28500	pCi/L	[NULL]	[NULL]	[NULL]	R	B1DP28	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-14	9/20/2005 10:31	N	TURBIDITY	Turbidity	1.14	NTU	[NULL]	[NULL]	[NULL]	R	B1DP27	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-14	9/20/2005 10:31	Y	7440-62-2	Vanadium	5.5	ug/L	B	[NULL]	[NULL]	R	B1DP25	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2005 10:31	Y	7440-66-6	Zinc	2.6	ug/L	BC	[NULL]	[NULL]	R	B1DP25	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/20/2005 10:31	N	PH	pH Measurement	8.54	unitless	[NULL]	[NULL]	[NULL]	R	B1DP27	PH	FIELD	9040_PH	100-NR-2
199-N-14	3/1/2006 10:01	N	ALKALINITY	Alkalinity	68000	ug/L	[NULL]	[NULL]	[NULL]	R	B1HMC9	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-14	3/1/2006 10:01	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1HPY2	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/1/2006 10:01	Y	7440-39-3	Barium	32.8	ug/L	B	[NULL]	[NULL]	R	B1HPY2	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/1/2006 10:01	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1HPY2	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/1/2006 10:01	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1HPY2	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/1/2006 10:01	Y	7440-70-2	Calcium	44100	ug/L	[NULL]	[NULL]	[NULL]	R	B1HPY2	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/1/2006 10:01	N	16887-00-6	Chloride	10500	ug/L	DN	[NULL]	[NULL]	R	B1HPY3	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	3/1/2006 10:01	Y	7440-47-3	Chromium	7.4	ug/L	B	[NULL]	[NULL]	R	B1HPY2	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/1/2006 10:01	Y	7440-48-4	Cobalt	2.6	ug/L	U	[NULL]	[NULL]	R	B1HPY2	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/1/2006 10:01	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1HPY2	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/1/2006 10:01	N	16984-48-8	Fluoride	74	ug/L	B	[NULL]	[NULL]	R	B1HPY3	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	3/1/2006 10:01	N	12587-47-2	Gross beta	1700	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HPY5	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-14	3/1/2006 10:01	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1HPY2	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/1/2006 10:01	Y	7439-95-4	Magnesium	7380	ug/L	[NULL]	[NULL]	[NULL]	R	B1HPY2	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/1/2006 10:01	Y	7439-96-5	Manganese	2.5	ug/L	U	[NULL]	[NULL]	R	B1HPY2	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/1/2006 10:01	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1HPY2	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/1/2006 10:01	N	14797-55-8	Nitrate	24300	ug/L	DN	[NULL]	[NULL]	R	B1HPY3	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	3/1/2006 10:01	N	14797-65-0	Nitrite	20	ug/L	UN	[NULL]	[NULL]	R	B1HPY3	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	3/1/2006 10:01	Y	7440-09-7	Potassium	1500	ug/L	U	[NULL]	[NULL]	R	B1HPY2	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/1/2006 10:01	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1HPY2	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/1/2006 10:01	Y	7440-23-5	Sodium	4350	ug/L	B	[NULL]	[NULL]	R	B1HPY2	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/1/2006 10:01	N	CONDUCT	Specific Conductance	301	uS/cm	[NULL]	[NULL]	[NULL]	R	B1HPY4	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-14	3/1/2006 10:01	Y	7440-24-6	Strontium	213	ug/L	[NULL]	[NULL]	[NULL]	R	B1HPY2	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/1/2006 10:01	N	10098-97-2	Strontium-90	979	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HPY5	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-14	3/1/2006 10:01	N	14808-79-8	Sulfate	43200	ug/L	D	[NULL]	[NULL]	R	B1HPY3	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	3/1/2006 10:01	N	TEMPERATURE	Temperature	18.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1HPY4	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-14	3/1/2006 10:01	N	10028-17-8	Tritium	25900	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HPY5	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-14	3/1/2006 10:01	N	TURBIDITY	Turbidity	0.74	NTU	[NULL]	[NULL]	[NULL]	R	B1HPY4	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-14	3/1/2006 10:01	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1HPY2	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/1/2006 10:01	Y	7440-66-6	Zinc	5.6	ug/L	U	[NULL]	[NULL]	R	B1HPY2	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	3/1/2006 10:01	N	PH	pH Measurement	8.46	unitless	[NULL]	[NULL]	[NULL]	R	B1HPY4	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-14	9/21/2006 12:32	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1KCB9	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/21/2006 12:32	Y	7440-39-3	Barium	39.5	ug/L	B	[NULL]	[NULL]	R	B1KCB9	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/21/2006 12:32	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1KCB9	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/21/2006 12:32	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1KCB9	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/21/2006 12:32	Y	7440-70-2	Calcium	48900	ug/L	C	[NULL]	[NULL]	R	B1KCB9	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/21/2006 12:32	N	16887-00-6	Chloride	23700	ug/L	CDN	[NULL]	[NULL]	R	B1KCC0	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/21/2006 12:32	Y	7440-47-3	Chromium	4.8	ug/L	B	[NULL]	[NULL]	R	B1KCB9	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/21/2006 12:32	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1KCB9	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/21/2006 12:32	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1KCB9	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/21/2006 12:32	N	16984-48-8	Fluoride	100	ug/L	N	[NULL]	[NULL]	R	B1KCC0	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/21/2006 12:32	N	12587-47-2	Gross beta	1850	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KCC2	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-14	9/21/2006 12:32	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1KCB9	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-14	9/21/2006 12:32	Y	7439-95-4	Magnesium	8610	ug/L	C	[NULL]	[NULL]	R	B1KCB9	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/21/2006 12:32	Y	7439-96-5	Manganese	3	ug/L	B	[NULL]	[NULL]	R	B1KCB9	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/21/2006 12:32	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1KCB9	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/21/2006 12:32	N	14797-55-8	Nitrate	38100	ug/L	D	[NULL]	[NULL]	R	B1KCC0	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/21/2006 12:32	N	14797-65-0	Nitrite	3610	ug/L	DN	Y	[NULL]	R	B1KCC0	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/21/2006 12:32	Y	7440-09-7	Potassium	4050	ug/L	BC	[NULL]	[NULL]	R	B1KCB9	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/21/2006 12:32	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1KCB9	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/21/2006 12:32	Y	7440-23-5	Sodium	4500	ug/L	BC	[NULL]	[NULL]	R	B1KCB9	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/21/2006 12:32	N	CONDUCT	Specific Conductance	392	uS/cm	[NULL]	[NULL]	[NULL]	R	B1KCC1	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-14	9/21/2006 12:32	Y	7440-24-6	Strontium	276	ug/L	[NULL]	[NULL]	[NULL]	R	B1KCB9	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/21/2006 12:32	N	10098-97-2	Strontium-90	1120	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KCC2	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-14	9/21/2006 12:32	N	14808-79-8	Sulfate	53000	ug/L	D	[NULL]	[NULL]	R	B1KCC0	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/21/2006 12:32	N	TEMPERATURE	Temperature	19.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1KCC1	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-14	9/21/2006 12:32	N	10028-17-8	Tritium	20400	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KCC2	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-14	9/21/2006 12:32	N	TURBIDITY	Turbidity	0.84	NTU	[NULL]	[NULL]	[NULL]	R	B1KCC1	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-14	9/21/2006 12:32	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1KCB9	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/21/2006 12:32	Y	7440-66-6	Zinc	11.1	ug/L	B	[NULL]	[NULL]	R	B1KCB9	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-14	9/21/2006 12:32	N	PH	pH Measurement	8.46	unitless	[NULL]	[NULL]	[NULL]	R	B1KCC1	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-14	3/23/2007 12:20	N	ALKALINITY	Alkalinity	63000	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDW8	ALKALINITY	WSCF	310.1_ALKALINITY	100-NR-2
199-N-14	3/23/2007 12:20	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1MDB9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/23/2007 12:20	Y	7440-39-3	Barium	38.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDB9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/23/2007 12:20	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1MDB9	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/23/2007 12:20	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1MDB9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/23/2007 12:20	Y	7440-70-2	Calcium	56300	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDB9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/23/2007 12:20	N	16887-00-6	Chloride	14200	ug/L	D	[NULL]	[NULL]	R	B1MDC0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-14	3/23/2007 12:20	Y	7440-47-3	Chromium	4.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDB9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/23/2007 12:20	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1MDB9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/23/2007 12:20	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1MDB9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/23/2007 12:20	N	16984-48-8	Fluoride	56.7	ug/L	B	[NULL]	[NULL]	R	B1MDC0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-14	3/23/2007 12:20	N	12587-47-2	Gross beta	2190	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MDC2	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-14	3/23/2007 12:20	Y	7439-89-6	Iron	9	ug/L	U	[NULL]	[NULL]	R	B1MDB9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/23/2007 12:20	Y	7439-95-4	Magnesium	9140	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDB9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/23/2007 12:20	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1MDB9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/23/2007 12:20	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1MDB9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/23/2007 12:20	N	14797-55-8	Nitrate	37000	ug/L	D	[NULL]	[NULL]	R	B1MDC0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-14	3/23/2007 12:20	N	14797-65-0	Nitrite	72.3	ug/L	U	[NULL]	[NULL]	R	B1MDC0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-14	3/23/2007 12:20	Y	7440-09-7	Potassium	2290	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDB9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/23/2007 12:20	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1MDB9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/23/2007 12:20	Y	7440-23-5	Sodium	4670	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDB9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/23/2007 12:20	N	CONDUCT	Specific Conductance	391	uS/cm	[NULL]	[NULL]	[NULL]	R	B1MDC1	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-14	3/23/2007 12:20	Y	7440-24-6	Strontium	244	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDB9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/23/2007 12:20	N	10098-97-2	Strontium-90	1150	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MDC2	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-14	3/23/2007 12:20	N	14808-79-8	Sulfate	54400	ug/L	D	[NULL]	[NULL]	R	B1MDC0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-14	3/23/2007 12:20	N	TEMPERATURE	Temperature	18.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1MDC1	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-14	3/23/2007 12:20	N	10028-17-8	Tritium	21000	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MDC0	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-14	3/23/2007 12:20	N	TURBIDITY	Turbidity	1.32	NTU	[NULL]	[NULL]	[NULL]	R	B1MDC1	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-14	3/23/2007 12:20	Y	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	R	B1MDB9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/23/2007 12:20	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1MDB9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/23/2007 12:20	N	PH	pH Measurement	8.69	unitless	[NULL]	[NULL]	[NULL]	R	B1MDC1	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-14	9/7/2007 11:46	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1PDT8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/7/2007 11:46	Y	7440-39-3	Barium	41.1	ug/L	C	[NULL]	[NULL]	R	B1PDT8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/7/2007 11:46	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1PDT8	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/7/2007 11:46	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1PDT8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/7/2007 11:46	Y	7440-70-2	Calcium	59100	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDT8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/7/2007 11:46	N	16887-00-6	Chloride	23400	ug/L	D	[NULL]	[NULL]	R	B1PDT9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-14	9/7/2007 11:46	Y	7440-47-3	Chromium	17.1	ug/L	C	Q	[NULL]	R	B1PDT8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/7/2007 11:46	Y	7440-48-4	Cobalt	10.4	ug/L	C	Q	[NULL]	R	B1PDT8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/7/2007 11:46	Y	7440-50-8	Copper	6.8	ug/L	C	[NULL]	[NULL]	R	B1PDT8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/7/2007 11:46	N	16984-48-8	Fluoride	72.1	ug/L	B	[NULL]	[NULL]	R	B1PDT9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-14	9/7/2007 11:46	N	12587-46-1	Gross alpha	0.261	pCi/L	U	[NULL]	[NULL]	R	B1PDV1	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-14	9/7/2007 11:46	N	12587-47-2	Gross beta	2440	pCi/L	[NULL]	[NULL]	[NULL]	R	B1PDV1	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-14	9/7/2007 11:46	Y	7439-89-6	Iron	20.8	ug/L	C	Q	[NULL]	R	B1PDT8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/7/2007 11:46	Y	7439-95-4	Magnesium	9900	ug/L	[NULL]	Q	[NULL]	R	B1PDT8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/7/2007 11:46	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1PDT8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/7/2007 11:46	Y	7440-02-0	Nickel	8.2	ug/L	C	Q	[NULL]	R	B1PDT8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/7/2007 11:46	N	14797-55-8	Nitrate	44000	ug/L	D	[NULL]	[NULL]	R	B1PDT9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-14	9/7/2007 11:46	N	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	R	B1PDT9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-14	9/7/2007 11:46	Y	7440-09-7	Potassium	2370	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDT8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/7/2007 11:46	Y	7440-22-4	Silver	14.9	ug/L	C	Q	[NULL]	R	B1PDT8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/7/2007 11:46	Y	7440-23-5	Sodium	4580	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDT8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/7/2007 11:46	N	CONDUCT	Specific Conductance	433	uS/cm	[NULL]	[NULL]	[NULL]	R	B1PDV0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-14	9/7/2007 11:46	Y	7440-24-6	Strontium	254	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDT8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/7/2007 11:46	N	10098-97-2	Strontium-90	1310	pCi/L	[NULL]	Q	[NULL]	R	B1PDV1	10098-97-2	TARL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-14	9/7/2007 11:46	N	14808-79-8	Sulfate	64000	ug/L	D	[NULL]	[NULL]	R	B1PDT9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-14	9/7/2007 11:46	N	TEMPERATURE	Temperature	19.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1PDV0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	9/7/2007 11:46	N	10028-17-8	Tritium	20000	pCi/L	[NULL]	[NULL]	[NULL]	R	B1PDT9	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-14	9/7/2007 11:46	N	TURBIDITY	Turbidity	4.72	NTU	[NULL]	[NULL]	[NULL]	R	B1PDV0	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-14	9/7/2007 11:46	Y	7440-62-2	Vanadium	28.5	ug/L	C	Q	[NULL]	R	B1PDT8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/7/2007 11:46	Y	7440-66-6	Zinc	16	ug/L	C	Q	[NULL]	R	B1PDT8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/7/2007 11:46	N	PH	pH Measurement	8.48	unitless	[NULL]	[NULL]	[NULL]	R	B1PDV0	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-14	3/28/2008 10:08	N	ALKALINITY	Alkalinity	69000	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJF3	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-14	3/28/2008 10:08	N	ALKALINITY	Alkalinity	68000	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJD9	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-14	3/28/2008 10:08	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1TJD8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1TJD9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1TJF2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1TJF3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	Y	7440-39-3	Barium	38.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJD8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	Y	7440-39-3	Barium	38.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJF2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	7440-39-3	Barium	40.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJF3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	7440-39-3	Barium	40.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJD9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1TJF2	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1TJF3	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1TJD8	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1TJD9	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1TJD9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1TJD8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1TJF3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1TJF2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	Y	7440-70-2	Calcium	60100	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJD8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	7440-70-2	Calcium	62500	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJD9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	Y	7440-70-2	Calcium	60800	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJF2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	7440-70-2	Calcium	63000	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJF3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	16887-00-6	Chloride	16800	ug/L	D	[NULL]	[NULL]	R	B1TJF3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-14	3/28/2008 10:08	N	16887-00-6	Chloride	16900	ug/L	D	[NULL]	[NULL]	R	B1TJD9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-14	3/28/2008 10:08	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	R	B1TJD8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	R	B1TJD9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	R	B1TJF3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	R	B1TJF2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1TJD8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1TJD9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-14	3/28/2008 10:08	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1TJF2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1TJF3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1TJD9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1TJF2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1TJD8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1TJF3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	DO	Dissolved oxygen	8040	ug/L	[NULL]	[NULL]	[NULL]	R	B1TH93	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-14	3/28/2008 10:08	N	16984-48-8	Fluoride	23.3	ug/L	BD	[NULL]	[NULL]	R	B1TJF3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-14	3/28/2008 10:08	N	16984-48-8	Fluoride	27.8	ug/L	BD	[NULL]	[NULL]	R	B1TJD9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-14	3/28/2008 10:08	N	12587-47-2	Gross beta	2570	pCi/L	[NULL]	[NULL]	[NULL]	R	B1TJF1	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-14	3/28/2008 10:08	N	12587-47-2	Gross beta	2480	pCi/L	[NULL]	[NULL]	[NULL]	R	B1TJF0	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-14	3/28/2008 10:08	N	7439-89-6	Iron	19.1	ug/L	C	[NULL]	[NULL]	R	B1TJF3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	Y	7439-89-6	Iron	9	ug/L	U	[NULL]	[NULL]	R	B1TJF2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	7439-89-6	Iron	12.7	ug/L	C	[NULL]	[NULL]	R	B1TJD9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	Y	7439-89-6	Iron	9	ug/L	U	[NULL]	[NULL]	R	B1TJD8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	7439-95-4	Magnesium	9700	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJD9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	Y	7439-95-4	Magnesium	9390	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJF2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	Y	7439-95-4	Magnesium	9220	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJD8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	7439-95-4	Magnesium	9840	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJF3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1TJD8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1TJD9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1TJF2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1TJF3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1TJF3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1TJD8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	7440-02-0	Nickel	5.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJD9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1TJF2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	14797-55-8	Nitrate	44700	ug/L	D	[NULL]	[NULL]	R	B1TJD9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-14	3/28/2008 10:08	N	14797-55-8	Nitrate	44200	ug/L	D	[NULL]	[NULL]	R	B1TJF3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-14	3/28/2008 10:08	N	14797-65-0	Nitrite	65.7	ug/L	DU	[NULL]	[NULL]	R	B1TJD9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-14	3/28/2008 10:08	N	14797-65-0	Nitrite	65.7	ug/L	DU	[NULL]	[NULL]	R	B1TJF3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-14	3/28/2008 10:08	N	7440-09-7	Potassium	2640	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJF3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	Y	7440-09-7	Potassium	2390	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJD8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	Y	7440-09-7	Potassium	2470	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJF2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	7440-09-7	Potassium	2540	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJD9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1TJF3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1TJD9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1TJF2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1TJD8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	Y	7440-23-5	Sodium	4560	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJD8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	Y	7440-23-5	Sodium	4560	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJF2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	7440-23-5	Sodium	4750	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJF3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	7440-23-5	Sodium	4670	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJD9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	CONDUCT	Specific Conductance	432	uS/cm	[NULL]	[NULL]	[NULL]	R	B1TH93	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-14	3/28/2008 10:08	N	7440-24-6	Strontium	257	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJD9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	Y	7440-24-6	Strontium	248	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJD8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	7440-24-6	Strontium	259	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJF3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	Y	7440-24-6	Strontium	251	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJF2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	10098-97-2	Strontium-90	1380	pCi/L	[NULL]	[NULL]	[NULL]	R	B1TH91	10098-97-2	TARL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-14	3/28/2008 10:08	N	10098-97-2	Strontium-90	1290	pCi/L	[NULL]	[NULL]	[NULL]	R	B1TH92	10098-97-2	TARL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-14	3/28/2008 10:08	N	14808-79-8	Sulfate	65900	ug/L	D	[NULL]	[NULL]	R	B1TJF3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-14	3/28/2008 10:08	N	14808-79-8	Sulfate	67200	ug/L	D	[NULL]	[NULL]	R	B1TJD9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-14	3/28/2008 10:08	N	TEMPERATURE	Temperature	17.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1TH93	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	3/28/2008 10:08	N	10028-17-8	Tritium	18000	pCi/L	[NULL]	[NULL]	[NULL]	R	B1TJD9	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-14	3/28/2008 10:08	N	10028-17-8	Tritium	18000	pCi/L	[NULL]	[NULL]	[NULL]	R	B1TJF3	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-14	3/28/2008 10:08	N	TURBIDITY	Turbidity	1.51	NTU	[NULL]	[NULL]	[NULL]	R	B1TH93	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-14	3/28/2008 10:08	N	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	R	B1TJF3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	Y	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	R	B1TJF2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	Y	7440-62-2	Vanadium	8.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJD8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	7440-62-2	Vanadium	7.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJD9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1TJF3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1TJF2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1TJD8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	7440-66-6	Zinc	5.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJD9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/28/2008 10:08	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	B1TH93	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-14	9/15/2008 11:59	N	ALKALINITY	Alkalinity	65000	ug/L	[NULL]	[NULL]	[NULL]	R	B1WTH1	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-14	9/15/2008 11:59	N	7440-36-0	Antimony	4	ug/L	U	[NULL]	[NULL]	R	B1WXM6	7440-36-0	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/15/2008 11:59	Y	7440-36-0	Antimony	4	ug/L	U	[NULL]	[NULL]	R	B1WTH0	7440-36-0	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/15/2008 11:59	Y	7440-39-3	Barium	45.8	ug/L	B	[NULL]	[NULL]	R	B1WTH0	7440-39-3	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/15/2008 11:59	N	7440-39-3	Barium	47.6	ug/L	B	[NULL]	[NULL]	R	B1WXM6	7440-39-3	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/15/2008 11:59	N	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	R	B1WXM6	7440-41-7	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/15/2008 11:59	Y	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	R	B1WTH0	7440-41-7	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/15/2008 11:59	N	7440-43-9	Cadmium	0.45	ug/L	U	[NULL]	[NULL]	R	B1WXM6	7440-43-9	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/15/2008 11:59	Y	7440-43-9	Cadmium	0.45	ug/L	U	[NULL]	[NULL]	R	B1WTH0	7440-43-9	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/15/2008 11:59	N	7440-70-2	Calcium	69200	ug/L	D	[NULL]	[NULL]	R	B1WXM6	7440-70-2	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/15/2008 11:59	Y	7440-70-2	Calcium	67900	ug/L	CD	[NULL]	[NULL]	R	B1WTH0	7440-70-2	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/15/2008 11:59	N	16887-00-6	Chloride	23900	ug/L	D	[NULL]	[NULL]	R	B1WTH1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-14	9/15/2008 11:59	N	7440-47-3	Chromium	4.1	ug/L	B	[NULL]	[NULL]	R	B1WXM6	7440-47-3	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/15/2008 11:59	Y	7440-47-3	Chromium	3.3	ug/L	B	[NULL]	[NULL]	R	B1WTH0	7440-47-3	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/15/2008 11:59	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1WTH0	7440-48-4	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/15/2008 11:59	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1WXM6	7440-48-4	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/15/2008 11:59	Y	7440-50-8	Copper	4.6	ug/L	U	[NULL]	[NULL]	R	B1WTH0	7440-50-8	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/15/2008 11:59	N	7440-50-8	Copper	4.6	ug/L	U	[NULL]	[NULL]	R	B1WXM6	7440-50-8	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/15/2008 11:59	N	DO	Dissolved oxygen	3170	ug/L	[NULL]	[NULL]	[NULL]	R	B1WTH2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-14	9/15/2008 11:59	N	16984-48-8	Fluoride	146	ug/L	BD	[NULL]	[NULL]	R	B1WTH1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-14	9/15/2008 11:59	N	12587-47-2	Gross beta	1900	pCi/L	[NULL]	[NULL]	[NULL]	R	B1WTH1	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-14	9/15/2008 11:59	N	7439-89-6	Iron	16	ug/L	U	[NULL]	[NULL]	R	B1WXM6	7439-89-6	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/15/2008 11:59	Y	7439-89-6	Iron	16	ug/L	U	[NULL]	[NULL]	R	B1WTH0	7439-89-6	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/15/2008 11:59	Y	7439-95-4	Magnesium	11200	ug/L	[NULL]	[NULL]	[NULL]	R	B1WTH0	7439-95-4	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/15/2008 11:59	N	7439-95-4	Magnesium	11400	ug/L	[NULL]	[NULL]	[NULL]	R	B1WXM6	7439-95-4	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/15/2008 11:59	Y	7439-96-5	Manganese	0.96	ug/L	U	[NULL]	[NULL]	R	B1WTH0	7439-96-5	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/15/2008 11:59	N	7439-96-5	Manganese	0.96	ug/L	U	[NULL]	[NULL]	R	B1WXM6	7439-96-5	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/15/2008 11:59	N	7440-02-0	Nickel	13.3	ug/L	U	[NULL]	[NULL]	R	B1WXM6	7440-02-0	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/15/2008 11:59	Y	7440-02-0	Nickel	13.3	ug/L	U	[NULL]	[NULL]	R	B1WTH0	7440-02-0	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/15/2008 11:59	N	14797-55-8	Nitrate	49100	ug/L	D	[NULL]	[NULL]	R	B1WTH1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-14	9/15/2008 11:59	N	14797-65-0	Nitrite	84.1	ug/L	DU	[NULL]	[NULL]	R	B1WTH1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-14	9/15/2008 11:59	Y	7440-09-7	Potassium	4030	ug/L	B	[NULL]	[NULL]	R	B1WTH0	7440-09-7	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/15/2008 11:59	N	7440-09-7	Potassium	2130	ug/L	B	[NULL]	[NULL]	R	B1WXM6	7440-09-7	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/15/2008 11:59	N	7440-22-4	Silver	6	ug/L	U	[NULL]	[NULL]	R	B1WXM6	7440-22-4	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/15/2008 11:59	Y	7440-22-4	Silver	6	ug/L	U	[NULL]	[NULL]	R	B1WTH0	7440-22-4	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/15/2008 11:59	Y	7440-23-5	Sodium	5640	ug/L	[NULL]	[NULL]	[NULL]	R	B1WTH0	7440-23-5	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/15/2008 11:59	N	7440-23-5	Sodium	5540	ug/L	[NULL]	[NULL]	[NULL]	R	B1WXM6	7440-23-5	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/15/2008 11:59	N	CONDUCT	Specific Conductance	475	uS/cm	[NULL]	[NULL]	[NULL]	R	B1WTH2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-14	9/15/2008 11:59	Y	7440-24-6	Strontium	331	ug/L	D	[NULL]	[NULL]	R	B1WTH0	7440-24-6	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/15/2008 11:59	N	7440-24-6	Strontium	304	ug/L	D	[NULL]	[NULL]	R	B1WXM6	7440-24-6	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/15/2008 11:59	N	10098-97-2	Strontium-90	1300	pCi/L	[NULL]	[NULL]	[NULL]	R	B1WRK5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-14	9/15/2008 11:59	N	14808-79-8	Sulfate	77100	ug/L	D	[NULL]	[NULL]	R	B1WTH1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-14	9/15/2008 11:59	N	TEMPERATURE	Temperature	20	Deg C	[NULL]	[NULL]	[NULL]	R	B1WTH2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	9/15/2008 11:59	N	10028-17-8	Tritium	16000	pCi/L	[NULL]	[NULL]	[NULL]	R	B1WTH1	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-14	9/15/2008 11:59	N	TURBIDITY	Turbidity	7.15	NTU	[NULL]	[NULL]	[NULL]	R	B1WTH2	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-14	9/15/2008 11:59	N	7440-62-2	Vanadium	4.1	ug/L	U	[NULL]	[NULL]	R	B1WXM6	7440-62-2	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/15/2008 11:59	Y	7440-62-2	Vanadium	4.1	ug/L	U	[NULL]	[NULL]	R	B1WTH0	7440-62-2	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/15/2008 11:59	Y	7440-66-6	Zinc	6	ug/L	B	[NULL]	[NULL]	R	B1WTH0	7440-66-6	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/15/2008 11:59	N	7440-66-6	Zinc	9.5	ug/L	BC	[NULL]	[NULL]	R	B1WXM6	7440-66-6	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/15/2008 11:59	N	PH	pH Measurement	8.18	unitless	[NULL]	[NULL]	[NULL]	R	B1WTH2	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-14	3/24/2009 13:02	N	ALKALINITY	Alkalinity	66000	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRM6	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-14	3/24/2009 13:02	Y	7440-36-0	Antimony	39.4	ug/L	B	[NULL]	[NULL]	R	B1YRM5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/24/2009 13:02	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1YRM6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/24/2009 13:02	Y	7440-39-3	Barium	41.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRM5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/24/2009 13:02	N	7440-39-3	Barium	40.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRM6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/24/2009 13:02	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1YRM5	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/24/2009 13:02	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1YRM6	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/24/2009 13:02	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1YRM5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/24/2009 13:02	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1YRM6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/24/2009 13:02	N	7440-70-2	Calcium	65900	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRM6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/24/2009 13:02	Y	7440-70-2	Calcium	64800	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRM5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/24/2009 13:02	N	16887-00-6	Chloride	16600	ug/L	D	[NULL]	[NULL]	R	B1YRM6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-14	3/24/2009 13:02	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1YRM6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/24/2009 13:02	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1YRM5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/24/2009 13:02	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1YRM5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/24/2009 13:02	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1YRM6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/24/2009 13:02	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1YRM5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/24/2009 13:02	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1YRM6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/24/2009 13:02	N	DO	Dissolved oxygen	6500	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRM7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-14	3/24/2009 13:02	N	16984-48-8	Fluoride	52.1	ug/L	BD	[NULL]	[NULL]	R	B1YRM6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-14	3/24/2009 13:02	N	12587-47-2	Gross beta	1900	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YRM6	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-14	3/24/2009 13:02	Y	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B1YRM5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/24/2009 13:02	N	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B1YRM6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/24/2009 13:02	N	7439-95-4	Magnesium	10400	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRM6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/24/2009 13:02	Y	7439-95-4	Magnesium	10300	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRM5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/24/2009 13:02	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1YRM5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/24/2009 13:02	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1YRM6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/24/2009 13:02	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1YRM6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/24/2009 13:02	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1YRM5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/24/2009 13:02	N	14797-55-8	Nitrate	50500	ug/L	D	[NULL]	[NULL]	R	B1YRM6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-14	3/24/2009 13:02	N	14797-65-0	Nitrite	85.4	ug/L	UD	[NULL]	[NULL]	R	B1YRM6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-14	3/24/2009 13:02	Y	7440-09-7	Potassium	2540	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRM5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/24/2009 13:02	N	7440-09-7	Potassium	2700	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRM6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/24/2009 13:02	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1YRM5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/24/2009 13:02	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1YRM6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/24/2009 13:02	N	7440-23-5	Sodium	5720	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRM6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/24/2009 13:02	Y	7440-23-5	Sodium	5480	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRM5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/24/2009 13:02	N	CONDUCT	Specific Conductance	426	uS/cm	[NULL]	[NULL]	[NULL]	R	B1YRM7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-14	3/24/2009 13:02	N	7440-24-6	Strontium	290	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRM6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/24/2009 13:02	Y	7440-24-6	Strontium	292	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRM5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/24/2009 13:02	N	10098-97-2	Strontium-90	1200	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YRM6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-14	3/24/2009 13:02	N	14808-79-8	Sulfate	76200	ug/L	D	[NULL]	[NULL]	R	B1YRM6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-14	3/24/2009 13:02	N	TEMPERATURE	Temperature	18.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1YRM7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	3/24/2009 13:02	N	10028-17-8	Tritium	16000	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YRM6	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-14	3/24/2009 13:02	N	TURBIDITY	Turbidity	0.25	NTU	[NULL]	[NULL]	[NULL]	R	B1YRM7	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-14	3/24/2009 13:02	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1YRM6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/24/2009 13:02	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1YRM5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/24/2009 13:02	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1YRM5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/24/2009 13:02	N	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1YRM6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	3/24/2009 13:02	N	PH	pH Measurement	8.47	unitless	[NULL]	[NULL]	[NULL]	R	B1YRM7	PH	FIELD	PH_ELECT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-14	9/10/2009 9:02	N	ALKALINITY	Alkalinity	74000	ug/L	[NULL]	[NULL]	[NULL]	R	B21J81	ALKALINITY	TASL	310.1_ALKALINITY	100-NR-2
199-N-14	9/10/2009 9:02	N	ALKALINITY	Alkalinity	66000	ug/L	[NULL]	[NULL]	[NULL]	R	B21J83	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-14	9/10/2009 9:02	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B21J83	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	Y	7440-36-0	Antimony	4	ug/L	U	[NULL]	[NULL]	R	B21J80	7440-36-0	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	7440-36-0	Antimony	4	ug/L	U	[NULL]	[NULL]	R	B21J81	7440-36-0	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B21J82	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	Y	7440-39-3	Barium	40.4	ug/L	[NULL]	[NULL]	[NULL]	R	B21J82	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	Y	7440-39-3	Barium	43.9	ug/L	B	[NULL]	[NULL]	R	B21J80	7440-39-3	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	7440-39-3	Barium	41.5	ug/L	B	[NULL]	[NULL]	R	B21J81	7440-39-3	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	7440-39-3	Barium	39.6	ug/L	[NULL]	[NULL]	[NULL]	R	B21J83	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	7440-41-7	Beryllium	0.61	ug/L	U	[NULL]	[NULL]	R	B21J81	7440-41-7	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B21J82	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B21J83	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	Y	7440-41-7	Beryllium	0.61	ug/L	U	[NULL]	[NULL]	R	B21J80	7440-41-7	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B21J83	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	Y	7440-43-9	Cadmium	0.91	ug/L	U	[NULL]	[NULL]	R	B21J80	7440-43-9	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	7440-43-9	Cadmium	0.91	ug/L	U	[NULL]	[NULL]	R	B21J81	7440-43-9	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B21J82	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	Y	7440-70-2	Calcium	60600	ug/L	D	[NULL]	[NULL]	R	B21J80	7440-70-2	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	7440-70-2	Calcium	59500	ug/L	D	[NULL]	[NULL]	R	B21J81	7440-70-2	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	7440-70-2	Calcium	60000	ug/L	[NULL]	[NULL]	[NULL]	R	B21J83	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	Y	7440-70-2	Calcium	61400	ug/L	[NULL]	[NULL]	[NULL]	R	B21J82	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	16887-00-6	Chloride	16000	ug/L	D	[NULL]	[NULL]	R	B21J81	16887-00-6	TASL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/10/2009 9:02	N	16887-00-6	Chloride	16400	ug/L	D	[NULL]	[NULL]	R	B21J83	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-14	9/10/2009 9:02	Y	7440-47-3	Chromium	3.8	ug/L	B	[NULL]	[NULL]	R	B21J80	7440-47-3	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B21J82	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	7440-47-3	Chromium	4.6	ug/L	B	[NULL]	[NULL]	R	B21J81	7440-47-3	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B21J83	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B21J80	7440-48-4	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B21J82	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B21J81	7440-48-4	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B21J83	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	Y	7440-50-8	Copper	4.6	ug/L	U	[NULL]	[NULL]	R	B21J80	7440-50-8	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B21J82	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B21J83	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	7440-50-8	Copper	4.6	ug/L	U	[NULL]	[NULL]	R	B21J81	7440-50-8	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	16984-48-8	Fluoride	60	ug/L	UD	[NULL]	[NULL]	R	B21J83	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-14	9/10/2009 9:02	N	16984-48-8	Fluoride	93	ug/L	B	[NULL]	[NULL]	R	B21J81	16984-48-8	TASL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/10/2009 9:02	N	12587-47-2	Gross beta	2400	pCi/L	[NULL]	[NULL]	[NULL]	R	B21J83	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-14	9/10/2009 9:02	N	12587-47-2	Gross beta	2650	pCi/L	[NULL]	[NULL]	[NULL]	R	B21J84	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-14	9/10/2009 9:02	N	7439-89-6	Iron	37	ug/L	B	[NULL]	[NULL]	R	B21J81	7439-89-6	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B21J83	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	Y	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B21J82	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	Y	7439-89-6	Iron	28.2	ug/L	U	[NULL]	[NULL]	R	B21J80	7439-89-6	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	Y	7439-95-4	Magnesium	10100	ug/L	[NULL]	[NULL]	[NULL]	R	B21J82	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	7439-95-4	Magnesium	9790	ug/L	N	[NULL]	[NULL]	R	B21J81	7439-95-4	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	7439-95-4	Magnesium	9940	ug/L	[NULL]	[NULL]	[NULL]	R	B21J83	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	Y	7439-95-4	Magnesium	10400	ug/L	[NULL]	[NULL]	[NULL]	R	B21J80	7439-95-4	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B21J83	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B21J82	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	Y	7439-96-5	Manganese	3.3	ug/L	U	[NULL]	[NULL]	R	B21J80	7439-96-5	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	7439-96-5	Manganese	3.3	ug/L	U	[NULL]	[NULL]	R	B21J81	7439-96-5	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	7440-02-0	Nickel	13.3	ug/L	U	[NULL]	[NULL]	R	B21J81	7440-02-0	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	Y	7440-02-0	Nickel	13.3	ug/L	U	[NULL]	[NULL]	R	B21J80	7440-02-0	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B21J83	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-14	9/10/2009 9:02	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B21J82	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	14797-55-8	Nitrate	49100	ug/L	D	[NULL]	[NULL]	R	B21J81	NO3-N	TASL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/10/2009 9:02	N	14797-55-8	Nitrate	47800	ug/L	D	[NULL]	[NULL]	R	B21J83	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-14	9/10/2009 9:02	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	R	B21J83	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-14	9/10/2009 9:02	N	14797-65-0	Nitrite	9.85	ug/L	U	[NULL]	[NULL]	R	B21J81	NO2-N	TASL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/10/2009 9:02	N	7440-09-7	Potassium	2640	ug/L	[NULL]	[NULL]	[NULL]	R	B21J83	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	Y	7440-09-7	Potassium	2640	ug/L	[NULL]	[NULL]	[NULL]	R	B21J82	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	Y	7440-09-7	Potassium	4010	ug/L	BCN	[NULL]	[NULL]	R	B21J80	7440-09-7	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	7440-09-7	Potassium	2050	ug/L	B	[NULL]	[NULL]	R	B21J81	7440-09-7	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	Y	7440-22-4	Silver	6	ug/L	U	[NULL]	[NULL]	R	B21J80	7440-22-4	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B21J83	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	7440-22-4	Silver	6	ug/L	U	[NULL]	[NULL]	R	B21J81	7440-22-4	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B21J82	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	7440-23-5	Sodium	5520	ug/L	N	[NULL]	[NULL]	R	B21J81	7440-23-5	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	7440-23-5	Sodium	5420	ug/L	[NULL]	[NULL]	[NULL]	R	B21J83	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	Y	7440-23-5	Sodium	5470	ug/L	[NULL]	[NULL]	[NULL]	R	B21J82	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	Y	7440-23-5	Sodium	5550	ug/L	[NULL]	[NULL]	[NULL]	R	B21J80	7440-23-5	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	CONDUCT	Specific Conductance	404	uS/cm	[NULL]	[NULL]	[NULL]	R	B21J85	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-14	9/10/2009 9:02	N	7440-24-6	Strontium	295	ug/L	D	[NULL]	[NULL]	R	B21J81	7440-24-6	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	Y	7440-24-6	Strontium	295	ug/L	[NULL]	[NULL]	[NULL]	R	B21J82	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	Y	7440-24-6	Strontium	300	ug/L	[NULL]	[NULL]	[NULL]	R	B21J80	7440-24-6	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	7440-24-6	Strontium	285	ug/L	[NULL]	[NULL]	[NULL]	R	B21J83	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	10098-97-2	Strontium-90	130	pCi/L	[NULL]	G	[NULL]	R	B21J83	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-14	9/10/2009 9:02	N	10098-97-2	Strontium-90	1360	pCi/L	[NULL]	[NULL]	[NULL]	R	B21J84	10098-97-2	TARL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-14	9/10/2009 9:02	N	14808-79-8	Sulfate	73800	ug/L	D	[NULL]	[NULL]	R	B21J83	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-14	9/10/2009 9:02	N	14808-79-8	Sulfate	73700	ug/L	D	[NULL]	[NULL]	R	B21J81	14808-79-8	TASL	300.0_ANIONS_IC	100-NR-2
199-N-14	9/10/2009 9:02	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B21J85	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-14	9/10/2009 9:02	N	10028-17-8	Tritium	15300	pCi/L	[NULL]	[NULL]	[NULL]	R	B21J84	10028-17-8	TARL	906.0_H3_LSC	100-NR-2
199-N-14	9/10/2009 9:02	N	10028-17-8	Tritium	15000	pCi/L	[NULL]	[NULL]	[NULL]	R	B21J83	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-14	9/10/2009 9:02	N	TURBIDITY	Turbidity	0.32	NTU	[NULL]	[NULL]	[NULL]	R	B21J85	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-14	9/10/2009 9:02	Y	7440-62-2	Vanadium	5.7	ug/L	B	[NULL]	[NULL]	R	B21J80	7440-62-2	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B21J82	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B21J83	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	7440-62-2	Vanadium	5.2	ug/L	B	[NULL]	[NULL]	R	B21J81	7440-62-2	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	Y	7440-66-6	Zinc	5.2	ug/L	U	[NULL]	[NULL]	R	B21J80	7440-66-6	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B21J82	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B21J83	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	7440-66-6	Zinc	5.2	ug/L	U	[NULL]	[NULL]	R	B21J81	7440-66-6	TASL	6010_METALS_ICP	100-NR-2
199-N-14	9/10/2009 9:02	N	PH	pH Measurement	8.27	unitless	[NULL]	[NULL]	[NULL]	R	B21J85	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-140	7/10/2006 13:52	N	7429-90-5	Aluminum	37	ug/L	U	[NULL]	[NULL]	S	B1JXH5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 13:52	N	7440-36-0	Antimony	72	ug/L	U	[NULL]	[NULL]	S	B1JXH5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 13:52	N	7440-38-2	Arsenic	79	ug/L	U	[NULL]	[NULL]	S	B1JXH5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 13:52	N	7440-39-3	Barium	67.5	ug/L	[NULL]	[NULL]	[NULL]	S	B1JXH5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 13:52	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	S	B1JXH5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 13:52	N	7440-70-2	Calcium	43800	ug/L	[NULL]	[NULL]	[NULL]	S	B1JXH5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 13:52	N	16887-00-6	Chloride	22300	ug/L	[NULL]	[NULL]	[NULL]	S	B1JXH5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/10/2006 13:52	N	7440-47-3	Chromium	7	ug/L	U	[NULL]	[NULL]	S	B1JXH5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 13:52	N	7440-48-4	Cobalt	7	ug/L	U	[NULL]	[NULL]	S	B1JXH5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 13:52	N	7440-50-8	Copper	7	ug/L	U	[NULL]	[NULL]	S	B1JXH5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 13:52	N	16984-48-8	Fluoride	45	ug/L	U	[NULL]	[NULL]	S	B1JXH5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/10/2006 13:52	N	7439-89-6	Iron	33	ug/L	U	[NULL]	[NULL]	S	B1JXH5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 13:52	N	7439-92-1	Lead	47	ug/L	U	[NULL]	[NULL]	S	B1JXH5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 13:52	N	7439-95-4	Magnesium	8320	ug/L	[NULL]	[NULL]	[NULL]	S	B1JXH5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 13:52	N	7439-96-5	Manganese	3	ug/L	U	[NULL]	[NULL]	S	B1JXH5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 13:52	N	7439-98-7	Molybdenum	11	ug/L	U	[NULL]	[NULL]	S	B1JXH5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	7/10/2006 13:52	N	7440-02-0	Nickel	5	ug/L	U	[NULL]	[NULL]	S	B1JXH5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 13:52	N	14797-55-8	Nitrate	3200	ug/L	[NULL]	[NULL]	[NULL]	S	B1JXH5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/10/2006 13:52	N	14797-65-0	Nitrite	115	ug/L	U	[NULL]	[NULL]	S	B1JXH5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/10/2006 13:52	N	14265-44-2	Phosphate	337	ug/L	U	[NULL]	[NULL]	S	B1JXH5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/10/2006 13:52	N	7440-09-7	Potassium	2250	ug/L	[NULL]	[NULL]	[NULL]	S	B1JXH5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 13:52	N	7440-22-4	Silver	11	ug/L	U	[NULL]	[NULL]	S	B1JXH5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 13:52	N	7440-23-5	Sodium	15200	ug/L	[NULL]	[NULL]	[NULL]	S	B1JXH5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 13:52	N	7440-24-6	Strontium	199	ug/L	[NULL]	[NULL]	[NULL]	S	B1JXH5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 13:52	N	10098-97-2	Strontium-90	2000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JXH5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-140	7/10/2006 13:52	N	14808-79-8	Sulfate	13100	ug/L	[NULL]	[NULL]	[NULL]	S	B1JXH5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/10/2006 13:52	N	7440-62-2	Vanadium	14	ug/L	U	[NULL]	[NULL]	S	B1JXH5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 13:52	N	7440-66-6	Zinc	31.3	ug/L	C	[NULL]	[NULL]	S	B1JXH5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 14:07	N	7429-90-5	Aluminum	37	ug/L	U	[NULL]	[NULL]	S	B1K027	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 14:07	N	7440-36-0	Antimony	72	ug/L	U	[NULL]	[NULL]	S	B1K027	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 14:07	N	7440-38-2	Arsenic	79	ug/L	U	[NULL]	[NULL]	S	B1K027	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 14:07	N	7440-39-3	Barium	67.2	ug/L	[NULL]	[NULL]	[NULL]	S	B1K027	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 14:07	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	S	B1K027	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 14:07	N	7440-70-2	Calcium	45400	ug/L	[NULL]	[NULL]	[NULL]	S	B1K027	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 14:07	N	16887-00-6	Chloride	23100	ug/L	[NULL]	[NULL]	[NULL]	S	B1K027	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/10/2006 14:07	N	7440-47-3	Chromium	7	ug/L	U	[NULL]	[NULL]	S	B1K027	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 14:07	N	7440-48-4	Cobalt	7	ug/L	U	[NULL]	[NULL]	S	B1K027	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 14:07	N	7440-50-8	Copper	7	ug/L	U	[NULL]	[NULL]	S	B1K027	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 14:07	N	16984-48-8	Fluoride	45	ug/L	U	[NULL]	[NULL]	S	B1K027	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/10/2006 14:07	N	7439-89-6	Iron	33	ug/L	U	[NULL]	[NULL]	S	B1K027	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 14:07	N	7439-92-1	Lead	47	ug/L	U	[NULL]	[NULL]	S	B1K027	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 14:07	N	7439-95-4	Magnesium	9030	ug/L	[NULL]	[NULL]	[NULL]	S	B1K027	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 14:07	N	7439-96-5	Manganese	3	ug/L	U	[NULL]	[NULL]	S	B1K027	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 14:07	N	7439-98-7	Molybdenum	11	ug/L	U	[NULL]	[NULL]	S	B1K027	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 14:07	N	7440-02-0	Nickel	5	ug/L	U	[NULL]	[NULL]	S	B1K027	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 14:07	N	14797-55-8	Nitrate	2330	ug/L	[NULL]	[NULL]	[NULL]	S	B1K027	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/10/2006 14:07	N	14797-65-0	Nitrite	115	ug/L	U	[NULL]	[NULL]	S	B1K027	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/10/2006 14:07	N	14265-44-2	Phosphate	337	ug/L	U	[NULL]	[NULL]	S	B1K027	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/10/2006 14:07	N	7440-09-7	Potassium	2150	ug/L	[NULL]	[NULL]	[NULL]	S	B1K027	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 14:07	N	7440-22-4	Silver	11	ug/L	U	[NULL]	[NULL]	S	B1K027	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 14:07	N	7440-23-5	Sodium	13600	ug/L	[NULL]	[NULL]	[NULL]	S	B1K027	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 14:07	N	7440-24-6	Strontium	212	ug/L	[NULL]	[NULL]	[NULL]	S	B1K027	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 14:07	N	10098-97-2	Strontium-90	1800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K027	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-140	7/10/2006 14:07	N	14808-79-8	Sulfate	13700	ug/L	[NULL]	[NULL]	[NULL]	S	B1K027	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/10/2006 14:07	N	7440-62-2	Vanadium	14	ug/L	U	[NULL]	[NULL]	S	B1K027	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2006 14:07	N	7440-66-6	Zinc	20.3	ug/L	C	[NULL]	[NULL]	S	B1K027	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/26/2007 10:40	Y	7429-90-5	Aluminum	41.2	ug/L	[NULL]	[NULL]	[NULL]	S	B1MLL9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/26/2007 10:40	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	S	B1MLL9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/26/2007 10:40	Y	7440-38-2	Arsenic	50	ug/L	U	[NULL]	[NULL]	S	B1MLL9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/26/2007 10:40	Y	7440-39-3	Barium	24.7	ug/L	[NULL]	[NULL]	[NULL]	S	B1MLL9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/26/2007 10:40	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1MLL9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/26/2007 10:40	Y	7440-70-2	Calcium	19900	ug/L	[NULL]	[NULL]	[NULL]	S	B1MLL9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/26/2007 10:40	Y	16887-00-6	Chloride	1440	ug/L	[NULL]	[NULL]	[NULL]	S	B1MLL9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	2/26/2007 10:40	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	S	B1MLL9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/26/2007 10:40	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1MLL9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/26/2007 10:40	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	S	B1MLL9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/26/2007 10:40	Y	16984-48-8	Fluoride	36	ug/L	B	[NULL]	[NULL]	S	B1MLL9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	2/26/2007 10:40	Y	7439-89-6	Iron	9	ug/L	U	[NULL]	[NULL]	S	B1MLL9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/26/2007 10:40	Y	7439-92-1	Lead	27	ug/L	U	[NULL]	[NULL]	S	B1MLL9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/26/2007 10:40	Y	7439-95-4	Magnesium	3720	ug/L	[NULL]	[NULL]	[NULL]	S	B1MLL9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/26/2007 10:40	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	S	B1MLL9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	2/26/2007 10:40	Y	7439-98-7	Molybdenum	4	ug/L	U	[NULL]	[NULL]	S	B1MLL9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/26/2007 10:40	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B1MLL9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/26/2007 10:40	Y	14797-55-8	Nitrate	1710	ug/L	[NULL]	[NULL]	[NULL]	S	B1MLL9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	2/26/2007 10:40	Y	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	S	B1MLL9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	2/26/2007 10:40	Y	14265-44-2	Phosphate	98.1	ug/L	B	[NULL]	[NULL]	S	B1MLL9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	2/26/2007 10:40	Y	7440-09-7	Potassium	1310	ug/L	[NULL]	[NULL]	[NULL]	S	B1MLL9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/26/2007 10:40	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1MLL9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/26/2007 10:40	Y	7440-23-5	Sodium	3780	ug/L	[NULL]	[NULL]	[NULL]	S	B1MLL9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/26/2007 10:40	Y	7440-24-6	Strontium	71.2	ug/L	[NULL]	[NULL]	[NULL]	S	B1MLL9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/26/2007 10:40	Y	10098-97-2	Strontium-90	810	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MLL9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-140	2/26/2007 10:40	Y	14808-79-8	Sulfate	8920	ug/L	D	[NULL]	[NULL]	S	B1MLL9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	2/26/2007 10:40	Y	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	S	B1MLL9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/26/2007 10:40	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	S	B1MLL9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/5/2007 14:19	Y	7429-90-5	Aluminum	741	ug/L	D	[NULL]	[NULL]	S	B1MML2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/5/2007 14:19	Y	7440-36-0	Antimony	320	ug/L	DU	[NULL]	[NULL]	S	B1MML2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/5/2007 14:19	Y	7440-38-2	Arsenic	500	ug/L	DU	[NULL]	[NULL]	S	B1MML2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/5/2007 14:19	Y	7440-39-3	Barium	40	ug/L	DU	[NULL]	[NULL]	S	B1MML2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/5/2007 14:19	Y	7440-43-9	Cadmium	40	ug/L	DU	[NULL]	[NULL]	S	B1MML2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/5/2007 14:19	Y	7440-70-2	Calcium	23300	ug/L	D	[NULL]	[NULL]	S	B1MML2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/5/2007 14:19	Y	16887-00-6	Chloride	13000	ug/L	D	[NULL]	[NULL]	S	B1MML2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/5/2007 14:19	Y	7440-47-3	Chromium	40	ug/L	DU	[NULL]	[NULL]	S	B1MML2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/5/2007 14:19	Y	7440-48-4	Cobalt	40	ug/L	DU	[NULL]	[NULL]	S	B1MML2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/5/2007 14:19	Y	7440-50-8	Copper	40	ug/L	DU	[NULL]	[NULL]	S	B1MML2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/5/2007 14:19	Y	16984-48-8	Fluoride	145	ug/L	DU	[NULL]	[NULL]	S	B1MML2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/5/2007 14:19	Y	7439-89-6	Iron	90	ug/L	DU	[NULL]	[NULL]	S	B1MML2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/5/2007 14:19	Y	7439-92-1	Lead	270	ug/L	DU	[NULL]	[NULL]	S	B1MML2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/5/2007 14:19	Y	7439-95-4	Magnesium	3740	ug/L	D	[NULL]	[NULL]	S	B1MML2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/5/2007 14:19	Y	7439-96-5	Manganese	40	ug/L	DU	[NULL]	[NULL]	S	B1MML2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/5/2007 14:19	Y	7439-98-7	Molybdenum	40	ug/L	DU	[NULL]	[NULL]	S	B1MML2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/5/2007 14:19	Y	7440-02-0	Nickel	40	ug/L	DU	[NULL]	[NULL]	S	B1MML2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/5/2007 14:19	Y	14797-55-8	Nitrate	974	ug/L	DU	[NULL]	[NULL]	S	B1MML2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/5/2007 14:19	Y	14797-65-0	Nitrite	361	ug/L	DU	[NULL]	[NULL]	S	B1MML2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/5/2007 14:19	Y	14265-44-2	Phosphate	724000	ug/L	D	[NULL]	[NULL]	S	B1MML2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/5/2007 14:19	Y	7440-09-7	Potassium	1820	ug/L	D	[NULL]	[NULL]	S	B1MML2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/5/2007 14:19	Y	7440-22-4	Silver	50	ug/L	DU	[NULL]	[NULL]	S	B1MML2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/5/2007 14:19	Y	7440-23-5	Sodium	389000	ug/L	D	[NULL]	[NULL]	S	B1MML2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/5/2007 14:19	Y	7440-24-6	Strontium	185	ug/L	D	[NULL]	[NULL]	S	B1MML2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/5/2007 14:19	Y	10098-97-2	Strontium-90	180	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MML2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-140	3/5/2007 14:19	Y	14808-79-8	Sulfate	9550	ug/L	D	[NULL]	[NULL]	S	B1MML2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/5/2007 14:19	Y	7440-62-2	Vanadium	70	ug/L	DU	[NULL]	[NULL]	S	B1MML2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/5/2007 14:19	Y	7440-66-6	Zinc	40	ug/L	DU	[NULL]	[NULL]	S	B1MML2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/6/2007 14:10	Y	7429-90-5	Aluminum	1380	ug/L	D	[NULL]	[NULL]	S	B1MML4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/6/2007 14:10	Y	7440-36-0	Antimony	320	ug/L	DU	[NULL]	[NULL]	S	B1MML4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/6/2007 14:10	Y	7440-38-2	Arsenic	500	ug/L	DU	[NULL]	[NULL]	S	B1MML4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/6/2007 14:10	Y	7440-39-3	Barium	86.7	ug/L	D	[NULL]	[NULL]	S	B1MML4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/6/2007 14:10	Y	7440-43-9	Cadmium	40	ug/L	DU	[NULL]	[NULL]	S	B1MML4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/6/2007 14:10	Y	7440-70-2	Calcium	39300	ug/L	D	[NULL]	[NULL]	S	B1MML4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/6/2007 14:10	Y	16887-00-6	Chloride	35400	ug/L	D	[NULL]	[NULL]	S	B1MML4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/6/2007 14:10	Y	7440-47-3	Chromium	40	ug/L	DU	[NULL]	[NULL]	S	B1MML4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/6/2007 14:10	Y	7440-48-4	Cobalt	40	ug/L	DU	[NULL]	[NULL]	S	B1MML4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/6/2007 14:10	Y	7440-50-8	Copper	40	ug/L	DU	[NULL]	[NULL]	S	B1MML4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/6/2007 14:10	Y	16984-48-8	Fluoride	63	ug/L	DU	[NULL]	[NULL]	S	B1MML4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/6/2007 14:10	Y	7439-89-6	Iron	90	ug/L	DU	[NULL]	[NULL]	S	B1MML4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/6/2007 14:10	Y	7439-92-1	Lead	270	ug/L	DU	[NULL]	[NULL]	S	B1MML4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/6/2007 14:10	Y	7439-95-4	Magnesium	5450	ug/L	D	[NULL]	[NULL]	S	B1MML4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	3/6/2007 14:10	Y	7439-96-5	Manganese	40	ug/L	DU	[NULL]	[NULL]	S	B1MML4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/6/2007 14:10	Y	7439-98-7	Molybdenum	40	ug/L	DU	[NULL]	[NULL]	S	B1MML4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/6/2007 14:10	Y	7440-02-0	Nickel	40	ug/L	DU	[NULL]	[NULL]	S	B1MML4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/6/2007 14:10	Y	14797-55-8	Nitrate	292	ug/L	DU	[NULL]	[NULL]	S	B1MML4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/6/2007 14:10	Y	14797-65-0	Nitrite	328	ug/L	DU	[NULL]	[NULL]	S	B1MML4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/6/2007 14:10	Y	14265-44-2	Phosphate	813000	ug/L	D	[NULL]	[NULL]	S	B1MML4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/6/2007 14:10	Y	7440-09-7	Potassium	2210	ug/L	D	[NULL]	[NULL]	S	B1MML4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/6/2007 14:10	Y	7440-22-4	Silver	50	ug/L	DU	[NULL]	[NULL]	S	B1MML4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/6/2007 14:10	Y	7440-23-5	Sodium	444000	ug/L	D	[NULL]	[NULL]	S	B1MML4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/6/2007 14:10	Y	7440-24-6	Strontium	302	ug/L	D	[NULL]	[NULL]	S	B1MML4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/6/2007 14:10	Y	10098-97-2	Strontium-90	690	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MML4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-140	3/6/2007 14:10	Y	14808-79-8	Sulfate	10300	ug/L	D	[NULL]	[NULL]	S	B1MML4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/6/2007 14:10	Y	7440-62-2	Vanadium	70	ug/L	DU	[NULL]	[NULL]	S	B1MML4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/6/2007 14:10	Y	7440-66-6	Zinc	40	ug/L	DU	[NULL]	[NULL]	S	B1MML4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/7/2007 13:30	Y	7429-90-5	Aluminum	1280	ug/L	D	[NULL]	[NULL]	S	B1MML6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/7/2007 13:30	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MML6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/7/2007 13:30	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MML6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/7/2007 13:30	Y	7440-39-3	Barium	103	ug/L	D	[NULL]	[NULL]	S	B1MML6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/7/2007 13:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MML6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/7/2007 13:30	Y	7440-70-2	Calcium	38300	ug/L	D	[NULL]	[NULL]	S	B1MML6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/7/2007 13:30	Y	16887-00-6	Chloride	36800	ug/L	D	[NULL]	[NULL]	S	B1MML6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/7/2007 13:30	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MML6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/7/2007 13:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MML6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/7/2007 13:30	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MML6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/7/2007 13:30	Y	16984-48-8	Fluoride	32	ug/L	DU	[NULL]	[NULL]	S	B1MML6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/7/2007 13:30	Y	7439-89-6	Iron	70.3	ug/L	D	[NULL]	[NULL]	S	B1MML6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/7/2007 13:30	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MML6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/7/2007 13:30	Y	7439-95-4	Magnesium	6180	ug/L	D	[NULL]	[NULL]	S	B1MML6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/7/2007 13:30	Y	7439-96-5	Manganese	21.6	ug/L	D	[NULL]	[NULL]	S	B1MML6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/7/2007 13:30	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MML6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/7/2007 13:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MML6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/7/2007 13:30	Y	14797-55-8	Nitrate	146	ug/L	DU	[NULL]	[NULL]	S	B1MML6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/7/2007 13:30	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1MML6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/7/2007 13:30	Y	14265-44-2	Phosphate	788000	ug/L	D	[NULL]	[NULL]	S	B1MML6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/7/2007 13:30	Y	7440-09-7	Potassium	3630	ug/L	D	[NULL]	[NULL]	S	B1MML6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/7/2007 13:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MML6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/7/2007 13:30	Y	7440-23-5	Sodium	432000	ug/L	D	[NULL]	[NULL]	S	B1MML6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/7/2007 13:30	Y	7440-24-6	Strontium	296	ug/L	D	[NULL]	[NULL]	S	B1MML6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/7/2007 13:30	Y	10098-97-2	Strontium-90	670	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MML6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-140	3/7/2007 13:30	Y	14808-79-8	Sulfate	9980	ug/L	D	[NULL]	[NULL]	S	B1MML6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/7/2007 13:30	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MML6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/7/2007 13:30	Y	7440-66-6	Zinc	23.1	ug/L	D	[NULL]	[NULL]	S	B1MML6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/8/2007 11:30	Y	7429-90-5	Aluminum	1780	ug/L	D	[NULL]	[NULL]	S	B1MML8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/8/2007 11:30	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MML8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/8/2007 11:30	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MML8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/8/2007 11:30	Y	7440-39-3	Barium	62.8	ug/L	D	[NULL]	[NULL]	S	B1MML8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/8/2007 11:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MML8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/8/2007 11:30	Y	7440-70-2	Calcium	35300	ug/L	D	[NULL]	[NULL]	S	B1MML8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/8/2007 11:30	Y	16887-00-6	Chloride	33000	ug/L	D	[NULL]	[NULL]	S	B1MML8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/8/2007 11:30	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MML8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/8/2007 11:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MML8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/8/2007 11:30	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MML8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/8/2007 11:30	Y	16984-48-8	Fluoride	63	ug/L	DU	[NULL]	[NULL]	S	B1MML8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/8/2007 11:30	Y	7439-89-6	Iron	141	ug/L	D	[NULL]	[NULL]	S	B1MML8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/8/2007 11:30	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MML8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	3/8/2007 11:30	Y	7439-95-4	Magnesium	5320	ug/L	D	[NULL]	[NULL]	S	B1MML8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/8/2007 11:30	Y	7439-96-5	Manganese	285	ug/L	D	[NULL]	[NULL]	S	B1MML8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/8/2007 11:30	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MML8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/8/2007 11:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MML8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/8/2007 11:30	Y	14797-55-8	Nitrate	292	ug/L	DU	[NULL]	[NULL]	S	B1MML8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/8/2007 11:30	Y	14797-65-0	Nitrite	328	ug/L	DU	[NULL]	[NULL]	S	B1MML8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/8/2007 11:30	Y	14265-44-2	Phosphate	742000	ug/L	D	[NULL]	[NULL]	S	B1MML8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/8/2007 11:30	Y	7440-09-7	Potassium	2440	ug/L	D	[NULL]	[NULL]	S	B1MML8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/8/2007 11:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MML8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/8/2007 11:30	Y	7440-23-5	Sodium	443000	ug/L	D	[NULL]	[NULL]	S	B1MML8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/8/2007 11:30	Y	7440-24-6	Strontium	281	ug/L	D	[NULL]	[NULL]	S	B1MML8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/8/2007 11:30	Y	10098-97-2	Strontium-90	650	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MML8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-140	3/8/2007 11:30	Y	14808-79-8	Sulfate	9140	ug/L	D	[NULL]	[NULL]	S	B1MML8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/8/2007 11:30	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MML8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/8/2007 11:30	Y	7440-66-6	Zinc	29.3	ug/L	D	[NULL]	[NULL]	S	B1MML8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/9/2007 10:10	Y	7429-90-5	Aluminum	881	ug/L	D	[NULL]	[NULL]	S	B1MMM0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/9/2007 10:10	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MMM0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/9/2007 10:10	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MMM0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/9/2007 10:10	Y	7440-39-3	Barium	63.9	ug/L	D	[NULL]	[NULL]	S	B1MMM0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/9/2007 10:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/9/2007 10:10	Y	7440-70-2	Calcium	29200	ug/L	D	[NULL]	[NULL]	S	B1MMM0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/9/2007 10:10	Y	16887-00-6	Chloride	41300	ug/L	D	[NULL]	[NULL]	S	B1MMM0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/9/2007 10:10	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/9/2007 10:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/9/2007 10:10	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/9/2007 10:10	Y	16984-48-8	Fluoride	32	ug/L	DU	[NULL]	[NULL]	S	B1MMM0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/9/2007 10:10	Y	7439-89-6	Iron	92.5	ug/L	D	[NULL]	[NULL]	S	B1MMM0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/9/2007 10:10	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MMM0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/9/2007 10:10	Y	7439-95-4	Magnesium	5170	ug/L	D	[NULL]	[NULL]	S	B1MMM0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/9/2007 10:10	Y	7439-96-5	Manganese	601	ug/L	D	[NULL]	[NULL]	S	B1MMM0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/9/2007 10:10	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/9/2007 10:10	Y	7440-02-0	Nickel	37.9	ug/L	D	[NULL]	[NULL]	S	B1MMM0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/9/2007 10:10	Y	14797-55-8	Nitrate	146	ug/L	DU	[NULL]	[NULL]	S	B1MMM0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/9/2007 10:10	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1MMM0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/9/2007 10:10	Y	14265-44-2	Phosphate	647000	ug/L	D	[NULL]	[NULL]	S	B1MMM0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/9/2007 10:10	Y	7440-09-7	Potassium	2660	ug/L	D	[NULL]	[NULL]	S	B1MMM0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/9/2007 10:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MMM0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/9/2007 10:10	Y	7440-23-5	Sodium	415000	ug/L	D	[NULL]	[NULL]	S	B1MMM0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/9/2007 10:10	Y	7440-24-6	Strontium	248	ug/L	D	[NULL]	[NULL]	S	B1MMM0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/9/2007 10:10	Y	10098-97-2	Strontium-90	740	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MMM0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-140	3/9/2007 10:10	Y	14808-79-8	Sulfate	9100	ug/L	D	[NULL]	[NULL]	S	B1MMM0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/9/2007 10:10	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MMM0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/9/2007 10:10	Y	7440-66-6	Zinc	21.1	ug/L	D	[NULL]	[NULL]	S	B1MMM0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/10/2007 9:35	Y	7429-90-5	Aluminum	1540	ug/L	D	[NULL]	[NULL]	S	B1MMM2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/10/2007 9:35	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MMM2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/10/2007 9:35	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MMM2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/10/2007 9:35	Y	7440-39-3	Barium	53.4	ug/L	D	[NULL]	[NULL]	S	B1MMM2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/10/2007 9:35	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/10/2007 9:35	Y	7440-70-2	Calcium	29400	ug/L	D	[NULL]	[NULL]	S	B1MMM2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/10/2007 9:35	Y	16887-00-6	Chloride	35500	ug/L	D	[NULL]	[NULL]	S	B1MMM2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/10/2007 9:35	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/10/2007 9:35	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/10/2007 9:35	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/10/2007 9:35	Y	16984-48-8	Fluoride	145	ug/L	DNU	[NULL]	[NULL]	S	B1MMM2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/10/2007 9:35	Y	7439-89-6	Iron	118	ug/L	D	[NULL]	[NULL]	S	B1MMM2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	3/10/2007 9:35	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MMM2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/10/2007 9:35	Y	7439-95-4	Magnesium	4750	ug/L	D	[NULL]	[NULL]	S	B1MMM2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/10/2007 9:35	Y	7439-96-5	Manganese	665	ug/L	D	[NULL]	[NULL]	S	B1MMM2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/10/2007 9:35	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/10/2007 9:35	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/10/2007 9:35	Y	14797-55-8	Nitrate	974	ug/L	DU	[NULL]	[NULL]	S	B1MMM2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/10/2007 9:35	Y	14797-65-0	Nitrite	361	ug/L	DU	[NULL]	[NULL]	S	B1MMM2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/10/2007 9:35	Y	14265-44-2	Phosphate	699000	ug/L	D	[NULL]	[NULL]	S	B1MMM2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/10/2007 9:35	Y	7440-09-7	Potassium	2490	ug/L	D	[NULL]	[NULL]	S	B1MMM2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/10/2007 9:35	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MMM2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/10/2007 9:35	Y	7440-23-5	Sodium	420000	ug/L	D	[NULL]	[NULL]	S	B1MMM2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/10/2007 9:35	Y	7440-24-6	Strontium	240	ug/L	D	[NULL]	[NULL]	S	B1MMM2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/10/2007 9:35	Y	10098-97-2	Strontium-90	510	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MMM2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-140	3/10/2007 9:35	Y	14808-79-8	Sulfate	8940	ug/L	D	[NULL]	[NULL]	S	B1MMM2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/10/2007 9:35	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MMM2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/10/2007 9:35	Y	7440-66-6	Zinc	29.6	ug/L	D	[NULL]	[NULL]	S	B1MMM2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/11/2007 9:10	Y	7429-90-5	Aluminum	1220	ug/L	D	[NULL]	[NULL]	S	B1MMM4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/11/2007 9:10	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MMM4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/11/2007 9:10	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MMM4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/11/2007 9:10	Y	7440-39-3	Barium	52.5	ug/L	D	[NULL]	[NULL]	S	B1MMM4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/11/2007 9:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/11/2007 9:10	Y	7440-70-2	Calcium	27900	ug/L	D	[NULL]	[NULL]	S	B1MMM4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/11/2007 9:10	Y	16887-00-6	Chloride	35700	ug/L	D	[NULL]	[NULL]	S	B1MMM4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/11/2007 9:10	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/11/2007 9:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/11/2007 9:10	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/11/2007 9:10	Y	16984-48-8	Fluoride	145	ug/L	DNU	[NULL]	[NULL]	S	B1MMM4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/11/2007 9:10	Y	7439-89-6	Iron	86.8	ug/L	D	[NULL]	[NULL]	S	B1MMM4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/11/2007 9:10	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MMM4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/11/2007 9:10	Y	7439-95-4	Magnesium	4850	ug/L	D	[NULL]	[NULL]	S	B1MMM4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/11/2007 9:10	Y	7439-96-5	Manganese	644	ug/L	D	[NULL]	[NULL]	S	B1MMM4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/11/2007 9:10	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/11/2007 9:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/11/2007 9:10	Y	14797-55-8	Nitrate	974	ug/L	DU	[NULL]	[NULL]	S	B1MMM4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/11/2007 9:10	Y	14797-65-0	Nitrite	361	ug/L	DU	[NULL]	[NULL]	S	B1MMM4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/11/2007 9:10	Y	14265-44-2	Phosphate	629000	ug/L	D	[NULL]	[NULL]	S	B1MMM4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/11/2007 9:10	Y	7440-09-7	Potassium	2380	ug/L	D	[NULL]	[NULL]	S	B1MMM4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/11/2007 9:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MMM4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/11/2007 9:10	Y	7440-23-5	Sodium	411000	ug/L	D	[NULL]	[NULL]	S	B1MMM4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/11/2007 9:10	Y	7440-24-6	Strontium	235	ug/L	D	[NULL]	[NULL]	S	B1MMM4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/11/2007 9:10	Y	10098-97-2	Strontium-90	540	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MMM4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-140	3/11/2007 9:10	Y	14808-79-8	Sulfate	9360	ug/L	D	[NULL]	[NULL]	S	B1MMM4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/11/2007 9:10	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MMM4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/11/2007 9:10	Y	7440-66-6	Zinc	24.8	ug/L	D	[NULL]	[NULL]	S	B1MMM4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/16/2007 11:00	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1MWJ6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/16/2007 11:00	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MWJ6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/16/2007 11:00	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MWJ6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/16/2007 11:00	Y	7440-39-3	Barium	35	ug/L	D	[NULL]	[NULL]	S	B1MWJ6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/16/2007 11:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWJ6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/16/2007 11:00	Y	7440-70-2	Calcium	16700	ug/L	D	[NULL]	[NULL]	S	B1MWJ6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/16/2007 11:00	Y	16887-00-6	Chloride	29500	ug/L	D	[NULL]	[NULL]	S	B1MWJ6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/16/2007 11:00	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWJ6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/16/2007 11:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MWJ6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/16/2007 11:00	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MWJ6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/16/2007 11:00	Y	16984-48-8	Fluoride	58	ug/L	DU	[NULL]	[NULL]	S	B1MWJ6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	3/16/2007 11:00	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1MWJ6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/16/2007 11:00	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MWJ6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/16/2007 11:00	Y	7439-95-4	Magnesium	3560	ug/L	D	[NULL]	[NULL]	S	B1MWJ6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/16/2007 11:00	Y	7439-96-5	Manganese	458	ug/L	D	[NULL]	[NULL]	S	B1MWJ6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/16/2007 11:00	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MWJ6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/16/2007 11:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MWJ6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/16/2007 11:00	Y	14797-55-8	Nitrate	390	ug/L	DU	[NULL]	[NULL]	S	B1MWJ6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/16/2007 11:00	Y	14797-65-0	Nitrite	145	ug/L	DU	[NULL]	[NULL]	S	B1MWJ6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/16/2007 11:00	Y	14265-44-2	Phosphate	365000	ug/L	D	[NULL]	[NULL]	S	B1MWJ6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/16/2007 11:00	Y	7440-09-7	Potassium	2290	ug/L	D	[NULL]	[NULL]	S	B1MWJ6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/16/2007 11:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MWJ6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/16/2007 11:00	Y	7440-23-5	Sodium	340000	ug/L	D	[NULL]	[NULL]	S	B1MWJ6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/16/2007 11:00	Y	7440-24-6	Strontium	162	ug/L	D	[NULL]	[NULL]	S	B1MWJ6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/16/2007 11:00	Y	10098-97-2	Strontium-90	440	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MWJ6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-140	3/16/2007 11:00	Y	14808-79-8	Sulfate	9390	ug/L	D	[NULL]	[NULL]	S	B1MWJ6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/16/2007 11:00	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MWJ6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/16/2007 11:00	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MWJ6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/23/2007 7:30	Y	7429-90-5	Aluminum	1000	ug/L	D	[NULL]	[NULL]	S	B1MWK9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/23/2007 7:30	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MWK9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/23/2007 7:30	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MWK9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/23/2007 7:30	Y	7440-39-3	Barium	147	ug/L	D	[NULL]	[NULL]	S	B1MWK9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/23/2007 7:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWK9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/23/2007 7:30	Y	7440-70-2	Calcium	64600	ug/L	D	[NULL]	[NULL]	S	B1MWK9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/23/2007 7:30	Y	16887-00-6	Chloride	61200	ug/L	D	[NULL]	[NULL]	S	B1MWK9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/23/2007 7:30	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWK9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/23/2007 7:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MWK9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/23/2007 7:30	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MWK9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/23/2007 7:30	Y	16984-48-8	Fluoride	32	ug/L	DU	[NULL]	[NULL]	S	B1MWK9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/23/2007 7:30	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1MWK9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/23/2007 7:30	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MWK9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/23/2007 7:30	Y	7439-95-4	Magnesium	9430	ug/L	D	[NULL]	[NULL]	S	B1MWK9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/23/2007 7:30	Y	7439-96-5	Manganese	21	ug/L	D	[NULL]	[NULL]	S	B1MWK9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/23/2007 7:30	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MWK9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/23/2007 7:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MWK9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/23/2007 7:30	Y	14797-55-8	Nitrate	19200	ug/L	D	[NULL]	[NULL]	S	B1MWK9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/23/2007 7:30	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1MWK9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/23/2007 7:30	Y	14265-44-2	Phosphate	665000	ug/L	D	[NULL]	[NULL]	S	B1MWK9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/23/2007 7:30	Y	7440-09-7	Potassium	3370	ug/L	D	[NULL]	[NULL]	S	B1MWK9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/23/2007 7:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MWK9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/23/2007 7:30	Y	7440-23-5	Sodium	445000	ug/L	D	[NULL]	[NULL]	S	B1MWK9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/23/2007 7:30	Y	7440-24-6	Strontium	354	ug/L	D	[NULL]	[NULL]	S	B1MWK9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/23/2007 7:30	Y	10098-97-2	Strontium-90	1800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MWK9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-140	3/23/2007 7:30	Y	14808-79-8	Sulfate	15200	ug/L	D	[NULL]	[NULL]	S	B1MWK9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/23/2007 7:30	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MWK9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/23/2007 7:30	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MWK9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/30/2007 9:22	Y	7429-90-5	Aluminum	342	ug/L	D	[NULL]	[NULL]	S	B1MWM2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/30/2007 9:22	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MWM2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/30/2007 9:22	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MWM2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/30/2007 9:22	Y	7440-39-3	Barium	66	ug/L	D	[NULL]	[NULL]	S	B1MWM2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/30/2007 9:22	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWM2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/30/2007 9:22	Y	7440-70-2	Calcium	24300	ug/L	D	[NULL]	[NULL]	S	B1MWM2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/30/2007 9:22	Y	16887-00-6	Chloride	29700	ug/L	D	[NULL]	[NULL]	S	B1MWM2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/30/2007 9:22	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWM2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/30/2007 9:22	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MWM2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/30/2007 9:22	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MWM2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	3/30/2007 9:22	Y	16984-48-8	Fluoride	32	ug/L	DU	[NULL]	[NULL]	S	B1MWM2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/30/2007 9:22	Y	7439-89-6	Iron	227	ug/L	CD	[NULL]	[NULL]	S	B1MWM2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/30/2007 9:22	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MWM2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/30/2007 9:22	Y	7439-95-4	Magnesium	5150	ug/L	D	[NULL]	[NULL]	S	B1MWM2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/30/2007 9:22	Y	7439-96-5	Manganese	289	ug/L	D	[NULL]	[NULL]	S	B1MWM2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/30/2007 9:22	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MWM2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/30/2007 9:22	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MWM2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/30/2007 9:22	Y	14797-55-8	Nitrate	146	ug/L	DU	[NULL]	[NULL]	S	B1MWM2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/30/2007 9:22	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1MWM2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/30/2007 9:22	Y	14265-44-2	Phosphate	279000	ug/L	D	[NULL]	[NULL]	S	B1MWM2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/30/2007 9:22	Y	7440-09-7	Potassium	2570	ug/L	D	[NULL]	[NULL]	S	B1MWM2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/30/2007 9:22	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MWM2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/30/2007 9:22	Y	7440-23-5	Sodium	270000	ug/L	D	[NULL]	[NULL]	S	B1MWM2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/30/2007 9:22	Y	7440-24-6	Strontium	155	ug/L	D	[NULL]	[NULL]	S	B1MWM2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/30/2007 9:22	Y	10098-97-2	Strontium-90	750	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MWM2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-140	3/30/2007 9:22	Y	14808-79-8	Sulfate	9420	ug/L	D	[NULL]	[NULL]	S	B1MWM2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	3/30/2007 9:22	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MWM2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	3/30/2007 9:22	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MWM2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/13/2007 11:15	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1MWV8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/13/2007 11:15	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MWV8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/13/2007 11:15	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MWV8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/13/2007 11:15	Y	7440-39-3	Barium	26	ug/L	D	[NULL]	[NULL]	S	B1MWV8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/13/2007 11:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWV8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/13/2007 11:15	Y	7440-70-2	Calcium	18200	ug/L	D	[NULL]	[NULL]	S	B1MWV8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/13/2007 11:15	Y	16887-00-6	Chloride	23800	ug/L	D	[NULL]	[NULL]	S	B1MWV8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	4/13/2007 11:15	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWV8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/13/2007 11:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MWV8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/13/2007 11:15	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MWV8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/13/2007 11:15	Y	16984-48-8	Fluoride	29	ug/L	NUX	[NULL]	[NULL]	S	B1MWV8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	4/13/2007 11:15	Y	7439-89-6	Iron	231	ug/L	D	[NULL]	[NULL]	S	B1MWV8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/13/2007 11:15	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MWV8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/13/2007 11:15	Y	7439-95-4	Magnesium	3580	ug/L	D	[NULL]	[NULL]	S	B1MWV8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/13/2007 11:15	Y	7439-96-5	Manganese	530	ug/L	D	[NULL]	[NULL]	S	B1MWV8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/13/2007 11:15	Y	7439-98-7	Molybdenum	23.7	ug/L	D	[NULL]	[NULL]	S	B1MWV8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/13/2007 11:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MWV8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/13/2007 11:15	Y	14797-55-8	Nitrate	1990	ug/L	[NULL]	[NULL]	[NULL]	S	B1MWV8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	4/13/2007 11:15	Y	14797-65-0	Nitrite	72.3	ug/L	NU	[NULL]	[NULL]	S	B1MWV8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	4/13/2007 11:15	Y	14265-44-2	Phosphate	188000	ug/L	D	[NULL]	[NULL]	S	B1MWV8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	4/13/2007 11:15	Y	7440-09-7	Potassium	2140	ug/L	D	[NULL]	[NULL]	S	B1MWV8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/13/2007 11:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MWV8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/13/2007 11:15	Y	7440-23-5	Sodium	213000	ug/L	D	[NULL]	[NULL]	S	B1MWV8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/13/2007 11:15	Y	7440-24-6	Strontium	103	ug/L	D	[NULL]	[NULL]	S	B1MWV8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/13/2007 11:15	Y	10098-97-2	Strontium-90	550	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MWV8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-140	4/13/2007 11:15	Y	14808-79-8	Sulfate	8840	ug/L	[NULL]	[NULL]	[NULL]	S	B1MWV8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	4/13/2007 11:15	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MWV8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/13/2007 11:15	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MWV8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/27/2007 8:41	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1MWX1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/27/2007 8:41	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MWX1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/27/2007 8:41	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MWX1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/27/2007 8:41	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWX1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/27/2007 8:41	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWX1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/27/2007 8:41	Y	7440-70-2	Calcium	14400	ug/L	D	[NULL]	[NULL]	S	B1MWX1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/27/2007 8:41	Y	16887-00-6	Chloride	13300	ug/L	D	[NULL]	[NULL]	S	B1MWX1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	4/27/2007 8:41	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWX1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/27/2007 8:41	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MWX1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	4/27/2007 8:41	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MWX1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/27/2007 8:41	Y	16984-48-8	Fluoride	174	ug/L	[NULL]	[NULL]	[NULL]	S	B1MWX1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	4/27/2007 8:41	Y	7439-89-6	Iron	220	ug/L	D	[NULL]	[NULL]	S	B1MWX1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/27/2007 8:41	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MWX1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/27/2007 8:41	Y	7439-95-4	Magnesium	2870	ug/L	D	[NULL]	[NULL]	S	B1MWX1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/27/2007 8:41	Y	7439-96-5	Manganese	247	ug/L	D	[NULL]	[NULL]	S	B1MWX1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/27/2007 8:41	Y	7439-98-7	Molybdenum	25.6	ug/L	D	[NULL]	[NULL]	S	B1MWX1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/27/2007 8:41	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MWX1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/27/2007 8:41	Y	14797-55-8	Nitrate	79.7	ug/L	U	[NULL]	[NULL]	S	B1MWX1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	4/27/2007 8:41	Y	14797-65-0	Nitrite	23	ug/L	U	[NULL]	[NULL]	S	B1MWX1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	4/27/2007 8:41	Y	14265-44-2	Phosphate	149000	ug/L	D	[NULL]	[NULL]	S	B1MWX1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	4/27/2007 8:41	Y	7440-09-7	Potassium	1810	ug/L	D	[NULL]	[NULL]	S	B1MWX1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/27/2007 8:41	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MWX1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/27/2007 8:41	Y	7440-23-5	Sodium	159000	ug/L	D	[NULL]	[NULL]	S	B1MWX1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/27/2007 8:41	Y	7440-24-6	Strontium	86.9	ug/L	D	[NULL]	[NULL]	S	B1MWX1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/27/2007 8:41	Y	10098-97-2	Strontium-90	440	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MWX1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-140	4/27/2007 8:41	Y	14808-79-8	Sulfate	9280	ug/L	[NULL]	[NULL]	[NULL]	S	B1MWX1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	4/27/2007 8:41	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MWX1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	4/27/2007 8:41	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MWX1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/11/2007 7:55	Y	7429-90-5	Aluminum	298	ug/L	D	[NULL]	[NULL]	S	B1NHF3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/11/2007 7:55	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NHF3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/11/2007 7:55	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NHF3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/11/2007 7:55	Y	7440-39-3	Barium	31	ug/L	D	[NULL]	[NULL]	S	B1NHF3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/11/2007 7:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NHF3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/11/2007 7:55	Y	7440-70-2	Calcium	12100	ug/L	D	[NULL]	[NULL]	S	B1NHF3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/11/2007 7:55	Y	16887-00-6	Chloride	10200	ug/L	D	[NULL]	[NULL]	S	B1NHF3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	5/11/2007 7:55	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NHF3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/11/2007 7:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NHF3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/11/2007 7:55	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NHF3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/11/2007 7:55	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NHF3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	5/11/2007 7:55	Y	7439-89-6	Iron	132	ug/L	D	[NULL]	[NULL]	S	B1NHF3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/11/2007 7:55	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NHF3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/11/2007 7:55	Y	7439-95-4	Magnesium	2440	ug/L	D	[NULL]	[NULL]	S	B1NHF3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/11/2007 7:55	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1NHF3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/11/2007 7:55	Y	7439-98-7	Molybdenum	22.3	ug/L	D	[NULL]	[NULL]	S	B1NHF3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/11/2007 7:55	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NHF3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/11/2007 7:55	Y	14797-55-8	Nitrate	6330	ug/L	D	[NULL]	[NULL]	S	B1NHF3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	5/11/2007 7:55	Y	14797-65-0	Nitrite	506	ug/L	BD	[NULL]	[NULL]	S	B1NHF3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	5/11/2007 7:55	Y	14265-44-2	Phosphate	151000	ug/L	D	[NULL]	[NULL]	S	B1NHF3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	5/11/2007 7:55	Y	7440-09-7	Potassium	1940	ug/L	D	[NULL]	[NULL]	S	B1NHF3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/11/2007 7:55	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NHF3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/11/2007 7:55	Y	7440-23-5	Sodium	146000	ug/L	D	[NULL]	[NULL]	S	B1NHF3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/11/2007 7:55	Y	7440-24-6	Strontium	74.7	ug/L	D	[NULL]	[NULL]	S	B1NHF3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/11/2007 7:55	Y	10098-97-2	Strontium-90	380	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NHF3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-140	5/11/2007 7:55	Y	14808-79-8	Sulfate	9860	ug/L	D	[NULL]	[NULL]	S	B1NHF3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	5/11/2007 7:55	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NHF3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/11/2007 7:55	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NHF3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/25/2007 7:40	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NJF8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/25/2007 7:40	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NJF8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/25/2007 7:40	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NJF8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/25/2007 7:40	Y	7440-39-3	Barium	25	ug/L	D	[NULL]	[NULL]	S	B1NJF8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/25/2007 7:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NJF8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/25/2007 7:40	Y	7440-70-2	Calcium	11900	ug/L	D	[NULL]	[NULL]	S	B1NJF8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/25/2007 7:40	Y	16887-00-6	Chloride	26000	ug/L	D	[NULL]	[NULL]	S	B1NJF8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	5/25/2007 7:40	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NJF8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	5/25/2007 7:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NJF8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/25/2007 7:40	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NJF8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/25/2007 7:40	Y	16984-48-8	Fluoride	82	ug/L	BD	[NULL]	[NULL]	S	B1NJF8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	5/25/2007 7:40	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NJF8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/25/2007 7:40	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NJF8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/25/2007 7:40	Y	7439-95-4	Magnesium	2370	ug/L	D	[NULL]	[NULL]	S	B1NJF8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/25/2007 7:40	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1NJF8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/25/2007 7:40	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NJF8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/25/2007 7:40	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NJF8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/25/2007 7:40	Y	14797-55-8	Nitrate	43800	ug/L	D	[NULL]	[NULL]	S	B1NJF8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	5/25/2007 7:40	Y	14797-65-0	Nitrite	847	ug/L	BD	[NULL]	[NULL]	S	B1NJF8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	5/25/2007 7:40	Y	14265-44-2	Phosphate	124000	ug/L	D	[NULL]	[NULL]	S	B1NJF8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	5/25/2007 7:40	Y	7440-09-7	Potassium	1560	ug/L	D	[NULL]	[NULL]	S	B1NJF8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/25/2007 7:40	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NJF8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/25/2007 7:40	Y	7440-23-5	Sodium	153000	ug/L	D	[NULL]	[NULL]	S	B1NJF8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/25/2007 7:40	Y	7440-24-6	Strontium	71.5	ug/L	D	[NULL]	[NULL]	S	B1NJF8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/25/2007 7:40	Y	10098-97-2	Strontium-90	420	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NJF8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-140	5/25/2007 7:40	Y	14808-79-8	Sulfate	23200	ug/L	D	[NULL]	[NULL]	S	B1NJF8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	5/25/2007 7:40	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NJF8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	5/25/2007 7:40	Y	7440-66-6	Zinc	184	ug/L	DN	[NULL]	[NULL]	S	B1NJF8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/22/2007 9:01	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NJK5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/22/2007 9:01	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NJK5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/22/2007 9:01	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NJK5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/22/2007 9:01	Y	7440-39-3	Barium	30	ug/L	D	[NULL]	[NULL]	S	B1NJK5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/22/2007 9:01	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NJK5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/22/2007 9:01	Y	7440-70-2	Calcium	13700	ug/L	D	[NULL]	[NULL]	S	B1NJK5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/22/2007 9:01	Y	16887-00-6	Chloride	28600	ug/L	D	[NULL]	[NULL]	S	B1NJK5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/22/2007 9:01	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NJK5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/22/2007 9:01	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NJK5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/22/2007 9:01	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NJK5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/22/2007 9:01	Y	16984-48-8	Fluoride	99	ug/L	BD	[NULL]	[NULL]	S	B1NJK5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/22/2007 9:01	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NJK5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/22/2007 9:01	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NJK5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/22/2007 9:01	Y	7439-95-4	Magnesium	2980	ug/L	D	[NULL]	[NULL]	S	B1NJK5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/22/2007 9:01	Y	7439-96-5	Manganese	59	ug/L	D	[NULL]	[NULL]	S	B1NJK5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/22/2007 9:01	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NJK5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/22/2007 9:01	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NJK5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/22/2007 9:01	Y	14797-55-8	Nitrate	17100	ug/L	D	[NULL]	[NULL]	S	B1NJK5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/22/2007 9:01	Y	14797-65-0	Nitrite	1030	ug/L	BD	[NULL]	[NULL]	S	B1NJK5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/22/2007 9:01	Y	14265-44-2	Phosphate	84300	ug/L	D	[NULL]	[NULL]	S	B1NJK5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/22/2007 9:01	Y	7440-09-7	Potassium	2900	ug/L	CD	[NULL]	[NULL]	S	B1NJK5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/22/2007 9:01	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NJK5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/22/2007 9:01	Y	7440-23-5	Sodium	185000	ug/L	D	[NULL]	[NULL]	S	B1NJK5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/22/2007 9:01	Y	7440-24-6	Strontium	102	ug/L	D	[NULL]	[NULL]	S	B1NJK5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/22/2007 9:01	Y	10098-97-2	Strontium-90	450	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NJK5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-140	6/22/2007 9:01	Y	14808-79-8	Sulfate	8820	ug/L	D	[NULL]	[NULL]	S	B1NJK5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/22/2007 9:01	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NJK5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/22/2007 9:01	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NJK5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2007 8:05	Y	7429-90-5	Aluminum	936	ug/L	D	[NULL]	[NULL]	S	B1P3Y4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2007 8:05	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P3Y4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2007 8:05	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P3Y4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2007 8:05	Y	7440-39-3	Barium	35	ug/L	D	[NULL]	[NULL]	S	B1P3Y4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2007 8:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3Y4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2007 8:05	Y	7440-70-2	Calcium	123000	ug/L	D	[NULL]	[NULL]	S	B1P3Y4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2007 8:05	Y	16887-00-6	Chloride	212000	ug/L	D	[NULL]	[NULL]	S	B1P3Y4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	7/13/2007 8:05	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3Y4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2007 8:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P3Y4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2007 8:05	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P3Y4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2007 8:05	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P3Y4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/13/2007 8:05	Y	7439-89-6	Iron	1070	ug/L	D	[NULL]	[NULL]	S	B1P3Y4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2007 8:05	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P3Y4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2007 8:05	Y	7439-95-4	Magnesium	5670	ug/L	D	[NULL]	[NULL]	S	B1P3Y4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2007 8:05	Y	7439-96-5	Manganese	2700	ug/L	D	[NULL]	[NULL]	S	B1P3Y4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2007 8:05	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1P3Y4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2007 8:05	Y	7440-02-0	Nickel	21.6	ug/L	D	[NULL]	[NULL]	S	B1P3Y4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2007 8:05	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1P3Y4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/13/2007 8:05	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P3Y4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/13/2007 8:05	Y	14265-44-2	Phosphate	386000	ug/L	D	[NULL]	[NULL]	S	B1P3Y4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/13/2007 8:05	Y	7440-09-7	Potassium	3140	ug/L	D	[NULL]	[NULL]	S	B1P3Y4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2007 8:05	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P3Y4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2007 8:05	Y	7440-23-5	Sodium	642000	ug/L	D	[NULL]	[NULL]	S	B1P3Y4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2007 8:05	Y	7440-24-6	Strontium	234	ug/L	D	[NULL]	[NULL]	S	B1P3Y4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2007 8:05	Y	10098-97-2	Strontium-90	430	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P3Y4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-140	7/13/2007 8:05	Y	14808-79-8	Sulfate	6490	ug/L	D	[NULL]	[NULL]	S	B1P3Y4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/13/2007 8:05	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P3Y4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2007 8:05	Y	7440-66-6	Zinc	24.7	ug/L	D	[NULL]	[NULL]	S	B1P3Y4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2007 9:00	Y	7429-90-5	Aluminum	150	ug/L	DNU	[NULL]	[NULL]	S	B1P3Y7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2007 9:00	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P3Y7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2007 9:00	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P3Y7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2007 9:00	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3Y7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2007 9:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3Y7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2007 9:00	Y	7440-70-2	Calcium	116000	ug/L	D	[NULL]	[NULL]	S	B1P3Y7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2007 9:00	Y	16887-00-6	Chloride	216000	ug/L	D	[NULL]	[NULL]	S	B1P3Y7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/14/2007 9:00	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3Y7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2007 9:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P3Y7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2007 9:00	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P3Y7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2007 9:00	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P3Y7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/14/2007 9:00	Y	7439-89-6	Iron	1050	ug/L	D	[NULL]	[NULL]	S	B1P3Y7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2007 9:00	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P3Y7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2007 9:00	Y	7439-95-4	Magnesium	5580	ug/L	D	[NULL]	[NULL]	S	B1P3Y7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2007 9:00	Y	7439-96-5	Manganese	2340	ug/L	D	[NULL]	[NULL]	S	B1P3Y7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2007 9:00	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1P3Y7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2007 9:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P3Y7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2007 9:00	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1P3Y7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/14/2007 9:00	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P3Y7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/14/2007 9:00	Y	14265-44-2	Phosphate	402000	ug/L	D	[NULL]	[NULL]	S	B1P3Y7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/14/2007 9:00	Y	7440-09-7	Potassium	4070	ug/L	D	[NULL]	[NULL]	S	B1P3Y7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2007 9:00	Y	7440-22-4	Silver	28	ug/L	D	[NULL]	[NULL]	S	B1P3Y7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2007 9:00	Y	7440-23-5	Sodium	713000	ug/L	D	[NULL]	[NULL]	S	B1P3Y7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2007 9:00	Y	7440-24-6	Strontium	215	ug/L	D	[NULL]	[NULL]	S	B1P3Y7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2007 9:00	Y	10098-97-2	Strontium-90	390	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P3Y7	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-140	7/14/2007 9:00	Y	14808-79-8	Sulfate	5730	ug/L	D	[NULL]	[NULL]	S	B1P3Y7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/14/2007 9:00	Y	7440-62-2	Vanadium	45	ug/L	D	[NULL]	[NULL]	S	B1P3Y7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2007 9:00	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P3Y7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2007 7:45	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P404	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2007 7:45	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P404	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2007 7:45	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P404	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2007 7:45	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1P404	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2007 7:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P404	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2007 7:45	Y	7440-70-2	Calcium	117000	ug/L	D	[NULL]	[NULL]	S	B1P404	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	7/15/2007 7:45	Y	16887-00-6	Chloride	214000	ug/L	D	[NULL]	[NULL]	S	B1P404	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/15/2007 7:45	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P404	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2007 7:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P404	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2007 7:45	Y	7440-50-8	Copper	31	ug/L	CD	[NULL]	[NULL]	S	B1P404	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2007 7:45	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P404	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/15/2007 7:45	Y	7439-89-6	Iron	1310	ug/L	D	[NULL]	[NULL]	S	B1P404	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2007 7:45	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P404	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2007 7:45	Y	7439-95-4	Magnesium	5480	ug/L	D	[NULL]	[NULL]	S	B1P404	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2007 7:45	Y	7439-96-5	Manganese	2240	ug/L	D	[NULL]	[NULL]	S	B1P404	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2007 7:45	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1P404	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2007 7:45	Y	7440-02-0	Nickel	36.9	ug/L	D	[NULL]	[NULL]	S	B1P404	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2007 7:45	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1P404	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/15/2007 7:45	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P404	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/15/2007 7:45	Y	14265-44-2	Phosphate	411000	ug/L	D	[NULL]	[NULL]	S	B1P404	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/15/2007 7:45	Y	7440-09-7	Potassium	4600	ug/L	D	[NULL]	[NULL]	S	B1P404	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2007 7:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P404	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2007 7:45	Y	7440-23-5	Sodium	645000	ug/L	D	[NULL]	[NULL]	S	B1P404	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2007 7:45	Y	7440-24-6	Strontium	207	ug/L	D	[NULL]	[NULL]	S	B1P404	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2007 7:45	Y	10098-97-2	Strontium-90	410	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P404	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-140	7/15/2007 7:45	Y	14808-79-8	Sulfate	3220	ug/L	BD	[NULL]	[NULL]	S	B1P404	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/15/2007 7:45	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P404	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2007 7:45	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P404	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/16/2007 10:20	Y	7429-90-5	Aluminum	150	ug/L	DNU	[NULL]	[NULL]	S	B1P411	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/16/2007 10:20	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P411	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/16/2007 10:20	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P411	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/16/2007 10:20	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1P411	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/16/2007 10:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P411	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/16/2007 10:20	Y	7440-70-2	Calcium	69500	ug/L	D	[NULL]	[NULL]	S	B1P411	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/16/2007 10:20	Y	16887-00-6	Chloride	181000	ug/L	D	[NULL]	[NULL]	S	B1P411	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/16/2007 10:20	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P411	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/16/2007 10:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P411	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/16/2007 10:20	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P411	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/16/2007 10:20	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P411	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/16/2007 10:20	Y	7439-89-6	Iron	1700	ug/L	D	[NULL]	[NULL]	S	B1P411	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/16/2007 10:20	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P411	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/16/2007 10:20	Y	7439-95-4	Magnesium	4440	ug/L	D	[NULL]	[NULL]	S	B1P411	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/16/2007 10:20	Y	7439-96-5	Manganese	1270	ug/L	D	[NULL]	[NULL]	S	B1P411	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/16/2007 10:20	Y	7439-98-7	Molybdenum	20.8	ug/L	D	[NULL]	[NULL]	S	B1P411	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/16/2007 10:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P411	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/16/2007 10:20	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1P411	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/16/2007 10:20	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P411	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/16/2007 10:20	Y	14265-44-2	Phosphate	420000	ug/L	D	[NULL]	[NULL]	S	B1P411	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/16/2007 10:20	Y	7440-09-7	Potassium	4850	ug/L	D	[NULL]	[NULL]	S	B1P411	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/16/2007 10:20	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P411	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/16/2007 10:20	Y	7440-23-5	Sodium	718000	ug/L	D	[NULL]	[NULL]	S	B1P411	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/16/2007 10:20	Y	7440-24-6	Strontium	160	ug/L	D	[NULL]	[NULL]	S	B1P411	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/16/2007 10:20	Y	10098-97-2	Strontium-90	350	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P411	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-140	7/16/2007 10:20	Y	14808-79-8	Sulfate	613	ug/L	BD	[NULL]	[NULL]	S	B1P411	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/16/2007 10:20	Y	7440-62-2	Vanadium	48	ug/L	D	[NULL]	[NULL]	S	B1P411	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/16/2007 10:20	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P411	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2007 13:15	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P418	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2007 13:15	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P418	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2007 13:15	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P418	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2007 13:15	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1P418	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2007 13:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P418	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	7/17/2007 13:15	Y	7440-70-2	Calcium	48500	ug/L	D	[NULL]	[NULL]	S	B1P418	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2007 13:15	Y	16887-00-6	Chloride	160000	ug/L	D	[NULL]	[NULL]	S	B1P418	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/17/2007 13:15	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P418	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2007 13:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P418	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2007 13:15	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P418	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2007 13:15	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P418	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/17/2007 13:15	Y	7439-89-6	Iron	2100	ug/L	D	[NULL]	[NULL]	S	B1P418	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2007 13:15	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P418	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2007 13:15	Y	7439-95-4	Magnesium	3900	ug/L	D	[NULL]	[NULL]	S	B1P418	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2007 13:15	Y	7439-96-5	Manganese	869	ug/L	D	[NULL]	[NULL]	S	B1P418	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2007 13:15	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1P418	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2007 13:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P418	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2007 13:15	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1P418	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/17/2007 13:15	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P418	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/17/2007 13:15	Y	14265-44-2	Phosphate	368000	ug/L	D	[NULL]	[NULL]	S	B1P418	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/17/2007 13:15	Y	7440-09-7	Potassium	4630	ug/L	D	[NULL]	[NULL]	S	B1P418	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2007 13:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P418	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2007 13:15	Y	7440-23-5	Sodium	635000	ug/L	D	[NULL]	[NULL]	S	B1P418	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2007 13:15	Y	7440-24-6	Strontium	146	ug/L	D	[NULL]	[NULL]	S	B1P418	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2007 13:15	Y	10098-97-2	Strontium-90	400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P418	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-140	7/17/2007 13:15	Y	14808-79-8	Sulfate	350	ug/L	DU	[NULL]	[NULL]	S	B1P418	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/17/2007 13:15	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P418	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2007 13:15	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P418	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/18/2007 8:00	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P425	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/18/2007 8:00	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P425	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/18/2007 8:00	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P425	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/18/2007 8:00	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1P425	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/18/2007 8:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P425	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/18/2007 8:00	Y	7440-70-2	Calcium	19800	ug/L	D	[NULL]	[NULL]	S	B1P425	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/18/2007 8:00	Y	16887-00-6	Chloride	110000	ug/L	D	[NULL]	[NULL]	S	B1P425	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/18/2007 8:00	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P425	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/18/2007 8:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P425	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/18/2007 8:00	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P425	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/18/2007 8:00	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P425	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/18/2007 8:00	Y	7439-89-6	Iron	796	ug/L	D	[NULL]	[NULL]	S	B1P425	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/18/2007 8:00	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P425	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/18/2007 8:00	Y	7439-95-4	Magnesium	2640	ug/L	D	[NULL]	[NULL]	S	B1P425	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/18/2007 8:00	Y	7439-96-5	Manganese	634	ug/L	D	[NULL]	[NULL]	S	B1P425	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/18/2007 8:00	Y	7439-98-7	Molybdenum	25.2	ug/L	D	[NULL]	[NULL]	S	B1P425	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/18/2007 8:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P425	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/18/2007 8:00	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1P425	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/18/2007 8:00	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P425	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/18/2007 8:00	Y	14265-44-2	Phosphate	301000	ug/L	D	[NULL]	[NULL]	S	B1P425	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/18/2007 8:00	Y	7440-09-7	Potassium	3220	ug/L	D	[NULL]	[NULL]	S	B1P425	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/18/2007 8:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P425	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/18/2007 8:00	Y	7440-23-5	Sodium	540000	ug/L	D	[NULL]	[NULL]	S	B1P425	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/18/2007 8:00	Y	7440-24-6	Strontium	95.6	ug/L	D	[NULL]	[NULL]	S	B1P425	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/18/2007 8:00	Y	10098-97-2	Strontium-90	450	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P425	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-140	7/18/2007 8:00	Y	14808-79-8	Sulfate	350	ug/L	DU	[NULL]	[NULL]	S	B1P425	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/18/2007 8:00	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P425	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/18/2007 8:00	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P425	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/20/2007 9:50	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NW27	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/20/2007 9:50	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NW27	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/20/2007 9:50	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NW27	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/20/2007 9:50	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW27	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	7/20/2007 9:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW27	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/20/2007 9:50	Y	7440-70-2	Calcium	23900	ug/L	D	[NULL]	[NULL]	S	B1NW27	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/20/2007 9:50	Y	16887-00-6	Chloride	126000	ug/L	D	[NULL]	[NULL]	S	B1NW27	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/20/2007 9:50	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW27	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/20/2007 9:50	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NW27	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/20/2007 9:50	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NW27	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/20/2007 9:50	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NW27	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/20/2007 9:50	Y	7439-89-6	Iron	1340	ug/L	CD	[NULL]	[NULL]	S	B1NW27	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/20/2007 9:50	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NW27	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/20/2007 9:50	Y	7439-95-4	Magnesium	2330	ug/L	D	[NULL]	[NULL]	S	B1NW27	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/20/2007 9:50	Y	7439-96-5	Manganese	619	ug/L	D	[NULL]	[NULL]	S	B1NW27	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/20/2007 9:50	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NW27	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/20/2007 9:50	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NW27	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/20/2007 9:50	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1NW27	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/20/2007 9:50	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1NW27	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/20/2007 9:50	Y	14265-44-2	Phosphate	235000	ug/L	D	[NULL]	[NULL]	S	B1NW27	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/20/2007 9:50	Y	7440-09-7	Potassium	2890	ug/L	D	[NULL]	[NULL]	S	B1NW27	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/20/2007 9:50	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NW27	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/20/2007 9:50	Y	7440-23-5	Sodium	530000	ug/L	D	[NULL]	[NULL]	S	B1NW27	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/20/2007 9:50	Y	7440-24-6	Strontium	93.7	ug/L	D	[NULL]	[NULL]	S	B1NW27	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/20/2007 9:50	Y	10098-97-2	Strontium-90	320	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NW27	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-140	7/20/2007 9:50	Y	14808-79-8	Sulfate	350	ug/L	DU	[NULL]	[NULL]	S	B1NW27	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/20/2007 9:50	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NW27	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/20/2007 9:50	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NW27	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2007 9:48	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NW40	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2007 9:48	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NW40	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2007 9:48	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NW40	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2007 9:48	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW40	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2007 9:48	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW40	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2007 9:48	Y	7440-70-2	Calcium	35800	ug/L	D	[NULL]	[NULL]	S	B1NW40	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2007 9:48	Y	16887-00-6	Chloride	128000	ug/L	D	[NULL]	[NULL]	S	B1NW40	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/27/2007 9:48	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW40	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2007 9:48	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NW40	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2007 9:48	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NW40	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2007 9:48	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NW40	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/27/2007 9:48	Y	7439-89-6	Iron	1810	ug/L	DN	[NULL]	[NULL]	S	B1NW40	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2007 9:48	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NW40	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2007 9:48	Y	7439-95-4	Magnesium	3090	ug/L	D	[NULL]	[NULL]	S	B1NW40	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2007 9:48	Y	7439-96-5	Manganese	545	ug/L	D	[NULL]	[NULL]	S	B1NW40	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2007 9:48	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NW40	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2007 9:48	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NW40	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2007 9:48	Y	14797-55-8	Nitrate	416	ug/L	BD	[NULL]	[NULL]	S	B1NW40	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/27/2007 9:48	Y	14797-65-0	Nitrite	276	ug/L	BD	[NULL]	[NULL]	S	B1NW40	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/27/2007 9:48	Y	14265-44-2	Phosphate	236000	ug/L	D	[NULL]	[NULL]	S	B1NW40	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/27/2007 9:48	Y	7440-09-7	Potassium	3430	ug/L	D	[NULL]	[NULL]	S	B1NW40	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2007 9:48	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NW40	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2007 9:48	Y	7440-23-5	Sodium	540000	ug/L	D	[NULL]	[NULL]	S	B1NW40	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2007 9:48	Y	7440-24-6	Strontium	113	ug/L	D	[NULL]	[NULL]	S	B1NW40	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2007 9:48	Y	10098-97-2	Strontium-90	330	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NW40	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-140	7/27/2007 9:48	Y	14808-79-8	Sulfate	350	ug/L	DU	[NULL]	[NULL]	S	B1NW40	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/27/2007 9:48	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NW40	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2007 9:48	Y	7440-66-6	Zinc	20.1	ug/L	D	[NULL]	[NULL]	S	B1NW40	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/3/2007 9:39	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NW53	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/3/2007 9:39	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NW53	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/3/2007 9:39	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NW53	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	8/3/2007 9:39	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW53	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/3/2007 9:39	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW53	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/3/2007 9:39	Y	7440-70-2	Calcium	9400	ug/L	D	[NULL]	[NULL]	S	B1NW53	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/3/2007 9:39	Y	16887-00-6	Chloride	58800	ug/L	D	[NULL]	[NULL]	S	B1NW53	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	8/3/2007 9:39	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW53	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/3/2007 9:39	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NW53	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/3/2007 9:39	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NW53	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/3/2007 9:39	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NW53	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	8/3/2007 9:39	Y	7439-89-6	Iron	244	ug/L	D	[NULL]	[NULL]	S	B1NW53	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/3/2007 9:39	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NW53	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/3/2007 9:39	Y	7439-95-4	Magnesium	1350	ug/L	D	[NULL]	[NULL]	S	B1NW53	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/3/2007 9:39	Y	7439-96-5	Manganese	492	ug/L	D	[NULL]	[NULL]	S	B1NW53	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/3/2007 9:39	Y	7439-98-7	Molybdenum	29.8	ug/L	D	[NULL]	[NULL]	S	B1NW53	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/3/2007 9:39	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NW53	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/3/2007 9:39	Y	14797-55-8	Nitrate	2690	ug/L	D	[NULL]	[NULL]	S	B1NW53	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	8/3/2007 9:39	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1NW53	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	8/3/2007 9:39	Y	14265-44-2	Phosphate	113000	ug/L	D	[NULL]	[NULL]	S	B1NW53	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	8/3/2007 9:39	Y	7440-09-7	Potassium	1820	ug/L	D	[NULL]	[NULL]	S	B1NW53	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/3/2007 9:39	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NW53	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/3/2007 9:39	Y	7440-23-5	Sodium	321000	ug/L	D	[NULL]	[NULL]	S	B1NW53	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/3/2007 9:39	Y	7440-24-6	Strontium	45.7	ug/L	D	[NULL]	[NULL]	S	B1NW53	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/3/2007 9:39	Y	10098-97-2	Strontium-90	200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NW53	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-140	8/3/2007 9:39	Y	14808-79-8	Sulfate	1910	ug/L	BD	[NULL]	[NULL]	S	B1NW53	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	8/3/2007 9:39	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NW53	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/3/2007 9:39	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NW53	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/10/2007 11:30	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NW66	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/10/2007 11:30	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NW66	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/10/2007 11:30	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NW66	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/10/2007 11:30	Y	7440-39-3	Barium	28	ug/L	CD	[NULL]	[NULL]	S	B1NW66	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/10/2007 11:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW66	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/10/2007 11:30	Y	7440-70-2	Calcium	12100	ug/L	D	[NULL]	[NULL]	S	B1NW66	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/10/2007 11:30	Y	16887-00-6	Chloride	65500	ug/L	D	[NULL]	[NULL]	S	B1NW66	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	8/10/2007 11:30	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW66	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/10/2007 11:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NW66	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/10/2007 11:30	Y	7440-50-8	Copper	69	ug/L	CD	[NULL]	[NULL]	S	B1NW66	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/10/2007 11:30	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NW66	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	8/10/2007 11:30	Y	7439-89-6	Iron	602	ug/L	D	[NULL]	[NULL]	S	B1NW66	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/10/2007 11:30	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NW66	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/10/2007 11:30	Y	7439-95-4	Magnesium	1370	ug/L	D	[NULL]	[NULL]	S	B1NW66	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/10/2007 11:30	Y	7439-96-5	Manganese	414	ug/L	D	[NULL]	[NULL]	S	B1NW66	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/10/2007 11:30	Y	7439-98-7	Molybdenum	76.8	ug/L	CD	[NULL]	[NULL]	S	B1NW66	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/10/2007 11:30	Y	7440-02-0	Nickel	86.3	ug/L	CD	[NULL]	[NULL]	S	B1NW66	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/10/2007 11:30	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1NW66	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	8/10/2007 11:30	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1NW66	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	8/10/2007 11:30	Y	14265-44-2	Phosphate	170000	ug/L	D	[NULL]	[NULL]	S	B1NW66	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	8/10/2007 11:30	Y	7440-09-7	Potassium	2600	ug/L	CD	[NULL]	[NULL]	S	B1NW66	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/10/2007 11:30	Y	7440-22-4	Silver	139	ug/L	CDN	[NULL]	[NULL]	S	B1NW66	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/10/2007 11:30	Y	7440-23-5	Sodium	348000	ug/L	D	[NULL]	[NULL]	S	B1NW66	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/10/2007 11:30	Y	7440-24-6	Strontium	51.9	ug/L	D	[NULL]	[NULL]	S	B1NW66	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/10/2007 11:30	Y	10098-97-2	Strontium-90	140	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NW66	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-140	8/10/2007 11:30	Y	14808-79-8	Sulfate	350	ug/L	DU	[NULL]	[NULL]	S	B1NW66	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	8/10/2007 11:30	Y	7440-62-2	Vanadium	97	ug/L	CD	[NULL]	[NULL]	S	B1NW66	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/10/2007 11:30	Y	7440-66-6	Zinc	167	ug/L	CD	[NULL]	[NULL]	S	B1NW66	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/19/2007 11:15	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1PMT8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/19/2007 11:15	Y	7440-36-0	Antimony	32	ug/L	U	G	[NULL]	S	B1PMT8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	9/19/2007 11:15	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1PMT8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/19/2007 11:15	Y	7440-39-3	Barium	7.3	ug/L	[NULL]	G	[NULL]	S	B1PMT8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/19/2007 11:15	Y	7440-43-9	Cadmium	4	ug/L	U	G	[NULL]	S	B1PMT8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/19/2007 11:15	Y	7440-70-2	Calcium	5180	ug/L	CD	[NULL]	[NULL]	S	B1PMT8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/19/2007 11:15	Y	16887-00-6	Chloride	33600	ug/L	D	[NULL]	[NULL]	S	B1PMT8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	9/19/2007 11:15	Y	7440-47-3	Chromium	7	ug/L	C	G	[NULL]	S	B1PMT8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/19/2007 11:15	Y	7440-48-4	Cobalt	4	ug/L	U	G	[NULL]	S	B1PMT8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/19/2007 11:15	Y	7440-50-8	Copper	4	ug/L	U	G	[NULL]	S	B1PMT8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/19/2007 11:15	Y	16984-48-8	Fluoride	92	ug/L	BD	[NULL]	[NULL]	S	B1PMT8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	9/19/2007 11:15	Y	7439-89-6	Iron	89.9	ug/L	D	[NULL]	[NULL]	S	B1PMT8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/19/2007 11:15	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1PMT8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/19/2007 11:15	Y	7439-95-4	Magnesium	614	ug/L	D	[NULL]	[NULL]	S	B1PMT8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/19/2007 11:15	Y	7439-96-5	Manganese	89	ug/L	CD	[NULL]	[NULL]	S	B1PMT8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/19/2007 11:15	Y	7439-98-7	Molybdenum	69.6	ug/L	CD	[NULL]	[NULL]	S	B1PMT8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/19/2007 11:15	Y	7440-02-0	Nickel	4	ug/L	U	G	[NULL]	S	B1PMT8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/19/2007 11:15	Y	14797-55-8	Nitrate	1310	ug/L	BD	[NULL]	[NULL]	S	B1PMT8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	9/19/2007 11:15	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1PMT8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	9/19/2007 11:15	Y	14265-44-2	Phosphate	142000	ug/L	D	[NULL]	[NULL]	S	B1PMT8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	9/19/2007 11:15	Y	7440-09-7	Potassium	1540	ug/L	D	[NULL]	[NULL]	S	B1PMT8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/19/2007 11:15	Y	7440-22-4	Silver	5	ug/L	U	G	[NULL]	S	B1PMT8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/19/2007 11:15	Y	7440-23-5	Sodium	214000	ug/L	D	[NULL]	[NULL]	S	B1PMT8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/19/2007 11:15	Y	7440-24-6	Strontium	20	ug/L	DU	[NULL]	[NULL]	S	B1PMT8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/19/2007 11:15	Y	10098-97-2	Strontium-90	77	pCi/L	[NULL]	[NULL]	[NULL]	S	B1PMT8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-140	9/19/2007 11:15	Y	14808-79-8	Sulfate	7780	ug/L	D	[NULL]	[NULL]	S	B1PMT8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	9/19/2007 11:15	Y	7440-62-2	Vanadium	7.8	ug/L	C	G	[NULL]	S	B1PMT8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/19/2007 11:15	Y	7440-66-6	Zinc	4	ug/L	U	G	[NULL]	S	B1PMT8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/19/2007 10:30	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1R4L4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/19/2007 10:30	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1R4L4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/19/2007 10:30	Y	7440-38-2	Arsenic	277	ug/L	DN	[NULL]	[NULL]	S	B1R4L4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/19/2007 10:30	Y	7440-39-3	Barium	20	ug/L	D	[NULL]	[NULL]	S	B1R4L4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/19/2007 10:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1R4L4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/19/2007 10:30	Y	7440-70-2	Calcium	6370	ug/L	D	[NULL]	[NULL]	S	B1R4L4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/19/2007 10:30	Y	16887-00-6	Chloride	20500	ug/L	D	[NULL]	[NULL]	S	B1R4L4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	10/19/2007 10:30	Y	7440-47-3	Chromium	47	ug/L	CD	[NULL]	[NULL]	S	B1R4L4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/19/2007 10:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1R4L4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/19/2007 10:30	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1R4L4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/19/2007 10:30	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1R4L4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	10/19/2007 10:30	Y	7439-89-6	Iron	78.3	ug/L	CD	[NULL]	[NULL]	S	B1R4L4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/19/2007 10:30	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1R4L4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/19/2007 10:30	Y	7439-95-4	Magnesium	940	ug/L	D	[NULL]	[NULL]	S	B1R4L4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/19/2007 10:30	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1R4L4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/19/2007 10:30	Y	7439-98-7	Molybdenum	66.7	ug/L	CD	[NULL]	[NULL]	S	B1R4L4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/19/2007 10:30	Y	7440-02-0	Nickel	24.5	ug/L	CD	[NULL]	[NULL]	S	B1R4L4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/19/2007 10:30	Y	14797-55-8	Nitrate	236000	ug/L	D	[NULL]	[NULL]	S	B1R4L4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	10/19/2007 10:30	Y	14797-65-0	Nitrite	4700	ug/L	D	[NULL]	[NULL]	S	B1R4L4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	10/19/2007 10:30	Y	14265-44-2	Phosphate	64100	ug/L	D	[NULL]	[NULL]	S	B1R4L4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	10/19/2007 10:30	Y	7440-09-7	Potassium	1850	ug/L	D	[NULL]	[NULL]	S	B1R4L4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/19/2007 10:30	Y	7440-22-4	Silver	57	ug/L	CD	[NULL]	[NULL]	S	B1R4L4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/19/2007 10:30	Y	7440-23-5	Sodium	196000	ug/L	D	[NULL]	[NULL]	S	B1R4L4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/19/2007 10:30	Y	7440-24-6	Strontium	31.7	ug/L	D	[NULL]	[NULL]	S	B1R4L4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/19/2007 10:30	Y	10098-97-2	Strontium-90	160	pCi/L	[NULL]	[NULL]	[NULL]	S	B1R4L4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-140	10/19/2007 10:30	Y	14808-79-8	Sulfate	16400	ug/L	D	[NULL]	[NULL]	S	B1R4L4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	10/19/2007 10:30	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1R4L4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/19/2007 10:30	Y	7440-66-6	Zinc	62.7	ug/L	CD	[NULL]	[NULL]	S	B1R4L4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	11/14/2007 11:30	Y	7429-90-5	Aluminum	154	ug/L	[NULL]	[NULL]	[NULL]	S	B1R8Y8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	11/14/2007 11:30	Y	7440-36-0	Antimony	50.2	ug/L	[NULL]	Y	[NULL]	S	B1R8Y8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	11/14/2007 11:30	Y	7440-38-2	Arsenic	80	ug/L	C	[NULL]	[NULL]	S	B1R8Y8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	11/14/2007 11:30	Y	7440-39-3	Barium	13	ug/L	C	[NULL]	[NULL]	S	B1R8Y8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	11/14/2007 11:30	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1R8Y8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	11/14/2007 11:30	Y	7440-70-2	Calcium	2780	ug/L	[NULL]	[NULL]	[NULL]	S	B1R8Y8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	11/14/2007 11:30	Y	16887-00-6	Chloride	1410	ug/L	BD	[NULL]	[NULL]	S	B1R8Y8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	11/14/2007 11:30	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	S	B1R8Y8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	11/14/2007 11:30	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1R8Y8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	11/14/2007 11:30	Y	7440-50-8	Copper	13	ug/L	C	[NULL]	[NULL]	S	B1R8Y8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	11/14/2007 11:30	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1R8Y8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	11/14/2007 11:30	Y	7439-89-6	Iron	28.1	ug/L	[NULL]	[NULL]	[NULL]	S	B1R8Y8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	11/14/2007 11:30	Y	7439-92-1	Lead	27	ug/L	U	[NULL]	[NULL]	S	B1R8Y8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	11/14/2007 11:30	Y	7439-95-4	Magnesium	499	ug/L	[NULL]	[NULL]	[NULL]	S	B1R8Y8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	11/14/2007 11:30	Y	7439-96-5	Manganese	10	ug/L	C	[NULL]	[NULL]	S	B1R8Y8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	11/14/2007 11:30	Y	7439-98-7	Molybdenum	14.7	ug/L	C	[NULL]	[NULL]	S	B1R8Y8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	11/14/2007 11:30	Y	7440-02-0	Nickel	12.3	ug/L	C	[NULL]	[NULL]	S	B1R8Y8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	11/14/2007 11:30	Y	14797-55-8	Nitrate	36600	ug/L	D	[NULL]	[NULL]	S	B1R8Y8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	11/14/2007 11:30	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1R8Y8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	11/14/2007 11:30	Y	14265-44-2	Phosphate	44200	ug/L	D	[NULL]	[NULL]	S	B1R8Y8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	11/14/2007 11:30	Y	7440-09-7	Potassium	724	ug/L	[NULL]	[NULL]	[NULL]	S	B1R8Y8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	11/14/2007 11:30	Y	7440-22-4	Silver	25	ug/L	C	[NULL]	[NULL]	S	B1R8Y8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	11/14/2007 11:30	Y	7440-23-5	Sodium	50900	ug/L	[NULL]	[NULL]	[NULL]	S	B1R8Y8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	11/14/2007 11:30	Y	7440-24-6	Strontium	13.2	ug/L	[NULL]	[NULL]	[NULL]	S	B1R8Y8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	11/14/2007 11:30	Y	10098-97-2	Strontium-90	77	pCi/L	[NULL]	[NULL]	[NULL]	S	B1R8Y8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-140	11/14/2007 11:30	Y	14808-79-8	Sulfate	11600	ug/L	D	[NULL]	[NULL]	S	B1R8Y8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	11/14/2007 11:30	Y	7440-62-2	Vanadium	29	ug/L	C	[NULL]	[NULL]	S	B1R8Y8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	11/14/2007 11:30	Y	7440-66-6	Zinc	21.8	ug/L	C	[NULL]	[NULL]	S	B1R8Y8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/3/2008 12:15	Y	7429-90-5	Aluminum	159	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/3/2008 12:15	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	S	B1VJP1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/3/2008 12:15	Y	7440-38-2	Arsenic	50	ug/L	U	[NULL]	[NULL]	S	B1VJP1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/3/2008 12:15	Y	7440-39-3	Barium	10	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/3/2008 12:15	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1VJP1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/3/2008 12:15	Y	7440-70-2	Calcium	10200	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/3/2008 12:15	Y	16887-00-6	Chloride	3430	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/3/2008 12:15	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	S	B1VJP1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/3/2008 12:15	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1VJP1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/3/2008 12:15	Y	7440-50-8	Copper	4	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/3/2008 12:15	Y	16984-48-8	Fluoride	58	ug/L	B	[NULL]	[NULL]	S	B1VJP1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/3/2008 12:15	Y	12587-46-1	Gross alpha	-1.6	pCi/L	U	[NULL]	[NULL]	S	B1VJP1	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-140	6/3/2008 12:15	Y	12587-47-2	Gross beta	280	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VJP1	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-140	6/3/2008 12:15	Y	7439-89-6	Iron	95.7	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/3/2008 12:15	Y	7439-92-1	Lead	27	ug/L	U	[NULL]	[NULL]	S	B1VJP1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/3/2008 12:15	Y	7439-95-4	Magnesium	2100	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/3/2008 12:15	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	S	B1VJP1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/3/2008 12:15	Y	7439-98-7	Molybdenum	4	ug/L	U	[NULL]	[NULL]	S	B1VJP1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/3/2008 12:15	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B1VJP1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/3/2008 12:15	Y	14797-55-8	Nitrate	17400	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/3/2008 12:15	Y	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	S	B1VJP1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/3/2008 12:15	Y	14265-44-2	Phosphate	45400	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/3/2008 12:15	Y	7440-09-7	Potassium	961	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/3/2008 12:15	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1VJP1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/3/2008 12:15	Y	7440-23-5	Sodium	45800	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/3/2008 12:15	Y	7440-24-6	Strontium	44.7	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/3/2008 12:15	Y	14808-79-8	Sulfate	10200	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/3/2008 12:15	Y	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	S	B1VJP1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	6/3/2008 12:15	Y	7440-66-6	Zinc	10.8	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/26/2008 8:10	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W632	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/26/2008 8:10	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W632	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/26/2008 8:10	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W632	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/26/2008 8:10	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W632	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/26/2008 8:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W632	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/26/2008 8:10	Y	7440-70-2	Calcium	19200	ug/L	D	[NULL]	[NULL]	S	B1W632	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/26/2008 8:10	Y	16887-00-6	Chloride	13200	ug/L	D	[NULL]	[NULL]	S	B1W632	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/26/2008 8:10	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W632	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/26/2008 8:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W632	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/26/2008 8:10	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W632	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/26/2008 8:10	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W632	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/26/2008 8:10	Y	7439-89-6	Iron	1500	ug/L	D	[NULL]	[NULL]	S	B1W632	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/26/2008 8:10	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W632	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/26/2008 8:10	Y	7439-95-4	Magnesium	3720	ug/L	DN	[NULL]	[NULL]	S	B1W632	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/26/2008 8:10	Y	7439-96-5	Manganese	686	ug/L	D	[NULL]	[NULL]	S	B1W632	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/26/2008 8:10	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W632	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/26/2008 8:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W632	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/26/2008 8:10	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W632	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/26/2008 8:10	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W632	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/26/2008 8:10	Y	14265-44-2	Phosphate	162000	ug/L	D	[NULL]	[NULL]	S	B1W632	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/26/2008 8:10	Y	7440-09-7	Potassium	1210	ug/L	D	[NULL]	[NULL]	S	B1W632	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/26/2008 8:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W632	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/26/2008 8:10	Y	7440-23-5	Sodium	105000	ug/L	D	[NULL]	[NULL]	S	B1W632	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/26/2008 8:10	Y	7440-24-6	Strontium	73.2	ug/L	D	[NULL]	[NULL]	S	B1W632	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/26/2008 8:10	Y	14808-79-8	Sulfate	10200	ug/L	BD	[NULL]	[NULL]	S	B1W632	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/26/2008 8:10	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W632	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/26/2008 8:10	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W632	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 12:40	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W644	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 12:40	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W644	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 12:40	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W644	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 12:40	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W644	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 12:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W644	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 12:40	Y	7440-70-2	Calcium	26400	ug/L	D	[NULL]	[NULL]	S	B1W644	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 12:40	Y	16887-00-6	Chloride	17500	ug/L	D	[NULL]	[NULL]	S	B1W644	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/28/2008 12:40	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W644	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 12:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W644	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 12:40	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W644	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 12:40	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W644	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/28/2008 12:40	Y	7439-89-6	Iron	1420	ug/L	CD	[NULL]	[NULL]	S	B1W644	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 12:40	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W644	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 12:40	Y	7439-95-4	Magnesium	5460	ug/L	DN	[NULL]	[NULL]	S	B1W644	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 12:40	Y	7439-96-5	Manganese	439	ug/L	D	[NULL]	[NULL]	S	B1W644	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 12:40	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W644	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 12:40	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W644	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 12:40	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W644	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/28/2008 12:40	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W644	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/28/2008 12:40	Y	14265-44-2	Phosphate	150000	ug/L	D	[NULL]	[NULL]	S	B1W644	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/28/2008 12:40	Y	7440-09-7	Potassium	1530	ug/L	D	[NULL]	[NULL]	S	B1W644	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 12:40	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W644	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 12:40	Y	7440-23-5	Sodium	112000	ug/L	D	[NULL]	[NULL]	S	B1W644	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 12:40	Y	7440-24-6	Strontium	105	ug/L	D	[NULL]	[NULL]	S	B1W644	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 12:40	Y	14808-79-8	Sulfate	8410	ug/L	BD	[NULL]	[NULL]	S	B1W644	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/28/2008 12:40	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W644	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 12:40	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W644	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	6/28/2008 19:05	Y	7429-90-5	Aluminum	1820	ug/L	D	[NULL]	[NULL]	S	B1VW00	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 19:05	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VW00	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 19:05	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VW00	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 19:05	Y	7440-39-3	Barium	194	ug/L	D	[NULL]	[NULL]	S	B1VW00	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 19:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VW00	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 19:05	Y	7440-70-2	Calcium	122000	ug/L	D	[NULL]	[NULL]	S	B1VW00	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 19:05	Y	16887-00-6	Chloride	113000	ug/L	D	[NULL]	[NULL]	S	B1VW00	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/28/2008 19:05	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VW00	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 19:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VW00	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 19:05	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VW00	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 19:05	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VW00	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/28/2008 19:05	Y	12587-46-1	Gross alpha	-3.2	pCi/L	U	[NULL]	[NULL]	S	B1VVX7	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-140	6/28/2008 19:05	Y	12587-47-2	Gross beta	3800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVX7	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-140	6/28/2008 19:05	Y	7439-89-6	Iron	408	ug/L	D	[NULL]	[NULL]	S	B1VW00	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 19:05	Y	7439-92-1	Lead	250	ug/L	D	[NULL]	[NULL]	S	B1VW00	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 19:05	Y	7439-95-4	Magnesium	27700	ug/L	D	[NULL]	[NULL]	S	B1VW00	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 19:05	Y	7439-96-5	Manganese	1950	ug/L	D	[NULL]	[NULL]	S	B1VW00	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 19:05	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VW00	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 19:05	Y	7440-02-0	Nickel	43.2	ug/L	D	[NULL]	[NULL]	S	B1VW00	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 19:05	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VW00	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/28/2008 19:05	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VW00	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/28/2008 19:05	Y	14265-44-2	Phosphate	914000	ug/L	D	[NULL]	[NULL]	S	B1VW00	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/28/2008 19:05	Y	7440-09-7	Potassium	4050	ug/L	D	[NULL]	[NULL]	S	B1VW00	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 19:05	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VW00	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 19:05	Y	7440-23-5	Sodium	509000	ug/L	D	[NULL]	[NULL]	S	B1VW00	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 19:05	Y	7440-24-6	Strontium	435	ug/L	D	[NULL]	[NULL]	S	B1VW00	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 19:05	Y	14808-79-8	Sulfate	11200	ug/L	D	[NULL]	[NULL]	S	B1VW00	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/28/2008 19:05	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VW00	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/28/2008 19:05	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VW00	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:34	Y	7429-90-5	Aluminum	950	ug/L	D	[NULL]	[NULL]	S	B1W659	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:34	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W659	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:34	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W659	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:34	Y	7440-39-3	Barium	56	ug/L	D	[NULL]	[NULL]	S	B1W659	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:34	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W659	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:34	Y	7440-70-2	Calcium	86500	ug/L	DN	[NULL]	[NULL]	S	B1W659	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:34	Y	16887-00-6	Chloride	75300	ug/L	D	[NULL]	[NULL]	S	B1W659	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/29/2008 6:34	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W659	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:34	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W659	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:34	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W659	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:34	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W659	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/29/2008 6:34	Y	7439-89-6	Iron	1060	ug/L	D	[NULL]	[NULL]	S	B1W659	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:34	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W659	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:34	Y	7439-95-4	Magnesium	17800	ug/L	D	[NULL]	[NULL]	S	B1W659	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:34	Y	7439-96-5	Manganese	1260	ug/L	D	[NULL]	[NULL]	S	B1W659	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:34	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W659	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:34	Y	7440-02-0	Nickel	23.6	ug/L	D	[NULL]	[NULL]	S	B1W659	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:34	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W659	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/29/2008 6:34	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W659	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/29/2008 6:34	Y	14265-44-2	Phosphate	573000	ug/L	D	[NULL]	[NULL]	S	B1W659	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/29/2008 6:34	Y	7440-09-7	Potassium	2910	ug/L	D	[NULL]	[NULL]	S	B1W659	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:34	Y	7440-22-4	Silver	26	ug/L	D	[NULL]	[NULL]	S	B1W659	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:34	Y	7440-23-5	Sodium	314000	ug/L	D	[NULL]	[NULL]	S	B1W659	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:34	Y	7440-24-6	Strontium	278	ug/L	D	[NULL]	[NULL]	S	B1W659	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:34	Y	14808-79-8	Sulfate	9290	ug/L	BD	[NULL]	[NULL]	S	B1W659	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/29/2008 6:34	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W659	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	6/29/2008 6:34	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W659	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:53	Y	7429-90-5	Aluminum	827	ug/L	D	[NULL]	[NULL]	S	B1VW26	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:53	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VW26	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:53	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VW26	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:53	Y	7440-39-3	Barium	45	ug/L	D	[NULL]	[NULL]	S	B1VW26	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:53	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VW26	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:53	Y	7440-70-2	Calcium	62600	ug/L	D	[NULL]	[NULL]	S	B1VW26	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:53	Y	16887-00-6	Chloride	58200	ug/L	D	[NULL]	[NULL]	S	B1VW26	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/29/2008 6:53	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VW26	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:53	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VW26	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:53	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VW26	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:53	Y	DO	Dissolved oxygen	2250	ug/L	[NULL]	[NULL]	[NULL]	S	B1VW13	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	6/29/2008 6:53	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VW26	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/29/2008 6:53	Y	12587-46-1	Gross alpha	3.6	pCi/L	U	[NULL]	[NULL]	S	B1VW13	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-140	6/29/2008 6:53	Y	12587-47-2	Gross beta	1100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VW13	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-140	6/29/2008 6:53	Y	7439-89-6	Iron	1010	ug/L	D	[NULL]	[NULL]	S	B1VW26	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:53	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VW26	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:53	Y	7439-95-4	Magnesium	14900	ug/L	D	[NULL]	[NULL]	S	B1VW26	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:53	Y	7439-96-5	Manganese	1050	ug/L	D	[NULL]	[NULL]	S	B1VW26	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:53	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VW26	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:53	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VW26	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:53	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VW26	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/29/2008 6:53	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VW26	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/29/2008 6:53	Y	EH	Oxidation Reduction Potential	-111	mV	[NULL]	[NULL]	[NULL]	S	B1VW13	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	6/29/2008 6:53	Y	14265-44-2	Phosphate	426000	ug/L	D	[NULL]	[NULL]	S	B1VW26	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/29/2008 6:53	Y	7440-09-7	Potassium	2310	ug/L	D	[NULL]	[NULL]	S	B1VW26	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:53	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VW26	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:53	Y	7440-23-5	Sodium	262000	ug/L	D	[NULL]	[NULL]	S	B1VW26	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:53	Y	CONDUCT	Specific Conductance	1420	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VW13	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	6/29/2008 6:53	Y	7440-24-6	Strontium	250	ug/L	D	[NULL]	[NULL]	S	B1VW26	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:53	Y	14808-79-8	Sulfate	11700	ug/L	D	[NULL]	[NULL]	S	B1VW26	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/29/2008 6:53	Y	TEMPERATURE	Temperature	14.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1VW13	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	6/29/2008 6:53	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VW26	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:53	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VW26	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/29/2008 6:53	Y	PH	pH Measurement	7.11	unitless	[NULL]	[NULL]	[NULL]	S	B1VW13	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	6/30/2008 9:45	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VW52	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/30/2008 9:45	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VW52	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/30/2008 9:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VW52	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/30/2008 9:45	Y	7440-39-3	Barium	43	ug/L	D	[NULL]	[NULL]	S	B1VW52	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/30/2008 9:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VW52	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/30/2008 9:45	Y	7440-70-2	Calcium	63300	ug/L	D	[NULL]	[NULL]	S	B1VW52	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/30/2008 9:45	Y	16887-00-6	Chloride	68100	ug/L	D	[NULL]	[NULL]	S	B1VW52	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/30/2008 9:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VW52	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/30/2008 9:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VW52	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/30/2008 9:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VW52	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/30/2008 9:45	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VW52	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/30/2008 9:45	Y	7439-89-6	Iron	264	ug/L	D	[NULL]	[NULL]	S	B1VW52	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/30/2008 9:45	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VW52	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/30/2008 9:45	Y	7439-95-4	Magnesium	14700	ug/L	D	[NULL]	[NULL]	S	B1VW52	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/30/2008 9:45	Y	7439-96-5	Manganese	1460	ug/L	D	[NULL]	[NULL]	S	B1VW52	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/30/2008 9:45	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VW52	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/30/2008 9:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VW52	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/30/2008 9:45	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VW52	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/30/2008 9:45	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VW52	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	6/30/2008 9:45	Y	14265-44-2	Phosphate	371000	ug/L	D	[NULL]	[NULL]	S	B1VW52	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/30/2008 9:45	Y	7440-09-7	Potassium	3420	ug/L	D	[NULL]	[NULL]	S	B1VW52	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/30/2008 9:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VW52	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/30/2008 9:45	Y	7440-23-5	Sodium	299000	ug/L	D	[NULL]	[NULL]	S	B1VW52	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/30/2008 9:45	Y	7440-24-6	Strontium	280	ug/L	D	[NULL]	[NULL]	S	B1VW52	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/30/2008 9:45	Y	14808-79-8	Sulfate	9040	ug/L	BD	[NULL]	[NULL]	S	B1VW52	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	6/30/2008 9:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VW52	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/30/2008 9:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VW52	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	6/30/2008 9:48	Y	12587-46-1	Gross alpha	3.7	pCi/L	U	[NULL]	[NULL]	S	B1VW39	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-140	6/30/2008 9:48	Y	12587-47-2	Gross beta	2000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VW39	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-140	7/1/2008 8:45	Y	7429-90-5	Aluminum	5030	ug/L	D	[NULL]	[NULL]	S	B1VW78	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/1/2008 8:45	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VW78	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/1/2008 8:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VW78	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/1/2008 8:45	Y	7440-39-3	Barium	315	ug/L	D	[NULL]	[NULL]	S	B1VW78	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/1/2008 8:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VW78	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/1/2008 8:45	Y	7440-70-2	Calcium	193000	ug/L	D	[NULL]	[NULL]	S	B1VW78	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/1/2008 8:45	Y	16887-00-6	Chloride	211000	ug/L	D	[NULL]	[NULL]	S	B1VW78	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/1/2008 8:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VW78	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/1/2008 8:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VW78	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/1/2008 8:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VW78	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/1/2008 8:45	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VW78	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/1/2008 8:45	Y	12587-46-1	Gross alpha	6.8	pCi/L	U	G	[NULL]	S	B1VW65	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-140	7/1/2008 8:45	Y	12587-47-2	Gross beta	6700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VW65	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-140	7/1/2008 8:45	Y	7439-89-6	Iron	331	ug/L	DN	[NULL]	[NULL]	S	B1VW78	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/1/2008 8:45	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VW78	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/1/2008 8:45	Y	7439-95-4	Magnesium	29800	ug/L	D	[NULL]	[NULL]	S	B1VW78	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/1/2008 8:45	Y	7439-96-5	Manganese	958	ug/L	D	[NULL]	[NULL]	S	B1VW78	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/1/2008 8:45	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VW78	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/1/2008 8:45	Y	7440-02-0	Nickel	21.2	ug/L	D	[NULL]	[NULL]	S	B1VW78	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/1/2008 8:45	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VW78	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/1/2008 8:45	Y	14797-65-0	Nitrite	17600	ug/L	D	[NULL]	[NULL]	S	B1VW78	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/1/2008 8:45	Y	14265-44-2	Phosphate	1970000	ug/L	D	[NULL]	[NULL]	S	B1VW78	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/1/2008 8:45	Y	7440-09-7	Potassium	5090	ug/L	D	[NULL]	[NULL]	S	B1VW78	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/1/2008 8:45	Y	7440-22-4	Silver	25	ug/L	DNUX	[NULL]	[NULL]	S	B1VW78	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/1/2008 8:45	Y	7440-23-5	Sodium	959000	ug/L	D	[NULL]	[NULL]	S	B1VW78	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/1/2008 8:45	Y	7440-24-6	Strontium	770	ug/L	D	[NULL]	[NULL]	S	B1VW78	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/1/2008 8:45	Y	14808-79-8	Sulfate	19900	ug/L	D	[NULL]	[NULL]	S	B1VW78	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/1/2008 8:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VW78	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/1/2008 8:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VW78	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/2/2008 8:40	Y	7429-90-5	Aluminum	5350	ug/L	D	[NULL]	[NULL]	S	B1VWC4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/2/2008 8:40	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VWC4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/2/2008 8:40	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VWC4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/2/2008 8:40	Y	7440-39-3	Barium	344	ug/L	D	[NULL]	[NULL]	S	B1VWC4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/2/2008 8:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWC4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/2/2008 8:40	Y	7440-70-2	Calcium	176000	ug/L	D	[NULL]	[NULL]	S	B1VWC4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/2/2008 8:40	Y	16887-00-6	Chloride	265000	ug/L	D	[NULL]	[NULL]	S	B1VWC4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/2/2008 8:40	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VWC4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/2/2008 8:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VWC4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/2/2008 8:40	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VWC4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/2/2008 8:40	Y	DO	Dissolved oxygen	1380	ug/L	[NULL]	[NULL]	[NULL]	S	B1VW91	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	7/2/2008 8:40	Y	16984-48-8	Fluoride	420	ug/L	DU	[NULL]	[NULL]	S	B1VWC4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/2/2008 8:40	Y	12587-46-1	Gross alpha	7	pCi/L	U	[NULL]	[NULL]	S	B1VW91	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-140	7/2/2008 8:40	Y	12587-47-2	Gross beta	5600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VW91	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-140	7/2/2008 8:40	Y	7439-89-6	Iron	329	ug/L	D	[NULL]	[NULL]	S	B1VWC4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/2/2008 8:40	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VWC4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	7/2/2008 8:40	Y	7439-95-4	Magnesium	32000	ug/L	D	[NULL]	[NULL]	S	B1VWC4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/2/2008 8:40	Y	7439-96-5	Manganese	1260	ug/L	D	[NULL]	[NULL]	S	B1VWC4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/2/2008 8:40	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VWC4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/2/2008 8:40	Y	7440-02-0	Nickel	43.1	ug/L	D	[NULL]	[NULL]	S	B1VWC4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/2/2008 8:40	Y	14797-55-8	Nitrate	3190	ug/L	DU	[NULL]	[NULL]	S	B1VWC4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/2/2008 8:40	Y	14797-65-0	Nitrite	650	ug/L	DU	[NULL]	[NULL]	S	B1VWC4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/2/2008 8:40	Y	EH	Oxidation Reduction Potential	128	mV	[NULL]	[NULL]	[NULL]	S	B1VW91	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	7/2/2008 8:40	Y	14265-44-2	Phosphate	2720000	ug/L	D	[NULL]	[NULL]	S	B1VWC4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/2/2008 8:40	Y	7440-09-7	Potassium	6990	ug/L	D	[NULL]	[NULL]	S	B1VWC4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/2/2008 8:40	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VWC4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/2/2008 8:40	Y	7440-23-5	Sodium	1350000	ug/L	D	[NULL]	[NULL]	S	B1VWC4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/2/2008 8:40	Y	CONDUCT	Specific Conductance	5545	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VW91	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	7/2/2008 8:40	Y	7440-24-6	Strontium	786	ug/L	D	[NULL]	[NULL]	S	B1VWC4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/2/2008 8:40	Y	14808-79-8	Sulfate	17600	ug/L	BD	[NULL]	[NULL]	S	B1VWC4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/2/2008 8:40	Y	TEMPERATURE	Temperature	16.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1VW91	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	7/2/2008 8:40	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VWC4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/2/2008 8:40	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VWC4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/2/2008 8:40	Y	PH	pH Measurement	7.17	unitless	[NULL]	[NULL]	[NULL]	S	B1VW91	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	7/3/2008 7:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VWK0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VWK0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VWK0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:30	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWK0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWK0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:30	Y	7440-70-2	Calcium	75600	ug/L	D	[NULL]	[NULL]	S	B1VWK0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:30	Y	16887-00-6	Chloride	253000	ug/L	D	[NULL]	[NULL]	S	B1VWK0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/3/2008 7:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VWK0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VWK0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VWK0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:30	Y	DO	Dissolved oxygen	1290	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWF7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	7/3/2008 7:30	Y	16984-48-8	Fluoride	420	ug/L	DU	[NULL]	[NULL]	S	B1VWK0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/3/2008 7:30	Y	12587-46-1	Gross alpha	-14	pCi/L	U	[NULL]	[NULL]	S	B1VWF7	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-140	7/3/2008 7:30	Y	12587-47-2	Gross beta	2500	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VWF7	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-140	7/3/2008 7:30	Y	7439-89-6	Iron	125	ug/L	DNU	[NULL]	[NULL]	S	B1VWK0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VWK0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:30	Y	7439-95-4	Magnesium	22300	ug/L	D	[NULL]	[NULL]	S	B1VWK0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:30	Y	7439-96-5	Manganese	516	ug/L	D	[NULL]	[NULL]	S	B1VWK0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VWK0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VWK0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:30	Y	14797-55-8	Nitrate	3190	ug/L	DU	[NULL]	[NULL]	S	B1VWK0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/3/2008 7:30	Y	14797-65-0	Nitrite	650	ug/L	DU	[NULL]	[NULL]	S	B1VWK0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/3/2008 7:30	Y	EH	Oxidation Reduction Potential	244	mV	[NULL]	[NULL]	[NULL]	S	B1VWF7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	7/3/2008 7:30	Y	14265-44-2	Phosphate	2400000	ug/L	D	[NULL]	[NULL]	S	B1VWK0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/3/2008 7:30	Y	7440-09-7	Potassium	7760	ug/L	D	[NULL]	[NULL]	S	B1VWK0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:30	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1VWK0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:30	Y	7440-23-5	Sodium	1430000	ug/L	D	[NULL]	[NULL]	S	B1VWK0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:30	Y	CONDUCT	Specific Conductance	6368	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWF7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	7/3/2008 7:30	Y	7440-24-6	Strontium	358	ug/L	D	[NULL]	[NULL]	S	B1VWK0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:30	Y	14808-79-8	Sulfate	15700	ug/L	BD	[NULL]	[NULL]	S	B1VWK0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/3/2008 7:30	Y	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWF7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	7/3/2008 7:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VWK0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VWK0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:30	Y	PH	pH Measurement	6.58	unitless	[NULL]	[NULL]	[NULL]	S	B1VWF7	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	7/3/2008 7:49	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W673	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	7/3/2008 7:49	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W673	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:49	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W673	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:49	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W673	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:49	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W673	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:49	Y	7440-70-2	Calcium	74600	ug/L	D	[NULL]	[NULL]	S	B1W673	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:49	Y	16887-00-6	Chloride	249000	ug/L	D	[NULL]	[NULL]	S	B1W673	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/3/2008 7:49	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W673	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:49	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W673	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:49	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W673	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:49	Y	16984-48-8	Fluoride	420	ug/L	DU	[NULL]	[NULL]	S	B1W673	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/3/2008 7:49	Y	7439-89-6	Iron	125	ug/L	DNU	[NULL]	[NULL]	S	B1W673	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:49	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W673	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:49	Y	7439-95-4	Magnesium	21000	ug/L	D	[NULL]	[NULL]	S	B1W673	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:49	Y	7439-96-5	Manganese	512	ug/L	D	[NULL]	[NULL]	S	B1W673	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:49	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W673	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:49	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W673	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:49	Y	14797-55-8	Nitrate	3190	ug/L	DU	[NULL]	[NULL]	S	B1W673	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/3/2008 7:49	Y	14797-65-0	Nitrite	650	ug/L	DU	[NULL]	[NULL]	S	B1W673	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/3/2008 7:49	Y	14265-44-2	Phosphate	2460000	ug/L	D	[NULL]	[NULL]	S	B1W673	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/3/2008 7:49	Y	7440-09-7	Potassium	7730	ug/L	D	[NULL]	[NULL]	S	B1W673	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:49	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1W673	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:49	Y	7440-23-5	Sodium	1400000	ug/L	D	[NULL]	[NULL]	S	B1W673	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:49	Y	7440-24-6	Strontium	336	ug/L	D	[NULL]	[NULL]	S	B1W673	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:49	Y	14808-79-8	Sulfate	15300	ug/L	BD	[NULL]	[NULL]	S	B1W673	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/3/2008 7:49	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W673	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/3/2008 7:49	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W673	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/4/2008 6:19	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VWP6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/4/2008 6:19	Y	7440-36-0	Antimony	280	ug/L	DNU	[NULL]	[NULL]	S	B1VWP6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/4/2008 6:19	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VWP6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/4/2008 6:19	Y	7440-39-3	Barium	23	ug/L	D	[NULL]	[NULL]	S	B1VWP6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/4/2008 6:19	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWP6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/4/2008 6:19	Y	7440-70-2	Calcium	33800	ug/L	DN	[NULL]	[NULL]	S	B1VWP6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/4/2008 6:19	Y	16887-00-6	Chloride	256000	ug/L	D	[NULL]	[NULL]	S	B1VWP6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/4/2008 6:19	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VWP6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/4/2008 6:19	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VWP6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/4/2008 6:19	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VWP6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/4/2008 6:19	Y	DO	Dissolved oxygen	1900	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWM3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	7/4/2008 6:19	Y	16984-48-8	Fluoride	420	ug/L	DU	[NULL]	[NULL]	S	B1VWP6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/4/2008 6:19	Y	12587-46-1	Gross alpha	-7	pCi/L	U	[NULL]	[NULL]	S	B1VWM3	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-140	7/4/2008 6:19	Y	12587-47-2	Gross beta	2200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VWM3	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-140	7/4/2008 6:19	Y	7439-89-6	Iron	282	ug/L	D	[NULL]	[NULL]	S	B1VWP6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/4/2008 6:19	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VWP6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/4/2008 6:19	Y	7439-95-4	Magnesium	20300	ug/L	D	[NULL]	[NULL]	S	B1VWP6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/4/2008 6:19	Y	7439-96-5	Manganese	569	ug/L	D	[NULL]	[NULL]	S	B1VWP6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/4/2008 6:19	Y	7439-98-7	Molybdenum	25	ug/L	DNU	[NULL]	[NULL]	S	B1VWP6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/4/2008 6:19	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VWP6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/4/2008 6:19	Y	14797-55-8	Nitrate	3190	ug/L	DU	[NULL]	[NULL]	S	B1VWP6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/4/2008 6:19	Y	14797-65-0	Nitrite	650	ug/L	DU	[NULL]	[NULL]	S	B1VWP6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/4/2008 6:19	Y	EH	Oxidation Reduction Potential	-110	mV	[NULL]	[NULL]	[NULL]	S	B1VWM3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	7/4/2008 6:19	Y	14265-44-2	Phosphate	2210000	ug/L	D	[NULL]	[NULL]	S	B1VWP6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/4/2008 6:19	Y	7440-09-7	Potassium	7850	ug/L	D	[NULL]	[NULL]	S	B1VWP6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/4/2008 6:19	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VWP6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/4/2008 6:19	Y	7440-23-5	Sodium	1450000	ug/L	D	[NULL]	[NULL]	S	B1VWP6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/4/2008 6:19	Y	CONDUCT	Specific Conductance	5764	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWM3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	7/4/2008 6:19	Y	7440-24-6	Strontium	264	ug/L	D	[NULL]	[NULL]	S	B1VWP6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/4/2008 6:19	Y	14808-79-8	Sulfate	14300	ug/L	BD	[NULL]	[NULL]	S	B1VWP6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/4/2008 6:19	Y	TEMPERATURE	Temperature	16	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWM3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	7/4/2008 6:19	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VWP6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/4/2008 6:19	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VWP6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/4/2008 6:19	Y	PH	pH Measurement	7.02	unitless	[NULL]	[NULL]	[NULL]	S	B1VWM3	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	7/5/2008 7:15	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VX05	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/5/2008 7:15	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VX05	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/5/2008 7:15	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VX05	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/5/2008 7:15	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VX05	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/5/2008 7:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VX05	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/5/2008 7:15	Y	7440-70-2	Calcium	22500	ug/L	D	[NULL]	[NULL]	S	B1VX05	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/5/2008 7:15	Y	16887-00-6	Chloride	242000	ug/L	D	[NULL]	[NULL]	S	B1VX05	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/5/2008 7:15	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VX05	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/5/2008 7:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VX05	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/5/2008 7:15	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VX05	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/5/2008 7:15	Y	DO	Dissolved oxygen	950	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWY0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	7/5/2008 7:15	Y	16984-48-8	Fluoride	420	ug/L	DU	[NULL]	[NULL]	S	B1VX05	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/5/2008 7:15	Y	12587-46-1	Gross alpha	2.6	pCi/L	U	[NULL]	[NULL]	S	B1VWY0	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-140	7/5/2008 7:15	Y	12587-47-2	Gross beta	1700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VWY0	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-140	7/5/2008 7:15	Y	7439-89-6	Iron	654	ug/L	CD	[NULL]	[NULL]	S	B1VX05	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/5/2008 7:15	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VX05	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/5/2008 7:15	Y	7439-95-4	Magnesium	19600	ug/L	D	[NULL]	[NULL]	S	B1VX05	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/5/2008 7:15	Y	7439-96-5	Manganese	632	ug/L	D	[NULL]	[NULL]	S	B1VX05	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/5/2008 7:15	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VX05	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/5/2008 7:15	Y	7440-02-0	Nickel	22.5	ug/L	D	[NULL]	[NULL]	S	B1VX05	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/5/2008 7:15	Y	14797-55-8	Nitrate	3190	ug/L	DU	[NULL]	[NULL]	S	B1VX05	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/5/2008 7:15	Y	14797-65-0	Nitrite	650	ug/L	DU	[NULL]	[NULL]	S	B1VX05	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/5/2008 7:15	Y	EH	Oxidation Reduction Potential	-128	mV	[NULL]	[NULL]	[NULL]	S	B1VWY0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	7/5/2008 7:15	Y	14265-44-2	Phosphate	2040000	ug/L	D	[NULL]	[NULL]	S	B1VX05	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/5/2008 7:15	Y	7440-09-7	Potassium	6370	ug/L	D	[NULL]	[NULL]	S	B1VX05	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/5/2008 7:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VX05	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/5/2008 7:15	Y	7440-23-5	Sodium	1420000	ug/L	D	[NULL]	[NULL]	S	B1VX05	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/5/2008 7:15	Y	CONDUCT	Specific Conductance	5200	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWY0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	7/5/2008 7:15	Y	7440-24-6	Strontium	188	ug/L	D	[NULL]	[NULL]	S	B1VX05	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/5/2008 7:15	Y	14808-79-8	Sulfate	13400	ug/L	BD	[NULL]	[NULL]	S	B1VX05	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/5/2008 7:15	Y	TEMPERATURE	Temperature	14.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWY0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	7/5/2008 7:15	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VX05	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/5/2008 7:15	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VX05	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/5/2008 7:15	Y	PH	pH Measurement	7.05	unitless	[NULL]	[NULL]	[NULL]	S	B1VWY0	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	7/6/2008 10:00	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VX39	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/6/2008 10:00	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VX39	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/6/2008 10:00	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VX39	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/6/2008 10:00	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VX39	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/6/2008 10:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VX39	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/6/2008 10:00	Y	7440-70-2	Calcium	25300	ug/L	DN	[NULL]	[NULL]	S	B1VX39	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/6/2008 10:00	Y	16887-00-6	Chloride	209000	ug/L	D	[NULL]	[NULL]	S	B1VX39	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/6/2008 10:00	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VX39	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/6/2008 10:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VX39	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/6/2008 10:00	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VX39	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/6/2008 10:00	Y	DO	Dissolved oxygen	1290	ug/L	[NULL]	[NULL]	[NULL]	S	B1VX16	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	7/6/2008 10:00	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VX39	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/6/2008 10:00	Y	12587-46-1	Gross alpha	15	pCi/L	U	[NULL]	[NULL]	S	B1VX16	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-140	7/6/2008 10:00	Y	12587-47-2	Gross beta	1900	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VX16	12587-47-2	WSCF	BETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	7/6/2008 10:00	Y	7439-89-6	Iron	436	ug/L	D	[NULL]	[NULL]	S	B1VX39	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/6/2008 10:00	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VX39	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/6/2008 10:00	Y	7439-95-4	Magnesium	14000	ug/L	D	[NULL]	[NULL]	S	B1VX39	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/6/2008 10:00	Y	7439-96-5	Manganese	987	ug/L	D	[NULL]	[NULL]	S	B1VX39	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/6/2008 10:00	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VX39	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/6/2008 10:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VX39	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/6/2008 10:00	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VX39	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/6/2008 10:00	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VX39	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/6/2008 10:00	Y	EH	Oxidation Reduction Potential	-144	mV	[NULL]	[NULL]	[NULL]	S	B1VX16	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	7/6/2008 10:00	Y	14265-44-2	Phosphate	1280000	ug/L	D	[NULL]	[NULL]	S	B1VX39	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/6/2008 10:00	Y	7440-09-7	Potassium	4960	ug/L	D	[NULL]	[NULL]	S	B1VX39	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/6/2008 10:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VX39	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/6/2008 10:00	Y	7440-23-5	Sodium	1030000	ug/L	D	[NULL]	[NULL]	S	B1VX39	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/6/2008 10:00	Y	CONDUCT	Specific Conductance	4173	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VX16	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	7/6/2008 10:00	Y	7440-24-6	Strontium	183	ug/L	D	[NULL]	[NULL]	S	B1VX39	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/6/2008 10:00	Y	14808-79-8	Sulfate	12100	ug/L	D	[NULL]	[NULL]	S	B1VX39	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/6/2008 10:00	Y	TEMPERATURE	Temperature	15.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1VX16	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	7/6/2008 10:00	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VX39	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/6/2008 10:00	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VX39	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/6/2008 10:00	Y	PH	pH Measurement	7.11	unitless	[NULL]	[NULL]	[NULL]	S	B1VX16	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	7/7/2008 10:15	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W784	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/7/2008 10:15	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W784	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/7/2008 10:15	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W784	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/7/2008 10:15	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W784	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/7/2008 10:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W784	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/7/2008 10:15	Y	7440-70-2	Calcium	32500	ug/L	D	[NULL]	[NULL]	S	B1W784	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/7/2008 10:15	Y	16887-00-6	Chloride	205000	ug/L	DN	[NULL]	[NULL]	S	B1W784	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/7/2008 10:15	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W784	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/7/2008 10:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W784	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/7/2008 10:15	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W784	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/7/2008 10:15	Y	DO	Dissolved oxygen	1800	ug/L	[NULL]	[NULL]	[NULL]	S	B1W769	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	7/7/2008 10:15	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W784	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/7/2008 10:15	Y	12587-46-1	Gross alpha	12	pCi/L	U	[NULL]	[NULL]	S	B1W769	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-140	7/7/2008 10:15	Y	12587-47-2	Gross beta	2400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W769	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-140	7/7/2008 10:15	Y	7439-89-6	Iron	651	ug/L	D	[NULL]	[NULL]	S	B1W784	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/7/2008 10:15	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W784	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/7/2008 10:15	Y	7439-95-4	Magnesium	15600	ug/L	DN	[NULL]	[NULL]	S	B1W784	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/7/2008 10:15	Y	7439-96-5	Manganese	1300	ug/L	D	[NULL]	[NULL]	S	B1W784	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/7/2008 10:15	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W784	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/7/2008 10:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W784	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/7/2008 10:15	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W784	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/7/2008 10:15	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W784	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/7/2008 10:15	Y	EH	Oxidation Reduction Potential	-170	mV	[NULL]	[NULL]	[NULL]	S	B1W769	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	7/7/2008 10:15	Y	14265-44-2	Phosphate	1120000	ug/L	D	[NULL]	[NULL]	S	B1W784	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/7/2008 10:15	Y	7440-09-7	Potassium	5710	ug/L	D	[NULL]	[NULL]	S	B1W784	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/7/2008 10:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W784	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/7/2008 10:15	Y	7440-23-5	Sodium	1130000	ug/L	D	[NULL]	[NULL]	S	B1W784	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/7/2008 10:15	Y	CONDUCT	Specific Conductance	3687	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W769	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	7/7/2008 10:15	Y	7440-24-6	Strontium	221	ug/L	D	[NULL]	[NULL]	S	B1W784	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/7/2008 10:15	Y	14808-79-8	Sulfate	9320	ug/L	BD	[NULL]	[NULL]	S	B1W784	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/7/2008 10:15	Y	TEMPERATURE	Temperature	15.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1W769	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	7/7/2008 10:15	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W784	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/7/2008 10:15	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W784	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	7/7/2008 10:15	Y	PH	pH Measurement	7.04	unitless	[NULL]	[NULL]	[NULL]	S	B1W769	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	7/8/2008 9:45	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7C8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/8/2008 9:45	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7C8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/8/2008 9:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7C8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/8/2008 9:45	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7C8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/8/2008 9:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7C8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/8/2008 9:45	Y	7440-70-2	Calcium	33000	ug/L	DN	[NULL]	[NULL]	S	B1W7C8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/8/2008 9:45	Y	16887-00-6	Chloride	187000	ug/L	D	[NULL]	[NULL]	S	B1W7C8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/8/2008 9:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7C8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/8/2008 9:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7C8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/8/2008 9:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7C8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/8/2008 9:45	Y	DO	Dissolved oxygen	2380	ug/L	[NULL]	[NULL]	[NULL]	S	B1W795	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	7/8/2008 9:45	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W7C8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/8/2008 9:45	Y	12587-46-1	Gross alpha	9.1	pCi/L	U	[NULL]	[NULL]	S	B1W795	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-140	7/8/2008 9:45	Y	12587-47-2	Gross beta	1900	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W795	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-140	7/8/2008 9:45	Y	7439-89-6	Iron	600	ug/L	D	[NULL]	[NULL]	S	B1W7C8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/8/2008 9:45	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7C8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/8/2008 9:45	Y	7439-95-4	Magnesium	14400	ug/L	D	[NULL]	[NULL]	S	B1W7C8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/8/2008 9:45	Y	7439-96-5	Manganese	1390	ug/L	D	[NULL]	[NULL]	S	B1W7C8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/8/2008 9:45	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7C8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/8/2008 9:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7C8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/8/2008 9:45	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W7C8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/8/2008 9:45	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W7C8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/8/2008 9:45	Y	EH	Oxidation Reduction Potential	-146	mV	[NULL]	[NULL]	[NULL]	S	B1W795	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	7/8/2008 9:45	Y	14265-44-2	Phosphate	975000	ug/L	D	[NULL]	[NULL]	S	B1W7C8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/8/2008 9:45	Y	7440-09-7	Potassium	5420	ug/L	D	[NULL]	[NULL]	S	B1W7C8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/8/2008 9:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W7C8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/8/2008 9:45	Y	7440-23-5	Sodium	1050000	ug/L	D	[NULL]	[NULL]	S	B1W7C8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/8/2008 9:45	Y	CONDUCT	Specific Conductance	363	uS/cm	[NULL]	Y	[NULL]	S	B1W795	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	7/8/2008 9:45	Y	7440-24-6	Strontium	221	ug/L	D	[NULL]	[NULL]	S	B1W7C8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/8/2008 9:45	Y	14808-79-8	Sulfate	6460	ug/L	BD	[NULL]	[NULL]	S	B1W7C8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/8/2008 9:45	Y	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1W795	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	7/8/2008 9:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7C8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/8/2008 9:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7C8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/8/2008 9:45	Y	PH	pH Measurement	7.34	unitless	[NULL]	[NULL]	[NULL]	S	B1W795	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	7/9/2008 11:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W852	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/9/2008 11:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W852	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/9/2008 11:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W852	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/9/2008 11:30	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W852	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/9/2008 11:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W852	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/9/2008 11:30	Y	7440-70-2	Calcium	28100	ug/L	D	[NULL]	[NULL]	S	B1W852	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/9/2008 11:30	Y	16887-00-6	Chloride	188000	ug/L	D	[NULL]	[NULL]	S	B1W852	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/9/2008 11:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W852	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/9/2008 11:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W852	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/9/2008 11:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W852	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/9/2008 11:30	Y	DO	Dissolved oxygen	1800	ug/L	[NULL]	[NULL]	[NULL]	S	B1W837	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	7/9/2008 11:30	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W852	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/9/2008 11:30	Y	12587-46-1	Gross alpha	5.1	pCi/L	U	[NULL]	[NULL]	S	B1W837	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-140	7/9/2008 11:30	Y	12587-47-2	Gross beta	1900	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W837	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-140	7/9/2008 11:30	Y	7439-89-6	Iron	879	ug/L	D	[NULL]	[NULL]	S	B1W852	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/9/2008 11:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W852	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/9/2008 11:30	Y	7439-95-4	Magnesium	12500	ug/L	D	[NULL]	[NULL]	S	B1W852	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/9/2008 11:30	Y	7439-96-5	Manganese	1080	ug/L	D	[NULL]	[NULL]	S	B1W852	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/9/2008 11:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W852	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	7/9/2008 11:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W852	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/9/2008 11:30	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W852	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/9/2008 11:30	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W852	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/9/2008 11:30	Y	EH	Oxidation Reduction Potential	-142	mV	[NULL]	[NULL]	[NULL]	S	B1W837	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	7/9/2008 11:30	Y	14265-44-2	Phosphate	981000	ug/L	D	[NULL]	[NULL]	S	B1W852	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/9/2008 11:30	Y	7440-09-7	Potassium	4740	ug/L	D	[NULL]	[NULL]	S	B1W852	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/9/2008 11:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W852	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/9/2008 11:30	Y	7440-23-5	Sodium	929000	ug/L	DN	[NULL]	[NULL]	S	B1W852	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/9/2008 11:30	Y	CONDUCT	Specific Conductance	3392	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W837	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	7/9/2008 11:30	Y	7440-24-6	Strontium	189	ug/L	D	[NULL]	[NULL]	S	B1W852	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/9/2008 11:30	Y	14808-79-8	Sulfate	3650	ug/L	BD	[NULL]	[NULL]	S	B1W852	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/9/2008 11:30	Y	TEMPERATURE	Temperature	15.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1W837	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	7/9/2008 11:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W852	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/9/2008 11:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W852	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/9/2008 11:30	Y	PH	pH Measurement	7.02	unitless	[NULL]	[NULL]	[NULL]	S	B1W837	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	7/10/2008 10:50	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7K4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2008 10:50	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7K4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2008 10:50	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7K4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2008 10:50	Y	7440-39-3	Barium	21	ug/L	D	[NULL]	[NULL]	S	B1W7K4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2008 10:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7K4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2008 10:50	Y	7440-70-2	Calcium	25900	ug/L	D	[NULL]	[NULL]	S	B1W7K4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2008 10:50	Y	16887-00-6	Chloride	167000	ug/L	D	[NULL]	[NULL]	S	B1W7K4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/10/2008 10:50	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7K4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2008 10:50	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7K4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2008 10:50	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7K4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2008 10:50	Y	DO	Dissolved oxygen	1390	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7H1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	7/10/2008 10:50	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W7K4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/10/2008 10:50	Y	12587-46-1	Gross alpha	23	pCi/L	U	[NULL]	[NULL]	S	B1W7H1	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-140	7/10/2008 10:50	Y	12587-47-2	Gross beta	1900	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7H1	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-140	7/10/2008 10:50	Y	7439-89-6	Iron	450	ug/L	D	[NULL]	[NULL]	S	B1W7K4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2008 10:50	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7K4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2008 10:50	Y	7439-95-4	Magnesium	9330	ug/L	D	[NULL]	[NULL]	S	B1W7K4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2008 10:50	Y	7439-96-5	Manganese	1120	ug/L	D	[NULL]	[NULL]	S	B1W7K4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2008 10:50	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7K4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2008 10:50	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7K4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2008 10:50	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W7K4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/10/2008 10:50	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W7K4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/10/2008 10:50	Y	EH	Oxidation Reduction Potential	-180	mV	[NULL]	[NULL]	[NULL]	S	B1W7H1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	7/10/2008 10:50	Y	14265-44-2	Phosphate	717000	ug/L	D	[NULL]	[NULL]	S	B1W7K4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/10/2008 10:50	Y	7440-09-7	Potassium	4300	ug/L	D	[NULL]	[NULL]	S	B1W7K4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2008 10:50	Y	7440-22-4	Silver	44	ug/L	CD	[NULL]	[NULL]	S	B1W7K4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2008 10:50	Y	7440-23-5	Sodium	740000	ug/L	D	[NULL]	[NULL]	S	B1W7K4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2008 10:50	Y	CONDUCT	Specific Conductance	3039	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7H1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	7/10/2008 10:50	Y	7440-24-6	Strontium	182	ug/L	D	[NULL]	[NULL]	S	B1W7K4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2008 10:50	Y	14808-79-8	Sulfate	3470	ug/L	BD	[NULL]	[NULL]	S	B1W7K4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/10/2008 10:50	Y	TEMPERATURE	Temperature	15	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7H1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	7/10/2008 10:50	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7K4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2008 10:50	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7K4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/10/2008 10:50	Y	PH	pH Measurement	7.21	unitless	[NULL]	[NULL]	[NULL]	S	B1W7H1	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	7/12/2008 7:35	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7R0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/12/2008 7:35	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7R0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/12/2008 7:35	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7R0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/12/2008 7:35	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7R0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	7/12/2008 7:35	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7R0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/12/2008 7:35	Y	7440-70-2	Calcium	30900	ug/L	D	[NULL]	[NULL]	S	B1W7R0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/12/2008 7:35	Y	16887-00-6	Chloride	165000	ug/L	D	[NULL]	[NULL]	S	B1W7R0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/12/2008 7:35	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7R0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/12/2008 7:35	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7R0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/12/2008 7:35	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7R0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/12/2008 7:35	Y	DO	Dissolved oxygen	2210	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7M7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	7/12/2008 7:35	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1W7R0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/12/2008 7:35	Y	12587-46-1	Gross alpha	-5.6	pCi/L	U	[NULL]	[NULL]	S	B1W7M7	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-140	7/12/2008 7:35	Y	12587-47-2	Gross beta	1700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7M7	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-140	7/12/2008 7:35	Y	7439-89-6	Iron	313	ug/L	D	[NULL]	[NULL]	S	B1W7R0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/12/2008 7:35	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7R0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/12/2008 7:35	Y	7439-95-4	Magnesium	7590	ug/L	D	[NULL]	[NULL]	S	B1W7R0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/12/2008 7:35	Y	7439-96-5	Manganese	1540	ug/L	D	[NULL]	[NULL]	S	B1W7R0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/12/2008 7:35	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7R0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/12/2008 7:35	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7R0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/12/2008 7:35	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1W7R0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/12/2008 7:35	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1W7R0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/12/2008 7:35	Y	EH	Oxidation Reduction Potential	-113	mV	[NULL]	[NULL]	[NULL]	S	B1W7M7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	7/12/2008 7:35	Y	14265-44-2	Phosphate	469000	ug/L	D	[NULL]	[NULL]	S	B1W7R0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/12/2008 7:35	Y	7440-09-7	Potassium	3770	ug/L	D	[NULL]	[NULL]	S	B1W7R0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/12/2008 7:35	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W7R0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/12/2008 7:35	Y	7440-23-5	Sodium	711000	ug/L	DX	[NULL]	[NULL]	S	B1W7R0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/12/2008 7:35	Y	CONDUCT	Specific Conductance	2750	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7M7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	7/12/2008 7:35	Y	7440-24-6	Strontium	157	ug/L	D	[NULL]	[NULL]	S	B1W7R0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/12/2008 7:35	Y	14808-79-8	Sulfate	2660	ug/L	BD	[NULL]	[NULL]	S	B1W7R0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/12/2008 7:35	Y	TEMPERATURE	Temperature	14.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7M7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	7/12/2008 7:35	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7R0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/12/2008 7:35	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7R0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/12/2008 7:35	Y	PH	pH Measurement	7.11	unitless	[NULL]	[NULL]	[NULL]	S	B1W7M7	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	7/13/2008 0:00	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WBH3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2008 0:00	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WBH3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2008 0:00	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WBH3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2008 0:00	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WBH3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2008 0:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WBH3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2008 0:00	Y	7440-70-2	Calcium	29100	ug/L	DX	[NULL]	[NULL]	S	B1WBH3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2008 0:00	Y	16887-00-6	Chloride	146000	ug/L	D	[NULL]	[NULL]	S	B1WBH3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/13/2008 0:00	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WBH3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2008 0:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WBH3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2008 0:00	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WBH3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2008 0:00	Y	16984-48-8	Fluoride	232	ug/L	DNU	[NULL]	[NULL]	S	B1WBH3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/13/2008 0:00	Y	7439-89-6	Iron	205	ug/L	BD	[NULL]	[NULL]	S	B1WBH3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2008 0:00	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WBH3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2008 0:00	Y	7439-95-4	Magnesium	6700	ug/L	D	[NULL]	[NULL]	S	B1WBH3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2008 0:00	Y	7439-96-5	Manganese	1590	ug/L	D	[NULL]	[NULL]	S	B1WBH3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2008 0:00	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WBH3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2008 0:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WBH3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2008 0:00	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WBH3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/13/2008 0:00	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WBH3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/13/2008 0:00	Y	14265-44-2	Phosphate	386000	ug/L	D	[NULL]	[NULL]	S	B1WBH3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/13/2008 0:00	Y	7440-09-7	Potassium	3850	ug/L	BD	[NULL]	[NULL]	S	B1WBH3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2008 0:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WBH3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2008 0:00	Y	7440-23-5	Sodium	683000	ug/L	DX	[NULL]	[NULL]	S	B1WBH3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2008 0:00	Y	7440-24-6	Strontium	160	ug/L	D	[NULL]	[NULL]	S	B1WBH3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	7/13/2008 0:00	Y	14808-79-8	Sulfate	1750	ug/L	BD	[NULL]	[NULL]	S	B1WBH3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/13/2008 0:00	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WBH3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2008 0:00	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WBH3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/13/2008 12:45	Y	12587-46-1	Gross alpha	5.2	pCi/L	U	[NULL]	[NULL]	S	B1WBC8	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-140	7/13/2008 12:45	Y	12587-47-2	Gross beta	1600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WBC8	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-140	7/14/2008 9:25	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W882	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2008 9:25	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W882	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2008 9:25	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W882	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2008 9:25	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W882	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2008 9:25	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W882	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2008 9:25	Y	7440-70-2	Calcium	26700	ug/L	D	[NULL]	[NULL]	S	B1W882	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2008 9:25	Y	16887-00-6	Chloride	146000	ug/L	D	[NULL]	[NULL]	S	B1W882	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/14/2008 9:25	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W882	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2008 9:25	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W882	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2008 9:25	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W882	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2008 9:25	Y	DO	Dissolved oxygen	1650	ug/L	[NULL]	[NULL]	[NULL]	S	B1W867	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	7/14/2008 9:25	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W882	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/14/2008 9:25	Y	12587-46-1	Gross alpha	5.7	pCi/L	U	[NULL]	[NULL]	S	B1W867	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-140	7/14/2008 9:25	Y	12587-47-2	Gross beta	1500	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W867	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-140	7/14/2008 9:25	Y	7439-89-6	Iron	253	ug/L	D	[NULL]	[NULL]	S	B1W882	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2008 9:25	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W882	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2008 9:25	Y	7439-95-4	Magnesium	6580	ug/L	D	[NULL]	[NULL]	S	B1W882	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2008 9:25	Y	7439-96-5	Manganese	1560	ug/L	D	[NULL]	[NULL]	S	B1W882	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2008 9:25	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W882	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2008 9:25	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W882	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2008 9:25	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W882	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/14/2008 9:25	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W882	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/14/2008 9:25	Y	EH	Oxidation Reduction Potential	-131	mV	[NULL]	[NULL]	[NULL]	S	B1W867	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	7/14/2008 9:25	Y	14265-44-2	Phosphate	346000	ug/L	D	[NULL]	[NULL]	S	B1W882	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/14/2008 9:25	Y	7440-09-7	Potassium	3760	ug/L	D	[NULL]	[NULL]	S	B1W882	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2008 9:25	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W882	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2008 9:25	Y	7440-23-5	Sodium	662000	ug/L	D	[NULL]	[NULL]	S	B1W882	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2008 9:25	Y	CONDUCT	Specific Conductance	2400	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W867	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	7/14/2008 9:25	Y	7440-24-6	Strontium	137	ug/L	DN	[NULL]	[NULL]	S	B1W882	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2008 9:25	Y	14808-79-8	Sulfate	1510	ug/L	BD	[NULL]	[NULL]	S	B1W882	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/14/2008 9:25	Y	TEMPERATURE	Temperature	15.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1W867	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	7/14/2008 9:25	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W882	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2008 9:25	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W882	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/14/2008 9:25	Y	PH	pH Measurement	7.35	unitless	[NULL]	[NULL]	[NULL]	S	B1W867	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	7/15/2008 12:00	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W820	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2008 12:00	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W820	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2008 12:00	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W820	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2008 12:00	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W820	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2008 12:00	Y	7440-43-9	Cadmium	20	ug/L	DNU	[NULL]	[NULL]	S	B1W820	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2008 12:00	Y	7440-70-2	Calcium	23400	ug/L	DX	[NULL]	[NULL]	S	B1W820	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2008 12:00	Y	16887-00-6	Chloride	130000	ug/L	D	[NULL]	[NULL]	S	B1W820	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/15/2008 12:00	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W820	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2008 12:00	Y	7440-48-4	Cobalt	20	ug/L	DNU	[NULL]	[NULL]	S	B1W820	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2008 12:00	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W820	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2008 12:00	Y	DO	Dissolved oxygen	1020	ug/L	[NULL]	[NULL]	[NULL]	S	B1W820	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	7/15/2008 12:00	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1W820	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/15/2008 12:00	Y	12587-46-1	Gross alpha	2.1	pCi/L	U	[NULL]	[NULL]	S	B1W820	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-140	7/15/2008 12:00	Y	12587-47-2	Gross beta	810	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W820	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-140	7/15/2008 12:00	Y	7439-89-6	Iron	210	ug/L	D	[NULL]	[NULL]	S	B1W820	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	7/15/2008 12:00	Y	7439-92-1	Lead	225	ug/L	DNU	[NULL]	[NULL]	S	B1W820	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2008 12:00	Y	7439-95-4	Magnesium	5260	ug/L	D	[NULL]	[NULL]	S	B1W820	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2008 12:00	Y	7439-96-5	Manganese	1340	ug/L	DN	[NULL]	[NULL]	S	B1W820	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2008 12:00	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W820	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2008 12:00	Y	7440-02-0	Nickel	20	ug/L	DNU	[NULL]	[NULL]	S	B1W820	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2008 12:00	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1W820	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/15/2008 12:00	Y	14797-65-0	Nitrite	2290	ug/L	BD	[NULL]	[NULL]	S	B1W820	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/15/2008 12:00	Y	EH	Oxidation Reduction Potential	-131	mV	[NULL]	[NULL]	[NULL]	S	B1W820	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	7/15/2008 12:00	Y	14265-44-2	Phosphate	362000	ug/L	D	[NULL]	[NULL]	S	B1W820	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/15/2008 12:00	Y	7440-09-7	Potassium	3310	ug/L	BD	[NULL]	[NULL]	S	B1W820	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2008 12:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W820	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2008 12:00	Y	7440-23-5	Sodium	569000	ug/L	DX	[NULL]	[NULL]	S	B1W820	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2008 12:00	Y	CONDUCT	Specific Conductance	2312	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W820	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	7/15/2008 12:00	Y	7440-24-6	Strontium	118	ug/L	D	[NULL]	[NULL]	S	B1W820	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2008 12:00	Y	14808-79-8	Sulfate	1440	ug/L	BD	[NULL]	[NULL]	S	B1W820	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/15/2008 12:00	Y	TEMPERATURE	Temperature	16.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1W820	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	7/15/2008 12:00	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W820	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2008 12:00	Y	7440-66-6	Zinc	45	ug/L	DNU	[NULL]	[NULL]	S	B1W820	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/15/2008 12:00	Y	PH	pH Measurement	7.4	unitless	[NULL]	[NULL]	[NULL]	S	B1W820	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-140	7/17/2008 17:45	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W809	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2008 17:45	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W809	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2008 17:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W809	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2008 17:45	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W809	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2008 17:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W809	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2008 17:45	Y	7440-70-2	Calcium	32000	ug/L	D	[NULL]	[NULL]	S	B1W809	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2008 17:45	Y	16887-00-6	Chloride	127000	ug/L	D	[NULL]	[NULL]	S	B1W809	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/17/2008 17:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W809	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2008 17:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W809	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2008 17:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W809	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2008 17:45	Y	DO	Dissolved oxygen	1180	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7Y4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	7/17/2008 17:45	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1W809	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/17/2008 17:45	Y	12587-46-1	Gross alpha	-5.1	pCi/L	U	[NULL]	[NULL]	S	B1W7Y4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-140	7/17/2008 17:45	Y	12587-47-2	Gross beta	1300	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7Y4	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-140	7/17/2008 17:45	Y	7439-89-6	Iron	536	ug/L	D	[NULL]	[NULL]	S	B1W809	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2008 17:45	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W809	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2008 17:45	Y	7439-95-4	Magnesium	7790	ug/L	D	[NULL]	[NULL]	S	B1W809	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2008 17:45	Y	7439-96-5	Manganese	1670	ug/L	D	[NULL]	[NULL]	S	B1W809	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2008 17:45	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W809	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2008 17:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W809	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2008 17:45	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1W809	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/17/2008 17:45	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1W809	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/17/2008 17:45	Y	EH	Oxidation Reduction Potential	-116	mV	[NULL]	[NULL]	[NULL]	S	B1W7Y4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	7/17/2008 17:45	Y	14265-44-2	Phosphate	328000	ug/L	D	[NULL]	[NULL]	S	B1W809	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/17/2008 17:45	Y	7440-09-7	Potassium	3930	ug/L	D	[NULL]	[NULL]	S	B1W809	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2008 17:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W809	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2008 17:45	Y	7440-23-5	Sodium	600000	ug/L	DX	[NULL]	[NULL]	S	B1W809	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2008 17:45	Y	CONDUCT	Specific Conductance	2119	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7Y4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	7/17/2008 17:45	Y	7440-24-6	Strontium	162	ug/L	D	[NULL]	[NULL]	S	B1W809	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2008 17:45	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1W809	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/17/2008 17:45	Y	TEMPERATURE	Temperature	18	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7Y4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	7/17/2008 17:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W809	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2008 17:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W809	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/17/2008 17:45	Y	PH	pH Measurement	6.91	unitless	[NULL]	[NULL]	[NULL]	S	B1W7Y4	PH	FIELD	PH_PAPER_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	7/19/2008 7:42	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WCF0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/19/2008 7:42	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WCF0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/19/2008 7:42	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WCF0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/19/2008 7:42	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCF0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/19/2008 7:42	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCF0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/19/2008 7:42	Y	7440-70-2	Calcium	24200	ug/L	D	[NULL]	[NULL]	S	B1WCF0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/19/2008 7:42	Y	16887-00-6	Chloride	110000	ug/L	D	[NULL]	[NULL]	S	B1WCF0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/19/2008 7:42	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WCF0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/19/2008 7:42	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WCF0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/19/2008 7:42	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WCF0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/19/2008 7:42	Y	DO	Dissolved oxygen	1120	ug/L	[NULL]	[NULL]	[NULL]	S	B1WCC9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	7/19/2008 7:42	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WCF0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/19/2008 7:42	Y	12587-46-1	Gross alpha	-1.2	pCi/L	U	[NULL]	[NULL]	S	B1WCC9	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-140	7/19/2008 7:42	Y	12587-47-2	Gross beta	988	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WCC9	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-140	7/19/2008 7:42	Y	7439-89-6	Iron	571	ug/L	D	[NULL]	[NULL]	S	B1WCF0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/19/2008 7:42	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WCF0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/19/2008 7:42	Y	7439-95-4	Magnesium	5930	ug/L	D	[NULL]	[NULL]	S	B1WCF0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/19/2008 7:42	Y	7439-96-5	Manganese	1150	ug/L	D	[NULL]	[NULL]	S	B1WCF0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/19/2008 7:42	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WCF0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/19/2008 7:42	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WCF0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/19/2008 7:42	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WCF0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/19/2008 7:42	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WCF0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/19/2008 7:42	Y	EH	Oxidation Reduction Potential	-156	mV	[NULL]	[NULL]	[NULL]	S	B1WCC9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	7/19/2008 7:42	Y	14265-44-2	Phosphate	353000	ug/L	D	[NULL]	[NULL]	S	B1WCF0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/19/2008 7:42	Y	7440-09-7	Potassium	3530	ug/L	D	[NULL]	[NULL]	S	B1WCF0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/19/2008 7:42	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WCF0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/19/2008 7:42	Y	7440-23-5	Sodium	549000	ug/L	D	[NULL]	[NULL]	S	B1WCF0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/19/2008 7:42	Y	CONDUCT	Specific Conductance	2121	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WCC9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	7/19/2008 7:42	Y	7440-24-6	Strontium	139	ug/L	D	[NULL]	[NULL]	S	B1WCF0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/19/2008 7:42	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WCF0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/19/2008 7:42	Y	TEMPERATURE	Temperature	14.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1WCC9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	7/19/2008 7:42	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WCF0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/19/2008 7:42	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WCF0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/19/2008 7:42	Y	PH	pH Measurement	7.42	unitless	[NULL]	[NULL]	[NULL]	S	B1WCC9	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	7/25/2008 9:12	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WLC8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/25/2008 9:12	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WLC8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/25/2008 9:12	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WLC8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/25/2008 9:12	Y	7440-39-3	Barium	62	ug/L	BD	[NULL]	[NULL]	S	B1WLC8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/25/2008 9:12	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLC8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/25/2008 9:12	Y	7440-70-2	Calcium	145000	ug/L	DX	[NULL]	[NULL]	S	B1WLC8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/25/2008 9:12	Y	16887-00-6	Chloride	351000	ug/L	D	[NULL]	[NULL]	S	B1WLC8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/25/2008 9:12	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WLC8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/25/2008 9:12	Y	7440-48-4	Cobalt	21.3	ug/L	BD	[NULL]	[NULL]	S	B1WLC8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/25/2008 9:12	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WLC8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/25/2008 9:12	Y	DO	Dissolved oxygen	280	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLB5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	7/25/2008 9:12	Y	DO	Dissolved oxygen	280	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLC8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	7/25/2008 9:12	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WLC8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/25/2008 9:12	Y	12587-46-1	Gross alpha	1.58	pCi/L	U	[NULL]	[NULL]	S	B1WLB5	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-140	7/25/2008 9:12	Y	12587-47-2	Gross beta	88.6	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WLB5	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-140	7/25/2008 9:12	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WLC8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/25/2008 9:12	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WLC8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/25/2008 9:12	Y	7439-95-4	Magnesium	7920	ug/L	D	[NULL]	[NULL]	S	B1WLC8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/25/2008 9:12	Y	7439-96-5	Manganese	35	ug/L	BD	[NULL]	[NULL]	S	B1WLC8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/25/2008 9:12	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WLC8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	7/25/2008 9:12	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WLC8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/25/2008 9:12	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WLC8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/25/2008 9:12	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WLC8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/25/2008 9:12	Y	EH	Oxidation Reduction Potential	-295	mV	[NULL]	[NULL]	[NULL]	S	B1WLC8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	7/25/2008 9:12	Y	EH	Oxidation Reduction Potential	-295	mV	[NULL]	[NULL]	[NULL]	S	B1WLB5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	7/25/2008 9:12	Y	14265-44-2	Phosphate	491000	ug/L	D	[NULL]	[NULL]	S	B1WLC8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/25/2008 9:12	Y	7440-09-7	Potassium	14700	ug/L	D	[NULL]	[NULL]	S	B1WLC8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/25/2008 9:12	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WLC8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/25/2008 9:12	Y	7440-23-5	Sodium	1320000	ug/L	D	[NULL]	[NULL]	S	B1WLC8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/25/2008 9:12	Y	CONDUCT	Specific Conductance	5544	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLB5	CONDUCT	FIELD	D1125A_CONDUCT	100-NR-2
199-N-140	7/25/2008 9:12	Y	CONDUCT	Specific Conductance	5544	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLC8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	7/25/2008 9:12	Y	7440-24-6	Strontium	3410	ug/L	D	[NULL]	[NULL]	S	B1WLC8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/25/2008 9:12	Y	14808-79-8	Sulfate	11100	ug/L	D	[NULL]	[NULL]	S	B1WLC8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/25/2008 9:12	Y	TEMPERATURE	Temperature	21.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLB5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	7/25/2008 9:12	Y	TEMPERATURE	Temperature	21.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLC8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	7/25/2008 9:12	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WLC8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/25/2008 9:12	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WLC8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/25/2008 9:12	Y	PH	pH Measurement	6.46	unitless	[NULL]	[NULL]	[NULL]	S	B1WLC8	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	7/25/2008 9:12	Y	PH	pH Measurement	6.46	unitless	[NULL]	[NULL]	[NULL]	S	B1WLB5	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	7/26/2008 7:00	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WLM0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/26/2008 7:00	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WLM0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/26/2008 7:00	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WLM0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/26/2008 7:00	Y	7440-39-3	Barium	77	ug/L	D	[NULL]	[NULL]	S	B1WLM0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/26/2008 7:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLM0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/26/2008 7:00	Y	7440-70-2	Calcium	132000	ug/L	DN	[NULL]	[NULL]	S	B1WLM0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/26/2008 7:00	Y	16887-00-6	Chloride	354000	ug/L	D	[NULL]	[NULL]	S	B1WLM0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/26/2008 7:00	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WLM0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/26/2008 7:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WLM0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/26/2008 7:00	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WLM0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/26/2008 7:00	Y	DO	Dissolved oxygen	1540	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLJ5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	7/26/2008 7:00	Y	16984-48-8	Fluoride	232	ug/L	DNU	[NULL]	[NULL]	S	B1WLM0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/26/2008 7:00	Y	12587-46-1	Gross alpha	-1.71	pCi/L	U	[NULL]	[NULL]	S	B1WLJ5	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-140	7/26/2008 7:00	Y	12587-47-2	Gross beta	193	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WLJ5	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-140	7/26/2008 7:00	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WLM0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/26/2008 7:00	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WLM0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/26/2008 7:00	Y	7439-95-4	Magnesium	8190	ug/L	D	[NULL]	[NULL]	S	B1WLM0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/26/2008 7:00	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WLM0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/26/2008 7:00	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WLM0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/26/2008 7:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WLM0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/26/2008 7:00	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WLM0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/26/2008 7:00	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WLM0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/26/2008 7:00	Y	EH	Oxidation Reduction Potential	-290	mV	[NULL]	[NULL]	[NULL]	S	B1WLJ5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	7/26/2008 7:00	Y	14265-44-2	Phosphate	411000	ug/L	DN	[NULL]	[NULL]	S	B1WLM0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/26/2008 7:00	Y	7440-09-7	Potassium	15300	ug/L	D	[NULL]	[NULL]	S	B1WLM0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/26/2008 7:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WLM0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/26/2008 7:00	Y	7440-23-5	Sodium	1200000	ug/L	DX	[NULL]	[NULL]	S	B1WLM0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/26/2008 7:00	Y	CONDUCT	Specific Conductance	5191	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLJ5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	7/26/2008 7:00	Y	7440-24-6	Strontium	3360	ug/L	D	[NULL]	[NULL]	S	B1WLM0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/26/2008 7:00	Y	14808-79-8	Sulfate	9290	ug/L	BD	[NULL]	[NULL]	S	B1WLM0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/26/2008 7:00	Y	TEMPERATURE	Temperature	19.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLJ5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	7/26/2008 7:00	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WLM0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/26/2008 7:00	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WLM0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	7/26/2008 7:00	Y	PH	pH Measurement	6.82	unitless	[NULL]	[NULL]	[NULL]	S	B1WLJ5	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	7/27/2008 6:12	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WLP1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2008 6:12	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WLP1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2008 6:12	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WLP1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2008 6:12	Y	7440-39-3	Barium	92	ug/L	D	[NULL]	[NULL]	S	B1WLP1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2008 6:12	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLP1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2008 6:12	Y	7440-70-2	Calcium	135000	ug/L	D	[NULL]	[NULL]	S	B1WLP1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2008 6:12	Y	16887-00-6	Chloride	348000	ug/L	D	[NULL]	[NULL]	S	B1WLP1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/27/2008 6:12	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WLP1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2008 6:12	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WLP1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2008 6:12	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WLP1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2008 6:12	Y	DO	Dissolved oxygen	1220	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLM8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	7/27/2008 6:12	Y	DO	Dissolved oxygen	1220	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLP1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	7/27/2008 6:12	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WLP1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/27/2008 6:12	Y	12587-46-1	Gross alpha	-0.798	pCi/L	U	[NULL]	[NULL]	S	B1WLM8	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-140	7/27/2008 6:12	Y	12587-47-2	Gross beta	174	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WLM8	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-140	7/27/2008 6:12	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WLP1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2008 6:12	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WLP1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2008 6:12	Y	7439-95-4	Magnesium	9700	ug/L	D	[NULL]	[NULL]	S	B1WLP1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2008 6:12	Y	7439-96-5	Manganese	42	ug/L	D	[NULL]	[NULL]	S	B1WLP1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2008 6:12	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WLP1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2008 6:12	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WLP1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2008 6:12	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WLP1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/27/2008 6:12	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WLP1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/27/2008 6:12	Y	EH	Oxidation Reduction Potential	-318	mV	[NULL]	[NULL]	[NULL]	S	B1WLP1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	7/27/2008 6:12	Y	EH	Oxidation Reduction Potential	-318	mV	[NULL]	[NULL]	[NULL]	S	B1WLM8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	7/27/2008 6:12	Y	14265-44-2	Phosphate	359000	ug/L	D	[NULL]	[NULL]	S	B1WLP1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/27/2008 6:12	Y	7440-09-7	Potassium	18300	ug/L	D	[NULL]	[NULL]	S	B1WLP1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2008 6:12	Y	7440-22-4	Silver	33	ug/L	D	[NULL]	[NULL]	S	B1WLP1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2008 6:12	Y	7440-23-5	Sodium	1390000	ug/L	D	[NULL]	[NULL]	S	B1WLP1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2008 6:12	Y	CONDUCT	Specific Conductance	5225	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLP1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	7/27/2008 6:12	Y	CONDUCT	Specific Conductance	5225	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLM8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	7/27/2008 6:12	Y	7440-24-6	Strontium	3620	ug/L	D	[NULL]	[NULL]	S	B1WLP1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2008 6:12	Y	14808-79-8	Sulfate	7950	ug/L	BD	[NULL]	[NULL]	S	B1WLP1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/27/2008 6:12	Y	TEMPERATURE	Temperature	19.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLM8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	7/27/2008 6:12	Y	TEMPERATURE	Temperature	19.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLP1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	7/27/2008 6:12	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WLP1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2008 6:12	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WLP1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/27/2008 6:12	Y	PH	pH Measurement	6.96	unitless	[NULL]	[NULL]	[NULL]	S	B1WLP1	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	7/27/2008 6:12	Y	PH	pH Measurement	6.96	unitless	[NULL]	[NULL]	[NULL]	S	B1WLM8	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	7/28/2008 11:42	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WLX6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/28/2008 11:42	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WLX6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/28/2008 11:42	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WLX6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/28/2008 11:42	Y	7440-39-3	Barium	89	ug/L	D	[NULL]	[NULL]	S	B1WLX6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/28/2008 11:42	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLX6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/28/2008 11:42	Y	7440-70-2	Calcium	123000	ug/L	D	[NULL]	[NULL]	S	B1WLX6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/28/2008 11:42	Y	16887-00-6	Chloride	345000	ug/L	D	[NULL]	[NULL]	S	B1WLX6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/28/2008 11:42	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WLX6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/28/2008 11:42	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WLX6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/28/2008 11:42	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WLX6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/28/2008 11:42	Y	DO	Dissolved oxygen	1360	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLX6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	7/28/2008 11:42	Y	DO	Dissolved oxygen	1360	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLV1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	7/28/2008 11:42	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WLX6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	7/28/2008 11:42	Y	12587-46-1	Gross alpha	0.805	pCi/L	U	[NULL]	[NULL]	S	B1WLV1	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-140	7/28/2008 11:42	Y	12587-47-2	Gross beta	163	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WLV1	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-140	7/28/2008 11:42	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WLX6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/28/2008 11:42	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WLX6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/28/2008 11:42	Y	7439-95-4	Magnesium	9860	ug/L	D	[NULL]	[NULL]	S	B1WLX6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/28/2008 11:42	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WLX6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/28/2008 11:42	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WLX6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/28/2008 11:42	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WLX6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/28/2008 11:42	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WLX6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/28/2008 11:42	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WLX6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/28/2008 11:42	Y	EH	Oxidation Reduction Potential	-284	mV	[NULL]	[NULL]	[NULL]	S	B1WLV1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	7/28/2008 11:42	Y	EH	Oxidation Reduction Potential	-284	mV	[NULL]	[NULL]	[NULL]	S	B1WLX6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	7/28/2008 11:42	Y	14265-44-2	Phosphate	374000	ug/L	D	[NULL]	[NULL]	S	B1WLX6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/28/2008 11:42	Y	7440-09-7	Potassium	19500	ug/L	D	[NULL]	[NULL]	S	B1WLX6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/28/2008 11:42	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WLX6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/28/2008 11:42	Y	7440-23-5	Sodium	1460000	ug/L	D	[NULL]	[NULL]	S	B1WLX6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/28/2008 11:42	Y	CONDUCT	Specific Conductance	5005	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLX6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	7/28/2008 11:42	Y	CONDUCT	Specific Conductance	5005	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLV1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	7/28/2008 11:42	Y	7440-24-6	Strontium	3420	ug/L	D	[NULL]	[NULL]	S	B1WLX6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/28/2008 11:42	Y	14808-79-8	Sulfate	5300	ug/L	BD	[NULL]	[NULL]	S	B1WLX6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/28/2008 11:42	Y	TEMPERATURE	Temperature	21.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLV1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	7/28/2008 11:42	Y	TEMPERATURE	Temperature	21.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLX6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	7/28/2008 11:42	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WLX6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/28/2008 11:42	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WLX6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/28/2008 11:42	Y	PH	pH Measurement	7.02	unitless	[NULL]	[NULL]	[NULL]	S	B1WLX6	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	7/28/2008 11:42	Y	PH	pH Measurement	7.02	unitless	[NULL]	[NULL]	[NULL]	S	B1WLV1	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	7/29/2008 9:25	N	7429-90-5	Aluminum	300	ug/L	UD	[NULL]	[NULL]	S	B1WM07	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/29/2008 9:25	N	7440-36-0	Antimony	300	ug/L	UD	[NULL]	[NULL]	S	B1WM07	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/29/2008 9:25	N	7440-38-2	Arsenic	400	ug/L	UD	[NULL]	[NULL]	S	B1WM07	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/29/2008 9:25	N	7440-39-3	Barium	78	ug/L	BD	[NULL]	[NULL]	S	B1WM07	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/29/2008 9:25	N	7440-43-9	Cadmium	20	ug/L	UD	[NULL]	[NULL]	S	B1WM07	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/29/2008 9:25	N	7440-70-2	Calcium	108000	ug/L	D	[NULL]	[NULL]	S	B1WM07	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/29/2008 9:25	N	16887-00-6	Chloride	354000	ug/L	D	[NULL]	[NULL]	S	B1WM07	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/29/2008 9:25	N	7440-47-3	Chromium	60	ug/L	UD	[NULL]	[NULL]	S	B1WM07	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/29/2008 9:25	N	7440-48-4	Cobalt	20	ug/L	UD	[NULL]	[NULL]	S	B1WM07	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/29/2008 9:25	N	7440-50-8	Copper	30	ug/L	UD	[NULL]	[NULL]	S	B1WM07	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/29/2008 9:25	Y	DO	Dissolved oxygen	1180	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLY4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	7/29/2008 9:25	N	16984-48-8	Fluoride	200	ug/L	UD	[NULL]	[NULL]	S	B1WM07	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/29/2008 9:25	Y	12587-46-1	Gross alpha	3.74	pCi/L	U	[NULL]	[NULL]	S	B1WLY4	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-140	7/29/2008 9:25	Y	12587-47-2	Gross beta	141	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WLY4	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-140	7/29/2008 9:25	N	7439-89-6	Iron	100	ug/L	UD	[NULL]	[NULL]	S	B1WM07	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/29/2008 9:25	N	7439-92-1	Lead	200	ug/L	UD	[NULL]	[NULL]	S	B1WM07	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/29/2008 9:25	N	7439-95-4	Magnesium	8800	ug/L	D	[NULL]	[NULL]	S	B1WM07	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/29/2008 9:25	N	7439-96-5	Manganese	20	ug/L	UD	[NULL]	[NULL]	S	B1WM07	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/29/2008 9:25	N	7439-98-7	Molybdenum	20	ug/L	UD	[NULL]	[NULL]	S	B1WM07	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/29/2008 9:25	N	7440-02-0	Nickel	30	ug/L	UD	[NULL]	[NULL]	S	B1WM07	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/29/2008 9:25	N	14797-55-8	Nitrate	443	ug/L	UD	[NULL]	[NULL]	S	B1WM07	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/29/2008 9:25	N	14797-65-0	Nitrite	328	ug/L	UD	[NULL]	[NULL]	S	B1WM07	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/29/2008 9:25	Y	EH	Oxidation Reduction Potential	-281	mV	[NULL]	[NULL]	[NULL]	S	B1WLY4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	7/29/2008 9:25	N	14265-44-2	Phosphate	417000	ug/L	D	[NULL]	[NULL]	S	B1WM07	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/29/2008 9:25	N	7440-09-7	Potassium	17200	ug/L	D	[NULL]	[NULL]	S	B1WM07	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/29/2008 9:25	N	7440-22-4	Silver	25	ug/L	BD	[NULL]	[NULL]	S	B1WM07	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	7/29/2008 9:25	N	7440-23-5	Sodium	1420000	ug/L	D	[NULL]	[NULL]	S	B1WM07	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/29/2008 9:25	Y	CONDUCT	Specific Conductance	5058	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLY4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	7/29/2008 9:25	N	7440-24-6	Strontium	2860	ug/L	D	[NULL]	[NULL]	S	B1WM07	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/29/2008 9:25	N	14808-79-8	Sulfate	2690	ug/L	BD	[NULL]	[NULL]	S	B1WM07	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/29/2008 9:25	Y	TEMPERATURE	Temperature	20.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLY4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	7/29/2008 9:25	N	7440-62-2	Vanadium	60	ug/L	UD	[NULL]	[NULL]	S	B1WM07	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/29/2008 9:25	N	7440-66-6	Zinc	40	ug/L	UD	[NULL]	[NULL]	S	B1WM07	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/29/2008 9:25	Y	PH	pH Measurement	6.97	unitless	[NULL]	[NULL]	[NULL]	S	B1WLY4	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	7/30/2008 10:08	N	7429-90-5	Aluminum	300	ug/L	UD	[NULL]	[NULL]	S	B1WM67	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/30/2008 10:08	N	7440-36-0	Antimony	300	ug/L	UD	[NULL]	[NULL]	S	B1WM67	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/30/2008 10:08	N	7440-38-2	Arsenic	400	ug/L	UD	[NULL]	[NULL]	S	B1WM67	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/30/2008 10:08	N	7440-39-3	Barium	68	ug/L	BD	[NULL]	[NULL]	S	B1WM67	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/30/2008 10:08	N	7440-43-9	Cadmium	20	ug/L	UD	[NULL]	[NULL]	S	B1WM67	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/30/2008 10:08	N	7440-70-2	Calcium	92200	ug/L	D	[NULL]	[NULL]	S	B1WM67	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/30/2008 10:08	N	16887-00-6	Chloride	314000	ug/L	D	[NULL]	[NULL]	S	B1WM67	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/30/2008 10:08	N	7440-47-3	Chromium	60	ug/L	UD	[NULL]	[NULL]	S	B1WM67	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/30/2008 10:08	N	7440-48-4	Cobalt	20	ug/L	UD	[NULL]	[NULL]	S	B1WM67	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/30/2008 10:08	N	7440-50-8	Copper	30	ug/L	UD	[NULL]	[NULL]	S	B1WM67	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/30/2008 10:08	Y	DO	Dissolved oxygen	1540	ug/L	[NULL]	[NULL]	[NULL]	S	B1WM42	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	7/30/2008 10:08	N	16984-48-8	Fluoride	200	ug/L	UD	[NULL]	[NULL]	S	B1WM67	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/30/2008 10:08	Y	12587-46-1	Gross alpha	-1.8	pCi/L	U	[NULL]	[NULL]	S	B1WM42	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-140	7/30/2008 10:08	Y	12587-47-2	Gross beta	74.2	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WM42	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-140	7/30/2008 10:08	N	7439-89-6	Iron	160	ug/L	BD	[NULL]	[NULL]	S	B1WM67	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/30/2008 10:08	N	7439-92-1	Lead	200	ug/L	UD	[NULL]	[NULL]	S	B1WM67	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/30/2008 10:08	N	7439-95-4	Magnesium	7960	ug/L	D	[NULL]	[NULL]	S	B1WM67	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/30/2008 10:08	N	7439-96-5	Manganese	20	ug/L	UD	[NULL]	[NULL]	S	B1WM67	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/30/2008 10:08	N	7439-98-7	Molybdenum	20	ug/L	UD	[NULL]	[NULL]	S	B1WM67	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/30/2008 10:08	N	7440-02-0	Nickel	30	ug/L	UD	[NULL]	[NULL]	S	B1WM67	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/30/2008 10:08	N	14797-55-8	Nitrate	443	ug/L	UD	[NULL]	[NULL]	S	B1WM67	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/30/2008 10:08	N	14797-65-0	Nitrite	328	ug/L	UD	[NULL]	[NULL]	S	B1WM67	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/30/2008 10:08	Y	EH	Oxidation Reduction Potential	-174	mV	[NULL]	[NULL]	[NULL]	S	B1WM42	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	7/30/2008 10:08	N	14265-44-2	Phosphate	549000	ug/L	D	[NULL]	[NULL]	S	B1WM67	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/30/2008 10:08	N	7440-09-7	Potassium	16900	ug/L	D	[NULL]	[NULL]	S	B1WM67	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/30/2008 10:08	N	7440-22-4	Silver	20	ug/L	UD	[NULL]	[NULL]	S	B1WM67	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/30/2008 10:08	N	7440-23-5	Sodium	1620000	ug/L	D	[NULL]	[NULL]	S	B1WM67	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/30/2008 10:08	Y	CONDUCT	Specific Conductance	5253	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WM42	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	7/30/2008 10:08	N	7440-24-6	Strontium	2480	ug/L	D	[NULL]	[NULL]	S	B1WM67	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/30/2008 10:08	N	14808-79-8	Sulfate	1000	ug/L	UD	[NULL]	[NULL]	S	B1WM67	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/30/2008 10:08	Y	TEMPERATURE	Temperature	19.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WM42	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	7/30/2008 10:08	N	7440-62-2	Vanadium	60	ug/L	UD	[NULL]	[NULL]	S	B1WM67	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/30/2008 10:08	N	7440-66-6	Zinc	40	ug/L	UD	[NULL]	[NULL]	S	B1WM67	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/30/2008 10:08	Y	PH	pH Measurement	6.56	unitless	[NULL]	[NULL]	[NULL]	S	B1WM42	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	7/31/2008 10:21	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VWD9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/31/2008 10:21	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VWD9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/31/2008 10:21	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VWD9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/31/2008 10:21	Y	7440-39-3	Barium	56	ug/L	D	[NULL]	[NULL]	S	B1VWD9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/31/2008 10:21	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWD9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/31/2008 10:21	Y	7440-70-2	Calcium	63600	ug/L	D	[NULL]	[NULL]	S	B1VWD9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/31/2008 10:21	Y	16887-00-6	Chloride	285000	ug/L	D	[NULL]	[NULL]	S	B1VWD9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/31/2008 10:21	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VWD9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/31/2008 10:21	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VWD9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/31/2008 10:21	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VWD9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/31/2008 10:21	Y	DO	Dissolved oxygen	1170	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWB3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	7/31/2008 10:21	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1VWD9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	7/31/2008 10:21	Y	12587-46-1	Gross alpha	2.77	pCi/L	U	[NULL]	[NULL]	S	B1VWB3	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-140	7/31/2008 10:21	Y	12587-47-2	Gross beta	133	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VWB3	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-140	7/31/2008 10:21	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VWD9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/31/2008 10:21	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VWD9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/31/2008 10:21	Y	7439-95-4	Magnesium	6210	ug/L	D	[NULL]	[NULL]	S	B1VWD9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/31/2008 10:21	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VWD9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/31/2008 10:21	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VWD9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/31/2008 10:21	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VWD9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/31/2008 10:21	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1VWD9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/31/2008 10:21	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1VWD9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/31/2008 10:21	Y	EH	Oxidation Reduction Potential	-187	mV	[NULL]	[NULL]	[NULL]	S	B1VWB3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	7/31/2008 10:21	Y	14265-44-2	Phosphate	497000	ug/L	D	[NULL]	[NULL]	S	B1VWD9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/31/2008 10:21	Y	7440-09-7	Potassium	13400	ug/L	D	[NULL]	[NULL]	S	B1VWD9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/31/2008 10:21	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VWD9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/31/2008 10:21	Y	7440-23-5	Sodium	1170000	ug/L	D	[NULL]	[NULL]	S	B1VWD9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/31/2008 10:21	Y	CONDUCT	Specific Conductance	5129	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWB3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	7/31/2008 10:21	Y	7440-24-6	Strontium	1810	ug/L	D	[NULL]	[NULL]	S	B1VWD9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/31/2008 10:21	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1VWD9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	7/31/2008 10:21	Y	TEMPERATURE	Temperature	19.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWB3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	7/31/2008 10:21	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VWD9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/31/2008 10:21	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VWD9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	7/31/2008 10:21	Y	PH	pH Measurement	6.53	unitless	[NULL]	[NULL]	[NULL]	S	B1VWB3	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	8/1/2008 10:35	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WN49	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/1/2008 10:35	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WN49	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/1/2008 10:35	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WN49	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/1/2008 10:35	Y	7440-39-3	Barium	64	ug/L	D	[NULL]	[NULL]	S	B1WN49	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/1/2008 10:35	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WN49	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/1/2008 10:35	Y	7440-70-2	Calcium	72400	ug/L	D	[NULL]	[NULL]	S	B1WN49	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/1/2008 10:35	Y	16887-00-6	Chloride	270000	ug/L	D	[NULL]	[NULL]	S	B1WNP7	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	8/1/2008 10:35	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WN49	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/1/2008 10:35	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WN49	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/1/2008 10:35	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WN49	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/1/2008 10:35	Y	DO	Dissolved oxygen	1090	ug/L	[NULL]	[NULL]	[NULL]	S	B1WN49	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	8/1/2008 10:35	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WNP7	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	8/1/2008 10:35	Y	12587-46-1	Gross alpha	-7.9	pCi/L	U	[NULL]	[NULL]	S	B1WN49	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-140	8/1/2008 10:35	Y	12587-47-2	Gross beta	210	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WN49	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-140	8/1/2008 10:35	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WN49	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/1/2008 10:35	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WN49	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/1/2008 10:35	Y	7439-95-4	Magnesium	6960	ug/L	D	[NULL]	[NULL]	S	B1WN49	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/1/2008 10:35	Y	7439-96-5	Manganese	21	ug/L	D	[NULL]	[NULL]	S	B1WN49	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/1/2008 10:35	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WN49	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/1/2008 10:35	Y	7440-02-0	Nickel	55.6	ug/L	D	[NULL]	[NULL]	S	B1WN49	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/1/2008 10:35	Y	14797-55-8	Nitrate	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNP7	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	8/1/2008 10:35	Y	14797-65-0	Nitrite	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNP7	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	8/1/2008 10:35	Y	EH	Oxidation Reduction Potential	-179	mV	[NULL]	[NULL]	[NULL]	S	B1WN49	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	8/1/2008 10:35	Y	14265-44-2	Phosphate	561000	ug/L	D	[NULL]	[NULL]	S	B1WNP7	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	8/1/2008 10:35	Y	7440-09-7	Potassium	15300	ug/L	D	[NULL]	[NULL]	S	B1WN49	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/1/2008 10:35	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WN49	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/1/2008 10:35	Y	7440-23-5	Sodium	1500000	ug/L	D	[NULL]	[NULL]	S	B1WN49	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/1/2008 10:35	Y	CONDUCT	Specific Conductance	5050	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WN49	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	8/1/2008 10:35	Y	7440-24-6	Strontium	2090	ug/L	D	[NULL]	[NULL]	S	B1WN49	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/1/2008 10:35	Y	14808-79-8	Sulfate	2800	ug/L	D	[NULL]	[NULL]	S	B1WNP7	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	8/1/2008 10:35	Y	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1WN49	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	8/1/2008 10:35	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WN49	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/1/2008 10:35	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WN49	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/1/2008 10:35	Y	PH	pH Measurement	6.56	unitless	[NULL]	[NULL]	[NULL]	S	B1WN49	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-140	8/2/2008 8:20	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WN72	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/2/2008 8:20	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WN72	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/2/2008 8:20	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WN72	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/2/2008 8:20	Y	7440-39-3	Barium	47	ug/L	D	[NULL]	[NULL]	S	B1WN72	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/2/2008 8:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WN72	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/2/2008 8:20	Y	7440-70-2	Calcium	54200	ug/L	D	[NULL]	[NULL]	S	B1WN72	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/2/2008 8:20	Y	16887-00-6	Chloride	246000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNR3	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	8/2/2008 8:20	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WN72	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/2/2008 8:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WN72	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/2/2008 8:20	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WN72	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/2/2008 8:20	Y	DO	Dissolved oxygen	1010	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNR3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	8/2/2008 8:20	Y	DO	Dissolved oxygen	1010	ug/L	[NULL]	[NULL]	[NULL]	S	B1WN59	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	8/2/2008 8:20	Y	16984-48-8	Fluoride	2500	ug/L	U	[NULL]	[NULL]	S	B1WNR3	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	8/2/2008 8:20	Y	12587-46-1	Gross alpha	1.01	pCi/L	U	[NULL]	[NULL]	S	B1WN59	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-140	8/2/2008 8:20	Y	12587-47-2	Gross beta	126	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WN59	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-140	8/2/2008 8:20	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WN72	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/2/2008 8:20	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WN72	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/2/2008 8:20	Y	7439-95-4	Magnesium	5590	ug/L	D	[NULL]	[NULL]	S	B1WN72	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/2/2008 8:20	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WN72	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/2/2008 8:20	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WN72	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/2/2008 8:20	Y	7440-02-0	Nickel	22.1	ug/L	D	[NULL]	[NULL]	S	B1WN72	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/2/2008 8:20	Y	14797-55-8	Nitrate	2500	ug/L	U	[NULL]	[NULL]	S	B1WNR3	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	8/2/2008 8:20	Y	14797-65-0	Nitrite	2500	ug/L	U	[NULL]	[NULL]	S	B1WNR3	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	8/2/2008 8:20	Y	EH	Oxidation Reduction Potential	-159	mV	[NULL]	[NULL]	[NULL]	S	B1WN59	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	8/2/2008 8:20	Y	EH	Oxidation Reduction Potential	-159	mV	[NULL]	[NULL]	[NULL]	S	B1WNR3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	8/2/2008 8:20	Y	14265-44-2	Phosphate	601000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNR3	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	8/2/2008 8:20	Y	7440-09-7	Potassium	13300	ug/L	D	[NULL]	[NULL]	S	B1WN72	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/2/2008 8:20	Y	7440-22-4	Silver	39	ug/L	CD	[NULL]	[NULL]	S	B1WN72	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/2/2008 8:20	Y	7440-23-5	Sodium	1340000	ug/L	D	[NULL]	[NULL]	S	B1WN72	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/2/2008 8:20	Y	CONDUCT	Specific Conductance	6074	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WNR3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	8/2/2008 8:20	Y	CONDUCT	Specific Conductance	6074	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WN59	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	8/2/2008 8:20	Y	7440-24-6	Strontium	1570	ug/L	D	[NULL]	[NULL]	S	B1WN72	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/2/2008 8:20	Y	14808-79-8	Sulfate	2500	ug/L	U	[NULL]	[NULL]	S	B1WNR3	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	8/2/2008 8:20	Y	TEMPERATURE	Temperature	16.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1WN59	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	8/2/2008 8:20	Y	TEMPERATURE	Temperature	16.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1WNR3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	8/2/2008 8:20	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WN72	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/2/2008 8:20	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WN72	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/2/2008 8:20	Y	PH	pH Measurement	6.5	unitless	[NULL]	[NULL]	[NULL]	S	B1WN59	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	8/2/2008 8:20	Y	PH	pH Measurement	6.5	unitless	[NULL]	[NULL]	[NULL]	S	B1WNR3	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	8/4/2008 9:50	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WN98	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/4/2008 9:50	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WN98	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/4/2008 9:50	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WN98	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/4/2008 9:50	Y	7440-39-3	Barium	46	ug/L	D	[NULL]	[NULL]	S	B1WN98	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/4/2008 9:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WN98	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/4/2008 9:50	Y	7440-70-2	Calcium	45500	ug/L	D	[NULL]	[NULL]	S	B1WN98	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/4/2008 9:50	Y	16887-00-6	Chloride	268000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNT6	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	8/4/2008 9:50	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WN98	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/4/2008 9:50	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WN98	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/4/2008 9:50	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WN98	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/4/2008 9:50	Y	DO	Dissolved oxygen	1250	ug/L	[NULL]	[NULL]	[NULL]	S	B1WN85	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	8/4/2008 9:50	Y	DO	Dissolved oxygen	1250	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNT6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	8/4/2008 9:50	Y	16984-48-8	Fluoride	2500	ug/L	U	[NULL]	[NULL]	S	B1WNT6	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	8/4/2008 9:50	Y	12587-46-1	Gross alpha	1.87	pCi/L	U	[NULL]	[NULL]	S	B1WN85	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-140	8/4/2008 9:50	Y	12587-47-2	Gross beta	95.1	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WN85	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-140	8/4/2008 9:50	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WN98	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/4/2008 9:50	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WN98	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/4/2008 9:50	Y	7439-95-4	Magnesium	4900	ug/L	D	[NULL]	[NULL]	S	B1WN98	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/4/2008 9:50	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WN98	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/4/2008 9:50	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WN98	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/4/2008 9:50	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WN98	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/4/2008 9:50	Y	14797-55-8	Nitrate	2500	ug/L	U	[NULL]	[NULL]	S	B1WNT6	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	8/4/2008 9:50	Y	14797-65-0	Nitrite	2500	ug/L	U	[NULL]	[NULL]	S	B1WNT6	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	8/4/2008 9:50	Y	EH	Oxidation Reduction Potential	-143	mV	[NULL]	[NULL]	[NULL]	S	B1WNT6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	8/4/2008 9:50	Y	EH	Oxidation Reduction Potential	-143	mV	[NULL]	[NULL]	[NULL]	S	B1WN85	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	8/4/2008 9:50	Y	14265-44-2	Phosphate	519000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNT6	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	8/4/2008 9:50	Y	7440-09-7	Potassium	11200	ug/L	D	[NULL]	[NULL]	S	B1WN98	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/4/2008 9:50	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WN98	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/4/2008 9:50	Y	7440-23-5	Sodium	1180000	ug/L	D	[NULL]	[NULL]	S	B1WN98	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/4/2008 9:50	Y	CONDUCT	Specific Conductance	4957	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WN85	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	8/4/2008 9:50	Y	CONDUCT	Specific Conductance	4957	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WNT6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	8/4/2008 9:50	Y	7440-24-6	Strontium	1280	ug/L	D	[NULL]	[NULL]	S	B1WN98	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/4/2008 9:50	Y	14808-79-8	Sulfate	2500	ug/L	U	[NULL]	[NULL]	S	B1WNT6	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	8/4/2008 9:50	Y	TEMPERATURE	Temperature	18.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1WN85	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	8/4/2008 9:50	Y	TEMPERATURE	Temperature	18.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1WNT6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	8/4/2008 9:50	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WN98	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/4/2008 9:50	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WN98	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/4/2008 9:50	Y	PH	pH Measurement	6.54	unitless	[NULL]	[NULL]	[NULL]	S	B1WN85	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	8/4/2008 9:50	Y	PH	pH Measurement	6.54	unitless	[NULL]	[NULL]	[NULL]	S	B1WNT6	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-140	8/6/2008 8:42	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WND4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/6/2008 8:42	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WND4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/6/2008 8:42	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WND4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/6/2008 8:42	Y	7440-39-3	Barium	43	ug/L	D	[NULL]	[NULL]	S	B1WND4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/6/2008 8:42	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WND4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/6/2008 8:42	Y	7440-70-2	Calcium	39400	ug/L	D	[NULL]	[NULL]	S	B1WND4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/6/2008 8:42	Y	16887-00-6	Chloride	247000	ug/L	D	[NULL]	[NULL]	S	B1WNV9	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	8/6/2008 8:42	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WND4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/6/2008 8:42	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WND4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/6/2008 8:42	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WND4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/6/2008 8:42	Y	16984-48-8	Fluoride	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNV9	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	8/6/2008 8:42	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WND4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/6/2008 8:42	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WND4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/6/2008 8:42	Y	7439-95-4	Magnesium	4300	ug/L	DN	[NULL]	[NULL]	S	B1WND4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/6/2008 8:42	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WND4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/6/2008 8:42	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WND4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/6/2008 8:42	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WND4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/6/2008 8:42	Y	14797-55-8	Nitrate	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNV9	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	8/6/2008 8:42	Y	14797-65-0	Nitrite	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNV9	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	8/6/2008 8:42	Y	14265-44-2	Phosphate	681000	ug/L	D	[NULL]	[NULL]	S	B1WNV9	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	8/6/2008 8:42	Y	7440-09-7	Potassium	10000	ug/L	D	[NULL]	[NULL]	S	B1WND4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/6/2008 8:42	Y	7440-22-4	Silver	49	ug/L	CD	[NULL]	[NULL]	S	B1WND4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/6/2008 8:42	Y	7440-23-5	Sodium	1130000	ug/L	D	[NULL]	[NULL]	S	B1WND4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/6/2008 8:42	Y	7440-24-6	Strontium	1110	ug/L	DN	[NULL]	[NULL]	S	B1WND4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/6/2008 8:42	Y	14808-79-8	Sulfate	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNV9	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	8/6/2008 8:42	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WND4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/6/2008 8:42	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WND4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/6/2008 8:45	Y	16887-00-6	Chloride	283000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WP17	16887-00-6	222-S	9056_ANIONS_IC	100-NR-2
199-N-140	8/6/2008 8:45	Y	16984-48-8	Fluoride	622	ug/L	U	[NULL]	[NULL]	S	B1WP17	16984-48-8	222-S	9056_ANIONS_IC	100-NR-2
199-N-140	8/6/2008 8:45	Y	14797-55-8	Nitrate	826	ug/L	U	[NULL]	[NULL]	S	B1WP17	14797-55-8	222-S	9056_ANIONS_IC	100-NR-2
199-N-140	8/6/2008 8:45	Y	14797-65-0	Nitrite	2040	ug/L	U	[NULL]	[NULL]	S	B1WP17	14797-65-0	222-S	9056_ANIONS_IC	100-NR-2
199-N-140	8/6/2008 8:45	Y	14265-44-2	Phosphate	664000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WP17	14265-44-2	222-S	9056_ANIONS_IC	100-NR-2
199-N-140	8/6/2008 8:45	Y	14808-79-8	Sulfate	1120	ug/L	U	[NULL]	[NULL]	S	B1WP17	14808-79-8	222-S	9056_ANIONS_IC	100-NR-2
199-N-140	8/6/2008 9:00	Y	DO	Dissolved oxygen	2410	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNH2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	8/6/2008 9:00	Y	12587-46-1	Gross alpha	4.06	pCi/L	U	[NULL]	[NULL]	S	B1WNH2	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-140	8/6/2008 9:00	Y	12587-47-2	Gross beta	137	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WNH2	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-140	8/6/2008 9:00	Y	EH	Oxidation Reduction Potential	-311	mV	[NULL]	[NULL]	[NULL]	S	B1WNH2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	8/6/2008 9:00	Y	CONDUCT	Specific Conductance	4708	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WNH2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	8/6/2008 9:00	Y	TEMPERATURE	Temperature	19.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1WNH2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	8/6/2008 9:00	Y	PH	pH Measurement	7.19	unitless	[NULL]	[NULL]	[NULL]	S	B1WNH2	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	8/6/2008 11:30	Y	DO	Dissolved oxygen	1530	ug/L	[NULL]	G	[NULL]	S	B1WNC1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	8/6/2008 11:30	Y	12587-46-1	Gross alpha	4.18	pCi/L	U	[NULL]	[NULL]	S	B1WNC1	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-140	8/6/2008 11:30	Y	12587-47-2	Gross beta	86.2	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WNC1	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-140	8/6/2008 11:30	Y	EH	Oxidation Reduction Potential	-163	mV	[NULL]	[NULL]	[NULL]	S	B1WNC1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	8/6/2008 11:30	Y	CONDUCT	Specific Conductance	4973	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WNC1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	8/6/2008 11:30	Y	TEMPERATURE	Temperature	19.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1WNC1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	8/6/2008 11:30	Y	PH	pH Measurement	6.56	unitless	[NULL]	[NULL]	[NULL]	S	B1WNC1	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	8/8/2008 9:00	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WNJ5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/8/2008 9:00	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WNJ5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/8/2008 9:00	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WNJ5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/8/2008 9:00	Y	7440-39-3	Barium	40	ug/L	D	[NULL]	[NULL]	S	B1WNJ5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/8/2008 9:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WNJ5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/8/2008 9:00	Y	7440-70-2	Calcium	38800	ug/L	DN	[NULL]	[NULL]	S	B1WNJ5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/8/2008 9:00	Y	16887-00-6	Chloride	264000	ug/L	D	[NULL]	[NULL]	S	B1WNX7	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	8/8/2008 9:00	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WNJ5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/8/2008 9:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WNJ5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/8/2008 9:00	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WNJ5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/8/2008 9:00	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WNX7	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	8/8/2008 9:00	Y	7439-89-6	Iron	538	ug/L	CD	[NULL]	[NULL]	S	B1WNJ5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/8/2008 9:00	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WNJ5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/8/2008 9:00	Y	7439-95-4	Magnesium	4420	ug/L	DN	[NULL]	[NULL]	S	B1WNJ5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/8/2008 9:00	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WNJ5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/8/2008 9:00	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WNJ5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/8/2008 9:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WNJ5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/8/2008 9:00	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WNX7	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	8/8/2008 9:00	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WNX7	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	8/8/2008 9:00	Y	14265-44-2	Phosphate	695000	ug/L	D	[NULL]	[NULL]	S	B1WNX7	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	8/8/2008 9:00	Y	7440-09-7	Potassium	10700	ug/L	D	[NULL]	[NULL]	S	B1WNJ5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/8/2008 9:00	Y	7440-22-4	Silver	25	ug/L	CD	[NULL]	[NULL]	S	B1WNJ5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/8/2008 9:00	Y	7440-23-5	Sodium	1210000	ug/L	D	[NULL]	[NULL]	S	B1WNJ5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/8/2008 9:00	Y	7440-24-6	Strontium	1100	ug/L	D	[NULL]	[NULL]	S	B1WNJ5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/8/2008 9:00	Y	14808-79-8	Sulfate	28700	ug/L	D	[NULL]	[NULL]	S	B1WNX7	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	8/8/2008 9:00	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WNJ5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/8/2008 9:00	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WNJ5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/15/2008 9:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WP27	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/15/2008 9:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WP27	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/15/2008 9:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WP27	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/15/2008 9:30	Y	7440-39-3	Barium	31	ug/L	D	[NULL]	[NULL]	S	B1WP27	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	8/15/2008 9:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WP27	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/15/2008 9:30	Y	7440-70-2	Calcium	30700	ug/L	DN	[NULL]	[NULL]	S	B1WP27	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/15/2008 9:30	Y	16887-00-6	Chloride	198000	ug/L	D	[NULL]	[NULL]	S	B1WP57	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	8/15/2008 9:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WP27	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/15/2008 9:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WP27	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/15/2008 9:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WP27	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/15/2008 9:30	Y	DO	Dissolved oxygen	2040	ug/L	[NULL]	[NULL]	[NULL]	S	B1WP27	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	8/15/2008 9:30	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP57	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	8/15/2008 9:30	Y	12587-46-1	Gross alpha	6	pCi/L	U	[NULL]	[NULL]	S	B1WP27	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-140	8/15/2008 9:30	Y	12587-47-2	Gross beta	99	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WP27	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-140	8/15/2008 9:30	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WP27	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/15/2008 9:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WP27	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/15/2008 9:30	Y	7439-95-4	Magnesium	3930	ug/L	D	[NULL]	[NULL]	S	B1WP27	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/15/2008 9:30	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WP27	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/15/2008 9:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WP27	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/15/2008 9:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WP27	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/15/2008 9:30	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP57	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	8/15/2008 9:30	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP57	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	8/15/2008 9:30	Y	EH	Oxidation Reduction Potential	-141	mV	[NULL]	[NULL]	[NULL]	S	B1WP27	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	8/15/2008 9:30	Y	14265-44-2	Phosphate	818000	ug/L	D	[NULL]	[NULL]	S	B1WP57	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	8/15/2008 9:30	Y	7440-09-7	Potassium	9810	ug/L	D	[NULL]	[NULL]	S	B1WP27	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/15/2008 9:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WP27	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/15/2008 9:30	Y	7440-23-5	Sodium	1150000	ug/L	D	[NULL]	[NULL]	S	B1WP27	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/15/2008 9:30	Y	CONDUCT	Specific Conductance	4849	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WP27	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	8/15/2008 9:30	Y	7440-24-6	Strontium	888	ug/L	D	[NULL]	[NULL]	S	B1WP27	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/15/2008 9:30	Y	14808-79-8	Sulfate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP57	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	8/15/2008 9:30	Y	TEMPERATURE	Temperature	20	Deg C	[NULL]	[NULL]	[NULL]	S	B1WP27	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	8/15/2008 9:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WP27	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/15/2008 9:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WP27	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/15/2008 9:30	Y	PH	pH Measurement	6.78	unitless	[NULL]	[NULL]	[NULL]	S	B1WP27	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	8/22/2008 7:14	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WP88	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:14	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WP88	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:14	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WP88	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:14	Y	7440-39-3	Barium	22	ug/L	D	[NULL]	[NULL]	S	B1WP88	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:14	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WP88	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:14	Y	7440-70-2	Calcium	10500	ug/L	D	[NULL]	[NULL]	S	B1WP88	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:14	Y	16887-00-6	Chloride	281000	ug/L	D	[NULL]	[NULL]	S	B1WP88	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	8/22/2008 7:14	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WP88	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:14	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WP88	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:14	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WP88	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:14	Y	DO	Dissolved oxygen	3270	ug/L	[NULL]	[NULL]	[NULL]	S	B1WP88	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	8/22/2008 7:14	Y	16984-48-8	Fluoride	464	ug/L	DU	[NULL]	[NULL]	S	B1WP88	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	8/22/2008 7:14	Y	12587-46-1	Gross alpha	-12	pCi/L	U	[NULL]	[NULL]	S	B1WP88	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-140	8/22/2008 7:14	Y	12587-47-2	Gross beta	38	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WP88	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-140	8/22/2008 7:14	Y	7439-89-6	Iron	2010	ug/L	D	[NULL]	[NULL]	S	B1WP88	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:14	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WP88	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:14	Y	7439-95-4	Magnesium	2900	ug/L	D	[NULL]	[NULL]	S	B1WP88	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:14	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WP88	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:14	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WP88	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:14	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WP88	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:14	Y	14797-55-8	Nitrate	1070	ug/L	DU	[NULL]	[NULL]	S	B1WP88	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	8/22/2008 7:14	Y	14797-65-0	Nitrite	841	ug/L	DU	[NULL]	[NULL]	S	B1WP88	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	8/22/2008 7:14	Y	EH	Oxidation Reduction Potential	-302	mV	[NULL]	[NULL]	[NULL]	S	B1WP88	EH	FIELD	REDOX_PROBE_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	8/22/2008 7:14	Y	14265-44-2	Phosphate	2140000	ug/L	D	[NULL]	[NULL]	S	B1WP88	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	8/22/2008 7:14	Y	7440-09-7	Potassium	10800	ug/L	D	[NULL]	[NULL]	S	B1WP88	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:14	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WP88	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:14	Y	7440-23-5	Sodium	1900000	ug/L	D	[NULL]	[NULL]	S	B1WP88	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:14	Y	CONDUCT	Specific Conductance	5595	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WP88	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	8/22/2008 7:14	Y	7440-24-6	Strontium	325	ug/L	D	[NULL]	[NULL]	S	B1WP88	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:14	Y	14808-79-8	Sulfate	2640	ug/L	DU	[NULL]	[NULL]	S	B1WP88	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	8/22/2008 7:14	Y	TEMPERATURE	Temperature	16.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1WP88	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	8/22/2008 7:14	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WP88	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:14	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WP88	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:14	Y	PH	pH Measurement	7.4	unitless	[NULL]	[NULL]	[NULL]	S	B1WP88	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	8/22/2008 7:40	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WP87	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:40	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WP87	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:40	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WP87	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:40	Y	7440-39-3	Barium	32	ug/L	D	[NULL]	[NULL]	S	B1WP87	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WP87	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:40	Y	7440-70-2	Calcium	22200	ug/L	D	[NULL]	[NULL]	S	B1WP87	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:40	Y	16887-00-6	Chloride	193000	ug/L	D	[NULL]	[NULL]	S	B1WP87	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	8/22/2008 7:40	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WP87	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WP87	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:40	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WP87	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:40	Y	DO	Dissolved oxygen	1610	ug/L	[NULL]	[NULL]	[NULL]	S	B1WP87	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	8/22/2008 7:40	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WP87	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	8/22/2008 7:40	Y	12587-46-1	Gross alpha	-17	pCi/L	U	[NULL]	[NULL]	S	B1WP87	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-140	8/22/2008 7:40	Y	12587-47-2	Gross beta	79	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WP87	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-140	8/22/2008 7:40	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WP87	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:40	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WP87	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:40	Y	7439-95-4	Magnesium	3790	ug/L	D	[NULL]	[NULL]	S	B1WP87	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:40	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WP87	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:40	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WP87	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:40	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WP87	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:40	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WP87	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	8/22/2008 7:40	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WP87	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	8/22/2008 7:40	Y	EH	Oxidation Reduction Potential	-315	mV	[NULL]	[NULL]	[NULL]	S	B1WP87	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	8/22/2008 7:40	Y	14265-44-2	Phosphate	751000	ug/L	D	[NULL]	[NULL]	S	B1WP87	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	8/22/2008 7:40	Y	7440-09-7	Potassium	9520	ug/L	D	[NULL]	[NULL]	S	B1WP87	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:40	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WP87	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:40	Y	7440-23-5	Sodium	1050000	ug/L	D	[NULL]	[NULL]	S	B1WP87	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:40	Y	CONDUCT	Specific Conductance	3888	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WP87	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	8/22/2008 7:40	Y	7440-24-6	Strontium	712	ug/L	D	[NULL]	[NULL]	S	B1WP87	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:40	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WP87	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	8/22/2008 7:40	Y	TEMPERATURE	Temperature	16.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1WP87	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	8/22/2008 7:40	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WP87	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:40	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WP87	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	8/22/2008 7:40	Y	PH	pH Measurement	7.23	unitless	[NULL]	[NULL]	[NULL]	S	B1WP87	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	9/2/2008 10:43	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WWN4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/2/2008 10:43	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WWN4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/2/2008 10:43	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WWN4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/2/2008 10:43	Y	7440-39-3	Barium	25	ug/L	BD	[NULL]	[NULL]	S	B1WWN4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/2/2008 10:43	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WWN4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/2/2008 10:43	Y	7440-70-2	Calcium	17500	ug/L	DN	[NULL]	[NULL]	S	B1WWN4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/2/2008 10:43	Y	16887-00-6	Chloride	217000	ug/L	D	[NULL]	[NULL]	S	B1WWL1	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	9/2/2008 10:43	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WWN4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/2/2008 10:43	Y	7440-48-4	Cobalt	23.1	ug/L	BD	[NULL]	[NULL]	S	B1WWN4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	9/2/2008 10:43	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WWN4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/2/2008 10:43	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWL1	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	9/2/2008 10:43	Y	12587-46-1	Gross alpha	9.9	pCi/L	U	[NULL]	[NULL]	S	B1WWN4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-140	9/2/2008 10:43	Y	12587-47-2	Gross beta	82	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WWN4	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-140	9/2/2008 10:43	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WWN4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/2/2008 10:43	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WWN4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/2/2008 10:43	Y	7439-95-4	Magnesium	3410	ug/L	D	[NULL]	[NULL]	S	B1WWN4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/2/2008 10:43	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WWN4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/2/2008 10:43	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WWN4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/2/2008 10:43	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WWN4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/2/2008 10:43	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWL1	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	9/2/2008 10:43	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWL1	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	9/2/2008 10:43	Y	EH	Oxidation Reduction Potential	-184	mV	[NULL]	[NULL]	[NULL]	S	B1WWL1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	9/2/2008 10:43	Y	14265-44-2	Phosphate	898000	ug/L	D	[NULL]	[NULL]	S	B1WWL1	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	9/2/2008 10:43	Y	7440-09-7	Potassium	9580	ug/L	D	[NULL]	[NULL]	S	B1WWN4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/2/2008 10:43	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WWN4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/2/2008 10:43	Y	7440-23-5	Sodium	1050000	ug/L	D	[NULL]	[NULL]	S	B1WWN4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/2/2008 10:43	Y	CONDUCT	Specific Conductance	4135	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WWL1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	9/2/2008 10:43	Y	7440-24-6	Strontium	580	ug/L	D	[NULL]	[NULL]	S	B1WWN4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/2/2008 10:43	Y	14808-79-8	Sulfate	75100	ug/L	D	[NULL]	[NULL]	S	B1WWL1	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	9/2/2008 10:43	Y	TEMPERATURE	Temperature	18.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1WWL1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	9/2/2008 10:43	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WWN4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/2/2008 10:43	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WWN4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/2/2008 10:43	Y	PH	pH Measurement	6.99	unitless	[NULL]	[NULL]	[NULL]	S	B1WWL1	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	9/3/2008 10:05	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WWJ9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/3/2008 10:05	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WWJ9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/3/2008 10:05	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WWJ9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/3/2008 10:05	Y	7440-39-3	Barium	23	ug/L	BD	[NULL]	[NULL]	S	B1WWJ9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/3/2008 10:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WWJ9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/3/2008 10:05	Y	7440-70-2	Calcium	17200	ug/L	D	[NULL]	[NULL]	S	B1WWJ9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/3/2008 10:05	Y	16887-00-6	Chloride	72000	ug/L	D	[NULL]	[NULL]	S	B1WWC7	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	9/3/2008 10:05	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WWJ9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/3/2008 10:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WWJ9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/3/2008 10:05	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WWJ9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/3/2008 10:05	Y	DO	Dissolved oxygen	1800	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWC7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	9/3/2008 10:05	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWC7	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	9/3/2008 10:05	Y	12587-46-1	Gross alpha	12	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WWJ9	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-140	9/3/2008 10:05	Y	12587-47-2	Gross beta	75	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WWJ9	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-140	9/3/2008 10:05	Y	7439-89-6	Iron	179	ug/L	BD	[NULL]	[NULL]	S	B1WWJ9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/3/2008 10:05	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WWJ9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/3/2008 10:05	Y	7439-95-4	Magnesium	3240	ug/L	D	[NULL]	[NULL]	S	B1WWJ9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/3/2008 10:05	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WWJ9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/3/2008 10:05	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WWJ9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/3/2008 10:05	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WWJ9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/3/2008 10:05	Y	14797-55-8	Nitrate	25000	ug/L	D	[NULL]	[NULL]	S	B1WWC7	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	9/3/2008 10:05	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWC7	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	9/3/2008 10:05	Y	EH	Oxidation Reduction Potential	-122	mV	[NULL]	[NULL]	[NULL]	S	B1WWC7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	9/3/2008 10:05	Y	14265-44-2	Phosphate	986000	ug/L	D	[NULL]	[NULL]	S	B1WWC7	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	9/3/2008 10:05	Y	7440-09-7	Potassium	8930	ug/L	D	[NULL]	[NULL]	S	B1WWJ9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/3/2008 10:05	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WWJ9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/3/2008 10:05	Y	7440-23-5	Sodium	995000	ug/L	D	[NULL]	[NULL]	S	B1WWJ9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/3/2008 10:05	Y	CONDUCT	Specific Conductance	3596	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WWC7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	9/3/2008 10:05	Y	7440-24-6	Strontium	540	ug/L	D	[NULL]	[NULL]	S	B1WWJ9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	9/3/2008 10:05	Y	14808-79-8	Sulfate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWC7	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	9/3/2008 10:05	Y	TEMPERATURE	Temperature	17.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1WWC7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	9/3/2008 10:05	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WWJ9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/3/2008 10:05	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WWJ9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/3/2008 10:05	Y	PH	pH Measurement	7.01	unitless	[NULL]	[NULL]	[NULL]	S	B1WWC7	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	9/9/2008 11:10	Y	7429-90-5	Aluminum	78	ug/L	B	[NULL]	[NULL]	S	B1WWV0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/9/2008 11:10	Y	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	S	B1WWV0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/9/2008 11:10	Y	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	S	B1WWV0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/9/2008 11:10	Y	7440-39-3	Barium	16	ug/L	B	[NULL]	[NULL]	S	B1WWV0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/9/2008 11:10	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1WWV0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/9/2008 11:10	Y	7440-70-2	Calcium	14100	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWV0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/9/2008 11:10	Y	16887-00-6	Chloride	126000	ug/L	D	[NULL]	[NULL]	S	B1WWR7	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	9/9/2008 11:10	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B1WWV0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/9/2008 11:10	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1WWV0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/9/2008 11:10	Y	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1WWV0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/9/2008 11:10	Y	DO	Dissolved oxygen	1100	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWR7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	9/9/2008 11:10	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWR7	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	9/9/2008 11:10	Y	12587-46-1	Gross alpha	-1.7	pCi/L	U	[NULL]	[NULL]	S	B1WWV0	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-140	9/9/2008 11:10	Y	12587-47-2	Gross beta	65	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WWV0	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-140	9/9/2008 11:10	Y	7439-89-6	Iron	48.5	ug/L	B	[NULL]	[NULL]	S	B1WWV0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/9/2008 11:10	Y	7439-92-1	Lead	45	ug/L	U	[NULL]	[NULL]	S	B1WWV0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/9/2008 11:10	Y	7439-95-4	Magnesium	2730	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWV0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/9/2008 11:10	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	S	B1WWV0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/9/2008 11:10	Y	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	S	B1WWV0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/9/2008 11:10	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B1WWV0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/9/2008 11:10	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWR7	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	9/9/2008 11:10	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWR7	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	9/9/2008 11:10	Y	EH	Oxidation Reduction Potential	-150	mV	[NULL]	[NULL]	[NULL]	S	B1WWR7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	9/9/2008 11:10	Y	14265-44-2	Phosphate	881000	ug/L	D	[NULL]	[NULL]	S	B1WWR7	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	9/9/2008 11:10	Y	7440-09-7	Potassium	5670	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWV0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/9/2008 11:10	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1WWV0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/9/2008 11:10	Y	7440-23-5	Sodium	838000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWV0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/9/2008 11:10	Y	CONDUCT	Specific Conductance	3326	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WWR7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	9/9/2008 11:10	Y	7440-24-6	Strontium	398	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWV0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/9/2008 11:10	Y	14808-79-8	Sulfate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWR7	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-140	9/9/2008 11:10	Y	TEMPERATURE	Temperature	17.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WWR7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	9/9/2008 11:10	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	S	B1WWV0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/9/2008 11:10	Y	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1WWV0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/9/2008 11:10	Y	PH	pH Measurement	6.94	unitless	[NULL]	[NULL]	[NULL]	S	B1WWR7	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	9/21/2008 9:05	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WX32	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/21/2008 9:05	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WX32	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/21/2008 9:05	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WX32	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/21/2008 9:05	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WX32	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/21/2008 9:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WX32	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/21/2008 9:05	Y	7440-70-2	Calcium	14200	ug/L	DN	[NULL]	[NULL]	S	B1WX32	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/21/2008 9:05	Y	16887-00-6	Chloride	125000	ug/L	D	[NULL]	[NULL]	S	B1WWX7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	9/21/2008 9:05	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WX32	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/21/2008 9:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WX32	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/21/2008 9:05	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WX32	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/21/2008 9:05	Y	DO	Dissolved oxygen	1690	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX32	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	9/21/2008 9:05	Y	DO	Dissolved oxygen	1690	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWX7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	9/21/2008 9:05	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WWX7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	9/21/2008 9:05	Y	12587-46-1	Gross alpha	-1.3	pCi/L	U	[NULL]	[NULL]	S	B1WX32	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-140	9/21/2008 9:05	Y	12587-47-2	Gross beta	45	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WX32	12587-47-2	WSCF	BETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	9/21/2008 9:05	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WX32	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/21/2008 9:05	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WX32	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/21/2008 9:05	Y	7439-95-4	Magnesium	2370	ug/L	D	[NULL]	[NULL]	S	B1WX32	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/21/2008 9:05	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WX32	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/21/2008 9:05	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WX32	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/21/2008 9:05	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WX32	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/21/2008 9:05	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WWX7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	9/21/2008 9:05	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WWX7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	9/21/2008 9:05	Y	EH	Oxidation Reduction Potential	-105	mV	[NULL]	[NULL]	[NULL]	S	B1WX32	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	9/21/2008 9:05	Y	EH	Oxidation Reduction Potential	-105	mV	[NULL]	[NULL]	[NULL]	S	B1WWX7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	9/21/2008 9:05	Y	14265-44-2	Phosphate	837000	ug/L	D	[NULL]	[NULL]	S	B1WWX7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	9/21/2008 9:05	Y	7440-09-7	Potassium	7210	ug/L	D	[NULL]	[NULL]	S	B1WX32	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/21/2008 9:05	Y	7440-22-4	Silver	56	ug/L	BDNX	[NULL]	[NULL]	S	B1WX32	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/21/2008 9:05	Y	7440-23-5	Sodium	794000	ug/L	D	[NULL]	[NULL]	S	B1WX32	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/21/2008 9:05	Y	CONDUCT	Specific Conductance	3177	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WWX7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	9/21/2008 9:05	Y	CONDUCT	Specific Conductance	3177	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WX32	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	9/21/2008 9:05	Y	7440-24-6	Strontium	344	ug/L	D	[NULL]	[NULL]	S	B1WX32	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/21/2008 9:05	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WWX7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	9/21/2008 9:05	Y	TEMPERATURE	Temperature	16.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1WX32	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	9/21/2008 9:05	Y	TEMPERATURE	Temperature	16.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1WWX7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	9/21/2008 9:05	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WX32	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/21/2008 9:05	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WX32	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	9/21/2008 9:05	Y	PH	pH Measurement	7.22	unitless	[NULL]	[NULL]	[NULL]	S	B1WWX7	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	9/21/2008 9:05	Y	PH	pH Measurement	7.22	unitless	[NULL]	[NULL]	[NULL]	S	B1WX32	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	10/30/2008 11:52	N	7429-90-5	Aluminum	50	ug/L	U	[NULL]	[NULL]	S	B1WX77	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/30/2008 11:52	N	7440-36-0	Antimony	60	ug/L	U	[NULL]	[NULL]	S	B1WX77	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/30/2008 11:52	N	7440-38-2	Arsenic	80	ug/L	U	[NULL]	[NULL]	S	B1WX77	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/30/2008 11:52	N	7440-39-3	Barium	8.6	ug/L	B	[NULL]	[NULL]	S	B1WX77	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/30/2008 11:52	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1WX77	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/30/2008 11:52	N	7440-70-2	Calcium	14900	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX77	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/30/2008 11:52	N	16887-00-6	Chloride	81000	ug/L	DN	[NULL]	[NULL]	S	B1WX77	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	10/30/2008 11:52	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	S	B1WX77	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/30/2008 11:52	N	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	S	B1WX77	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/30/2008 11:52	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1WX77	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/30/2008 11:52	N	DO	Dissolved oxygen	1620	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX77	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	10/30/2008 11:52	N	16984-48-8	Fluoride	200	ug/L	UD	[NULL]	[NULL]	S	B1WX77	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	10/30/2008 11:52	N	12587-46-1	Gross alpha	2.54	pCi/L	U	[NULL]	[NULL]	S	B1WX77	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-140	10/30/2008 11:52	N	12587-47-2	Gross beta	50.8	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WX77	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-140	10/30/2008 11:52	N	7439-89-6	Iron	21.3	ug/L	BC	[NULL]	[NULL]	S	B1WX77	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/30/2008 11:52	N	7439-92-1	Lead	40	ug/L	U	[NULL]	[NULL]	S	B1WX77	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/30/2008 11:52	N	7439-95-4	Magnesium	2020	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX77	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/30/2008 11:52	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	S	B1WX77	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/30/2008 11:52	N	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	S	B1WX77	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/30/2008 11:52	N	7440-02-0	Nickel	6	ug/L	U	[NULL]	[NULL]	S	B1WX77	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/30/2008 11:52	N	14797-55-8	Nitrate	9960	ug/L	D	[NULL]	[NULL]	S	B1WX77	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	10/30/2008 11:52	N	14797-65-0	Nitrite	328	ug/L	UD	[NULL]	[NULL]	S	B1WX77	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	10/30/2008 11:52	N	EH	Oxidation Reduction Potential	150	mV	[NULL]	[NULL]	[NULL]	S	B1WX77	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	10/30/2008 11:52	N	14265-44-2	Phosphate	607000	ug/L	D	[NULL]	[NULL]	S	B1WX77	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	10/30/2008 11:52	N	7440-09-7	Potassium	4080	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX77	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/30/2008 11:52	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1WX77	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/30/2008 11:52	N	7440-23-5	Sodium	479000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX77	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/30/2008 11:52	N	CONDUCT	Specific Conductance	2063	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WX77	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	10/30/2008 11:52	N	7440-24-6	Strontium	318	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX77	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/30/2008 11:52	N	14808-79-8	Sulfate	15300	ug/L	D	[NULL]	[NULL]	S	B1WX77	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	10/30/2008 11:52	N	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WX77	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	10/30/2008 11:52	N	7440-62-2	Vanadium	10	ug/L	U	[NULL]	[NULL]	S	B1WX77	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/30/2008 11:52	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1WX77	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	10/30/2008 11:52	N	PH	pH Measurement	7.01	unitless	[NULL]	[NULL]	[NULL]	S	B1WX77	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	12/8/2008 9:56	N	7429-90-5	Aluminum	52	ug/L	U	[NULL]	[NULL]	S	B1XXP9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	12/8/2008 9:56	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	S	B1XXP9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	12/8/2008 9:56	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	S	B1XXP9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	12/8/2008 9:56	N	7440-39-3	Barium	6	ug/L	B	[NULL]	[NULL]	S	B1XXP9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	12/8/2008 9:56	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1XXP9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	12/8/2008 9:56	N	7440-70-2	Calcium	15600	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXP9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	12/8/2008 9:56	N	16887-00-6	Chloride	35800	ug/L	D	[NULL]	[NULL]	S	B1XXP9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	12/8/2008 9:56	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B1XXP9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	12/8/2008 9:56	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1XXP9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	12/8/2008 9:56	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1XXP9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	12/8/2008 9:56	N	DO	Dissolved oxygen	1880	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXP9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	12/8/2008 9:56	N	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1XXP9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	12/8/2008 9:56	N	12587-46-1	Gross alpha	0.015	pCi/L	U	[NULL]	[NULL]	S	B1XXP9	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-140	12/8/2008 9:56	N	12587-47-2	Gross beta	40	pCi/L	[NULL]	[NULL]	[NULL]	S	B1XXP9	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-140	12/8/2008 9:56	N	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	S	B1XXP9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	12/8/2008 9:56	N	7439-92-1	Lead	45	ug/L	U	[NULL]	[NULL]	S	B1XXP9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	12/8/2008 9:56	N	7439-95-4	Magnesium	1670	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXP9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	12/8/2008 9:56	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	S	B1XXP9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	12/8/2008 9:56	N	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	S	B1XXP9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	12/8/2008 9:56	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B1XXP9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	12/8/2008 9:56	N	14797-55-8	Nitrate	43000	ug/L	D	[NULL]	[NULL]	S	B1XXP9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	12/8/2008 9:56	N	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1XXP9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	12/8/2008 9:56	N	EH	Oxidation Reduction Potential	104	mV	[NULL]	[NULL]	[NULL]	S	B1XXP9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	12/8/2008 9:56	N	14265-44-2	Phosphate	463000	ug/L	D	[NULL]	[NULL]	S	B1XXP9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	12/8/2008 9:56	N	7440-09-7	Potassium	3320	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXP9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	12/8/2008 9:56	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1XXP9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	12/8/2008 9:56	N	7440-23-5	Sodium	329000	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXP9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	12/8/2008 9:56	N	CONDUCT	Specific Conductance	132	uS/cm	[NULL]	Y	[NULL]	S	B1XXP9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	12/8/2008 9:56	N	7440-24-6	Strontium	264	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXP9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	12/8/2008 9:56	N	14808-79-8	Sulfate	32200	ug/L	D	[NULL]	[NULL]	S	B1XXP9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	12/8/2008 9:56	N	TEMPERATURE	Temperature	14.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1XXP9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	12/8/2008 9:56	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	S	B1XXP9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	12/8/2008 9:56	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1XXP9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	12/8/2008 9:56	N	PH	pH Measurement	7.16	unitless	[NULL]	[NULL]	[NULL]	S	B1XXP9	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-140	2/4/2009 9:58	N	7429-90-5	Aluminum	178	ug/L	B	[NULL]	[NULL]	S	B1YLP3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/4/2009 9:58	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	S	B1YLP3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/4/2009 9:58	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	S	B1YLP3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/4/2009 9:58	N	7440-39-3	Barium	10.2	ug/L	B	[NULL]	[NULL]	S	B1YLP3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/4/2009 9:58	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1YLP3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/4/2009 9:58	N	7440-70-2	Calcium	11600	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLP3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/4/2009 9:58	N	16887-00-6	Chloride	5700	ug/L	D	[NULL]	[NULL]	S	B1YLP3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	2/4/2009 9:58	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B1YLP3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/4/2009 9:58	N	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	S	B1YLP3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/4/2009 9:58	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1YLP3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/4/2009 9:58	N	DO	Dissolved oxygen	2340	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLP3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-140	2/4/2009 9:58	N	16984-48-8	Fluoride	230	ug/L	UD	[NULL]	[NULL]	S	B1YLP3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	2/4/2009 9:58	N	12587-46-1	Gross alpha	-1.1	pCi/L	U	[NULL]	[NULL]	S	B1YLP3	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-140	2/4/2009 9:58	N	12587-47-2	Gross beta	42	pCi/L	[NULL]	[NULL]	[NULL]	S	B1YLP3	12587-47-2	WSCF	BETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-140	2/4/2009 9:58	N	7439-89-6	Iron	83.8	ug/L	B	[NULL]	[NULL]	S	B1YLP3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/4/2009 9:58	N	7439-92-1	Lead	45	ug/L	U	[NULL]	[NULL]	S	B1YLP3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/4/2009 9:58	N	7439-95-4	Magnesium	1680	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLP3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/4/2009 9:58	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	S	B1YLP3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/4/2009 9:58	N	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	S	B1YLP3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/4/2009 9:58	N	7440-02-0	Nickel	6	ug/L	U	[NULL]	[NULL]	S	B1YLP3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/4/2009 9:58	N	14797-55-8	Nitrate	64600	ug/L	D	[NULL]	[NULL]	S	B1YLP3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	2/4/2009 9:58	N	14797-65-0	Nitrite	427	ug/L	UD	[NULL]	[NULL]	S	B1YLP3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	2/4/2009 9:58	N	EH	Oxidation Reduction Potential	238	mV	[NULL]	[NULL]	[NULL]	S	B1YLP3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-140	2/4/2009 9:58	N	14265-44-2	Phosphate	306000	ug/L	D	[NULL]	[NULL]	S	B1YLP3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	2/4/2009 9:58	N	7440-09-7	Potassium	1520	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLP3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/4/2009 9:58	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1YLP3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/4/2009 9:58	N	7440-23-5	Sodium	152000	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLP3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/4/2009 9:58	N	CONDUCT	Specific Conductance	689	uS/cm	[NULL]	[NULL]	[NULL]	S	B1YLP3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-140	2/4/2009 9:58	N	7440-24-6	Strontium	218	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLP3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/4/2009 9:58	N	14808-79-8	Sulfate	11700	ug/L	D	[NULL]	[NULL]	S	B1YLP3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-140	2/4/2009 9:58	N	TEMPERATURE	Temperature	12.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1YLP3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-140	2/4/2009 9:58	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	S	B1YLP3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/4/2009 9:58	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1YLP3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-140	2/4/2009 9:58	N	PH	pH Measurement	7.14	unitless	[NULL]	[NULL]	[NULL]	S	B1YLP3	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-141	7/10/2006 14:32	N	7429-90-5	Aluminum	37	ug/L	U	[NULL]	[NULL]	S	B1JXH6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:32	N	7440-36-0	Antimony	72	ug/L	U	[NULL]	[NULL]	S	B1JXH6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:32	N	7440-38-2	Arsenic	79	ug/L	U	[NULL]	[NULL]	S	B1JXH6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:32	N	7440-39-3	Barium	34.1	ug/L	[NULL]	[NULL]	[NULL]	S	B1JXH6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:32	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	S	B1JXH6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:32	N	7440-70-2	Calcium	24700	ug/L	[NULL]	[NULL]	[NULL]	S	B1JXH6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:32	N	16887-00-6	Chloride	4130	ug/L	[NULL]	[NULL]	[NULL]	S	B1JXH6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/10/2006 14:32	N	7440-47-3	Chromium	7.4	ug/L	[NULL]	[NULL]	[NULL]	S	B1JXH6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:32	N	7440-48-4	Cobalt	7	ug/L	U	[NULL]	[NULL]	S	B1JXH6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:32	N	7440-50-8	Copper	7	ug/L	U	[NULL]	[NULL]	S	B1JXH6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:32	N	16984-48-8	Fluoride	45	ug/L	U	[NULL]	[NULL]	S	B1JXH6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/10/2006 14:32	N	7439-89-6	Iron	33.8	ug/L	[NULL]	[NULL]	[NULL]	S	B1JXH6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:32	N	7439-92-1	Lead	47	ug/L	U	[NULL]	[NULL]	S	B1JXH6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:32	N	7439-95-4	Magnesium	5030	ug/L	[NULL]	[NULL]	[NULL]	S	B1JXH6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:32	N	7439-96-5	Manganese	3	ug/L	U	[NULL]	[NULL]	S	B1JXH6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:32	N	7439-98-7	Molybdenum	11	ug/L	U	[NULL]	[NULL]	S	B1JXH6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:32	N	7440-02-0	Nickel	5	ug/L	U	[NULL]	[NULL]	S	B1JXH6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:32	N	14797-55-8	Nitrate	3510	ug/L	[NULL]	[NULL]	[NULL]	S	B1JXH6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/10/2006 14:32	N	14797-65-0	Nitrite	115	ug/L	U	[NULL]	[NULL]	S	B1JXH6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/10/2006 14:32	N	14265-44-2	Phosphate	337	ug/L	U	[NULL]	[NULL]	S	B1JXH6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/10/2006 14:32	N	7440-09-7	Potassium	1490	ug/L	[NULL]	[NULL]	[NULL]	S	B1JXH6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:32	N	7440-22-4	Silver	11	ug/L	U	[NULL]	[NULL]	S	B1JXH6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:32	N	7440-23-5	Sodium	3020	ug/L	[NULL]	[NULL]	[NULL]	S	B1JXH6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:32	N	7440-24-6	Strontium	113	ug/L	[NULL]	[NULL]	[NULL]	S	B1JXH6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:32	N	10098-97-2	Strontium-90	970	pCi/L	[NULL]	[NULL]	[NULL]	S	B1JXH6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-141	7/10/2006 14:32	N	14808-79-8	Sulfate	8340	ug/L	[NULL]	[NULL]	[NULL]	S	B1JXH6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/10/2006 14:32	N	7440-62-2	Vanadium	14	ug/L	U	[NULL]	[NULL]	S	B1JXH6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:32	N	7440-66-6	Zinc	19.8	ug/L	C	[NULL]	[NULL]	S	B1JXH6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:48	N	7429-90-5	Aluminum	37	ug/L	U	[NULL]	[NULL]	S	B1K028	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:48	N	7440-36-0	Antimony	72	ug/L	U	[NULL]	[NULL]	S	B1K028	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:48	N	7440-38-2	Arsenic	79	ug/L	U	[NULL]	[NULL]	S	B1K028	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:48	N	7440-39-3	Barium	32.4	ug/L	[NULL]	[NULL]	[NULL]	S	B1K028	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:48	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	S	B1K028	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:48	N	7440-70-2	Calcium	23600	ug/L	[NULL]	[NULL]	[NULL]	S	B1K028	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	7/10/2006 14:48	N	16887-00-6	Chloride	3510	ug/L	[NULL]	[NULL]	[NULL]	S	B1K028	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/10/2006 14:48	N	7440-47-3	Chromium	7	ug/L	U	[NULL]	[NULL]	S	B1K028	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:48	N	7440-48-4	Cobalt	7	ug/L	U	[NULL]	[NULL]	S	B1K028	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:48	N	7440-50-8	Copper	7	ug/L	U	[NULL]	[NULL]	S	B1K028	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:48	N	16984-48-8	Fluoride	45	ug/L	U	[NULL]	[NULL]	S	B1K028	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/10/2006 14:48	N	7439-89-6	Iron	33	ug/L	U	[NULL]	[NULL]	S	B1K028	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:48	N	7439-92-1	Lead	47	ug/L	U	[NULL]	[NULL]	S	B1K028	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:48	N	7439-95-4	Magnesium	4850	ug/L	[NULL]	[NULL]	[NULL]	S	B1K028	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:48	N	7439-96-5	Manganese	3	ug/L	U	[NULL]	[NULL]	S	B1K028	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:48	N	7439-98-7	Molybdenum	11	ug/L	U	[NULL]	[NULL]	S	B1K028	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:48	N	7440-02-0	Nickel	5	ug/L	U	[NULL]	[NULL]	S	B1K028	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:48	N	14797-55-8	Nitrate	3940	ug/L	[NULL]	[NULL]	[NULL]	S	B1K028	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/10/2006 14:48	N	14797-65-0	Nitrite	115	ug/L	U	[NULL]	[NULL]	S	B1K028	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/10/2006 14:48	N	14265-44-2	Phosphate	337	ug/L	U	[NULL]	[NULL]	S	B1K028	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/10/2006 14:48	N	7440-09-7	Potassium	1490	ug/L	[NULL]	[NULL]	[NULL]	S	B1K028	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:48	N	7440-22-4	Silver	11	ug/L	U	[NULL]	[NULL]	S	B1K028	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:48	N	7440-23-5	Sodium	2890	ug/L	[NULL]	[NULL]	[NULL]	S	B1K028	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:48	N	7440-24-6	Strontium	108	ug/L	[NULL]	[NULL]	[NULL]	S	B1K028	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:48	N	10098-97-2	Strontium-90	1000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K028	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-141	7/10/2006 14:48	N	14808-79-8	Sulfate	8240	ug/L	[NULL]	[NULL]	[NULL]	S	B1K028	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/10/2006 14:48	N	7440-62-2	Vanadium	14	ug/L	U	[NULL]	[NULL]	S	B1K028	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2006 14:48	N	7440-66-6	Zinc	19.2	ug/L	C	[NULL]	[NULL]	S	B1K028	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/20/2007 6:50	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1MMF0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/20/2007 6:50	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MMF0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/20/2007 6:50	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MMF0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/20/2007 6:50	Y	7440-39-3	Barium	50	ug/L	D	[NULL]	[NULL]	S	B1MMF0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/20/2007 6:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMF0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/20/2007 6:50	Y	7440-70-2	Calcium	42000	ug/L	D	[NULL]	[NULL]	S	B1MMF0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/20/2007 6:50	Y	16887-00-6	Chloride	16800	ug/L	D	[NULL]	[NULL]	S	B1MMF0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	3/20/2007 6:50	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMF0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/20/2007 6:50	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MMF0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/20/2007 6:50	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MMF0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/20/2007 6:50	Y	16984-48-8	Fluoride	35	ug/L	B	[NULL]	[NULL]	S	B1MMF0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	3/20/2007 6:50	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1MMF0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/20/2007 6:50	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MMF0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/20/2007 6:50	Y	7439-95-4	Magnesium	8340	ug/L	D	[NULL]	[NULL]	S	B1MMF0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/20/2007 6:50	Y	7439-96-5	Manganese	196	ug/L	D	[NULL]	[NULL]	S	B1MMF0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/20/2007 6:50	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MMF0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/20/2007 6:50	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MMF0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/20/2007 6:50	Y	14797-55-8	Nitrate	372	ug/L	B	[NULL]	[NULL]	S	B1MMF0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	3/20/2007 6:50	Y	14797-65-0	Nitrite	72.3	ug/L	U	[NULL]	[NULL]	S	B1MMF0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	3/20/2007 6:50	Y	14265-44-2	Phosphate	40800	ug/L	D	[NULL]	[NULL]	S	B1MMF0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	3/20/2007 6:50	Y	7440-09-7	Potassium	1900	ug/L	D	[NULL]	[NULL]	S	B1MMF0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/20/2007 6:50	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MMF0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/20/2007 6:50	Y	7440-23-5	Sodium	60200	ug/L	D	[NULL]	[NULL]	S	B1MMF0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/20/2007 6:50	Y	7440-24-6	Strontium	175	ug/L	D	[NULL]	[NULL]	S	B1MMF0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/20/2007 6:50	Y	10098-97-2	Strontium-90	1800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MMF0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-141	3/20/2007 6:50	Y	14808-79-8	Sulfate	10400	ug/L	[NULL]	[NULL]	[NULL]	S	B1MMF0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	3/20/2007 6:50	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MMF0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/20/2007 6:50	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MMF0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/23/2007 7:55	Y	7429-90-5	Aluminum	1130	ug/L	D	[NULL]	[NULL]	S	B1MMM7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/23/2007 7:55	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MMM7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/23/2007 7:55	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MMM7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/23/2007 7:55	Y	7440-39-3	Barium	31	ug/L	D	[NULL]	[NULL]	S	B1MMM7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/23/2007 7:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	3/23/2007 7:55	Y	7440-70-2	Calcium	59800	ug/L	D	[NULL]	[NULL]	S	B1MMM7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/23/2007 7:55	Y	16887-00-6	Chloride	78400	ug/L	D	[NULL]	[NULL]	S	B1MMM7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	3/23/2007 7:55	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/23/2007 7:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/23/2007 7:55	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/23/2007 7:55	Y	16984-48-8	Fluoride	32	ug/L	DU	[NULL]	[NULL]	S	B1MMM7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	3/23/2007 7:55	Y	7439-89-6	Iron	153	ug/L	D	[NULL]	[NULL]	S	B1MMM7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/23/2007 7:55	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MMM7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/23/2007 7:55	Y	7439-95-4	Magnesium	5020	ug/L	D	[NULL]	[NULL]	S	B1MMM7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/23/2007 7:55	Y	7439-96-5	Manganese	310	ug/L	D	[NULL]	[NULL]	S	B1MMM7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/23/2007 7:55	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/23/2007 7:55	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/23/2007 7:55	Y	14797-55-8	Nitrate	146	ug/L	DU	[NULL]	[NULL]	S	B1MMM7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	3/23/2007 7:55	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1MMM7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	3/23/2007 7:55	Y	14265-44-2	Phosphate	619000	ug/L	D	[NULL]	[NULL]	S	B1MMM7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	3/23/2007 7:55	Y	7440-09-7	Potassium	3660	ug/L	D	[NULL]	[NULL]	S	B1MMM7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/23/2007 7:55	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MMM7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/23/2007 7:55	Y	7440-23-5	Sodium	433000	ug/L	D	[NULL]	[NULL]	S	B1MMM7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/23/2007 7:55	Y	7440-24-6	Strontium	692	ug/L	D	[NULL]	[NULL]	S	B1MMM7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/23/2007 7:55	Y	10098-97-2	Strontium-90	320	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MMM7	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-141	3/23/2007 7:55	Y	14808-79-8	Sulfate	8830	ug/L	D	[NULL]	[NULL]	S	B1MMM7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	3/23/2007 7:55	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MMM7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/23/2007 7:55	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/24/2007 8:14	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/24/2007 8:14	Y	10098-97-2	Strontium-90	620	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MMM9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-141	3/25/2007 9:35	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MMP1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/25/2007 9:35	Y	10098-97-2	Strontium-90	730	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MMP1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-141	3/25/2007 9:45	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MMN1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/25/2007 9:45	Y	10098-97-2	Strontium-90	610	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MMN1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-141	3/26/2007 10:40	Y	7429-90-5	Aluminum	1460	ug/L	D	[NULL]	[NULL]	S	B1MMN3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/26/2007 10:40	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MMN3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/26/2007 10:40	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MMN3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/26/2007 10:40	Y	7440-39-3	Barium	38	ug/L	D	[NULL]	[NULL]	S	B1MMN3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/26/2007 10:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMN3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/26/2007 10:40	Y	7440-70-2	Calcium	45000	ug/L	D	[NULL]	[NULL]	S	B1MMN3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/26/2007 10:40	Y	16887-00-6	Chloride	108000	ug/L	D	[NULL]	[NULL]	S	B1MMN3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	3/26/2007 10:40	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMN3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/26/2007 10:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MMN3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/26/2007 10:40	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MMN3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/26/2007 10:40	Y	16984-48-8	Fluoride	32	ug/L	DU	[NULL]	[NULL]	S	B1MMN3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	3/26/2007 10:40	Y	7439-89-6	Iron	220	ug/L	D	[NULL]	[NULL]	S	B1MMN3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/26/2007 10:40	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MMN3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/26/2007 10:40	Y	7439-95-4	Magnesium	4180	ug/L	D	[NULL]	[NULL]	S	B1MMN3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/26/2007 10:40	Y	7439-96-5	Manganese	616	ug/L	D	[NULL]	[NULL]	S	B1MMN3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/26/2007 10:40	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MMN3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/26/2007 10:40	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MMN3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/26/2007 10:40	Y	14797-55-8	Nitrate	146	ug/L	DU	[NULL]	[NULL]	S	B1MMN3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	3/26/2007 10:40	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1MMN3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	3/26/2007 10:40	Y	14265-44-2	Phosphate	733000	ug/L	D	[NULL]	[NULL]	S	B1MMN3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	3/26/2007 10:40	Y	7440-09-7	Potassium	3680	ug/L	D	[NULL]	[NULL]	S	B1MMN3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/26/2007 10:40	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MMN3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/26/2007 10:40	Y	7440-23-5	Sodium	559000	ug/L	D	[NULL]	[NULL]	S	B1MMN3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/26/2007 10:40	Y	7440-24-6	Strontium	514	ug/L	D	[NULL]	[NULL]	S	B1MMN3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/26/2007 10:40	Y	10098-97-2	Strontium-90	650	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MMN3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-141	3/26/2007 10:40	Y	14808-79-8	Sulfate	8960	ug/L	D	[NULL]	[NULL]	S	B1MMN3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	3/26/2007 10:40	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MMN3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/26/2007 10:40	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MMN3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/27/2007 10:30	Y	7429-90-5	Aluminum	537	ug/L	D	[NULL]	[NULL]	S	B1MMN5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/27/2007 10:30	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MMN5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/27/2007 10:30	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MMN5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/27/2007 10:30	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMN5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/27/2007 10:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMN5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/27/2007 10:30	Y	7440-70-2	Calcium	38400	ug/L	D	[NULL]	[NULL]	S	B1MMN5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/27/2007 10:30	Y	16887-00-6	Chloride	106000	ug/L	D	[NULL]	[NULL]	S	B1MMN5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	3/27/2007 10:30	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMN5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/27/2007 10:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MMN5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/27/2007 10:30	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MMN5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/27/2007 10:30	Y	16984-48-8	Fluoride	32	ug/L	DU	[NULL]	[NULL]	S	B1MMN5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	3/27/2007 10:30	Y	7439-89-6	Iron	200	ug/L	CD	[NULL]	[NULL]	S	B1MMN5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/27/2007 10:30	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MMN5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/27/2007 10:30	Y	7439-95-4	Magnesium	4620	ug/L	D	[NULL]	[NULL]	S	B1MMN5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/27/2007 10:30	Y	7439-96-5	Manganese	581	ug/L	D	[NULL]	[NULL]	S	B1MMN5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/27/2007 10:30	Y	7439-98-7	Molybdenum	22.6	ug/L	D	[NULL]	[NULL]	S	B1MMN5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/27/2007 10:30	Y	7440-02-0	Nickel	20.1	ug/L	D	[NULL]	[NULL]	S	B1MMN5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/27/2007 10:30	Y	14797-55-8	Nitrate	146	ug/L	DU	[NULL]	[NULL]	S	B1MMN5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	3/27/2007 10:30	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1MMN5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	3/27/2007 10:30	Y	14265-44-2	Phosphate	693000	ug/L	D	[NULL]	[NULL]	S	B1MMN5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	3/27/2007 10:30	Y	7440-09-7	Potassium	3950	ug/L	D	[NULL]	[NULL]	S	B1MMN5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/27/2007 10:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MMN5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/27/2007 10:30	Y	7440-23-5	Sodium	538000	ug/L	D	[NULL]	[NULL]	S	B1MMN5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/27/2007 10:30	Y	7440-24-6	Strontium	402	ug/L	D	[NULL]	[NULL]	S	B1MMN5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/27/2007 10:30	Y	10098-97-2	Strontium-90	540	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MMN5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-141	3/27/2007 10:30	Y	14808-79-8	Sulfate	8860	ug/L	D	[NULL]	[NULL]	S	B1MMN5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	3/27/2007 10:30	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MMN5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/27/2007 10:30	Y	7440-66-6	Zinc	45.3	ug/L	D	[NULL]	[NULL]	S	B1MMN5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/28/2007 9:55	Y	7429-90-5	Aluminum	465	ug/L	CD	[NULL]	[NULL]	S	B1MMN7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/28/2007 9:55	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MMN7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/28/2007 9:55	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MMN7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/28/2007 9:55	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMN7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/28/2007 9:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMN7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/28/2007 9:55	Y	7440-70-2	Calcium	39500	ug/L	D	[NULL]	[NULL]	S	B1MMN7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/28/2007 9:55	Y	16887-00-6	Chloride	103000	ug/L	D	[NULL]	[NULL]	S	B1MMN7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	3/28/2007 9:55	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMN7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/28/2007 9:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MMN7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/28/2007 9:55	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MMN7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/28/2007 9:55	Y	16984-48-8	Fluoride	145	ug/L	DU	[NULL]	[NULL]	S	B1MMN7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	3/28/2007 9:55	Y	7439-89-6	Iron	198	ug/L	D	[NULL]	[NULL]	S	B1MMN7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/28/2007 9:55	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MMN7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/28/2007 9:55	Y	7439-95-4	Magnesium	5040	ug/L	D	[NULL]	[NULL]	S	B1MMN7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/28/2007 9:55	Y	7439-96-5	Manganese	591	ug/L	D	[NULL]	[NULL]	S	B1MMN7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/28/2007 9:55	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MMN7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/28/2007 9:55	Y	7440-02-0	Nickel	28.9	ug/L	D	[NULL]	[NULL]	S	B1MMN7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/28/2007 9:55	Y	14797-55-8	Nitrate	974	ug/L	DU	[NULL]	[NULL]	S	B1MMN7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	3/28/2007 9:55	Y	14797-65-0	Nitrite	361	ug/L	DU	[NULL]	[NULL]	S	B1MMN7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	3/28/2007 9:55	Y	14265-44-2	Phosphate	647000	ug/L	D	[NULL]	[NULL]	S	B1MMN7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	3/28/2007 9:55	Y	7440-09-7	Potassium	4270	ug/L	D	[NULL]	[NULL]	S	B1MMN7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/28/2007 9:55	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MMN7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/28/2007 9:55	Y	7440-23-5	Sodium	566000	ug/L	D	[NULL]	[NULL]	S	B1MMN7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/28/2007 9:55	Y	7440-24-6	Strontium	410	ug/L	D	[NULL]	[NULL]	S	B1MMN7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/28/2007 9:55	Y	10098-97-2	Strontium-90	630	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MMN7	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	3/28/2007 9:55	Y	14808-79-8	Sulfate	8380	ug/L	D	[NULL]	[NULL]	S	B1MMN7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	3/28/2007 9:55	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MMN7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/28/2007 9:55	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MMN7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/29/2007 8:57	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1MMN9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/29/2007 8:57	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MMN9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/29/2007 8:57	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MMN9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/29/2007 8:57	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMN9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/29/2007 8:57	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMN9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/29/2007 8:57	Y	7440-70-2	Calcium	6980	ug/L	D	[NULL]	[NULL]	S	B1MMN9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/29/2007 8:57	Y	16887-00-6	Chloride	21800	ug/L	D	[NULL]	[NULL]	S	B1MMN9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	3/29/2007 8:57	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMN9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/29/2007 8:57	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MMN9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/29/2007 8:57	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MMN9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/29/2007 8:57	Y	16984-48-8	Fluoride	32	ug/L	DU	[NULL]	[NULL]	S	B1MMN9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	3/29/2007 8:57	Y	7439-89-6	Iron	67.4	ug/L	CD	[NULL]	[NULL]	S	B1MMN9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/29/2007 8:57	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MMN9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/29/2007 8:57	Y	7439-95-4	Magnesium	1130	ug/L	D	[NULL]	[NULL]	S	B1MMN9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/29/2007 8:57	Y	7439-96-5	Manganese	98	ug/L	D	[NULL]	[NULL]	S	B1MMN9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/29/2007 8:57	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MMN9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/29/2007 8:57	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MMN9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/29/2007 8:57	Y	14797-55-8	Nitrate	478	ug/L	BD	[NULL]	[NULL]	S	B1MMN9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	3/29/2007 8:57	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1MMN9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	3/29/2007 8:57	Y	14265-44-2	Phosphate	182000	ug/L	D	[NULL]	[NULL]	S	B1MMN9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	3/29/2007 8:57	Y	7440-09-7	Potassium	1640	ug/L	D	[NULL]	[NULL]	S	B1MMN9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/29/2007 8:57	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1MMN9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/29/2007 8:57	Y	7440-23-5	Sodium	178000	ug/L	D	[NULL]	[NULL]	S	B1MMN9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/29/2007 8:57	Y	7440-24-6	Strontium	88.1	ug/L	D	[NULL]	[NULL]	S	B1MMN9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/29/2007 8:57	Y	10098-97-2	Strontium-90	150	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MMN9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-141	3/29/2007 8:57	Y	14808-79-8	Sulfate	9260	ug/L	D	[NULL]	[NULL]	S	B1MMN9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	3/29/2007 8:57	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MMN9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	3/29/2007 8:57	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MMN9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/6/2007 9:20	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MWP6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/6/2007 9:20	Y	10098-97-2	Strontium-90	310	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MWP6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-141	4/13/2007 10:57	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1MWR8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/13/2007 10:57	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MWR8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/13/2007 10:57	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MWR8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/13/2007 10:57	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWR8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/13/2007 10:57	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWR8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/13/2007 10:57	Y	7440-70-2	Calcium	10300	ug/L	D	[NULL]	[NULL]	S	B1MWR8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/13/2007 10:57	Y	16887-00-6	Chloride	26600	ug/L	D	[NULL]	[NULL]	S	B1MWR8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	4/13/2007 10:57	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWR8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/13/2007 10:57	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MWR8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/13/2007 10:57	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MWR8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/13/2007 10:57	Y	16984-48-8	Fluoride	87	ug/L	X	[NULL]	[NULL]	S	B1MWR8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	4/13/2007 10:57	Y	7439-89-6	Iron	975	ug/L	D	[NULL]	[NULL]	S	B1MWR8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/13/2007 10:57	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MWR8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/13/2007 10:57	Y	7439-95-4	Magnesium	1620	ug/L	D	[NULL]	[NULL]	S	B1MWR8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/13/2007 10:57	Y	7439-96-5	Manganese	151	ug/L	D	[NULL]	[NULL]	S	B1MWR8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/13/2007 10:57	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MWR8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/13/2007 10:57	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MWR8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/13/2007 10:57	Y	14797-55-8	Nitrate	15000	ug/L	D	[NULL]	[NULL]	S	B1MWR8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	4/13/2007 10:57	Y	14797-65-0	Nitrite	42.7	ug/L	U	[NULL]	[NULL]	S	B1MWR8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	4/13/2007 10:57	Y	14265-44-2	Phosphate	167000	ug/L	D	[NULL]	[NULL]	S	B1MWR8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	4/13/2007 10:57	Y	7440-09-7	Potassium	1960	ug/L	D	[NULL]	[NULL]	S	B1MWR8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/13/2007 10:57	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MWR8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	4/13/2007 10:57	Y	7440-23-5	Sodium	170000	ug/L	D	[NULL]	[NULL]	S	B1MWR8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/13/2007 10:57	Y	7440-24-6	Strontium	121	ug/L	D	[NULL]	[NULL]	S	B1MWR8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/13/2007 10:57	Y	10098-97-2	Strontium-90	350	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MWR8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-141	4/13/2007 10:57	Y	14808-79-8	Sulfate	4760	ug/L	N	[NULL]	[NULL]	S	B1MWR8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	4/13/2007 10:57	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MWR8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/13/2007 10:57	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MWR8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/20/2007 9:09	Y	7429-90-5	Aluminum	196	ug/L	D	[NULL]	[NULL]	S	B1MWT5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/20/2007 9:09	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MWT5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/20/2007 9:09	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MWT5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/20/2007 9:09	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWT5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/20/2007 9:09	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWT5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/20/2007 9:09	Y	7440-70-2	Calcium	7880	ug/L	D	[NULL]	[NULL]	S	B1MWT5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/20/2007 9:09	Y	16887-00-6	Chloride	7800	ug/L	[NULL]	[NULL]	[NULL]	S	B1MWT5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	4/20/2007 9:09	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWT5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/20/2007 9:09	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MWT5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/20/2007 9:09	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MWT5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/20/2007 9:09	Y	16984-48-8	Fluoride	44	ug/L	B	[NULL]	[NULL]	S	B1MWT5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	4/20/2007 9:09	Y	7439-89-6	Iron	924	ug/L	D	[NULL]	[NULL]	S	B1MWT5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/20/2007 9:09	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MWT5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/20/2007 9:09	Y	7439-95-4	Magnesium	1410	ug/L	D	[NULL]	[NULL]	S	B1MWT5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/20/2007 9:09	Y	7439-96-5	Manganese	159	ug/L	D	[NULL]	[NULL]	S	B1MWT5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/20/2007 9:09	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MWT5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/20/2007 9:09	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MWT5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/20/2007 9:09	Y	14797-55-8	Nitrate	903	ug/L	[NULL]	[NULL]	[NULL]	S	B1MWT5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	4/20/2007 9:09	Y	14797-65-0	Nitrite	23	ug/L	U	[NULL]	[NULL]	S	B1MWT5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	4/20/2007 9:09	Y	14265-44-2	Phosphate	107000	ug/L	D	[NULL]	[NULL]	S	B1MWT5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	4/20/2007 9:09	Y	7440-09-7	Potassium	1480	ug/L	D	[NULL]	[NULL]	S	B1MWT5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/20/2007 9:09	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MWT5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/20/2007 9:09	Y	7440-23-5	Sodium	110000	ug/L	D	[NULL]	[NULL]	S	B1MWT5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/20/2007 9:09	Y	7440-24-6	Strontium	85.6	ug/L	D	[NULL]	[NULL]	S	B1MWT5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/20/2007 9:09	Y	10098-97-2	Strontium-90	260	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MWT5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-141	4/20/2007 9:09	Y	14808-79-8	Sulfate	6860	ug/L	[NULL]	[NULL]	[NULL]	S	B1MWT5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	4/20/2007 9:09	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MWT5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	4/20/2007 9:09	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MWT5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/4/2007 8:30	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NDT8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/4/2007 8:30	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NDT8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/4/2007 8:30	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NDT8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/4/2007 8:30	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NDT8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/4/2007 8:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NDT8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/4/2007 8:30	Y	7440-70-2	Calcium	14900	ug/L	D	[NULL]	[NULL]	S	B1NDT8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/4/2007 8:30	Y	16887-00-6	Chloride	75400	ug/L	D	[NULL]	[NULL]	S	B1NDT8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	5/4/2007 8:30	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NDT8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/4/2007 8:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NDT8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/4/2007 8:30	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NDT8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/4/2007 8:30	Y	16984-48-8	Fluoride	13	ug/L	DU	[NULL]	[NULL]	S	B1NDT8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	5/4/2007 8:30	Y	7439-89-6	Iron	753	ug/L	D	[NULL]	[NULL]	S	B1NDT8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/4/2007 8:30	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NDT8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/4/2007 8:30	Y	7439-95-4	Magnesium	2520	ug/L	D	[NULL]	[NULL]	S	B1NDT8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/4/2007 8:30	Y	7439-96-5	Manganese	821	ug/L	D	[NULL]	[NULL]	S	B1NDT8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/4/2007 8:30	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NDT8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/4/2007 8:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NDT8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/4/2007 8:30	Y	14797-55-8	Nitrate	26.6	ug/L	DU	[NULL]	[NULL]	S	B1NDT8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	5/4/2007 8:30	Y	14797-65-0	Nitrite	46	ug/L	DU	[NULL]	[NULL]	S	B1NDT8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	5/4/2007 8:30	Y	14265-44-2	Phosphate	319000	ug/L	D	[NULL]	[NULL]	S	B1NDT8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	5/4/2007 8:30	Y	7440-09-7	Potassium	3160	ug/L	D	[NULL]	[NULL]	S	B1NDT8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	5/4/2007 8:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NDT8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/4/2007 8:30	Y	7440-23-5	Sodium	500000	ug/L	D	[NULL]	[NULL]	S	B1NDT8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/4/2007 8:30	Y	7440-24-6	Strontium	188	ug/L	D	[NULL]	[NULL]	S	B1NDT8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/4/2007 8:30	Y	10098-97-2	Strontium-90	260	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NDT8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-141	5/4/2007 8:30	Y	14808-79-8	Sulfate	110	ug/L	DU	[NULL]	[NULL]	S	B1NDT8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	5/4/2007 8:30	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NDT8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/4/2007 8:30	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NDT8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/18/2007 7:30	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NJD4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/18/2007 7:30	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NJD4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/18/2007 7:30	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NJD4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/18/2007 7:30	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NJD4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/18/2007 7:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NJD4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/18/2007 7:30	Y	7440-70-2	Calcium	14800	ug/L	D	[NULL]	[NULL]	S	B1NJD4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/18/2007 7:30	Y	16887-00-6	Chloride	74900	ug/L	D	[NULL]	[NULL]	S	B1NJD4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	5/18/2007 7:30	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NJD4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/18/2007 7:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NJD4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/18/2007 7:30	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NJD4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/18/2007 7:30	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NJD4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	5/18/2007 7:30	Y	7439-89-6	Iron	709	ug/L	D	[NULL]	[NULL]	S	B1NJD4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/18/2007 7:30	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NJD4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/18/2007 7:30	Y	7439-95-4	Magnesium	2330	ug/L	D	[NULL]	[NULL]	S	B1NJD4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/18/2007 7:30	Y	7439-96-5	Manganese	628	ug/L	D	[NULL]	[NULL]	S	B1NJD4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/18/2007 7:30	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NJD4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/18/2007 7:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NJD4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/18/2007 7:30	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NJD4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	5/18/2007 7:30	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NJD4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	5/18/2007 7:30	Y	14265-44-2	Phosphate	214000	ug/L	D	[NULL]	[NULL]	S	B1NJD4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	5/18/2007 7:30	Y	7440-09-7	Potassium	3160	ug/L	D	[NULL]	[NULL]	S	B1NJD4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/18/2007 7:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NJD4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/18/2007 7:30	Y	7440-23-5	Sodium	454000	ug/L	D	[NULL]	[NULL]	S	B1NJD4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/18/2007 7:30	Y	7440-24-6	Strontium	186	ug/L	D	[NULL]	[NULL]	S	B1NJD4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/18/2007 7:30	Y	10098-97-2	Strontium-90	280	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NJD4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-141	5/18/2007 7:30	Y	14808-79-8	Sulfate	741	ug/L	BD	[NULL]	[NULL]	S	B1NJD4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	5/18/2007 7:30	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NJD4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	5/18/2007 7:30	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NJD4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/1/2007 10:30	Y	7429-90-5	Aluminum	174	ug/L	D	[NULL]	[NULL]	S	B1NJJ1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/1/2007 10:30	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NJJ1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/1/2007 10:30	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NJJ1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/1/2007 10:30	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NJJ1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/1/2007 10:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NJJ1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/1/2007 10:30	Y	7440-70-2	Calcium	8660	ug/L	D	[NULL]	[NULL]	S	B1NJJ1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/1/2007 10:30	Y	16887-00-6	Chloride	10000	ug/L	D	[NULL]	[NULL]	S	B1NJJ1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/1/2007 10:30	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NJJ1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/1/2007 10:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NJJ1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/1/2007 10:30	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NJJ1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/1/2007 10:30	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NJJ1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/1/2007 10:30	Y	7439-89-6	Iron	247	ug/L	D	[NULL]	[NULL]	S	B1NJJ1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/1/2007 10:30	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NJJ1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/1/2007 10:30	Y	7439-95-4	Magnesium	1480	ug/L	D	[NULL]	[NULL]	S	B1NJJ1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/1/2007 10:30	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1NJJ1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/1/2007 10:30	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NJJ1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/1/2007 10:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NJJ1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/1/2007 10:30	Y	14797-55-8	Nitrate	28700	ug/L	D	[NULL]	[NULL]	S	B1NJJ1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/1/2007 10:30	Y	14797-65-0	Nitrite	1040	ug/L	BD	[NULL]	[NULL]	S	B1NJJ1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/1/2007 10:30	Y	14265-44-2	Phosphate	75700	ug/L	D	[NULL]	[NULL]	S	B1NJJ1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	6/1/2007 10:30	Y	7440-09-7	Potassium	1590	ug/L	D	[NULL]	[NULL]	S	B1NJJ1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/1/2007 10:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NJJ1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/1/2007 10:30	Y	7440-23-5	Sodium	127000	ug/L	D	[NULL]	[NULL]	S	B1NJJ1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/1/2007 10:30	Y	7440-24-6	Strontium	83.5	ug/L	D	[NULL]	[NULL]	S	B1NJJ1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/1/2007 10:30	Y	10098-97-2	Strontium-90	180	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NJJ1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-141	6/1/2007 10:30	Y	14808-79-8	Sulfate	9540	ug/L	D	[NULL]	[NULL]	S	B1NJJ1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/1/2007 10:30	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NJJ1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/1/2007 10:30	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NJJ1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/15/2007 6:57	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVL7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/15/2007 6:57	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVL7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/15/2007 6:57	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVL7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/15/2007 6:57	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/15/2007 6:57	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/15/2007 6:57	Y	7440-70-2	Calcium	12900	ug/L	D	[NULL]	[NULL]	S	B1NVL7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/15/2007 6:57	Y	16887-00-6	Chloride	29300	ug/L	D	[NULL]	[NULL]	S	B1NVL7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/15/2007 6:57	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/15/2007 6:57	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/15/2007 6:57	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/15/2007 6:57	Y	16984-48-8	Fluoride	33	ug/L	DNU	[NULL]	[NULL]	S	B1NVL7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/15/2007 6:57	Y	7439-89-6	Iron	155	ug/L	CD	[NULL]	[NULL]	S	B1NVL7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/15/2007 6:57	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVL7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/15/2007 6:57	Y	7439-95-4	Magnesium	2070	ug/L	CD	[NULL]	[NULL]	S	B1NVL7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/15/2007 6:57	Y	7439-96-5	Manganese	156	ug/L	D	[NULL]	[NULL]	S	B1NVL7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/15/2007 6:57	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/15/2007 6:57	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/15/2007 6:57	Y	14797-55-8	Nitrate	58400	ug/L	D	[NULL]	[NULL]	S	B1NVL7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/15/2007 6:57	Y	14797-65-0	Nitrite	1070	ug/L	BD	[NULL]	[NULL]	S	B1NVL7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/15/2007 6:57	Y	14265-44-2	Phosphate	144000	ug/L	D	[NULL]	[NULL]	S	B1NVL7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/15/2007 6:57	Y	7440-09-7	Potassium	2520	ug/L	D	[NULL]	[NULL]	S	B1NVL7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/15/2007 6:57	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVL7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/15/2007 6:57	Y	7440-23-5	Sodium	188000	ug/L	D	[NULL]	[NULL]	S	B1NVL7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/15/2007 6:57	Y	7440-24-6	Strontium	120	ug/L	D	[NULL]	[NULL]	S	B1NVL7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/15/2007 6:57	Y	10098-97-2	Strontium-90	610	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVL7	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-141	6/15/2007 6:57	Y	14808-79-8	Sulfate	10400	ug/L	D	[NULL]	[NULL]	S	B1NVL7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/15/2007 6:57	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVL7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/15/2007 6:57	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2007 8:26	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P3Y5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2007 8:26	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P3Y5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2007 8:26	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P3Y5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2007 8:26	Y	7440-39-3	Barium	25	ug/L	D	[NULL]	[NULL]	S	B1P3Y5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2007 8:26	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3Y5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2007 8:26	Y	7440-70-2	Calcium	35800	ug/L	D	[NULL]	[NULL]	S	B1P3Y5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2007 8:26	Y	16887-00-6	Chloride	46800	ug/L	D	[NULL]	[NULL]	S	B1P3Y5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/13/2007 8:26	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3Y5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2007 8:26	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P3Y5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2007 8:26	Y	7440-50-8	Copper	25	ug/L	CD	[NULL]	[NULL]	S	B1P3Y5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2007 8:26	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P3Y5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/13/2007 8:26	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1P3Y5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2007 8:26	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P3Y5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2007 8:26	Y	7439-95-4	Magnesium	7320	ug/L	D	[NULL]	[NULL]	S	B1P3Y5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2007 8:26	Y	7439-96-5	Manganese	1060	ug/L	D	[NULL]	[NULL]	S	B1P3Y5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2007 8:26	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1P3Y5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2007 8:26	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P3Y5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2007 8:26	Y	14797-55-8	Nitrate	1020	ug/L	BD	[NULL]	[NULL]	S	B1P3Y5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/13/2007 8:26	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P3Y5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	7/13/2007 8:26	Y	14265-44-2	Phosphate	280000	ug/L	D	[NULL]	[NULL]	S	B1P3Y5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/13/2007 8:26	Y	7440-09-7	Potassium	3170	ug/L	D	[NULL]	[NULL]	S	B1P3Y5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2007 8:26	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P3Y5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2007 8:26	Y	7440-23-5	Sodium	252000	ug/L	D	[NULL]	[NULL]	S	B1P3Y5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2007 8:26	Y	7440-24-6	Strontium	233	ug/L	D	[NULL]	[NULL]	S	B1P3Y5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2007 8:26	Y	10098-97-2	Strontium-90	1100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P3Y5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-141	7/13/2007 8:26	Y	14808-79-8	Sulfate	7680	ug/L	D	[NULL]	[NULL]	S	B1P3Y5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/13/2007 8:26	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P3Y5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2007 8:26	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P3Y5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/14/2007 8:35	Y	7429-90-5	Aluminum	150	ug/L	DNU	[NULL]	[NULL]	S	B1P401	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/14/2007 8:35	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P401	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/14/2007 8:35	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P401	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/14/2007 8:35	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1P401	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/14/2007 8:35	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P401	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/14/2007 8:35	Y	7440-70-2	Calcium	34200	ug/L	D	[NULL]	[NULL]	S	B1P401	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/14/2007 8:35	Y	16887-00-6	Chloride	44300	ug/L	D	[NULL]	[NULL]	S	B1P401	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/14/2007 8:35	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P401	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/14/2007 8:35	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P401	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/14/2007 8:35	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P401	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/14/2007 8:35	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P401	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/14/2007 8:35	Y	7439-89-6	Iron	64.6	ug/L	D	[NULL]	[NULL]	S	B1P401	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/14/2007 8:35	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P401	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/14/2007 8:35	Y	7439-95-4	Magnesium	7110	ug/L	D	[NULL]	[NULL]	S	B1P401	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/14/2007 8:35	Y	7439-96-5	Manganese	1050	ug/L	D	[NULL]	[NULL]	S	B1P401	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/14/2007 8:35	Y	7439-98-7	Molybdenum	33.6	ug/L	D	[NULL]	[NULL]	S	B1P401	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/14/2007 8:35	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P401	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/14/2007 8:35	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1P401	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/14/2007 8:35	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P401	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/14/2007 8:35	Y	14265-44-2	Phosphate	294000	ug/L	D	[NULL]	[NULL]	S	B1P401	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/14/2007 8:35	Y	7440-09-7	Potassium	2970	ug/L	D	[NULL]	[NULL]	S	B1P401	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/14/2007 8:35	Y	7440-22-4	Silver	28	ug/L	D	[NULL]	[NULL]	S	B1P401	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/14/2007 8:35	Y	7440-23-5	Sodium	254000	ug/L	D	[NULL]	[NULL]	S	B1P401	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/14/2007 8:35	Y	7440-24-6	Strontium	224	ug/L	D	[NULL]	[NULL]	S	B1P401	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/14/2007 8:35	Y	10098-97-2	Strontium-90	1300	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P401	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-141	7/14/2007 8:35	Y	14808-79-8	Sulfate	6700	ug/L	D	[NULL]	[NULL]	S	B1P401	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/14/2007 8:35	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P401	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/14/2007 8:35	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P401	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2007 8:15	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P408	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2007 8:15	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P408	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2007 8:15	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P408	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2007 8:15	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1P408	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2007 8:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P408	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2007 8:15	Y	7440-70-2	Calcium	18000	ug/L	D	[NULL]	[NULL]	S	B1P408	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2007 8:15	Y	16887-00-6	Chloride	23100	ug/L	D	[NULL]	[NULL]	S	B1P408	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/15/2007 8:15	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P408	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2007 8:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P408	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2007 8:15	Y	7440-50-8	Copper	30	ug/L	CD	[NULL]	[NULL]	S	B1P408	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2007 8:15	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P408	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/15/2007 8:15	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1P408	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2007 8:15	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P408	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2007 8:15	Y	7439-95-4	Magnesium	3400	ug/L	D	[NULL]	[NULL]	S	B1P408	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2007 8:15	Y	7439-96-5	Manganese	662	ug/L	D	[NULL]	[NULL]	S	B1P408	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2007 8:15	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1P408	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2007 8:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P408	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2007 8:15	Y	14797-55-8	Nitrate	13600	ug/L	D	[NULL]	[NULL]	S	B1P408	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	7/15/2007 8:15	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P408	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/15/2007 8:15	Y	14265-44-2	Phosphate	164000	ug/L	D	[NULL]	[NULL]	S	B1P408	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/15/2007 8:15	Y	7440-09-7	Potassium	2080	ug/L	D	[NULL]	[NULL]	S	B1P408	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2007 8:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P408	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2007 8:15	Y	7440-23-5	Sodium	166000	ug/L	D	[NULL]	[NULL]	S	B1P408	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2007 8:15	Y	7440-24-6	Strontium	125	ug/L	D	[NULL]	[NULL]	S	B1P408	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2007 8:15	Y	10098-97-2	Strontium-90	680	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P408	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-141	7/15/2007 8:15	Y	14808-79-8	Sulfate	7630	ug/L	D	[NULL]	[NULL]	S	B1P408	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/15/2007 8:15	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P408	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2007 8:15	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P408	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/16/2007 9:55	Y	7429-90-5	Aluminum	150	ug/L	DNU	[NULL]	[NULL]	S	B1P415	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/16/2007 9:55	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P415	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/16/2007 9:55	Y	7440-38-2	Arsenic	268	ug/L	D	[NULL]	[NULL]	S	B1P415	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/16/2007 9:55	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1P415	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/16/2007 9:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P415	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/16/2007 9:55	Y	7440-70-2	Calcium	15600	ug/L	D	[NULL]	[NULL]	S	B1P415	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/16/2007 9:55	Y	16887-00-6	Chloride	25600	ug/L	D	[NULL]	[NULL]	S	B1P415	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/16/2007 9:55	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P415	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/16/2007 9:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P415	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/16/2007 9:55	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P415	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/16/2007 9:55	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P415	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/16/2007 9:55	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1P415	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/16/2007 9:55	Y	7439-92-1	Lead	141	ug/L	D	[NULL]	[NULL]	S	B1P415	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/16/2007 9:55	Y	7439-95-4	Magnesium	2990	ug/L	D	[NULL]	[NULL]	S	B1P415	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/16/2007 9:55	Y	7439-96-5	Manganese	577	ug/L	D	[NULL]	[NULL]	S	B1P415	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/16/2007 9:55	Y	7439-98-7	Molybdenum	20.9	ug/L	D	[NULL]	[NULL]	S	B1P415	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/16/2007 9:55	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P415	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/16/2007 9:55	Y	14797-55-8	Nitrate	36800	ug/L	D	[NULL]	[NULL]	S	B1P415	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/16/2007 9:55	Y	14797-65-0	Nitrite	289	ug/L	BD	[NULL]	[NULL]	S	B1P415	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/16/2007 9:55	Y	14265-44-2	Phosphate	131000	ug/L	D	[NULL]	[NULL]	S	B1P415	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/16/2007 9:55	Y	7440-09-7	Potassium	2100	ug/L	D	[NULL]	[NULL]	S	B1P415	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/16/2007 9:55	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P415	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/16/2007 9:55	Y	7440-23-5	Sodium	177000	ug/L	D	[NULL]	[NULL]	S	B1P415	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/16/2007 9:55	Y	7440-24-6	Strontium	116	ug/L	D	[NULL]	[NULL]	S	B1P415	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/16/2007 9:55	Y	10098-97-2	Strontium-90	500	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P415	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-141	7/16/2007 9:55	Y	14808-79-8	Sulfate	6770	ug/L	D	[NULL]	[NULL]	S	B1P415	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/16/2007 9:55	Y	7440-62-2	Vanadium	55	ug/L	D	[NULL]	[NULL]	S	B1P415	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/16/2007 9:55	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P415	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2007 13:36	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P422	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2007 13:36	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P422	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2007 13:36	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P422	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2007 13:36	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1P422	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2007 13:36	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P422	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2007 13:36	Y	7440-70-2	Calcium	14600	ug/L	D	[NULL]	[NULL]	S	B1P422	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2007 13:36	Y	16887-00-6	Chloride	25100	ug/L	D	[NULL]	[NULL]	S	B1P422	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/17/2007 13:36	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P422	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2007 13:36	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P422	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2007 13:36	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P422	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2007 13:36	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P422	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/17/2007 13:36	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1P422	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2007 13:36	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P422	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2007 13:36	Y	7439-95-4	Magnesium	2910	ug/L	D	[NULL]	[NULL]	S	B1P422	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2007 13:36	Y	7439-96-5	Manganese	511	ug/L	D	[NULL]	[NULL]	S	B1P422	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2007 13:36	Y	7439-98-7	Molybdenum	29.1	ug/L	D	[NULL]	[NULL]	S	B1P422	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2007 13:36	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P422	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	7/17/2007 13:36	Y	14797-55-8	Nitrate	29700	ug/L	D	[NULL]	[NULL]	S	B1P422	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/17/2007 13:36	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P422	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/17/2007 13:36	Y	14265-44-2	Phosphate	122000	ug/L	D	[NULL]	[NULL]	S	B1P422	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/17/2007 13:36	Y	7440-09-7	Potassium	2500	ug/L	D	[NULL]	[NULL]	S	B1P422	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2007 13:36	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P422	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2007 13:36	Y	7440-23-5	Sodium	173000	ug/L	D	[NULL]	[NULL]	S	B1P422	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2007 13:36	Y	7440-24-6	Strontium	112	ug/L	D	[NULL]	[NULL]	S	B1P422	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2007 13:36	Y	10098-97-2	Strontium-90	670	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P422	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-141	7/17/2007 13:36	Y	14808-79-8	Sulfate	6750	ug/L	D	[NULL]	[NULL]	S	B1P422	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/17/2007 13:36	Y	7440-62-2	Vanadium	51	ug/L	D	[NULL]	[NULL]	S	B1P422	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2007 13:36	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P422	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2007 8:28	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P429	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2007 8:28	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P429	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2007 8:28	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P429	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2007 8:28	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1P429	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2007 8:28	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P429	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2007 8:28	Y	7440-70-2	Calcium	13300	ug/L	D	[NULL]	[NULL]	S	B1P429	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2007 8:28	Y	16887-00-6	Chloride	26900	ug/L	D	[NULL]	[NULL]	S	B1P429	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/18/2007 8:28	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P429	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2007 8:28	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P429	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2007 8:28	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P429	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2007 8:28	Y	16984-48-8	Fluoride	53	ug/L	BD	[NULL]	[NULL]	S	B1P429	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/18/2007 8:28	Y	7439-89-6	Iron	68.2	ug/L	D	[NULL]	[NULL]	S	B1P429	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2007 8:28	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P429	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2007 8:28	Y	7439-95-4	Magnesium	2610	ug/L	D	[NULL]	[NULL]	S	B1P429	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2007 8:28	Y	7439-96-5	Manganese	462	ug/L	D	[NULL]	[NULL]	S	B1P429	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2007 8:28	Y	7439-98-7	Molybdenum	20.4	ug/L	D	[NULL]	[NULL]	S	B1P429	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2007 8:28	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P429	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2007 8:28	Y	14797-55-8	Nitrate	28600	ug/L	D	[NULL]	[NULL]	S	B1P429	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/18/2007 8:28	Y	14797-65-0	Nitrite	302	ug/L	BD	[NULL]	[NULL]	S	B1P429	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/18/2007 8:28	Y	14265-44-2	Phosphate	101000	ug/L	D	[NULL]	[NULL]	S	B1P429	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/18/2007 8:28	Y	7440-09-7	Potassium	2380	ug/L	D	[NULL]	[NULL]	S	B1P429	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2007 8:28	Y	7440-22-4	Silver	29	ug/L	CD	[NULL]	[NULL]	S	B1P429	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2007 8:28	Y	7440-23-5	Sodium	162000	ug/L	D	[NULL]	[NULL]	S	B1P429	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2007 8:28	Y	7440-24-6	Strontium	101	ug/L	D	[NULL]	[NULL]	S	B1P429	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2007 8:28	Y	10098-97-2	Strontium-90	460	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P429	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-141	7/18/2007 8:28	Y	14808-79-8	Sulfate	5040	ug/L	D	[NULL]	[NULL]	S	B1P429	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/18/2007 8:28	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P429	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2007 8:28	Y	7440-66-6	Zinc	20	ug/L	D	[NULL]	[NULL]	S	B1P429	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2007 9:30	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NW31	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2007 9:30	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NW31	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2007 9:30	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NW31	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2007 9:30	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW31	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2007 9:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW31	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2007 9:30	Y	7440-70-2	Calcium	19200	ug/L	D	[NULL]	[NULL]	S	B1NW31	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2007 9:30	Y	16887-00-6	Chloride	36500	ug/L	D	[NULL]	[NULL]	S	B1NW31	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/20/2007 9:30	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW31	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2007 9:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NW31	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2007 9:30	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NW31	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2007 9:30	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NW31	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/20/2007 9:30	Y	7439-89-6	Iron	184	ug/L	CD	[NULL]	[NULL]	S	B1NW31	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2007 9:30	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NW31	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2007 9:30	Y	7439-95-4	Magnesium	3780	ug/L	D	[NULL]	[NULL]	S	B1NW31	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2007 9:30	Y	7439-96-5	Manganese	653	ug/L	D	[NULL]	[NULL]	S	B1NW31	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2007 9:30	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NW31	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	7/20/2007 9:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NW31	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2007 9:30	Y	14797-55-8	Nitrate	394	ug/L	BD	[NULL]	[NULL]	S	B1NW31	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/20/2007 9:30	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1NW31	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/20/2007 9:30	Y	14265-44-2	Phosphate	96900	ug/L	D	[NULL]	[NULL]	S	B1NW31	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/20/2007 9:30	Y	7440-09-7	Potassium	2650	ug/L	D	[NULL]	[NULL]	S	B1NW31	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2007 9:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NW31	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2007 9:30	Y	7440-23-5	Sodium	203000	ug/L	D	[NULL]	[NULL]	S	B1NW31	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2007 9:30	Y	7440-24-6	Strontium	141	ug/L	D	[NULL]	[NULL]	S	B1NW31	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2007 9:30	Y	10098-97-2	Strontium-90	1100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NW31	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-141	7/20/2007 9:30	Y	14808-79-8	Sulfate	2440	ug/L	BD	[NULL]	[NULL]	S	B1NW31	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/20/2007 9:30	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NW31	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2007 9:30	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NW31	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2007 9:28	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NW44	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2007 9:28	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NW44	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2007 9:28	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NW44	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2007 9:28	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW44	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2007 9:28	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW44	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2007 9:28	Y	7440-70-2	Calcium	15400	ug/L	D	[NULL]	[NULL]	S	B1NW44	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2007 9:28	Y	16887-00-6	Chloride	30200	ug/L	D	[NULL]	[NULL]	S	B1NW44	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/27/2007 9:28	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW44	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2007 9:28	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NW44	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2007 9:28	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NW44	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2007 9:28	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NW44	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/27/2007 9:28	Y	7439-89-6	Iron	187	ug/L	DN	[NULL]	[NULL]	S	B1NW44	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2007 9:28	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NW44	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2007 9:28	Y	7439-95-4	Magnesium	2780	ug/L	D	[NULL]	[NULL]	S	B1NW44	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2007 9:28	Y	7439-96-5	Manganese	471	ug/L	D	[NULL]	[NULL]	S	B1NW44	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2007 9:28	Y	7439-98-7	Molybdenum	25.6	ug/L	D	[NULL]	[NULL]	S	B1NW44	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2007 9:28	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NW44	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2007 9:28	Y	14797-55-8	Nitrate	3190	ug/L	D	[NULL]	[NULL]	S	B1NW44	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/27/2007 9:28	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1NW44	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/27/2007 9:28	Y	14265-44-2	Phosphate	65000	ug/L	D	[NULL]	[NULL]	S	B1NW44	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/27/2007 9:28	Y	7440-09-7	Potassium	3090	ug/L	D	[NULL]	[NULL]	S	B1NW44	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2007 9:28	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NW44	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2007 9:28	Y	7440-23-5	Sodium	171000	ug/L	D	[NULL]	[NULL]	S	B1NW44	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2007 9:28	Y	7440-24-6	Strontium	112	ug/L	D	[NULL]	[NULL]	S	B1NW44	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2007 9:28	Y	10098-97-2	Strontium-90	620	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NW44	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-141	7/27/2007 9:28	Y	14808-79-8	Sulfate	3570	ug/L	BD	[NULL]	[NULL]	S	B1NW44	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/27/2007 9:28	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NW44	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2007 9:28	Y	7440-66-6	Zinc	22.1	ug/L	D	[NULL]	[NULL]	S	B1NW44	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/3/2007 9:19	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NW57	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/3/2007 9:19	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NW57	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/3/2007 9:19	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NW57	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/3/2007 9:19	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW57	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/3/2007 9:19	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW57	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/3/2007 9:19	Y	7440-70-2	Calcium	14300	ug/L	D	[NULL]	[NULL]	S	B1NW57	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/3/2007 9:19	Y	16887-00-6	Chloride	24200	ug/L	D	[NULL]	[NULL]	S	B1NW57	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	8/3/2007 9:19	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW57	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/3/2007 9:19	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NW57	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/3/2007 9:19	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NW57	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/3/2007 9:19	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NW57	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	8/3/2007 9:19	Y	7439-89-6	Iron	98.4	ug/L	D	[NULL]	[NULL]	S	B1NW57	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/3/2007 9:19	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NW57	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/3/2007 9:19	Y	7439-95-4	Magnesium	2640	ug/L	D	[NULL]	[NULL]	S	B1NW57	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/3/2007 9:19	Y	7439-96-5	Manganese	362	ug/L	D	[NULL]	[NULL]	S	B1NW57	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	8/3/2007 9:19	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NW57	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/3/2007 9:19	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NW57	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/3/2007 9:19	Y	14797-55-8	Nitrate	30200	ug/L	D	[NULL]	[NULL]	S	B1NW57	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	8/3/2007 9:19	Y	14797-65-0	Nitrite	368	ug/L	BD	[NULL]	[NULL]	S	B1NW57	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	8/3/2007 9:19	Y	14265-44-2	Phosphate	52100	ug/L	D	[NULL]	[NULL]	S	B1NW57	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	8/3/2007 9:19	Y	7440-09-7	Potassium	2320	ug/L	D	[NULL]	[NULL]	S	B1NW57	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/3/2007 9:19	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NW57	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/3/2007 9:19	Y	7440-23-5	Sodium	151000	ug/L	D	[NULL]	[NULL]	S	B1NW57	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/3/2007 9:19	Y	7440-24-6	Strontium	105	ug/L	D	[NULL]	[NULL]	S	B1NW57	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/3/2007 9:19	Y	10098-97-2	Strontium-90	510	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NW57	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-141	8/3/2007 9:19	Y	14808-79-8	Sulfate	5670	ug/L	D	[NULL]	[NULL]	S	B1NW57	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	8/3/2007 9:19	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NW57	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/3/2007 9:19	Y	7440-66-6	Zinc	22.5	ug/L	D	[NULL]	[NULL]	S	B1NW57	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/10/2007 11:10	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NW70	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/10/2007 11:10	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NW70	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/10/2007 11:10	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NW70	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/10/2007 11:10	Y	7440-39-3	Barium	32	ug/L	CD	[NULL]	[NULL]	S	B1NW70	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/10/2007 11:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW70	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/10/2007 11:10	Y	7440-70-2	Calcium	13400	ug/L	D	[NULL]	[NULL]	S	B1NW70	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/10/2007 11:10	Y	16887-00-6	Chloride	24700	ug/L	D	[NULL]	[NULL]	S	B1NW70	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	8/10/2007 11:10	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW70	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/10/2007 11:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NW70	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/10/2007 11:10	Y	7440-50-8	Copper	69	ug/L	CD	[NULL]	[NULL]	S	B1NW70	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/10/2007 11:10	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NW70	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	8/10/2007 11:10	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NW70	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/10/2007 11:10	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NW70	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/10/2007 11:10	Y	7439-95-4	Magnesium	2520	ug/L	D	[NULL]	[NULL]	S	B1NW70	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/10/2007 11:10	Y	7439-96-5	Manganese	241	ug/L	D	[NULL]	[NULL]	S	B1NW70	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/10/2007 11:10	Y	7439-98-7	Molybdenum	73.6	ug/L	CD	[NULL]	[NULL]	S	B1NW70	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/10/2007 11:10	Y	7440-02-0	Nickel	91.8	ug/L	CD	[NULL]	[NULL]	S	B1NW70	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/10/2007 11:10	Y	14797-55-8	Nitrate	29800	ug/L	D	[NULL]	[NULL]	S	B1NW70	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	8/10/2007 11:10	Y	14797-65-0	Nitrite	591	ug/L	BD	[NULL]	[NULL]	S	B1NW70	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	8/10/2007 11:10	Y	14265-44-2	Phosphate	39900	ug/L	D	[NULL]	[NULL]	S	B1NW70	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	8/10/2007 11:10	Y	7440-09-7	Potassium	2680	ug/L	CD	[NULL]	[NULL]	S	B1NW70	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/10/2007 11:10	Y	7440-22-4	Silver	156	ug/L	CDN	[NULL]	[NULL]	S	B1NW70	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/10/2007 11:10	Y	7440-23-5	Sodium	146000	ug/L	D	[NULL]	[NULL]	S	B1NW70	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/10/2007 11:10	Y	7440-24-6	Strontium	95.4	ug/L	D	[NULL]	[NULL]	S	B1NW70	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/10/2007 11:10	Y	10098-97-2	Strontium-90	460	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NW70	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-141	8/10/2007 11:10	Y	14808-79-8	Sulfate	6920	ug/L	D	[NULL]	[NULL]	S	B1NW70	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	8/10/2007 11:10	Y	7440-62-2	Vanadium	67	ug/L	CD	[NULL]	[NULL]	S	B1NW70	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/10/2007 11:10	Y	7440-66-6	Zinc	165	ug/L	CD	[NULL]	[NULL]	S	B1NW70	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/19/2007 10:53	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1PMV0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/19/2007 10:53	Y	7440-36-0	Antimony	32	ug/L	U	G	[NULL]	S	B1PMV0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/19/2007 10:53	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1PMV0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/19/2007 10:53	Y	7440-39-3	Barium	8.1	ug/L	[NULL]	G	[NULL]	S	B1PMV0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/19/2007 10:53	Y	7440-43-9	Cadmium	4	ug/L	U	G	[NULL]	S	B1PMV0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/19/2007 10:53	Y	7440-70-2	Calcium	6070	ug/L	CD	[NULL]	[NULL]	S	B1PMV0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/19/2007 10:53	Y	16887-00-6	Chloride	34600	ug/L	D	[NULL]	[NULL]	S	B1PMV0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	9/19/2007 10:53	Y	7440-47-3	Chromium	6.2	ug/L	C	G	[NULL]	S	B1PMV0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/19/2007 10:53	Y	7440-48-4	Cobalt	4	ug/L	U	G	[NULL]	S	B1PMV0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/19/2007 10:53	Y	7440-50-8	Copper	4	ug/L	U	G	[NULL]	S	B1PMV0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/19/2007 10:53	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1PMV0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	9/19/2007 10:53	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1PMV0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/19/2007 10:53	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1PMV0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/19/2007 10:53	Y	7439-95-4	Magnesium	968	ug/L	D	[NULL]	[NULL]	S	B1PMV0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	9/19/2007 10:53	Y	7439-96-5	Manganese	24.2	ug/L	[NULL]	G	[NULL]	S	B1PMV0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/19/2007 10:53	Y	7439-98-7	Molybdenum	82.3	ug/L	CD	[NULL]	[NULL]	S	B1PMV0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/19/2007 10:53	Y	7440-02-0	Nickel	4	ug/L	U	G	[NULL]	S	B1PMV0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/19/2007 10:53	Y	14797-55-8	Nitrate	3560	ug/L	D	[NULL]	[NULL]	S	B1PMV0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	9/19/2007 10:53	Y	14797-65-0	Nitrite	411	ug/L	BD	[NULL]	[NULL]	S	B1PMV0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	9/19/2007 10:53	Y	14265-44-2	Phosphate	54000	ug/L	D	[NULL]	[NULL]	S	B1PMV0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	9/19/2007 10:53	Y	7440-09-7	Potassium	2470	ug/L	D	[NULL]	[NULL]	S	B1PMV0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/19/2007 10:53	Y	7440-22-4	Silver	5	ug/L	U	G	[NULL]	S	B1PMV0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/19/2007 10:53	Y	7440-23-5	Sodium	185000	ug/L	D	[NULL]	[NULL]	S	B1PMV0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/19/2007 10:53	Y	7440-24-6	Strontium	52.5	ug/L	D	[NULL]	[NULL]	S	B1PMV0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/19/2007 10:53	Y	10098-97-2	Strontium-90	240	pCi/L	[NULL]	[NULL]	[NULL]	S	B1PMV0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-141	9/19/2007 10:53	Y	14808-79-8	Sulfate	7890	ug/L	D	[NULL]	[NULL]	S	B1PMV0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	9/19/2007 10:53	Y	7440-62-2	Vanadium	9.2	ug/L	C	G	[NULL]	S	B1PMV0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/19/2007 10:53	Y	7440-66-6	Zinc	4	ug/L	U	G	[NULL]	S	B1PMV0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/19/2007 10:14	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1R4L6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/19/2007 10:14	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1R4L6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/19/2007 10:14	Y	7440-38-2	Arsenic	264	ug/L	DN	[NULL]	[NULL]	S	B1R4L6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/19/2007 10:14	Y	7440-39-3	Barium	26	ug/L	D	[NULL]	[NULL]	S	B1R4L6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/19/2007 10:14	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1R4L6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/19/2007 10:14	Y	7440-70-2	Calcium	11800	ug/L	D	[NULL]	[NULL]	S	B1R4L6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/19/2007 10:14	Y	16887-00-6	Chloride	8960	ug/L	D	[NULL]	[NULL]	S	B1R4L6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	10/19/2007 10:14	Y	7440-47-3	Chromium	121	ug/L	CD	[NULL]	[NULL]	S	B1R4L6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/19/2007 10:14	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1R4L6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/19/2007 10:14	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1R4L6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/19/2007 10:14	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1R4L6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	10/19/2007 10:14	Y	7439-89-6	Iron	237	ug/L	CD	[NULL]	[NULL]	S	B1R4L6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/19/2007 10:14	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1R4L6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/19/2007 10:14	Y	7439-95-4	Magnesium	2110	ug/L	D	[NULL]	[NULL]	S	B1R4L6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/19/2007 10:14	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1R4L6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/19/2007 10:14	Y	7439-98-7	Molybdenum	44.7	ug/L	CD	[NULL]	[NULL]	S	B1R4L6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/19/2007 10:14	Y	7440-02-0	Nickel	63.7	ug/L	CD	[NULL]	[NULL]	S	B1R4L6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/19/2007 10:14	Y	14797-55-8	Nitrate	122000	ug/L	D	[NULL]	[NULL]	S	B1R4L6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	10/19/2007 10:14	Y	14797-65-0	Nitrite	897	ug/L	BD	[NULL]	[NULL]	S	B1R4L6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	10/19/2007 10:14	Y	14265-44-2	Phosphate	19400	ug/L	D	[NULL]	[NULL]	S	B1R4L6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	10/19/2007 10:14	Y	7440-09-7	Potassium	2060	ug/L	D	[NULL]	[NULL]	S	B1R4L6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/19/2007 10:14	Y	7440-22-4	Silver	61	ug/L	CD	[NULL]	[NULL]	S	B1R4L6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/19/2007 10:14	Y	7440-23-5	Sodium	81200	ug/L	D	[NULL]	[NULL]	S	B1R4L6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/19/2007 10:14	Y	7440-24-6	Strontium	90	ug/L	D	[NULL]	[NULL]	S	B1R4L6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/19/2007 10:14	Y	10098-97-2	Strontium-90	520	pCi/L	[NULL]	[NULL]	[NULL]	S	B1R4L6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-141	10/19/2007 10:14	Y	14808-79-8	Sulfate	11200	ug/L	D	[NULL]	[NULL]	S	B1R4L6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	10/19/2007 10:14	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1R4L6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/19/2007 10:14	Y	7440-66-6	Zinc	153	ug/L	CD	[NULL]	[NULL]	S	B1R4L6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	11/14/2007 11:10	Y	7429-90-5	Aluminum	97.4	ug/L	[NULL]	[NULL]	[NULL]	S	B1R900	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	11/14/2007 11:10	Y	7440-36-0	Antimony	49.3	ug/L	[NULL]	Y	[NULL]	S	B1R900	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	11/14/2007 11:10	Y	7440-38-2	Arsenic	58	ug/L	C	[NULL]	[NULL]	S	B1R900	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	11/14/2007 11:10	Y	7440-39-3	Barium	18	ug/L	C	[NULL]	[NULL]	S	B1R900	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	11/14/2007 11:10	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1R900	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	11/14/2007 11:10	Y	7440-70-2	Calcium	12000	ug/L	[NULL]	[NULL]	[NULL]	S	B1R900	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	11/14/2007 11:10	Y	16887-00-6	Chloride	5340	ug/L	D	[NULL]	[NULL]	S	B1R900	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	11/14/2007 11:10	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	S	B1R900	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	11/14/2007 11:10	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1R900	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	11/14/2007 11:10	Y	7440-50-8	Copper	7	ug/L	C	[NULL]	[NULL]	S	B1R900	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	11/14/2007 11:10	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1R900	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	11/14/2007 11:10	Y	7439-89-6	Iron	39.6	ug/L	[NULL]	[NULL]	[NULL]	S	B1R900	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	11/14/2007 11:10	Y	7439-92-1	Lead	27	ug/L	U	[NULL]	[NULL]	S	B1R900	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	11/14/2007 11:10	Y	7439-95-4	Magnesium	2290	ug/L	[NULL]	[NULL]	[NULL]	S	B1R900	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	11/14/2007 11:10	Y	7439-96-5	Manganese	22	ug/L	C	[NULL]	[NULL]	S	B1R900	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	11/14/2007 11:10	Y	7439-98-7	Molybdenum	13.3	ug/L	C	[NULL]	[NULL]	S	B1R900	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	11/14/2007 11:10	Y	7440-02-0	Nickel	15.1	ug/L	C	[NULL]	[NULL]	S	B1R900	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	11/14/2007 11:10	Y	14797-55-8	Nitrate	23700	ug/L	D	[NULL]	[NULL]	S	B1R900	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	11/14/2007 11:10	Y	14797-65-0	Nitrite	207	ug/L	BD	[NULL]	[NULL]	S	B1R900	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	11/14/2007 11:10	Y	14265-44-2	Phosphate	18900	ug/L	D	[NULL]	[NULL]	S	B1R900	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	11/14/2007 11:10	Y	7440-09-7	Potassium	1340	ug/L	[NULL]	[NULL]	[NULL]	S	B1R900	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	11/14/2007 11:10	Y	7440-22-4	Silver	27	ug/L	C	[NULL]	[NULL]	S	B1R900	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	11/14/2007 11:10	Y	7440-23-5	Sodium	39800	ug/L	[NULL]	[NULL]	[NULL]	S	B1R900	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	11/14/2007 11:10	Y	7440-24-6	Strontium	76.8	ug/L	[NULL]	[NULL]	[NULL]	S	B1R900	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	11/14/2007 11:10	Y	10098-97-2	Strontium-90	490	pCi/L	[NULL]	[NULL]	[NULL]	S	B1R900	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-141	11/14/2007 11:10	Y	14808-79-8	Sulfate	9950	ug/L	D	[NULL]	[NULL]	S	B1R900	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	11/14/2007 11:10	Y	7440-62-2	Vanadium	15	ug/L	C	[NULL]	[NULL]	S	B1R900	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	11/14/2007 11:10	Y	7440-66-6	Zinc	22.1	ug/L	C	[NULL]	[NULL]	S	B1R900	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/3/2008 12:30	Y	7429-90-5	Aluminum	30	ug/L	U	[NULL]	[NULL]	S	B1VJP3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/3/2008 12:30	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	S	B1VJP3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/3/2008 12:30	Y	7440-38-2	Arsenic	50	ug/L	U	[NULL]	[NULL]	S	B1VJP3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/3/2008 12:30	Y	7440-39-3	Barium	14	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/3/2008 12:30	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1VJP3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/3/2008 12:30	Y	7440-70-2	Calcium	17000	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/3/2008 12:30	Y	16887-00-6	Chloride	1210	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/3/2008 12:30	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	S	B1VJP3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/3/2008 12:30	Y	7440-48-4	Cobalt	6.1	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/3/2008 12:30	Y	7440-50-8	Copper	4	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/3/2008 12:30	Y	16984-48-8	Fluoride	46	ug/L	B	[NULL]	[NULL]	S	B1VJP3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/3/2008 12:30	Y	12587-46-1	Gross alpha	-1.1	pCi/L	U	[NULL]	[NULL]	S	B1VJP3	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-141	6/3/2008 12:30	Y	12587-47-2	Gross beta	820	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VJP3	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-141	6/3/2008 12:30	Y	7439-89-6	Iron	38.5	ug/L	C	[NULL]	[NULL]	S	B1VJP3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/3/2008 12:30	Y	7439-92-1	Lead	27	ug/L	U	[NULL]	[NULL]	S	B1VJP3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/3/2008 12:30	Y	7439-95-4	Magnesium	3640	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/3/2008 12:30	Y	7439-96-5	Manganese	4	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/3/2008 12:30	Y	7439-98-7	Molybdenum	5.2	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/3/2008 12:30	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B1VJP3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/3/2008 12:30	Y	14797-55-8	Nitrate	952	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/3/2008 12:30	Y	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	S	B1VJP3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/3/2008 12:30	Y	14265-44-2	Phosphate	2140	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/3/2008 12:30	Y	7440-09-7	Potassium	959	ug/L	C	[NULL]	[NULL]	S	B1VJP3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/3/2008 12:30	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1VJP3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/3/2008 12:30	Y	7440-23-5	Sodium	4780	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/3/2008 12:30	Y	7440-24-6	Strontium	88.2	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/3/2008 12:30	Y	14808-79-8	Sulfate	7780	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/3/2008 12:30	Y	7440-62-2	Vanadium	10	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/3/2008 12:30	Y	7440-66-6	Zinc	5.5	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/26/2008 8:29	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W631	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/26/2008 8:29	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W631	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/26/2008 8:29	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W631	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/26/2008 8:29	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W631	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/26/2008 8:29	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W631	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/26/2008 8:29	Y	7440-70-2	Calcium	15800	ug/L	D	[NULL]	[NULL]	S	B1W631	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/26/2008 8:29	Y	16887-00-6	Chloride	1430	ug/L	BD	[NULL]	[NULL]	S	B1W631	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/26/2008 8:29	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W631	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/26/2008 8:29	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W631	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/26/2008 8:29	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W631	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/26/2008 8:29	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W631	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	6/26/2008 8:29	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1W631	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/26/2008 8:29	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W631	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/26/2008 8:29	Y	7439-95-4	Magnesium	3200	ug/L	DN	[NULL]	[NULL]	S	B1W631	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/26/2008 8:29	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1W631	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/26/2008 8:29	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W631	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/26/2008 8:29	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W631	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/26/2008 8:29	Y	14797-55-8	Nitrate	2450	ug/L	BD	[NULL]	[NULL]	S	B1W631	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/26/2008 8:29	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W631	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/26/2008 8:29	Y	14265-44-2	Phosphate	5700	ug/L	BD	[NULL]	[NULL]	S	B1W631	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/26/2008 8:29	Y	7440-09-7	Potassium	850	ug/L	DU	[NULL]	[NULL]	S	B1W631	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/26/2008 8:29	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W631	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/26/2008 8:29	Y	7440-23-5	Sodium	14700	ug/L	D	[NULL]	[NULL]	S	B1W631	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/26/2008 8:29	Y	7440-24-6	Strontium	86.2	ug/L	D	[NULL]	[NULL]	S	B1W631	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/26/2008 8:29	Y	14808-79-8	Sulfate	7160	ug/L	BD	[NULL]	[NULL]	S	B1W631	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/26/2008 8:29	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W631	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/26/2008 8:29	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W631	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/28/2008 18:45	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VVY7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/28/2008 18:45	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VVY7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/28/2008 18:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VVY7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/28/2008 18:45	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVY7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/28/2008 18:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VVY7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/28/2008 18:45	Y	7440-70-2	Calcium	23400	ug/L	DN	[NULL]	[NULL]	S	B1VVY7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/28/2008 18:45	Y	16887-00-6	Chloride	20900	ug/L	D	[NULL]	[NULL]	S	B1VVY7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/28/2008 18:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VVY7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/28/2008 18:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VVY7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/28/2008 18:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VVY7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/28/2008 18:45	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VVY7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/28/2008 18:45	Y	12587-46-1	Gross alpha	-0.57	pCi/L	U	[NULL]	[NULL]	S	B1VVX4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-141	6/28/2008 18:45	Y	12587-47-2	Gross beta	15	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVX4	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-141	6/28/2008 18:45	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VVY7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/28/2008 18:45	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VVY7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/28/2008 18:45	Y	7439-95-4	Magnesium	3510	ug/L	D	[NULL]	[NULL]	S	B1VVY7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/28/2008 18:45	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VVY7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/28/2008 18:45	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VVY7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/28/2008 18:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VVY7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/28/2008 18:45	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VVY7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/28/2008 18:45	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VVY7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/28/2008 18:45	Y	14265-44-2	Phosphate	316000	ug/L	D	[NULL]	[NULL]	S	B1VVY7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/28/2008 18:45	Y	7440-09-7	Potassium	1820	ug/L	D	[NULL]	[NULL]	S	B1VVY7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/28/2008 18:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VVY7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/28/2008 18:45	Y	7440-23-5	Sodium	178000	ug/L	D	[NULL]	[NULL]	S	B1VVY7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/28/2008 18:45	Y	7440-24-6	Strontium	219	ug/L	D	[NULL]	[NULL]	S	B1VVY7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/28/2008 18:45	Y	14808-79-8	Sulfate	7030	ug/L	BD	[NULL]	[NULL]	S	B1VVY7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/28/2008 18:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VVY7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/28/2008 18:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VVY7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/29/2008 7:00	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VW23	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/29/2008 7:00	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VW23	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/29/2008 7:00	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VW23	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/29/2008 7:00	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VW23	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/29/2008 7:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VW23	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/29/2008 7:00	Y	7440-70-2	Calcium	21000	ug/L	D	[NULL]	[NULL]	S	B1VW23	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/29/2008 7:00	Y	16887-00-6	Chloride	101000	ug/L	D	[NULL]	[NULL]	S	B1VW23	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/29/2008 7:00	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VW23	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/29/2008 7:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VW23	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/29/2008 7:00	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VW23	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	6/29/2008 7:00	Y	DO	Dissolved oxygen	2010	ug/L	[NULL]	[NULL]	[NULL]	S	B1VW10	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	6/29/2008 7:00	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VW23	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/29/2008 7:00	Y	12587-46-1	Gross alpha	2.6	pCi/L	U	[NULL]	[NULL]	S	B1VW10	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-141	6/29/2008 7:00	Y	12587-47-2	Gross beta	33	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VW10	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-141	6/29/2008 7:00	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VW23	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/29/2008 7:00	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VW23	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/29/2008 7:00	Y	7439-95-4	Magnesium	3760	ug/L	D	[NULL]	[NULL]	S	B1VW23	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/29/2008 7:00	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VW23	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/29/2008 7:00	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VW23	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/29/2008 7:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VW23	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/29/2008 7:00	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VW23	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/29/2008 7:00	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VW23	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/29/2008 7:00	Y	EH	Oxidation Reduction Potential	-153	mV	[NULL]	[NULL]	[NULL]	S	B1VW10	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	6/29/2008 7:00	Y	14265-44-2	Phosphate	1340000	ug/L	D	[NULL]	[NULL]	S	B1VW23	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/29/2008 7:00	Y	7440-09-7	Potassium	5440	ug/L	D	[NULL]	[NULL]	S	B1VW23	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/29/2008 7:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VW23	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/29/2008 7:00	Y	7440-23-5	Sodium	763000	ug/L	D	[NULL]	[NULL]	S	B1VW23	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/29/2008 7:00	Y	CONDUCT	Specific Conductance	4004	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VW10	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	6/29/2008 7:00	Y	7440-24-6	Strontium	510	ug/L	D	[NULL]	[NULL]	S	B1VW23	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/29/2008 7:00	Y	14808-79-8	Sulfate	9770	ug/L	D	[NULL]	[NULL]	S	B1VW23	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/29/2008 7:00	Y	TEMPERATURE	Temperature	18.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1VW10	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	6/29/2008 7:00	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VW23	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/29/2008 7:00	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VW23	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/29/2008 7:00	Y	PH	pH Measurement	7.05	unitless	[NULL]	[NULL]	[NULL]	S	B1VW10	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	6/30/2008 10:15	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VW49	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/30/2008 10:15	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VW49	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/30/2008 10:15	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VW49	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/30/2008 10:15	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VW49	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/30/2008 10:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VW49	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/30/2008 10:15	Y	7440-70-2	Calcium	17800	ug/L	D	[NULL]	[NULL]	S	B1VW49	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/30/2008 10:15	Y	16887-00-6	Chloride	134000	ug/L	D	[NULL]	[NULL]	S	B1VW49	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/30/2008 10:15	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VW49	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/30/2008 10:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VW49	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/30/2008 10:15	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VW49	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/30/2008 10:15	Y	16984-48-8	Fluoride	420	ug/L	DU	[NULL]	[NULL]	S	B1VW49	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/30/2008 10:15	Y	12587-46-1	Gross alpha	16	pCi/L	U	[NULL]	[NULL]	S	B1VW36	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-141	6/30/2008 10:15	Y	12587-47-2	Gross beta	42	pCi/L	U	[NULL]	[NULL]	S	B1VW36	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-141	6/30/2008 10:15	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VW49	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/30/2008 10:15	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VW49	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/30/2008 10:15	Y	7439-95-4	Magnesium	4270	ug/L	D	[NULL]	[NULL]	S	B1VW49	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/30/2008 10:15	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VW49	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/30/2008 10:15	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VW49	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/30/2008 10:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VW49	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/30/2008 10:15	Y	14797-55-8	Nitrate	3190	ug/L	DU	[NULL]	[NULL]	S	B1VW49	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/30/2008 10:15	Y	14797-65-0	Nitrite	650	ug/L	DU	[NULL]	[NULL]	S	B1VW49	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/30/2008 10:15	Y	14265-44-2	Phosphate	1950000	ug/L	D	[NULL]	[NULL]	S	B1VW49	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/30/2008 10:15	Y	7440-09-7	Potassium	9760	ug/L	D	[NULL]	[NULL]	S	B1VW49	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/30/2008 10:15	Y	7440-22-4	Silver	34	ug/L	D	[NULL]	[NULL]	S	B1VW49	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/30/2008 10:15	Y	7440-23-5	Sodium	1430000	ug/L	D	[NULL]	[NULL]	S	B1VW49	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/30/2008 10:15	Y	7440-24-6	Strontium	519	ug/L	D	[NULL]	[NULL]	S	B1VW49	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/30/2008 10:15	Y	14808-79-8	Sulfate	57300	ug/L	DEX	[NULL]	[NULL]	S	B1VW49	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	6/30/2008 10:15	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VW49	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	6/30/2008 10:15	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VW49	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/1/2008 8:58	Y	12587-46-1	Gross alpha	5.2	pCi/L	U	[NULL]	[NULL]	S	B1VW62	12587-46-1	WSCF	ALPHA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	7/1/2008 8:58	Y	12587-47-2	Gross beta	35	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VW62	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-141	7/1/2008 11:00	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VW75	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/1/2008 11:00	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VW75	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/1/2008 11:00	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VW75	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/1/2008 11:00	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VW75	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/1/2008 11:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VW75	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/1/2008 11:00	Y	7440-70-2	Calcium	20100	ug/L	D	[NULL]	[NULL]	S	B1VW75	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/1/2008 11:00	Y	16887-00-6	Chloride	183000	ug/L	D	[NULL]	[NULL]	S	B1VW75	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/1/2008 11:00	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VW75	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/1/2008 11:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VW75	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/1/2008 11:00	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VW75	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/1/2008 11:00	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VW75	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/1/2008 11:00	Y	7439-89-6	Iron	125	ug/L	DNU	[NULL]	[NULL]	S	B1VW75	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/1/2008 11:00	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VW75	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/1/2008 11:00	Y	7439-95-4	Magnesium	4720	ug/L	D	[NULL]	[NULL]	S	B1VW75	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/1/2008 11:00	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VW75	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/1/2008 11:00	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VW75	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/1/2008 11:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VW75	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/1/2008 11:00	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VW75	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/1/2008 11:00	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VW75	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/1/2008 11:00	Y	14265-44-2	Phosphate	1700000	ug/L	D	[NULL]	[NULL]	S	B1VW75	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/1/2008 11:00	Y	7440-09-7	Potassium	9230	ug/L	D	[NULL]	[NULL]	S	B1VW75	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/1/2008 11:00	Y	7440-22-4	Silver	25	ug/L	DNUX	[NULL]	[NULL]	S	B1VW75	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/1/2008 11:00	Y	7440-23-5	Sodium	1370000	ug/L	D	[NULL]	[NULL]	S	B1VW75	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/1/2008 11:00	Y	7440-24-6	Strontium	592	ug/L	D	[NULL]	[NULL]	S	B1VW75	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/1/2008 11:00	Y	14808-79-8	Sulfate	12900	ug/L	D	[NULL]	[NULL]	S	B1VW75	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/1/2008 11:00	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VW75	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/1/2008 11:00	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VW75	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/2/2008 8:56	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VWC1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/2/2008 8:56	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VWC1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/2/2008 8:56	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VWC1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/2/2008 8:56	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWC1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/2/2008 8:56	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWC1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/2/2008 8:56	Y	7440-70-2	Calcium	13700	ug/L	D	[NULL]	[NULL]	S	B1VWC1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/2/2008 8:56	Y	16887-00-6	Chloride	217000	ug/L	D	[NULL]	[NULL]	S	B1VWC1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/2/2008 8:56	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VWC1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/2/2008 8:56	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VWC1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/2/2008 8:56	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VWC1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/2/2008 8:56	Y	DO	Dissolved oxygen	840	ug/L	[NULL]	[NULL]	[NULL]	S	B1VW88	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	7/2/2008 8:56	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VWC1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/2/2008 8:56	Y	12587-46-1	Gross alpha	-15	pCi/L	U	[NULL]	[NULL]	S	B1VW88	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-141	7/2/2008 8:56	Y	12587-47-2	Gross beta	32	pCi/L	U	[NULL]	[NULL]	S	B1VW88	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-141	7/2/2008 8:56	Y	7439-89-6	Iron	125	ug/L	DNU	[NULL]	[NULL]	S	B1VWC1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/2/2008 8:56	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VWC1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/2/2008 8:56	Y	7439-95-4	Magnesium	3410	ug/L	D	[NULL]	[NULL]	S	B1VWC1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/2/2008 8:56	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VWC1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/2/2008 8:56	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VWC1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/2/2008 8:56	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VWC1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/2/2008 8:56	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VWC1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/2/2008 8:56	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VWC1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/2/2008 8:56	Y	EH	Oxidation Reduction Potential	-15	mV	[NULL]	[NULL]	[NULL]	S	B1VW88	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	7/2/2008 8:56	Y	14265-44-2	Phosphate	1580000	ug/L	D	[NULL]	[NULL]	S	B1VWC1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/2/2008 8:56	Y	7440-09-7	Potassium	7800	ug/L	D	[NULL]	[NULL]	S	B1VWC1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/2/2008 8:56	Y	7440-22-4	Silver	25	ug/L	DNUX	[NULL]	[NULL]	S	B1VWC1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	7/2/2008 8:56	Y	7440-23-5	Sodium	1330000	ug/L	D	[NULL]	[NULL]	S	B1VWC1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/2/2008 8:56	Y	CONDUCT	Specific Conductance	5363	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VW88	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	7/2/2008 8:56	Y	7440-24-6	Strontium	412	ug/L	D	[NULL]	[NULL]	S	B1VWC1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/2/2008 8:56	Y	14808-79-8	Sulfate	17700	ug/L	D	[NULL]	[NULL]	S	B1VWC1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/2/2008 8:56	Y	TEMPERATURE	Temperature	19.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1VW88	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	7/2/2008 8:56	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VWC1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/2/2008 8:56	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VWC1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/2/2008 8:56	Y	PH	pH Measurement	7.07	unitless	[NULL]	[NULL]	[NULL]	S	B1VW88	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	7/3/2008 7:45	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VWJ7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/3/2008 7:45	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VWJ7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/3/2008 7:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VWJ7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/3/2008 7:45	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWJ7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/3/2008 7:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWJ7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/3/2008 7:45	Y	7440-70-2	Calcium	12100	ug/L	D	[NULL]	[NULL]	S	B1VWJ7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/3/2008 7:45	Y	16887-00-6	Chloride	224000	ug/L	D	[NULL]	[NULL]	S	B1VWJ7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/3/2008 7:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VWJ7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/3/2008 7:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VWJ7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/3/2008 7:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VWJ7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/3/2008 7:45	Y	DO	Dissolved oxygen	850	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWF4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	7/3/2008 7:45	Y	16984-48-8	Fluoride	420	ug/L	DU	[NULL]	[NULL]	S	B1VWJ7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/3/2008 7:45	Y	12587-46-1	Gross alpha	-23	pCi/L	U	[NULL]	[NULL]	S	B1VWF4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-141	7/3/2008 7:45	Y	12587-47-2	Gross beta	4.6	pCi/L	U	[NULL]	[NULL]	S	B1VWF4	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-141	7/3/2008 7:45	Y	7439-89-6	Iron	125	ug/L	DNU	[NULL]	[NULL]	S	B1VWJ7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/3/2008 7:45	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VWJ7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/3/2008 7:45	Y	7439-95-4	Magnesium	3230	ug/L	D	[NULL]	[NULL]	S	B1VWJ7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/3/2008 7:45	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VWJ7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/3/2008 7:45	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VWJ7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/3/2008 7:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VWJ7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/3/2008 7:45	Y	14797-55-8	Nitrate	3190	ug/L	DU	[NULL]	[NULL]	S	B1VWJ7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/3/2008 7:45	Y	14797-65-0	Nitrite	650	ug/L	DU	[NULL]	[NULL]	S	B1VWJ7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/3/2008 7:45	Y	EH	Oxidation Reduction Potential	-104	mV	[NULL]	[NULL]	[NULL]	S	B1VWF4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	7/3/2008 7:45	Y	14265-44-2	Phosphate	1560000	ug/L	D	[NULL]	[NULL]	S	B1VWJ7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/3/2008 7:45	Y	7440-09-7	Potassium	8090	ug/L	D	[NULL]	[NULL]	S	B1VWJ7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/3/2008 7:45	Y	7440-22-4	Silver	28	ug/L	DN	[NULL]	[NULL]	S	B1VWJ7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/3/2008 7:45	Y	7440-23-5	Sodium	1380000	ug/L	D	[NULL]	[NULL]	S	B1VWJ7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/3/2008 7:45	Y	CONDUCT	Specific Conductance	5453	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWF4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	7/3/2008 7:45	Y	7440-24-6	Strontium	369	ug/L	D	[NULL]	[NULL]	S	B1VWJ7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/3/2008 7:45	Y	14808-79-8	Sulfate	13500	ug/L	BD	[NULL]	[NULL]	S	B1VWJ7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/3/2008 7:45	Y	TEMPERATURE	Temperature	21.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWF4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	7/3/2008 7:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VWJ7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/3/2008 7:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VWJ7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/3/2008 7:45	Y	PH	pH Measurement	7.09	unitless	[NULL]	[NULL]	[NULL]	S	B1VWF4	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	7/4/2008 7:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VWP3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/4/2008 7:30	Y	7440-36-0	Antimony	280	ug/L	DNU	[NULL]	[NULL]	S	B1VWP3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/4/2008 7:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VWP3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/4/2008 7:30	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWP3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/4/2008 7:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWP3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/4/2008 7:30	Y	7440-70-2	Calcium	11200	ug/L	DN	[NULL]	[NULL]	S	B1VWP3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/4/2008 7:30	Y	16887-00-6	Chloride	212000	ug/L	D	[NULL]	[NULL]	S	B1VWP3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/4/2008 7:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VWP3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/4/2008 7:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VWP3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/4/2008 7:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VWP3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/4/2008 7:30	Y	DO	Dissolved oxygen	9190	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWM0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	7/4/2008 7:30	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VWP3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	7/4/2008 7:30	Y	12587-46-1	Gross alpha	0.067	pCi/L	U	[NULL]	[NULL]	S	B1VWM0	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-141	7/4/2008 7:30	Y	12587-47-2	Gross beta	57	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VWM0	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-141	7/4/2008 7:30	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VWP3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/4/2008 7:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VWP3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/4/2008 7:30	Y	7439-95-4	Magnesium	3110	ug/L	D	[NULL]	[NULL]	S	B1VWP3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/4/2008 7:30	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VWP3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/4/2008 7:30	Y	7439-98-7	Molybdenum	25	ug/L	DNU	[NULL]	[NULL]	S	B1VWP3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/4/2008 7:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VWP3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/4/2008 7:30	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VWP3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/4/2008 7:30	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VWP3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/4/2008 7:30	Y	EH	Oxidation Reduction Potential	-85	mV	[NULL]	[NULL]	[NULL]	S	B1VWM0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	7/4/2008 7:30	Y	14265-44-2	Phosphate	1650000	ug/L	D	[NULL]	[NULL]	S	B1VWP3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/4/2008 7:30	Y	7440-09-7	Potassium	7740	ug/L	D	[NULL]	[NULL]	S	B1VWP3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/4/2008 7:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VWP3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/4/2008 7:30	Y	7440-23-5	Sodium	1340000	ug/L	D	[NULL]	[NULL]	S	B1VWP3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/4/2008 7:30	Y	CONDUCT	Specific Conductance	5507	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWM0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	7/4/2008 7:30	Y	7440-24-6	Strontium	344	ug/L	D	[NULL]	[NULL]	S	B1VWP3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/4/2008 7:30	Y	14808-79-8	Sulfate	13800	ug/L	D	[NULL]	[NULL]	S	B1VWP3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/4/2008 7:30	Y	TEMPERATURE	Temperature	17.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWM0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	7/4/2008 7:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VWP3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/4/2008 7:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VWP3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/4/2008 7:30	Y	PH	pH Measurement	7.12	unitless	[NULL]	[NULL]	[NULL]	S	B1VWM0	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-141	7/6/2008 10:50	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VX36	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/6/2008 10:50	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VX36	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/6/2008 10:50	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VX36	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/6/2008 10:50	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VX36	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/6/2008 10:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VX36	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/6/2008 10:50	Y	7440-70-2	Calcium	9170	ug/L	DN	[NULL]	[NULL]	S	B1VX36	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/6/2008 10:50	Y	16887-00-6	Chloride	221000	ug/L	D	[NULL]	[NULL]	S	B1VX36	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/6/2008 10:50	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VX36	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/6/2008 10:50	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VX36	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/6/2008 10:50	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VX36	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/6/2008 10:50	Y	DO	Dissolved oxygen	1580	ug/L	[NULL]	[NULL]	[NULL]	S	B1VX13	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	7/6/2008 10:50	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VX36	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/6/2008 10:50	Y	12587-46-1	Gross alpha	-8.1	pCi/L	U	[NULL]	[NULL]	S	B1VX13	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-141	7/6/2008 10:50	Y	12587-47-2	Gross beta	25	pCi/L	U	[NULL]	[NULL]	S	B1VX13	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-141	7/6/2008 10:50	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VX36	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/6/2008 10:50	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VX36	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/6/2008 10:50	Y	7439-95-4	Magnesium	2600	ug/L	D	[NULL]	[NULL]	S	B1VX36	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/6/2008 10:50	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VX36	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/6/2008 10:50	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VX36	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/6/2008 10:50	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VX36	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/6/2008 10:50	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VX36	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/6/2008 10:50	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VX36	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/6/2008 10:50	Y	EH	Oxidation Reduction Potential	-132	mV	[NULL]	[NULL]	[NULL]	S	B1VX13	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	7/6/2008 10:50	Y	14265-44-2	Phosphate	1580000	ug/L	D	[NULL]	[NULL]	S	B1VX36	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/6/2008 10:50	Y	7440-09-7	Potassium	6830	ug/L	D	[NULL]	[NULL]	S	B1VX36	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/6/2008 10:50	Y	7440-22-4	Silver	39	ug/L	CD	[NULL]	[NULL]	S	B1VX36	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/6/2008 10:50	Y	7440-23-5	Sodium	1440000	ug/L	D	[NULL]	[NULL]	S	B1VX36	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/6/2008 10:50	Y	CONDUCT	Specific Conductance	5397	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VX13	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	7/6/2008 10:50	Y	7440-24-6	Strontium	296	ug/L	D	[NULL]	[NULL]	S	B1VX36	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/6/2008 10:50	Y	14808-79-8	Sulfate	12900	ug/L	D	[NULL]	[NULL]	S	B1VX36	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/6/2008 10:50	Y	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1VX13	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	7/6/2008 10:50	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VX36	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/6/2008 10:50	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VX36	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/6/2008 10:50	Y	PH	pH Measurement	7.23	unitless	[NULL]	[NULL]	[NULL]	S	B1VX13	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	7/8/2008 9:55	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7C5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/8/2008 9:55	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7C5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/8/2008 9:55	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7C5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/8/2008 9:55	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7C5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/8/2008 9:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7C5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/8/2008 9:55	Y	7440-70-2	Calcium	9970	ug/L	D	[NULL]	[NULL]	S	B1W7C5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/8/2008 9:55	Y	16887-00-6	Chloride	191000	ug/L	D	[NULL]	[NULL]	S	B1W7C5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/8/2008 9:55	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7C5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/8/2008 9:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7C5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/8/2008 9:55	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7C5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/8/2008 9:55	Y	DO	Dissolved oxygen	2250	ug/L	[NULL]	[NULL]	[NULL]	S	B1W792	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	7/8/2008 9:55	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W7C5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/8/2008 9:55	Y	12587-46-1	Gross alpha	2.4	pCi/L	U	[NULL]	[NULL]	S	B1W792	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-141	7/8/2008 9:55	Y	12587-47-2	Gross beta	45	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W792	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-141	7/8/2008 9:55	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1W7C5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/8/2008 9:55	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7C5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/8/2008 9:55	Y	7439-95-4	Magnesium	2440	ug/L	DN	[NULL]	[NULL]	S	B1W7C5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/8/2008 9:55	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1W7C5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/8/2008 9:55	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7C5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/8/2008 9:55	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7C5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/8/2008 9:55	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W7C5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/8/2008 9:55	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W7C5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/8/2008 9:55	Y	EH	Oxidation Reduction Potential	-134	mV	[NULL]	[NULL]	[NULL]	S	B1W792	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	7/8/2008 9:55	Y	14265-44-2	Phosphate	1170000	ug/L	D	[NULL]	[NULL]	S	B1W7C5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/8/2008 9:55	Y	7440-09-7	Potassium	5630	ug/L	D	[NULL]	[NULL]	S	B1W7C5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/8/2008 9:55	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W7C5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/8/2008 9:55	Y	7440-23-5	Sodium	1240000	ug/L	D	[NULL]	[NULL]	S	B1W7C5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/8/2008 9:55	Y	CONDUCT	Specific Conductance	439	uS/cm	[NULL]	Y	[NULL]	S	B1W792	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	7/8/2008 9:55	Y	7440-24-6	Strontium	282	ug/L	D	[NULL]	[NULL]	S	B1W7C5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/8/2008 9:55	Y	14808-79-8	Sulfate	4530	ug/L	BD	[NULL]	[NULL]	S	B1W7C5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/8/2008 9:55	Y	TEMPERATURE	Temperature	18.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1W792	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	7/8/2008 9:55	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7C5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/8/2008 9:55	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7C5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/8/2008 9:55	Y	PH	pH Measurement	7.3	unitless	[NULL]	[NULL]	[NULL]	S	B1W792	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	7/10/2008 10:15	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7K1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2008 10:15	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7K1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2008 10:15	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7K1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2008 10:15	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7K1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2008 10:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7K1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2008 10:15	Y	7440-70-2	Calcium	11000	ug/L	D	[NULL]	[NULL]	S	B1W7K1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2008 10:15	Y	16887-00-6	Chloride	197000	ug/L	D	[NULL]	[NULL]	S	B1W7K1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/10/2008 10:15	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7K1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2008 10:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7K1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2008 10:15	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7K1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2008 10:15	Y	DO	Dissolved oxygen	1940	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7F8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	7/10/2008 10:15	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W7K1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/10/2008 10:15	Y	12587-46-1	Gross alpha	0.1	pCi/L	U	[NULL]	[NULL]	S	B1W7F8	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-141	7/10/2008 10:15	Y	12587-47-2	Gross beta	46	pCi/L	U	[NULL]	[NULL]	S	B1W7F8	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-141	7/10/2008 10:15	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1W7K1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2008 10:15	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7K1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2008 10:15	Y	7439-95-4	Magnesium	2790	ug/L	D	[NULL]	[NULL]	S	B1W7K1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	7/10/2008 10:15	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1W7K1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2008 10:15	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7K1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2008 10:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7K1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2008 10:15	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W7K1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/10/2008 10:15	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W7K1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/10/2008 10:15	Y	EH	Oxidation Reduction Potential	-162	mV	[NULL]	[NULL]	[NULL]	S	B1W7F8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	7/10/2008 10:15	Y	14265-44-2	Phosphate	1130000	ug/L	D	[NULL]	[NULL]	S	B1W7K1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/10/2008 10:15	Y	7440-09-7	Potassium	6340	ug/L	D	[NULL]	[NULL]	S	B1W7K1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2008 10:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W7K1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2008 10:15	Y	7440-23-5	Sodium	1450000	ug/L	DN	[NULL]	[NULL]	S	B1W7K1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2008 10:15	Y	CONDUCT	Specific Conductance	4554	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7F8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	7/10/2008 10:15	Y	7440-24-6	Strontium	330	ug/L	D	[NULL]	[NULL]	S	B1W7K1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2008 10:15	Y	14808-79-8	Sulfate	2830	ug/L	BD	[NULL]	[NULL]	S	B1W7K1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/10/2008 10:15	Y	TEMPERATURE	Temperature	16.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7F8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	7/10/2008 10:15	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7K1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2008 10:15	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7K1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/10/2008 10:15	Y	PH	pH Measurement	7.31	unitless	[NULL]	[NULL]	[NULL]	S	B1W7F8	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	7/12/2008 7:05	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7P7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/12/2008 7:05	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7P7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/12/2008 7:05	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7P7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/12/2008 7:05	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7P7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/12/2008 7:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7P7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/12/2008 7:05	Y	7440-70-2	Calcium	11600	ug/L	D	[NULL]	[NULL]	S	B1W7P7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/12/2008 7:05	Y	16887-00-6	Chloride	214000	ug/L	D	[NULL]	[NULL]	S	B1W7P7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/12/2008 7:05	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7P7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/12/2008 7:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7P7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/12/2008 7:05	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7P7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/12/2008 7:05	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1W7P7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/12/2008 7:05	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1W7P7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/12/2008 7:05	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7P7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/12/2008 7:05	Y	7439-95-4	Magnesium	3080	ug/L	D	[NULL]	[NULL]	S	B1W7P7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/12/2008 7:05	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1W7P7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/12/2008 7:05	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7P7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/12/2008 7:05	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7P7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/12/2008 7:05	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1W7P7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/12/2008 7:05	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1W7P7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/12/2008 7:05	Y	14265-44-2	Phosphate	1360000	ug/L	D	[NULL]	[NULL]	S	B1W7P7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/12/2008 7:05	Y	7440-09-7	Potassium	6620	ug/L	D	[NULL]	[NULL]	S	B1W7P7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/12/2008 7:05	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W7P7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/12/2008 7:05	Y	7440-23-5	Sodium	1480000	ug/L	DX	[NULL]	[NULL]	S	B1W7P7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/12/2008 7:05	Y	7440-24-6	Strontium	338	ug/L	D	[NULL]	[NULL]	S	B1W7P7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/12/2008 7:05	Y	14808-79-8	Sulfate	5340	ug/L	BD	[NULL]	[NULL]	S	B1W7P7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/12/2008 7:05	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7P7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/12/2008 7:05	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7P7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/12/2008 9:05	Y	DO	Dissolved oxygen	2520	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7M4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	7/12/2008 9:05	Y	12587-46-1	Gross alpha	-10	pCi/L	U	[NULL]	[NULL]	S	B1W7M4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-141	7/12/2008 9:05	Y	12587-47-2	Gross beta	9.8	pCi/L	U	[NULL]	[NULL]	S	B1W7M4	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-141	7/12/2008 9:05	Y	EH	Oxidation Reduction Potential	-153	mV	[NULL]	[NULL]	[NULL]	S	B1W7M4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	7/12/2008 9:05	Y	CONDUCT	Specific Conductance	5087	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7M4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	7/12/2008 9:05	Y	TEMPERATURE	Temperature	16.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7M4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	7/12/2008 9:05	Y	PH	pH Measurement	7.18	unitless	[NULL]	[NULL]	[NULL]	S	B1W7M4	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	7/13/2008 12:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WBD9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2008 12:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WBD9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	7/13/2008 12:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WBD9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2008 12:30	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WBD9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2008 12:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WBD9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2008 12:30	Y	7440-70-2	Calcium	10400	ug/L	DX	[NULL]	[NULL]	S	B1WBD9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2008 12:30	Y	16887-00-6	Chloride	202000	ug/L	D	[NULL]	[NULL]	S	B1WBD9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/13/2008 12:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WBD9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2008 12:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WBD9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2008 12:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WBD9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2008 12:30	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WBD9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/13/2008 12:30	Y	12587-46-1	Gross alpha	0.066	pCi/L	U	[NULL]	[NULL]	S	B1WBB4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-141	7/13/2008 12:30	Y	12587-47-2	Gross beta	38	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WBB4	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-141	7/13/2008 12:30	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WBD9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2008 12:30	Y	7439-92-1	Lead	225	ug/L	DNU	[NULL]	[NULL]	S	B1WBD9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2008 12:30	Y	7439-95-4	Magnesium	2740	ug/L	D	[NULL]	[NULL]	S	B1WBD9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2008 12:30	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WBD9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2008 12:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WBD9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2008 12:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WBD9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2008 12:30	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WBD9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/13/2008 12:30	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WBD9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/13/2008 12:30	Y	14265-44-2	Phosphate	1170000	ug/L	D	[NULL]	[NULL]	S	B1WBD9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/13/2008 12:30	Y	7440-09-7	Potassium	5670	ug/L	D	[NULL]	[NULL]	S	B1WBD9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2008 12:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WBD9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2008 12:30	Y	7440-23-5	Sodium	1330000	ug/L	DX	[NULL]	[NULL]	S	B1WBD9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2008 12:30	Y	7440-24-6	Strontium	308	ug/L	D	[NULL]	[NULL]	S	B1WBD9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2008 12:30	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WBD9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/13/2008 12:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WBD9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/13/2008 12:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WBD9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2008 11:25	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W817	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2008 11:25	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W817	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2008 11:25	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W817	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2008 11:25	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W817	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2008 11:25	Y	7440-43-9	Cadmium	20	ug/L	DNU	[NULL]	[NULL]	S	B1W817	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2008 11:25	Y	7440-70-2	Calcium	14000	ug/L	DX	[NULL]	[NULL]	S	B1W817	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2008 11:25	Y	16887-00-6	Chloride	238000	ug/L	DN	[NULL]	[NULL]	S	B1W817	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/15/2008 11:25	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W817	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2008 11:25	Y	7440-48-4	Cobalt	20	ug/L	DNU	[NULL]	[NULL]	S	B1W817	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2008 11:25	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W817	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2008 11:25	Y	DO	Dissolved oxygen	1120	ug/L	[NULL]	[NULL]	[NULL]	S	B1W817	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	7/15/2008 11:25	Y	16984-48-8	Fluoride	464	ug/L	DU	[NULL]	[NULL]	S	B1W817	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/15/2008 11:25	Y	12587-46-1	Gross alpha	-15	pCi/L	U	[NULL]	[NULL]	S	B1W817	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-141	7/15/2008 11:25	Y	12587-47-2	Gross beta	110	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W817	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-141	7/15/2008 11:25	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1W817	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2008 11:25	Y	7439-92-1	Lead	225	ug/L	DNU	[NULL]	[NULL]	S	B1W817	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2008 11:25	Y	7439-95-4	Magnesium	6900	ug/L	D	[NULL]	[NULL]	S	B1W817	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2008 11:25	Y	7439-96-5	Manganese	20	ug/L	DNU	[NULL]	[NULL]	S	B1W817	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2008 11:25	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W817	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2008 11:25	Y	7440-02-0	Nickel	20.2	ug/L	DN	[NULL]	[NULL]	S	B1W817	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2008 11:25	Y	14797-55-8	Nitrate	1070	ug/L	DU	[NULL]	[NULL]	S	B1W817	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/15/2008 11:25	Y	14797-65-0	Nitrite	841	ug/L	DU	[NULL]	[NULL]	S	B1W817	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/15/2008 11:25	Y	EH	Oxidation Reduction Potential	-165	mV	[NULL]	[NULL]	[NULL]	S	B1W817	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	7/15/2008 11:25	Y	14265-44-2	Phosphate	2260000	ug/L	D	[NULL]	[NULL]	S	B1W817	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/15/2008 11:25	Y	7440-09-7	Potassium	6560	ug/L	D	[NULL]	[NULL]	S	B1W817	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2008 11:25	Y	7440-22-4	Silver	59	ug/L	BD	[NULL]	[NULL]	S	B1W817	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2008 11:25	Y	7440-23-5	Sodium	1770000	ug/L	DX	[NULL]	[NULL]	S	B1W817	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	7/15/2008 11:25	Y	CONDUCT	Specific Conductance	6108	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W817	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	7/15/2008 11:25	Y	7440-24-6	Strontium	346	ug/L	D	[NULL]	[NULL]	S	B1W817	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2008 11:25	Y	14808-79-8	Sulfate	6280	ug/L	BD	[NULL]	[NULL]	S	B1W817	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/15/2008 11:25	Y	TEMPERATURE	Temperature	18.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1W817	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	7/15/2008 11:25	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W817	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2008 11:25	Y	7440-66-6	Zinc	45	ug/L	DNU	[NULL]	[NULL]	S	B1W817	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/15/2008 11:25	Y	PH	pH Measurement	7.39	unitless	[NULL]	[NULL]	[NULL]	S	B1W817	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	7/17/2008 19:30	Y	12587-46-1	Gross alpha	-20	pCi/L	U	[NULL]	[NULL]	S	B1WC36	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-141	7/17/2008 19:30	Y	12587-47-2	Gross beta	95	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WC36	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-141	7/17/2008 19:50	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WC51	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 19:50	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WC51	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 19:50	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WC51	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 19:50	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WC51	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 19:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WC51	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 19:50	Y	7440-70-2	Calcium	11600	ug/L	DX	[NULL]	[NULL]	S	B1WC51	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 19:50	Y	16887-00-6	Chloride	256000	ug/L	DN	[NULL]	[NULL]	S	B1WC51	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/17/2008 19:50	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WC51	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 19:50	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WC51	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 19:50	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WC51	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 19:50	Y	16984-48-8	Fluoride	464	ug/L	DU	[NULL]	[NULL]	S	B1WC51	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/17/2008 19:50	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WC51	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 19:50	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WC51	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 19:50	Y	7439-95-4	Magnesium	6500	ug/L	D	[NULL]	[NULL]	S	B1WC51	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 19:50	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WC51	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 19:50	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WC51	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 19:50	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WC51	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 19:50	Y	14797-55-8	Nitrate	1070	ug/L	DU	[NULL]	[NULL]	S	B1WC51	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/17/2008 19:50	Y	14797-65-0	Nitrite	841	ug/L	DU	[NULL]	[NULL]	S	B1WC51	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/17/2008 19:50	Y	14265-44-2	Phosphate	2450000	ug/L	D	[NULL]	[NULL]	S	B1WC51	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/17/2008 19:50	Y	7440-09-7	Potassium	8360	ug/L	D	[NULL]	[NULL]	S	B1WC51	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 19:50	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WC51	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 19:50	Y	7440-23-5	Sodium	2130000	ug/L	DX	[NULL]	[NULL]	S	B1WC51	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 19:50	Y	7440-24-6	Strontium	296	ug/L	D	[NULL]	[NULL]	S	B1WC51	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 19:50	Y	14808-79-8	Sulfate	2640	ug/L	DU	[NULL]	[NULL]	S	B1WC51	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/17/2008 19:50	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WC51	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 19:50	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WC51	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 20:00	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WC57	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 20:00	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WC57	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 20:00	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WC57	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 20:00	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WC57	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 20:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WC57	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 20:00	Y	7440-70-2	Calcium	31900	ug/L	DX	[NULL]	[NULL]	S	B1WC57	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 20:00	Y	16887-00-6	Chloride	126000	ug/L	DN	[NULL]	[NULL]	S	B1WC57	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/17/2008 20:00	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WC57	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 20:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WC57	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 20:00	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WC57	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 20:00	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WC57	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/17/2008 20:00	Y	12587-46-1	Gross alpha	0.63	pCi/L	U	[NULL]	[NULL]	S	B1WC42	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-141	7/17/2008 20:00	Y	12587-47-2	Gross beta	1400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WC42	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-141	7/17/2008 20:00	Y	7439-89-6	Iron	553	ug/L	BD	[NULL]	[NULL]	S	B1WC57	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 20:00	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WC57	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 20:00	Y	7439-95-4	Magnesium	7160	ug/L	D	[NULL]	[NULL]	S	B1WC57	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 20:00	Y	7439-96-5	Manganese	1570	ug/L	D	[NULL]	[NULL]	S	B1WC57	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 20:00	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WC57	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 20:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WC57	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	7/17/2008 20:00	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WC57	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/17/2008 20:00	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WC57	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/17/2008 20:00	Y	14265-44-2	Phosphate	328000	ug/L	D	[NULL]	[NULL]	S	B1WC57	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/17/2008 20:00	Y	7440-09-7	Potassium	3580	ug/L	D	[NULL]	[NULL]	S	B1WC57	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 20:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WC57	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 20:00	Y	7440-23-5	Sodium	555000	ug/L	DX	[NULL]	[NULL]	S	B1WC57	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 20:00	Y	7440-24-6	Strontium	150	ug/L	D	[NULL]	[NULL]	S	B1WC57	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 20:00	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WC57	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/17/2008 20:00	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WC57	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/17/2008 20:00	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WC57	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2008 11:52	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WB57	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2008 11:52	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WB57	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2008 11:52	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WB57	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2008 11:52	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WB57	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2008 11:52	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WB57	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2008 11:52	Y	7440-70-2	Calcium	9740	ug/L	D	[NULL]	[NULL]	S	B1WB57	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2008 11:52	Y	16887-00-6	Chloride	265000	ug/L	D	[NULL]	[NULL]	S	B1WB57	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/18/2008 11:52	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WB57	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2008 11:52	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WB57	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2008 11:52	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WB57	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2008 11:52	Y	DO	Dissolved oxygen	1440	ug/L	[NULL]	[NULL]	[NULL]	S	B1W892	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	7/18/2008 11:52	Y	16984-48-8	Fluoride	464	ug/L	DU	[NULL]	[NULL]	S	B1WB57	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/18/2008 11:52	Y	12587-46-1	Gross alpha	3.83	pCi/L	U	[NULL]	[NULL]	S	B1W892	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-141	7/18/2008 11:52	Y	12587-47-2	Gross beta	92.3	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W892	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-141	7/18/2008 11:52	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WB57	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2008 11:52	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WB57	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2008 11:52	Y	7439-95-4	Magnesium	5900	ug/L	D	[NULL]	[NULL]	S	B1WB57	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2008 11:52	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WB57	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2008 11:52	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WB57	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2008 11:52	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WB57	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2008 11:52	Y	14797-55-8	Nitrate	1070	ug/L	DU	[NULL]	[NULL]	S	B1WB57	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/18/2008 11:52	Y	14797-65-0	Nitrite	841	ug/L	DU	[NULL]	[NULL]	S	B1WB57	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/18/2008 11:52	Y	EH	Oxidation Reduction Potential	-162	mV	[NULL]	[NULL]	[NULL]	S	B1W892	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	7/18/2008 11:52	Y	14265-44-2	Phosphate	2400000	ug/L	D	[NULL]	[NULL]	S	B1WB57	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/18/2008 11:52	Y	7440-09-7	Potassium	7590	ug/L	D	[NULL]	[NULL]	S	B1WB57	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2008 11:52	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WB57	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2008 11:52	Y	7440-23-5	Sodium	1890000	ug/L	DX	[NULL]	[NULL]	S	B1WB57	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2008 11:52	Y	CONDUCT	Specific Conductance	6520	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W892	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	7/18/2008 11:52	Y	7440-24-6	Strontium	263	ug/L	D	[NULL]	[NULL]	S	B1WB57	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2008 11:52	Y	14808-79-8	Sulfate	2640	ug/L	DU	[NULL]	[NULL]	S	B1WB57	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/18/2008 11:52	Y	TEMPERATURE	Temperature	19.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1W892	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	7/18/2008 11:52	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WB57	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2008 11:52	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WB57	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/18/2008 11:52	Y	PH	pH Measurement	7.49	unitless	[NULL]	[NULL]	[NULL]	S	B1W892	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	7/19/2008 8:00	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WB87	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/19/2008 8:00	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WB87	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/19/2008 8:00	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WB87	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/19/2008 8:00	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WB87	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/19/2008 8:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WB87	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/19/2008 8:00	Y	7440-70-2	Calcium	8680	ug/L	D	[NULL]	[NULL]	S	B1WB87	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/19/2008 8:00	Y	16887-00-6	Chloride	262000	ug/L	D	[NULL]	[NULL]	S	B1WB87	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/19/2008 8:00	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WB87	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/19/2008 8:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WB87	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/19/2008 8:00	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WB87	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	7/19/2008 8:00	Y	DO	Dissolved oxygen	1540	ug/L	[NULL]	[NULL]	[NULL]	S	B1WB70	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	7/19/2008 8:00	Y	16984-48-8	Fluoride	464	ug/L	DU	[NULL]	[NULL]	S	B1WB87	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/19/2008 8:00	Y	12587-46-1	Gross alpha	1.03	pCi/L	U	[NULL]	[NULL]	S	B1WB70	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-141	7/19/2008 8:00	Y	12587-47-2	Gross beta	86.1	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WB70	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-141	7/19/2008 8:00	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WB87	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/19/2008 8:00	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WB87	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/19/2008 8:00	Y	7439-95-4	Magnesium	5830	ug/L	D	[NULL]	[NULL]	S	B1WB87	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/19/2008 8:00	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WB87	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/19/2008 8:00	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WB87	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/19/2008 8:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WB87	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/19/2008 8:00	Y	14797-55-8	Nitrate	1070	ug/L	DU	[NULL]	[NULL]	S	B1WB87	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/19/2008 8:00	Y	14797-65-0	Nitrite	841	ug/L	DU	[NULL]	[NULL]	S	B1WB87	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/19/2008 8:00	Y	EH	Oxidation Reduction Potential	-169	mV	[NULL]	[NULL]	[NULL]	S	B1WB70	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	7/19/2008 8:00	Y	14265-44-2	Phosphate	2370000	ug/L	D	[NULL]	[NULL]	S	B1WB87	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/19/2008 8:00	Y	7440-09-7	Potassium	7870	ug/L	D	[NULL]	[NULL]	S	B1WB87	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/19/2008 8:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WB87	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/19/2008 8:00	Y	7440-23-5	Sodium	1860000	ug/L	DX	[NULL]	[NULL]	S	B1WB87	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/19/2008 8:00	Y	CONDUCT	Specific Conductance	6564	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WB70	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	7/19/2008 8:00	Y	7440-24-6	Strontium	256	ug/L	D	[NULL]	[NULL]	S	B1WB87	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/19/2008 8:00	Y	14808-79-8	Sulfate	2640	ug/L	DU	[NULL]	[NULL]	S	B1WB87	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/19/2008 8:00	Y	TEMPERATURE	Temperature	16.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1WB70	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	7/19/2008 8:00	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WB87	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/19/2008 8:00	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WB87	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/19/2008 8:00	Y	PH	pH Measurement	6.95	unitless	[NULL]	[NULL]	[NULL]	S	B1WB70	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	7/20/2008 7:33	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WCJ5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2008 7:33	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WCJ5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2008 7:33	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WCJ5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2008 7:33	Y	7440-39-3	Barium	20	ug/L	DNU	[NULL]	[NULL]	S	B1WCJ5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2008 7:33	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCJ5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2008 7:33	Y	7440-70-2	Calcium	8680	ug/L	DX	[NULL]	[NULL]	S	B1WCJ5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2008 7:33	Y	16887-00-6	Chloride	250000	ug/L	D	[NULL]	[NULL]	S	B1WCJ5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/20/2008 7:33	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WCJ5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2008 7:33	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WCJ5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2008 7:33	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WCJ5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2008 7:33	Y	DO	Dissolved oxygen	3630	ug/L	[NULL]	[NULL]	[NULL]	S	B1WCF8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	7/20/2008 7:33	Y	16984-48-8	Fluoride	464	ug/L	DU	[NULL]	[NULL]	S	B1WCJ5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/20/2008 7:33	Y	12587-46-1	Gross alpha	3.34	pCi/L	U	[NULL]	[NULL]	S	B1WCF8	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-141	7/20/2008 7:33	Y	12587-47-2	Gross beta	65.9	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WCF8	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-141	7/20/2008 7:33	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WCJ5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2008 7:33	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WCJ5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2008 7:33	Y	7439-95-4	Magnesium	5650	ug/L	DN	[NULL]	[NULL]	S	B1WCJ5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2008 7:33	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WCJ5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2008 7:33	Y	7439-98-7	Molybdenum	25	ug/L	DNU	[NULL]	[NULL]	S	B1WCJ5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2008 7:33	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WCJ5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2008 7:33	Y	14797-55-8	Nitrate	1070	ug/L	DU	[NULL]	[NULL]	S	B1WCJ5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/20/2008 7:33	Y	14797-65-0	Nitrite	841	ug/L	DU	[NULL]	[NULL]	S	B1WCJ5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/20/2008 7:33	Y	EH	Oxidation Reduction Potential	-113	mV	[NULL]	[NULL]	[NULL]	S	B1WCF8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	7/20/2008 7:33	Y	14265-44-2	Phosphate	2160000	ug/L	D	[NULL]	[NULL]	S	B1WCJ5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/20/2008 7:33	Y	7440-09-7	Potassium	7500	ug/L	DN	[NULL]	[NULL]	S	B1WCJ5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2008 7:33	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WCJ5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2008 7:33	Y	7440-23-5	Sodium	1790000	ug/L	DX	[NULL]	[NULL]	S	B1WCJ5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2008 7:33	Y	CONDUCT	Specific Conductance	6338	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WCF8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	7/20/2008 7:33	Y	7440-24-6	Strontium	254	ug/L	DN	[NULL]	[NULL]	S	B1WCJ5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	7/20/2008 7:33	Y	14808-79-8	Sulfate	2640	ug/L	DU	[NULL]	[NULL]	S	B1WCJ5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/20/2008 7:33	Y	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1WCF8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	7/20/2008 7:33	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WCJ5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2008 7:33	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WCJ5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/20/2008 7:33	Y	PH	pH Measurement	7.34	unitless	[NULL]	[NULL]	[NULL]	S	B1WCF8	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	7/21/2008 11:10	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WCM9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/21/2008 11:10	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WCM9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/21/2008 11:10	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WCM9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/21/2008 11:10	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCM9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/21/2008 11:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCM9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/21/2008 11:10	Y	7440-70-2	Calcium	8510	ug/L	D	[NULL]	[NULL]	S	B1WCM9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/21/2008 11:10	Y	16887-00-6	Chloride	240000	ug/L	D	[NULL]	[NULL]	S	B1WCM9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/21/2008 11:10	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WCM9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/21/2008 11:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WCM9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/21/2008 11:10	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WCM9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/21/2008 11:10	Y	DO	Dissolved oxygen	1230	ug/L	[NULL]	[NULL]	[NULL]	S	B1WCL2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	7/21/2008 11:10	Y	16984-48-8	Fluoride	464	ug/L	DU	[NULL]	[NULL]	S	B1WCM9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/21/2008 11:10	Y	12587-46-1	Gross alpha	-13.3	pCi/L	U	[NULL]	[NULL]	S	B1WCL2	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-141	7/21/2008 11:10	Y	12587-47-2	Gross beta	67.4	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WCL2	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-141	7/21/2008 11:10	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WCM9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/21/2008 11:10	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WCM9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/21/2008 11:10	Y	7439-95-4	Magnesium	6510	ug/L	D	[NULL]	[NULL]	S	B1WCM9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/21/2008 11:10	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WCM9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/21/2008 11:10	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WCM9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/21/2008 11:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WCM9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/21/2008 11:10	Y	14797-55-8	Nitrate	1070	ug/L	DU	[NULL]	[NULL]	S	B1WCM9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/21/2008 11:10	Y	14797-65-0	Nitrite	841	ug/L	DU	[NULL]	[NULL]	S	B1WCM9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/21/2008 11:10	Y	EH	Oxidation Reduction Potential	-168	mV	[NULL]	[NULL]	[NULL]	S	B1WCL2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	7/21/2008 11:10	Y	14265-44-2	Phosphate	1880000	ug/L	DN	[NULL]	[NULL]	S	B1WCM9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/21/2008 11:10	Y	7440-09-7	Potassium	8480	ug/L	D	[NULL]	[NULL]	S	B1WCM9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/21/2008 11:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WCM9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/21/2008 11:10	Y	7440-23-5	Sodium	1860000	ug/L	D	[NULL]	[NULL]	S	B1WCM9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/21/2008 11:10	Y	CONDUCT	Specific Conductance	5579	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WCL2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	7/21/2008 11:10	Y	7440-24-6	Strontium	288	ug/L	D	[NULL]	[NULL]	S	B1WCM9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/21/2008 11:10	Y	14808-79-8	Sulfate	2640	ug/L	DU	[NULL]	[NULL]	S	B1WCM9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/21/2008 11:10	Y	TEMPERATURE	Temperature	18.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1WCL2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	7/21/2008 11:10	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WCM9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/21/2008 11:10	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WCM9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/21/2008 11:10	Y	PH	pH Measurement	7.16	unitless	[NULL]	[NULL]	[NULL]	S	B1WCL2	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	7/22/2008 13:55	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WCT3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/22/2008 13:55	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WCT3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/22/2008 13:55	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WCT3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/22/2008 13:55	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCT3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/22/2008 13:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCT3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/22/2008 13:55	Y	7440-70-2	Calcium	9720	ug/L	DX	[NULL]	[NULL]	S	B1WCT3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/22/2008 13:55	Y	16887-00-6	Chloride	232000	ug/L	D	[NULL]	[NULL]	S	B1WCT3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/22/2008 13:55	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WCT3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/22/2008 13:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WCT3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/22/2008 13:55	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WCT3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/22/2008 13:55	Y	DO	Dissolved oxygen	1430	ug/L	[NULL]	[NULL]	[NULL]	S	B1WCP6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	7/22/2008 13:55	Y	DO	Dissolved oxygen	1430	ug/L	[NULL]	[NULL]	[NULL]	S	B1WCT3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	7/22/2008 13:55	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WCT3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/22/2008 13:55	Y	12587-46-1	Gross alpha	1.37	pCi/L	U	[NULL]	[NULL]	S	B1WCP6	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-141	7/22/2008 13:55	Y	12587-47-2	Gross beta	45.9	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WCP6	12587-47-2	TARL	BETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	7/22/2008 13:55	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WCT3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/22/2008 13:55	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WCT3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/22/2008 13:55	Y	7439-95-4	Magnesium	6100	ug/L	DN	[NULL]	[NULL]	S	B1WCT3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/22/2008 13:55	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WCT3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/22/2008 13:55	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WCT3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/22/2008 13:55	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WCT3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/22/2008 13:55	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WCT3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/22/2008 13:55	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WCT3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/22/2008 13:55	Y	EH	Oxidation Reduction Potential	-183	mV	[NULL]	[NULL]	[NULL]	S	B1WCT3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	7/22/2008 13:55	Y	EH	Oxidation Reduction Potential	-183	mV	[NULL]	[NULL]	[NULL]	S	B1WCP6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	7/22/2008 13:55	Y	14265-44-2	Phosphate	1340000	ug/L	D	[NULL]	[NULL]	S	B1WCT3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/22/2008 13:55	Y	7440-09-7	Potassium	6300	ug/L	D	[NULL]	[NULL]	S	B1WCT3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/22/2008 13:55	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WCT3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/22/2008 13:55	Y	7440-23-5	Sodium	1500000	ug/L	DX	[NULL]	[NULL]	S	B1WCT3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/22/2008 13:55	Y	CONDUCT	Specific Conductance	4733	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WCP6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	7/22/2008 13:55	Y	CONDUCT	Specific Conductance	4733	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WCT3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	7/22/2008 13:55	Y	7440-24-6	Strontium	263	ug/L	D	[NULL]	[NULL]	S	B1WCT3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/22/2008 13:55	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WCT3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/22/2008 13:55	Y	TEMPERATURE	Temperature	19.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WCP6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	7/22/2008 13:55	Y	TEMPERATURE	Temperature	19.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WCT3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	7/22/2008 13:55	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WCT3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/22/2008 13:55	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WCT3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/22/2008 13:55	Y	PH	pH Measurement	7.19	unitless	[NULL]	[NULL]	[NULL]	S	B1WCP6	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	7/22/2008 13:55	Y	PH	pH Measurement	7.19	unitless	[NULL]	[NULL]	[NULL]	S	B1WCT3	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	7/23/2008 11:55	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WL56	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/23/2008 11:55	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WL56	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/23/2008 11:55	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WL56	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/23/2008 11:55	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WL56	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/23/2008 11:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WL56	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/23/2008 11:55	Y	7440-70-2	Calcium	7540	ug/L	DN	[NULL]	[NULL]	S	B1WL56	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/23/2008 11:55	Y	16887-00-6	Chloride	245000	ug/L	D	[NULL]	[NULL]	S	B1WL56	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/23/2008 11:55	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WL56	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/23/2008 11:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WL56	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/23/2008 11:55	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WL56	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/23/2008 11:55	Y	DO	Dissolved oxygen	1130	ug/L	[NULL]	[NULL]	[NULL]	S	B1WL56	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	7/23/2008 11:55	Y	DO	Dissolved oxygen	1130	ug/L	[NULL]	[NULL]	[NULL]	S	B1WCW6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	7/23/2008 11:55	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WL56	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/23/2008 11:55	Y	12587-46-1	Gross alpha	1.43	pCi/L	U	[NULL]	[NULL]	S	B1WCW6	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-141	7/23/2008 11:55	Y	12587-47-2	Gross beta	51.4	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WCW6	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-141	7/23/2008 11:55	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WL56	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/23/2008 11:55	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WL56	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/23/2008 11:55	Y	7439-95-4	Magnesium	4830	ug/L	DN	[NULL]	[NULL]	S	B1WL56	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/23/2008 11:55	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WL56	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/23/2008 11:55	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WL56	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/23/2008 11:55	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WL56	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/23/2008 11:55	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WL56	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/23/2008 11:55	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WL56	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/23/2008 11:55	Y	EH	Oxidation Reduction Potential	-155	mV	[NULL]	[NULL]	[NULL]	S	B1WCW6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	7/23/2008 11:55	Y	EH	Oxidation Reduction Potential	-155	mV	[NULL]	[NULL]	[NULL]	S	B1WL56	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	7/23/2008 11:55	Y	14265-44-2	Phosphate	1260000	ug/L	D	[NULL]	[NULL]	S	B1WL56	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/23/2008 11:55	Y	7440-09-7	Potassium	5520	ug/L	DN	[NULL]	[NULL]	S	B1WL56	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	7/23/2008 11:55	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WL56	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/23/2008 11:55	Y	7440-23-5	Sodium	1250000	ug/L	D	[NULL]	[NULL]	S	B1WL56	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/23/2008 11:55	Y	CONDUCT	Specific Conductance	4757	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WCW6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	7/23/2008 11:55	Y	CONDUCT	Specific Conductance	4757	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WL56	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	7/23/2008 11:55	Y	7440-24-6	Strontium	222	ug/L	DN	[NULL]	[NULL]	S	B1WL56	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/23/2008 11:55	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WL56	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/23/2008 11:55	Y	TEMPERATURE	Temperature	17.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1WL56	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	7/23/2008 11:55	Y	TEMPERATURE	Temperature	17.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1WCW6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	7/23/2008 11:55	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WL56	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/23/2008 11:55	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WL56	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/23/2008 11:55	Y	PH	pH Measurement	7.22	unitless	[NULL]	[NULL]	[NULL]	S	B1WCW6	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	7/23/2008 11:55	Y	PH	pH Measurement	7.22	unitless	[NULL]	[NULL]	[NULL]	S	B1WL56	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	7/24/2008 10:17	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WC78	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 10:17	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WC78	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 10:17	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WC78	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 10:17	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WC78	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 10:17	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WC78	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 10:17	Y	7440-70-2	Calcium	8470	ug/L	DX	[NULL]	[NULL]	S	B1WC78	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 10:17	Y	16887-00-6	Chloride	232000	ug/L	D	[NULL]	[NULL]	S	B1WC78	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/24/2008 10:17	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WC78	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 10:17	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WC78	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 10:17	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WC78	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 10:17	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WC78	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/24/2008 10:17	Y	12587-46-1	Gross alpha	-7.1	pCi/L	U	[NULL]	[NULL]	S	B1WC67	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-141	7/24/2008 10:17	Y	12587-47-2	Gross beta	130	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WC67	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-141	7/24/2008 10:17	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WC78	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 10:17	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WC78	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 10:17	Y	7439-95-4	Magnesium	6200	ug/L	D	[NULL]	[NULL]	S	B1WC78	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 10:17	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WC78	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 10:17	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WC78	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 10:17	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WC78	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 10:17	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WC78	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/24/2008 10:17	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WC78	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/24/2008 10:17	Y	14265-44-2	Phosphate	1630000	ug/L	DEX	[NULL]	[NULL]	S	B1WC78	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/24/2008 10:17	Y	7440-09-7	Potassium	6560	ug/L	D	[NULL]	[NULL]	S	B1WC78	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 10:17	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WC78	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 10:17	Y	7440-23-5	Sodium	1500000	ug/L	DX	[NULL]	[NULL]	S	B1WC78	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 10:17	Y	7440-24-6	Strontium	233	ug/L	D	[NULL]	[NULL]	S	B1WC78	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 10:17	Y	14808-79-8	Sulfate	1800	ug/L	BD	[NULL]	[NULL]	S	B1WC78	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/24/2008 10:17	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WC78	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 10:17	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WC78	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 12:05	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WL90	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 12:05	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WL90	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 12:05	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WL90	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 12:05	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WL90	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 12:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WL90	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 12:05	Y	7440-70-2	Calcium	8960	ug/L	DN	[NULL]	[NULL]	S	B1WL90	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 12:05	Y	16887-00-6	Chloride	234000	ug/L	D	[NULL]	[NULL]	S	B1WL90	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/24/2008 12:05	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WL90	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 12:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WL90	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 12:05	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WL90	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 12:05	Y	DO	Dissolved oxygen	8110	ug/L	[NULL]	[NULL]	[NULL]	S	B1WL90	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	7/24/2008 12:05	Y	DO	Dissolved oxygen	8110	ug/L	[NULL]	[NULL]	[NULL]	S	B1WL73	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	7/24/2008 12:05	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WL90	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/24/2008 12:05	Y	12587-46-1	Gross alpha	0.149	pCi/L	U	[NULL]	[NULL]	S	B1WL73	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	7/24/2008 12:05	Y	12587-47-2	Gross beta	86.6	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WL73	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-141	7/24/2008 12:05	Y	7439-89-6	Iron	405	ug/L	D	[NULL]	[NULL]	S	B1WL90	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 12:05	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WL90	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 12:05	Y	7439-95-4	Magnesium	6120	ug/L	DN	[NULL]	[NULL]	S	B1WL90	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 12:05	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WL90	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 12:05	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WL90	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 12:05	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WL90	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 12:05	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WL90	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/24/2008 12:05	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WL90	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/24/2008 12:05	Y	EH	Oxidation Reduction Potential	-197	mV	[NULL]	[NULL]	[NULL]	S	B1WL90	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	7/24/2008 12:05	Y	EH	Oxidation Reduction Potential	-197	mV	[NULL]	[NULL]	[NULL]	S	B1WL73	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	7/24/2008 12:05	Y	14265-44-2	Phosphate	1470000	ug/L	D	[NULL]	[NULL]	S	B1WL90	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/24/2008 12:05	Y	7440-09-7	Potassium	6200	ug/L	DN	[NULL]	[NULL]	S	B1WL90	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 12:05	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WL90	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 12:05	Y	7440-23-5	Sodium	1430000	ug/L	D	[NULL]	[NULL]	S	B1WL90	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 12:05	Y	CONDUCT	Specific Conductance	5098	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WL90	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	7/24/2008 12:05	Y	CONDUCT	Specific Conductance	5098	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WL73	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	7/24/2008 12:05	Y	7440-24-6	Strontium	234	ug/L	DN	[NULL]	[NULL]	S	B1WL90	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 12:05	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WL90	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/24/2008 12:05	Y	TEMPERATURE	Temperature	11.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1WL90	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	7/24/2008 12:05	Y	TEMPERATURE	Temperature	22.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1WL73	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	7/24/2008 12:05	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WL90	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 12:05	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WL90	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/24/2008 12:05	Y	PH	pH Measurement	7.2	unitless	[NULL]	[NULL]	[NULL]	S	B1WL73	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	7/24/2008 12:05	Y	PH	pH Measurement	7.2	unitless	[NULL]	[NULL]	[NULL]	S	B1WL90	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	7/25/2008 9:03	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WLD0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/25/2008 9:03	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WLD0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/25/2008 9:03	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WLD0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/25/2008 9:03	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLD0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/25/2008 9:03	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLD0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/25/2008 9:03	Y	7440-70-2	Calcium	8260	ug/L	DX	[NULL]	[NULL]	S	B1WLD0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/25/2008 9:03	Y	16887-00-6	Chloride	226000	ug/L	D	[NULL]	[NULL]	S	B1WLD0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/25/2008 9:03	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WLD0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/25/2008 9:03	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WLD0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/25/2008 9:03	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WLD0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/25/2008 9:03	Y	DO	Dissolved oxygen	1320	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLB7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	7/25/2008 9:03	Y	DO	Dissolved oxygen	1320	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLD0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	7/25/2008 9:03	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WLD0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/25/2008 9:03	Y	12587-46-1	Gross alpha	6.06	pCi/L	U	[NULL]	[NULL]	S	B1WLB7	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-141	7/25/2008 9:03	Y	12587-47-2	Gross beta	70	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WLB7	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-141	7/25/2008 9:03	Y	7439-89-6	Iron	336	ug/L	BD	[NULL]	[NULL]	S	B1WLD0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/25/2008 9:03	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WLD0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/25/2008 9:03	Y	7439-95-4	Magnesium	6040	ug/L	D	[NULL]	[NULL]	S	B1WLD0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/25/2008 9:03	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WLD0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/25/2008 9:03	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WLD0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/25/2008 9:03	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WLD0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/25/2008 9:03	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WLD0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/25/2008 9:03	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WLD0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/25/2008 9:03	Y	EH	Oxidation Reduction Potential	-226.3	mV	[NULL]	[NULL]	[NULL]	S	B1WLD0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	7/25/2008 9:03	Y	EH	Oxidation Reduction Potential	-226	mV	[NULL]	[NULL]	[NULL]	S	B1WLB7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	7/25/2008 9:03	Y	14265-44-2	Phosphate	1550000	ug/L	D	[NULL]	[NULL]	S	B1WLD0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	7/25/2008 9:03	Y	7440-09-7	Potassium	6400	ug/L	D	[NULL]	[NULL]	S	B1WLD0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/25/2008 9:03	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WLD0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/25/2008 9:03	Y	7440-23-5	Sodium	1490000	ug/L	D	[NULL]	[NULL]	S	B1WLD0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/25/2008 9:03	Y	CONDUCT	Specific Conductance	5410	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLD0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	7/25/2008 9:03	Y	CONDUCT	Specific Conductance	5410	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLB7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	7/25/2008 9:03	Y	7440-24-6	Strontium	225	ug/L	D	[NULL]	[NULL]	S	B1WLD0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/25/2008 9:03	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WLD0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/25/2008 9:03	Y	TEMPERATURE	Temperature	17.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLB7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	7/25/2008 9:03	Y	TEMPERATURE	Temperature	17.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLD0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	7/25/2008 9:03	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WLD0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/25/2008 9:03	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WLD0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/25/2008 9:03	Y	PH	pH Measurement	7.3	unitless	[NULL]	[NULL]	[NULL]	S	B1WLB7	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-141	7/25/2008 9:03	Y	PH	pH Measurement	7.3	unitless	[NULL]	[NULL]	[NULL]	S	B1WLD0	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	7/26/2008 7:17	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WLK5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/26/2008 7:17	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WLK5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/26/2008 7:17	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WLK5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/26/2008 7:17	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLK5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/26/2008 7:17	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLK5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/26/2008 7:17	Y	7440-70-2	Calcium	7620	ug/L	DX	[NULL]	[NULL]	S	B1WLK5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/26/2008 7:17	Y	16887-00-6	Chloride	225000	ug/L	D	[NULL]	[NULL]	S	B1WLK5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/26/2008 7:17	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WLK5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/26/2008 7:17	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WLK5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/26/2008 7:17	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WLK5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/26/2008 7:17	Y	DO	Dissolved oxygen	2190	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLH0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	7/26/2008 7:17	Y	16984-48-8	Fluoride	232	ug/L	DNU	[NULL]	[NULL]	S	B1WLK5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/26/2008 7:17	Y	12587-46-1	Gross alpha	-6.49	pCi/L	U	[NULL]	[NULL]	S	B1WLH0	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-141	7/26/2008 7:17	Y	12587-47-2	Gross beta	51.5	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WLH0	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-141	7/26/2008 7:17	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WLK5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/26/2008 7:17	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WLK5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/26/2008 7:17	Y	7439-95-4	Magnesium	5730	ug/L	D	[NULL]	[NULL]	S	B1WLK5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/26/2008 7:17	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WLK5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/26/2008 7:17	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WLK5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/26/2008 7:17	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WLK5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/26/2008 7:17	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WLK5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/26/2008 7:17	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WLK5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/26/2008 7:17	Y	EH	Oxidation Reduction Potential	-314	mV	[NULL]	[NULL]	[NULL]	S	B1WLH0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	7/26/2008 7:17	Y	14265-44-2	Phosphate	1510000	ug/L	DN	[NULL]	[NULL]	S	B1WLK5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/26/2008 7:17	Y	7440-09-7	Potassium	6120	ug/L	D	[NULL]	[NULL]	S	B1WLK5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/26/2008 7:17	Y	7440-22-4	Silver	111	ug/L	BCD	[NULL]	[NULL]	S	B1WLK5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/26/2008 7:17	Y	7440-23-5	Sodium	1400000	ug/L	DX	[NULL]	[NULL]	S	B1WLK5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/26/2008 7:17	Y	CONDUCT	Specific Conductance	5061	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLH0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	7/26/2008 7:17	Y	7440-24-6	Strontium	221	ug/L	D	[NULL]	[NULL]	S	B1WLK5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/26/2008 7:17	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WLK5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/26/2008 7:17	Y	TEMPERATURE	Temperature	17.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLH0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	7/26/2008 7:17	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WLK5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/26/2008 7:17	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WLK5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/26/2008 7:17	Y	PH	pH Measurement	7.77	unitless	[NULL]	[NULL]	[NULL]	S	B1WLH0	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	7/27/2008 6:26	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WLP3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2008 6:26	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WLP3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2008 6:26	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WLP3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2008 6:26	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLP3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2008 6:26	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLP3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2008 6:26	Y	7440-70-2	Calcium	8590	ug/L	D	[NULL]	[NULL]	S	B1WLP3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2008 6:26	Y	16887-00-6	Chloride	223000	ug/L	D	[NULL]	[NULL]	S	B1WLP3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	7/27/2008 6:26	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WLP3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2008 6:26	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WLP3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2008 6:26	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WLP3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2008 6:26	Y	DO	Dissolved oxygen	840	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLP3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	7/27/2008 6:26	Y	DO	Dissolved oxygen	840	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLN0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	7/27/2008 6:26	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WLP3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/27/2008 6:26	Y	12587-46-1	Gross alpha	0.923	pCi/L	U	[NULL]	[NULL]	S	B1WLN0	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-141	7/27/2008 6:26	Y	12587-47-2	Gross beta	36.7	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WLN0	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-141	7/27/2008 6:26	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WLP3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2008 6:26	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WLP3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2008 6:26	Y	7439-95-4	Magnesium	5630	ug/L	D	[NULL]	[NULL]	S	B1WLP3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2008 6:26	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WLP3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2008 6:26	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WLP3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2008 6:26	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WLP3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2008 6:26	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WLP3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/27/2008 6:26	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WLP3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/27/2008 6:26	Y	EH	Oxidation Reduction Potential	-330	mV	[NULL]	[NULL]	[NULL]	S	B1WLN0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	7/27/2008 6:26	Y	EH	Oxidation Reduction Potential	-330	mV	[NULL]	[NULL]	[NULL]	S	B1WLP3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	7/27/2008 6:26	Y	14265-44-2	Phosphate	1380000	ug/L	D	[NULL]	[NULL]	S	B1WLP3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/27/2008 6:26	Y	7440-09-7	Potassium	5970	ug/L	D	[NULL]	[NULL]	S	B1WLP3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2008 6:26	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WLP3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2008 6:26	Y	7440-23-5	Sodium	1400000	ug/L	D	[NULL]	[NULL]	S	B1WLP3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2008 6:26	Y	CONDUCT	Specific Conductance	4993	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLP3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	7/27/2008 6:26	Y	CONDUCT	Specific Conductance	4993	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLN0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	7/27/2008 6:26	Y	7440-24-6	Strontium	229	ug/L	D	[NULL]	[NULL]	S	B1WLP3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2008 6:26	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WLP3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/27/2008 6:26	Y	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLN0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	7/27/2008 6:26	Y	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLP3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	7/27/2008 6:26	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WLP3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2008 6:26	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WLP3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/27/2008 6:26	Y	PH	pH Measurement	7.79	unitless	[NULL]	[NULL]	[NULL]	S	B1WLP3	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-141	7/27/2008 6:26	Y	PH	pH Measurement	7.79	unitless	[NULL]	[NULL]	[NULL]	S	B1WLN0	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	7/28/2008 11:35	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WLW1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/28/2008 11:35	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WLW1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/28/2008 11:35	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WLW1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/28/2008 11:35	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLW1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/28/2008 11:35	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLW1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/28/2008 11:35	Y	7440-70-2	Calcium	7150	ug/L	D	[NULL]	[NULL]	S	B1WLW1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/28/2008 11:35	Y	16887-00-6	Chloride	193000	ug/L	D	[NULL]	[NULL]	S	B1WLW1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/28/2008 11:35	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WLW1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/28/2008 11:35	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WLW1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/28/2008 11:35	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WLW1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/28/2008 11:35	Y	DO	Dissolved oxygen	1230	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLW1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	7/28/2008 11:35	Y	DO	Dissolved oxygen	1230	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLR6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	7/28/2008 11:35	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WLW1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/28/2008 11:35	Y	12587-46-1	Gross alpha	-6.19	pCi/L	U	[NULL]	[NULL]	S	B1WLR6	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-141	7/28/2008 11:35	Y	12587-47-2	Gross beta	57.1	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WLR6	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-141	7/28/2008 11:35	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WLW1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/28/2008 11:35	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WLW1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/28/2008 11:35	Y	7439-95-4	Magnesium	5120	ug/L	D	[NULL]	[NULL]	S	B1WLW1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/28/2008 11:35	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WLW1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/28/2008 11:35	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WLW1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/28/2008 11:35	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WLW1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	7/28/2008 11:35	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WLW1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/28/2008 11:35	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WLW1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/28/2008 11:35	Y	EH	Oxidation Reduction Potential	-253	mV	[NULL]	[NULL]	[NULL]	S	B1WLW1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	7/28/2008 11:35	Y	EH	Oxidation Reduction Potential	-253	mV	[NULL]	[NULL]	[NULL]	S	B1WLR6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	7/28/2008 11:35	Y	14265-44-2	Phosphate	978000	ug/L	DN	[NULL]	[NULL]	S	B1WLW1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/28/2008 11:35	Y	7440-09-7	Potassium	4820	ug/L	D	[NULL]	[NULL]	S	B1WLW1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/28/2008 11:35	Y	7440-22-4	Silver	76	ug/L	CD	[NULL]	[NULL]	S	B1WLW1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/28/2008 11:35	Y	7440-23-5	Sodium	1110000	ug/L	D	[NULL]	[NULL]	S	B1WLW1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/28/2008 11:35	Y	CONDUCT	Specific Conductance	3838	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLR6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	7/28/2008 11:35	Y	CONDUCT	Specific Conductance	3838	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLW1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	7/28/2008 11:35	Y	7440-24-6	Strontium	200	ug/L	D	[NULL]	[NULL]	S	B1WLW1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/28/2008 11:35	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WLW1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/28/2008 11:35	Y	TEMPERATURE	Temperature	19.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLW1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	7/28/2008 11:35	Y	TEMPERATURE	Temperature	19.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLR6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	7/28/2008 11:35	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WLW1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/28/2008 11:35	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WLW1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/28/2008 11:35	Y	PH	pH Measurement	7.8	unitless	[NULL]	[NULL]	[NULL]	S	B1WLR6	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	7/28/2008 11:35	Y	PH	pH Measurement	7.8	unitless	[NULL]	[NULL]	[NULL]	S	B1WLW1	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	7/29/2008 9:35	N	7429-90-5	Aluminum	300	ug/L	UD	[NULL]	[NULL]	S	B1WM09	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/29/2008 9:35	N	7440-36-0	Antimony	300	ug/L	UD	[NULL]	[NULL]	S	B1WM09	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/29/2008 9:35	N	7440-38-2	Arsenic	400	ug/L	UD	[NULL]	[NULL]	S	B1WM09	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/29/2008 9:35	N	7440-39-3	Barium	20	ug/L	UD	[NULL]	[NULL]	S	B1WM09	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/29/2008 9:35	N	7440-43-9	Cadmium	20	ug/L	UD	[NULL]	[NULL]	S	B1WM09	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/29/2008 9:35	N	7440-70-2	Calcium	7680	ug/L	D	[NULL]	[NULL]	S	B1WM09	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/29/2008 9:35	N	16887-00-6	Chloride	193000	ug/L	D	[NULL]	[NULL]	S	B1WM09	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/29/2008 9:35	N	7440-47-3	Chromium	60	ug/L	UD	[NULL]	[NULL]	S	B1WM09	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/29/2008 9:35	N	7440-48-4	Cobalt	20	ug/L	UD	[NULL]	[NULL]	S	B1WM09	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/29/2008 9:35	N	7440-50-8	Copper	30	ug/L	UD	[NULL]	[NULL]	S	B1WM09	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/29/2008 9:35	Y	DO	Dissolved oxygen	1790	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLY6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	7/29/2008 9:35	N	16984-48-8	Fluoride	200	ug/L	UD	[NULL]	[NULL]	S	B1WM09	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/29/2008 9:35	Y	12587-46-1	Gross alpha	-2.76	pCi/L	U	[NULL]	[NULL]	S	B1WLY6	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-141	7/29/2008 9:35	Y	12587-47-2	Gross beta	25.3	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WLY6	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-141	7/29/2008 9:35	N	7439-89-6	Iron	101	ug/L	BD	[NULL]	[NULL]	S	B1WM09	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/29/2008 9:35	N	7439-92-1	Lead	200	ug/L	UD	[NULL]	[NULL]	S	B1WM09	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/29/2008 9:35	N	7439-95-4	Magnesium	5310	ug/L	D	[NULL]	[NULL]	S	B1WM09	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/29/2008 9:35	N	7439-96-5	Manganese	20	ug/L	UD	[NULL]	[NULL]	S	B1WM09	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/29/2008 9:35	N	7439-98-7	Molybdenum	20	ug/L	UD	[NULL]	[NULL]	S	B1WM09	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/29/2008 9:35	N	7440-02-0	Nickel	30	ug/L	UD	[NULL]	[NULL]	S	B1WM09	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/29/2008 9:35	N	14797-55-8	Nitrate	443	ug/L	UD	[NULL]	[NULL]	S	B1WM09	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/29/2008 9:35	N	14797-65-0	Nitrite	328	ug/L	UD	[NULL]	[NULL]	S	B1WM09	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/29/2008 9:35	Y	EH	Oxidation Reduction Potential	-256	mV	[NULL]	[NULL]	[NULL]	S	B1WLY6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	7/29/2008 9:35	N	14265-44-2	Phosphate	981000	ug/L	D	[NULL]	[NULL]	S	B1WM09	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/29/2008 9:35	N	7440-09-7	Potassium	5270	ug/L	D	[NULL]	[NULL]	S	B1WM09	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/29/2008 9:35	N	7440-22-4	Silver	31	ug/L	BD	[NULL]	[NULL]	S	B1WM09	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/29/2008 9:35	N	7440-23-5	Sodium	1170000	ug/L	D	[NULL]	[NULL]	S	B1WM09	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/29/2008 9:35	Y	CONDUCT	Specific Conductance	3609	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLY6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	7/29/2008 9:35	N	7440-24-6	Strontium	223	ug/L	D	[NULL]	[NULL]	S	B1WM09	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/29/2008 9:35	N	14808-79-8	Sulfate	1000	ug/L	UD	[NULL]	[NULL]	S	B1WM09	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/29/2008 9:35	Y	TEMPERATURE	Temperature	19.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLY6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	7/29/2008 9:35	N	7440-62-2	Vanadium	60	ug/L	UD	[NULL]	[NULL]	S	B1WM09	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/29/2008 9:35	N	7440-66-6	Zinc	40	ug/L	UD	[NULL]	[NULL]	S	B1WM09	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/29/2008 9:35	Y	PH	pH Measurement	7.84	unitless	[NULL]	[NULL]	[NULL]	S	B1WLY6	PH	FIELD	PH_PAPER_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	7/30/2008 10:25	N	7429-90-5	Aluminum	300	ug/L	UD	[NULL]	[NULL]	S	B1WM52	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/30/2008 10:25	N	7440-36-0	Antimony	300	ug/L	UD	[NULL]	[NULL]	S	B1WM52	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/30/2008 10:25	N	7440-38-2	Arsenic	400	ug/L	UD	[NULL]	[NULL]	S	B1WM52	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/30/2008 10:25	N	7440-39-3	Barium	20	ug/L	UD	[NULL]	[NULL]	S	B1WM52	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/30/2008 10:25	N	7440-43-9	Cadmium	20	ug/L	UD	[NULL]	[NULL]	S	B1WM52	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/30/2008 10:25	N	7440-70-2	Calcium	8610	ug/L	D	[NULL]	[NULL]	S	B1WM52	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/30/2008 10:25	N	16887-00-6	Chloride	163000	ug/L	D	Z	[NULL]	S	B1WM52	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/30/2008 10:25	N	7440-47-3	Chromium	60	ug/L	UD	[NULL]	[NULL]	S	B1WM52	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/30/2008 10:25	N	7440-48-4	Cobalt	20	ug/L	UD	[NULL]	[NULL]	S	B1WM52	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/30/2008 10:25	N	7440-50-8	Copper	30	ug/L	UD	[NULL]	[NULL]	S	B1WM52	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/30/2008 10:25	Y	DO	Dissolved oxygen	1950	ug/L	[NULL]	[NULL]	[NULL]	S	B1WM27	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	7/30/2008 10:25	N	16984-48-8	Fluoride	1000	ug/L	UD	Z	[NULL]	S	B1WM52	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/30/2008 10:25	Y	12587-46-1	Gross alpha	-4.43	pCi/L	U	[NULL]	[NULL]	S	B1WM27	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-141	7/30/2008 10:25	Y	12587-47-2	Gross beta	45.7	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WM27	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-141	7/30/2008 10:25	N	7439-89-6	Iron	100	ug/L	UD	[NULL]	[NULL]	S	B1WM52	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/30/2008 10:25	N	7439-92-1	Lead	200	ug/L	UD	[NULL]	[NULL]	S	B1WM52	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/30/2008 10:25	N	7439-95-4	Magnesium	5530	ug/L	D	[NULL]	[NULL]	S	B1WM52	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/30/2008 10:25	N	7439-96-5	Manganese	20	ug/L	UD	[NULL]	[NULL]	S	B1WM52	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/30/2008 10:25	N	7439-98-7	Molybdenum	20	ug/L	UD	[NULL]	[NULL]	S	B1WM52	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/30/2008 10:25	N	7440-02-0	Nickel	30	ug/L	UD	[NULL]	[NULL]	S	B1WM52	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/30/2008 10:25	N	14797-55-8	Nitrate	2660	ug/L	UD	Z	[NULL]	S	B1WM52	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/30/2008 10:25	N	14797-65-0	Nitrite	2300	ug/L	UD	Z	[NULL]	S	B1WM52	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/30/2008 10:25	Y	EH	Oxidation Reduction Potential	-158	mV	[NULL]	[NULL]	[NULL]	S	B1WM27	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	7/30/2008 10:25	N	14265-44-2	Phosphate	843000	ug/L	D	Z	[NULL]	S	B1WM52	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/30/2008 10:25	N	7440-09-7	Potassium	5340	ug/L	D	[NULL]	[NULL]	S	B1WM52	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/30/2008 10:25	N	7440-22-4	Silver	20	ug/L	UD	[NULL]	[NULL]	S	B1WM52	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/30/2008 10:25	N	7440-23-5	Sodium	1250000	ug/L	D	[NULL]	[NULL]	S	B1WM52	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/30/2008 10:25	Y	CONDUCT	Specific Conductance	3877	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WM27	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	7/30/2008 10:25	N	7440-24-6	Strontium	239	ug/L	D	[NULL]	[NULL]	S	B1WM52	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/30/2008 10:25	N	14808-79-8	Sulfate	7000	ug/L	UD	Z	[NULL]	S	B1WM52	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/30/2008 10:25	Y	TEMPERATURE	Temperature	18	Deg C	[NULL]	[NULL]	[NULL]	S	B1WM27	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	7/30/2008 10:25	N	7440-62-2	Vanadium	60	ug/L	UD	[NULL]	[NULL]	S	B1WM52	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/30/2008 10:25	N	7440-66-6	Zinc	40	ug/L	UD	[NULL]	[NULL]	S	B1WM52	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/30/2008 10:25	Y	PH	pH Measurement	7.38	unitless	[NULL]	[NULL]	[NULL]	S	B1WM27	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	7/31/2008 10:09	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VWF1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/31/2008 10:09	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VWF1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/31/2008 10:09	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VWF1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/31/2008 10:09	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWF1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/31/2008 10:09	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWF1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/31/2008 10:09	Y	7440-70-2	Calcium	6570	ug/L	D	[NULL]	[NULL]	S	B1VWF1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/31/2008 10:09	Y	16887-00-6	Chloride	177000	ug/L	D	[NULL]	[NULL]	S	B1VWF1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/31/2008 10:09	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VWF1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/31/2008 10:09	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VWF1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/31/2008 10:09	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VWF1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/31/2008 10:09	Y	DO	Dissolved oxygen	1250	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWB5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	7/31/2008 10:09	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1VWF1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/31/2008 10:09	Y	12587-46-1	Gross alpha	6.8	pCi/L	U	[NULL]	[NULL]	S	B1VWB5	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-141	7/31/2008 10:09	Y	12587-47-2	Gross beta	50.2	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VWB5	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-141	7/31/2008 10:09	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VWF1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/31/2008 10:09	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VWF1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/31/2008 10:09	Y	7439-95-4	Magnesium	4260	ug/L	D	[NULL]	[NULL]	S	B1VWF1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/31/2008 10:09	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VWF1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/31/2008 10:09	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VWF1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/31/2008 10:09	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VWF1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	7/31/2008 10:09	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1VWF1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/31/2008 10:09	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1VWF1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/31/2008 10:09	Y	EH	Oxidation Reduction Potential	-134	mV	[NULL]	[NULL]	[NULL]	S	B1VWB5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	7/31/2008 10:09	Y	14265-44-2	Phosphate	917000	ug/L	D	[NULL]	[NULL]	S	B1VWF1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/31/2008 10:09	Y	7440-09-7	Potassium	3930	ug/L	D	[NULL]	[NULL]	S	B1VWF1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/31/2008 10:09	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VWF1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/31/2008 10:09	Y	7440-23-5	Sodium	934000	ug/L	D	[NULL]	[NULL]	S	B1VWF1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/31/2008 10:09	Y	CONDUCT	Specific Conductance	3812	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWB5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	7/31/2008 10:09	Y	7440-24-6	Strontium	191	ug/L	D	[NULL]	[NULL]	S	B1VWF1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/31/2008 10:09	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1VWF1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	7/31/2008 10:09	Y	TEMPERATURE	Temperature	17.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWB5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	7/31/2008 10:09	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VWF1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/31/2008 10:09	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VWF1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	7/31/2008 10:09	Y	PH	pH Measurement	6.94	unitless	[NULL]	[NULL]	[NULL]	S	B1VWB5	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	8/1/2008 10:25	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WN29	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/1/2008 10:25	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WN29	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/1/2008 10:25	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WN29	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/1/2008 10:25	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WN29	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/1/2008 10:25	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WN29	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/1/2008 10:25	Y	7440-70-2	Calcium	4950	ug/L	CD	[NULL]	[NULL]	S	B1WN29	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/1/2008 10:25	Y	16887-00-6	Chloride	328000	ug/L	D	[NULL]	[NULL]	S	B1WNM7	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	8/1/2008 10:25	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WN29	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/1/2008 10:25	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WN29	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/1/2008 10:25	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WN29	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/1/2008 10:25	Y	DO	Dissolved oxygen	960	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWL0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	8/1/2008 10:25	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WNM7	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	8/1/2008 10:25	Y	12587-46-1	Gross alpha	-0.582	pCi/L	U	[NULL]	[NULL]	S	B1VWL0	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-141	8/1/2008 10:25	Y	12587-47-2	Gross beta	63.9	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VWL0	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-141	8/1/2008 10:25	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WN29	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/1/2008 10:25	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WN29	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/1/2008 10:25	Y	7439-95-4	Magnesium	3260	ug/L	D	[NULL]	[NULL]	S	B1WN29	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/1/2008 10:25	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WN29	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/1/2008 10:25	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WN29	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/1/2008 10:25	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WN29	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/1/2008 10:25	Y	14797-55-8	Nitrate	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNM7	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	8/1/2008 10:25	Y	14797-65-0	Nitrite	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNM7	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	8/1/2008 10:25	Y	EH	Oxidation Reduction Potential	-159	mV	[NULL]	[NULL]	[NULL]	S	B1VWL0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	8/1/2008 10:25	Y	14265-44-2	Phosphate	939000	ug/L	D	[NULL]	[NULL]	S	B1WNM7	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	8/1/2008 10:25	Y	7440-09-7	Potassium	3120	ug/L	D	[NULL]	[NULL]	S	B1WN29	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/1/2008 10:25	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WN29	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/1/2008 10:25	Y	7440-23-5	Sodium	686000	ug/L	D	[NULL]	[NULL]	S	B1WN29	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/1/2008 10:25	Y	CONDUCT	Specific Conductance	3647	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWL0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	8/1/2008 10:25	Y	7440-24-6	Strontium	130	ug/L	D	[NULL]	[NULL]	S	B1WN29	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/1/2008 10:25	Y	14808-79-8	Sulfate	6900	ug/L	D	[NULL]	[NULL]	S	B1WNM7	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	8/1/2008 10:25	Y	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWL0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	8/1/2008 10:25	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WN29	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/1/2008 10:25	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WN29	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/1/2008 10:25	Y	PH	pH Measurement	7.09	unitless	[NULL]	[NULL]	[NULL]	S	B1VWL0	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	8/2/2008 8:10	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WN74	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/2/2008 8:10	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WN74	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/2/2008 8:10	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WN74	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/2/2008 8:10	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WN74	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/2/2008 8:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WN74	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	8/2/2008 8:10	Y	7440-70-2	Calcium	8070	ug/L	D	[NULL]	[NULL]	S	B1WN74	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/2/2008 8:10	Y	16887-00-6	Chloride	158000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNR5	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	8/2/2008 8:10	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WN74	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/2/2008 8:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WN74	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/2/2008 8:10	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WN74	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/2/2008 8:10	Y	DO	Dissolved oxygen	1660	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNR5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	8/2/2008 8:10	Y	DO	Dissolved oxygen	1660	ug/L	[NULL]	[NULL]	[NULL]	S	B1WN61	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	8/2/2008 8:10	Y	16984-48-8	Fluoride	2500	ug/L	U	[NULL]	[NULL]	S	B1WNR5	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	8/2/2008 8:10	Y	12587-46-1	Gross alpha	-1.91	pCi/L	U	[NULL]	[NULL]	S	B1WN61	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-141	8/2/2008 8:10	Y	12587-47-2	Gross beta	27.6	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WN61	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-141	8/2/2008 8:10	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WN74	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/2/2008 8:10	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WN74	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/2/2008 8:10	Y	7439-95-4	Magnesium	5170	ug/L	D	[NULL]	[NULL]	S	B1WN74	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/2/2008 8:10	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WN74	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/2/2008 8:10	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WN74	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/2/2008 8:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WN74	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/2/2008 8:10	Y	14797-55-8	Nitrate	2500	ug/L	U	[NULL]	[NULL]	S	B1WNR5	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	8/2/2008 8:10	Y	14797-65-0	Nitrite	2500	ug/L	U	[NULL]	[NULL]	S	B1WNR5	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	8/2/2008 8:10	Y	EH	Oxidation Reduction Potential	-188	mV	[NULL]	[NULL]	[NULL]	S	B1WNR5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	8/2/2008 8:10	Y	EH	Oxidation Reduction Potential	-188	mV	[NULL]	[NULL]	[NULL]	S	B1WN61	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	8/2/2008 8:10	Y	14265-44-2	Phosphate	949000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNR5	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	8/2/2008 8:10	Y	7440-09-7	Potassium	4660	ug/L	D	[NULL]	[NULL]	S	B1WN74	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/2/2008 8:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WN74	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/2/2008 8:10	Y	7440-23-5	Sodium	1080000	ug/L	D	[NULL]	[NULL]	S	B1WN74	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/2/2008 8:10	Y	CONDUCT	Specific Conductance	3497	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WNR5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	8/2/2008 8:10	Y	CONDUCT	Specific Conductance	3497	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WN61	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	8/2/2008 8:10	Y	7440-24-6	Strontium	214	ug/L	D	[NULL]	[NULL]	S	B1WN74	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/2/2008 8:10	Y	14808-79-8	Sulfate	2500	ug/L	U	[NULL]	[NULL]	S	B1WNR5	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	8/2/2008 8:10	Y	TEMPERATURE	Temperature	16.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1WN61	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	8/2/2008 8:10	Y	TEMPERATURE	Temperature	16.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1WNR5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	8/2/2008 8:10	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WN74	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/2/2008 8:10	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WN74	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/2/2008 8:10	Y	PH	pH Measurement	7.27	unitless	[NULL]	[NULL]	[NULL]	S	B1WN61	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	8/2/2008 8:10	Y	PH	pH Measurement	7.27	unitless	[NULL]	[NULL]	[NULL]	S	B1WNR5	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	8/4/2008 9:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WNB0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/4/2008 9:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WNB0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/4/2008 9:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WNB0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/4/2008 9:30	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WNB0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/4/2008 9:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WNB0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/4/2008 9:30	Y	7440-70-2	Calcium	7200	ug/L	D	[NULL]	[NULL]	S	B1WNB0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/4/2008 9:30	Y	16887-00-6	Chloride	149000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNT8	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	8/4/2008 9:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WNB0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/4/2008 9:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WNB0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/4/2008 9:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WNB0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/4/2008 9:30	Y	DO	Dissolved oxygen	990	ug/L	[NULL]	[NULL]	[NULL]	S	B1WN87	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	8/4/2008 9:30	Y	DO	Dissolved oxygen	990	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNT8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	8/4/2008 9:30	Y	16984-48-8	Fluoride	2500	ug/L	U	[NULL]	[NULL]	S	B1WNT8	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	8/4/2008 9:30	Y	12587-46-1	Gross alpha	-3.88	pCi/L	U	[NULL]	[NULL]	S	B1WN87	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-141	8/4/2008 9:30	Y	12587-47-2	Gross beta	23.7	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WN87	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-141	8/4/2008 9:30	Y	7439-89-6	Iron	134	ug/L	D	[NULL]	[NULL]	S	B1WNB0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/4/2008 9:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WNB0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/4/2008 9:30	Y	7439-95-4	Magnesium	4640	ug/L	D	[NULL]	[NULL]	S	B1WNB0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/4/2008 9:30	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WNB0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	8/4/2008 9:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WNB0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/4/2008 9:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WNB0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/4/2008 9:30	Y	14797-55-8	Nitrate	2500	ug/L	U	[NULL]	[NULL]	S	B1WNT8	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	8/4/2008 9:30	Y	14797-65-0	Nitrite	2500	ug/L	U	[NULL]	[NULL]	S	B1WNT8	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	8/4/2008 9:30	Y	EH	Oxidation Reduction Potential	-90	mV	[NULL]	[NULL]	[NULL]	S	B1WNT8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	8/4/2008 9:30	Y	EH	Oxidation Reduction Potential	-90	mV	[NULL]	[NULL]	[NULL]	S	B1WN87	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	8/4/2008 9:30	Y	14265-44-2	Phosphate	821000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNT8	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	8/4/2008 9:30	Y	7440-09-7	Potassium	3950	ug/L	D	[NULL]	[NULL]	S	B1WNB0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/4/2008 9:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WNB0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/4/2008 9:30	Y	7440-23-5	Sodium	858000	ug/L	D	[NULL]	[NULL]	S	B1WNB0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/4/2008 9:30	Y	CONDUCT	Specific Conductance	3178	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WN87	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	8/4/2008 9:30	Y	CONDUCT	Specific Conductance	3178	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WNT8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	8/4/2008 9:30	Y	7440-24-6	Strontium	184	ug/L	D	[NULL]	[NULL]	S	B1WNB0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/4/2008 9:30	Y	14808-79-8	Sulfate	2500	ug/L	U	[NULL]	[NULL]	S	B1WNT8	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	8/4/2008 9:30	Y	TEMPERATURE	Temperature	17.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WNT8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	8/4/2008 9:30	Y	TEMPERATURE	Temperature	17.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WN87	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	8/4/2008 9:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WNB0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/4/2008 9:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WNB0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/4/2008 9:30	Y	PH	pH Measurement	7.25	unitless	[NULL]	[NULL]	[NULL]	S	B1WN87	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	8/4/2008 9:30	Y	PH	pH Measurement	7.25	unitless	[NULL]	[NULL]	[NULL]	S	B1WNT8	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	8/6/2008 9:45	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WND6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/6/2008 9:45	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WND6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/6/2008 9:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WND6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/6/2008 9:45	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WND6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/6/2008 9:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WND6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/6/2008 9:45	Y	7440-70-2	Calcium	5110	ug/L	D	[NULL]	[NULL]	S	B1WND6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/6/2008 9:45	Y	16887-00-6	Chloride	106000	ug/L	D	[NULL]	[NULL]	S	B1WNW1	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	8/6/2008 9:45	Y	16887-00-6	Chloride	123000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WP18	16887-00-6	222-S	9056_ANIONS_IC	100-NR-2
199-N-141	8/6/2008 9:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WND6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/6/2008 9:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WND6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/6/2008 9:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WND6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/6/2008 9:45	Y	DO	Dissolved oxygen	1590	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNC3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	8/6/2008 9:45	Y	16984-48-8	Fluoride	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNW1	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	8/6/2008 9:45	Y	16984-48-8	Fluoride	314	ug/L	U	[NULL]	[NULL]	S	B1WP18	16984-48-8	222-S	9056_ANIONS_IC	100-NR-2
199-N-141	8/6/2008 9:45	Y	12587-46-1	Gross alpha	0.311	pCi/L	U	[NULL]	[NULL]	S	B1WNC3	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-141	8/6/2008 9:45	Y	12587-47-2	Gross beta	23.3	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WNC3	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-141	8/6/2008 9:45	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WND6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/6/2008 9:45	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WND6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/6/2008 9:45	Y	7439-95-4	Magnesium	3020	ug/L	DN	[NULL]	[NULL]	S	B1WND6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/6/2008 9:45	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WND6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/6/2008 9:45	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WND6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/6/2008 9:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WND6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/6/2008 9:45	Y	14797-55-8	Nitrate	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNW1	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	8/6/2008 9:45	Y	14797-55-8	Nitrate	826	ug/L	U	[NULL]	[NULL]	S	B1WP18	14797-55-8	222-S	9056_ANIONS_IC	100-NR-2
199-N-141	8/6/2008 9:45	Y	14797-65-0	Nitrite	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNW1	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	8/6/2008 9:45	Y	14797-65-0	Nitrite	2040	ug/L	U	[NULL]	[NULL]	S	B1WP18	14797-65-0	222-S	9056_ANIONS_IC	100-NR-2
199-N-141	8/6/2008 9:45	Y	EH	Oxidation Reduction Potential	-147	mV	[NULL]	[NULL]	[NULL]	S	B1WNC3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	8/6/2008 9:45	Y	14265-44-2	Phosphate	773000	ug/L	D	[NULL]	[NULL]	S	B1WNW1	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	8/6/2008 9:45	Y	14265-44-2	Phosphate	720000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WP18	14265-44-2	222-S	9056_ANIONS_IC	100-NR-2
199-N-141	8/6/2008 9:45	Y	7440-09-7	Potassium	2680	ug/L	D	[NULL]	[NULL]	S	B1WND6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/6/2008 9:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WND6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/6/2008 9:45	Y	7440-23-5	Sodium	483000	ug/L	D	[NULL]	[NULL]	S	B1WND6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	8/6/2008 9:45	Y	CONDUCT	Specific Conductance	2855	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WNC3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	8/6/2008 9:45	Y	7440-24-6	Strontium	123	ug/L	DN	[NULL]	[NULL]	S	B1WND6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/6/2008 9:45	Y	14808-79-8	Sulfate	4600	ug/L	D	[NULL]	[NULL]	S	B1WNW1	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	8/6/2008 9:45	Y	14808-79-8	Sulfate	1380	ug/L	B	[NULL]	[NULL]	S	B1WP18	14808-79-8	222-S	9056_ANIONS_IC	100-NR-2
199-N-141	8/6/2008 9:45	Y	TEMPERATURE	Temperature	19.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WNC3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	8/6/2008 9:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WND6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/6/2008 9:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WND6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/6/2008 9:45	Y	PH	pH Measurement	7.31	unitless	[NULL]	[NULL]	[NULL]	S	B1WNC3	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	8/8/2008 9:18	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WNJ7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/8/2008 9:18	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WNJ7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/8/2008 9:18	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WNJ7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/8/2008 9:18	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WNJ7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/8/2008 9:18	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WNJ7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/8/2008 9:18	Y	7440-70-2	Calcium	7160	ug/L	DN	[NULL]	[NULL]	S	B1WNJ7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/8/2008 9:18	Y	16887-00-6	Chloride	132000	ug/L	D	[NULL]	[NULL]	S	B1WNX9	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	8/8/2008 9:18	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WNJ7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/8/2008 9:18	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WNJ7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/8/2008 9:18	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WNJ7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/8/2008 9:18	Y	DO	Dissolved oxygen	1570	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNH4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	8/8/2008 9:18	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WNX9	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	8/8/2008 9:18	Y	12587-46-1	Gross alpha	1.05	pCi/L	U	[NULL]	[NULL]	S	B1WNH4	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-141	8/8/2008 9:18	Y	12587-47-2	Gross beta	26.5	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WNH4	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-141	8/8/2008 9:18	Y	7439-89-6	Iron	448	ug/L	CD	[NULL]	[NULL]	S	B1WNJ7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/8/2008 9:18	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WNJ7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/8/2008 9:18	Y	7439-95-4	Magnesium	4590	ug/L	DN	[NULL]	[NULL]	S	B1WNJ7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/8/2008 9:18	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WNJ7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/8/2008 9:18	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WNJ7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/8/2008 9:18	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WNJ7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/8/2008 9:18	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WNX9	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	8/8/2008 9:18	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WNX9	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	8/8/2008 9:18	Y	EH	Oxidation Reduction Potential	-300	mV	[NULL]	[NULL]	[NULL]	S	B1WNH4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	8/8/2008 9:18	Y	14265-44-2	Phosphate	818000	ug/L	D	[NULL]	[NULL]	S	B1WNX9	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	8/8/2008 9:18	Y	7440-09-7	Potassium	4140	ug/L	D	[NULL]	[NULL]	S	B1WNJ7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/8/2008 9:18	Y	7440-22-4	Silver	28	ug/L	CD	[NULL]	[NULL]	S	B1WNJ7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/8/2008 9:18	Y	7440-23-5	Sodium	818000	ug/L	D	[NULL]	[NULL]	S	B1WNJ7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/8/2008 9:18	Y	CONDUCT	Specific Conductance	2839	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WNH4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	8/8/2008 9:18	Y	7440-24-6	Strontium	193	ug/L	D	[NULL]	[NULL]	S	B1WNJ7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/8/2008 9:18	Y	14808-79-8	Sulfate	45100	ug/L	D	[NULL]	[NULL]	S	B1WNX9	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	8/8/2008 9:18	Y	TEMPERATURE	Temperature	18.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1WNH4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	8/8/2008 9:18	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WNJ7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/8/2008 9:18	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WNJ7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/8/2008 9:18	Y	PH	pH Measurement	7.84	unitless	[NULL]	[NULL]	[NULL]	S	B1WNH4	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	8/15/2008 9:25	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WP29	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/15/2008 9:25	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WP29	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/15/2008 9:25	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WP29	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/15/2008 9:25	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WP29	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/15/2008 9:25	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WP29	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/15/2008 9:25	Y	7440-70-2	Calcium	6730	ug/L	DN	[NULL]	[NULL]	S	B1WP29	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/15/2008 9:25	Y	16887-00-6	Chloride	68100	ug/L	D	[NULL]	[NULL]	S	B1WP59	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	8/15/2008 9:25	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WP29	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/15/2008 9:25	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WP29	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/15/2008 9:25	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WP29	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/15/2008 9:25	Y	DO	Dissolved oxygen	1600	ug/L	[NULL]	[NULL]	[NULL]	S	B1WP29	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	8/15/2008 9:25	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP59	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	8/15/2008 9:25	Y	12587-46-1	Gross alpha	1.2	pCi/L	U	[NULL]	[NULL]	S	B1WP29	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-141	8/15/2008 9:25	Y	12587-47-2	Gross beta	35	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WP29	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-141	8/15/2008 9:25	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WP29	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/15/2008 9:25	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WP29	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/15/2008 9:25	Y	7439-95-4	Magnesium	3970	ug/L	D	[NULL]	[NULL]	S	B1WP29	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/15/2008 9:25	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WP29	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/15/2008 9:25	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WP29	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/15/2008 9:25	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WP29	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/15/2008 9:25	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP59	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	8/15/2008 9:25	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP59	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	8/15/2008 9:25	Y	EH	Oxidation Reduction Potential	-147	mV	[NULL]	[NULL]	[NULL]	S	B1WP29	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	8/15/2008 9:25	Y	14265-44-2	Phosphate	710000	ug/L	D	[NULL]	[NULL]	S	B1WP59	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	8/15/2008 9:25	Y	7440-09-7	Potassium	3510	ug/L	D	[NULL]	[NULL]	S	B1WP29	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/15/2008 9:25	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WP29	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/15/2008 9:25	Y	7440-23-5	Sodium	624000	ug/L	D	[NULL]	[NULL]	S	B1WP29	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/15/2008 9:25	Y	CONDUCT	Specific Conductance	2467	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WP29	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	8/15/2008 9:25	Y	7440-24-6	Strontium	189	ug/L	D	[NULL]	[NULL]	S	B1WP29	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/15/2008 9:25	Y	14808-79-8	Sulfate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP59	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	8/15/2008 9:25	Y	TEMPERATURE	Temperature	21	Deg C	[NULL]	[NULL]	[NULL]	S	B1WP29	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	8/15/2008 9:25	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WP29	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/15/2008 9:25	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WP29	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/15/2008 9:25	Y	PH	pH Measurement	7.33	unitless	[NULL]	[NULL]	[NULL]	S	B1WP29	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	8/22/2008 7:50	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WP89	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/22/2008 7:50	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WP89	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/22/2008 7:50	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WP89	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/22/2008 7:50	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WP89	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/22/2008 7:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WP89	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/22/2008 7:50	Y	7440-70-2	Calcium	6780	ug/L	D	[NULL]	[NULL]	S	B1WP89	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/22/2008 7:50	Y	16887-00-6	Chloride	93500	ug/L	D	[NULL]	[NULL]	S	B1WP89	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	8/22/2008 7:50	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WP89	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/22/2008 7:50	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WP89	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/22/2008 7:50	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WP89	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/22/2008 7:50	Y	DO	Dissolved oxygen	2050	ug/L	[NULL]	[NULL]	[NULL]	S	B1WP89	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	8/22/2008 7:50	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WP89	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	8/22/2008 7:50	Y	12587-46-1	Gross alpha	-3.8	pCi/L	U	[NULL]	[NULL]	S	B1WP89	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-141	8/22/2008 7:50	Y	12587-47-2	Gross beta	56	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WP89	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-141	8/22/2008 7:50	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WP89	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/22/2008 7:50	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WP89	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/22/2008 7:50	Y	7439-95-4	Magnesium	4050	ug/L	D	[NULL]	[NULL]	S	B1WP89	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/22/2008 7:50	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WP89	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/22/2008 7:50	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WP89	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/22/2008 7:50	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WP89	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/22/2008 7:50	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WP89	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	8/22/2008 7:50	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WP89	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	8/22/2008 7:50	Y	EH	Oxidation Reduction Potential	-289	mV	[NULL]	[NULL]	[NULL]	S	B1WP89	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	8/22/2008 7:50	Y	14265-44-2	Phosphate	598000	ug/L	D	[NULL]	[NULL]	S	B1WP89	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	8/22/2008 7:50	Y	7440-09-7	Potassium	3770	ug/L	D	[NULL]	[NULL]	S	B1WP89	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/22/2008 7:50	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WP89	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/22/2008 7:50	Y	7440-23-5	Sodium	662000	ug/L	D	[NULL]	[NULL]	S	B1WP89	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/22/2008 7:50	Y	CONDUCT	Specific Conductance	2176	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WP89	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	8/22/2008 7:50	Y	7440-24-6	Strontium	200	ug/L	D	[NULL]	[NULL]	S	B1WP89	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/22/2008 7:50	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WP89	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	8/22/2008 7:50	Y	TEMPERATURE	Temperature	16.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1WP89	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	8/22/2008 7:50	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WP89	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/22/2008 7:50	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WP89	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	8/22/2008 7:50	Y	PH	pH Measurement	7.79	unitless	[NULL]	[NULL]	[NULL]	S	B1WP89	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	9/2/2008 10:36	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WWN6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/2/2008 10:36	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WWN6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/2/2008 10:36	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WWN6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/2/2008 10:36	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WWN6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/2/2008 10:36	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WWN6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/2/2008 10:36	Y	7440-70-2	Calcium	6850	ug/L	DN	[NULL]	[NULL]	S	B1WWN6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/2/2008 10:36	Y	16887-00-6	Chloride	61300	ug/L	D	[NULL]	[NULL]	S	B1WWL3	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	9/2/2008 10:36	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WWN6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/2/2008 10:36	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WWN6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/2/2008 10:36	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WWN6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/2/2008 10:36	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWL3	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	9/2/2008 10:36	Y	12587-46-1	Gross alpha	0.49	pCi/L	U	[NULL]	[NULL]	S	B1WWN6	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-141	9/2/2008 10:36	Y	12587-47-2	Gross beta	46	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WWN6	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-141	9/2/2008 10:36	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WWN6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/2/2008 10:36	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WWN6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/2/2008 10:36	Y	7439-95-4	Magnesium	3460	ug/L	D	[NULL]	[NULL]	S	B1WWN6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/2/2008 10:36	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WWN6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/2/2008 10:36	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WWN6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/2/2008 10:36	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WWN6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/2/2008 10:36	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWL3	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	9/2/2008 10:36	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWL3	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	9/2/2008 10:36	Y	EH	Oxidation Reduction Potential	-143	mV	[NULL]	[NULL]	[NULL]	S	B1WWL3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	9/2/2008 10:36	Y	14265-44-2	Phosphate	498000	ug/L	D	[NULL]	[NULL]	S	B1WWL3	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	9/2/2008 10:36	Y	7440-09-7	Potassium	3180	ug/L	BD	[NULL]	[NULL]	S	B1WWN6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/2/2008 10:36	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WWN6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/2/2008 10:36	Y	7440-23-5	Sodium	488000	ug/L	D	[NULL]	[NULL]	S	B1WWN6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/2/2008 10:36	Y	CONDUCT	Specific Conductance	1874	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WWL3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	9/2/2008 10:36	Y	7440-24-6	Strontium	190	ug/L	D	[NULL]	[NULL]	S	B1WWN6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/2/2008 10:36	Y	14808-79-8	Sulfate	35200	ug/L	D	[NULL]	[NULL]	S	B1WWL3	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	9/2/2008 10:36	Y	TEMPERATURE	Temperature	17.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1WWL3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	9/2/2008 10:36	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WWN6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/2/2008 10:36	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WWN6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/2/2008 10:36	Y	PH	pH Measurement	7.35	unitless	[NULL]	[NULL]	[NULL]	S	B1WWL3	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	9/3/2008 9:50	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WWJ6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/3/2008 9:50	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WWJ6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/3/2008 9:50	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WWJ6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/3/2008 9:50	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WWJ6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/3/2008 9:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WWJ6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/3/2008 9:50	Y	7440-70-2	Calcium	7320	ug/L	D	[NULL]	[NULL]	S	B1WWJ6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/3/2008 9:50	Y	16887-00-6	Chloride	47300	ug/L	D	[NULL]	[NULL]	S	B1WWC4	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	9/3/2008 9:50	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WWJ6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/3/2008 9:50	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WWJ6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/3/2008 9:50	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WWJ6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/3/2008 9:50	Y	DO	Dissolved oxygen	1770	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWC4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	9/3/2008 9:50	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWC4	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	9/3/2008 9:50	Y	12587-46-1	Gross alpha	2	pCi/L	U	[NULL]	[NULL]	S	B1WWJ6	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-141	9/3/2008 9:50	Y	12587-47-2	Gross beta	35	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WWJ6	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-141	9/3/2008 9:50	Y	7439-89-6	Iron	127	ug/L	BD	[NULL]	[NULL]	S	B1WWJ6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/3/2008 9:50	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WWJ6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/3/2008 9:50	Y	7439-95-4	Magnesium	3670	ug/L	D	[NULL]	[NULL]	S	B1WWJ6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/3/2008 9:50	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WWJ6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	9/3/2008 9:50	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WWJ6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/3/2008 9:50	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WWJ6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/3/2008 9:50	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWC4	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	9/3/2008 9:50	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWC4	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	9/3/2008 9:50	Y	EH	Oxidation Reduction Potential	-94	mV	[NULL]	[NULL]	[NULL]	S	B1WWC4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	9/3/2008 9:50	Y	14265-44-2	Phosphate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWC4	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	9/3/2008 9:50	Y	7440-09-7	Potassium	3320	ug/L	BD	[NULL]	[NULL]	S	B1WWJ6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/3/2008 9:50	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WWJ6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/3/2008 9:50	Y	7440-23-5	Sodium	488000	ug/L	D	[NULL]	[NULL]	S	B1WWJ6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/3/2008 9:50	Y	CONDUCT	Specific Conductance	1871	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WWC4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	9/3/2008 9:50	Y	7440-24-6	Strontium	203	ug/L	D	[NULL]	[NULL]	S	B1WWJ6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/3/2008 9:50	Y	14808-79-8	Sulfate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWC4	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	9/3/2008 9:50	Y	TEMPERATURE	Temperature	17.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WWC4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	9/3/2008 9:50	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WWJ6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/3/2008 9:50	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WWJ6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/3/2008 9:50	Y	PH	pH Measurement	7.35	unitless	[NULL]	[NULL]	[NULL]	S	B1WWC4	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	9/9/2008 10:45	Y	7429-90-5	Aluminum	52	ug/L	U	[NULL]	[NULL]	S	B1WWV2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/9/2008 10:45	Y	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	S	B1WWV2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/9/2008 10:45	Y	7440-38-2	Arsenic	86	ug/L	B	[NULL]	[NULL]	S	B1WWV2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/9/2008 10:45	Y	7440-39-3	Barium	7	ug/L	B	[NULL]	[NULL]	S	B1WWV2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/9/2008 10:45	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1WWV2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/9/2008 10:45	Y	7440-70-2	Calcium	8090	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWV2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/9/2008 10:45	Y	16887-00-6	Chloride	46200	ug/L	D	[NULL]	[NULL]	S	B1WWR9	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	9/9/2008 10:45	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B1WWV2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/9/2008 10:45	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1WWV2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/9/2008 10:45	Y	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1WWV2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/9/2008 10:45	Y	DO	Dissolved oxygen	1040	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWR9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	9/9/2008 10:45	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWR9	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	9/9/2008 10:45	Y	12587-46-1	Gross alpha	3	pCi/L	U	[NULL]	[NULL]	S	B1WWV2	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-141	9/9/2008 10:45	Y	12587-47-2	Gross beta	39	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WWV2	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-141	9/9/2008 10:45	Y	7439-89-6	Iron	49.8	ug/L	B	[NULL]	[NULL]	S	B1WWV2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/9/2008 10:45	Y	7439-92-1	Lead	45	ug/L	U	[NULL]	[NULL]	S	B1WWV2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/9/2008 10:45	Y	7439-95-4	Magnesium	3510	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWV2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/9/2008 10:45	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	S	B1WWV2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/9/2008 10:45	Y	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	S	B1WWV2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/9/2008 10:45	Y	7440-02-0	Nickel	5.8	ug/L	B	[NULL]	[NULL]	S	B1WWV2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/9/2008 10:45	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWR9	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	9/9/2008 10:45	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWR9	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	9/9/2008 10:45	Y	EH	Oxidation Reduction Potential	-170	mV	[NULL]	[NULL]	[NULL]	S	B1WWR9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	9/9/2008 10:45	Y	14265-44-2	Phosphate	528000	ug/L	D	[NULL]	[NULL]	S	B1WWR9	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	9/9/2008 10:45	Y	7440-09-7	Potassium	2600	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWV2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/9/2008 10:45	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1WWV2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/9/2008 10:45	Y	7440-23-5	Sodium	466000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWV2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/9/2008 10:45	Y	CONDUCT	Specific Conductance	1904	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WWR9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	9/9/2008 10:45	Y	7440-24-6	Strontium	211	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWV2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/9/2008 10:45	Y	14808-79-8	Sulfate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWR9	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-141	9/9/2008 10:45	Y	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	S	B1WWR9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	9/9/2008 10:45	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	S	B1WWV2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/9/2008 10:45	Y	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1WWV2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/9/2008 10:45	Y	PH	pH Measurement	7.21	unitless	[NULL]	[NULL]	[NULL]	S	B1WWR9	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	9/21/2008 9:40	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WX33	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/21/2008 9:40	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WX33	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/21/2008 9:40	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WX33	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	9/21/2008 9:40	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WX33	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/21/2008 9:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WX33	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/21/2008 9:40	Y	7440-70-2	Calcium	13100	ug/L	DN	[NULL]	[NULL]	S	B1WX33	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/21/2008 9:40	Y	16887-00-6	Chloride	69000	ug/L	D	[NULL]	[NULL]	S	B1WWX8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	9/21/2008 9:40	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WX33	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/21/2008 9:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WX33	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/21/2008 9:40	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WX33	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/21/2008 9:40	Y	DO	Dissolved oxygen	1350	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWX8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	9/21/2008 9:40	Y	DO	Dissolved oxygen	1350	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX33	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	9/21/2008 9:40	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WWX8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	9/21/2008 9:40	Y	12587-46-1	Gross alpha	2.8	pCi/L	U	[NULL]	[NULL]	S	B1WX33	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-141	9/21/2008 9:40	Y	12587-47-2	Gross beta	39	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WX33	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-141	9/21/2008 9:40	Y	7439-89-6	Iron	131	ug/L	BD	[NULL]	[NULL]	S	B1WX33	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/21/2008 9:40	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WX33	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/21/2008 9:40	Y	7439-95-4	Magnesium	5340	ug/L	D	[NULL]	[NULL]	S	B1WX33	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/21/2008 9:40	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WX33	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/21/2008 9:40	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WX33	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/21/2008 9:40	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WX33	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/21/2008 9:40	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WWX8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	9/21/2008 9:40	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WWX8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	9/21/2008 9:40	Y	EH	Oxidation Reduction Potential	-107	mV	[NULL]	[NULL]	[NULL]	S	B1WWX8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	9/21/2008 9:40	Y	EH	Oxidation Reduction Potential	-107	mV	[NULL]	[NULL]	[NULL]	S	B1WX33	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	9/21/2008 9:40	Y	14265-44-2	Phosphate	463000	ug/L	D	[NULL]	[NULL]	S	B1WWX8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	9/21/2008 9:40	Y	7440-09-7	Potassium	4700	ug/L	D	[NULL]	[NULL]	S	B1WX33	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/21/2008 9:40	Y	7440-22-4	Silver	46	ug/L	BDNX	[NULL]	[NULL]	S	B1WX33	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/21/2008 9:40	Y	7440-23-5	Sodium	604000	ug/L	D	[NULL]	[NULL]	S	B1WX33	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/21/2008 9:40	Y	CONDUCT	Specific Conductance	2014	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WWX8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	9/21/2008 9:40	Y	CONDUCT	Specific Conductance	2014	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WX33	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	9/21/2008 9:40	Y	7440-24-6	Strontium	332	ug/L	D	[NULL]	[NULL]	S	B1WX33	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/21/2008 9:40	Y	14808-79-8	Sulfate	5360	ug/L	BD	[NULL]	[NULL]	S	B1WWX8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	9/21/2008 9:40	Y	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	S	B1WX33	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	9/21/2008 9:40	Y	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	S	B1WWX8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	9/21/2008 9:40	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WX33	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/21/2008 9:40	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WX33	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	9/21/2008 9:40	Y	PH	pH Measurement	7.11	unitless	[NULL]	[NULL]	[NULL]	S	B1WX33	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	9/21/2008 9:40	Y	PH	pH Measurement	7.11	unitless	[NULL]	[NULL]	[NULL]	S	B1WWX8	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	9/21/2008 9:55	Y	16887-00-6	Chloride	183000	ug/L	D	[NULL]	[NULL]	S	B1WWX9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	9/21/2008 9:55	Y	DO	Dissolved oxygen	1010	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWX9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	9/21/2008 9:55	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WWX9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	9/21/2008 9:55	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WWX9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	9/21/2008 9:55	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WWX9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	9/21/2008 9:55	Y	EH	Oxidation Reduction Potential	-133	mV	[NULL]	[NULL]	[NULL]	S	B1WWX9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	9/21/2008 9:55	Y	14265-44-2	Phosphate	1760000	ug/L	D	[NULL]	[NULL]	S	B1WWX9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	9/21/2008 9:55	Y	CONDUCT	Specific Conductance	5302	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WWX9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	9/21/2008 9:55	Y	14808-79-8	Sulfate	4770	ug/L	BD	[NULL]	[NULL]	S	B1WWX9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	9/21/2008 9:55	Y	TEMPERATURE	Temperature	17.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1WWX9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	9/21/2008 9:55	Y	PH	pH Measurement	6.95	unitless	[NULL]	[NULL]	[NULL]	S	B1WWX9	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	10/30/2008 12:08	N	7429-90-5	Aluminum	50	ug/L	U	[NULL]	[NULL]	S	B1WX79	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/30/2008 12:08	N	7440-36-0	Antimony	60	ug/L	U	[NULL]	[NULL]	S	B1WX79	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/30/2008 12:08	N	7440-38-2	Arsenic	80	ug/L	U	[NULL]	[NULL]	S	B1WX79	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/30/2008 12:08	N	7440-39-3	Barium	6.3	ug/L	B	[NULL]	[NULL]	S	B1WX79	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/30/2008 12:08	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1WX79	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	10/30/2008 12:08	N	7440-70-2	Calcium	9900	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX79	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/30/2008 12:08	N	16887-00-6	Chloride	37800	ug/L	DN	[NULL]	[NULL]	S	B1WX79	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	10/30/2008 12:08	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	S	B1WX79	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/30/2008 12:08	N	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	S	B1WX79	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/30/2008 12:08	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1WX79	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/30/2008 12:08	N	DO	Dissolved oxygen	1620	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX79	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	10/30/2008 12:08	N	16984-48-8	Fluoride	200	ug/L	UD	[NULL]	[NULL]	S	B1WX79	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	10/30/2008 12:08	N	12587-46-1	Gross alpha	2.98	pCi/L	U	[NULL]	[NULL]	S	B1WX79	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-141	10/30/2008 12:08	N	12587-47-2	Gross beta	62.7	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WX79	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-141	10/30/2008 12:08	N	7439-89-6	Iron	20	ug/L	U	[NULL]	[NULL]	S	B1WX79	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/30/2008 12:08	N	7439-92-1	Lead	40	ug/L	U	[NULL]	[NULL]	S	B1WX79	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/30/2008 12:08	N	7439-95-4	Magnesium	2860	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX79	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/30/2008 12:08	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	S	B1WX79	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/30/2008 12:08	N	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	S	B1WX79	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/30/2008 12:08	N	7440-02-0	Nickel	6	ug/L	U	[NULL]	[NULL]	S	B1WX79	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/30/2008 12:08	N	14797-55-8	Nitrate	201000	ug/L	D	[NULL]	[NULL]	S	B1WX79	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	10/30/2008 12:08	N	14797-65-0	Nitrite	1580	ug/L	BD	[NULL]	[NULL]	S	B1WX79	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	10/30/2008 12:08	N	EH	Oxidation Reduction Potential	89	mV	[NULL]	[NULL]	[NULL]	S	B1WX79	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	10/30/2008 12:08	N	14265-44-2	Phosphate	283000	ug/L	D	[NULL]	[NULL]	S	B1WX79	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	10/30/2008 12:08	N	7440-09-7	Potassium	2160	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX79	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/30/2008 12:08	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1WX79	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/30/2008 12:08	N	7440-23-5	Sodium	328000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX79	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/30/2008 12:08	N	CONDUCT	Specific Conductance	1443	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WX79	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	10/30/2008 12:08	N	7440-24-6	Strontium	256	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX79	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/30/2008 12:08	N	14808-79-8	Sulfate	31900	ug/L	D	[NULL]	[NULL]	S	B1WX79	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	10/30/2008 12:08	N	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1WX79	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	10/30/2008 12:08	N	7440-62-2	Vanadium	10	ug/L	U	[NULL]	[NULL]	S	B1WX79	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/30/2008 12:08	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1WX79	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	10/30/2008 12:08	N	PH	pH Measurement	7.26	unitless	[NULL]	[NULL]	[NULL]	S	B1WX79	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	12/8/2008 10:12	N	7429-90-5	Aluminum	301	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXR1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	12/8/2008 10:12	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	S	B1XXR1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	12/8/2008 10:12	N	7440-38-2	Arsenic	99	ug/L	B	[NULL]	[NULL]	S	B1XXR1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	12/8/2008 10:12	N	7440-39-3	Barium	8	ug/L	B	[NULL]	[NULL]	S	B1XXR1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	12/8/2008 10:12	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1XXR1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	12/8/2008 10:12	N	7440-70-2	Calcium	6370	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXR1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	12/8/2008 10:12	N	16887-00-6	Chloride	3950	ug/L	D	[NULL]	[NULL]	S	B1XXR1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	12/8/2008 10:12	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B1XXR1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	12/8/2008 10:12	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1XXR1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	12/8/2008 10:12	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1XXR1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	12/8/2008 10:12	N	DO	Dissolved oxygen	7450	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXR1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	12/8/2008 10:12	N	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1XXR1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	12/8/2008 10:12	N	12587-46-1	Gross alpha	-0.78	pCi/L	U	[NULL]	[NULL]	S	B1XXR1	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-141	12/8/2008 10:12	N	12587-47-2	Gross beta	28	pCi/L	[NULL]	[NULL]	[NULL]	S	B1XXR1	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-141	12/8/2008 10:12	N	7439-89-6	Iron	164	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXR1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	12/8/2008 10:12	N	7439-92-1	Lead	45	ug/L	U	[NULL]	[NULL]	S	B1XXR1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	12/8/2008 10:12	N	7439-95-4	Magnesium	904	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXR1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	12/8/2008 10:12	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	S	B1XXR1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	12/8/2008 10:12	N	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	S	B1XXR1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	12/8/2008 10:12	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B1XXR1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	12/8/2008 10:12	N	14797-55-8	Nitrate	26500	ug/L	D	[NULL]	[NULL]	S	B1XXR1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	12/8/2008 10:12	N	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1XXR1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	12/8/2008 10:12	N	EH	Oxidation Reduction Potential	182	mV	[NULL]	[NULL]	[NULL]	S	B1XXR1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	12/8/2008 10:12	N	14265-44-2	Phosphate	216000	ug/L	D	[NULL]	[NULL]	S	B1XXR1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-141	12/8/2008 10:12	N	7440-09-7	Potassium	886	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXR1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	12/8/2008 10:12	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1XXR1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	12/8/2008 10:12	N	7440-23-5	Sodium	132000	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXR1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	12/8/2008 10:12	N	CONDUCT	Specific Conductance	523	uS/cm	[NULL]	[NULL]	[NULL]	S	B1XXR1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	12/8/2008 10:12	N	7440-24-6	Strontium	168	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXR1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	12/8/2008 10:12	N	14808-79-8	Sulfate	11800	ug/L	D	[NULL]	[NULL]	S	B1XXR1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	12/8/2008 10:12	N	TEMPERATURE	Temperature	14.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1XXR1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	12/8/2008 10:12	N	7440-62-2	Vanadium	47	ug/L	B	[NULL]	[NULL]	S	B1XXR1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	12/8/2008 10:12	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1XXR1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	12/8/2008 10:12	N	PH	pH Measurement	7.46	unitless	[NULL]	[NULL]	[NULL]	S	B1XXR1	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-141	2/4/2009 10:53	N	7429-90-5	Aluminum	405	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLP5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	2/4/2009 10:53	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	S	B1YLP5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	2/4/2009 10:53	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	S	B1YLP5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	2/4/2009 10:53	N	7440-39-3	Barium	16.7	ug/L	B	[NULL]	[NULL]	S	B1YLP5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	2/4/2009 10:53	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1YLP5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	2/4/2009 10:53	N	7440-70-2	Calcium	7420	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLP5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	2/4/2009 10:53	N	16887-00-6	Chloride	3970	ug/L	BD	Z	[NULL]	S	B1YLP5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	2/4/2009 10:53	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B1YLP5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	2/4/2009 10:53	N	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	S	B1YLP5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	2/4/2009 10:53	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1YLP5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	2/4/2009 10:53	N	DO	Dissolved oxygen	6590	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLP5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-141	2/4/2009 10:53	N	16984-48-8	Fluoride	230	ug/L	UD	Z	[NULL]	S	B1YLP5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	2/4/2009 10:53	N	12587-46-1	Gross alpha	-0.77	pCi/L	U	Z	[NULL]	S	B1YLP5	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-141	2/4/2009 10:53	N	12587-47-2	Gross beta	56	pCi/L	[NULL]	Z	[NULL]	S	B1YLP5	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-141	2/4/2009 10:53	N	7439-89-6	Iron	195	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLP5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	2/4/2009 10:53	N	7439-92-1	Lead	45	ug/L	U	[NULL]	[NULL]	S	B1YLP5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	2/4/2009 10:53	N	7439-95-4	Magnesium	904	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLP5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	2/4/2009 10:53	N	7439-96-5	Manganese	8.5	ug/L	B	[NULL]	[NULL]	S	B1YLP5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	2/4/2009 10:53	N	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	S	B1YLP5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	2/4/2009 10:53	N	7440-02-0	Nickel	6	ug/L	U	[NULL]	[NULL]	S	B1YLP5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	2/4/2009 10:53	N	14797-55-8	Nitrate	32700	ug/L	D	Z	[NULL]	S	B1YLP5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	2/4/2009 10:53	N	14797-65-0	Nitrite	427	ug/L	UD	Z	[NULL]	S	B1YLP5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	2/4/2009 10:53	N	EH	Oxidation Reduction Potential	230	mV	[NULL]	[NULL]	[NULL]	S	B1YLP5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-141	2/4/2009 10:53	N	14265-44-2	Phosphate	121000	ug/L	D	Z	[NULL]	S	B1YLP5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	2/4/2009 10:53	N	7440-09-7	Potassium	882	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLP5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	2/4/2009 10:53	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1YLP5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	2/4/2009 10:53	N	7440-23-5	Sodium	92200	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLP5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	2/4/2009 10:53	N	CONDUCT	Specific Conductance	435.2	uS/cm	[NULL]	[NULL]	[NULL]	S	B1YLP5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-141	2/4/2009 10:53	N	7440-24-6	Strontium	183	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLP5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	2/4/2009 10:53	N	14808-79-8	Sulfate	10000	ug/L	D	Z	[NULL]	S	B1YLP5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-141	2/4/2009 10:53	N	TEMPERATURE	Temperature	12.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1YLP5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-141	2/4/2009 10:53	N	7440-62-2	Vanadium	27	ug/L	B	[NULL]	[NULL]	S	B1YLP5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	2/4/2009 10:53	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1YLP5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-141	2/4/2009 10:53	N	PH	pH Measurement	7.54	unitless	[NULL]	[NULL]	[NULL]	S	B1YLP5	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-142	7/11/2006 10:16	N	7429-90-5	Aluminum	37	ug/L	U	[NULL]	[NULL]	S	B1K029	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:16	N	7440-36-0	Antimony	72	ug/L	U	[NULL]	[NULL]	S	B1K029	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:16	N	7440-38-2	Arsenic	79	ug/L	U	[NULL]	[NULL]	S	B1K029	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:16	N	7440-39-3	Barium	28.3	ug/L	[NULL]	[NULL]	[NULL]	S	B1K029	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:16	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	S	B1K029	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:16	N	7440-70-2	Calcium	23300	ug/L	[NULL]	[NULL]	[NULL]	S	B1K029	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:16	N	16887-00-6	Chloride	1680	ug/L	[NULL]	[NULL]	[NULL]	S	B1K029	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/11/2006 10:16	N	7440-47-3	Chromium	7	ug/L	U	[NULL]	[NULL]	S	B1K029	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:16	N	7440-48-4	Cobalt	7	ug/L	U	[NULL]	[NULL]	S	B1K029	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:16	N	7440-50-8	Copper	7	ug/L	U	[NULL]	[NULL]	S	B1K029	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	7/11/2006 10:16	N	16984-48-8	Fluoride	45	ug/L	U	[NULL]	[NULL]	S	B1K029	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/11/2006 10:16	N	7439-89-6	Iron	33	ug/L	U	[NULL]	[NULL]	S	B1K029	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:16	N	7439-92-1	Lead	47	ug/L	U	[NULL]	[NULL]	S	B1K029	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:16	N	7439-95-4	Magnesium	4230	ug/L	[NULL]	[NULL]	[NULL]	S	B1K029	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:16	N	7439-96-5	Manganese	3	ug/L	U	[NULL]	[NULL]	S	B1K029	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:16	N	7439-98-7	Molybdenum	11	ug/L	U	[NULL]	[NULL]	S	B1K029	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:16	N	7440-02-0	Nickel	5	ug/L	U	[NULL]	[NULL]	S	B1K029	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:16	N	14797-55-8	Nitrate	7220	ug/L	[NULL]	[NULL]	[NULL]	S	B1K029	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/11/2006 10:16	N	14797-65-0	Nitrite	115	ug/L	U	[NULL]	[NULL]	S	B1K029	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/11/2006 10:16	N	14265-44-2	Phosphate	337	ug/L	U	[NULL]	[NULL]	S	B1K029	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/11/2006 10:16	N	7440-09-7	Potassium	1500	ug/L	[NULL]	[NULL]	[NULL]	S	B1K029	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:16	N	7440-22-4	Silver	11	ug/L	U	[NULL]	[NULL]	S	B1K029	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:16	N	7440-23-5	Sodium	2440	ug/L	[NULL]	[NULL]	[NULL]	S	B1K029	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:16	N	7440-24-6	Strontium	93.5	ug/L	[NULL]	[NULL]	[NULL]	S	B1K029	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:16	N	10098-97-2	Strontium-90	2500	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K029	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	7/11/2006 10:16	N	14808-79-8	Sulfate	9550	ug/L	[NULL]	[NULL]	[NULL]	S	B1K029	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/11/2006 10:16	N	7440-62-2	Vanadium	14	ug/L	U	[NULL]	[NULL]	S	B1K029	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:16	N	7440-66-6	Zinc	7.1	ug/L	[NULL]	[NULL]	[NULL]	S	B1K029	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:30	N	7429-90-5	Aluminum	37	ug/L	U	[NULL]	[NULL]	S	B1K030	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:30	N	7440-36-0	Antimony	72	ug/L	U	[NULL]	[NULL]	S	B1K030	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:30	N	7440-38-2	Arsenic	79	ug/L	U	[NULL]	[NULL]	S	B1K030	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:30	N	7440-39-3	Barium	27.3	ug/L	[NULL]	[NULL]	[NULL]	S	B1K030	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:30	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	S	B1K030	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:30	N	7440-70-2	Calcium	22100	ug/L	[NULL]	[NULL]	[NULL]	S	B1K030	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:30	N	16887-00-6	Chloride	1920	ug/L	[NULL]	[NULL]	[NULL]	S	B1K030	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/11/2006 10:30	N	7440-47-3	Chromium	7	ug/L	U	[NULL]	[NULL]	S	B1K030	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:30	N	7440-48-4	Cobalt	7	ug/L	U	[NULL]	[NULL]	S	B1K030	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:30	N	7440-50-8	Copper	7	ug/L	U	[NULL]	[NULL]	S	B1K030	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:30	N	16984-48-8	Fluoride	45	ug/L	U	[NULL]	[NULL]	S	B1K030	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/11/2006 10:30	N	7439-89-6	Iron	33	ug/L	U	[NULL]	[NULL]	S	B1K030	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:30	N	7439-92-1	Lead	47	ug/L	U	[NULL]	[NULL]	S	B1K030	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:30	N	7439-95-4	Magnesium	4300	ug/L	[NULL]	[NULL]	[NULL]	S	B1K030	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:30	N	7439-96-5	Manganese	3	ug/L	U	[NULL]	[NULL]	S	B1K030	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:30	N	7439-98-7	Molybdenum	11	ug/L	U	[NULL]	[NULL]	S	B1K030	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:30	N	7440-02-0	Nickel	5	ug/L	U	[NULL]	[NULL]	S	B1K030	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:30	N	14797-55-8	Nitrate	5710	ug/L	[NULL]	[NULL]	[NULL]	S	B1K030	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/11/2006 10:30	N	14797-65-0	Nitrite	115	ug/L	U	[NULL]	[NULL]	S	B1K030	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/11/2006 10:30	N	14265-44-2	Phosphate	337	ug/L	U	[NULL]	[NULL]	S	B1K030	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/11/2006 10:30	N	7440-09-7	Potassium	1300	ug/L	[NULL]	[NULL]	[NULL]	S	B1K030	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:30	N	7440-22-4	Silver	11	ug/L	U	[NULL]	[NULL]	S	B1K030	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:30	N	7440-23-5	Sodium	2440	ug/L	[NULL]	[NULL]	[NULL]	S	B1K030	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:30	N	7440-24-6	Strontium	94.2	ug/L	[NULL]	[NULL]	[NULL]	S	B1K030	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:30	N	10098-97-2	Strontium-90	1900	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K030	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	7/11/2006 10:30	N	14808-79-8	Sulfate	9320	ug/L	[NULL]	[NULL]	[NULL]	S	B1K030	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/11/2006 10:30	N	7440-62-2	Vanadium	14	ug/L	U	[NULL]	[NULL]	S	B1K030	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/11/2006 10:30	N	7440-66-6	Zinc	13.5	ug/L	[NULL]	[NULL]	[NULL]	S	B1K030	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/26/2007 11:15	Y	7429-90-5	Aluminum	50.2	ug/L	[NULL]	[NULL]	[NULL]	S	B1MLM0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/26/2007 11:15	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	S	B1MLM0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/26/2007 11:15	Y	7440-38-2	Arsenic	50	ug/L	U	[NULL]	[NULL]	S	B1MLM0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/26/2007 11:15	Y	7440-39-3	Barium	29.9	ug/L	[NULL]	[NULL]	[NULL]	S	B1MLM0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/26/2007 11:15	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1MLM0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/26/2007 11:15	Y	7440-70-2	Calcium	27600	ug/L	[NULL]	[NULL]	[NULL]	S	B1MLM0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/26/2007 11:15	Y	16887-00-6	Chloride	3960	ug/L	[NULL]	[NULL]	[NULL]	S	B1MLM0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	2/26/2007 11:15	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	S	B1MLM0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/26/2007 11:15	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1MLM0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	2/26/2007 11:15	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	S	B1MLM0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/26/2007 11:15	Y	16984-48-8	Fluoride	30	ug/L	B	[NULL]	[NULL]	S	B1MLM0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	2/26/2007 11:15	Y	7439-89-6	Iron	9	ug/L	U	[NULL]	[NULL]	S	B1MLM0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/26/2007 11:15	Y	7439-92-1	Lead	27	ug/L	U	[NULL]	[NULL]	S	B1MLM0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/26/2007 11:15	Y	7439-95-4	Magnesium	5160	ug/L	[NULL]	[NULL]	[NULL]	S	B1MLM0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/26/2007 11:15	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	S	B1MLM0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/26/2007 11:15	Y	7439-98-7	Molybdenum	4	ug/L	U	[NULL]	[NULL]	S	B1MLM0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/26/2007 11:15	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B1MLM0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/26/2007 11:15	Y	14797-55-8	Nitrate	5490	ug/L	[NULL]	[NULL]	[NULL]	S	B1MLM0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	2/26/2007 11:15	Y	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	S	B1MLM0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	2/26/2007 11:15	Y	14265-44-2	Phosphate	85.9	ug/L	U	[NULL]	[NULL]	S	B1MLM0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	2/26/2007 11:15	Y	7440-09-7	Potassium	1210	ug/L	[NULL]	[NULL]	[NULL]	S	B1MLM0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/26/2007 11:15	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1MLM0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/26/2007 11:15	Y	7440-23-5	Sodium	2720	ug/L	[NULL]	[NULL]	[NULL]	S	B1MLM0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/26/2007 11:15	Y	7440-24-6	Strontium	95.8	ug/L	[NULL]	[NULL]	[NULL]	S	B1MLM0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/26/2007 11:15	Y	10098-97-2	Strontium-90	2800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MLM0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	2/26/2007 11:15	Y	14808-79-8	Sulfate	15700	ug/L	D	[NULL]	[NULL]	S	B1MLM0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	2/26/2007 11:15	Y	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	S	B1MLM0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/26/2007 11:15	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	S	B1MLM0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/3/2007 6:39	Y	7429-90-5	Aluminum	1360	ug/L	D	[NULL]	[NULL]	S	B1MMJ9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/3/2007 6:39	Y	7440-36-0	Antimony	320	ug/L	DU	[NULL]	[NULL]	S	B1MMJ9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/3/2007 6:39	Y	7440-38-2	Arsenic	500	ug/L	DU	[NULL]	[NULL]	S	B1MMJ9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/3/2007 6:39	Y	7440-39-3	Barium	56.4	ug/L	D	[NULL]	[NULL]	S	B1MMJ9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/3/2007 6:39	Y	7440-43-9	Cadmium	40	ug/L	DU	[NULL]	[NULL]	S	B1MMJ9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/3/2007 6:39	Y	7440-70-2	Calcium	44100	ug/L	D	[NULL]	[NULL]	S	B1MMJ9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/3/2007 6:39	Y	16887-00-6	Chloride	34600	ug/L	D	[NULL]	[NULL]	S	B1MMJ9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/3/2007 6:39	Y	7440-47-3	Chromium	40	ug/L	DU	[NULL]	[NULL]	S	B1MMJ9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/3/2007 6:39	Y	7440-48-4	Cobalt	40	ug/L	DU	[NULL]	[NULL]	S	B1MMJ9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/3/2007 6:39	Y	7440-50-8	Copper	40	ug/L	DU	[NULL]	[NULL]	S	B1MMJ9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/3/2007 6:39	Y	16984-48-8	Fluoride	63	ug/L	DU	[NULL]	[NULL]	S	B1MMJ9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/3/2007 6:39	Y	7439-89-6	Iron	90	ug/L	DU	[NULL]	[NULL]	S	B1MMJ9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/3/2007 6:39	Y	7439-92-1	Lead	270	ug/L	DU	[NULL]	[NULL]	S	B1MMJ9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/3/2007 6:39	Y	7439-95-4	Magnesium	6130	ug/L	D	[NULL]	[NULL]	S	B1MMJ9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/3/2007 6:39	Y	7439-96-5	Manganese	40	ug/L	DU	[NULL]	[NULL]	S	B1MMJ9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/3/2007 6:39	Y	7439-98-7	Molybdenum	40	ug/L	DU	[NULL]	[NULL]	S	B1MMJ9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/3/2007 6:39	Y	7440-02-0	Nickel	40	ug/L	DU	[NULL]	[NULL]	S	B1MMJ9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/3/2007 6:39	Y	14797-55-8	Nitrate	673	ug/L	BD	[NULL]	[NULL]	S	B1MMJ9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/3/2007 6:39	Y	14797-65-0	Nitrite	328	ug/L	DU	[NULL]	[NULL]	S	B1MMJ9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/3/2007 6:39	Y	14265-44-2	Phosphate	1090000	ug/L	D	[NULL]	[NULL]	S	B1MMJ9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/3/2007 6:39	Y	7440-09-7	Potassium	1880	ug/L	D	[NULL]	[NULL]	S	B1MMJ9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/3/2007 6:39	Y	7440-22-4	Silver	50	ug/L	DU	[NULL]	[NULL]	S	B1MMJ9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/3/2007 6:39	Y	7440-23-5	Sodium	549000	ug/L	D	[NULL]	[NULL]	S	B1MMJ9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/3/2007 6:39	Y	7440-24-6	Strontium	319	ug/L	D	[NULL]	[NULL]	S	B1MMJ9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/3/2007 6:39	Y	10098-97-2	Strontium-90	1300	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MMJ9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	3/3/2007 6:39	Y	14808-79-8	Sulfate	9660	ug/L	D	[NULL]	[NULL]	S	B1MMJ9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/3/2007 6:39	Y	7440-62-2	Vanadium	70	ug/L	DU	[NULL]	[NULL]	S	B1MMJ9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/3/2007 6:39	Y	7440-66-6	Zinc	40	ug/L	DU	[NULL]	[NULL]	S	B1MMJ9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/4/2007 5:55	Y	7429-90-5	Aluminum	2150	ug/L	D	[NULL]	[NULL]	S	B1MMK1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/4/2007 5:55	Y	7440-36-0	Antimony	320	ug/L	DU	[NULL]	[NULL]	S	B1MMK1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/4/2007 5:55	Y	7440-38-2	Arsenic	500	ug/L	DU	[NULL]	[NULL]	S	B1MMK1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/4/2007 5:55	Y	7440-39-3	Barium	82	ug/L	D	[NULL]	[NULL]	S	B1MMK1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/4/2007 5:55	Y	7440-43-9	Cadmium	40	ug/L	DU	[NULL]	[NULL]	S	B1MMK1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/4/2007 5:55	Y	7440-70-2	Calcium	50600	ug/L	D	[NULL]	[NULL]	S	B1MMK1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/4/2007 5:55	Y	16887-00-6	Chloride	48200	ug/L	D	[NULL]	[NULL]	S	B1MMK1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/4/2007 5:55	Y	7440-47-3	Chromium	40	ug/L	DU	[NULL]	[NULL]	S	B1MMK1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	3/4/2007 5:55	Y	7440-48-4	Cobalt	40	ug/L	DU	[NULL]	[NULL]	S	B1MMK1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/4/2007 5:55	Y	7440-50-8	Copper	40	ug/L	DU	[NULL]	[NULL]	S	B1MMK1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/4/2007 5:55	Y	16984-48-8	Fluoride	32	ug/L	DU	[NULL]	[NULL]	S	B1MMK1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/4/2007 5:55	Y	7439-89-6	Iron	93.6	ug/L	D	[NULL]	[NULL]	S	B1MMK1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/4/2007 5:55	Y	7439-92-1	Lead	270	ug/L	DU	[NULL]	[NULL]	S	B1MMK1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/4/2007 5:55	Y	7439-95-4	Magnesium	7230	ug/L	D	[NULL]	[NULL]	S	B1MMK1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/4/2007 5:55	Y	7439-96-5	Manganese	40	ug/L	DU	[NULL]	[NULL]	S	B1MMK1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/4/2007 5:55	Y	7439-98-7	Molybdenum	40	ug/L	DU	[NULL]	[NULL]	S	B1MMK1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/4/2007 5:55	Y	7440-02-0	Nickel	40	ug/L	DU	[NULL]	[NULL]	S	B1MMK1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/4/2007 5:55	Y	14797-55-8	Nitrate	527	ug/L	BD	[NULL]	[NULL]	S	B1MMK1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/4/2007 5:55	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1MMK1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/4/2007 5:55	Y	14265-44-2	Phosphate	696000	ug/L	D	[NULL]	[NULL]	S	B1MMK1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/4/2007 5:55	Y	7440-09-7	Potassium	2300	ug/L	D	[NULL]	[NULL]	S	B1MMK1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/4/2007 5:55	Y	7440-22-4	Silver	50	ug/L	DU	[NULL]	[NULL]	S	B1MMK1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/4/2007 5:55	Y	7440-23-5	Sodium	404000	ug/L	D	[NULL]	[NULL]	S	B1MMK1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/4/2007 5:55	Y	7440-24-6	Strontium	338	ug/L	D	[NULL]	[NULL]	S	B1MMK1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/4/2007 5:55	Y	10098-97-2	Strontium-90	2200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MMK1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	3/4/2007 5:55	Y	14808-79-8	Sulfate	9520	ug/L	D	[NULL]	[NULL]	S	B1MMK1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/4/2007 5:55	Y	7440-62-2	Vanadium	70	ug/L	DU	[NULL]	[NULL]	S	B1MMK1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/4/2007 5:55	Y	7440-66-6	Zinc	40	ug/L	DU	[NULL]	[NULL]	S	B1MMK1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/5/2007 14:55	Y	7429-90-5	Aluminum	3070	ug/L	D	[NULL]	[NULL]	S	B1MMK3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/5/2007 14:55	Y	7440-36-0	Antimony	320	ug/L	DU	[NULL]	[NULL]	S	B1MMK3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/5/2007 14:55	Y	7440-38-2	Arsenic	500	ug/L	DU	[NULL]	[NULL]	S	B1MMK3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/5/2007 14:55	Y	7440-39-3	Barium	66.8	ug/L	D	[NULL]	[NULL]	S	B1MMK3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/5/2007 14:55	Y	7440-43-9	Cadmium	40	ug/L	DU	[NULL]	[NULL]	S	B1MMK3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/5/2007 14:55	Y	7440-70-2	Calcium	56000	ug/L	D	[NULL]	[NULL]	S	B1MMK3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/5/2007 14:55	Y	16887-00-6	Chloride	58400	ug/L	D	[NULL]	[NULL]	S	B1MMK3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/5/2007 14:55	Y	7440-47-3	Chromium	40	ug/L	DU	[NULL]	[NULL]	S	B1MMK3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/5/2007 14:55	Y	7440-48-4	Cobalt	40	ug/L	DU	[NULL]	[NULL]	S	B1MMK3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/5/2007 14:55	Y	7440-50-8	Copper	40	ug/L	DU	[NULL]	[NULL]	S	B1MMK3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/5/2007 14:55	Y	16984-48-8	Fluoride	145	ug/L	DU	[NULL]	[NULL]	S	B1MMK3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/5/2007 14:55	Y	7439-89-6	Iron	157	ug/L	D	[NULL]	[NULL]	S	B1MMK3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/5/2007 14:55	Y	7439-92-1	Lead	270	ug/L	DU	[NULL]	[NULL]	S	B1MMK3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/5/2007 14:55	Y	7439-95-4	Magnesium	7200	ug/L	D	[NULL]	[NULL]	S	B1MMK3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/5/2007 14:55	Y	7439-96-5	Manganese	40	ug/L	DU	[NULL]	[NULL]	S	B1MMK3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/5/2007 14:55	Y	7439-98-7	Molybdenum	40	ug/L	DU	[NULL]	[NULL]	S	B1MMK3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/5/2007 14:55	Y	7440-02-0	Nickel	40	ug/L	DU	[NULL]	[NULL]	S	B1MMK3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/5/2007 14:55	Y	14797-55-8	Nitrate	974	ug/L	DU	[NULL]	[NULL]	S	B1MMK3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/5/2007 14:55	Y	14797-65-0	Nitrite	361	ug/L	DU	[NULL]	[NULL]	S	B1MMK3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/5/2007 14:55	Y	14265-44-2	Phosphate	898000	ug/L	D	[NULL]	[NULL]	S	B1MMK3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/5/2007 14:55	Y	7440-09-7	Potassium	2310	ug/L	D	[NULL]	[NULL]	S	B1MMK3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/5/2007 14:55	Y	7440-22-4	Silver	50	ug/L	DU	[NULL]	[NULL]	S	B1MMK3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/5/2007 14:55	Y	7440-23-5	Sodium	577000	ug/L	D	[NULL]	[NULL]	S	B1MMK3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/5/2007 14:55	Y	7440-24-6	Strontium	413	ug/L	D	[NULL]	[NULL]	S	B1MMK3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/5/2007 14:55	Y	10098-97-2	Strontium-90	1900	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MMK3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	3/5/2007 14:55	Y	14808-79-8	Sulfate	8100	ug/L	D	[NULL]	[NULL]	S	B1MMK3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/5/2007 14:55	Y	7440-62-2	Vanadium	70	ug/L	DU	[NULL]	[NULL]	S	B1MMK3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/5/2007 14:55	Y	7440-66-6	Zinc	40	ug/L	DU	[NULL]	[NULL]	S	B1MMK3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/6/2007 14:30	Y	7429-90-5	Aluminum	3790	ug/L	D	[NULL]	[NULL]	S	B1MMK5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/6/2007 14:30	Y	7440-36-0	Antimony	320	ug/L	DU	[NULL]	[NULL]	S	B1MMK5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/6/2007 14:30	Y	7440-38-2	Arsenic	500	ug/L	DU	[NULL]	[NULL]	S	B1MMK5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/6/2007 14:30	Y	7440-39-3	Barium	40	ug/L	DU	[NULL]	[NULL]	S	B1MMK5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/6/2007 14:30	Y	7440-43-9	Cadmium	40	ug/L	DU	[NULL]	[NULL]	S	B1MMK5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/6/2007 14:30	Y	7440-70-2	Calcium	50900	ug/L	D	[NULL]	[NULL]	S	B1MMK5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/6/2007 14:30	Y	16887-00-6	Chloride	66800	ug/L	D	[NULL]	[NULL]	S	B1MMK5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	3/6/2007 14:30	Y	7440-47-3	Chromium	40	ug/L	DU	[NULL]	[NULL]	S	B1MMK5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/6/2007 14:30	Y	7440-48-4	Cobalt	40	ug/L	DU	[NULL]	[NULL]	S	B1MMK5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/6/2007 14:30	Y	7440-50-8	Copper	40	ug/L	DU	[NULL]	[NULL]	S	B1MMK5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/6/2007 14:30	Y	16984-48-8	Fluoride	32	ug/L	DU	[NULL]	[NULL]	S	B1MMK5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/6/2007 14:30	Y	7439-89-6	Iron	232	ug/L	D	[NULL]	[NULL]	S	B1MMK5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/6/2007 14:30	Y	7439-92-1	Lead	270	ug/L	DU	[NULL]	[NULL]	S	B1MMK5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/6/2007 14:30	Y	7439-95-4	Magnesium	5030	ug/L	D	[NULL]	[NULL]	S	B1MMK5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/6/2007 14:30	Y	7439-96-5	Manganese	66.3	ug/L	D	[NULL]	[NULL]	S	B1MMK5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/6/2007 14:30	Y	7439-98-7	Molybdenum	40	ug/L	DU	[NULL]	[NULL]	S	B1MMK5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/6/2007 14:30	Y	7440-02-0	Nickel	40	ug/L	DU	[NULL]	[NULL]	S	B1MMK5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/6/2007 14:30	Y	14797-55-8	Nitrate	146	ug/L	DU	[NULL]	[NULL]	S	B1MMK5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/6/2007 14:30	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1MMK5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/6/2007 14:30	Y	14265-44-2	Phosphate	607000	ug/L	D	[NULL]	[NULL]	S	B1MMK5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/6/2007 14:30	Y	7440-09-7	Potassium	2550	ug/L	D	[NULL]	[NULL]	S	B1MMK5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/6/2007 14:30	Y	7440-22-4	Silver	50	ug/L	DU	[NULL]	[NULL]	S	B1MMK5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/6/2007 14:30	Y	7440-23-5	Sodium	457000	ug/L	D	[NULL]	[NULL]	S	B1MMK5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/6/2007 14:30	Y	7440-24-6	Strontium	436	ug/L	D	[NULL]	[NULL]	S	B1MMK5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/6/2007 14:30	Y	10098-97-2	Strontium-90	1600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MMK5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	3/6/2007 14:30	Y	14808-79-8	Sulfate	10000	ug/L	D	[NULL]	[NULL]	S	B1MMK5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/6/2007 14:30	Y	7440-62-2	Vanadium	70	ug/L	DU	[NULL]	[NULL]	S	B1MMK5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/6/2007 14:30	Y	7440-66-6	Zinc	40	ug/L	DU	[NULL]	[NULL]	S	B1MMK5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/7/2007 13:52	Y	7429-90-5	Aluminum	3840	ug/L	D	[NULL]	[NULL]	S	B1MMK7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/7/2007 13:52	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MMK7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/7/2007 13:52	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MMK7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/7/2007 13:52	Y	7440-39-3	Barium	34.9	ug/L	D	[NULL]	[NULL]	S	B1MMK7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/7/2007 13:52	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMK7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/7/2007 13:52	Y	7440-70-2	Calcium	46000	ug/L	D	[NULL]	[NULL]	S	B1MMK7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/7/2007 13:52	Y	16887-00-6	Chloride	65400	ug/L	D	[NULL]	[NULL]	S	B1MMK7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/7/2007 13:52	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMK7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/7/2007 13:52	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MMK7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/7/2007 13:52	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MMK7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/7/2007 13:52	Y	16984-48-8	Fluoride	32	ug/L	DU	[NULL]	[NULL]	S	B1MMK7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/7/2007 13:52	Y	7439-89-6	Iron	270	ug/L	D	[NULL]	[NULL]	S	B1MMK7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/7/2007 13:52	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MMK7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/7/2007 13:52	Y	7439-95-4	Magnesium	4630	ug/L	D	[NULL]	[NULL]	S	B1MMK7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/7/2007 13:52	Y	7439-96-5	Manganese	224	ug/L	D	[NULL]	[NULL]	S	B1MMK7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/7/2007 13:52	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MMK7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/7/2007 13:52	Y	7440-02-0	Nickel	21.9	ug/L	D	[NULL]	[NULL]	S	B1MMK7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/7/2007 13:52	Y	14797-55-8	Nitrate	146	ug/L	DU	[NULL]	[NULL]	S	B1MMK7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/7/2007 13:52	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1MMK7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/7/2007 13:52	Y	14265-44-2	Phosphate	570000	ug/L	D	[NULL]	[NULL]	S	B1MMK7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/7/2007 13:52	Y	7440-09-7	Potassium	2410	ug/L	D	[NULL]	[NULL]	S	B1MMK7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/7/2007 13:52	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MMK7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/7/2007 13:52	Y	7440-23-5	Sodium	439000	ug/L	D	[NULL]	[NULL]	S	B1MMK7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/7/2007 13:52	Y	7440-24-6	Strontium	403	ug/L	D	[NULL]	[NULL]	S	B1MMK7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/7/2007 13:52	Y	10098-97-2	Strontium-90	3400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MMK7	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	3/7/2007 13:52	Y	14808-79-8	Sulfate	9830	ug/L	D	[NULL]	[NULL]	S	B1MMK7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/7/2007 13:52	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MMK7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/7/2007 13:52	Y	7440-66-6	Zinc	25.6	ug/L	D	[NULL]	[NULL]	S	B1MMK7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/8/2007 11:15	Y	7429-90-5	Aluminum	3960	ug/L	D	[NULL]	[NULL]	S	B1MMK9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/8/2007 11:15	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MMK9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/8/2007 11:15	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MMK9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/8/2007 11:15	Y	7440-39-3	Barium	37.6	ug/L	D	[NULL]	[NULL]	S	B1MMK9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/8/2007 11:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMK9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/8/2007 11:15	Y	7440-70-2	Calcium	47700	ug/L	D	[NULL]	[NULL]	S	B1MMK9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	3/8/2007 11:15	Y	16887-00-6	Chloride	68900	ug/L	D	[NULL]	[NULL]	S	B1MMK9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/8/2007 11:15	Y	7440-47-3	Chromium	23.6	ug/L	D	[NULL]	[NULL]	S	B1MMK9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/8/2007 11:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MMK9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/8/2007 11:15	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MMK9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/8/2007 11:15	Y	16984-48-8	Fluoride	32	ug/L	DU	[NULL]	[NULL]	S	B1MMK9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/8/2007 11:15	Y	7439-89-6	Iron	289	ug/L	D	[NULL]	[NULL]	S	B1MMK9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/8/2007 11:15	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MMK9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/8/2007 11:15	Y	7439-95-4	Magnesium	4880	ug/L	D	[NULL]	[NULL]	S	B1MMK9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/8/2007 11:15	Y	7439-96-5	Manganese	1110	ug/L	D	[NULL]	[NULL]	S	B1MMK9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/8/2007 11:15	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MMK9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/8/2007 11:15	Y	7440-02-0	Nickel	30.3	ug/L	D	[NULL]	[NULL]	S	B1MMK9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/8/2007 11:15	Y	14797-55-8	Nitrate	146	ug/L	DU	[NULL]	[NULL]	S	B1MMK9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/8/2007 11:15	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1MMK9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/8/2007 11:15	Y	14265-44-2	Phosphate	598000	ug/L	D	[NULL]	[NULL]	S	B1MMK9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/8/2007 11:15	Y	7440-09-7	Potassium	2490	ug/L	D	[NULL]	[NULL]	S	B1MMK9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/8/2007 11:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MMK9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/8/2007 11:15	Y	7440-23-5	Sodium	430000	ug/L	D	[NULL]	[NULL]	S	B1MMK9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/8/2007 11:15	Y	7440-24-6	Strontium	391	ug/L	D	[NULL]	[NULL]	S	B1MMK9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/8/2007 11:15	Y	10098-97-2	Strontium-90	1600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MMK9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	3/8/2007 11:15	Y	14808-79-8	Sulfate	9460	ug/L	D	[NULL]	[NULL]	S	B1MMK9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/8/2007 11:15	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MMK9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/8/2007 11:15	Y	7440-66-6	Zinc	24.3	ug/L	D	[NULL]	[NULL]	S	B1MMK9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/9/2007 9:50	Y	7429-90-5	Aluminum	3940	ug/L	D	[NULL]	[NULL]	S	B1MML1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/9/2007 9:50	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MML1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/9/2007 9:50	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MML1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/9/2007 9:50	Y	7440-39-3	Barium	40	ug/L	D	[NULL]	[NULL]	S	B1MML1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/9/2007 9:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MML1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/9/2007 9:50	Y	7440-70-2	Calcium	46100	ug/L	D	[NULL]	[NULL]	S	B1MML1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/9/2007 9:50	Y	16887-00-6	Chloride	64600	ug/L	D	[NULL]	[NULL]	S	B1MML1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/9/2007 9:50	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MML1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/9/2007 9:50	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MML1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/9/2007 9:50	Y	7440-50-8	Copper	20.2	ug/L	D	[NULL]	[NULL]	S	B1MML1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/9/2007 9:50	Y	16984-48-8	Fluoride	145	ug/L	DU	[NULL]	[NULL]	S	B1MML1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/9/2007 9:50	Y	7439-89-6	Iron	310	ug/L	D	[NULL]	[NULL]	S	B1MML1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/9/2007 9:50	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MML1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/9/2007 9:50	Y	7439-95-4	Magnesium	4950	ug/L	D	[NULL]	[NULL]	S	B1MML1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/9/2007 9:50	Y	7439-96-5	Manganese	2040	ug/L	D	[NULL]	[NULL]	S	B1MML1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/9/2007 9:50	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MML1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/9/2007 9:50	Y	7440-02-0	Nickel	21.8	ug/L	D	[NULL]	[NULL]	S	B1MML1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/9/2007 9:50	Y	14797-55-8	Nitrate	974	ug/L	DU	[NULL]	[NULL]	S	B1MML1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/9/2007 9:50	Y	14797-65-0	Nitrite	361	ug/L	DU	[NULL]	[NULL]	S	B1MML1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/9/2007 9:50	Y	14265-44-2	Phosphate	567000	ug/L	D	[NULL]	[NULL]	S	B1MML1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/9/2007 9:50	Y	7440-09-7	Potassium	2490	ug/L	D	[NULL]	[NULL]	S	B1MML1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/9/2007 9:50	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MML1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/9/2007 9:50	Y	7440-23-5	Sodium	425000	ug/L	D	[NULL]	[NULL]	S	B1MML1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/9/2007 9:50	Y	7440-24-6	Strontium	376	ug/L	D	[NULL]	[NULL]	S	B1MML1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/9/2007 9:50	Y	10098-97-2	Strontium-90	1700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MML1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	3/9/2007 9:50	Y	14808-79-8	Sulfate	9350	ug/L	D	[NULL]	[NULL]	S	B1MML1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/9/2007 9:50	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MML1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/9/2007 9:50	Y	7440-66-6	Zinc	22.9	ug/L	D	[NULL]	[NULL]	S	B1MML1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/16/2007 10:40	Y	7429-90-5	Aluminum	455	ug/L	D	[NULL]	[NULL]	S	B1MWJ4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/16/2007 10:40	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MWJ4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/16/2007 10:40	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MWJ4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/16/2007 10:40	Y	7440-39-3	Barium	23	ug/L	D	[NULL]	[NULL]	S	B1MWJ4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/16/2007 10:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWJ4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	3/16/2007 10:40	Y	7440-70-2	Calcium	17800	ug/L	D	[NULL]	[NULL]	S	B1MWJ4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/16/2007 10:40	Y	16887-00-6	Chloride	62800	ug/L	D	[NULL]	[NULL]	S	B1MWJ4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/16/2007 10:40	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWJ4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/16/2007 10:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MWJ4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/16/2007 10:40	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MWJ4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/16/2007 10:40	Y	16984-48-8	Fluoride	58	ug/L	DU	[NULL]	[NULL]	S	B1MWJ4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/16/2007 10:40	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1MWJ4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/16/2007 10:40	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MWJ4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/16/2007 10:40	Y	7439-95-4	Magnesium	2940	ug/L	D	[NULL]	[NULL]	S	B1MWJ4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/16/2007 10:40	Y	7439-96-5	Manganese	1700	ug/L	D	[NULL]	[NULL]	S	B1MWJ4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/16/2007 10:40	Y	7439-98-7	Molybdenum	23	ug/L	D	[NULL]	[NULL]	S	B1MWJ4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/16/2007 10:40	Y	7440-02-0	Nickel	34.8	ug/L	D	[NULL]	[NULL]	S	B1MWJ4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/16/2007 10:40	Y	14797-55-8	Nitrate	390	ug/L	DU	[NULL]	[NULL]	S	B1MWJ4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/16/2007 10:40	Y	14797-65-0	Nitrite	145	ug/L	DU	[NULL]	[NULL]	S	B1MWJ4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/16/2007 10:40	Y	14265-44-2	Phosphate	365000	ug/L	D	[NULL]	[NULL]	S	B1MWJ4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/16/2007 10:40	Y	7440-09-7	Potassium	2440	ug/L	D	[NULL]	[NULL]	S	B1MWJ4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/16/2007 10:40	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MWJ4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/16/2007 10:40	Y	7440-23-5	Sodium	389000	ug/L	D	[NULL]	[NULL]	S	B1MWJ4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/16/2007 10:40	Y	7440-24-6	Strontium	179	ug/L	D	[NULL]	[NULL]	S	B1MWJ4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/16/2007 10:40	Y	10098-97-2	Strontium-90	880	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MWJ4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	3/16/2007 10:40	Y	14808-79-8	Sulfate	9760	ug/L	D	[NULL]	[NULL]	S	B1MWJ4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/16/2007 10:40	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MWJ4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/16/2007 10:40	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MWJ4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/23/2007 8:05	Y	7429-90-5	Aluminum	999	ug/L	D	[NULL]	[NULL]	S	B1MWK7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/23/2007 8:05	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MWK7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/23/2007 8:05	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MWK7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/23/2007 8:05	Y	7440-39-3	Barium	78	ug/L	D	[NULL]	[NULL]	S	B1MWK7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/23/2007 8:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWK7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/23/2007 8:05	Y	7440-70-2	Calcium	60200	ug/L	D	[NULL]	[NULL]	S	B1MWK7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/23/2007 8:05	Y	16887-00-6	Chloride	84100	ug/L	D	[NULL]	[NULL]	S	B1MWK7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/23/2007 8:05	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWK7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/23/2007 8:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MWK7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/23/2007 8:05	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MWK7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/23/2007 8:05	Y	16984-48-8	Fluoride	32	ug/L	DU	[NULL]	[NULL]	S	B1MWK7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/23/2007 8:05	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1MWK7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/23/2007 8:05	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MWK7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/23/2007 8:05	Y	7439-95-4	Magnesium	10500	ug/L	D	[NULL]	[NULL]	S	B1MWK7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/23/2007 8:05	Y	7439-96-5	Manganese	1050	ug/L	D	[NULL]	[NULL]	S	B1MWK7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/23/2007 8:05	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MWK7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/23/2007 8:05	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MWK7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/23/2007 8:05	Y	14797-55-8	Nitrate	1180	ug/L	BD	[NULL]	[NULL]	S	B1MWK7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/23/2007 8:05	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1MWK7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/23/2007 8:05	Y	14265-44-2	Phosphate	521000	ug/L	D	[NULL]	[NULL]	S	B1MWK7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/23/2007 8:05	Y	7440-09-7	Potassium	3320	ug/L	D	[NULL]	[NULL]	S	B1MWK7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/23/2007 8:05	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MWK7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/23/2007 8:05	Y	7440-23-5	Sodium	430000	ug/L	D	[NULL]	[NULL]	S	B1MWK7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/23/2007 8:05	Y	7440-24-6	Strontium	402	ug/L	D	[NULL]	[NULL]	S	B1MWK7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/23/2007 8:05	Y	10098-97-2	Strontium-90	3700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MWK7	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	3/23/2007 8:05	Y	14808-79-8	Sulfate	10100	ug/L	D	[NULL]	[NULL]	S	B1MWK7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/23/2007 8:05	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MWK7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/23/2007 8:05	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MWK7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/30/2007 9:05	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1MWM0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/30/2007 9:05	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MWM0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/30/2007 9:05	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MWM0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/30/2007 9:05	Y	7440-39-3	Barium	29	ug/L	D	[NULL]	[NULL]	S	B1MWM0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	3/30/2007 9:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWM0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/30/2007 9:05	Y	7440-70-2	Calcium	27400	ug/L	D	[NULL]	[NULL]	S	B1MWM0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/30/2007 9:05	Y	16887-00-6	Chloride	67300	ug/L	D	[NULL]	[NULL]	S	B1MWM0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/30/2007 9:05	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWM0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/30/2007 9:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MWM0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/30/2007 9:05	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MWM0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/30/2007 9:05	Y	16984-48-8	Fluoride	32	ug/L	DU	[NULL]	[NULL]	S	B1MWM0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/30/2007 9:05	Y	7439-89-6	Iron	56.1	ug/L	CD	[NULL]	[NULL]	S	B1MWM0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/30/2007 9:05	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MWM0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/30/2007 9:05	Y	7439-95-4	Magnesium	5680	ug/L	D	[NULL]	[NULL]	S	B1MWM0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/30/2007 9:05	Y	7439-96-5	Manganese	772	ug/L	D	[NULL]	[NULL]	S	B1MWM0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/30/2007 9:05	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MWM0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/30/2007 9:05	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MWM0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/30/2007 9:05	Y	14797-55-8	Nitrate	146	ug/L	DU	[NULL]	[NULL]	S	B1MWM0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/30/2007 9:05	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1MWM0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/30/2007 9:05	Y	14265-44-2	Phosphate	313000	ug/L	D	[NULL]	[NULL]	S	B1MWM0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/30/2007 9:05	Y	7440-09-7	Potassium	3270	ug/L	D	[NULL]	[NULL]	S	B1MWM0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/30/2007 9:05	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MWM0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/30/2007 9:05	Y	7440-23-5	Sodium	381000	ug/L	D	[NULL]	[NULL]	S	B1MWM0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/30/2007 9:05	Y	7440-24-6	Strontium	259	ug/L	D	[NULL]	[NULL]	S	B1MWM0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/30/2007 9:05	Y	10098-97-2	Strontium-90	1800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MWM0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	3/30/2007 9:05	Y	14808-79-8	Sulfate	9920	ug/L	D	[NULL]	[NULL]	S	B1MWM0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	3/30/2007 9:05	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MWM0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	3/30/2007 9:05	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MWM0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/13/2007 10:45	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1MWV6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/13/2007 10:45	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MWV6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/13/2007 10:45	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MWV6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/13/2007 10:45	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWV6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/13/2007 10:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWV6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/13/2007 10:45	Y	7440-70-2	Calcium	14500	ug/L	D	[NULL]	[NULL]	S	B1MWV6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/13/2007 10:45	Y	16887-00-6	Chloride	93900	ug/L	D	[NULL]	[NULL]	S	B1MWV6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	4/13/2007 10:45	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWV6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/13/2007 10:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MWV6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/13/2007 10:45	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MWV6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/13/2007 10:45	Y	16984-48-8	Fluoride	29	ug/L	NUX	[NULL]	[NULL]	S	B1MWV6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	4/13/2007 10:45	Y	7439-89-6	Iron	129	ug/L	D	[NULL]	[NULL]	S	B1MWV6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/13/2007 10:45	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MWV6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/13/2007 10:45	Y	7439-95-4	Magnesium	2810	ug/L	D	[NULL]	[NULL]	S	B1MWV6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/13/2007 10:45	Y	7439-96-5	Manganese	623	ug/L	D	[NULL]	[NULL]	S	B1MWV6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/13/2007 10:45	Y	7439-98-7	Molybdenum	27.4	ug/L	D	[NULL]	[NULL]	S	B1MWV6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/13/2007 10:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MWV6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/13/2007 10:45	Y	14797-55-8	Nitrate	1760	ug/L	[NULL]	[NULL]	[NULL]	S	B1MWV6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	4/13/2007 10:45	Y	14797-65-0	Nitrite	72.3	ug/L	NU	[NULL]	[NULL]	S	B1MWV6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	4/13/2007 10:45	Y	14265-44-2	Phosphate	334000	ug/L	D	[NULL]	[NULL]	S	B1MWV6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	4/13/2007 10:45	Y	7440-09-7	Potassium	2090	ug/L	D	[NULL]	[NULL]	S	B1MWV6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/13/2007 10:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MWV6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/13/2007 10:45	Y	7440-23-5	Sodium	229000	ug/L	D	[NULL]	[NULL]	S	B1MWV6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/13/2007 10:45	Y	7440-24-6	Strontium	108	ug/L	D	[NULL]	[NULL]	S	B1MWV6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/13/2007 10:45	Y	10098-97-2	Strontium-90	840	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MWV6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	4/13/2007 10:45	Y	14808-79-8	Sulfate	6880	ug/L	[NULL]	[NULL]	[NULL]	S	B1MWV6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	4/13/2007 10:45	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MWV6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/13/2007 10:45	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MWV6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/27/2007 8:22	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1MWW9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/27/2007 8:22	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MWW9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/27/2007 8:22	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MWW9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	4/27/2007 8:22	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWW9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/27/2007 8:22	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWW9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/27/2007 8:22	Y	7440-70-2	Calcium	10700	ug/L	D	[NULL]	[NULL]	S	B1MWW9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/27/2007 8:22	Y	16887-00-6	Chloride	20300	ug/L	D	[NULL]	[NULL]	S	B1MWW9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	4/27/2007 8:22	Y	7440-47-3	Chromium	80.7	ug/L	CD	[NULL]	[NULL]	S	B1MWW9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/27/2007 8:22	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MWW9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/27/2007 8:22	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MWW9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/27/2007 8:22	Y	16984-48-8	Fluoride	7	ug/L	U	[NULL]	[NULL]	S	B1MWW9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	4/27/2007 8:22	Y	7439-89-6	Iron	567	ug/L	D	[NULL]	[NULL]	S	B1MWW9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/27/2007 8:22	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MWW9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/27/2007 8:22	Y	7439-95-4	Magnesium	2190	ug/L	D	[NULL]	[NULL]	S	B1MWW9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/27/2007 8:22	Y	7439-96-5	Manganese	379	ug/L	D	[NULL]	[NULL]	S	B1MWW9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/27/2007 8:22	Y	7439-98-7	Molybdenum	21.4	ug/L	D	[NULL]	[NULL]	S	B1MWW9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/27/2007 8:22	Y	7440-02-0	Nickel	31.2	ug/L	D	[NULL]	[NULL]	S	B1MWW9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/27/2007 8:22	Y	14797-55-8	Nitrate	13.3	ug/L	U	[NULL]	[NULL]	S	B1MWW9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	4/27/2007 8:22	Y	14797-65-0	Nitrite	23	ug/L	U	[NULL]	[NULL]	S	B1MWW9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	4/27/2007 8:22	Y	14265-44-2	Phosphate	104000	ug/L	D	[NULL]	[NULL]	S	B1MWW9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	4/27/2007 8:22	Y	7440-09-7	Potassium	1520	ug/L	D	[NULL]	[NULL]	S	B1MWW9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/27/2007 8:22	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MWW9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/27/2007 8:22	Y	7440-23-5	Sodium	151000	ug/L	D	[NULL]	[NULL]	S	B1MWW9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/27/2007 8:22	Y	7440-24-6	Strontium	77.6	ug/L	D	[NULL]	[NULL]	S	B1MWW9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/27/2007 8:22	Y	10098-97-2	Strontium-90	750	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MWW9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	4/27/2007 8:22	Y	14808-79-8	Sulfate	7170	ug/L	[NULL]	[NULL]	[NULL]	S	B1MWW9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	4/27/2007 8:22	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MWW9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	4/27/2007 8:22	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MWW9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/11/2007 7:34	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NHF1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/11/2007 7:34	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NHF1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/11/2007 7:34	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NHF1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/11/2007 7:34	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NHF1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/11/2007 7:34	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NHF1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/11/2007 7:34	Y	7440-70-2	Calcium	9640	ug/L	D	[NULL]	[NULL]	S	B1NHF1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/11/2007 7:34	Y	16887-00-6	Chloride	26500	ug/L	D	[NULL]	[NULL]	S	B1NHF1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	5/11/2007 7:34	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NHF1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/11/2007 7:34	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NHF1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/11/2007 7:34	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NHF1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/11/2007 7:34	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NHF1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	5/11/2007 7:34	Y	7439-89-6	Iron	147	ug/L	D	[NULL]	[NULL]	S	B1NHF1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/11/2007 7:34	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NHF1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/11/2007 7:34	Y	7439-95-4	Magnesium	1860	ug/L	D	[NULL]	[NULL]	S	B1NHF1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/11/2007 7:34	Y	7439-96-5	Manganese	318	ug/L	D	[NULL]	[NULL]	S	B1NHF1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/11/2007 7:34	Y	7439-98-7	Molybdenum	32.8	ug/L	D	[NULL]	[NULL]	S	B1NHF1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/11/2007 7:34	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NHF1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/11/2007 7:34	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NHF1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	5/11/2007 7:34	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NHF1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	5/11/2007 7:34	Y	14265-44-2	Phosphate	117000	ug/L	D	[NULL]	[NULL]	S	B1NHF1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	5/11/2007 7:34	Y	7440-09-7	Potassium	1860	ug/L	D	[NULL]	[NULL]	S	B1NHF1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/11/2007 7:34	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NHF1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/11/2007 7:34	Y	7440-23-5	Sodium	180000	ug/L	D	[NULL]	[NULL]	S	B1NHF1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/11/2007 7:34	Y	7440-24-6	Strontium	74.9	ug/L	D	[NULL]	[NULL]	S	B1NHF1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/11/2007 7:34	Y	10098-97-2	Strontium-90	970	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NHF1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	5/11/2007 7:34	Y	14808-79-8	Sulfate	7450	ug/L	D	[NULL]	[NULL]	S	B1NHF1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	5/11/2007 7:34	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NHF1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/11/2007 7:34	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NHF1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/25/2007 8:00	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NJF6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/25/2007 8:00	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NJF6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	5/25/2007 8:00	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NJF6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/25/2007 8:00	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NJF6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/25/2007 8:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NJF6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/25/2007 8:00	Y	7440-70-2	Calcium	9340	ug/L	D	[NULL]	[NULL]	S	B1NJF6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/25/2007 8:00	Y	16887-00-6	Chloride	67400	ug/L	D	[NULL]	[NULL]	S	B1NJF6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	5/25/2007 8:00	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NJF6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/25/2007 8:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NJF6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/25/2007 8:00	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NJF6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/25/2007 8:00	Y	16984-48-8	Fluoride	197	ug/L	BD	[NULL]	[NULL]	S	B1NJF6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	5/25/2007 8:00	Y	7439-89-6	Iron	353	ug/L	D	[NULL]	[NULL]	S	B1NJF6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/25/2007 8:00	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NJF6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/25/2007 8:00	Y	7439-95-4	Magnesium	1730	ug/L	D	[NULL]	[NULL]	S	B1NJF6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/25/2007 8:00	Y	7439-96-5	Manganese	348	ug/L	D	[NULL]	[NULL]	S	B1NJF6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/25/2007 8:00	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NJF6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/25/2007 8:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NJF6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/25/2007 8:00	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NJF6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	5/25/2007 8:00	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NJF6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	5/25/2007 8:00	Y	14265-44-2	Phosphate	222000	ug/L	D	[NULL]	[NULL]	S	B1NJF6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	5/25/2007 8:00	Y	7440-09-7	Potassium	1810	ug/L	D	[NULL]	[NULL]	S	B1NJF6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/25/2007 8:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NJF6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/25/2007 8:00	Y	7440-23-5	Sodium	196000	ug/L	D	[NULL]	[NULL]	S	B1NJF6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/25/2007 8:00	Y	7440-24-6	Strontium	70.2	ug/L	D	[NULL]	[NULL]	S	B1NJF6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/25/2007 8:00	Y	10098-97-2	Strontium-90	690	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NJF6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	5/25/2007 8:00	Y	14808-79-8	Sulfate	9750	ug/L	D	[NULL]	[NULL]	S	B1NJF6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	5/25/2007 8:00	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NJF6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	5/25/2007 8:00	Y	7440-66-6	Zinc	234	ug/L	DN	[NULL]	[NULL]	S	B1NJF6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/1/2007 10:25	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NTF9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/1/2007 10:25	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NTF9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/1/2007 10:25	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NTF9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/1/2007 10:25	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NTF9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/1/2007 10:25	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NTF9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/1/2007 10:25	Y	7440-70-2	Calcium	9600	ug/L	D	[NULL]	[NULL]	S	B1NTF9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/1/2007 10:25	Y	16887-00-6	Chloride	28500	ug/L	D	[NULL]	[NULL]	S	B1NTF9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/1/2007 10:25	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NTF9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/1/2007 10:25	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NTF9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/1/2007 10:25	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NTF9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/1/2007 10:25	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NTF9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/1/2007 10:25	Y	7439-89-6	Iron	252	ug/L	D	[NULL]	[NULL]	S	B1NTF9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/1/2007 10:25	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NTF9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/1/2007 10:25	Y	7439-95-4	Magnesium	1750	ug/L	D	[NULL]	[NULL]	S	B1NTF9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/1/2007 10:25	Y	7439-96-5	Manganese	336	ug/L	D	[NULL]	[NULL]	S	B1NTF9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/1/2007 10:25	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NTF9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/1/2007 10:25	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NTF9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/1/2007 10:25	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NTF9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/1/2007 10:25	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NTF9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/1/2007 10:25	Y	14265-44-2	Phosphate	86800	ug/L	D	[NULL]	[NULL]	S	B1NTF9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/1/2007 10:25	Y	7440-09-7	Potassium	1620	ug/L	D	[NULL]	[NULL]	S	B1NTF9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/1/2007 10:25	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NTF9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/1/2007 10:25	Y	7440-23-5	Sodium	192000	ug/L	D	[NULL]	[NULL]	S	B1NTF9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/1/2007 10:25	Y	7440-24-6	Strontium	71.8	ug/L	D	[NULL]	[NULL]	S	B1NTF9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/1/2007 10:25	Y	10098-97-2	Strontium-90	590	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NTF9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	6/1/2007 10:25	Y	14808-79-8	Sulfate	5300	ug/L	D	[NULL]	[NULL]	S	B1NTF9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/1/2007 10:25	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NTF9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/1/2007 10:25	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NTF9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/8/2007 7:00	Y	7429-90-5	Aluminum	272	ug/L	D	[NULL]	[NULL]	S	B1NV49	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	6/8/2007 7:00	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NV49	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/8/2007 7:00	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NV49	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/8/2007 7:00	Y	7440-39-3	Barium	21	ug/L	D	[NULL]	[NULL]	S	B1NV49	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/8/2007 7:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV49	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/8/2007 7:00	Y	7440-70-2	Calcium	68600	ug/L	D	[NULL]	[NULL]	S	B1NV49	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/8/2007 7:00	Y	16887-00-6	Chloride	218000	ug/L	D	[NULL]	[NULL]	S	B1NV49	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/8/2007 7:00	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV49	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/8/2007 7:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NV49	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/8/2007 7:00	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NV49	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/8/2007 7:00	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NV49	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/8/2007 7:00	Y	7439-89-6	Iron	1050	ug/L	D	[NULL]	[NULL]	S	B1NV49	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/8/2007 7:00	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NV49	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/8/2007 7:00	Y	7439-95-4	Magnesium	4090	ug/L	D	[NULL]	[NULL]	S	B1NV49	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/8/2007 7:00	Y	7439-96-5	Manganese	1810	ug/L	D	[NULL]	[NULL]	S	B1NV49	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/8/2007 7:00	Y	7439-98-7	Molybdenum	22.1	ug/L	D	[NULL]	[NULL]	S	B1NV49	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/8/2007 7:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NV49	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/8/2007 7:00	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NV49	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/8/2007 7:00	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NV49	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/8/2007 7:00	Y	14265-44-2	Phosphate	307000	ug/L	D	[NULL]	[NULL]	S	B1NV49	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/8/2007 7:00	Y	7440-09-7	Potassium	3110	ug/L	D	[NULL]	[NULL]	S	B1NV49	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/8/2007 7:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NV49	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/8/2007 7:00	Y	7440-23-5	Sodium	792000	ug/L	D	[NULL]	[NULL]	S	B1NV49	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/8/2007 7:00	Y	7440-24-6	Strontium	230	ug/L	D	[NULL]	[NULL]	S	B1NV49	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/8/2007 7:00	Y	10098-97-2	Strontium-90	1200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NV49	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	6/8/2007 7:00	Y	14808-79-8	Sulfate	2450	ug/L	BD	[NULL]	[NULL]	S	B1NV49	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/8/2007 7:00	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NV49	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/8/2007 7:00	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NV49	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/9/2007 9:20	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NV61	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/9/2007 9:20	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NV61	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/9/2007 9:20	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NV61	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/9/2007 9:20	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV61	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/9/2007 9:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV61	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/9/2007 9:20	Y	7440-70-2	Calcium	45300	ug/L	D	[NULL]	[NULL]	S	B1NV61	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/9/2007 9:20	Y	16887-00-6	Chloride	251000	ug/L	D	[NULL]	[NULL]	S	B1NV61	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/9/2007 9:20	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV61	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/9/2007 9:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NV61	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/9/2007 9:20	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NV61	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/9/2007 9:20	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NV61	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/9/2007 9:20	Y	7439-89-6	Iron	1440	ug/L	D	[NULL]	[NULL]	S	B1NV61	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/9/2007 9:20	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NV61	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/9/2007 9:20	Y	7439-95-4	Magnesium	3760	ug/L	D	[NULL]	[NULL]	S	B1NV61	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/9/2007 9:20	Y	7439-96-5	Manganese	1680	ug/L	D	[NULL]	[NULL]	S	B1NV61	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/9/2007 9:20	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NV61	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/9/2007 9:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NV61	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/9/2007 9:20	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NV61	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/9/2007 9:20	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NV61	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/9/2007 9:20	Y	14265-44-2	Phosphate	231000	ug/L	D	[NULL]	[NULL]	S	B1NV61	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/9/2007 9:20	Y	7440-09-7	Potassium	3780	ug/L	D	[NULL]	[NULL]	S	B1NV61	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/9/2007 9:20	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NV61	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/9/2007 9:20	Y	7440-23-5	Sodium	905000	ug/L	D	[NULL]	[NULL]	S	B1NV61	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/9/2007 9:20	Y	7440-24-6	Strontium	192	ug/L	D	[NULL]	[NULL]	S	B1NV61	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/9/2007 9:20	Y	10098-97-2	Strontium-90	720	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NV61	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	6/9/2007 9:20	Y	14808-79-8	Sulfate	340	ug/L	DU	[NULL]	[NULL]	S	B1NV61	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/9/2007 9:20	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NV61	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/9/2007 9:20	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NV61	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	6/10/2007 9:00	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NV73	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/10/2007 9:00	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NV73	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/10/2007 9:00	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NV73	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/10/2007 9:00	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV73	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/10/2007 9:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV73	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/10/2007 9:00	Y	7440-70-2	Calcium	28600	ug/L	D	[NULL]	[NULL]	S	B1NV73	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/10/2007 9:00	Y	16887-00-6	Chloride	183000	ug/L	D	[NULL]	[NULL]	S	B1NV73	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/10/2007 9:00	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV73	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/10/2007 9:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NV73	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/10/2007 9:00	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NV73	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/10/2007 9:00	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NV73	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/10/2007 9:00	Y	7439-89-6	Iron	1060	ug/L	D	[NULL]	[NULL]	S	B1NV73	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/10/2007 9:00	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NV73	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/10/2007 9:00	Y	7439-95-4	Magnesium	2570	ug/L	D	[NULL]	[NULL]	S	B1NV73	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/10/2007 9:00	Y	7439-96-5	Manganese	985	ug/L	D	[NULL]	[NULL]	S	B1NV73	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/10/2007 9:00	Y	7439-98-7	Molybdenum	30.6	ug/L	CD	[NULL]	[NULL]	S	B1NV73	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/10/2007 9:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NV73	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/10/2007 9:00	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NV73	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/10/2007 9:00	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NV73	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/10/2007 9:00	Y	14265-44-2	Phosphate	296000	ug/L	D	[NULL]	[NULL]	S	B1NV73	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/10/2007 9:00	Y	7440-09-7	Potassium	3470	ug/L	D	[NULL]	[NULL]	S	B1NV73	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/10/2007 9:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NV73	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/10/2007 9:00	Y	7440-23-5	Sodium	769000	ug/L	D	[NULL]	[NULL]	S	B1NV73	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/10/2007 9:00	Y	7440-24-6	Strontium	131	ug/L	D	[NULL]	[NULL]	S	B1NV73	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/10/2007 9:00	Y	10098-97-2	Strontium-90	460	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NV73	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	6/10/2007 9:00	Y	14808-79-8	Sulfate	340	ug/L	DU	[NULL]	[NULL]	S	B1NV73	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/10/2007 9:00	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NV73	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/10/2007 9:00	Y	7440-66-6	Zinc	38.1	ug/L	D	[NULL]	[NULL]	S	B1NV73	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/11/2007 18:15	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NV85	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/11/2007 18:15	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NV85	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/11/2007 18:15	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NV85	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/11/2007 18:15	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV85	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/11/2007 18:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV85	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/11/2007 18:15	Y	7440-70-2	Calcium	19300	ug/L	D	[NULL]	[NULL]	S	B1NV85	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/11/2007 18:15	Y	16887-00-6	Chloride	124000	ug/L	D	[NULL]	[NULL]	S	B1NV85	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/11/2007 18:15	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV85	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/11/2007 18:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NV85	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/11/2007 18:15	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NV85	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/11/2007 18:15	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NV85	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/11/2007 18:15	Y	7439-89-6	Iron	958	ug/L	D	[NULL]	[NULL]	S	B1NV85	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/11/2007 18:15	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NV85	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/11/2007 18:15	Y	7439-95-4	Magnesium	1900	ug/L	D	[NULL]	[NULL]	S	B1NV85	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/11/2007 18:15	Y	7439-96-5	Manganese	676	ug/L	D	[NULL]	[NULL]	S	B1NV85	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/11/2007 18:15	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NV85	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/11/2007 18:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NV85	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/11/2007 18:15	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NV85	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/11/2007 18:15	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NV85	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/11/2007 18:15	Y	14265-44-2	Phosphate	346000	ug/L	D	[NULL]	[NULL]	S	B1NV85	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/11/2007 18:15	Y	7440-09-7	Potassium	2910	ug/L	D	[NULL]	[NULL]	S	B1NV85	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/11/2007 18:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NV85	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/11/2007 18:15	Y	7440-23-5	Sodium	611000	ug/L	D	[NULL]	[NULL]	S	B1NV85	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/11/2007 18:15	Y	7440-24-6	Strontium	97	ug/L	D	[NULL]	[NULL]	S	B1NV85	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/11/2007 18:15	Y	10098-97-2	Strontium-90	550	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NV85	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	6/11/2007 18:15	Y	14808-79-8	Sulfate	340	ug/L	DU	[NULL]	[NULL]	S	B1NV85	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/11/2007 18:15	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NV85	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	6/11/2007 18:15	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NV85	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/12/2007 17:15	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NV97	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/12/2007 17:15	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NV97	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/12/2007 17:15	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NV97	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/12/2007 17:15	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV97	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/12/2007 17:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV97	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/12/2007 17:15	Y	7440-70-2	Calcium	15600	ug/L	D	[NULL]	[NULL]	S	B1NV97	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/12/2007 17:15	Y	16887-00-6	Chloride	107000	ug/L	D	[NULL]	[NULL]	S	B1NV97	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/12/2007 17:15	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV97	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/12/2007 17:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NV97	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/12/2007 17:15	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NV97	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/12/2007 17:15	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NV97	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/12/2007 17:15	Y	7439-89-6	Iron	714	ug/L	D	[NULL]	[NULL]	S	B1NV97	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/12/2007 17:15	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NV97	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/12/2007 17:15	Y	7439-95-4	Magnesium	1580	ug/L	D	[NULL]	[NULL]	S	B1NV97	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/12/2007 17:15	Y	7439-96-5	Manganese	565	ug/L	D	[NULL]	[NULL]	S	B1NV97	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/12/2007 17:15	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NV97	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/12/2007 17:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NV97	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/12/2007 17:15	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NV97	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/12/2007 17:15	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NV97	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/12/2007 17:15	Y	14265-44-2	Phosphate	337000	ug/L	D	[NULL]	[NULL]	S	B1NV97	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/12/2007 17:15	Y	7440-09-7	Potassium	2180	ug/L	D	[NULL]	[NULL]	S	B1NV97	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/12/2007 17:15	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NV97	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/12/2007 17:15	Y	7440-23-5	Sodium	527000	ug/L	D	[NULL]	[NULL]	S	B1NV97	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/12/2007 17:15	Y	7440-24-6	Strontium	77.6	ug/L	D	[NULL]	[NULL]	S	B1NV97	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/12/2007 17:15	Y	10098-97-2	Strontium-90	480	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NV97	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	6/12/2007 17:15	Y	14808-79-8	Sulfate	689	ug/L	BD	[NULL]	[NULL]	S	B1NV97	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/12/2007 17:15	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NV97	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/12/2007 17:15	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NV97	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/13/2007 12:48	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVB9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/13/2007 12:48	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVB9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/13/2007 12:48	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVB9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/13/2007 12:48	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVB9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/13/2007 12:48	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVB9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/13/2007 12:48	Y	7440-70-2	Calcium	8990	ug/L	D	[NULL]	[NULL]	S	B1NVB9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/13/2007 12:48	Y	16887-00-6	Chloride	61400	ug/L	D	[NULL]	[NULL]	S	B1NVB9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/13/2007 12:48	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVB9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/13/2007 12:48	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVB9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/13/2007 12:48	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVB9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/13/2007 12:48	Y	16984-48-8	Fluoride	33	ug/L	DNU	[NULL]	[NULL]	S	B1NVB9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/13/2007 12:48	Y	7439-89-6	Iron	767	ug/L	D	[NULL]	[NULL]	S	B1NVB9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/13/2007 12:48	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVB9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/13/2007 12:48	Y	7439-95-4	Magnesium	1040	ug/L	D	[NULL]	[NULL]	S	B1NVB9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/13/2007 12:48	Y	7439-96-5	Manganese	381	ug/L	D	[NULL]	[NULL]	S	B1NVB9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/13/2007 12:48	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVB9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/13/2007 12:48	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVB9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/13/2007 12:48	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVB9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/13/2007 12:48	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVB9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/13/2007 12:48	Y	14265-44-2	Phosphate	307000	ug/L	D	[NULL]	[NULL]	S	B1NVB9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/13/2007 12:48	Y	7440-09-7	Potassium	1670	ug/L	D	[NULL]	[NULL]	S	B1NVB9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/13/2007 12:48	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NVB9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/13/2007 12:48	Y	7440-23-5	Sodium	377000	ug/L	D	[NULL]	[NULL]	S	B1NVB9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/13/2007 12:48	Y	7440-24-6	Strontium	52.1	ug/L	D	[NULL]	[NULL]	S	B1NVB9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/13/2007 12:48	Y	10098-97-2	Strontium-90	270	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVB9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	6/13/2007 12:48	Y	14808-79-8	Sulfate	1440	ug/L	BD	[NULL]	[NULL]	S	B1NVB9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	6/13/2007 12:48	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVB9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/13/2007 12:48	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVB9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/14/2007 17:20	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVD1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/14/2007 17:20	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVD1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/14/2007 17:20	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVD1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/14/2007 17:20	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVD1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/14/2007 17:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVD1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/14/2007 17:20	Y	7440-70-2	Calcium	13500	ug/L	D	[NULL]	[NULL]	S	B1NVD1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/14/2007 17:20	Y	16887-00-6	Chloride	88900	ug/L	D	[NULL]	[NULL]	S	B1NVD1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/14/2007 17:20	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVD1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/14/2007 17:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVD1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/14/2007 17:20	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVD1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/14/2007 17:20	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NVD1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/14/2007 17:20	Y	7439-89-6	Iron	1140	ug/L	D	[NULL]	[NULL]	S	B1NVD1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/14/2007 17:20	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVD1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/14/2007 17:20	Y	7439-95-4	Magnesium	1540	ug/L	D	[NULL]	[NULL]	S	B1NVD1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/14/2007 17:20	Y	7439-96-5	Manganese	552	ug/L	D	[NULL]	[NULL]	S	B1NVD1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/14/2007 17:20	Y	7439-98-7	Molybdenum	40.4	ug/L	D	[NULL]	[NULL]	S	B1NVD1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/14/2007 17:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVD1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/14/2007 17:20	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NVD1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/14/2007 17:20	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NVD1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/14/2007 17:20	Y	14265-44-2	Phosphate	280000	ug/L	D	[NULL]	[NULL]	S	B1NVD1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/14/2007 17:20	Y	7440-09-7	Potassium	2440	ug/L	CD	[NULL]	[NULL]	S	B1NVD1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/14/2007 17:20	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVD1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/14/2007 17:20	Y	7440-23-5	Sodium	459000	ug/L	D	[NULL]	[NULL]	S	B1NVD1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/14/2007 17:20	Y	7440-24-6	Strontium	72.5	ug/L	D	[NULL]	[NULL]	S	B1NVD1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/14/2007 17:20	Y	10098-97-2	Strontium-90	550	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVD1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	6/14/2007 17:20	Y	14808-79-8	Sulfate	350	ug/L	DU	[NULL]	[NULL]	S	B1NVD1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/14/2007 17:20	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVD1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/14/2007 17:20	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVD1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/15/2007 7:05	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVM1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/15/2007 7:05	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVM1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/15/2007 7:05	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVM1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/15/2007 7:05	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVM1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/15/2007 7:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVM1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/15/2007 7:05	Y	7440-70-2	Calcium	10200	ug/L	D	[NULL]	[NULL]	S	B1NVM1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/15/2007 7:05	Y	16887-00-6	Chloride	71300	ug/L	D	[NULL]	[NULL]	S	B1NVM1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/15/2007 7:05	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVM1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/15/2007 7:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVM1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/15/2007 7:05	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVM1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/15/2007 7:05	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVM1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/15/2007 7:05	Y	7439-89-6	Iron	886	ug/L	CD	[NULL]	[NULL]	S	B1NVM1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/15/2007 7:05	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVM1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/15/2007 7:05	Y	7439-95-4	Magnesium	1100	ug/L	CD	[NULL]	[NULL]	S	B1NVM1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/15/2007 7:05	Y	7439-96-5	Manganese	386	ug/L	D	[NULL]	[NULL]	S	B1NVM1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/15/2007 7:05	Y	7439-98-7	Molybdenum	36	ug/L	D	[NULL]	[NULL]	S	B1NVM1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/15/2007 7:05	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVM1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/15/2007 7:05	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVM1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/15/2007 7:05	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVM1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/15/2007 7:05	Y	14265-44-2	Phosphate	301000	ug/L	D	[NULL]	[NULL]	S	B1NVM1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/15/2007 7:05	Y	7440-09-7	Potassium	1930	ug/L	D	[NULL]	[NULL]	S	B1NVM1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/15/2007 7:05	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVM1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/15/2007 7:05	Y	7440-23-5	Sodium	409000	ug/L	D	[NULL]	[NULL]	S	B1NVM1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/15/2007 7:05	Y	7440-24-6	Strontium	46	ug/L	D	[NULL]	[NULL]	S	B1NVM1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/15/2007 7:05	Y	10098-97-2	Strontium-90	420	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVM1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	6/15/2007 7:05	Y	14808-79-8	Sulfate	130	ug/L	DU	[NULL]	[NULL]	S	B1NVM1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/15/2007 7:05	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVM1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/15/2007 7:05	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVM1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/17/2007 7:38	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVR5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/17/2007 7:38	Y	7440-36-0	Antimony	161	ug/L	CD	[NULL]	[NULL]	S	B1NVR5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/17/2007 7:38	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVR5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/17/2007 7:38	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/17/2007 7:38	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/17/2007 7:38	Y	7440-70-2	Calcium	10200	ug/L	D	[NULL]	[NULL]	S	B1NVR5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/17/2007 7:38	Y	16887-00-6	Chloride	68300	ug/L	D	[NULL]	[NULL]	S	B1NVR5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/17/2007 7:38	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/17/2007 7:38	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/17/2007 7:38	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/17/2007 7:38	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVR5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/17/2007 7:38	Y	7439-89-6	Iron	933	ug/L	D	[NULL]	[NULL]	S	B1NVR5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/17/2007 7:38	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVR5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/17/2007 7:38	Y	7439-95-4	Magnesium	1210	ug/L	CD	[NULL]	[NULL]	S	B1NVR5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/17/2007 7:38	Y	7439-96-5	Manganese	469	ug/L	D	[NULL]	[NULL]	S	B1NVR5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/17/2007 7:38	Y	7439-98-7	Molybdenum	24.4	ug/L	D	[NULL]	[NULL]	S	B1NVR5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/17/2007 7:38	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/17/2007 7:38	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVR5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/17/2007 7:38	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVR5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/17/2007 7:38	Y	14265-44-2	Phosphate	226000	ug/L	D	[NULL]	[NULL]	S	B1NVR5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/17/2007 7:38	Y	7440-09-7	Potassium	1720	ug/L	D	[NULL]	[NULL]	S	B1NVR5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/17/2007 7:38	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVR5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/17/2007 7:38	Y	7440-23-5	Sodium	400000	ug/L	D	[NULL]	[NULL]	S	B1NVR5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/17/2007 7:38	Y	7440-24-6	Strontium	53.2	ug/L	D	[NULL]	[NULL]	S	B1NVR5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/17/2007 7:38	Y	10098-97-2	Strontium-90	390	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVR5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	6/17/2007 7:38	Y	14808-79-8	Sulfate	275	ug/L	DU	[NULL]	[NULL]	S	B1NVR5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/17/2007 7:38	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVR5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/17/2007 7:38	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/19/2007 10:55	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVW9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/19/2007 10:55	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVW9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/19/2007 10:55	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVW9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/19/2007 10:55	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/19/2007 10:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/19/2007 10:55	Y	7440-70-2	Calcium	8010	ug/L	D	[NULL]	[NULL]	S	B1NVW9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/19/2007 10:55	Y	16887-00-6	Chloride	63600	ug/L	D	[NULL]	[NULL]	S	B1NVW9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/19/2007 10:55	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/19/2007 10:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/19/2007 10:55	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/19/2007 10:55	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NVW9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/19/2007 10:55	Y	7439-89-6	Iron	731	ug/L	CD	[NULL]	[NULL]	S	B1NVW9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/19/2007 10:55	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVW9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/19/2007 10:55	Y	7439-95-4	Magnesium	1020	ug/L	D	[NULL]	[NULL]	S	B1NVW9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/19/2007 10:55	Y	7439-96-5	Manganese	346	ug/L	D	[NULL]	[NULL]	S	B1NVW9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/19/2007 10:55	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/19/2007 10:55	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/19/2007 10:55	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1NVW9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/19/2007 10:55	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1NVW9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/19/2007 10:55	Y	14265-44-2	Phosphate	186000	ug/L	D	[NULL]	[NULL]	S	B1NVW9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/19/2007 10:55	Y	7440-09-7	Potassium	1700	ug/L	D	[NULL]	[NULL]	S	B1NVW9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/19/2007 10:55	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVW9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/19/2007 10:55	Y	7440-23-5	Sodium	369000	ug/L	D	[NULL]	[NULL]	S	B1NVW9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/19/2007 10:55	Y	7440-24-6	Strontium	45.6	ug/L	D	[NULL]	[NULL]	S	B1NVW9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	6/19/2007 10:55	Y	10098-97-2	Strontium-90	400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVW9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	6/19/2007 10:55	Y	14808-79-8	Sulfate	350	ug/L	DU	[NULL]	[NULL]	S	B1NVW9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/19/2007 10:55	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVW9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/19/2007 10:55	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVW9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/21/2007 14:41	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NW02	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/21/2007 14:41	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NW02	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/21/2007 14:41	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NW02	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/21/2007 14:41	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW02	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/21/2007 14:41	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW02	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/21/2007 14:41	Y	7440-70-2	Calcium	17100	ug/L	D	[NULL]	[NULL]	S	B1NW02	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/21/2007 14:41	Y	16887-00-6	Chloride	116000	ug/L	D	[NULL]	[NULL]	S	B1NW02	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/21/2007 14:41	Y	7440-47-3	Chromium	34.9	ug/L	CD	[NULL]	[NULL]	S	B1NW02	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/21/2007 14:41	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NW02	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/21/2007 14:41	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NW02	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/21/2007 14:41	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NW02	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/21/2007 14:41	Y	7439-89-6	Iron	1370	ug/L	D	[NULL]	[NULL]	S	B1NW02	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/21/2007 14:41	Y	7439-92-1	Lead	200	ug/L	D	[NULL]	[NULL]	S	B1NW02	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/21/2007 14:41	Y	7439-95-4	Magnesium	2170	ug/L	D	[NULL]	[NULL]	S	B1NW02	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/21/2007 14:41	Y	7439-96-5	Manganese	790	ug/L	D	[NULL]	[NULL]	S	B1NW02	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/21/2007 14:41	Y	7439-98-7	Molybdenum	27	ug/L	D	[NULL]	[NULL]	S	B1NW02	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/21/2007 14:41	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NW02	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/21/2007 14:41	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NW02	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/21/2007 14:41	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NW02	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/21/2007 14:41	Y	14265-44-2	Phosphate	174000	ug/L	D	[NULL]	[NULL]	S	B1NW02	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/21/2007 14:41	Y	7440-09-7	Potassium	2550	ug/L	D	[NULL]	[NULL]	S	B1NW02	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/21/2007 14:41	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NW02	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/21/2007 14:41	Y	7440-23-5	Sodium	501000	ug/L	D	[NULL]	[NULL]	S	B1NW02	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/21/2007 14:41	Y	7440-24-6	Strontium	95.1	ug/L	D	[NULL]	[NULL]	S	B1NW02	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/21/2007 14:41	Y	10098-97-2	Strontium-90	650	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NW02	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	6/21/2007 14:41	Y	14808-79-8	Sulfate	340	ug/L	DU	[NULL]	[NULL]	S	B1NW02	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/21/2007 14:41	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NW02	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/21/2007 14:41	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NW02	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 8:41	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NJK3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 8:41	Y	7440-36-0	Antimony	160	ug/L	D	[NULL]	[NULL]	S	B1NJK3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 8:41	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NJK3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 8:41	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NJK3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 8:41	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NJK3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 8:41	Y	7440-70-2	Calcium	17300	ug/L	D	[NULL]	[NULL]	S	B1NJK3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 8:41	Y	16887-00-6	Chloride	119000	ug/L	D	[NULL]	[NULL]	S	B1NJK3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/22/2007 8:41	Y	7440-47-3	Chromium	45.8	ug/L	D	[NULL]	[NULL]	S	B1NJK3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 8:41	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NJK3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 8:41	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NJK3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 8:41	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NJK3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/22/2007 8:41	Y	7439-89-6	Iron	1680	ug/L	D	[NULL]	[NULL]	S	B1NJK3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 8:41	Y	7439-92-1	Lead	189	ug/L	CD	[NULL]	[NULL]	S	B1NJK3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 8:41	Y	7439-95-4	Magnesium	2330	ug/L	D	[NULL]	[NULL]	S	B1NJK3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 8:41	Y	7439-96-5	Manganese	941	ug/L	D	[NULL]	[NULL]	S	B1NJK3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 8:41	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NJK3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 8:41	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NJK3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 8:41	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1NJK3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/22/2007 8:41	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1NJK3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/22/2007 8:41	Y	14265-44-2	Phosphate	167000	ug/L	D	[NULL]	[NULL]	S	B1NJK3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/22/2007 8:41	Y	7440-09-7	Potassium	2810	ug/L	CD	[NULL]	[NULL]	S	B1NJK3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 8:41	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NJK3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 8:41	Y	7440-23-5	Sodium	542000	ug/L	D	[NULL]	[NULL]	S	B1NJK3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	6/22/2007 8:41	Y	7440-24-6	Strontium	101	ug/L	D	[NULL]	[NULL]	S	B1NJK3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 8:41	Y	10098-97-2	Strontium-90	630	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NJK3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	6/22/2007 8:41	Y	14808-79-8	Sulfate	350	ug/L	DU	[NULL]	[NULL]	S	B1NJK3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/22/2007 8:41	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NJK3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 8:41	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NJK3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 9:42	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NW14	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 9:42	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NW14	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 9:42	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NW14	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 9:42	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW14	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 9:42	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW14	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 9:42	Y	7440-70-2	Calcium	16600	ug/L	D	[NULL]	[NULL]	S	B1NW14	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 9:42	Y	16887-00-6	Chloride	118000	ug/L	D	[NULL]	[NULL]	S	B1NW14	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/22/2007 9:42	Y	7440-47-3	Chromium	38	ug/L	D	[NULL]	[NULL]	S	B1NW14	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 9:42	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NW14	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 9:42	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NW14	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 9:42	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NW14	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/22/2007 9:42	Y	7439-89-6	Iron	1330	ug/L	D	[NULL]	[NULL]	S	B1NW14	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 9:42	Y	7439-92-1	Lead	185	ug/L	CD	[NULL]	[NULL]	S	B1NW14	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 9:42	Y	7439-95-4	Magnesium	2320	ug/L	D	[NULL]	[NULL]	S	B1NW14	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 9:42	Y	7439-96-5	Manganese	956	ug/L	D	[NULL]	[NULL]	S	B1NW14	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 9:42	Y	7439-98-7	Molybdenum	26	ug/L	D	[NULL]	[NULL]	S	B1NW14	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 9:42	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NW14	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 9:42	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NW14	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/22/2007 9:42	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NW14	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/22/2007 9:42	Y	14265-44-2	Phosphate	178000	ug/L	D	[NULL]	[NULL]	S	B1NW14	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/22/2007 9:42	Y	7440-09-7	Potassium	2830	ug/L	CD	[NULL]	[NULL]	S	B1NW14	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 9:42	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NW14	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 9:42	Y	7440-23-5	Sodium	495000	ug/L	D	[NULL]	[NULL]	S	B1NW14	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 9:42	Y	7440-24-6	Strontium	97.8	ug/L	D	[NULL]	[NULL]	S	B1NW14	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 9:42	Y	10098-97-2	Strontium-90	720	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NW14	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	6/22/2007 9:42	Y	14808-79-8	Sulfate	340	ug/L	DU	[NULL]	[NULL]	S	B1NW14	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/22/2007 9:42	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NW14	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/22/2007 9:42	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NW14	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2007 8:27	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P380	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2007 8:27	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P380	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2007 8:27	Y	7440-38-2	Arsenic	259	ug/L	D	[NULL]	[NULL]	S	B1P380	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2007 8:27	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1P380	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2007 8:27	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P380	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2007 8:27	Y	7440-70-2	Calcium	10600	ug/L	D	[NULL]	[NULL]	S	B1P380	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2007 8:27	Y	16887-00-6	Chloride	57800	ug/L	D	[NULL]	[NULL]	S	B1P380	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/29/2007 8:27	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P380	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2007 8:27	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P380	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2007 8:27	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P380	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2007 8:27	Y	16984-48-8	Fluoride	126	ug/L	BD	[NULL]	[NULL]	S	B1P380	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/29/2007 8:27	Y	7439-89-6	Iron	432	ug/L	D	[NULL]	[NULL]	S	B1P380	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2007 8:27	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P380	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2007 8:27	Y	7439-95-4	Magnesium	1730	ug/L	D	[NULL]	[NULL]	S	B1P380	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2007 8:27	Y	7439-96-5	Manganese	573	ug/L	D	[NULL]	[NULL]	S	B1P380	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2007 8:27	Y	7439-98-7	Molybdenum	43.5	ug/L	CD	[NULL]	[NULL]	S	B1P380	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2007 8:27	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P380	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2007 8:27	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1P380	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/29/2007 8:27	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P380	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/29/2007 8:27	Y	14265-44-2	Phosphate	152000	ug/L	D	[NULL]	[NULL]	S	B1P380	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/29/2007 8:27	Y	7440-09-7	Potassium	2000	ug/L	D	[NULL]	[NULL]	S	B1P380	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2007 8:27	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P380	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	6/29/2007 8:27	Y	7440-23-5	Sodium	333000	ug/L	D	[NULL]	[NULL]	S	B1P380	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2007 8:27	Y	7440-24-6	Strontium	58.3	ug/L	D	[NULL]	[NULL]	S	B1P380	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2007 8:27	Y	10098-97-2	Strontium-90	690	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P380	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	6/29/2007 8:27	Y	14808-79-8	Sulfate	350	ug/L	DU	[NULL]	[NULL]	S	B1P380	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/29/2007 8:27	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P380	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2007 8:27	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P380	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2007 8:10	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P3B3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2007 8:10	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P3B3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2007 8:10	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P3B3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2007 8:10	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3B3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2007 8:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3B3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2007 8:10	Y	7440-70-2	Calcium	8640	ug/L	D	[NULL]	[NULL]	S	B1P3B3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2007 8:10	Y	16887-00-6	Chloride	45100	ug/L	D	[NULL]	[NULL]	S	B1P3B3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/8/2007 8:10	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3B3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2007 8:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P3B3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2007 8:10	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P3B3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2007 8:10	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P3B3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/8/2007 8:10	Y	7439-89-6	Iron	131	ug/L	CD	[NULL]	[NULL]	S	B1P3B3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2007 8:10	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P3B3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2007 8:10	Y	7439-95-4	Magnesium	1470	ug/L	D	[NULL]	[NULL]	S	B1P3B3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2007 8:10	Y	7439-96-5	Manganese	486	ug/L	D	[NULL]	[NULL]	S	B1P3B3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2007 8:10	Y	7439-98-7	Molybdenum	32.9	ug/L	D	[NULL]	[NULL]	S	B1P3B3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2007 8:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P3B3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2007 8:10	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1P3B3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/8/2007 8:10	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P3B3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/8/2007 8:10	Y	14265-44-2	Phosphate	150000	ug/L	D	[NULL]	[NULL]	S	B1P3B3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/8/2007 8:10	Y	7440-09-7	Potassium	1560	ug/L	D	[NULL]	[NULL]	S	B1P3B3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2007 8:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P3B3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2007 8:10	Y	7440-23-5	Sodium	264000	ug/L	D	[NULL]	[NULL]	S	B1P3B3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2007 8:10	Y	7440-24-6	Strontium	45.9	ug/L	D	[NULL]	[NULL]	S	B1P3B3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2007 8:10	Y	10098-97-2	Strontium-90	470	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P3B3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	7/8/2007 8:10	Y	14808-79-8	Sulfate	1450	ug/L	BD	[NULL]	[NULL]	S	B1P3B3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/8/2007 8:10	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P3B3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2007 8:10	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P3B3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2007 8:38	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P3D6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2007 8:38	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P3D6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2007 8:38	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P3D6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2007 8:38	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2007 8:38	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2007 8:38	Y	7440-70-2	Calcium	8370	ug/L	D	[NULL]	[NULL]	S	B1P3D6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2007 8:38	Y	16887-00-6	Chloride	50600	ug/L	D	[NULL]	[NULL]	S	B1P3D6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/13/2007 8:38	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2007 8:38	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2007 8:38	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2007 8:38	Y	16984-48-8	Fluoride	114	ug/L	BD	[NULL]	[NULL]	S	B1P3D6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/13/2007 8:38	Y	7439-89-6	Iron	222	ug/L	D	[NULL]	[NULL]	S	B1P3D6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2007 8:38	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P3D6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2007 8:38	Y	7439-95-4	Magnesium	1300	ug/L	D	[NULL]	[NULL]	S	B1P3D6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2007 8:38	Y	7439-96-5	Manganese	438	ug/L	D	[NULL]	[NULL]	S	B1P3D6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2007 8:38	Y	7439-98-7	Molybdenum	31.9	ug/L	D	[NULL]	[NULL]	S	B1P3D6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2007 8:38	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2007 8:38	Y	14797-55-8	Nitrate	722	ug/L	BD	[NULL]	[NULL]	S	B1P3D6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/13/2007 8:38	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P3D6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/13/2007 8:38	Y	14265-44-2	Phosphate	156000	ug/L	D	[NULL]	[NULL]	S	B1P3D6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/13/2007 8:38	Y	7440-09-7	Potassium	1890	ug/L	D	[NULL]	[NULL]	S	B1P3D6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	7/13/2007 8:38	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P3D6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2007 8:38	Y	7440-23-5	Sodium	304000	ug/L	D	[NULL]	[NULL]	S	B1P3D6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2007 8:38	Y	7440-24-6	Strontium	45.5	ug/L	D	[NULL]	[NULL]	S	B1P3D6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2007 8:38	Y	10098-97-2	Strontium-90	530	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P3D6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	7/13/2007 8:38	Y	14808-79-8	Sulfate	1640	ug/L	BD	[NULL]	[NULL]	S	B1P3D6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/13/2007 8:38	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P3D6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2007 8:38	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2007 9:20	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NW36	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2007 9:20	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NW36	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2007 9:20	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NW36	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2007 9:20	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW36	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2007 9:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW36	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2007 9:20	Y	7440-70-2	Calcium	8740	ug/L	D	[NULL]	[NULL]	S	B1NW36	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2007 9:20	Y	16887-00-6	Chloride	41500	ug/L	D	[NULL]	[NULL]	S	B1NW36	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/20/2007 9:20	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW36	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2007 9:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NW36	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2007 9:20	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NW36	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2007 9:20	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NW36	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/20/2007 9:20	Y	7439-89-6	Iron	124	ug/L	CD	[NULL]	[NULL]	S	B1NW36	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2007 9:20	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NW36	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2007 9:20	Y	7439-95-4	Magnesium	1610	ug/L	D	[NULL]	[NULL]	S	B1NW36	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2007 9:20	Y	7439-96-5	Manganese	488	ug/L	D	[NULL]	[NULL]	S	B1NW36	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2007 9:20	Y	7439-98-7	Molybdenum	40.2	ug/L	D	[NULL]	[NULL]	S	B1NW36	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2007 9:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NW36	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2007 9:20	Y	14797-55-8	Nitrate	2500	ug/L	D	[NULL]	[NULL]	S	B1NW36	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/20/2007 9:20	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1NW36	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/20/2007 9:20	Y	14265-44-2	Phosphate	126000	ug/L	D	[NULL]	[NULL]	S	B1NW36	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/20/2007 9:20	Y	7440-09-7	Potassium	1620	ug/L	D	[NULL]	[NULL]	S	B1NW36	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2007 9:20	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NW36	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2007 9:20	Y	7440-23-5	Sodium	263000	ug/L	D	[NULL]	[NULL]	S	B1NW36	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2007 9:20	Y	7440-24-6	Strontium	49.5	ug/L	D	[NULL]	[NULL]	S	B1NW36	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2007 9:20	Y	10098-97-2	Strontium-90	520	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NW36	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	7/20/2007 9:20	Y	14808-79-8	Sulfate	2180	ug/L	BD	[NULL]	[NULL]	S	B1NW36	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/20/2007 9:20	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NW36	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2007 9:20	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NW36	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/27/2007 9:20	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NW49	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/27/2007 9:20	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NW49	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/27/2007 9:20	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NW49	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/27/2007 9:20	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW49	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/27/2007 9:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW49	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/27/2007 9:20	Y	7440-70-2	Calcium	9040	ug/L	D	[NULL]	[NULL]	S	B1NW49	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/27/2007 9:20	Y	16887-00-6	Chloride	51400	ug/L	D	[NULL]	[NULL]	S	B1NW49	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/27/2007 9:20	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW49	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/27/2007 9:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NW49	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/27/2007 9:20	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NW49	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/27/2007 9:20	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NW49	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/27/2007 9:20	Y	7439-89-6	Iron	300	ug/L	DN	[NULL]	[NULL]	S	B1NW49	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/27/2007 9:20	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NW49	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/27/2007 9:20	Y	7439-95-4	Magnesium	1420	ug/L	D	[NULL]	[NULL]	S	B1NW49	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/27/2007 9:20	Y	7439-96-5	Manganese	589	ug/L	D	[NULL]	[NULL]	S	B1NW49	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/27/2007 9:20	Y	7439-98-7	Molybdenum	51.7	ug/L	D	[NULL]	[NULL]	S	B1NW49	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/27/2007 9:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NW49	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/27/2007 9:20	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1NW49	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/27/2007 9:20	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1NW49	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/27/2007 9:20	Y	14265-44-2	Phosphate	144000	ug/L	D	[NULL]	[NULL]	S	B1NW49	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	7/27/2007 9:20	Y	7440-09-7	Potassium	2300	ug/L	D	[NULL]	[NULL]	S	B1NW49	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/27/2007 9:20	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NW49	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/27/2007 9:20	Y	7440-23-5	Sodium	284000	ug/L	D	[NULL]	[NULL]	S	B1NW49	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/27/2007 9:20	Y	7440-24-6	Strontium	49	ug/L	D	[NULL]	[NULL]	S	B1NW49	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/27/2007 9:20	Y	10098-97-2	Strontium-90	500	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NW49	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	7/27/2007 9:20	Y	14808-79-8	Sulfate	350	ug/L	DU	[NULL]	[NULL]	S	B1NW49	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/27/2007 9:20	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NW49	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/27/2007 9:20	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NW49	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/3/2007 9:10	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NW62	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/3/2007 9:10	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NW62	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/3/2007 9:10	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NW62	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/3/2007 9:10	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW62	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/3/2007 9:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW62	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/3/2007 9:10	Y	7440-70-2	Calcium	7450	ug/L	D	[NULL]	[NULL]	S	B1NW62	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/3/2007 9:10	Y	16887-00-6	Chloride	39200	ug/L	D	[NULL]	[NULL]	S	B1NW62	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	8/3/2007 9:10	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW62	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/3/2007 9:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NW62	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/3/2007 9:10	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NW62	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/3/2007 9:10	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NW62	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	8/3/2007 9:10	Y	7439-89-6	Iron	62.5	ug/L	D	[NULL]	[NULL]	S	B1NW62	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/3/2007 9:10	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NW62	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/3/2007 9:10	Y	7439-95-4	Magnesium	1240	ug/L	D	[NULL]	[NULL]	S	B1NW62	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/3/2007 9:10	Y	7439-96-5	Manganese	475	ug/L	D	[NULL]	[NULL]	S	B1NW62	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/3/2007 9:10	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NW62	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/3/2007 9:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NW62	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/3/2007 9:10	Y	14797-55-8	Nitrate	4230	ug/L	D	[NULL]	[NULL]	S	B1NW62	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	8/3/2007 9:10	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1NW62	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	8/3/2007 9:10	Y	14265-44-2	Phosphate	114000	ug/L	D	[NULL]	[NULL]	S	B1NW62	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	8/3/2007 9:10	Y	7440-09-7	Potassium	1420	ug/L	D	[NULL]	[NULL]	S	B1NW62	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/3/2007 9:10	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NW62	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/3/2007 9:10	Y	7440-23-5	Sodium	234000	ug/L	D	[NULL]	[NULL]	S	B1NW62	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/3/2007 9:10	Y	7440-24-6	Strontium	38.9	ug/L	D	[NULL]	[NULL]	S	B1NW62	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/3/2007 9:10	Y	10098-97-2	Strontium-90	380	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NW62	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	8/3/2007 9:10	Y	14808-79-8	Sulfate	3390	ug/L	BD	[NULL]	[NULL]	S	B1NW62	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	8/3/2007 9:10	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NW62	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/3/2007 9:10	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NW62	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/10/2007 10:55	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NW75	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/10/2007 10:55	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NW75	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/10/2007 10:55	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NW75	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/10/2007 10:55	Y	7440-39-3	Barium	26	ug/L	CD	[NULL]	[NULL]	S	B1NW75	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/10/2007 10:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW75	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/10/2007 10:55	Y	7440-70-2	Calcium	6630	ug/L	D	[NULL]	[NULL]	S	B1NW75	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/10/2007 10:55	Y	16887-00-6	Chloride	45900	ug/L	D	[NULL]	[NULL]	S	B1NW75	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	8/10/2007 10:55	Y	7440-47-3	Chromium	52.4	ug/L	D	[NULL]	[NULL]	S	B1NW75	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/10/2007 10:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NW75	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/10/2007 10:55	Y	7440-50-8	Copper	75	ug/L	CD	[NULL]	[NULL]	S	B1NW75	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/10/2007 10:55	Y	16984-48-8	Fluoride	85	ug/L	BD	[NULL]	[NULL]	S	B1NW75	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	8/10/2007 10:55	Y	7439-89-6	Iron	119	ug/L	D	[NULL]	[NULL]	S	B1NW75	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/10/2007 10:55	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NW75	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/10/2007 10:55	Y	7439-95-4	Magnesium	1030	ug/L	D	[NULL]	[NULL]	S	B1NW75	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/10/2007 10:55	Y	7439-96-5	Manganese	385	ug/L	D	[NULL]	[NULL]	S	B1NW75	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/10/2007 10:55	Y	7439-98-7	Molybdenum	81.3	ug/L	CD	[NULL]	[NULL]	S	B1NW75	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/10/2007 10:55	Y	7440-02-0	Nickel	81.3	ug/L	CD	[NULL]	[NULL]	S	B1NW75	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/10/2007 10:55	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1NW75	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	8/10/2007 10:55	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1NW75	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	8/10/2007 10:55	Y	14265-44-2	Phosphate	129000	ug/L	D	[NULL]	[NULL]	S	B1NW75	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	8/10/2007 10:55	Y	7440-09-7	Potassium	2120	ug/L	CD	[NULL]	[NULL]	S	B1NW75	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/10/2007 10:55	Y	7440-22-4	Silver	141	ug/L	CDN	[NULL]	[NULL]	S	B1NW75	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/10/2007 10:55	Y	7440-23-5	Sodium	244000	ug/L	D	[NULL]	[NULL]	S	B1NW75	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/10/2007 10:55	Y	7440-24-6	Strontium	33	ug/L	D	[NULL]	[NULL]	S	B1NW75	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/10/2007 10:55	Y	10098-97-2	Strontium-90	390	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NW75	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	8/10/2007 10:55	Y	14808-79-8	Sulfate	2990	ug/L	BD	[NULL]	[NULL]	S	B1NW75	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	8/10/2007 10:55	Y	7440-62-2	Vanadium	59	ug/L	CD	[NULL]	[NULL]	S	B1NW75	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/10/2007 10:55	Y	7440-66-6	Zinc	167	ug/L	CD	[NULL]	[NULL]	S	B1NW75	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/19/2007 10:45	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1PMV1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/19/2007 10:45	Y	7440-36-0	Antimony	32	ug/L	U	G	[NULL]	S	B1PMV1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/19/2007 10:45	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1PMV1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/19/2007 10:45	Y	7440-39-3	Barium	5	ug/L	[NULL]	G	[NULL]	S	B1PMV1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/19/2007 10:45	Y	7440-43-9	Cadmium	4	ug/L	U	G	[NULL]	S	B1PMV1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/19/2007 10:45	Y	7440-70-2	Calcium	3610	ug/L	CD	[NULL]	[NULL]	S	B1PMV1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/19/2007 10:45	Y	16887-00-6	Chloride	37200	ug/L	D	[NULL]	[NULL]	S	B1PMV1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	9/19/2007 10:45	Y	7440-47-3	Chromium	4.3	ug/L	C	G	[NULL]	S	B1PMV1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/19/2007 10:45	Y	7440-48-4	Cobalt	4	ug/L	U	G	[NULL]	S	B1PMV1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/19/2007 10:45	Y	7440-50-8	Copper	4	ug/L	U	G	[NULL]	S	B1PMV1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/19/2007 10:45	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1PMV1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	9/19/2007 10:45	Y	7439-89-6	Iron	46.2	ug/L	D	[NULL]	[NULL]	S	B1PMV1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/19/2007 10:45	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1PMV1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/19/2007 10:45	Y	7439-95-4	Magnesium	572	ug/L	D	[NULL]	[NULL]	S	B1PMV1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/19/2007 10:45	Y	7439-96-5	Manganese	53	ug/L	CD	[NULL]	[NULL]	S	B1PMV1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/19/2007 10:45	Y	7439-98-7	Molybdenum	76.6	ug/L	CD	[NULL]	[NULL]	S	B1PMV1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/19/2007 10:45	Y	7440-02-0	Nickel	4	ug/L	U	G	[NULL]	S	B1PMV1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/19/2007 10:45	Y	14797-55-8	Nitrate	9960	ug/L	D	[NULL]	[NULL]	S	B1PMV1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	9/19/2007 10:45	Y	14797-65-0	Nitrite	1080	ug/L	BD	[NULL]	[NULL]	S	B1PMV1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	9/19/2007 10:45	Y	14265-44-2	Phosphate	61900	ug/L	D	[NULL]	[NULL]	S	B1PMV1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	9/19/2007 10:45	Y	7440-09-7	Potassium	1640	ug/L	D	[NULL]	[NULL]	S	B1PMV1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/19/2007 10:45	Y	7440-22-4	Silver	5	ug/L	U	G	[NULL]	S	B1PMV1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/19/2007 10:45	Y	7440-23-5	Sodium	201000	ug/L	D	[NULL]	[NULL]	S	B1PMV1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/19/2007 10:45	Y	7440-24-6	Strontium	20.9	ug/L	D	[NULL]	[NULL]	S	B1PMV1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/19/2007 10:45	Y	10098-97-2	Strontium-90	290	pCi/L	[NULL]	[NULL]	[NULL]	S	B1PMV1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	9/19/2007 10:45	Y	14808-79-8	Sulfate	14300	ug/L	D	[NULL]	[NULL]	S	B1PMV1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	9/19/2007 10:45	Y	7440-62-2	Vanadium	13.9	ug/L	C	G	[NULL]	S	B1PMV1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/19/2007 10:45	Y	7440-66-6	Zinc	4	ug/L	U	G	[NULL]	S	B1PMV1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/19/2007 10:05	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1R4L7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/19/2007 10:05	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1R4L7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/19/2007 10:05	Y	7440-38-2	Arsenic	250	ug/L	DNU	[NULL]	[NULL]	S	B1R4L7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/19/2007 10:05	Y	7440-39-3	Barium	23	ug/L	D	[NULL]	[NULL]	S	B1R4L7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/19/2007 10:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1R4L7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/19/2007 10:05	Y	7440-70-2	Calcium	8950	ug/L	D	[NULL]	[NULL]	S	B1R4L7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/19/2007 10:05	Y	16887-00-6	Chloride	30500	ug/L	D	[NULL]	[NULL]	S	B1R4L7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	10/19/2007 10:05	Y	7440-47-3	Chromium	36	ug/L	CD	[NULL]	[NULL]	S	B1R4L7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/19/2007 10:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1R4L7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/19/2007 10:05	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1R4L7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/19/2007 10:05	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1R4L7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	10/19/2007 10:05	Y	7439-89-6	Iron	66.9	ug/L	CD	[NULL]	[NULL]	S	B1R4L7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/19/2007 10:05	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1R4L7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/19/2007 10:05	Y	7439-95-4	Magnesium	1460	ug/L	D	[NULL]	[NULL]	S	B1R4L7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/19/2007 10:05	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1R4L7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/19/2007 10:05	Y	7439-98-7	Molybdenum	61.6	ug/L	CD	[NULL]	[NULL]	S	B1R4L7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/19/2007 10:05	Y	7440-02-0	Nickel	24.1	ug/L	CD	[NULL]	[NULL]	S	B1R4L7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/19/2007 10:05	Y	14797-55-8	Nitrate	313000	ug/L	D	[NULL]	[NULL]	S	B1R4L7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	10/19/2007 10:05	Y	14797-65-0	Nitrite	2820	ug/L	D	[NULL]	[NULL]	S	B1R4L7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	10/19/2007 10:05	Y	14265-44-2	Phosphate	43200	ug/L	D	[NULL]	[NULL]	S	B1R4L7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	10/19/2007 10:05	Y	7440-09-7	Potassium	2570	ug/L	D	[NULL]	[NULL]	S	B1R4L7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/19/2007 10:05	Y	7440-22-4	Silver	79	ug/L	CD	[NULL]	[NULL]	S	B1R4L7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/19/2007 10:05	Y	7440-23-5	Sodium	217000	ug/L	D	[NULL]	[NULL]	S	B1R4L7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/19/2007 10:05	Y	7440-24-6	Strontium	55.1	ug/L	D	[NULL]	[NULL]	S	B1R4L7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/19/2007 10:05	Y	10098-97-2	Strontium-90	680	pCi/L	[NULL]	[NULL]	[NULL]	S	B1R4L7	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	10/19/2007 10:05	Y	14808-79-8	Sulfate	25600	ug/L	D	[NULL]	[NULL]	S	B1R4L7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	10/19/2007 10:05	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1R4L7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/19/2007 10:05	Y	7440-66-6	Zinc	62	ug/L	CD	[NULL]	[NULL]	S	B1R4L7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/14/2007 11:04	Y	7429-90-5	Aluminum	57.3	ug/L	[NULL]	[NULL]	[NULL]	S	B1R901	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/14/2007 11:04	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	S	B1R901	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/14/2007 11:04	Y	7440-38-2	Arsenic	77	ug/L	C	[NULL]	[NULL]	S	B1R901	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/14/2007 11:04	Y	7440-39-3	Barium	11	ug/L	C	[NULL]	[NULL]	S	B1R901	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/14/2007 11:04	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1R901	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/14/2007 11:04	Y	7440-70-2	Calcium	7740	ug/L	[NULL]	[NULL]	[NULL]	S	B1R901	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/14/2007 11:04	Y	16887-00-6	Chloride	37000	ug/L	D	[NULL]	[NULL]	S	B1R901	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	11/14/2007 11:04	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	S	B1R901	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/14/2007 11:04	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1R901	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/14/2007 11:04	Y	7440-50-8	Copper	9	ug/L	C	[NULL]	[NULL]	S	B1R901	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/14/2007 11:04	Y	16984-48-8	Fluoride	53	ug/L	BD	[NULL]	[NULL]	S	B1R901	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	11/14/2007 11:04	Y	7439-89-6	Iron	31.9	ug/L	[NULL]	[NULL]	[NULL]	S	B1R901	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/14/2007 11:04	Y	7439-92-1	Lead	27	ug/L	U	[NULL]	[NULL]	S	B1R901	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/14/2007 11:04	Y	7439-95-4	Magnesium	1350	ug/L	[NULL]	[NULL]	[NULL]	S	B1R901	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/14/2007 11:04	Y	7439-96-5	Manganese	131	ug/L	C	[NULL]	[NULL]	S	B1R901	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/14/2007 11:04	Y	7439-98-7	Molybdenum	26	ug/L	C	[NULL]	[NULL]	S	B1R901	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/14/2007 11:04	Y	7440-02-0	Nickel	14.3	ug/L	C	[NULL]	[NULL]	S	B1R901	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/14/2007 11:04	Y	14797-55-8	Nitrate	24500	ug/L	D	[NULL]	[NULL]	S	B1R901	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	11/14/2007 11:04	Y	14797-65-0	Nitrite	631	ug/L	BD	[NULL]	[NULL]	S	B1R901	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	11/14/2007 11:04	Y	14265-44-2	Phosphate	73900	ug/L	D	[NULL]	[NULL]	S	B1R901	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	11/14/2007 11:04	Y	7440-09-7	Potassium	1860	ug/L	[NULL]	[NULL]	[NULL]	S	B1R901	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/14/2007 11:04	Y	7440-22-4	Silver	26	ug/L	C	[NULL]	[NULL]	S	B1R901	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/14/2007 11:04	Y	7440-23-5	Sodium	157000	ug/L	[NULL]	[NULL]	[NULL]	S	B1R901	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/14/2007 11:04	Y	7440-24-6	Strontium	42.5	ug/L	[NULL]	[NULL]	[NULL]	S	B1R901	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/14/2007 11:04	Y	10098-97-2	Strontium-90	530	pCi/L	[NULL]	[NULL]	[NULL]	S	B1R901	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	11/14/2007 11:04	Y	14808-79-8	Sulfate	20900	ug/L	D	[NULL]	[NULL]	S	B1R901	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	11/14/2007 11:04	Y	7440-62-2	Vanadium	18	ug/L	C	[NULL]	[NULL]	S	B1R901	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/14/2007 11:04	Y	7440-66-6	Zinc	20	ug/L	C	[NULL]	[NULL]	S	B1R901	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/3/2008 12:35	Y	7429-90-5	Aluminum	37.4	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/3/2008 12:35	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	S	B1VJP5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/3/2008 12:35	Y	7440-38-2	Arsenic	50	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/3/2008 12:35	Y	7440-39-3	Barium	4	ug/L	U	[NULL]	[NULL]	S	B1VJP5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/3/2008 12:35	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1VJP5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/3/2008 12:35	Y	7440-70-2	Calcium	3250	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/3/2008 12:35	Y	16887-00-6	Chloride	4530	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/3/2008 12:35	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	S	B1VJP5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/3/2008 12:35	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1VJP5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/3/2008 12:35	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	S	B1VJP5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/3/2008 12:35	Y	16984-48-8	Fluoride	214	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/3/2008 12:35	Y	12587-46-1	Gross alpha	-0.38	pCi/L	U	[NULL]	[NULL]	S	B1VJP5	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-142	6/3/2008 12:35	Y	12587-47-2	Gross beta	280	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VJP5	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-142	6/3/2008 12:35	Y	7439-89-6	Iron	28.4	ug/L	C	[NULL]	[NULL]	S	B1VJP5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/3/2008 12:35	Y	7439-92-1	Lead	39	ug/L	[NULL]	G	[NULL]	S	B1VJP5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/3/2008 12:35	Y	7439-95-4	Magnesium	562	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/3/2008 12:35	Y	7439-96-5	Manganese	141	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	6/3/2008 12:35	Y	7439-98-7	Molybdenum	4	ug/L	U	[NULL]	[NULL]	S	B1VJP5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/3/2008 12:35	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B1VJP5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/3/2008 12:35	Y	14797-55-8	Nitrate	235	ug/L	B	[NULL]	[NULL]	S	B1VJP5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/3/2008 12:35	Y	14797-65-0	Nitrite	926	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/3/2008 12:35	Y	14265-44-2	Phosphate	102000	ug/L	D	[NULL]	[NULL]	S	B1VJP5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/3/2008 12:35	Y	7440-09-7	Potassium	1060	ug/L	C	[NULL]	[NULL]	S	B1VJP5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/3/2008 12:35	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1VJP5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/3/2008 12:35	Y	7440-23-5	Sodium	97500	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/3/2008 12:35	Y	7440-24-6	Strontium	17.6	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/3/2008 12:35	Y	14808-79-8	Sulfate	12800	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/3/2008 12:35	Y	7440-62-2	Vanadium	13	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/3/2008 12:35	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	S	B1VJP5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/26/2008 8:40	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W633	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/26/2008 8:40	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W633	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/26/2008 8:40	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W633	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/26/2008 8:40	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W633	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/26/2008 8:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W633	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/26/2008 8:40	Y	7440-70-2	Calcium	3150	ug/L	D	[NULL]	[NULL]	S	B1W633	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/26/2008 8:40	Y	16887-00-6	Chloride	3740	ug/L	BD	[NULL]	[NULL]	S	B1W633	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/26/2008 8:40	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W633	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/26/2008 8:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W633	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/26/2008 8:40	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W633	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/26/2008 8:40	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W633	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/26/2008 8:40	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1W633	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/26/2008 8:40	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W633	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/26/2008 8:40	Y	7439-95-4	Magnesium	484	ug/L	DN	[NULL]	[NULL]	S	B1W633	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/26/2008 8:40	Y	7439-96-5	Manganese	126	ug/L	D	[NULL]	[NULL]	S	B1W633	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/26/2008 8:40	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W633	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/26/2008 8:40	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W633	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/26/2008 8:40	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W633	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/26/2008 8:40	Y	14797-65-0	Nitrite	414	ug/L	BD	[NULL]	[NULL]	S	B1W633	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/26/2008 8:40	Y	14265-44-2	Phosphate	114000	ug/L	D	[NULL]	[NULL]	S	B1W633	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/26/2008 8:40	Y	7440-09-7	Potassium	1040	ug/L	D	[NULL]	[NULL]	S	B1W633	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/26/2008 8:40	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W633	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/26/2008 8:40	Y	7440-23-5	Sodium	102000	ug/L	D	[NULL]	[NULL]	S	B1W633	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/26/2008 8:40	Y	7440-24-6	Strontium	20	ug/L	DU	[NULL]	[NULL]	S	B1W633	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/26/2008 8:40	Y	14808-79-8	Sulfate	11400	ug/L	D	[NULL]	[NULL]	S	B1W633	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/26/2008 8:40	Y	7440-62-2	Vanadium	63	ug/L	D	[NULL]	[NULL]	S	B1W633	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/26/2008 8:40	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W633	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 13:20	Y	7429-90-5	Aluminum	4740	ug/L	D	[NULL]	[NULL]	S	B1W645	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 13:20	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W645	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 13:20	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W645	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 13:20	Y	7440-39-3	Barium	61	ug/L	D	[NULL]	[NULL]	S	B1W645	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 13:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W645	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 13:20	Y	7440-70-2	Calcium	110000	ug/L	D	[NULL]	[NULL]	S	B1W645	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 13:20	Y	16887-00-6	Chloride	129000	ug/L	D	[NULL]	[NULL]	S	B1W645	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/28/2008 13:20	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W645	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 13:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W645	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 13:20	Y	7440-50-8	Copper	36	ug/L	D	[NULL]	[NULL]	S	B1W645	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 13:20	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W645	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/28/2008 13:20	Y	7439-89-6	Iron	766	ug/L	CD	[NULL]	[NULL]	S	B1W645	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 13:20	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W645	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 13:20	Y	7439-95-4	Magnesium	21000	ug/L	DN	[NULL]	[NULL]	S	B1W645	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 13:20	Y	7439-96-5	Manganese	5130	ug/L	D	[NULL]	[NULL]	S	B1W645	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 13:20	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W645	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	6/28/2008 13:20	Y	7440-02-0	Nickel	54.1	ug/L	CD	[NULL]	[NULL]	S	B1W645	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 13:20	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W645	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/28/2008 13:20	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W645	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/28/2008 13:20	Y	14265-44-2	Phosphate	1090000	ug/L	D	[NULL]	[NULL]	S	B1W645	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/28/2008 13:20	Y	7440-09-7	Potassium	3530	ug/L	D	[NULL]	[NULL]	S	B1W645	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 13:20	Y	7440-22-4	Silver	38	ug/L	D	[NULL]	[NULL]	S	B1W645	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 13:20	Y	7440-23-5	Sodium	575000	ug/L	D	[NULL]	[NULL]	S	B1W645	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 13:20	Y	7440-24-6	Strontium	377	ug/L	D	[NULL]	[NULL]	S	B1W645	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 13:20	Y	14808-79-8	Sulfate	9760	ug/L	D	[NULL]	[NULL]	S	B1W645	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/28/2008 13:20	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W645	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 13:20	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W645	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 18:31	Y	7429-90-5	Aluminum	3640	ug/L	D	[NULL]	[NULL]	S	B1VW01	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 18:31	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VW01	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 18:31	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VW01	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 18:31	Y	7440-39-3	Barium	57	ug/L	D	[NULL]	[NULL]	S	B1VW01	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 18:31	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VW01	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 18:31	Y	7440-70-2	Calcium	100000	ug/L	D	[NULL]	[NULL]	S	B1VW01	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 18:31	Y	16887-00-6	Chloride	132000	ug/L	D	[NULL]	[NULL]	S	B1VW01	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/28/2008 18:31	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VW01	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 18:31	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VW01	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 18:31	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VW01	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 18:31	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VW01	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/28/2008 18:31	Y	12587-46-1	Gross alpha	3.7	pCi/L	U	[NULL]	[NULL]	S	B1VVX8	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-142	6/28/2008 18:31	Y	12587-47-2	Gross beta	7400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVX8	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-142	6/28/2008 18:31	Y	7439-89-6	Iron	682	ug/L	D	[NULL]	[NULL]	S	B1VW01	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 18:31	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VW01	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 18:31	Y	7439-95-4	Magnesium	17400	ug/L	D	[NULL]	[NULL]	S	B1VW01	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 18:31	Y	7439-96-5	Manganese	3890	ug/L	D	[NULL]	[NULL]	S	B1VW01	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 18:31	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VW01	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 18:31	Y	7440-02-0	Nickel	44.3	ug/L	D	[NULL]	[NULL]	S	B1VW01	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 18:31	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VW01	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/28/2008 18:31	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VW01	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/28/2008 18:31	Y	14265-44-2	Phosphate	1070000	ug/L	D	[NULL]	[NULL]	S	B1VW01	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/28/2008 18:31	Y	7440-09-7	Potassium	3240	ug/L	D	[NULL]	[NULL]	S	B1VW01	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 18:31	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VW01	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 18:31	Y	7440-23-5	Sodium	576000	ug/L	D	[NULL]	[NULL]	S	B1VW01	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 18:31	Y	7440-24-6	Strontium	337	ug/L	D	[NULL]	[NULL]	S	B1VW01	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 18:31	Y	14808-79-8	Sulfate	13500	ug/L	D	[NULL]	[NULL]	S	B1VW01	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/28/2008 18:31	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VW01	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/28/2008 18:31	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VW01	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:07	Y	7429-90-5	Aluminum	1940	ug/L	D	[NULL]	[NULL]	S	B1W664	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:07	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W664	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:07	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W664	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:07	Y	7440-39-3	Barium	39	ug/L	D	[NULL]	[NULL]	S	B1W664	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:07	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W664	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:07	Y	7440-70-2	Calcium	51800	ug/L	DN	[NULL]	[NULL]	S	B1W664	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:07	Y	16887-00-6	Chloride	82900	ug/L	D	[NULL]	[NULL]	S	B1W664	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/29/2008 7:07	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W664	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:07	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W664	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:07	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W664	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:07	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W664	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/29/2008 7:07	Y	7439-89-6	Iron	230	ug/L	D	[NULL]	[NULL]	S	B1W664	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:07	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W664	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:07	Y	7439-95-4	Magnesium	9050	ug/L	D	[NULL]	[NULL]	S	B1W664	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:07	Y	7439-96-5	Manganese	1800	ug/L	D	[NULL]	[NULL]	S	B1W664	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	6/29/2008 7:07	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W664	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:07	Y	7440-02-0	Nickel	30.3	ug/L	D	[NULL]	[NULL]	S	B1W664	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:07	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W664	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/29/2008 7:07	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W664	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/29/2008 7:07	Y	14265-44-2	Phosphate	665000	ug/L	D	[NULL]	[NULL]	S	B1W664	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/29/2008 7:07	Y	7440-09-7	Potassium	2670	ug/L	D	[NULL]	[NULL]	S	B1W664	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:07	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W664	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:07	Y	7440-23-5	Sodium	412000	ug/L	D	[NULL]	[NULL]	S	B1W664	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:07	Y	7440-24-6	Strontium	201	ug/L	D	[NULL]	[NULL]	S	B1W664	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:07	Y	14808-79-8	Sulfate	12100	ug/L	D	[NULL]	[NULL]	S	B1W664	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/29/2008 7:07	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W664	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:07	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W664	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:10	Y	7429-90-5	Aluminum	1980	ug/L	D	[NULL]	[NULL]	S	B1VW27	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:10	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VW27	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:10	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VW27	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:10	Y	7440-39-3	Barium	36	ug/L	D	[NULL]	[NULL]	S	B1VW27	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VW27	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:10	Y	7440-70-2	Calcium	48600	ug/L	D	[NULL]	[NULL]	S	B1VW27	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:10	Y	16887-00-6	Chloride	77700	ug/L	D	[NULL]	[NULL]	S	B1VW27	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/29/2008 7:10	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VW27	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VW27	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:10	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VW27	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:10	Y	DO	Dissolved oxygen	1320	ug/L	[NULL]	[NULL]	[NULL]	S	B1VW14	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	6/29/2008 7:10	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VW27	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/29/2008 7:10	Y	12587-46-1	Gross alpha	11	pCi/L	U	[NULL]	[NULL]	S	B1VW14	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-142	6/29/2008 7:10	Y	12587-47-2	Gross beta	3800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VW14	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-142	6/29/2008 7:10	Y	7439-89-6	Iron	216	ug/L	D	[NULL]	[NULL]	S	B1VW27	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:10	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VW27	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:10	Y	7439-95-4	Magnesium	8770	ug/L	D	[NULL]	[NULL]	S	B1VW27	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:10	Y	7439-96-5	Manganese	1660	ug/L	D	[NULL]	[NULL]	S	B1VW27	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:10	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VW27	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VW27	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:10	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VW27	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/29/2008 7:10	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VW27	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/29/2008 7:10	Y	EH	Oxidation Reduction Potential	-49	mV	[NULL]	[NULL]	[NULL]	S	B1VW14	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	6/29/2008 7:10	Y	14265-44-2	Phosphate	598000	ug/L	D	[NULL]	[NULL]	S	B1VW27	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/29/2008 7:10	Y	7440-09-7	Potassium	2000	ug/L	D	[NULL]	[NULL]	S	B1VW27	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VW27	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:10	Y	7440-23-5	Sodium	381000	ug/L	D	[NULL]	[NULL]	S	B1VW27	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:10	Y	CONDUCT	Specific Conductance	1777	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VW14	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	6/29/2008 7:10	Y	7440-24-6	Strontium	199	ug/L	D	[NULL]	[NULL]	S	B1VW27	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:10	Y	14808-79-8	Sulfate	11400	ug/L	D	[NULL]	[NULL]	S	B1VW27	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/29/2008 7:10	Y	TEMPERATURE	Temperature	15.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1VW14	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	6/29/2008 7:10	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VW27	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:10	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VW27	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/29/2008 7:10	Y	PH	pH Measurement	7.28	unitless	[NULL]	[NULL]	[NULL]	S	B1VW14	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-142	6/30/2008 10:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VW53	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/30/2008 10:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VW53	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/30/2008 10:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VW53	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/30/2008 10:30	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VW53	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/30/2008 10:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VW53	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/30/2008 10:30	Y	7440-70-2	Calcium	48400	ug/L	D	[NULL]	[NULL]	S	B1VW53	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/30/2008 10:30	Y	16887-00-6	Chloride	98900	ug/L	D	[NULL]	[NULL]	S	B1VW53	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/30/2008 10:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VW53	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	6/30/2008 10:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VW53	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/30/2008 10:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VW53	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/30/2008 10:30	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VW53	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/30/2008 10:30	Y	12587-46-1	Gross alpha	3.8	pCi/L	U	G	[NULL]	S	B1VW40	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-142	6/30/2008 10:30	Y	12587-47-2	Gross beta	2700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VW40	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-142	6/30/2008 10:30	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VW53	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/30/2008 10:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VW53	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/30/2008 10:30	Y	7439-95-4	Magnesium	10700	ug/L	D	[NULL]	[NULL]	S	B1VW53	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/30/2008 10:30	Y	7439-96-5	Manganese	4430	ug/L	D	[NULL]	[NULL]	S	B1VW53	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/30/2008 10:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VW53	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/30/2008 10:30	Y	7440-02-0	Nickel	29.1	ug/L	D	[NULL]	[NULL]	S	B1VW53	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/30/2008 10:30	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VW53	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/30/2008 10:30	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VW53	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/30/2008 10:30	Y	14265-44-2	Phosphate	619000	ug/L	D	[NULL]	[NULL]	S	B1VW53	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/30/2008 10:30	Y	7440-09-7	Potassium	3120	ug/L	D	[NULL]	[NULL]	S	B1VW53	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/30/2008 10:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VW53	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/30/2008 10:30	Y	7440-23-5	Sodium	472000	ug/L	D	[NULL]	[NULL]	S	B1VW53	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/30/2008 10:30	Y	7440-24-6	Strontium	171	ug/L	D	[NULL]	[NULL]	S	B1VW53	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/30/2008 10:30	Y	14808-79-8	Sulfate	11000	ug/L	D	[NULL]	[NULL]	S	B1VW53	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	6/30/2008 10:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VW53	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	6/30/2008 10:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VW53	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/1/2008 9:00	Y	12587-46-1	Gross alpha	-0.66	pCi/L	U	G	[NULL]	S	B1VW66	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-142	7/1/2008 9:00	Y	12587-47-2	Gross beta	15000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VW66	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-142	7/1/2008 9:06	Y	7429-90-5	Aluminum	4300	ug/L	D	[NULL]	[NULL]	S	B1VW79	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/1/2008 9:06	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VW79	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/1/2008 9:06	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VW79	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/1/2008 9:06	Y	7440-39-3	Barium	144	ug/L	D	[NULL]	[NULL]	S	B1VW79	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/1/2008 9:06	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VW79	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/1/2008 9:06	Y	7440-70-2	Calcium	176000	ug/L	D	[NULL]	[NULL]	S	B1VW79	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/1/2008 9:06	Y	16887-00-6	Chloride	196000	ug/L	D	[NULL]	[NULL]	S	B1VW79	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/1/2008 9:06	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VW79	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/1/2008 9:06	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VW79	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/1/2008 9:06	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VW79	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/1/2008 9:06	Y	16984-48-8	Fluoride	420	ug/L	DU	[NULL]	[NULL]	S	B1VW79	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/1/2008 9:06	Y	7439-89-6	Iron	306	ug/L	DN	[NULL]	[NULL]	S	B1VW79	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/1/2008 9:06	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VW79	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/1/2008 9:06	Y	7439-95-4	Magnesium	34600	ug/L	D	[NULL]	[NULL]	S	B1VW79	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/1/2008 9:06	Y	7439-96-5	Manganese	3220	ug/L	D	[NULL]	[NULL]	S	B1VW79	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/1/2008 9:06	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VW79	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/1/2008 9:06	Y	7440-02-0	Nickel	57.1	ug/L	D	[NULL]	[NULL]	S	B1VW79	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/1/2008 9:06	Y	14797-55-8	Nitrate	3190	ug/L	DU	[NULL]	[NULL]	S	B1VW79	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/1/2008 9:06	Y	14797-65-0	Nitrite	650	ug/L	DU	[NULL]	[NULL]	S	B1VW79	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/1/2008 9:06	Y	14265-44-2	Phosphate	1940000	ug/L	D	[NULL]	[NULL]	S	B1VW79	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/1/2008 9:06	Y	7440-09-7	Potassium	5950	ug/L	D	[NULL]	[NULL]	S	B1VW79	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/1/2008 9:06	Y	7440-22-4	Silver	25	ug/L	DNUX	[NULL]	[NULL]	S	B1VW79	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/1/2008 9:06	Y	7440-23-5	Sodium	1110000	ug/L	D	[NULL]	[NULL]	S	B1VW79	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/1/2008 9:06	Y	7440-24-6	Strontium	676	ug/L	D	[NULL]	[NULL]	S	B1VW79	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/1/2008 9:06	Y	14808-79-8	Sulfate	16000	ug/L	BD	[NULL]	[NULL]	S	B1VW79	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/1/2008 9:06	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VW79	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/1/2008 9:06	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VW79	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/2/2008 9:07	Y	7429-90-5	Aluminum	400	ug/L	D	[NULL]	[NULL]	S	B1VWC5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/2/2008 9:07	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VWC5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/2/2008 9:07	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VWC5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/2/2008 9:07	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWC5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/2/2008 9:07	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWC5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	7/2/2008 9:07	Y	7440-70-2	Calcium	41200	ug/L	D	[NULL]	[NULL]	S	B1VWC5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/2/2008 9:07	Y	16887-00-6	Chloride	194000	ug/L	D	[NULL]	[NULL]	S	B1VWC5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/2/2008 9:07	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VWC5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/2/2008 9:07	Y	7440-48-4	Cobalt	22.1	ug/L	D	[NULL]	[NULL]	S	B1VWC5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/2/2008 9:07	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VWC5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/2/2008 9:07	Y	DO	Dissolved oxygen	980	ug/L	[NULL]	[NULL]	[NULL]	S	B1VW92	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	7/2/2008 9:07	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VWC5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/2/2008 9:07	Y	12587-46-1	Gross alpha	9.7	pCi/L	U	[NULL]	[NULL]	S	B1VW92	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-142	7/2/2008 9:07	Y	12587-47-2	Gross beta	5300	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VW92	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-142	7/2/2008 9:07	Y	7439-89-6	Iron	311	ug/L	D	[NULL]	[NULL]	S	B1VWC5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/2/2008 9:07	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VWC5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/2/2008 9:07	Y	7439-95-4	Magnesium	12100	ug/L	D	[NULL]	[NULL]	S	B1VWC5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/2/2008 9:07	Y	7439-96-5	Manganese	1770	ug/L	D	[NULL]	[NULL]	S	B1VWC5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/2/2008 9:07	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VWC5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/2/2008 9:07	Y	7440-02-0	Nickel	45.5	ug/L	D	[NULL]	[NULL]	S	B1VWC5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/2/2008 9:07	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VWC5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/2/2008 9:07	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VWC5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/2/2008 9:07	Y	EH	Oxidation Reduction Potential	-118	mV	[NULL]	[NULL]	[NULL]	S	B1VW92	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	7/2/2008 9:07	Y	14265-44-2	Phosphate	1810000	ug/L	D	[NULL]	[NULL]	S	B1VWC5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/2/2008 9:07	Y	7440-09-7	Potassium	4720	ug/L	D	[NULL]	[NULL]	S	B1VWC5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/2/2008 9:07	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VWC5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/2/2008 9:07	Y	7440-23-5	Sodium	907000	ug/L	D	[NULL]	[NULL]	S	B1VWC5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/2/2008 9:07	Y	CONDUCT	Specific Conductance	4501	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VW92	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	7/2/2008 9:07	Y	7440-24-6	Strontium	269	ug/L	D	[NULL]	[NULL]	S	B1VWC5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/2/2008 9:07	Y	14808-79-8	Sulfate	13700	ug/L	D	[NULL]	[NULL]	S	B1VWC5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/2/2008 9:07	Y	TEMPERATURE	Temperature	16.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1VW92	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	7/2/2008 9:07	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VWC5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/2/2008 9:07	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VWC5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/2/2008 9:07	Y	PH	pH Measurement	7.08	unitless	[NULL]	[NULL]	[NULL]	S	B1VW92	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-142	7/3/2008 8:15	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VWK1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W676	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W676	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VWK1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VWK1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W676	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWK1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	7440-39-3	Barium	20	ug/L	D	[NULL]	[NULL]	S	B1W676	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W676	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWK1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	7440-70-2	Calcium	18700	ug/L	D	[NULL]	[NULL]	S	B1VWK1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	7440-70-2	Calcium	37300	ug/L	D	[NULL]	[NULL]	S	B1W676	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	16887-00-6	Chloride	257000	ug/L	D	[NULL]	[NULL]	S	B1W676	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/3/2008 8:15	Y	16887-00-6	Chloride	270000	ug/L	D	[NULL]	[NULL]	S	B1VWK1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/3/2008 8:15	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VWK1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W676	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W676	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VWK1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W676	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VWK1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	DO	Dissolved oxygen	490	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWF8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	7/3/2008 8:15	Y	16984-48-8	Fluoride	420	ug/L	DU	[NULL]	[NULL]	S	B1VWK1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/3/2008 8:15	Y	16984-48-8	Fluoride	420	ug/L	DU	[NULL]	[NULL]	S	B1W676	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/3/2008 8:15	Y	12587-46-1	Gross alpha	-2.6	pCi/L	U	[NULL]	[NULL]	S	B1VWF8	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-142	7/3/2008 8:15	Y	12587-47-2	Gross beta	6400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VWF8	12587-47-2	WSCF	BETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	7/3/2008 8:15	Y	7439-89-6	Iron	125	ug/L	DNU	[NULL]	[NULL]	S	B1VWK1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	7439-89-6	Iron	125	ug/L	DNU	[NULL]	[NULL]	S	B1W676	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W676	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VWK1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	7439-95-4	Magnesium	13000	ug/L	D	[NULL]	[NULL]	S	B1W676	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	7439-95-4	Magnesium	12200	ug/L	D	[NULL]	[NULL]	S	B1VWK1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	7439-96-5	Manganese	935	ug/L	D	[NULL]	[NULL]	S	B1VWK1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	7439-96-5	Manganese	1000	ug/L	D	[NULL]	[NULL]	S	B1W676	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W676	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VWK1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VWK1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W676	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	14797-55-8	Nitrate	3710000	ug/L	D	Y	[NULL]	S	B1VWK1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/3/2008 8:15	Y	14797-55-8	Nitrate	3190	ug/L	DU	[NULL]	[NULL]	S	B1W676	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/3/2008 8:15	Y	14797-65-0	Nitrite	650	ug/L	DU	[NULL]	[NULL]	S	B1W676	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/3/2008 8:15	Y	14797-65-0	Nitrite	650	ug/L	DU	[NULL]	[NULL]	S	B1VWK1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/3/2008 8:15	Y	EH	Oxidation Reduction Potential	-176	mV	[NULL]	[NULL]	[NULL]	S	B1VWF8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	7/3/2008 8:15	Y	14265-44-2	Phosphate	3100000	ug/L	D	[NULL]	[NULL]	S	B1W676	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/3/2008 8:15	Y	14265-44-2	Phosphate	2980000	ug/L	D	[NULL]	[NULL]	S	B1VWK1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/3/2008 8:15	Y	7440-09-7	Potassium	9410	ug/L	D	[NULL]	[NULL]	S	B1W676	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	7440-09-7	Potassium	8440	ug/L	D	[NULL]	[NULL]	S	B1VWK1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1VWK1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1W676	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	7440-23-5	Sodium	1790000	ug/L	D	[NULL]	[NULL]	S	B1VWK1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	7440-23-5	Sodium	1890000	ug/L	D	[NULL]	[NULL]	S	B1W676	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	CONDUCT	Specific Conductance	6890	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWF8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	7/3/2008 8:15	Y	7440-24-6	Strontium	368	ug/L	D	[NULL]	[NULL]	S	B1VWK1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	7440-24-6	Strontium	440	ug/L	D	[NULL]	[NULL]	S	B1W676	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	14808-79-8	Sulfate	15300	ug/L	BD	[NULL]	[NULL]	S	B1VWK1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/3/2008 8:15	Y	14808-79-8	Sulfate	13700	ug/L	BD	[NULL]	[NULL]	S	B1W676	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/3/2008 8:15	Y	TEMPERATURE	Temperature	16.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWF8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	7/3/2008 8:15	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W676	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VWK1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W676	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VWK1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/3/2008 8:15	Y	PH	pH Measurement	7.12	unitless	[NULL]	[NULL]	[NULL]	S	B1VWF8	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-142	7/4/2008 8:13	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VWP7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/4/2008 8:13	Y	7440-36-0	Antimony	280	ug/L	DNU	[NULL]	[NULL]	S	B1VWP7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/4/2008 8:13	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VWP7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/4/2008 8:13	Y	7440-39-3	Barium	28	ug/L	D	[NULL]	[NULL]	S	B1VWP7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/4/2008 8:13	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWP7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/4/2008 8:13	Y	7440-70-2	Calcium	25200	ug/L	DN	[NULL]	[NULL]	S	B1VWP7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/4/2008 8:13	Y	16887-00-6	Chloride	306000	ug/L	D	[NULL]	[NULL]	S	B1VWP7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/4/2008 8:13	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VWP7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/4/2008 8:13	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VWP7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/4/2008 8:13	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VWP7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/4/2008 8:13	Y	DO	Dissolved oxygen	2780	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWM4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	7/4/2008 8:13	Y	16984-48-8	Fluoride	420	ug/L	DU	[NULL]	[NULL]	S	B1VWP7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/4/2008 8:13	Y	12587-46-1	Gross alpha	4.2	pCi/L	U	[NULL]	[NULL]	S	B1VWM4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-142	7/4/2008 8:13	Y	12587-47-2	Gross beta	6200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VWM4	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-142	7/4/2008 8:13	Y	7439-89-6	Iron	255	ug/L	D	[NULL]	[NULL]	S	B1VWP7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/4/2008 8:13	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VWP7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/4/2008 8:13	Y	7439-95-4	Magnesium	9040	ug/L	D	[NULL]	[NULL]	S	B1VWP7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/4/2008 8:13	Y	7439-96-5	Manganese	1210	ug/L	D	[NULL]	[NULL]	S	B1VWP7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	7/4/2008 8:13	Y	7439-98-7	Molybdenum	25	ug/L	DNU	[NULL]	[NULL]	S	B1VWP7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/4/2008 8:13	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VWP7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/4/2008 8:13	Y	14797-55-8	Nitrate	3190	ug/L	DU	[NULL]	[NULL]	S	B1VWP7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/4/2008 8:13	Y	14797-65-0	Nitrite	650	ug/L	DU	[NULL]	[NULL]	S	B1VWP7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/4/2008 8:13	Y	EH	Oxidation Reduction Potential	-150	mV	[NULL]	[NULL]	[NULL]	S	B1VWM4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	7/4/2008 8:13	Y	14265-44-2	Phosphate	2160000	ug/L	D	[NULL]	[NULL]	S	B1VWP7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/4/2008 8:13	Y	7440-09-7	Potassium	7090	ug/L	D	[NULL]	[NULL]	S	B1VWP7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/4/2008 8:13	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VWP7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/4/2008 8:13	Y	7440-23-5	Sodium	1410000	ug/L	D	[NULL]	[NULL]	S	B1VWP7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/4/2008 8:13	Y	CONDUCT	Specific Conductance	6304	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWM4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	7/4/2008 8:13	Y	7440-24-6	Strontium	355	ug/L	D	[NULL]	[NULL]	S	B1VWP7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/4/2008 8:13	Y	14808-79-8	Sulfate	13200	ug/L	BD	[NULL]	[NULL]	S	B1VWP7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/4/2008 8:13	Y	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWM4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	7/4/2008 8:13	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VWP7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/4/2008 8:13	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VWP7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/4/2008 8:13	Y	PH	pH Measurement	7.05	unitless	[NULL]	[NULL]	[NULL]	S	B1VWM4	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-142	7/5/2008 6:45	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VX08	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/5/2008 6:45	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VX08	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/5/2008 6:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VX08	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/5/2008 6:45	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VX08	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/5/2008 6:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VX08	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/5/2008 6:45	Y	7440-70-2	Calcium	14200	ug/L	D	[NULL]	[NULL]	S	B1VX08	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/5/2008 6:45	Y	16887-00-6	Chloride	196000	ug/L	D	[NULL]	[NULL]	S	B1VX08	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/5/2008 6:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VX08	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/5/2008 6:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VX08	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/5/2008 6:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VX08	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/5/2008 6:45	Y	DO	Dissolved oxygen	990	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWY3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	7/5/2008 6:45	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VX08	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/5/2008 6:45	Y	12587-46-1	Gross alpha	0.053	pCi/L	U	[NULL]	[NULL]	S	B1VWY3	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-142	7/5/2008 6:45	Y	12587-47-2	Gross beta	3600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VWY3	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-142	7/5/2008 6:45	Y	7439-89-6	Iron	540	ug/L	CD	[NULL]	[NULL]	S	B1VX08	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/5/2008 6:45	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VX08	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/5/2008 6:45	Y	7439-95-4	Magnesium	5110	ug/L	D	[NULL]	[NULL]	S	B1VX08	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/5/2008 6:45	Y	7439-96-5	Manganese	1030	ug/L	D	[NULL]	[NULL]	S	B1VX08	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/5/2008 6:45	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VX08	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/5/2008 6:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VX08	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/5/2008 6:45	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VX08	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/5/2008 6:45	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VX08	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/5/2008 6:45	Y	EH	Oxidation Reduction Potential	-147	mV	[NULL]	[NULL]	[NULL]	S	B1VWY3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	7/5/2008 6:45	Y	14265-44-2	Phosphate	1110000	ug/L	D	[NULL]	[NULL]	S	B1VX08	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/5/2008 6:45	Y	7440-09-7	Potassium	4400	ug/L	D	[NULL]	[NULL]	S	B1VX08	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/5/2008 6:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VX08	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/5/2008 6:45	Y	7440-23-5	Sodium	996000	ug/L	D	[NULL]	[NULL]	S	B1VX08	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/5/2008 6:45	Y	CONDUCT	Specific Conductance	3967	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWY3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	7/5/2008 6:45	Y	7440-24-6	Strontium	193	ug/L	D	[NULL]	[NULL]	S	B1VX08	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/5/2008 6:45	Y	14808-79-8	Sulfate	7350	ug/L	BD	[NULL]	[NULL]	S	B1VX08	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/5/2008 6:45	Y	TEMPERATURE	Temperature	14.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWY3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	7/5/2008 6:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VX08	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/5/2008 6:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VX08	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/5/2008 6:45	Y	PH	pH Measurement	7.12	unitless	[NULL]	[NULL]	[NULL]	S	B1VWY3	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-142	7/6/2008 10:00	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VX40	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/6/2008 10:00	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VX40	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/6/2008 10:00	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VX40	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	7/6/2008 10:00	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VX40	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/6/2008 10:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VX40	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/6/2008 10:00	Y	7440-70-2	Calcium	15600	ug/L	DN	[NULL]	[NULL]	S	B1VX40	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/6/2008 10:00	Y	16887-00-6	Chloride	180000	ug/L	D	[NULL]	[NULL]	S	B1VX40	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/6/2008 10:00	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VX40	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/6/2008 10:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VX40	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/6/2008 10:00	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VX40	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/6/2008 10:00	Y	DO	Dissolved oxygen	1390	ug/L	[NULL]	[NULL]	[NULL]	S	B1VX17	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	7/6/2008 10:00	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VX40	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/6/2008 10:00	Y	12587-46-1	Gross alpha	-0.87	pCi/L	U	[NULL]	[NULL]	S	B1VX17	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-142	7/6/2008 10:00	Y	12587-47-2	Gross beta	3600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VX17	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-142	7/6/2008 10:00	Y	7439-89-6	Iron	498	ug/L	D	[NULL]	[NULL]	S	B1VX40	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/6/2008 10:00	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VX40	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/6/2008 10:00	Y	7439-95-4	Magnesium	4590	ug/L	D	[NULL]	[NULL]	S	B1VX40	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/6/2008 10:00	Y	7439-96-5	Manganese	1080	ug/L	D	[NULL]	[NULL]	S	B1VX40	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/6/2008 10:00	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VX40	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/6/2008 10:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VX40	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/6/2008 10:00	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VX40	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/6/2008 10:00	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VX40	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/6/2008 10:00	Y	EH	Oxidation Reduction Potential	-167	mV	[NULL]	[NULL]	[NULL]	S	B1VX17	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	7/6/2008 10:00	Y	14265-44-2	Phosphate	828000	ug/L	D	[NULL]	[NULL]	S	B1VX40	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/6/2008 10:00	Y	7440-09-7	Potassium	3440	ug/L	D	[NULL]	[NULL]	S	B1VX40	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/6/2008 10:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VX40	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/6/2008 10:00	Y	7440-23-5	Sodium	781000	ug/L	D	[NULL]	[NULL]	S	B1VX40	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/6/2008 10:00	Y	CONDUCT	Specific Conductance	3303	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VX17	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	7/6/2008 10:00	Y	7440-24-6	Strontium	180	ug/L	D	[NULL]	[NULL]	S	B1VX40	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/6/2008 10:00	Y	14808-79-8	Sulfate	6260	ug/L	BD	[NULL]	[NULL]	S	B1VX40	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/6/2008 10:00	Y	TEMPERATURE	Temperature	16.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1VX17	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	7/6/2008 10:00	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VX40	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/6/2008 10:00	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VX40	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/6/2008 10:00	Y	PH	pH Measurement	7.17	unitless	[NULL]	[NULL]	[NULL]	S	B1VX17	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-142	7/7/2008 10:00	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W787	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/7/2008 10:00	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W787	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/7/2008 10:00	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W787	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/7/2008 10:00	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W787	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/7/2008 10:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W787	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/7/2008 10:00	Y	7440-70-2	Calcium	18100	ug/L	D	[NULL]	[NULL]	S	B1W787	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/7/2008 10:00	Y	16887-00-6	Chloride	168000	ug/L	DN	[NULL]	[NULL]	S	B1W787	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/7/2008 10:00	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W787	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/7/2008 10:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W787	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/7/2008 10:00	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W787	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/7/2008 10:00	Y	DO	Dissolved oxygen	1260	ug/L	[NULL]	[NULL]	[NULL]	S	B1W772	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	7/7/2008 10:00	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W787	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/7/2008 10:00	Y	12587-46-1	Gross alpha	7.4	pCi/L	U	[NULL]	[NULL]	S	B1W772	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-142	7/7/2008 10:00	Y	12587-47-2	Gross beta	3800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W772	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-142	7/7/2008 10:00	Y	7439-89-6	Iron	1010	ug/L	D	[NULL]	[NULL]	S	B1W787	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/7/2008 10:00	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W787	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/7/2008 10:00	Y	7439-95-4	Magnesium	5100	ug/L	DN	[NULL]	[NULL]	S	B1W787	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/7/2008 10:00	Y	7439-96-5	Manganese	1260	ug/L	D	[NULL]	[NULL]	S	B1W787	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/7/2008 10:00	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W787	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/7/2008 10:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W787	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/7/2008 10:00	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W787	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/7/2008 10:00	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W787	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	7/7/2008 10:00	Y	EH	Oxidation Reduction Potential	-172	mV	[NULL]	[NULL]	[NULL]	S	B1W772	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	7/7/2008 10:00	Y	14265-44-2	Phosphate	702000	ug/L	D	[NULL]	[NULL]	S	B1W787	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/7/2008 10:00	Y	7440-09-7	Potassium	3600	ug/L	D	[NULL]	[NULL]	S	B1W787	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/7/2008 10:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W787	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/7/2008 10:00	Y	7440-23-5	Sodium	794000	ug/L	D	[NULL]	[NULL]	S	B1W787	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/7/2008 10:00	Y	CONDUCT	Specific Conductance	2978	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W772	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	7/7/2008 10:00	Y	7440-24-6	Strontium	194	ug/L	D	[NULL]	[NULL]	S	B1W787	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/7/2008 10:00	Y	14808-79-8	Sulfate	3150	ug/L	BD	[NULL]	[NULL]	S	B1W787	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/7/2008 10:00	Y	TEMPERATURE	Temperature	14.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1W772	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	7/7/2008 10:00	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W787	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/7/2008 10:00	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W787	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/7/2008 10:00	Y	PH	pH Measurement	7.14	unitless	[NULL]	[NULL]	[NULL]	S	B1W772	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-142	7/8/2008 10:05	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7C9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2008 10:05	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7C9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2008 10:05	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7C9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2008 10:05	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7C9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2008 10:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7C9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2008 10:05	Y	7440-70-2	Calcium	21100	ug/L	DN	[NULL]	[NULL]	S	B1W7C9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2008 10:05	Y	16887-00-6	Chloride	178000	ug/L	D	[NULL]	[NULL]	S	B1W7C9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/8/2008 10:05	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7C9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2008 10:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7C9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2008 10:05	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7C9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2008 10:05	Y	DO	Dissolved oxygen	1870	ug/L	[NULL]	[NULL]	[NULL]	S	B1W796	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	7/8/2008 10:05	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W7C9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/8/2008 10:05	Y	12587-46-1	Gross alpha	4.8	pCi/L	U	[NULL]	[NULL]	S	B1W796	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-142	7/8/2008 10:05	Y	12587-47-2	Gross beta	3600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W796	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-142	7/8/2008 10:05	Y	7439-89-6	Iron	1550	ug/L	D	[NULL]	[NULL]	S	B1W7C9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2008 10:05	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7C9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2008 10:05	Y	7439-95-4	Magnesium	6300	ug/L	D	[NULL]	[NULL]	S	B1W7C9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2008 10:05	Y	7439-96-5	Manganese	1560	ug/L	D	[NULL]	[NULL]	S	B1W7C9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2008 10:05	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7C9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2008 10:05	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7C9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2008 10:05	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W7C9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/8/2008 10:05	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W7C9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/8/2008 10:05	Y	EH	Oxidation Reduction Potential	-167	mV	[NULL]	[NULL]	[NULL]	S	B1W796	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	7/8/2008 10:05	Y	14265-44-2	Phosphate	816000	ug/L	D	[NULL]	[NULL]	S	B1W7C9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/8/2008 10:05	Y	7440-09-7	Potassium	4560	ug/L	D	[NULL]	[NULL]	S	B1W7C9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2008 10:05	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W7C9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2008 10:05	Y	7440-23-5	Sodium	996000	ug/L	D	[NULL]	[NULL]	S	B1W7C9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2008 10:05	Y	CONDUCT	Specific Conductance	319	uS/cm	[NULL]	Y	[NULL]	S	B1W796	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	7/8/2008 10:05	Y	7440-24-6	Strontium	228	ug/L	D	[NULL]	[NULL]	S	B1W7C9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2008 10:05	Y	14808-79-8	Sulfate	1160	ug/L	BD	[NULL]	[NULL]	S	B1W7C9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/8/2008 10:05	Y	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	S	B1W796	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	7/8/2008 10:05	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7C9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2008 10:05	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7C9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/8/2008 10:05	Y	PH	pH Measurement	7.27	unitless	[NULL]	[NULL]	[NULL]	S	B1W796	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-142	7/9/2008 11:25	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W855	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/9/2008 11:25	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W855	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/9/2008 11:25	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W855	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/9/2008 11:25	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W855	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/9/2008 11:25	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W855	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/9/2008 11:25	Y	7440-70-2	Calcium	21500	ug/L	D	[NULL]	[NULL]	S	B1W855	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/9/2008 11:25	Y	16887-00-6	Chloride	98700	ug/L	DN	[NULL]	[NULL]	S	B1W855	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	7/9/2008 11:25	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W855	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/9/2008 11:25	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W855	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/9/2008 11:25	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W855	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/9/2008 11:25	Y	DO	Dissolved oxygen	7830	ug/L	[NULL]	[NULL]	[NULL]	S	B1W840	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	7/9/2008 11:25	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W855	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/9/2008 11:25	Y	12587-46-1	Gross alpha	2.1	pCi/L	U	G	[NULL]	S	B1W840	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-142	7/9/2008 11:25	Y	12587-47-2	Gross beta	2100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W840	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-142	7/9/2008 11:25	Y	7439-89-6	Iron	137	ug/L	D	[NULL]	[NULL]	S	B1W855	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/9/2008 11:25	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W855	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/9/2008 11:25	Y	7439-95-4	Magnesium	3980	ug/L	D	[NULL]	[NULL]	S	B1W855	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/9/2008 11:25	Y	7439-96-5	Manganese	810	ug/L	D	[NULL]	[NULL]	S	B1W855	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/9/2008 11:25	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W855	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/9/2008 11:25	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W855	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/9/2008 11:25	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W855	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/9/2008 11:25	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W855	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/9/2008 11:25	Y	EH	Oxidation Reduction Potential	-42	mV	[NULL]	[NULL]	[NULL]	S	B1W840	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	7/9/2008 11:25	Y	14265-44-2	Phosphate	438000	ug/L	D	[NULL]	[NULL]	S	B1W855	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/9/2008 11:25	Y	7440-09-7	Potassium	2670	ug/L	D	[NULL]	[NULL]	S	B1W855	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/9/2008 11:25	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W855	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/9/2008 11:25	Y	7440-23-5	Sodium	443000	ug/L	DN	[NULL]	[NULL]	S	B1W855	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/9/2008 11:25	Y	CONDUCT	Specific Conductance	319.2	uS/cm	[NULL]	Y	[NULL]	S	B1W840	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	7/9/2008 11:25	Y	7440-24-6	Strontium	156	ug/L	D	[NULL]	[NULL]	S	B1W855	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/9/2008 11:25	Y	14808-79-8	Sulfate	4880	ug/L	BD	[NULL]	[NULL]	S	B1W855	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/9/2008 11:25	Y	TEMPERATURE	Temperature	18.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1W840	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	7/9/2008 11:25	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W855	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/9/2008 11:25	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W855	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/9/2008 11:25	Y	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	S	B1W840	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-142	7/10/2008 9:55	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7K5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/10/2008 9:55	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7K5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/10/2008 9:55	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7K5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/10/2008 9:55	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7K5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/10/2008 9:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7K5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/10/2008 9:55	Y	7440-70-2	Calcium	19200	ug/L	D	[NULL]	[NULL]	S	B1W7K5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/10/2008 9:55	Y	16887-00-6	Chloride	93800	ug/L	D	[NULL]	[NULL]	S	B1W7K5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/10/2008 9:55	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7K5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/10/2008 9:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7K5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/10/2008 9:55	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7K5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/10/2008 9:55	Y	DO	Dissolved oxygen	1480	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7H2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	7/10/2008 9:55	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W7K5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/10/2008 9:55	Y	12587-46-1	Gross alpha	0.095	pCi/L	U	[NULL]	[NULL]	S	B1W7H2	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-142	7/10/2008 9:55	Y	12587-47-2	Gross beta	2100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7H2	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-142	7/10/2008 9:55	Y	7439-89-6	Iron	175	ug/L	D	[NULL]	[NULL]	S	B1W7K5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/10/2008 9:55	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7K5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/10/2008 9:55	Y	7439-95-4	Magnesium	3920	ug/L	D	[NULL]	[NULL]	S	B1W7K5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/10/2008 9:55	Y	7439-96-5	Manganese	616	ug/L	D	[NULL]	[NULL]	S	B1W7K5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/10/2008 9:55	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7K5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/10/2008 9:55	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7K5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/10/2008 9:55	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W7K5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/10/2008 9:55	Y	14797-65-0	Nitrite	1220	ug/L	BD	[NULL]	[NULL]	S	B1W7K5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/10/2008 9:55	Y	EH	Oxidation Reduction Potential	-132	mV	[NULL]	[NULL]	[NULL]	S	B1W7H2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	7/10/2008 9:55	Y	14265-44-2	Phosphate	432000	ug/L	D	[NULL]	[NULL]	S	B1W7K5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/10/2008 9:55	Y	7440-09-7	Potassium	2580	ug/L	D	[NULL]	[NULL]	S	B1W7K5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/10/2008 9:55	Y	7440-22-4	Silver	28	ug/L	CD	[NULL]	[NULL]	S	B1W7K5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	7/10/2008 9:55	Y	7440-23-5	Sodium	404000	ug/L	D	[NULL]	[NULL]	S	B1W7K5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/10/2008 9:55	Y	CONDUCT	Specific Conductance	1508	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7H2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	7/10/2008 9:55	Y	7440-24-6	Strontium	137	ug/L	D	[NULL]	[NULL]	S	B1W7K5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/10/2008 9:55	Y	14808-79-8	Sulfate	5710	ug/L	BD	[NULL]	[NULL]	S	B1W7K5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/10/2008 9:55	Y	TEMPERATURE	Temperature	15.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7H2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	7/10/2008 9:55	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7K5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/10/2008 9:55	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7K5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/10/2008 9:55	Y	PH	pH Measurement	7.25	unitless	[NULL]	[NULL]	[NULL]	S	B1W7H2	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-142	7/12/2008 8:45	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7R1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/12/2008 8:45	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7R1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/12/2008 8:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7R1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/12/2008 8:45	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7R1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/12/2008 8:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7R1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/12/2008 8:45	Y	7440-70-2	Calcium	24700	ug/L	D	[NULL]	[NULL]	S	B1W7R1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/12/2008 8:45	Y	16887-00-6	Chloride	94100	ug/L	D	[NULL]	[NULL]	S	B1W7R1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/12/2008 8:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7R1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/12/2008 8:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7R1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/12/2008 8:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7R1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/12/2008 8:45	Y	DO	Dissolved oxygen	2700	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7M8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	7/12/2008 8:45	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1W7R1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/12/2008 8:45	Y	12587-46-1	Gross alpha	0.95	pCi/L	U	[NULL]	[NULL]	S	B1W7M8	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-142	7/12/2008 8:45	Y	12587-47-2	Gross beta	2600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7M8	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-142	7/12/2008 8:45	Y	7439-89-6	Iron	450	ug/L	D	[NULL]	[NULL]	S	B1W7R1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/12/2008 8:45	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7R1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/12/2008 8:45	Y	7439-95-4	Magnesium	4790	ug/L	D	[NULL]	[NULL]	S	B1W7R1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/12/2008 8:45	Y	7439-96-5	Manganese	1110	ug/L	D	[NULL]	[NULL]	S	B1W7R1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/12/2008 8:45	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7R1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/12/2008 8:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7R1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/12/2008 8:45	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1W7R1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/12/2008 8:45	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1W7R1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/12/2008 8:45	Y	EH	Oxidation Reduction Potential	-118	mV	[NULL]	[NULL]	[NULL]	S	B1W7M8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	7/12/2008 8:45	Y	14265-44-2	Phosphate	269000	ug/L	D	[NULL]	[NULL]	S	B1W7R1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/12/2008 8:45	Y	7440-09-7	Potassium	2320	ug/L	D	[NULL]	[NULL]	S	B1W7R1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/12/2008 8:45	Y	7440-22-4	Silver	71	ug/L	BCD	[NULL]	[NULL]	S	B1W7R1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/12/2008 8:45	Y	7440-23-5	Sodium	356000	ug/L	DX	[NULL]	[NULL]	S	B1W7R1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/12/2008 8:45	Y	CONDUCT	Specific Conductance	1604	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7M8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	7/12/2008 8:45	Y	7440-24-6	Strontium	120	ug/L	D	[NULL]	[NULL]	S	B1W7R1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/12/2008 8:45	Y	14808-79-8	Sulfate	4120	ug/L	BD	[NULL]	[NULL]	S	B1W7R1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/12/2008 8:45	Y	TEMPERATURE	Temperature	15.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7M8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	7/12/2008 8:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7R1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/12/2008 8:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7R1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/12/2008 8:45	Y	PH	pH Measurement	7.16	unitless	[NULL]	[NULL]	[NULL]	S	B1W7M8	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-142	7/13/2008 12:10	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WBD7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2008 12:10	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WBD7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2008 12:10	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WBD7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2008 12:10	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WBD7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2008 12:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WBD7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2008 12:10	Y	7440-70-2	Calcium	26100	ug/L	DX	[NULL]	[NULL]	S	B1WBD7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2008 12:10	Y	16887-00-6	Chloride	76000	ug/L	D	[NULL]	[NULL]	S	B1WBD7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/13/2008 12:10	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WBD7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2008 12:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WBD7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2008 12:10	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WBD7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2008 12:10	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WBD7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/13/2008 12:10	Y	12587-46-1	Gross alpha	2	pCi/L	U	[NULL]	[NULL]	S	B1WBB2	12587-46-1	WSCF	ALPHA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	7/13/2008 12:10	Y	12587-47-2	Gross beta	1300	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WBB2	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-142	7/13/2008 12:10	Y	7439-89-6	Iron	409	ug/L	BD	[NULL]	[NULL]	S	B1WBD7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2008 12:10	Y	7439-92-1	Lead	225	ug/L	DNU	[NULL]	[NULL]	S	B1WBD7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2008 12:10	Y	7439-95-4	Magnesium	5270	ug/L	D	[NULL]	[NULL]	S	B1WBD7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2008 12:10	Y	7439-96-5	Manganese	1200	ug/L	D	[NULL]	[NULL]	S	B1WBD7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2008 12:10	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WBD7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2008 12:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WBD7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2008 12:10	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WBD7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/13/2008 12:10	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WBD7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/13/2008 12:10	Y	14265-44-2	Phosphate	205000	ug/L	D	[NULL]	[NULL]	S	B1WBD7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/13/2008 12:10	Y	7440-09-7	Potassium	2180	ug/L	BD	[NULL]	[NULL]	S	B1WBD7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2008 12:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WBD7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2008 12:10	Y	7440-23-5	Sodium	312000	ug/L	DX	[NULL]	[NULL]	S	B1WBD7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2008 12:10	Y	7440-24-6	Strontium	112	ug/L	D	[NULL]	[NULL]	S	B1WBD7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2008 12:10	Y	14808-79-8	Sulfate	5620	ug/L	BD	[NULL]	[NULL]	S	B1WBD7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/13/2008 12:10	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WBD7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/13/2008 12:10	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WBD7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/14/2008 8:45	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W885	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/14/2008 8:45	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W885	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/14/2008 8:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W885	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/14/2008 8:45	Y	7440-39-3	Barium	20	ug/L	BD	[NULL]	[NULL]	S	B1W885	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/14/2008 8:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W885	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/14/2008 8:45	Y	7440-70-2	Calcium	25900	ug/L	DX	[NULL]	[NULL]	S	B1W885	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/14/2008 8:45	Y	16887-00-6	Chloride	85100	ug/L	D	[NULL]	[NULL]	S	B1W885	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/14/2008 8:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W885	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/14/2008 8:45	Y	7440-48-4	Cobalt	21.5	ug/L	BD	[NULL]	[NULL]	S	B1W885	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/14/2008 8:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W885	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/14/2008 8:45	Y	DO	Dissolved oxygen	1400	ug/L	[NULL]	[NULL]	[NULL]	S	B1W870	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	7/14/2008 8:45	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W885	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/14/2008 8:45	Y	12587-46-1	Gross alpha	6.1	pCi/L	[NULL]	G	[NULL]	S	B1W870	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-142	7/14/2008 8:45	Y	12587-47-2	Gross beta	2600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W870	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-142	7/14/2008 8:45	Y	7439-89-6	Iron	583	ug/L	BD	[NULL]	[NULL]	S	B1W885	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/14/2008 8:45	Y	7439-92-1	Lead	225	ug/L	DNU	[NULL]	[NULL]	S	B1W885	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/14/2008 8:45	Y	7439-95-4	Magnesium	5360	ug/L	D	[NULL]	[NULL]	S	B1W885	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/14/2008 8:45	Y	7439-96-5	Manganese	1220	ug/L	D	[NULL]	[NULL]	S	B1W885	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/14/2008 8:45	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W885	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/14/2008 8:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W885	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/14/2008 8:45	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W885	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/14/2008 8:45	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W885	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/14/2008 8:45	Y	EH	Oxidation Reduction Potential	-103	mV	[NULL]	[NULL]	[NULL]	S	B1W870	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	7/14/2008 8:45	Y	14265-44-2	Phosphate	218000	ug/L	D	[NULL]	[NULL]	S	B1W885	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/14/2008 8:45	Y	7440-09-7	Potassium	2360	ug/L	D	[NULL]	[NULL]	S	B1W885	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/14/2008 8:45	Y	7440-22-4	Silver	28	ug/L	BCD	[NULL]	[NULL]	S	B1W885	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/14/2008 8:45	Y	7440-23-5	Sodium	319000	ug/L	DX	[NULL]	[NULL]	S	B1W885	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/14/2008 8:45	Y	CONDUCT	Specific Conductance	1413	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W870	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	7/14/2008 8:45	Y	7440-24-6	Strontium	119	ug/L	D	[NULL]	[NULL]	S	B1W885	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/14/2008 8:45	Y	14808-79-8	Sulfate	4460	ug/L	BD	[NULL]	[NULL]	S	B1W885	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/14/2008 8:45	Y	TEMPERATURE	Temperature	16.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1W870	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	7/14/2008 8:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W885	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/14/2008 8:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W885	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/14/2008 8:45	Y	PH	pH Measurement	7.18	unitless	[NULL]	[NULL]	[NULL]	S	B1W870	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-142	7/18/2008 12:05	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WB55	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/18/2008 12:05	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WB55	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/18/2008 12:05	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WB55	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	7/18/2008 12:05	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WB55	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/18/2008 12:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WB55	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/18/2008 12:05	Y	7440-70-2	Calcium	23300	ug/L	D	[NULL]	[NULL]	S	B1WB55	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/18/2008 12:05	Y	16887-00-6	Chloride	277000	ug/L	D	[NULL]	[NULL]	S	B1WB55	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/18/2008 12:05	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WB55	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/18/2008 12:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WB55	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/18/2008 12:05	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WB55	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/18/2008 12:05	Y	DO	Dissolved oxygen	360	ug/L	[NULL]	[NULL]	[NULL]	S	B1W890	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	7/18/2008 12:05	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WB55	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/18/2008 12:05	Y	12587-46-1	Gross alpha	3.42	pCi/L	U	[NULL]	[NULL]	S	B1W890	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-142	7/18/2008 12:05	Y	12587-47-2	Gross beta	29.8	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W890	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-142	7/18/2008 12:05	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WB55	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/18/2008 12:05	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WB55	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/18/2008 12:05	Y	7439-95-4	Magnesium	4890	ug/L	D	[NULL]	[NULL]	S	B1WB55	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/18/2008 12:05	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WB55	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/18/2008 12:05	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WB55	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/18/2008 12:05	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WB55	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/18/2008 12:05	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WB55	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/18/2008 12:05	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WB55	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/18/2008 12:05	Y	EH	Oxidation Reduction Potential	-144	mV	[NULL]	[NULL]	[NULL]	S	B1W890	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	7/18/2008 12:05	Y	14265-44-2	Phosphate	1550000	ug/L	D	[NULL]	[NULL]	S	B1WB55	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/18/2008 12:05	Y	7440-09-7	Potassium	13000	ug/L	D	[NULL]	[NULL]	S	B1WB55	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/18/2008 12:05	Y	7440-22-4	Silver	48	ug/L	CD	[NULL]	[NULL]	S	B1WB55	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/18/2008 12:05	Y	7440-23-5	Sodium	1440000	ug/L	DX	[NULL]	[NULL]	S	B1WB55	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/18/2008 12:05	Y	CONDUCT	Specific Conductance	5524	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W890	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	7/18/2008 12:05	Y	7440-24-6	Strontium	677	ug/L	D	[NULL]	[NULL]	S	B1WB55	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/18/2008 12:05	Y	14808-79-8	Sulfate	12800	ug/L	D	[NULL]	[NULL]	S	B1WB55	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/18/2008 12:05	Y	TEMPERATURE	Temperature	23.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1W890	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	7/18/2008 12:05	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WB55	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/18/2008 12:05	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WB55	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/18/2008 12:05	Y	PH	pH Measurement	6.91	unitless	[NULL]	[NULL]	[NULL]	S	B1W890	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-142	7/19/2008 8:00	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WB85	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/19/2008 8:00	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WB85	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/19/2008 8:00	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WB85	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/19/2008 8:00	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WB85	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/19/2008 8:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WB85	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/19/2008 8:00	Y	7440-70-2	Calcium	19400	ug/L	D	[NULL]	[NULL]	S	B1WB85	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/19/2008 8:00	Y	16887-00-6	Chloride	281000	ug/L	D	[NULL]	[NULL]	S	B1WB85	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/19/2008 8:00	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WB85	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/19/2008 8:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WB85	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/19/2008 8:00	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WB85	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/19/2008 8:00	Y	DO	Dissolved oxygen	290	ug/L	[NULL]	[NULL]	[NULL]	S	B1WB68	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	7/19/2008 8:00	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WB85	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/19/2008 8:00	Y	12587-46-1	Gross alpha	-8.17	pCi/L	U	[NULL]	[NULL]	S	B1WB68	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-142	7/19/2008 8:00	Y	12587-47-2	Gross beta	49.4	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WB68	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-142	7/19/2008 8:00	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WB85	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/19/2008 8:00	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WB85	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/19/2008 8:00	Y	7439-95-4	Magnesium	5150	ug/L	D	[NULL]	[NULL]	S	B1WB85	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/19/2008 8:00	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WB85	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/19/2008 8:00	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WB85	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/19/2008 8:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WB85	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/19/2008 8:00	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WB85	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/19/2008 8:00	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WB85	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	7/19/2008 8:00	Y	EH	Oxidation Reduction Potential	-176	mV	[NULL]	[NULL]	[NULL]	S	B1WB68	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	7/19/2008 8:00	Y	14265-44-2	Phosphate	1650000	ug/L	D	[NULL]	[NULL]	S	B1WB85	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/19/2008 8:00	Y	7440-09-7	Potassium	19600	ug/L	D	[NULL]	[NULL]	S	B1WB85	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/19/2008 8:00	Y	7440-22-4	Silver	32	ug/L	CD	[NULL]	[NULL]	S	B1WB85	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/19/2008 8:00	Y	7440-23-5	Sodium	1580000	ug/L	DX	[NULL]	[NULL]	S	B1WB85	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/19/2008 8:00	Y	CONDUCT	Specific Conductance	6154	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WB68	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	7/19/2008 8:00	Y	7440-24-6	Strontium	639	ug/L	D	[NULL]	[NULL]	S	B1WB85	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/19/2008 8:00	Y	14808-79-8	Sulfate	8550	ug/L	BD	[NULL]	[NULL]	S	B1WB85	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/19/2008 8:00	Y	TEMPERATURE	Temperature	6.85	Deg C	[NULL]	Y	[NULL]	S	B1WB68	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	7/19/2008 8:00	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WB85	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/19/2008 8:00	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WB85	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/19/2008 8:00	Y	PH	pH Measurement	6.87	unitless	[NULL]	[NULL]	[NULL]	S	B1WB68	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-142	7/20/2008 7:44	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WCJ3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2008 7:44	Y	7440-36-0	Antimony	280	ug/L	DNU	[NULL]	[NULL]	S	B1WCJ3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2008 7:44	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WCJ3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2008 7:44	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCJ3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2008 7:44	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCJ3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2008 7:44	Y	7440-70-2	Calcium	25100	ug/L	DX	[NULL]	[NULL]	S	B1WCJ3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2008 7:44	Y	16887-00-6	Chloride	277000	ug/L	D	[NULL]	[NULL]	S	B1WCJ3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/20/2008 7:44	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WCJ3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2008 7:44	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WCJ3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2008 7:44	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WCJ3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2008 7:44	Y	DO	Dissolved oxygen	1160	ug/L	[NULL]	[NULL]	[NULL]	S	B1WCF6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	7/20/2008 7:44	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WCJ3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/20/2008 7:44	Y	12587-46-1	Gross alpha	8.47	pCi/L	U	[NULL]	[NULL]	S	B1WCF6	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-142	7/20/2008 7:44	Y	12587-47-2	Gross beta	58.9	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WCF6	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-142	7/20/2008 7:44	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WCJ3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2008 7:44	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WCJ3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2008 7:44	Y	7439-95-4	Magnesium	6250	ug/L	DN	[NULL]	[NULL]	S	B1WCJ3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2008 7:44	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WCJ3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2008 7:44	Y	7439-98-7	Molybdenum	25	ug/L	DNU	[NULL]	[NULL]	S	B1WCJ3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2008 7:44	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WCJ3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2008 7:44	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WCJ3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/20/2008 7:44	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WCJ3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/20/2008 7:44	Y	EH	Oxidation Reduction Potential	-171	mV	[NULL]	[NULL]	[NULL]	S	B1WCF6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	7/20/2008 7:44	Y	14265-44-2	Phosphate	1600000	ug/L	D	[NULL]	[NULL]	S	B1WCJ3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/20/2008 7:44	Y	7440-09-7	Potassium	24400	ug/L	DN	[NULL]	[NULL]	S	B1WCJ3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2008 7:44	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WCJ3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2008 7:44	Y	7440-23-5	Sodium	1910000	ug/L	DX	[NULL]	[NULL]	S	B1WCJ3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2008 7:44	Y	CONDUCT	Specific Conductance	6363	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WCF6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	7/20/2008 7:44	Y	7440-24-6	Strontium	736	ug/L	DN	[NULL]	[NULL]	S	B1WCJ3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2008 7:44	Y	14808-79-8	Sulfate	5300	ug/L	BD	[NULL]	[NULL]	S	B1WCJ3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/20/2008 7:44	Y	TEMPERATURE	Temperature	21	Deg C	[NULL]	[NULL]	[NULL]	S	B1WCF6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	7/20/2008 7:44	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WCJ3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2008 7:44	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WCJ3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/20/2008 7:44	Y	PH	pH Measurement	6.76	unitless	[NULL]	[NULL]	[NULL]	S	B1WCF6	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-142	7/21/2008 11:25	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WCM7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/21/2008 11:25	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WCM7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/21/2008 11:25	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WCM7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/21/2008 11:25	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCM7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/21/2008 11:25	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCM7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/21/2008 11:25	Y	7440-70-2	Calcium	26500	ug/L	D	[NULL]	[NULL]	S	B1WCM7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/21/2008 11:25	Y	16887-00-6	Chloride	273000	ug/L	D	[NULL]	[NULL]	S	B1WCM7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	7/21/2008 11:25	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WCM7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/21/2008 11:25	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WCM7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/21/2008 11:25	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WCM7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/21/2008 11:25	Y	DO	Dissolved oxygen	1010	ug/L	[NULL]	[NULL]	[NULL]	S	B1WCL0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	7/21/2008 11:25	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WCM7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/21/2008 11:25	Y	12587-46-1	Gross alpha	2.92	pCi/L	U	[NULL]	[NULL]	S	B1WCL0	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-142	7/21/2008 11:25	Y	12587-47-2	Gross beta	52.4	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WCL0	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-142	7/21/2008 11:25	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WCM7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/21/2008 11:25	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WCM7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/21/2008 11:25	Y	7439-95-4	Magnesium	8620	ug/L	D	[NULL]	[NULL]	S	B1WCM7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/21/2008 11:25	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WCM7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/21/2008 11:25	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WCM7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/21/2008 11:25	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WCM7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/21/2008 11:25	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WCM7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/21/2008 11:25	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WCM7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/21/2008 11:25	Y	EH	Oxidation Reduction Potential	-219	mV	[NULL]	[NULL]	[NULL]	S	B1WCL0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	7/21/2008 11:25	Y	14265-44-2	Phosphate	1680000	ug/L	DN	[NULL]	[NULL]	S	B1WCM7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/21/2008 11:25	Y	7440-09-7	Potassium	32800	ug/L	D	[NULL]	[NULL]	S	B1WCM7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/21/2008 11:25	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WCM7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/21/2008 11:25	Y	7440-23-5	Sodium	2240000	ug/L	D	[NULL]	[NULL]	S	B1WCM7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/21/2008 11:25	Y	CONDUCT	Specific Conductance	6470	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WCL0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	7/21/2008 11:25	Y	7440-24-6	Strontium	921	ug/L	D	[NULL]	[NULL]	S	B1WCM7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/21/2008 11:25	Y	14808-79-8	Sulfate	2190	ug/L	BD	[NULL]	[NULL]	S	B1WCM7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/21/2008 11:25	Y	TEMPERATURE	Temperature	23.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WCL0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	7/21/2008 11:25	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WCM7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/21/2008 11:25	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WCM7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/21/2008 11:25	Y	PH	pH Measurement	6.68	unitless	[NULL]	[NULL]	[NULL]	S	B1WCL0	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-142	7/22/2008 13:33	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WCT1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/22/2008 13:33	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WCT1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/22/2008 13:33	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WCT1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/22/2008 13:33	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCT1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/22/2008 13:33	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCT1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/22/2008 13:33	Y	7440-70-2	Calcium	24300	ug/L	DX	[NULL]	[NULL]	S	B1WCT1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/22/2008 13:33	Y	16887-00-6	Chloride	277000	ug/L	D	[NULL]	[NULL]	S	B1WCT1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/22/2008 13:33	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WCT1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/22/2008 13:33	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WCT1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/22/2008 13:33	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WCT1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/22/2008 13:33	Y	DO	Dissolved oxygen	1310	ug/L	[NULL]	[NULL]	[NULL]	S	B1WCP4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	7/22/2008 13:33	Y	DO	Dissolved oxygen	1310	ug/L	[NULL]	[NULL]	[NULL]	S	B1WCT1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	7/22/2008 13:33	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WCT1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/22/2008 13:33	Y	12587-46-1	Gross alpha	9.44	pCi/L	U	[NULL]	[NULL]	S	B1WCP4	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-142	7/22/2008 13:33	Y	12587-47-2	Gross beta	122	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WCP4	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-142	7/22/2008 13:33	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WCT1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/22/2008 13:33	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WCT1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/22/2008 13:33	Y	7439-95-4	Magnesium	6410	ug/L	DN	[NULL]	[NULL]	S	B1WCT1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/22/2008 13:33	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WCT1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/22/2008 13:33	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WCT1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/22/2008 13:33	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WCT1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/22/2008 13:33	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WCT1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/22/2008 13:33	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WCT1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/22/2008 13:33	Y	EH	Oxidation Reduction Potential	-232	mV	[NULL]	[NULL]	[NULL]	S	B1WCT1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	7/22/2008 13:33	Y	EH	Oxidation Reduction Potential	-232	mV	[NULL]	[NULL]	[NULL]	S	B1WCP4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	7/22/2008 13:33	Y	14265-44-2	Phosphate	1620000	ug/L	D	[NULL]	[NULL]	S	B1WCT1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/22/2008 13:33	Y	7440-09-7	Potassium	23600	ug/L	D	[NULL]	[NULL]	S	B1WCT1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/22/2008 13:33	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WCT1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/22/2008 13:33	Y	7440-23-5	Sodium	1730000	ug/L	DX	[NULL]	[NULL]	S	B1WCT1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/22/2008 13:33	Y	CONDUCT	Specific Conductance	6487	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WCP4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	7/22/2008 13:33	Y	CONDUCT	Specific Conductance	6487	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WCT1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	7/22/2008 13:33	Y	7440-24-6	Strontium	690	ug/L	D	[NULL]	[NULL]	S	B1WCT1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/22/2008 13:33	Y	14808-79-8	Sulfate	1500	ug/L	BD	[NULL]	[NULL]	S	B1WCT1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/22/2008 13:33	Y	TEMPERATURE	Temperature	23	Deg C	[NULL]	[NULL]	[NULL]	S	B1WCP4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	7/22/2008 13:33	Y	TEMPERATURE	Temperature	23	Deg C	[NULL]	[NULL]	[NULL]	S	B1WCT1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	7/22/2008 13:33	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WCT1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/22/2008 13:33	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WCT1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/22/2008 13:33	Y	PH	pH Measurement	6.65	unitless	[NULL]	[NULL]	[NULL]	S	B1WCT1	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-142	7/22/2008 13:33	Y	PH	pH Measurement	6.65	unitless	[NULL]	[NULL]	[NULL]	S	B1WCP4	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-142	7/23/2008 11:35	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WL54	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/23/2008 11:35	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WL54	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/23/2008 11:35	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WL54	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/23/2008 11:35	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WL54	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/23/2008 11:35	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WL54	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/23/2008 11:35	Y	7440-70-2	Calcium	9940	ug/L	DN	[NULL]	[NULL]	S	B1WL54	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/23/2008 11:35	Y	16887-00-6	Chloride	268000	ug/L	D	[NULL]	[NULL]	S	B1WL54	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/23/2008 11:35	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WL54	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/23/2008 11:35	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WL54	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/23/2008 11:35	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WL54	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/23/2008 11:35	Y	DO	Dissolved oxygen	920	ug/L	[NULL]	[NULL]	[NULL]	S	B1WL54	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	7/23/2008 11:35	Y	DO	Dissolved oxygen	920	ug/L	[NULL]	[NULL]	[NULL]	S	B1WCW4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	7/23/2008 11:35	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WL54	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/23/2008 11:35	Y	12587-46-1	Gross alpha	6.82	pCi/L	U	[NULL]	[NULL]	S	B1WCW4	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-142	7/23/2008 11:35	Y	12587-47-2	Gross beta	51.1	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WCW4	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-142	7/23/2008 11:35	Y	7439-89-6	Iron	616	ug/L	D	[NULL]	[NULL]	S	B1WL54	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/23/2008 11:35	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WL54	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/23/2008 11:35	Y	7439-95-4	Magnesium	3890	ug/L	DN	[NULL]	[NULL]	S	B1WL54	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/23/2008 11:35	Y	7439-96-5	Manganese	555	ug/L	D	[NULL]	[NULL]	S	B1WL54	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/23/2008 11:35	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WL54	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/23/2008 11:35	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WL54	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/23/2008 11:35	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WL54	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/23/2008 11:35	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WL54	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/23/2008 11:35	Y	EH	Oxidation Reduction Potential	-220	mV	[NULL]	[NULL]	[NULL]	S	B1WCW4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	7/23/2008 11:35	Y	EH	Oxidation Reduction Potential	-220	mV	[NULL]	[NULL]	[NULL]	S	B1WL54	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	7/23/2008 11:35	Y	14265-44-2	Phosphate	1630000	ug/L	D	[NULL]	[NULL]	S	B1WL54	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/23/2008 11:35	Y	7440-09-7	Potassium	4240	ug/L	DN	[NULL]	[NULL]	S	B1WL54	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/23/2008 11:35	Y	7440-22-4	Silver	30	ug/L	CD	[NULL]	[NULL]	S	B1WL54	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/23/2008 11:35	Y	7440-23-5	Sodium	975000	ug/L	D	[NULL]	[NULL]	S	B1WL54	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/23/2008 11:35	Y	CONDUCT	Specific Conductance	6494	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WL54	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	7/23/2008 11:35	Y	CONDUCT	Specific Conductance	6494	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WCW4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	7/23/2008 11:35	Y	7440-24-6	Strontium	98.5	ug/L	DN	[NULL]	[NULL]	S	B1WL54	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/23/2008 11:35	Y	14808-79-8	Sulfate	1710	ug/L	BD	[NULL]	[NULL]	S	B1WL54	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/23/2008 11:35	Y	TEMPERATURE	Temperature	20.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1WL54	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	7/23/2008 11:35	Y	TEMPERATURE	Temperature	20.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1WCW4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	7/23/2008 11:35	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WL54	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/23/2008 11:35	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WL54	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/23/2008 11:35	Y	PH	pH Measurement	6.64	unitless	[NULL]	[NULL]	[NULL]	S	B1WCW4	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-142	7/23/2008 11:35	Y	PH	pH Measurement	6.64	unitless	[NULL]	[NULL]	[NULL]	S	B1WL54	PH	FIELD	PH_PAPER_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	7/24/2008 11:55	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WL88	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/24/2008 11:55	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WL88	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/24/2008 11:55	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WL88	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/24/2008 11:55	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WL88	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/24/2008 11:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WL88	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/24/2008 11:55	Y	7440-70-2	Calcium	25700	ug/L	DN	[NULL]	[NULL]	S	B1WL88	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/24/2008 11:55	Y	16887-00-6	Chloride	278000	ug/L	D	[NULL]	[NULL]	S	B1WL88	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/24/2008 11:55	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WL88	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/24/2008 11:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WL88	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/24/2008 11:55	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WL88	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/24/2008 11:55	Y	DO	Dissolved oxygen	1190	ug/L	[NULL]	[NULL]	[NULL]	S	B1WL88	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	7/24/2008 11:55	Y	DO	Dissolved oxygen	1190	ug/L	[NULL]	[NULL]	[NULL]	S	B1WL71	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	7/24/2008 11:55	Y	16984-48-8	Fluoride	232	ug/L	DNU	[NULL]	[NULL]	S	B1WL88	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/24/2008 11:55	Y	12587-46-1	Gross alpha	1.09	pCi/L	U	[NULL]	[NULL]	S	B1WL71	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-142	7/24/2008 11:55	Y	12587-47-2	Gross beta	35.1	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WL71	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-142	7/24/2008 11:55	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WL88	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/24/2008 11:55	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WL88	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/24/2008 11:55	Y	7439-95-4	Magnesium	7300	ug/L	DN	[NULL]	[NULL]	S	B1WL88	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/24/2008 11:55	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WL88	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/24/2008 11:55	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WL88	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/24/2008 11:55	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WL88	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/24/2008 11:55	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WL88	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/24/2008 11:55	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WL88	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/24/2008 11:55	Y	EH	Oxidation Reduction Potential	-217	mV	[NULL]	[NULL]	[NULL]	S	B1WL71	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	7/24/2008 11:55	Y	EH	Oxidation Reduction Potential	-217	mV	[NULL]	[NULL]	[NULL]	S	B1WL88	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	7/24/2008 11:55	Y	14265-44-2	Phosphate	1760000	ug/L	D	[NULL]	[NULL]	S	B1WL88	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/24/2008 11:55	Y	7440-09-7	Potassium	24800	ug/L	DN	[NULL]	[NULL]	S	B1WL88	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/24/2008 11:55	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WL88	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/24/2008 11:55	Y	7440-23-5	Sodium	1900000	ug/L	D	[NULL]	[NULL]	S	B1WL88	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/24/2008 11:55	Y	CONDUCT	Specific Conductance	6293	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WL88	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	7/24/2008 11:55	Y	CONDUCT	Specific Conductance	6293	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WL71	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	7/24/2008 11:55	Y	7440-24-6	Strontium	763	ug/L	DN	[NULL]	[NULL]	S	B1WL88	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/24/2008 11:55	Y	14808-79-8	Sulfate	2520	ug/L	BD	[NULL]	[NULL]	S	B1WL88	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/24/2008 11:55	Y	TEMPERATURE	Temperature	19.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1WL71	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	7/24/2008 11:55	Y	TEMPERATURE	Temperature	19.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1WL88	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	7/24/2008 11:55	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WL88	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/24/2008 11:55	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WL88	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/24/2008 11:55	Y	PH	pH Measurement	6.65	unitless	[NULL]	[NULL]	[NULL]	S	B1WL88	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-142	7/24/2008 11:55	Y	PH	pH Measurement	6.65	unitless	[NULL]	[NULL]	[NULL]	S	B1WL71	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-142	7/25/2008 8:48	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WLF6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/25/2008 8:48	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WLF6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/25/2008 8:48	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WLF6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/25/2008 8:48	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLF6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/25/2008 8:48	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLF6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/25/2008 8:48	Y	7440-70-2	Calcium	16000	ug/L	DX	[NULL]	[NULL]	S	B1WLF6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/25/2008 8:48	Y	16887-00-6	Chloride	238000	ug/L	D	[NULL]	[NULL]	S	B1WLF6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/25/2008 8:48	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WLF6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/25/2008 8:48	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WLF6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/25/2008 8:48	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WLF6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/25/2008 8:48	Y	DO	Dissolved oxygen	1150	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLF6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	7/25/2008 8:48	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WLF6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/25/2008 8:48	Y	12587-46-1	Gross alpha	-19	pCi/L	U	[NULL]	[NULL]	S	B1WLF6	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-142	7/25/2008 8:48	Y	12587-47-2	Gross beta	56	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WLF6	12587-47-2	WSCF	BETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	7/25/2008 8:48	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WLF6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/25/2008 8:48	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WLF6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/25/2008 8:48	Y	7439-95-4	Magnesium	4800	ug/L	D	[NULL]	[NULL]	S	B1WLF6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/25/2008 8:48	Y	7439-96-5	Manganese	22	ug/L	BD	[NULL]	[NULL]	S	B1WLF6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/25/2008 8:48	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WLF6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/25/2008 8:48	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WLF6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/25/2008 8:48	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WLF6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/25/2008 8:48	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WLF6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/25/2008 8:48	Y	EH	Oxidation Reduction Potential	-230	mV	[NULL]	[NULL]	[NULL]	S	B1WLF6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	7/25/2008 8:48	Y	14265-44-2	Phosphate	1710000	ug/L	D	[NULL]	[NULL]	S	B1WLF6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/25/2008 8:48	Y	7440-09-7	Potassium	14700	ug/L	D	[NULL]	[NULL]	S	B1WLF6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/25/2008 8:48	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WLF6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/25/2008 8:48	Y	7440-23-5	Sodium	1650000	ug/L	D	[NULL]	[NULL]	S	B1WLF6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/25/2008 8:48	Y	CONDUCT	Specific Conductance	6380	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLF6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	7/25/2008 8:48	Y	7440-24-6	Strontium	463	ug/L	D	[NULL]	[NULL]	S	B1WLF6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/25/2008 8:48	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WLF6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/25/2008 8:48	Y	TEMPERATURE	Temperature	20.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLF6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	7/25/2008 8:48	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WLF6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/25/2008 8:48	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WLF6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/25/2008 8:48	Y	PH	pH Measurement	6.83	unitless	[NULL]	[NULL]	[NULL]	S	B1WLF6	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-142	7/26/2008 7:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WLK3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/26/2008 7:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WLK3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/26/2008 7:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WLK3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/26/2008 7:30	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLK3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/26/2008 7:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLK3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/26/2008 7:30	Y	7440-70-2	Calcium	16900	ug/L	DX	[NULL]	[NULL]	S	B1WLK3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/26/2008 7:30	Y	16887-00-6	Chloride	228000	ug/L	D	[NULL]	[NULL]	S	B1WLK3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/26/2008 7:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WLK3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/26/2008 7:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WLK3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/26/2008 7:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WLK3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/26/2008 7:30	Y	DO	Dissolved oxygen	940	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLF8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	7/26/2008 7:30	Y	16984-48-8	Fluoride	232	ug/L	DNU	[NULL]	[NULL]	S	B1WLK3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/26/2008 7:30	Y	12587-46-1	Gross alpha	1.96	pCi/L	U	[NULL]	[NULL]	S	B1WLF8	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-142	7/26/2008 7:30	Y	12587-47-2	Gross beta	40.6	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WLF8	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-142	7/26/2008 7:30	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WLK3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/26/2008 7:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WLK3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/26/2008 7:30	Y	7439-95-4	Magnesium	5050	ug/L	D	[NULL]	[NULL]	S	B1WLK3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/26/2008 7:30	Y	7439-96-5	Manganese	52	ug/L	BD	[NULL]	[NULL]	S	B1WLK3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/26/2008 7:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WLK3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/26/2008 7:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WLK3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/26/2008 7:30	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WLK3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/26/2008 7:30	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WLK3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/26/2008 7:30	Y	EH	Oxidation Reduction Potential	-350	mV	[NULL]	[NULL]	[NULL]	S	B1WLF8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	7/26/2008 7:30	Y	14265-44-2	Phosphate	1700000	ug/L	DN	[NULL]	[NULL]	S	B1WLK3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/26/2008 7:30	Y	7440-09-7	Potassium	14600	ug/L	D	[NULL]	[NULL]	S	B1WLK3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/26/2008 7:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WLK3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/26/2008 7:30	Y	7440-23-5	Sodium	1640000	ug/L	DX	[NULL]	[NULL]	S	B1WLK3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/26/2008 7:30	Y	CONDUCT	Specific Conductance	6039	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLF8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	7/26/2008 7:30	Y	7440-24-6	Strontium	480	ug/L	D	[NULL]	[NULL]	S	B1WLK3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/26/2008 7:30	Y	14808-79-8	Sulfate	1340	ug/L	BD	[NULL]	[NULL]	S	B1WLK3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/26/2008 7:30	Y	TEMPERATURE	Temperature	19.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLF8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	7/26/2008 7:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WLK3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/26/2008 7:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WLK3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	7/26/2008 7:30	Y	PH	pH Measurement	7.27	unitless	[NULL]	[NULL]	[NULL]	S	B1WLF8	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-142	7/28/2008 11:23	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WLV9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/28/2008 11:23	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WLV9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/28/2008 11:23	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WLV9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/28/2008 11:23	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLV9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/28/2008 11:23	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLV9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/28/2008 11:23	Y	7440-70-2	Calcium	18100	ug/L	D	[NULL]	[NULL]	S	B1WLV9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/28/2008 11:23	Y	16887-00-6	Chloride	237000	ug/L	D	[NULL]	[NULL]	S	B1WLV9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/28/2008 11:23	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WLV9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/28/2008 11:23	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WLV9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/28/2008 11:23	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WLV9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/28/2008 11:23	Y	DO	Dissolved oxygen	1240	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLV9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	7/28/2008 11:23	Y	DO	Dissolved oxygen	1240	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLR4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	7/28/2008 11:23	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WLV9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/28/2008 11:23	Y	12587-46-1	Gross alpha	6.27	pCi/L	U	[NULL]	[NULL]	S	B1WLR4	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-142	7/28/2008 11:23	Y	12587-47-2	Gross beta	34.3	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WLR4	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-142	7/28/2008 11:23	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WLV9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/28/2008 11:23	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WLV9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/28/2008 11:23	Y	7439-95-4	Magnesium	5230	ug/L	D	[NULL]	[NULL]	S	B1WLV9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/28/2008 11:23	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WLV9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/28/2008 11:23	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WLV9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/28/2008 11:23	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WLV9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/28/2008 11:23	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WLV9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/28/2008 11:23	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WLV9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/28/2008 11:23	Y	EH	Oxidation Reduction Potential	-300	mV	[NULL]	[NULL]	[NULL]	S	B1WLV9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	7/28/2008 11:23	Y	EH	Oxidation Reduction Potential	-300	mV	[NULL]	[NULL]	[NULL]	S	B1WLR4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	7/28/2008 11:23	Y	14265-44-2	Phosphate	1700000	ug/L	DN	[NULL]	[NULL]	S	B1WLV9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/28/2008 11:23	Y	7440-09-7	Potassium	14400	ug/L	D	[NULL]	[NULL]	S	B1WLV9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/28/2008 11:23	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WLV9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/28/2008 11:23	Y	7440-23-5	Sodium	1650000	ug/L	D	[NULL]	[NULL]	S	B1WLV9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/28/2008 11:23	Y	CONDUCT	Specific Conductance	5514	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLR4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	7/28/2008 11:23	Y	CONDUCT	Specific Conductance	5514	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLV9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	7/28/2008 11:23	Y	7440-24-6	Strontium	510	ug/L	D	[NULL]	[NULL]	S	B1WLV9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/28/2008 11:23	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WLV9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/28/2008 11:23	Y	TEMPERATURE	Temperature	20.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLV9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	7/28/2008 11:23	Y	TEMPERATURE	Temperature	20.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLR4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	7/28/2008 11:23	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WLV9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/28/2008 11:23	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WLV9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/28/2008 11:23	Y	PH	pH Measurement	7.36	unitless	[NULL]	[NULL]	[NULL]	S	B1WLV9	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-142	7/28/2008 11:23	Y	PH	pH Measurement	7.36	unitless	[NULL]	[NULL]	[NULL]	S	B1WLR4	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-142	7/29/2008 9:30	N	7429-90-5	Aluminum	300	ug/L	UD	[NULL]	[NULL]	S	B1WM20	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/29/2008 9:30	N	7440-36-0	Antimony	300	ug/L	UD	[NULL]	[NULL]	S	B1WM20	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/29/2008 9:30	N	7440-38-2	Arsenic	400	ug/L	UD	[NULL]	[NULL]	S	B1WM20	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/29/2008 9:30	N	7440-39-3	Barium	20	ug/L	UD	[NULL]	[NULL]	S	B1WM20	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/29/2008 9:30	N	7440-43-9	Cadmium	20	ug/L	UD	[NULL]	[NULL]	S	B1WM20	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/29/2008 9:30	N	7440-70-2	Calcium	20500	ug/L	DN	[NULL]	[NULL]	S	B1WM20	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/29/2008 9:30	N	16887-00-6	Chloride	47200	ug/L	D	Z	[NULL]	S	B1WM20	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/29/2008 9:30	N	7440-47-3	Chromium	60	ug/L	UD	[NULL]	[NULL]	S	B1WM20	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/29/2008 9:30	N	7440-48-4	Cobalt	20	ug/L	UD	[NULL]	[NULL]	S	B1WM20	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/29/2008 9:30	N	7440-50-8	Copper	30	ug/L	UD	[NULL]	[NULL]	S	B1WM20	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/29/2008 9:30	N	DO	Dissolved oxygen	1590	ug/L	[NULL]	[NULL]	[NULL]	S	B1WM20	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	7/29/2008 9:30	N	16984-48-8	Fluoride	500	ug/L	UD	Z	[NULL]	S	B1WM20	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/29/2008 9:30	N	12587-46-1	Gross alpha	30.9	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WM20	12587-46-1	WSCF	ALPHA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	7/29/2008 9:30	N	12587-47-2	Gross beta	86.8	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WM20	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-142	7/29/2008 9:30	N	7439-89-6	Iron	115	ug/L	BD	[NULL]	[NULL]	S	B1WM20	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/29/2008 9:30	N	7439-92-1	Lead	200	ug/L	UD	[NULL]	[NULL]	S	B1WM20	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/29/2008 9:30	N	7439-95-4	Magnesium	5740	ug/L	D	[NULL]	[NULL]	S	B1WM20	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/29/2008 9:30	N	7439-96-5	Manganese	20	ug/L	UD	[NULL]	[NULL]	S	B1WM20	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/29/2008 9:30	N	7439-98-7	Molybdenum	20	ug/L	UD	[NULL]	[NULL]	S	B1WM20	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/29/2008 9:30	N	7440-02-0	Nickel	30	ug/L	UD	[NULL]	[NULL]	S	B1WM20	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/29/2008 9:30	N	14797-55-8	Nitrate	885	ug/L	UD	Z	[NULL]	S	B1WM20	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/29/2008 9:30	N	14797-65-0	Nitrite	985	ug/L	UD	Z	[NULL]	S	B1WM20	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/29/2008 9:30	N	EH	Oxidation Reduction Potential	-283	mV	[NULL]	[NULL]	[NULL]	S	B1WM20	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	7/29/2008 9:30	N	14265-44-2	Phosphate	346000	ug/L	D	Z	[NULL]	S	B1WM20	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/29/2008 9:30	N	7440-09-7	Potassium	15700	ug/L	D	[NULL]	[NULL]	S	B1WM20	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/29/2008 9:30	N	7440-22-4	Silver	20	ug/L	UD	[NULL]	[NULL]	S	B1WM20	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/29/2008 9:30	N	7440-23-5	Sodium	1880000	ug/L	D	[NULL]	[NULL]	S	B1WM20	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/29/2008 9:30	N	CONDUCT	Specific Conductance	5634	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WM20	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	7/29/2008 9:30	N	7440-24-6	Strontium	541	ug/L	D	[NULL]	[NULL]	S	B1WM20	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/29/2008 9:30	N	14808-79-8	Sulfate	3000	ug/L	UD	Z	[NULL]	S	B1WM20	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/29/2008 9:30	N	TEMPERATURE	Temperature	20.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1WM20	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	7/29/2008 9:30	N	7440-62-2	Vanadium	60	ug/L	UD	[NULL]	[NULL]	S	B1WM20	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/29/2008 9:30	N	7440-66-6	Zinc	40	ug/L	UD	[NULL]	[NULL]	S	B1WM20	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/29/2008 9:30	N	PH	pH Measurement	7.31	unitless	[NULL]	[NULL]	[NULL]	S	B1WM20	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-142	7/30/2008 10:40	N	7429-90-5	Aluminum	300	ug/L	UD	[NULL]	[NULL]	S	B1WM50	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/30/2008 10:40	N	7440-36-0	Antimony	300	ug/L	UD	[NULL]	[NULL]	S	B1WM50	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/30/2008 10:40	N	7440-38-2	Arsenic	400	ug/L	UD	[NULL]	[NULL]	S	B1WM50	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/30/2008 10:40	N	7440-39-3	Barium	20	ug/L	UD	[NULL]	[NULL]	S	B1WM50	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/30/2008 10:40	N	7440-43-9	Cadmium	20	ug/L	UD	[NULL]	[NULL]	S	B1WM50	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/30/2008 10:40	N	7440-70-2	Calcium	19600	ug/L	D	[NULL]	[NULL]	S	B1WM50	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/30/2008 10:40	N	16887-00-6	Chloride	239000	ug/L	D	[NULL]	[NULL]	S	B1WM50	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/30/2008 10:40	N	7440-47-3	Chromium	60	ug/L	UD	[NULL]	[NULL]	S	B1WM50	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/30/2008 10:40	N	7440-48-4	Cobalt	20	ug/L	UD	[NULL]	[NULL]	S	B1WM50	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/30/2008 10:40	N	7440-50-8	Copper	30	ug/L	UD	[NULL]	[NULL]	S	B1WM50	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/30/2008 10:40	Y	DO	Dissolved oxygen	910	ug/L	[NULL]	[NULL]	[NULL]	S	B1WM25	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	7/30/2008 10:40	N	16984-48-8	Fluoride	2000	ug/L	UD	[NULL]	[NULL]	S	B1WM50	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/30/2008 10:40	Y	12587-46-1	Gross alpha	0	pCi/L	U	[NULL]	[NULL]	S	B1WM25	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-142	7/30/2008 10:40	Y	12587-47-2	Gross beta	48.5	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WM25	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-142	7/30/2008 10:40	N	7439-89-6	Iron	100	ug/L	UD	[NULL]	[NULL]	S	B1WM50	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/30/2008 10:40	N	7439-92-1	Lead	200	ug/L	UD	[NULL]	[NULL]	S	B1WM50	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/30/2008 10:40	N	7439-95-4	Magnesium	5780	ug/L	D	[NULL]	[NULL]	S	B1WM50	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/30/2008 10:40	N	7439-96-5	Manganese	20	ug/L	UD	[NULL]	[NULL]	S	B1WM50	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/30/2008 10:40	N	7439-98-7	Molybdenum	20	ug/L	UD	[NULL]	[NULL]	S	B1WM50	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/30/2008 10:40	N	7440-02-0	Nickel	30	ug/L	UD	[NULL]	[NULL]	S	B1WM50	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/30/2008 10:40	N	14797-55-8	Nitrate	4430	ug/L	UD	[NULL]	[NULL]	S	B1WM50	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/30/2008 10:40	N	14797-65-0	Nitrite	3280	ug/L	UD	[NULL]	[NULL]	S	B1WM50	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/30/2008 10:40	Y	EH	Oxidation Reduction Potential	-180	mV	[NULL]	[NULL]	[NULL]	S	B1WM25	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	7/30/2008 10:40	N	14265-44-2	Phosphate	1770000	ug/L	D	[NULL]	[NULL]	S	B1WM50	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/30/2008 10:40	N	7440-09-7	Potassium	15400	ug/L	D	[NULL]	[NULL]	S	B1WM50	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/30/2008 10:40	N	7440-22-4	Silver	58	ug/L	BD	[NULL]	[NULL]	S	B1WM50	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/30/2008 10:40	N	7440-23-5	Sodium	1780000	ug/L	D	[NULL]	[NULL]	S	B1WM50	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/30/2008 10:40	Y	CONDUCT	Specific Conductance	6093	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WM25	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	7/30/2008 10:40	N	7440-24-6	Strontium	543	ug/L	D	[NULL]	[NULL]	S	B1WM50	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/30/2008 10:40	N	14808-79-8	Sulfate	10000	ug/L	UD	[NULL]	[NULL]	S	B1WM50	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	7/30/2008 10:40	Y	TEMPERATURE	Temperature	20.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1WM25	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	7/30/2008 10:40	N	7440-62-2	Vanadium	60	ug/L	UD	[NULL]	[NULL]	S	B1WM50	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	7/30/2008 10:40	N	7440-66-6	Zinc	40	ug/L	UD	[NULL]	[NULL]	S	B1WM50	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	7/30/2008 10:40	Y	PH	pH Measurement	6.86	unitless	[NULL]	[NULL]	[NULL]	S	B1WM25	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-142	8/1/2008 10:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WN27	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/1/2008 10:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WN27	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/1/2008 10:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WN27	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/1/2008 10:30	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WN27	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/1/2008 10:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WN27	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/1/2008 10:30	Y	7440-70-2	Calcium	21100	ug/L	D	[NULL]	[NULL]	S	B1WN27	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/1/2008 10:30	Y	16887-00-6	Chloride	208000	ug/L	D	[NULL]	[NULL]	S	B1WNM5	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-142	8/1/2008 10:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WN27	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/1/2008 10:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WN27	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/1/2008 10:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WN27	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/1/2008 10:30	Y	DO	Dissolved oxygen	1140	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWJ5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	8/1/2008 10:30	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WNM5	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-142	8/1/2008 10:30	Y	12587-46-1	Gross alpha	3.13	pCi/L	U	[NULL]	[NULL]	S	B1VWJ5	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-142	8/1/2008 10:30	Y	12587-47-2	Gross beta	35.1	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VWJ5	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-142	8/1/2008 10:30	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WN27	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/1/2008 10:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WN27	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/1/2008 10:30	Y	7439-95-4	Magnesium	5720	ug/L	D	[NULL]	[NULL]	S	B1WN27	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/1/2008 10:30	Y	7439-96-5	Manganese	31	ug/L	D	[NULL]	[NULL]	S	B1WN27	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/1/2008 10:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WN27	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/1/2008 10:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WN27	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/1/2008 10:30	Y	14797-55-8	Nitrate	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNM5	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-142	8/1/2008 10:30	Y	14797-65-0	Nitrite	5000	ug/L	D	[NULL]	[NULL]	S	B1WNM5	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-142	8/1/2008 10:30	Y	EH	Oxidation Reduction Potential	-158	mV	[NULL]	[NULL]	[NULL]	S	B1VWJ5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	8/1/2008 10:30	Y	14265-44-2	Phosphate	1460000	ug/L	D	[NULL]	[NULL]	S	B1WNM5	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-142	8/1/2008 10:30	Y	7440-09-7	Potassium	11400	ug/L	D	[NULL]	[NULL]	S	B1WN27	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/1/2008 10:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WN27	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/1/2008 10:30	Y	7440-23-5	Sodium	1590000	ug/L	D	[NULL]	[NULL]	S	B1WN27	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/1/2008 10:30	Y	CONDUCT	Specific Conductance	5905	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWJ5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	8/1/2008 10:30	Y	7440-24-6	Strontium	568	ug/L	D	[NULL]	[NULL]	S	B1WN27	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/1/2008 10:30	Y	14808-79-8	Sulfate	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNM5	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-142	8/1/2008 10:30	Y	TEMPERATURE	Temperature	20.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWJ5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	8/1/2008 10:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WN27	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/1/2008 10:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WN27	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/1/2008 10:30	Y	PH	pH Measurement	6.76	unitless	[NULL]	[NULL]	[NULL]	S	B1VWJ5	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-142	8/6/2008 9:20	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WNF7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/6/2008 9:20	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WNF7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/6/2008 9:20	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WNF7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/6/2008 9:20	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WNF7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/6/2008 9:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WNF7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/6/2008 9:20	Y	7440-70-2	Calcium	12400	ug/L	D	[NULL]	[NULL]	S	B1WNF7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/6/2008 9:20	Y	16887-00-6	Chloride	181000	ug/L	D	[NULL]	[NULL]	S	B1WNX2	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-142	8/6/2008 9:20	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WNF7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/6/2008 9:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WNF7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/6/2008 9:20	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WNF7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/6/2008 9:20	Y	DO	Dissolved oxygen	2840	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNF7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	8/6/2008 9:20	Y	16984-48-8	Fluoride	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNX2	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-142	8/6/2008 9:20	Y	12587-46-1	Gross alpha	9	pCi/L	U	[NULL]	[NULL]	S	B1WNF7	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-142	8/6/2008 9:20	Y	12587-47-2	Gross beta	61	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WNF7	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-142	8/6/2008 9:20	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WNF7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/6/2008 9:20	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WNF7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/6/2008 9:20	Y	7439-95-4	Magnesium	3700	ug/L	DN	[NULL]	[NULL]	S	B1WNF7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/6/2008 9:20	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WNF7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	8/6/2008 9:20	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WNF7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/6/2008 9:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WNF7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/6/2008 9:20	Y	14797-55-8	Nitrate	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNX2	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-142	8/6/2008 9:20	Y	14797-65-0	Nitrite	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNX2	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-142	8/6/2008 9:20	Y	EH	Oxidation Reduction Potential	-103	mV	[NULL]	[NULL]	[NULL]	S	B1WNF7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	8/6/2008 9:20	Y	14265-44-2	Phosphate	1500000	ug/L	D	[NULL]	[NULL]	S	B1WNX2	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-142	8/6/2008 9:20	Y	7440-09-7	Potassium	7220	ug/L	D	[NULL]	[NULL]	S	B1WNF7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/6/2008 9:20	Y	7440-22-4	Silver	26	ug/L	CD	[NULL]	[NULL]	S	B1WNF7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/6/2008 9:20	Y	7440-23-5	Sodium	971000	ug/L	D	[NULL]	[NULL]	S	B1WNF7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/6/2008 9:20	Y	CONDUCT	Specific Conductance	3254	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WNF7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	8/6/2008 9:20	Y	7440-24-6	Strontium	338	ug/L	DN	[NULL]	[NULL]	S	B1WNF7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/6/2008 9:20	Y	14808-79-8	Sulfate	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNX2	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-142	8/6/2008 9:20	Y	TEMPERATURE	Temperature	24.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1WNF7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	8/6/2008 9:20	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WNF7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/6/2008 9:20	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WNF7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/6/2008 9:20	Y	PH	pH Measurement	7.07	unitless	[NULL]	[NULL]	[NULL]	S	B1WNF7	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-142	8/8/2008 9:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WNL3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/8/2008 9:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WNL3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/8/2008 9:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WNL3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/8/2008 9:30	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WNL3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/8/2008 9:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WNL3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/8/2008 9:30	Y	7440-70-2	Calcium	17500	ug/L	DN	[NULL]	[NULL]	S	B1WNL3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/8/2008 9:30	Y	16887-00-6	Chloride	231000	ug/L	D	[NULL]	[NULL]	S	B1WP05	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-142	8/8/2008 9:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WNL3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/8/2008 9:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WNL3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/8/2008 9:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WNL3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/8/2008 9:30	Y	DO	Dissolved oxygen	2290	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNL3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	8/8/2008 9:30	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP05	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-142	8/8/2008 9:30	Y	12587-46-1	Gross alpha	-2.5	pCi/L	U	[NULL]	[NULL]	S	B1WNL3	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-142	8/8/2008 9:30	Y	12587-47-2	Gross beta	10	pCi/L	U	[NULL]	[NULL]	S	B1WNL3	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-142	8/8/2008 9:30	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WNL3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/8/2008 9:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WNL3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/8/2008 9:30	Y	7439-95-4	Magnesium	4780	ug/L	DN	[NULL]	[NULL]	S	B1WNL3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/8/2008 9:30	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WNL3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/8/2008 9:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WNL3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/8/2008 9:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WNL3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/8/2008 9:30	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP05	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-142	8/8/2008 9:30	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP05	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-142	8/8/2008 9:30	Y	EH	Oxidation Reduction Potential	-317	mV	[NULL]	[NULL]	[NULL]	S	B1WNL3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	8/8/2008 9:30	Y	14265-44-2	Phosphate	1320000	ug/L	D	[NULL]	[NULL]	S	B1WP05	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-142	8/8/2008 9:30	Y	7440-09-7	Potassium	9020	ug/L	D	[NULL]	[NULL]	S	B1WNL3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/8/2008 9:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WNL3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/8/2008 9:30	Y	7440-23-5	Sodium	1180000	ug/L	D	[NULL]	[NULL]	S	B1WNL3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/8/2008 9:30	Y	CONDUCT	Specific Conductance	4789	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WNL3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	8/8/2008 9:30	Y	7440-24-6	Strontium	453	ug/L	D	[NULL]	[NULL]	S	B1WNL3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/8/2008 9:30	Y	14808-79-8	Sulfate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP05	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-142	8/8/2008 9:30	Y	TEMPERATURE	Temperature	20.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1WNL3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	8/8/2008 9:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WNL3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/8/2008 9:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WNL3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/8/2008 9:30	Y	PH	pH Measurement	7.26	unitless	[NULL]	[NULL]	[NULL]	S	B1WNL3	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-142	8/15/2008 9:10	Y	7429-90-5	Aluminum	968	ug/L	D	[NULL]	[NULL]	S	B1WP55	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/15/2008 9:10	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WP55	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/15/2008 9:10	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WP55	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	8/15/2008 9:10	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WP55	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/15/2008 9:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WP55	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/15/2008 9:10	Y	7440-70-2	Calcium	20200	ug/L	DN	[NULL]	[NULL]	S	B1WP55	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/15/2008 9:10	Y	16887-00-6	Chloride	162000	ug/L	D	[NULL]	[NULL]	S	B1WP85	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-142	8/15/2008 9:10	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WP55	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/15/2008 9:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WP55	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/15/2008 9:10	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WP55	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/15/2008 9:10	Y	DO	Dissolved oxygen	1110	ug/L	[NULL]	[NULL]	[NULL]	S	B1WP55	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	8/15/2008 9:10	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP85	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-142	8/15/2008 9:10	Y	12587-46-1	Gross alpha	2.5	pCi/L	U	[NULL]	[NULL]	S	B1WP55	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-142	8/15/2008 9:10	Y	12587-47-2	Gross beta	37	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WP55	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-142	8/15/2008 9:10	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WP55	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/15/2008 9:10	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WP55	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/15/2008 9:10	Y	7439-95-4	Magnesium	5340	ug/L	D	[NULL]	[NULL]	S	B1WP55	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/15/2008 9:10	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WP55	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/15/2008 9:10	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WP55	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/15/2008 9:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WP55	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/15/2008 9:10	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP85	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-142	8/15/2008 9:10	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP85	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-142	8/15/2008 9:10	Y	EH	Oxidation Reduction Potential	-149	mV	[NULL]	[NULL]	[NULL]	S	B1WP55	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	8/15/2008 9:10	Y	14265-44-2	Phosphate	2240000	ug/L	D	[NULL]	[NULL]	S	B1WP85	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-142	8/15/2008 9:10	Y	7440-09-7	Potassium	10500	ug/L	D	[NULL]	[NULL]	S	B1WP55	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/15/2008 9:10	Y	7440-22-4	Silver	52	ug/L	CD	[NULL]	[NULL]	S	B1WP55	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/15/2008 9:10	Y	7440-23-5	Sodium	1360000	ug/L	D	[NULL]	[NULL]	S	B1WP55	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/15/2008 9:10	Y	CONDUCT	Specific Conductance	5171	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WP55	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	8/15/2008 9:10	Y	7440-24-6	Strontium	486	ug/L	D	[NULL]	[NULL]	S	B1WP55	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/15/2008 9:10	Y	14808-79-8	Sulfate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP85	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-142	8/15/2008 9:10	Y	TEMPERATURE	Temperature	22.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1WP55	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	8/15/2008 9:10	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WP55	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/15/2008 9:10	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WP55	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	8/15/2008 9:10	Y	PH	pH Measurement	6.82	unitless	[NULL]	[NULL]	[NULL]	S	B1WP55	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-142	9/3/2008 9:40	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WWK0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/3/2008 9:40	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WWK0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/3/2008 9:40	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WWK0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/3/2008 9:40	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WWK0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/3/2008 9:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WWK0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/3/2008 9:40	Y	7440-70-2	Calcium	10600	ug/L	D	[NULL]	[NULL]	S	B1WWK0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/3/2008 9:40	Y	16887-00-6	Chloride	172000	ug/L	D	[NULL]	[NULL]	S	B1WWC8	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-142	9/3/2008 9:40	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WWK0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/3/2008 9:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WWK0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/3/2008 9:40	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WWK0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/3/2008 9:40	Y	DO	Dissolved oxygen	1570	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWC8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	9/3/2008 9:40	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWC8	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-142	9/3/2008 9:40	Y	12587-46-1	Gross alpha	14	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WWK0	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-142	9/3/2008 9:40	Y	12587-47-2	Gross beta	17	pCi/L	U	[NULL]	[NULL]	S	B1WWK0	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-142	9/3/2008 9:40	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WWK0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/3/2008 9:40	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WWK0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/3/2008 9:40	Y	7439-95-4	Magnesium	4130	ug/L	D	[NULL]	[NULL]	S	B1WWK0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/3/2008 9:40	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WWK0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/3/2008 9:40	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WWK0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/3/2008 9:40	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WWK0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/3/2008 9:40	Y	14797-55-8	Nitrate	26500	ug/L	D	[NULL]	[NULL]	S	B1WWC8	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-142	9/3/2008 9:40	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWC8	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	9/3/2008 9:40	Y	EH	Oxidation Reduction Potential	-142	mV	[NULL]	[NULL]	[NULL]	S	B1WWC8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	9/3/2008 9:40	Y	14265-44-2	Phosphate	923000	ug/L	D	[NULL]	[NULL]	S	B1WWC8	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-142	9/3/2008 9:40	Y	7440-09-7	Potassium	10700	ug/L	D	[NULL]	[NULL]	S	B1WWK0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/3/2008 9:40	Y	7440-22-4	Silver	25	ug/L	BCD	[NULL]	[NULL]	S	B1WWK0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/3/2008 9:40	Y	7440-23-5	Sodium	1270000	ug/L	D	[NULL]	[NULL]	S	B1WWK0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/3/2008 9:40	Y	CONDUCT	Specific Conductance	4706	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WWC8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	9/3/2008 9:40	Y	7440-24-6	Strontium	311	ug/L	D	[NULL]	[NULL]	S	B1WWK0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/3/2008 9:40	Y	14808-79-8	Sulfate	48700	ug/L	D	[NULL]	[NULL]	S	B1WWC8	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-142	9/3/2008 9:40	Y	TEMPERATURE	Temperature	18.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WWC8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	9/3/2008 9:40	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WWK0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/3/2008 9:40	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WWK0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/3/2008 9:40	Y	PH	pH Measurement	7.16	unitless	[NULL]	[NULL]	[NULL]	S	B1WWC8	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-142	9/21/2008 9:55	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WX34	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/21/2008 9:55	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WX34	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/21/2008 9:55	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WX34	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/21/2008 9:55	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WX34	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/21/2008 9:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WX34	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/21/2008 9:55	Y	7440-70-2	Calcium	8990	ug/L	DN	[NULL]	[NULL]	S	B1WX34	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/21/2008 9:55	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WX34	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/21/2008 9:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WX34	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/21/2008 9:55	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WX34	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/21/2008 9:55	Y	DO	Dissolved oxygen	1010	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX34	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	9/21/2008 9:55	Y	12587-46-1	Gross alpha	8.3	pCi/L	U	[NULL]	[NULL]	S	B1WX34	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-142	9/21/2008 9:55	Y	12587-47-2	Gross beta	39	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WX34	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-142	9/21/2008 9:55	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WX34	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/21/2008 9:55	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WX34	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/21/2008 9:55	Y	7439-95-4	Magnesium	4040	ug/L	D	[NULL]	[NULL]	S	B1WX34	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/21/2008 9:55	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WX34	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/21/2008 9:55	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WX34	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/21/2008 9:55	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WX34	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/21/2008 9:55	Y	EH	Oxidation Reduction Potential	-133	mV	[NULL]	[NULL]	[NULL]	S	B1WX34	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	9/21/2008 9:55	Y	7440-09-7	Potassium	11400	ug/L	D	[NULL]	[NULL]	S	B1WX34	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/21/2008 9:55	Y	7440-22-4	Silver	25	ug/L	DNUX	[NULL]	[NULL]	S	B1WX34	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/21/2008 9:55	Y	7440-23-5	Sodium	1190000	ug/L	D	[NULL]	[NULL]	S	B1WX34	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/21/2008 9:55	Y	CONDUCT	Specific Conductance	5302	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WX34	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	9/21/2008 9:55	Y	7440-24-6	Strontium	262	ug/L	D	[NULL]	[NULL]	S	B1WX34	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/21/2008 9:55	Y	TEMPERATURE	Temperature	17.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1WX34	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	9/21/2008 9:55	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WX34	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/21/2008 9:55	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WX34	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	9/21/2008 9:55	Y	PH	pH Measurement	6.95	unitless	[NULL]	[NULL]	[NULL]	S	B1WX34	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-142	10/30/2008 12:00	N	7429-90-5	Aluminum	50	ug/L	U	[NULL]	[NULL]	S	B1WX82	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/30/2008 12:00	N	7440-36-0	Antimony	60	ug/L	U	[NULL]	[NULL]	S	B1WX82	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/30/2008 12:00	N	7440-38-2	Arsenic	80	ug/L	U	[NULL]	[NULL]	S	B1WX82	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/30/2008 12:00	N	7440-39-3	Barium	4.3	ug/L	B	[NULL]	[NULL]	S	B1WX82	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/30/2008 12:00	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1WX82	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/30/2008 12:00	N	7440-70-2	Calcium	8200	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX82	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/30/2008 12:00	N	16887-00-6	Chloride	136000	ug/L	DN	[NULL]	[NULL]	S	B1WX82	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	10/30/2008 12:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	S	B1WX82	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/30/2008 12:00	N	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	S	B1WX82	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/30/2008 12:00	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1WX82	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/30/2008 12:00	N	DO	Dissolved oxygen	1700	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX82	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	10/30/2008 12:00	N	16984-48-8	Fluoride	200	ug/L	UD	[NULL]	[NULL]	S	B1WX82	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	10/30/2008 12:00	N	12587-46-1	Gross alpha	5.53	pCi/L	U	[NULL]	[NULL]	S	B1WX82	12587-46-1	WSCF	ALPHA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	10/30/2008 12:00	N	12587-47-2	Gross beta	19.6	pCi/L	U	[NULL]	[NULL]	S	B1WX82	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-142	10/30/2008 12:00	N	7439-89-6	Iron	20.9	ug/L	BC	[NULL]	[NULL]	S	B1WX82	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/30/2008 12:00	N	7439-92-1	Lead	40	ug/L	U	[NULL]	[NULL]	S	B1WX82	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/30/2008 12:00	N	7439-95-4	Magnesium	3820	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX82	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/30/2008 12:00	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	S	B1WX82	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/30/2008 12:00	N	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	S	B1WX82	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/30/2008 12:00	N	7440-02-0	Nickel	6	ug/L	U	[NULL]	[NULL]	S	B1WX82	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/30/2008 12:00	N	14797-55-8	Nitrate	443	ug/L	UD	[NULL]	[NULL]	S	B1WX82	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	10/30/2008 12:00	N	14797-65-0	Nitrite	328	ug/L	UD	[NULL]	[NULL]	S	B1WX82	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	10/30/2008 12:00	N	EH	Oxidation Reduction Potential	-155	mV	[NULL]	[NULL]	[NULL]	S	B1WX82	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	10/30/2008 12:00	N	14265-44-2	Phosphate	1740000	ug/L	D	[NULL]	[NULL]	S	B1WX82	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	10/30/2008 12:00	N	7440-09-7	Potassium	8410	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX82	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/30/2008 12:00	N	7440-22-4	Silver	9.7	ug/L	B	[NULL]	[NULL]	S	B1WX82	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/30/2008 12:00	N	7440-23-5	Sodium	1020000	ug/L	D	[NULL]	[NULL]	S	B1WX82	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/30/2008 12:00	N	CONDUCT	Specific Conductance	4618	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WX82	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	10/30/2008 12:00	N	7440-24-6	Strontium	250	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX82	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/30/2008 12:00	N	14808-79-8	Sulfate	1240	ug/L	BD	[NULL]	[NULL]	S	B1WX82	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	10/30/2008 12:00	N	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1WX82	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	10/30/2008 12:00	N	7440-62-2	Vanadium	10	ug/L	U	[NULL]	[NULL]	S	B1WX82	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/30/2008 12:00	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1WX82	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	10/30/2008 12:00	N	PH	pH Measurement	6.93	unitless	[NULL]	[NULL]	[NULL]	S	B1WX82	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-142	12/8/2008 10:28	N	7429-90-5	Aluminum	52	ug/L	U	[NULL]	[NULL]	S	B1XXR3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	12/8/2008 10:28	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	S	B1XXR3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	12/8/2008 10:28	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	S	B1XXR3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	12/8/2008 10:28	N	7440-39-3	Barium	4	ug/L	B	[NULL]	[NULL]	S	B1XXR3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	12/8/2008 10:28	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1XXR3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	12/8/2008 10:28	N	7440-70-2	Calcium	9010	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXR3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	12/8/2008 10:28	N	16887-00-6	Chloride	95300	ug/L	D	[NULL]	[NULL]	S	B1XXR3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	12/8/2008 10:28	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B1XXR3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	12/8/2008 10:28	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1XXR3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	12/8/2008 10:28	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1XXR3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	12/8/2008 10:28	N	DO	Dissolved oxygen	2270	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXR3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	12/8/2008 10:28	N	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1XXR3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	12/8/2008 10:28	N	12587-46-1	Gross alpha	-17	pCi/L	U	[NULL]	[NULL]	S	B1XXR3	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-142	12/8/2008 10:28	N	12587-47-2	Gross beta	20	pCi/L	[NULL]	[NULL]	[NULL]	S	B1XXR3	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-142	12/8/2008 10:28	N	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	S	B1XXR3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	12/8/2008 10:28	N	7439-92-1	Lead	45	ug/L	U	[NULL]	[NULL]	S	B1XXR3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	12/8/2008 10:28	N	7439-95-4	Magnesium	3940	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXR3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	12/8/2008 10:28	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	S	B1XXR3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	12/8/2008 10:28	N	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	S	B1XXR3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	12/8/2008 10:28	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B1XXR3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	12/8/2008 10:28	N	14797-55-8	Nitrate	3090	ug/L	BD	[NULL]	[NULL]	S	B1XXR3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	12/8/2008 10:28	N	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1XXR3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	12/8/2008 10:28	N	EH	Oxidation Reduction Potential	78	mV	[NULL]	[NULL]	[NULL]	S	B1XXR3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	12/8/2008 10:28	N	14265-44-2	Phosphate	1570000	ug/L	D	[NULL]	[NULL]	S	B1XXR3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	12/8/2008 10:28	N	7440-09-7	Potassium	7270	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXR3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	12/8/2008 10:28	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1XXR3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	12/8/2008 10:28	N	7440-23-5	Sodium	857000	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXR3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	12/8/2008 10:28	N	CONDUCT	Specific Conductance	333	uS/cm	[NULL]	Y	[NULL]	S	B1XXR3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	12/8/2008 10:28	N	7440-24-6	Strontium	252	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXR3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	12/8/2008 10:28	N	14808-79-8	Sulfate	13700	ug/L	D	[NULL]	[NULL]	S	B1XXR3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	12/8/2008 10:28	N	TEMPERATURE	Temperature	15	Deg C	[NULL]	[NULL]	[NULL]	S	B1XXR3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	12/8/2008 10:28	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	S	B1XXR3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	12/8/2008 10:28	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1XXR3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	12/8/2008 10:28	N	PH	pH Measurement	7	unitless	[NULL]	[NULL]	[NULL]	S	B1XXR3	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-142	2/5/2009 10:52	N	7429-90-5	Aluminum	52	ug/L	U	[NULL]	[NULL]	S	B1YLP7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/5/2009 10:52	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	S	B1YLP7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/5/2009 10:52	N	7440-38-2	Arsenic	97.6	ug/L	B	[NULL]	[NULL]	S	B1YLP7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/5/2009 10:52	N	7440-39-3	Barium	4.3	ug/L	B	[NULL]	[NULL]	S	B1YLP7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/5/2009 10:52	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1YLP7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/5/2009 10:52	N	7440-70-2	Calcium	11500	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLP7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/5/2009 10:52	N	16887-00-6	Chloride	56900	ug/L	D	[NULL]	[NULL]	S	B1YLP7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	2/5/2009 10:52	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B1YLP7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/5/2009 10:52	N	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	S	B1YLP7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/5/2009 10:52	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1YLP7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/5/2009 10:52	N	DO	Dissolved oxygen	1940	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLP7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	2/5/2009 10:52	N	16984-48-8	Fluoride	230	ug/L	UD	[NULL]	[NULL]	S	B1YLP7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	2/5/2009 10:52	N	12587-46-1	Gross alpha	2.8	pCi/L	U	[NULL]	[NULL]	S	B1YLP7	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-142	2/5/2009 10:52	N	12587-47-2	Gross beta	30	pCi/L	[NULL]	[NULL]	[NULL]	S	B1YLP7	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-142	2/5/2009 10:52	N	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	S	B1YLP7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/5/2009 10:52	N	7439-92-1	Lead	45	ug/L	U	[NULL]	[NULL]	S	B1YLP7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/5/2009 10:52	N	7439-95-4	Magnesium	4560	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLP7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/5/2009 10:52	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	S	B1YLP7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/5/2009 10:52	N	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	S	B1YLP7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/5/2009 10:52	N	7440-02-0	Nickel	6	ug/L	U	[NULL]	[NULL]	S	B1YLP7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/5/2009 10:52	N	14797-55-8	Nitrate	655000	ug/L	D	[NULL]	[NULL]	S	B1YLP7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	2/5/2009 10:52	N	14797-65-0	Nitrite	2940	ug/L	BD	[NULL]	[NULL]	S	B1YLP7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	2/5/2009 10:52	N	EH	Oxidation Reduction Potential	211	mV	[NULL]	[NULL]	[NULL]	S	B1YLP7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	2/5/2009 10:52	N	14265-44-2	Phosphate	1100000	ug/L	D	[NULL]	[NULL]	S	B1YLP7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	2/5/2009 10:52	N	7440-09-7	Potassium	5630	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLP7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/5/2009 10:52	N	7440-22-4	Silver	5.2	ug/L	B	[NULL]	[NULL]	S	B1YLP7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/5/2009 10:52	N	7440-23-5	Sodium	720000	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLP7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/5/2009 10:52	N	CONDUCT	Specific Conductance	3128	uS/cm	[NULL]	[NULL]	[NULL]	S	B1YLP7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	2/5/2009 10:52	N	7440-24-6	Strontium	262	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLP7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/5/2009 10:52	N	14808-79-8	Sulfate	31100	ug/L	D	[NULL]	[NULL]	S	B1YLP7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	2/5/2009 10:52	N	TEMPERATURE	Temperature	11.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1YLP7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	2/5/2009 10:52	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	S	B1YLP7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/5/2009 10:52	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1YLP7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	2/5/2009 10:52	N	PH	pH Measurement	6.99	unitless	[NULL]	[NULL]	[NULL]	S	B1YLP7	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-142	5/26/2009 11:42	N	DO	Dissolved oxygen	680	ug/L	[NULL]	[NULL]	[NULL]	S	B203K4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	5/26/2009 11:42	N	12587-46-1	Gross alpha	11	pCi/L	[NULL]	[NULL]	[NULL]	S	B203K4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-142	5/26/2009 11:42	N	12587-47-2	Gross beta	34	pCi/L	[NULL]	[NULL]	[NULL]	S	B203K4	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-142	5/26/2009 11:42	N	EH	Oxidation Reduction Potential	169	mV	[NULL]	[NULL]	[NULL]	S	B203K4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	5/26/2009 11:42	N	CONDUCT	Specific Conductance	2500	uS/cm	[NULL]	[NULL]	[NULL]	S	B203K4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	5/26/2009 11:42	N	TEMPERATURE	Temperature	14	Deg C	[NULL]	[NULL]	[NULL]	S	B203K4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	5/26/2009 11:42	N	PH	pH Measurement	6.95	unitless	[NULL]	[NULL]	[NULL]	S	B203K4	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-142	8/13/2009 13:36	N	12587-46-1	Gross alpha	6.5	pCi/L	U	[NULL]	[NULL]	S	B21BD2	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-142	8/13/2009 13:36	N	12587-47-2	Gross beta	47	pCi/L	[NULL]	[NULL]	[NULL]	S	B21BD2	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-142	8/13/2009 13:36	N	EH	Oxidation Reduction Potential	159	mV	[NULL]	[NULL]	[NULL]	S	B21BD2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	8/13/2009 13:36	N	CONDUCT	Specific Conductance	2068	uS/cm	[NULL]	[NULL]	[NULL]	S	B21BD2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	8/13/2009 13:36	N	TEMPERATURE	Temperature	20.3	Deg C	[NULL]	[NULL]	[NULL]	S	B21BD2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	8/13/2009 13:36	N	PH	pH Measurement	6.8	unitless	[NULL]	[NULL]	[NULL]	S	B21BD2	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-142	11/20/2009 11:03	N	7429-90-5	Aluminum	17	ug/L	U	[NULL]	[NULL]	S	B22WX0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/20/2009 11:03	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	S	B22WX0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/20/2009 11:03	N	7440-38-2	Arsenic	65	ug/L	U	[NULL]	[NULL]	S	B22WX0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-142	11/20/2009 11:03	N	7440-39-3	Barium	4	ug/L	U	[NULL]	[NULL]	S	B22WX0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/20/2009 11:03	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B22WX0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/20/2009 11:03	N	7440-70-2	Calcium	11900	ug/L	[NULL]	[NULL]	[NULL]	S	B22WX0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/20/2009 11:03	N	16887-00-6	Chloride	24300	ug/L	D	[NULL]	[NULL]	S	B22WX0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	11/20/2009 11:03	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B22WX0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/20/2009 11:03	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B22WX0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/20/2009 11:03	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	S	B22WX0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/20/2009 11:03	N	DO	Dissolved oxygen	2220	ug/L	[NULL]	[NULL]	[NULL]	S	B22WX0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-142	11/20/2009 11:03	N	16984-48-8	Fluoride	91	ug/L	UD	[NULL]	[NULL]	S	B22WX0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	11/20/2009 11:03	N	12587-47-2	Gross beta	41	pCi/L	[NULL]	[NULL]	[NULL]	S	B22WX0	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-142	11/20/2009 11:03	N	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	S	B22WX0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/20/2009 11:03	N	7439-92-1	Lead	23	ug/L	U	[NULL]	[NULL]	S	B22WX0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/20/2009 11:03	N	7439-95-4	Magnesium	4900	ug/L	[NULL]	[NULL]	[NULL]	S	B22WX0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/20/2009 11:03	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	S	B22WX0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/20/2009 11:03	N	7439-98-7	Molybdenum	8	ug/L	B	[NULL]	[NULL]	S	B22WX0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/20/2009 11:03	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B22WX0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/20/2009 11:03	N	14797-55-8	Nitrate	16400	ug/L	D	[NULL]	[NULL]	S	B22WX0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	11/20/2009 11:03	N	14797-65-0	Nitrite	680	ug/L	BD	[NULL]	[NULL]	S	B22WX0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	11/20/2009 11:03	N	EH	Oxidation Reduction Potential	162	mV	[NULL]	[NULL]	[NULL]	S	B22WX0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-142	11/20/2009 11:03	N	14265-44-2	Phosphate	432000	ug/L	D	[NULL]	[NULL]	S	B22WX0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	11/20/2009 11:03	N	7440-09-7	Potassium	3140	ug/L	[NULL]	[NULL]	[NULL]	S	B22WX0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/20/2009 11:03	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B22WX0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/20/2009 11:03	N	7440-23-5	Sodium	217000	ug/L	[NULL]	[NULL]	[NULL]	S	B22WX0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/20/2009 11:03	N	CONDUCT	Specific Conductance	1036	uS/cm	[NULL]	[NULL]	[NULL]	S	B22WX0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-142	11/20/2009 11:03	N	7440-24-6	Strontium	259	ug/L	[NULL]	[NULL]	[NULL]	S	B22WX0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/20/2009 11:03	N	10098-97-2	Strontium-90	19	pCi/L	[NULL]	[NULL]	[NULL]	S	B22WX0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-142	11/20/2009 11:03	N	14808-79-8	Sulfate	28000	ug/L	D	[NULL]	[NULL]	S	B22WX0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-142	11/20/2009 11:03	N	TEMPERATURE	Temperature	15.5	Deg C	[NULL]	[NULL]	[NULL]	S	B22WX0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-142	11/20/2009 11:03	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	S	B22WX0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/20/2009 11:03	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	S	B22WX0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-142	11/20/2009 11:03	N	PH	pH Measurement	7	unitless	[NULL]	[NULL]	[NULL]	S	B22WX0	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-142	2/24/2010 13:03	N	12587-46-1	Gross alpha	2.5	pCi/L	U	[NULL]	[NULL]	C	B23R49	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-142	2/24/2010 13:03	N	12587-47-2	Gross beta	33	pCi/L	[NULL]	[NULL]	[NULL]	C	B23R49	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-142	2/24/2010 13:03	N	10098-97-2	Strontium-90	9.3	pCi/L	[NULL]	[NULL]	[NULL]	C	B23R49	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-143	7/11/2006 10:53	N	7429-90-5	Aluminum	37	ug/L	U	[NULL]	[NULL]	S	B1K032	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 10:53	N	7440-36-0	Antimony	72	ug/L	U	[NULL]	[NULL]	S	B1K032	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 10:53	N	7440-38-2	Arsenic	79	ug/L	U	[NULL]	[NULL]	S	B1K032	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 10:53	N	7440-39-3	Barium	35.1	ug/L	[NULL]	[NULL]	[NULL]	S	B1K032	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 10:53	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	S	B1K032	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 10:53	N	7440-70-2	Calcium	29200	ug/L	[NULL]	[NULL]	[NULL]	S	B1K032	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 10:53	N	16887-00-6	Chloride	6650	ug/L	[NULL]	[NULL]	[NULL]	S	B1K032	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/11/2006 10:53	N	7440-47-3	Chromium	7	ug/L	U	[NULL]	[NULL]	S	B1K032	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 10:53	N	7440-48-4	Cobalt	7	ug/L	U	[NULL]	[NULL]	S	B1K032	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 10:53	N	7440-50-8	Copper	7	ug/L	U	[NULL]	[NULL]	S	B1K032	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 10:53	N	16984-48-8	Fluoride	45	ug/L	U	[NULL]	[NULL]	S	B1K032	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/11/2006 10:53	N	7439-89-6	Iron	33	ug/L	U	[NULL]	[NULL]	S	B1K032	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 10:53	N	7439-92-1	Lead	47	ug/L	U	[NULL]	[NULL]	S	B1K032	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 10:53	N	7439-95-4	Magnesium	5830	ug/L	[NULL]	[NULL]	[NULL]	S	B1K032	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 10:53	N	7439-96-5	Manganese	3	ug/L	U	[NULL]	[NULL]	S	B1K032	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 10:53	N	7439-98-7	Molybdenum	11	ug/L	U	[NULL]	[NULL]	S	B1K032	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 10:53	N	7440-02-0	Nickel	5	ug/L	U	[NULL]	[NULL]	S	B1K032	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 10:53	N	14797-55-8	Nitrate	7390	ug/L	[NULL]	[NULL]	[NULL]	S	B1K032	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/11/2006 10:53	N	14797-65-0	Nitrite	115	ug/L	U	[NULL]	[NULL]	S	B1K032	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/11/2006 10:53	N	14265-44-2	Phosphate	337	ug/L	U	[NULL]	[NULL]	S	B1K032	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	7/11/2006 10:53	N	7440-09-7	Potassium	1490	ug/L	[NULL]	[NULL]	[NULL]	S	B1K032	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 10:53	N	7440-22-4	Silver	11	ug/L	U	[NULL]	[NULL]	S	B1K032	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 10:53	N	7440-23-5	Sodium	3720	ug/L	[NULL]	[NULL]	[NULL]	S	B1K032	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 10:53	N	7440-24-6	Strontium	128	ug/L	[NULL]	[NULL]	[NULL]	S	B1K032	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 10:53	N	10098-97-2	Strontium-90	2300	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K032	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-143	7/11/2006 10:53	N	14808-79-8	Sulfate	14300	ug/L	[NULL]	[NULL]	[NULL]	S	B1K032	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/11/2006 10:53	N	7440-62-2	Vanadium	14	ug/L	U	[NULL]	[NULL]	S	B1K032	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 10:53	N	7440-66-6	Zinc	6.6	ug/L	[NULL]	[NULL]	[NULL]	S	B1K032	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 11:24	N	7429-90-5	Aluminum	37	ug/L	U	[NULL]	[NULL]	S	B1K031	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 11:24	N	7440-36-0	Antimony	72	ug/L	U	[NULL]	[NULL]	S	B1K031	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 11:24	N	7440-38-2	Arsenic	79	ug/L	U	[NULL]	[NULL]	S	B1K031	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 11:24	N	7440-39-3	Barium	36.9	ug/L	[NULL]	[NULL]	[NULL]	S	B1K031	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 11:24	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	S	B1K031	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 11:24	N	7440-70-2	Calcium	29900	ug/L	[NULL]	[NULL]	[NULL]	S	B1K031	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 11:24	N	16887-00-6	Chloride	6860	ug/L	[NULL]	[NULL]	[NULL]	S	B1K031	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/11/2006 11:24	N	7440-47-3	Chromium	7	ug/L	U	[NULL]	[NULL]	S	B1K031	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 11:24	N	7440-48-4	Cobalt	7	ug/L	U	[NULL]	[NULL]	S	B1K031	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 11:24	N	7440-50-8	Copper	7	ug/L	U	[NULL]	[NULL]	S	B1K031	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 11:24	N	16984-48-8	Fluoride	45	ug/L	U	[NULL]	[NULL]	S	B1K031	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/11/2006 11:24	N	7439-89-6	Iron	33	ug/L	U	[NULL]	[NULL]	S	B1K031	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 11:24	N	7439-92-1	Lead	47	ug/L	U	[NULL]	[NULL]	S	B1K031	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 11:24	N	7439-95-4	Magnesium	6030	ug/L	[NULL]	[NULL]	[NULL]	S	B1K031	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 11:24	N	7439-96-5	Manganese	3	ug/L	U	[NULL]	[NULL]	S	B1K031	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 11:24	N	7439-98-7	Molybdenum	11	ug/L	U	[NULL]	[NULL]	S	B1K031	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 11:24	N	7440-02-0	Nickel	5	ug/L	U	[NULL]	[NULL]	S	B1K031	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 11:24	N	14797-55-8	Nitrate	7880	ug/L	[NULL]	[NULL]	[NULL]	S	B1K031	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/11/2006 11:24	N	14797-65-0	Nitrite	115	ug/L	U	[NULL]	[NULL]	S	B1K031	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/11/2006 11:24	N	14265-44-2	Phosphate	337	ug/L	U	[NULL]	[NULL]	S	B1K031	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/11/2006 11:24	N	7440-09-7	Potassium	1600	ug/L	[NULL]	[NULL]	[NULL]	S	B1K031	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 11:24	N	7440-22-4	Silver	11	ug/L	U	[NULL]	[NULL]	S	B1K031	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 11:24	N	7440-23-5	Sodium	3840	ug/L	[NULL]	[NULL]	[NULL]	S	B1K031	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 11:24	N	7440-24-6	Strontium	134	ug/L	[NULL]	[NULL]	[NULL]	S	B1K031	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 11:24	N	10098-97-2	Strontium-90	1800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K031	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-143	7/11/2006 11:24	N	14808-79-8	Sulfate	14200	ug/L	[NULL]	[NULL]	[NULL]	S	B1K031	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/11/2006 11:24	N	7440-62-2	Vanadium	14	ug/L	U	[NULL]	[NULL]	S	B1K031	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/11/2006 11:24	N	7440-66-6	Zinc	13.4	ug/L	[NULL]	[NULL]	[NULL]	S	B1K031	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/20/2007 7:15	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1MMF1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/20/2007 7:15	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MMF1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/20/2007 7:15	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MMF1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/20/2007 7:15	Y	7440-39-3	Barium	62	ug/L	D	[NULL]	[NULL]	S	B1MMF1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/20/2007 7:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMF1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/20/2007 7:15	Y	7440-70-2	Calcium	21100	ug/L	D	[NULL]	[NULL]	S	B1MMF1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/20/2007 7:15	Y	16887-00-6	Chloride	16300	ug/L	D	[NULL]	[NULL]	S	B1MMF1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/20/2007 7:15	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMF1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/20/2007 7:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MMF1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/20/2007 7:15	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MMF1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/20/2007 7:15	Y	16984-48-8	Fluoride	48	ug/L	B	[NULL]	[NULL]	S	B1MMF1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/20/2007 7:15	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1MMF1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/20/2007 7:15	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MMF1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/20/2007 7:15	Y	7439-95-4	Magnesium	4410	ug/L	D	[NULL]	[NULL]	S	B1MMF1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/20/2007 7:15	Y	7439-96-5	Manganese	216	ug/L	D	[NULL]	[NULL]	S	B1MMF1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/20/2007 7:15	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MMF1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/20/2007 7:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MMF1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/20/2007 7:15	Y	14797-55-8	Nitrate	195	ug/L	U	[NULL]	[NULL]	S	B1MMF1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/20/2007 7:15	Y	14797-65-0	Nitrite	72.3	ug/L	U	[NULL]	[NULL]	S	B1MMF1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	3/20/2007 7:15	Y	14265-44-2	Phosphate	131000	ug/L	D	[NULL]	[NULL]	S	B1MMF1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/20/2007 7:15	Y	7440-09-7	Potassium	1960	ug/L	D	[NULL]	[NULL]	S	B1MMF1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/20/2007 7:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MMF1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/20/2007 7:15	Y	7440-23-5	Sodium	159000	ug/L	D	[NULL]	[NULL]	S	B1MMF1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/20/2007 7:15	Y	7440-24-6	Strontium	142	ug/L	D	[NULL]	[NULL]	S	B1MMF1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/20/2007 7:15	Y	10098-97-2	Strontium-90	1800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MMF1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-143	3/20/2007 7:15	Y	14808-79-8	Sulfate	10200	ug/L	[NULL]	[NULL]	[NULL]	S	B1MMF1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/20/2007 7:15	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MMF1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/20/2007 7:15	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MMF1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/26/2007 11:05	Y	7429-90-5	Aluminum	1700	ug/L	D	[NULL]	[NULL]	S	B1MMP3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/26/2007 11:05	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MMP3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/26/2007 11:05	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MMP3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/26/2007 11:05	Y	7440-39-3	Barium	42	ug/L	D	[NULL]	[NULL]	S	B1MMP3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/26/2007 11:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMP3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/26/2007 11:05	Y	7440-70-2	Calcium	47100	ug/L	D	[NULL]	[NULL]	S	B1MMP3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/26/2007 11:05	Y	16887-00-6	Chloride	72000	ug/L	D	[NULL]	[NULL]	S	B1MMP3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/26/2007 11:05	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMP3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/26/2007 11:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MMP3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/26/2007 11:05	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MMP3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/26/2007 11:05	Y	16984-48-8	Fluoride	145	ug/L	DU	[NULL]	[NULL]	S	B1MMP3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/26/2007 11:05	Y	7439-89-6	Iron	354	ug/L	D	[NULL]	[NULL]	S	B1MMP3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/26/2007 11:05	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MMP3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/26/2007 11:05	Y	7439-95-4	Magnesium	4860	ug/L	D	[NULL]	[NULL]	S	B1MMP3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/26/2007 11:05	Y	7439-96-5	Manganese	1210	ug/L	D	[NULL]	[NULL]	S	B1MMP3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/26/2007 11:05	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MMP3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/26/2007 11:05	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MMP3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/26/2007 11:05	Y	14797-55-8	Nitrate	974	ug/L	DU	[NULL]	[NULL]	S	B1MMP3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/26/2007 11:05	Y	14797-65-0	Nitrite	361	ug/L	DNU	[NULL]	[NULL]	S	B1MMP3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/26/2007 11:05	Y	14265-44-2	Phosphate	767000	ug/L	D	[NULL]	[NULL]	S	B1MMP3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/26/2007 11:05	Y	7440-09-7	Potassium	6350	ug/L	D	[NULL]	[NULL]	S	B1MMP3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/26/2007 11:05	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MMP3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/26/2007 11:05	Y	7440-23-5	Sodium	524000	ug/L	D	[NULL]	[NULL]	S	B1MMP3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/26/2007 11:05	Y	7440-24-6	Strontium	577	ug/L	D	[NULL]	[NULL]	S	B1MMP3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/26/2007 11:05	Y	10098-97-2	Strontium-90	520	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MMP3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-143	3/26/2007 11:05	Y	14808-79-8	Sulfate	9580	ug/L	D	[NULL]	[NULL]	S	B1MMP3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/26/2007 11:05	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MMP3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/26/2007 11:05	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MMP3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/27/2007 10:15	Y	7429-90-5	Aluminum	398	ug/L	D	[NULL]	[NULL]	S	B1MMP5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/27/2007 10:15	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MMP5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/27/2007 10:15	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MMP5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/27/2007 10:15	Y	7440-39-3	Barium	50	ug/L	D	[NULL]	[NULL]	S	B1MMP5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/27/2007 10:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMP5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/27/2007 10:15	Y	7440-70-2	Calcium	25400	ug/L	D	[NULL]	[NULL]	S	B1MMP5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/27/2007 10:15	Y	16887-00-6	Chloride	59700	ug/L	D	[NULL]	[NULL]	S	B1MMP5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/27/2007 10:15	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMP5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/27/2007 10:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MMP5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/27/2007 10:15	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MMP5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/27/2007 10:15	Y	16984-48-8	Fluoride	32	ug/L	DU	[NULL]	[NULL]	S	B1MMP5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/27/2007 10:15	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1MMP5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/27/2007 10:15	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MMP5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/27/2007 10:15	Y	7439-95-4	Magnesium	4270	ug/L	D	[NULL]	[NULL]	S	B1MMP5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/27/2007 10:15	Y	7439-96-5	Manganese	766	ug/L	D	[NULL]	[NULL]	S	B1MMP5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/27/2007 10:15	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MMP5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/27/2007 10:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MMP5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/27/2007 10:15	Y	14797-55-8	Nitrate	146	ug/L	DU	[NULL]	[NULL]	S	B1MMP5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	3/27/2007 10:15	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1MMP5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/27/2007 10:15	Y	14265-44-2	Phosphate	656000	ug/L	D	[NULL]	[NULL]	S	B1MMP5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/27/2007 10:15	Y	7440-09-7	Potassium	3760	ug/L	D	[NULL]	[NULL]	S	B1MMP5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/27/2007 10:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MMP5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/27/2007 10:15	Y	7440-23-5	Sodium	477000	ug/L	D	[NULL]	[NULL]	S	B1MMP5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/27/2007 10:15	Y	7440-24-6	Strontium	332	ug/L	D	[NULL]	[NULL]	S	B1MMP5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/27/2007 10:15	Y	10098-97-2	Strontium-90	1300	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MMP5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-143	3/27/2007 10:15	Y	14808-79-8	Sulfate	8940	ug/L	D	[NULL]	[NULL]	S	B1MMP5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/27/2007 10:15	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MMP5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/27/2007 10:15	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MMP5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/28/2007 9:50	Y	7429-90-5	Aluminum	368	ug/L	CD	[NULL]	[NULL]	S	B1MMP7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/28/2007 9:50	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MMP7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/28/2007 9:50	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MMP7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/28/2007 9:50	Y	7440-39-3	Barium	29	ug/L	D	[NULL]	[NULL]	S	B1MMP7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/28/2007 9:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMP7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/28/2007 9:50	Y	7440-70-2	Calcium	30600	ug/L	D	[NULL]	[NULL]	S	B1MMP7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/28/2007 9:50	Y	16887-00-6	Chloride	66700	ug/L	D	[NULL]	[NULL]	S	B1MMP7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/28/2007 9:50	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMP7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/28/2007 9:50	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MMP7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/28/2007 9:50	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MMP7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/28/2007 9:50	Y	16984-48-8	Fluoride	145	ug/L	DU	[NULL]	[NULL]	S	B1MMP7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/28/2007 9:50	Y	7439-89-6	Iron	78.7	ug/L	CD	[NULL]	[NULL]	S	B1MMP7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/28/2007 9:50	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MMP7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/28/2007 9:50	Y	7439-95-4	Magnesium	4760	ug/L	D	[NULL]	[NULL]	S	B1MMP7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/28/2007 9:50	Y	7439-96-5	Manganese	884	ug/L	D	[NULL]	[NULL]	S	B1MMP7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/28/2007 9:50	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MMP7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/28/2007 9:50	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MMP7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/28/2007 9:50	Y	14797-55-8	Nitrate	974	ug/L	DU	[NULL]	[NULL]	S	B1MMP7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/28/2007 9:50	Y	14797-65-0	Nitrite	361	ug/L	DU	[NULL]	[NULL]	S	B1MMP7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/28/2007 9:50	Y	14265-44-2	Phosphate	696000	ug/L	D	[NULL]	[NULL]	S	B1MMP7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/28/2007 9:50	Y	7440-09-7	Potassium	4600	ug/L	D	[NULL]	[NULL]	S	B1MMP7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/28/2007 9:50	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MMP7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/28/2007 9:50	Y	7440-23-5	Sodium	541000	ug/L	D	[NULL]	[NULL]	S	B1MMP7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/28/2007 9:50	Y	7440-24-6	Strontium	359	ug/L	D	[NULL]	[NULL]	S	B1MMP7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/28/2007 9:50	Y	10098-97-2	Strontium-90	800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MMP7	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-143	3/28/2007 9:50	Y	14808-79-8	Sulfate	8670	ug/L	D	[NULL]	[NULL]	S	B1MMP7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/28/2007 9:50	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MMP7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/28/2007 9:50	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MMP7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/29/2007 8:45	Y	7429-90-5	Aluminum	196	ug/L	D	[NULL]	[NULL]	S	B1MMP9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/29/2007 8:45	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MMP9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/29/2007 8:45	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MMP9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/29/2007 8:45	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMP9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/29/2007 8:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMP9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/29/2007 8:45	Y	7440-70-2	Calcium	28300	ug/L	D	[NULL]	[NULL]	S	B1MMP9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/29/2007 8:45	Y	16887-00-6	Chloride	66200	ug/L	D	[NULL]	[NULL]	S	B1MMP9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/29/2007 8:45	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMP9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/29/2007 8:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MMP9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/29/2007 8:45	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MMP9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/29/2007 8:45	Y	16984-48-8	Fluoride	32	ug/L	DU	[NULL]	[NULL]	S	B1MMP9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/29/2007 8:45	Y	7439-89-6	Iron	135	ug/L	CD	[NULL]	[NULL]	S	B1MMP9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/29/2007 8:45	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MMP9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/29/2007 8:45	Y	7439-95-4	Magnesium	4220	ug/L	D	[NULL]	[NULL]	S	B1MMP9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/29/2007 8:45	Y	7439-96-5	Manganese	732	ug/L	D	[NULL]	[NULL]	S	B1MMP9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/29/2007 8:45	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MMP9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/29/2007 8:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MMP9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	3/29/2007 8:45	Y	14797-55-8	Nitrate	146	ug/L	DU	[NULL]	[NULL]	S	B1MMP9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/29/2007 8:45	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1MMP9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/29/2007 8:45	Y	14265-44-2	Phosphate	696000	ug/L	D	[NULL]	[NULL]	S	B1MMP9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/29/2007 8:45	Y	7440-09-7	Potassium	4750	ug/L	D	[NULL]	[NULL]	S	B1MMP9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/29/2007 8:45	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1MMP9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/29/2007 8:45	Y	7440-23-5	Sodium	539000	ug/L	D	[NULL]	[NULL]	S	B1MMP9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/29/2007 8:45	Y	7440-24-6	Strontium	334	ug/L	D	[NULL]	[NULL]	S	B1MMP9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/29/2007 8:45	Y	10098-97-2	Strontium-90	770	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MMP9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-143	3/29/2007 8:45	Y	14808-79-8	Sulfate	8620	ug/L	D	[NULL]	[NULL]	S	B1MMP9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/29/2007 8:45	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MMP9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/29/2007 8:45	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MMP9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/30/2007 8:48	Y	7429-90-5	Aluminum	217	ug/L	D	[NULL]	[NULL]	S	B1MMR1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/30/2007 8:48	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MMR1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/30/2007 8:48	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MMR1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/30/2007 8:48	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMR1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/30/2007 8:48	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMR1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/30/2007 8:48	Y	7440-70-2	Calcium	25300	ug/L	D	[NULL]	[NULL]	S	B1MMR1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/30/2007 8:48	Y	16887-00-6	Chloride	64800	ug/L	D	[NULL]	[NULL]	S	B1MMR1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/30/2007 8:48	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMR1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/30/2007 8:48	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MMR1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/30/2007 8:48	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MMR1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/30/2007 8:48	Y	16984-48-8	Fluoride	145	ug/L	DU	[NULL]	[NULL]	S	B1MMR1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/30/2007 8:48	Y	7439-89-6	Iron	193	ug/L	CD	[NULL]	[NULL]	S	B1MMR1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/30/2007 8:48	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MMR1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/30/2007 8:48	Y	7439-95-4	Magnesium	3700	ug/L	D	[NULL]	[NULL]	S	B1MMR1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/30/2007 8:48	Y	7439-96-5	Manganese	633	ug/L	D	[NULL]	[NULL]	S	B1MMR1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/30/2007 8:48	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MMR1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/30/2007 8:48	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MMR1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/30/2007 8:48	Y	14797-55-8	Nitrate	974	ug/L	DU	[NULL]	[NULL]	S	B1MMR1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/30/2007 8:48	Y	14797-65-0	Nitrite	361	ug/L	DU	[NULL]	[NULL]	S	B1MMR1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/30/2007 8:48	Y	14265-44-2	Phosphate	626000	ug/L	D	[NULL]	[NULL]	S	B1MMR1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/30/2007 8:48	Y	7440-09-7	Potassium	4720	ug/L	D	[NULL]	[NULL]	S	B1MMR1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/30/2007 8:48	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MMR1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/30/2007 8:48	Y	7440-23-5	Sodium	543000	ug/L	D	[NULL]	[NULL]	S	B1MMR1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/30/2007 8:48	Y	7440-24-6	Strontium	331	ug/L	D	[NULL]	[NULL]	S	B1MMR1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/30/2007 8:48	Y	10098-97-2	Strontium-90	500	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MMR1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-143	3/30/2007 8:48	Y	14808-79-8	Sulfate	7760	ug/L	D	[NULL]	[NULL]	S	B1MMR1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/30/2007 8:48	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MMR1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/30/2007 8:48	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MMR1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/31/2007 8:30	Y	7429-90-5	Aluminum	323	ug/L	CD	[NULL]	[NULL]	S	B1MMR3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/31/2007 8:30	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MMR3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/31/2007 8:30	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MMR3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/31/2007 8:30	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMR3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/31/2007 8:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMR3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/31/2007 8:30	Y	7440-70-2	Calcium	30900	ug/L	D	[NULL]	[NULL]	S	B1MMR3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/31/2007 8:30	Y	16887-00-6	Chloride	69400	ug/L	D	[NULL]	[NULL]	S	B1MMR3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/31/2007 8:30	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMR3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/31/2007 8:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MMR3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/31/2007 8:30	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MMR3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/31/2007 8:30	Y	16984-48-8	Fluoride	145	ug/L	DU	[NULL]	[NULL]	S	B1MMR3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/31/2007 8:30	Y	7439-89-6	Iron	315	ug/L	D	[NULL]	[NULL]	S	B1MMR3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/31/2007 8:30	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MMR3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/31/2007 8:30	Y	7439-95-4	Magnesium	4500	ug/L	D	[NULL]	[NULL]	S	B1MMR3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/31/2007 8:30	Y	7439-96-5	Manganese	883	ug/L	D	[NULL]	[NULL]	S	B1MMR3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/31/2007 8:30	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MMR3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	3/31/2007 8:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MMR3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/31/2007 8:30	Y	14797-55-8	Nitrate	974	ug/L	DU	[NULL]	[NULL]	S	B1MMR3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/31/2007 8:30	Y	14797-65-0	Nitrite	361	ug/L	DU	[NULL]	[NULL]	S	B1MMR3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/31/2007 8:30	Y	14265-44-2	Phosphate	656000	ug/L	D	[NULL]	[NULL]	S	B1MMR3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/31/2007 8:30	Y	7440-09-7	Potassium	5610	ug/L	D	[NULL]	[NULL]	S	B1MMR3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/31/2007 8:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MMR3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/31/2007 8:30	Y	7440-23-5	Sodium	574000	ug/L	D	[NULL]	[NULL]	S	B1MMR3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/31/2007 8:30	Y	7440-24-6	Strontium	349	ug/L	D	[NULL]	[NULL]	S	B1MMR3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/31/2007 8:30	Y	10098-97-2	Strontium-90	1100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MMR3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-143	3/31/2007 8:30	Y	14808-79-8	Sulfate	6390	ug/L	D	[NULL]	[NULL]	S	B1MMR3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	3/31/2007 8:30	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MMR3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	3/31/2007 8:30	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MMR3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/6/2007 9:00	Y	7439-98-7	Molybdenum	21.2	ug/L	D	[NULL]	[NULL]	S	B1MWP7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/6/2007 9:00	Y	10098-97-2	Strontium-90	440	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MWP7	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-143	4/13/2007 10:30	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1MWR9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/13/2007 10:30	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MWR9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/13/2007 10:30	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MWR9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/13/2007 10:30	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWR9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/13/2007 10:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWR9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/13/2007 10:30	Y	7440-70-2	Calcium	8730	ug/L	D	[NULL]	[NULL]	S	B1MWR9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/13/2007 10:30	Y	16887-00-6	Chloride	10800	ug/L	D	[NULL]	[NULL]	S	B1MWR9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	4/13/2007 10:30	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWR9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/13/2007 10:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MWR9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/13/2007 10:30	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MWR9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/13/2007 10:30	Y	16984-48-8	Fluoride	87	ug/L	X	[NULL]	[NULL]	S	B1MWR9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	4/13/2007 10:30	Y	7439-89-6	Iron	218	ug/L	D	[NULL]	[NULL]	S	B1MWR9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/13/2007 10:30	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MWR9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/13/2007 10:30	Y	7439-95-4	Magnesium	1680	ug/L	D	[NULL]	[NULL]	S	B1MWR9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/13/2007 10:30	Y	7439-96-5	Manganese	739	ug/L	D	[NULL]	[NULL]	S	B1MWR9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/13/2007 10:30	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MWR9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/13/2007 10:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MWR9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/13/2007 10:30	Y	14797-55-8	Nitrate	1000	ug/L	[NULL]	[NULL]	[NULL]	S	B1MWR9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	4/13/2007 10:30	Y	14797-65-0	Nitrite	42.7	ug/L	U	[NULL]	[NULL]	S	B1MWR9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	4/13/2007 10:30	Y	14265-44-2	Phosphate	116000	ug/L	D	[NULL]	[NULL]	S	B1MWR9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	4/13/2007 10:30	Y	7440-09-7	Potassium	1670	ug/L	D	[NULL]	[NULL]	S	B1MWR9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/13/2007 10:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MWR9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/13/2007 10:30	Y	7440-23-5	Sodium	135000	ug/L	D	[NULL]	[NULL]	S	B1MWR9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/13/2007 10:30	Y	7440-24-6	Strontium	89.7	ug/L	D	[NULL]	[NULL]	S	B1MWR9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/13/2007 10:30	Y	10098-97-2	Strontium-90	440	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MWR9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-143	4/13/2007 10:30	Y	14808-79-8	Sulfate	4930	ug/L	N	[NULL]	[NULL]	S	B1MWR9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	4/13/2007 10:30	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MWR9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/13/2007 10:30	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MWR9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/20/2007 8:56	Y	7429-90-5	Aluminum	229	ug/L	D	[NULL]	[NULL]	S	B1MWT6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/20/2007 8:56	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MWT6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/20/2007 8:56	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MWT6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/20/2007 8:56	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWT6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/20/2007 8:56	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWT6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/20/2007 8:56	Y	7440-70-2	Calcium	7740	ug/L	D	[NULL]	[NULL]	S	B1MWT6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/20/2007 8:56	Y	16887-00-6	Chloride	6790	ug/L	[NULL]	[NULL]	[NULL]	S	B1MWT6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	4/20/2007 8:56	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWT6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/20/2007 8:56	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MWT6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/20/2007 8:56	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MWT6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/20/2007 8:56	Y	16984-48-8	Fluoride	38	ug/L	B	[NULL]	[NULL]	S	B1MWT6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	4/20/2007 8:56	Y	7439-89-6	Iron	519	ug/L	D	[NULL]	[NULL]	S	B1MWT6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/20/2007 8:56	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MWT6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	4/20/2007 8:56	Y	7439-95-4	Magnesium	1510	ug/L	D	[NULL]	[NULL]	S	B1MWT6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/20/2007 8:56	Y	7439-96-5	Manganese	652	ug/L	D	[NULL]	[NULL]	S	B1MWT6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/20/2007 8:56	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MWT6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/20/2007 8:56	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MWT6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/20/2007 8:56	Y	14797-55-8	Nitrate	735	ug/L	[NULL]	[NULL]	[NULL]	S	B1MWT6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	4/20/2007 8:56	Y	14797-65-0	Nitrite	23	ug/L	U	[NULL]	[NULL]	S	B1MWT6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	4/20/2007 8:56	Y	14265-44-2	Phosphate	123000	ug/L	D	[NULL]	[NULL]	S	B1MWT6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	4/20/2007 8:56	Y	7440-09-7	Potassium	1370	ug/L	D	[NULL]	[NULL]	S	B1MWT6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/20/2007 8:56	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MWT6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/20/2007 8:56	Y	7440-23-5	Sodium	121000	ug/L	D	[NULL]	[NULL]	S	B1MWT6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/20/2007 8:56	Y	7440-24-6	Strontium	83.3	ug/L	D	[NULL]	[NULL]	S	B1MWT6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/20/2007 8:56	Y	10098-97-2	Strontium-90	380	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MWT6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-143	4/20/2007 8:56	Y	14808-79-8	Sulfate	4010	ug/L	[NULL]	[NULL]	[NULL]	S	B1MWT6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	4/20/2007 8:56	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MWT6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	4/20/2007 8:56	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MWT6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/4/2007 8:00	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NDV0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/4/2007 8:00	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NDV0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/4/2007 8:00	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NDV0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/4/2007 8:00	Y	7440-39-3	Barium	20	ug/L	D	[NULL]	[NULL]	S	B1NDV0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/4/2007 8:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NDV0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/4/2007 8:00	Y	7440-70-2	Calcium	8540	ug/L	D	[NULL]	[NULL]	S	B1NDV0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/4/2007 8:00	Y	16887-00-6	Chloride	6820	ug/L	[NULL]	[NULL]	[NULL]	S	B1NDV0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	5/4/2007 8:00	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NDV0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/4/2007 8:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NDV0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/4/2007 8:00	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NDV0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/4/2007 8:00	Y	16984-48-8	Fluoride	1840	ug/L	[NULL]	[NULL]	[NULL]	S	B1NDV0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	5/4/2007 8:00	Y	7439-89-6	Iron	1130	ug/L	D	[NULL]	[NULL]	S	B1NDV0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/4/2007 8:00	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NDV0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/4/2007 8:00	Y	7439-95-4	Magnesium	1620	ug/L	D	[NULL]	[NULL]	S	B1NDV0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/4/2007 8:00	Y	7439-96-5	Manganese	828	ug/L	D	[NULL]	[NULL]	S	B1NDV0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/4/2007 8:00	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NDV0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/4/2007 8:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NDV0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/4/2007 8:00	Y	14797-55-8	Nitrate	66.4	ug/L	B	[NULL]	[NULL]	S	B1NDV0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	5/4/2007 8:00	Y	14797-65-0	Nitrite	273	ug/L	[NULL]	[NULL]	[NULL]	S	B1NDV0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	5/4/2007 8:00	Y	14265-44-2	Phosphate	118000	ug/L	D	[NULL]	[NULL]	S	B1NDV0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	5/4/2007 8:00	Y	7440-09-7	Potassium	1780	ug/L	D	[NULL]	[NULL]	S	B1NDV0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/4/2007 8:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NDV0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/4/2007 8:00	Y	7440-23-5	Sodium	126000	ug/L	D	[NULL]	[NULL]	S	B1NDV0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/4/2007 8:00	Y	7440-24-6	Strontium	110	ug/L	D	[NULL]	[NULL]	S	B1NDV0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/4/2007 8:00	Y	10098-97-2	Strontium-90	450	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NDV0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-143	5/4/2007 8:00	Y	14808-79-8	Sulfate	296	ug/L	B	[NULL]	[NULL]	S	B1NDV0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	5/4/2007 8:00	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NDV0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/4/2007 8:00	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NDV0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/18/2007 7:40	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NJD6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/18/2007 7:40	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NJD6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/18/2007 7:40	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NJD6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/18/2007 7:40	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NJD6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/18/2007 7:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NJD6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/18/2007 7:40	Y	7440-70-2	Calcium	7800	ug/L	D	[NULL]	[NULL]	S	B1NJD6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/18/2007 7:40	Y	16887-00-6	Chloride	2930	ug/L	D	[NULL]	[NULL]	S	B1NJD6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	5/18/2007 7:40	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NJD6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/18/2007 7:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NJD6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/18/2007 7:40	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NJD6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/18/2007 7:40	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NJD6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	5/18/2007 7:40	Y	7439-89-6	Iron	99.8	ug/L	D	[NULL]	[NULL]	S	B1NJD6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	5/18/2007 7:40	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NJD6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/18/2007 7:40	Y	7439-95-4	Magnesium	1630	ug/L	D	[NULL]	[NULL]	S	B1NJD6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/18/2007 7:40	Y	7439-96-5	Manganese	160	ug/L	D	[NULL]	[NULL]	S	B1NJD6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/18/2007 7:40	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NJD6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/18/2007 7:40	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NJD6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/18/2007 7:40	Y	14797-55-8	Nitrate	2630	ug/L	D	[NULL]	[NULL]	S	B1NJD6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	5/18/2007 7:40	Y	14797-65-0	Nitrite	470	ug/L	BD	[NULL]	[NULL]	S	B1NJD6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	5/18/2007 7:40	Y	14265-44-2	Phosphate	44800	ug/L	D	[NULL]	[NULL]	S	B1NJD6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	5/18/2007 7:40	Y	7440-09-7	Potassium	1220	ug/L	D	[NULL]	[NULL]	S	B1NJD6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/18/2007 7:40	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NJD6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/18/2007 7:40	Y	7440-23-5	Sodium	57400	ug/L	D	[NULL]	[NULL]	S	B1NJD6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/18/2007 7:40	Y	7440-24-6	Strontium	65.9	ug/L	D	[NULL]	[NULL]	S	B1NJD6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/18/2007 7:40	Y	10098-97-2	Strontium-90	340	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NJD6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-143	5/18/2007 7:40	Y	14808-79-8	Sulfate	8330	ug/L	D	[NULL]	[NULL]	S	B1NJD6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	5/18/2007 7:40	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NJD6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	5/18/2007 7:40	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NJD6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/1/2007 10:10	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NJJ2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/1/2007 10:10	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NJJ2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/1/2007 10:10	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NJJ2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/1/2007 10:10	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NJJ2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/1/2007 10:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NJJ2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/1/2007 10:10	Y	7440-70-2	Calcium	7440	ug/L	D	[NULL]	[NULL]	S	B1NJJ2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/1/2007 10:10	Y	16887-00-6	Chloride	1640	ug/L	BD	[NULL]	[NULL]	S	B1NJJ2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	6/1/2007 10:10	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NJJ2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/1/2007 10:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NJJ2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/1/2007 10:10	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NJJ2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/1/2007 10:10	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NJJ2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	6/1/2007 10:10	Y	7439-89-6	Iron	205	ug/L	D	[NULL]	[NULL]	S	B1NJJ2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/1/2007 10:10	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NJJ2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/1/2007 10:10	Y	7439-95-4	Magnesium	1500	ug/L	D	[NULL]	[NULL]	S	B1NJJ2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/1/2007 10:10	Y	7439-96-5	Manganese	125	ug/L	D	[NULL]	[NULL]	S	B1NJJ2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/1/2007 10:10	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NJJ2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/1/2007 10:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NJJ2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/1/2007 10:10	Y	14797-55-8	Nitrate	2440	ug/L	D	[NULL]	[NULL]	S	B1NJJ2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	6/1/2007 10:10	Y	14797-65-0	Nitrite	434	ug/L	BD	[NULL]	[NULL]	S	B1NJJ2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	6/1/2007 10:10	Y	14265-44-2	Phosphate	44200	ug/L	D	[NULL]	[NULL]	S	B1NJJ2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	6/1/2007 10:10	Y	7440-09-7	Potassium	1240	ug/L	D	[NULL]	[NULL]	S	B1NJJ2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/1/2007 10:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NJJ2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/1/2007 10:10	Y	7440-23-5	Sodium	55500	ug/L	D	[NULL]	[NULL]	S	B1NJJ2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/1/2007 10:10	Y	7440-24-6	Strontium	60	ug/L	D	[NULL]	[NULL]	S	B1NJJ2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/1/2007 10:10	Y	10098-97-2	Strontium-90	410	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NJJ2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-143	6/1/2007 10:10	Y	14808-79-8	Sulfate	6980	ug/L	D	[NULL]	[NULL]	S	B1NJJ2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	6/1/2007 10:10	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NJJ2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/1/2007 10:10	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NJJ2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/15/2007 7:12	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVL9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/15/2007 7:12	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVL9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/15/2007 7:12	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVL9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/15/2007 7:12	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/15/2007 7:12	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/15/2007 7:12	Y	7440-70-2	Calcium	11900	ug/L	D	[NULL]	[NULL]	S	B1NVL9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/15/2007 7:12	Y	16887-00-6	Chloride	11400	ug/L	D	[NULL]	[NULL]	S	B1NVL9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	6/15/2007 7:12	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/15/2007 7:12	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/15/2007 7:12	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/15/2007 7:12	Y	16984-48-8	Fluoride	33	ug/L	DNU	[NULL]	[NULL]	S	B1NVL9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	6/15/2007 7:12	Y	7439-89-6	Iron	425	ug/L	CD	[NULL]	[NULL]	S	B1NVL9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/15/2007 7:12	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVL9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/15/2007 7:12	Y	7439-95-4	Magnesium	2060	ug/L	CD	[NULL]	[NULL]	S	B1NVL9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/15/2007 7:12	Y	7439-96-5	Manganese	552	ug/L	D	[NULL]	[NULL]	S	B1NVL9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/15/2007 7:12	Y	7439-98-7	Molybdenum	22.5	ug/L	D	[NULL]	[NULL]	S	B1NVL9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/15/2007 7:12	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/15/2007 7:12	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVL9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	6/15/2007 7:12	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVL9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	6/15/2007 7:12	Y	14265-44-2	Phosphate	107000	ug/L	D	[NULL]	[NULL]	S	B1NVL9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	6/15/2007 7:12	Y	7440-09-7	Potassium	1950	ug/L	D	[NULL]	[NULL]	S	B1NVL9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/15/2007 7:12	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVL9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/15/2007 7:12	Y	7440-23-5	Sodium	106000	ug/L	D	[NULL]	[NULL]	S	B1NVL9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/15/2007 7:12	Y	7440-24-6	Strontium	81.5	ug/L	D	[NULL]	[NULL]	S	B1NVL9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/15/2007 7:12	Y	10098-97-2	Strontium-90	780	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVL9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-143	6/15/2007 7:12	Y	14808-79-8	Sulfate	3710	ug/L	D	[NULL]	[NULL]	S	B1NVL9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	6/15/2007 7:12	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVL9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/15/2007 7:12	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVL9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2007 9:10	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P440	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2007 9:10	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P440	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2007 9:10	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P440	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2007 9:10	Y	7440-39-3	Barium	34	ug/L	D	[NULL]	[NULL]	S	B1P440	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2007 9:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P440	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2007 9:10	Y	7440-70-2	Calcium	18800	ug/L	D	[NULL]	[NULL]	S	B1P440	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2007 9:10	Y	16887-00-6	Chloride	21200	ug/L	D	[NULL]	[NULL]	S	B1P440	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/20/2007 9:10	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P440	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2007 9:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P440	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2007 9:10	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P440	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2007 9:10	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P440	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/20/2007 9:10	Y	7439-89-6	Iron	80.1	ug/L	CD	[NULL]	[NULL]	S	B1P440	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2007 9:10	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P440	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2007 9:10	Y	7439-95-4	Magnesium	3640	ug/L	D	[NULL]	[NULL]	S	B1P440	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2007 9:10	Y	7439-96-5	Manganese	359	ug/L	D	[NULL]	[NULL]	S	B1P440	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2007 9:10	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1P440	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2007 9:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P440	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2007 9:10	Y	14797-55-8	Nitrate	3680	ug/L	D	[NULL]	[NULL]	S	B1P440	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/20/2007 9:10	Y	14797-65-0	Nitrite	1250	ug/L	BD	[NULL]	[NULL]	S	B1P440	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/20/2007 9:10	Y	14265-44-2	Phosphate	42000	ug/L	D	[NULL]	[NULL]	S	B1P440	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/20/2007 9:10	Y	7440-09-7	Potassium	2000	ug/L	D	[NULL]	[NULL]	S	B1P440	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2007 9:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P440	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2007 9:10	Y	7440-23-5	Sodium	113000	ug/L	D	[NULL]	[NULL]	S	B1P440	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2007 9:10	Y	7440-24-6	Strontium	132	ug/L	D	[NULL]	[NULL]	S	B1P440	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2007 9:10	Y	10098-97-2	Strontium-90	1600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P440	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-143	7/20/2007 9:10	Y	14808-79-8	Sulfate	11300	ug/L	D	[NULL]	[NULL]	S	B1P440	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/20/2007 9:10	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P440	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2007 9:10	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P440	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2007 9:10	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P441	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2007 9:10	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P441	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2007 9:10	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P441	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2007 9:10	Y	7440-39-3	Barium	20	ug/L	D	[NULL]	[NULL]	S	B1P441	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2007 9:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P441	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2007 9:10	Y	7440-70-2	Calcium	15400	ug/L	D	[NULL]	[NULL]	S	B1P441	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2007 9:10	Y	16887-00-6	Chloride	13300	ug/L	D	[NULL]	[NULL]	S	B1P441	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/27/2007 9:10	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P441	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2007 9:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P441	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2007 9:10	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P441	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	7/27/2007 9:10	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P441	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/27/2007 9:10	Y	7439-89-6	Iron	47	ug/L	DN	[NULL]	[NULL]	S	B1P441	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2007 9:10	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P441	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2007 9:10	Y	7439-95-4	Magnesium	2760	ug/L	D	[NULL]	[NULL]	S	B1P441	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2007 9:10	Y	7439-96-5	Manganese	193	ug/L	D	[NULL]	[NULL]	S	B1P441	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2007 9:10	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1P441	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2007 9:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P441	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2007 9:10	Y	14797-55-8	Nitrate	27300	ug/L	D	[NULL]	[NULL]	S	B1P441	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/27/2007 9:10	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P441	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/27/2007 9:10	Y	14265-44-2	Phosphate	37100	ug/L	D	[NULL]	[NULL]	S	B1P441	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/27/2007 9:10	Y	7440-09-7	Potassium	2340	ug/L	D	[NULL]	[NULL]	S	B1P441	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2007 9:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P441	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2007 9:10	Y	7440-23-5	Sodium	86000	ug/L	D	[NULL]	[NULL]	S	B1P441	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2007 9:10	Y	7440-24-6	Strontium	101	ug/L	D	[NULL]	[NULL]	S	B1P441	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2007 9:10	Y	10098-97-2	Strontium-90	1000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P441	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-143	7/27/2007 9:10	Y	14808-79-8	Sulfate	11800	ug/L	D	[NULL]	[NULL]	S	B1P441	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/27/2007 9:10	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P441	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2007 9:10	Y	7440-66-6	Zinc	20.2	ug/L	D	[NULL]	[NULL]	S	B1P441	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/3/2007 9:00	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P442	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/3/2007 9:00	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P442	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/3/2007 9:00	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P442	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/3/2007 9:00	Y	7440-39-3	Barium	39	ug/L	D	[NULL]	[NULL]	S	B1P442	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/3/2007 9:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P442	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/3/2007 9:00	Y	7440-70-2	Calcium	21400	ug/L	D	[NULL]	[NULL]	S	B1P442	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/3/2007 9:00	Y	16887-00-6	Chloride	17300	ug/L	D	[NULL]	[NULL]	S	B1P442	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	8/3/2007 9:00	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P442	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/3/2007 9:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P442	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/3/2007 9:00	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P442	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/3/2007 9:00	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P442	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	8/3/2007 9:00	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1P442	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/3/2007 9:00	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P442	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/3/2007 9:00	Y	7439-95-4	Magnesium	3870	ug/L	D	[NULL]	[NULL]	S	B1P442	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/3/2007 9:00	Y	7439-96-5	Manganese	107	ug/L	D	[NULL]	[NULL]	S	B1P442	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/3/2007 9:00	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1P442	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/3/2007 9:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P442	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/3/2007 9:00	Y	14797-55-8	Nitrate	7750	ug/L	D	[NULL]	[NULL]	S	B1P442	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	8/3/2007 9:00	Y	14797-65-0	Nitrite	792	ug/L	BD	[NULL]	[NULL]	S	B1P442	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	8/3/2007 9:00	Y	14265-44-2	Phosphate	34000	ug/L	D	[NULL]	[NULL]	S	B1P442	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	8/3/2007 9:00	Y	7440-09-7	Potassium	2090	ug/L	D	[NULL]	[NULL]	S	B1P442	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/3/2007 9:00	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1P442	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/3/2007 9:00	Y	7440-23-5	Sodium	95000	ug/L	D	[NULL]	[NULL]	S	B1P442	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/3/2007 9:00	Y	7440-24-6	Strontium	130	ug/L	D	[NULL]	[NULL]	S	B1P442	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/3/2007 9:00	Y	10098-97-2	Strontium-90	1700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P442	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-143	8/3/2007 9:00	Y	14808-79-8	Sulfate	12400	ug/L	D	[NULL]	[NULL]	S	B1P442	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	8/3/2007 9:00	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P442	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/3/2007 9:00	Y	7440-66-6	Zinc	31.8	ug/L	D	[NULL]	[NULL]	S	B1P442	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/10/2007 10:40	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P443	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/10/2007 10:40	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P443	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/10/2007 10:40	Y	7440-38-2	Arsenic	348	ug/L	D	[NULL]	[NULL]	S	B1P443	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/10/2007 10:40	Y	7440-39-3	Barium	62	ug/L	CD	[NULL]	[NULL]	S	B1P443	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/10/2007 10:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P443	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/10/2007 10:40	Y	7440-70-2	Calcium	26000	ug/L	D	[NULL]	[NULL]	S	B1P443	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/10/2007 10:40	Y	16887-00-6	Chloride	22100	ug/L	D	[NULL]	[NULL]	S	B1P443	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	8/10/2007 10:40	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P443	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/10/2007 10:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P443	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	8/10/2007 10:40	Y	7440-50-8	Copper	58	ug/L	CD	[NULL]	[NULL]	S	B1P443	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/10/2007 10:40	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P443	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	8/10/2007 10:40	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1P443	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/10/2007 10:40	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P443	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/10/2007 10:40	Y	7439-95-4	Magnesium	4780	ug/L	D	[NULL]	[NULL]	S	B1P443	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/10/2007 10:40	Y	7439-96-5	Manganese	49	ug/L	D	[NULL]	[NULL]	S	B1P443	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/10/2007 10:40	Y	7439-98-7	Molybdenum	79.3	ug/L	CD	[NULL]	[NULL]	S	B1P443	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/10/2007 10:40	Y	7440-02-0	Nickel	87.6	ug/L	CD	[NULL]	[NULL]	S	B1P443	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/10/2007 10:40	Y	14797-55-8	Nitrate	3120	ug/L	D	[NULL]	[NULL]	S	B1P443	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	8/10/2007 10:40	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P443	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	8/10/2007 10:40	Y	14265-44-2	Phosphate	28100	ug/L	D	[NULL]	[NULL]	S	B1P443	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	8/10/2007 10:40	Y	7440-09-7	Potassium	2740	ug/L	CD	[NULL]	[NULL]	S	B1P443	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/10/2007 10:40	Y	7440-22-4	Silver	154	ug/L	CDN	[NULL]	[NULL]	S	B1P443	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/10/2007 10:40	Y	7440-23-5	Sodium	91800	ug/L	D	[NULL]	[NULL]	S	B1P443	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/10/2007 10:40	Y	7440-24-6	Strontium	143	ug/L	D	[NULL]	[NULL]	S	B1P443	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/10/2007 10:40	Y	10098-97-2	Strontium-90	2400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P443	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-143	8/10/2007 10:40	Y	14808-79-8	Sulfate	15300	ug/L	D	[NULL]	[NULL]	S	B1P443	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	8/10/2007 10:40	Y	7440-62-2	Vanadium	103	ug/L	CD	[NULL]	[NULL]	S	B1P443	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/10/2007 10:40	Y	7440-66-6	Zinc	165	ug/L	CD	[NULL]	[NULL]	S	B1P443	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/9/2007 10:35	Y	16887-00-6	Chloride	69000	ug/L	D	[NULL]	[NULL]	S	B1WWT4	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	9/9/2007 10:35	Y	DO	Dissolved oxygen	1010	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWT4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	9/9/2007 10:35	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWT4	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	9/9/2007 10:35	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWT4	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	9/9/2007 10:35	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWT4	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	9/9/2007 10:35	Y	EH	Oxidation Reduction Potential	-165	mV	[NULL]	[NULL]	[NULL]	S	B1WWT4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	9/9/2007 10:35	Y	14265-44-2	Phosphate	1080000	ug/L	D	[NULL]	[NULL]	S	B1WWT4	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	9/9/2007 10:35	Y	CONDUCT	Specific Conductance	2766	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WWT4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	9/9/2007 10:35	Y	14808-79-8	Sulfate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWT4	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	9/9/2007 10:35	Y	TEMPERATURE	Temperature	16.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1WWT4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	9/9/2007 10:35	Y	PH	pH Measurement	7.09	unitless	[NULL]	[NULL]	[NULL]	S	B1WWT4	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	9/19/2007 10:37	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1PMV2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/19/2007 10:37	Y	7440-36-0	Antimony	32	ug/L	U	G	[NULL]	S	B1PMV2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/19/2007 10:37	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1PMV2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/19/2007 10:37	Y	7440-39-3	Barium	44.6	ug/L	[NULL]	G	[NULL]	S	B1PMV2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/19/2007 10:37	Y	7440-43-9	Cadmium	4	ug/L	U	G	[NULL]	S	B1PMV2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/19/2007 10:37	Y	7440-70-2	Calcium	26500	ug/L	D	[NULL]	[NULL]	S	B1PMV2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/19/2007 10:37	Y	16887-00-6	Chloride	26500	ug/L	D	[NULL]	[NULL]	S	B1PMV2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	9/19/2007 10:37	Y	7440-47-3	Chromium	5.6	ug/L	C	G	[NULL]	S	B1PMV2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/19/2007 10:37	Y	7440-48-4	Cobalt	4	ug/L	U	G	[NULL]	S	B1PMV2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/19/2007 10:37	Y	7440-50-8	Copper	4	ug/L	U	G	[NULL]	S	B1PMV2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/19/2007 10:37	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1PMV2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	9/19/2007 10:37	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1PMV2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/19/2007 10:37	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1PMV2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/19/2007 10:37	Y	7439-95-4	Magnesium	5260	ug/L	D	[NULL]	[NULL]	S	B1PMV2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/19/2007 10:37	Y	7439-96-5	Manganese	80	ug/L	CD	[NULL]	[NULL]	S	B1PMV2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/19/2007 10:37	Y	7439-98-7	Molybdenum	62.6	ug/L	CD	[NULL]	[NULL]	S	B1PMV2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/19/2007 10:37	Y	7440-02-0	Nickel	4	ug/L	U	G	[NULL]	S	B1PMV2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/19/2007 10:37	Y	14797-55-8	Nitrate	9650	ug/L	D	[NULL]	[NULL]	S	B1PMV2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	9/19/2007 10:37	Y	14797-65-0	Nitrite	526	ug/L	BD	[NULL]	[NULL]	S	B1PMV2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	9/19/2007 10:37	Y	14265-44-2	Phosphate	21200	ug/L	D	[NULL]	[NULL]	S	B1PMV2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	9/19/2007 10:37	Y	7440-09-7	Potassium	2440	ug/L	D	[NULL]	[NULL]	S	B1PMV2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/19/2007 10:37	Y	7440-22-4	Silver	5	ug/L	U	G	[NULL]	S	B1PMV2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/19/2007 10:37	Y	7440-23-5	Sodium	97200	ug/L	D	[NULL]	[NULL]	S	B1PMV2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/19/2007 10:37	Y	7440-24-6	Strontium	143	ug/L	D	[NULL]	[NULL]	S	B1PMV2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	9/19/2007 10:37	Y	10098-97-2	Strontium-90	2700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1PMV2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-143	9/19/2007 10:37	Y	14808-79-8	Sulfate	24200	ug/L	D	[NULL]	[NULL]	S	B1PMV2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	9/19/2007 10:37	Y	7440-62-2	Vanadium	11	ug/L	C	G	[NULL]	S	B1PMV2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/19/2007 10:37	Y	7440-66-6	Zinc	4	ug/L	U	G	[NULL]	S	B1PMV2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/19/2007 9:53	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1R4L8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/19/2007 9:53	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1R4L8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/19/2007 9:53	Y	7440-38-2	Arsenic	250	ug/L	DNU	[NULL]	[NULL]	S	B1R4L8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/19/2007 9:53	Y	7440-39-3	Barium	44	ug/L	D	[NULL]	[NULL]	S	B1R4L8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/19/2007 9:53	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1R4L8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/19/2007 9:53	Y	7440-70-2	Calcium	22100	ug/L	D	[NULL]	[NULL]	S	B1R4L8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/19/2007 9:53	Y	16887-00-6	Chloride	10500	ug/L	D	[NULL]	[NULL]	S	B1R4L8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	10/19/2007 9:53	Y	7440-47-3	Chromium	92.8	ug/L	CD	[NULL]	[NULL]	S	B1R4L8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/19/2007 9:53	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1R4L8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/19/2007 9:53	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1R4L8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/19/2007 9:53	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1R4L8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	10/19/2007 9:53	Y	7439-89-6	Iron	120	ug/L	CD	[NULL]	[NULL]	S	B1R4L8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/19/2007 9:53	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1R4L8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/19/2007 9:53	Y	7439-95-4	Magnesium	4350	ug/L	D	[NULL]	[NULL]	S	B1R4L8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/19/2007 9:53	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1R4L8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/19/2007 9:53	Y	7439-98-7	Molybdenum	48.9	ug/L	CD	[NULL]	[NULL]	S	B1R4L8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/19/2007 9:53	Y	7440-02-0	Nickel	23	ug/L	CD	[NULL]	[NULL]	S	B1R4L8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/19/2007 9:53	Y	14797-55-8	Nitrate	74400	ug/L	D	[NULL]	[NULL]	S	B1R4L8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	10/19/2007 9:53	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1R4L8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	10/19/2007 9:53	Y	14265-44-2	Phosphate	17700	ug/L	D	[NULL]	[NULL]	S	B1R4L8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	10/19/2007 9:53	Y	7440-09-7	Potassium	2120	ug/L	D	[NULL]	[NULL]	S	B1R4L8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/19/2007 9:53	Y	7440-22-4	Silver	104	ug/L	CD	[NULL]	[NULL]	S	B1R4L8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/19/2007 9:53	Y	7440-23-5	Sodium	62500	ug/L	D	[NULL]	[NULL]	S	B1R4L8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/19/2007 9:53	Y	7440-24-6	Strontium	126	ug/L	D	[NULL]	[NULL]	S	B1R4L8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/19/2007 9:53	Y	10098-97-2	Strontium-90	2000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1R4L8	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-143	10/19/2007 9:53	Y	14808-79-8	Sulfate	18600	ug/L	D	[NULL]	[NULL]	S	B1R4L8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	10/19/2007 9:53	Y	7440-62-2	Vanadium	58	ug/L	D	[NULL]	[NULL]	S	B1R4L8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/19/2007 9:53	Y	7440-66-6	Zinc	79.4	ug/L	CD	[NULL]	[NULL]	S	B1R4L8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	11/14/2007 10:58	Y	7429-90-5	Aluminum	30	ug/L	U	[NULL]	[NULL]	S	B1R902	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	11/14/2007 10:58	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	S	B1R902	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	11/14/2007 10:58	Y	7440-38-2	Arsenic	71	ug/L	C	[NULL]	[NULL]	S	B1R902	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	11/14/2007 10:58	Y	7440-39-3	Barium	20	ug/L	C	[NULL]	[NULL]	S	B1R902	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	11/14/2007 10:58	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1R902	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	11/14/2007 10:58	Y	7440-70-2	Calcium	15500	ug/L	[NULL]	[NULL]	[NULL]	S	B1R902	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	11/14/2007 10:58	Y	16887-00-6	Chloride	3140	ug/L	D	[NULL]	[NULL]	S	B1R902	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	11/14/2007 10:58	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	S	B1R902	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	11/14/2007 10:58	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1R902	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	11/14/2007 10:58	Y	7440-50-8	Copper	9	ug/L	C	[NULL]	[NULL]	S	B1R902	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	11/14/2007 10:58	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1R902	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	11/14/2007 10:58	Y	7439-89-6	Iron	9	ug/L	U	[NULL]	[NULL]	S	B1R902	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	11/14/2007 10:58	Y	7439-92-1	Lead	27	ug/L	U	[NULL]	[NULL]	S	B1R902	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	11/14/2007 10:58	Y	7439-95-4	Magnesium	3120	ug/L	[NULL]	[NULL]	[NULL]	S	B1R902	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	11/14/2007 10:58	Y	7439-96-5	Manganese	29	ug/L	C	[NULL]	[NULL]	S	B1R902	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	11/14/2007 10:58	Y	7439-98-7	Molybdenum	9.4	ug/L	C	[NULL]	[NULL]	S	B1R902	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	11/14/2007 10:58	Y	7440-02-0	Nickel	15.8	ug/L	C	[NULL]	[NULL]	S	B1R902	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	11/14/2007 10:58	Y	14797-55-8	Nitrate	20500	ug/L	D	[NULL]	[NULL]	S	B1R902	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	11/14/2007 10:58	Y	14797-65-0	Nitrite	197	ug/L	BD	[NULL]	[NULL]	S	B1R902	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	11/14/2007 10:58	Y	14265-44-2	Phosphate	9970	ug/L	D	[NULL]	[NULL]	S	B1R902	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	11/14/2007 10:58	Y	7440-09-7	Potassium	1120	ug/L	[NULL]	[NULL]	[NULL]	S	B1R902	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	11/14/2007 10:58	Y	7440-22-4	Silver	23	ug/L	C	[NULL]	[NULL]	S	B1R902	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	11/14/2007 10:58	Y	7440-23-5	Sodium	24300	ug/L	[NULL]	[NULL]	[NULL]	S	B1R902	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	11/14/2007 10:58	Y	7440-24-6	Strontium	80.6	ug/L	[NULL]	[NULL]	[NULL]	S	B1R902	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	11/14/2007 10:58	Y	10098-97-2	Strontium-90	1400	pCi/L	[NULL]	[NULL]	[NULL]	S	B1R902	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-143	11/14/2007 10:58	Y	14808-79-8	Sulfate	12200	ug/L	D	[NULL]	[NULL]	S	B1R902	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	11/14/2007 10:58	Y	7440-62-2	Vanadium	20	ug/L	C	[NULL]	[NULL]	S	B1R902	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	11/14/2007 10:58	Y	7440-66-6	Zinc	20.3	ug/L	C	[NULL]	[NULL]	S	B1R902	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/3/2008 12:50	Y	7429-90-5	Aluminum	30	ug/L	U	[NULL]	[NULL]	S	B1VJP7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/3/2008 12:50	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	S	B1VJP7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/3/2008 12:50	Y	7440-38-2	Arsenic	50	ug/L	U	[NULL]	[NULL]	S	B1VJP7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/3/2008 12:50	Y	7440-39-3	Barium	18	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/3/2008 12:50	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1VJP7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/3/2008 12:50	Y	7440-70-2	Calcium	16100	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/3/2008 12:50	Y	16887-00-6	Chloride	2480	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	6/3/2008 12:50	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	S	B1VJP7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/3/2008 12:50	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1VJP7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/3/2008 12:50	Y	7440-50-8	Copper	14	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/3/2008 12:50	Y	16984-48-8	Fluoride	34	ug/L	B	[NULL]	[NULL]	S	B1VJP7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	6/3/2008 12:50	Y	12587-46-1	Gross alpha	-0.81	pCi/L	U	[NULL]	[NULL]	S	B1VJP7	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-143	6/3/2008 12:50	Y	12587-47-2	Gross beta	1700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VJP7	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-143	6/3/2008 12:50	Y	7439-89-6	Iron	19.4	ug/L	C	[NULL]	[NULL]	S	B1VJP7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/3/2008 12:50	Y	7439-92-1	Lead	27	ug/L	U	[NULL]	[NULL]	S	B1VJP7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/3/2008 12:50	Y	7439-95-4	Magnesium	3230	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/3/2008 12:50	Y	7439-96-5	Manganese	5	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/3/2008 12:50	Y	7439-98-7	Molybdenum	4	ug/L	U	[NULL]	[NULL]	S	B1VJP7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/3/2008 12:50	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B1VJP7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/3/2008 12:50	Y	14797-55-8	Nitrate	2350	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	6/3/2008 12:50	Y	14797-65-0	Nitrite	65.7	ug/L	B	[NULL]	[NULL]	S	B1VJP7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	6/3/2008 12:50	Y	14265-44-2	Phosphate	27300	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	6/3/2008 12:50	Y	7440-09-7	Potassium	1070	ug/L	C	[NULL]	[NULL]	S	B1VJP7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/3/2008 12:50	Y	7440-22-4	Silver	6	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/3/2008 12:50	Y	7440-23-5	Sodium	25600	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/3/2008 12:50	Y	7440-24-6	Strontium	83.7	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/3/2008 12:50	Y	14808-79-8	Sulfate	12300	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	6/3/2008 12:50	Y	7440-62-2	Vanadium	8	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/3/2008 12:50	Y	7440-66-6	Zinc	10	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJP7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/29/2008 7:17	Y	7429-90-5	Aluminum	749	ug/L	D	[NULL]	[NULL]	S	B1W662	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/29/2008 7:17	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W662	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/29/2008 7:17	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W662	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/29/2008 7:17	Y	7440-39-3	Barium	49	ug/L	D	[NULL]	[NULL]	S	B1W662	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/29/2008 7:17	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W662	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/29/2008 7:17	Y	7440-70-2	Calcium	55500	ug/L	DN	[NULL]	[NULL]	S	B1W662	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/29/2008 7:17	Y	16887-00-6	Chloride	57500	ug/L	D	[NULL]	[NULL]	S	B1W662	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	6/29/2008 7:17	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W662	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/29/2008 7:17	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W662	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/29/2008 7:17	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W662	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/29/2008 7:17	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W662	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	6/29/2008 7:17	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1W662	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/29/2008 7:17	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W662	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/29/2008 7:17	Y	7439-95-4	Magnesium	11700	ug/L	D	[NULL]	[NULL]	S	B1W662	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/29/2008 7:17	Y	7439-96-5	Manganese	2390	ug/L	D	[NULL]	[NULL]	S	B1W662	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/29/2008 7:17	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W662	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/29/2008 7:17	Y	7440-02-0	Nickel	47.4	ug/L	D	[NULL]	[NULL]	S	B1W662	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/29/2008 7:17	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W662	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	6/29/2008 7:17	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W662	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	6/29/2008 7:17	Y	14265-44-2	Phosphate	368000	ug/L	D	[NULL]	[NULL]	S	B1W662	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	6/29/2008 7:17	Y	7440-09-7	Potassium	2760	ug/L	D	[NULL]	[NULL]	S	B1W662	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	6/29/2008 7:17	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W662	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/29/2008 7:17	Y	7440-23-5	Sodium	253000	ug/L	D	[NULL]	[NULL]	S	B1W662	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/29/2008 7:17	Y	7440-24-6	Strontium	248	ug/L	D	[NULL]	[NULL]	S	B1W662	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/29/2008 7:17	Y	14808-79-8	Sulfate	8760	ug/L	BD	[NULL]	[NULL]	S	B1W662	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	6/29/2008 7:17	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W662	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	6/29/2008 7:17	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W662	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/4/2008 9:50	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VWR7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/4/2008 9:50	Y	7440-36-0	Antimony	280	ug/L	DNU	[NULL]	[NULL]	S	B1VWR7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/4/2008 9:50	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VWR7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/4/2008 9:50	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWR7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/4/2008 9:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWR7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/4/2008 9:50	Y	7440-70-2	Calcium	14900	ug/L	DN	[NULL]	[NULL]	S	B1VWR7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/4/2008 9:50	Y	16887-00-6	Chloride	338000	ug/L	D	[NULL]	[NULL]	S	B1VWR7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/4/2008 9:50	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VWR7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/4/2008 9:50	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VWR7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/4/2008 9:50	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VWR7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/4/2008 9:50	Y	DO	Dissolved oxygen	730	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWN4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	7/4/2008 9:50	Y	16984-48-8	Fluoride	420	ug/L	DU	[NULL]	[NULL]	S	B1VWR7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/4/2008 9:50	Y	12587-46-1	Gross alpha	25	pCi/L	U	[NULL]	[NULL]	S	B1VWN4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-143	7/4/2008 9:50	Y	12587-47-2	Gross beta	8.2	pCi/L	U	[NULL]	[NULL]	S	B1VWN4	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-143	7/4/2008 9:50	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VWR7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/4/2008 9:50	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VWR7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/4/2008 9:50	Y	7439-95-4	Magnesium	4840	ug/L	D	[NULL]	[NULL]	S	B1VWR7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/4/2008 9:50	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VWR7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/4/2008 9:50	Y	7439-98-7	Molybdenum	25	ug/L	DNU	[NULL]	[NULL]	S	B1VWR7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/4/2008 9:50	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VWR7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/4/2008 9:50	Y	14797-55-8	Nitrate	3190	ug/L	DU	[NULL]	[NULL]	S	B1VWR7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/4/2008 9:50	Y	14797-65-0	Nitrite	650	ug/L	DU	[NULL]	[NULL]	S	B1VWR7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/4/2008 9:50	Y	EH	Oxidation Reduction Potential	-138	mV	[NULL]	[NULL]	[NULL]	S	B1VWN4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	7/4/2008 9:50	Y	14265-44-2	Phosphate	3310000	ug/L	D	[NULL]	[NULL]	S	B1VWR7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/4/2008 9:50	Y	7440-09-7	Potassium	13600	ug/L	D	[NULL]	[NULL]	S	B1VWR7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/4/2008 9:50	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VWR7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/4/2008 9:50	Y	7440-23-5	Sodium	2210000	ug/L	D	[NULL]	[NULL]	S	B1VWR7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/4/2008 9:50	Y	CONDUCT	Specific Conductance	8695	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWN4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	7/4/2008 9:50	Y	7440-24-6	Strontium	464	ug/L	D	[NULL]	[NULL]	S	B1VWR7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/4/2008 9:50	Y	14808-79-8	Sulfate	14200	ug/L	BD	[NULL]	[NULL]	S	B1VWR7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/4/2008 9:50	Y	TEMPERATURE	Temperature	21.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWN4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	7/4/2008 9:50	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VWR7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/4/2008 9:50	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VWR7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/4/2008 9:50	Y	PH	pH Measurement	6.98	unitless	[NULL]	[NULL]	[NULL]	S	B1VWN4	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	7/5/2008 6:20	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VWY9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/5/2008 6:20	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VWY9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/5/2008 6:20	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VWY9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/5/2008 6:20	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWY9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/5/2008 6:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWY9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/5/2008 6:20	Y	7440-70-2	Calcium	20700	ug/L	D	[NULL]	[NULL]	S	B1VWY9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/5/2008 6:20	Y	16887-00-6	Chloride	326000	ug/L	DN	[NULL]	[NULL]	S	B1VWY9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/5/2008 6:20	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VWY9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/5/2008 6:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VWY9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/5/2008 6:20	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VWY9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/5/2008 6:20	Y	DO	Dissolved oxygen	350	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWX4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	7/5/2008 6:20	Y	16984-48-8	Fluoride	420	ug/L	DU	[NULL]	[NULL]	S	B1VWY9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/5/2008 6:20	Y	12587-46-1	Gross alpha	10	pCi/L	U	[NULL]	[NULL]	S	B1VWX4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-143	7/5/2008 6:20	Y	12587-47-2	Gross beta	48	pCi/L	U	[NULL]	[NULL]	S	B1VWX4	12587-47-2	WSCF	BETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	7/5/2008 6:20	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VWY9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/5/2008 6:20	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VWY9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/5/2008 6:20	Y	7439-95-4	Magnesium	6180	ug/L	D	[NULL]	[NULL]	S	B1VWY9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/5/2008 6:20	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VWY9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/5/2008 6:20	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VWY9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/5/2008 6:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VWY9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/5/2008 6:20	Y	14797-55-8	Nitrate	3190	ug/L	DU	[NULL]	[NULL]	S	B1VWY9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/5/2008 6:20	Y	14797-65-0	Nitrite	650	ug/L	DU	[NULL]	[NULL]	S	B1VWY9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/5/2008 6:20	Y	EH	Oxidation Reduction Potential	-208	mV	[NULL]	[NULL]	[NULL]	S	B1VWX4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	7/5/2008 6:20	Y	14265-44-2	Phosphate	2970000	ug/L	D	[NULL]	[NULL]	S	B1VWY9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/5/2008 6:20	Y	7440-09-7	Potassium	19400	ug/L	D	[NULL]	[NULL]	S	B1VWY9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/5/2008 6:20	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VWY9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/5/2008 6:20	Y	7440-23-5	Sodium	2870000	ug/L	D	[NULL]	[NULL]	S	B1VWY9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/5/2008 6:20	Y	CONDUCT	Specific Conductance	9166	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWX4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	7/5/2008 6:20	Y	7440-24-6	Strontium	676	ug/L	D	[NULL]	[NULL]	S	B1VWY9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/5/2008 6:20	Y	14808-79-8	Sulfate	16700	ug/L	BD	[NULL]	[NULL]	S	B1VWY9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/5/2008 6:20	Y	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWX4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	7/5/2008 6:20	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VWY9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/5/2008 6:20	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VWY9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/5/2008 6:20	Y	PH	pH Measurement	6.82	unitless	[NULL]	[NULL]	[NULL]	S	B1VWX4	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	7/6/2008 9:16	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VX50	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/6/2008 9:16	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VX50	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/6/2008 9:16	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VX50	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/6/2008 9:16	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VX50	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/6/2008 9:16	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VX50	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/6/2008 9:16	Y	7440-70-2	Calcium	21200	ug/L	DN	[NULL]	[NULL]	S	B1VX50	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/6/2008 9:16	Y	16887-00-6	Chloride	331000	ug/L	D	[NULL]	[NULL]	S	B1VX50	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/6/2008 9:16	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VX50	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/6/2008 9:16	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VX50	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/6/2008 9:16	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VX50	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/6/2008 9:16	Y	DO	Dissolved oxygen	420	ug/L	[NULL]	[NULL]	[NULL]	S	B1VX27	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	7/6/2008 9:16	Y	16984-48-8	Fluoride	420	ug/L	DU	[NULL]	[NULL]	S	B1VX50	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/6/2008 9:16	Y	12587-46-1	Gross alpha	2.5	pCi/L	U	[NULL]	[NULL]	S	B1VX27	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-143	7/6/2008 9:16	Y	12587-47-2	Gross beta	64	pCi/L	U	[NULL]	[NULL]	S	B1VX27	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-143	7/6/2008 9:16	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VX50	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/6/2008 9:16	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VX50	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/6/2008 9:16	Y	7439-95-4	Magnesium	6970	ug/L	D	[NULL]	[NULL]	S	B1VX50	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/6/2008 9:16	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VX50	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/6/2008 9:16	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VX50	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/6/2008 9:16	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VX50	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/6/2008 9:16	Y	14797-55-8	Nitrate	3190	ug/L	DU	[NULL]	[NULL]	S	B1VX50	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/6/2008 9:16	Y	14797-65-0	Nitrite	650	ug/L	DU	[NULL]	[NULL]	S	B1VX50	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/6/2008 9:16	Y	EH	Oxidation Reduction Potential	-144	mV	[NULL]	[NULL]	[NULL]	S	B1VX27	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	7/6/2008 9:16	Y	14265-44-2	Phosphate	2780000	ug/L	D	[NULL]	[NULL]	S	B1VX50	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/6/2008 9:16	Y	7440-09-7	Potassium	22200	ug/L	D	[NULL]	[NULL]	S	B1VX50	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/6/2008 9:16	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VX50	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/6/2008 9:16	Y	7440-23-5	Sodium	3100000	ug/L	D	[NULL]	[NULL]	S	B1VX50	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/6/2008 9:16	Y	CONDUCT	Specific Conductance	9300	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VX27	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	7/6/2008 9:16	Y	7440-24-6	Strontium	716	ug/L	D	[NULL]	[NULL]	S	B1VX50	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/6/2008 9:16	Y	14808-79-8	Sulfate	15200	ug/L	BD	[NULL]	[NULL]	S	B1VX50	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/6/2008 9:16	Y	TEMPERATURE	Temperature	19.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1VX27	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	7/6/2008 9:16	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VX50	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/6/2008 9:16	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VX50	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	7/6/2008 9:16	Y	PH	pH Measurement	6.89	unitless	[NULL]	[NULL]	[NULL]	S	B1VX27	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	7/7/2008 9:45	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W778	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/7/2008 9:45	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W778	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/7/2008 9:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W778	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/7/2008 9:45	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W778	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/7/2008 9:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W778	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/7/2008 9:45	Y	7440-70-2	Calcium	21700	ug/L	D	[NULL]	[NULL]	S	B1W778	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/7/2008 9:45	Y	16887-00-6	Chloride	290000	ug/L	D	[NULL]	[NULL]	S	B1W778	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/7/2008 9:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W778	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/7/2008 9:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W778	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/7/2008 9:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W778	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/7/2008 9:45	Y	DO	Dissolved oxygen	640	ug/L	[NULL]	[NULL]	[NULL]	S	B1W763	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	7/7/2008 9:45	Y	16984-48-8	Fluoride	420	ug/L	DU	[NULL]	[NULL]	S	B1W778	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/7/2008 9:45	Y	12587-46-1	Gross alpha	-10	pCi/L	U	[NULL]	[NULL]	S	B1W763	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-143	7/7/2008 9:45	Y	12587-47-2	Gross beta	3.6	pCi/L	U	[NULL]	[NULL]	S	B1W763	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-143	7/7/2008 9:45	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1W778	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/7/2008 9:45	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W778	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/7/2008 9:45	Y	7439-95-4	Magnesium	6840	ug/L	DN	[NULL]	[NULL]	S	B1W778	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/7/2008 9:45	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1W778	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/7/2008 9:45	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W778	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/7/2008 9:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W778	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/7/2008 9:45	Y	14797-55-8	Nitrate	3190	ug/L	DU	[NULL]	[NULL]	S	B1W778	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/7/2008 9:45	Y	14797-65-0	Nitrite	650	ug/L	DU	[NULL]	[NULL]	S	B1W778	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/7/2008 9:45	Y	EH	Oxidation Reduction Potential	-147	mV	[NULL]	[NULL]	[NULL]	S	B1W763	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	7/7/2008 9:45	Y	14265-44-2	Phosphate	2740000	ug/L	D	[NULL]	[NULL]	S	B1W778	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/7/2008 9:45	Y	7440-09-7	Potassium	21700	ug/L	D	[NULL]	[NULL]	S	B1W778	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/7/2008 9:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W778	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/7/2008 9:45	Y	7440-23-5	Sodium	2970000	ug/L	D	[NULL]	[NULL]	S	B1W778	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/7/2008 9:45	Y	CONDUCT	Specific Conductance	9232	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W763	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	7/7/2008 9:45	Y	7440-24-6	Strontium	685	ug/L	D	[NULL]	[NULL]	S	B1W778	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/7/2008 9:45	Y	14808-79-8	Sulfate	14100	ug/L	BD	[NULL]	[NULL]	S	B1W778	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/7/2008 9:45	Y	TEMPERATURE	Temperature	19.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1W763	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	7/7/2008 9:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W778	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/7/2008 9:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W778	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/7/2008 9:45	Y	PH	pH Measurement	6.84	unitless	[NULL]	[NULL]	[NULL]	S	B1W763	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	7/8/2008 10:20	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7D9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/8/2008 10:20	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7D9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/8/2008 10:20	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7D9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/8/2008 10:20	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7D9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/8/2008 10:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7D9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/8/2008 10:20	Y	7440-70-2	Calcium	22000	ug/L	DN	[NULL]	[NULL]	S	B1W7D9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/8/2008 10:20	Y	16887-00-6	Chloride	337000	ug/L	D	[NULL]	[NULL]	S	B1W7D9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/8/2008 10:20	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7D9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/8/2008 10:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7D9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/8/2008 10:20	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7D9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/8/2008 10:20	Y	DO	Dissolved oxygen	1090	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7B6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	7/8/2008 10:20	Y	16984-48-8	Fluoride	420	ug/L	DU	[NULL]	[NULL]	S	B1W7D9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/8/2008 10:20	Y	12587-46-1	Gross alpha	7.4	pCi/L	U	[NULL]	[NULL]	S	B1W7B6	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-143	7/8/2008 10:20	Y	12587-47-2	Gross beta	48	pCi/L	U	[NULL]	[NULL]	S	B1W7B6	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-143	7/8/2008 10:20	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1W7D9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/8/2008 10:20	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7D9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/8/2008 10:20	Y	7439-95-4	Magnesium	7310	ug/L	D	[NULL]	[NULL]	S	B1W7D9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/8/2008 10:20	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1W7D9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/8/2008 10:20	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7D9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	7/8/2008 10:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7D9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/8/2008 10:20	Y	14797-55-8	Nitrate	3190	ug/L	DU	[NULL]	[NULL]	S	B1W7D9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/8/2008 10:20	Y	14797-65-0	Nitrite	7590	ug/L	D	[NULL]	[NULL]	S	B1W7D9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/8/2008 10:20	Y	EH	Oxidation Reduction Potential	-117	mV	[NULL]	[NULL]	[NULL]	S	B1W7B6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	7/8/2008 10:20	Y	14265-44-2	Phosphate	2660000	ug/L	D	[NULL]	[NULL]	S	B1W7D9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/8/2008 10:20	Y	7440-09-7	Potassium	23700	ug/L	D	[NULL]	[NULL]	S	B1W7D9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/8/2008 10:20	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W7D9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/8/2008 10:20	Y	7440-23-5	Sodium	3170000	ug/L	D	[NULL]	[NULL]	S	B1W7D9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/8/2008 10:20	Y	CONDUCT	Specific Conductance	9202	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7B6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	7/8/2008 10:20	Y	7440-24-6	Strontium	700	ug/L	D	[NULL]	[NULL]	S	B1W7D9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/8/2008 10:20	Y	14808-79-8	Sulfate	11400	ug/L	BD	[NULL]	[NULL]	S	B1W7D9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/8/2008 10:20	Y	TEMPERATURE	Temperature	19.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7B6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	7/8/2008 10:20	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7D9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/8/2008 10:20	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7D9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/8/2008 10:20	Y	PH	pH Measurement	6.81	unitless	[NULL]	[NULL]	[NULL]	S	B1W7B6	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	7/9/2008 11:10	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W846	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/9/2008 11:10	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W846	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/9/2008 11:10	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W846	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/9/2008 11:10	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W846	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/9/2008 11:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W846	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/9/2008 11:10	Y	7440-70-2	Calcium	24500	ug/L	D	[NULL]	[NULL]	S	B1W846	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/9/2008 11:10	Y	16887-00-6	Chloride	331000	ug/L	D	[NULL]	[NULL]	S	B1W846	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/9/2008 11:10	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W846	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/9/2008 11:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W846	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/9/2008 11:10	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W846	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/9/2008 11:10	Y	DO	Dissolved oxygen	1220	ug/L	[NULL]	[NULL]	[NULL]	S	B1W831	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	7/9/2008 11:10	Y	16984-48-8	Fluoride	420	ug/L	DU	[NULL]	[NULL]	S	B1W846	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/9/2008 11:10	Y	12587-46-1	Gross alpha	13	pCi/L	U	[NULL]	[NULL]	S	B1W831	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-143	7/9/2008 11:10	Y	12587-47-2	Gross beta	35	pCi/L	U	[NULL]	[NULL]	S	B1W831	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-143	7/9/2008 11:10	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1W846	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/9/2008 11:10	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W846	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/9/2008 11:10	Y	7439-95-4	Magnesium	7590	ug/L	D	[NULL]	[NULL]	S	B1W846	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/9/2008 11:10	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1W846	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/9/2008 11:10	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W846	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/9/2008 11:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W846	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/9/2008 11:10	Y	14797-55-8	Nitrate	3190	ug/L	DU	[NULL]	[NULL]	S	B1W846	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/9/2008 11:10	Y	14797-65-0	Nitrite	3150	ug/L	BD	[NULL]	[NULL]	S	B1W846	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/9/2008 11:10	Y	EH	Oxidation Reduction Potential	-107	mV	[NULL]	[NULL]	[NULL]	S	B1W831	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	7/9/2008 11:10	Y	14265-44-2	Phosphate	2530000	ug/L	D	[NULL]	[NULL]	S	B1W846	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/9/2008 11:10	Y	7440-09-7	Potassium	23900	ug/L	D	[NULL]	[NULL]	S	B1W846	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/9/2008 11:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W846	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/9/2008 11:10	Y	7440-23-5	Sodium	3110000	ug/L	DN	[NULL]	[NULL]	S	B1W846	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/9/2008 11:10	Y	CONDUCT	Specific Conductance	9259	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W831	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	7/9/2008 11:10	Y	7440-24-6	Strontium	732	ug/L	D	[NULL]	[NULL]	S	B1W846	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/9/2008 11:10	Y	14808-79-8	Sulfate	14200	ug/L	BD	[NULL]	[NULL]	S	B1W846	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/9/2008 11:10	Y	TEMPERATURE	Temperature	19.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1W831	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	7/9/2008 11:10	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W846	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/9/2008 11:10	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W846	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/9/2008 11:10	Y	PH	pH Measurement	6.75	unitless	[NULL]	[NULL]	[NULL]	S	B1W831	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	7/10/2008 9:40	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7L5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/10/2008 9:40	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7L5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/10/2008 9:40	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7L5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/10/2008 9:40	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7L5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	7/10/2008 9:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7L5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/10/2008 9:40	Y	7440-70-2	Calcium	17400	ug/L	D	[NULL]	[NULL]	S	B1W7L5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/10/2008 9:40	Y	16887-00-6	Chloride	330000	ug/L	D	[NULL]	[NULL]	S	B1W7L5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/10/2008 9:40	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7L5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/10/2008 9:40	Y	7440-48-4	Cobalt	22.2	ug/L	D	[NULL]	[NULL]	S	B1W7L5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/10/2008 9:40	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7L5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/10/2008 9:40	Y	DO	Dissolved oxygen	4170	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7J2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	7/10/2008 9:40	Y	16984-48-8	Fluoride	420	ug/L	DU	[NULL]	[NULL]	S	B1W7L5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/10/2008 9:40	Y	12587-46-1	Gross alpha	2.7	pCi/L	U	[NULL]	[NULL]	S	B1W7J2	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-143	7/10/2008 9:40	Y	12587-47-2	Gross beta	38	pCi/L	U	[NULL]	[NULL]	S	B1W7J2	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-143	7/10/2008 9:40	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1W7L5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/10/2008 9:40	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7L5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/10/2008 9:40	Y	7439-95-4	Magnesium	6130	ug/L	D	[NULL]	[NULL]	S	B1W7L5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/10/2008 9:40	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1W7L5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/10/2008 9:40	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7L5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/10/2008 9:40	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7L5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/10/2008 9:40	Y	14797-55-8	Nitrate	3190	ug/L	DU	[NULL]	[NULL]	S	B1W7L5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/10/2008 9:40	Y	14797-65-0	Nitrite	650	ug/L	DU	[NULL]	[NULL]	S	B1W7L5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/10/2008 9:40	Y	EH	Oxidation Reduction Potential	-163	mV	[NULL]	[NULL]	[NULL]	S	B1W7J2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	7/10/2008 9:40	Y	14265-44-2	Phosphate	2670000	ug/L	D	[NULL]	[NULL]	S	B1W7L5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/10/2008 9:40	Y	7440-09-7	Potassium	18900	ug/L	D	[NULL]	[NULL]	S	B1W7L5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/10/2008 9:40	Y	7440-22-4	Silver	52	ug/L	CD	[NULL]	[NULL]	S	B1W7L5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/10/2008 9:40	Y	7440-23-5	Sodium	2570000	ug/L	D	[NULL]	[NULL]	S	B1W7L5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/10/2008 9:40	Y	CONDUCT	Specific Conductance	9179	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7J2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	7/10/2008 9:40	Y	7440-24-6	Strontium	590	ug/L	D	[NULL]	[NULL]	S	B1W7L5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/10/2008 9:40	Y	14808-79-8	Sulfate	8120	ug/L	BD	[NULL]	[NULL]	S	B1W7L5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/10/2008 9:40	Y	TEMPERATURE	Temperature	18.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7J2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	7/10/2008 9:40	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7L5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/10/2008 9:40	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7L5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/10/2008 9:40	Y	PH	pH Measurement	6.92	unitless	[NULL]	[NULL]	[NULL]	S	B1W7J2	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	7/12/2008 8:15	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7T1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/12/2008 8:15	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7T1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/12/2008 8:15	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7T1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/12/2008 8:15	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7T1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/12/2008 8:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7T1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/12/2008 8:15	Y	7440-70-2	Calcium	21000	ug/L	DX	[NULL]	[NULL]	S	B1W7T1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/12/2008 8:15	Y	16887-00-6	Chloride	318000	ug/L	D	[NULL]	[NULL]	S	B1W7T1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/12/2008 8:15	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7T1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/12/2008 8:15	Y	7440-48-4	Cobalt	28	ug/L	D	[NULL]	[NULL]	S	B1W7T1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/12/2008 8:15	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7T1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/12/2008 8:15	Y	DO	Dissolved oxygen	1970	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7N8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	7/12/2008 8:15	Y	16984-48-8	Fluoride	464	ug/L	DU	[NULL]	[NULL]	S	B1W7T1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/12/2008 8:15	Y	12587-46-1	Gross alpha	15	pCi/L	U	[NULL]	[NULL]	S	B1W7N8	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-143	7/12/2008 8:15	Y	12587-47-2	Gross beta	310	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7N8	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-143	7/12/2008 8:15	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1W7T1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/12/2008 8:15	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7T1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/12/2008 8:15	Y	7439-95-4	Magnesium	6350	ug/L	D	[NULL]	[NULL]	S	B1W7T1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/12/2008 8:15	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1W7T1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/12/2008 8:15	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7T1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/12/2008 8:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7T1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/12/2008 8:15	Y	14797-55-8	Nitrate	1070	ug/L	DU	[NULL]	[NULL]	S	B1W7T1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/12/2008 8:15	Y	14797-65-0	Nitrite	841	ug/L	DU	[NULL]	[NULL]	S	B1W7T1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/12/2008 8:15	Y	EH	Oxidation Reduction Potential	-165	mV	[NULL]	[NULL]	[NULL]	S	B1W7N8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	7/12/2008 8:15	Y	14265-44-2	Phosphate	2460000	ug/L	D	[NULL]	[NULL]	S	B1W7T1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/12/2008 8:15	Y	7440-09-7	Potassium	18500	ug/L	D	[NULL]	[NULL]	S	B1W7T1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/12/2008 8:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W7T1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/12/2008 8:15	Y	7440-23-5	Sodium	2640000	ug/L	DX	[NULL]	[NULL]	S	B1W7T1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/12/2008 8:15	Y	CONDUCT	Specific Conductance	8757	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7N8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	7/12/2008 8:15	Y	7440-24-6	Strontium	648	ug/L	DN	[NULL]	[NULL]	S	B1W7T1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/12/2008 8:15	Y	14808-79-8	Sulfate	3390	ug/L	BD	[NULL]	[NULL]	S	B1W7T1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/12/2008 8:15	Y	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7N8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	7/12/2008 8:15	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7T1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/12/2008 8:15	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7T1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/12/2008 8:15	Y	PH	pH Measurement	6.92	unitless	[NULL]	[NULL]	[NULL]	S	B1W7N8	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	7/13/2008 11:35	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WBF0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/13/2008 11:35	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WBF0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/13/2008 11:35	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WBF0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/13/2008 11:35	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WBF0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/13/2008 11:35	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WBF0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/13/2008 11:35	Y	7440-70-2	Calcium	24500	ug/L	DX	[NULL]	[NULL]	S	B1WBF0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/13/2008 11:35	Y	16887-00-6	Chloride	304000	ug/L	D	[NULL]	[NULL]	S	B1WBF0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/13/2008 11:35	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WBF0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/13/2008 11:35	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WBF0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/13/2008 11:35	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WBF0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/13/2008 11:35	Y	16984-48-8	Fluoride	464	ug/L	DU	[NULL]	[NULL]	S	B1WBF0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/13/2008 11:35	Y	12587-46-1	Gross alpha	5.7	pCi/L	U	[NULL]	[NULL]	S	B1WBB5	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-143	7/13/2008 11:35	Y	12587-47-2	Gross beta	21	pCi/L	U	[NULL]	[NULL]	S	B1WBB5	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-143	7/13/2008 11:35	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WBF0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/13/2008 11:35	Y	7439-92-1	Lead	225	ug/L	DNU	[NULL]	[NULL]	S	B1WBF0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/13/2008 11:35	Y	7439-95-4	Magnesium	7020	ug/L	D	[NULL]	[NULL]	S	B1WBF0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/13/2008 11:35	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WBF0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/13/2008 11:35	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WBF0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/13/2008 11:35	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WBF0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/13/2008 11:35	Y	14797-55-8	Nitrate	1070	ug/L	DU	[NULL]	[NULL]	S	B1WBF0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/13/2008 11:35	Y	14797-65-0	Nitrite	841	ug/L	DU	[NULL]	[NULL]	S	B1WBF0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/13/2008 11:35	Y	14265-44-2	Phosphate	2450000	ug/L	D	[NULL]	[NULL]	S	B1WBF0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/13/2008 11:35	Y	7440-09-7	Potassium	18300	ug/L	D	[NULL]	[NULL]	S	B1WBF0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/13/2008 11:35	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WBF0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/13/2008 11:35	Y	7440-23-5	Sodium	2790000	ug/L	DX	[NULL]	[NULL]	S	B1WBF0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/13/2008 11:35	Y	7440-24-6	Strontium	729	ug/L	D	[NULL]	[NULL]	S	B1WBF0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/13/2008 11:35	Y	14808-79-8	Sulfate	2640	ug/L	DU	[NULL]	[NULL]	S	B1WBF0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/13/2008 11:35	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WBF0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/13/2008 11:35	Y	7440-66-6	Zinc	53.2	ug/L	BD	[NULL]	[NULL]	S	B1WBF0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/14/2008 9:05	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W876	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/14/2008 9:05	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W876	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/14/2008 9:05	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W876	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/14/2008 9:05	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W876	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/14/2008 9:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W876	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/14/2008 9:05	Y	7440-70-2	Calcium	21700	ug/L	D	[NULL]	[NULL]	S	B1W876	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/14/2008 9:05	Y	16887-00-6	Chloride	296000	ug/L	D	[NULL]	[NULL]	S	B1W876	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/14/2008 9:05	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W876	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/14/2008 9:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W876	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/14/2008 9:05	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W876	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/14/2008 9:05	Y	DO	Dissolved oxygen	1080	ug/L	[NULL]	[NULL]	[NULL]	S	B1W861	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	7/14/2008 9:05	Y	16984-48-8	Fluoride	420	ug/L	DU	[NULL]	[NULL]	S	B1W876	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/14/2008 9:05	Y	12587-46-1	Gross alpha	17	pCi/L	U	[NULL]	[NULL]	S	B1W861	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-143	7/14/2008 9:05	Y	12587-47-2	Gross beta	52	pCi/L	U	[NULL]	[NULL]	S	B1W861	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-143	7/14/2008 9:05	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1W876	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	7/14/2008 9:05	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W876	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/14/2008 9:05	Y	7439-95-4	Magnesium	6460	ug/L	D	[NULL]	[NULL]	S	B1W876	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/14/2008 9:05	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1W876	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/14/2008 9:05	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W876	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/14/2008 9:05	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W876	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/14/2008 9:05	Y	14797-55-8	Nitrate	3190	ug/L	DU	[NULL]	[NULL]	S	B1W876	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/14/2008 9:05	Y	14797-65-0	Nitrite	650	ug/L	DU	[NULL]	[NULL]	S	B1W876	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/14/2008 9:05	Y	EH	Oxidation Reduction Potential	-179	mV	[NULL]	[NULL]	[NULL]	S	B1W861	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	7/14/2008 9:05	Y	14265-44-2	Phosphate	2240000	ug/L	D	[NULL]	[NULL]	S	B1W876	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/14/2008 9:05	Y	7440-09-7	Potassium	16800	ug/L	D	[NULL]	[NULL]	S	B1W876	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/14/2008 9:05	Y	7440-22-4	Silver	30	ug/L	CD	[NULL]	[NULL]	S	B1W876	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/14/2008 9:05	Y	7440-23-5	Sodium	2490000	ug/L	D	[NULL]	[NULL]	S	B1W876	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/14/2008 9:05	Y	CONDUCT	Specific Conductance	8049	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W861	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	7/14/2008 9:05	Y	7440-24-6	Strontium	695	ug/L	DN	[NULL]	[NULL]	S	B1W876	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/14/2008 9:05	Y	14808-79-8	Sulfate	1540	ug/L	DU	[NULL]	[NULL]	S	B1W876	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/14/2008 9:05	Y	TEMPERATURE	Temperature	17.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1W861	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	7/14/2008 9:05	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W876	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/14/2008 9:05	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W876	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/14/2008 9:05	Y	PH	pH Measurement	6.8	unitless	[NULL]	[NULL]	[NULL]	S	B1W861	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	7/17/2008 16:45	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W803	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 16:45	Y	7440-36-0	Antimony	280	ug/L	DNU	[NULL]	[NULL]	S	B1W803	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 16:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W803	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 16:45	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W803	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 16:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W803	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 16:45	Y	7440-70-2	Calcium	25800	ug/L	DX	[NULL]	[NULL]	S	B1W803	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 16:45	Y	16887-00-6	Chloride	264000	ug/L	D	[NULL]	[NULL]	S	B1W803	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/17/2008 16:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W803	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 16:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W803	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 16:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W803	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 16:45	Y	DO	Dissolved oxygen	1610	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7X8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	7/17/2008 16:45	Y	16984-48-8	Fluoride	464	ug/L	DU	[NULL]	[NULL]	S	B1W803	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/17/2008 16:45	Y	12587-46-1	Gross alpha	-24	pCi/L	U	[NULL]	[NULL]	S	B1W7X8	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-143	7/17/2008 16:45	Y	12587-47-2	Gross beta	130	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7X8	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-143	7/17/2008 16:45	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1W803	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 16:45	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W803	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 16:45	Y	7439-95-4	Magnesium	6680	ug/L	DN	[NULL]	[NULL]	S	B1W803	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 16:45	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1W803	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 16:45	Y	7439-98-7	Molybdenum	25	ug/L	DNU	[NULL]	[NULL]	S	B1W803	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 16:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W803	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 16:45	Y	14797-55-8	Nitrate	1070	ug/L	DU	[NULL]	[NULL]	S	B1W803	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/17/2008 16:45	Y	14797-65-0	Nitrite	841	ug/L	DU	[NULL]	[NULL]	S	B1W803	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/17/2008 16:45	Y	EH	Oxidation Reduction Potential	-182	mV	[NULL]	[NULL]	[NULL]	S	B1W7X8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	7/17/2008 16:45	Y	14265-44-2	Phosphate	1860000	ug/L	D	[NULL]	[NULL]	S	B1W803	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/17/2008 16:45	Y	7440-09-7	Potassium	14400	ug/L	DN	[NULL]	[NULL]	S	B1W803	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 16:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W803	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 16:45	Y	7440-23-5	Sodium	2180000	ug/L	DX	[NULL]	[NULL]	S	B1W803	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 16:45	Y	CONDUCT	Specific Conductance	7046	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7X8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	7/17/2008 16:45	Y	7440-24-6	Strontium	731	ug/L	DN	[NULL]	[NULL]	S	B1W803	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 16:45	Y	14808-79-8	Sulfate	2640	ug/L	DU	[NULL]	[NULL]	S	B1W803	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/17/2008 16:45	Y	TEMPERATURE	Temperature	19.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7X8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	7/17/2008 16:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W803	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 16:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W803	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 16:45	Y	PH	pH Measurement	6.95	unitless	[NULL]	[NULL]	[NULL]	S	B1W7X8	PH	FIELD	PH_ELECT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	7/17/2008 19:20	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WC52	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 19:20	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WC52	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 19:20	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WC52	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 19:20	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WC52	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 19:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WC52	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 19:20	Y	7440-70-2	Calcium	26400	ug/L	DX	[NULL]	[NULL]	S	B1WC52	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 19:20	Y	16887-00-6	Chloride	260000	ug/L	DN	[NULL]	[NULL]	S	B1WC52	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/17/2008 19:20	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WC52	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 19:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WC52	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 19:20	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WC52	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 19:20	Y	16984-48-8	Fluoride	464	ug/L	DU	[NULL]	[NULL]	S	B1WC52	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/17/2008 19:20	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WC52	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 19:20	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WC52	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 19:20	Y	7439-95-4	Magnesium	6520	ug/L	D	[NULL]	[NULL]	S	B1WC52	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 19:20	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WC52	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 19:20	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WC52	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 19:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WC52	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 19:20	Y	14797-55-8	Nitrate	1070	ug/L	DU	[NULL]	[NULL]	S	B1WC52	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/17/2008 19:20	Y	14797-65-0	Nitrite	841	ug/L	DU	[NULL]	[NULL]	S	B1WC52	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/17/2008 19:20	Y	14265-44-2	Phosphate	2120000	ug/L	DEX	[NULL]	[NULL]	S	B1WC52	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/17/2008 19:20	Y	7440-09-7	Potassium	14000	ug/L	D	[NULL]	[NULL]	S	B1WC52	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 19:20	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WC52	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 19:20	Y	7440-23-5	Sodium	2150000	ug/L	DX	[NULL]	[NULL]	S	B1WC52	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 19:20	Y	7440-24-6	Strontium	730	ug/L	D	[NULL]	[NULL]	S	B1WC52	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 19:20	Y	14808-79-8	Sulfate	2640	ug/L	DU	[NULL]	[NULL]	S	B1WC52	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/17/2008 19:20	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WC52	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 19:20	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WC52	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/17/2008 19:32	Y	12587-46-1	Gross alpha	-16	pCi/L	U	[NULL]	[NULL]	S	B1WC37	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-143	7/17/2008 19:32	Y	12587-47-2	Gross beta	40	pCi/L	U	[NULL]	[NULL]	S	B1WC37	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-143	7/18/2008 12:14	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WB59	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:14	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WB59	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:14	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WB59	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:14	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WB59	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:14	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WB59	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:14	Y	7440-70-2	Calcium	31000	ug/L	D	[NULL]	[NULL]	S	B1WB59	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:14	Y	16887-00-6	Chloride	159000	ug/L	D	[NULL]	[NULL]	S	B1WB59	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/18/2008 12:14	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WB59	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:14	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WB59	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:14	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WB59	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:14	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WB59	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/18/2008 12:14	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WB59	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:14	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WB59	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:14	Y	7439-95-4	Magnesium	6090	ug/L	D	[NULL]	[NULL]	S	B1WB59	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:14	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WB59	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:14	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WB59	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:14	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WB59	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:14	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WB59	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/18/2008 12:14	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WB59	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/18/2008 12:14	Y	14265-44-2	Phosphate	1180000	ug/L	D	[NULL]	[NULL]	S	B1WB59	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/18/2008 12:14	Y	7440-09-7	Potassium	9910	ug/L	D	[NULL]	[NULL]	S	B1WB59	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:14	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WB59	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:14	Y	7440-23-5	Sodium	1420000	ug/L	DX	[NULL]	[NULL]	S	B1WB59	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:14	Y	7440-24-6	Strontium	822	ug/L	D	[NULL]	[NULL]	S	B1WB59	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:14	Y	14808-79-8	Sulfate	18400	ug/L	D	[NULL]	[NULL]	S	B1WB59	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/18/2008 12:14	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WB59	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	7/18/2008 12:14	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WB59	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:24	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WB58	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:24	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WB58	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:24	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WB58	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:24	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WB58	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:24	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WB58	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:24	Y	7440-70-2	Calcium	22300	ug/L	D	[NULL]	[NULL]	S	B1WB58	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:24	Y	16887-00-6	Chloride	255000	ug/L	D	[NULL]	[NULL]	S	B1WB58	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/18/2008 12:24	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WB58	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:24	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WB58	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:24	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WB58	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:24	Y	DO	Dissolved oxygen	1620	ug/L	[NULL]	[NULL]	[NULL]	S	B1W893	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	7/18/2008 12:24	Y	16984-48-8	Fluoride	464	ug/L	DU	[NULL]	[NULL]	S	B1WB58	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/18/2008 12:24	Y	12587-46-1	Gross alpha	12.5	pCi/L	U	[NULL]	[NULL]	S	B1W893	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-143	7/18/2008 12:24	Y	12587-47-2	Gross beta	27.1	pCi/L	U	[NULL]	[NULL]	S	B1W893	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-143	7/18/2008 12:24	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WB58	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:24	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WB58	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:24	Y	7439-95-4	Magnesium	5640	ug/L	D	[NULL]	[NULL]	S	B1WB58	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:24	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WB58	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:24	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WB58	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:24	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WB58	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:24	Y	14797-55-8	Nitrate	1070	ug/L	DU	[NULL]	[NULL]	S	B1WB58	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/18/2008 12:24	Y	14797-65-0	Nitrite	841	ug/L	DU	[NULL]	[NULL]	S	B1WB58	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/18/2008 12:24	Y	EH	Oxidation Reduction Potential	-181	mV	[NULL]	[NULL]	[NULL]	S	B1W893	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	7/18/2008 12:24	Y	14265-44-2	Phosphate	1760000	ug/L	D	[NULL]	[NULL]	S	B1WB58	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/18/2008 12:24	Y	7440-09-7	Potassium	12600	ug/L	D	[NULL]	[NULL]	S	B1WB58	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:24	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WB58	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:24	Y	7440-23-5	Sodium	1840000	ug/L	DX	[NULL]	[NULL]	S	B1WB58	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:24	Y	CONDUCT	Specific Conductance	7005	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W893	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	7/18/2008 12:24	Y	7440-24-6	Strontium	643	ug/L	D	[NULL]	[NULL]	S	B1WB58	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:24	Y	14808-79-8	Sulfate	2640	ug/L	DU	[NULL]	[NULL]	S	B1WB58	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/18/2008 12:24	Y	TEMPERATURE	Temperature	18.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1W893	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	7/18/2008 12:24	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WB58	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:24	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WB58	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/18/2008 12:24	Y	PH	pH Measurement	6.81	unitless	[NULL]	[NULL]	[NULL]	S	B1W893	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	7/19/2008 8:10	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WB88	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/19/2008 8:10	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WB88	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/19/2008 8:10	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WB88	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/19/2008 8:10	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WB88	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/19/2008 8:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WB88	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/19/2008 8:10	Y	7440-70-2	Calcium	20700	ug/L	D	[NULL]	[NULL]	S	B1WB88	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/19/2008 8:10	Y	16887-00-6	Chloride	251000	ug/L	D	[NULL]	[NULL]	S	B1WB88	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/19/2008 8:10	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WB88	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/19/2008 8:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WB88	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/19/2008 8:10	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WB88	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/19/2008 8:10	Y	DO	Dissolved oxygen	770	ug/L	[NULL]	[NULL]	[NULL]	S	B1WB71	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	7/19/2008 8:10	Y	16984-48-8	Fluoride	464	ug/L	DU	[NULL]	[NULL]	S	B1WB88	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/19/2008 8:10	Y	12587-46-1	Gross alpha	3.36	pCi/L	U	[NULL]	[NULL]	S	B1WB71	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-143	7/19/2008 8:10	Y	12587-47-2	Gross beta	35	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WB71	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-143	7/19/2008 8:10	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WB88	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/19/2008 8:10	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WB88	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/19/2008 8:10	Y	7439-95-4	Magnesium	5570	ug/L	D	[NULL]	[NULL]	S	B1WB88	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/19/2008 8:10	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WB88	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/19/2008 8:10	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WB88	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	7/19/2008 8:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WB88	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/19/2008 8:10	Y	14797-55-8	Nitrate	6680000	ug/L	D	Y	[NULL]	S	B1WB88	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/19/2008 8:10	Y	14797-65-0	Nitrite	841	ug/L	DU	[NULL]	[NULL]	S	B1WB88	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/19/2008 8:10	Y	EH	Oxidation Reduction Potential	-172	mV	[NULL]	[NULL]	[NULL]	S	B1WB71	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	7/19/2008 8:10	Y	14265-44-2	Phosphate	1520000	ug/L	D	[NULL]	[NULL]	S	B1WB88	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/19/2008 8:10	Y	7440-09-7	Potassium	13000	ug/L	D	[NULL]	[NULL]	S	B1WB88	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/19/2008 8:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WB88	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/19/2008 8:10	Y	7440-23-5	Sodium	1860000	ug/L	DX	[NULL]	[NULL]	S	B1WB88	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/19/2008 8:10	Y	CONDUCT	Specific Conductance	6707	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WB71	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	7/19/2008 8:10	Y	7440-24-6	Strontium	630	ug/L	D	[NULL]	[NULL]	S	B1WB88	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/19/2008 8:10	Y	14808-79-8	Sulfate	2640	ug/L	DU	[NULL]	[NULL]	S	B1WB88	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/19/2008 8:10	Y	TEMPERATURE	Temperature	6.9	Deg C	[NULL]	F	[NULL]	S	B1WB71	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	7/19/2008 8:10	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WB88	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/19/2008 8:10	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WB88	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/19/2008 8:10	Y	PH	pH Measurement	6.86	unitless	[NULL]	[NULL]	[NULL]	S	B1WB71	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	7/20/2008 8:01	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WCJ6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2008 8:01	Y	7440-36-0	Antimony	280	ug/L	DNU	[NULL]	[NULL]	S	B1WCJ6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2008 8:01	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WCJ6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2008 8:01	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCJ6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2008 8:01	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCJ6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2008 8:01	Y	7440-70-2	Calcium	20900	ug/L	DX	[NULL]	[NULL]	S	B1WCJ6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2008 8:01	Y	16887-00-6	Chloride	234000	ug/L	D	[NULL]	[NULL]	S	B1WCJ6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/20/2008 8:01	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WCJ6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2008 8:01	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WCJ6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2008 8:01	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WCJ6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2008 8:01	Y	DO	Dissolved oxygen	1360	ug/L	[NULL]	[NULL]	[NULL]	S	B1WCF9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	7/20/2008 8:01	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WCJ6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/20/2008 8:01	Y	12587-46-1	Gross alpha	-1.91	pCi/L	U	[NULL]	[NULL]	S	B1WCF9	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-143	7/20/2008 8:01	Y	12587-47-2	Gross beta	18.8	pCi/L	U	[NULL]	[NULL]	S	B1WCF9	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-143	7/20/2008 8:01	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WCJ6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2008 8:01	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WCJ6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2008 8:01	Y	7439-95-4	Magnesium	5550	ug/L	DN	[NULL]	[NULL]	S	B1WCJ6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2008 8:01	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WCJ6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2008 8:01	Y	7439-98-7	Molybdenum	25	ug/L	DNU	[NULL]	[NULL]	S	B1WCJ6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2008 8:01	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WCJ6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2008 8:01	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WCJ6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/20/2008 8:01	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WCJ6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/20/2008 8:01	Y	EH	Oxidation Reduction Potential	-189	mV	[NULL]	[NULL]	[NULL]	S	B1WCF9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	7/20/2008 8:01	Y	14265-44-2	Phosphate	1650000	ug/L	D	[NULL]	[NULL]	S	B1WCJ6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/20/2008 8:01	Y	7440-09-7	Potassium	12300	ug/L	DN	[NULL]	[NULL]	S	B1WCJ6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2008 8:01	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WCJ6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2008 8:01	Y	7440-23-5	Sodium	1860000	ug/L	DX	[NULL]	[NULL]	S	B1WCJ6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2008 8:01	Y	CONDUCT	Specific Conductance	6277	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WCF9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	7/20/2008 8:01	Y	7440-24-6	Strontium	631	ug/L	DN	[NULL]	[NULL]	S	B1WCJ6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2008 8:01	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WCJ6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/20/2008 8:01	Y	TEMPERATURE	Temperature	16.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1WCF9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	7/20/2008 8:01	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WCJ6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2008 8:01	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WCJ6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/20/2008 8:01	Y	PH	pH Measurement	6.78	unitless	[NULL]	[NULL]	[NULL]	S	B1WCF9	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	7/21/2008 11:45	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WCN0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/21/2008 11:45	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WCN0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/21/2008 11:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WCN0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/21/2008 11:45	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCN0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	7/21/2008 11:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCN0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/21/2008 11:45	Y	7440-70-2	Calcium	20900	ug/L	D	[NULL]	[NULL]	S	B1WCN0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/21/2008 11:45	Y	16887-00-6	Chloride	224000	ug/L	D	[NULL]	[NULL]	S	B1WCN0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/21/2008 11:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WCN0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/21/2008 11:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WCN0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/21/2008 11:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WCN0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/21/2008 11:45	Y	DO	Dissolved oxygen	1090	ug/L	[NULL]	[NULL]	[NULL]	S	B1WCL3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	7/21/2008 11:45	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WCN0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/21/2008 11:45	Y	12587-46-1	Gross alpha	1.86	pCi/L	U	[NULL]	[NULL]	S	B1WCL3	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-143	7/21/2008 11:45	Y	12587-47-2	Gross beta	24.5	pCi/L	U	[NULL]	[NULL]	S	B1WCL3	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-143	7/21/2008 11:45	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WCN0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/21/2008 11:45	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WCN0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/21/2008 11:45	Y	7439-95-4	Magnesium	6840	ug/L	D	[NULL]	[NULL]	S	B1WCN0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/21/2008 11:45	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WCN0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/21/2008 11:45	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WCN0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/21/2008 11:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WCN0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/21/2008 11:45	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WCN0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/21/2008 11:45	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WCN0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/21/2008 11:45	Y	EH	Oxidation Reduction Potential	-208	mV	[NULL]	[NULL]	[NULL]	S	B1WCL3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	7/21/2008 11:45	Y	14265-44-2	Phosphate	1690000	ug/L	DN	[NULL]	[NULL]	S	B1WCN0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/21/2008 11:45	Y	7440-09-7	Potassium	16200	ug/L	D	[NULL]	[NULL]	S	B1WCN0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/21/2008 11:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WCN0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/21/2008 11:45	Y	7440-23-5	Sodium	2220000	ug/L	D	[NULL]	[NULL]	S	B1WCN0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/21/2008 11:45	Y	CONDUCT	Specific Conductance	6173	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WCL3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	7/21/2008 11:45	Y	7440-24-6	Strontium	755	ug/L	D	[NULL]	[NULL]	S	B1WCN0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/21/2008 11:45	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WCN0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/21/2008 11:45	Y	TEMPERATURE	Temperature	19.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1WCL3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	7/21/2008 11:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WCN0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/21/2008 11:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WCN0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/21/2008 11:45	Y	PH	pH Measurement	6.73	unitless	[NULL]	[NULL]	[NULL]	S	B1WCL3	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	7/22/2008 13:15	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WCT4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/22/2008 13:15	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WCT4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/22/2008 13:15	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WCT4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/22/2008 13:15	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCT4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/22/2008 13:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCT4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/22/2008 13:15	Y	7440-70-2	Calcium	20200	ug/L	DX	[NULL]	[NULL]	S	B1WCT4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/22/2008 13:15	Y	16887-00-6	Chloride	238000	ug/L	D	[NULL]	[NULL]	S	B1WCT4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/22/2008 13:15	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WCT4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/22/2008 13:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WCT4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/22/2008 13:15	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WCT4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/22/2008 13:15	Y	DO	Dissolved oxygen	1240	ug/L	[NULL]	[NULL]	[NULL]	S	B1WCT4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	7/22/2008 13:15	Y	DO	Dissolved oxygen	1240	ug/L	[NULL]	[NULL]	[NULL]	S	B1WCP7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	7/22/2008 13:15	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WCT4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/22/2008 13:15	Y	12587-46-1	Gross alpha	1.7	pCi/L	U	[NULL]	[NULL]	S	B1WCP7	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-143	7/22/2008 13:15	Y	12587-47-2	Gross beta	28.5	pCi/L	U	[NULL]	[NULL]	S	B1WCP7	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-143	7/22/2008 13:15	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WCT4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/22/2008 13:15	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WCT4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/22/2008 13:15	Y	7439-95-4	Magnesium	4920	ug/L	DN	[NULL]	[NULL]	S	B1WCT4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/22/2008 13:15	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WCT4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/22/2008 13:15	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WCT4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/22/2008 13:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WCT4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/22/2008 13:15	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WCT4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/22/2008 13:15	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WCT4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	7/22/2008 13:15	Y	EH	Oxidation Reduction Potential	-192	mV	[NULL]	[NULL]	[NULL]	S	B1WCP7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	7/22/2008 13:15	Y	EH	Oxidation Reduction Potential	-192	mV	[NULL]	[NULL]	[NULL]	S	B1WCT4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	7/22/2008 13:15	Y	14265-44-2	Phosphate	1760000	ug/L	D	[NULL]	[NULL]	S	B1WCT4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/22/2008 13:15	Y	7440-09-7	Potassium	10900	ug/L	D	[NULL]	[NULL]	S	B1WCT4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/22/2008 13:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WCT4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/22/2008 13:15	Y	7440-23-5	Sodium	1720000	ug/L	DX	[NULL]	[NULL]	S	B1WCT4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/22/2008 13:15	Y	CONDUCT	Specific Conductance	6032	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WCP7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	7/22/2008 13:15	Y	CONDUCT	Specific Conductance	6032	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WCT4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	7/22/2008 13:15	Y	7440-24-6	Strontium	575	ug/L	D	[NULL]	[NULL]	S	B1WCT4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/22/2008 13:15	Y	14808-79-8	Sulfate	1430	ug/L	BD	[NULL]	[NULL]	S	B1WCT4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/22/2008 13:15	Y	TEMPERATURE	Temperature	18.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1WCT4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	7/22/2008 13:15	Y	TEMPERATURE	Temperature	18.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1WCP7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	7/22/2008 13:15	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WCT4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/22/2008 13:15	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WCT4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/22/2008 13:15	Y	PH	pH Measurement	6.89	unitless	[NULL]	[NULL]	[NULL]	S	B1WCP7	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	7/22/2008 13:15	Y	PH	pH Measurement	6.89	unitless	[NULL]	[NULL]	[NULL]	S	B1WCT4	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	7/23/2008 11:15	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WL57	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/23/2008 11:15	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WL57	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/23/2008 11:15	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WL57	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/23/2008 11:15	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WL57	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/23/2008 11:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WL57	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/23/2008 11:15	Y	7440-70-2	Calcium	16800	ug/L	DN	[NULL]	[NULL]	S	B1WL57	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/23/2008 11:15	Y	16887-00-6	Chloride	199000	ug/L	D	[NULL]	[NULL]	S	B1WL57	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/23/2008 11:15	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WL57	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/23/2008 11:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WL57	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/23/2008 11:15	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WL57	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/23/2008 11:15	Y	DO	Dissolved oxygen	930	ug/L	[NULL]	[NULL]	[NULL]	S	B1WCW7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	7/23/2008 11:15	Y	DO	Dissolved oxygen	930	ug/L	[NULL]	[NULL]	[NULL]	S	B1WL57	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	7/23/2008 11:15	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WL57	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/23/2008 11:15	Y	12587-46-1	Gross alpha	1.6	pCi/L	U	[NULL]	[NULL]	S	B1WCW7	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-143	7/23/2008 11:15	Y	12587-47-2	Gross beta	8.41	pCi/L	U	[NULL]	[NULL]	S	B1WCW7	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-143	7/23/2008 11:15	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WL57	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/23/2008 11:15	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WL57	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/23/2008 11:15	Y	7439-95-4	Magnesium	4400	ug/L	DN	[NULL]	[NULL]	S	B1WL57	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/23/2008 11:15	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WL57	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/23/2008 11:15	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WL57	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/23/2008 11:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WL57	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/23/2008 11:15	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WL57	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/23/2008 11:15	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WL57	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/23/2008 11:15	Y	EH	Oxidation Reduction Potential	-182	mV	[NULL]	[NULL]	[NULL]	S	B1WCW7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	7/23/2008 11:15	Y	EH	Oxidation Reduction Potential	-182	mV	[NULL]	[NULL]	[NULL]	S	B1WL57	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	7/23/2008 11:15	Y	14265-44-2	Phosphate	1600000	ug/L	D	[NULL]	[NULL]	S	B1WL57	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/23/2008 11:15	Y	7440-09-7	Potassium	10800	ug/L	DN	[NULL]	[NULL]	S	B1WL57	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/23/2008 11:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WL57	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/23/2008 11:15	Y	7440-23-5	Sodium	1590000	ug/L	D	[NULL]	[NULL]	S	B1WL57	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/23/2008 11:15	Y	CONDUCT	Specific Conductance	5363	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WCW7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	7/23/2008 11:15	Y	CONDUCT	Specific Conductance	5363	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WL57	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	7/23/2008 11:15	Y	7440-24-6	Strontium	508	ug/L	DN	[NULL]	[NULL]	S	B1WL57	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/23/2008 11:15	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WL57	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/23/2008 11:15	Y	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WCW7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	7/23/2008 11:15	Y	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WL57	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	7/23/2008 11:15	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WL57	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/23/2008 11:15	Y	7440-66-6	Zinc	158	ug/L	D	[NULL]	[NULL]	S	B1WL57	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/23/2008 11:15	Y	PH	pH Measurement	6.82	unitless	[NULL]	[NULL]	[NULL]	S	B1WL57	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	7/23/2008 11:15	Y	PH	pH Measurement	6.82	unitless	[NULL]	[NULL]	[NULL]	S	B1WCW7	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	7/24/2008 10:05	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WC81	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 10:05	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WC81	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 10:05	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WC81	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 10:05	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WC81	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 10:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WC81	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 10:05	Y	7440-70-2	Calcium	13200	ug/L	DX	[NULL]	[NULL]	S	B1WC81	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 10:05	Y	16887-00-6	Chloride	206000	ug/L	D	[NULL]	[NULL]	S	B1WC81	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/24/2008 10:05	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WC81	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 10:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WC81	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 10:05	Y	7440-50-8	Copper	33	ug/L	BD	[NULL]	[NULL]	S	B1WC81	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 10:05	Y	16984-48-8	Fluoride	232	ug/L	DNU	[NULL]	[NULL]	S	B1WC81	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/24/2008 10:05	Y	12587-46-1	Gross alpha	-22	pCi/L	U	[NULL]	[NULL]	S	B1WC70	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-143	7/24/2008 10:05	Y	12587-47-2	Gross beta	62	pCi/L	U	[NULL]	[NULL]	S	B1WC70	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-143	7/24/2008 10:05	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WC81	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 10:05	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WC81	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 10:05	Y	7439-95-4	Magnesium	3540	ug/L	D	[NULL]	[NULL]	S	B1WC81	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 10:05	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WC81	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 10:05	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WC81	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 10:05	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WC81	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 10:05	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WC81	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/24/2008 10:05	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WC81	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/24/2008 10:05	Y	14265-44-2	Phosphate	1660000	ug/L	D	[NULL]	[NULL]	S	B1WC81	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/24/2008 10:05	Y	7440-09-7	Potassium	9550	ug/L	D	[NULL]	[NULL]	S	B1WC81	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 10:05	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WC81	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 10:05	Y	7440-23-5	Sodium	1500000	ug/L	D	[NULL]	[NULL]	S	B1WC81	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 10:05	Y	7440-24-6	Strontium	396	ug/L	D	[NULL]	[NULL]	S	B1WC81	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 10:05	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WC81	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/24/2008 10:05	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WC81	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 10:05	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WC81	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 11:45	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WL91	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 11:45	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WL91	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 11:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WL91	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 11:45	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WL91	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 11:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WL91	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 11:45	Y	7440-70-2	Calcium	14000	ug/L	DX	[NULL]	[NULL]	S	B1WL91	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 11:45	Y	16887-00-6	Chloride	201000	ug/L	D	[NULL]	[NULL]	S	B1WL91	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/24/2008 11:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WL91	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 11:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WL91	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 11:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WL91	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 11:45	Y	DO	Dissolved oxygen	1210	ug/L	[NULL]	[NULL]	[NULL]	S	B1WL91	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	7/24/2008 11:45	Y	DO	Dissolved oxygen	1210	ug/L	[NULL]	[NULL]	[NULL]	S	B1WL74	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	7/24/2008 11:45	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WL91	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/24/2008 11:45	Y	12587-46-1	Gross alpha	2.09	pCi/L	U	[NULL]	[NULL]	S	B1WL74	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-143	7/24/2008 11:45	Y	12587-47-2	Gross beta	33.5	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WL74	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-143	7/24/2008 11:45	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WL91	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 11:45	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WL91	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 11:45	Y	7439-95-4	Magnesium	3570	ug/L	D	[NULL]	[NULL]	S	B1WL91	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 11:45	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WL91	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 11:45	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WL91	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 11:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WL91	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 11:45	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WL91	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	7/24/2008 11:45	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WL91	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/24/2008 11:45	Y	EH	Oxidation Reduction Potential	-196	mV	[NULL]	[NULL]	[NULL]	S	B1WL91	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	7/24/2008 11:45	Y	EH	Oxidation Reduction Potential	-196	mV	[NULL]	[NULL]	[NULL]	S	B1WL74	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	7/24/2008 11:45	Y	14265-44-2	Phosphate	1610000	ug/L	D	[NULL]	[NULL]	S	B1WL91	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/24/2008 11:45	Y	7440-09-7	Potassium	9220	ug/L	D	[NULL]	[NULL]	S	B1WL91	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 11:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WL91	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 11:45	Y	7440-23-5	Sodium	1520000	ug/L	DX	[NULL]	[NULL]	S	B1WL91	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 11:45	Y	CONDUCT	Specific Conductance	5278	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WL91	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	7/24/2008 11:45	Y	CONDUCT	Specific Conductance	5278	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WL74	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	7/24/2008 11:45	Y	7440-24-6	Strontium	413	ug/L	D	[NULL]	[NULL]	S	B1WL91	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 11:45	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WL91	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/24/2008 11:45	Y	TEMPERATURE	Temperature	19.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1WL91	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	7/24/2008 11:45	Y	TEMPERATURE	Temperature	19.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1WL74	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	7/24/2008 11:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WL91	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 11:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WL91	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/24/2008 11:45	Y	PH	pH Measurement	6.92	unitless	[NULL]	[NULL]	[NULL]	S	B1WL91	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	7/24/2008 11:45	Y	PH	pH Measurement	6.92	unitless	[NULL]	[NULL]	[NULL]	S	B1WL74	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	7/25/2008 8:40	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WLD5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/25/2008 8:40	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WLD5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/25/2008 8:40	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WLD5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/25/2008 8:40	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLD5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/25/2008 8:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLD5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/25/2008 8:40	Y	7440-70-2	Calcium	13000	ug/L	DX	[NULL]	[NULL]	S	B1WLD5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/25/2008 8:40	Y	16887-00-6	Chloride	193000	ug/L	D	[NULL]	[NULL]	S	B1WLD5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/25/2008 8:40	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WLD5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/25/2008 8:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WLD5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/25/2008 8:40	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WLD5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/25/2008 8:40	Y	DO	Dissolved oxygen	1190	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLD5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	7/25/2008 8:40	Y	DO	Dissolved oxygen	1190	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLC2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	7/25/2008 8:40	Y	16984-48-8	Fluoride	232	ug/L	DNU	[NULL]	[NULL]	S	B1WLD5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/25/2008 8:40	Y	12587-46-1	Gross alpha	-2.69	pCi/L	U	[NULL]	[NULL]	S	B1WLC2	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-143	7/25/2008 8:40	Y	12587-47-2	Gross beta	16.3	pCi/L	U	[NULL]	[NULL]	S	B1WLC2	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-143	7/25/2008 8:40	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WLD5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/25/2008 8:40	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WLD5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/25/2008 8:40	Y	7439-95-4	Magnesium	3320	ug/L	D	[NULL]	[NULL]	S	B1WLD5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/25/2008 8:40	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WLD5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/25/2008 8:40	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WLD5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/25/2008 8:40	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WLD5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/25/2008 8:40	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WLD5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/25/2008 8:40	Y	14797-65-0	Nitrite	420	ug/L	DNU	[NULL]	[NULL]	S	B1WLD5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/25/2008 8:40	Y	EH	Oxidation Reduction Potential	-209.6	mV	[NULL]	[NULL]	[NULL]	S	B1WLC2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	7/25/2008 8:40	Y	EH	Oxidation Reduction Potential	-209.6	mV	[NULL]	[NULL]	[NULL]	S	B1WLD5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	7/25/2008 8:40	Y	14265-44-2	Phosphate	1650000	ug/L	D	[NULL]	[NULL]	S	B1WLD5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/25/2008 8:40	Y	7440-09-7	Potassium	8150	ug/L	D	[NULL]	[NULL]	S	B1WLD5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/25/2008 8:40	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WLD5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/25/2008 8:40	Y	7440-23-5	Sodium	1440000	ug/L	DX	[NULL]	[NULL]	S	B1WLD5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/25/2008 8:40	Y	CONDUCT	Specific Conductance	5619	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLC2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	7/25/2008 8:40	Y	CONDUCT	Specific Conductance	5619	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLD5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	7/25/2008 8:40	Y	7440-24-6	Strontium	387	ug/L	D	[NULL]	[NULL]	S	B1WLD5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/25/2008 8:40	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WLD5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/25/2008 8:40	Y	TEMPERATURE	Temperature	17.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLD5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	7/25/2008 8:40	Y	TEMPERATURE	Temperature	17.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLC2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	7/25/2008 8:40	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WLD5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/25/2008 8:40	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WLD5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/25/2008 8:40	Y	PH	pH Measurement	6.99	unitless	[NULL]	[NULL]	[NULL]	S	B1WLD5	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	7/25/2008 8:40	Y	PH	pH Measurement	6.99	unitless	[NULL]	[NULL]	[NULL]	S	B1WLC2	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-143	7/26/2008 7:45	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WLK6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/26/2008 7:45	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WLK6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/26/2008 7:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WLK6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/26/2008 7:45	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLK6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/26/2008 7:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLK6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/26/2008 7:45	Y	7440-70-2	Calcium	12300	ug/L	DX	[NULL]	[NULL]	S	B1WLK6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/26/2008 7:45	Y	16887-00-6	Chloride	196000	ug/L	D	[NULL]	[NULL]	S	B1WLK6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/26/2008 7:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WLK6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/26/2008 7:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WLK6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/26/2008 7:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WLK6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/26/2008 7:45	Y	DO	Dissolved oxygen	1140	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLH1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	7/26/2008 7:45	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WLK6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/26/2008 7:45	Y	12587-46-1	Gross alpha	-3.53	pCi/L	U	[NULL]	[NULL]	S	B1WLH1	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-143	7/26/2008 7:45	Y	12587-47-2	Gross beta	16.1	pCi/L	U	[NULL]	[NULL]	S	B1WLH1	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-143	7/26/2008 7:45	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WLK6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/26/2008 7:45	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WLK6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/26/2008 7:45	Y	7439-95-4	Magnesium	3440	ug/L	D	[NULL]	[NULL]	S	B1WLK6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/26/2008 7:45	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WLK6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/26/2008 7:45	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WLK6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/26/2008 7:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WLK6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/26/2008 7:45	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WLK6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/26/2008 7:45	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WLK6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/26/2008 7:45	Y	EH	Oxidation Reduction Potential	-352	mV	[NULL]	[NULL]	[NULL]	S	B1WLH1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	7/26/2008 7:45	Y	14265-44-2	Phosphate	1750000	ug/L	D	[NULL]	[NULL]	S	B1WLK6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/26/2008 7:45	Y	7440-09-7	Potassium	8520	ug/L	D	[NULL]	[NULL]	S	B1WLK6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/26/2008 7:45	Y	7440-22-4	Silver	60	ug/L	BCD	[NULL]	[NULL]	S	B1WLK6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/26/2008 7:45	Y	7440-23-5	Sodium	1490000	ug/L	DX	[NULL]	[NULL]	S	B1WLK6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/26/2008 7:45	Y	CONDUCT	Specific Conductance	5292	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLH1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	7/26/2008 7:45	Y	7440-24-6	Strontium	375	ug/L	D	[NULL]	[NULL]	S	B1WLK6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/26/2008 7:45	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WLK6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/26/2008 7:45	Y	TEMPERATURE	Temperature	17.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLH1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	7/26/2008 7:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WLK6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/26/2008 7:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WLK6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/26/2008 7:45	Y	PH	pH Measurement	7.51	unitless	[NULL]	[NULL]	[NULL]	S	B1WLH1	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	7/27/2008 6:45	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WLP8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2008 6:45	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WLP8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2008 6:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WLP8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2008 6:45	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLP8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2008 6:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLP8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2008 6:45	Y	7440-70-2	Calcium	13500	ug/L	D	[NULL]	[NULL]	S	B1WLP8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2008 6:45	Y	16887-00-6	Chloride	197000	ug/L	D	[NULL]	[NULL]	S	B1WLP8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/27/2008 6:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WLP8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2008 6:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WLP8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2008 6:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WLP8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2008 6:45	Y	DO	Dissolved oxygen	510	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLN5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	7/27/2008 6:45	Y	DO	Dissolved oxygen	510	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLP8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	7/27/2008 6:45	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WLP8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/27/2008 6:45	Y	12587-46-1	Gross alpha	-14.9	pCi/L	U	[NULL]	[NULL]	S	B1WLN5	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-143	7/27/2008 6:45	Y	12587-47-2	Gross beta	29.4	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WLN5	12587-47-2	TARL	BETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	7/27/2008 6:45	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WLP8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2008 6:45	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WLP8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2008 6:45	Y	7439-95-4	Magnesium	3680	ug/L	D	[NULL]	[NULL]	S	B1WLP8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2008 6:45	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WLP8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2008 6:45	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WLP8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2008 6:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WLP8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2008 6:45	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WLP8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/27/2008 6:45	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WLP8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/27/2008 6:45	Y	EH	Oxidation Reduction Potential	-334	mV	[NULL]	[NULL]	[NULL]	S	B1WLN5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	7/27/2008 6:45	Y	EH	Oxidation Reduction Potential	-334	mV	[NULL]	[NULL]	[NULL]	S	B1WLP8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	7/27/2008 6:45	Y	14265-44-2	Phosphate	1750000	ug/L	D	[NULL]	[NULL]	S	B1WLP8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/27/2008 6:45	Y	7440-09-7	Potassium	8860	ug/L	D	[NULL]	[NULL]	S	B1WLP8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2008 6:45	Y	7440-22-4	Silver	54	ug/L	CD	[NULL]	[NULL]	S	B1WLP8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2008 6:45	Y	7440-23-5	Sodium	1540000	ug/L	D	[NULL]	[NULL]	S	B1WLP8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2008 6:45	Y	CONDUCT	Specific Conductance	5318	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLN5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	7/27/2008 6:45	Y	CONDUCT	Specific Conductance	5318	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLP8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	7/27/2008 6:45	Y	7440-24-6	Strontium	399	ug/L	D	[NULL]	[NULL]	S	B1WLP8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2008 6:45	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WLP8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/27/2008 6:45	Y	TEMPERATURE	Temperature	15.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLP8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	7/27/2008 6:45	Y	TEMPERATURE	Temperature	15.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLN5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	7/27/2008 6:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WLP8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2008 6:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WLP8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/27/2008 6:45	Y	PH	pH Measurement	7.49	unitless	[NULL]	[NULL]	[NULL]	S	B1WLN5	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-143	7/27/2008 6:45	Y	PH	pH Measurement	7.49	unitless	[NULL]	[NULL]	[NULL]	S	B1WLP8	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	7/28/2008 11:25	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WLW2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/28/2008 11:25	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WLW2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/28/2008 11:25	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WLW2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/28/2008 11:25	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLW2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/28/2008 11:25	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLW2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/28/2008 11:25	Y	7440-70-2	Calcium	14700	ug/L	D	[NULL]	[NULL]	S	B1WLW2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/28/2008 11:25	Y	16887-00-6	Chloride	198000	ug/L	D	[NULL]	[NULL]	S	B1WLW2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/28/2008 11:25	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WLW2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/28/2008 11:25	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WLW2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/28/2008 11:25	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WLW2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/28/2008 11:25	Y	DO	Dissolved oxygen	1020	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLW2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	7/28/2008 11:25	Y	DO	Dissolved oxygen	1020	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLR7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	7/28/2008 11:25	Y	16984-48-8	Fluoride	464	ug/L	DU	[NULL]	[NULL]	S	B1WLW2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/28/2008 11:25	Y	12587-46-1	Gross alpha	6.75	pCi/L	U	[NULL]	[NULL]	S	B1WLR7	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-143	7/28/2008 11:25	Y	12587-47-2	Gross beta	8.02	pCi/L	U	[NULL]	[NULL]	S	B1WLR7	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-143	7/28/2008 11:25	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WLW2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/28/2008 11:25	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WLW2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/28/2008 11:25	Y	7439-95-4	Magnesium	3980	ug/L	D	[NULL]	[NULL]	S	B1WLW2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/28/2008 11:25	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WLW2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/28/2008 11:25	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WLW2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/28/2008 11:25	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WLW2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/28/2008 11:25	Y	14797-55-8	Nitrate	1070	ug/L	DU	[NULL]	[NULL]	S	B1WLW2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/28/2008 11:25	Y	14797-65-0	Nitrite	841	ug/L	DU	[NULL]	[NULL]	S	B1WLW2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/28/2008 11:25	Y	EH	Oxidation Reduction Potential	-313	mV	[NULL]	[NULL]	[NULL]	S	B1WLW2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	7/28/2008 11:25	Y	EH	Oxidation Reduction Potential	-313	mV	[NULL]	[NULL]	[NULL]	S	B1WLR7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	7/28/2008 11:25	Y	14265-44-2	Phosphate	1640000	ug/L	DN	[NULL]	[NULL]	S	B1WLW2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/28/2008 11:25	Y	7440-09-7	Potassium	9280	ug/L	D	[NULL]	[NULL]	S	B1WLW2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	7/28/2008 11:25	Y	7440-22-4	Silver	64	ug/L	CD	[NULL]	[NULL]	S	B1WLW2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/28/2008 11:25	Y	7440-23-5	Sodium	1640000	ug/L	D	[NULL]	[NULL]	S	B1WLW2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/28/2008 11:25	Y	CONDUCT	Specific Conductance	5021	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLW2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	7/28/2008 11:25	Y	CONDUCT	Specific Conductance	5021	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLR7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	7/28/2008 11:25	Y	7440-24-6	Strontium	427	ug/L	D	[NULL]	[NULL]	S	B1WLW2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/28/2008 11:25	Y	14808-79-8	Sulfate	2640	ug/L	DU	[NULL]	[NULL]	S	B1WLW2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/28/2008 11:25	Y	TEMPERATURE	Temperature	18.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLR7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	7/28/2008 11:25	Y	TEMPERATURE	Temperature	18.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLW2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	7/28/2008 11:25	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WLW2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/28/2008 11:25	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WLW2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/28/2008 11:25	Y	PH	pH Measurement	7.57	unitless	[NULL]	[NULL]	[NULL]	S	B1WLR7	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	7/28/2008 11:25	Y	PH	pH Measurement	7.57	unitless	[NULL]	[NULL]	[NULL]	S	B1WLW2	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	7/29/2008 9:55	N	7429-90-5	Aluminum	300	ug/L	UD	[NULL]	[NULL]	S	B1WM14	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/29/2008 9:55	N	7440-36-0	Antimony	300	ug/L	UD	[NULL]	[NULL]	S	B1WM14	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/29/2008 9:55	N	7440-38-2	Arsenic	400	ug/L	UD	[NULL]	[NULL]	S	B1WM14	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/29/2008 9:55	N	7440-39-3	Barium	20	ug/L	UD	[NULL]	[NULL]	S	B1WM14	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/29/2008 9:55	N	7440-43-9	Cadmium	20	ug/L	UD	[NULL]	[NULL]	S	B1WM14	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/29/2008 9:55	N	7440-70-2	Calcium	14900	ug/L	D	[NULL]	[NULL]	S	B1WM14	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/29/2008 9:55	N	16887-00-6	Chloride	198000	ug/L	D	[NULL]	[NULL]	S	B1WM14	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/29/2008 9:55	N	7440-47-3	Chromium	60	ug/L	UD	[NULL]	[NULL]	S	B1WM14	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/29/2008 9:55	N	7440-48-4	Cobalt	20	ug/L	UD	[NULL]	[NULL]	S	B1WM14	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/29/2008 9:55	N	7440-50-8	Copper	30	ug/L	UD	[NULL]	[NULL]	S	B1WM14	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/29/2008 9:55	Y	DO	Dissolved oxygen	1220	ug/L	[NULL]	[NULL]	[NULL]	S	B1WM01	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	7/29/2008 9:55	N	16984-48-8	Fluoride	200	ug/L	UD	[NULL]	[NULL]	S	B1WM14	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/29/2008 9:55	Y	12587-46-1	Gross alpha	0	pCi/L	U	[NULL]	[NULL]	S	B1WM01	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-143	7/29/2008 9:55	Y	12587-47-2	Gross beta	11.2	pCi/L	U	[NULL]	[NULL]	S	B1WM01	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-143	7/29/2008 9:55	N	7439-89-6	Iron	100	ug/L	UD	[NULL]	[NULL]	S	B1WM14	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/29/2008 9:55	N	7439-92-1	Lead	200	ug/L	UD	[NULL]	[NULL]	S	B1WM14	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/29/2008 9:55	N	7439-95-4	Magnesium	3810	ug/L	D	[NULL]	[NULL]	S	B1WM14	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/29/2008 9:55	N	7439-96-5	Manganese	20	ug/L	UD	[NULL]	[NULL]	S	B1WM14	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/29/2008 9:55	N	7439-98-7	Molybdenum	20	ug/L	UD	[NULL]	[NULL]	S	B1WM14	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/29/2008 9:55	N	7440-02-0	Nickel	30	ug/L	UD	[NULL]	[NULL]	S	B1WM14	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/29/2008 9:55	N	14797-55-8	Nitrate	487	ug/L	BD	[NULL]	[NULL]	S	B1WM14	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/29/2008 9:55	N	14797-65-0	Nitrite	328	ug/L	UD	[NULL]	[NULL]	S	B1WM14	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/29/2008 9:55	Y	EH	Oxidation Reduction Potential	-292	mV	[NULL]	[NULL]	[NULL]	S	B1WM01	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	7/29/2008 9:55	N	14265-44-2	Phosphate	1700000	ug/L	D	[NULL]	[NULL]	S	B1WM14	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/29/2008 9:55	N	7440-09-7	Potassium	9030	ug/L	D	[NULL]	[NULL]	S	B1WM14	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/29/2008 9:55	N	7440-22-4	Silver	20	ug/L	UD	[NULL]	[NULL]	S	B1WM14	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/29/2008 9:55	N	7440-23-5	Sodium	1620000	ug/L	D	[NULL]	[NULL]	S	B1WM14	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/29/2008 9:55	Y	CONDUCT	Specific Conductance	5116	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WM01	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	7/29/2008 9:55	N	7440-24-6	Strontium	404	ug/L	D	[NULL]	[NULL]	S	B1WM14	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/29/2008 9:55	N	14808-79-8	Sulfate	1000	ug/L	UD	[NULL]	[NULL]	S	B1WM14	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/29/2008 9:55	Y	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1WM01	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	7/29/2008 9:55	N	7440-62-2	Vanadium	60	ug/L	UD	[NULL]	[NULL]	S	B1WM14	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/29/2008 9:55	N	7440-66-6	Zinc	40	ug/L	UD	[NULL]	[NULL]	S	B1WM14	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/29/2008 9:55	Y	PH	pH Measurement	7.48	unitless	[NULL]	[NULL]	[NULL]	S	B1WM01	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	7/30/2008 10:56	N	7429-90-5	Aluminum	300	ug/L	UD	[NULL]	[NULL]	S	B1WM53	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/30/2008 10:56	N	7440-36-0	Antimony	300	ug/L	UD	[NULL]	[NULL]	S	B1WM53	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/30/2008 10:56	N	7440-38-2	Arsenic	400	ug/L	UD	[NULL]	[NULL]	S	B1WM53	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/30/2008 10:56	N	7440-39-3	Barium	20	ug/L	UD	[NULL]	[NULL]	S	B1WM53	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/30/2008 10:56	N	7440-43-9	Cadmium	20	ug/L	UD	[NULL]	[NULL]	S	B1WM53	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/30/2008 10:56	N	7440-70-2	Calcium	18500	ug/L	D	[NULL]	[NULL]	S	B1WM53	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/30/2008 10:56	N	16887-00-6	Chloride	198000	ug/L	D	[NULL]	[NULL]	S	B1WM53	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/30/2008 10:56	N	7440-47-3	Chromium	60	ug/L	UD	[NULL]	[NULL]	S	B1WM53	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	7/30/2008 10:56	N	7440-48-4	Cobalt	20	ug/L	UD	[NULL]	[NULL]	S	B1WM53	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/30/2008 10:56	N	7440-50-8	Copper	30	ug/L	UD	[NULL]	[NULL]	S	B1WM53	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/30/2008 10:56	Y	DO	Dissolved oxygen	2540	ug/L	[NULL]	[NULL]	[NULL]	S	B1WM28	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	7/30/2008 10:56	N	16984-48-8	Fluoride	2000	ug/L	UD	[NULL]	[NULL]	S	B1WM53	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/30/2008 10:56	Y	12587-46-1	Gross alpha	-1.56	pCi/L	U	[NULL]	[NULL]	S	B1WM28	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-143	7/30/2008 10:56	Y	12587-47-2	Gross beta	20.8	pCi/L	U	[NULL]	[NULL]	S	B1WM28	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-143	7/30/2008 10:56	N	7439-89-6	Iron	100	ug/L	UD	[NULL]	[NULL]	S	B1WM53	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/30/2008 10:56	N	7439-92-1	Lead	200	ug/L	UD	[NULL]	[NULL]	S	B1WM53	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/30/2008 10:56	N	7439-95-4	Magnesium	4770	ug/L	D	[NULL]	[NULL]	S	B1WM53	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/30/2008 10:56	N	7439-96-5	Manganese	20	ug/L	UD	[NULL]	[NULL]	S	B1WM53	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/30/2008 10:56	N	7439-98-7	Molybdenum	20	ug/L	UD	[NULL]	[NULL]	S	B1WM53	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/30/2008 10:56	N	7440-02-0	Nickel	30	ug/L	UD	[NULL]	[NULL]	S	B1WM53	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/30/2008 10:56	N	14797-55-8	Nitrate	4430	ug/L	UD	[NULL]	[NULL]	S	B1WM53	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/30/2008 10:56	N	14797-65-0	Nitrite	3280	ug/L	UD	[NULL]	[NULL]	S	B1WM53	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/30/2008 10:56	Y	EH	Oxidation Reduction Potential	-183	mV	[NULL]	[NULL]	[NULL]	S	B1WM28	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	7/30/2008 10:56	N	14265-44-2	Phosphate	1670000	ug/L	DM	[NULL]	[NULL]	S	B1WM53	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/30/2008 10:56	N	7440-09-7	Potassium	11600	ug/L	D	[NULL]	[NULL]	S	B1WM53	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/30/2008 10:56	N	7440-22-4	Silver	20	ug/L	UD	[NULL]	[NULL]	S	B1WM53	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/30/2008 10:56	N	7440-23-5	Sodium	1970000	ug/L	D	[NULL]	[NULL]	S	B1WM53	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/30/2008 10:56	Y	CONDUCT	Specific Conductance	5416	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WM28	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	7/30/2008 10:56	N	7440-24-6	Strontium	532	ug/L	D	[NULL]	[NULL]	S	B1WM53	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/30/2008 10:56	N	14808-79-8	Sulfate	10000	ug/L	UD	[NULL]	[NULL]	S	B1WM53	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/30/2008 10:56	Y	TEMPERATURE	Temperature	17.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1WM28	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	7/30/2008 10:56	N	7440-62-2	Vanadium	60	ug/L	UD	[NULL]	[NULL]	S	B1WM53	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/30/2008 10:56	N	7440-66-6	Zinc	40	ug/L	UD	[NULL]	[NULL]	S	B1WM53	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/30/2008 10:56	Y	PH	pH Measurement	7.01	unitless	[NULL]	[NULL]	[NULL]	S	B1WM28	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	7/31/2008 9:55	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VWH9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/31/2008 9:55	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VWH9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/31/2008 9:55	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VWH9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/31/2008 9:55	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWH9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/31/2008 9:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWH9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/31/2008 9:55	Y	7440-70-2	Calcium	13600	ug/L	D	[NULL]	[NULL]	S	B1VWH9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/31/2008 9:55	Y	16887-00-6	Chloride	192000	ug/L	D	[NULL]	[NULL]	S	B1VWH9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/31/2008 9:55	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VWH9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/31/2008 9:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VWH9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/31/2008 9:55	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VWH9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/31/2008 9:55	Y	DO	Dissolved oxygen	1010	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWC0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	7/31/2008 9:55	Y	16984-48-8	Fluoride	232	ug/L	DNU	[NULL]	[NULL]	S	B1VWH9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/31/2008 9:55	Y	12587-46-1	Gross alpha	-1.83	pCi/L	U	[NULL]	[NULL]	S	B1VWC0	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-143	7/31/2008 9:55	Y	12587-47-2	Gross beta	28.8	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VWC0	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-143	7/31/2008 9:55	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VWH9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/31/2008 9:55	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VWH9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/31/2008 9:55	Y	7439-95-4	Magnesium	3410	ug/L	D	[NULL]	[NULL]	S	B1VWH9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/31/2008 9:55	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1VWH9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/31/2008 9:55	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VWH9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/31/2008 9:55	Y	7440-02-0	Nickel	20.5	ug/L	D	[NULL]	[NULL]	S	B1VWH9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/31/2008 9:55	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1VWH9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/31/2008 9:55	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1VWH9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/31/2008 9:55	Y	EH	Oxidation Reduction Potential	-180	mV	[NULL]	[NULL]	[NULL]	S	B1VWC0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	7/31/2008 9:55	Y	14265-44-2	Phosphate	1650000	ug/L	D	[NULL]	[NULL]	S	B1VWH9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/31/2008 9:55	Y	7440-09-7	Potassium	8590	ug/L	D	[NULL]	[NULL]	S	B1VWH9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/31/2008 9:55	Y	7440-22-4	Silver	45	ug/L	CD	[NULL]	[NULL]	S	B1VWH9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/31/2008 9:55	Y	7440-23-5	Sodium	1420000	ug/L	D	[NULL]	[NULL]	S	B1VWH9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	7/31/2008 9:55	Y	CONDUCT	Specific Conductance	5338	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWC0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	7/31/2008 9:55	Y	7440-24-6	Strontium	385	ug/L	D	[NULL]	[NULL]	S	B1VWH9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/31/2008 9:55	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1VWH9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	7/31/2008 9:55	Y	TEMPERATURE	Temperature	16.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWC0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	7/31/2008 9:55	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VWH9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/31/2008 9:55	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VWH9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	7/31/2008 9:55	Y	PH	pH Measurement	6.9	unitless	[NULL]	[NULL]	[NULL]	S	B1VWC0	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	8/1/2008 10:10	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WN30	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/1/2008 10:10	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WN30	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/1/2008 10:10	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WN30	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/1/2008 10:10	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WN30	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/1/2008 10:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WN30	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/1/2008 10:10	Y	7440-70-2	Calcium	13600	ug/L	D	[NULL]	[NULL]	S	B1WN30	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/1/2008 10:10	Y	16887-00-6	Chloride	150000	ug/L	D	[NULL]	[NULL]	S	B1WNM8	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	8/1/2008 10:10	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WN30	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/1/2008 10:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WN30	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/1/2008 10:10	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WN30	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/1/2008 10:10	Y	DO	Dissolved oxygen	1370	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWL1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	8/1/2008 10:10	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WNM8	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	8/1/2008 10:10	Y	12587-46-1	Gross alpha	-2.48	pCi/L	U	[NULL]	[NULL]	S	B1VWL1	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-143	8/1/2008 10:10	Y	12587-47-2	Gross beta	4.88	pCi/L	U	[NULL]	[NULL]	S	B1VWL1	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-143	8/1/2008 10:10	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WN30	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/1/2008 10:10	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WN30	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/1/2008 10:10	Y	7439-95-4	Magnesium	2710	ug/L	D	[NULL]	[NULL]	S	B1WN30	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/1/2008 10:10	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WN30	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/1/2008 10:10	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WN30	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/1/2008 10:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WN30	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/1/2008 10:10	Y	14797-55-8	Nitrate	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNM8	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	8/1/2008 10:10	Y	14797-65-0	Nitrite	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNM8	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	8/1/2008 10:10	Y	EH	Oxidation Reduction Potential	-166	mV	[NULL]	[NULL]	[NULL]	S	B1VWL1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	8/1/2008 10:10	Y	14265-44-2	Phosphate	1730000	ug/L	D	[NULL]	[NULL]	S	B1WNM8	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	8/1/2008 10:10	Y	7440-09-7	Potassium	5070	ug/L	D	[NULL]	[NULL]	S	B1WN30	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/1/2008 10:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WN30	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/1/2008 10:10	Y	7440-23-5	Sodium	814000	ug/L	D	[NULL]	[NULL]	S	B1WN30	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/1/2008 10:10	Y	CONDUCT	Specific Conductance	5229	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWL1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	8/1/2008 10:10	Y	7440-24-6	Strontium	371	ug/L	D	[NULL]	[NULL]	S	B1WN30	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/1/2008 10:10	Y	14808-79-8	Sulfate	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNM8	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	8/1/2008 10:10	Y	TEMPERATURE	Temperature	17.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWL1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	8/1/2008 10:10	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WN30	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/1/2008 10:10	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WN30	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/1/2008 10:10	Y	PH	pH Measurement	6.88	unitless	[NULL]	[NULL]	[NULL]	S	B1VWL1	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	8/2/2008 8:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WN79	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/2/2008 8:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WN79	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/2/2008 8:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WN79	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/2/2008 8:30	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WN79	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/2/2008 8:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WN79	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/2/2008 8:30	Y	7440-70-2	Calcium	13700	ug/L	D	[NULL]	[NULL]	S	B1WN79	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/2/2008 8:30	Y	16887-00-6	Chloride	188000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNT0	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	8/2/2008 8:30	Y	7440-47-3	Chromium	766	ug/L	D	[NULL]	[NULL]	S	B1WN79	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/2/2008 8:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WN79	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/2/2008 8:30	Y	7440-50-8	Copper	203	ug/L	D	[NULL]	[NULL]	S	B1WN79	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/2/2008 8:30	Y	DO	Dissolved oxygen	2310	ug/L	[NULL]	[NULL]	[NULL]	S	B1WN66	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	8/2/2008 8:30	Y	DO	Dissolved oxygen	2310	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNT0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	8/2/2008 8:30	Y	16984-48-8	Fluoride	2500	ug/L	U	[NULL]	[NULL]	S	B1WNT0	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	8/2/2008 8:30	Y	12587-46-1	Gross alpha	0.852	pCi/L	U	[NULL]	[NULL]	S	B1WN66	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-143	8/2/2008 8:30	Y	12587-47-2	Gross beta	19.7	pCi/L	U	[NULL]	[NULL]	S	B1WN66	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-143	8/2/2008 8:30	Y	7439-89-6	Iron	3850	ug/L	D	[NULL]	[NULL]	S	B1WN79	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/2/2008 8:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WN79	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/2/2008 8:30	Y	7439-95-4	Magnesium	3300	ug/L	D	[NULL]	[NULL]	S	B1WN79	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/2/2008 8:30	Y	7439-96-5	Manganese	174	ug/L	D	[NULL]	[NULL]	S	B1WN79	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/2/2008 8:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WN79	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/2/2008 8:30	Y	7440-02-0	Nickel	1270	ug/L	D	[NULL]	[NULL]	S	B1WN79	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/2/2008 8:30	Y	14797-55-8	Nitrate	2500	ug/L	U	[NULL]	[NULL]	S	B1WNT0	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	8/2/2008 8:30	Y	14797-65-0	Nitrite	2500	ug/L	U	[NULL]	[NULL]	S	B1WNT0	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	8/2/2008 8:30	Y	EH	Oxidation Reduction Potential	-145	mV	[NULL]	[NULL]	[NULL]	S	B1WNT0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	8/2/2008 8:30	Y	EH	Oxidation Reduction Potential	-145	mV	[NULL]	[NULL]	[NULL]	S	B1WN66	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	8/2/2008 8:30	Y	14265-44-2	Phosphate	1760000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNT0	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	8/2/2008 8:30	Y	7440-09-7	Potassium	8480	ug/L	D	[NULL]	[NULL]	S	B1WN79	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/2/2008 8:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WN79	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/2/2008 8:30	Y	7440-23-5	Sodium	1430000	ug/L	D	[NULL]	[NULL]	S	B1WN79	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/2/2008 8:30	Y	CONDUCT	Specific Conductance	5194	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WNT0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	8/2/2008 8:30	Y	CONDUCT	Specific Conductance	5194	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WN66	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	8/2/2008 8:30	Y	7440-24-6	Strontium	382	ug/L	D	[NULL]	[NULL]	S	B1WN79	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/2/2008 8:30	Y	14808-79-8	Sulfate	2500	ug/L	U	[NULL]	[NULL]	S	B1WNT0	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	8/2/2008 8:30	Y	TEMPERATURE	Temperature	15.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1WN66	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	8/2/2008 8:30	Y	TEMPERATURE	Temperature	15.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1WNT0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	8/2/2008 8:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WN79	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/2/2008 8:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WN79	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/2/2008 8:30	Y	PH	pH Measurement	7.03	unitless	[NULL]	[NULL]	[NULL]	S	B1WN66	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	8/2/2008 8:30	Y	PH	pH Measurement	7.03	unitless	[NULL]	[NULL]	[NULL]	S	B1WNT0	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	8/4/2008 9:10	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WNB5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/4/2008 9:10	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WNB5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/4/2008 9:10	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WNB5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/4/2008 9:10	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WNB5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/4/2008 9:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WNB5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/4/2008 9:10	Y	7440-70-2	Calcium	13100	ug/L	D	[NULL]	[NULL]	S	B1WNB5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/4/2008 9:10	Y	16887-00-6	Chloride	175000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNV3	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	8/4/2008 9:10	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WNB5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/4/2008 9:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WNB5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/4/2008 9:10	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WNB5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/4/2008 9:10	Y	DO	Dissolved oxygen	1500	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNV3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	8/4/2008 9:10	Y	DO	Dissolved oxygen	1500	ug/L	[NULL]	[NULL]	[NULL]	S	B1WN92	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	8/4/2008 9:10	Y	16984-48-8	Fluoride	2500	ug/L	U	[NULL]	[NULL]	S	B1WNV3	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	8/4/2008 9:10	Y	12587-46-1	Gross alpha	-6.97	pCi/L	U	[NULL]	[NULL]	S	B1WN92	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-143	8/4/2008 9:10	Y	12587-47-2	Gross beta	20.5	pCi/L	U	[NULL]	[NULL]	S	B1WN92	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-143	8/4/2008 9:10	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WNB5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/4/2008 9:10	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WNB5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/4/2008 9:10	Y	7439-95-4	Magnesium	3330	ug/L	D	[NULL]	[NULL]	S	B1WNB5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/4/2008 9:10	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WNB5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/4/2008 9:10	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WNB5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/4/2008 9:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WNB5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/4/2008 9:10	Y	14797-55-8	Nitrate	2500	ug/L	U	[NULL]	[NULL]	S	B1WNV3	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	8/4/2008 9:10	Y	14797-65-0	Nitrite	2500	ug/L	U	[NULL]	[NULL]	S	B1WNV3	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	8/4/2008 9:10	Y	EH	Oxidation Reduction Potential	-120	mV	[NULL]	[NULL]	[NULL]	S	B1WN92	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	8/4/2008 9:10	Y	EH	Oxidation Reduction Potential	-120	mV	[NULL]	[NULL]	[NULL]	S	B1WNV3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	8/4/2008 9:10	Y	14265-44-2	Phosphate	1810000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNV3	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	8/4/2008 9:10	Y	7440-09-7	Potassium	8140	ug/L	D	[NULL]	[NULL]	S	B1WNB5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/4/2008 9:10	Y	7440-22-4	Silver	58	ug/L	D	[NULL]	[NULL]	S	B1WNB5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/4/2008 9:10	Y	7440-23-5	Sodium	1400000	ug/L	D	[NULL]	[NULL]	S	B1WNB5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/4/2008 9:10	Y	CONDUCT	Specific Conductance	4890	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WN92	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	8/4/2008 9:10	Y	CONDUCT	Specific Conductance	4890	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WNV3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	8/4/2008 9:10	Y	7440-24-6	Strontium	369	ug/L	D	[NULL]	[NULL]	S	B1WNB5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/4/2008 9:10	Y	14808-79-8	Sulfate	2500	ug/L	U	[NULL]	[NULL]	S	B1WNV3	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	8/4/2008 9:10	Y	TEMPERATURE	Temperature	16.6	Deg C	[NULL]	[NULL]	[NULL]	S	B1WNV3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	8/4/2008 9:10	Y	TEMPERATURE	Temperature	16.6	Deg C	[NULL]	G	[NULL]	S	B1WN92	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	8/4/2008 9:10	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WNB5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/4/2008 9:10	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WNB5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/4/2008 9:10	Y	PH	pH Measurement	6.85	unitless	[NULL]	[NULL]	[NULL]	S	B1WN92	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	8/4/2008 9:10	Y	PH	pH Measurement	6.85	unitless	[NULL]	[NULL]	[NULL]	S	B1WNV3	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	8/6/2008 10:10	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WNF1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/6/2008 10:10	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WNF1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/6/2008 10:10	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WNF1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/6/2008 10:10	Y	7440-39-3	Barium	40	ug/L	D	[NULL]	[NULL]	S	B1WNF1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/6/2008 10:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WNF1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/6/2008 10:10	Y	7440-70-2	Calcium	9210	ug/L	D	[NULL]	[NULL]	S	B1WNF1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/6/2008 10:10	Y	16887-00-6	Chloride	179000	ug/L	D	[NULL]	[NULL]	S	B1WNW6	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	8/6/2008 10:10	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WNF1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/6/2008 10:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WNF1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/6/2008 10:10	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WNF1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/6/2008 10:10	Y	DO	Dissolved oxygen	760	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNC8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	8/6/2008 10:10	Y	16984-48-8	Fluoride	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNW6	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	8/6/2008 10:10	Y	12587-46-1	Gross alpha	4.66	pCi/L	U	[NULL]	[NULL]	S	B1WNC8	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-143	8/6/2008 10:10	Y	12587-47-2	Gross beta	27.5	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WNC8	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-143	8/6/2008 10:10	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WNF1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/6/2008 10:10	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WNF1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/6/2008 10:10	Y	7439-95-4	Magnesium	2240	ug/L	DN	[NULL]	[NULL]	S	B1WNF1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/6/2008 10:10	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WNF1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/6/2008 10:10	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WNF1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/6/2008 10:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WNF1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/6/2008 10:10	Y	14797-55-8	Nitrate	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNW6	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	8/6/2008 10:10	Y	14797-65-0	Nitrite	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNW6	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	8/6/2008 10:10	Y	EH	Oxidation Reduction Potential	-156	mV	[NULL]	[NULL]	[NULL]	S	B1WNC8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	8/6/2008 10:10	Y	14265-44-2	Phosphate	1920000	ug/L	D	[NULL]	[NULL]	S	B1WNW6	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	8/6/2008 10:10	Y	7440-09-7	Potassium	5600	ug/L	D	[NULL]	[NULL]	S	B1WNF1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/6/2008 10:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WNF1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/6/2008 10:10	Y	7440-23-5	Sodium	997000	ug/L	D	[NULL]	[NULL]	S	B1WNF1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/6/2008 10:10	Y	CONDUCT	Specific Conductance	4680	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WNC8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	8/6/2008 10:10	Y	7440-24-6	Strontium	247	ug/L	DN	[NULL]	[NULL]	S	B1WNF1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/6/2008 10:10	Y	14808-79-8	Sulfate	2500	ug/L	UD	[NULL]	[NULL]	S	B1WNW6	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	8/6/2008 10:10	Y	TEMPERATURE	Temperature	19.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1WNC8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	8/6/2008 10:10	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WNF1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/6/2008 10:10	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WNF1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/6/2008 10:10	Y	PH	pH Measurement	6.88	unitless	[NULL]	[NULL]	[NULL]	S	B1WNC8	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	8/8/2008 9:50	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WNK2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/8/2008 9:50	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WNK2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/8/2008 9:50	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WNK2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/8/2008 9:50	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WNK2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/8/2008 9:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WNK2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/8/2008 9:50	Y	7440-70-2	Calcium	7350	ug/L	D	[NULL]	[NULL]	S	B1WNK2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	8/8/2008 9:50	Y	16887-00-6	Chloride	141000	ug/L	D	[NULL]	[NULL]	S	B1WNY4	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	8/8/2008 9:50	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WNK2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/8/2008 9:50	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WNK2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/8/2008 9:50	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WNK2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/8/2008 9:50	Y	DO	Dissolved oxygen	1310	ug/L	[NULL]	[NULL]	[NULL]	S	B1WNH9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	8/8/2008 9:50	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WNY4	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	8/8/2008 9:50	Y	12587-46-1	Gross alpha	-1.1	pCi/L	U	[NULL]	[NULL]	S	B1WNH9	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-143	8/8/2008 9:50	Y	12587-47-2	Gross beta	15.4	pCi/L	U	[NULL]	[NULL]	S	B1WNH9	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-143	8/8/2008 9:50	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WNK2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/8/2008 9:50	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WNK2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/8/2008 9:50	Y	7439-95-4	Magnesium	1840	ug/L	DN	[NULL]	[NULL]	S	B1WNK2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/8/2008 9:50	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WNK2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/8/2008 9:50	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WNK2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/8/2008 9:50	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WNK2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/8/2008 9:50	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WNY4	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	8/8/2008 9:50	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WNY4	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	8/8/2008 9:50	Y	EH	Oxidation Reduction Potential	-315	mV	[NULL]	[NULL]	[NULL]	S	B1WNH9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	8/8/2008 9:50	Y	14265-44-2	Phosphate	1450000	ug/L	D	[NULL]	[NULL]	S	B1WNY4	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	8/8/2008 9:50	Y	7440-09-7	Potassium	4930	ug/L	D	[NULL]	[NULL]	S	B1WNK2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/8/2008 9:50	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WNK2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/8/2008 9:50	Y	7440-23-5	Sodium	831000	ug/L	D	[NULL]	[NULL]	S	B1WNK2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/8/2008 9:50	Y	CONDUCT	Specific Conductance	4375	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WNH9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	8/8/2008 9:50	Y	7440-24-6	Strontium	197	ug/L	DN	[NULL]	[NULL]	S	B1WNK2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/8/2008 9:50	Y	14808-79-8	Sulfate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WNY4	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	8/8/2008 9:50	Y	TEMPERATURE	Temperature	18.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1WNH9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	8/8/2008 9:50	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WNK2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/8/2008 9:50	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WNK2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/8/2008 9:50	Y	PH	pH Measurement	7.51	unitless	[NULL]	[NULL]	[NULL]	S	B1WNH9	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	8/15/2008 9:00	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WP34	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/15/2008 9:00	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WP34	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/15/2008 9:00	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WP34	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/15/2008 9:00	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WP34	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/15/2008 9:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WP34	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/15/2008 9:00	Y	7440-70-2	Calcium	10700	ug/L	DN	[NULL]	[NULL]	S	B1WP34	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/15/2008 9:00	Y	16887-00-6	Chloride	121000	ug/L	D	[NULL]	[NULL]	S	B1WP64	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	8/15/2008 9:00	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WP34	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/15/2008 9:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WP34	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/15/2008 9:00	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WP34	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/15/2008 9:00	Y	DO	Dissolved oxygen	1740	ug/L	[NULL]	[NULL]	[NULL]	S	B1WP34	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	8/15/2008 9:00	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP64	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	8/15/2008 9:00	Y	12587-46-1	Gross alpha	2.3	pCi/L	U	[NULL]	[NULL]	S	B1WP34	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-143	8/15/2008 9:00	Y	12587-47-2	Gross beta	28	pCi/L	U	[NULL]	[NULL]	S	B1WP34	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-143	8/15/2008 9:00	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WP34	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/15/2008 9:00	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WP34	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/15/2008 9:00	Y	7439-95-4	Magnesium	2540	ug/L	D	[NULL]	[NULL]	S	B1WP34	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/15/2008 9:00	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WP34	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/15/2008 9:00	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WP34	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/15/2008 9:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WP34	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/15/2008 9:00	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP64	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	8/15/2008 9:00	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP64	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	8/15/2008 9:00	Y	EH	Oxidation Reduction Potential	-133	mV	[NULL]	[NULL]	[NULL]	S	B1WP34	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	8/15/2008 9:00	Y	14265-44-2	Phosphate	1560000	ug/L	D	[NULL]	[NULL]	S	B1WP64	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	8/15/2008 9:00	Y	7440-09-7	Potassium	6000	ug/L	D	[NULL]	[NULL]	S	B1WP34	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	8/15/2008 9:00	Y	7440-22-4	Silver	32	ug/L	CD	[NULL]	[NULL]	S	B1WP34	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/15/2008 9:00	Y	7440-23-5	Sodium	1020000	ug/L	D	[NULL]	[NULL]	S	B1WP34	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/15/2008 9:00	Y	CONDUCT	Specific Conductance	4154	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WP34	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	8/15/2008 9:00	Y	7440-24-6	Strontium	298	ug/L	D	[NULL]	[NULL]	S	B1WP34	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/15/2008 9:00	Y	14808-79-8	Sulfate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WP64	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	8/15/2008 9:00	Y	TEMPERATURE	Temperature	20	Deg C	[NULL]	[NULL]	[NULL]	S	B1WP34	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	8/15/2008 9:00	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WP34	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/15/2008 9:00	Y	7440-66-6	Zinc	84.4	ug/L	D	[NULL]	[NULL]	S	B1WP34	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/15/2008 9:00	Y	PH	pH Measurement	7.04	unitless	[NULL]	[NULL]	[NULL]	S	B1WP34	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	8/22/2008 8:00	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WP94	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/22/2008 8:00	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WP94	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/22/2008 8:00	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WP94	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/22/2008 8:00	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WP94	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/22/2008 8:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WP94	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/22/2008 8:00	Y	7440-70-2	Calcium	9340	ug/L	D	[NULL]	[NULL]	S	B1WP94	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/22/2008 8:00	Y	16887-00-6	Chloride	121000	ug/L	D	[NULL]	[NULL]	S	B1WP94	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	8/22/2008 8:00	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WP94	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/22/2008 8:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WP94	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/22/2008 8:00	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WP94	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/22/2008 8:00	Y	DO	Dissolved oxygen	1350	ug/L	[NULL]	[NULL]	[NULL]	S	B1WP94	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	8/22/2008 8:00	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WP94	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	8/22/2008 8:00	Y	12587-46-1	Gross alpha	-8.6	pCi/L	U	[NULL]	[NULL]	S	B1WP94	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-143	8/22/2008 8:00	Y	12587-47-2	Gross beta	19	pCi/L	U	[NULL]	[NULL]	S	B1WP94	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-143	8/22/2008 8:00	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WP94	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/22/2008 8:00	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WP94	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/22/2008 8:00	Y	7439-95-4	Magnesium	2490	ug/L	D	[NULL]	[NULL]	S	B1WP94	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/22/2008 8:00	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WP94	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/22/2008 8:00	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WP94	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/22/2008 8:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WP94	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/22/2008 8:00	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WP94	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	8/22/2008 8:00	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WP94	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	8/22/2008 8:00	Y	EH	Oxidation Reduction Potential	-318	mV	[NULL]	[NULL]	[NULL]	S	B1WP94	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	8/22/2008 8:00	Y	14265-44-2	Phosphate	1340000	ug/L	D	[NULL]	[NULL]	S	B1WP94	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	8/22/2008 8:00	Y	7440-09-7	Potassium	6020	ug/L	D	[NULL]	[NULL]	S	B1WP94	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/22/2008 8:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WP94	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/22/2008 8:00	Y	7440-23-5	Sodium	984000	ug/L	D	[NULL]	[NULL]	S	B1WP94	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/22/2008 8:00	Y	CONDUCT	Specific Conductance	3085	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WP94	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	8/22/2008 8:00	Y	7440-24-6	Strontium	286	ug/L	D	[NULL]	[NULL]	S	B1WP94	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/22/2008 8:00	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WP94	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	8/22/2008 8:00	Y	TEMPERATURE	Temperature	15.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1WP94	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	8/22/2008 8:00	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WP94	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/22/2008 8:00	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WP94	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	8/22/2008 8:00	Y	PH	pH Measurement	7.48	unitless	[NULL]	[NULL]	[NULL]	S	B1WP94	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	9/2/2008 10:23	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WWP1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/2/2008 10:23	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WWP1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/2/2008 10:23	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WWP1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/2/2008 10:23	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WWP1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/2/2008 10:23	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WWP1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/2/2008 10:23	Y	7440-70-2	Calcium	8130	ug/L	DN	[NULL]	[NULL]	S	B1WWP1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/2/2008 10:23	Y	16887-00-6	Chloride	204000	ug/L	D	[NULL]	[NULL]	S	B1WWL8	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	9/2/2008 10:23	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WWP1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/2/2008 10:23	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WWP1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/2/2008 10:23	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WWP1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/2/2008 10:23	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWL8	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	9/2/2008 10:23	Y	12587-46-1	Gross alpha	0.036	pCi/L	U	[NULL]	[NULL]	S	B1WWP1	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-143	9/2/2008 10:23	Y	12587-47-2	Gross beta	15	pCi/L	U	[NULL]	[NULL]	S	B1WWP1	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-143	9/2/2008 10:23	Y	7439-89-6	Iron	152	ug/L	BD	[NULL]	[NULL]	S	B1WWP1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/2/2008 10:23	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WWP1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/2/2008 10:23	Y	7439-95-4	Magnesium	2420	ug/L	D	[NULL]	[NULL]	S	B1WWP1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/2/2008 10:23	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WWP1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/2/2008 10:23	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WWP1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/2/2008 10:23	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WWP1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/2/2008 10:23	Y	14797-55-8	Nitrate	28500	ug/L	D	[NULL]	[NULL]	S	B1WWL8	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	9/2/2008 10:23	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWL8	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	9/2/2008 10:23	Y	EH	Oxidation Reduction Potential	-176	mV	[NULL]	[NULL]	[NULL]	S	B1WWL8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	9/2/2008 10:23	Y	14265-44-2	Phosphate	1330000	ug/L	D	[NULL]	[NULL]	S	B1WWL8	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	9/2/2008 10:23	Y	7440-09-7	Potassium	6110	ug/L	D	[NULL]	[NULL]	S	B1WWP1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/2/2008 10:23	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WWP1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/2/2008 10:23	Y	7440-23-5	Sodium	958000	ug/L	D	[NULL]	[NULL]	S	B1WWP1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/2/2008 10:23	Y	CONDUCT	Specific Conductance	3164	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WWL8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	9/2/2008 10:23	Y	7440-24-6	Strontium	264	ug/L	D	[NULL]	[NULL]	S	B1WWP1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/2/2008 10:23	Y	14808-79-8	Sulfate	82100	ug/L	D	[NULL]	[NULL]	S	B1WWL8	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	9/2/2008 10:23	Y	TEMPERATURE	Temperature	17.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WWL8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	9/2/2008 10:23	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WWP1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/2/2008 10:23	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WWP1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/2/2008 10:23	Y	PH	pH Measurement	7.15	unitless	[NULL]	[NULL]	[NULL]	S	B1WWL8	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	9/3/2008 9:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WWK7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/3/2008 9:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WWK7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/3/2008 9:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WWK7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/3/2008 9:30	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WWK7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/3/2008 9:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WWK7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/3/2008 9:30	Y	7440-70-2	Calcium	7860	ug/L	D	[NULL]	[NULL]	S	B1WWK7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/3/2008 9:30	Y	16887-00-6	Chloride	81100	ug/L	D	[NULL]	[NULL]	S	B1WWD5	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	9/3/2008 9:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WWK7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/3/2008 9:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WWK7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/3/2008 9:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WWK7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/3/2008 9:30	Y	DO	Dissolved oxygen	2190	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWD5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	9/3/2008 9:30	Y	16984-48-8	Fluoride	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWD5	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	9/3/2008 9:30	Y	12587-46-1	Gross alpha	-0.67	pCi/L	U	[NULL]	[NULL]	S	B1WWK7	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-143	9/3/2008 9:30	Y	12587-47-2	Gross beta	25	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WWK7	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-143	9/3/2008 9:30	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WWK7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/3/2008 9:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WWK7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/3/2008 9:30	Y	7439-95-4	Magnesium	2090	ug/L	D	[NULL]	[NULL]	S	B1WWK7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/3/2008 9:30	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WWK7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/3/2008 9:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WWK7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/3/2008 9:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WWK7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/3/2008 9:30	Y	14797-55-8	Nitrate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWD5	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	9/3/2008 9:30	Y	14797-65-0	Nitrite	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWD5	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	9/3/2008 9:30	Y	EH	Oxidation Reduction Potential	-125	mV	[NULL]	[NULL]	[NULL]	S	B1WWD5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	9/3/2008 9:30	Y	14265-44-2	Phosphate	1170000	ug/L	D	[NULL]	[NULL]	S	B1WWD5	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	9/3/2008 9:30	Y	7440-09-7	Potassium	5070	ug/L	D	[NULL]	[NULL]	S	B1WWK7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/3/2008 9:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WWK7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/3/2008 9:30	Y	7440-23-5	Sodium	819000	ug/L	D	[NULL]	[NULL]	S	B1WWK7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/3/2008 9:30	Y	CONDUCT	Specific Conductance	2919	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WWD5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	9/3/2008 9:30	Y	7440-24-6	Strontium	236	ug/L	D	[NULL]	[NULL]	S	B1WWK7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/3/2008 9:30	Y	14808-79-8	Sulfate	25000	ug/L	UD	[NULL]	[NULL]	S	B1WWD5	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-143	9/3/2008 9:30	Y	TEMPERATURE	Temperature	15.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1WWD5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	9/3/2008 9:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WWK7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/3/2008 9:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WWK7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/3/2008 9:30	Y	PH	pH Measurement	7.36	unitless	[NULL]	[NULL]	[NULL]	S	B1WWD5	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	9/9/2008 10:35	Y	7429-90-5	Aluminum	52	ug/L	U	[NULL]	[NULL]	S	B1WWV7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/9/2008 10:35	Y	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	S	B1WWV7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/9/2008 10:35	Y	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	S	B1WWV7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/9/2008 10:35	Y	7440-39-3	Barium	4	ug/L	U	[NULL]	[NULL]	S	B1WWV7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/9/2008 10:35	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1WWV7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/9/2008 10:35	Y	7440-70-2	Calcium	6990	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWV7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/9/2008 10:35	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B1WWV7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/9/2008 10:35	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1WWV7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/9/2008 10:35	Y	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1WWV7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/9/2008 10:35	Y	12587-46-1	Gross alpha	-7.8	pCi/L	U	[NULL]	[NULL]	S	B1WWV7	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-143	9/9/2008 10:35	Y	12587-47-2	Gross beta	3.1	pCi/L	U	[NULL]	[NULL]	S	B1WWV7	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-143	9/9/2008 10:35	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	S	B1WWV7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/9/2008 10:35	Y	7439-92-1	Lead	45	ug/L	U	[NULL]	[NULL]	S	B1WWV7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/9/2008 10:35	Y	7439-95-4	Magnesium	1730	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWV7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/9/2008 10:35	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	S	B1WWV7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/9/2008 10:35	Y	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	S	B1WWV7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/9/2008 10:35	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B1WWV7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/9/2008 10:35	Y	7440-09-7	Potassium	3440	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWV7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/9/2008 10:35	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1WWV7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/9/2008 10:35	Y	7440-23-5	Sodium	682000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWV7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/9/2008 10:35	Y	7440-24-6	Strontium	203	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWV7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/9/2008 10:35	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	S	B1WWV7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/9/2008 10:35	Y	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1WWV7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/21/2008 10:10	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WX35	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/21/2008 10:10	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WX35	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/21/2008 10:10	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WX35	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/21/2008 10:10	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1WX35	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/21/2008 10:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WX35	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/21/2008 10:10	Y	7440-70-2	Calcium	7180	ug/L	DN	[NULL]	[NULL]	S	B1WX35	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/21/2008 10:10	Y	16887-00-6	Chloride	66200	ug/L	D	[NULL]	[NULL]	S	B1WWY0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	9/21/2008 10:10	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WX35	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/21/2008 10:10	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WX35	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/21/2008 10:10	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WX35	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/21/2008 10:10	Y	DO	Dissolved oxygen	1080	ug/L	[NULL]	[NULL]	[NULL]	S	B1WWY0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	9/21/2008 10:10	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WWY0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	9/21/2008 10:10	Y	12587-46-1	Gross alpha	6	pCi/L	U	[NULL]	[NULL]	S	B1WX35	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-143	9/21/2008 10:10	Y	12587-47-2	Gross beta	24	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WX35	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-143	9/21/2008 10:10	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WX35	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/21/2008 10:10	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WX35	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/21/2008 10:10	Y	7439-95-4	Magnesium	1830	ug/L	D	[NULL]	[NULL]	S	B1WX35	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/21/2008 10:10	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WX35	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/21/2008 10:10	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WX35	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/21/2008 10:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WX35	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/21/2008 10:10	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WWY0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	9/21/2008 10:10	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WWY0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	9/21/2008 10:10	Y	EH	Oxidation Reduction Potential	-158	mV	[NULL]	[NULL]	[NULL]	S	B1WWY0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	9/21/2008 10:10	Y	14265-44-2	Phosphate	1070000	ug/L	D	[NULL]	[NULL]	S	B1WWY0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	9/21/2008 10:10	Y	7440-09-7	Potassium	4180	ug/L	BD	[NULL]	[NULL]	S	B1WX35	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/21/2008 10:10	Y	7440-22-4	Silver	25	ug/L	DNUX	[NULL]	[NULL]	S	B1WX35	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/21/2008 10:10	Y	7440-23-5	Sodium	659000	ug/L	D	[NULL]	[NULL]	S	B1WX35	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/21/2008 10:10	Y	CONDUCT	Specific Conductance	255	uS/cm	[NULL]	Y	[NULL]	S	B1WWY0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	9/21/2008 10:10	Y	7440-24-6	Strontium	195	ug/L	D	[NULL]	[NULL]	S	B1WX35	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/21/2008 10:10	Y	14808-79-8	Sulfate	1470	ug/L	BD	[NULL]	[NULL]	S	B1WWY0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	9/21/2008 10:10	Y	TEMPERATURE	Temperature	17.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1WWY0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	9/21/2008 10:10	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WX35	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/21/2008 10:10	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WX35	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	9/21/2008 10:10	Y	PH	pH Measurement	7.28	unitless	[NULL]	[NULL]	[NULL]	S	B1WWY0	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	10/30/2008 11:50	N	7429-90-5	Aluminum	50	ug/L	U	[NULL]	[NULL]	S	B1WX84	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/30/2008 11:50	N	7440-36-0	Antimony	60	ug/L	U	[NULL]	[NULL]	S	B1WX84	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/30/2008 11:50	N	7440-38-2	Arsenic	80	ug/L	U	[NULL]	[NULL]	S	B1WX84	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/30/2008 11:50	N	7440-39-3	Barium	4	ug/L	U	[NULL]	[NULL]	S	B1WX84	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/30/2008 11:50	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1WX84	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/30/2008 11:50	N	7440-70-2	Calcium	6140	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX84	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/30/2008 11:50	N	16887-00-6	Chloride	31000	ug/L	DN	[NULL]	[NULL]	S	B1WX84	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	10/30/2008 11:50	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	S	B1WX84	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/30/2008 11:50	N	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	S	B1WX84	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/30/2008 11:50	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1WX84	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/30/2008 11:50	N	16984-48-8	Fluoride	200	ug/L	UD	[NULL]	[NULL]	S	B1WX84	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	10/30/2008 11:50	N	12587-46-1	Gross alpha	6.05	pCi/L	[NULL]	G	[NULL]	S	B1WX84	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-143	10/30/2008 11:50	N	12587-47-2	Gross beta	1.42	pCi/L	U	[NULL]	[NULL]	S	B1WX84	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-143	10/30/2008 11:50	N	7439-89-6	Iron	20	ug/L	U	[NULL]	[NULL]	S	B1WX84	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/30/2008 11:50	N	7439-92-1	Lead	40	ug/L	U	[NULL]	[NULL]	S	B1WX84	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/30/2008 11:50	N	7439-95-4	Magnesium	1460	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX84	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/30/2008 11:50	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	S	B1WX84	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/30/2008 11:50	N	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	S	B1WX84	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/30/2008 11:50	N	7440-02-0	Nickel	6	ug/L	U	[NULL]	[NULL]	S	B1WX84	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/30/2008 11:50	N	14797-55-8	Nitrate	29200	ug/L	D	[NULL]	[NULL]	S	B1WX84	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	10/30/2008 11:50	N	14797-65-0	Nitrite	328	ug/L	UD	[NULL]	[NULL]	S	B1WX84	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	10/30/2008 11:50	N	14265-44-2	Phosphate	730000	ug/L	D	[NULL]	[NULL]	S	B1WX84	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	10/30/2008 11:50	N	7440-09-7	Potassium	3100	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX84	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/30/2008 11:50	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1WX84	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/30/2008 11:50	N	7440-23-5	Sodium	469000	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX84	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/30/2008 11:50	N	7440-24-6	Strontium	197	ug/L	[NULL]	[NULL]	[NULL]	S	B1WX84	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/30/2008 11:50	N	14808-79-8	Sulfate	25400	ug/L	D	[NULL]	[NULL]	S	B1WX84	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	10/30/2008 11:50	N	13966-29-5	Uranium-234	0.14	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WX84	13966-29-5	WSCF	UISO_IE_PRECIP_AEA	100-NR-2
199-N-143	10/30/2008 11:50	N	15117-96-1	Uranium-235	0.023	pCi/L	U	[NULL]	[NULL]	S	B1WX84	15117-96-1	WSCF	UISO_IE_PRECIP_AEA	100-NR-2
199-N-143	10/30/2008 11:50	N	U-238	Uranium-238	0.047	pCi/L	U	[NULL]	[NULL]	S	B1WX84	U-238	WSCF	UISO_IE_PRECIP_AEA	100-NR-2
199-N-143	10/30/2008 11:50	N	7440-62-2	Vanadium	10	ug/L	U	[NULL]	[NULL]	S	B1WX84	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	10/30/2008 11:50	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1WX84	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	12/8/2008 10:43	N	7429-90-5	Aluminum	52	ug/L	U	[NULL]	[NULL]	S	B1XXR5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	12/8/2008 10:43	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	S	B1XXR5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	12/8/2008 10:43	N	7440-38-2	Arsenic	128	ug/L	B	[NULL]	[NULL]	S	B1XXR5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	12/8/2008 10:43	N	7440-39-3	Barium	4	ug/L	B	[NULL]	[NULL]	S	B1XXR5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	12/8/2008 10:43	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1XXR5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	12/8/2008 10:43	N	7440-70-2	Calcium	8470	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXR5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	12/8/2008 10:43	N	16887-00-6	Chloride	8660	ug/L	D	[NULL]	[NULL]	S	B1XXR5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	12/8/2008 10:43	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B1XXR5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	12/8/2008 10:43	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1XXR5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	12/8/2008 10:43	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1XXR5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	12/8/2008 10:43	N	DO	Dissolved oxygen	2720	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXR5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	12/8/2008 10:43	N	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1XXR5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	12/8/2008 10:43	N	12587-46-1	Gross alpha	-2.6	pCi/L	U	[NULL]	[NULL]	S	B1XXR5	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-143	12/8/2008 10:43	N	12587-47-2	Gross beta	3.8	pCi/L	U	[NULL]	[NULL]	S	B1XXR5	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-143	12/8/2008 10:43	N	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	S	B1XXR5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	12/8/2008 10:43	N	7439-92-1	Lead	45	ug/L	U	[NULL]	[NULL]	S	B1XXR5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	12/8/2008 10:43	N	7439-95-4	Magnesium	1720	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXR5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-143	12/8/2008 10:43	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	S	B1XXR5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	12/8/2008 10:43	N	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	S	B1XXR5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	12/8/2008 10:43	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B1XXR5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	12/8/2008 10:43	N	14797-55-8	Nitrate	69500	ug/L	D	[NULL]	[NULL]	S	B1XXR5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	12/8/2008 10:43	N	14797-65-0	Nitrite	3350	ug/L	D	[NULL]	[NULL]	S	B1XXR5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	12/8/2008 10:43	N	EH	Oxidation Reduction Potential	146	mV	[NULL]	[NULL]	[NULL]	S	B1XXR5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	12/8/2008 10:43	N	14265-44-2	Phosphate	429000	ug/L	D	[NULL]	[NULL]	S	B1XXR5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	12/8/2008 10:43	N	7440-09-7	Potassium	1920	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXR5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	12/8/2008 10:43	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1XXR5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	12/8/2008 10:43	N	7440-23-5	Sodium	234000	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXR5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	12/8/2008 10:43	N	CONDUCT	Specific Conductance	958	uS/cm	[NULL]	[NULL]	[NULL]	S	B1XXR5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	12/8/2008 10:43	N	7440-24-6	Strontium	245	ug/L	[NULL]	[NULL]	[NULL]	S	B1XXR5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	12/8/2008 10:43	N	14808-79-8	Sulfate	21300	ug/L	D	[NULL]	[NULL]	S	B1XXR5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	12/8/2008 10:43	N	TEMPERATURE	Temperature	13.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1XXR5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	12/8/2008 10:43	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	S	B1XXR5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	12/8/2008 10:43	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1XXR5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	12/8/2008 10:43	N	PH	pH Measurement	7.16	unitless	[NULL]	[NULL]	[NULL]	S	B1XXR5	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-143	2/5/2009 10:11	N	7429-90-5	Aluminum	52	ug/L	U	[NULL]	[NULL]	S	B1YLP9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	2/5/2009 10:11	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	S	B1YLP9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	2/5/2009 10:11	N	7440-38-2	Arsenic	78	ug/L	U	[NULL]	[NULL]	S	B1YLP9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	2/5/2009 10:11	N	7440-39-3	Barium	4	ug/L	U	[NULL]	[NULL]	S	B1YLP9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	2/5/2009 10:11	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1YLP9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	2/5/2009 10:11	N	7440-70-2	Calcium	10300	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLP9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	2/5/2009 10:11	N	16887-00-6	Chloride	7190	ug/L	D	[NULL]	[NULL]	S	B1YLP9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	2/5/2009 10:11	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	S	B1YLP9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	2/5/2009 10:11	N	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	S	B1YLP9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	2/5/2009 10:11	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	S	B1YLP9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	2/5/2009 10:11	N	DO	Dissolved oxygen	1810	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLP9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-143	2/5/2009 10:11	N	16984-48-8	Fluoride	230	ug/L	UD	[NULL]	[NULL]	S	B1YLP9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	2/5/2009 10:11	N	12587-46-1	Gross alpha	0.94	pCi/L	U	[NULL]	[NULL]	S	B1YLP9	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-143	2/5/2009 10:11	N	12587-47-2	Gross beta	26	pCi/L	[NULL]	[NULL]	[NULL]	S	B1YLP9	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-143	2/5/2009 10:11	N	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	S	B1YLP9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	2/5/2009 10:11	N	7439-92-1	Lead	45	ug/L	U	[NULL]	[NULL]	S	B1YLP9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	2/5/2009 10:11	N	7439-95-4	Magnesium	1950	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLP9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	2/5/2009 10:11	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	S	B1YLP9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	2/5/2009 10:11	N	7439-98-7	Molybdenum	5	ug/L	U	[NULL]	[NULL]	S	B1YLP9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	2/5/2009 10:11	N	7440-02-0	Nickel	6	ug/L	U	[NULL]	[NULL]	S	B1YLP9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	2/5/2009 10:11	N	14797-55-8	Nitrate	34000	ug/L	D	[NULL]	[NULL]	S	B1YLP9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	2/5/2009 10:11	N	14797-65-0	Nitrite	1100	ug/L	BD	[NULL]	[NULL]	S	B1YLP9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	2/5/2009 10:11	N	EH	Oxidation Reduction Potential	220	mV	[NULL]	[NULL]	[NULL]	S	B1YLP9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-143	2/5/2009 10:11	N	14265-44-2	Phosphate	337000	ug/L	D	[NULL]	[NULL]	S	B1YLP9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	2/5/2009 10:11	N	7440-09-7	Potassium	1440	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLP9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	2/5/2009 10:11	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1YLP9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	2/5/2009 10:11	N	7440-23-5	Sodium	172000	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLP9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	2/5/2009 10:11	N	CONDUCT	Specific Conductance	745.5	uS/cm	[NULL]	[NULL]	[NULL]	S	B1YLP9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-143	2/5/2009 10:11	N	7440-24-6	Strontium	240	ug/L	[NULL]	[NULL]	[NULL]	S	B1YLP9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	2/5/2009 10:11	N	14808-79-8	Sulfate	15400	ug/L	D	[NULL]	[NULL]	S	B1YLP9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-143	2/5/2009 10:11	N	TEMPERATURE	Temperature	9.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1YLP9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-143	2/5/2009 10:11	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	S	B1YLP9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	2/5/2009 10:11	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	S	B1YLP9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-143	2/5/2009 10:11	N	PH	pH Measurement	7.19	unitless	[NULL]	[NULL]	[NULL]	S	B1YLP9	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-144	7/11/2006 11:54	N	7429-90-5	Aluminum	37	ug/L	U	[NULL]	[NULL]	S	B1K034	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 11:54	N	7440-36-0	Antimony	72	ug/L	U	[NULL]	[NULL]	S	B1K034	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	7/11/2006 11:54	N	7440-38-2	Arsenic	79	ug/L	U	[NULL]	[NULL]	S	B1K034	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 11:54	N	7440-39-3	Barium	29.2	ug/L	[NULL]	[NULL]	[NULL]	S	B1K034	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 11:54	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	S	B1K034	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 11:54	N	7440-70-2	Calcium	23500	ug/L	[NULL]	[NULL]	[NULL]	S	B1K034	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 11:54	N	16887-00-6	Chloride	3610	ug/L	[NULL]	[NULL]	[NULL]	S	B1K034	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/11/2006 11:54	N	7440-47-3	Chromium	7	ug/L	U	[NULL]	[NULL]	S	B1K034	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 11:54	N	7440-48-4	Cobalt	7	ug/L	U	[NULL]	[NULL]	S	B1K034	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 11:54	N	7440-50-8	Copper	7	ug/L	U	[NULL]	[NULL]	S	B1K034	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 11:54	N	16984-48-8	Fluoride	45	ug/L	U	[NULL]	[NULL]	S	B1K034	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/11/2006 11:54	N	7439-89-6	Iron	33	ug/L	U	[NULL]	[NULL]	S	B1K034	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 11:54	N	7439-92-1	Lead	47	ug/L	U	[NULL]	[NULL]	S	B1K034	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 11:54	N	7439-95-4	Magnesium	4870	ug/L	[NULL]	[NULL]	[NULL]	S	B1K034	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 11:54	N	7439-96-5	Manganese	3	ug/L	U	[NULL]	[NULL]	S	B1K034	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 11:54	N	7439-98-7	Molybdenum	11	ug/L	U	[NULL]	[NULL]	S	B1K034	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 11:54	N	7440-02-0	Nickel	5	ug/L	U	[NULL]	[NULL]	S	B1K034	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 11:54	N	14797-55-8	Nitrate	5180	ug/L	[NULL]	[NULL]	[NULL]	S	B1K034	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/11/2006 11:54	N	14797-65-0	Nitrite	115	ug/L	U	[NULL]	[NULL]	S	B1K034	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/11/2006 11:54	N	14265-44-2	Phosphate	337	ug/L	U	[NULL]	[NULL]	S	B1K034	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/11/2006 11:54	N	7440-09-7	Potassium	1260	ug/L	[NULL]	[NULL]	[NULL]	S	B1K034	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 11:54	N	7440-22-4	Silver	11	ug/L	U	[NULL]	[NULL]	S	B1K034	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 11:54	N	7440-23-5	Sodium	2660	ug/L	[NULL]	[NULL]	[NULL]	S	B1K034	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 11:54	N	7440-24-6	Strontium	104	ug/L	[NULL]	[NULL]	[NULL]	S	B1K034	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 11:54	N	10098-97-2	Strontium-90	1600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K034	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	7/11/2006 11:54	N	14808-79-8	Sulfate	10200	ug/L	[NULL]	[NULL]	[NULL]	S	B1K034	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/11/2006 11:54	N	7440-62-2	Vanadium	14	ug/L	U	[NULL]	[NULL]	S	B1K034	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 11:54	N	7440-66-6	Zinc	11.6	ug/L	[NULL]	[NULL]	[NULL]	S	B1K034	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 12:08	N	7429-90-5	Aluminum	37	ug/L	U	[NULL]	[NULL]	S	B1K033	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 12:08	N	7440-36-0	Antimony	72	ug/L	U	[NULL]	[NULL]	S	B1K033	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 12:08	N	7440-38-2	Arsenic	79	ug/L	U	[NULL]	[NULL]	S	B1K033	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 12:08	N	7440-39-3	Barium	32.3	ug/L	[NULL]	[NULL]	[NULL]	S	B1K033	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 12:08	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	S	B1K033	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 12:08	N	7440-70-2	Calcium	24100	ug/L	[NULL]	[NULL]	[NULL]	S	B1K033	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 12:08	N	16887-00-6	Chloride	3660	ug/L	[NULL]	[NULL]	[NULL]	S	B1K033	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/11/2006 12:08	N	7440-47-3	Chromium	7	ug/L	U	[NULL]	[NULL]	S	B1K033	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 12:08	N	7440-48-4	Cobalt	7	ug/L	U	[NULL]	[NULL]	S	B1K033	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 12:08	N	7440-50-8	Copper	7	ug/L	U	[NULL]	[NULL]	S	B1K033	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 12:08	N	16984-48-8	Fluoride	45	ug/L	U	[NULL]	[NULL]	S	B1K033	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/11/2006 12:08	N	7439-89-6	Iron	33	ug/L	U	[NULL]	[NULL]	S	B1K033	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 12:08	N	7439-92-1	Lead	47	ug/L	U	[NULL]	[NULL]	S	B1K033	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 12:08	N	7439-95-4	Magnesium	4920	ug/L	[NULL]	[NULL]	[NULL]	S	B1K033	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 12:08	N	7439-96-5	Manganese	3	ug/L	U	[NULL]	[NULL]	S	B1K033	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 12:08	N	7439-98-7	Molybdenum	11	ug/L	U	[NULL]	[NULL]	S	B1K033	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 12:08	N	7440-02-0	Nickel	5	ug/L	U	[NULL]	[NULL]	S	B1K033	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 12:08	N	14797-55-8	Nitrate	5490	ug/L	[NULL]	[NULL]	[NULL]	S	B1K033	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/11/2006 12:08	N	14797-65-0	Nitrite	115	ug/L	U	[NULL]	[NULL]	S	B1K033	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/11/2006 12:08	N	14265-44-2	Phosphate	337	ug/L	U	[NULL]	[NULL]	S	B1K033	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/11/2006 12:08	N	7440-09-7	Potassium	1410	ug/L	[NULL]	[NULL]	[NULL]	S	B1K033	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 12:08	N	7440-22-4	Silver	11	ug/L	U	[NULL]	[NULL]	S	B1K033	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 12:08	N	7440-23-5	Sodium	2700	ug/L	[NULL]	[NULL]	[NULL]	S	B1K033	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 12:08	N	7440-24-6	Strontium	107	ug/L	[NULL]	[NULL]	[NULL]	S	B1K033	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 12:08	N	10098-97-2	Strontium-90	1500	pCi/L	[NULL]	[NULL]	[NULL]	S	B1K033	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	7/11/2006 12:08	N	14808-79-8	Sulfate	10500	ug/L	[NULL]	[NULL]	[NULL]	S	B1K033	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/11/2006 12:08	N	7440-62-2	Vanadium	14	ug/L	U	[NULL]	[NULL]	S	B1K033	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/11/2006 12:08	N	7440-66-6	Zinc	22.8	ug/L	[NULL]	[NULL]	[NULL]	S	B1K033	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	2/26/2007 11:30	Y	7429-90-5	Aluminum	36.2	ug/L	[NULL]	[NULL]	[NULL]	S	B1MLM1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	2/26/2007 11:30	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	S	B1MLM1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	2/26/2007 11:30	Y	7440-38-2	Arsenic	50	ug/L	U	[NULL]	[NULL]	S	B1MLM1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	2/26/2007 11:30	Y	7440-39-3	Barium	30.3	ug/L	[NULL]	[NULL]	[NULL]	S	B1MLM1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	2/26/2007 11:30	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1MLM1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	2/26/2007 11:30	Y	7440-70-2	Calcium	26400	ug/L	[NULL]	[NULL]	[NULL]	S	B1MLM1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	2/26/2007 11:30	Y	16887-00-6	Chloride	3500	ug/L	[NULL]	[NULL]	[NULL]	S	B1MLM1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	2/26/2007 11:30	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	S	B1MLM1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	2/26/2007 11:30	Y	7440-48-4	Cobalt	5.4	ug/L	[NULL]	[NULL]	[NULL]	S	B1MLM1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	2/26/2007 11:30	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	S	B1MLM1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	2/26/2007 11:30	Y	16984-48-8	Fluoride	25	ug/L	B	[NULL]	[NULL]	S	B1MLM1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	2/26/2007 11:30	Y	7439-89-6	Iron	9	ug/L	U	[NULL]	[NULL]	S	B1MLM1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	2/26/2007 11:30	Y	7439-92-1	Lead	27	ug/L	U	[NULL]	[NULL]	S	B1MLM1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	2/26/2007 11:30	Y	7439-95-4	Magnesium	5960	ug/L	[NULL]	[NULL]	[NULL]	S	B1MLM1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	2/26/2007 11:30	Y	7439-96-5	Manganese	8.2	ug/L	[NULL]	[NULL]	[NULL]	S	B1MLM1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	2/26/2007 11:30	Y	7439-98-7	Molybdenum	4	ug/L	U	[NULL]	[NULL]	S	B1MLM1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	2/26/2007 11:30	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B1MLM1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	2/26/2007 11:30	Y	14797-55-8	Nitrate	5930	ug/L	[NULL]	[NULL]	[NULL]	S	B1MLM1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	2/26/2007 11:30	Y	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	S	B1MLM1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	2/26/2007 11:30	Y	14265-44-2	Phosphate	85.9	ug/L	U	[NULL]	[NULL]	S	B1MLM1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	2/26/2007 11:30	Y	7440-09-7	Potassium	1040	ug/L	[NULL]	[NULL]	[NULL]	S	B1MLM1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	2/26/2007 11:30	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	S	B1MLM1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	2/26/2007 11:30	Y	7440-23-5	Sodium	2780	ug/L	[NULL]	[NULL]	[NULL]	S	B1MLM1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	2/26/2007 11:30	Y	7440-24-6	Strontium	103	ug/L	[NULL]	[NULL]	[NULL]	S	B1MLM1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	2/26/2007 11:30	Y	10098-97-2	Strontium-90	2800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MLM1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	2/26/2007 11:30	Y	14808-79-8	Sulfate	16400	ug/L	D	[NULL]	[NULL]	S	B1MLM1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	2/26/2007 11:30	Y	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	S	B1MLM1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	2/26/2007 11:30	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	S	B1MLM1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/5/2007 15:15	Y	7429-90-5	Aluminum	1370	ug/L	D	[NULL]	[NULL]	S	B1MML3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/5/2007 15:15	Y	7440-36-0	Antimony	320	ug/L	DU	[NULL]	[NULL]	S	B1MML3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/5/2007 15:15	Y	7440-38-2	Arsenic	500	ug/L	DU	[NULL]	[NULL]	S	B1MML3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/5/2007 15:15	Y	7440-39-3	Barium	63.4	ug/L	D	[NULL]	[NULL]	S	B1MML3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/5/2007 15:15	Y	7440-43-9	Cadmium	40	ug/L	DU	[NULL]	[NULL]	S	B1MML3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/5/2007 15:15	Y	7440-70-2	Calcium	51100	ug/L	D	[NULL]	[NULL]	S	B1MML3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/5/2007 15:15	Y	16887-00-6	Chloride	45800	ug/L	D	[NULL]	[NULL]	S	B1MML3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/5/2007 15:15	Y	7440-47-3	Chromium	40	ug/L	DU	[NULL]	[NULL]	S	B1MML3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/5/2007 15:15	Y	7440-48-4	Cobalt	40	ug/L	DU	[NULL]	[NULL]	S	B1MML3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/5/2007 15:15	Y	7440-50-8	Copper	40	ug/L	DU	[NULL]	[NULL]	S	B1MML3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/5/2007 15:15	Y	16984-48-8	Fluoride	32	ug/L	DU	[NULL]	[NULL]	S	B1MML3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/5/2007 15:15	Y	7439-89-6	Iron	90	ug/L	DU	[NULL]	[NULL]	S	B1MML3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/5/2007 15:15	Y	7439-92-1	Lead	270	ug/L	DU	[NULL]	[NULL]	S	B1MML3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/5/2007 15:15	Y	7439-95-4	Magnesium	7790	ug/L	D	[NULL]	[NULL]	S	B1MML3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/5/2007 15:15	Y	7439-96-5	Manganese	40	ug/L	DU	[NULL]	[NULL]	S	B1MML3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/5/2007 15:15	Y	7439-98-7	Molybdenum	40	ug/L	DU	[NULL]	[NULL]	S	B1MML3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/5/2007 15:15	Y	7440-02-0	Nickel	40	ug/L	DU	[NULL]	[NULL]	S	B1MML3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/5/2007 15:15	Y	14797-55-8	Nitrate	146	ug/L	DU	[NULL]	[NULL]	S	B1MML3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/5/2007 15:15	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1MML3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/5/2007 15:15	Y	14265-44-2	Phosphate	776000	ug/L	D	[NULL]	[NULL]	S	B1MML3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/5/2007 15:15	Y	7440-09-7	Potassium	2390	ug/L	D	[NULL]	[NULL]	S	B1MML3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/5/2007 15:15	Y	7440-22-4	Silver	50	ug/L	DU	[NULL]	[NULL]	S	B1MML3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/5/2007 15:15	Y	7440-23-5	Sodium	451000	ug/L	D	[NULL]	[NULL]	S	B1MML3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/5/2007 15:15	Y	7440-24-6	Strontium	380	ug/L	D	[NULL]	[NULL]	S	B1MML3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/5/2007 15:15	Y	10098-97-2	Strontium-90	1900	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MML3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	3/5/2007 15:15	Y	14808-79-8	Sulfate	9930	ug/L	D	[NULL]	[NULL]	S	B1MML3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/5/2007 15:15	Y	7440-62-2	Vanadium	70	ug/L	DU	[NULL]	[NULL]	S	B1MML3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/5/2007 15:15	Y	7440-66-6	Zinc	40	ug/L	DU	[NULL]	[NULL]	S	B1MML3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	3/6/2007 14:50	Y	7429-90-5	Aluminum	2100	ug/L	D	[NULL]	[NULL]	S	B1MML5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/6/2007 14:50	Y	7440-36-0	Antimony	320	ug/L	DU	[NULL]	[NULL]	S	B1MML5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/6/2007 14:50	Y	7440-38-2	Arsenic	500	ug/L	DU	[NULL]	[NULL]	S	B1MML5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/6/2007 14:50	Y	7440-39-3	Barium	74.3	ug/L	D	[NULL]	[NULL]	S	B1MML5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/6/2007 14:50	Y	7440-43-9	Cadmium	40	ug/L	DU	[NULL]	[NULL]	S	B1MML5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/6/2007 14:50	Y	7440-70-2	Calcium	51200	ug/L	D	[NULL]	[NULL]	S	B1MML5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/6/2007 14:50	Y	16887-00-6	Chloride	50400	ug/L	D	[NULL]	[NULL]	S	B1MML5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/6/2007 14:50	Y	7440-47-3	Chromium	40	ug/L	DU	[NULL]	[NULL]	S	B1MML5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/6/2007 14:50	Y	7440-48-4	Cobalt	40	ug/L	DU	[NULL]	[NULL]	S	B1MML5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/6/2007 14:50	Y	7440-50-8	Copper	40	ug/L	DU	[NULL]	[NULL]	S	B1MML5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/6/2007 14:50	Y	16984-48-8	Fluoride	63	ug/L	DU	[NULL]	[NULL]	S	B1MML5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/6/2007 14:50	Y	7439-89-6	Iron	90	ug/L	DU	[NULL]	[NULL]	S	B1MML5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/6/2007 14:50	Y	7439-92-1	Lead	270	ug/L	DU	[NULL]	[NULL]	S	B1MML5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/6/2007 14:50	Y	7439-95-4	Magnesium	7290	ug/L	D	[NULL]	[NULL]	S	B1MML5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/6/2007 14:50	Y	7439-96-5	Manganese	44.3	ug/L	D	[NULL]	[NULL]	S	B1MML5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/6/2007 14:50	Y	7439-98-7	Molybdenum	40	ug/L	DU	[NULL]	[NULL]	S	B1MML5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/6/2007 14:50	Y	7440-02-0	Nickel	40	ug/L	DU	[NULL]	[NULL]	S	B1MML5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/6/2007 14:50	Y	14797-55-8	Nitrate	292	ug/L	DU	[NULL]	[NULL]	S	B1MML5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/6/2007 14:50	Y	14797-65-0	Nitrite	328	ug/L	DU	[NULL]	[NULL]	S	B1MML5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/6/2007 14:50	Y	14265-44-2	Phosphate	668000	ug/L	D	[NULL]	[NULL]	S	B1MML5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/6/2007 14:50	Y	7440-09-7	Potassium	2200	ug/L	D	[NULL]	[NULL]	S	B1MML5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/6/2007 14:50	Y	7440-22-4	Silver	50	ug/L	DU	[NULL]	[NULL]	S	B1MML5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/6/2007 14:50	Y	7440-23-5	Sodium	442000	ug/L	D	[NULL]	[NULL]	S	B1MML5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/6/2007 14:50	Y	7440-24-6	Strontium	372	ug/L	D	[NULL]	[NULL]	S	B1MML5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/6/2007 14:50	Y	10098-97-2	Strontium-90	2000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MML5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	3/6/2007 14:50	Y	14808-79-8	Sulfate	10700	ug/L	D	[NULL]	[NULL]	S	B1MML5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/6/2007 14:50	Y	7440-62-2	Vanadium	70	ug/L	DU	[NULL]	[NULL]	S	B1MML5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/6/2007 14:50	Y	7440-66-6	Zinc	40	ug/L	DU	[NULL]	[NULL]	S	B1MML5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/7/2007 14:03	Y	7429-90-5	Aluminum	2180	ug/L	D	[NULL]	[NULL]	S	B1MML7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/7/2007 14:03	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MML7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/7/2007 14:03	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MML7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/7/2007 14:03	Y	7440-39-3	Barium	73.7	ug/L	D	[NULL]	[NULL]	S	B1MML7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/7/2007 14:03	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MML7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/7/2007 14:03	Y	7440-70-2	Calcium	44700	ug/L	D	[NULL]	[NULL]	S	B1MML7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/7/2007 14:03	Y	16887-00-6	Chloride	53800	ug/L	D	[NULL]	[NULL]	S	B1MML7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/7/2007 14:03	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MML7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/7/2007 14:03	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MML7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/7/2007 14:03	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MML7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/7/2007 14:03	Y	16984-48-8	Fluoride	63	ug/L	DU	[NULL]	[NULL]	S	B1MML7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/7/2007 14:03	Y	7439-89-6	Iron	101	ug/L	D	[NULL]	[NULL]	S	B1MML7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/7/2007 14:03	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MML7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/7/2007 14:03	Y	7439-95-4	Magnesium	6740	ug/L	D	[NULL]	[NULL]	S	B1MML7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/7/2007 14:03	Y	7439-96-5	Manganese	107	ug/L	D	[NULL]	[NULL]	S	B1MML7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/7/2007 14:03	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MML7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/7/2007 14:03	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MML7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/7/2007 14:03	Y	14797-55-8	Nitrate	292	ug/L	DU	[NULL]	[NULL]	S	B1MML7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/7/2007 14:03	Y	14797-65-0	Nitrite	328	ug/L	DU	[NULL]	[NULL]	S	B1MML7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/7/2007 14:03	Y	14265-44-2	Phosphate	524000	ug/L	D	[NULL]	[NULL]	S	B1MML7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/7/2007 14:03	Y	7440-09-7	Potassium	2220	ug/L	D	[NULL]	[NULL]	S	B1MML7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/7/2007 14:03	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MML7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/7/2007 14:03	Y	7440-23-5	Sodium	391000	ug/L	D	[NULL]	[NULL]	S	B1MML7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/7/2007 14:03	Y	7440-24-6	Strontium	326	ug/L	D	[NULL]	[NULL]	S	B1MML7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/7/2007 14:03	Y	10098-97-2	Strontium-90	1200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MML7	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	3/7/2007 14:03	Y	14808-79-8	Sulfate	11300	ug/L	D	[NULL]	[NULL]	S	B1MML7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/7/2007 14:03	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MML7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	3/7/2007 14:03	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MML7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/8/2007 11:00	Y	7429-90-5	Aluminum	2170	ug/L	D	[NULL]	[NULL]	S	B1MML9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/8/2007 11:00	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MML9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/8/2007 11:00	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MML9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/8/2007 11:00	Y	7440-39-3	Barium	75.4	ug/L	D	[NULL]	[NULL]	S	B1MML9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/8/2007 11:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MML9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/8/2007 11:00	Y	7440-70-2	Calcium	44200	ug/L	D	[NULL]	[NULL]	S	B1MML9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/8/2007 11:00	Y	16887-00-6	Chloride	52100	ug/L	D	[NULL]	[NULL]	S	B1MML9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/8/2007 11:00	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MML9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/8/2007 11:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MML9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/8/2007 11:00	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MML9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/8/2007 11:00	Y	16984-48-8	Fluoride	32	ug/L	DU	[NULL]	[NULL]	S	B1MML9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/8/2007 11:00	Y	7439-89-6	Iron	127	ug/L	D	[NULL]	[NULL]	S	B1MML9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/8/2007 11:00	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MML9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/8/2007 11:00	Y	7439-95-4	Magnesium	6500	ug/L	D	[NULL]	[NULL]	S	B1MML9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/8/2007 11:00	Y	7439-96-5	Manganese	436	ug/L	D	[NULL]	[NULL]	S	B1MML9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/8/2007 11:00	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MML9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/8/2007 11:00	Y	7440-02-0	Nickel	29.4	ug/L	D	[NULL]	[NULL]	S	B1MML9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/8/2007 11:00	Y	14797-55-8	Nitrate	146	ug/L	DU	[NULL]	[NULL]	S	B1MML9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/8/2007 11:00	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1MML9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/8/2007 11:00	Y	14265-44-2	Phosphate	564000	ug/L	D	[NULL]	[NULL]	S	B1MML9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/8/2007 11:00	Y	7440-09-7	Potassium	2210	ug/L	D	[NULL]	[NULL]	S	B1MML9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/8/2007 11:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MML9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/8/2007 11:00	Y	7440-23-5	Sodium	384000	ug/L	D	[NULL]	[NULL]	S	B1MML9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/8/2007 11:00	Y	7440-24-6	Strontium	303	ug/L	D	[NULL]	[NULL]	S	B1MML9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/8/2007 11:00	Y	10098-97-2	Strontium-90	2200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MML9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	3/8/2007 11:00	Y	14808-79-8	Sulfate	11500	ug/L	D	[NULL]	[NULL]	S	B1MML9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/8/2007 11:00	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MML9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/8/2007 11:00	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MML9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/9/2007 9:30	Y	7429-90-5	Aluminum	1300	ug/L	D	[NULL]	[NULL]	S	B1MMM1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/9/2007 9:30	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MMM1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/9/2007 9:30	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MMM1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/9/2007 9:30	Y	7440-39-3	Barium	57.5	ug/L	D	[NULL]	[NULL]	S	B1MMM1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/9/2007 9:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/9/2007 9:30	Y	7440-70-2	Calcium	28300	ug/L	D	[NULL]	[NULL]	S	B1MMM1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/9/2007 9:30	Y	16887-00-6	Chloride	42300	ug/L	D	[NULL]	[NULL]	S	B1MMM1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/9/2007 9:30	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/9/2007 9:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/9/2007 9:30	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/9/2007 9:30	Y	16984-48-8	Fluoride	32	ug/L	DU	[NULL]	[NULL]	S	B1MMM1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/9/2007 9:30	Y	7439-89-6	Iron	89.6	ug/L	D	[NULL]	[NULL]	S	B1MMM1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/9/2007 9:30	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MMM1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/9/2007 9:30	Y	7439-95-4	Magnesium	4670	ug/L	D	[NULL]	[NULL]	S	B1MMM1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/9/2007 9:30	Y	7439-96-5	Manganese	546	ug/L	D	[NULL]	[NULL]	S	B1MMM1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/9/2007 9:30	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/9/2007 9:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/9/2007 9:30	Y	14797-55-8	Nitrate	146	ug/L	DU	[NULL]	[NULL]	S	B1MMM1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/9/2007 9:30	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1MMM1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/9/2007 9:30	Y	14265-44-2	Phosphate	509000	ug/L	D	[NULL]	[NULL]	S	B1MMM1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/9/2007 9:30	Y	7440-09-7	Potassium	2040	ug/L	D	[NULL]	[NULL]	S	B1MMM1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/9/2007 9:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MMM1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/9/2007 9:30	Y	7440-23-5	Sodium	343000	ug/L	D	[NULL]	[NULL]	S	B1MMM1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/9/2007 9:30	Y	7440-24-6	Strontium	225	ug/L	D	[NULL]	[NULL]	S	B1MMM1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/9/2007 9:30	Y	10098-97-2	Strontium-90	1500	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MMM1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	3/9/2007 9:30	Y	14808-79-8	Sulfate	11000	ug/L	D	[NULL]	[NULL]	S	B1MMM1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	3/9/2007 9:30	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MMM1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/9/2007 9:30	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/10/2007 9:20	Y	7429-90-5	Aluminum	1010	ug/L	D	[NULL]	[NULL]	S	B1MMM3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/10/2007 9:20	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MMM3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/10/2007 9:20	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MMM3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/10/2007 9:20	Y	7440-39-3	Barium	63.4	ug/L	D	[NULL]	[NULL]	S	B1MMM3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/10/2007 9:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/10/2007 9:20	Y	7440-70-2	Calcium	27900	ug/L	D	[NULL]	[NULL]	S	B1MMM3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/10/2007 9:20	Y	16887-00-6	Chloride	43300	ug/L	D	[NULL]	[NULL]	S	B1MMM3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/10/2007 9:20	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/10/2007 9:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/10/2007 9:20	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/10/2007 9:20	Y	16984-48-8	Fluoride	145	ug/L	DNU	[NULL]	[NULL]	S	B1MMM3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/10/2007 9:20	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1MMM3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/10/2007 9:20	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MMM3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/10/2007 9:20	Y	7439-95-4	Magnesium	4810	ug/L	D	[NULL]	[NULL]	S	B1MMM3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/10/2007 9:20	Y	7439-96-5	Manganese	308	ug/L	D	[NULL]	[NULL]	S	B1MMM3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/10/2007 9:20	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/10/2007 9:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/10/2007 9:20	Y	14797-55-8	Nitrate	974	ug/L	DU	[NULL]	[NULL]	S	B1MMM3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/10/2007 9:20	Y	14797-65-0	Nitrite	361	ug/L	DU	[NULL]	[NULL]	S	B1MMM3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/10/2007 9:20	Y	14265-44-2	Phosphate	389000	ug/L	D	[NULL]	[NULL]	S	B1MMM3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/10/2007 9:20	Y	7440-09-7	Potassium	2060	ug/L	D	[NULL]	[NULL]	S	B1MMM3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/10/2007 9:20	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MMM3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/10/2007 9:20	Y	7440-23-5	Sodium	319000	ug/L	D	[NULL]	[NULL]	S	B1MMM3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/10/2007 9:20	Y	7440-24-6	Strontium	212	ug/L	D	[NULL]	[NULL]	S	B1MMM3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/10/2007 9:20	Y	10098-97-2	Strontium-90	1700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MMM3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	3/10/2007 9:20	Y	14808-79-8	Sulfate	11300	ug/L	D	[NULL]	[NULL]	S	B1MMM3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/10/2007 9:20	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MMM3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/10/2007 9:20	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/11/2007 8:42	Y	7429-90-5	Aluminum	257	ug/L	D	[NULL]	[NULL]	S	B1MMM5	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/11/2007 8:42	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MMM5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/11/2007 8:42	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MMM5	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/11/2007 8:42	Y	7440-39-3	Barium	51.6	ug/L	D	[NULL]	[NULL]	S	B1MMM5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/11/2007 8:42	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/11/2007 8:42	Y	7440-70-2	Calcium	17200	ug/L	D	[NULL]	[NULL]	S	B1MMM5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/11/2007 8:42	Y	16887-00-6	Chloride	41600	ug/L	D	[NULL]	[NULL]	S	B1MMM5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/11/2007 8:42	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/11/2007 8:42	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/11/2007 8:42	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/11/2007 8:42	Y	16984-48-8	Fluoride	145	ug/L	DNU	[NULL]	[NULL]	S	B1MMM5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/11/2007 8:42	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1MMM5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/11/2007 8:42	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MMM5	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/11/2007 8:42	Y	7439-95-4	Magnesium	3540	ug/L	D	[NULL]	[NULL]	S	B1MMM5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/11/2007 8:42	Y	7439-96-5	Manganese	153	ug/L	D	[NULL]	[NULL]	S	B1MMM5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/11/2007 8:42	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM5	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/11/2007 8:42	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/11/2007 8:42	Y	14797-55-8	Nitrate	974	ug/L	DU	[NULL]	[NULL]	S	B1MMM5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/11/2007 8:42	Y	14797-65-0	Nitrite	361	ug/L	DU	[NULL]	[NULL]	S	B1MMM5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/11/2007 8:42	Y	14265-44-2	Phosphate	346000	ug/L	D	[NULL]	[NULL]	S	B1MMM5	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/11/2007 8:42	Y	7440-09-7	Potassium	2090	ug/L	D	[NULL]	[NULL]	S	B1MMM5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/11/2007 8:42	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MMM5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/11/2007 8:42	Y	7440-23-5	Sodium	292000	ug/L	D	[NULL]	[NULL]	S	B1MMM5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/11/2007 8:42	Y	7440-24-6	Strontium	165	ug/L	D	[NULL]	[NULL]	S	B1MMM5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/11/2007 8:42	Y	10098-97-2	Strontium-90	1300	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MMM5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	3/11/2007 8:42	Y	14808-79-8	Sulfate	11200	ug/L	D	[NULL]	[NULL]	S	B1MMM5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/11/2007 8:42	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MMM5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/11/2007 8:42	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MMM5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/16/2007 11:45	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1MWJ7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/16/2007 11:45	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MWJ7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/16/2007 11:45	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MWJ7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/16/2007 11:45	Y	7440-39-3	Barium	35	ug/L	D	[NULL]	[NULL]	S	B1MWJ7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/16/2007 11:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWJ7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/16/2007 11:45	Y	7440-70-2	Calcium	16100	ug/L	D	[NULL]	[NULL]	S	B1MWJ7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/16/2007 11:45	Y	16887-00-6	Chloride	40700	ug/L	D	[NULL]	[NULL]	S	B1MWJ7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/16/2007 11:45	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWJ7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/16/2007 11:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MWJ7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/16/2007 11:45	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MWJ7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/16/2007 11:45	Y	16984-48-8	Fluoride	13	ug/L	DU	[NULL]	[NULL]	S	B1MWJ7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/16/2007 11:45	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1MWJ7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/16/2007 11:45	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MWJ7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/16/2007 11:45	Y	7439-95-4	Magnesium	3460	ug/L	D	[NULL]	[NULL]	S	B1MWJ7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/16/2007 11:45	Y	7439-96-5	Manganese	485	ug/L	D	[NULL]	[NULL]	S	B1MWJ7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/16/2007 11:45	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MWJ7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/16/2007 11:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MWJ7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/16/2007 11:45	Y	14797-55-8	Nitrate	57.5	ug/L	DU	[NULL]	[NULL]	S	B1MWJ7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/16/2007 11:45	Y	14797-65-0	Nitrite	65.7	ug/L	DU	[NULL]	[NULL]	S	B1MWJ7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/16/2007 11:45	Y	14265-44-2	Phosphate	340000	ug/L	D	[NULL]	[NULL]	S	B1MWJ7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/16/2007 11:45	Y	7440-09-7	Potassium	2240	ug/L	D	[NULL]	[NULL]	S	B1MWJ7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/16/2007 11:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MWJ7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/16/2007 11:45	Y	7440-23-5	Sodium	342000	ug/L	D	[NULL]	[NULL]	S	B1MWJ7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/16/2007 11:45	Y	7440-24-6	Strontium	161	ug/L	D	[NULL]	[NULL]	S	B1MWJ7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/16/2007 11:45	Y	10098-97-2	Strontium-90	1100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MWJ7	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	3/16/2007 11:45	Y	14808-79-8	Sulfate	11600	ug/L	D	[NULL]	[NULL]	S	B1MWJ7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/16/2007 11:45	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MWJ7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/16/2007 11:45	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MWJ7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/23/2007 8:30	Y	7429-90-5	Aluminum	169	ug/L	D	[NULL]	[NULL]	S	B1MWL0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/23/2007 8:30	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MWL0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/23/2007 8:30	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MWL0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/23/2007 8:30	Y	7440-39-3	Barium	174	ug/L	D	[NULL]	[NULL]	S	B1MWL0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/23/2007 8:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWL0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/23/2007 8:30	Y	7440-70-2	Calcium	74900	ug/L	D	[NULL]	[NULL]	S	B1MWL0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/23/2007 8:30	Y	16887-00-6	Chloride	64100	ug/L	D	[NULL]	[NULL]	S	B1MWL0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/23/2007 8:30	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWL0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/23/2007 8:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MWL0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/23/2007 8:30	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MWL0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/23/2007 8:30	Y	16984-48-8	Fluoride	32	ug/L	DU	[NULL]	[NULL]	S	B1MWL0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/23/2007 8:30	Y	7439-89-6	Iron	50.4	ug/L	D	[NULL]	[NULL]	S	B1MWL0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/23/2007 8:30	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MWL0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/23/2007 8:30	Y	7439-95-4	Magnesium	8360	ug/L	D	[NULL]	[NULL]	S	B1MWL0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/23/2007 8:30	Y	7439-96-5	Manganese	666	ug/L	D	[NULL]	[NULL]	S	B1MWL0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/23/2007 8:30	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MWL0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/23/2007 8:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MWL0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/23/2007 8:30	Y	14797-55-8	Nitrate	810	ug/L	BD	[NULL]	[NULL]	S	B1MWL0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/23/2007 8:30	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1MWL0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/23/2007 8:30	Y	14265-44-2	Phosphate	963000	ug/L	D	[NULL]	[NULL]	S	B1MWL0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/23/2007 8:30	Y	7440-09-7	Potassium	3140	ug/L	D	[NULL]	[NULL]	S	B1MWL0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/23/2007 8:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MWL0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/23/2007 8:30	Y	7440-23-5	Sodium	558000	ug/L	D	[NULL]	[NULL]	S	B1MWL0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/23/2007 8:30	Y	7440-24-6	Strontium	636	ug/L	D	[NULL]	[NULL]	S	B1MWL0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	3/23/2007 8:30	Y	10098-97-2	Strontium-90	2700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MWL0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	3/23/2007 8:30	Y	14808-79-8	Sulfate	8440	ug/L	D	[NULL]	[NULL]	S	B1MWL0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/23/2007 8:30	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MWL0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/23/2007 8:30	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MWL0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/30/2007 8:40	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1MWM3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/30/2007 8:40	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MWM3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/30/2007 8:40	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MWM3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/30/2007 8:40	Y	7440-39-3	Barium	38	ug/L	D	[NULL]	[NULL]	S	B1MWM3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/30/2007 8:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWM3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/30/2007 8:40	Y	7440-70-2	Calcium	25200	ug/L	D	[NULL]	[NULL]	S	B1MWM3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/30/2007 8:40	Y	16887-00-6	Chloride	58900	ug/L	D	[NULL]	[NULL]	S	B1MWM3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/30/2007 8:40	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWM3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/30/2007 8:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MWM3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/30/2007 8:40	Y	7440-50-8	Copper	23	ug/L	D	[NULL]	[NULL]	S	B1MWM3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/30/2007 8:40	Y	16984-48-8	Fluoride	32	ug/L	DU	[NULL]	[NULL]	S	B1MWM3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/30/2007 8:40	Y	7439-89-6	Iron	128	ug/L	CD	[NULL]	[NULL]	S	B1MWM3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/30/2007 8:40	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MWM3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/30/2007 8:40	Y	7439-95-4	Magnesium	4840	ug/L	D	[NULL]	[NULL]	S	B1MWM3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/30/2007 8:40	Y	7439-96-5	Manganese	508	ug/L	D	[NULL]	[NULL]	S	B1MWM3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/30/2007 8:40	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MWM3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/30/2007 8:40	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MWM3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/30/2007 8:40	Y	14797-55-8	Nitrate	146	ug/L	DU	[NULL]	[NULL]	S	B1MWM3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/30/2007 8:40	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1MWM3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/30/2007 8:40	Y	14265-44-2	Phosphate	561000	ug/L	D	[NULL]	[NULL]	S	B1MWM3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/30/2007 8:40	Y	7440-09-7	Potassium	2930	ug/L	D	[NULL]	[NULL]	S	B1MWM3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/30/2007 8:40	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MWM3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/30/2007 8:40	Y	7440-23-5	Sodium	461000	ug/L	D	[NULL]	[NULL]	S	B1MWM3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/30/2007 8:40	Y	7440-24-6	Strontium	264	ug/L	D	[NULL]	[NULL]	S	B1MWM3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/30/2007 8:40	Y	10098-97-2	Strontium-90	1200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MWM3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	3/30/2007 8:40	Y	14808-79-8	Sulfate	8470	ug/L	D	[NULL]	[NULL]	S	B1MWM3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	3/30/2007 8:40	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MWM3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	3/30/2007 8:40	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MWM3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/13/2007 9:53	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1MWV9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/13/2007 9:53	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MWV9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/13/2007 9:53	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MWV9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/13/2007 9:53	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWV9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/13/2007 9:53	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWV9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/13/2007 9:53	Y	7440-70-2	Calcium	11200	ug/L	D	[NULL]	[NULL]	S	B1MWV9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/13/2007 9:53	Y	16887-00-6	Chloride	27500	ug/L	D	[NULL]	[NULL]	S	B1MWV9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	4/13/2007 9:53	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWV9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/13/2007 9:53	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MWV9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/13/2007 9:53	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MWV9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/13/2007 9:53	Y	16984-48-8	Fluoride	58	ug/L	DNUX	[NULL]	[NULL]	S	B1MWV9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	4/13/2007 9:53	Y	7439-89-6	Iron	392	ug/L	D	[NULL]	[NULL]	S	B1MWV9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/13/2007 9:53	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MWV9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/13/2007 9:53	Y	7439-95-4	Magnesium	2040	ug/L	D	[NULL]	[NULL]	S	B1MWV9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/13/2007 9:53	Y	7439-96-5	Manganese	449	ug/L	D	[NULL]	[NULL]	S	B1MWV9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/13/2007 9:53	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MWV9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/13/2007 9:53	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MWV9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/13/2007 9:53	Y	14797-55-8	Nitrate	390	ug/L	DU	[NULL]	[NULL]	S	B1MWV9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	4/13/2007 9:53	Y	14797-65-0	Nitrite	145	ug/L	DNU	[NULL]	[NULL]	S	B1MWV9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	4/13/2007 9:53	Y	14265-44-2	Phosphate	249000	ug/L	D	[NULL]	[NULL]	S	B1MWV9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	4/13/2007 9:53	Y	7440-09-7	Potassium	1850	ug/L	D	[NULL]	[NULL]	S	B1MWV9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/13/2007 9:53	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MWV9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/13/2007 9:53	Y	7440-23-5	Sodium	244000	ug/L	D	[NULL]	[NULL]	S	B1MWV9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	4/13/2007 9:53	Y	7440-24-6	Strontium	104	ug/L	D	[NULL]	[NULL]	S	B1MWV9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/13/2007 9:53	Y	10098-97-2	Strontium-90	550	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MWV9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	4/13/2007 9:53	Y	14808-79-8	Sulfate	4000	ug/L	D	[NULL]	[NULL]	S	B1MWV9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	4/13/2007 9:53	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MWV9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/13/2007 9:53	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MWV9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/27/2007 7:55	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1MWX2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/27/2007 7:55	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1MWX2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/27/2007 7:55	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1MWX2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/27/2007 7:55	Y	7440-39-3	Barium	25.1	ug/L	D	[NULL]	[NULL]	S	B1MWX2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/27/2007 7:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1MWX2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/27/2007 7:55	Y	7440-70-2	Calcium	10000	ug/L	D	[NULL]	[NULL]	S	B1MWX2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/27/2007 7:55	Y	16887-00-6	Chloride	28900	ug/L	D	[NULL]	[NULL]	S	B1MWX2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	4/27/2007 7:55	Y	7440-47-3	Chromium	21.7	ug/L	CD	[NULL]	[NULL]	S	B1MWX2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/27/2007 7:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1MWX2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/27/2007 7:55	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1MWX2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/27/2007 7:55	Y	16984-48-8	Fluoride	7	ug/L	U	[NULL]	[NULL]	S	B1MWX2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	4/27/2007 7:55	Y	7439-89-6	Iron	745	ug/L	D	[NULL]	[NULL]	S	B1MWX2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/27/2007 7:55	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1MWX2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/27/2007 7:55	Y	7439-95-4	Magnesium	1960	ug/L	D	[NULL]	[NULL]	S	B1MWX2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/27/2007 7:55	Y	7439-96-5	Manganese	540	ug/L	D	[NULL]	[NULL]	S	B1MWX2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/27/2007 7:55	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1MWX2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/27/2007 7:55	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1MWX2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/27/2007 7:55	Y	14797-55-8	Nitrate	13.3	ug/L	U	[NULL]	[NULL]	S	B1MWX2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	4/27/2007 7:55	Y	14797-65-0	Nitrite	23	ug/L	U	[NULL]	[NULL]	S	B1MWX2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	4/27/2007 7:55	Y	14265-44-2	Phosphate	165000	ug/L	D	[NULL]	[NULL]	S	B1MWX2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	4/27/2007 7:55	Y	7440-09-7	Potassium	1600	ug/L	D	[NULL]	[NULL]	S	B1MWX2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/27/2007 7:55	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1MWX2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/27/2007 7:55	Y	7440-23-5	Sodium	219000	ug/L	D	[NULL]	[NULL]	S	B1MWX2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/27/2007 7:55	Y	7440-24-6	Strontium	101	ug/L	D	[NULL]	[NULL]	S	B1MWX2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/27/2007 7:55	Y	10098-97-2	Strontium-90	740	pCi/L	[NULL]	[NULL]	[NULL]	S	B1MWX2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	4/27/2007 7:55	Y	14808-79-8	Sulfate	2880	ug/L	[NULL]	[NULL]	[NULL]	S	B1MWX2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	4/27/2007 7:55	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1MWX2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	4/27/2007 7:55	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1MWX2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/4/2007 7:45	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NDV1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/4/2007 7:45	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NDV1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/4/2007 7:45	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NDV1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/4/2007 7:45	Y	7440-39-3	Barium	24	ug/L	D	[NULL]	[NULL]	S	B1NDV1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/4/2007 7:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NDV1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/4/2007 7:45	Y	7440-70-2	Calcium	9090	ug/L	D	[NULL]	[NULL]	S	B1NDV1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/4/2007 7:45	Y	16887-00-6	Chloride	4920	ug/L	[NULL]	[NULL]	[NULL]	S	B1NDV1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	5/4/2007 7:45	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NDV1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/4/2007 7:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NDV1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/4/2007 7:45	Y	7440-50-8	Copper	20	ug/L	D	[NULL]	[NULL]	S	B1NDV1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/4/2007 7:45	Y	16984-48-8	Fluoride	97	ug/L	[NULL]	[NULL]	[NULL]	S	B1NDV1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	5/4/2007 7:45	Y	7439-89-6	Iron	528	ug/L	D	[NULL]	[NULL]	S	B1NDV1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/4/2007 7:45	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NDV1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/4/2007 7:45	Y	7439-95-4	Magnesium	1880	ug/L	D	[NULL]	[NULL]	S	B1NDV1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/4/2007 7:45	Y	7439-96-5	Manganese	166	ug/L	D	[NULL]	[NULL]	S	B1NDV1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/4/2007 7:45	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NDV1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/4/2007 7:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NDV1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/4/2007 7:45	Y	14797-55-8	Nitrate	938	ug/L	[NULL]	[NULL]	[NULL]	S	B1NDV1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	5/4/2007 7:45	Y	14797-65-0	Nitrite	23	ug/L	U	[NULL]	[NULL]	S	B1NDV1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	5/4/2007 7:45	Y	14265-44-2	Phosphate	79100	ug/L	D	[NULL]	[NULL]	S	B1NDV1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	5/4/2007 7:45	Y	7440-09-7	Potassium	1370	ug/L	D	[NULL]	[NULL]	S	B1NDV1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/4/2007 7:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NDV1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	5/4/2007 7:45	Y	7440-23-5	Sodium	78000	ug/L	D	[NULL]	[NULL]	S	B1NDV1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/4/2007 7:45	Y	7440-24-6	Strontium	69.6	ug/L	D	[NULL]	[NULL]	S	B1NDV1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/4/2007 7:45	Y	10098-97-2	Strontium-90	640	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NDV1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	5/4/2007 7:45	Y	14808-79-8	Sulfate	6800	ug/L	[NULL]	[NULL]	[NULL]	S	B1NDV1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	5/4/2007 7:45	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NDV1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/4/2007 7:45	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NDV1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/11/2007 7:08	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NHF4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/11/2007 7:08	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NHF4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/11/2007 7:08	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NHF4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/11/2007 7:08	Y	7440-39-3	Barium	25	ug/L	D	[NULL]	[NULL]	S	B1NHF4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/11/2007 7:08	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NHF4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/11/2007 7:08	Y	7440-70-2	Calcium	9280	ug/L	D	[NULL]	[NULL]	S	B1NHF4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/11/2007 7:08	Y	16887-00-6	Chloride	41800	ug/L	D	[NULL]	[NULL]	S	B1NHF4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	5/11/2007 7:08	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NHF4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/11/2007 7:08	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NHF4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/11/2007 7:08	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NHF4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/11/2007 7:08	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NHF4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	5/11/2007 7:08	Y	7439-89-6	Iron	775	ug/L	D	[NULL]	[NULL]	S	B1NHF4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/11/2007 7:08	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NHF4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/11/2007 7:08	Y	7439-95-4	Magnesium	1780	ug/L	D	[NULL]	[NULL]	S	B1NHF4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/11/2007 7:08	Y	7439-96-5	Manganese	495	ug/L	D	[NULL]	[NULL]	S	B1NHF4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/11/2007 7:08	Y	7439-98-7	Molybdenum	28.9	ug/L	D	[NULL]	[NULL]	S	B1NHF4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/11/2007 7:08	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NHF4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/11/2007 7:08	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NHF4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	5/11/2007 7:08	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NHF4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	5/11/2007 7:08	Y	14265-44-2	Phosphate	127000	ug/L	D	[NULL]	[NULL]	S	B1NHF4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	5/11/2007 7:08	Y	7440-09-7	Potassium	2050	ug/L	D	[NULL]	[NULL]	S	B1NHF4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/11/2007 7:08	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NHF4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/11/2007 7:08	Y	7440-23-5	Sodium	262000	ug/L	D	[NULL]	[NULL]	S	B1NHF4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/11/2007 7:08	Y	7440-24-6	Strontium	99.7	ug/L	D	[NULL]	[NULL]	S	B1NHF4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/11/2007 7:08	Y	10098-97-2	Strontium-90	630	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NHF4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	5/11/2007 7:08	Y	14808-79-8	Sulfate	2310	ug/L	BD	[NULL]	[NULL]	S	B1NHF4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	5/11/2007 7:08	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NHF4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/11/2007 7:08	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NHF4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/25/2007 8:30	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NJF9	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/25/2007 8:30	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NJF9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/25/2007 8:30	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NJF9	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/25/2007 8:30	Y	7440-39-3	Barium	26.8	ug/L	D	[NULL]	[NULL]	S	B1NJF9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/25/2007 8:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NJF9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/25/2007 8:30	Y	7440-70-2	Calcium	9200	ug/L	D	[NULL]	[NULL]	S	B1NJF9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/25/2007 8:30	Y	16887-00-6	Chloride	60000	ug/L	D	[NULL]	[NULL]	S	B1NJF9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	5/25/2007 8:30	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NJF9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/25/2007 8:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NJF9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/25/2007 8:30	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NJF9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/25/2007 8:30	Y	16984-48-8	Fluoride	221	ug/L	BD	[NULL]	[NULL]	S	B1NJF9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	5/25/2007 8:30	Y	7439-89-6	Iron	833	ug/L	D	[NULL]	[NULL]	S	B1NJF9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/25/2007 8:30	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NJF9	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/25/2007 8:30	Y	7439-95-4	Magnesium	1780	ug/L	D	[NULL]	[NULL]	S	B1NJF9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/25/2007 8:30	Y	7439-96-5	Manganese	418	ug/L	D	[NULL]	[NULL]	S	B1NJF9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/25/2007 8:30	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NJF9	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/25/2007 8:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NJF9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/25/2007 8:30	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NJF9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	5/25/2007 8:30	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NJF9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	5/25/2007 8:30	Y	14265-44-2	Phosphate	103000	ug/L	D	[NULL]	[NULL]	S	B1NJF9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	5/25/2007 8:30	Y	7440-09-7	Potassium	1670	ug/L	D	[NULL]	[NULL]	S	B1NJF9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	5/25/2007 8:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NJF9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/25/2007 8:30	Y	7440-23-5	Sodium	206000	ug/L	D	[NULL]	[NULL]	S	B1NJF9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/25/2007 8:30	Y	7440-24-6	Strontium	86.5	ug/L	D	[NULL]	[NULL]	S	B1NJF9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/25/2007 8:30	Y	10098-97-2	Strontium-90	490	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NJF9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	5/25/2007 8:30	Y	14808-79-8	Sulfate	7850	ug/L	D	[NULL]	[NULL]	S	B1NJF9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	5/25/2007 8:30	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NJF9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	5/25/2007 8:30	Y	7440-66-6	Zinc	303	ug/L	DN	[NULL]	[NULL]	S	B1NJF9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/1/2007 9:55	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NTF7	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/1/2007 9:55	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NTF7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/1/2007 9:55	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NTF7	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/1/2007 9:55	Y	7440-39-3	Barium	27	ug/L	D	[NULL]	[NULL]	S	B1NTF7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/1/2007 9:55	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NTF7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/1/2007 9:55	Y	7440-70-2	Calcium	11400	ug/L	D	[NULL]	[NULL]	S	B1NTF7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/1/2007 9:55	Y	16887-00-6	Chloride	33500	ug/L	D	[NULL]	[NULL]	S	B1NTF7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/1/2007 9:55	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NTF7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/1/2007 9:55	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NTF7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/1/2007 9:55	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NTF7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/1/2007 9:55	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NTF7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/1/2007 9:55	Y	7439-89-6	Iron	1020	ug/L	D	[NULL]	[NULL]	S	B1NTF7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/1/2007 9:55	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NTF7	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/1/2007 9:55	Y	7439-95-4	Magnesium	1970	ug/L	D	[NULL]	[NULL]	S	B1NTF7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/1/2007 9:55	Y	7439-96-5	Manganese	521	ug/L	D	[NULL]	[NULL]	S	B1NTF7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/1/2007 9:55	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NTF7	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/1/2007 9:55	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NTF7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/1/2007 9:55	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NTF7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/1/2007 9:55	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NTF7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/1/2007 9:55	Y	14265-44-2	Phosphate	101000	ug/L	D	[NULL]	[NULL]	S	B1NTF7	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/1/2007 9:55	Y	7440-09-7	Potassium	1680	ug/L	D	[NULL]	[NULL]	S	B1NTF7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/1/2007 9:55	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NTF7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/1/2007 9:55	Y	7440-23-5	Sodium	250000	ug/L	D	[NULL]	[NULL]	S	B1NTF7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/1/2007 9:55	Y	7440-24-6	Strontium	95.8	ug/L	D	[NULL]	[NULL]	S	B1NTF7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/1/2007 9:55	Y	10098-97-2	Strontium-90	760	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NTF7	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	6/1/2007 9:55	Y	14808-79-8	Sulfate	1200	ug/L	BD	[NULL]	[NULL]	S	B1NTF7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/1/2007 9:55	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NTF7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/1/2007 9:55	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NTF7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/8/2007 7:20	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NV50	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/8/2007 7:20	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NV50	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/8/2007 7:20	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NV50	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/8/2007 7:20	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV50	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/8/2007 7:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV50	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/8/2007 7:20	Y	7440-70-2	Calcium	22400	ug/L	D	[NULL]	[NULL]	S	B1NV50	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/8/2007 7:20	Y	16887-00-6	Chloride	70700	ug/L	D	[NULL]	[NULL]	S	B1NV50	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/8/2007 7:20	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV50	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/8/2007 7:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NV50	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/8/2007 7:20	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NV50	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/8/2007 7:20	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NV50	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/8/2007 7:20	Y	7439-89-6	Iron	154	ug/L	D	[NULL]	[NULL]	S	B1NV50	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/8/2007 7:20	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NV50	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/8/2007 7:20	Y	7439-95-4	Magnesium	3330	ug/L	D	[NULL]	[NULL]	S	B1NV50	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/8/2007 7:20	Y	7439-96-5	Manganese	495	ug/L	D	[NULL]	[NULL]	S	B1NV50	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/8/2007 7:20	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NV50	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/8/2007 7:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NV50	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/8/2007 7:20	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NV50	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/8/2007 7:20	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NV50	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/8/2007 7:20	Y	14265-44-2	Phosphate	534000	ug/L	D	[NULL]	[NULL]	S	B1NV50	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	6/8/2007 7:20	Y	7440-09-7	Potassium	2540	ug/L	D	[NULL]	[NULL]	S	B1NV50	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/8/2007 7:20	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NV50	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/8/2007 7:20	Y	7440-23-5	Sodium	454000	ug/L	D	[NULL]	[NULL]	S	B1NV50	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/8/2007 7:20	Y	7440-24-6	Strontium	88.7	ug/L	D	[NULL]	[NULL]	S	B1NV50	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/8/2007 7:20	Y	10098-97-2	Strontium-90	600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NV50	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	6/8/2007 7:20	Y	14808-79-8	Sulfate	4100	ug/L	BD	[NULL]	[NULL]	S	B1NV50	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/8/2007 7:20	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NV50	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/8/2007 7:20	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NV50	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/9/2007 9:00	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NV62	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/9/2007 9:00	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NV62	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/9/2007 9:00	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NV62	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/9/2007 9:00	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV62	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/9/2007 9:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV62	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/9/2007 9:00	Y	7440-70-2	Calcium	10300	ug/L	D	[NULL]	[NULL]	S	B1NV62	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/9/2007 9:00	Y	16887-00-6	Chloride	51100	ug/L	D	[NULL]	[NULL]	S	B1NV62	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/9/2007 9:00	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV62	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/9/2007 9:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NV62	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/9/2007 9:00	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NV62	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/9/2007 9:00	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NV62	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/9/2007 9:00	Y	7439-89-6	Iron	96	ug/L	D	[NULL]	[NULL]	S	B1NV62	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/9/2007 9:00	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NV62	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/9/2007 9:00	Y	7439-95-4	Magnesium	1420	ug/L	D	[NULL]	[NULL]	S	B1NV62	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/9/2007 9:00	Y	7439-96-5	Manganese	385	ug/L	D	[NULL]	[NULL]	S	B1NV62	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/9/2007 9:00	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NV62	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/9/2007 9:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NV62	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/9/2007 9:00	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NV62	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/9/2007 9:00	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NV62	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/9/2007 9:00	Y	14265-44-2	Phosphate	402000	ug/L	D	[NULL]	[NULL]	S	B1NV62	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/9/2007 9:00	Y	7440-09-7	Potassium	2190	ug/L	D	[NULL]	[NULL]	S	B1NV62	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/9/2007 9:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NV62	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/9/2007 9:00	Y	7440-23-5	Sodium	392000	ug/L	D	[NULL]	[NULL]	S	B1NV62	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/9/2007 9:00	Y	7440-24-6	Strontium	57.8	ug/L	D	[NULL]	[NULL]	S	B1NV62	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/9/2007 9:00	Y	10098-97-2	Strontium-90	350	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NV62	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	6/9/2007 9:00	Y	14808-79-8	Sulfate	4580	ug/L	BD	[NULL]	[NULL]	S	B1NV62	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/9/2007 9:00	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NV62	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/9/2007 9:00	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NV62	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/10/2007 8:43	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NV74	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/10/2007 8:43	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NV74	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/10/2007 8:43	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NV74	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/10/2007 8:43	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV74	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/10/2007 8:43	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV74	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/10/2007 8:43	Y	7440-70-2	Calcium	8700	ug/L	D	[NULL]	[NULL]	S	B1NV74	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/10/2007 8:43	Y	16887-00-6	Chloride	42600	ug/L	D	[NULL]	[NULL]	S	B1NV74	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/10/2007 8:43	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV74	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/10/2007 8:43	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NV74	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/10/2007 8:43	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NV74	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/10/2007 8:43	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NV74	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/10/2007 8:43	Y	7439-89-6	Iron	208	ug/L	D	[NULL]	[NULL]	S	B1NV74	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/10/2007 8:43	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NV74	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/10/2007 8:43	Y	7439-95-4	Magnesium	1360	ug/L	D	[NULL]	[NULL]	S	B1NV74	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/10/2007 8:43	Y	7439-96-5	Manganese	427	ug/L	D	[NULL]	[NULL]	S	B1NV74	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/10/2007 8:43	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NV74	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/10/2007 8:43	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NV74	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/10/2007 8:43	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NV74	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/10/2007 8:43	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NV74	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	6/10/2007 8:43	Y	14265-44-2	Phosphate	331000	ug/L	D	[NULL]	[NULL]	S	B1NV74	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/10/2007 8:43	Y	7440-09-7	Potassium	2200	ug/L	D	[NULL]	[NULL]	S	B1NV74	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/10/2007 8:43	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NV74	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/10/2007 8:43	Y	7440-23-5	Sodium	322000	ug/L	D	[NULL]	[NULL]	S	B1NV74	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/10/2007 8:43	Y	7440-24-6	Strontium	50.6	ug/L	D	[NULL]	[NULL]	S	B1NV74	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/10/2007 8:43	Y	10098-97-2	Strontium-90	370	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NV74	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	6/10/2007 8:43	Y	14808-79-8	Sulfate	2270	ug/L	BD	[NULL]	[NULL]	S	B1NV74	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/10/2007 8:43	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NV74	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/10/2007 8:43	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NV74	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/11/2007 18:00	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NV86	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/11/2007 18:00	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NV86	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/11/2007 18:00	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NV86	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/11/2007 18:00	Y	7440-39-3	Barium	20	ug/L	D	[NULL]	[NULL]	S	B1NV86	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/11/2007 18:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV86	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/11/2007 18:00	Y	7440-70-2	Calcium	8380	ug/L	D	[NULL]	[NULL]	S	B1NV86	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/11/2007 18:00	Y	16887-00-6	Chloride	28000	ug/L	D	[NULL]	[NULL]	S	B1NV86	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/11/2007 18:00	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV86	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/11/2007 18:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NV86	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/11/2007 18:00	Y	7440-50-8	Copper	28	ug/L	CD	[NULL]	[NULL]	S	B1NV86	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/11/2007 18:00	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NV86	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/11/2007 18:00	Y	7439-89-6	Iron	177	ug/L	CD	[NULL]	[NULL]	S	B1NV86	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/11/2007 18:00	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NV86	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/11/2007 18:00	Y	7439-95-4	Magnesium	1500	ug/L	D	[NULL]	[NULL]	S	B1NV86	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/11/2007 18:00	Y	7439-96-5	Manganese	549	ug/L	D	[NULL]	[NULL]	S	B1NV86	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/11/2007 18:00	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NV86	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/11/2007 18:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NV86	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/11/2007 18:00	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NV86	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/11/2007 18:00	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NV86	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/11/2007 18:00	Y	14265-44-2	Phosphate	228000	ug/L	D	[NULL]	[NULL]	S	B1NV86	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/11/2007 18:00	Y	7440-09-7	Potassium	2000	ug/L	D	[NULL]	[NULL]	S	B1NV86	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/11/2007 18:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NV86	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/11/2007 18:00	Y	7440-23-5	Sodium	214000	ug/L	D	[NULL]	[NULL]	S	B1NV86	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/11/2007 18:00	Y	7440-24-6	Strontium	51.6	ug/L	D	[NULL]	[NULL]	S	B1NV86	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/11/2007 18:00	Y	10098-97-2	Strontium-90	490	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NV86	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	6/11/2007 18:00	Y	14808-79-8	Sulfate	1460	ug/L	BD	[NULL]	[NULL]	S	B1NV86	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/11/2007 18:00	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NV86	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/11/2007 18:00	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NV86	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/12/2007 16:45	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NV98	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/12/2007 16:45	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NV98	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/12/2007 16:45	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NV98	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/12/2007 16:45	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV98	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/12/2007 16:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV98	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/12/2007 16:45	Y	7440-70-2	Calcium	8550	ug/L	D	[NULL]	[NULL]	S	B1NV98	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/12/2007 16:45	Y	16887-00-6	Chloride	40600	ug/L	D	[NULL]	[NULL]	S	B1NV98	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/12/2007 16:45	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NV98	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/12/2007 16:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NV98	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/12/2007 16:45	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NV98	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/12/2007 16:45	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NV98	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/12/2007 16:45	Y	7439-89-6	Iron	386	ug/L	D	[NULL]	[NULL]	S	B1NV98	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/12/2007 16:45	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NV98	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/12/2007 16:45	Y	7439-95-4	Magnesium	1230	ug/L	D	[NULL]	[NULL]	S	B1NV98	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/12/2007 16:45	Y	7439-96-5	Manganese	440	ug/L	D	[NULL]	[NULL]	S	B1NV98	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/12/2007 16:45	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NV98	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/12/2007 16:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NV98	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/12/2007 16:45	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NV98	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	6/12/2007 16:45	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NV98	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/12/2007 16:45	Y	14265-44-2	Phosphate	282000	ug/L	D	[NULL]	[NULL]	S	B1NV98	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/12/2007 16:45	Y	7440-09-7	Potassium	1570	ug/L	D	[NULL]	[NULL]	S	B1NV98	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/12/2007 16:45	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NV98	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/12/2007 16:45	Y	7440-23-5	Sodium	285000	ug/L	D	[NULL]	[NULL]	S	B1NV98	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/12/2007 16:45	Y	7440-24-6	Strontium	49.8	ug/L	D	[NULL]	[NULL]	S	B1NV98	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/12/2007 16:45	Y	10098-97-2	Strontium-90	490	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NV98	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	6/12/2007 16:45	Y	14808-79-8	Sulfate	632	ug/L	BD	[NULL]	[NULL]	S	B1NV98	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/12/2007 16:45	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NV98	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/12/2007 16:45	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NV98	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/13/2007 12:25	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVC0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/13/2007 12:25	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVC0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/13/2007 12:25	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVC0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/13/2007 12:25	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVC0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/13/2007 12:25	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVC0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/13/2007 12:25	Y	7440-70-2	Calcium	5040	ug/L	D	[NULL]	[NULL]	S	B1NVC0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/13/2007 12:25	Y	16887-00-6	Chloride	9490	ug/L	D	[NULL]	[NULL]	S	B1NVC0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/13/2007 12:25	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVC0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/13/2007 12:25	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVC0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/13/2007 12:25	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVC0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/13/2007 12:25	Y	16984-48-8	Fluoride	33	ug/L	DNU	[NULL]	[NULL]	S	B1NVC0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/13/2007 12:25	Y	7439-89-6	Iron	169	ug/L	D	[NULL]	[NULL]	S	B1NVC0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/13/2007 12:25	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVC0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/13/2007 12:25	Y	7439-95-4	Magnesium	915	ug/L	D	[NULL]	[NULL]	S	B1NVC0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/13/2007 12:25	Y	7439-96-5	Manganese	560	ug/L	D	[NULL]	[NULL]	S	B1NVC0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/13/2007 12:25	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVC0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/13/2007 12:25	Y	7440-02-0	Nickel	23.7	ug/L	D	[NULL]	[NULL]	S	B1NVC0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/13/2007 12:25	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVC0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/13/2007 12:25	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVC0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/13/2007 12:25	Y	14265-44-2	Phosphate	112000	ug/L	D	[NULL]	[NULL]	S	B1NVC0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/13/2007 12:25	Y	7440-09-7	Potassium	1120	ug/L	D	[NULL]	[NULL]	S	B1NVC0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/13/2007 12:25	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NVC0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/13/2007 12:25	Y	7440-23-5	Sodium	111000	ug/L	D	[NULL]	[NULL]	S	B1NVC0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/13/2007 12:25	Y	7440-24-6	Strontium	32.7	ug/L	D	[NULL]	[NULL]	S	B1NVC0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/13/2007 12:25	Y	10098-97-2	Strontium-90	270	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVC0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	6/13/2007 12:25	Y	14808-79-8	Sulfate	5880	ug/L	D	[NULL]	[NULL]	S	B1NVC0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/13/2007 12:25	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVC0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/13/2007 12:25	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVC0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/14/2007 17:35	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVD2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/14/2007 17:35	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVD2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/14/2007 17:35	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVD2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/14/2007 17:35	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVD2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/14/2007 17:35	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVD2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/14/2007 17:35	Y	7440-70-2	Calcium	8090	ug/L	D	[NULL]	[NULL]	S	B1NVD2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/14/2007 17:35	Y	16887-00-6	Chloride	17800	ug/L	D	[NULL]	[NULL]	S	B1NVD2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/14/2007 17:35	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVD2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/14/2007 17:35	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVD2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/14/2007 17:35	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVD2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/14/2007 17:35	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NVD2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/14/2007 17:35	Y	7439-89-6	Iron	145	ug/L	D	[NULL]	[NULL]	S	B1NVD2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/14/2007 17:35	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVD2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/14/2007 17:35	Y	7439-95-4	Magnesium	1540	ug/L	D	[NULL]	[NULL]	S	B1NVD2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/14/2007 17:35	Y	7439-96-5	Manganese	730	ug/L	D	[NULL]	[NULL]	S	B1NVD2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/14/2007 17:35	Y	7439-98-7	Molybdenum	50	ug/L	D	[NULL]	[NULL]	S	B1NVD2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/14/2007 17:35	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVD2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	6/14/2007 17:35	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NVD2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/14/2007 17:35	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NVD2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/14/2007 17:35	Y	14265-44-2	Phosphate	128000	ug/L	D	[NULL]	[NULL]	S	B1NVD2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/14/2007 17:35	Y	7440-09-7	Potassium	1700	ug/L	CD	[NULL]	[NULL]	S	B1NVD2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/14/2007 17:35	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVD2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/14/2007 17:35	Y	7440-23-5	Sodium	150000	ug/L	D	[NULL]	[NULL]	S	B1NVD2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/14/2007 17:35	Y	7440-24-6	Strontium	47.9	ug/L	D	[NULL]	[NULL]	S	B1NVD2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/14/2007 17:35	Y	10098-97-2	Strontium-90	450	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVD2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	6/14/2007 17:35	Y	14808-79-8	Sulfate	350	ug/L	DU	[NULL]	[NULL]	S	B1NVD2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/14/2007 17:35	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVD2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/14/2007 17:35	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVD2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/15/2007 7:23	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVM2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/15/2007 7:23	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVM2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/15/2007 7:23	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVM2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/15/2007 7:23	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVM2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/15/2007 7:23	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVM2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/15/2007 7:23	Y	7440-70-2	Calcium	8520	ug/L	D	[NULL]	[NULL]	S	B1NVM2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/15/2007 7:23	Y	16887-00-6	Chloride	16100	ug/L	D	[NULL]	[NULL]	S	B1NVM2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/15/2007 7:23	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVM2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/15/2007 7:23	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVM2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/15/2007 7:23	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVM2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/15/2007 7:23	Y	16984-48-8	Fluoride	33	ug/L	DNU	[NULL]	[NULL]	S	B1NVM2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/15/2007 7:23	Y	7439-89-6	Iron	182	ug/L	CD	[NULL]	[NULL]	S	B1NVM2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/15/2007 7:23	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVM2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/15/2007 7:23	Y	7439-95-4	Magnesium	1630	ug/L	CD	[NULL]	[NULL]	S	B1NVM2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/15/2007 7:23	Y	7439-96-5	Manganese	784	ug/L	D	[NULL]	[NULL]	S	B1NVM2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/15/2007 7:23	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVM2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/15/2007 7:23	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVM2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/15/2007 7:23	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVM2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/15/2007 7:23	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVM2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/15/2007 7:23	Y	14265-44-2	Phosphate	106000	ug/L	D	[NULL]	[NULL]	S	B1NVM2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/15/2007 7:23	Y	7440-09-7	Potassium	1600	ug/L	D	[NULL]	[NULL]	S	B1NVM2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/15/2007 7:23	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVM2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/15/2007 7:23	Y	7440-23-5	Sodium	137000	ug/L	D	[NULL]	[NULL]	S	B1NVM2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/15/2007 7:23	Y	7440-24-6	Strontium	43.4	ug/L	D	[NULL]	[NULL]	S	B1NVM2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/15/2007 7:23	Y	10098-97-2	Strontium-90	500	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVM2	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	6/15/2007 7:23	Y	14808-79-8	Sulfate	5260	ug/L	D	[NULL]	[NULL]	S	B1NVM2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/15/2007 7:23	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVM2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/15/2007 7:23	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVM2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/17/2007 7:25	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVR6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/17/2007 7:25	Y	7440-36-0	Antimony	171	ug/L	CD	[NULL]	[NULL]	S	B1NVR6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/17/2007 7:25	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVR6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/17/2007 7:25	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/17/2007 7:25	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/17/2007 7:25	Y	7440-70-2	Calcium	7200	ug/L	D	[NULL]	[NULL]	S	B1NVR6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/17/2007 7:25	Y	16887-00-6	Chloride	12100	ug/L	D	[NULL]	[NULL]	S	B1NVR6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/17/2007 7:25	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/17/2007 7:25	Y	7440-48-4	Cobalt	21.3	ug/L	D	[NULL]	[NULL]	S	B1NVR6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/17/2007 7:25	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/17/2007 7:25	Y	16984-48-8	Fluoride	33	ug/L	DU	[NULL]	[NULL]	S	B1NVR6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/17/2007 7:25	Y	7439-89-6	Iron	67.6	ug/L	D	[NULL]	[NULL]	S	B1NVR6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/17/2007 7:25	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVR6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/17/2007 7:25	Y	7439-95-4	Magnesium	1360	ug/L	CD	[NULL]	[NULL]	S	B1NVR6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/17/2007 7:25	Y	7439-96-5	Manganese	593	ug/L	D	[NULL]	[NULL]	S	B1NVR6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/17/2007 7:25	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	6/17/2007 7:25	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/17/2007 7:25	Y	14797-55-8	Nitrate	66.4	ug/L	DU	[NULL]	[NULL]	S	B1NVR6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/17/2007 7:25	Y	14797-65-0	Nitrite	118	ug/L	DU	[NULL]	[NULL]	S	B1NVR6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/17/2007 7:25	Y	14265-44-2	Phosphate	87700	ug/L	D	[NULL]	[NULL]	S	B1NVR6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/17/2007 7:25	Y	7440-09-7	Potassium	1230	ug/L	D	[NULL]	[NULL]	S	B1NVR6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/17/2007 7:25	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVR6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/17/2007 7:25	Y	7440-23-5	Sodium	112000	ug/L	D	[NULL]	[NULL]	S	B1NVR6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/17/2007 7:25	Y	7440-24-6	Strontium	43.7	ug/L	D	[NULL]	[NULL]	S	B1NVR6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/17/2007 7:25	Y	10098-97-2	Strontium-90	360	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVR6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	6/17/2007 7:25	Y	14808-79-8	Sulfate	5430	ug/L	D	[NULL]	[NULL]	S	B1NVR6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/17/2007 7:25	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVR6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/17/2007 7:25	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVR6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/19/2007 11:17	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NVX0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/19/2007 11:17	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NVX0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/19/2007 11:17	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NVX0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/19/2007 11:17	Y	7440-39-3	Barium	29	ug/L	D	[NULL]	[NULL]	S	B1NVX0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/19/2007 11:17	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVX0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/19/2007 11:17	Y	7440-70-2	Calcium	11400	ug/L	D	[NULL]	[NULL]	S	B1NVX0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/19/2007 11:17	Y	16887-00-6	Chloride	21600	ug/L	D	[NULL]	[NULL]	S	B1NVX0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/19/2007 11:17	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NVX0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/19/2007 11:17	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NVX0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/19/2007 11:17	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NVX0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/19/2007 11:17	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NVX0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/19/2007 11:17	Y	7439-89-6	Iron	126	ug/L	CD	[NULL]	[NULL]	S	B1NVX0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/19/2007 11:17	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NVX0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/19/2007 11:17	Y	7439-95-4	Magnesium	2240	ug/L	D	[NULL]	[NULL]	S	B1NVX0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/19/2007 11:17	Y	7439-96-5	Manganese	979	ug/L	D	[NULL]	[NULL]	S	B1NVX0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/19/2007 11:17	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NVX0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/19/2007 11:17	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NVX0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/19/2007 11:17	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1NVX0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/19/2007 11:17	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1NVX0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/19/2007 11:17	Y	14265-44-2	Phosphate	73600	ug/L	D	[NULL]	[NULL]	S	B1NVX0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/19/2007 11:17	Y	7440-09-7	Potassium	1640	ug/L	D	[NULL]	[NULL]	S	B1NVX0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/19/2007 11:17	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NVX0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/19/2007 11:17	Y	7440-23-5	Sodium	146000	ug/L	D	[NULL]	[NULL]	S	B1NVX0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/19/2007 11:17	Y	7440-24-6	Strontium	69.4	ug/L	D	[NULL]	[NULL]	S	B1NVX0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/19/2007 11:17	Y	10098-97-2	Strontium-90	870	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NVX0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	6/19/2007 11:17	Y	14808-79-8	Sulfate	5640	ug/L	D	[NULL]	[NULL]	S	B1NVX0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/19/2007 11:17	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NVX0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/19/2007 11:17	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NVX0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/21/2007 14:21	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NW03	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/21/2007 14:21	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NW03	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/21/2007 14:21	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NW03	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/21/2007 14:21	Y	7440-39-3	Barium	28	ug/L	D	[NULL]	[NULL]	S	B1NW03	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/21/2007 14:21	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW03	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/21/2007 14:21	Y	7440-70-2	Calcium	9810	ug/L	D	[NULL]	[NULL]	S	B1NW03	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/21/2007 14:21	Y	16887-00-6	Chloride	23800	ug/L	D	[NULL]	[NULL]	S	B1NW03	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/21/2007 14:21	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW03	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/21/2007 14:21	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NW03	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/21/2007 14:21	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NW03	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/21/2007 14:21	Y	16984-48-8	Fluoride	23	ug/L	DU	[NULL]	[NULL]	S	B1NW03	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/21/2007 14:21	Y	7439-89-6	Iron	186	ug/L	CD	[NULL]	[NULL]	S	B1NW03	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/21/2007 14:21	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NW03	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/21/2007 14:21	Y	7439-95-4	Magnesium	1970	ug/L	D	[NULL]	[NULL]	S	B1NW03	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/21/2007 14:21	Y	7439-96-5	Manganese	866	ug/L	D	[NULL]	[NULL]	S	B1NW03	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	6/21/2007 14:21	Y	7439-98-7	Molybdenum	28.1	ug/L	D	[NULL]	[NULL]	S	B1NW03	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/21/2007 14:21	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NW03	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/21/2007 14:21	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NW03	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/21/2007 14:21	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NW03	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/21/2007 14:21	Y	14265-44-2	Phosphate	98100	ug/L	D	[NULL]	[NULL]	S	B1NW03	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/21/2007 14:21	Y	7440-09-7	Potassium	1660	ug/L	D	[NULL]	[NULL]	S	B1NW03	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/21/2007 14:21	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NW03	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/21/2007 14:21	Y	7440-23-5	Sodium	166000	ug/L	D	[NULL]	[NULL]	S	B1NW03	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/21/2007 14:21	Y	7440-24-6	Strontium	63.3	ug/L	D	[NULL]	[NULL]	S	B1NW03	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/21/2007 14:21	Y	10098-97-2	Strontium-90	520	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NW03	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	6/21/2007 14:21	Y	14808-79-8	Sulfate	2740	ug/L	BD	[NULL]	[NULL]	S	B1NW03	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/21/2007 14:21	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NW03	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/21/2007 14:21	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NW03	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 8:24	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NJK6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 8:24	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NJK6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 8:24	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NJK6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 8:24	Y	7440-39-3	Barium	22	ug/L	D	[NULL]	[NULL]	S	B1NJK6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 8:24	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NJK6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 8:24	Y	7440-70-2	Calcium	12200	ug/L	D	[NULL]	[NULL]	S	B1NJK6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 8:24	Y	16887-00-6	Chloride	30100	ug/L	D	[NULL]	[NULL]	S	B1NJK6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/22/2007 8:24	Y	7440-47-3	Chromium	63.5	ug/L	D	[NULL]	[NULL]	S	B1NJK6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 8:24	Y	7440-48-4	Cobalt	20.7	ug/L	D	[NULL]	[NULL]	S	B1NJK6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 8:24	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NJK6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 8:24	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NJK6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/22/2007 8:24	Y	7439-89-6	Iron	607	ug/L	D	[NULL]	[NULL]	S	B1NJK6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 8:24	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NJK6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 8:24	Y	7439-95-4	Magnesium	2340	ug/L	D	[NULL]	[NULL]	S	B1NJK6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 8:24	Y	7439-96-5	Manganese	808	ug/L	D	[NULL]	[NULL]	S	B1NJK6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 8:24	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NJK6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 8:24	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NJK6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 8:24	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1NJK6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/22/2007 8:24	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1NJK6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/22/2007 8:24	Y	14265-44-2	Phosphate	195000	ug/L	D	[NULL]	[NULL]	S	B1NJK6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/22/2007 8:24	Y	7440-09-7	Potassium	2210	ug/L	CD	[NULL]	[NULL]	S	B1NJK6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 8:24	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NJK6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 8:24	Y	7440-23-5	Sodium	229000	ug/L	D	[NULL]	[NULL]	S	B1NJK6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 8:24	Y	7440-24-6	Strontium	80.9	ug/L	D	[NULL]	[NULL]	S	B1NJK6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 8:24	Y	10098-97-2	Strontium-90	770	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NJK6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	6/22/2007 8:24	Y	14808-79-8	Sulfate	350	ug/L	DU	[NULL]	[NULL]	S	B1NJK6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/22/2007 8:24	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NJK6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 8:24	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NJK6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 9:31	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NW15	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 9:31	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NW15	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 9:31	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NW15	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 9:31	Y	7440-39-3	Barium	21	ug/L	D	[NULL]	[NULL]	S	B1NW15	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 9:31	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW15	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 9:31	Y	7440-70-2	Calcium	8410	ug/L	D	[NULL]	[NULL]	S	B1NW15	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 9:31	Y	16887-00-6	Chloride	27200	ug/L	D	[NULL]	[NULL]	S	B1NW15	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/22/2007 9:31	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW15	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 9:31	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NW15	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 9:31	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NW15	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 9:31	Y	16984-48-8	Fluoride	69	ug/L	BD	[NULL]	[NULL]	S	B1NW15	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/22/2007 9:31	Y	7439-89-6	Iron	380	ug/L	D	[NULL]	[NULL]	S	B1NW15	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 9:31	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NW15	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 9:31	Y	7439-95-4	Magnesium	1670	ug/L	D	[NULL]	[NULL]	S	B1NW15	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	6/22/2007 9:31	Y	7439-96-5	Manganese	655	ug/L	D	[NULL]	[NULL]	S	B1NW15	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 9:31	Y	7439-98-7	Molybdenum	28.3	ug/L	D	[NULL]	[NULL]	S	B1NW15	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 9:31	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NW15	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 9:31	Y	14797-55-8	Nitrate	106	ug/L	DU	[NULL]	[NULL]	S	B1NW15	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/22/2007 9:31	Y	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	S	B1NW15	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/22/2007 9:31	Y	14265-44-2	Phosphate	160000	ug/L	D	[NULL]	[NULL]	S	B1NW15	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/22/2007 9:31	Y	7440-09-7	Potassium	1920	ug/L	CD	[NULL]	[NULL]	S	B1NW15	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 9:31	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NW15	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 9:31	Y	7440-23-5	Sodium	208000	ug/L	D	[NULL]	[NULL]	S	B1NW15	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 9:31	Y	7440-24-6	Strontium	55.2	ug/L	D	[NULL]	[NULL]	S	B1NW15	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 9:31	Y	10098-97-2	Strontium-90	550	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NW15	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	6/22/2007 9:31	Y	14808-79-8	Sulfate	1620	ug/L	BD	[NULL]	[NULL]	S	B1NW15	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/22/2007 9:31	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NW15	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/22/2007 9:31	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NW15	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2007 8:44	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P378	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2007 8:44	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P378	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2007 8:44	Y	7440-38-2	Arsenic	267	ug/L	D	[NULL]	[NULL]	S	B1P378	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2007 8:44	Y	7440-39-3	Barium	43	ug/L	D	[NULL]	[NULL]	S	B1P378	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2007 8:44	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P378	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2007 8:44	Y	7440-70-2	Calcium	15200	ug/L	D	[NULL]	[NULL]	S	B1P378	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2007 8:44	Y	16887-00-6	Chloride	21800	ug/L	D	[NULL]	[NULL]	S	B1P378	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/29/2007 8:44	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P378	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2007 8:44	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P378	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2007 8:44	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P378	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2007 8:44	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P378	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/29/2007 8:44	Y	7439-89-6	Iron	62.2	ug/L	CD	[NULL]	[NULL]	S	B1P378	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2007 8:44	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P378	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2007 8:44	Y	7439-95-4	Magnesium	3080	ug/L	D	[NULL]	[NULL]	S	B1P378	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2007 8:44	Y	7439-96-5	Manganese	938	ug/L	D	[NULL]	[NULL]	S	B1P378	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2007 8:44	Y	7439-98-7	Molybdenum	28.8	ug/L	D	[NULL]	[NULL]	S	B1P378	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2007 8:44	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P378	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2007 8:44	Y	14797-55-8	Nitrate	894	ug/L	BD	[NULL]	[NULL]	S	B1P378	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/29/2007 8:44	Y	14797-65-0	Nitrite	709	ug/L	BD	[NULL]	[NULL]	S	B1P378	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/29/2007 8:44	Y	14265-44-2	Phosphate	52400	ug/L	D	[NULL]	[NULL]	S	B1P378	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/29/2007 8:44	Y	7440-09-7	Potassium	1800	ug/L	D	[NULL]	[NULL]	S	B1P378	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2007 8:44	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P378	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2007 8:44	Y	7440-23-5	Sodium	125000	ug/L	D	[NULL]	[NULL]	S	B1P378	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2007 8:44	Y	7440-24-6	Strontium	93.4	ug/L	D	[NULL]	[NULL]	S	B1P378	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2007 8:44	Y	10098-97-2	Strontium-90	1100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P378	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	6/29/2007 8:44	Y	14808-79-8	Sulfate	7590	ug/L	D	[NULL]	[NULL]	S	B1P378	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/29/2007 8:44	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P378	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2007 8:44	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P378	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2007 7:47	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P3B1	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2007 7:47	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P3B1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2007 7:47	Y	7440-38-2	Arsenic	264	ug/L	D	[NULL]	[NULL]	S	B1P3B1	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2007 7:47	Y	7440-39-3	Barium	41	ug/L	D	[NULL]	[NULL]	S	B1P3B1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2007 7:47	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3B1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2007 7:47	Y	7440-70-2	Calcium	15700	ug/L	D	[NULL]	[NULL]	S	B1P3B1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2007 7:47	Y	16887-00-6	Chloride	19600	ug/L	D	[NULL]	[NULL]	S	B1P3B1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/8/2007 7:47	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3B1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2007 7:47	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P3B1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2007 7:47	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P3B1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2007 7:47	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P3B1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/8/2007 7:47	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1P3B1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2007 7:47	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P3B1	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	7/8/2007 7:47	Y	7439-95-4	Magnesium	3110	ug/L	D	[NULL]	[NULL]	S	B1P3B1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2007 7:47	Y	7439-96-5	Manganese	752	ug/L	D	[NULL]	[NULL]	S	B1P3B1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2007 7:47	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1P3B1	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2007 7:47	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P3B1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2007 7:47	Y	14797-55-8	Nitrate	1680	ug/L	BD	[NULL]	[NULL]	S	B1P3B1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/8/2007 7:47	Y	14797-65-0	Nitrite	861	ug/L	BD	[NULL]	[NULL]	S	B1P3B1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/8/2007 7:47	Y	14265-44-2	Phosphate	44800	ug/L	D	[NULL]	[NULL]	S	B1P3B1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/8/2007 7:47	Y	7440-09-7	Potassium	2550	ug/L	D	[NULL]	[NULL]	S	B1P3B1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2007 7:47	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P3B1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2007 7:47	Y	7440-23-5	Sodium	107000	ug/L	D	[NULL]	[NULL]	S	B1P3B1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2007 7:47	Y	7440-24-6	Strontium	93.4	ug/L	D	[NULL]	[NULL]	S	B1P3B1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2007 7:47	Y	10098-97-2	Strontium-90	1100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P3B1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	7/8/2007 7:47	Y	14808-79-8	Sulfate	9590	ug/L	D	[NULL]	[NULL]	S	B1P3B1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/8/2007 7:47	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P3B1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2007 7:47	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P3B1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2007 9:00	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P3D4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2007 9:00	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P3D4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2007 9:00	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P3D4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2007 9:00	Y	7440-39-3	Barium	32	ug/L	D	[NULL]	[NULL]	S	B1P3D4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2007 9:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2007 9:00	Y	7440-70-2	Calcium	27000	ug/L	D	[NULL]	[NULL]	S	B1P3D4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2007 9:00	Y	16887-00-6	Chloride	47000	ug/L	D	[NULL]	[NULL]	S	B1P3D4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/13/2007 9:00	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2007 9:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2007 9:00	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2007 9:00	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P3D4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/13/2007 9:00	Y	7439-89-6	Iron	188	ug/L	CD	[NULL]	[NULL]	S	B1P3D4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2007 9:00	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P3D4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2007 9:00	Y	7439-95-4	Magnesium	5720	ug/L	D	[NULL]	[NULL]	S	B1P3D4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2007 9:00	Y	7439-96-5	Manganese	1820	ug/L	D	[NULL]	[NULL]	S	B1P3D4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2007 9:00	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2007 9:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2007 9:00	Y	14797-55-8	Nitrate	443	ug/L	BD	[NULL]	[NULL]	S	B1P3D4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/13/2007 9:00	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P3D4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/13/2007 9:00	Y	14265-44-2	Phosphate	209000	ug/L	D	[NULL]	[NULL]	S	B1P3D4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/13/2007 9:00	Y	7440-09-7	Potassium	2550	ug/L	D	[NULL]	[NULL]	S	B1P3D4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2007 9:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P3D4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2007 9:00	Y	7440-23-5	Sodium	228000	ug/L	D	[NULL]	[NULL]	S	B1P3D4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2007 9:00	Y	7440-24-6	Strontium	144	ug/L	D	[NULL]	[NULL]	S	B1P3D4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2007 9:00	Y	10098-97-2	Strontium-90	1800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P3D4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	7/13/2007 9:00	Y	14808-79-8	Sulfate	5180	ug/L	D	[NULL]	[NULL]	S	B1P3D4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/13/2007 9:00	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P3D4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2007 9:00	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P3D4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2007 8:18	Y	7429-90-5	Aluminum	150	ug/L	DNU	[NULL]	[NULL]	S	B1P402	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2007 8:18	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P402	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2007 8:18	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P402	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2007 8:18	Y	7440-39-3	Barium	30	ug/L	D	[NULL]	[NULL]	S	B1P402	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2007 8:18	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P402	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2007 8:18	Y	7440-70-2	Calcium	26400	ug/L	D	[NULL]	[NULL]	S	B1P402	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2007 8:18	Y	16887-00-6	Chloride	47300	ug/L	D	[NULL]	[NULL]	S	B1P402	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/14/2007 8:18	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P402	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2007 8:18	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P402	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2007 8:18	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P402	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2007 8:18	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P402	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/14/2007 8:18	Y	7439-89-6	Iron	272	ug/L	D	[NULL]	[NULL]	S	B1P402	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	7/14/2007 8:18	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P402	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2007 8:18	Y	7439-95-4	Magnesium	5800	ug/L	D	[NULL]	[NULL]	S	B1P402	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2007 8:18	Y	7439-96-5	Manganese	1870	ug/L	D	[NULL]	[NULL]	S	B1P402	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2007 8:18	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1P402	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2007 8:18	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P402	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2007 8:18	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1P402	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/14/2007 8:18	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P402	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/14/2007 8:18	Y	14265-44-2	Phosphate	221000	ug/L	D	[NULL]	[NULL]	S	B1P402	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/14/2007 8:18	Y	7440-09-7	Potassium	2500	ug/L	D	[NULL]	[NULL]	S	B1P402	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2007 8:18	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P402	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2007 8:18	Y	7440-23-5	Sodium	243000	ug/L	D	[NULL]	[NULL]	S	B1P402	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2007 8:18	Y	7440-24-6	Strontium	142	ug/L	D	[NULL]	[NULL]	S	B1P402	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2007 8:18	Y	10098-97-2	Strontium-90	1600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P402	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	7/14/2007 8:18	Y	14808-79-8	Sulfate	4680	ug/L	D	[NULL]	[NULL]	S	B1P402	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/14/2007 8:18	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P402	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2007 8:18	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P402	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2007 8:30	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P409	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2007 8:30	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P409	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2007 8:30	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P409	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2007 8:30	Y	7440-39-3	Barium	25	ug/L	D	[NULL]	[NULL]	S	B1P409	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2007 8:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P409	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2007 8:30	Y	7440-70-2	Calcium	20000	ug/L	D	[NULL]	[NULL]	S	B1P409	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2007 8:30	Y	16887-00-6	Chloride	30400	ug/L	D	[NULL]	[NULL]	S	B1P409	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/15/2007 8:30	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P409	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2007 8:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P409	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2007 8:30	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P409	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2007 8:30	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P409	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/15/2007 8:30	Y	7439-89-6	Iron	222	ug/L	D	[NULL]	[NULL]	S	B1P409	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2007 8:30	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P409	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2007 8:30	Y	7439-95-4	Magnesium	4130	ug/L	D	[NULL]	[NULL]	S	B1P409	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2007 8:30	Y	7439-96-5	Manganese	1400	ug/L	D	[NULL]	[NULL]	S	B1P409	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2007 8:30	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1P409	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2007 8:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P409	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2007 8:30	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1P409	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/15/2007 8:30	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P409	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/15/2007 8:30	Y	14265-44-2	Phosphate	137000	ug/L	D	[NULL]	[NULL]	S	B1P409	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/15/2007 8:30	Y	7440-09-7	Potassium	2100	ug/L	D	[NULL]	[NULL]	S	B1P409	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2007 8:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P409	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2007 8:30	Y	7440-23-5	Sodium	208000	ug/L	D	[NULL]	[NULL]	S	B1P409	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2007 8:30	Y	7440-24-6	Strontium	107	ug/L	D	[NULL]	[NULL]	S	B1P409	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2007 8:30	Y	10098-97-2	Strontium-90	980	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P409	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	7/15/2007 8:30	Y	14808-79-8	Sulfate	5180	ug/L	D	[NULL]	[NULL]	S	B1P409	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/15/2007 8:30	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P409	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2007 8:30	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P409	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/16/2007 9:32	Y	7429-90-5	Aluminum	150	ug/L	DNU	[NULL]	[NULL]	S	B1P416	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/16/2007 9:32	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P416	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/16/2007 9:32	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P416	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/16/2007 9:32	Y	7440-39-3	Barium	30	ug/L	D	[NULL]	[NULL]	S	B1P416	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/16/2007 9:32	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P416	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/16/2007 9:32	Y	7440-70-2	Calcium	14900	ug/L	D	[NULL]	[NULL]	S	B1P416	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/16/2007 9:32	Y	16887-00-6	Chloride	25000	ug/L	D	[NULL]	[NULL]	S	B1P416	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/16/2007 9:32	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P416	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/16/2007 9:32	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P416	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/16/2007 9:32	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P416	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/16/2007 9:32	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P416	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	7/16/2007 9:32	Y	7439-89-6	Iron	114	ug/L	D	[NULL]	[NULL]	S	B1P416	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/16/2007 9:32	Y	7439-92-1	Lead	153	ug/L	D	[NULL]	[NULL]	S	B1P416	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/16/2007 9:32	Y	7439-95-4	Magnesium	3120	ug/L	D	[NULL]	[NULL]	S	B1P416	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/16/2007 9:32	Y	7439-96-5	Manganese	1180	ug/L	D	[NULL]	[NULL]	S	B1P416	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/16/2007 9:32	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1P416	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/16/2007 9:32	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P416	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/16/2007 9:32	Y	14797-55-8	Nitrate	181	ug/L	BD	[NULL]	[NULL]	S	B1P416	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/16/2007 9:32	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P416	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/16/2007 9:32	Y	14265-44-2	Phosphate	109000	ug/L	D	[NULL]	[NULL]	S	B1P416	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/16/2007 9:32	Y	7440-09-7	Potassium	1700	ug/L	D	[NULL]	[NULL]	S	B1P416	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/16/2007 9:32	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P416	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/16/2007 9:32	Y	7440-23-5	Sodium	156000	ug/L	D	[NULL]	[NULL]	S	B1P416	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/16/2007 9:32	Y	7440-24-6	Strontium	86.6	ug/L	D	[NULL]	[NULL]	S	B1P416	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/16/2007 9:32	Y	10098-97-2	Strontium-90	1100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P416	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	7/16/2007 9:32	Y	14808-79-8	Sulfate	5890	ug/L	D	[NULL]	[NULL]	S	B1P416	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/16/2007 9:32	Y	7440-62-2	Vanadium	63	ug/L	D	[NULL]	[NULL]	S	B1P416	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/16/2007 9:32	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P416	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2007 13:47	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P423	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2007 13:47	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P423	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2007 13:47	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P423	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2007 13:47	Y	7440-39-3	Barium	29	ug/L	D	[NULL]	[NULL]	S	B1P423	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2007 13:47	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P423	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2007 13:47	Y	7440-70-2	Calcium	13200	ug/L	D	[NULL]	[NULL]	S	B1P423	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2007 13:47	Y	16887-00-6	Chloride	23000	ug/L	D	[NULL]	[NULL]	S	B1P423	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/17/2007 13:47	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P423	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2007 13:47	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P423	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2007 13:47	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1P423	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2007 13:47	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P423	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/17/2007 13:47	Y	7439-89-6	Iron	90.5	ug/L	D	[NULL]	[NULL]	S	B1P423	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2007 13:47	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P423	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2007 13:47	Y	7439-95-4	Magnesium	2870	ug/L	D	[NULL]	[NULL]	S	B1P423	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2007 13:47	Y	7439-96-5	Manganese	1060	ug/L	D	[NULL]	[NULL]	S	B1P423	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2007 13:47	Y	7439-98-7	Molybdenum	20.9	ug/L	D	[NULL]	[NULL]	S	B1P423	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2007 13:47	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P423	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2007 13:47	Y	14797-55-8	Nitrate	784	ug/L	BD	[NULL]	[NULL]	S	B1P423	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/17/2007 13:47	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P423	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/17/2007 13:47	Y	14265-44-2	Phosphate	95400	ug/L	D	[NULL]	[NULL]	S	B1P423	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/17/2007 13:47	Y	7440-09-7	Potassium	1970	ug/L	D	[NULL]	[NULL]	S	B1P423	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2007 13:47	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P423	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2007 13:47	Y	7440-23-5	Sodium	150000	ug/L	D	[NULL]	[NULL]	S	B1P423	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2007 13:47	Y	7440-24-6	Strontium	80.4	ug/L	D	[NULL]	[NULL]	S	B1P423	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2007 13:47	Y	10098-97-2	Strontium-90	1000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P423	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	7/17/2007 13:47	Y	14808-79-8	Sulfate	5600	ug/L	D	[NULL]	[NULL]	S	B1P423	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/17/2007 13:47	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P423	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2007 13:47	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P423	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/18/2007 8:40	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1P430	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/18/2007 8:40	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1P430	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/18/2007 8:40	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1P430	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/18/2007 8:40	Y	7440-39-3	Barium	35	ug/L	D	[NULL]	[NULL]	S	B1P430	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/18/2007 8:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1P430	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/18/2007 8:40	Y	7440-70-2	Calcium	14800	ug/L	D	[NULL]	[NULL]	S	B1P430	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/18/2007 8:40	Y	16887-00-6	Chloride	23800	ug/L	D	[NULL]	[NULL]	S	B1P430	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/18/2007 8:40	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1P430	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/18/2007 8:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1P430	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/18/2007 8:40	Y	7440-50-8	Copper	22	ug/L	CD	[NULL]	[NULL]	S	B1P430	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	7/18/2007 8:40	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1P430	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/18/2007 8:40	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1P430	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/18/2007 8:40	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1P430	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/18/2007 8:40	Y	7439-95-4	Magnesium	3140	ug/L	D	[NULL]	[NULL]	S	B1P430	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/18/2007 8:40	Y	7439-96-5	Manganese	1120	ug/L	D	[NULL]	[NULL]	S	B1P430	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/18/2007 8:40	Y	7439-98-7	Molybdenum	28.3	ug/L	D	[NULL]	[NULL]	S	B1P430	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/18/2007 8:40	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1P430	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/18/2007 8:40	Y	14797-55-8	Nitrate	111	ug/L	DU	[NULL]	[NULL]	S	B1P430	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/18/2007 8:40	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1P430	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/18/2007 8:40	Y	14265-44-2	Phosphate	70200	ug/L	D	[NULL]	[NULL]	S	B1P430	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/18/2007 8:40	Y	7440-09-7	Potassium	1900	ug/L	D	[NULL]	[NULL]	S	B1P430	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/18/2007 8:40	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1P430	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/18/2007 8:40	Y	7440-23-5	Sodium	132000	ug/L	D	[NULL]	[NULL]	S	B1P430	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/18/2007 8:40	Y	7440-24-6	Strontium	88.3	ug/L	D	[NULL]	[NULL]	S	B1P430	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/18/2007 8:40	Y	10098-97-2	Strontium-90	1200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1P430	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	7/18/2007 8:40	Y	14808-79-8	Sulfate	6940	ug/L	D	[NULL]	[NULL]	S	B1P430	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/18/2007 8:40	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1P430	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/18/2007 8:40	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1P430	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/20/2007 8:50	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NW32	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/20/2007 8:50	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NW32	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/20/2007 8:50	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NW32	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/20/2007 8:50	Y	7440-39-3	Barium	38	ug/L	D	[NULL]	[NULL]	S	B1NW32	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/20/2007 8:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW32	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/20/2007 8:50	Y	7440-70-2	Calcium	15500	ug/L	D	[NULL]	[NULL]	S	B1NW32	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/20/2007 8:50	Y	16887-00-6	Chloride	24100	ug/L	D	[NULL]	[NULL]	S	B1NW32	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/20/2007 8:50	Y	7440-47-3	Chromium	21.6	ug/L	D	[NULL]	[NULL]	S	B1NW32	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/20/2007 8:50	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NW32	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/20/2007 8:50	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NW32	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/20/2007 8:50	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NW32	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/20/2007 8:50	Y	7439-89-6	Iron	908	ug/L	CD	[NULL]	[NULL]	S	B1NW32	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/20/2007 8:50	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NW32	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/20/2007 8:50	Y	7439-95-4	Magnesium	3220	ug/L	D	[NULL]	[NULL]	S	B1NW32	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/20/2007 8:50	Y	7439-96-5	Manganese	1050	ug/L	D	[NULL]	[NULL]	S	B1NW32	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/20/2007 8:50	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NW32	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/20/2007 8:50	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NW32	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/20/2007 8:50	Y	14797-55-8	Nitrate	403	ug/L	BD	[NULL]	[NULL]	S	B1NW32	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/20/2007 8:50	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1NW32	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/20/2007 8:50	Y	14265-44-2	Phosphate	56700	ug/L	D	[NULL]	[NULL]	S	B1NW32	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/20/2007 8:50	Y	7440-09-7	Potassium	1630	ug/L	D	[NULL]	[NULL]	S	B1NW32	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/20/2007 8:50	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NW32	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/20/2007 8:50	Y	7440-23-5	Sodium	122000	ug/L	D	[NULL]	[NULL]	S	B1NW32	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/20/2007 8:50	Y	7440-24-6	Strontium	92.1	ug/L	D	[NULL]	[NULL]	S	B1NW32	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/20/2007 8:50	Y	10098-97-2	Strontium-90	1700	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NW32	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	7/20/2007 8:50	Y	14808-79-8	Sulfate	8820	ug/L	D	[NULL]	[NULL]	S	B1NW32	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/20/2007 8:50	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NW32	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/20/2007 8:50	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NW32	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2007 8:56	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NW45	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2007 8:56	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NW45	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2007 8:56	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NW45	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2007 8:56	Y	7440-39-3	Barium	29	ug/L	D	[NULL]	[NULL]	S	B1NW45	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2007 8:56	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW45	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2007 8:56	Y	7440-70-2	Calcium	13400	ug/L	D	[NULL]	[NULL]	S	B1NW45	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2007 8:56	Y	16887-00-6	Chloride	18200	ug/L	D	[NULL]	[NULL]	S	B1NW45	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/27/2007 8:56	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW45	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2007 8:56	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NW45	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	7/27/2007 8:56	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NW45	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2007 8:56	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NW45	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/27/2007 8:56	Y	7439-89-6	Iron	45	ug/L	DNU	[NULL]	[NULL]	S	B1NW45	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2007 8:56	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NW45	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2007 8:56	Y	7439-95-4	Magnesium	2620	ug/L	D	[NULL]	[NULL]	S	B1NW45	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2007 8:56	Y	7439-96-5	Manganese	795	ug/L	D	[NULL]	[NULL]	S	B1NW45	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2007 8:56	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NW45	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2007 8:56	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NW45	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2007 8:56	Y	14797-55-8	Nitrate	4870	ug/L	D	[NULL]	[NULL]	S	B1NW45	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/27/2007 8:56	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1NW45	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/27/2007 8:56	Y	14265-44-2	Phosphate	58000	ug/L	D	[NULL]	[NULL]	S	B1NW45	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/27/2007 8:56	Y	7440-09-7	Potassium	2230	ug/L	D	[NULL]	[NULL]	S	B1NW45	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2007 8:56	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1NW45	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2007 8:56	Y	7440-23-5	Sodium	116000	ug/L	D	[NULL]	[NULL]	S	B1NW45	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2007 8:56	Y	7440-24-6	Strontium	78.1	ug/L	D	[NULL]	[NULL]	S	B1NW45	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2007 8:56	Y	10098-97-2	Strontium-90	990	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NW45	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	7/27/2007 8:56	Y	14808-79-8	Sulfate	9500	ug/L	D	[NULL]	[NULL]	S	B1NW45	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/27/2007 8:56	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NW45	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2007 8:56	Y	7440-66-6	Zinc	20	ug/L	DU	[NULL]	[NULL]	S	B1NW45	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/3/2007 8:36	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NW58	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/3/2007 8:36	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NW58	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/3/2007 8:36	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1NW58	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/3/2007 8:36	Y	7440-39-3	Barium	40	ug/L	D	[NULL]	[NULL]	S	B1NW58	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/3/2007 8:36	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW58	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/3/2007 8:36	Y	7440-70-2	Calcium	16800	ug/L	D	[NULL]	[NULL]	S	B1NW58	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/3/2007 8:36	Y	16887-00-6	Chloride	17800	ug/L	D	[NULL]	[NULL]	S	B1NW58	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	8/3/2007 8:36	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW58	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/3/2007 8:36	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NW58	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/3/2007 8:36	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1NW58	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/3/2007 8:36	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NW58	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	8/3/2007 8:36	Y	7439-89-6	Iron	64.3	ug/L	D	[NULL]	[NULL]	S	B1NW58	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/3/2007 8:36	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NW58	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/3/2007 8:36	Y	7439-95-4	Magnesium	3310	ug/L	D	[NULL]	[NULL]	S	B1NW58	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/3/2007 8:36	Y	7439-96-5	Manganese	758	ug/L	D	[NULL]	[NULL]	S	B1NW58	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/3/2007 8:36	Y	7439-98-7	Molybdenum	20	ug/L	DU	[NULL]	[NULL]	S	B1NW58	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/3/2007 8:36	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1NW58	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/3/2007 8:36	Y	14797-55-8	Nitrate	2770	ug/L	D	[NULL]	[NULL]	S	B1NW58	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	8/3/2007 8:36	Y	14797-65-0	Nitrite	279	ug/L	BD	[NULL]	[NULL]	S	B1NW58	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	8/3/2007 8:36	Y	14265-44-2	Phosphate	43200	ug/L	D	[NULL]	[NULL]	S	B1NW58	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	8/3/2007 8:36	Y	7440-09-7	Potassium	1830	ug/L	D	[NULL]	[NULL]	S	B1NW58	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/3/2007 8:36	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1NW58	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/3/2007 8:36	Y	7440-23-5	Sodium	107000	ug/L	D	[NULL]	[NULL]	S	B1NW58	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/3/2007 8:36	Y	7440-24-6	Strontium	93.7	ug/L	D	[NULL]	[NULL]	S	B1NW58	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/3/2007 8:36	Y	10098-97-2	Strontium-90	1500	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NW58	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	8/3/2007 8:36	Y	14808-79-8	Sulfate	11300	ug/L	D	[NULL]	[NULL]	S	B1NW58	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	8/3/2007 8:36	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1NW58	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/3/2007 8:36	Y	7440-66-6	Zinc	21.9	ug/L	D	[NULL]	[NULL]	S	B1NW58	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/10/2007 10:20	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1NW71	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/10/2007 10:20	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1NW71	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/10/2007 10:20	Y	7440-38-2	Arsenic	292	ug/L	D	[NULL]	[NULL]	S	B1NW71	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/10/2007 10:20	Y	7440-39-3	Barium	55	ug/L	CD	[NULL]	[NULL]	S	B1NW71	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/10/2007 10:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW71	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/10/2007 10:20	Y	7440-70-2	Calcium	16600	ug/L	D	[NULL]	[NULL]	S	B1NW71	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/10/2007 10:20	Y	16887-00-6	Chloride	19600	ug/L	D	[NULL]	[NULL]	S	B1NW71	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	8/10/2007 10:20	Y	7440-47-3	Chromium	20	ug/L	DU	[NULL]	[NULL]	S	B1NW71	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	8/10/2007 10:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1NW71	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/10/2007 10:20	Y	7440-50-8	Copper	64	ug/L	CD	[NULL]	[NULL]	S	B1NW71	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/10/2007 10:20	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1NW71	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	8/10/2007 10:20	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1NW71	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/10/2007 10:20	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1NW71	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/10/2007 10:20	Y	7439-95-4	Magnesium	3350	ug/L	D	[NULL]	[NULL]	S	B1NW71	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/10/2007 10:20	Y	7439-96-5	Manganese	494	ug/L	D	[NULL]	[NULL]	S	B1NW71	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/10/2007 10:20	Y	7439-98-7	Molybdenum	64.7	ug/L	CD	[NULL]	[NULL]	S	B1NW71	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/10/2007 10:20	Y	7440-02-0	Nickel	97.7	ug/L	CD	[NULL]	[NULL]	S	B1NW71	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/10/2007 10:20	Y	14797-55-8	Nitrate	1470	ug/L	BD	[NULL]	[NULL]	S	B1NW71	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	8/10/2007 10:20	Y	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	S	B1NW71	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	8/10/2007 10:20	Y	14265-44-2	Phosphate	37400	ug/L	D	[NULL]	[NULL]	S	B1NW71	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	8/10/2007 10:20	Y	7440-09-7	Potassium	2300	ug/L	CD	[NULL]	[NULL]	S	B1NW71	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/10/2007 10:20	Y	7440-22-4	Silver	144	ug/L	CDN	[NULL]	[NULL]	S	B1NW71	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/10/2007 10:20	Y	7440-23-5	Sodium	105000	ug/L	D	[NULL]	[NULL]	S	B1NW71	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/10/2007 10:20	Y	7440-24-6	Strontium	91.3	ug/L	D	[NULL]	[NULL]	S	B1NW71	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/10/2007 10:20	Y	10098-97-2	Strontium-90	1300	pCi/L	[NULL]	[NULL]	[NULL]	S	B1NW71	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	8/10/2007 10:20	Y	14808-79-8	Sulfate	14100	ug/L	D	[NULL]	[NULL]	S	B1NW71	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	8/10/2007 10:20	Y	7440-62-2	Vanadium	57	ug/L	CD	[NULL]	[NULL]	S	B1NW71	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	8/10/2007 10:20	Y	7440-66-6	Zinc	162	ug/L	CD	[NULL]	[NULL]	S	B1NW71	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	9/19/2007 10:20	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1PMV4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	9/19/2007 10:20	Y	7440-36-0	Antimony	32	ug/L	U	G	[NULL]	S	B1PMV4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	9/19/2007 10:20	Y	7440-38-2	Arsenic	250	ug/L	DU	[NULL]	[NULL]	S	B1PMV4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	9/19/2007 10:20	Y	7440-39-3	Barium	7.3	ug/L	[NULL]	G	[NULL]	S	B1PMV4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	9/19/2007 10:20	Y	7440-43-9	Cadmium	4	ug/L	U	G	[NULL]	S	B1PMV4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	9/19/2007 10:20	Y	7440-70-2	Calcium	3500	ug/L	DN	[NULL]	[NULL]	S	B1PMV4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	9/19/2007 10:20	Y	16887-00-6	Chloride	26600	ug/L	D	[NULL]	[NULL]	S	B1PMV4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	9/19/2007 10:20	Y	7440-47-3	Chromium	4	ug/L	C	G	[NULL]	S	B1PMV4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	9/19/2007 10:20	Y	7440-48-4	Cobalt	4	ug/L	U	G	[NULL]	S	B1PMV4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	9/19/2007 10:20	Y	7440-50-8	Copper	4	ug/L	U	G	[NULL]	S	B1PMV4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	9/19/2007 10:20	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1PMV4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	9/19/2007 10:20	Y	7439-89-6	Iron	45	ug/L	DU	[NULL]	[NULL]	S	B1PMV4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	9/19/2007 10:20	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1PMV4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	9/19/2007 10:20	Y	7439-95-4	Magnesium	622	ug/L	D	[NULL]	[NULL]	S	B1PMV4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	9/19/2007 10:20	Y	7439-96-5	Manganese	57	ug/L	D	[NULL]	[NULL]	S	B1PMV4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	9/19/2007 10:20	Y	7439-98-7	Molybdenum	91.2	ug/L	CD	[NULL]	[NULL]	S	B1PMV4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	9/19/2007 10:20	Y	7440-02-0	Nickel	4	ug/L	U	G	[NULL]	S	B1PMV4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	9/19/2007 10:20	Y	14797-55-8	Nitrate	2970	ug/L	D	[NULL]	[NULL]	S	B1PMV4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	9/19/2007 10:20	Y	14797-65-0	Nitrite	328	ug/L	BD	[NULL]	[NULL]	S	B1PMV4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	9/19/2007 10:20	Y	14265-44-2	Phosphate	41700	ug/L	D	[NULL]	[NULL]	S	B1PMV4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	9/19/2007 10:20	Y	7440-09-7	Potassium	1480	ug/L	D	[NULL]	[NULL]	S	B1PMV4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	9/19/2007 10:20	Y	7440-22-4	Silver	5	ug/L	U	G	[NULL]	S	B1PMV4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	9/19/2007 10:20	Y	7440-23-5	Sodium	142000	ug/L	D	[NULL]	[NULL]	S	B1PMV4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	9/19/2007 10:20	Y	7440-24-6	Strontium	21.4	ug/L	D	[NULL]	[NULL]	S	B1PMV4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	9/19/2007 10:20	Y	10098-97-2	Strontium-90	180	pCi/L	[NULL]	[NULL]	[NULL]	S	B1PMV4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	9/19/2007 10:20	Y	14808-79-8	Sulfate	21800	ug/L	D	[NULL]	[NULL]	S	B1PMV4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	9/19/2007 10:20	Y	7440-62-2	Vanadium	16.8	ug/L	C	G	[NULL]	S	B1PMV4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	9/19/2007 10:20	Y	7440-66-6	Zinc	4.2	ug/L	[NULL]	G	[NULL]	S	B1PMV4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	10/19/2007 9:40	Y	7429-90-5	Aluminum	150	ug/L	DU	[NULL]	[NULL]	S	B1R4M0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	10/19/2007 9:40	Y	7440-36-0	Antimony	160	ug/L	DU	[NULL]	[NULL]	S	B1R4M0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	10/19/2007 9:40	Y	7440-38-2	Arsenic	250	ug/L	DNU	[NULL]	[NULL]	S	B1R4M0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	10/19/2007 9:40	Y	7440-39-3	Barium	23	ug/L	D	[NULL]	[NULL]	S	B1R4M0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	10/19/2007 9:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1R4M0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	10/19/2007 9:40	Y	7440-70-2	Calcium	7080	ug/L	D	[NULL]	[NULL]	S	B1R4M0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	10/19/2007 9:40	Y	16887-00-6	Chloride	17000	ug/L	D	[NULL]	[NULL]	S	B1R4M0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	10/19/2007 9:40	Y	7440-47-3	Chromium	36.1	ug/L	CD	[NULL]	[NULL]	S	B1R4M0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	10/19/2007 9:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1R4M0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	10/19/2007 9:40	Y	7440-50-8	Copper	20	ug/L	DU	[NULL]	[NULL]	S	B1R4M0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	10/19/2007 9:40	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1R4M0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	10/19/2007 9:40	Y	7439-89-6	Iron	101	ug/L	CD	[NULL]	[NULL]	S	B1R4M0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	10/19/2007 9:40	Y	7439-92-1	Lead	135	ug/L	DU	[NULL]	[NULL]	S	B1R4M0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	10/19/2007 9:40	Y	7439-95-4	Magnesium	1380	ug/L	D	[NULL]	[NULL]	S	B1R4M0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	10/19/2007 9:40	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1R4M0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	10/19/2007 9:40	Y	7439-98-7	Molybdenum	53.5	ug/L	CD	[NULL]	[NULL]	S	B1R4M0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	10/19/2007 9:40	Y	7440-02-0	Nickel	21.1	ug/L	CD	[NULL]	[NULL]	S	B1R4M0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	10/19/2007 9:40	Y	14797-55-8	Nitrate	204000	ug/L	D	[NULL]	[NULL]	S	B1R4M0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	10/19/2007 9:40	Y	14797-65-0	Nitrite	729	ug/L	BD	[NULL]	[NULL]	S	B1R4M0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	10/19/2007 9:40	Y	14265-44-2	Phosphate	20500	ug/L	D	[NULL]	[NULL]	S	B1R4M0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	10/19/2007 9:40	Y	7440-09-7	Potassium	2120	ug/L	D	[NULL]	[NULL]	S	B1R4M0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	10/19/2007 9:40	Y	7440-22-4	Silver	69	ug/L	CD	[NULL]	[NULL]	S	B1R4M0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	10/19/2007 9:40	Y	7440-23-5	Sodium	142000	ug/L	D	[NULL]	[NULL]	S	B1R4M0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	10/19/2007 9:40	Y	7440-24-6	Strontium	44.7	ug/L	D	[NULL]	[NULL]	S	B1R4M0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	10/19/2007 9:40	Y	10098-97-2	Strontium-90	540	pCi/L	[NULL]	[NULL]	[NULL]	S	B1R4M0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	10/19/2007 9:40	Y	14808-79-8	Sulfate	28500	ug/L	D	[NULL]	[NULL]	S	B1R4M0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	10/19/2007 9:40	Y	7440-62-2	Vanadium	35	ug/L	DU	[NULL]	[NULL]	S	B1R4M0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	10/19/2007 9:40	Y	7440-66-6	Zinc	62.4	ug/L	CD	[NULL]	[NULL]	S	B1R4M0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	11/14/2007 10:42	Y	7429-90-5	Aluminum	41.6	ug/L	[NULL]	[NULL]	[NULL]	S	B1R904	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	11/14/2007 10:42	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	S	B1R904	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	11/14/2007 10:42	Y	7440-38-2	Arsenic	52	ug/L	C	[NULL]	[NULL]	S	B1R904	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	11/14/2007 10:42	Y	7440-39-3	Barium	16	ug/L	C	[NULL]	[NULL]	S	B1R904	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	11/14/2007 10:42	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1R904	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	11/14/2007 10:42	Y	7440-70-2	Calcium	8710	ug/L	[NULL]	[NULL]	[NULL]	S	B1R904	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	11/14/2007 10:42	Y	16887-00-6	Chloride	12300	ug/L	D	[NULL]	[NULL]	S	B1R904	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	11/14/2007 10:42	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	S	B1R904	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	11/14/2007 10:42	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1R904	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	11/14/2007 10:42	Y	7440-50-8	Copper	8	ug/L	C	[NULL]	[NULL]	S	B1R904	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	11/14/2007 10:42	Y	16984-48-8	Fluoride	30	ug/L	DU	[NULL]	[NULL]	S	B1R904	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	11/14/2007 10:42	Y	7439-89-6	Iron	30.9	ug/L	[NULL]	[NULL]	[NULL]	S	B1R904	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	11/14/2007 10:42	Y	7439-92-1	Lead	27	ug/L	U	[NULL]	[NULL]	S	B1R904	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	11/14/2007 10:42	Y	7439-95-4	Magnesium	1800	ug/L	[NULL]	[NULL]	[NULL]	S	B1R904	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	11/14/2007 10:42	Y	7439-96-5	Manganese	25	ug/L	C	[NULL]	[NULL]	S	B1R904	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	11/14/2007 10:42	Y	7439-98-7	Molybdenum	14.4	ug/L	C	[NULL]	[NULL]	S	B1R904	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	11/14/2007 10:42	Y	7440-02-0	Nickel	14.2	ug/L	C	[NULL]	[NULL]	S	B1R904	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	11/14/2007 10:42	Y	14797-55-8	Nitrate	80600	ug/L	D	[NULL]	[NULL]	S	B1R904	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	11/14/2007 10:42	Y	14797-65-0	Nitrite	1100	ug/L	BD	[NULL]	[NULL]	S	B1R904	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	11/14/2007 10:42	Y	14265-44-2	Phosphate	21900	ug/L	D	[NULL]	[NULL]	S	B1R904	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	11/14/2007 10:42	Y	7440-09-7	Potassium	1600	ug/L	[NULL]	[NULL]	[NULL]	S	B1R904	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	11/14/2007 10:42	Y	7440-22-4	Silver	27	ug/L	C	[NULL]	[NULL]	S	B1R904	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	11/14/2007 10:42	Y	7440-23-5	Sodium	92800	ug/L	[NULL]	[NULL]	[NULL]	S	B1R904	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	11/14/2007 10:42	Y	7440-24-6	Strontium	54	ug/L	[NULL]	[NULL]	[NULL]	S	B1R904	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	11/14/2007 10:42	Y	10098-97-2	Strontium-90	630	pCi/L	[NULL]	[NULL]	[NULL]	S	B1R904	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-144	11/14/2007 10:42	Y	14808-79-8	Sulfate	29600	ug/L	D	[NULL]	[NULL]	S	B1R904	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	11/14/2007 10:42	Y	7440-62-2	Vanadium	16	ug/L	C	[NULL]	[NULL]	S	B1R904	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	11/14/2007 10:42	Y	7440-66-6	Zinc	20	ug/L	C	[NULL]	[NULL]	S	B1R904	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/3/2008 13:14	Y	7429-90-5	Aluminum	30	ug/L	U	[NULL]	[NULL]	S	B1VJR0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/3/2008 13:14	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	S	B1VJR0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/3/2008 13:14	Y	7440-38-2	Arsenic	50	ug/L	U	[NULL]	[NULL]	S	B1VJR0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/3/2008 13:14	Y	7440-39-3	Barium	13	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJR0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/3/2008 13:14	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	S	B1VJR0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/3/2008 13:14	Y	7440-70-2	Calcium	10600	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJR0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	6/3/2008 13:14	Y	16887-00-6	Chloride	1840	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJR0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/3/2008 13:14	Y	7440-47-3	Chromium	6.1	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJR0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/3/2008 13:14	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	S	B1VJR0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/3/2008 13:14	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	S	B1VJR0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/3/2008 13:14	Y	16984-48-8	Fluoride	73	ug/L	B	[NULL]	[NULL]	S	B1VJR0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/3/2008 13:14	Y	12587-46-1	Gross alpha	-0.65	pCi/L	U	[NULL]	[NULL]	S	B1VJR0	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-144	6/3/2008 13:14	Y	12587-47-2	Gross beta	850	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VJR0	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-144	6/3/2008 13:14	Y	7439-89-6	Iron	22.3	ug/L	C	[NULL]	[NULL]	S	B1VJR0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/3/2008 13:14	Y	7439-92-1	Lead	27	ug/L	U	[NULL]	[NULL]	S	B1VJR0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/3/2008 13:14	Y	7439-95-4	Magnesium	2210	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJR0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/3/2008 13:14	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	S	B1VJR0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/3/2008 13:14	Y	7439-98-7	Molybdenum	4	ug/L	U	[NULL]	[NULL]	S	B1VJR0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/3/2008 13:14	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	S	B1VJR0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/3/2008 13:14	Y	14797-55-8	Nitrate	1950	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJR0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/3/2008 13:14	Y	14797-65-0	Nitrite	542	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJR0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/3/2008 13:14	Y	14265-44-2	Phosphate	67800	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJR0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/3/2008 13:14	Y	7440-09-7	Potassium	988	ug/L	C	[NULL]	[NULL]	S	B1VJR0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/3/2008 13:14	Y	7440-22-4	Silver	7	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJR0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/3/2008 13:14	Y	7440-23-5	Sodium	44800	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJR0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/3/2008 13:14	Y	7440-24-6	Strontium	57.4	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJR0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/3/2008 13:14	Y	14808-79-8	Sulfate	12100	ug/L	[NULL]	[NULL]	[NULL]	S	B1VJR0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/3/2008 13:14	Y	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	S	B1VJR0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/3/2008 13:14	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	S	B1VJR0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/26/2008 8:50	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W640	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/26/2008 8:50	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W640	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/26/2008 8:50	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W640	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/26/2008 8:50	Y	7440-39-3	Barium	20	ug/L	DU	[NULL]	[NULL]	S	B1W640	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/26/2008 8:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W640	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/26/2008 8:50	Y	7440-70-2	Calcium	15600	ug/L	D	[NULL]	[NULL]	S	B1W640	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/26/2008 8:50	Y	16887-00-6	Chloride	5410	ug/L	D	[NULL]	[NULL]	S	B1W640	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/26/2008 8:50	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W640	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/26/2008 8:50	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W640	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/26/2008 8:50	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W640	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/26/2008 8:50	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W640	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/26/2008 8:50	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1W640	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/26/2008 8:50	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W640	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/26/2008 8:50	Y	7439-95-4	Magnesium	3230	ug/L	DN	[NULL]	[NULL]	S	B1W640	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/26/2008 8:50	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1W640	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/26/2008 8:50	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W640	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/26/2008 8:50	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W640	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/26/2008 8:50	Y	14797-55-8	Nitrate	4140	ug/L	BD	[NULL]	[NULL]	S	B1W640	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/26/2008 8:50	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W640	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/26/2008 8:50	Y	14265-44-2	Phosphate	31000	ug/L	D	[NULL]	[NULL]	S	B1W640	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/26/2008 8:50	Y	7440-09-7	Potassium	1030	ug/L	D	[NULL]	[NULL]	S	B1W640	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/26/2008 8:50	Y	7440-22-4	Silver	28	ug/L	D	[NULL]	[NULL]	S	B1W640	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/26/2008 8:50	Y	7440-23-5	Sodium	39800	ug/L	D	[NULL]	[NULL]	S	B1W640	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/26/2008 8:50	Y	7440-24-6	Strontium	84.1	ug/L	D	[NULL]	[NULL]	S	B1W640	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/26/2008 8:50	Y	14808-79-8	Sulfate	9470	ug/L	BD	[NULL]	[NULL]	S	B1W640	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/26/2008 8:50	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W640	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/26/2008 8:50	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W640	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 13:30	Y	7429-90-5	Aluminum	2400	ug/L	D	[NULL]	[NULL]	S	B1W650	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 13:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W650	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 13:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W650	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 13:30	Y	7440-39-3	Barium	206	ug/L	D	[NULL]	[NULL]	S	B1W650	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 13:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W650	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	6/28/2008 13:30	Y	7440-70-2	Calcium	131000	ug/L	D	[NULL]	[NULL]	S	B1W650	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 13:30	Y	16887-00-6	Chloride	283000	ug/L	D	[NULL]	[NULL]	S	B1W650	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/28/2008 13:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W650	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 13:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W650	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 13:30	Y	7440-50-8	Copper	33	ug/L	D	[NULL]	[NULL]	S	B1W650	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 13:30	Y	16984-48-8	Fluoride	420	ug/L	DU	[NULL]	[NULL]	S	B1W650	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/28/2008 13:30	Y	7439-89-6	Iron	835	ug/L	CD	[NULL]	[NULL]	S	B1W650	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 13:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W650	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 13:30	Y	7439-95-4	Magnesium	19300	ug/L	DN	[NULL]	[NULL]	S	B1W650	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 13:30	Y	7439-96-5	Manganese	3100	ug/L	D	[NULL]	[NULL]	S	B1W650	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 13:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W650	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 13:30	Y	7440-02-0	Nickel	38.5	ug/L	CD	[NULL]	[NULL]	S	B1W650	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 13:30	Y	14797-55-8	Nitrate	3190	ug/L	DU	[NULL]	[NULL]	S	B1W650	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/28/2008 13:30	Y	14797-65-0	Nitrite	650	ug/L	DU	[NULL]	[NULL]	S	B1W650	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/28/2008 13:30	Y	14265-44-2	Phosphate	3650000	ug/L	D	[NULL]	[NULL]	S	B1W650	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/28/2008 13:30	Y	7440-09-7	Potassium	8280	ug/L	D	[NULL]	[NULL]	S	B1W650	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 13:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W650	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 13:30	Y	7440-23-5	Sodium	1900000	ug/L	D	[NULL]	[NULL]	S	B1W650	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 13:30	Y	7440-24-6	Strontium	1070	ug/L	D	[NULL]	[NULL]	S	B1W650	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 13:30	Y	14808-79-8	Sulfate	18400	ug/L	BD	[NULL]	[NULL]	S	B1W650	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/28/2008 13:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W650	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 13:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W650	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 18:21	Y	7429-90-5	Aluminum	2580	ug/L	D	[NULL]	[NULL]	S	B1VW06	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 18:21	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VW06	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 18:21	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VW06	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 18:21	Y	7440-39-3	Barium	235	ug/L	D	[NULL]	[NULL]	S	B1VW06	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 18:21	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VW06	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 18:21	Y	7440-70-2	Calcium	144000	ug/L	D	[NULL]	[NULL]	S	B1VW06	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 18:21	Y	16887-00-6	Chloride	304000	ug/L	D	[NULL]	[NULL]	S	B1VW06	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/28/2008 18:21	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VW06	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 18:21	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VW06	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 18:21	Y	7440-50-8	Copper	34	ug/L	D	[NULL]	[NULL]	S	B1VW06	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 18:21	Y	16984-48-8	Fluoride	420	ug/L	DU	[NULL]	[NULL]	S	B1VW06	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/28/2008 18:21	Y	12587-46-1	Gross alpha	-27	pCi/L	U	[NULL]	[NULL]	S	B1VVY3	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-144	6/28/2008 18:21	Y	12587-47-2	Gross beta	12000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VVY3	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-144	6/28/2008 18:21	Y	7439-89-6	Iron	1020	ug/L	D	[NULL]	[NULL]	S	B1VW06	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 18:21	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VW06	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 18:21	Y	7439-95-4	Magnesium	19500	ug/L	D	[NULL]	[NULL]	S	B1VW06	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 18:21	Y	7439-96-5	Manganese	3830	ug/L	D	[NULL]	[NULL]	S	B1VW06	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 18:21	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VW06	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 18:21	Y	7440-02-0	Nickel	40.3	ug/L	D	[NULL]	[NULL]	S	B1VW06	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 18:21	Y	14797-55-8	Nitrate	3190	ug/L	DU	[NULL]	[NULL]	S	B1VW06	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/28/2008 18:21	Y	14797-65-0	Nitrite	650	ug/L	DU	[NULL]	[NULL]	S	B1VW06	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/28/2008 18:21	Y	14265-44-2	Phosphate	3590000	ug/L	D	[NULL]	[NULL]	S	B1VW06	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/28/2008 18:21	Y	7440-09-7	Potassium	8970	ug/L	D	[NULL]	[NULL]	S	B1VW06	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 18:21	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VW06	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 18:21	Y	7440-23-5	Sodium	2010000	ug/L	D	[NULL]	[NULL]	S	B1VW06	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 18:21	Y	7440-24-6	Strontium	1210	ug/L	D	[NULL]	[NULL]	S	B1VW06	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 18:21	Y	14808-79-8	Sulfate	17800	ug/L	BD	[NULL]	[NULL]	S	B1VW06	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/28/2008 18:21	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VW06	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/28/2008 18:21	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VW06	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:25	Y	7429-90-5	Aluminum	3460	ug/L	D	[NULL]	[NULL]	S	B1VW32	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:25	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VW32	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:25	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VW32	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:25	Y	7440-39-3	Barium	167	ug/L	D	[NULL]	[NULL]	S	B1VW32	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	6/29/2008 7:25	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VW32	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:25	Y	7440-70-2	Calcium	85200	ug/L	D	[NULL]	[NULL]	S	B1VW32	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:25	Y	16887-00-6	Chloride	194000	ug/L	D	[NULL]	[NULL]	S	B1VW32	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/29/2008 7:25	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VW32	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:25	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VW32	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:25	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VW32	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:25	Y	DO	Dissolved oxygen	1470	ug/L	[NULL]	[NULL]	[NULL]	S	B1VW19	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-144	6/29/2008 7:25	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VW32	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/29/2008 7:25	Y	12587-46-1	Gross alpha	23	pCi/L	U	[NULL]	[NULL]	S	B1VW19	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-144	6/29/2008 7:25	Y	12587-47-2	Gross beta	7300	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VW19	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-144	6/29/2008 7:25	Y	7439-89-6	Iron	239	ug/L	D	[NULL]	[NULL]	S	B1VW32	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:25	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VW32	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:25	Y	7439-95-4	Magnesium	18400	ug/L	D	[NULL]	[NULL]	S	B1VW32	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:25	Y	7439-96-5	Manganese	5180	ug/L	D	[NULL]	[NULL]	S	B1VW32	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:25	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VW32	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:25	Y	7440-02-0	Nickel	66	ug/L	D	[NULL]	[NULL]	S	B1VW32	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:25	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VW32	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/29/2008 7:25	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VW32	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/29/2008 7:25	Y	EH	Oxidation Reduction Potential	-65	mV	[NULL]	[NULL]	[NULL]	S	B1VW19	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-144	6/29/2008 7:25	Y	14265-44-2	Phosphate	1740000	ug/L	D	[NULL]	[NULL]	S	B1VW32	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/29/2008 7:25	Y	7440-09-7	Potassium	4270	ug/L	D	[NULL]	[NULL]	S	B1VW32	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:25	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VW32	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:25	Y	7440-23-5	Sodium	919000	ug/L	D	[NULL]	[NULL]	S	B1VW32	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:25	Y	CONDUCT	Specific Conductance	4419	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VW19	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-144	6/29/2008 7:25	Y	7440-24-6	Strontium	510	ug/L	D	[NULL]	[NULL]	S	B1VW32	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:25	Y	14808-79-8	Sulfate	15200	ug/L	D	[NULL]	[NULL]	S	B1VW32	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/29/2008 7:25	Y	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	S	B1VW19	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-144	6/29/2008 7:25	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VW32	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:25	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VW32	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:25	Y	PH	pH Measurement	7.31	unitless	[NULL]	[NULL]	[NULL]	S	B1VW19	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-144	6/29/2008 7:52	Y	7429-90-5	Aluminum	3030	ug/L	D	[NULL]	[NULL]	S	B1W665	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:52	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W665	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:52	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W665	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:52	Y	7440-39-3	Barium	148	ug/L	D	[NULL]	[NULL]	S	B1W665	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:52	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W665	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:52	Y	7440-70-2	Calcium	75100	ug/L	DN	[NULL]	[NULL]	S	B1W665	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:52	Y	16887-00-6	Chloride	196000	ug/L	D	[NULL]	[NULL]	S	B1W665	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/29/2008 7:52	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W665	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:52	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W665	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:52	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W665	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:52	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W665	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/29/2008 7:52	Y	7439-89-6	Iron	231	ug/L	D	[NULL]	[NULL]	S	B1W665	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:52	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W665	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:52	Y	7439-95-4	Magnesium	16600	ug/L	D	[NULL]	[NULL]	S	B1W665	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:52	Y	7439-96-5	Manganese	4670	ug/L	D	[NULL]	[NULL]	S	B1W665	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:52	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W665	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:52	Y	7440-02-0	Nickel	90.7	ug/L	D	[NULL]	[NULL]	S	B1W665	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:52	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W665	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/29/2008 7:52	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W665	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/29/2008 7:52	Y	14265-44-2	Phosphate	1750000	ug/L	D	[NULL]	[NULL]	S	B1W665	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/29/2008 7:52	Y	7440-09-7	Potassium	5420	ug/L	D	[NULL]	[NULL]	S	B1W665	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:52	Y	7440-22-4	Silver	67	ug/L	D	[NULL]	[NULL]	S	B1W665	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:52	Y	7440-23-5	Sodium	990000	ug/L	D	[NULL]	[NULL]	S	B1W665	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:52	Y	7440-24-6	Strontium	451	ug/L	D	[NULL]	[NULL]	S	B1W665	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	6/29/2008 7:52	Y	14808-79-8	Sulfate	21800	ug/L	D	[NULL]	[NULL]	S	B1W665	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/29/2008 7:52	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W665	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/29/2008 7:52	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W665	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/30/2008 10:45	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VW58	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/30/2008 10:45	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VW58	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/30/2008 10:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VW58	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/30/2008 10:45	Y	7440-39-3	Barium	59	ug/L	D	[NULL]	[NULL]	S	B1VW58	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/30/2008 10:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VW58	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/30/2008 10:45	Y	7440-70-2	Calcium	26800	ug/L	D	[NULL]	[NULL]	S	B1VW58	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/30/2008 10:45	Y	16887-00-6	Chloride	196000	ug/L	D	[NULL]	[NULL]	S	B1VW58	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/30/2008 10:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VW58	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/30/2008 10:45	Y	7440-48-4	Cobalt	24.5	ug/L	D	[NULL]	[NULL]	S	B1VW58	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/30/2008 10:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VW58	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/30/2008 10:45	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VW58	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/30/2008 10:45	Y	12587-46-1	Gross alpha	17	pCi/L	U	[NULL]	[NULL]	S	B1VW45	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-144	6/30/2008 10:45	Y	12587-47-2	Gross beta	6500	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VW45	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-144	6/30/2008 10:45	Y	7439-89-6	Iron	125	ug/L	DNU	[NULL]	[NULL]	S	B1VW58	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/30/2008 10:45	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VW58	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/30/2008 10:45	Y	7439-95-4	Magnesium	10700	ug/L	D	[NULL]	[NULL]	S	B1VW58	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/30/2008 10:45	Y	7439-96-5	Manganese	2690	ug/L	D	[NULL]	[NULL]	S	B1VW58	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/30/2008 10:45	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VW58	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/30/2008 10:45	Y	7440-02-0	Nickel	33.2	ug/L	D	[NULL]	[NULL]	S	B1VW58	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/30/2008 10:45	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VW58	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/30/2008 10:45	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VW58	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/30/2008 10:45	Y	14265-44-2	Phosphate	1430000	ug/L	D	[NULL]	[NULL]	S	B1VW58	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/30/2008 10:45	Y	7440-09-7	Potassium	6270	ug/L	D	[NULL]	[NULL]	S	B1VW58	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/30/2008 10:45	Y	7440-22-4	Silver	25	ug/L	DNUX	[NULL]	[NULL]	S	B1VW58	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/30/2008 10:45	Y	7440-23-5	Sodium	999000	ug/L	D	[NULL]	[NULL]	S	B1VW58	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/30/2008 10:45	Y	7440-24-6	Strontium	252	ug/L	D	[NULL]	[NULL]	S	B1VW58	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/30/2008 10:45	Y	14808-79-8	Sulfate	17900	ug/L	D	[NULL]	[NULL]	S	B1VW58	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	6/30/2008 10:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VW58	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	6/30/2008 10:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VW58	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/1/2008 9:12	Y	7429-90-5	Aluminum	2060	ug/L	D	[NULL]	[NULL]	S	B1VW84	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/1/2008 9:12	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VW84	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/1/2008 9:12	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VW84	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/1/2008 9:12	Y	7440-39-3	Barium	141	ug/L	D	[NULL]	[NULL]	S	B1VW84	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/1/2008 9:12	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VW84	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/1/2008 9:12	Y	7440-70-2	Calcium	83000	ug/L	D	[NULL]	[NULL]	S	B1VW84	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/1/2008 9:12	Y	16887-00-6	Chloride	235000	ug/L	D	[NULL]	[NULL]	S	B1VW84	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/1/2008 9:12	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VW84	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/1/2008 9:12	Y	7440-48-4	Cobalt	29.8	ug/L	D	[NULL]	[NULL]	S	B1VW84	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/1/2008 9:12	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VW84	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/1/2008 9:12	Y	16984-48-8	Fluoride	420	ug/L	DU	[NULL]	[NULL]	S	B1VW84	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/1/2008 9:12	Y	12587-46-1	Gross alpha	19	pCi/L	U	[NULL]	[NULL]	S	B1VW71	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-144	7/1/2008 9:12	Y	12587-47-2	Gross beta	7500	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VW71	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-144	7/1/2008 9:12	Y	7439-89-6	Iron	258	ug/L	DN	[NULL]	[NULL]	S	B1VW84	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/1/2008 9:12	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VW84	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/1/2008 9:12	Y	7439-95-4	Magnesium	24600	ug/L	D	[NULL]	[NULL]	S	B1VW84	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/1/2008 9:12	Y	7439-96-5	Manganese	8130	ug/L	D	[NULL]	[NULL]	S	B1VW84	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/1/2008 9:12	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VW84	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/1/2008 9:12	Y	7440-02-0	Nickel	198	ug/L	D	[NULL]	[NULL]	S	B1VW84	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/1/2008 9:12	Y	14797-55-8	Nitrate	3190	ug/L	DU	[NULL]	[NULL]	S	B1VW84	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/1/2008 9:12	Y	14797-65-0	Nitrite	650	ug/L	DU	[NULL]	[NULL]	S	B1VW84	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/1/2008 9:12	Y	14265-44-2	Phosphate	2500000	ug/L	D	[NULL]	[NULL]	S	B1VW84	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/1/2008 9:12	Y	7440-09-7	Potassium	6740	ug/L	D	[NULL]	[NULL]	S	B1VW84	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	7/1/2008 9:12	Y	7440-22-4	Silver	25	ug/L	DNUX	[NULL]	[NULL]	S	B1VW84	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/1/2008 9:12	Y	7440-23-5	Sodium	1320000	ug/L	D	[NULL]	[NULL]	S	B1VW84	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/1/2008 9:12	Y	7440-24-6	Strontium	699	ug/L	D	[NULL]	[NULL]	S	B1VW84	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/1/2008 9:12	Y	14808-79-8	Sulfate	14700	ug/L	BD	[NULL]	[NULL]	S	B1VW84	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/1/2008 9:12	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VW84	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/1/2008 9:12	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VW84	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/2/2008 9:18	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VWD0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/2/2008 9:18	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VWD0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/2/2008 9:18	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VWD0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/2/2008 9:18	Y	7440-39-3	Barium	45	ug/L	D	[NULL]	[NULL]	S	B1VWD0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/2/2008 9:18	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWD0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/2/2008 9:18	Y	7440-70-2	Calcium	20800	ug/L	D	[NULL]	[NULL]	S	B1VWD0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/2/2008 9:18	Y	16887-00-6	Chloride	163000	ug/L	D	[NULL]	[NULL]	S	B1VWD0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/2/2008 9:18	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VWD0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/2/2008 9:18	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VWD0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/2/2008 9:18	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VWD0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/2/2008 9:18	Y	DO	Dissolved oxygen	8950	ug/L	[NULL]	[NULL]	[NULL]	S	B1VW97	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-144	7/2/2008 9:18	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VWD0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/2/2008 9:18	Y	12587-46-1	Gross alpha	3.5	pCi/L	U	[NULL]	[NULL]	S	B1VW97	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-144	7/2/2008 9:18	Y	12587-47-2	Gross beta	3200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VW97	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-144	7/2/2008 9:18	Y	7439-89-6	Iron	191	ug/L	D	[NULL]	[NULL]	S	B1VWD0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/2/2008 9:18	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VWD0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/2/2008 9:18	Y	7439-95-4	Magnesium	10000	ug/L	D	[NULL]	[NULL]	S	B1VWD0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/2/2008 9:18	Y	7439-96-5	Manganese	1910	ug/L	D	[NULL]	[NULL]	S	B1VWD0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/2/2008 9:18	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VWD0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/2/2008 9:18	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VWD0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/2/2008 9:18	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VWD0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/2/2008 9:18	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VWD0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/2/2008 9:18	Y	EH	Oxidation Reduction Potential	-97	mV	[NULL]	[NULL]	[NULL]	S	B1VW97	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-144	7/2/2008 9:18	Y	14265-44-2	Phosphate	1310000	ug/L	D	[NULL]	[NULL]	S	B1VWD0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/2/2008 9:18	Y	7440-09-7	Potassium	5280	ug/L	D	[NULL]	[NULL]	S	B1VWD0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/2/2008 9:18	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VWD0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/2/2008 9:18	Y	7440-23-5	Sodium	898000	ug/L	D	[NULL]	[NULL]	S	B1VWD0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/2/2008 9:18	Y	CONDUCT	Specific Conductance	3827	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VW97	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-144	7/2/2008 9:18	Y	7440-24-6	Strontium	260	ug/L	D	[NULL]	[NULL]	S	B1VWD0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/2/2008 9:18	Y	14808-79-8	Sulfate	12200	ug/L	D	[NULL]	[NULL]	S	B1VWD0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/2/2008 9:18	Y	TEMPERATURE	Temperature	18.7	Deg C	[NULL]	[NULL]	[NULL]	S	B1VW97	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-144	7/2/2008 9:18	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VWD0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/2/2008 9:18	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VWD0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/2/2008 9:18	Y	PH	pH Measurement	7.17	unitless	[NULL]	[NULL]	[NULL]	S	B1VW97	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-144	7/3/2008 8:20	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VWK6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:20	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VWK6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:20	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VWK6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:20	Y	7440-39-3	Barium	61	ug/L	D	[NULL]	[NULL]	S	B1VWK6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWK6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:20	Y	7440-70-2	Calcium	18400	ug/L	DN	[NULL]	[NULL]	S	B1VWK6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:20	Y	16887-00-6	Chloride	266000	ug/L	D	[NULL]	[NULL]	S	B1VWK6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/3/2008 8:20	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VWK6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VWK6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:20	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VWK6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:20	Y	DO	Dissolved oxygen	3980	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWH3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-144	7/3/2008 8:20	Y	16984-48-8	Fluoride	420	ug/L	DU	[NULL]	[NULL]	S	B1VWK6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/3/2008 8:20	Y	12587-46-1	Gross alpha	17	pCi/L	U	[NULL]	[NULL]	S	B1VWH3	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-144	7/3/2008 8:20	Y	12587-47-2	Gross beta	4900	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VWH3	12587-47-2	WSCF	BETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	7/3/2008 8:20	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VWK6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:20	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VWK6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:20	Y	7439-95-4	Magnesium	13900	ug/L	DN	[NULL]	[NULL]	S	B1VWK6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:20	Y	7439-96-5	Manganese	2340	ug/L	D	[NULL]	[NULL]	S	B1VWK6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:20	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VWK6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VWK6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:20	Y	14797-55-8	Nitrate	3190	ug/L	DU	[NULL]	[NULL]	S	B1VWK6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/3/2008 8:20	Y	14797-65-0	Nitrite	650	ug/L	DU	[NULL]	[NULL]	S	B1VWK6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/3/2008 8:20	Y	EH	Oxidation Reduction Potential	-126	mV	[NULL]	[NULL]	[NULL]	S	B1VWH3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-144	7/3/2008 8:20	Y	14265-44-2	Phosphate	2790000	ug/L	D	[NULL]	[NULL]	S	B1VWK6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/3/2008 8:20	Y	7440-09-7	Potassium	7910	ug/L	D	[NULL]	[NULL]	S	B1VWK6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:20	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VWK6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:20	Y	7440-23-5	Sodium	1490000	ug/L	D	[NULL]	[NULL]	S	B1VWK6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:20	Y	CONDUCT	Specific Conductance	6448	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWH3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-144	7/3/2008 8:20	Y	7440-24-6	Strontium	368	ug/L	D	[NULL]	[NULL]	S	B1VWK6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:20	Y	14808-79-8	Sulfate	14500	ug/L	BD	[NULL]	[NULL]	S	B1VWK6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/3/2008 8:20	Y	TEMPERATURE	Temperature	18.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWH3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-144	7/3/2008 8:20	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VWK6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:20	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VWK6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:20	Y	PH	pH Measurement	7.11	unitless	[NULL]	[NULL]	[NULL]	S	B1VWH3	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-144	7/3/2008 8:31	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W677	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:31	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W677	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:31	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W677	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:31	Y	7440-39-3	Barium	56	ug/L	D	[NULL]	[NULL]	S	B1W677	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:31	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W677	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:31	Y	7440-70-2	Calcium	19300	ug/L	D	[NULL]	[NULL]	S	B1W677	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:31	Y	16887-00-6	Chloride	248000	ug/L	D	[NULL]	[NULL]	S	B1W677	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/3/2008 8:31	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W677	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:31	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W677	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:31	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W677	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:31	Y	16984-48-8	Fluoride	420	ug/L	DU	[NULL]	[NULL]	S	B1W677	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/3/2008 8:31	Y	7439-89-6	Iron	125	ug/L	DNU	[NULL]	[NULL]	S	B1W677	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:31	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W677	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:31	Y	7439-95-4	Magnesium	14100	ug/L	D	[NULL]	[NULL]	S	B1W677	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:31	Y	7439-96-5	Manganese	2360	ug/L	D	[NULL]	[NULL]	S	B1W677	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:31	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W677	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:31	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W677	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:31	Y	14797-55-8	Nitrate	3190	ug/L	DU	[NULL]	[NULL]	S	B1W677	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/3/2008 8:31	Y	14797-65-0	Nitrite	650	ug/L	DU	[NULL]	[NULL]	S	B1W677	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/3/2008 8:31	Y	14265-44-2	Phosphate	2780000	ug/L	D	[NULL]	[NULL]	S	B1W677	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/3/2008 8:31	Y	7440-09-7	Potassium	8260	ug/L	D	[NULL]	[NULL]	S	B1W677	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:31	Y	7440-22-4	Silver	25	ug/L	DNU	[NULL]	[NULL]	S	B1W677	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:31	Y	7440-23-5	Sodium	1530000	ug/L	D	[NULL]	[NULL]	S	B1W677	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:31	Y	7440-24-6	Strontium	363	ug/L	D	[NULL]	[NULL]	S	B1W677	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:31	Y	14808-79-8	Sulfate	13700	ug/L	BD	[NULL]	[NULL]	S	B1W677	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/3/2008 8:31	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W677	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/3/2008 8:31	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W677	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/4/2008 6:20	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VWR2	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/4/2008 6:20	Y	7440-36-0	Antimony	280	ug/L	DNU	[NULL]	[NULL]	S	B1VWR2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/4/2008 6:20	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VWR2	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/4/2008 6:20	Y	7440-39-3	Barium	62	ug/L	D	[NULL]	[NULL]	S	B1VWR2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/4/2008 6:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VWR2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/4/2008 6:20	Y	7440-70-2	Calcium	20900	ug/L	DN	[NULL]	[NULL]	S	B1VWR2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/4/2008 6:20	Y	16887-00-6	Chloride	220000	ug/L	D	[NULL]	[NULL]	S	B1VWR2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	7/4/2008 6:20	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VWR2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/4/2008 6:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VWR2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/4/2008 6:20	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VWR2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/4/2008 6:20	Y	DO	Dissolved oxygen	1500	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWM9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-144	7/4/2008 6:20	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1VWR2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/4/2008 6:20	Y	12587-46-1	Gross alpha	12	pCi/L	U	[NULL]	[NULL]	S	B1VWM9	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-144	7/4/2008 6:20	Y	12587-47-2	Gross beta	6000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VWM9	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-144	7/4/2008 6:20	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VWR2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/4/2008 6:20	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VWR2	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/4/2008 6:20	Y	7439-95-4	Magnesium	13400	ug/L	D	[NULL]	[NULL]	S	B1VWR2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/4/2008 6:20	Y	7439-96-5	Manganese	1920	ug/L	D	[NULL]	[NULL]	S	B1VWR2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/4/2008 6:20	Y	7439-98-7	Molybdenum	25	ug/L	DNU	[NULL]	[NULL]	S	B1VWR2	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/4/2008 6:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VWR2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/4/2008 6:20	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1VWR2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/4/2008 6:20	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1VWR2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/4/2008 6:20	Y	EH	Oxidation Reduction Potential	-81	mV	[NULL]	[NULL]	[NULL]	S	B1VWM9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-144	7/4/2008 6:20	Y	14265-44-2	Phosphate	1530000	ug/L	D	[NULL]	[NULL]	S	B1VWR2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/4/2008 6:20	Y	7440-09-7	Potassium	6320	ug/L	D	[NULL]	[NULL]	S	B1VWR2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/4/2008 6:20	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VWR2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/4/2008 6:20	Y	7440-23-5	Sodium	1140000	ug/L	D	[NULL]	[NULL]	S	B1VWR2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/4/2008 6:20	Y	CONDUCT	Specific Conductance	4975	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWM9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-144	7/4/2008 6:20	Y	7440-24-6	Strontium	279	ug/L	D	[NULL]	[NULL]	S	B1VWR2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/4/2008 6:20	Y	14808-79-8	Sulfate	12300	ug/L	D	[NULL]	[NULL]	S	B1VWR2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/4/2008 6:20	Y	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWM9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-144	7/4/2008 6:20	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VWR2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/4/2008 6:20	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VWR2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/4/2008 6:20	Y	PH	pH Measurement	7.12	unitless	[NULL]	[NULL]	[NULL]	S	B1VWM9	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-144	7/5/2008 5:40	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VX09	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/5/2008 5:40	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VX09	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/5/2008 5:40	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VX09	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/5/2008 5:40	Y	7440-39-3	Barium	63	ug/L	D	[NULL]	[NULL]	S	B1VX09	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/5/2008 5:40	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VX09	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/5/2008 5:40	Y	7440-70-2	Calcium	19100	ug/L	D	[NULL]	[NULL]	S	B1VX09	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/5/2008 5:40	Y	16887-00-6	Chloride	210000	ug/L	D	[NULL]	[NULL]	S	B1VX09	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/5/2008 5:40	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VX09	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/5/2008 5:40	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VX09	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/5/2008 5:40	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VX09	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/5/2008 5:40	Y	DO	Dissolved oxygen	1630	ug/L	[NULL]	[NULL]	[NULL]	S	B1VWY4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-144	7/5/2008 5:40	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VX09	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/5/2008 5:40	Y	12587-46-1	Gross alpha	2.6	pCi/L	U	[NULL]	[NULL]	S	B1VWY4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-144	7/5/2008 5:40	Y	12587-47-2	Gross beta	5600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VWY4	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-144	7/5/2008 5:40	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VX09	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/5/2008 5:40	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VX09	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/5/2008 5:40	Y	7439-95-4	Magnesium	11000	ug/L	D	[NULL]	[NULL]	S	B1VX09	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/5/2008 5:40	Y	7439-96-5	Manganese	1390	ug/L	D	[NULL]	[NULL]	S	B1VX09	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/5/2008 5:40	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VX09	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/5/2008 5:40	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VX09	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/5/2008 5:40	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VX09	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/5/2008 5:40	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VX09	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/5/2008 5:40	Y	EH	Oxidation Reduction Potential	16	mV	[NULL]	[NULL]	[NULL]	S	B1VWY4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-144	7/5/2008 5:40	Y	14265-44-2	Phosphate	1300000	ug/L	D	[NULL]	[NULL]	S	B1VX09	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/5/2008 5:40	Y	7440-09-7	Potassium	5130	ug/L	D	[NULL]	[NULL]	S	B1VX09	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/5/2008 5:40	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VX09	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	7/5/2008 5:40	Y	7440-23-5	Sodium	1150000	ug/L	D	[NULL]	[NULL]	S	B1VX09	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/5/2008 5:40	Y	CONDUCT	Specific Conductance	4752	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VWY4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-144	7/5/2008 5:40	Y	7440-24-6	Strontium	235	ug/L	D	[NULL]	[NULL]	S	B1VX09	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/5/2008 5:40	Y	14808-79-8	Sulfate	11400	ug/L	D	[NULL]	[NULL]	S	B1VX09	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/5/2008 5:40	Y	TEMPERATURE	Temperature	15.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1VWY4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-144	7/5/2008 5:40	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VX09	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/5/2008 5:40	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VX09	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/5/2008 5:40	Y	PH	pH Measurement	7.23	unitless	[NULL]	[NULL]	[NULL]	S	B1VWY4	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-144	7/6/2008 8:14	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1VX45	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/6/2008 8:14	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1VX45	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/6/2008 8:14	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1VX45	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/6/2008 8:14	Y	7440-39-3	Barium	56	ug/L	D	[NULL]	[NULL]	S	B1VX45	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/6/2008 8:14	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1VX45	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/6/2008 8:14	Y	7440-70-2	Calcium	17300	ug/L	DN	[NULL]	[NULL]	S	B1VX45	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/6/2008 8:14	Y	16887-00-6	Chloride	194000	ug/L	D	[NULL]	[NULL]	S	B1VX45	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/6/2008 8:14	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1VX45	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/6/2008 8:14	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1VX45	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/6/2008 8:14	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1VX45	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/6/2008 8:14	Y	DO	Dissolved oxygen	1510	ug/L	[NULL]	[NULL]	[NULL]	S	B1VX22	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-144	7/6/2008 8:14	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1VX45	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/6/2008 8:14	Y	12587-46-1	Gross alpha	-1.2	pCi/L	U	[NULL]	[NULL]	S	B1VX22	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-144	7/6/2008 8:14	Y	12587-47-2	Gross beta	4300	pCi/L	[NULL]	[NULL]	[NULL]	S	B1VX22	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-144	7/6/2008 8:14	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1VX45	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/6/2008 8:14	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1VX45	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/6/2008 8:14	Y	7439-95-4	Magnesium	9630	ug/L	D	[NULL]	[NULL]	S	B1VX45	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/6/2008 8:14	Y	7439-96-5	Manganese	1370	ug/L	D	[NULL]	[NULL]	S	B1VX45	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/6/2008 8:14	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1VX45	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/6/2008 8:14	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1VX45	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/6/2008 8:14	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1VX45	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/6/2008 8:14	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1VX45	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/6/2008 8:14	Y	EH	Oxidation Reduction Potential	-133	mV	[NULL]	[NULL]	[NULL]	S	B1VX22	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-144	7/6/2008 8:14	Y	14265-44-2	Phosphate	1020000	ug/L	D	[NULL]	[NULL]	S	B1VX45	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/6/2008 8:14	Y	7440-09-7	Potassium	5220	ug/L	D	[NULL]	[NULL]	S	B1VX45	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/6/2008 8:14	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1VX45	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/6/2008 8:14	Y	7440-23-5	Sodium	1080000	ug/L	D	[NULL]	[NULL]	S	B1VX45	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/6/2008 8:14	Y	CONDUCT	Specific Conductance	3931	uS/cm	[NULL]	[NULL]	[NULL]	S	B1VX22	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-144	7/6/2008 8:14	Y	7440-24-6	Strontium	210	ug/L	D	[NULL]	[NULL]	S	B1VX45	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/6/2008 8:14	Y	14808-79-8	Sulfate	9250	ug/L	BD	[NULL]	[NULL]	S	B1VX45	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/6/2008 8:14	Y	TEMPERATURE	Temperature	16.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1VX22	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-144	7/6/2008 8:14	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1VX45	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/6/2008 8:14	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1VX45	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/6/2008 8:14	Y	PH	pH Measurement	7.34	unitless	[NULL]	[NULL]	[NULL]	S	B1VX22	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-144	7/7/2008 9:25	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W788	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/7/2008 9:25	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W788	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/7/2008 9:25	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W788	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/7/2008 9:25	Y	7440-39-3	Barium	54	ug/L	D	[NULL]	[NULL]	S	B1W788	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/7/2008 9:25	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W788	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/7/2008 9:25	Y	7440-70-2	Calcium	18500	ug/L	D	[NULL]	[NULL]	S	B1W788	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/7/2008 9:25	Y	16887-00-6	Chloride	194000	ug/L	D	[NULL]	[NULL]	S	B1W788	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/7/2008 9:25	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W788	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/7/2008 9:25	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W788	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/7/2008 9:25	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W788	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/7/2008 9:25	Y	DO	Dissolved oxygen	1780	ug/L	[NULL]	[NULL]	[NULL]	S	B1W773	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-144	7/7/2008 9:25	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W788	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	7/7/2008 9:25	Y	12587-46-1	Gross alpha	7.2	pCi/L	U	[NULL]	[NULL]	S	B1W773	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-144	7/7/2008 9:25	Y	12587-47-2	Gross beta	3900	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W773	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-144	7/7/2008 9:25	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1W788	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/7/2008 9:25	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W788	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/7/2008 9:25	Y	7439-95-4	Magnesium	9070	ug/L	DN	[NULL]	[NULL]	S	B1W788	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/7/2008 9:25	Y	7439-96-5	Manganese	1570	ug/L	D	[NULL]	[NULL]	S	B1W788	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/7/2008 9:25	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W788	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/7/2008 9:25	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W788	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/7/2008 9:25	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W788	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/7/2008 9:25	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W788	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/7/2008 9:25	Y	EH	Oxidation Reduction Potential	-104	mV	[NULL]	[NULL]	[NULL]	S	B1W773	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-144	7/7/2008 9:25	Y	14265-44-2	Phosphate	932000	ug/L	D	[NULL]	[NULL]	S	B1W788	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/7/2008 9:25	Y	7440-09-7	Potassium	5130	ug/L	D	[NULL]	[NULL]	S	B1W788	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/7/2008 9:25	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W788	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/7/2008 9:25	Y	7440-23-5	Sodium	1120000	ug/L	D	[NULL]	[NULL]	S	B1W788	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/7/2008 9:25	Y	CONDUCT	Specific Conductance	3560	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W773	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-144	7/7/2008 9:25	Y	7440-24-6	Strontium	205	ug/L	D	[NULL]	[NULL]	S	B1W788	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/7/2008 9:25	Y	14808-79-8	Sulfate	7160	ug/L	BD	[NULL]	[NULL]	S	B1W788	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/7/2008 9:25	Y	TEMPERATURE	Temperature	17.3	Deg C	[NULL]	[NULL]	[NULL]	S	B1W773	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-144	7/7/2008 9:25	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W788	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/7/2008 9:25	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W788	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/7/2008 9:25	Y	PH	pH Measurement	7.28	unitless	[NULL]	[NULL]	[NULL]	S	B1W773	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-144	7/8/2008 10:30	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7D4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2008 10:30	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7D4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2008 10:30	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7D4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2008 10:30	Y	7440-39-3	Barium	35	ug/L	D	[NULL]	[NULL]	S	B1W7D4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2008 10:30	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7D4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2008 10:30	Y	7440-70-2	Calcium	15600	ug/L	DN	[NULL]	[NULL]	S	B1W7D4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2008 10:30	Y	16887-00-6	Chloride	97800	ug/L	D	[NULL]	[NULL]	S	B1W7D4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/8/2008 10:30	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7D4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2008 10:30	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7D4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2008 10:30	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7D4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2008 10:30	Y	DO	Dissolved oxygen	1360	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7B1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-144	7/8/2008 10:30	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W7D4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/8/2008 10:30	Y	12587-46-1	Gross alpha	1.9	pCi/L	U	[NULL]	[NULL]	S	B1W7B1	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-144	7/8/2008 10:30	Y	12587-47-2	Gross beta	1900	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7B1	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-144	7/8/2008 10:30	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1W7D4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2008 10:30	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7D4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2008 10:30	Y	7439-95-4	Magnesium	5400	ug/L	D	[NULL]	[NULL]	S	B1W7D4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2008 10:30	Y	7439-96-5	Manganese	1190	ug/L	D	[NULL]	[NULL]	S	B1W7D4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2008 10:30	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7D4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2008 10:30	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7D4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2008 10:30	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W7D4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/8/2008 10:30	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W7D4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/8/2008 10:30	Y	EH	Oxidation Reduction Potential	-122	mV	[NULL]	[NULL]	[NULL]	S	B1W7B1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-144	7/8/2008 10:30	Y	14265-44-2	Phosphate	595000	ug/L	D	[NULL]	[NULL]	S	B1W7D4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/8/2008 10:30	Y	7440-09-7	Potassium	3710	ug/L	D	[NULL]	[NULL]	S	B1W7D4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2008 10:30	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W7D4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2008 10:30	Y	7440-23-5	Sodium	676000	ug/L	D	[NULL]	[NULL]	S	B1W7D4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2008 10:30	Y	CONDUCT	Specific Conductance	2258	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7B1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-144	7/8/2008 10:30	Y	7440-24-6	Strontium	133	ug/L	D	[NULL]	[NULL]	S	B1W7D4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2008 10:30	Y	14808-79-8	Sulfate	6570	ug/L	BD	[NULL]	[NULL]	S	B1W7D4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/8/2008 10:30	Y	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7B1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	7/8/2008 10:30	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7D4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2008 10:30	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7D4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/8/2008 10:30	Y	PH	pH Measurement	7.46	unitless	[NULL]	[NULL]	[NULL]	S	B1W7B1	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-144	7/9/2008 10:45	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W856	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/9/2008 10:45	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W856	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/9/2008 10:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W856	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/9/2008 10:45	Y	7440-39-3	Barium	37	ug/L	D	[NULL]	[NULL]	S	B1W856	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/9/2008 10:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W856	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/9/2008 10:45	Y	7440-70-2	Calcium	17800	ug/L	D	[NULL]	[NULL]	S	B1W856	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/9/2008 10:45	Y	16887-00-6	Chloride	167000	ug/L	DN	[NULL]	[NULL]	S	B1W856	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/9/2008 10:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W856	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/9/2008 10:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W856	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/9/2008 10:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W856	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/9/2008 10:45	Y	DO	Dissolved oxygen	950	ug/L	[NULL]	[NULL]	[NULL]	S	B1W841	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-144	7/9/2008 10:45	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W856	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/9/2008 10:45	Y	12587-46-1	Gross alpha	20	pCi/L	U	[NULL]	[NULL]	S	B1W841	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-144	7/9/2008 10:45	Y	12587-47-2	Gross beta	3200	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W841	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-144	7/9/2008 10:45	Y	7439-89-6	Iron	300	ug/L	D	[NULL]	[NULL]	S	B1W856	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/9/2008 10:45	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W856	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/9/2008 10:45	Y	7439-95-4	Magnesium	8090	ug/L	D	[NULL]	[NULL]	S	B1W856	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/9/2008 10:45	Y	7439-96-5	Manganese	1720	ug/L	D	[NULL]	[NULL]	S	B1W856	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/9/2008 10:45	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W856	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/9/2008 10:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W856	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/9/2008 10:45	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W856	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/9/2008 10:45	Y	14797-65-0	Nitrite	2460	ug/L	BD	[NULL]	[NULL]	S	B1W856	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/9/2008 10:45	Y	EH	Oxidation Reduction Potential	-120	mV	[NULL]	[NULL]	[NULL]	S	B1W841	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-144	7/9/2008 10:45	Y	14265-44-2	Phosphate	776000	ug/L	D	[NULL]	[NULL]	S	B1W856	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/9/2008 10:45	Y	7440-09-7	Potassium	4500	ug/L	D	[NULL]	[NULL]	S	B1W856	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/9/2008 10:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W856	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/9/2008 10:45	Y	7440-23-5	Sodium	980000	ug/L	DN	[NULL]	[NULL]	S	B1W856	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/9/2008 10:45	Y	CONDUCT	Specific Conductance	3317	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W841	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-144	7/9/2008 10:45	Y	7440-24-6	Strontium	178	ug/L	D	[NULL]	[NULL]	S	B1W856	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/9/2008 10:45	Y	14808-79-8	Sulfate	3710	ug/L	BD	[NULL]	[NULL]	S	B1W856	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/9/2008 10:45	Y	TEMPERATURE	Temperature	18.9	Deg C	[NULL]	[NULL]	[NULL]	S	B1W841	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-144	7/9/2008 10:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W856	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/9/2008 10:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W856	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/9/2008 10:45	Y	PH	pH Measurement	7.24	unitless	[NULL]	[NULL]	[NULL]	S	B1W841	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-144	7/10/2008 9:10	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7L0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/10/2008 9:10	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7L0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/10/2008 9:10	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7L0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/10/2008 9:10	Y	7440-39-3	Barium	34	ug/L	D	[NULL]	[NULL]	S	B1W7L0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/10/2008 9:10	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7L0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/10/2008 9:10	Y	7440-70-2	Calcium	14600	ug/L	D	[NULL]	[NULL]	S	B1W7L0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/10/2008 9:10	Y	16887-00-6	Chloride	143000	ug/L	D	[NULL]	[NULL]	S	B1W7L0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/10/2008 9:10	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7L0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/10/2008 9:10	Y	7440-48-4	Cobalt	20.9	ug/L	D	[NULL]	[NULL]	S	B1W7L0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/10/2008 9:10	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7L0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/10/2008 9:10	Y	DO	Dissolved oxygen	1410	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7H7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-144	7/10/2008 9:10	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W7L0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/10/2008 9:10	Y	12587-46-1	Gross alpha	25	pCi/L	U	[NULL]	[NULL]	S	B1W7H7	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-144	7/10/2008 9:10	Y	12587-47-2	Gross beta	3000	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7H7	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-144	7/10/2008 9:10	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1W7L0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/10/2008 9:10	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7L0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/10/2008 9:10	Y	7439-95-4	Magnesium	5880	ug/L	D	[NULL]	[NULL]	S	B1W7L0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	7/10/2008 9:10	Y	7439-96-5	Manganese	1280	ug/L	D	[NULL]	[NULL]	S	B1W7L0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/10/2008 9:10	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7L0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/10/2008 9:10	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7L0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/10/2008 9:10	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W7L0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/10/2008 9:10	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W7L0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/10/2008 9:10	Y	EH	Oxidation Reduction Potential	-62	mV	[NULL]	[NULL]	[NULL]	S	B1W7H7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-144	7/10/2008 9:10	Y	14265-44-2	Phosphate	644000	ug/L	D	[NULL]	[NULL]	S	B1W7L0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/10/2008 9:10	Y	7440-09-7	Potassium	3610	ug/L	D	[NULL]	[NULL]	S	B1W7L0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/10/2008 9:10	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W7L0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/10/2008 9:10	Y	7440-23-5	Sodium	736000	ug/L	D	[NULL]	[NULL]	S	B1W7L0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/10/2008 9:10	Y	CONDUCT	Specific Conductance	2890	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7H7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-144	7/10/2008 9:10	Y	7440-24-6	Strontium	140	ug/L	D	[NULL]	[NULL]	S	B1W7L0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/10/2008 9:10	Y	14808-79-8	Sulfate	4160	ug/L	BD	[NULL]	[NULL]	S	B1W7L0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/10/2008 9:10	Y	TEMPERATURE	Temperature	16.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7H7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-144	7/10/2008 9:10	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7L0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/10/2008 9:10	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7L0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/10/2008 9:10	Y	PH	pH Measurement	7.26	unitless	[NULL]	[NULL]	[NULL]	S	B1W7H7	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-144	7/12/2008 7:05	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W7R6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/12/2008 7:05	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W7R6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/12/2008 7:05	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W7R6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/12/2008 7:05	Y	7440-39-3	Barium	32	ug/L	D	[NULL]	[NULL]	S	B1W7R6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/12/2008 7:05	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W7R6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/12/2008 7:05	Y	7440-70-2	Calcium	16200	ug/L	D	[NULL]	[NULL]	S	B1W7R6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/12/2008 7:05	Y	16887-00-6	Chloride	143000	ug/L	D	[NULL]	[NULL]	S	B1W7R6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/12/2008 7:05	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W7R6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/12/2008 7:05	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W7R6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/12/2008 7:05	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W7R6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/12/2008 7:05	Y	DO	Dissolved oxygen	2700	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7N3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-144	7/12/2008 7:05	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1W7R6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/12/2008 7:05	Y	12587-46-1	Gross alpha	-9.1	pCi/L	U	[NULL]	[NULL]	S	B1W7N3	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-144	7/12/2008 7:05	Y	12587-47-2	Gross beta	2800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7N3	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-144	7/12/2008 7:05	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1W7R6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/12/2008 7:05	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W7R6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/12/2008 7:05	Y	7439-95-4	Magnesium	5940	ug/L	D	[NULL]	[NULL]	S	B1W7R6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/12/2008 7:05	Y	7439-96-5	Manganese	1450	ug/L	D	[NULL]	[NULL]	S	B1W7R6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/12/2008 7:05	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W7R6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/12/2008 7:05	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W7R6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/12/2008 7:05	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1W7R6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/12/2008 7:05	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1W7R6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/12/2008 7:05	Y	EH	Oxidation Reduction Potential	-80	mV	[NULL]	[NULL]	[NULL]	S	B1W7N3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-144	7/12/2008 7:05	Y	14265-44-2	Phosphate	435000	ug/L	D	[NULL]	[NULL]	S	B1W7R6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/12/2008 7:05	Y	7440-09-7	Potassium	3530	ug/L	D	[NULL]	[NULL]	S	B1W7R6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/12/2008 7:05	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W7R6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/12/2008 7:05	Y	7440-23-5	Sodium	671000	ug/L	DX	[NULL]	[NULL]	S	B1W7R6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/12/2008 7:05	Y	CONDUCT	Specific Conductance	2726	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7N3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-144	7/12/2008 7:05	Y	7440-24-6	Strontium	142	ug/L	D	[NULL]	[NULL]	S	B1W7R6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/12/2008 7:05	Y	14808-79-8	Sulfate	2950	ug/L	BD	[NULL]	[NULL]	S	B1W7R6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/12/2008 7:05	Y	TEMPERATURE	Temperature	15.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7N3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-144	7/12/2008 7:05	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W7R6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/12/2008 7:05	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W7R6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/12/2008 7:05	Y	PH	pH Measurement	7.49	unitless	[NULL]	[NULL]	[NULL]	S	B1W7N3	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-144	7/13/2008 10:45	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WBH8	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2008 10:45	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WBH8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	7/13/2008 10:45	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WBH8	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2008 10:45	Y	7440-39-3	Barium	36	ug/L	BD	[NULL]	[NULL]	S	B1WBH8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2008 10:45	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WBH8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2008 10:45	Y	7440-70-2	Calcium	17800	ug/L	DX	[NULL]	[NULL]	S	B1WBH8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2008 10:45	Y	16887-00-6	Chloride	132000	ug/L	D	[NULL]	[NULL]	S	B1WBH8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/13/2008 10:45	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WBH8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2008 10:45	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WBH8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2008 10:45	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WBH8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2008 10:45	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WBH8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/13/2008 10:45	Y	12587-46-1	Gross alpha	9	pCi/L	[NULL]	G	[NULL]	S	B1WBD3	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-144	7/13/2008 10:45	Y	12587-47-2	Gross beta	3100	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WBD3	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-144	7/13/2008 10:45	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WBH8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2008 10:45	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WBH8	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2008 10:45	Y	7439-95-4	Magnesium	6210	ug/L	D	[NULL]	[NULL]	S	B1WBH8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2008 10:45	Y	7439-96-5	Manganese	1660	ug/L	DN	[NULL]	[NULL]	S	B1WBH8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2008 10:45	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WBH8	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2008 10:45	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WBH8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2008 10:45	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WBH8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/13/2008 10:45	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WBH8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/13/2008 10:45	Y	14265-44-2	Phosphate	383000	ug/L	D	[NULL]	[NULL]	S	B1WBH8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/13/2008 10:45	Y	7440-09-7	Potassium	3650	ug/L	BD	[NULL]	[NULL]	S	B1WBH8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2008 10:45	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WBH8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2008 10:45	Y	7440-23-5	Sodium	624000	ug/L	DX	[NULL]	[NULL]	S	B1WBH8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2008 10:45	Y	7440-24-6	Strontium	155	ug/L	D	[NULL]	[NULL]	S	B1WBH8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2008 10:45	Y	14808-79-8	Sulfate	2950	ug/L	BD	[NULL]	[NULL]	S	B1WBH8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/13/2008 10:45	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WBH8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/13/2008 10:45	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WBH8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2008 8:50	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W886	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2008 8:50	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W886	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2008 8:50	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W886	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2008 8:50	Y	7440-39-3	Barium	38	ug/L	BD	[NULL]	[NULL]	S	B1W886	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2008 8:50	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W886	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2008 8:50	Y	7440-70-2	Calcium	18300	ug/L	DX	[NULL]	[NULL]	S	B1W886	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2008 8:50	Y	16887-00-6	Chloride	123000	ug/L	D	[NULL]	[NULL]	S	B1W886	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/14/2008 8:50	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W886	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2008 8:50	Y	7440-48-4	Cobalt	24.6	ug/L	BD	[NULL]	[NULL]	S	B1W886	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2008 8:50	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W886	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2008 8:50	Y	DO	Dissolved oxygen	1540	ug/L	[NULL]	[NULL]	[NULL]	S	B1W871	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-144	7/14/2008 8:50	Y	16984-48-8	Fluoride	210	ug/L	DU	[NULL]	[NULL]	S	B1W886	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/14/2008 8:50	Y	12587-46-1	Gross alpha	7.7	pCi/L	U	[NULL]	[NULL]	S	B1W871	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-144	7/14/2008 8:50	Y	12587-47-2	Gross beta	2600	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W871	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-144	7/14/2008 8:50	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1W886	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2008 8:50	Y	7439-92-1	Lead	225	ug/L	DNU	[NULL]	[NULL]	S	B1W886	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2008 8:50	Y	7439-95-4	Magnesium	5890	ug/L	D	[NULL]	[NULL]	S	B1W886	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2008 8:50	Y	7439-96-5	Manganese	1700	ug/L	D	[NULL]	[NULL]	S	B1W886	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2008 8:50	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W886	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2008 8:50	Y	7440-02-0	Nickel	30.6	ug/L	BD	[NULL]	[NULL]	S	B1W886	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2008 8:50	Y	14797-55-8	Nitrate	1590	ug/L	DU	[NULL]	[NULL]	S	B1W886	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/14/2008 8:50	Y	14797-65-0	Nitrite	325	ug/L	DU	[NULL]	[NULL]	S	B1W886	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/14/2008 8:50	Y	EH	Oxidation Reduction Potential	-101	mV	[NULL]	[NULL]	[NULL]	S	B1W871	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-144	7/14/2008 8:50	Y	14265-44-2	Phosphate	392000	ug/L	D	[NULL]	[NULL]	S	B1W886	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/14/2008 8:50	Y	7440-09-7	Potassium	3500	ug/L	BD	[NULL]	[NULL]	S	B1W886	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2008 8:50	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W886	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2008 8:50	Y	7440-23-5	Sodium	610000	ug/L	DX	[NULL]	[NULL]	S	B1W886	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	7/14/2008 8:50	Y	CONDUCT	Specific Conductance	2299	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W871	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-144	7/14/2008 8:50	Y	7440-24-6	Strontium	145	ug/L	D	[NULL]	[NULL]	S	B1W886	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2008 8:50	Y	14808-79-8	Sulfate	2870	ug/L	BD	[NULL]	[NULL]	S	B1W886	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/14/2008 8:50	Y	TEMPERATURE	Temperature	16.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1W871	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-144	7/14/2008 8:50	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W886	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2008 8:50	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W886	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/14/2008 8:50	Y	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	S	B1W871	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-144	7/15/2008 11:05	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W826	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2008 11:05	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W826	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2008 11:05	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W826	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2008 11:05	Y	7440-39-3	Barium	31	ug/L	BD	[NULL]	[NULL]	S	B1W826	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2008 11:05	Y	7440-43-9	Cadmium	20	ug/L	DNU	[NULL]	[NULL]	S	B1W826	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2008 11:05	Y	7440-70-2	Calcium	23700	ug/L	DX	[NULL]	[NULL]	S	B1W826	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2008 11:05	Y	16887-00-6	Chloride	148000	ug/L	DN	[NULL]	[NULL]	S	B1W826	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/15/2008 11:05	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W826	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2008 11:05	Y	7440-48-4	Cobalt	20	ug/L	DNU	[NULL]	[NULL]	S	B1W826	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2008 11:05	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W826	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2008 11:05	Y	DO	Dissolved oxygen	1440	ug/L	[NULL]	[NULL]	[NULL]	S	B1W826	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-144	7/15/2008 11:05	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1W826	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/15/2008 11:05	Y	12587-46-1	Gross alpha	1.1	pCi/L	U	[NULL]	[NULL]	S	B1W826	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-144	7/15/2008 11:05	Y	12587-47-2	Gross beta	1500	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W826	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-144	7/15/2008 11:05	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1W826	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2008 11:05	Y	7439-92-1	Lead	225	ug/L	DNU	[NULL]	[NULL]	S	B1W826	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2008 11:05	Y	7439-95-4	Magnesium	8920	ug/L	D	[NULL]	[NULL]	S	B1W826	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2008 11:05	Y	7439-96-5	Manganese	2380	ug/L	DN	[NULL]	[NULL]	S	B1W826	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2008 11:05	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W826	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2008 11:05	Y	7440-02-0	Nickel	20	ug/L	DNU	[NULL]	[NULL]	S	B1W826	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2008 11:05	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1W826	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/15/2008 11:05	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1W826	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/15/2008 11:05	Y	EH	Oxidation Reduction Potential	-140	mV	[NULL]	[NULL]	[NULL]	S	B1W826	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-144	7/15/2008 11:05	Y	14265-44-2	Phosphate	671000	ug/L	D	[NULL]	[NULL]	S	B1W826	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/15/2008 11:05	Y	7440-09-7	Potassium	4080	ug/L	BD	[NULL]	[NULL]	S	B1W826	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2008 11:05	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W826	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2008 11:05	Y	7440-23-5	Sodium	768000	ug/L	DX	[NULL]	[NULL]	S	B1W826	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2008 11:05	Y	CONDUCT	Specific Conductance	2982	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W826	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-144	7/15/2008 11:05	Y	7440-24-6	Strontium	190	ug/L	D	[NULL]	[NULL]	S	B1W826	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2008 11:05	Y	14808-79-8	Sulfate	4200	ug/L	BD	[NULL]	[NULL]	S	B1W826	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/15/2008 11:05	Y	TEMPERATURE	Temperature	16.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1W826	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-144	7/15/2008 11:05	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W826	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2008 11:05	Y	7440-66-6	Zinc	45	ug/L	DNU	[NULL]	[NULL]	S	B1W826	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/15/2008 11:05	Y	PH	pH Measurement	7.4	unitless	[NULL]	[NULL]	[NULL]	S	B1W826	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-144	7/17/2008 16:15	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1W813	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2008 16:15	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1W813	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2008 16:15	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1W813	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2008 16:15	Y	7440-39-3	Barium	38	ug/L	D	[NULL]	[NULL]	S	B1W813	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2008 16:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1W813	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2008 16:15	Y	7440-70-2	Calcium	20400	ug/L	D	[NULL]	[NULL]	S	B1W813	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2008 16:15	Y	16887-00-6	Chloride	128000	ug/L	D	[NULL]	[NULL]	S	B1W813	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/17/2008 16:15	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1W813	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2008 16:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1W813	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2008 16:15	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1W813	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2008 16:15	Y	DO	Dissolved oxygen	2570	ug/L	[NULL]	[NULL]	[NULL]	S	B1W7Y8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-144	7/17/2008 16:15	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1W813	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/17/2008 16:15	Y	12587-46-1	Gross alpha	0.029	pCi/L	U	[NULL]	[NULL]	S	B1W7Y8	12587-46-1	WSCF	ALPHA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	7/17/2008 16:15	Y	12587-47-2	Gross beta	3800	pCi/L	[NULL]	[NULL]	[NULL]	S	B1W7Y8	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-144	7/17/2008 16:15	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1W813	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2008 16:15	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1W813	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2008 16:15	Y	7439-95-4	Magnesium	8210	ug/L	D	[NULL]	[NULL]	S	B1W813	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2008 16:15	Y	7439-96-5	Manganese	2560	ug/L	D	[NULL]	[NULL]	S	B1W813	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2008 16:15	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1W813	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2008 16:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1W813	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2008 16:15	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1W813	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/17/2008 16:15	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1W813	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/17/2008 16:15	Y	EH	Oxidation Reduction Potential	-66	mV	[NULL]	[NULL]	[NULL]	S	B1W7Y8	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-144	7/17/2008 16:15	Y	14265-44-2	Phosphate	589000	ug/L	D	[NULL]	[NULL]	S	B1W813	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/17/2008 16:15	Y	7440-09-7	Potassium	4110	ug/L	D	[NULL]	[NULL]	S	B1W813	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2008 16:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1W813	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2008 16:15	Y	7440-23-5	Sodium	688000	ug/L	DX	[NULL]	[NULL]	S	B1W813	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2008 16:15	Y	CONDUCT	Specific Conductance	2665	uS/cm	[NULL]	[NULL]	[NULL]	S	B1W7Y8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-144	7/17/2008 16:15	Y	7440-24-6	Strontium	167	ug/L	D	[NULL]	[NULL]	S	B1W813	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2008 16:15	Y	14808-79-8	Sulfate	4670	ug/L	BD	[NULL]	[NULL]	S	B1W813	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/17/2008 16:15	Y	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	S	B1W7Y8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-144	7/17/2008 16:15	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1W813	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2008 16:15	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1W813	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/17/2008 16:15	Y	PH	pH Measurement	7.52	unitless	[NULL]	[NULL]	[NULL]	S	B1W7Y8	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-144	7/19/2008 8:22	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WCF3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/19/2008 8:22	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WCF3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/19/2008 8:22	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WCF3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/19/2008 8:22	Y	7440-39-3	Barium	24	ug/L	D	[NULL]	[NULL]	S	B1WCF3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/19/2008 8:22	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WCF3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/19/2008 8:22	Y	7440-70-2	Calcium	15200	ug/L	D	[NULL]	[NULL]	S	B1WCF3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/19/2008 8:22	Y	16887-00-6	Chloride	94100	ug/L	D	[NULL]	[NULL]	S	B1WCF3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/19/2008 8:22	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WCF3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/19/2008 8:22	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WCF3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/19/2008 8:22	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WCF3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/19/2008 8:22	Y	DO	Dissolved oxygen	1420	ug/L	[NULL]	[NULL]	[NULL]	S	B1WCD2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-144	7/19/2008 8:22	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WCF3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/19/2008 8:22	Y	12587-46-1	Gross alpha	1.44	pCi/L	U	[NULL]	[NULL]	S	B1WCD2	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-144	7/19/2008 8:22	Y	12587-47-2	Gross beta	1990	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WCD2	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-144	7/19/2008 8:22	Y	7439-89-6	Iron	128	ug/L	D	[NULL]	[NULL]	S	B1WCF3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/19/2008 8:22	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WCF3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/19/2008 8:22	Y	7439-95-4	Magnesium	5130	ug/L	D	[NULL]	[NULL]	S	B1WCF3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/19/2008 8:22	Y	7439-96-5	Manganese	1680	ug/L	D	[NULL]	[NULL]	S	B1WCF3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/19/2008 8:22	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WCF3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/19/2008 8:22	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WCF3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/19/2008 8:22	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WCF3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/19/2008 8:22	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WCF3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/19/2008 8:22	Y	EH	Oxidation Reduction Potential	-140	mV	[NULL]	[NULL]	[NULL]	S	B1WCD2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-144	7/19/2008 8:22	Y	14265-44-2	Phosphate	383000	ug/L	D	[NULL]	[NULL]	S	B1WCF3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/19/2008 8:22	Y	7440-09-7	Potassium	2940	ug/L	D	[NULL]	[NULL]	S	B1WCF3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/19/2008 8:22	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WCF3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/19/2008 8:22	Y	7440-23-5	Sodium	457000	ug/L	D	[NULL]	[NULL]	S	B1WCF3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/19/2008 8:22	Y	CONDUCT	Specific Conductance	1980	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WCD2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-144	7/19/2008 8:22	Y	7440-24-6	Strontium	110	ug/L	D	[NULL]	[NULL]	S	B1WCF3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/19/2008 8:22	Y	14808-79-8	Sulfate	4870	ug/L	BD	[NULL]	[NULL]	S	B1WCF3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/19/2008 8:22	Y	TEMPERATURE	Temperature	15.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1WCD2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-144	7/19/2008 8:22	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WCF3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	7/19/2008 8:22	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WCF3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/19/2008 8:22	Y	PH	pH Measurement	7.55	unitless	[NULL]	[NULL]	[NULL]	S	B1WCD2	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-144	7/25/2008 8:20	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WLD3	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/25/2008 8:20	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WLD3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/25/2008 8:20	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WLD3	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/25/2008 8:20	Y	7440-39-3	Barium	83	ug/L	BD	[NULL]	[NULL]	S	B1WLD3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/25/2008 8:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLD3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/25/2008 8:20	Y	7440-70-2	Calcium	224000	ug/L	DX	[NULL]	[NULL]	S	B1WLD3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/25/2008 8:20	Y	16887-00-6	Chloride	413000	ug/L	D	[NULL]	[NULL]	S	B1WLD3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/25/2008 8:20	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WLD3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/25/2008 8:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WLD3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/25/2008 8:20	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WLD3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/25/2008 8:20	Y	DO	Dissolved oxygen	740	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLD3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-144	7/25/2008 8:20	Y	DO	Dissolved oxygen	740	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLC0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-144	7/25/2008 8:20	Y	16984-48-8	Fluoride	232	ug/L	DNU	[NULL]	[NULL]	S	B1WLD3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/25/2008 8:20	Y	12587-46-1	Gross alpha	1.41	pCi/L	U	[NULL]	[NULL]	S	B1WLC0	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-144	7/25/2008 8:20	Y	12587-47-2	Gross beta	213	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WLC0	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-144	7/25/2008 8:20	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WLD3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/25/2008 8:20	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WLD3	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/25/2008 8:20	Y	7439-95-4	Magnesium	8220	ug/L	D	[NULL]	[NULL]	S	B1WLD3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/25/2008 8:20	Y	7439-96-5	Manganese	29	ug/L	BD	[NULL]	[NULL]	S	B1WLD3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/25/2008 8:20	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WLD3	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/25/2008 8:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WLD3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/25/2008 8:20	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WLD3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/25/2008 8:20	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WLD3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/25/2008 8:20	Y	EH	Oxidation Reduction Potential	-145.5	mV	[NULL]	[NULL]	[NULL]	S	B1WLC0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-144	7/25/2008 8:20	Y	EH	Oxidation Reduction Potential	-145.5	mV	[NULL]	[NULL]	[NULL]	S	B1WLD3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-144	7/25/2008 8:20	Y	14265-44-2	Phosphate	214000	ug/L	D	[NULL]	[NULL]	S	B1WLD3	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/25/2008 8:20	Y	7440-09-7	Potassium	12600	ug/L	D	[NULL]	[NULL]	S	B1WLD3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/25/2008 8:20	Y	7440-22-4	Silver	60	ug/L	BCD	[NULL]	[NULL]	S	B1WLD3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/25/2008 8:20	Y	7440-23-5	Sodium	999000	ug/L	DX	[NULL]	[NULL]	S	B1WLD3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/25/2008 8:20	Y	CONDUCT	Specific Conductance	4875	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLD3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-144	7/25/2008 8:20	Y	CONDUCT	Specific Conductance	4875	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLC0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-144	7/25/2008 8:20	Y	7440-24-6	Strontium	4470	ug/L	D	[NULL]	[NULL]	S	B1WLD3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/25/2008 8:20	Y	14808-79-8	Sulfate	11700	ug/L	D	[NULL]	[NULL]	S	B1WLD3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/25/2008 8:20	Y	TEMPERATURE	Temperature	20.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLD3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-144	7/25/2008 8:20	Y	TEMPERATURE	Temperature	20.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLC0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-144	7/25/2008 8:20	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WLD3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/25/2008 8:20	Y	7440-66-6	Zinc	55.2	ug/L	BD	[NULL]	[NULL]	S	B1WLD3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/25/2008 8:20	Y	PH	pH Measurement	6.45	unitless	[NULL]	[NULL]	[NULL]	S	B1WLC0	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-144	7/25/2008 8:20	Y	PH	pH Measurement	6.45	unitless	[NULL]	[NULL]	[NULL]	S	B1WLD3	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-144	7/26/2008 8:20	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WLM4	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/26/2008 8:20	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WLM4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/26/2008 8:20	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WLM4	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/26/2008 8:20	Y	7440-39-3	Barium	126	ug/L	D	[NULL]	[NULL]	S	B1WLM4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/26/2008 8:20	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLM4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/26/2008 8:20	Y	7440-70-2	Calcium	261000	ug/L	DN	[NULL]	[NULL]	S	B1WLM4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/26/2008 8:20	Y	16887-00-6	Chloride	398000	ug/L	D	[NULL]	[NULL]	S	B1WLM4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/26/2008 8:20	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WLM4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/26/2008 8:20	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WLM4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/26/2008 8:20	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WLM4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/26/2008 8:20	Y	DO	Dissolved oxygen	1270	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLJ9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-144	7/26/2008 8:20	Y	16984-48-8	Fluoride	232	ug/L	DNU	[NULL]	[NULL]	S	B1WLM4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	7/26/2008 8:20	Y	12587-46-1	Gross alpha	0.208	pCi/L	U	[NULL]	[NULL]	S	B1WLJ9	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-144	7/26/2008 8:20	Y	12587-47-2	Gross beta	309	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WLJ9	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-144	7/26/2008 8:20	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WLM4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/26/2008 8:20	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WLM4	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/26/2008 8:20	Y	7439-95-4	Magnesium	10600	ug/L	D	[NULL]	[NULL]	S	B1WLM4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/26/2008 8:20	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WLM4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/26/2008 8:20	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WLM4	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/26/2008 8:20	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WLM4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/26/2008 8:20	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WLM4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/26/2008 8:20	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WLM4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/26/2008 8:20	Y	EH	Oxidation Reduction Potential	-257	mV	[NULL]	[NULL]	[NULL]	S	B1WLJ9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-144	7/26/2008 8:20	Y	14265-44-2	Phosphate	107000	ug/L	DN	[NULL]	[NULL]	S	B1WLM4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/26/2008 8:20	Y	7440-09-7	Potassium	15700	ug/L	D	[NULL]	[NULL]	S	B1WLM4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/26/2008 8:20	Y	7440-22-4	Silver	26	ug/L	D	[NULL]	[NULL]	S	B1WLM4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/26/2008 8:20	Y	7440-23-5	Sodium	1110000	ug/L	DX	[NULL]	[NULL]	S	B1WLM4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/26/2008 8:20	Y	CONDUCT	Specific Conductance	4958	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLJ9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-144	7/26/2008 8:20	Y	7440-24-6	Strontium	5840	ug/L	D	[NULL]	[NULL]	S	B1WLM4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/26/2008 8:20	Y	14808-79-8	Sulfate	1320	ug/L	DU	[NULL]	[NULL]	S	B1WLM4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/26/2008 8:20	Y	TEMPERATURE	Temperature	20.5	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLJ9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-144	7/26/2008 8:20	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WLM4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/26/2008 8:20	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WLM4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/26/2008 8:20	Y	PH	pH Measurement	6.7	unitless	[NULL]	[NULL]	[NULL]	S	B1WLJ9	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-144	7/27/2008 6:15	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WLP6	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2008 6:15	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WLP6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2008 6:15	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WLP6	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2008 6:15	Y	7440-39-3	Barium	122	ug/L	D	[NULL]	[NULL]	S	B1WLP6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2008 6:15	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLP6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2008 6:15	Y	7440-70-2	Calcium	252000	ug/L	D	[NULL]	[NULL]	S	B1WLP6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2008 6:15	Y	16887-00-6	Chloride	389000	ug/L	D	[NULL]	[NULL]	S	B1WLP6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/27/2008 6:15	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WLP6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2008 6:15	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WLP6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2008 6:15	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WLP6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2008 6:15	Y	DO	Dissolved oxygen	1680	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLP6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-144	7/27/2008 6:15	Y	DO	Dissolved oxygen	1680	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLN3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-144	7/27/2008 6:15	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WLP6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/27/2008 6:15	Y	12587-46-1	Gross alpha	3.39	pCi/L	U	[NULL]	[NULL]	S	B1WLN3	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-144	7/27/2008 6:15	Y	12587-47-2	Gross beta	216	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WLN3	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-144	7/27/2008 6:15	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WLP6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2008 6:15	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WLP6	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2008 6:15	Y	7439-95-4	Magnesium	12000	ug/L	D	[NULL]	[NULL]	S	B1WLP6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2008 6:15	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WLP6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2008 6:15	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WLP6	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2008 6:15	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WLP6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2008 6:15	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WLP6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/27/2008 6:15	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WLP6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/27/2008 6:15	Y	EH	Oxidation Reduction Potential	-276	mV	[NULL]	[NULL]	[NULL]	S	B1WLN3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-144	7/27/2008 6:15	Y	EH	Oxidation Reduction Potential	-276	mV	[NULL]	[NULL]	[NULL]	S	B1WLP6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-144	7/27/2008 6:15	Y	14265-44-2	Phosphate	163000	ug/L	D	[NULL]	[NULL]	S	B1WLP6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/27/2008 6:15	Y	7440-09-7	Potassium	17500	ug/L	D	[NULL]	[NULL]	S	B1WLP6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2008 6:15	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WLP6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2008 6:15	Y	7440-23-5	Sodium	1180000	ug/L	D	[NULL]	[NULL]	S	B1WLP6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2008 6:15	Y	CONDUCT	Specific Conductance	4956	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLP6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	7/27/2008 6:15	Y	CONDUCT	Specific Conductance	4956	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLN3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-144	7/27/2008 6:15	Y	7440-24-6	Strontium	5730	ug/L	D	[NULL]	[NULL]	S	B1WLP6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2008 6:15	Y	14808-79-8	Sulfate	10400	ug/L	D	[NULL]	[NULL]	S	B1WLP6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/27/2008 6:15	Y	TEMPERATURE	Temperature	19.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLP6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-144	7/27/2008 6:15	Y	TEMPERATURE	Temperature	19.4	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLN3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-144	7/27/2008 6:15	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WLP6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2008 6:15	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WLP6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/27/2008 6:15	Y	PH	pH Measurement	6.86	unitless	[NULL]	[NULL]	[NULL]	S	B1WLN3	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-144	7/27/2008 6:15	Y	PH	pH Measurement	6.86	unitless	[NULL]	[NULL]	[NULL]	S	B1WLP6	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-144	7/28/2008 11:00	Y	7429-90-5	Aluminum	260	ug/L	DU	[NULL]	[NULL]	S	B1WLY0	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/28/2008 11:00	Y	7440-36-0	Antimony	280	ug/L	DU	[NULL]	[NULL]	S	B1WLY0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/28/2008 11:00	Y	7440-38-2	Arsenic	390	ug/L	DU	[NULL]	[NULL]	S	B1WLY0	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/28/2008 11:00	Y	7440-39-3	Barium	90	ug/L	D	[NULL]	[NULL]	S	B1WLY0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/28/2008 11:00	Y	7440-43-9	Cadmium	20	ug/L	DU	[NULL]	[NULL]	S	B1WLY0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/28/2008 11:00	Y	7440-70-2	Calcium	191000	ug/L	D	[NULL]	[NULL]	S	B1WLY0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/28/2008 11:00	Y	16887-00-6	Chloride	335000	ug/L	D	[NULL]	[NULL]	S	B1WLY0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/28/2008 11:00	Y	7440-47-3	Chromium	65	ug/L	DU	[NULL]	[NULL]	S	B1WLY0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/28/2008 11:00	Y	7440-48-4	Cobalt	20	ug/L	DU	[NULL]	[NULL]	S	B1WLY0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/28/2008 11:00	Y	7440-50-8	Copper	30	ug/L	DU	[NULL]	[NULL]	S	B1WLY0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/28/2008 11:00	Y	DO	Dissolved oxygen	1250	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLV5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-144	7/28/2008 11:00	Y	DO	Dissolved oxygen	1250	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLY0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-144	7/28/2008 11:00	Y	16984-48-8	Fluoride	232	ug/L	DU	[NULL]	[NULL]	S	B1WLY0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/28/2008 11:00	Y	12587-46-1	Gross alpha	1.43	pCi/L	U	[NULL]	[NULL]	S	B1WLV5	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-144	7/28/2008 11:00	Y	12587-47-2	Gross beta	226	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WLV5	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-144	7/28/2008 11:00	Y	7439-89-6	Iron	125	ug/L	DU	[NULL]	[NULL]	S	B1WLY0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/28/2008 11:00	Y	7439-92-1	Lead	225	ug/L	DU	[NULL]	[NULL]	S	B1WLY0	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/28/2008 11:00	Y	7439-95-4	Magnesium	10700	ug/L	D	[NULL]	[NULL]	S	B1WLY0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/28/2008 11:00	Y	7439-96-5	Manganese	20	ug/L	DU	[NULL]	[NULL]	S	B1WLY0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/28/2008 11:00	Y	7439-98-7	Molybdenum	25	ug/L	DU	[NULL]	[NULL]	S	B1WLY0	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/28/2008 11:00	Y	7440-02-0	Nickel	20	ug/L	DU	[NULL]	[NULL]	S	B1WLY0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/28/2008 11:00	Y	14797-55-8	Nitrate	536	ug/L	DU	[NULL]	[NULL]	S	B1WLY0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/28/2008 11:00	Y	14797-65-0	Nitrite	420	ug/L	DU	[NULL]	[NULL]	S	B1WLY0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/28/2008 11:00	Y	EH	Oxidation Reduction Potential	-245	mV	[NULL]	[NULL]	[NULL]	S	B1WLV5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-144	7/28/2008 11:00	Y	EH	Oxidation Reduction Potential	-245	mV	[NULL]	[NULL]	[NULL]	S	B1WLY0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-144	7/28/2008 11:00	Y	14265-44-2	Phosphate	217000	ug/L	D	[NULL]	[NULL]	S	B1WLY0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/28/2008 11:00	Y	7440-09-7	Potassium	16100	ug/L	D	[NULL]	[NULL]	S	B1WLY0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/28/2008 11:00	Y	7440-22-4	Silver	25	ug/L	DU	[NULL]	[NULL]	S	B1WLY0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/28/2008 11:00	Y	7440-23-5	Sodium	1130000	ug/L	D	[NULL]	[NULL]	S	B1WLY0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/28/2008 11:00	Y	CONDUCT	Specific Conductance	4506	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLY0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-144	7/28/2008 11:00	Y	CONDUCT	Specific Conductance	4506	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLV5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-144	7/28/2008 11:00	Y	7440-24-6	Strontium	4550	ug/L	D	[NULL]	[NULL]	S	B1WLY0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/28/2008 11:00	Y	14808-79-8	Sulfate	8310	ug/L	BD	[NULL]	[NULL]	S	B1WLY0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/28/2008 11:00	Y	TEMPERATURE	Temperature	20.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLV5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-144	7/28/2008 11:00	Y	TEMPERATURE	Temperature	20.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLY0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-144	7/28/2008 11:00	Y	7440-62-2	Vanadium	60	ug/L	DU	[NULL]	[NULL]	S	B1WLY0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/28/2008 11:00	Y	7440-66-6	Zinc	45	ug/L	DU	[NULL]	[NULL]	S	B1WLY0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/28/2008 11:00	Y	PH	pH Measurement	6.94	unitless	[NULL]	[NULL]	[NULL]	S	B1WLY0	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-144	7/28/2008 11:00	Y	PH	pH Measurement	6.94	unitless	[NULL]	[NULL]	[NULL]	S	B1WLV5	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-144	7/29/2008 10:22	N	7429-90-5	Aluminum	300	ug/L	UD	[NULL]	[NULL]	S	B1WM12	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/29/2008 10:22	N	7440-36-0	Antimony	300	ug/L	UD	[NULL]	[NULL]	S	B1WM12	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/29/2008 10:22	N	7440-38-2	Arsenic	400	ug/L	UD	[NULL]	[NULL]	S	B1WM12	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/29/2008 10:22	N	7440-39-3	Barium	96	ug/L	BD	[NULL]	[NULL]	S	B1WM12	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/29/2008 10:22	N	7440-43-9	Cadmium	20	ug/L	UD	[NULL]	[NULL]	S	B1WM12	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-144	7/29/2008 10:22	N	7440-70-2	Calcium	199000	ug/L	D	[NULL]	[NULL]	S	B1WM12	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/29/2008 10:22	N	16887-00-6	Chloride	313000	ug/L	D	[NULL]	[NULL]	S	B1WM12	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/29/2008 10:22	N	7440-47-3	Chromium	60	ug/L	UD	[NULL]	[NULL]	S	B1WM12	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/29/2008 10:22	N	7440-48-4	Cobalt	20	ug/L	UD	[NULL]	[NULL]	S	B1WM12	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/29/2008 10:22	N	7440-50-8	Copper	30	ug/L	UD	[NULL]	[NULL]	S	B1WM12	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/29/2008 10:22	Y	DO	Dissolved oxygen	2020	ug/L	[NULL]	[NULL]	[NULL]	S	B1WLY9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-144	7/29/2008 10:22	N	16984-48-8	Fluoride	200	ug/L	UD	[NULL]	[NULL]	S	B1WM12	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/29/2008 10:22	Y	12587-46-1	Gross alpha	-7	pCi/L	U	[NULL]	[NULL]	S	B1WLY9	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-144	7/29/2008 10:22	Y	12587-47-2	Gross beta	202	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WLY9	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-144	7/29/2008 10:22	N	7439-89-6	Iron	209	ug/L	BD	[NULL]	[NULL]	S	B1WM12	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/29/2008 10:22	N	7439-92-1	Lead	200	ug/L	UD	[NULL]	[NULL]	S	B1WM12	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/29/2008 10:22	N	7439-95-4	Magnesium	11700	ug/L	D	[NULL]	[NULL]	S	B1WM12	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/29/2008 10:22	N	7439-96-5	Manganese	20	ug/L	UD	[NULL]	[NULL]	S	B1WM12	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/29/2008 10:22	N	7439-98-7	Molybdenum	20	ug/L	UD	[NULL]	[NULL]	S	B1WM12	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/29/2008 10:22	N	7440-02-0	Nickel	30	ug/L	UD	[NULL]	[NULL]	S	B1WM12	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/29/2008 10:22	N	14797-55-8	Nitrate	443	ug/L	UD	[NULL]	[NULL]	S	B1WM12	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/29/2008 10:22	N	14797-65-0	Nitrite	328	ug/L	UD	[NULL]	[NULL]	S	B1WM12	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/29/2008 10:22	Y	EH	Oxidation Reduction Potential	-243	mV	[NULL]	[NULL]	[NULL]	S	B1WLY9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-144	7/29/2008 10:22	N	14265-44-2	Phosphate	284000	ug/L	D	[NULL]	[NULL]	S	B1WM12	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/29/2008 10:22	N	7440-09-7	Potassium	17800	ug/L	D	[NULL]	[NULL]	S	B1WM12	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/29/2008 10:22	N	7440-22-4	Silver	20	ug/L	UD	[NULL]	[NULL]	S	B1WM12	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/29/2008 10:22	N	7440-23-5	Sodium	1410000	ug/L	D	[NULL]	[NULL]	S	B1WM12	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/29/2008 10:22	Y	CONDUCT	Specific Conductance	4428	uS/cm	[NULL]	[NULL]	[NULL]	S	B1WLY9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-144	7/29/2008 10:22	N	7440-24-6	Strontium	4620	ug/L	D	[NULL]	[NULL]	S	B1WM12	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/29/2008 10:22	N	14808-79-8	Sulfate	5150	ug/L	BD	[NULL]	[NULL]	S	B1WM12	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/29/2008 10:22	Y	TEMPERATURE	Temperature	19.8	Deg C	[NULL]	[NULL]	[NULL]	S	B1WLY9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-144	7/29/2008 10:22	N	7440-62-2	Vanadium	60	ug/L	UD	[NULL]	[NULL]	S	B1WM12	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/29/2008 10:22	N	7440-66-6	Zinc	40	ug/L	UD	[NULL]	[NULL]	S	B1WM12	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/29/2008 10:22	Y	PH	pH Measurement	6.92	unitless	[NULL]	[NULL]	[NULL]	S	B1WLY9	PH	FIELD	PH_PAPER_FLD	100-NR-2
199-N-144	7/30/2008 11:24	N	7429-90-5	Aluminum	300	ug/L	UD	[NULL]	[NULL]	S	B1WM71	7429-90-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/30/2008 11:24	N	7440-36-0	Antimony	300	ug/L	UD	[NULL]	[NULL]	S	B1WM71	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/30/2008 11:24	N	7440-38-2	Arsenic	400	ug/L	UD	[NULL]	[NULL]	S	B1WM71	7440-38-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/30/2008 11:24	N	7440-39-3	Barium	62	ug/L	BD	[NULL]	[NULL]	S	B1WM71	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/30/2008 11:24	N	7440-43-9	Cadmium	20	ug/L	UD	[NULL]	[NULL]	S	B1WM71	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/30/2008 11:24	N	7440-70-2	Calcium	138000	ug/L	D	[NULL]	[NULL]	S	B1WM71	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/30/2008 11:24	N	16887-00-6	Chloride	268000	ug/L	D	[NULL]	[NULL]	S	B1WM71	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/30/2008 11:24	N	7440-47-3	Chromium	60	ug/L	UD	[NULL]	[NULL]	S	B1WM71	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/30/2008 11:24	N	7440-48-4	Cobalt	20	ug/L	UD	[NULL]	[NULL]	S	B1WM71	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/30/2008 11:24	N	7440-50-8	Copper	30	ug/L	UD	[NULL]	[NULL]	S	B1WM71	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/30/2008 11:24	Y	DO	Dissolved oxygen	1840	ug/L	[NULL]	[NULL]	[NULL]	S	B1WM46	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-144	7/30/2008 11:24	N	16984-48-8	Fluoride	200	ug/L	UD	[NULL]	[NULL]	S	B1WM71	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/30/2008 11:24	Y	12587-46-1	Gross alpha	-0.109	pCi/L	U	[NULL]	[NULL]	S	B1WM46	12587-46-1	TARL	ALPHA_GPC	100-NR-2
199-N-144	7/30/2008 11:24	Y	12587-47-2	Gross beta	176	pCi/L	[NULL]	[NULL]	[NULL]	S	B1WM46	12587-47-2	TARL	BETA_GPC	100-NR-2
199-N-144	7/30/2008 11:24	N	7439-89-6	Iron	100	ug/L	UD	[NULL]	[NULL]	S	B1WM71	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/30/2008 11:24	N	7439-92-1	Lead	200	ug/L	UD	[NULL]	[NULL]	S	B1WM71	7439-92-1	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/30/2008 11:24	N	7439-95-4	Magnesium	8260	ug/L	D	[NULL]	[NULL]	S	B1WM71	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/30/2008 11:24	N	7439-96-5	Manganese	20	ug/L	UD	[NULL]	[NULL]	S	B1WM71	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/30/2008 11:24	N	7439-98-7	Molybdenum	20	ug/L	UD	[NULL]	[NULL]	S	B1WM71	7439-98-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/30/2008 11:24	N	7440-02-0	Nickel	30	ug/L	UD	[NULL]	[NULL]	S	B1WM71	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-144	7/30/2008 11:24	N	14797-55-8	Nitrate	443	ug/L	UD	[NULL]	[NULL]	S	B1WM71	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/30/2008 11:24	N	14797-65-0	Nitrite	328	ug/L	UD	[NULL]	[NULL]	S	B1WM71	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-144	7/30/2008 11:24	Y	EH	Oxidation Reduction Potential	-140	mV	[NULL]	[NULL]	[NULL]	S	B1WM46	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-144	7/30/2008 11:24	N	14265-44-2	Phosphate	316000	ug/L	D	[NULL]	[NULL]	S	B1WM71	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2