SECTION

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	3/6/1989 0:00	N	72-54-8	4,4'-DDD (Dichlorodiphenyldichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FR8	72-54-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	3/6/1989 0:00	N	72-55-9	4,4'-DDE (Dichlorodiphenyldichloroethylene)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FR8	72-55-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	3/6/1989 0:00	N	50-29-3	4,4'-DDT (Dichlorodiphenyltrichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FR8	50-29-3	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	3/6/1989 0:00	N	101-14-4	4,4'-Methylenebis(2-chloroaniline)	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	101-14-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	534-52-1	4,6-Dinitro-2-methylphenol	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	534-52-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	92-67-1	4-Aminobiphenyl	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	92-67-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	101-55-3	4-Bromophenylphenyl ether	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	101-55-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	59-50-7	4-Chloro-3-methylphenol	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	59-50-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	106-47-8	4-Chloroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	106-47-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	100-01-6	4-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	100-01-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	100-02-7	4-Nitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	100-02-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	56-57-5	4-Nitroquinoline-1-oxide	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	56-57-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	2763-96-4	5-(Aminomethyl)-3-isoxazolol	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	2763-96-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	99-55-8	5-Nitro-o-toluidine	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	99-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	57-97-6	7,12-Dimethylbenz[a]anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	57-97-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	194-59-2	7H-Dibenzo[c,g]carbazole	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	194-59-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	83-32-9	Acenaphthene	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	83-32-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	208-96-8	Acenaphthylene	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	208-96-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	67-64-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	67-64-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	75-05-8	Acetonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	75-05-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	98-86-2	Acetophenone	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	98-86-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	107-02-8	Acrolein	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	107-02-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	79-06-1	Acrylamide	10000	ug/L	U	[NULL]	[NULL]	R	H0007FR8	79-06-1	USTEST	GC_DIRECT	100-NR-2
199-N-29	3/6/1989 0:00	N	107-13-1	Acrylonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	107-13-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	309-00-2	Aldrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FR8	309-00-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	3/6/1989 0:00	N	107-18-6	Allyl alcohol	10000	ug/L	U	[NULL]	[NULL]	R	H0007FR8	107-18-6	USTEST	GC_DIRECT	100-NR-2
199-N-29	3/6/1989 0:00	N	107-05-1	Allyl chloride	100	ug/L	U	[NULL]	[NULL]	R	H0007FR8	107-05-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	ALPHAHI	Alpha	0.752	pCi/L	U	[NULL]	[NULL]	R	H0007FR8	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	3/6/1989 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FR8	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	3/6/1989 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007FR8F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007FR8	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	61-82-5	Amitrole	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	61-82-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007FR8	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-29	3/6/1989 0:00	N	62-53-3	Aniline	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	62-53-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	120-12-7	Anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	120-12-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007FR8F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007FR8	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	140-57-8	Aramite	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	140-57-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	12674-11-2	Aroclor-1016	1	ug/L	U	[NULL]	[NULL]	R	H0007FR8	12674-11-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	3/6/1989 0:00	N	11104-28-2	Aroclor-1221	1	ug/L	U	[NULL]	[NULL]	R	H0007FR8	11104-28-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	3/6/1989 0:00	N	11141-16-5	Aroclor-1232	1	ug/L	U	[NULL]	[NULL]	R	H0007FR8	11141-16-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	3/6/1989 0:00	N	53469-21-9	Aroclor-1242	1	ug/L	U	[NULL]	[NULL]	R	H0007FR8	53469-21-9	USTEST	8080_PESTPCB_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	3/6/1989 0:00	N	12672-29-6	Aroclor-1248	1	ug/L	U	[NULL]	[NULL]	R	H0007FR8	12672-29-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	3/6/1989 0:00	N	11097-69-1	Aroclor-1254	1	ug/L	U	[NULL]	[NULL]	R	H0007FR8	11097-69-1	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	3/6/1989 0:00	N	11096-82-5	Aroclor-1260	1	ug/L	U	[NULL]	[NULL]	R	H0007FR8	11096-82-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	3/6/1989 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007FR8	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-29	3/6/1989 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007FR8	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-29	3/6/1989 0:00	N	492-80-8	Auramine	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	492-80-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	7440-39-3	Barium	8	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FR8	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	Y	7440-39-3	Barium	9	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FR8F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	225-51-4	Benz[c]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	225-51-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	71-43-2	Benzene	5	ug/L	U	[NULL]	[NULL]	R	H0007FR8	71-43-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	108-98-5	Benzenethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	108-98-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	92-87-5	Benzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	92-87-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	56-55-3	Benzo(a)anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	56-55-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	50-32-8	Benzo(a)pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	50-32-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	205-99-2	Benzo(b)fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	205-99-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	191-24-2	Benzo(ghi)perylene	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	191-24-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	207-08-9	Benzo(k)fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	207-08-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	205-82-3	Benzo[j]fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	205-82-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	100-51-6	Benzyl alcohol	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	100-51-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	100-44-7	Benzyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	100-44-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007FR8	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007FR8F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	111-91-1	Bis(2-Chloroethoxy)methane	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	111-91-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	108-60-1	Bis(2-chloro-1-methylethyl)ether	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	108-60-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	111-44-4	Bis(2-chloroethyl) ether	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	111-44-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	117-81-7	Bis(2-ethylhexyl) phthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	117-81-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	542-88-1	Bis(chloromethyl) ether	5	ug/L	U	[NULL]	[NULL]	R	H0007FR8	542-88-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	Y	7440-42-8	Boron	20	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FR8F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	7440-42-8	Boron	18	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FR8	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007FR8	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-29	3/6/1989 0:00	N	598-31-2	Bromoacetone	5	ug/L	U	[NULL]	[NULL]	R	H0007FR8	598-31-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	75-27-4	Bromodichloromethane	5	ug/L	U	[NULL]	[NULL]	R	H0007FR8	75-27-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	75-25-2	Bromoform	5	ug/L	U	[NULL]	[NULL]	R	H0007FR8	75-25-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	74-83-9	Bromomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	74-83-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	85-68-7	Butylbenzylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	85-68-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007FR8F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007FR8	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	Y	7440-70-2	Calcium	20100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FR8F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	7440-70-2	Calcium	19400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FR8	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	75-15-0	Carbon disulfide	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	75-15-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007FR8	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	786-19-6	Carbophenothion	2	ug/L	U	[NULL]	[NULL]	R	H0007FR8	786-19-6	USTEST	8140_PEST_GC	100-NR-2
199-N-29	3/6/1989 0:00	N	10045-97-3	Cesium-137	1.68	pCi/L	U	[NULL]	[NULL]	R	H0007FR8	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	3/6/1989 0:00	N	57-74-9	Chlordane	1	ug/L	U	[NULL]	[NULL]	R	H0007FR8	57-74-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	3/6/1989 0:00	N	16887-00-6	Chloride	900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FR8	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-29	3/6/1989 0:00	N	494-03-1	Chlornaphazine	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	494-03-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	B44	Chloroalkyl ethers	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	B44	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	108-90-7	Chlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007FR8	108-90-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	108-90-7	Chlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	108-90-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	510-15-6	Chlorobenzilate	300	ug/L	U	[NULL]	[NULL]	R	H0007FR8	510-15-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	3/6/1989 0:00	N	75-00-3	Chloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	75-00-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	67-66-3	Chloroform	3	ug/L	U	[NULL]	[NULL]	R	H0007FR8	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	3/6/1989 0:00	N	74-87-3	Chloromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	74-87-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	107-30-2	Chloromethyl methyl ether	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	107-30-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	218-01-9	Chrysene	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	218-01-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	6358-53-8	Citrus red No. 2	1000	ug/L	U	[NULL]	[NULL]	R	H0007FR8	6358-53-8	USTEST	CITRUS_RED	100-NR-2
199-N-29	3/6/1989 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007FR8F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007FR8	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	10198-40-0	Cobalt-60	31.3	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007FR8	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	3/6/1989 0:00	N	COLIFORM	Coliform Bacteria	2.2	MPN	U	[NULL]	[NULL]	R	H0007FR8	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-29	3/6/1989 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	4170-30-3	Crotonaldehyde	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	4170-30-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	57-12-5	Cyanide	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	57-12-5	USTEST	9010_CYANIDE	100-NR-2
199-N-29	3/6/1989 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FR8	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	3/6/1989 0:00	N	84-74-2	Di-n-butylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	84-74-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	117-84-0	Di-n-octylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	117-84-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	2303-16-4	Diallate	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	2303-16-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	226-36-8	Dibenz[a,h]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	226-36-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	53-70-3	Dibenz[a,h]anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	53-70-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	224-42-0	Dibenz[a,j]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	224-42-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	192-65-4	Dibenzo[a,e]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	192-65-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	189-64-0	Dibenzo[a,h]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	189-64-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	189-55-9	Dibenzo[a,i]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	189-55-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	132-64-9	Dibenzofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	132-64-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	124-48-1	Dibromochloromethane	5	ug/L	U	[NULL]	[NULL]	R	H0007FR8	124-48-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	74-95-3	Dibromomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	74-95-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	107-66-4	Dibutylphosphate	10000	ug/L	U	[NULL]	[NULL]	R	H0007FR8	107-66-4	USTEST	70-MDBP	100-NR-2
199-N-29	3/6/1989 0:00	N	75-71-8	Dichlorodifluoromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	75-71-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	98-87-3	Dichloromethyl-benzene	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	98-87-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	60-57-1	Dieldrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FR8	60-57-1	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	3/6/1989 0:00	N	84-66-2	Diethylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	84-66-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	56-53-1	Diethylstilbesterol	200	ug/L	U	[NULL]	[NULL]	R	H0007FR8	56-53-1	USTEST	8330_THIOUREA_M	100-NR-2
199-N-29	3/6/1989 0:00	N	94-58-6	Dihydrosafrole	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	94-58-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	60-51-5	Dimethoate	2	ug/L	U	[NULL]	[NULL]	R	H0007FR8	60-51-5	USTEST	8140_PEST_GC	100-NR-2
199-N-29	3/6/1989 0:00	N	131-11-3	Dimethyl phthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	131-11-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	88-85-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	122-39-4	Diphenylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	122-39-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	298-04-4	Disulfoton	2	ug/L	U	[NULL]	[NULL]	R	H0007FR8	298-04-4	USTEST	8140_PEST_GC	100-NR-2
199-N-29	3/6/1989 0:00	N	959-98-8	Endosulfan I	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FR8	959-98-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	3/6/1989 0:00	N	33213-65-9	Endosulfan II	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FR8	33213-65-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	3/6/1989 0:00	N	1031-07-8	Endosulfan sulfate	0.5	ug/L	U	[NULL]	[NULL]	R	H0007FR8	1031-07-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	3/6/1989 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FR8	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	3/6/1989 0:00	N	64-17-5	Ethanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007FR8	64-17-5	USTEST	GC_DIRECT	100-NR-2
199-N-29	3/6/1989 0:00	N	51-79-6	Ethyl carbamate (Urethane)	10000	ug/L	U	[NULL]	[NULL]	R	H0007FR8	51-79-6	USTEST	GC_DIRECT	100-NR-2
199-N-29	3/6/1989 0:00	N	107-12-0	Ethyl cyanide	10000	ug/L	U	[NULL]	[NULL]	R	H0007FR8	107-12-0	USTEST	GC_DIRECT	100-NR-2
199-N-29	3/6/1989 0:00	N	107-12-0	Ethyl cyanide	5	ug/L	U	[NULL]	[NULL]	R	H0007FR8	107-12-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	97-63-2	Ethyl methacrylate	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	97-63-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	62-50-0	Ethyl methanesulfonate	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	62-50-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	100-41-4	Ethylbenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007FR8	100-41-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	107-21-1	Ethylene glycol	10000	ug/L	U	[NULL]	[NULL]	R	H0007FR8	107-21-1	USTEST	GC_DIRECT	100-NR-2
199-N-29	3/6/1989 0:00	N	75-21-8	Ethylene oxide	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	75-21-8	USTEST	8240_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	3/6/1989 0:00	N	151-56-4	Ethyleneimine	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	151-56-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	96-45-7	Ethylenethiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007FR8	96-45-7	USTEST	8330_THIOUREA_M	100-NR-2
199-N-29	3/6/1989 0:00	N	206-44-0	Fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	206-44-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	86-73-7	Fluorene	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	86-73-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007FR8	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-29	3/6/1989 0:00	N	50-00-0	Formaldehyde	500	ug/L	U	[NULL]	[NULL]	R	H0007FR8	50-00-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FR8	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	3/6/1989 0:00	N	12587-47-2	Gross beta	463	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007FR8	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	3/6/1989 0:00	N	76-44-8	Heptachlor	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FR8	76-44-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	3/6/1989 0:00	N	1024-57-3	Heptachlor epoxide	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FR8	1024-57-3	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	3/6/1989 0:00	N	118-74-1	Hexachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	118-74-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	87-68-3	Hexachlorobutadiene	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	87-68-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	77-47-4	Hexachlorocyclopentadiene	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	77-47-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	67-72-1	Hexachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	67-72-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	70-30-4	Hexachlorophene	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	70-30-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	1888-71-7	Hexachloropropene	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	1888-71-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	193-39-5	Indeno(1,2,3-cd)pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	193-39-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	74-88-4	Iodomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	74-88-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007FR8F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	7439-89-6	Iron	73	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FR8	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	78-83-1	Isobutyl alcohol	10000	ug/L	U	[NULL]	[NULL]	R	H0007FR8	78-83-1	USTEST	GC_DIRECT	100-NR-2
199-N-29	3/6/1989 0:00	N	465-73-6	Isodrin	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	465-73-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	78-59-1	Isophorone	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	78-59-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	120-58-1	Isosafrole	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	120-58-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	143-50-0	Kepone	1	ug/L	U	[NULL]	[NULL]	R	H0007FR8	143-50-0	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	3/6/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007FR8	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-29	3/6/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007FR8	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-29	3/6/1989 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	7439-95-4	Magnesium	3100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FR8	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	Y	7439-95-4	Magnesium	3290	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FR8F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	123-33-1	Maleic hydrazide	500	ug/L	U	[NULL]	[NULL]	R	H0007FR8	123-33-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	109-77-3	Malononitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	109-77-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007FR8F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007FR8	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	148-82-3	Melphalan	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	148-82-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FR8	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-29	3/6/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FR8	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-29	3/6/1989 0:00	N	126-98-7	Methacrylonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	126-98-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	74-93-1	Methanethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	74-93-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	91-80-5	Methapyrilene	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	91-80-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	16752-77-5	Metholonyl	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	16752-77-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007FR8	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	3/6/1989 0:00	N	80-62-6	Methyl methacrylate	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	80-62-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	66-27-3	Methyl methanesulfonate	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	66-27-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	298-00-0	Methyl parathion	2	ug/L	U	[NULL]	[NULL]	R	H0007FR8	298-00-0	USTEST	8140_PEST_GC	100-NR-2
199-N-29	3/6/1989 0:00	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	H0007FR8	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	56-04-2	Methylthiouracil	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	56-04-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007FR8F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007FR8	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	1623-15-0	Monobutyl phosphate	10000	ug/L	U	[NULL]	[NULL]	R	H0007FR8	1623-15-0	USTEST	70-MDBP	100-NR-2
199-N-29	3/6/1989 0:00	N	91-20-3	Naphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	91-20-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	3/6/1989 0:00	N	59-67-6	Nicotinic acid	100	ug/L	U	[NULL]	[NULL]	R	H0007FR8	59-67-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	14797-55-8	Nitrate	5400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FR8	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-29	3/6/1989 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007FR8	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-29	3/6/1989 0:00	N	98-95-3	Nitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	98-95-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	930-55-2	Nitrosopyrrolidine	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	930-55-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	126-68-1	O,O,O-Triethyl phosphorothioate	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	126-68-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	297-97-2	O,O-Diethyl O-2-pyrazinyl phosphorothioate	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	297-97-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	123-63-7	Paraldehyde	10000	ug/L	U	[NULL]	[NULL]	R	H0007FR8	123-63-7	USTEST	GC_DIRECT	100-NR-2
199-N-29	3/6/1989 0:00	N	56-38-2	Parathion	2	ug/L	U	[NULL]	[NULL]	R	H0007FR8	56-38-2	USTEST	8140_PEST_GC	100-NR-2
199-N-29	3/6/1989 0:00	N	608-93-5	Pentachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	608-93-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	76-01-7	Pentachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	76-01-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	82-68-8	Pentachloronitrobenzene (PCNB)	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	82-68-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	87-86-5	Pentachlorophenol	50	ug/L	U	[NULL]	[NULL]	R	H0007FR8	87-86-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	62-44-2	Phenacetin	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	62-44-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	85-01-8	Phenanthrene	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	85-01-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	108-95-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	25265-76-3	Phenylenediamine	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	25265-76-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	298-02-2	Phorate	2	ug/L	U	[NULL]	[NULL]	R	H0007FR8	298-02-2	USTEST	8140_PEST_GC	100-NR-2
199-N-29	3/6/1989 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007FR8	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-29	3/6/1989 0:00	N	C31	Phthalic acid esters	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	C31	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	136677-09-3	Polychlorinated dibenzo-p-dioxins	0.01	ug/L	U	[NULL]	[NULL]	R	H0007FR8	136677-09-3	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	136677-10-6	Polychlorinated dibenzofurans	0.01	ug/L	U	[NULL]	[NULL]	R	H0007FR8	136677-10-6	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	7440-09-7	Potassium	1330	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FR8	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	Y	7440-09-7	Potassium	1420	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FR8F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	23950-58-5	Pronamide	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	23950-58-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	129-00-0	Pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	129-00-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	110-86-1	Pyridine	500	ug/L	U	[NULL]	[NULL]	R	H0007FR8	110-86-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	7440-14-4	Radium	-0.0177	pCi/L	U	[NULL]	[NULL]	R	H0007FR8	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	3/6/1989 0:00	N	50-55-5	Reserpine	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	50-55-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	108-46-3	Resorcinol	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	108-46-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	13967-48-1	Ruthenium-106	13.9	pCi/L	U	[NULL]	[NULL]	R	H0007FR8	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	3/6/1989 0:00	N	94-59-7	Safrol	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	94-59-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007FR8	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-29	3/6/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007FR8	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-29	3/6/1989 0:00	Y	7440-21-3	Silicon	5100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FR8F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	7440-21-3	Silicon	4900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FR8	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	7440-23-5	Sodium	1140	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FR8	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	Y	7440-23-5	Sodium	1230	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FR8F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	CONDUCT	Specific Conductance	131	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FR9	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-29	3/6/1989 0:00	N	CONDUCT	Specific Conductance	131	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FS1	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-29	3/6/1989 0:00	N	CONDUCT	Specific Conductance	133	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FS0	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-29	3/6/1989 0:00	N	CONDUCT	Specific Conductance	114.6	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FS0	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-29	3/6/1989 0:00	N	CONDUCT	Specific Conductance	114.6	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FR9	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-29	3/6/1989 0:00	N	CONDUCT	Specific Conductance	114.6	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FS1	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-29	3/6/1989 0:00	N	CONDUCT	Specific Conductance	133	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FR8	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-29	3/6/1989 0:00	N	CONDUCT	Specific Conductance	114.4	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FR8	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-29	3/6/1989 0:00	Y	7440-24-6	Strontium	86	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FR8F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	3/6/1989 0:00	N	7440-24-6	Strontium	82	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FR8	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	10098-97-2	Strontium-90	591	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007FR8	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	3/6/1989 0:00	N	57-24-9	Strychnine	50	ug/L	U	[NULL]	[NULL]	R	H0007FR8	57-24-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	100-42-5	Styrene	5	ug/L	U	[NULL]	[NULL]	R	H0007FR8	100-42-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	14808-79-8	Sulfate	12500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FR8	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-29	3/6/1989 0:00	N	18496-25-8	Sulfide	1000	ug/L	U	[NULL]	[NULL]	R	H0007FR8	18496-25-8	USTEST	9030_SULFIDE	100-NR-2
199-N-29	3/6/1989 0:00	N	TEMPERATURE	Temperature	14	Deg C	[NULL]	[NULL]	[NULL]	R	H000G315	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-29	3/6/1989 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007FR8	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	107-49-3	Tetraethylpyrophosphate	2	ug/L	U	[NULL]	[NULL]	R	H0007FR8	107-49-3	USTEST	8140_PEST_GC	100-NR-2
199-N-29	3/6/1989 0:00	N	109-99-9	Tetrahydrofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	109-99-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	H0007FR8	7440-28-0	USTEST	7841_TL_GFAA	100-NR-2
199-N-29	3/6/1989 0:00	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	H0007FR8	7440-28-0	USTEST	UNKNOWN_METALS	100-NR-2
199-N-29	3/6/1989 0:00	N	39196-18-4	Thiofanox	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	39196-18-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	62-56-6	Thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007FR8	62-56-6	USTEST	8330_THIOUREA_M	100-NR-2
199-N-29	3/6/1989 0:00	N	137-26-8	Thiuram	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	137-26-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007FR8	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007FR8F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007FR8F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007FR8	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	108-88-3	Toluene	5	ug/L	U	[NULL]	[NULL]	R	H0007FR8	108-88-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	25376-45-8	Toluenediamine	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	25376-45-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	TC	Total carbon	12000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FR8	TC	USTEST	D2579A_CARBON	100-NR-2
199-N-29	3/6/1989 0:00	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	1319-77-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007FR8	TOC	USTEST	9060_TOC	100-NR-2
199-N-29	3/6/1989 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007FS1	TOC	USTEST	9060_TOC	100-NR-2
199-N-29	3/6/1989 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007FS0	TOC	USTEST	9060_TOC	100-NR-2
199-N-29	3/6/1989 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007FR9	TOC	USTEST	9060_TOC	100-NR-2
199-N-29	3/6/1989 0:00	N	59473-04-0	Total organic halides	82	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FR9	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-29	3/6/1989 0:00	N	59473-04-0	Total organic halides	97	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FS1	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-29	3/6/1989 0:00	N	59473-04-0	Total organic halides	90	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FR8	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-29	3/6/1989 0:00	N	59473-04-0	Total organic halides	90	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FS0	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-29	3/6/1989 0:00	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	10000	ug/L	U	[NULL]	[NULL]	R	H0007FR8	TPHKEROSENE	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007FR8	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	3/6/1989 0:00	N	126-73-8	Tributyl phosphate	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	126-73-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007FR8	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	75-70-7	Trichloromethanethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	75-70-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	75-69-4	Trichloromonofluoromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	75-69-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	126-72-7	Tris(2,3-dibromopropyl) phosphate	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	126-72-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	10028-17-8	Tritium	38900	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007FR8	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	3/6/1989 0:00	N	7440-61-1	Uranium	0.699	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FR8	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	3/6/1989 0:00	Y	7440-62-2	Vanadium	6	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FR8F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007FR8	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	108-05-4	Vinyl acetate	5	ug/L	U	[NULL]	[NULL]	R	H0007FR8	108-05-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	75-01-4	Vinyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	75-01-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	81-81-2	Warfarin	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	81-81-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007FR8	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007FR8F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007FR8	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007FR8F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	3/6/1989 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007FR8	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	3/6/1989 0:00	N	122-09-8	alpha,alpha-Dimethylphenethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	122-09-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FR8	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	3/6/1989 0:00	N	99-65-0	m-Dinitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	99-65-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	616-40-0	n,n-Diethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	616-40-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	615-53-2	n-Nitroso-N-methylurethane	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	615-53-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	924-16-3	n-Nitrosodi-n-butylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	924-16-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	621-64-7	n-Nitrosodi-n-dipropylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	621-64-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	1116-54-7	n-Nitrosodiethanolamine	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	1116-54-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	55-18-5	n-Nitrosodiethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	55-18-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	62-75-9	n-Nitrosodimethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	62-75-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	86-30-6	n-Nitrosodiphenylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	86-30-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	10595-95-6	n-Nitrosomethylethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	10595-95-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	4549-40-0	n-Nitrosomethylvinylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	4549-40-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	59-89-2	n-Nitrosomorpholine	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	59-89-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	16543-55-8	n-Nitrosonornicotine	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	16543-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	100-75-4	n-Nitrosopiperidine	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	100-75-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	103-85-5	n-Phenylthiourea	500	ug/L	U	[NULL]	[NULL]	R	H0007FR8	103-85-5	USTEST	8330_THIOUREA_M	100-NR-2
199-N-29	3/6/1989 0:00	N	107-10-8	n-Propylamine	10000	ug/L	U	[NULL]	[NULL]	R	H0007FR8	107-10-8	USTEST	GC_DIRECT	100-NR-2
199-N-29	3/6/1989 0:00	N	636-21-5	o-Toluidine hydrochloride	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	636-21-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	106-51-4	p-Benzoquinone	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	106-51-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	60-11-7	p-Dimethylaminoazobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	60-11-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	PH	pH Measurement	8.19	unitless	[NULL]	[NULL]	[NULL]	R	H0007FS0	PH	USTEST	9040_PH	100-NR-2
199-N-29	3/6/1989 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007FS1	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-29	3/6/1989 0:00	N	PH	pH Measurement	8.19	unitless	[NULL]	[NULL]	[NULL]	R	H0007FR9	PH	USTEST	9040_PH	100-NR-2
199-N-29	3/6/1989 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007FR9	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-29	3/6/1989 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007FS0	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-29	3/6/1989 0:00	N	PH	pH Measurement	8.17	unitless	[NULL]	[NULL]	[NULL]	R	H0007FR8	PH	USTEST	9040_PH	100-NR-2
199-N-29	3/6/1989 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007FR8	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-29	3/6/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007FS1	PH	USTEST	9040_PH	100-NR-2
199-N-29	3/6/1989 0:00	N	99-35-4	sym-Trinitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	99-35-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	156-60-5	trans-1,2-Dichloroethylene	5	ug/L	U	[NULL]	[NULL]	R	H0007FR8	156-60-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	3/6/1989 0:00	N	110-57-6	trans-1,4-Dichloro-2-butene	10	ug/L	U	[NULL]	[NULL]	R	H0007FR8	110-57-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	5/5/1989 0:00	N	CONDUCT	Specific Conductance	126	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FS7	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-29	5/5/1989 0:00	N	CONDUCT	Specific Conductance	167	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FS4	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-29	5/5/1989 0:00	N	CONDUCT	Specific Conductance	167	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FS3	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-29	5/5/1989 0:00	N	CONDUCT	Specific Conductance	152.2	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FS2	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-29	5/5/1989 0:00	N	CONDUCT	Specific Conductance	127	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FS8	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-29	5/5/1989 0:00	N	CONDUCT	Specific Conductance	128	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FS2	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-29	5/5/1989 0:00	N	CONDUCT	Specific Conductance	169	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FS6	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-29	5/5/1989 0:00	N	CONDUCT	Specific Conductance	128	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FS9	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-29	5/5/1989 0:00	N	CONDUCT	Specific Conductance	172	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FS5	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-29	5/5/1989 0:00	N	TEMPERATURE	Temperature	15	Deg C	[NULL]	[NULL]	[NULL]	R	H000GKL2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-29	5/5/1989 0:00	N	59473-04-0	Total organic halides	12.6	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FS3	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-29	5/5/1989 0:00	N	59473-04-0	Total organic halides	18	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FS9	59473-04-0	USTEST	9020_TOX	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	5/5/1989 0:00	N	59473-04-0	Total organic halides	17	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FS8	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-29	5/5/1989 0:00	N	59473-04-0	Total organic halides	11.1	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FS6	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-29	5/5/1989 0:00	N	59473-04-0	Total organic halides	10	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FS2	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-29	5/5/1989 0:00	N	59473-04-0	Total organic halides	15	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FS7	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-29	5/5/1989 0:00	N	59473-04-0	Total organic halides	10.8	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FS5	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-29	5/5/1989 0:00	N	59473-04-0	Total organic halides	13.4	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FS4	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-29	5/5/1989 0:00	N	PH	pH Measurement	7.92	unitless	[NULL]	[NULL]	[NULL]	R	H0007FS5	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-29	5/5/1989 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007FS8	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-29	5/5/1989 0:00	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	H0007FS2	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-29	5/5/1989 0:00	N	PH	pH Measurement	7.85	unitless	[NULL]	[NULL]	[NULL]	R	H0007FS6	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-29	5/5/1989 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007FS9	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-29	5/5/1989 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007FS7	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-29	5/5/1989 0:00	N	PH	pH Measurement	7.98	unitless	[NULL]	[NULL]	[NULL]	R	H0007FS4	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-29	5/5/1989 0:00	N	PH	pH Measurement	8.05	unitless	[NULL]	[NULL]	[NULL]	R	H0007FS3	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-29	6/27/1989 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007FT1	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	6/27/1989 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007FT1	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	6/27/1989 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007FT1	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	6/27/1989 0:00	N	75-34-3	1,1-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007FT1	75-34-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	6/27/1989 0:00	N	107-06-2	1,2-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007FT1	107-06-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	6/27/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007FT1	106-46-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	6/27/1989 0:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007FT1	93-76-5	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-29	6/27/1989 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007FT1	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-29	6/27/1989 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007FT1	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-29	6/27/1989 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007FT1	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	6/27/1989 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007FT1	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	6/27/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007FT1	67-64-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	6/27/1989 0:00	N	ALPHAHI	Alpha	1.68	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007FT1	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	6/27/1989 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FT1	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	6/27/1989 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007FT1F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007FT1	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007FT1	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-29	6/27/1989 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007FT1	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007FT1F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007FT1	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-29	6/27/1989 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007FT1	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-29	6/27/1989 0:00	N	7440-39-3	Barium	9	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT1	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	Y	7440-39-3	Barium	8	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT1F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	N	71-43-2	Benzene	5	ug/L	U	[NULL]	[NULL]	R	H0007FT1	71-43-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	6/27/1989 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007FT1F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007FT1	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	N	7440-42-8	Boron	20	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT1	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	Y	7440-42-8	Boron	17	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT1F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007FT1	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-29	6/27/1989 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007FT1	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007FT1F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	Y	7440-70-2	Calcium	22000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT1F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	N	7440-70-2	Calcium	22000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT1	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007FT1	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	6/27/1989 0:00	N	14762-75-5	Carbon-14	1.08	pCi/L	U	[NULL]	[NULL]	R	H0007FT0	14762-75-5	USTEST	UST_RAD_CNT_LSC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	6/27/1989 0:00	N	10045-97-3	Cesium-137	-3.34	pCi/L	U	[NULL]	[NULL]	R	H0007FT1	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	6/27/1989 0:00	N	16887-00-6	Chloride	1200	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT1	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-29	6/27/1989 0:00	N	67-66-3	Chloroform	5	ug/L	U	[NULL]	[NULL]	R	H0007FT1	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	6/27/1989 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007FT1	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007FT1F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007FT1	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007FT1F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	N	10198-40-0	Cobalt-60	24.2	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007FT1	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	6/27/1989 0:00	N	COLIFORM	Coliform Bacteria	2.2	MPN	U	[NULL]	[NULL]	R	H0007FT1	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-29	6/27/1989 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007FT1F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007FT1	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FT1	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	6/27/1989 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FT1	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	6/27/1989 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007FT1	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-29	6/27/1989 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FT1	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	6/27/1989 0:00	N	12587-47-2	Gross beta	2970	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007FT1	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	6/27/1989 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007FT1	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-29	6/27/1989 0:00	N	15046-84-1	Iodine-129	0.00335	pCi/L	U	[NULL]	[NULL]	R	H0007FT0	15046-84-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	6/27/1989 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007FT1F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	N	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007FT1	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007FT1	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-29	6/27/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007FT1	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-29	6/27/1989 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007FT1	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007FT1F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	Y	7439-95-4	Magnesium	3180	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT1F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	N	7439-95-4	Magnesium	3160	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT1	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007FT1F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007FT1	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FT1	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-29	6/27/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FT1	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-29	6/27/1989 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007FT1	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	6/27/1989 0:00	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	H0007FT1	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	6/27/1989 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007FT1	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007FT1F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007FT1	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007FT1F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	N	13981-37-8	Nickel-63	5.01	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007FT0	13981-37-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	6/27/1989 0:00	N	14797-55-8	Nitrate	2200	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT1	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-29	6/27/1989 0:00	N	14797-55-8	Nitrate	2500	ug/L	U	[NULL]	[NULL]	R	H0007FT0	14797-55-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-29	6/27/1989 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007FT1	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-29	6/27/1989 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007FT1	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2
199-N-29	6/27/1989 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007FT1	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-29	6/27/1989 0:00	N	7440-09-7	Potassium	1330	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT1	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	Y	7440-09-7	Potassium	1320	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT1F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	N	7440-14-4	Radium	-0.028	pCi/L	U	[NULL]	[NULL]	R	H0007FT1	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	6/27/1989 0:00	N	13967-48-1	Ruthenium-106	-3.46	pCi/L	U	[NULL]	[NULL]	R	H0007FT1	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	6/27/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007FT1	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-29	6/27/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007FT1	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-29	6/27/1989 0:00	N	7440-21-3	Silicon	5130	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT1	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	Y	7440-21-3	Silicon	5150	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT1F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007FT1	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007FT1F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	N	7440-23-5	Sodium	2030	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT1	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	Y	7440-23-5	Sodium	2060	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT1F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	N	CONDUCT	Specific Conductance	137	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FT4	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	6/27/1989 0:00	N	CONDUCT	Specific Conductance	137	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FT2	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-29	6/27/1989 0:00	N	CONDUCT	Specific Conductance	136	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FT3	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-29	6/27/1989 0:00	N	CONDUCT	Specific Conductance	140	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FT2	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-29	6/27/1989 0:00	N	CONDUCT	Specific Conductance	137	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FT1	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-29	6/27/1989 0:00	N	CONDUCT	Specific Conductance	135	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FT1	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-29	6/27/1989 0:00	N	CONDUCT	Specific Conductance	135	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FT3	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-29	6/27/1989 0:00	N	CONDUCT	Specific Conductance	131	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FT4	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-29	6/27/1989 0:00	Y	7440-24-6	Strontium	86	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT1F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	N	7440-24-6	Strontium	85	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT1	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	N	10098-97-2	Strontium-90	1750	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007FT1	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	6/27/1989 0:00	N	14808-79-8	Sulfate	10600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT1	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-29	6/27/1989 0:00	N	14133-76-7	Technetium-99	5.1	pCi/L	U	[NULL]	[NULL]	R	H0007FT0	14133-76-7	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	6/27/1989 0:00	N	TEMPERATURE	Temperature	15.3	Deg C	[NULL]	[NULL]	[NULL]	R	H000GNL2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-29	6/27/1989 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007FT1	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	6/27/1989 0:00	N	109-99-9	Tetrahydrofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007FT1	109-99-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	6/27/1989 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007FT1F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007FT1	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007FT1F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007FT1	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	N	108-88-3	Toluene	5	ug/L	U	[NULL]	[NULL]	R	H0007FT1	108-88-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	6/27/1989 0:00	N	TOC	Total organic carbon	900	ug/L	U	[NULL]	[NULL]	R	H0007FT2	TOC	USTEST	9060_TOC	100-NR-2
199-N-29	6/27/1989 0:00	N	TOC	Total organic carbon	1200	ug/L	U	[NULL]	[NULL]	R	H0007FT4	TOC	USTEST	9060_TOC	100-NR-2
199-N-29	6/27/1989 0:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	H0007FT3	TOC	USTEST	9060_TOC	100-NR-2
199-N-29	6/27/1989 0:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	H0007FT1	TOC	USTEST	9060_TOC	100-NR-2
199-N-29	6/27/1989 0:00	N	59473-04-0	Total organic halides	6	ug/L	U	[NULL]	[NULL]	R	H0007FT3	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-29	6/27/1989 0:00	N	59473-04-0	Total organic halides	7	ug/L	U	[NULL]	[NULL]	R	H0007FT4	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-29	6/27/1989 0:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	H0007FT2	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-29	6/27/1989 0:00	N	59473-04-0	Total organic halides	6	ug/L	U	[NULL]	[NULL]	R	H0007FT1	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-29	6/27/1989 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007FT1	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	6/27/1989 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007FT1	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	6/27/1989 0:00	N	10028-17-8	Tritium	4890	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007FT1	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	6/27/1989 0:00	N	TURBIDITY	Turbidity	0.1	NTU	U	[NULL]	[NULL]	R	H0007FT1	TURBIDITY	USTEST	214A_TURBIDITY	100-NR-2
199-N-29	6/27/1989 0:00	N	7440-61-1	Uranium	0.888	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT1	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	6/27/1989 0:00	Y	7440-62-2	Vanadium	9	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT1F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	N	7440-62-2	Vanadium	7	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT1	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	N	75-01-4	Vinyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007FT1	75-01-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	6/27/1989 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007FT1	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	6/27/1989 0:00	N	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007FT1	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007FT1F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007FT1	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007FT1F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	6/27/1989 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FT1	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	6/27/1989 0:00	N	PH	pH Measurement	8.48	unitless	[NULL]	[NULL]	[NULL]	R	H0007FT1	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-29	6/27/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007FT3	PH	USTEST	9040_PH	100-NR-2
199-N-29	6/27/1989 0:00	N	PH	pH Measurement	8.68	unitless	[NULL]	[NULL]	[NULL]	R	H0007FT4	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-29	6/27/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007FT2	PH	USTEST	9040_PH	100-NR-2
199-N-29	6/27/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007FT4	PH	USTEST	9040_PH	100-NR-2
199-N-29	6/27/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007FT1	PH	USTEST	9040_PH	100-NR-2
199-N-29	6/27/1989 0:00	N	PH	pH Measurement	8.71	unitless	[NULL]	[NULL]	[NULL]	R	H0007FT2	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-29	6/27/1989 0:00	N	PH	pH Measurement	8.75	unitless	[NULL]	[NULL]	[NULL]	R	H0007FT3	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-29	6/27/1989 0:00	N	156-60-5	trans-1,2-Dichloroethylene	5	ug/L	U	[NULL]	[NULL]	R	H0007FT1	156-60-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	11/29/1989 0:00	N	630-20-6	1,1,1,2-Tetrachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	630-20-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	79-34-5	1,1,2,2-Tetrachloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	79-34-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	75-34-3	1,1-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	75-34-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	75-35-4	1,1-Dichloroethene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	75-35-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	57-14-7	1,1-Dimethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	57-14-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	634-66-2	1,2,3,4-Tetrachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	634-66-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	634-90-2	1,2,3,5-Tetrachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	634-90-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	87-61-6	1,2,3-Trichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	87-61-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	96-18-4	1,2,3-Trichloropropane	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	96-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	95-94-3	1,2,4,5-Tetrachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	95-94-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	120-82-1	1,2,4-Trichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	120-82-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	96-12-8	1,2-Dibromo-3-chloropropane	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	96-12-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	106-93-4	1,2-Dibromoethane	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	106-93-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	95-50-1	1,2-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	95-50-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	107-06-2	1,2-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	107-06-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	78-87-5	1,2-Dichloropropane	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	78-87-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	540-73-8	1,2-Dimethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	540-73-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	122-66-7	1,2-Diphenylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	122-66-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	108-70-3	1,3,5-Trichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	108-70-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	541-73-1	1,3-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	541-73-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	542-75-6	1,3-Dichloropropene	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	542-75-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	106-46-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	106-46-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	123-91-1	1,4-Dioxane	500	ug/L	U	[NULL]	[NULL]	R	H0007FT5	123-91-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	130-15-4	1,4-Naphthoquinone	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	130-15-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	5344-82-1	1-(o-Chlorophenyl)thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007FT5	5344-82-1	USTEST	8330_THIOUREA_M	100-NR-2
199-N-29	11/29/1989 0:00	N	591-08-2	1-Acetyl-2-thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007FT5	591-08-2	USTEST	8330_THIOUREA_M	100-NR-2
199-N-29	11/29/1989 0:00	N	71-36-3	1-Butanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007FT5	71-36-3	USTEST	GC_DIRECT	100-NR-2
199-N-29	11/29/1989 0:00	N	L60	1-Butynol	10000	ug/L	U	[NULL]	[NULL]	R	H0007FT5	L60	USTEST	GC_DIRECT	100-NR-2
199-N-29	11/29/1989 0:00	N	106-89-8	1-Chloro-2,3-epoxypropane	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	106-89-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	86-88-4	1-Naphthyl-2-thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007FT5	86-88-4	USTEST	8330_THIOUREA_M	100-NR-2
199-N-29	11/29/1989 0:00	N	134-32-7	1-Naphthylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	134-32-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	71-23-8	1-Propanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007FT5	71-23-8	USTEST	GC_DIRECT	100-NR-2
199-N-29	11/29/1989 0:00	N	58-90-2	2,3,4,6-Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	58-90-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	1746-01-6	2,3,7,8-Tetrachlorodibenzo-p-dioxin	0.01	ug/L	U	[NULL]	[NULL]	R	H0007FT5	1746-01-6	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007FT5	93-76-5	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-29	11/29/1989 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007FT5	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-29	11/29/1989 0:00	N	95-95-4	2,4,5-Trichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	95-95-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	88-06-2	2,4,6-Trichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	88-06-2	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	11/29/1989 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007FT5	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-29	11/29/1989 0:00	N	120-83-2	2,4-Dichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	120-83-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	51-28-5	2,4-Dinitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	51-28-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	121-14-2	2,4-Dinitrotoluene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	121-14-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	87-65-0	2,6-Dichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	87-65-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	606-20-2	2,6-Dinitrotoluene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	606-20-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	53-96-3	2-Acetylaminofluorene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	53-96-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	110-75-8	2-Chloroethyl vinyl ether	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	110-75-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	91-58-7	2-Chloronaphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	91-58-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	95-57-8	2-Chlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	95-57-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	131-89-5	2-Cyclohexyl-4,6-dinitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	131-89-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	591-78-6	2-Hexanone	50	ug/L	U	[NULL]	[NULL]	R	H0007FT5	591-78-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	116-06-3	2-Methyl-2-(methylthio)propionaldehyde-o-(methylcarbonyl) ox	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	116-06-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	75-55-8	2-Methylaziridine	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	75-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	75-86-5	2-Methyllactonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	75-86-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	91-57-6	2-Methylnaphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	91-57-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	91-59-8	2-Naphthylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	91-59-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	88-74-4	2-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	88-74-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	88-75-5	2-Nitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	88-75-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	109-06-8	2-Picoline	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	109-06-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	107-19-7	2-Propyn-1-ol	10000	ug/L	U	[NULL]	[NULL]	R	H0007FT5	107-19-7	USTEST	GC_DIRECT	100-NR-2
199-N-29	11/29/1989 0:00	N	91-94-1	3,3'-Dichlorobenzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	91-94-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	119-90-4	3,3'-Dimethoxybenzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	119-90-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	119-93-7	3,3'-Dimethylbenzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	119-93-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	542-76-7	3-Chloropropionitrile	10000	ug/L	U	[NULL]	[NULL]	R	H0007FT5	542-76-7	USTEST	GC_DIRECT	100-NR-2
199-N-29	11/29/1989 0:00	N	56-49-5	3-Methylcholanthrene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	56-49-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	99-09-2	3-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	99-09-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	72-54-8	4,4'-DDD (Dichlorodiphenyldichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FT5	72-54-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	11/29/1989 0:00	N	72-55-9	4,4'-DDE (Dichlorodiphenyldichloroethylene)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FT5	72-55-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	11/29/1989 0:00	N	50-29-3	4,4'-DDT (Dichlorodiphenyltrichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FT5	50-29-3	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	11/29/1989 0:00	N	101-14-4	4,4'-Methylenebis(2-chloroaniline)	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	101-14-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	534-52-1	4,6-Dinitro-2-methylphenol	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	534-52-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	92-67-1	4-Aminobiphenyl	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	92-67-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	101-55-3	4-Bromophenylphenyl ether	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	101-55-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	59-50-7	4-Chloro-3-methylphenol	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	59-50-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	106-47-8	4-Chloroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	106-47-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	100-01-6	4-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	100-01-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	100-02-7	4-Nitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	100-02-7	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	11/29/1989 0:00	N	56-57-5	4-Nitroquinoline-1-oxide	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	56-57-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	2763-96-4	5-(Aminomethyl)-3-isoxazolol	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	2763-96-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	99-55-8	5-Nitro-o-toluidine	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	99-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	57-97-6	7,12-Dimethylbenz[a]anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	57-97-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	194-59-2	7H-Dibenzo[c,g]carbazole	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	194-59-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	83-32-9	Acenaphthene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	83-32-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	208-96-8	Acenaphthylene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	208-96-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	67-64-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	67-64-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	75-05-8	Acetonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	75-05-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	98-86-2	Acetophenone	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	98-86-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	107-02-8	Acrolein	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	107-02-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	79-06-1	Acrylamide	10000	ug/L	U	[NULL]	[NULL]	R	H0007FT5	79-06-1	USTEST	GC_DIRECT	100-NR-2
199-N-29	11/29/1989 0:00	N	107-13-1	Acrylonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	107-13-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	309-00-2	Aldrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FT5	309-00-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	11/29/1989 0:00	N	107-18-6	Allyl alcohol	10000	ug/L	U	[NULL]	[NULL]	R	H0007FT5	107-18-6	USTEST	GC_DIRECT	100-NR-2
199-N-29	11/29/1989 0:00	N	107-05-1	Allyl chloride	100	ug/L	U	[NULL]	[NULL]	R	H0007FT5	107-05-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	ALPHAHI	Alpha	1.19	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007FT5	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	11/29/1989 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FT5	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	11/29/1989 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007FT5F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007FT5	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	61-82-5	Amitrole	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	61-82-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007FT5	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-29	11/29/1989 0:00	N	62-53-3	Aniline	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	62-53-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	120-12-7	Anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	120-12-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007FT5F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007FT5	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	140-57-8	Aramite	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	140-57-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	12674-11-2	Aroclor-1016	1	ug/L	U	[NULL]	[NULL]	R	H0007FT5	12674-11-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	11/29/1989 0:00	N	11104-28-2	Aroclor-1221	1	ug/L	U	[NULL]	[NULL]	R	H0007FT5	11104-28-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	11/29/1989 0:00	N	11141-16-5	Aroclor-1232	1	ug/L	U	[NULL]	[NULL]	R	H0007FT5	11141-16-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	11/29/1989 0:00	N	53469-21-9	Aroclor-1242	1	ug/L	U	[NULL]	[NULL]	R	H0007FT5	53469-21-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	11/29/1989 0:00	N	12672-29-6	Aroclor-1248	1	ug/L	U	[NULL]	[NULL]	R	H0007FT5	12672-29-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	11/29/1989 0:00	N	11097-69-1	Aroclor-1254	1	ug/L	U	[NULL]	[NULL]	R	H0007FT5	11097-69-1	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	11/29/1989 0:00	N	11096-82-5	Aroclor-1260	1	ug/L	U	[NULL]	[NULL]	R	H0007FT5	11096-82-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	11/29/1989 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-29	11/29/1989 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-29	11/29/1989 0:00	N	492-80-8	Auramine	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	492-80-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	7440-39-3	Barium	11	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT5	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	Y	7440-39-3	Barium	10	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT5F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	225-51-4	Benz[c]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	225-51-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	71-43-2	Benzene	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	71-43-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	108-98-5	Benzenethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	108-98-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	92-87-5	Benzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	92-87-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	56-55-3	Benzo(a)anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	56-55-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	50-32-8	Benzo(a)pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	50-32-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	205-99-2	Benzo(b)fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	205-99-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	191-24-2	Benzo(ghi)perylene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	191-24-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	207-08-9	Benzo(k)fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	207-08-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	205-82-3	Benzo[j]fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	205-82-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	100-51-6	Benzyl alcohol	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	100-51-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	100-44-7	Benzyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	100-44-7	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	11/29/1989 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	111-91-1	Bis(2-Chloroethoxy)methane	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	111-91-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	108-60-1	Bis(2-chloro-1-methylethyl)ether	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	108-60-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	111-44-4	Bis(2-chloroethyl) ether	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	111-44-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	117-81-7	Bis(2-ethylhexyl) phthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	117-81-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	542-88-1	Bis(chloromethyl) ether	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	542-88-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	Y	7440-42-8	Boron	27	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT5F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	7440-42-8	Boron	27	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT5	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007FT5	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-29	11/29/1989 0:00	N	598-31-2	Bromoacetone	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	598-31-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	75-27-4	Bromodichloromethane	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	75-27-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	75-25-2	Bromoform	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	75-25-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	74-83-9	Bromomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	74-83-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	85-68-7	Butylbenzylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	85-68-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007FT5F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007FT5	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	7440-70-2	Calcium	23800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT5	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	Y	7440-70-2	Calcium	22700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT5F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	75-15-0	Carbon disulfide	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	75-15-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	786-19-6	Carbophenothion	2	ug/L	U	[NULL]	[NULL]	R	H0007FT5	786-19-6	USTEST	8140_PEST_GC	100-NR-2
199-N-29	11/29/1989 0:00	N	10045-97-3	Cesium-137	3.17	pCi/L	U	[NULL]	[NULL]	R	H0007FT5	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	11/29/1989 0:00	N	57-74-9	Chlordane	1	ug/L	U	[NULL]	[NULL]	R	H0007FT5	57-74-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	11/29/1989 0:00	N	16887-00-6	Chloride	1500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT5	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-29	11/29/1989 0:00	N	494-03-1	Chlornaphazine	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	494-03-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	B44	Chloroalkyl ethers	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	B44	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	108-90-7	Chlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	108-90-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	108-90-7	Chlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	108-90-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	510-15-6	Chlorobenzilate	300	ug/L	U	[NULL]	[NULL]	R	H0007FT5	510-15-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	11/29/1989 0:00	N	75-00-3	Chloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	75-00-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	67-66-3	Chloroform	14	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT5	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	74-87-3	Chloromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	74-87-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	107-30-2	Chloromethyl methyl ether	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	107-30-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	218-01-9	Chrysene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	218-01-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	6358-53-8	Citrus red No. 2	1000	ug/L	U	[NULL]	[NULL]	R	H0007FT5	6358-53-8	USTEST	CITRUS_RED	100-NR-2
199-N-29	11/29/1989 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007FT5F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007FT5	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	10198-40-0	Cobalt-60	11.7	pCi/L	U	[NULL]	[NULL]	R	H0007FT5	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	11/29/1989 0:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	H0007FT5	COLIFORM	USTEST	9222B_COLIFORM	100-NR-2
199-N-29	11/29/1989 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	4170-30-3	Crotonaldehyde	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	4170-30-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	57-12-5	Cyanide	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	57-12-5	USTEST	9010_CYANIDE	100-NR-2
199-N-29	11/29/1989 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FT5	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	11/29/1989 0:00	N	84-74-2	Di-n-butylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	84-74-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	117-84-0	Di-n-octylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	117-84-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	2303-16-4	Diallate	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	2303-16-4	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	11/29/1989 0:00	N	226-36-8	Dibenz[a,h]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	226-36-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	53-70-3	Dibenz[a,h]anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	53-70-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	224-42-0	Dibenz[a,j]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	224-42-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	192-65-4	Dibenzo[a,e]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	192-65-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	189-64-0	Dibenzo[a,h]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	189-64-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	189-55-9	Dibenzo[a,i]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	189-55-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	132-64-9	Dibenzofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	132-64-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	124-48-1	Dibromochloromethane	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	124-48-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	74-95-3	Dibromomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	74-95-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	107-66-4	Dibutylphosphate	10000	ug/L	U	[NULL]	[NULL]	R	H0007FT5	107-66-4	USTEST	70-MDBP	100-NR-2
199-N-29	11/29/1989 0:00	N	75-71-8	Dichlorodifluoromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	75-71-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	98-87-3	Dichloromethyl-benzene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	98-87-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	60-57-1	Dieldrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FT5	60-57-1	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	11/29/1989 0:00	N	84-66-2	Diethylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	84-66-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	56-53-1	Diethylstilbesterol	200	ug/L	U	[NULL]	[NULL]	R	H0007FT5	56-53-1	USTEST	8330_THIOUREA_M	100-NR-2
199-N-29	11/29/1989 0:00	N	94-58-6	Dihydrosafrole	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	94-58-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	60-51-5	Dimethoate	2	ug/L	U	[NULL]	[NULL]	R	H0007FT5	60-51-5	USTEST	8140_PEST_GC	100-NR-2
199-N-29	11/29/1989 0:00	N	131-11-3	Dimethyl phthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	131-11-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	88-85-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	122-39-4	Diphenylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	122-39-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	298-04-4	Disulfoton	2	ug/L	U	[NULL]	[NULL]	R	H0007FT5	298-04-4	USTEST	8140_PEST_GC	100-NR-2
199-N-29	11/29/1989 0:00	N	959-98-8	Endosulfan I	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FT5	959-98-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	11/29/1989 0:00	N	33213-65-9	Endosulfan II	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FT5	33213-65-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	11/29/1989 0:00	N	1031-07-8	Endosulfan sulfate	0.5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	1031-07-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	11/29/1989 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FT5	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	11/29/1989 0:00	N	64-17-5	Ethanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007FT5	64-17-5	USTEST	GC_DIRECT	100-NR-2
199-N-29	11/29/1989 0:00	N	51-79-6	Ethyl carbamate (Urethane)	10000	ug/L	U	[NULL]	[NULL]	R	H0007FT5	51-79-6	USTEST	GC_DIRECT	100-NR-2
199-N-29	11/29/1989 0:00	N	107-12-0	Ethyl cyanide	10000	ug/L	U	[NULL]	[NULL]	R	H0007FT5	107-12-0	USTEST	GC_DIRECT	100-NR-2
199-N-29	11/29/1989 0:00	N	107-12-0	Ethyl cyanide	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	107-12-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	97-63-2	Ethyl methacrylate	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	97-63-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	62-50-0	Ethyl methanesulfonate	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	62-50-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	100-41-4	Ethylbenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	100-41-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	107-21-1	Ethylene glycol	10000	ug/L	U	[NULL]	[NULL]	R	H0007FT5	107-21-1	USTEST	GC_DIRECT	100-NR-2
199-N-29	11/29/1989 0:00	N	75-21-8	Ethylene oxide	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	75-21-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	151-56-4	Ethyleneimine	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	151-56-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	96-45-7	Ethylenethiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007FT5	96-45-7	USTEST	8330_THIOUREA_M	100-NR-2
199-N-29	11/29/1989 0:00	N	206-44-0	Fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	206-44-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	86-73-7	Fluorene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	86-73-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	16984-48-8	Fluoride	155	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT5	16984-48-8	USTEST	D1179_FLUORIDE	100-NR-2
199-N-29	11/29/1989 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007FT5	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-29	11/29/1989 0:00	N	50-00-0	Formaldehyde	500	ug/L	U	[NULL]	[NULL]	R	H0007FT5	50-00-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FT5	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	11/29/1989 0:00	N	12587-47-2	Gross beta	2540	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007FT5	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	11/29/1989 0:00	N	76-44-8	Heptachlor	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FT5	76-44-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	11/29/1989 0:00	N	1024-57-3	Heptachlor epoxide	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FT5	1024-57-3	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	11/29/1989 0:00	N	118-74-1	Hexachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	118-74-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	87-68-3	Hexachlorobutadiene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	87-68-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	77-47-4	Hexachlorocyclopentadiene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	77-47-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	67-72-1	Hexachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	67-72-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	70-30-4	Hexachlorophene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	70-30-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	1888-71-7	Hexachloropropene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	1888-71-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007FT5	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	11/29/1989 0:00	N	193-39-5	Indeno(1,2,3-cd)pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	193-39-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	74-88-4	Iodomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	74-88-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	7439-89-6	Iron	105	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT5	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007FT5F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	78-83-1	Isobutyl alcohol	10000	ug/L	U	[NULL]	[NULL]	R	H0007FT5	78-83-1	USTEST	GC_DIRECT	100-NR-2
199-N-29	11/29/1989 0:00	N	465-73-6	Isodrin	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	465-73-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	78-59-1	Isophorone	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	78-59-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	120-58-1	Isosafrole	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	120-58-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	143-50-0	Kepone	1	ug/L	U	[NULL]	[NULL]	R	H0007FT5	143-50-0	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	11/29/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-29	11/29/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-29	11/29/1989 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	Y	7439-95-4	Magnesium	3400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT5F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	7439-95-4	Magnesium	3610	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT5	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	123-33-1	Maleic hydrazide	500	ug/L	U	[NULL]	[NULL]	R	H0007FT5	123-33-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	109-77-3	Malononitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	109-77-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	148-82-3	Melphalan	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	148-82-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FT5	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-29	11/29/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FT5	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-29	11/29/1989 0:00	N	126-98-7	Methacrylonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	126-98-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	74-93-1	Methanethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	74-93-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	91-80-5	Methapyrilene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	91-80-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	16752-77-5	Metholonyl	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	16752-77-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007FT5	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	11/29/1989 0:00	N	80-62-6	Methyl methacrylate	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	80-62-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	66-27-3	Methyl methanesulfonate	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	66-27-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	298-00-0	Methyl parathion	2	ug/L	U	[NULL]	[NULL]	R	H0007FT5	298-00-0	USTEST	8140_PEST_GC	100-NR-2
199-N-29	11/29/1989 0:00	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	56-04-2	Methylthiouracil	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	56-04-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007FT5F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007FT5	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	1623-15-0	Monobutyl phosphate	10000	ug/L	U	[NULL]	[NULL]	R	H0007FT5	1623-15-0	USTEST	70-MDBP	100-NR-2
199-N-29	11/29/1989 0:00	N	91-20-3	Naphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	91-20-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	59-67-6	Nicotinic acid	100	ug/L	U	[NULL]	[NULL]	R	H0007FT5	59-67-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	14797-55-8	Nitrate	6700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT5	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-29	11/29/1989 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007FT5	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-29	11/29/1989 0:00	N	98-95-3	Nitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	98-95-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	930-55-2	Nitrosopyrrolidine	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	930-55-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	126-68-1	O,O,O-Triethyl phosphorothioate	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	126-68-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	297-97-2	O,O-Diethyl O-2-pyrazinyl phosphorothioate	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	297-97-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	123-63-7	Paraldehyde	10000	ug/L	U	[NULL]	[NULL]	R	H0007FT5	123-63-7	USTEST	GC_DIRECT	100-NR-2
199-N-29	11/29/1989 0:00	N	56-38-2	Parathion	2	ug/L	U	[NULL]	[NULL]	R	H0007FT5	56-38-2	USTEST	8140_PEST_GC	100-NR-2
199-N-29	11/29/1989 0:00	N	608-93-5	Pentachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	608-93-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	76-01-7	Pentachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	76-01-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	82-68-8	Pentachloronitrobenzene (PCNB)	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	82-68-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	87-86-5	Pentachlorophenol	50	ug/L	U	[NULL]	[NULL]	R	H0007FT5	87-86-5	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	11/29/1989 0:00	N	14797-73-0	Perchlorate anion	500	ug/L	U	[NULL]	[NULL]	R	H0007FT5	14797-73-0	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-29	11/29/1989 0:00	N	62-44-2	Phenacetin	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	62-44-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	85-01-8	Phenanthrene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	85-01-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	108-95-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	25265-76-3	Phenylenediamine	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	25265-76-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	298-02-2	Phorate	2	ug/L	U	[NULL]	[NULL]	R	H0007FT5	298-02-2	USTEST	8140_PEST_GC	100-NR-2
199-N-29	11/29/1989 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007FT5	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-29	11/29/1989 0:00	N	C31	Phthalic acid esters	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	C31	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	136677-09-3	Polychlorinated dibenzo-p-dioxins	0.01	ug/L	U	[NULL]	[NULL]	R	H0007FT5	136677-09-3	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	136677-10-6	Polychlorinated dibenzofurans	0.01	ug/L	U	[NULL]	[NULL]	R	H0007FT5	136677-10-6	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	7440-09-7	Potassium	1740	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT5	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	Y	7440-09-7	Potassium	1600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT5F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	23950-58-5	Pronamide	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	23950-58-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	129-00-0	Pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	129-00-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	110-86-1	Pyridine	500	ug/L	U	[NULL]	[NULL]	R	H0007FT5	110-86-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	7440-14-4	Radium	0.0492	pCi/L	U	[NULL]	[NULL]	R	H0007FT5	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	11/29/1989 0:00	N	50-55-5	Reserpine	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	50-55-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	108-46-3	Resorcinol	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	108-46-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	13967-48-1	Ruthenium-106	1.16	pCi/L	U	[NULL]	[NULL]	R	H0007FT5	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	11/29/1989 0:00	N	94-59-7	Safrol	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	94-59-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-29	11/29/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-29	11/29/1989 0:00	Y	7440-21-3	Silicon	5700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT5F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	7440-21-3	Silicon	6070	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT5	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	7440-23-5	Sodium	2110	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT5	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	Y	7440-23-5	Sodium	1960	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT5F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	CONDUCT	Specific Conductance	183	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FT6	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-29	11/29/1989 0:00	N	CONDUCT	Specific Conductance	162	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FT7	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-29	11/29/1989 0:00	N	CONDUCT	Specific Conductance	163	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FT8	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-29	11/29/1989 0:00	N	CONDUCT	Specific Conductance	188	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FT5	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-29	11/29/1989 0:00	N	CONDUCT	Specific Conductance	161	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FT5	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-29	11/29/1989 0:00	N	CONDUCT	Specific Conductance	185	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FT7	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-29	11/29/1989 0:00	N	CONDUCT	Specific Conductance	188	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FT8	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-29	11/29/1989 0:00	N	CONDUCT	Specific Conductance	163	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FT6	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-29	11/29/1989 0:00	N	7440-24-6	Strontium	95	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT5	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	Y	7440-24-6	Strontium	90	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT5F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	10098-97-2	Strontium-90	1670	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007FT5	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	11/29/1989 0:00	N	57-24-9	Strychnine	50	ug/L	U	[NULL]	[NULL]	R	H0007FT5	57-24-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	100-42-5	Styrene	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	100-42-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	14808-79-8	Sulfate	11300	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT5	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-29	11/29/1989 0:00	N	18496-25-8	Sulfide	1000	ug/L	U	[NULL]	[NULL]	R	H0007FT5	18496-25-8	USTEST	9030_SULFIDE	100-NR-2
199-N-29	11/29/1989 0:00	N	TEMPERATURE	Temperature	19.3	Deg C	[NULL]	[NULL]	[NULL]	R	H000GPK1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-29	11/29/1989 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	107-49-3	Tetraethylpyrophosphate	2	ug/L	U	[NULL]	[NULL]	R	H0007FT5	107-49-3	USTEST	8140_PEST_GC	100-NR-2
199-N-29	11/29/1989 0:00	N	109-99-9	Tetrahydrofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	109-99-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	7440-28-0	USTEST	7841_TL_GFAA	100-NR-2
199-N-29	11/29/1989 0:00	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	7440-28-0	USTEST	UNKNOWN_METALS	100-NR-2
199-N-29	11/29/1989 0:00	N	39196-18-4	Thiofanox	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	39196-18-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	62-56-6	Thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007FT5	62-56-6	USTEST	8330_THIOUREA_M	100-NR-2
199-N-29	11/29/1989 0:00	N	137-26-8	Thiuram	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	137-26-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007FT5F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	11/29/1989 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007FT5	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007FT5F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007FT5	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	108-88-3	Toluene	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	108-88-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	25376-45-8	Toluenediamine	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	25376-45-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	TC	Total carbon	14900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT5	TC	USTEST	D2579A_CARBON	100-NR-2
199-N-29	11/29/1989 0:00	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	1319-77-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	TDS	Total dissolved solids	7.5E+07	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT5	TDS	USTEST	209B_TDS	100-NR-2
199-N-29	11/29/1989 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007FT7	TOC	USTEST	9060_TOC	100-NR-2
199-N-29	11/29/1989 0:00	N	TOC	Total organic carbon	600	ug/L	U	[NULL]	[NULL]	R	H0007FT5	TOC	USTEST	9060_TOC	100-NR-2
199-N-29	11/29/1989 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007FT6	TOC	USTEST	9060_TOC	100-NR-2
199-N-29	11/29/1989 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007FT8	TOC	USTEST	9060_TOC	100-NR-2
199-N-29	11/29/1989 0:00	N	59473-04-0	Total organic halides	11	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT6	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-29	11/29/1989 0:00	N	59473-04-0	Total organic halides	21	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT5	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-29	11/29/1989 0:00	N	59473-04-0	Total organic halides	18	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT8	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-29	11/29/1989 0:00	N	59473-04-0	Total organic halides	19	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT7	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-29	11/29/1989 0:00	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	10000	ug/L	U	[NULL]	[NULL]	R	H0007FT5	TPHKEROSENE	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007FT5	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	11/29/1989 0:00	N	126-73-8	Tributyl phosphate	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	126-73-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	75-70-7	Trichloromethanethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	75-70-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	75-69-4	Trichloromonofluoromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	75-69-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	126-72-7	Tris(2,3-dibromopropyl) phosphate	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	126-72-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	10028-17-8	Tritium	67200	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007FT5	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	11/29/1989 0:00	N	TURBIDITY	Turbidity	0.1	NTU	[NULL]	[NULL]	[NULL]	R	H0007FT5	TURBIDITY	USTEST	214A_TURBIDITY	100-NR-2
199-N-29	11/29/1989 0:00	N	7440-61-1	Uranium	0.9	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT5	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	11/29/1989 0:00	N	7440-62-2	Vanadium	9	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT5	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	Y	7440-62-2	Vanadium	8	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT5F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	108-05-4	Vinyl acetate	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	108-05-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	75-01-4	Vinyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	75-01-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	81-81-2	Warfarin	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	81-81-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007FT5	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007FT5F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	11/29/1989 0:00	N	122-09-8	alpha,alpha-Dimethylphenethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	122-09-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FT5	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	11/29/1989 0:00	N	99-65-0	m-Dinitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	99-65-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	616-40-0	n,n-Diethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	616-40-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	615-53-2	n-Nitroso-N-methylurethane	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	615-53-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	924-16-3	n-Nitrosodi-n-butylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	924-16-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	621-64-7	n-Nitrosodi-n-dipropylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	621-64-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	1116-54-7	n-Nitrosodiethanolamine	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	1116-54-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	55-18-5	n-Nitrosodiethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	55-18-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	62-75-9	n-Nitrosodimethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	62-75-9	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	11/29/1989 0:00	N	86-30-6	n-Nitrosodiphenylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	86-30-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	10595-95-6	n-Nitrosomethylethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	10595-95-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	4549-40-0	n-Nitrosomethylvinylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	4549-40-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	59-89-2	n-Nitrosomorpholine	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	59-89-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	16543-55-8	n-Nitrosonornicotine	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	16543-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	100-75-4	n-Nitrosopiperidine	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	100-75-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	103-85-5	n-Phenylthiourea	500	ug/L	U	[NULL]	[NULL]	R	H0007FT5	103-85-5	USTEST	8330_THIOUREA_M	100-NR-2
199-N-29	11/29/1989 0:00	N	107-10-8	n-Propylamine	10000	ug/L	U	[NULL]	[NULL]	R	H0007FT5	107-10-8	USTEST	GC_DIRECT	100-NR-2
199-N-29	11/29/1989 0:00	N	636-21-5	o-Toluidine hydrochloride	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	636-21-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	106-51-4	p-Benzoquinone	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	106-51-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	60-11-7	p-Dimethylaminoazobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	60-11-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	PH	pH Measurement	7.95	unitless	[NULL]	[NULL]	[NULL]	R	H0007FT7	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-29	11/29/1989 0:00	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	H0007FT8	PH	USTEST	9040_PH	100-NR-2
199-N-29	11/29/1989 0:00	N	PH	pH Measurement	7.97	unitless	[NULL]	[NULL]	[NULL]	R	H0007FT8	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-29	11/29/1989 0:00	N	PH	pH Measurement	7.98	unitless	[NULL]	[NULL]	[NULL]	R	H0007FT5	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-29	11/29/1989 0:00	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	R	H0007FT5	PH	USTEST	9040_PH	100-NR-2
199-N-29	11/29/1989 0:00	N	PH	pH Measurement	7.97	unitless	[NULL]	[NULL]	[NULL]	R	H0007FT6	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-29	11/29/1989 0:00	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	H0007FT6	PH	USTEST	9040_PH	100-NR-2
199-N-29	11/29/1989 0:00	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	H0007FT7	PH	USTEST	9040_PH	100-NR-2
199-N-29	11/29/1989 0:00	N	99-35-4	sym-Trinitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	99-35-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	156-60-5	trans-1,2-Dichloroethylene	5	ug/L	U	[NULL]	[NULL]	R	H0007FT5	156-60-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	11/29/1989 0:00	N	110-57-6	trans-1,4-Dichloro-2-butene	10	ug/L	U	[NULL]	[NULL]	R	H0007FT5	110-57-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	1/3/1990 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007FT9	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	1/3/1990 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007FT9	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	1/3/1990 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007FT9	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	1/3/1990 0:00	N	75-34-3	1,1-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007FT9	75-34-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	1/3/1990 0:00	N	107-06-2	1,2-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007FT9	107-06-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	1/3/1990 0:00	N	106-46-7	1,4-Dichlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007FT9	106-46-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	1/3/1990 0:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007FT9	93-76-5	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-29	1/3/1990 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007FT9	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-29	1/3/1990 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007FT9	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-29	1/3/1990 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007FT9	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	1/3/1990 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007FT9	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	1/3/1990 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007FT9	67-64-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	1/3/1990 0:00	N	ALPHAHI	Alpha	0.264	pCi/L	U	[NULL]	[NULL]	R	H0007FT9	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	1/3/1990 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FT9	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	1/3/1990 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007FT9F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007FT9	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007FT9	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-29	1/3/1990 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007FT9F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007FT9	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007FT9	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-29	1/3/1990 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007FT9	H37	USTEST	UNKNOWN_METALS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	1/3/1990 0:00	N	7440-39-3	Barium	9	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT9	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	Y	7440-39-3	Barium	11	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT9F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	N	71-43-2	Benzene	5	ug/L	U	[NULL]	[NULL]	R	H0007FT9	71-43-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	1/3/1990 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007FT9F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007FT9	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	N	7440-42-8	Boron	26	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT9	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	Y	7440-42-8	Boron	29	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT9F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007FT9	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-29	1/3/1990 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007FT9F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007FT9	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	Y	7440-70-2	Calcium	23000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT9F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	N	7440-70-2	Calcium	20900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT9	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007FT9	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	1/3/1990 0:00	N	10045-97-3	Cesium-137	-2.77	pCi/L	U	[NULL]	[NULL]	R	H0007FT9	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	1/3/1990 0:00	N	16887-00-6	Chloride	1400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT9	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-29	1/3/1990 0:00	N	67-66-3	Chloroform	9	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT9	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	1/3/1990 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007FT9	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007FT9F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007FT9	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007FT9F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	N	10198-40-0	Cobalt-60	29	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007FT9	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	1/3/1990 0:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	H0007FT9	COLIFORM	USTEST	9222B_COLIFORM	100-NR-2
199-N-29	1/3/1990 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007FT9	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007FT9F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FT9	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	1/3/1990 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FT9	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	1/3/1990 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007FT9	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-29	1/3/1990 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FT9	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	1/3/1990 0:00	N	12587-47-2	Gross beta	2320	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007FT9	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	1/3/1990 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007FT9	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-29	1/3/1990 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007FT9F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	N	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007FT9	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007FT9	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-29	1/3/1990 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007FT9	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-29	1/3/1990 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007FT9F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007FT9	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	N	7439-95-4	Magnesium	3180	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT9	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	Y	7439-95-4	Magnesium	3420	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT9F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007FT9F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007FT9	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FT9	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-29	1/3/1990 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FT9	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-29	1/3/1990 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007FT9	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	1/3/1990 0:00	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	H0007FT9	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	1/3/1990 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007FT9	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007FT9F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007FT9F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007FT9	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	N	14797-55-8	Nitrate	7100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT9	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-29	1/3/1990 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007FT9	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-29	1/3/1990 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007FT9	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2
199-N-29	1/3/1990 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007FT9	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-29	1/3/1990 0:00	N	7440-09-7	Potassium	1450	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT9	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	Y	7440-09-7	Potassium	1540	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT9F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	1/3/1990 0:00	N	7440-14-4	Radium	-0.00911	pCi/L	U	[NULL]	[NULL]	R	H0007FT9	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	1/3/1990 0:00	N	13967-48-1	Ruthenium-106	0.991	pCi/L	U	[NULL]	[NULL]	R	H0007FT9	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	1/3/1990 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007FT9	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-29	1/3/1990 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007FT9	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-29	1/3/1990 0:00	Y	7440-21-3	Silicon	5670	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT9F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	N	7440-21-3	Silicon	5160	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT9	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007FT9F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007FT9	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	Y	7440-23-5	Sodium	2000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT9F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	N	7440-23-5	Sodium	1850	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT9	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	N	CONDUCT	Specific Conductance	168	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FT9	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-29	1/3/1990 0:00	N	CONDUCT	Specific Conductance	163	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FV2	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-29	1/3/1990 0:00	N	CONDUCT	Specific Conductance	164	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FV1	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-29	1/3/1990 0:00	N	CONDUCT	Specific Conductance	163	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FT9	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-29	1/3/1990 0:00	N	CONDUCT	Specific Conductance	167	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FV2	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-29	1/3/1990 0:00	N	CONDUCT	Specific Conductance	163	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FV0	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-29	1/3/1990 0:00	N	CONDUCT	Specific Conductance	162	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FV1	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-29	1/3/1990 0:00	N	CONDUCT	Specific Conductance	164	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FV0	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-29	1/3/1990 0:00	Y	7440-24-6	Strontium	92	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT9F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	N	7440-24-6	Strontium	83	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT9	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	N	10098-97-2	Strontium-90	1220	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007FT9	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	1/3/1990 0:00	N	14808-79-8	Sulfate	10900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT9	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-29	1/3/1990 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007FT9	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	1/3/1990 0:00	N	109-99-9	Tetrahydrofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007FT9	109-99-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	1/3/1990 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007FT9F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007FT9	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007FT9F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007FT9	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	N	108-88-3	Toluene	5	ug/L	U	[NULL]	[NULL]	R	H0007FT9	108-88-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	1/3/1990 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007FV0	TOC	USTEST	9060_TOC	100-NR-2
199-N-29	1/3/1990 0:00	N	TOC	Total organic carbon	600	ug/L	U	[NULL]	[NULL]	R	H0007FV2	TOC	USTEST	9060_TOC	100-NR-2
199-N-29	1/3/1990 0:00	N	TOC	Total organic carbon	700	ug/L	U	[NULL]	[NULL]	R	H0007FT9	TOC	USTEST	9060_TOC	100-NR-2
199-N-29	1/3/1990 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007FV1	TOC	USTEST	9060_TOC	100-NR-2
199-N-29	1/3/1990 0:00	N	59473-04-0	Total organic halides	41	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FV2	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-29	1/3/1990 0:00	N	59473-04-0	Total organic halides	18	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT9	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-29	1/3/1990 0:00	N	59473-04-0	Total organic halides	12	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FV0	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-29	1/3/1990 0:00	N	59473-04-0	Total organic halides	52	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FV1	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-29	1/3/1990 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007FT9	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	1/3/1990 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007FT9	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	1/3/1990 0:00	N	10028-17-8	Tritium	81100	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007FT9	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	1/3/1990 0:00	N	TURBIDITY	Turbidity	0.1	NTU	[NULL]	[NULL]	[NULL]	R	H0007FT9	TURBIDITY	USTEST	214A_TURBIDITY	100-NR-2
199-N-29	1/3/1990 0:00	N	7440-61-1	Uranium	0.855	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FT9	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	1/3/1990 0:00	N	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007FT9	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	Y	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007FT9F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	N	75-01-4	Vinyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007FT9	75-01-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	1/3/1990 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007FT9	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	1/3/1990 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007FT9F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	N	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007FT9	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007FT9	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007FT9F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	1/3/1990 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FT9	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	1/3/1990 0:00	N	PH	pH Measurement	8.28	unitless	[NULL]	[NULL]	[NULL]	R	H0007FV0	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-29	1/3/1990 0:00	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	H0007FV0	PH	USTEST	9040_PH	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	1/3/1990 0:00	N	PH	pH Measurement	8.28	unitless	[NULL]	[NULL]	[NULL]	R	H0007FV1	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-29	1/3/1990 0:00	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	H0007FT9	PH	USTEST	9040_PH	100-NR-2
199-N-29	1/3/1990 0:00	N	PH	pH Measurement	8.28	unitless	[NULL]	[NULL]	[NULL]	R	H0007FV2	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-29	1/3/1990 0:00	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	H0007FV2	PH	USTEST	9040_PH	100-NR-2
199-N-29	1/3/1990 0:00	N	PH	pH Measurement	8.29	unitless	[NULL]	[NULL]	[NULL]	R	H0007FT9	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-29	1/3/1990 0:00	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	H0007FV1	PH	USTEST	9040_PH	100-NR-2
199-N-29	1/3/1990 0:00	N	156-60-5	trans-1,2-Dichloroethylene	5	ug/L	U	[NULL]	[NULL]	R	H0007FT9	156-60-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	1/3/1990 10:54	N	TEMPERATURE	Temperature	18.1	Deg C	[NULL]	[NULL]	[NULL]	R	H000GPN9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-29	2/7/1990 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007FV3	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	2/7/1990 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007FV3	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	2/7/1990 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007FV3	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	2/7/1990 0:00	N	75-34-3	1,1-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007FV3	75-34-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	2/7/1990 0:00	N	107-06-2	1,2-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007FV3	107-06-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	2/7/1990 0:00	N	106-46-7	1,4-Dichlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007FV3	106-46-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	2/7/1990 0:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007FV3	93-76-5	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-29	2/7/1990 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007FV3	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-29	2/7/1990 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007FV3	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-29	2/7/1990 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007FV3	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	2/7/1990 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007FV3	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	2/7/1990 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007FV3	67-64-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	2/7/1990 0:00	N	ALPHAHI	Alpha	0.257	pCi/L	U	[NULL]	[NULL]	R	H0007FV3	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	2/7/1990 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FV3	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	2/7/1990 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007FV3F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007FV3	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007FV3	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-29	2/7/1990 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007FV3F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007FV3	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007FV3	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-29	2/7/1990 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007FV3	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-29	2/7/1990 0:00	Y	7440-39-3	Barium	10	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FV3F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	N	7440-39-3	Barium	11	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FV3	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	N	71-43-2	Benzene	5	ug/L	U	[NULL]	[NULL]	R	H0007FV3	71-43-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	2/7/1990 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007FV3F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007FV3	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	Y	7440-42-8	Boron	18	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FV3F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	N	7440-42-8	Boron	25	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FV3	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007FV3	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-29	2/7/1990 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007FV3	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007FV3F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	Y	7440-70-2	Calcium	17100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FV3F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	N	7440-70-2	Calcium	22300	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FV3	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007FV3	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	2/7/1990 0:00	N	10045-97-3	Cesium-137	2	pCi/L	U	[NULL]	[NULL]	R	H0007FV3	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	2/7/1990 0:00	N	16887-00-6	Chloride	1400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FV3	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-29	2/7/1990 0:00	N	67-66-3	Chloroform	6	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FV3	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	2/7/1990 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007FV3F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007FV3	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007FV3F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	2/7/1990 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007FV3	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	N	10198-40-0	Cobalt-60	15.4	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007FV3	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	2/7/1990 0:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	H0007FV3	COLIFORM	USTEST	9222B_COLIFORM	100-NR-2
199-N-29	2/7/1990 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007FV3F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007FV3	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FV3	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	2/7/1990 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FV3	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	2/7/1990 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007FV3	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-29	2/7/1990 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FV3	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	2/7/1990 0:00	N	12587-47-2	Gross beta	2020	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007FV3	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	2/7/1990 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007FV3	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-29	2/7/1990 0:00	N	7439-89-6	Iron	44	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FV3	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007FV3F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007FV3	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-29	2/7/1990 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007FV3	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-29	2/7/1990 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007FV3	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007FV3F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	Y	7439-95-4	Magnesium	2660	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FV3F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	N	7439-95-4	Magnesium	3510	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FV3	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007FV3	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007FV3F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FV3	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-29	2/7/1990 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FV3	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-29	2/7/1990 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007FV3	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	2/7/1990 0:00	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	H0007FV3	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	2/7/1990 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007FV3F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007FV3	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007FV3F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007FV3	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	N	14797-55-8	Nitrate	7100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FV3	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-29	2/7/1990 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007FV3	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-29	2/7/1990 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007FV3	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/7/1990 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007FV3	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-29	2/7/1990 0:00	N	7440-09-7	Potassium	1680	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FV3	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	Y	7440-09-7	Potassium	1230	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FV3F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	N	7440-14-4	Radium	0.00501	pCi/L	U	[NULL]	[NULL]	R	H0007FV3	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	2/7/1990 0:00	N	13967-48-1	Ruthenium-106	57.6	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007FV3	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	2/7/1990 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007FV3	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-29	2/7/1990 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007FV3	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-29	2/7/1990 0:00	N	7440-21-3	Silicon	5930	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FV3	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	Y	7440-21-3	Silicon	4560	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FV3F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007FV3	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007FV3F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	N	7440-23-5	Sodium	2180	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FV3	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	Y	7440-23-5	Sodium	1570	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FV3F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	N	CONDUCT	Specific Conductance	169	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FV5	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-29	2/7/1990 0:00	N	CONDUCT	Specific Conductance	166	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FV4	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-29	2/7/1990 0:00	N	CONDUCT	Specific Conductance	167	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FV6	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-29	2/7/1990 0:00	N	CONDUCT	Specific Conductance	152	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FV3	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-29	2/7/1990 0:00	N	CONDUCT	Specific Conductance	153	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FV5	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-29	2/7/1990 0:00	N	CONDUCT	Specific Conductance	153	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FV4	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-29	2/7/1990 0:00	N	CONDUCT	Specific Conductance	153	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FV6	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-29	2/7/1990 0:00	N	CONDUCT	Specific Conductance	170	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007FV3	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-29	2/7/1990 0:00	Y	7440-24-6	Strontium	72	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FV3F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	2/7/1990 0:00	N	7440-24-6	Strontium	96	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FV3	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	N	10098-97-2	Strontium-90	1280	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007FV3	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	2/7/1990 0:00	N	14808-79-8	Sulfate	11900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FV3	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-29	2/7/1990 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007FV3	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	2/7/1990 0:00	N	109-99-9	Tetrahydrofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007FV3	109-99-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	2/7/1990 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007FV3F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007FV3	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007FV3	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007FV3F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	N	108-88-3	Toluene	5	ug/L	U	[NULL]	[NULL]	R	H0007FV3	108-88-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	2/7/1990 0:00	N	TOC	Total organic carbon	600	ug/L	U	[NULL]	[NULL]	R	H0007FV6	TOC	USTEST	9060_TOC	100-NR-2
199-N-29	2/7/1990 0:00	N	TOC	Total organic carbon	600	ug/L	U	[NULL]	[NULL]	R	H0007FV3	TOC	USTEST	9060_TOC	100-NR-2
199-N-29	2/7/1990 0:00	N	TOC	Total organic carbon	600	ug/L	U	[NULL]	[NULL]	R	H0007FV5	TOC	USTEST	9060_TOC	100-NR-2
199-N-29	2/7/1990 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007FV4	TOC	USTEST	9060_TOC	100-NR-2
199-N-29	2/7/1990 0:00	N	59473-04-0	Total organic halides	23	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FV6	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-29	2/7/1990 0:00	N	59473-04-0	Total organic halides	7	ug/L	U	[NULL]	[NULL]	R	H0007FV5	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-29	2/7/1990 0:00	N	59473-04-0	Total organic halides	7	ug/L	U	[NULL]	[NULL]	R	H0007FV3	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-29	2/7/1990 0:00	N	59473-04-0	Total organic halides	8	ug/L	U	[NULL]	[NULL]	R	H0007FV4	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-29	2/7/1990 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007FV3	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	2/7/1990 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007FV3	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	2/7/1990 0:00	N	10028-17-8	Tritium	40200	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007FV3	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	2/7/1990 0:00	N	TURBIDITY	Turbidity	1.1	NTU	[NULL]	[NULL]	[NULL]	R	H0007FV3	TURBIDITY	USTEST	214A_TURBIDITY	100-NR-2
199-N-29	2/7/1990 0:00	N	7440-61-1	Uranium	0.967	ug/L	[NULL]	[NULL]	[NULL]	R	H0007FV3	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-29	2/7/1990 0:00	Y	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007FV3F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	N	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007FV3	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	N	75-01-4	Vinyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007FV3	75-01-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	2/7/1990 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007FV3	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	2/7/1990 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007FV3F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	N	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007FV3	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007FV3F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007FV3	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-29	2/7/1990 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007FV3	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-29	2/7/1990 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007FV3	PH	USTEST	9040_PH	100-NR-2
199-N-29	2/7/1990 0:00	N	PH	pH Measurement	8.31	unitless	[NULL]	[NULL]	[NULL]	R	H0007FV3	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-29	2/7/1990 0:00	N	PH	pH Measurement	8.32	unitless	[NULL]	[NULL]	[NULL]	R	H0007FV5	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-29	2/7/1990 0:00	N	PH	pH Measurement	7.8	unitless	[NULL]	[NULL]	[NULL]	R	H0007FV5	PH	USTEST	9040_PH	100-NR-2
199-N-29	2/7/1990 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007FV4	PH	USTEST	9040_PH	100-NR-2
199-N-29	2/7/1990 0:00	N	PH	pH Measurement	8.32	unitless	[NULL]	[NULL]	[NULL]	R	H0007FV6	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-29	2/7/1990 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007FV6	PH	USTEST	9040_PH	100-NR-2
199-N-29	2/7/1990 0:00	N	PH	pH Measurement	8.32	unitless	[NULL]	[NULL]	[NULL]	R	H0007FV4	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-29	2/7/1990 0:00	N	156-60-5	trans-1,2-Dichloroethylene	5	ug/L	U	[NULL]	[NULL]	R	H0007FV3	156-60-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-29	2/7/1990 10:34	N	TEMPERATURE	Temperature	18.1	Deg C	[NULL]	[NULL]	[NULL]	R	H000GQ42	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-29	5/15/1990 11:05	N	TEMPERATURE	Temperature	18.8	Deg C	[NULL]	[NULL]	[NULL]	R	H000GRG9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-29	9/4/1991 10:20	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B00KZ3F	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/4/1991 10:20	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B00KZ3	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/4/1991 10:20	N	14234-35-6	Antimony-125	30.2	pCi/L	[NULL]	[NULL]	[NULL]	R	B00KZ3	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-29	9/4/1991 10:20	N	7440-39-3	Barium	20	ug/L	U	[NULL]	[NULL]	R	B00KZ3	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/4/1991 10:20	Y	7440-39-3	Barium	20	ug/L	U	[NULL]	[NULL]	R	B00KZ3F	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/4/1991 10:20	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B00KZ3F	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/4/1991 10:20	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B00KZ3	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/4/1991 10:20	N	13966-02-4	Beryllium-7	4.54	pCi/L	[NULL]	[NULL]	[NULL]	R	B00KZ3	13966-02-4	ITASRL	GAMMA_GS	100-NR-2
199-N-29	9/4/1991 10:20	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B00KZ3	24959-67-9	ITASSJ	D4327_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	9/4/1991 10:20	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B00KZ3	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/4/1991 10:20	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B00KZ3F	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/4/1991 10:20	Y	7440-70-2	Calcium	32000	ug/L	[NULL]	[NULL]	[NULL]	R	B00KZ3F	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/4/1991 10:20	N	7440-70-2	Calcium	31000	ug/L	[NULL]	[NULL]	[NULL]	R	B00KZ3	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/4/1991 10:20	N	CE/PR-144	Cerium/Praseodymium-144	-11.2	pCi/L	U	[NULL]	[NULL]	R	B00KZ3	CE/PR-144	ITASRL	GAMMA_GS	100-NR-2
199-N-29	9/4/1991 10:20	N	13967-70-9	Cesium-134	-3.32	pCi/L	U	[NULL]	[NULL]	R	B00KZ3	13967-70-9	ITASRL	GAMMA_GS	100-NR-2
199-N-29	9/4/1991 10:20	N	10045-97-3	Cesium-137	-3.27	pCi/L	U	[NULL]	[NULL]	R	B00KZ3	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-29	9/4/1991 10:20	N	16887-00-6	Chloride	5600	ug/L	[NULL]	[NULL]	[NULL]	R	B00KZ3	16887-00-6	ITASSJ	D4327_ANIONS_IC	100-NR-2
199-N-29	9/4/1991 10:20	N	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B00KZ3	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/4/1991 10:20	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B00KZ3F	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/4/1991 10:20	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B00KZ3F	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/4/1991 10:20	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B00KZ3	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/4/1991 10:20	N	10198-40-0	Cobalt-60	10.1	pCi/L	[NULL]	[NULL]	[NULL]	R	B00KZ3	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-29	9/4/1991 10:20	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B00KZ3	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/4/1991 10:20	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B00KZ3F	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/4/1991 10:20	N	15585-10-1	Europium-154	4.2	pCi/L	[NULL]	[NULL]	[NULL]	R	B00KZ3	15585-10-1	ITASRL	GAMMA_GS	100-NR-2
199-N-29	9/4/1991 10:20	N	14391-16-3	Europium-155	-0.724	pCi/L	U	[NULL]	[NULL]	R	B00KZ3	14391-16-3	ITASRL	GAMMA_GS	100-NR-2
199-N-29	9/4/1991 10:20	N	16984-48-8	Fluoride	330	ug/L	[NULL]	[NULL]	[NULL]	R	B00KZ3	16984-48-8	ITASSJ	D4327_ANIONS_IC	100-NR-2
199-N-29	9/4/1991 10:20	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B00KZ3	302-01-2	ITASSJ	D1385_HYDRAZINE	100-NR-2
199-N-29	9/4/1991 10:20	N	7439-89-6	Iron	1700	ug/L	[NULL]	Q	[NULL]	R	B00KZ3	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/4/1991 10:20	Y	7439-89-6	Iron	98	ug/L	[NULL]	Q	[NULL]	R	B00KZ3F	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/4/1991 10:20	Y	7439-95-4	Magnesium	5500	ug/L	[NULL]	[NULL]	[NULL]	R	B00KZ3F	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/4/1991 10:20	N	7439-95-4	Magnesium	5600	ug/L	[NULL]	[NULL]	[NULL]	R	B00KZ3	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/4/1991 10:20	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B00KZ3F	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/4/1991 10:20	N	7439-96-5	Manganese	17	ug/L	[NULL]	[NULL]	[NULL]	R	B00KZ3	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/4/1991 10:20	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B00KZ3	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/4/1991 10:20	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B00KZ3F	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/4/1991 10:20	N	14797-55-8	Nitrate	12600	ug/L	[NULL]	[NULL]	[NULL]	R	B00KZ3	14797-55-8	PNL2	300.0_ANIONS_IC	100-NR-2
199-N-29	9/4/1991 10:20	N	108-95-2	Phenol	20	ug/L	U	[NULL]	[NULL]	R	B00KZ3	108-95-2	ITASSJ	8040_PHENOLIC_GC	100-NR-2
199-N-29	9/4/1991 10:20	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B00KZ3	14265-44-2	ITASSJ	D4327_ANIONS_IC	100-NR-2
199-N-29	9/4/1991 10:20	N	7440-09-7	Potassium	2000	ug/L	[NULL]	[NULL]	[NULL]	R	B00KZ3	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/4/1991 10:20	Y	7440-09-7	Potassium	1700	ug/L	[NULL]	[NULL]	[NULL]	R	B00KZ3F	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/4/1991 10:20	N	13966-00-2	Potassium-40	6.1	pCi/L	[NULL]	R	[NULL]	R	B00KZ3	13966-00-2	ITASRL	GAMMA_GS	100-NR-2
199-N-29	9/4/1991 10:20	N	13967-48-1	Ruthenium-106	-2.75	pCi/L	U	[NULL]	[NULL]	R	B00KZ3	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-29	9/4/1991 10:20	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B00KZ3F	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/4/1991 10:20	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B00KZ3	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/4/1991 10:20	Y	7440-23-5	Sodium	2700	ug/L	[NULL]	[NULL]	[NULL]	R	B00KZ3F	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/4/1991 10:20	N	7440-23-5	Sodium	2600	ug/L	[NULL]	[NULL]	[NULL]	R	B00KZ3	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/4/1991 10:20	N	CONDUCT	Specific Conductance	229	uS/cm	[NULL]	[NULL]	[NULL]	R	B00KZ6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-29	9/4/1991 10:20	N	CONDUCT	Specific Conductance	226	uS/cm	[NULL]	[NULL]	[NULL]	R	B00KZ3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-29	9/4/1991 10:20	N	CONDUCT	Specific Conductance	226	uS/cm	[NULL]	[NULL]	[NULL]	R	B00KZ5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-29	9/4/1991 10:20	N	CONDUCT	Specific Conductance	225	uS/cm	[NULL]	[NULL]	[NULL]	R	B00KZ4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-29	9/4/1991 10:20	N	10098-97-2	Strontium-90	641	pCi/L	[NULL]	[NULL]	[NULL]	R	B00KZ3	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-29	9/4/1991 10:20	N	14808-79-8	Sulfate	14000	ug/L	[NULL]	[NULL]	[NULL]	R	B00KZ3	14808-79-8	ITASSJ	D4327_ANIONS_IC	100-NR-2
199-N-29	9/4/1991 10:20	N	TEMPERATURE	Temperature	18.7	Deg C	[NULL]	[NULL]	[NULL]	R	B00KZ3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-29	9/4/1991 10:20	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B00KZ3F	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/4/1991 10:20	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B00KZ3	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/4/1991 10:20	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B00KZ6	TOC	ITASSJ	9060_TOC	100-NR-2
199-N-29	9/4/1991 10:20	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B00KZ3	TOC	ITASSJ	9060_TOC	100-NR-2
199-N-29	9/4/1991 10:20	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B00KZ4	TOC	ITASSJ	9060_TOC	100-NR-2
199-N-29	9/4/1991 10:20	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B00KZ5	TOC	ITASSJ	9060_TOC	100-NR-2
199-N-29	9/4/1991 10:20	N	59473-04-0	Total organic halides	10	ug/L	U	[NULL]	[NULL]	R	B00KZ5	59473-04-0	ITASSJ	9020_TOX	100-NR-2
199-N-29	9/4/1991 10:20	N	59473-04-0	Total organic halides	10	ug/L	U	[NULL]	[NULL]	R	B00KZ6	59473-04-0	ITASSJ	9020_TOX	100-NR-2
199-N-29	9/4/1991 10:20	N	59473-04-0	Total organic halides	10	ug/L	U	[NULL]	[NULL]	R	B00KZ4	59473-04-0	ITASSJ	9020_TOX	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	9/4/1991 10:20	N	59473-04-0	Total organic halides	10	ug/L	U	[NULL]	[NULL]	R	B00KZ3	59473-04-0	ITASSJ	9020_TOX	100-NR-2
199-N-29	9/4/1991 10:20	N	10028-17-8	Tritium	25000	pCi/L	[NULL]	[NULL]	[NULL]	R	B00KZ3	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-29	9/4/1991 10:20	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B00KZ3	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/4/1991 10:20	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B00KZ3F	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/4/1991 10:20	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B00KZ3F	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/4/1991 10:20	N	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B00KZ3	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/4/1991 10:20	N	13982-39-3	Zinc-65	-2.65	pCi/L	U	[NULL]	[NULL]	R	B00KZ3	13982-39-3	ITASRL	GAMMA_GS	100-NR-2
199-N-29	9/4/1991 10:20	N	ZR/NB-95	Zirconium/Niobium-95	-7.46	pCi/L	U	[NULL]	[NULL]	R	B00KZ3	ZR/NB-95	ITASRL	GAMMA_GS	100-NR-2
199-N-29	9/4/1991 10:20	N	PH	pH Measurement	8.05	unitless	[NULL]	[NULL]	[NULL]	R	B00KZ3	PH	FIELD	9040_PH	100-NR-2
199-N-29	9/4/1991 10:20	N	PH	pH Measurement	8.05	unitless	[NULL]	[NULL]	[NULL]	R	B00KZ4	PH	FIELD	9040_PH	100-NR-2
199-N-29	9/4/1991 10:20	N	PH	pH Measurement	8.04	unitless	[NULL]	[NULL]	[NULL]	R	B00KZ6	PH	FIELD	9040_PH	100-NR-2
199-N-29	9/4/1991 10:20	N	PH	pH Measurement	8.05	unitless	[NULL]	[NULL]	[NULL]	R	B00KZ5	PH	FIELD	9040_PH	100-NR-2
199-N-29	2/13/1992 8:30	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B01W71	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/13/1992 8:30	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B01W71	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/13/1992 8:30	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B01W71	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/13/1992 8:30	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B01W71	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/13/1992 8:30	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B01W71	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/13/1992 8:30	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B01W71	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/13/1992 8:30	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B01W71	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/13/1992 8:30	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B01W71	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/13/1992 8:30	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B01W71	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/13/1992 8:30	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B01W71	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/13/1992 8:30	N	14798-03-9	Ammonium ion	100	ug/L	U	[NULL]	[NULL]	R	B01W71	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-29	2/13/1992 8:30	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B01W71	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/13/1992 8:30	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B01W75	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/13/1992 8:30	N	14234-35-6	Antimony-125	21.9	pCi/L	[NULL]	[NULL]	[NULL]	R	B01W71	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-29	2/13/1992 8:30	N	14234-35-6	Antimony-125	18.1	pCi/L	[NULL]	[NULL]	[NULL]	R	B01VB5	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-29	2/13/1992 8:30	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B01W75	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-29	2/13/1992 8:30	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B01W71	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-29	2/13/1992 8:30	N	7440-39-3	Barium	20	ug/L	U	[NULL]	[NULL]	R	B01W71	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/13/1992 8:30	Y	7440-39-3	Barium	20	ug/L	U	[NULL]	[NULL]	R	B01W75	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/13/1992 8:30	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B01W71	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/13/1992 8:30	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B01W75	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/13/1992 8:30	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B01W71	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	2/13/1992 8:30	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B01W75	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/13/1992 8:30	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B01W71	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/13/1992 8:30	Y	7440-70-2	Calcium	33000	ug/L	[NULL]	[NULL]	[NULL]	R	B01W75	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/13/1992 8:30	N	7440-70-2	Calcium	32000	ug/L	[NULL]	[NULL]	[NULL]	R	B01W71	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/13/1992 8:30	N	10045-97-3	Cesium-137	2.33	pCi/L	[NULL]	[NULL]	[NULL]	R	B01W71	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-29	2/13/1992 8:30	N	10045-97-3	Cesium-137	-2.6	pCi/L	U	[NULL]	[NULL]	R	B01VB5	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-29	2/13/1992 8:30	N	16887-00-6	Chloride	2500	ug/L	[NULL]	[NULL]	[NULL]	R	B01W71	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	2/13/1992 8:30	N	7440-47-3	Chromium	20	ug/L	U	G	[NULL]	R	B01W71	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/13/1992 8:30	Y	7440-47-3	Chromium	43	ug/L	[NULL]	Y	[NULL]	R	B01W75	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/13/1992 8:30	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B01W75	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/13/1992 8:30	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B01W71	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/13/1992 8:30	N	10198-40-0	Cobalt-60	5.32	pCi/L	[NULL]	[NULL]	[NULL]	R	B01W71	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-29	2/13/1992 8:30	N	10198-40-0	Cobalt-60	5.28	pCi/L	[NULL]	[NULL]	[NULL]	R	B01VB5	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-29	2/13/1992 8:30	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B01W71	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-29	2/13/1992 8:30	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B01W71	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/13/1992 8:30	Y	7440-50-8	Copper	24	ug/L	[NULL]	[NULL]	[NULL]	R	B01W75	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/13/1992 8:30	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B01W71	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/13/1992 8:30	N	16984-48-8	Fluoride	100	ug/L	[NULL]	[NULL]	[NULL]	R	B01W71	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	2/13/1992 8:30	N	12587-46-1	Gross alpha	0.188	pCi/L	[NULL]	[NULL]	[NULL]	R	B01W71	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-29	2/13/1992 8:30	N	12587-47-2	Gross beta	1380	pCi/L	[NULL]	[NULL]	[NULL]	R	B01W71	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-29	2/13/1992 8:30	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B01W71	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-29	2/13/1992 8:30	N	7439-89-6	Iron	230	ug/L	[NULL]	[NULL]	[NULL]	R	B01W71	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/13/1992 8:30	Y	7439-89-6	Iron	360	ug/L	[NULL]	[NULL]	[NULL]	R	B01W75	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/13/1992 8:30	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B01W71	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-29	2/13/1992 8:30	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B01W75	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-29	2/13/1992 8:30	N	7439-95-4	Magnesium	5500	ug/L	[NULL]	[NULL]	[NULL]	R	B01W71	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/13/1992 8:30	Y	7439-95-4	Magnesium	5700	ug/L	[NULL]	[NULL]	[NULL]	R	B01W75	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/13/1992 8:30	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B01W75	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/13/1992 8:30	N	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B01W71	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/13/1992 8:30	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B01W75	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-29	2/13/1992 8:30	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B01W71	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-29	2/13/1992 8:30	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B01W75	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/13/1992 8:30	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B01W71	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/13/1992 8:30	N	14797-55-8	Nitrate	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B01W71	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	2/13/1992 8:30	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B01W71	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	2/13/1992 8:30	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B01W71	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/13/1992 8:30	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B01W71	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/13/1992 8:30	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B01W71	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	2/13/1992 8:30	Y	7440-09-7	Potassium	2200	ug/L	[NULL]	Q	[NULL]	R	B01W75	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/13/1992 8:30	N	7440-09-7	Potassium	2200	ug/L	[NULL]	Q	[NULL]	R	B01W71	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/13/1992 8:30	N	7440-14-4	Radium	-0.00375	pCi/L	U	[NULL]	[NULL]	R	B01W71	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-29	2/13/1992 8:30	N	13967-48-1	Ruthenium-106	-54.3	pCi/L	U	[NULL]	[NULL]	R	B01W71	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-29	2/13/1992 8:30	N	13967-48-1	Ruthenium-106	-51.9	pCi/L	U	[NULL]	[NULL]	R	B01VB5	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-29	2/13/1992 8:30	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B01W75	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-29	2/13/1992 8:30	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B01W71	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-29	2/13/1992 8:30	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B01W71	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/13/1992 8:30	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B01W75	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/13/1992 8:30	N	7440-23-5	Sodium	2600	ug/L	[NULL]	[NULL]	[NULL]	R	B01W71	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/13/1992 8:30	Y	7440-23-5	Sodium	2700	ug/L	[NULL]	[NULL]	[NULL]	R	B01W75	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/13/1992 8:30	N	CONDUCT	Specific Conductance	234	uS/cm	[NULL]	[NULL]	[NULL]	R	B01W71	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-29	2/13/1992 8:30	N	CONDUCT	Specific Conductance	233	uS/cm	[NULL]	[NULL]	[NULL]	R	B01W72	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-29	2/13/1992 8:30	N	CONDUCT	Specific Conductance	233	uS/cm	[NULL]	[NULL]	[NULL]	R	B01W74	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-29	2/13/1992 8:30	N	CONDUCT	Specific Conductance	232	uS/cm	[NULL]	[NULL]	[NULL]	R	B01W73	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-29	2/13/1992 8:30	N	10098-97-2	Strontium-90	715	pCi/L	[NULL]	[NULL]	[NULL]	R	B01W71	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-29	2/13/1992 8:30	N	14808-79-8	Sulfate	35000	ug/L	[NULL]	[NULL]	[NULL]	R	B01W71	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	2/13/1992 8:30	N	TEMPERATURE	Temperature	18	Deg C	[NULL]	[NULL]	[NULL]	R	B01W71	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-29	2/13/1992 8:30	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B01W71	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/13/1992 8:30	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B01W75	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/13/1992 8:30	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B01W71	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/13/1992 8:30	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B01W71	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/13/1992 8:30	N	TOC	Total organic carbon	1000	ug/L	U	R	[NULL]	R	B01W71	TOC	DATACH	9060_TOC	100-NR-2
199-N-29	2/13/1992 8:30	N	TOC	Total organic carbon	2000	ug/L	[NULL]	R	[NULL]	R	B01W72	TOC	DATACH	9060_TOC	100-NR-2
199-N-29	2/13/1992 8:30	N	TOC	Total organic carbon	1000	ug/L	[NULL]	R	[NULL]	R	B01W73	TOC	DATACH	9060_TOC	100-NR-2
199-N-29	2/13/1992 8:30	N	TOC	Total organic carbon	1000	ug/L	[NULL]	R	[NULL]	R	B01W74	TOC	DATACH	9060_TOC	100-NR-2
199-N-29	2/13/1992 8:30	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B01W71	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-29	2/13/1992 8:30	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B01W74	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-29	2/13/1992 8:30	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B01W73	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-29	2/13/1992 8:30	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B01W72	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-29	2/13/1992 8:30	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B01W71	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/13/1992 8:30	N	10028-17-8	Tritium	26200	pCi/L	[NULL]	[NULL]	[NULL]	R	B01W71	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-29	2/13/1992 8:30	N	TURBIDITY	Turbidity	0.4	NTU	[NULL]	[NULL]	[NULL]	R	B01W71	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-29	2/13/1992 8:30	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B01W75	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/13/1992 8:30	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B01W71	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	2/13/1992 8:30	N	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B01W71	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/13/1992 8:30	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B01W75	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/13/1992 8:30	N	PH	pH Measurement	7.68	unitless	[NULL]	[NULL]	[NULL]	R	B01W74	PH	FIELD	9040_PH	100-NR-2
199-N-29	2/13/1992 8:30	N	PH	pH Measurement	7.69	unitless	[NULL]	[NULL]	[NULL]	R	B01W71	PH	FIELD	9040_PH	100-NR-2
199-N-29	2/13/1992 8:30	N	PH	pH Measurement	7.69	unitless	[NULL]	[NULL]	[NULL]	R	B01W72	PH	FIELD	9040_PH	100-NR-2
199-N-29	2/13/1992 8:30	N	PH	pH Measurement	7.69	unitless	[NULL]	[NULL]	[NULL]	R	B01W73	PH	FIELD	9040_PH	100-NR-2
199-N-29	8/26/1992 9:00	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	P	[NULL]	R	B07420	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	8/26/1992 9:00	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	P	[NULL]	R	B07420	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	8/26/1992 9:00	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	P	[NULL]	R	B07420	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	8/26/1992 9:00	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	P	[NULL]	R	B07420	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	8/26/1992 9:00	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	P	[NULL]	R	B07420	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	8/26/1992 9:00	N	95-57-8	2-Chlorophenol	5	ug/L	U	P	[NULL]	R	B07420	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	8/26/1992 9:00	N	88-75-5	2-Nitrophenol	5	ug/L	U	P	[NULL]	R	B07420	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	8/26/1992 9:00	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	P	[NULL]	R	B07420	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	8/26/1992 9:00	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	P	[NULL]	R	B07420	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	8/26/1992 9:00	N	100-02-7	4-Nitrophenol	30	ug/L	U	P	[NULL]	R	B07420	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	8/26/1992 9:00	N	14798-03-9	Ammonium ion	100	ug/L	[NULL]	PQ	[NULL]	R	B07420	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-29	8/26/1992 9:00	Y	7440-36-0	Antimony	200	ug/L	U	P	[NULL]	R	B07425	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/26/1992 9:00	N	7440-36-0	Antimony	200	ug/L	U	P	[NULL]	R	B07420	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/26/1992 9:00	N	14234-35-6	Antimony-125	32.4	pCi/L	[NULL]	P	[NULL]	R	B07420	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-29	8/26/1992 9:00	N	7440-38-2	Arsenic	5	ug/L	U	P	[NULL]	R	B07420	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-29	8/26/1992 9:00	Y	7440-38-2	Arsenic	5	ug/L	U	P	[NULL]	R	B07425	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-29	8/26/1992 9:00	Y	7440-39-3	Barium	20	ug/L	U	P	[NULL]	R	B07425	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/26/1992 9:00	N	7440-39-3	Barium	21	ug/L	[NULL]	P	[NULL]	R	B07420	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/26/1992 9:00	Y	7440-41-7	Beryllium	3	ug/L	U	P	[NULL]	R	B07425	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/26/1992 9:00	N	7440-41-7	Beryllium	3	ug/L	U	P	[NULL]	R	B07420	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/26/1992 9:00	N	24959-67-9	Bromide	500	ug/L	U	P	[NULL]	R	B07420	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	8/26/1992 9:00	Y	7440-43-9	Cadmium	10	ug/L	U	P	[NULL]	R	B07425	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/26/1992 9:00	N	7440-43-9	Cadmium	10	ug/L	U	P	[NULL]	R	B07420	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/26/1992 9:00	Y	7440-70-2	Calcium	35000	ug/L	[NULL]	P	[NULL]	R	B07425	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/26/1992 9:00	N	7440-70-2	Calcium	35000	ug/L	[NULL]	P	[NULL]	R	B07420	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/26/1992 9:00	N	10045-97-3	Cesium-137	-2.1	pCi/L	U	P	[NULL]	R	B07420	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-29	8/26/1992 9:00	N	16887-00-6	Chloride	2700	ug/L	[NULL]	P	[NULL]	R	B07420	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	8/26/1992 9:00	N	7440-47-3	Chromium	20	ug/L	U	P	[NULL]	R	B07420	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/26/1992 9:00	Y	7440-47-3	Chromium	20	ug/L	U	P	[NULL]	R	B07425	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/26/1992 9:00	N	7440-48-4	Cobalt	20	ug/L	U	P	[NULL]	R	B07420	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/26/1992 9:00	Y	7440-48-4	Cobalt	20	ug/L	U	P	[NULL]	R	B07425	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/26/1992 9:00	N	10198-40-0	Cobalt-60	6.49	pCi/L	[NULL]	P	[NULL]	R	B07420	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-29	8/26/1992 9:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	P	[NULL]	R	B07420	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-29	8/26/1992 9:00	Y	7440-50-8	Copper	20	ug/L	U	P	[NULL]	R	B07425	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/26/1992 9:00	N	7440-50-8	Copper	20	ug/L	U	P	[NULL]	R	B07420	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/26/1992 9:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	P	[NULL]	R	B07420	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	8/26/1992 9:00	N	16984-48-8	Fluoride	100	ug/L	U	P	[NULL]	R	B07420	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	8/26/1992 9:00	N	12587-46-1	Gross alpha	1.29	pCi/L	[NULL]	P	[NULL]	R	B07420	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-29	8/26/1992 9:00	N	12587-47-2	Gross beta	747	pCi/L	[NULL]	P	[NULL]	R	B07420	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-29	8/26/1992 9:00	N	302-01-2	Hydrazine	30	ug/L	U	P	[NULL]	R	B07420	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-29	8/26/1992 9:00	Y	7439-89-6	Iron	29	ug/L	[NULL]	P	[NULL]	R	B07425	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/26/1992 9:00	N	7439-89-6	Iron	310	ug/L	[NULL]	P	[NULL]	R	B07420	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/26/1992 9:00	N	7439-92-1	Lead	5	ug/L	U	P	[NULL]	R	B07420	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-29	8/26/1992 9:00	Y	7439-92-1	Lead	5	ug/L	U	P	[NULL]	R	B07425	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-29	8/26/1992 9:00	N	7439-95-4	Magnesium	5900	ug/L	[NULL]	P	[NULL]	R	B07420	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/26/1992 9:00	Y	7439-95-4	Magnesium	5900	ug/L	[NULL]	P	[NULL]	R	B07425	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	8/26/1992 9:00	N	7439-96-5	Manganese	13	ug/L	[NULL]	P	[NULL]	R	B07420	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/26/1992 9:00	Y	7439-96-5	Manganese	10	ug/L	U	P	[NULL]	R	B07425	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/26/1992 9:00	Y	7439-97-6	Mercury	0.2	ug/L	U	P	[NULL]	R	B07425	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-29	8/26/1992 9:00	N	7439-97-6	Mercury	0.2	ug/L	U	P	[NULL]	R	B07420	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-29	8/26/1992 9:00	Y	7440-02-0	Nickel	30	ug/L	U	P	[NULL]	R	B07425	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/26/1992 9:00	N	7440-02-0	Nickel	30	ug/L	U	P	[NULL]	R	B07420	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/26/1992 9:00	N	14797-55-8	Nitrate	13000	ug/L	[NULL]	P	[NULL]	R	B07420	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	8/26/1992 9:00	N	14797-65-0	Nitrite	200	ug/L	U	P	[NULL]	R	B07420	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	8/26/1992 9:00	N	87-86-5	Pentachlorophenol	100	ug/L	U	P	[NULL]	R	B07420	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	8/26/1992 9:00	N	108-95-2	Phenol	1	ug/L	U	P	[NULL]	R	B07420	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	8/26/1992 9:00	N	14265-44-2	Phosphate	400	ug/L	U	P	[NULL]	R	B07420	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	8/26/1992 9:00	Y	7440-09-7	Potassium	2800	ug/L	[NULL]	P	[NULL]	R	B07425	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/26/1992 9:00	N	7440-09-7	Potassium	2500	ug/L	[NULL]	P	[NULL]	R	B07420	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/26/1992 9:00	N	7440-14-4	Radium	0.046	pCi/L	U	P	[NULL]	R	B07420	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-29	8/26/1992 9:00	N	13967-48-1	Ruthenium-106	-6.13	pCi/L	U	P	[NULL]	R	B07420	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-29	8/26/1992 9:00	Y	7782-49-2	Selenium	10	ug/L	U	P	[NULL]	R	B07425	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-29	8/26/1992 9:00	N	7782-49-2	Selenium	10	ug/L	U	P	[NULL]	R	B07420	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-29	8/26/1992 9:00	N	7440-22-4	Silver	20	ug/L	U	P	[NULL]	R	B07420	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/26/1992 9:00	Y	7440-22-4	Silver	20	ug/L	U	P	[NULL]	R	B07425	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/26/1992 9:00	N	7440-23-5	Sodium	2900	ug/L	[NULL]	P	[NULL]	R	B07420	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/26/1992 9:00	Y	7440-23-5	Sodium	2900	ug/L	[NULL]	P	[NULL]	R	B07425	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/26/1992 9:00	N	CONDUCT	Specific Conductance	251	uS/cm	[NULL]	P	[NULL]	R	B07423	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-29	8/26/1992 9:00	N	CONDUCT	Specific Conductance	251	uS/cm	[NULL]	P	[NULL]	R	B07422	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-29	8/26/1992 9:00	N	CONDUCT	Specific Conductance	253	uS/cm	[NULL]	P	[NULL]	R	B07421	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-29	8/26/1992 9:00	N	CONDUCT	Specific Conductance	255	uS/cm	[NULL]	P	[NULL]	R	B07420	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-29	8/26/1992 9:00	N	10098-97-2	Strontium-90	365	pCi/L	[NULL]	P	[NULL]	R	B07420	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-29	8/26/1992 9:00	N	14808-79-8	Sulfate	35000	ug/L	[NULL]	P	[NULL]	R	B07420	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	8/26/1992 9:00	N	TEMPERATURE	Temperature	18.5	Deg C	[NULL]	P	[NULL]	R	B07420	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-29	8/26/1992 9:00	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	P	[NULL]	R	B07420	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	8/26/1992 9:00	Y	7440-31-5	Tin	100	ug/L	U	P	[NULL]	R	B07425	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/26/1992 9:00	N	7440-31-5	Tin	100	ug/L	U	P	[NULL]	R	B07420	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/26/1992 9:00	N	1319-77-3	Total cresols	10	ug/L	U	P	[NULL]	R	B07420	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	8/26/1992 9:00	N	TOC	Total organic carbon	1000	ug/L	U	P	[NULL]	R	B07423	TOC	DATACH	9060_TOC	100-NR-2
199-N-29	8/26/1992 9:00	N	TOC	Total organic carbon	1000	ug/L	U	P	[NULL]	R	B07422	TOC	DATACH	9060_TOC	100-NR-2
199-N-29	8/26/1992 9:00	N	TOC	Total organic carbon	1000	ug/L	U	P	[NULL]	R	B07421	TOC	DATACH	9060_TOC	100-NR-2
199-N-29	8/26/1992 9:00	N	TOC	Total organic carbon	1000	ug/L	U	P	[NULL]	R	B07420	TOC	DATACH	9060_TOC	100-NR-2
199-N-29	8/26/1992 9:00	N	59473-04-0	Total organic halides	10	ug/L	U	PY	[NULL]	R	B07423	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-29	8/26/1992 9:00	N	59473-04-0	Total organic halides	10	ug/L	U	PY	[NULL]	R	B07422	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-29	8/26/1992 9:00	N	59473-04-0	Total organic halides	10	ug/L	U	PY	[NULL]	R	B07420	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-29	8/26/1992 9:00	N	59473-04-0	Total organic halides	10	ug/L	U	PY	[NULL]	R	B07421	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-29	8/26/1992 9:00	N	25167-82-2	Trichlorophenol	5	ug/L	U	P	[NULL]	R	B07420	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	8/26/1992 9:00	N	10028-17-8	Tritium	26600	pCi/L	[NULL]	P	[NULL]	R	B07420	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-29	8/26/1992 9:00	N	TURBIDITY	Turbidity	1	NTU	[NULL]	P	[NULL]	R	B07420	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-29	8/26/1992 9:00	Y	7440-62-2	Vanadium	30	ug/L	U	P	[NULL]	R	B07425	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/26/1992 9:00	N	7440-62-2	Vanadium	30	ug/L	U	P	[NULL]	R	B07420	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/26/1992 9:00	Y	7440-66-6	Zinc	10	ug/L	U	P	[NULL]	R	B07425	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/26/1992 9:00	N	7440-66-6	Zinc	16	ug/L	[NULL]	P	[NULL]	R	B07420	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/26/1992 9:00	N	PH	pH Measurement	8.14	unitless	[NULL]	P	[NULL]	R	B07422	PH	FIELD	9040_PH	100-NR-2
199-N-29	8/26/1992 9:00	N	PH	pH Measurement	8.13	unitless	[NULL]	P	[NULL]	R	B07421	PH	FIELD	9040_PH	100-NR-2
199-N-29	8/26/1992 9:00	N	PH	pH Measurement	8.13	unitless	[NULL]	P	[NULL]	R	B07420	PH	FIELD	9040_PH	100-NR-2
199-N-29	8/26/1992 9:00	N	PH	pH Measurement	8.14	unitless	[NULL]	P	[NULL]	R	B07423	PH	FIELD	9040_PH	100-NR-2
199-N-29	11/30/1992 10:00	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07PW1	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	11/30/1992 10:00	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07PW1	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	11/30/1992 10:00	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B07PW1	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	11/30/1992 10:00	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B07PW1	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	11/30/1992 10:00	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07PW1	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	11/30/1992 10:00	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07PW1	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	11/30/1992 10:00	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B07PW1	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	11/30/1992 10:00	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B07PW1	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	11/30/1992 10:00	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B07PW1	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	11/30/1992 10:00	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B07PW1	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	11/30/1992 10:00	N	14798-03-9	Ammonium ion	100	ug/L	[NULL]	[NULL]	[NULL]	R	B07PW1	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-29	11/30/1992 10:00	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B07PW2	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	11/30/1992 10:00	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B07PW1	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	11/30/1992 10:00	N	14234-35-6	Antimony-125	1.72	pCi/L	U	[NULL]	[NULL]	R	B07PW1	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-29	11/30/1992 10:00	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B07PW2	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-29	11/30/1992 10:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B07PW1	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-29	11/30/1992 10:00	Y	7440-39-3	Barium	20	ug/L	U	[NULL]	[NULL]	R	B07PW2	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	11/30/1992 10:00	N	7440-39-3	Barium	20	ug/L	U	[NULL]	[NULL]	R	B07PW1	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	11/30/1992 10:00	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B07PW2	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	11/30/1992 10:00	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B07PW1	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	11/30/1992 10:00	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B07PW1	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	11/30/1992 10:00	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B07PW1	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	11/30/1992 10:00	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B07PW2	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	11/30/1992 10:00	Y	7440-70-2	Calcium	35000	ug/L	[NULL]	[NULL]	[NULL]	R	B07PW2	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	11/30/1992 10:00	N	7440-70-2	Calcium	34000	ug/L	[NULL]	[NULL]	[NULL]	R	B07PW1	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	11/30/1992 10:00	N	10045-97-3	Cesium-137	-0.173	pCi/L	U	[NULL]	[NULL]	R	B07PW1	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-29	11/30/1992 10:00	N	16887-00-6	Chloride	2700	ug/L	[NULL]	Q	[NULL]	R	B07PW1	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	11/30/1992 10:00	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B07PW2	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	11/30/1992 10:00	N	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B07PW1	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	11/30/1992 10:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B07PW1	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	11/30/1992 10:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B07PW2	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	11/30/1992 10:00	N	10198-40-0	Cobalt-60	9.74	pCi/L	[NULL]	[NULL]	[NULL]	R	B07PW1	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-29	11/30/1992 10:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B07PW1	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-29	11/30/1992 10:00	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B07PW1	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	11/30/1992 10:00	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B07PW2	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	11/30/1992 10:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B07PW1	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	11/30/1992 10:00	N	16984-48-8	Fluoride	100	ug/L	U	[NULL]	[NULL]	R	B07PW1	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	11/30/1992 10:00	N	12587-46-1	Gross alpha	1.47	pCi/L	[NULL]	[NULL]	[NULL]	R	B07PW1	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-29	11/30/1992 10:00	N	12587-47-2	Gross beta	811	pCi/L	[NULL]	Q	[NULL]	R	B07PW1	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-29	11/30/1992 10:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B07PW1	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-29	11/30/1992 10:00	Y	7439-89-6	Iron	20	ug/L	U	[NULL]	[NULL]	R	B07PW2	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	11/30/1992 10:00	N	7439-89-6	Iron	100	ug/L	[NULL]	[NULL]	[NULL]	R	B07PW1	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	11/30/1992 10:00	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B07PW2	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-29	11/30/1992 10:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B07PW1	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-29	11/30/1992 10:00	N	7439-95-4	Magnesium	5700	ug/L	[NULL]	[NULL]	[NULL]	R	B07PW1	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	11/30/1992 10:00	Y	7439-95-4	Magnesium	5800	ug/L	[NULL]	[NULL]	[NULL]	R	B07PW2	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	11/30/1992 10:00	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B07PW2	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	11/30/1992 10:00	N	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B07PW1	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	11/30/1992 10:00	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B07PW2	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-29	11/30/1992 10:00	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B07PW1	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-29	11/30/1992 10:00	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B07PW2	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	11/30/1992 10:00	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B07PW1	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	11/30/1992 10:00	N	14797-55-8	Nitrate	13000	ug/L	[NULL]	[NULL]	[NULL]	R	B07PW1	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	11/30/1992 10:00	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B07PW1	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	11/30/1992 10:00	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B07PW1	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	11/30/1992 10:00	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B07PW1	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	11/30/1992 10:00	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B07PW1	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	11/30/1992 10:00	N	7440-09-7	Potassium	3000	ug/L	[NULL]	[NULL]	[NULL]	R	B07PW1	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	11/30/1992 10:00	Y	7440-09-7	Potassium	2800	ug/L	[NULL]	[NULL]	[NULL]	R	B07PW2	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	11/30/1992 10:00	N	7440-14-4	Radium	-0.062	pCi/L	U	[NULL]	[NULL]	R	B07PW1	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-29	11/30/1992 10:00	N	13967-48-1	Ruthenium-106	-46.7	pCi/L	U	[NULL]	[NULL]	R	B07PW1	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-29	11/30/1992 10:00	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B07PW2	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-29	11/30/1992 10:00	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B07PW1	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-29	11/30/1992 10:00	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B07PW2	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	11/30/1992 10:00	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B07PW1	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	11/30/1992 10:00	Y	7440-23-5	Sodium	2800	ug/L	[NULL]	[NULL]	[NULL]	R	B07PW2	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	11/30/1992 10:00	N	7440-23-5	Sodium	2700	ug/L	[NULL]	[NULL]	[NULL]	R	B07PW1	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	11/30/1992 10:00	N	CONDUCT	Specific Conductance	240	uS/cm	[NULL]	[NULL]	[NULL]	R	B07PW1	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-29	11/30/1992 10:00	N	10098-97-2	Strontium-90	422	pCi/L	[NULL]	[NULL]	[NULL]	R	B07PW1	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-29	11/30/1992 10:00	N	14808-79-8	Sulfate	35000	ug/L	[NULL]	[NULL]	[NULL]	R	B07PW1	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	11/30/1992 10:00	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B07PW1	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	11/30/1992 10:00	Y	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B07PW2	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-29	11/30/1992 10:00	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B07PW1	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-29	11/30/1992 10:00	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B07PW1	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	11/30/1992 10:00	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B07PW2	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	11/30/1992 10:00	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B07PW1	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	11/30/1992 10:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07PW1	TOC	DATACH	9060_TOC	100-NR-2
199-N-29	11/30/1992 10:00	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B07PW1	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-29	11/30/1992 10:00	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07PW1	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	11/30/1992 10:00	N	10028-17-8	Tritium	25000	pCi/L	[NULL]	[NULL]	[NULL]	R	B07PW1	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-29	11/30/1992 10:00	N	TURBIDITY	Turbidity	0.3	NTU	[NULL]	[NULL]	[NULL]	R	B07PW1	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-29	11/30/1992 10:00	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B07PW1	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	11/30/1992 10:00	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B07PW2	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	11/30/1992 10:00	N	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B07PW1	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	11/30/1992 10:00	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B07PW2	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	11/30/1992 10:00	N	PH	pH Measurement	8.3	unitless	[NULL]	[NULL]	[NULL]	R	B07PW1	PH	DATACH	D1293_PH	100-NR-2
199-N-29	2/25/1993 8:30	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085Q8	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/25/1993 8:30	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085Q8	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/25/1993 8:30	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B085Q8	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/25/1993 8:30	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B085Q8	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/25/1993 8:30	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085Q8	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/25/1993 8:30	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085Q8	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/25/1993 8:30	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B085Q8	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/25/1993 8:30	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B085Q8	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/25/1993 8:30	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B085Q8	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/25/1993 8:30	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B085Q8	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/25/1993 8:30	N	14798-03-9	Ammonium ion	100	ug/L	U	[NULL]	[NULL]	R	B085Q8	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-29	2/25/1993 8:30	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B085Q8	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/25/1993 8:30	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B085R2	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/25/1993 8:30	N	14234-35-6	Antimony-125	24.5	pCi/L	[NULL]	[NULL]	[NULL]	R	B085Q8	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-29	2/25/1993 8:30	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B085Q8	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-29	2/25/1993 8:30	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B085R2	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-29	2/25/1993 8:30	Y	7440-39-3	Barium	20	ug/L	[NULL]	[NULL]	[NULL]	R	B085R2	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/25/1993 8:30	N	7440-39-3	Barium	30	ug/L	[NULL]	[NULL]	[NULL]	R	B085Q8	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/25/1993 8:30	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B085R2	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/25/1993 8:30	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B085Q8	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/25/1993 8:30	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B085Q8	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	2/25/1993 8:30	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B085R2	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/25/1993 8:30	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B085Q8	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/25/1993 8:30	Y	7440-70-2	Calcium	35000	ug/L	[NULL]	[NULL]	[NULL]	R	B085R2	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	2/25/1993 8:30	N	7440-70-2	Calcium	36000	ug/L	[NULL]	[NULL]	[NULL]	R	B085Q8	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/25/1993 8:30	N	10045-97-3	Cesium-137	-2.38	pCi/L	U	[NULL]	[NULL]	R	B085Q8	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-29	2/25/1993 8:30	N	16887-00-6	Chloride	2900	ug/L	[NULL]	[NULL]	[NULL]	R	B085Q8	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	2/25/1993 8:30	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B085R2	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/25/1993 8:30	N	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B085Q8	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/25/1993 8:30	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B085Q8	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/25/1993 8:30	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B085R2	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/25/1993 8:30	N	10198-40-0	Cobalt-60	12	pCi/L	[NULL]	[NULL]	[NULL]	R	B085Q8	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-29	2/25/1993 8:30	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B085Q8	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-29	2/25/1993 8:30	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B085Q8	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/25/1993 8:30	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B085R2	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/25/1993 8:30	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B085Q8	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/25/1993 8:30	N	16984-48-8	Fluoride	200	ug/L	[NULL]	[NULL]	[NULL]	R	B085Q8	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	2/25/1993 8:30	N	12587-46-1	Gross alpha	1.27	pCi/L	[NULL]	[NULL]	[NULL]	R	B085Q8	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-29	2/25/1993 8:30	N	12587-47-2	Gross beta	671	pCi/L	[NULL]	[NULL]	[NULL]	R	B085Q8	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-29	2/25/1993 8:30	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B085Q8	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-29	2/25/1993 8:30	Y	7439-89-6	Iron	20	ug/L	U	[NULL]	[NULL]	R	B085R2	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/25/1993 8:30	N	7439-89-6	Iron	200	ug/L	[NULL]	[NULL]	[NULL]	R	B085Q8	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/25/1993 8:30	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B085Q8	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-29	2/25/1993 8:30	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B085R2	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-29	2/25/1993 8:30	N	7439-95-4	Magnesium	6100	ug/L	[NULL]	[NULL]	[NULL]	R	B085Q8	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/25/1993 8:30	Y	7439-95-4	Magnesium	6000	ug/L	[NULL]	[NULL]	[NULL]	R	B085R2	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/25/1993 8:30	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B085R2	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/25/1993 8:30	N	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B085Q8	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/25/1993 8:30	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B085R2	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-29	2/25/1993 8:30	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B085Q8	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-29	2/25/1993 8:30	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B085Q8	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/25/1993 8:30	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B085R2	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/25/1993 8:30	N	14797-55-8	Nitrate	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B085Q8	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	2/25/1993 8:30	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B085Q8	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	2/25/1993 8:30	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B085Q8	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/25/1993 8:30	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B085Q8	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/25/1993 8:30	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B085Q8	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	2/25/1993 8:30	Y	7440-09-7	Potassium	3100	ug/L	[NULL]	[NULL]	[NULL]	R	B085R2	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/25/1993 8:30	N	7440-09-7	Potassium	3300	ug/L	[NULL]	[NULL]	[NULL]	R	B085Q8	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/25/1993 8:30	N	7440-14-4	Radium	-0.036	pCi/L	U	[NULL]	[NULL]	R	B085Q8	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-29	2/25/1993 8:30	N	13967-48-1	Ruthenium-106	48.6	pCi/L	[NULL]	[NULL]	[NULL]	R	B085Q8	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-29	2/25/1993 8:30	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B085R2	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-29	2/25/1993 8:30	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B085Q8	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-29	2/25/1993 8:30	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B085R2	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/25/1993 8:30	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B085Q8	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/25/1993 8:30	N	7440-23-5	Sodium	3000	ug/L	[NULL]	[NULL]	[NULL]	R	B085Q8	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/25/1993 8:30	Y	7440-23-5	Sodium	3000	ug/L	[NULL]	[NULL]	[NULL]	R	B085R2	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/25/1993 8:30	N	CONDUCT	Specific Conductance	245	uS/cm	[NULL]	[NULL]	[NULL]	R	B085Q8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-29	2/25/1993 8:30	N	CONDUCT	Specific Conductance	245	uS/cm	[NULL]	[NULL]	[NULL]	R	B085R0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-29	2/25/1993 8:30	N	CONDUCT	Specific Conductance	245	uS/cm	[NULL]	[NULL]	[NULL]	R	B085R1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-29	2/25/1993 8:30	N	CONDUCT	Specific Conductance	250	uS/cm	[NULL]	[NULL]	[NULL]	R	B085W1	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-29	2/25/1993 8:30	N	CONDUCT	Specific Conductance	245	uS/cm	[NULL]	[NULL]	[NULL]	R	B085Q9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-29	2/25/1993 8:30	N	10098-97-2	Strontium-90	343	pCi/L	[NULL]	[NULL]	[NULL]	R	B085Q8	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-29	2/25/1993 8:30	N	14808-79-8	Sulfate	37000	ug/L	[NULL]	[NULL]	[NULL]	R	B085Q8	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	2/25/1993 8:30	N	TEMPERATURE	Temperature	17.9	Deg C	[NULL]	[NULL]	[NULL]	R	B085R1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-29	2/25/1993 8:30	N	TEMPERATURE	Temperature	17.7	Deg C	[NULL]	[NULL]	[NULL]	R	B085Q8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-29	2/25/1993 8:30	N	TEMPERATURE	Temperature	17.8	Deg C	[NULL]	[NULL]	[NULL]	R	B085Q9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	2/25/1993 8:30	N	TEMPERATURE	Temperature	17.9	Deg C	[NULL]	[NULL]	[NULL]	R	B085R0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-29	2/25/1993 8:30	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B085Q8	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/25/1993 8:30	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B085Q8	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-29	2/25/1993 8:30	Y	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B085R2	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-29	2/25/1993 8:30	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B085R2	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/25/1993 8:30	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B085Q8	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/25/1993 8:30	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B085Q8	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/25/1993 8:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B085Q8	TOC	DATACH	9060_TOC	100-NR-2
199-N-29	2/25/1993 8:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B085R1	TOC	DATACH	9060_TOC	100-NR-2
199-N-29	2/25/1993 8:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B085Q9	TOC	DATACH	9060_TOC	100-NR-2
199-N-29	2/25/1993 8:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B085R0	TOC	DATACH	9060_TOC	100-NR-2
199-N-29	2/25/1993 8:30	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B085Q8	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-29	2/25/1993 8:30	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B085R1	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-29	2/25/1993 8:30	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B085Q9	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-29	2/25/1993 8:30	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B085R0	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-29	2/25/1993 8:30	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085Q8	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/25/1993 8:30	N	10028-17-8	Tritium	26200	pCi/L	[NULL]	[NULL]	[NULL]	R	B085Q8	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-29	2/25/1993 8:30	N	TURBIDITY	Turbidity	0.5	NTU	[NULL]	[NULL]	[NULL]	R	B085Q8	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-29	2/25/1993 8:30	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B085R2	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/25/1993 8:30	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B085Q8	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/25/1993 8:30	Y	7440-66-6	Zinc	10	ug/L	[NULL]	[NULL]	[NULL]	R	B085R2	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/25/1993 8:30	N	7440-66-6	Zinc	20	ug/L	[NULL]	[NULL]	[NULL]	R	B085Q8	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/25/1993 8:30	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	R	B085W1	PH	DATACH	D1293_PH	100-NR-2
199-N-29	2/25/1993 8:30	N	PH	pH Measurement	8.18	unitless	[NULL]	[NULL]	[NULL]	R	B085R1	PH	FIELD	9040_PH	100-NR-2
199-N-29	2/25/1993 8:30	N	PH	pH Measurement	8.16	unitless	[NULL]	[NULL]	[NULL]	R	B085Q8	PH	FIELD	9040_PH	100-NR-2
199-N-29	2/25/1993 8:30	N	PH	pH Measurement	8.17	unitless	[NULL]	[NULL]	[NULL]	R	B085Q9	PH	FIELD	9040_PH	100-NR-2
199-N-29	2/25/1993 8:30	N	PH	pH Measurement	8.18	unitless	[NULL]	[NULL]	[NULL]	R	B085R0	PH	FIELD	9040_PH	100-NR-2
199-N-29	8/10/1993 9:10	N	88-06-2	2,4,6-Trichlorophenol	1.45	ug/L	U	[NULL]	[NULL]	R	B090P3	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	8/10/1993 9:10	N	120-83-2	2,4-Dichlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B090P3	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	8/10/1993 9:10	N	105-67-9	2,4-Dimethylphenol	1.01	ug/L	U	[NULL]	[NULL]	R	B090P3	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	8/10/1993 9:10	N	51-28-5	2,4-Dinitrophenol	0.96	ug/L	U	[NULL]	[NULL]	R	B090P3	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	8/10/1993 9:10	N	87-65-0	2,6-Dichlorophenol	1.59	ug/L	U	[NULL]	[NULL]	R	B090P3	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	8/10/1993 9:10	N	95-57-8	2-Chlorophenol	1.42	ug/L	U	[NULL]	[NULL]	R	B090P3	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	8/10/1993 9:10	N	88-75-5	2-Nitrophenol	1.56	ug/L	U	[NULL]	[NULL]	R	B090P3	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	8/10/1993 9:10	N	534-52-1	4,6-Dinitro-2-methylphenol	1.18	ug/L	U	[NULL]	[NULL]	R	B090P3	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	8/10/1993 9:10	N	59-50-7	4-Chloro-3-methylphenol	1.12	ug/L	U	[NULL]	[NULL]	R	B090P3	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	8/10/1993 9:10	N	100-02-7	4-Nitrophenol	0.65	ug/L	U	[NULL]	[NULL]	R	B090P3	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	8/10/1993 9:10	N	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B090P3	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	Y	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B090P7	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	N	14798-03-9	Ammonium ion	50	ug/L	L	Q	[NULL]	R	B090P3	14798-03-9	DATACH	D1426C_AMMONIUM	100-NR-2
199-N-29	8/10/1993 9:10	N	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B090P3	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	Y	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B090P7	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	N	14234-35-6	Antimony-125	26	pCi/L	[NULL]	[NULL]	[NULL]	R	B090P3	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-29	8/10/1993 9:10	N	7440-38-2	Arsenic	2	ug/L	L	[NULL]	[NULL]	R	B090P3	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-29	8/10/1993 9:10	Y	7440-38-2	Arsenic	2	ug/L	L	[NULL]	[NULL]	R	B090P7	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-29	8/10/1993 9:10	N	7440-39-3	Barium	21	ug/L	[NULL]	[NULL]	[NULL]	R	B090P3	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	Y	7440-39-3	Barium	20	ug/L	[NULL]	[NULL]	[NULL]	R	B090P7	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	N	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B090P3	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	Y	7440-41-7	Beryllium	0.95	ug/L	L	[NULL]	[NULL]	R	B090P7	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	N	24959-67-9	Bromide	52.8	ug/L	U	[NULL]	[NULL]	R	B090P3	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	8/10/1993 9:10	N	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B090P3	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	Y	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B090P7	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	N	7440-70-2	Calcium	38000	ug/L	[NULL]	[NULL]	[NULL]	R	B090P3	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	Y	7440-70-2	Calcium	38000	ug/L	[NULL]	[NULL]	[NULL]	R	B090P7	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	8/10/1993 9:10	N	10045-97-3	Cesium-137	-0.387	pCi/L	U	[NULL]	[NULL]	R	B090P3	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-29	8/10/1993 9:10	N	16887-00-6	Chloride	3400	ug/L	[NULL]	[NULL]	[NULL]	R	B090P3	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	8/10/1993 9:10	N	7440-47-3	Chromium	14	ug/L	L	[NULL]	[NULL]	R	B090P3	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	Y	7440-47-3	Chromium	5.42	ug/L	U	[NULL]	[NULL]	R	B090P7	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	N	7440-48-4	Cobalt	7.8	ug/L	L	[NULL]	[NULL]	R	B090P3	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	Y	7440-48-4	Cobalt	6	ug/L	L	[NULL]	[NULL]	R	B090P7	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	N	10198-40-0	Cobalt-60	9.91	pCi/L	[NULL]	[NULL]	[NULL]	R	B090P3	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-29	8/10/1993 9:10	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B090P3	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-29	8/10/1993 9:10	N	7440-50-8	Copper	7.3	ug/L	L	[NULL]	[NULL]	R	B090P3	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	Y	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B090P7	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1.35	ug/L	U	[NULL]	[NULL]	R	B090P3	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	8/10/1993 9:10	N	16984-48-8	Fluoride	100	ug/L	[NULL]	[NULL]	[NULL]	R	B090P3	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	8/10/1993 9:10	N	12587-46-1	Gross alpha	1.75	pCi/L	[NULL]	[NULL]	[NULL]	R	B090P3	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-29	8/10/1993 9:10	N	12587-47-2	Gross beta	639	pCi/L	[NULL]	[NULL]	[NULL]	R	B090P3	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-29	8/10/1993 9:10	N	302-01-2	Hydrazine	1.89	ug/L	U	[NULL]	[NULL]	R	B090P3	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-29	8/10/1993 9:10	N	7439-89-6	Iron	200	ug/L	[NULL]	[NULL]	[NULL]	R	B090P3	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	Y	7439-89-6	Iron	21	ug/L	[NULL]	[NULL]	[NULL]	R	B090P7	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	N	7439-92-1	Lead	1.2	ug/L	L	[NULL]	[NULL]	R	B090P3	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-29	8/10/1993 9:10	Y	7439-92-1	Lead	1	ug/L	L	[NULL]	[NULL]	R	B090P7	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-29	8/10/1993 9:10	N	7439-95-4	Magnesium	6300	ug/L	[NULL]	[NULL]	[NULL]	R	B090P3	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	Y	7439-95-4	Magnesium	6200	ug/L	[NULL]	[NULL]	[NULL]	R	B090P7	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	Y	7439-96-5	Manganese	1.4	ug/L	L	Q	[NULL]	R	B090P7	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	N	7439-96-5	Manganese	3.8	ug/L	L	Q	[NULL]	R	B090P3	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	Y	7439-97-6	Mercury	0.158	ug/L	U	[NULL]	[NULL]	R	B090P7	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-29	8/10/1993 9:10	N	7439-97-6	Mercury	0.158	ug/L	U	[NULL]	[NULL]	R	B090P3	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-29	8/10/1993 9:10	Y	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B090P7	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	N	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B090P3	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	N	14797-55-8	Nitrate	12000	ug/L	[NULL]	Q	[NULL]	R	B090P3	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	8/10/1993 9:10	N	14797-65-0	Nitrite	38.3	ug/L	U	[NULL]	[NULL]	R	B090P3	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	8/10/1993 9:10	N	87-86-5	Pentachlorophenol	0.87	ug/L	U	[NULL]	[NULL]	R	B090P3	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	8/10/1993 9:10	N	108-95-2	Phenol	0.31	ug/L	U	[NULL]	[NULL]	R	B090P3	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	8/10/1993 9:10	N	14265-44-2	Phosphate	147	ug/L	U	[NULL]	[NULL]	R	B090P3	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	8/10/1993 9:10	N	7440-09-7	Potassium	4100	ug/L	[NULL]	[NULL]	[NULL]	R	B090P3	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	Y	7440-09-7	Potassium	3900	ug/L	[NULL]	[NULL]	[NULL]	R	B090P7	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	N	7440-14-4	Radium	-0.038	pCi/L	U	[NULL]	[NULL]	R	B090P3	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-29	8/10/1993 9:10	N	13967-48-1	Ruthenium-106	3.21	pCi/L	U	[NULL]	[NULL]	R	B090P3	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-29	8/10/1993 9:10	N	7782-49-2	Selenium	1.21	ug/L	U	[NULL]	[NULL]	R	B090P3	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-29	8/10/1993 9:10	Y	7782-49-2	Selenium	1.21	ug/L	U	[NULL]	[NULL]	R	B090P7	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-29	8/10/1993 9:10	N	7440-22-4	Silver	4.1	ug/L	L	[NULL]	[NULL]	R	B090P3	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	Y	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B090P7	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	N	7440-23-5	Sodium	2900	ug/L	[NULL]	[NULL]	[NULL]	R	B090P3	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	Y	7440-23-5	Sodium	2900	ug/L	[NULL]	[NULL]	[NULL]	R	B090P7	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	N	CONDUCT	Specific Conductance	263	uS/cm	[NULL]	[NULL]	[NULL]	R	B090P3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-29	8/10/1993 9:10	N	CONDUCT	Specific Conductance	263	uS/cm	[NULL]	[NULL]	[NULL]	R	B090P4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-29	8/10/1993 9:10	N	CONDUCT	Specific Conductance	263	uS/cm	[NULL]	[NULL]	[NULL]	R	B090P5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-29	8/10/1993 9:10	N	CONDUCT	Specific Conductance	260	uS/cm	[NULL]	[NULL]	[NULL]	R	B090D6	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-29	8/10/1993 9:10	N	CONDUCT	Specific Conductance	263	uS/cm	[NULL]	[NULL]	[NULL]	R	B090P6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-29	8/10/1993 9:10	N	10098-97-2	Strontium-90	341	pCi/L	[NULL]	[NULL]	[NULL]	R	B090P3	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-29	8/10/1993 9:10	N	14808-79-8	Sulfate	42000	ug/L	[NULL]	[NULL]	[NULL]	R	B090P3	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	8/10/1993 9:10	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B090P6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-29	8/10/1993 9:10	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B090P3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-29	8/10/1993 9:10	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B090P4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-29	8/10/1993 9:10	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B090P5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	8/10/1993 9:10	N	25167-83-3	Tetrachlorophenol	1.05	ug/L	U	[NULL]	[NULL]	R	B090P3	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	8/10/1993 9:10	N	7440-28-0	Thallium	1.02	ug/L	U	[NULL]	[NULL]	R	B090P3	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-29	8/10/1993 9:10	Y	7440-28-0	Thallium	1.02	ug/L	U	[NULL]	[NULL]	R	B090P7	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-29	8/10/1993 9:10	Y	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B090P7	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	N	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B090P3	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	N	1319-77-3	Total cresols	4.66	ug/L	U	[NULL]	[NULL]	R	B090P3	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	8/10/1993 9:10	N	TOC	Total organic carbon	400	ug/L	L	[NULL]	[NULL]	R	B090P4	TOC	DATACH	9060_TOC	100-NR-2
199-N-29	8/10/1993 9:10	N	TOC	Total organic carbon	500	ug/L	L	[NULL]	[NULL]	R	B090P5	TOC	DATACH	9060_TOC	100-NR-2
199-N-29	8/10/1993 9:10	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B090P6	TOC	DATACH	9060_TOC	100-NR-2
199-N-29	8/10/1993 9:10	N	TOC	Total organic carbon	400	ug/L	L	[NULL]	[NULL]	R	B090P3	TOC	DATACH	9060_TOC	100-NR-2
199-N-29	8/10/1993 9:10	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B090P4	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-29	8/10/1993 9:10	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B090P3	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-29	8/10/1993 9:10	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B090P5	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-29	8/10/1993 9:10	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B090P6	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-29	8/10/1993 9:10	N	25167-82-2	Trichlorophenol	1.11	ug/L	U	[NULL]	[NULL]	R	B090P3	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	8/10/1993 9:10	N	10028-17-8	Tritium	23600	pCi/L	[NULL]	[NULL]	[NULL]	R	B090P3	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-29	8/10/1993 9:10	N	TURBIDITY	Turbidity	1.7	NTU	[NULL]	Q	[NULL]	R	B090P3	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-29	8/10/1993 9:10	Y	7440-62-2	Vanadium	5.4	ug/L	L	[NULL]	[NULL]	R	B090P7	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	N	7440-62-2	Vanadium	8.4	ug/L	L	[NULL]	[NULL]	R	B090P3	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	Y	7440-66-6	Zinc	5.1	ug/L	L	[NULL]	[NULL]	R	B090P7	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	N	7440-66-6	Zinc	11	ug/L	[NULL]	[NULL]	[NULL]	R	B090P3	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	8/10/1993 9:10	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	B090D6	PH	DATACH	D1293_PH	100-NR-2
199-N-29	8/10/1993 9:10	N	PH	pH Measurement	8.27	unitless	[NULL]	[NULL]	[NULL]	R	B090P6	PH	FIELD	9040_PH	100-NR-2
199-N-29	8/10/1993 9:10	N	PH	pH Measurement	8.28	unitless	[NULL]	[NULL]	[NULL]	R	B090P3	PH	FIELD	9040_PH	100-NR-2
199-N-29	8/10/1993 9:10	N	PH	pH Measurement	8.27	unitless	[NULL]	[NULL]	[NULL]	R	B090P4	PH	FIELD	9040_PH	100-NR-2
199-N-29	8/10/1993 9:10	N	PH	pH Measurement	8.27	unitless	[NULL]	[NULL]	[NULL]	R	B090P5	PH	FIELD	9040_PH	100-NR-2
199-N-29	2/4/1994 10:00	N	88-06-2	2,4,6-Trichlorophenol	1.45	ug/L	U	[NULL]	[NULL]	R	B09VN7	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/4/1994 10:00	N	120-83-2	2,4-Dichlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B09VN7	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/4/1994 10:00	N	105-67-9	2,4-Dimethylphenol	1.01	ug/L	U	[NULL]	[NULL]	R	B09VN7	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/4/1994 10:00	N	51-28-5	2,4-Dinitrophenol	0.96	ug/L	U	[NULL]	[NULL]	R	B09VN7	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/4/1994 10:00	N	87-65-0	2,6-Dichlorophenol	1.59	ug/L	U	[NULL]	[NULL]	R	B09VN7	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/4/1994 10:00	N	95-57-8	2-Chlorophenol	1.42	ug/L	U	[NULL]	[NULL]	R	B09VN7	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/4/1994 10:00	N	88-75-5	2-Nitrophenol	1.56	ug/L	U	[NULL]	[NULL]	R	B09VN7	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/4/1994 10:00	N	534-52-1	4,6-Dinitro-2-methylphenol	1.18	ug/L	U	[NULL]	[NULL]	R	B09VN7	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/4/1994 10:00	N	59-50-7	4-Chloro-3-methylphenol	1.12	ug/L	U	[NULL]	[NULL]	R	B09VN7	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/4/1994 10:00	N	100-02-7	4-Nitrophenol	0.65	ug/L	U	[NULL]	[NULL]	R	B09VN7	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/4/1994 10:00	Y	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B09VP1	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	N	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B09VN7	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	Y	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B09VP1	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	N	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B09VN7	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	N	14234-35-6	Antimony-125	25.2	pCi/L	[NULL]	[NULL]	[NULL]	R	B09VN7	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-29	2/4/1994 10:00	Y	7440-38-2	Arsenic	2	ug/L	L	[NULL]	[NULL]	R	B09VP1	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-29	2/4/1994 10:00	N	7440-38-2	Arsenic	2	ug/L	L	[NULL]	[NULL]	R	B09VN7	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-29	2/4/1994 10:00	Y	7440-39-3	Barium	23	ug/L	[NULL]	[NULL]	[NULL]	R	B09VP1	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	N	7440-39-3	Barium	24	ug/L	[NULL]	[NULL]	[NULL]	R	B09VN7	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	N	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B09VN7	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	Y	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B09VP1	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	N	24959-67-9	Bromide	52.8	ug/L	U	[NULL]	[NULL]	R	B09VN7	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	2/4/1994 10:00	N	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B09VN7	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	Y	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B09VP1	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	Y	7440-70-2	Calcium	41000	ug/L	B	Q	[NULL]	R	B09VP1	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	N	7440-70-2	Calcium	41000	ug/L	B	Q	[NULL]	R	B09VN7	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	N	10045-97-3	Cesium-137	5.56	pCi/L	[NULL]	[NULL]	[NULL]	R	B09VN7	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-29	2/4/1994 10:00	N	16887-00-6	Chloride	3600	ug/L	[NULL]	[NULL]	[NULL]	R	B09VN7	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	2/4/1994 10:00	Y	7440-47-3	Chromium	5.42	ug/L	U	[NULL]	[NULL]	R	B09VP1	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	N	7440-47-3	Chromium	5.42	ug/L	U	[NULL]	[NULL]	R	B09VN7	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	Y	7440-48-4	Cobalt	4.05	ug/L	U	[NULL]	[NULL]	R	B09VP1	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	N	7440-48-4	Cobalt	4.05	ug/L	U	[NULL]	[NULL]	R	B09VN7	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	N	10198-40-0	Cobalt-60	8.81	pCi/L	[NULL]	[NULL]	[NULL]	R	B09VN7	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-29	2/4/1994 10:00	N	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B09VN7	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	Y	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B09VP1	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1.35	ug/L	U	[NULL]	[NULL]	R	B09VN7	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/4/1994 10:00	N	16984-48-8	Fluoride	200	ug/L	[NULL]	[NULL]	[NULL]	R	B09VN7	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	2/4/1994 10:00	N	12587-46-1	Gross alpha	1.23	pCi/L	[NULL]	[NULL]	[NULL]	R	B09VN7	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-29	2/4/1994 10:00	N	12587-47-2	Gross beta	610	pCi/L	[NULL]	[NULL]	[NULL]	R	B09VN7	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-29	2/4/1994 10:00	N	302-01-2	Hydrazine	1.89	ug/L	U	[NULL]	[NULL]	R	B09VN7	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-29	2/4/1994 10:00	Y	7439-89-6	Iron	10.3	ug/L	U	[NULL]	[NULL]	R	B09VP1	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	N	7439-89-6	Iron	59	ug/L	B	[NULL]	[NULL]	R	B09VN7	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	Y	7439-92-1	Lead	0.508	ug/L	U	[NULL]	[NULL]	R	B09VP1	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-29	2/4/1994 10:00	N	7439-92-1	Lead	0.508	ug/L	U	[NULL]	[NULL]	R	B09VN7	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-29	2/4/1994 10:00	N	7439-95-4	Magnesium	7100	ug/L	[NULL]	Q	[NULL]	R	B09VN7	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	Y	7439-95-4	Magnesium	7000	ug/L	[NULL]	Q	[NULL]	R	B09VP1	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	N	7439-96-5	Manganese	1.35	ug/L	U	[NULL]	[NULL]	R	B09VN7	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	Y	7439-96-5	Manganese	1.35	ug/L	U	[NULL]	[NULL]	R	B09VP1	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	Y	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B09VP1	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	N	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B09VN7	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	N	14797-55-8	Nitrate	12000	ug/L	D	[NULL]	[NULL]	R	B09VN7	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	2/4/1994 10:00	N	14797-65-0	Nitrite	38.3	ug/L	U	[NULL]	[NULL]	R	B09VN7	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	2/4/1994 10:00	N	87-86-5	Pentachlorophenol	0.87	ug/L	U	[NULL]	[NULL]	R	B09VN7	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/4/1994 10:00	N	108-95-2	Phenol	0.31	ug/L	U	[NULL]	[NULL]	R	B09VN7	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/4/1994 10:00	N	14265-44-2	Phosphate	147	ug/L	U	[NULL]	[NULL]	R	B09VN7	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	2/4/1994 10:00	N	7440-09-7	Potassium	2500	ug/L	[NULL]	[NULL]	[NULL]	R	B09VN7	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	Y	7440-09-7	Potassium	2700	ug/L	[NULL]	[NULL]	[NULL]	R	B09VP1	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	N	13967-48-1	Ruthenium-106	-5.07	pCi/L	U	[NULL]	[NULL]	R	B09VN7	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-29	2/4/1994 10:00	N	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B09VN7	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	Y	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B09VP1	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	Y	7440-23-5	Sodium	3200	ug/L	B	Q	[NULL]	R	B09VP1	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	N	7440-23-5	Sodium	3200	ug/L	B	Q	[NULL]	R	B09VN7	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	N	CONDUCT	Specific Conductance	290	uS/cm	[NULL]	[NULL]	[NULL]	R	B09VN7	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-29	2/4/1994 10:00	N	CONDUCT	Specific Conductance	290	uS/cm	[NULL]	[NULL]	[NULL]	R	B09VN8	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-29	2/4/1994 10:00	N	CONDUCT	Specific Conductance	290	uS/cm	[NULL]	[NULL]	[NULL]	R	B09VN9	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-29	2/4/1994 10:00	N	CONDUCT	Specific Conductance	290	uS/cm	[NULL]	[NULL]	[NULL]	R	B09VP0	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-29	2/4/1994 10:00	N	CONDUCT	Specific Conductance	282	uS/cm	[NULL]	[NULL]	[NULL]	R	B09VN8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-29	2/4/1994 10:00	N	CONDUCT	Specific Conductance	282	uS/cm	[NULL]	[NULL]	[NULL]	R	B09VN7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-29	2/4/1994 10:00	N	CONDUCT	Specific Conductance	280	uS/cm	[NULL]	[NULL]	[NULL]	R	B09VP0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-29	2/4/1994 10:00	N	CONDUCT	Specific Conductance	281	uS/cm	[NULL]	[NULL]	[NULL]	R	B09VN9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-29	2/4/1994 10:00	N	10098-97-2	Strontium-90	326	pCi/L	[NULL]	[NULL]	[NULL]	R	B09VN7	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-29	2/4/1994 10:00	N	14808-79-8	Sulfate	49000	ug/L	D	[NULL]	[NULL]	R	B09VN7	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	2/4/1994 10:00	N	TEMPERATURE	Temperature	18.2	Deg C	[NULL]	[NULL]	[NULL]	R	B09VN7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-29	2/4/1994 10:00	N	25167-83-3	Tetrachlorophenol	1.05	ug/L	U	[NULL]	[NULL]	R	B09VN7	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/4/1994 10:00	Y	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B09VP1	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	N	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B09VN7	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	N	1319-77-3	Total cresols	4.66	ug/L	U	[NULL]	[NULL]	R	B09VN7	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/4/1994 10:00	N	TOC	Total organic carbon	200	ug/L	L	[NULL]	[NULL]	R	B09VN8	TOC	DATACH	9060_TOC	100-NR-2
199-N-29	2/4/1994 10:00	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B09VN7	TOC	DATACH	9060_TOC	100-NR-2
199-N-29	2/4/1994 10:00	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B09VP0	TOC	DATACH	9060_TOC	100-NR-2
199-N-29	2/4/1994 10:00	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B09VN9	TOC	DATACH	9060_TOC	100-NR-2
199-N-29	2/4/1994 10:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B09VN7	59473-04-0	WESTON	9020_TOX	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	2/4/1994 10:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B09VN8	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-29	2/4/1994 10:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B09VN9	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-29	2/4/1994 10:00	N	59473-04-0	Total organic halides	5.7	ug/L	[NULL]	[NULL]	[NULL]	R	B09VP0	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-29	2/4/1994 10:00	N	25167-82-2	Trichlorophenol	1.11	ug/L	U	[NULL]	[NULL]	R	B09VN7	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	2/4/1994 10:00	N	10028-17-8	Tritium	24400	pCi/L	[NULL]	[NULL]	[NULL]	R	B09VN7	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-29	2/4/1994 10:00	N	TURBIDITY	Turbidity	0.39	NTU	[NULL]	Q	[NULL]	R	B09VN7	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-29	2/4/1994 10:00	Y	7440-62-2	Vanadium	8.4	ug/L	L	[NULL]	[NULL]	R	B09VP1	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	N	7440-62-2	Vanadium	9.5	ug/L	L	[NULL]	[NULL]	R	B09VN7	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	N	7440-66-6	Zinc	24	ug/L	B	Q	[NULL]	R	B09VN7	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	Y	7440-66-6	Zinc	17	ug/L	B	Q	[NULL]	R	B09VP1	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	2/4/1994 10:00	N	PH	pH Measurement	7.47	unitless	[NULL]	[NULL]	[NULL]	R	B09VN9	PH	FIELD	9040_PH	100-NR-2
199-N-29	2/4/1994 10:00	N	PH	pH Measurement	7.49	unitless	[NULL]	[NULL]	[NULL]	R	B09VP0	PH	FIELD	9040_PH	100-NR-2
199-N-29	2/4/1994 10:00	N	PH	pH Measurement	7.82	unitless	[NULL]	[NULL]	[NULL]	R	B09VN7	PH	FIELD	9040_PH	100-NR-2
199-N-29	2/4/1994 10:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	B09VP0	PH	DATACH	D1293_PH	100-NR-2
199-N-29	2/4/1994 10:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B09VN9	PH	DATACH	D1293_PH	100-NR-2
199-N-29	2/4/1994 10:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	B09VN8	PH	DATACH	D1293_PH	100-NR-2
199-N-29	2/4/1994 10:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B09VN7	PH	DATACH	D1293_PH	100-NR-2
199-N-29	2/4/1994 10:00	N	PH	pH Measurement	7.45	unitless	[NULL]	[NULL]	[NULL]	R	B09VN8	PH	FIELD	9040_PH	100-NR-2
199-N-29	9/9/1994 11:00	N	7429-90-5	Aluminum	19	ug/L	U	[NULL]	[NULL]	R	B0C9D8	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	Y	7429-90-5	Aluminum	19	ug/L	U	[NULL]	[NULL]	R	B0C9F2	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	N	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C9D8	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	Y	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C9F2	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	N	14234-35-6	Antimony-125	19.3	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C9D8	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-29	9/9/1994 11:00	N	7440-38-2	Arsenic	1.8	ug/L	L	[NULL]	[NULL]	R	B0C9D8	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-29	9/9/1994 11:00	Y	7440-38-2	Arsenic	1.7	ug/L	L	[NULL]	[NULL]	R	B0C9F2	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-29	9/9/1994 11:00	Y	7440-39-3	Barium	25	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9F2	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	N	7440-39-3	Barium	25	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9D8	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	Y	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C9F2	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	N	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C9D8	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	N	24959-67-9	Bromide	110	ug/L	U	[NULL]	[NULL]	R	B0C9D8	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	9/9/1994 11:00	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C9D8	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C9F2	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	Y	7440-70-2	Calcium	47000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9F2	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	N	7440-70-2	Calcium	47000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9D8	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	N	10045-97-3	Cesium-137	-4.46	pCi/L	U	[NULL]	[NULL]	R	B0C9D8	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-29	9/9/1994 11:00	N	16887-00-6	Chloride	5000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9D8	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	9/9/1994 11:00	N	7440-47-3	Chromium	11	ug/L	U	[NULL]	[NULL]	R	B0C9D8	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	Y	7440-47-3	Chromium	11	ug/L	U	[NULL]	[NULL]	R	B0C9F2	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	N	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C9D8	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	Y	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C9F2	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	N	10198-40-0	Cobalt-60	11	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C9D8	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-29	9/9/1994 11:00	Y	7440-50-8	Copper	2.6	ug/L	U	[NULL]	[NULL]	R	B0C9F2	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	N	7440-50-8	Copper	3	ug/L	L	[NULL]	[NULL]	R	B0C9D8	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	N	16984-48-8	Fluoride	600	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9D8	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	9/9/1994 11:00	N	12587-46-1	Gross alpha	1.4	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C9D8	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-29	9/9/1994 11:00	N	12587-47-2	Gross beta	678	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C9D8	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-29	9/9/1994 11:00	N	302-01-2	Hydrazine	2.3	ug/L	U	[NULL]	[NULL]	R	B0C9D8	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-29	9/9/1994 11:00	N	7439-89-6	Iron	33	ug/L	[NULL]	Q	[NULL]	R	B0C9D8	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	Y	7439-89-6	Iron	18	ug/L	U	Q	[NULL]	R	B0C9F2	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	N	7439-92-1	Lead	1.5	ug/L	BL	[NULL]	[NULL]	R	B0C9D8	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-29	9/9/1994 11:00	Y	7439-92-1	Lead	2.5	ug/L	BL	[NULL]	[NULL]	R	B0C9F2	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-29	9/9/1994 11:00	N	7439-95-4	Magnesium	7900	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9D8	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	Y	7439-95-4	Magnesium	7900	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9F2	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	N	7439-96-5	Manganese	1	ug/L	U	[NULL]	[NULL]	R	B0C9D8	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	Y	7439-96-5	Manganese	1	ug/L	U	[NULL]	[NULL]	R	B0C9F2	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	9/9/1994 11:00	Y	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0C9F2	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	N	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0C9D8	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	N	14797-55-8	Nitrate	14000	ug/L	D	[NULL]	[NULL]	R	B0C9D8	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	9/9/1994 11:00	N	14797-65-0	Nitrite	110	ug/L	U	[NULL]	[NULL]	R	B0C9D8	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	9/9/1994 11:00	N	14265-44-2	Phosphate	470	ug/L	U	[NULL]	[NULL]	R	B0C9D8	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	9/9/1994 11:00	N	7440-09-7	Potassium	2900	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9D8	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	Y	7440-09-7	Potassium	2600	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9F2	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	N	13967-48-1	Ruthenium-106	24.5	pCi/L	U	[NULL]	[NULL]	R	B0C9D8	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-29	9/9/1994 11:00	N	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C9D8	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	Y	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C9F2	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	N	7440-23-5	Sodium	3600	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9D8	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	Y	7440-23-5	Sodium	3500	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9F2	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	N	CONDUCT	Specific Conductance	320	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C9D8	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-29	9/9/1994 11:00	N	CONDUCT	Specific Conductance	310	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C9F1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-29	9/9/1994 11:00	N	CONDUCT	Specific Conductance	310	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C9D8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-29	9/9/1994 11:00	N	CONDUCT	Specific Conductance	310	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C9F0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-29	9/9/1994 11:00	N	CONDUCT	Specific Conductance	310	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C9D9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-29	9/9/1994 11:00	N	10098-97-2	Strontium-90	358	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C9D8	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-29	9/9/1994 11:00	N	14808-79-8	Sulfate	66000	ug/L	D	[NULL]	[NULL]	R	B0C9D8	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	9/9/1994 11:00	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0C9D8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-29	9/9/1994 11:00	N	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0C9D8	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	Y	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0C9F2	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	N	TOC	Total organic carbon	320	ug/L	U	[NULL]	[NULL]	R	B0C9F0	TOC	DATACH	9060_TOC	100-NR-2
199-N-29	9/9/1994 11:00	N	TOC	Total organic carbon	320	ug/L	U	[NULL]	[NULL]	R	B0C9D9	TOC	DATACH	9060_TOC	100-NR-2
199-N-29	9/9/1994 11:00	N	TOC	Total organic carbon	320	ug/L	U	[NULL]	[NULL]	R	B0C9D8	TOC	DATACH	9060_TOC	100-NR-2
199-N-29	9/9/1994 11:00	N	TOC	Total organic carbon	400	ug/L	L	[NULL]	[NULL]	R	B0C9F1	TOC	DATACH	9060_TOC	100-NR-2
199-N-29	9/9/1994 11:00	N	59473-04-0	Total organic halides	10.3	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9F0	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-29	9/9/1994 11:00	N	59473-04-0	Total organic halides	8.2	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9D9	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-29	9/9/1994 11:00	N	59473-04-0	Total organic halides	8.1	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9D8	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-29	9/9/1994 11:00	N	59473-04-0	Total organic halides	9	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9F1	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-29	9/9/1994 11:00	N	10028-17-8	Tritium	22300	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C9D8	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-29	9/9/1994 11:00	N	7440-62-2	Vanadium	7.1	ug/L	L	[NULL]	[NULL]	R	B0C9D8	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	Y	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0C9F2	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	N	7440-66-6	Zinc	15	ug/L	[NULL]	Q	[NULL]	R	B0C9D8	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	Y	7440-66-6	Zinc	5.8	ug/L	L	Q	[NULL]	R	B0C9F2	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	9/9/1994 11:00	N	PH	pH Measurement	8.3	unitless	[NULL]	[NULL]	[NULL]	R	B0C9D8	PH	DATACH	D1293_PH	100-NR-2
199-N-29	9/9/1994 11:00	N	PH	pH Measurement	8.07	unitless	[NULL]	[NULL]	[NULL]	R	B0C9F1	PH	FIELD	9040_PH	100-NR-2
199-N-29	9/9/1994 11:00	N	PH	pH Measurement	8.11	unitless	[NULL]	[NULL]	[NULL]	R	B0C9D8	PH	FIELD	9040_PH	100-NR-2
199-N-29	9/9/1994 11:00	N	PH	pH Measurement	8.08	unitless	[NULL]	[NULL]	[NULL]	R	B0C9D9	PH	FIELD	9040_PH	100-NR-2
199-N-29	9/9/1994 11:00	N	PH	pH Measurement	8.06	unitless	[NULL]	[NULL]	[NULL]	R	B0C9F0	PH	FIELD	9040_PH	100-NR-2
199-N-29	4/4/1995 9:03	N	88-06-2	2,4,6-Trichlorophenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DWZ6	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	4/4/1995 9:03	N	120-83-2	2,4-Dichlorophenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DWZ6	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	4/4/1995 9:03	N	105-67-9	2,4-Dimethylphenol	1.2	ug/L	U	[NULL]	[NULL]	R	B0DWZ6	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	4/4/1995 9:03	N	51-28-5	2,4-Dinitrophenol	3	ug/L	U	[NULL]	[NULL]	R	B0DWZ6	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	4/4/1995 9:03	N	87-65-0	2,6-Dichlorophenol	1.4	ug/L	U	[NULL]	[NULL]	R	B0DWZ6	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	4/4/1995 9:03	N	95-57-8	2-Chlorophenol	1.6	ug/L	U	[NULL]	[NULL]	R	B0DWZ6	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	4/4/1995 9:03	N	88-75-5	2-Nitrophenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DWZ6	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	4/4/1995 9:03	N	534-52-1	4,6-Dinitro-2-methylphenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DWZ6	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	4/4/1995 9:03	N	59-50-7	4-Chloro-3-methylphenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DWZ6	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	4/4/1995 9:03	N	100-02-7	4-Nitrophenol	3	ug/L	U	[NULL]	[NULL]	R	B0DWZ6	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	4/4/1995 9:03	N	ALKALINITY	Alkalinity	60000	ug/L	[NULL]	[NULL]	[NULL]	R	B0DWZ6	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-29	4/4/1995 9:03	Y	7429-90-5	Aluminum	26	ug/L	U	[NULL]	[NULL]	R	B0DX00	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	4/4/1995 9:03	Y	7440-36-0	Antimony	62	ug/L	U	[NULL]	[NULL]	R	B0DX00	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	4/4/1995 9:03	Y	7440-39-3	Barium	26	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX00	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	4/4/1995 9:03	Y	7440-41-7	Beryllium	0.17	ug/L	U	[NULL]	[NULL]	R	B0DX00	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	4/4/1995 9:03	N	24959-67-9	Bromide	30	ug/L	L	[NULL]	[NULL]	R	B0DWZ6	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	4/4/1995 9:03	Y	7440-43-9	Cadmium	3.3	ug/L	U	[NULL]	[NULL]	R	B0DX00	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	4/4/1995 9:03	Y	7440-70-2	Calcium	46000	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX00	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	4/4/1995 9:03	N	16887-00-6	Chloride	4900	ug/L	[NULL]	[NULL]	[NULL]	R	B0DWZ6	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	4/4/1995 9:03	Y	7440-47-3	Chromium	8.8	ug/L	BL	[NULL]	[NULL]	R	B0DX00	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	4/4/1995 9:03	Y	7440-48-4	Cobalt	5.9	ug/L	U	[NULL]	[NULL]	R	B0DX00	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	4/4/1995 9:03	Y	7440-50-8	Copper	4.1	ug/L	U	[NULL]	[NULL]	R	B0DX00	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	4/4/1995 9:03	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1.3	ug/L	U	[NULL]	[NULL]	R	B0DWZ6	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	4/4/1995 9:03	N	16984-48-8	Fluoride	300	ug/L	[NULL]	[NULL]	[NULL]	R	B0DWZ6	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	4/4/1995 9:03	N	12587-46-1	Gross alpha	2.44	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DWZ6	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-29	4/4/1995 9:03	N	12587-47-2	Gross beta	438	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DWZ6	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-29	4/4/1995 9:03	Y	7439-89-6	Iron	18	ug/L	L	[NULL]	[NULL]	R	B0DX00	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	4/4/1995 9:03	Y	7439-92-1	Lead	2.8	ug/L	L	[NULL]	[NULL]	R	B0DX00	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-29	4/4/1995 9:03	Y	7439-95-4	Magnesium	8100	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX00	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	4/4/1995 9:03	Y	7439-96-5	Manganese	1.7	ug/L	L	[NULL]	[NULL]	R	B0DX00	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	4/4/1995 9:03	Y	7440-02-0	Nickel	13	ug/L	U	[NULL]	[NULL]	R	B0DX00	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	4/4/1995 9:03	N	14797-55-8	Nitrate	14000	ug/L	D	[NULL]	[NULL]	R	B0DWZ6	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	4/4/1995 9:03	N	14797-65-0	Nitrite	18	ug/L	U	[NULL]	[NULL]	R	B0DWZ6	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	4/4/1995 9:03	N	87-86-5	Pentachlorophenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DWZ6	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	4/4/1995 9:03	N	108-95-2	Phenol	0.31	ug/L	U	[NULL]	[NULL]	R	B0DWZ6	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	4/4/1995 9:03	N	14265-44-2	Phosphate	82	ug/L	U	[NULL]	[NULL]	R	B0DWZ6	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	4/4/1995 9:03	Y	7440-09-7	Potassium	3600	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX00	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	4/4/1995 9:03	Y	7440-22-4	Silver	3.6	ug/L	U	[NULL]	[NULL]	R	B0DX00	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	4/4/1995 9:03	Y	7440-23-5	Sodium	3700	ug/L	B	[NULL]	[NULL]	R	B0DX00	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	4/4/1995 9:03	N	CONDUCT	Specific Conductance	338	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DWZ8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-29	4/4/1995 9:03	N	CONDUCT	Specific Conductance	330	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DWZ6	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-29	4/4/1995 9:03	N	CONDUCT	Specific Conductance	338	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DWZ9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-29	4/4/1995 9:03	N	CONDUCT	Specific Conductance	338	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DWZ7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-29	4/4/1995 9:03	N	CONDUCT	Specific Conductance	337	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DWZ6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-29	4/4/1995 9:03	N	10098-97-2	Strontium-90	250	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DX60	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-29	4/4/1995 9:03	N	14808-79-8	Sulfate	70000	ug/L	D	[NULL]	[NULL]	R	B0DWZ6	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-29	4/4/1995 9:03	N	TEMPERATURE	Temperature	17.9	Deg C	[NULL]	[NULL]	[NULL]	R	B0DWZ6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-29	4/4/1995 9:03	N	TEMPERATURE	Temperature	18	Deg C	[NULL]	[NULL]	[NULL]	R	B0DWZ8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-29	4/4/1995 9:03	N	TEMPERATURE	Temperature	17.9	Deg C	[NULL]	[NULL]	[NULL]	R	B0DWZ7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-29	4/4/1995 9:03	N	TEMPERATURE	Temperature	18	Deg C	[NULL]	[NULL]	[NULL]	R	B0DWZ9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-29	4/4/1995 9:03	N	25167-83-3	Tetrachlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B0DWZ6	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	4/4/1995 9:03	Y	7440-31-5	Tin	69	ug/L	U	[NULL]	[NULL]	R	B0DX00	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	4/4/1995 9:03	N	1319-77-3	Total cresols	4.8	ug/L	U	[NULL]	[NULL]	R	B0DWZ6	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	4/4/1995 9:03	N	TOC	Total organic carbon	200	ug/L	L	[NULL]	[NULL]	R	B0DWZ8	TOC	DATACH	9060_TOC	100-NR-2
199-N-29	4/4/1995 9:03	N	TOC	Total organic carbon	200	ug/L	L	[NULL]	[NULL]	R	B0DWZ9	TOC	DATACH	9060_TOC	100-NR-2
199-N-29	4/4/1995 9:03	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B0DWZ6	TOC	DATACH	9060_TOC	100-NR-2
199-N-29	4/4/1995 9:03	N	TOC	Total organic carbon	200	ug/L	L	[NULL]	[NULL]	R	B0DWZ7	TOC	DATACH	9060_TOC	100-NR-2
199-N-29	4/4/1995 9:03	N	59473-04-0	Total organic halides	8.3	ug/L	[NULL]	Y	[NULL]	R	B0DWZ8	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-29	4/4/1995 9:03	N	59473-04-0	Total organic halides	5.1	ug/L	[NULL]	Y	[NULL]	R	B0DWZ9	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-29	4/4/1995 9:03	N	59473-04-0	Total organic halides	8.2	ug/L	[NULL]	Y	[NULL]	R	B0DWZ6	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-29	4/4/1995 9:03	N	59473-04-0	Total organic halides	7.3	ug/L	[NULL]	Y	[NULL]	R	B0DWZ7	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-29	4/4/1995 9:03	N	25167-82-2	Trichlorophenol	1.7	ug/L	U	[NULL]	[NULL]	R	B0DWZ6	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-29	4/4/1995 9:03	N	TURBIDITY	Turbidity	0.53	NTU	[NULL]	[NULL]	[NULL]	R	B0DWZ6	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-29	4/4/1995 9:03	N	TURBIDITY	Turbidity	0.57	NTU	[NULL]	[NULL]	[NULL]	R	B0DWZ6	TURBIDITY	FIELD	180.1_TURBIDITY	100-NR-2
199-N-29	4/4/1995 9:03	Y	7440-62-2	Vanadium	7.3	ug/L	L	[NULL]	[NULL]	R	B0DX00	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	4/4/1995 9:03	Y	7440-66-6	Zinc	7.9	ug/L	L	[NULL]	[NULL]	R	B0DX00	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-29	4/4/1995 9:03	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B0DWZ6	PH	DATACH	D1293_PH	100-NR-2
199-N-29	4/4/1995 9:03	N	PH	pH Measurement	8.05	unitless	[NULL]	[NULL]	[NULL]	R	B0DWZ8	PH	FIELD	9040_PH	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-29	4/4/1995 9:03	N	PH	pH Measurement	8.06	unitless	[NULL]	[NULL]	[NULL]	R	B0DWZ7	PH	FIELD	9040_PH	100-NR-2
199-N-29	4/4/1995 9:03	N	PH	pH Measurement	8.06	unitless	[NULL]	[NULL]	[NULL]	R	B0DWZ6	PH	FIELD	9040_PH	100-NR-2
199-N-29	4/4/1995 9:03	N	PH	pH Measurement	8.05	unitless	[NULL]	[NULL]	[NULL]	R	B0DWZ9	PH	FIELD	9040_PH	100-NR-2
199-N-29	7/21/1995 14:40	N	10098-97-2	Strontium-90	231	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GB56	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	3/18/1988 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007G37	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/18/1988 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007G37	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/18/1988 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007G37	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/18/1988 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007G37	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-3	3/18/1988 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007G37	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-3	3/18/1988 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007G37	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/18/1988 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007G37	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/18/1988 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G37	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	3/18/1988 0:00	N	7429-90-5	Aluminum	209	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G37	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/18/1988 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007G37F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/18/1988 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007G37	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-3	3/18/1988 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007G37	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-3	3/18/1988 0:00	N	7440-39-3	Barium	117	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G37	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/18/1988 0:00	Y	7440-39-3	Barium	111	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G37F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/18/1988 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007G37F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/18/1988 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007G37	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/18/1988 0:00	Y	7440-70-2	Calcium	102000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G37F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/18/1988 0:00	N	7440-70-2	Calcium	104000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G37	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/18/1988 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007G37	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/18/1988 0:00	N	10045-97-3	Cesium-137	-0.636	pCi/L	U	[NULL]	[NULL]	R	H0007G36	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	3/18/1988 0:00	N	16887-00-6	Chloride	7020	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G37	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	3/18/1988 0:00	N	67-66-3	Chloroform	4	ug/L	U	[NULL]	[NULL]	R	H0007G37	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/18/1988 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007G37	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/18/1988 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007G37F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/18/1988 0:00	N	10198-40-0	Cobalt-60	20.8	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G36	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	3/18/1988 0:00	N	COLIFORM	Coliform Bacteria	2.2	MPN	U	[NULL]	[NULL]	R	H0007G37	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-3	3/18/1988 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007G37	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/18/1988 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007G37F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/18/1988 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G37	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	3/18/1988 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G37	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	3/18/1988 0:00	N	16984-48-8	Fluoride	1610	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G37	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	3/18/1988 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G37	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	3/18/1988 0:00	N	12587-46-1	Gross alpha	-0.049	pCi/L	U	[NULL]	[NULL]	R	H0007G37	12587-46-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	3/18/1988 0:00	N	12587-47-2	Gross beta	5020	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G37	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	3/18/1988 0:00	N	12587-47-2	Gross beta	4270	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G36	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	3/18/1988 0:00	N	7439-89-6	Iron	2160	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G37	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/18/1988 0:00	Y	7439-89-6	Iron	72	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G37F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/18/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007G37	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-3	3/18/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007G37	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-3	3/18/1988 0:00	N	7439-95-4	Magnesium	16600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G37	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/18/1988 0:00	Y	7439-95-4	Magnesium	16400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G37F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/18/1988 0:00	N	7439-96-5	Manganese	91	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G37	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/18/1988 0:00	Y	7439-96-5	Manganese	10	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G37F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/18/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G37	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-3	3/18/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G37	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-3	3/18/1988 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007G37	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	3/18/1988 0:00	N	75-09-2	Methylene chloride	8	ug/L	U	[NULL]	[NULL]	R	H0007G37	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/18/1988 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007G37	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/18/1988 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007G37F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/18/1988 0:00	N	14797-55-8	Nitrate	28400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G37	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	3/18/1988 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007G37	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	3/18/1988 0:00	Y	7440-09-7	Potassium	3190	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G37F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/18/1988 0:00	N	7440-09-7	Potassium	3250	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G37	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/18/1988 0:00	N	7440-14-4	Radium	0.0751	pCi/L	U	[NULL]	[NULL]	R	H0007G37	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	3/18/1988 0:00	N	13967-48-1	Ruthenium-106	31.6	pCi/L	U	[NULL]	[NULL]	R	H0007G36	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	3/18/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007G37	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-3	3/18/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007G37	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-3	3/18/1988 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007G37	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/18/1988 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007G37F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/18/1988 0:00	Y	7440-23-5	Sodium	13000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G37F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/18/1988 0:00	N	7440-23-5	Sodium	13000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G37	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/18/1988 0:00	N	CONDUCT	Specific Conductance	668	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G37	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	3/18/1988 0:00	N	10098-97-2	Strontium-90	2290	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G36	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	3/18/1988 0:00	N	14808-79-8	Sulfate	248000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G37	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	3/18/1988 0:00	N	14133-76-7	Technetium-99	4.4	pCi/L	U	[NULL]	[NULL]	R	H0007G36	14133-76-7	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	3/18/1988 0:00	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	H000GK69	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/18/1988 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007G37	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/18/1988 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007G37	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	3/18/1988 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007G37	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/18/1988 0:00	N	10028-17-8	Tritium	41300	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G36	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	3/18/1988 0:00	N	7440-61-1	Uranium	1.61	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G36	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	3/18/1988 0:00	N	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007G37	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/18/1988 0:00	Y	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007G37F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/18/1988 0:00	N	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007G37	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/18/1988 0:00	Y	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007G37F	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/18/1988 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007G37F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/18/1988 0:00	N	7440-66-6	Zinc	6	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G37	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/18/1988 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G37	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	3/18/1988 0:00	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	R	H0007G37	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	4/28/1988 0:00	N	10045-97-3	Cesium-137	0	pCi/L	U	[NULL]	[NULL]	R	H0007G38	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	4/28/1988 0:00	N	10198-40-0	Cobalt-60	18.5	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G38	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	4/28/1988 0:00	N	12587-47-2	Gross beta	4460	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G38	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	4/28/1988 0:00	N	13967-48-1	Ruthenium-106	16.8	pCi/L	U	[NULL]	[NULL]	R	H0007G38	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	4/28/1988 0:00	N	10098-97-2	Strontium-90	2580	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G38	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	4/28/1988 0:00	N	10028-17-8	Tritium	41300	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G38	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	4/28/1988 0:00	N	7440-61-1	Uranium	1.52	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G38	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	6/29/1988 0:00	N	136777-61-2	(o+p)-Xylene	[NULL]	[NULL]	U	[NULL]	[NULL]	R	H0007G39	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	6/29/1988 0:00	N	71-55-6	1,1,1-Trichloroethane	[NULL]	[NULL]	U	[NULL]	[NULL]	R	H0007G39	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	6/29/1988 0:00	N	79-00-5	1,1,2-Trichloroethane	[NULL]	[NULL]	U	[NULL]	[NULL]	R	H0007G39	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	6/29/1988 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007G39	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-3	6/29/1988 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007G39	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-3	6/29/1988 0:00	N	78-93-3	2-Butanone	[NULL]	[NULL]	U	[NULL]	[NULL]	R	H0007G39	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	6/29/1988 0:00	N	108-10-1	2-Pentanone, 4-Methyl	[NULL]	[NULL]	U	[NULL]	[NULL]	R	H0007G39	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	6/29/1988 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G39	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	6/29/1988 0:00	N	7429-90-5	Aluminum	189	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G39	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	6/29/1988 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007G39F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	6/29/1988 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007G39	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	6/29/1988 0:00	N	12674-11-2	Aroclor-1016	1	ug/L	U	[NULL]	[NULL]	R	H0007G39	12674-11-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	6/29/1988 0:00	N	11104-28-2	Aroclor-1221	1	ug/L	U	[NULL]	[NULL]	R	H0007G39	11104-28-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	6/29/1988 0:00	N	11141-16-5	Aroclor-1232	1	ug/L	U	[NULL]	[NULL]	R	H0007G39	11141-16-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	6/29/1988 0:00	N	53469-21-9	Aroclor-1242	1	ug/L	U	[NULL]	[NULL]	R	H0007G39	53469-21-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	6/29/1988 0:00	N	12672-29-6	Aroclor-1248	1	ug/L	U	[NULL]	[NULL]	R	H0007G39	12672-29-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	6/29/1988 0:00	N	11097-69-1	Aroclor-1254	1	ug/L	U	[NULL]	[NULL]	R	H0007G39	11097-69-1	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	6/29/1988 0:00	N	11096-82-5	Aroclor-1260	1	ug/L	U	[NULL]	[NULL]	R	H0007G39	11096-82-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	6/29/1988 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007G39	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-3	6/29/1988 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007G39	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-3	6/29/1988 0:00	N	7440-39-3	Barium	116	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G39	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	6/29/1988 0:00	Y	7440-39-3	Barium	106	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G39F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	6/29/1988 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007G39F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	6/29/1988 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007G39	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	6/29/1988 0:00	Y	7440-70-2	Calcium	103000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G39F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	6/29/1988 0:00	N	7440-70-2	Calcium	113000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G39	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	6/29/1988 0:00	N	56-23-5	Carbon tetrachloride	[NULL]	[NULL]	U	[NULL]	[NULL]	R	H0007G39	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	6/29/1988 0:00	N	10045-97-3	Cesium-137	-0.373	pCi/L	U	[NULL]	[NULL]	R	H0007G39	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	6/29/1988 0:00	N	16887-00-6	Chloride	7040	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G39	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	6/29/1988 0:00	N	67-66-3	Chloroform	[NULL]	[NULL]	U	[NULL]	[NULL]	R	H0007G39	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	6/29/1988 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007G39F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	6/29/1988 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007G39	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	6/29/1988 0:00	N	10198-40-0	Cobalt-60	28.6	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G39	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	6/29/1988 0:00	N	COLIFORM	Coliform Bacteria	2.2	MPN	U	[NULL]	[NULL]	R	H0007G39	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-3	6/29/1988 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007G39	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	6/29/1988 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007G39F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	6/29/1988 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G39	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	6/29/1988 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G39	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	6/29/1988 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007G39	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	6/29/1988 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G39	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	6/29/1988 0:00	N	12587-46-1	Gross alpha	0.744	pCi/L	U	[NULL]	[NULL]	R	H0007G39	12587-46-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	6/29/1988 0:00	N	12587-47-2	Gross beta	3280	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G39	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	6/29/1988 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007G39	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-3	6/29/1988 0:00	Y	7439-89-6	Iron	51	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G39F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	6/29/1988 0:00	N	7439-89-6	Iron	1260	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G39	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	6/29/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007G39	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-3	6/29/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007G39	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-3	6/29/1988 0:00	Y	7439-95-4	Magnesium	16700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G39F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	6/29/1988 0:00	N	7439-95-4	Magnesium	17400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G39	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	6/29/1988 0:00	Y	7439-96-5	Manganese	19	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G39F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	6/29/1988 0:00	N	7439-96-5	Manganese	63	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G39	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	6/29/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G39	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-3	6/29/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G39	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-3	6/29/1988 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007G39	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	6/29/1988 0:00	N	75-09-2	Methylene chloride	[NULL]	[NULL]	U	[NULL]	[NULL]	R	H0007G39	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	6/29/1988 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007G39F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	6/29/1988 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007G39	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	6/29/1988 0:00	N	14797-55-8	Nitrate	25100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G39	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	6/29/1988 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007G39	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2
199-N-3	6/29/1988 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007G39	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	6/29/1988 0:00	Y	7440-09-7	Potassium	3510	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G39F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	6/29/1988 0:00	N	7440-09-7	Potassium	3620	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G39	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	6/29/1988 0:00	N	7440-14-4	Radium	0.062	pCi/L	U	[NULL]	[NULL]	R	H0007G39	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	6/29/1988 0:00	N	13967-48-1	Ruthenium-106	0	pCi/L	U	[NULL]	[NULL]	R	H0007G39	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	6/29/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007G39	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-3	6/29/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007G39	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	6/29/1988 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007G39F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	6/29/1988 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007G39	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	6/29/1988 0:00	N	7440-23-5	Sodium	15700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G39	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	6/29/1988 0:00	Y	7440-23-5	Sodium	15700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G39F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	6/29/1988 0:00	N	CONDUCT	Specific Conductance	494	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G42	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	6/29/1988 0:00	N	CONDUCT	Specific Conductance	495	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G39	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	6/29/1988 0:00	N	CONDUCT	Specific Conductance	495	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G41	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	6/29/1988 0:00	N	CONDUCT	Specific Conductance	494	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G40	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	6/29/1988 0:00	N	10098-97-2	Strontium-90	2430	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G39	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	6/29/1988 0:00	N	14808-79-8	Sulfate	223000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G39	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	6/29/1988 0:00	N	TEMPERATURE	Temperature	22	Deg C	[NULL]	[NULL]	[NULL]	R	H000GKZ6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	6/29/1988 0:00	N	127-18-4	Tetrachloroethene	[NULL]	[NULL]	U	[NULL]	[NULL]	R	H0007G39	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	6/29/1988 0:00	N	TOC	Total organic carbon	17100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G42	TOC	USTEST	9060_TOC	100-NR-2
199-N-3	6/29/1988 0:00	N	TOC	Total organic carbon	810	ug/L	U	[NULL]	[NULL]	R	H0007G39	TOC	USTEST	9060_TOC	100-NR-2
199-N-3	6/29/1988 0:00	N	TOC	Total organic carbon	596	ug/L	U	[NULL]	[NULL]	R	H0007G41	TOC	USTEST	9060_TOC	100-NR-2
199-N-3	6/29/1988 0:00	N	TOC	Total organic carbon	651	ug/L	U	[NULL]	[NULL]	R	H0007G40	TOC	USTEST	9060_TOC	100-NR-2
199-N-3	6/29/1988 0:00	N	59473-04-0	Total organic halides	1380	ug/L	U	[NULL]	[NULL]	R	H0007G42	59473-04-0	USTEST	9020_TOX_M	100-NR-2
199-N-3	6/29/1988 0:00	N	59473-04-0	Total organic halides	1020	ug/L	U	[NULL]	[NULL]	R	H0007G41	59473-04-0	USTEST	9020_TOX_M	100-NR-2
199-N-3	6/29/1988 0:00	N	59473-04-0	Total organic halides	1670	ug/L	U	[NULL]	[NULL]	R	H0007G39	59473-04-0	USTEST	9020_TOX_M	100-NR-2
199-N-3	6/29/1988 0:00	N	59473-04-0	Total organic halides	1490	ug/L	U	[NULL]	[NULL]	R	H0007G40	59473-04-0	USTEST	9020_TOX_M	100-NR-2
199-N-3	6/29/1988 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007G39	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	6/29/1988 0:00	N	79-01-6	Trichloroethene	[NULL]	[NULL]	U	[NULL]	[NULL]	R	H0007G39	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	6/29/1988 0:00	N	10028-17-8	Tritium	43200	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G39	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	6/29/1988 0:00	N	7440-61-1	Uranium	1.9	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G39	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	6/29/1988 0:00	N	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007G39	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	6/29/1988 0:00	Y	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007G39F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	6/29/1988 0:00	N	1330-20-7	Xylenes (total)	[NULL]	[NULL]	U	[NULL]	[NULL]	R	H0007G39	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	6/29/1988 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007G39F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	6/29/1988 0:00	N	7440-66-6	Zinc	5	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G39	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	6/29/1988 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G39	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	6/29/1988 0:00	N	PH	pH Measurement	7.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007G41	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	6/29/1988 0:00	N	PH	pH Measurement	7.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007G39	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	6/29/1988 0:00	N	PH	pH Measurement	7.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007G40	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	6/29/1988 0:00	N	PH	pH Measurement	7.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007G42	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	12/19/1988 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007G43	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	12/19/1988 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007G43	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	12/19/1988 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007G43	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	12/19/1988 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007G43	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-3	12/19/1988 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007G43	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-3	12/19/1988 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007G43	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	12/19/1988 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007G43	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	12/19/1988 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G43	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	12/19/1988 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007G43F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	12/19/1988 0:00	N	7429-90-5	Aluminum	416	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G43	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	12/19/1988 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007G43	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-3	12/19/1988 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007G43F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	12/19/1988 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007G43	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	12/19/1988 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007G43	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-3	12/19/1988 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007G43	H37	USTEST	UNKNOWN_METALS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	12/19/1988 0:00	Y	7440-39-3	Barium	124	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G43F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	12/19/1988 0:00	N	7440-39-3	Barium	134	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G43	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	12/19/1988 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007G43F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	12/19/1988 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007G43	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	12/19/1988 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007G43F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	12/19/1988 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007G43	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	12/19/1988 0:00	Y	7440-70-2	Calcium	115000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G43F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	12/19/1988 0:00	N	7440-70-2	Calcium	150000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G43	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	12/19/1988 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007G43	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	12/19/1988 0:00	N	10045-97-3	Cesium-137	4.81	pCi/L	U	[NULL]	[NULL]	R	H0007G43	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	12/19/1988 0:00	N	16887-00-6	Chloride	6300	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G43	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	12/19/1988 0:00	N	67-66-3	Chloroform	6	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G43	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	12/19/1988 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007G43F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	12/19/1988 0:00	N	7440-47-3	Chromium	14	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G43	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	12/19/1988 0:00	N	10198-40-0	Cobalt-60	21.7	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G43	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	12/19/1988 0:00	N	COLIFORM	Coliform Bacteria	2.2	MPN	U	[NULL]	[NULL]	R	H0007G43	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-3	12/19/1988 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007G43F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	12/19/1988 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007G43	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	12/19/1988 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G43	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	12/19/1988 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G43	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	12/19/1988 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007G43	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	12/19/1988 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G43	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	12/19/1988 0:00	N	12587-46-1	Gross alpha	3.07	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G43	12587-46-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	12/19/1988 0:00	N	12587-47-2	Gross beta	6220	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G43	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	12/19/1988 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007G43	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-3	12/19/1988 0:00	Y	7439-89-6	Iron	42	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G43F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	12/19/1988 0:00	N	7439-89-6	Iron	2200	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G43	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	12/19/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007G43	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-3	12/19/1988 0:00	N	7439-92-1	Lead	7	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G43	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-3	12/19/1988 0:00	Y	7439-95-4	Magnesium	19500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G43F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	12/19/1988 0:00	N	7439-95-4	Magnesium	18900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G43	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	12/19/1988 0:00	N	7439-96-5	Manganese	153	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G43	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	12/19/1988 0:00	Y	7439-96-5	Manganese	19	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G43F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	12/19/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G43	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-3	12/19/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G43	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-3	12/19/1988 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007G43	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	12/19/1988 0:00	N	75-09-2	Methylene chloride	4	ug/L	U	[NULL]	[NULL]	R	H0007G43	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	12/19/1988 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007G43	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	12/19/1988 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007G43F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	12/19/1988 0:00	N	14797-55-8	Nitrate	21200	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G43	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	12/19/1988 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007G43	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2
199-N-3	12/19/1988 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007G43	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	12/19/1988 0:00	Y	7440-09-7	Potassium	3630	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G43F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	12/19/1988 0:00	N	7440-09-7	Potassium	3290	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G43	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	12/19/1988 0:00	N	7440-14-4	Radium	0.154	pCi/L	U	[NULL]	[NULL]	R	H0007G43	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	12/19/1988 0:00	N	13967-48-1	Ruthenium-106	37.3	pCi/L	U	[NULL]	[NULL]	R	H0007G43	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	12/19/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007G43	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-3	12/19/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007G43	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-3	12/19/1988 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007G43F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	12/19/1988 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007G43	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	12/19/1988 0:00	Y	7440-23-5	Sodium	15900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G43F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	12/19/1988 0:00	N	7440-23-5	Sodium	13700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G43	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	12/19/1988 0:00	N	CONDUCT	Specific Conductance	735	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G45	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	12/19/1988 0:00	N	CONDUCT	Specific Conductance	734	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G44	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	12/19/1988 0:00	N	CONDUCT	Specific Conductance	732	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G43	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	12/19/1988 0:00	N	CONDUCT	Specific Conductance	733	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G46	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	12/19/1988 0:00	N	7440-24-6	Strontium	419	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G43	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	12/19/1988 0:00	Y	7440-24-6	Strontium	428	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G43F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	12/19/1988 0:00	N	10098-97-2	Strontium-90	2620	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G43	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	12/19/1988 0:00	N	14808-79-8	Sulfate	249000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G43	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	12/19/1988 0:00	N	TEMPERATURE	Temperature	23	Deg C	[NULL]	[NULL]	[NULL]	R	H000GN23	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	12/19/1988 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007G43	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	12/19/1988 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007G45	TOC	USTEST	9060_TOC	100-NR-2
199-N-3	12/19/1988 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007G43	TOC	USTEST	9060_TOC	100-NR-2
199-N-3	12/19/1988 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007G46	TOC	USTEST	9060_TOC	100-NR-2
199-N-3	12/19/1988 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007G44	TOC	USTEST	9060_TOC	100-NR-2
199-N-3	12/19/1988 0:00	N	59473-04-0	Total organic halides	18	ug/L	U	[NULL]	[NULL]	R	H0007G46	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-3	12/19/1988 0:00	N	59473-04-0	Total organic halides	6	ug/L	U	[NULL]	[NULL]	R	H0007G44	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-3	12/19/1988 0:00	N	59473-04-0	Total organic halides	8	ug/L	U	[NULL]	[NULL]	R	H0007G45	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-3	12/19/1988 0:00	N	59473-04-0	Total organic halides	15	ug/L	U	[NULL]	[NULL]	R	H0007G43	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-3	12/19/1988 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007G43	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	12/19/1988 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007G43	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	12/19/1988 0:00	N	10028-17-8	Tritium	31900	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G43	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	12/19/1988 0:00	N	7440-61-1	Uranium	1.91	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G43	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	12/19/1988 0:00	N	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007G43	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	12/19/1988 0:00	Y	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007G43F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	12/19/1988 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007G43	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	12/19/1988 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007G43F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	12/19/1988 0:00	N	7440-66-6	Zinc	8	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G43	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	12/19/1988 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G43	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	12/19/1988 0:00	N	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	R	H0007G43	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	12/19/1988 0:00	N	PH	pH Measurement	7.3	unitless	[NULL]	[NULL]	[NULL]	R	H0007G46	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	12/19/1988 0:00	N	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	R	H0007G45	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	12/19/1988 0:00	N	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	R	H0007G44	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	3/9/1989 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	630-20-6	1,1,1,2-Tetrachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	630-20-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	79-34-5	1,1,2,2-Tetrachloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	79-34-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	75-34-3	1,1-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	75-34-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	75-35-4	1,1-Dichloroethene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	75-35-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	57-14-7	1,1-Dimethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	57-14-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	634-66-2	1,2,3,4-Tetrachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	634-66-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	634-90-2	1,2,3,5-Tetrachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	634-90-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	87-61-6	1,2,3-Trichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	87-61-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	96-18-4	1,2,3-Trichloropropane	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	96-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	95-94-3	1,2,4,5-Tetrachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	95-94-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	120-82-1	1,2,4-Trichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	120-82-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	96-12-8	1,2-Dibromo-3-chloropropane	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	96-12-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	106-93-4	1,2-Dibromoethane	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	106-93-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	95-50-1	1,2-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	95-50-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	107-06-2	1,2-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	107-06-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	78-87-5	1,2-Dichloropropane	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	78-87-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	540-73-8	1,2-Dimethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	540-73-8	USTEST	8240_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/9/1989 0:00	N	122-66-7	1,2-Diphenylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	122-66-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	108-70-3	1,3,5-Trichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	108-70-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	541-73-1	1,3-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	541-73-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	542-75-6	1,3-Dichloropropene	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	542-75-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	106-46-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	106-46-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	123-91-1	1,4-Dioxane	500	ug/L	U	[NULL]	[NULL]	R	H0007G47	123-91-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	130-15-4	1,4-Naphthoquinone	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	130-15-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	5344-82-1	1-(o-Chlorophenyl)thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007G47	5344-82-1	USTEST	8330_THIOUREA_M	100-NR-2
199-N-3	3/9/1989 0:00	N	591-08-2	1-Acetyl-2-thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007G47	591-08-2	USTEST	8330_THIOUREA_M	100-NR-2
199-N-3	3/9/1989 0:00	N	71-36-3	1-Butanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007G47	71-36-3	USTEST	GC_DIRECT	100-NR-2
199-N-3	3/9/1989 0:00	N	L60	1-Butynol	10000	ug/L	U	[NULL]	[NULL]	R	H0007G47	L60	USTEST	GC_DIRECT	100-NR-2
199-N-3	3/9/1989 0:00	N	106-89-8	1-Chloro-2,3-epoxypropane	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	106-89-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	86-88-4	1-Naphthyl-2-thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007G47	86-88-4	USTEST	8330_THIOUREA_M	100-NR-2
199-N-3	3/9/1989 0:00	N	134-32-7	1-Naphthylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	134-32-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	71-23-8	1-Propanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007G47	71-23-8	USTEST	GC_DIRECT	100-NR-2
199-N-3	3/9/1989 0:00	N	58-90-2	2,3,4,6-Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	58-90-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	1746-01-6	2,3,7,8-Tetrachlorodibenzo-p-dioxin	0.01	ug/L	U	[NULL]	[NULL]	R	H0007G47	1746-01-6	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007G47	93-76-5	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-3	3/9/1989 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007G47	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-3	3/9/1989 0:00	N	95-95-4	2,4,5-Trichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	95-95-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	88-06-2	2,4,6-Trichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	88-06-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007G47	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-3	3/9/1989 0:00	N	120-83-2	2,4-Dichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	120-83-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	51-28-5	2,4-Dinitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	51-28-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	121-14-2	2,4-Dinitrotoluene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	121-14-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	87-65-0	2,6-Dichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	87-65-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	606-20-2	2,6-Dinitrotoluene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	606-20-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	53-96-3	2-Acetylaminofluorene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	53-96-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	110-75-8	2-Chloroethyl vinyl ether	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	110-75-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	91-58-7	2-Chloronaphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	91-58-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	95-57-8	2-Chlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	95-57-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	131-89-5	2-Cyclohexyl-4,6-dinitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	131-89-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	591-78-6	2-Hexanone	50	ug/L	U	[NULL]	[NULL]	R	H0007G47	591-78-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	116-06-3	2-Methyl-2-(methylthio)propionaldehyde-o-(methylcarbonyl) ox	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	116-06-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	75-55-8	2-Methylaziridine	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	75-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	75-86-5	2-Methyllactonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	75-86-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	91-57-6	2-Methylnaphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	91-57-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	91-59-8	2-Naphthylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	91-59-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	88-74-4	2-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	88-74-4	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/9/1989 0:00	N	88-75-5	2-Nitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	88-75-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	109-06-8	2-Picoline	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	109-06-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	107-19-7	2-Propyn-1-ol	10000	ug/L	U	[NULL]	[NULL]	R	H0007G47	107-19-7	USTEST	GC_DIRECT	100-NR-2
199-N-3	3/9/1989 0:00	N	91-94-1	3,3'-Dichlorobenzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	91-94-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	119-90-4	3,3'-Dimethoxybenzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	119-90-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	119-93-7	3,3'-Dimethylbenzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	119-93-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	542-76-7	3-Chloropropionitrile	10000	ug/L	U	[NULL]	[NULL]	R	H0007G47	542-76-7	USTEST	GC_DIRECT	100-NR-2
199-N-3	3/9/1989 0:00	N	56-49-5	3-Methylcholanthrene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	56-49-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	99-09-2	3-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	99-09-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	72-54-8	4,4'-DDD (Dichlorodiphenyldichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G47	72-54-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	3/9/1989 0:00	N	72-55-9	4,4'-DDE (Dichlorodiphenyldichloroethylene)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G47	72-55-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	3/9/1989 0:00	N	50-29-3	4,4'-DDT (Dichlorodiphenyltrichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G47	50-29-3	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	3/9/1989 0:00	N	101-14-4	4,4'-Methylenebis(2-chloroaniline)	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	101-14-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	534-52-1	4,6-Dinitro-2-methylphenol	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	534-52-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	92-67-1	4-Aminobiphenyl	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	92-67-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	101-55-3	4-Bromophenylphenyl ether	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	101-55-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	59-50-7	4-Chloro-3-methylphenol	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	59-50-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	106-47-8	4-Chloroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	106-47-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	100-01-6	4-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	100-01-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	100-02-7	4-Nitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	100-02-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	56-57-5	4-Nitroquinoline-1-oxide	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	56-57-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	2763-96-4	5-(Aminomethyl)-3-isoxazolol	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	2763-96-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	99-55-8	5-Nitro-o-toluidine	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	99-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	57-97-6	7,12-Dimethylbenz[a]anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	57-97-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	194-59-2	7H-Dibenzo[c,g]carbazole	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	194-59-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	83-32-9	Acenaphthene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	83-32-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	208-96-8	Acenaphthylene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	208-96-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	67-64-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	67-64-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	75-05-8	Acetonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	75-05-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	98-86-2	Acetophenone	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	98-86-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	107-02-8	Acrolein	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	107-02-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	79-06-1	Acrylamide	10000	ug/L	U	[NULL]	[NULL]	R	H0007G47	79-06-1	USTEST	GC_DIRECT	100-NR-2
199-N-3	3/9/1989 0:00	N	107-13-1	Acrylonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	107-13-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	309-00-2	Aldrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G47	309-00-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	3/9/1989 0:00	N	107-18-6	Allyl alcohol	10000	ug/L	U	[NULL]	[NULL]	R	H0007G47	107-18-6	USTEST	GC_DIRECT	100-NR-2
199-N-3	3/9/1989 0:00	N	107-05-1	Allyl chloride	100	ug/L	U	[NULL]	[NULL]	R	H0007G47	107-05-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	ALPHAHI	Alpha	1.19	pCi/L	U	[NULL]	[NULL]	R	H0007G47	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	3/9/1989 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G47	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	3/9/1989 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007G47F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007G47	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	61-82-5	Amitrole	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	61-82-5	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/9/1989 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007G47	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-3	3/9/1989 0:00	N	62-53-3	Aniline	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	62-53-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	120-12-7	Anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	120-12-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007G47	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007G47F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	140-57-8	Aramite	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	140-57-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	12674-11-2	Aroclor-1016	1	ug/L	U	[NULL]	[NULL]	R	H0007G47	12674-11-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	3/9/1989 0:00	N	11104-28-2	Aroclor-1221	1	ug/L	U	[NULL]	[NULL]	R	H0007G47	11104-28-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	3/9/1989 0:00	N	11141-16-5	Aroclor-1232	1	ug/L	U	[NULL]	[NULL]	R	H0007G47	11141-16-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	3/9/1989 0:00	N	53469-21-9	Aroclor-1242	1	ug/L	U	[NULL]	[NULL]	R	H0007G47	53469-21-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	3/9/1989 0:00	N	12672-29-6	Aroclor-1248	1	ug/L	U	[NULL]	[NULL]	R	H0007G47	12672-29-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	3/9/1989 0:00	N	11097-69-1	Aroclor-1254	1	ug/L	U	[NULL]	[NULL]	R	H0007G47	11097-69-1	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	3/9/1989 0:00	N	11096-82-5	Aroclor-1260	1	ug/L	U	[NULL]	[NULL]	R	H0007G47	11096-82-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	3/9/1989 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-3	3/9/1989 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-3	3/9/1989 0:00	N	492-80-8	Auramine	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	492-80-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	Y	7440-39-3	Barium	103	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G47F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	7440-39-3	Barium	100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G47	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	225-51-4	Benz[c]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	225-51-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	71-43-2	Benzene	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	71-43-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	108-98-5	Benzenethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	108-98-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	92-87-5	Benzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	92-87-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	56-55-3	Benzo(a)anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	56-55-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	50-32-8	Benzo(a)pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	50-32-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	205-99-2	Benzo(b)fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	205-99-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	191-24-2	Benzo(ghi)perylene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	191-24-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	207-08-9	Benzo(k)fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	207-08-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	205-82-3	Benzo[j]fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	205-82-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	100-51-6	Benzyl alcohol	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	100-51-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	100-44-7	Benzyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	100-44-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007G47F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	111-91-1	Bis(2-Chloroethoxy)methane	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	111-91-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	108-60-1	Bis(2-chloro-1-methylethyl)ether	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	108-60-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	111-44-4	Bis(2-chloroethyl) ether	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	111-44-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	117-81-7	Bis(2-ethylhexyl) phthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	117-81-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	542-88-1	Bis(chloromethyl) ether	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	542-88-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	Y	7440-42-8	Boron	14	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G47F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	7440-42-8	Boron	14	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G47	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007G47	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	3/9/1989 0:00	N	598-31-2	Bromoacetone	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	598-31-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	75-27-4	Bromodichloromethane	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	75-27-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	75-25-2	Bromoform	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	75-25-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	74-83-9	Bromomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	74-83-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	85-68-7	Butylbenzylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	85-68-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007G47F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007G47	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	Y	7440-70-2	Calcium	87100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G47F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	7440-70-2	Calcium	83000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G47	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	75-15-0	Carbon disulfide	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	75-15-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	786-19-6	Carbophenothion	2	ug/L	U	[NULL]	[NULL]	R	H0007G47	786-19-6	USTEST	8140_PEST_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/9/1989 0:00	N	10045-97-3	Cesium-137	-4.88	pCi/L	U	[NULL]	[NULL]	R	H0007G47	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	3/9/1989 0:00	N	57-74-9	Chlordane	1	ug/L	U	[NULL]	[NULL]	R	H0007G47	57-74-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	3/9/1989 0:00	N	16887-00-6	Chloride	5700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G47	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	3/9/1989 0:00	N	494-03-1	Chlornaphazine	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	494-03-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	B44	Chloroalkyl ethers	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	B44	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	108-90-7	Chlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	108-90-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	108-90-7	Chlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	108-90-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	510-15-6	Chlorobenzilate	300	ug/L	U	[NULL]	[NULL]	R	H0007G47	510-15-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	3/9/1989 0:00	N	75-00-3	Chloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	75-00-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	67-66-3	Chloroform	5	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G47	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	74-87-3	Chloromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	74-87-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	107-30-2	Chloromethyl methyl ether	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	107-30-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007G47F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	218-01-9	Chrysene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	218-01-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	6358-53-8	Citrus red No. 2	1000	ug/L	U	[NULL]	[NULL]	R	H0007G47	6358-53-8	USTEST	CITRUS_RED	100-NR-2
199-N-3	3/9/1989 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007G47F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007G47	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	10198-40-0	Cobalt-60	24	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G47	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	3/9/1989 0:00	N	COLIFORM	Coliform Bacteria	2.2	MPN	U	[NULL]	[NULL]	R	H0007G47	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-3	3/9/1989 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007G47F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	4170-30-3	Crotonaldehyde	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	4170-30-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	57-12-5	Cyanide	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	57-12-5	USTEST	9010_CYANIDE	100-NR-2
199-N-3	3/9/1989 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G47	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	3/9/1989 0:00	N	84-74-2	Di-n-butylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	84-74-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	117-84-0	Di-n-octylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	117-84-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	2303-16-4	Diallate	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	2303-16-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	226-36-8	Dibenz[a,h]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	226-36-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	53-70-3	Dibenz[a,h]anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	53-70-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	224-42-0	Dibenz[a,j]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	224-42-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	192-65-4	Dibenzo[a,e]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	192-65-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	189-64-0	Dibenzo[a,h]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	189-64-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	189-55-9	Dibenzo[a,i]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	189-55-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	132-64-9	Dibenzofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	132-64-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	124-48-1	Dibromochloromethane	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	124-48-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	74-95-3	Dibromomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	74-95-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	107-66-4	Dibutylphosphate	10000	ug/L	U	[NULL]	[NULL]	R	H0007G47	107-66-4	USTEST	70-MDBP	100-NR-2
199-N-3	3/9/1989 0:00	N	75-71-8	Dichlorodifluoromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	75-71-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	98-87-3	Dichloromethyl-benzene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	98-87-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	60-57-1	Dieldrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G47	60-57-1	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	3/9/1989 0:00	N	84-66-2	Diethylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	84-66-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	56-53-1	Diethylstilbesterol	200	ug/L	U	[NULL]	[NULL]	R	H0007G47	56-53-1	USTEST	8330_THIOUREA_M	100-NR-2
199-N-3	3/9/1989 0:00	N	94-58-6	Dihydrosafrole	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	94-58-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	60-51-5	Dimethoate	2	ug/L	U	[NULL]	[NULL]	R	H0007G47	60-51-5	USTEST	8140_PEST_GC	100-NR-2
199-N-3	3/9/1989 0:00	N	131-11-3	Dimethyl phthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	131-11-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	88-85-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	122-39-4	Diphenylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	122-39-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	298-04-4	Disulfoton	2	ug/L	U	[NULL]	[NULL]	R	H0007G47	298-04-4	USTEST	8140_PEST_GC	100-NR-2
199-N-3	3/9/1989 0:00	N	959-98-8	Endosulfan I	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G47	959-98-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	3/9/1989 0:00	N	33213-65-9	Endosulfan II	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G47	33213-65-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	3/9/1989 0:00	N	1031-07-8	Endosulfan sulfate	0.5	ug/L	U	[NULL]	[NULL]	R	H0007G47	1031-07-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	3/9/1989 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G47	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/9/1989 0:00	N	64-17-5	Ethanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007G47	64-17-5	USTEST	GC_DIRECT	100-NR-2
199-N-3	3/9/1989 0:00	N	51-79-6	Ethyl carbamate (Urethane)	10000	ug/L	U	[NULL]	[NULL]	R	H0007G47	51-79-6	USTEST	GC_DIRECT	100-NR-2
199-N-3	3/9/1989 0:00	N	107-12-0	Ethyl cyanide	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	107-12-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	107-12-0	Ethyl cyanide	10000	ug/L	U	[NULL]	[NULL]	R	H0007G47	107-12-0	USTEST	GC_DIRECT	100-NR-2
199-N-3	3/9/1989 0:00	N	97-63-2	Ethyl methacrylate	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	97-63-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	62-50-0	Ethyl methanesulfonate	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	62-50-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	100-41-4	Ethylbenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	100-41-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	107-21-1	Ethylene glycol	10000	ug/L	U	[NULL]	[NULL]	R	H0007G47	107-21-1	USTEST	GC_DIRECT	100-NR-2
199-N-3	3/9/1989 0:00	N	75-21-8	Ethylene oxide	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	75-21-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	151-56-4	Ethyleneimine	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	151-56-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	96-45-7	Ethylenethiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007G47	96-45-7	USTEST	8330_THIOUREA_M	100-NR-2
199-N-3	3/9/1989 0:00	N	206-44-0	Fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	206-44-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	86-73-7	Fluorene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	86-73-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007G47	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	3/9/1989 0:00	N	50-00-0	Formaldehyde	500	ug/L	U	[NULL]	[NULL]	R	H0007G47	50-00-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G47	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	3/9/1989 0:00	N	12587-47-2	Gross beta	2820	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G47	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	3/9/1989 0:00	N	76-44-8	Heptachlor	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G47	76-44-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	3/9/1989 0:00	N	1024-57-3	Heptachlor epoxide	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G47	1024-57-3	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	3/9/1989 0:00	N	118-74-1	Hexachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	118-74-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	87-68-3	Hexachlorobutadiene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	87-68-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	77-47-4	Hexachlorocyclopentadiene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	77-47-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	67-72-1	Hexachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	67-72-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	70-30-4	Hexachlorophene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	70-30-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	1888-71-7	Hexachloropropene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	1888-71-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	193-39-5	Indeno(1,2,3-cd)pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	193-39-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	74-88-4	Iodomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	74-88-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	Y	7439-89-6	Iron	32	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G47F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	7439-89-6	Iron	390	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G47	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	78-83-1	Isobutyl alcohol	10000	ug/L	U	[NULL]	[NULL]	R	H0007G47	78-83-1	USTEST	GC_DIRECT	100-NR-2
199-N-3	3/9/1989 0:00	N	465-73-6	Isodrin	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	465-73-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	78-59-1	Isophorone	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	78-59-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	120-58-1	Isosafrole	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	120-58-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	143-50-0	Kepone	1	ug/L	U	[NULL]	[NULL]	R	H0007G47	143-50-0	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	3/9/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-3	3/9/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-3	3/9/1989 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007G47F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	Y	7439-95-4	Magnesium	15100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G47F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	7439-95-4	Magnesium	14200	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G47	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	123-33-1	Maleic hydrazide	500	ug/L	U	[NULL]	[NULL]	R	H0007G47	123-33-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	109-77-3	Malononitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	109-77-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007G47F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	7439-96-5	Manganese	26	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G47	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	148-82-3	Melphalan	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	148-82-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G47	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-3	3/9/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G47	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-3	3/9/1989 0:00	N	126-98-7	Methacrylonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	126-98-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	74-93-1	Methanethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	74-93-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	91-80-5	Methapyrilene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	91-80-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	16752-77-5	Metholonyl	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	16752-77-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007G47	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	3/9/1989 0:00	N	80-62-6	Methyl methacrylate	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	80-62-6	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/9/1989 0:00	N	66-27-3	Methyl methanesulfonate	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	66-27-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	298-00-0	Methyl parathion	2	ug/L	U	[NULL]	[NULL]	R	H0007G47	298-00-0	USTEST	8140_PEST_GC	100-NR-2
199-N-3	3/9/1989 0:00	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	56-04-2	Methylthiouracil	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	56-04-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007G47F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007G47	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	1623-15-0	Monobutyl phosphate	10000	ug/L	U	[NULL]	[NULL]	R	H0007G47	1623-15-0	USTEST	70-MDBP	100-NR-2
199-N-3	3/9/1989 0:00	N	91-20-3	Naphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	91-20-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007G47F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	59-67-6	Nicotinic acid	100	ug/L	U	[NULL]	[NULL]	R	H0007G47	59-67-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	14797-55-8	Nitrate	23400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G47	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	3/9/1989 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007G47	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-3	3/9/1989 0:00	N	98-95-3	Nitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	98-95-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	930-55-2	Nitrosopyrrolidine	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	930-55-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	126-68-1	O,O,O-Triethyl phosphorothioate	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	126-68-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	297-97-2	O,O-Diethyl O-2-pyrazinyl phosphorothioate	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	297-97-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	123-63-7	Paraldehyde	10000	ug/L	U	[NULL]	[NULL]	R	H0007G47	123-63-7	USTEST	GC_DIRECT	100-NR-2
199-N-3	3/9/1989 0:00	N	56-38-2	Parathion	2	ug/L	U	[NULL]	[NULL]	R	H0007G47	56-38-2	USTEST	8140_PEST_GC	100-NR-2
199-N-3	3/9/1989 0:00	N	608-93-5	Pentachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	608-93-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	76-01-7	Pentachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	76-01-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	82-68-8	Pentachloronitrobenzene (PCNB)	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	82-68-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	87-86-5	Pentachlorophenol	50	ug/L	U	[NULL]	[NULL]	R	H0007G47	87-86-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	62-44-2	Phenacetin	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	62-44-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	85-01-8	Phenanthrene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	85-01-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	108-95-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	25265-76-3	Phenylenediamine	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	25265-76-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	298-02-2	Phorate	2	ug/L	U	[NULL]	[NULL]	R	H0007G47	298-02-2	USTEST	8140_PEST_GC	100-NR-2
199-N-3	3/9/1989 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007G47	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	3/9/1989 0:00	N	C31	Phthalic acid esters	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	C31	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	136677-09-3	Polychlorinated dibenzo-p-dioxins	0.01	ug/L	U	[NULL]	[NULL]	R	H0007G47	136677-09-3	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	136677-10-6	Polychlorinated dibenzofurans	0.01	ug/L	U	[NULL]	[NULL]	R	H0007G47	136677-10-6	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	7440-09-7	Potassium	3180	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G47	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	Y	7440-09-7	Potassium	3340	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G47F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	23950-58-5	Pronamide	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	23950-58-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	129-00-0	Pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	129-00-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	110-86-1	Pyridine	500	ug/L	U	[NULL]	[NULL]	R	H0007G47	110-86-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	7440-14-4	Radium	0.171	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G47	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	3/9/1989 0:00	N	50-55-5	Reserpine	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	50-55-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	108-46-3	Resorcinol	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	108-46-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	13967-48-1	Ruthenium-106	-44.9	pCi/L	U	[NULL]	[NULL]	R	H0007G47	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	3/9/1989 0:00	N	94-59-7	Safrol	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	94-59-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-3	3/9/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-3	3/9/1989 0:00	N	7440-21-3	Silicon	10000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G47	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	Y	7440-21-3	Silicon	10600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G47F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007G47F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	7440-23-5	Sodium	16300	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G47	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/9/1989 0:00	Y	7440-23-5	Sodium	16900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G47F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	CONDUCT	Specific Conductance	563	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G49	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-3	3/9/1989 0:00	N	CONDUCT	Specific Conductance	563	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G48	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-3	3/9/1989 0:00	N	CONDUCT	Specific Conductance	561	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G47	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-3	3/9/1989 0:00	N	CONDUCT	Specific Conductance	607	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G50	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	3/9/1989 0:00	N	CONDUCT	Specific Conductance	607	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G47	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	3/9/1989 0:00	N	CONDUCT	Specific Conductance	606	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G48	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	3/9/1989 0:00	N	CONDUCT	Specific Conductance	607	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G49	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	3/9/1989 0:00	N	CONDUCT	Specific Conductance	554	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G50	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-3	3/9/1989 0:00	Y	7440-24-6	Strontium	386	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G47F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	7440-24-6	Strontium	363	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G47	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	10098-97-2	Strontium-90	2640	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G47	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	3/9/1989 0:00	N	57-24-9	Strychnine	50	ug/L	U	[NULL]	[NULL]	R	H0007G47	57-24-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	100-42-5	Styrene	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	100-42-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	14808-79-8	Sulfate	180000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G47	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	3/9/1989 0:00	N	18496-25-8	Sulfide	1350	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G47	18496-25-8	USTEST	9030_SULFIDE	100-NR-2
199-N-3	3/9/1989 0:00	N	TEMPERATURE	Temperature	22	Deg C	[NULL]	[NULL]	[NULL]	R	H000G331	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/9/1989 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	107-49-3	Tetraethylpyrophosphate	2	ug/L	U	[NULL]	[NULL]	R	H0007G47	107-49-3	USTEST	8140_PEST_GC	100-NR-2
199-N-3	3/9/1989 0:00	N	109-99-9	Tetrahydrofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	109-99-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	7440-28-0	USTEST	UNKNOWN_METALS	100-NR-2
199-N-3	3/9/1989 0:00	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	7440-28-0	USTEST	7841_TL_GFAA	100-NR-2
199-N-3	3/9/1989 0:00	N	39196-18-4	Thiofanox	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	39196-18-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	62-56-6	Thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007G47	62-56-6	USTEST	8330_THIOUREA_M	100-NR-2
199-N-3	3/9/1989 0:00	N	137-26-8	Thiuram	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	137-26-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007G47	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007G47F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007G47	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007G47F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	108-88-3	Toluene	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	108-88-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	25376-45-8	Toluenediamine	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	25376-45-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	TC	Total carbon	22200	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G47	TC	USTEST	D2579A_CARBON	100-NR-2
199-N-3	3/9/1989 0:00	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	1319-77-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	H0007G48	TOC	USTEST	9060_TOC	100-NR-2
199-N-3	3/9/1989 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007G50	TOC	USTEST	9060_TOC	100-NR-2
199-N-3	3/9/1989 0:00	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	H0007G49	TOC	USTEST	9060_TOC	100-NR-2
199-N-3	3/9/1989 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007G47	TOC	USTEST	9060_TOC	100-NR-2
199-N-3	3/9/1989 0:00	N	59473-04-0	Total organic halides	8	ug/L	U	[NULL]	[NULL]	R	H0007G48	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-3	3/9/1989 0:00	N	59473-04-0	Total organic halides	7	ug/L	U	[NULL]	[NULL]	R	H0007G49	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-3	3/9/1989 0:00	N	59473-04-0	Total organic halides	4	ug/L	U	[NULL]	[NULL]	R	H0007G50	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-3	3/9/1989 0:00	N	59473-04-0	Total organic halides	6	ug/L	U	[NULL]	[NULL]	R	H0007G47	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-3	3/9/1989 0:00	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	10000	ug/L	U	[NULL]	[NULL]	R	H0007G47	TPHKEROSENE	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007G47	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	3/9/1989 0:00	N	126-73-8	Tributyl phosphate	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	126-73-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	75-70-7	Trichloromethanethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	75-70-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	75-69-4	Trichloromonofluoromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	75-69-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	126-72-7	Tris(2,3-dibromopropyl) phosphate	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	126-72-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	10028-17-8	Tritium	47100	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G47	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	3/9/1989 0:00	N	7440-61-1	Uranium	1.23	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G47	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	3/9/1989 0:00	N	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/9/1989 0:00	Y	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007G47F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	108-05-4	Vinyl acetate	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	108-05-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	75-01-4	Vinyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	75-01-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	81-81-2	Warfarin	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	81-81-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	Y	7440-66-6	Zinc	31	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G47F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	7440-66-6	Zinc	9	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G47	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007G47F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007G47	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1989 0:00	N	122-09-8	alpha,alpha-Dimethylphenethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	122-09-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G47	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	3/9/1989 0:00	N	99-65-0	m-Dinitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	99-65-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	616-40-0	n,n-Diethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	616-40-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	615-53-2	n-Nitroso-N-methylurethane	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	615-53-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	924-16-3	n-Nitrosodi-n-butylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	924-16-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	621-64-7	n-Nitrosodi-n-dipropylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	621-64-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	1116-54-7	n-Nitrosodiethanolamine	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	1116-54-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	55-18-5	n-Nitrosodiethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	55-18-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	62-75-9	n-Nitrosodimethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	62-75-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	86-30-6	n-Nitrosodiphenylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	86-30-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	10595-95-6	n-Nitrosomethylethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	10595-95-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	4549-40-0	n-Nitrosomethylvinylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	4549-40-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	59-89-2	n-Nitrosomorpholine	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	59-89-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	16543-55-8	n-Nitrosonornicotine	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	16543-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	100-75-4	n-Nitrosopiperidine	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	100-75-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	103-85-5	n-Phenylthiourea	500	ug/L	U	[NULL]	[NULL]	R	H0007G47	103-85-5	USTEST	8330_THIOUREA_M	100-NR-2
199-N-3	3/9/1989 0:00	N	107-10-8	n-Propylamine	10000	ug/L	U	[NULL]	[NULL]	R	H0007G47	107-10-8	USTEST	GC_DIRECT	100-NR-2
199-N-3	3/9/1989 0:00	N	636-21-5	o-Toluidine hydrochloride	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	636-21-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	106-51-4	p-Benzoquinone	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	106-51-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	60-11-7	p-Dimethylaminoazobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	60-11-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	PH	pH Measurement	7.4	unitless	[NULL]	[NULL]	[NULL]	R	H0007G47	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	3/9/1989 0:00	N	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	R	H0007G50	PH	USTEST	9040_PH	100-NR-2
199-N-3	3/9/1989 0:00	N	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	R	H0007G48	PH	USTEST	9040_PH	100-NR-2
199-N-3	3/9/1989 0:00	N	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	R	H0007G47	PH	USTEST	9040_PH	100-NR-2
199-N-3	3/9/1989 0:00	N	PH	pH Measurement	7.4	unitless	[NULL]	[NULL]	[NULL]	R	H0007G50	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	3/9/1989 0:00	N	PH	pH Measurement	7.4	unitless	[NULL]	[NULL]	[NULL]	R	H0007G48	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	3/9/1989 0:00	N	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	R	H0007G49	PH	USTEST	9040_PH	100-NR-2
199-N-3	3/9/1989 0:00	N	PH	pH Measurement	7.4	unitless	[NULL]	[NULL]	[NULL]	R	H0007G49	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	3/9/1989 0:00	N	99-35-4	sym-Trinitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	99-35-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	156-60-5	trans-1,2-Dichloroethylene	5	ug/L	U	[NULL]	[NULL]	R	H0007G47	156-60-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/9/1989 0:00	N	110-57-6	trans-1,4-Dichloro-2-butene	10	ug/L	U	[NULL]	[NULL]	R	H0007G47	110-57-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	3/14/1989 0:00	N	CONDUCT	Specific Conductance	633	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G51	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	3/14/1989 0:00	N	CONDUCT	Specific Conductance	638	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G53	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	3/14/1989 0:00	N	CONDUCT	Specific Conductance	642	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G52	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/14/1989 0:00	N	CONDUCT	Specific Conductance	647	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G54	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	3/14/1989 0:00	N	TEMPERATURE	Temperature	22	Deg C	[NULL]	[NULL]	[NULL]	R	H000G341	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/14/1989 0:00	N	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	R	H0007G54	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	3/14/1989 0:00	N	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	R	H0007G53	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	3/14/1989 0:00	N	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	R	H0007G52	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	3/14/1989 0:00	N	PH	pH Measurement	7.3	unitless	[NULL]	[NULL]	[NULL]	R	H0007G51	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	7/26/1989 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	630-20-6	1,1,1,2-Tetrachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	630-20-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	79-34-5	1,1,2,2-Tetrachloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	79-34-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	75-34-3	1,1-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	75-34-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	75-35-4	1,1-Dichloroethene	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	75-35-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	57-14-7	1,1-Dimethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	57-14-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	96-18-4	1,2,3-Trichloropropane	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	96-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	96-12-8	1,2-Dibromo-3-chloropropane	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	96-12-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	106-93-4	1,2-Dibromoethane	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	106-93-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	107-06-2	1,2-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	107-06-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	78-87-5	1,2-Dichloropropane	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	78-87-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	540-73-8	1,2-Dimethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	540-73-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	542-75-6	1,3-Dichloropropene	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	542-75-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	106-46-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	123-91-1	1,4-Dioxane	500	ug/L	U	[NULL]	[NULL]	R	H0007G55	123-91-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007G55	93-76-5	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-3	7/26/1989 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007G55	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-3	7/26/1989 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007G55	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-3	7/26/1989 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	110-75-8	2-Chloroethyl vinyl ether	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	110-75-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	591-78-6	2-Hexanone	50	ug/L	U	[NULL]	[NULL]	R	H0007G55	591-78-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	72-54-8	4,4'-DDD (Dichlorodiphenyldichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G55	72-54-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	7/26/1989 0:00	N	72-55-9	4,4'-DDE (Dichlorodiphenyldichloroethylene)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G55	72-55-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	7/26/1989 0:00	N	50-29-3	4,4'-DDT (Dichlorodiphenyltrichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G55	50-29-3	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	7/26/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	67-64-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	75-05-8	Acetonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	75-05-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	107-02-8	Acrolein	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	107-02-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	107-13-1	Acrylonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	107-13-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	309-00-2	Aldrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G55	309-00-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	7/26/1989 0:00	N	107-05-1	Allyl chloride	100	ug/L	U	[NULL]	[NULL]	R	H0007G55	107-05-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	ALPHAHI	Alpha	0.944	pCi/L	U	[NULL]	[NULL]	R	H0007G55	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	7/26/1989 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G55	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	7/26/1989 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007G55	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	7/26/1989 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007G55F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007G55	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-3	7/26/1989 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007G55F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007G55	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-3	7/26/1989 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-3	7/26/1989 0:00	N	7440-39-3	Barium	38	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G55	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	Y	7440-39-3	Barium	38	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G55F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	N	71-43-2	Benzene	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	71-43-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007G55F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	N	542-88-1	Bis(chloromethyl) ether	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	542-88-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	7440-42-8	Boron	13	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G55	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	Y	7440-42-8	Boron	23	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G55F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007G55	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	7/26/1989 0:00	N	598-31-2	Bromoacetone	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	598-31-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	75-27-4	Bromodichloromethane	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	75-27-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	75-25-2	Bromoform	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	75-25-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	74-83-9	Bromomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	74-83-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007G55	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007G55F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	Y	7440-70-2	Calcium	35400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G55F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	N	7440-70-2	Calcium	33500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G55	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	N	75-15-0	Carbon disulfide	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	75-15-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	10045-97-3	Cesium-137	2.35	pCi/L	U	[NULL]	[NULL]	R	H0007G55	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	7/26/1989 0:00	N	57-74-9	Chlordane	1	ug/L	U	[NULL]	[NULL]	R	H0007G55	57-74-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	7/26/1989 0:00	N	16887-00-6	Chloride	5700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G55	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	7/26/1989 0:00	N	108-90-7	Chlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	108-90-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	510-15-6	Chlorobenzilate	300	ug/L	U	[NULL]	[NULL]	R	H0007G55	510-15-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	7/26/1989 0:00	N	75-00-3	Chloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	75-00-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	67-66-3	Chloroform	3	ug/L	U	[NULL]	[NULL]	R	H0007G55	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	74-87-3	Chloromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	74-87-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	107-30-2	Chloromethyl methyl ether	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	107-30-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007G55F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007G55	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007G55F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	N	10198-40-0	Cobalt-60	18.9	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G55	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	7/26/1989 0:00	N	COLIFORM	Coliform Bacteria	2.2	MPN	U	[NULL]	[NULL]	R	H0007G55	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-3	7/26/1989 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007G55F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	N	4170-30-3	Crotonaldehyde	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	4170-30-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G55	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	7/26/1989 0:00	N	124-48-1	Dibromochloromethane	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	124-48-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	74-95-3	Dibromomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	74-95-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	75-71-8	Dichlorodifluoromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	75-71-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	60-57-1	Dieldrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G55	60-57-1	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	7/26/1989 0:00	N	959-98-8	Endosulfan I	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G55	959-98-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	7/26/1989 0:00	N	33213-65-9	Endosulfan II	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G55	33213-65-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	7/26/1989 0:00	N	1031-07-8	Endosulfan sulfate	0.5	ug/L	U	[NULL]	[NULL]	R	H0007G55	1031-07-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	7/26/1989 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G55	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	7/26/1989 0:00	N	107-12-0	Ethyl cyanide	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	107-12-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	97-63-2	Ethyl methacrylate	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	97-63-2	USTEST	8240_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	7/26/1989 0:00	N	100-41-4	Ethylbenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	100-41-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	75-21-8	Ethylene oxide	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	75-21-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007G55	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	7/26/1989 0:00	N	50-00-0	Formaldehyde	500	ug/L	U	[NULL]	[NULL]	R	H0007G55	50-00-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G55	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	7/26/1989 0:00	N	12587-47-2	Gross beta	1250	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G55	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	7/26/1989 0:00	N	76-44-8	Heptachlor	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G55	76-44-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	7/26/1989 0:00	N	1024-57-3	Heptachlor epoxide	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G55	1024-57-3	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	7/26/1989 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007G55	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-3	7/26/1989 0:00	N	74-88-4	Iodomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	74-88-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007G55F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	N	7439-89-6	Iron	205	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G55	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	N	143-50-0	Kepone	1	ug/L	U	[NULL]	[NULL]	R	H0007G55	143-50-0	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	7/26/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-3	7/26/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-3	7/26/1989 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007G55F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	N	7439-95-4	Magnesium	5660	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G55	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	Y	7439-95-4	Magnesium	5850	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G55F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007G55F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	N	7439-96-5	Manganese	12	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G55	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G55	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-3	7/26/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G55	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-3	7/26/1989 0:00	N	126-98-7	Methacrylonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	126-98-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	74-93-1	Methanethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	74-93-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007G55	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	7/26/1989 0:00	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007G55	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007G55F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007G55F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	N	14797-55-8	Nitrate	13500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G55	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	7/26/1989 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007G55	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-3	7/26/1989 0:00	N	76-01-7	Pentachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	76-01-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2
199-N-3	7/26/1989 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007G55	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	7/26/1989 0:00	N	7440-09-7	Potassium	2150	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G55	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	Y	7440-09-7	Potassium	2230	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G55F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	N	110-86-1	Pyridine	500	ug/L	U	[NULL]	[NULL]	R	H0007G55	110-86-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	7440-14-4	Radium	0.0781	pCi/L	U	[NULL]	[NULL]	R	H0007G55	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	7/26/1989 0:00	N	13967-48-1	Ruthenium-106	-9.83	pCi/L	U	[NULL]	[NULL]	R	H0007G55	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	7/26/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-3	7/26/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-3	7/26/1989 0:00	Y	7440-21-3	Silicon	11100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G55F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	N	7440-21-3	Silicon	10400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G55	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007G55F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	N	7440-23-5	Sodium	8030	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G55	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	Y	7440-23-5	Sodium	8220	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G55F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	N	CONDUCT	Specific Conductance	256	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G56	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-3	7/26/1989 0:00	N	CONDUCT	Specific Conductance	255	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G58	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-3	7/26/1989 0:00	N	CONDUCT	Specific Conductance	161	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G56	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	7/26/1989 0:00	N	CONDUCT	Specific Conductance	161	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G58	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	7/26/1989 0:00	N	CONDUCT	Specific Conductance	161	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G57	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	7/26/1989 0:00	N	CONDUCT	Specific Conductance	161	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G55	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	7/26/1989 0:00	N	CONDUCT	Specific Conductance	254	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G57	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-3	7/26/1989 0:00	N	CONDUCT	Specific Conductance	254	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G55	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-3	7/26/1989 0:00	Y	7440-24-6	Strontium	140	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G55F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	N	7440-24-6	Strontium	132	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G55	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	N	10098-97-2	Strontium-90	1090	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G55	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	7/26/1989 0:00	N	100-42-5	Styrene	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	100-42-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	14808-79-8	Sulfate	34900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G55	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	7/26/1989 0:00	N	TEMPERATURE	Temperature	21.2	Deg C	[NULL]	[NULL]	[NULL]	R	H000GNJ1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	7/26/1989 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	109-99-9	Tetrahydrofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	109-99-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007G55F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007G55	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007G55	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007G55F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	N	108-88-3	Toluene	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	108-88-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	TOC	Total organic carbon	700	ug/L	U	[NULL]	[NULL]	R	H0007G57	TOC	USTEST	9060_TOC	100-NR-2
199-N-3	7/26/1989 0:00	N	TOC	Total organic carbon	700	ug/L	U	[NULL]	[NULL]	R	H0007G55	TOC	USTEST	9060_TOC	100-NR-2
199-N-3	7/26/1989 0:00	N	TOC	Total organic carbon	700	ug/L	U	[NULL]	[NULL]	R	H0007G56	TOC	USTEST	9060_TOC	100-NR-2
199-N-3	7/26/1989 0:00	N	TOC	Total organic carbon	800	ug/L	U	[NULL]	[NULL]	R	H0007G58	TOC	USTEST	9060_TOC	100-NR-2
199-N-3	7/26/1989 0:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-3	7/26/1989 0:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	H0007G57	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-3	7/26/1989 0:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	H0007G56	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-3	7/26/1989 0:00	N	59473-04-0	Total organic halides	3	ug/L	U	[NULL]	[NULL]	R	H0007G58	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-3	7/26/1989 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007G55	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	7/26/1989 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	75-70-7	Trichloromethanethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	75-70-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	75-69-4	Trichloromonofluoromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	75-69-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	10028-17-8	Tritium	34100	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G55	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	7/26/1989 0:00	N	7440-61-1	Uranium	0.446	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G55	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	7/26/1989 0:00	N	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	Y	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007G55F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	N	108-05-4	Vinyl acetate	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	108-05-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	75-01-4	Vinyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	75-01-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007G55F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	N	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007G55	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007G55F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	7/26/1989 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G55	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	7/26/1989 0:00	N	616-40-0	n,n-Diethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	616-40-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	R	H0007G55	PH	USTEST	9040_PH	100-NR-2
199-N-3	7/26/1989 0:00	N	PH	pH Measurement	7.69	unitless	[NULL]	[NULL]	[NULL]	R	H0007G55	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	7/26/1989 0:00	N	PH	pH Measurement	7.66	unitless	[NULL]	[NULL]	[NULL]	R	H0007G58	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	7/26/1989 0:00	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	R	H0007G58	PH	USTEST	9040_PH	100-NR-2
199-N-3	7/26/1989 0:00	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	R	H0007G57	PH	USTEST	9040_PH	100-NR-2
199-N-3	7/26/1989 0:00	N	PH	pH Measurement	7.68	unitless	[NULL]	[NULL]	[NULL]	R	H0007G57	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	7/26/1989 0:00	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	R	H0007G56	PH	USTEST	9040_PH	100-NR-2
199-N-3	7/26/1989 0:00	N	PH	pH Measurement	7.69	unitless	[NULL]	[NULL]	[NULL]	R	H0007G56	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	7/26/1989 0:00	N	156-60-5	trans-1,2-Dichloroethylene	5	ug/L	U	[NULL]	[NULL]	R	H0007G55	156-60-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	7/26/1989 0:00	N	110-57-6	trans-1,4-Dichloro-2-butene	10	ug/L	U	[NULL]	[NULL]	R	H0007G55	110-57-6	USTEST	8240_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	8/15/1989 0:00	N	ALKALINITY	Alkalinity	77000	ug/L	[NULL]	G	[NULL]	R	H0007G59	ALKALINITY	USTEST	D1067B_ALKALINITY	100-NR-2
199-N-3	8/15/1989 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007G59	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007G59F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007G59	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007G59F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007G59	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-3	8/15/1989 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007G59	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-3	8/15/1989 0:00	N	7440-39-3	Barium	36	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G59	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	Y	7440-39-3	Barium	36	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G59F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007G59F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007G59	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	Y	7440-42-8	Boron	12	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G59F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	N	7440-42-8	Boron	26	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G59	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007G59	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	8/15/1989 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007G59	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007G59F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	Y	7440-70-2	Calcium	35400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G59F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	N	7440-70-2	Calcium	33500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G59	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	N	16887-00-6	Chloride	4800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G59	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	8/15/1989 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007G59	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007G59F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007G59F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007G59	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007G59F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007G59	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007G59	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	8/15/1989 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007G59	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-3	8/15/1989 0:00	N	7439-89-6	Iron	205	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G59	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007G59F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007G59	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-3	8/15/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007G59	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-3	8/15/1989 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007G59	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007G59F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	N	7439-95-4	Magnesium	5680	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G59	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	Y	7439-95-4	Magnesium	5880	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G59F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	N	7439-96-5	Manganese	13	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G59	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007G59F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G59	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-3	8/15/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G59	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-3	8/15/1989 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007G59F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007G59	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007G59	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007G59F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	N	14797-55-8	Nitrate	10400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G59	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	8/15/1989 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007G59	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-3	8/15/1989 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007G59	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	8/15/1989 0:00	N	7440-09-7	Potassium	2120	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G59	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	Y	7440-09-7	Potassium	2180	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G59F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007G59	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-3	8/15/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007G59	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-3	8/15/1989 0:00	Y	7440-21-3	Silicon	11600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G59F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	N	7440-21-3	Silicon	11100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G59	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007G59	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007G59F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	N	7440-23-5	Sodium	7460	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G59	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	8/15/1989 0:00	Y	7440-23-5	Sodium	7650	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G59F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	N	CONDUCT	Specific Conductance	263	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G62	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	8/15/1989 0:00	N	CONDUCT	Specific Conductance	262	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G61	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	8/15/1989 0:00	N	CONDUCT	Specific Conductance	262	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G60	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	8/15/1989 0:00	N	CONDUCT	Specific Conductance	240	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G62	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-3	8/15/1989 0:00	N	CONDUCT	Specific Conductance	238	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G59	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-3	8/15/1989 0:00	N	CONDUCT	Specific Conductance	262	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G59	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	8/15/1989 0:00	N	CONDUCT	Specific Conductance	239	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G61	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-3	8/15/1989 0:00	N	CONDUCT	Specific Conductance	238	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G60	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-3	8/15/1989 0:00	N	7440-24-6	Strontium	132	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G59	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	Y	7440-24-6	Strontium	133	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G59F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	N	14808-79-8	Sulfate	31000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G59	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	8/15/1989 0:00	N	TEMPERATURE	Temperature	20.2	Deg C	[NULL]	[NULL]	[NULL]	R	H000GNX0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	8/15/1989 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007G59	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007G59F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007G59	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007G59F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	N	TURBIDITY	Turbidity	1.4	NTU	[NULL]	[NULL]	[NULL]	R	H0007G59	TURBIDITY	USTEST	214A_TURBIDITY	100-NR-2
199-N-3	8/15/1989 0:00	Y	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007G59F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	N	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007G59	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007G59F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	N	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007G59	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007G59F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007G59	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	8/15/1989 0:00	N	PH	pH Measurement	7.72	unitless	[NULL]	[NULL]	[NULL]	R	H0007G59	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	8/15/1989 0:00	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	R	H0007G59	PH	USTEST	9040_PH	100-NR-2
199-N-3	8/15/1989 0:00	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	R	H0007G60	PH	USTEST	9040_PH	100-NR-2
199-N-3	8/15/1989 0:00	N	PH	pH Measurement	7.68	unitless	[NULL]	[NULL]	[NULL]	R	H0007G60	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	8/15/1989 0:00	N	PH	pH Measurement	7.69	unitless	[NULL]	[NULL]	[NULL]	R	H0007G61	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	8/15/1989 0:00	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	R	H0007G61	PH	USTEST	9040_PH	100-NR-2
199-N-3	8/15/1989 0:00	N	PH	pH Measurement	7.69	unitless	[NULL]	[NULL]	[NULL]	R	H0007G62	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	8/15/1989 0:00	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	R	H0007G62	PH	USTEST	9040_PH	100-NR-2
199-N-3	9/29/1989 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007G63	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	9/29/1989 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007G63	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	9/29/1989 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007G63	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	9/29/1989 0:00	N	75-34-3	1,1-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007G63	75-34-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	9/29/1989 0:00	N	107-06-2	1,2-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007G63	107-06-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	9/29/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007G63	106-46-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	9/29/1989 0:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007G63	93-76-5	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-3	9/29/1989 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007G63	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-3	9/29/1989 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007G63	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-3	9/29/1989 0:00	N	78-93-3	2-Butanone	11	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G63	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	9/29/1989 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007G63	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	9/29/1989 0:00	N	72-54-8	4,4'-DDD (Dichlorodiphenyldichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G63	72-54-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	9/29/1989 0:00	N	72-55-9	4,4'-DDE (Dichlorodiphenyldichloroethylene)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G63	72-55-9	USTEST	8080_PESTPCB_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	9/29/1989 0:00	N	50-29-3	4,4'-DDT (Dichlorodiphenyltrichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G63	50-29-3	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	9/29/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007G63	67-64-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	9/29/1989 0:00	N	309-00-2	Aldrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G63	309-00-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	9/29/1989 0:00	N	ALPHAHI	Alpha	1.36	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G63	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	9/29/1989 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G63	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	9/29/1989 0:00	N	7429-90-5	Aluminum	354	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G63	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007G63F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007G63	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-3	9/29/1989 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007G63	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007G63F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007G63	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-3	9/29/1989 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007G63	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-3	9/29/1989 0:00	Y	7440-39-3	Barium	33	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G63F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	N	7440-39-3	Barium	42	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G63	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	N	71-43-2	Benzene	5	ug/L	U	[NULL]	[NULL]	R	H0007G63	71-43-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	9/29/1989 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007G63F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007G63	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	Y	7440-42-8	Boron	18	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G63F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	N	7440-42-8	Boron	24	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G63	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007G63	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	9/29/1989 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007G63F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007G63	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	Y	7440-70-2	Calcium	27400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G63F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	N	7440-70-2	Calcium	29900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G63	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007G63	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	9/29/1989 0:00	N	10045-97-3	Cesium-137	-0.62	pCi/L	U	[NULL]	[NULL]	R	H0007G63	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	9/29/1989 0:00	N	57-74-9	Chlordane	1	ug/L	U	[NULL]	[NULL]	R	H0007G63	57-74-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	9/29/1989 0:00	N	16887-00-6	Chloride	3000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G63	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	9/29/1989 0:00	N	510-15-6	Chlorobenzilate	300	ug/L	U	[NULL]	[NULL]	R	H0007G63	510-15-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	9/29/1989 0:00	N	67-66-3	Chloroform	3	ug/L	U	[NULL]	[NULL]	R	H0007G63	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	9/29/1989 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007G63F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007G63	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007G63F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007G63	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	N	10198-40-0	Cobalt-60	11.3	pCi/L	U	[NULL]	[NULL]	R	H0007G63	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	9/29/1989 0:00	N	COLIFORM	Coliform Bacteria	2.2	MPN	U	[NULL]	[NULL]	R	H0007G63	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-3	9/29/1989 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007G63	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007G63F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G63	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	9/29/1989 0:00	N	60-57-1	Dieldrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G63	60-57-1	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	9/29/1989 0:00	N	959-98-8	Endosulfan I	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G63	959-98-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	9/29/1989 0:00	N	33213-65-9	Endosulfan II	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G63	33213-65-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	9/29/1989 0:00	N	1031-07-8	Endosulfan sulfate	0.5	ug/L	U	[NULL]	[NULL]	R	H0007G63	1031-07-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	9/29/1989 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G63	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	9/29/1989 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007G63	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	9/29/1989 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G63	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	9/29/1989 0:00	N	12587-47-2	Gross beta	1010	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G63	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	9/29/1989 0:00	N	76-44-8	Heptachlor	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G63	76-44-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	9/29/1989 0:00	N	1024-57-3	Heptachlor epoxide	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G63	1024-57-3	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	9/29/1989 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007G63	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-3	9/29/1989 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007G63F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	N	7439-89-6	Iron	1620	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G63	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	N	143-50-0	Kepone	1	ug/L	U	[NULL]	[NULL]	R	H0007G63	143-50-0	USTEST	8080_PESTPCB_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	9/29/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007G63	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-3	9/29/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007G63	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-3	9/29/1989 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007G63	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007G63F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	N	7439-95-4	Magnesium	5240	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G63	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	Y	7439-95-4	Magnesium	4750	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G63F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007G63F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	N	7439-96-5	Manganese	70	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G63	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G63	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-3	9/29/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G63	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-3	9/29/1989 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007G63	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	9/29/1989 0:00	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	H0007G63	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	9/29/1989 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007G63	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007G63F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007G63	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007G63F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	N	14797-55-8	Nitrate	7500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G63	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	9/29/1989 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007G63	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-3	9/29/1989 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007G63	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2
199-N-3	9/29/1989 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007G63	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	9/29/1989 0:00	Y	7440-09-7	Potassium	1990	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G63F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	N	7440-09-7	Potassium	2210	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G63	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	N	7440-14-4	Radium	0.182	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G63	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	9/29/1989 0:00	N	13967-48-1	Ruthenium-106	-23.8	pCi/L	U	[NULL]	[NULL]	R	H0007G63	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	9/29/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007G63	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-3	9/29/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007G63	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-3	9/29/1989 0:00	Y	7440-21-3	Silicon	10100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G63F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	N	7440-21-3	Silicon	11600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G63	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007G63	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007G63F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	N	7440-23-5	Sodium	7300	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G63	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	Y	7440-23-5	Sodium	6820	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G63F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	N	CONDUCT	Specific Conductance	236	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G63	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-3	9/29/1989 0:00	N	CONDUCT	Specific Conductance	274	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G63	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	9/29/1989 0:00	N	CONDUCT	Specific Conductance	244	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G65	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	9/29/1989 0:00	N	CONDUCT	Specific Conductance	269	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G66	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	9/29/1989 0:00	N	CONDUCT	Specific Conductance	241	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G64	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	9/29/1989 0:00	N	CONDUCT	Specific Conductance	246	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G64	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-3	9/29/1989 0:00	N	CONDUCT	Specific Conductance	239	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G65	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-3	9/29/1989 0:00	N	CONDUCT	Specific Conductance	238	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G66	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-3	9/29/1989 0:00	N	7440-24-6	Strontium	127	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G63	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	Y	7440-24-6	Strontium	118	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G63F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	N	10098-97-2	Strontium-90	629	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G63	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	9/29/1989 0:00	N	14808-79-8	Sulfate	26000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G63	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	9/29/1989 0:00	N	TEMPERATURE	Temperature	20.4	Deg C	[NULL]	[NULL]	[NULL]	R	H000GP58	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/29/1989 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007G63	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	9/29/1989 0:00	N	109-99-9	Tetrahydrofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007G63	109-99-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	9/29/1989 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007G63F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007G63	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007G63	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007G63F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	N	108-88-3	Toluene	5	ug/L	U	[NULL]	[NULL]	R	H0007G63	108-88-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	9/29/1989 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007G66	TOC	USTEST	9060_TOC	100-NR-2
199-N-3	9/29/1989 0:00	N	TOC	Total organic carbon	700	ug/L	U	[NULL]	[NULL]	R	H0007G65	TOC	USTEST	9060_TOC	100-NR-2
199-N-3	9/29/1989 0:00	N	TOC	Total organic carbon	900	ug/L	U	[NULL]	[NULL]	R	H0007G64	TOC	USTEST	9060_TOC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	9/29/1989 0:00	N	TOC	Total organic carbon	900	ug/L	U	[NULL]	[NULL]	R	H0007G63	TOC	USTEST	9060_TOC	100-NR-2
199-N-3	9/29/1989 0:00	N	59473-04-0	Total organic halides	6	ug/L	U	[NULL]	[NULL]	R	H0007G63	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-3	9/29/1989 0:00	N	59473-04-0	Total organic halides	3	ug/L	U	[NULL]	[NULL]	R	H0007G64	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-3	9/29/1989 0:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	H0007G66	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-3	9/29/1989 0:00	N	59473-04-0	Total organic halides	4	ug/L	U	[NULL]	[NULL]	R	H0007G65	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-3	9/29/1989 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007G63	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	9/29/1989 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007G63	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	9/29/1989 0:00	N	10028-17-8	Tritium	23100	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G63	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	9/29/1989 0:00	N	TURBIDITY	Turbidity	6.8	NTU	[NULL]	[NULL]	[NULL]	R	H0007G63	TURBIDITY	USTEST	214A_TURBIDITY	100-NR-2
199-N-3	9/29/1989 0:00	N	7440-61-1	Uranium	0.412	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G63	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	9/29/1989 0:00	N	7440-62-2	Vanadium	13	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G63	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	Y	7440-62-2	Vanadium	8	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G63F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	N	75-01-4	Vinyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007G63	75-01-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	9/29/1989 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007G63	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	9/29/1989 0:00	N	7440-66-6	Zinc	10	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G63	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007G63F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007G63F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007G63	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	9/29/1989 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G63	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	9/29/1989 0:00	N	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	R	H0007G63	PH	USTEST	9040_PH	100-NR-2
199-N-3	9/29/1989 0:00	N	PH	pH Measurement	7.35	unitless	[NULL]	[NULL]	[NULL]	R	H0007G63	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	9/29/1989 0:00	N	PH	pH Measurement	7.26	unitless	[NULL]	[NULL]	[NULL]	R	H0007G65	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	9/29/1989 0:00	N	PH	pH Measurement	7.24	unitless	[NULL]	[NULL]	[NULL]	R	H0007G64	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	9/29/1989 0:00	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	H0007G64	PH	USTEST	9040_PH	100-NR-2
199-N-3	9/29/1989 0:00	N	PH	pH Measurement	7.31	unitless	[NULL]	[NULL]	[NULL]	R	H0007G66	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	9/29/1989 0:00	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	H0007G65	PH	USTEST	9040_PH	100-NR-2
199-N-3	9/29/1989 0:00	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	H0007G66	PH	USTEST	9040_PH	100-NR-2
199-N-3	9/29/1989 0:00	N	156-60-5	trans-1,2-Dichloroethylene	5	ug/L	U	[NULL]	[NULL]	R	H0007G63	156-60-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	11/8/1989 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007G67	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	11/8/1989 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007G67	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	11/8/1989 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007G67	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	11/8/1989 0:00	N	75-34-3	1,1-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007G67	75-34-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	11/8/1989 0:00	N	107-06-2	1,2-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007G67	107-06-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	11/8/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007G67	106-46-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	11/8/1989 0:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007G67	93-76-5	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-3	11/8/1989 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007G67	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-3	11/8/1989 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007G67	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-3	11/8/1989 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007G67	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	11/8/1989 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007G67	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	11/8/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007G67	67-64-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	11/8/1989 0:00	N	ALPHAHI	Alpha	0.515	pCi/L	U	[NULL]	[NULL]	R	H0007G67	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	11/8/1989 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G67	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	11/8/1989 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007G67F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007G67	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007G67	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-3	11/8/1989 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007G67	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	11/8/1989 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007G67F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007G67	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-3	11/8/1989 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007G67	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-3	11/8/1989 0:00	N	7440-39-3	Barium	28	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G67	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	Y	7440-39-3	Barium	30	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G67F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	N	71-43-2	Benzene	5	ug/L	U	[NULL]	[NULL]	R	H0007G67	71-43-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	11/8/1989 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007G67	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007G67F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	N	7440-42-8	Boron	18	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G67	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	Y	7440-42-8	Boron	27	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G67F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007G67	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	11/8/1989 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007G67F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007G67	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	N	7440-70-2	Calcium	27200	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G67	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	Y	7440-70-2	Calcium	27900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G67F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007G67	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	11/8/1989 0:00	N	10045-97-3	Cesium-137	3.25	pCi/L	U	[NULL]	[NULL]	R	H0007G67	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	11/8/1989 0:00	N	16887-00-6	Chloride	2500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G67	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	11/8/1989 0:00	N	67-66-3	Chloroform	3	ug/L	U	[NULL]	[NULL]	R	H0007G67	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	11/8/1989 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007G67F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007G67	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007G67	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007G67F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	N	10198-40-0	Cobalt-60	6.07	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G67	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	11/8/1989 0:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	H0007G67	COLIFORM	USTEST	9222B_COLIFORM	100-NR-2
199-N-3	11/8/1989 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007G67F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007G67	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G67	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	11/8/1989 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G67	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	11/8/1989 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007G67	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	11/8/1989 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G67	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	11/8/1989 0:00	N	12587-47-2	Gross beta	1220	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G67	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	11/8/1989 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007G67	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-3	11/8/1989 0:00	N	7439-89-6	Iron	229	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G67	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007G67F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007G67	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-3	11/8/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007G67	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-3	11/8/1989 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007G67	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007G67F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	Y	7439-95-4	Magnesium	4680	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G67F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	N	7439-95-4	Magnesium	4590	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G67	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007G67F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	N	7439-96-5	Manganese	13	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G67	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G67	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-3	11/8/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G67	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-3	11/8/1989 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007G67	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	11/8/1989 0:00	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	H0007G67	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	11/8/1989 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007G67	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007G67F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007G67	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007G67F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	N	14797-55-8	Nitrate	7100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G67	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	11/8/1989 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007G67	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-3	11/8/1989 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007G67	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	11/8/1989 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007G67	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	11/8/1989 0:00	N	7440-09-7	Potassium	1910	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G67	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	Y	7440-09-7	Potassium	1940	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G67F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	N	7440-14-4	Radium	0.265	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G67	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	11/8/1989 0:00	N	13967-48-1	Ruthenium-106	-13.7	pCi/L	U	[NULL]	[NULL]	R	H0007G67	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	11/8/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007G67	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-3	11/8/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007G67	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-3	11/8/1989 0:00	N	7440-21-3	Silicon	10700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G67	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	Y	7440-21-3	Silicon	10900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G67F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007G67	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007G67F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	Y	7440-23-5	Sodium	6720	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G67F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	N	7440-23-5	Sodium	6500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G67	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	N	CONDUCT	Specific Conductance	221	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G68	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-3	11/8/1989 0:00	N	CONDUCT	Specific Conductance	220	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G67	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-3	11/8/1989 0:00	N	CONDUCT	Specific Conductance	220	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G70	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-3	11/8/1989 0:00	N	CONDUCT	Specific Conductance	221	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G69	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-3	11/8/1989 0:00	N	CONDUCT	Specific Conductance	268	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G67	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	11/8/1989 0:00	N	CONDUCT	Specific Conductance	225	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G68	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	11/8/1989 0:00	N	CONDUCT	Specific Conductance	231	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G70	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	11/8/1989 0:00	N	CONDUCT	Specific Conductance	226	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G69	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	11/8/1989 0:00	N	7440-24-6	Strontium	109	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G67	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	Y	7440-24-6	Strontium	111	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G67F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	N	10098-97-2	Strontium-90	541	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G67	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	11/8/1989 0:00	N	14808-79-8	Sulfate	24800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G67	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	11/8/1989 0:00	N	TEMPERATURE	Temperature	22	Deg C	[NULL]	[NULL]	[NULL]	R	H000GPF6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	11/8/1989 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007G67	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	11/8/1989 0:00	N	109-99-9	Tetrahydrofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007G67	109-99-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	11/8/1989 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007G67F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007G67	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007G67	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007G67F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	N	108-88-3	Toluene	5	ug/L	U	[NULL]	[NULL]	R	H0007G67	108-88-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	11/8/1989 0:00	N	TOC	Total organic carbon	600	ug/L	U	[NULL]	[NULL]	R	H0007G67	TOC	USTEST	9060_TOC	100-NR-2
199-N-3	11/8/1989 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007G68	TOC	USTEST	9060_TOC	100-NR-2
199-N-3	11/8/1989 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007G69	TOC	USTEST	9060_TOC	100-NR-2
199-N-3	11/8/1989 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007G70	TOC	USTEST	9060_TOC	100-NR-2
199-N-3	11/8/1989 0:00	N	59473-04-0	Total organic halides	3	ug/L	U	[NULL]	[NULL]	R	H0007G70	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-3	11/8/1989 0:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	H0007G69	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-3	11/8/1989 0:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	H0007G67	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-3	11/8/1989 0:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	H0007G68	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-3	11/8/1989 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007G67	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	11/8/1989 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007G67	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	11/8/1989 0:00	N	10028-17-8	Tritium	22600	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G67	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	11/8/1989 0:00	N	TURBIDITY	Turbidity	2	NTU	[NULL]	[NULL]	[NULL]	R	H0007G67	TURBIDITY	USTEST	214A_TURBIDITY	100-NR-2
199-N-3	11/8/1989 0:00	N	7440-61-1	Uranium	1.2	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G67	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	11/8/1989 0:00	Y	7440-62-2	Vanadium	10	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G67F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	N	7440-62-2	Vanadium	8	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G67	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	N	75-01-4	Vinyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007G67	75-01-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	11/8/1989 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007G67	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	11/8/1989 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007G67F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	N	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007G67	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007G67F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	11/8/1989 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007G67	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	11/8/1989 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G67	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	11/8/1989 0:00	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	H0007G69	PH	USTEST	9040_PH	100-NR-2
199-N-3	11/8/1989 0:00	N	PH	pH Measurement	7.71	unitless	[NULL]	[NULL]	[NULL]	R	H0007G69	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	11/8/1989 0:00	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	H0007G70	PH	USTEST	9040_PH	100-NR-2
199-N-3	11/8/1989 0:00	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	H0007G67	PH	USTEST	9040_PH	100-NR-2
199-N-3	11/8/1989 0:00	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	H0007G68	PH	USTEST	9040_PH	100-NR-2
199-N-3	11/8/1989 0:00	N	PH	pH Measurement	7.71	unitless	[NULL]	[NULL]	[NULL]	R	H0007G68	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	11/8/1989 0:00	N	PH	pH Measurement	7.71	unitless	[NULL]	[NULL]	[NULL]	R	H0007G67	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	11/8/1989 0:00	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	R	H0007G70	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	11/8/1989 0:00	N	156-60-5	trans-1,2-Dichloroethylene	5	ug/L	U	[NULL]	[NULL]	R	H0007G67	156-60-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	2/14/1990 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007G71	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	2/14/1990 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007G71	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	2/14/1990 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007G71	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	2/14/1990 0:00	N	75-34-3	1,1-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007G71	75-34-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	2/14/1990 0:00	N	107-06-2	1,2-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007G71	107-06-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	2/14/1990 0:00	N	106-46-7	1,4-Dichlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007G71	106-46-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	2/14/1990 0:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007G71	93-76-5	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-3	2/14/1990 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007G71	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-3	2/14/1990 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007G71	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-3	2/14/1990 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007G71	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	2/14/1990 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007G71	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	2/14/1990 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007G71	67-64-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	2/14/1990 0:00	N	ALPHAHI	Alpha	0.246	pCi/L	U	[NULL]	[NULL]	R	H0007G71	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	2/14/1990 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G71	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	2/14/1990 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007G71F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007G71	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007G71	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-3	2/14/1990 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007G71F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007G71	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007G71	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-3	2/14/1990 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007G71	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-3	2/14/1990 0:00	Y	7440-39-3	Barium	35	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G71F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	N	7440-39-3	Barium	34	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G71	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	N	71-43-2	Benzene	5	ug/L	U	[NULL]	[NULL]	R	H0007G71	71-43-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	2/14/1990 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007G71	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007G71F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	N	7440-42-8	Boron	28	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G71	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	Y	7440-42-8	Boron	31	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G71F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007G71	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	2/14/1990 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007G71F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007G71	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	N	7440-70-2	Calcium	33600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G71	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	Y	7440-70-2	Calcium	34000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G71F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007G71	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	2/14/1990 0:00	N	10045-97-3	Cesium-137	3.47	pCi/L	U	[NULL]	[NULL]	R	H0007G71	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	2/14/1990 0:00	N	16887-00-6	Chloride	2600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G71	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	2/14/1990 0:00	N	67-66-3	Chloroform	3	ug/L	U	[NULL]	[NULL]	R	H0007G71	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	2/14/1990 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007G71	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007G71F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007G71F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007G71	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	N	10198-40-0	Cobalt-60	12.8	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G71	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	2/14/1990 0:00	N	COLIFORM	Coliform Bacteria	2.2	MPN	U	[NULL]	[NULL]	R	H0007G71	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-3	2/14/1990 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007G71F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007G71	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G71	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	2/14/1990 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G71	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	2/14/1990 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007G71	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	2/14/1990 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G71	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	2/14/1990 0:00	N	12587-47-2	Gross beta	680	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G71	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	2/14/1990 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007G71	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-3	2/14/1990 0:00	N	7439-89-6	Iron	358	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G71	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007G71F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007G71	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-3	2/14/1990 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007G71	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-3	2/14/1990 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007G71F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007G71	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	Y	7439-95-4	Magnesium	5710	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G71F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	N	7439-95-4	Magnesium	5620	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G71	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	N	7439-96-5	Manganese	15	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G71	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007G71F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G71	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-3	2/14/1990 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G71	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-3	2/14/1990 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007G71	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	2/14/1990 0:00	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	H0007G71	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	2/14/1990 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007G71F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007G71	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007G71F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007G71	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	N	14797-55-8	Nitrate	7800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G71	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	2/14/1990 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007G71	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-3	2/14/1990 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007G71	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2
199-N-3	2/14/1990 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007G71	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	2/14/1990 0:00	N	7440-09-7	Potassium	1960	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G71	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	Y	7440-09-7	Potassium	1960	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G71F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	N	7440-14-4	Radium	0.0401	pCi/L	U	[NULL]	[NULL]	R	H0007G71	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	2/14/1990 0:00	N	13967-48-1	Ruthenium-106	31.8	pCi/L	U	[NULL]	[NULL]	R	H0007G71	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	2/14/1990 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007G71	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-3	2/14/1990 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007G71	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-3	2/14/1990 0:00	N	7440-21-3	Silicon	10000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G71	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	Y	7440-21-3	Silicon	10000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G71F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007G71	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007G71F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	N	7440-23-5	Sodium	7450	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G71	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	Y	7440-23-5	Sodium	7670	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G71F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	N	CONDUCT	Specific Conductance	266	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G72	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-3	2/14/1990 0:00	N	CONDUCT	Specific Conductance	260	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G73	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-3	2/14/1990 0:00	N	CONDUCT	Specific Conductance	263	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G74	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	2/14/1990 0:00	N	CONDUCT	Specific Conductance	260	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G73	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	2/14/1990 0:00	N	CONDUCT	Specific Conductance	260	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G71	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-3	2/14/1990 0:00	N	CONDUCT	Specific Conductance	262	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G72	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	2/14/1990 0:00	N	CONDUCT	Specific Conductance	262	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G71	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	2/14/1990 0:00	N	CONDUCT	Specific Conductance	260	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G74	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-3	2/14/1990 0:00	N	7440-24-6	Strontium	129	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G71	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	Y	7440-24-6	Strontium	133	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G71F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	N	10098-97-2	Strontium-90	607	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G71	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	2/14/1990 0:00	N	14808-79-8	Sulfate	29900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G71	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-3	2/14/1990 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007G71	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	2/14/1990 0:00	N	109-99-9	Tetrahydrofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007G71	109-99-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	2/14/1990 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007G71	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007G71F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007G71	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007G71F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	N	108-88-3	Toluene	5	ug/L	U	[NULL]	[NULL]	R	H0007G71	108-88-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	2/14/1990 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007G71	TOC	USTEST	9060_TOC	100-NR-2
199-N-3	2/14/1990 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007G73	TOC	USTEST	9060_TOC	100-NR-2
199-N-3	2/14/1990 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007G72	TOC	USTEST	9060_TOC	100-NR-2
199-N-3	2/14/1990 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007G74	TOC	USTEST	9060_TOC	100-NR-2
199-N-3	2/14/1990 0:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	H0007G71	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-3	2/14/1990 0:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	H0007G73	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-3	2/14/1990 0:00	N	59473-04-0	Total organic halides	7	ug/L	U	[NULL]	[NULL]	R	H0007G74	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-3	2/14/1990 0:00	N	59473-04-0	Total organic halides	4	ug/L	U	[NULL]	[NULL]	R	H0007G72	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-3	2/14/1990 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007G71	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	2/14/1990 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007G71	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	2/14/1990 0:00	N	10028-17-8	Tritium	25100	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007G71	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	2/14/1990 0:00	N	TURBIDITY	Turbidity	2	NTU	[NULL]	[NULL]	[NULL]	R	H0007G71	TURBIDITY	USTEST	214A_TURBIDITY	100-NR-2
199-N-3	2/14/1990 0:00	N	7440-61-1	Uranium	0.578	ug/L	[NULL]	[NULL]	[NULL]	R	H0007G71	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-3	2/14/1990 0:00	Y	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007G71F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	N	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007G71	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	N	75-01-4	Vinyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007G71	75-01-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	2/14/1990 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007G71	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	2/14/1990 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007G71F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	N	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007G71	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007G71F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007G71	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-3	2/14/1990 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007G71	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-3	2/14/1990 0:00	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	H0007G73	PH	USTEST	9040_PH	100-NR-2
199-N-3	2/14/1990 0:00	N	PH	pH Measurement	7.66	unitless	[NULL]	[NULL]	[NULL]	R	H0007G73	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	2/14/1990 0:00	N	PH	pH Measurement	7.64	unitless	[NULL]	[NULL]	[NULL]	R	H0007G72	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	2/14/1990 0:00	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	H0007G71	PH	USTEST	9040_PH	100-NR-2
199-N-3	2/14/1990 0:00	N	PH	pH Measurement	7.74	unitless	[NULL]	[NULL]	[NULL]	R	H0007G71	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	2/14/1990 0:00	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	H0007G74	PH	USTEST	9040_PH	100-NR-2
199-N-3	2/14/1990 0:00	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	H0007G72	PH	USTEST	9040_PH	100-NR-2
199-N-3	2/14/1990 0:00	N	PH	pH Measurement	7.63	unitless	[NULL]	[NULL]	[NULL]	R	H0007G74	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	2/14/1990 0:00	N	156-60-5	trans-1,2-Dichloroethylene	5	ug/L	U	[NULL]	[NULL]	R	H0007G71	156-60-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-3	2/14/1990 11:00	N	TEMPERATURE	Temperature	20.7	Deg C	[NULL]	[NULL]	[NULL]	R	H000GQ51	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	2/5/1991 0:00	N	CONDUCT	Specific Conductance	335	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G75	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	2/5/1991 0:00	N	PH	pH Measurement	7.35	unitless	[NULL]	[NULL]	[NULL]	R	H0007G75	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	2/5/1991 10:18	N	12587-46-1	Gross alpha	1.27	pCi/L	[NULL]	[NULL]	[NULL]	R	H00070Y2	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	2/5/1991 10:18	N	7440-61-1	Uranium	0.881	ug/L	[NULL]	[NULL]	[NULL]	R	H00070Y2	7440-61-1	ITASRL	UTOT_IE_FLUOR	100-NR-2
199-N-3	2/5/1991 10:19	N	TEMPERATURE	Temperature	19.8	Deg C	[NULL]	[NULL]	[NULL]	R	H000GSV7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/25/1991 0:00	N	CONDUCT	Specific Conductance	363	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G76	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	3/25/1991 0:00	N	PH	pH Measurement	7.65	unitless	[NULL]	[NULL]	[NULL]	R	H0007G76	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/25/1991 10:50	N	14234-35-6	Antimony-125	8.99	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007317	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-3	3/25/1991 10:50	N	13966-02-4	Beryllium-7	-9.01	pCi/L	U	[NULL]	[NULL]	R	H0007317	13966-02-4	ITASRL	GAMMA_GS	100-NR-2
199-N-3	3/25/1991 10:50	N	CE/PR-144	Cerium/Praseodymium-144	-17.1	pCi/L	U	[NULL]	[NULL]	R	H0007317	CE/PR-144	ITASRL	GAMMA_GS	100-NR-2
199-N-3	3/25/1991 10:50	N	13967-70-9	Cesium-134	0.64	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007317	13967-70-9	ITASRL	GAMMA_GS	100-NR-2
199-N-3	3/25/1991 10:50	N	10045-97-3	Cesium-137	-1.04	pCi/L	U	[NULL]	[NULL]	R	H0007317	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-3	3/25/1991 10:50	N	10198-40-0	Cobalt-60	7.2	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007317	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-3	3/25/1991 10:50	N	15585-10-1	Europium-154	7.93	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007317	15585-10-1	ITASRL	GAMMA_GS	100-NR-2
199-N-3	3/25/1991 10:50	N	14391-16-3	Europium-155	-7.75	pCi/L	U	[NULL]	[NULL]	R	H0007317	14391-16-3	ITASRL	GAMMA_GS	100-NR-2
199-N-3	3/25/1991 10:50	N	13966-00-2	Potassium-40	44.1	pCi/L	[NULL]	R	[NULL]	R	H0007317	13966-00-2	ITASRL	GAMMA_GS	100-NR-2
199-N-3	3/25/1991 10:50	N	13967-48-1	Ruthenium-106	-18.2	pCi/L	U	[NULL]	[NULL]	R	H0007317	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-3	3/25/1991 10:50	N	10098-97-2	Strontium-90	548	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007317	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	3/25/1991 10:50	N	TEMPERATURE	Temperature	20.5	Deg C	[NULL]	[NULL]	[NULL]	R	H000GSY8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/25/1991 10:50	N	10028-17-8	Tritium	23700	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007317	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-3	3/25/1991 10:50	N	13982-39-3	Zinc-65	-6.36	pCi/L	U	[NULL]	[NULL]	R	H0007317	13982-39-3	ITASRL	GAMMA_GS	100-NR-2
199-N-3	3/25/1991 10:50	N	ZR/NB-95	Zirconium/Niobium-95	7	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007317	ZR/NB-95	ITASRL	GAMMA_GS	100-NR-2
199-N-3	4/10/1991 0:00	N	CONDUCT	Specific Conductance	352	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007G77	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	4/10/1991 0:00	N	PH	pH Measurement	7.79	unitless	[NULL]	[NULL]	[NULL]	R	H0007G77	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-3	4/10/1991 11:05	N	12587-46-1	Gross alpha	1.88	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007340	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	4/10/1991 11:05	N	TEMPERATURE	Temperature	20.7	Deg C	[NULL]	[NULL]	[NULL]	R	H000GT32	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	4/10/1991 11:05	N	7440-61-1	Uranium	0.944	ug/L	[NULL]	[NULL]	[NULL]	R	H0007340	7440-61-1	ITASRL	UTOT_IE_FLUOR	100-NR-2
199-N-3	12/5/1991 10:30	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B00N95	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	12/5/1991 10:30	N	120-83-2	2,4-Dichlorophenol	53000	ug/L	[NULL]	[NULL]	[NULL]	R	B00N95	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	12/5/1991 10:30	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B00N95	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	12/5/1991 10:30	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B00N95	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	12/5/1991 10:30	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B00N95	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	12/5/1991 10:30	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B00N95	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	12/5/1991 10:30	N	88-75-5	2-Nitrophenol	8800	ug/L	[NULL]	[NULL]	[NULL]	R	B00N95	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	12/5/1991 10:30	N	534-52-1	4,6-Dinitro-2-methylphenol	310	ug/L	[NULL]	[NULL]	[NULL]	R	B00N95	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	12/5/1991 10:30	N	59-50-7	4-Chloro-3-methylphenol	49	ug/L	[NULL]	[NULL]	[NULL]	R	B00N95	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	12/5/1991 10:30	N	100-02-7	4-Nitrophenol	21	ug/L	[NULL]	[NULL]	[NULL]	R	B00N95	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	12/5/1991 10:30	N	14798-03-9	Ammonium ion	100	ug/L	U	[NULL]	[NULL]	R	B00N95	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-3	12/5/1991 10:30	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B00ND0	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	12/5/1991 10:30	N	14234-35-6	Antimony-125	4.12	pCi/L	[NULL]	[NULL]	[NULL]	R	B00N95	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-3	12/5/1991 10:30	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B00N95	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-3	12/5/1991 10:30	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B00ND0	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-3	12/5/1991 10:30	Y	7440-39-3	Barium	47	ug/L	[NULL]	[NULL]	[NULL]	R	B00ND0	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	12/5/1991 10:30	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B00ND0	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	12/5/1991 10:30	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B00N95	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	12/5/1991 10:30	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B00ND0	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	12/5/1991 10:30	Y	7440-70-2	Calcium	53000	ug/L	[NULL]	[NULL]	[NULL]	R	B00ND0	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	12/5/1991 10:30	N	10045-97-3	Cesium-137	-7.34	pCi/L	U	[NULL]	[NULL]	R	B00N95	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-3	12/5/1991 10:30	N	16887-00-6	Chloride	5500	ug/L	[NULL]	[NULL]	[NULL]	R	B00N95	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	12/5/1991 10:30	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B00ND0	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	12/5/1991 10:30	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B00ND0	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	12/5/1991 10:30	N	10198-40-0	Cobalt-60	4.8	pCi/L	[NULL]	[NULL]	[NULL]	R	B00N95	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-3	12/5/1991 10:30	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B00N95	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-3	12/5/1991 10:30	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B00ND0	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	12/5/1991 10:30	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B00N95	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	12/5/1991 10:30	N	16984-48-8	Fluoride	600	ug/L	[NULL]	[NULL]	[NULL]	R	B00N95	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	12/5/1991 10:30	N	12587-46-1	Gross alpha	0.622	pCi/L	[NULL]	[NULL]	[NULL]	R	B00N95	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	12/5/1991 10:30	N	12587-47-2	Gross beta	1170	pCi/L	[NULL]	[NULL]	[NULL]	R	B00N95	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	12/5/1991 10:30	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B00N95	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-3	12/5/1991 10:30	Y	7439-89-6	Iron	24	ug/L	[NULL]	[NULL]	[NULL]	R	B00ND0	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	12/5/1991 10:30	N	7439-92-1	Lead	5.7	ug/L	[NULL]	[NULL]	[NULL]	R	B00N95	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-3	12/5/1991 10:30	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B00ND0	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-3	12/5/1991 10:30	Y	7439-95-4	Magnesium	8900	ug/L	[NULL]	[NULL]	[NULL]	R	B00ND0	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	12/5/1991 10:30	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B00ND0	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	12/5/1991 10:30	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B00N95	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-3	12/5/1991 10:30	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B00ND0	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-3	12/5/1991 10:30	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B00ND0	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	12/5/1991 10:30	N	14797-55-8	Nitrate	15500	ug/L	[NULL]	[NULL]	[NULL]	R	B00N95	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	12/5/1991 10:30	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B00N95	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	12/5/1991 10:30	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B00N95	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	12/5/1991 10:30	N	108-95-2	Phenol	2700	ug/L	[NULL]	[NULL]	[NULL]	R	B00N95	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	12/5/1991 10:30	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B00N95	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	12/5/1991 10:30	Y	7440-09-7	Potassium	2700	ug/L	[NULL]	[NULL]	[NULL]	R	B00ND0	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	12/5/1991 10:30	N	7440-14-4	Radium	0.0131	pCi/L	[NULL]	R	[NULL]	R	B00N95	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-3	12/5/1991 10:30	N	13967-48-1	Ruthenium-106	-22.3	pCi/L	U	[NULL]	[NULL]	R	B00N95	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-3	12/5/1991 10:30	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B00ND0	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-3	12/5/1991 10:30	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B00N95	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-3	12/5/1991 10:30	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B00ND0	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	12/5/1991 10:30	Y	7440-23-5	Sodium	9600	ug/L	[NULL]	[NULL]	[NULL]	R	B00ND0	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	12/5/1991 10:30	N	CONDUCT	Specific Conductance	365	uS/cm	[NULL]	[NULL]	[NULL]	R	B00MZ5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	12/5/1991 10:30	N	10098-97-2	Strontium-90	557	pCi/L	[NULL]	[NULL]	[NULL]	R	B00N95	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	12/5/1991 10:30	N	14808-79-8	Sulfate	35000	ug/L	[NULL]	[NULL]	[NULL]	R	B00N95	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	12/5/1991 10:30	N	TEMPERATURE	Temperature	20.9	Deg C	[NULL]	[NULL]	[NULL]	R	B00MZ5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	12/5/1991 10:30	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B00N95	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	12/5/1991 10:30	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B00ND0	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	12/5/1991 10:30	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B00N95	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	12/5/1991 10:30	N	TOC	Total organic carbon	2000	ug/L	[NULL]	[NULL]	[NULL]	R	B00N95	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	12/5/1991 10:30	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B00N95	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-3	12/5/1991 10:30	N	25167-82-2	Trichlorophenol	9700	ug/L	[NULL]	[NULL]	[NULL]	R	B00N95	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	12/5/1991 10:30	N	10028-17-8	Tritium	21300	pCi/L	[NULL]	[NULL]	[NULL]	R	B00N95	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-3	12/5/1991 10:30	N	TURBIDITY	Turbidity	0.6	NTU	[NULL]	[NULL]	[NULL]	R	B00N95	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-3	12/5/1991 10:30	N	7440-61-1	Uranium	1.66	ug/L	[NULL]	[NULL]	[NULL]	R	B00MZ5	7440-61-1	ITASRL	UTOT_IE_FLUOR	100-NR-2
199-N-3	12/5/1991 10:30	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B00ND0	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	12/5/1991 10:30	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B00ND0	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	12/5/1991 10:30	N	PH	pH Measurement	7.54	unitless	[NULL]	[NULL]	[NULL]	R	B00MZ5	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/11/1993 10:53	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NW3	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/11/1993 10:53	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NW3	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/11/1993 10:53	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B07NW3	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/11/1993 10:53	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B07NW3	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/11/1993 10:53	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NW3	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/11/1993 10:53	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NW3	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/11/1993 10:53	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NW3	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/11/1993 10:53	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B07NW3	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/11/1993 10:53	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B07NW3	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/11/1993 10:53	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B07NW3	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/11/1993 10:53	N	14798-03-9	Ammonium ion	700	ug/L	[NULL]	[NULL]	[NULL]	R	B07NW3	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-3	3/11/1993 10:53	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B07NW3	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/11/1993 10:53	N	14234-35-6	Antimony-125	-8.52	pCi/L	U	[NULL]	[NULL]	R	B07NW3	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-3	3/11/1993 10:53	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B07NW3	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-3	3/11/1993 10:53	N	7440-39-3	Barium	71	ug/L	[NULL]	[NULL]	[NULL]	R	B07NW3	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/11/1993 10:53	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B07NW3	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/11/1993 10:53	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B07NW3	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/11/1993 10:53	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B07NW3	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/11/1993 10:53	N	7440-70-2	Calcium	67000	ug/L	[NULL]	Q	[NULL]	R	B07NW3	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/11/1993 10:53	N	10045-97-3	Cesium-137	-1.47	pCi/L	U	[NULL]	[NULL]	R	B07NW3	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-3	3/11/1993 10:53	N	16887-00-6	Chloride	20000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NW3	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	3/11/1993 10:53	N	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B07NW3	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/11/1993 10:53	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B07NW3	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/11/1993 10:53	N	10198-40-0	Cobalt-60	4.52	pCi/L	U	[NULL]	[NULL]	R	B07NW3	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-3	3/11/1993 10:53	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B07NW3	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-3	3/11/1993 10:53	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B07NW3	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/11/1993 10:53	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B07NW3	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/11/1993 10:53	N	16984-48-8	Fluoride	300	ug/L	[NULL]	[NULL]	[NULL]	R	B07NW3	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	3/11/1993 10:53	N	12587-46-1	Gross alpha	1.32	pCi/L	U	[NULL]	[NULL]	R	B07NW3	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	3/11/1993 10:53	N	12587-47-2	Gross beta	1720	pCi/L	[NULL]	[NULL]	[NULL]	R	B07NW3	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	3/11/1993 10:53	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B07NW3	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-3	3/11/1993 10:53	N	7439-89-6	Iron	7300	ug/L	[NULL]	[NULL]	[NULL]	R	B07NW3	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/11/1993 10:53	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B07NW3	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-3	3/11/1993 10:53	N	7439-95-4	Magnesium	16000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NW3	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/11/1993 10:53	N	7439-96-5	Manganese	350	ug/L	[NULL]	[NULL]	[NULL]	R	B07NW3	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/11/1993 10:53	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B07NW3	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-3	3/11/1993 10:53	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B07NW3	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/11/1993 10:53	N	14797-55-8	Nitrate	19000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NW3	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	3/11/1993 10:53	N	14797-65-0	Nitrite	1500	ug/L	[NULL]	F	[NULL]	R	B07NW3	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	3/11/1993 10:53	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B07NW3	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/11/1993 10:53	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B07NW3	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/11/1993 10:53	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B07NW3	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	3/11/1993 10:53	N	7440-09-7	Potassium	3500	ug/L	[NULL]	[NULL]	[NULL]	R	B07NW3	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/11/1993 10:53	N	7440-14-4	Radium	0.037	pCi/L	U	[NULL]	[NULL]	R	B07NW3	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-3	3/11/1993 10:53	N	13967-48-1	Ruthenium-106	28.2	pCi/L	U	[NULL]	[NULL]	R	B07NW3	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-3	3/11/1993 10:53	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B07NW3	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-3	3/11/1993 10:53	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B07NW3	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/11/1993 10:53	N	7440-23-5	Sodium	14000	ug/L	[NULL]	Q	[NULL]	R	B07NW3	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/11/1993 10:53	N	10098-97-2	Strontium-90	837	pCi/L	[NULL]	[NULL]	[NULL]	R	B07NW3	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	3/11/1993 10:53	N	14808-79-8	Sulfate	92000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NW3	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	3/11/1993 10:53	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B07NW3	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/11/1993 10:53	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B07NW3	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-3	3/11/1993 10:53	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B07NW3	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/11/1993 10:53	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B07NW3	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/11/1993 10:53	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07NW3	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	3/11/1993 10:53	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B07NW3	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-3	3/11/1993 10:53	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NW3	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/11/1993 10:53	N	10028-17-8	Tritium	20100	pCi/L	[NULL]	[NULL]	[NULL]	R	B07NW3	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-3	3/11/1993 10:53	N	TURBIDITY	Turbidity	50	NTU	[NULL]	[NULL]	[NULL]	R	B07NW3	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-3	3/11/1993 10:53	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B07NW3	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/11/1993 10:53	N	7440-66-6	Zinc	10	ug/L	[NULL]	[NULL]	[NULL]	R	B07NW3	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/12/1993 0:00	N	OIL/GREASE	Oil and grease	5000	ug/L	U	[NULL]	[NULL]	R	B086K8	OIL/GREASE	TMANC	9070_OILGREASE	100-NR-2
199-N-3	3/12/1993 0:00	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	1000	ug/L	U	[NULL]	[NULL]	R	B086K8	TPHDIESEL	TMANC	8015M_TPH_GC	100-NR-2
199-N-3	3/12/1993 9:23	N	CONDUCT	Specific Conductance	530	uS/cm	[NULL]	[NULL]	[NULL]	R	B07NZ2	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-3	3/12/1993 9:23	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07NW4	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	3/12/1993 9:23	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07NW5	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	3/12/1993 9:23	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07NW6	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	3/12/1993 9:23	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B07NW6	59473-04-0	DATACH	9020_TOX	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/12/1993 9:23	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B07NW5	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-3	3/12/1993 9:23	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B07NW4	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-3	3/12/1993 9:23	N	PH	pH Measurement	7.8	unitless	[NULL]	[NULL]	[NULL]	R	B07NZ2	PH	DATACH	D1293_PH	100-NR-2
199-N-3	5/19/1993 11:23	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08HY6	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	5/19/1993 11:23	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08HY6	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	5/19/1993 11:23	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B08HY6	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	5/19/1993 11:23	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B08HY6	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	5/19/1993 11:23	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08HY6	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	5/19/1993 11:23	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08HY6	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	5/19/1993 11:23	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B08HY6	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	5/19/1993 11:23	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B08HY6	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	5/19/1993 11:23	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B08HY6	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	5/19/1993 11:23	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B08HY6	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	5/19/1993 11:23	N	7429-90-5	Aluminum	120	ug/L	L	Q	[NULL]	R	B08HY6	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	Y	7429-90-5	Aluminum	110	ug/L	L	Q	[NULL]	R	B08HZ0	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	N	14798-03-9	Ammonium ion	38.5	ug/L	U	[NULL]	[NULL]	R	B08HY6	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-3	5/19/1993 11:23	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B08HY6	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B08HZ0	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	N	14234-35-6	Antimony-125	15.7	pCi/L	[NULL]	[NULL]	[NULL]	R	B08HY6	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-3	5/19/1993 11:23	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B08HY6	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-3	5/19/1993 11:23	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B08HZ0	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-3	5/19/1993 11:23	Y	7440-39-3	Barium	70	ug/L	[NULL]	[NULL]	[NULL]	R	B08HZ0	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	N	7440-39-3	Barium	70	ug/L	[NULL]	[NULL]	[NULL]	R	B08HY6	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B08HZ0	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B08HY6	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	N	24959-67-9	Bromide	80	ug/L	L	[NULL]	[NULL]	R	B08HY6	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	5/19/1993 11:23	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B08HZ0	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B08HY6	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	N	7440-70-2	Calcium	86000	ug/L	[NULL]	Q	[NULL]	R	B08HY6	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	Y	7440-70-2	Calcium	86000	ug/L	[NULL]	Q	[NULL]	R	B08HZ0	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	N	10045-97-3	Cesium-137	1.99	pCi/L	U	[NULL]	[NULL]	R	B08HY6	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-3	5/19/1993 11:23	N	16887-00-6	Chloride	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B08HY6	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	5/19/1993 11:23	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B08HZ0	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	N	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B08HY6	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B08HZ0	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B08HY6	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	N	10198-40-0	Cobalt-60	-3.93	pCi/L	U	[NULL]	[NULL]	R	B08HY6	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-3	5/19/1993 11:23	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B08HY6	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-3	5/19/1993 11:23	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B08HZ0	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B08HY6	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B08HY6	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	5/19/1993 11:23	N	16984-48-8	Fluoride	400	ug/L	[NULL]	[NULL]	[NULL]	R	B08HY6	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	5/19/1993 11:23	N	12587-46-1	Gross alpha	1.57	pCi/L	U	[NULL]	[NULL]	R	B08HY6	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	5/19/1993 11:23	N	12587-47-2	Gross beta	1080	pCi/L	[NULL]	[NULL]	[NULL]	R	B08HY6	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	5/19/1993 11:23	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B08HY6	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-3	5/19/1993 11:23	Y	7439-89-6	Iron	20	ug/L	U	[NULL]	[NULL]	R	B08HZ0	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	N	7439-89-6	Iron	30	ug/L	[NULL]	[NULL]	[NULL]	R	B08HY6	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B08HY6	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-3	5/19/1993 11:23	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B08HZ0	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-3	5/19/1993 11:23	N	7439-95-4	Magnesium	14000	ug/L	[NULL]	[NULL]	[NULL]	R	B08HY6	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	Y	7439-95-4	Magnesium	14000	ug/L	[NULL]	[NULL]	[NULL]	R	B08HZ0	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	N	7439-96-5	Manganese	3	ug/L	L	[NULL]	[NULL]	R	B08HY6	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	5/19/1993 11:23	Y	7439-96-5	Manganese	3.8	ug/L	L	[NULL]	[NULL]	R	B08HZ0	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B08HY6	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-3	5/19/1993 11:23	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B08HZ0	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-3	5/19/1993 11:23	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B08HY6	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B08HZ0	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	N	14797-55-8	Nitrate	21000	ug/L	[NULL]	[NULL]	[NULL]	R	B08HY6	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	5/19/1993 11:23	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B08HY6	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	5/19/1993 11:23	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B08HY6	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	5/19/1993 11:23	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B08HY6	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	5/19/1993 11:23	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B08HY6	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	5/19/1993 11:23	Y	7440-09-7	Potassium	2500	ug/L	[NULL]	[NULL]	[NULL]	R	B08HZ0	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	N	7440-09-7	Potassium	2700	ug/L	[NULL]	[NULL]	[NULL]	R	B08HY6	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	N	7440-14-4	Radium	-0.023	pCi/L	U	[NULL]	[NULL]	R	B08HY6	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-3	5/19/1993 11:23	N	13967-48-1	Ruthenium-106	0.717	pCi/L	U	[NULL]	[NULL]	R	B08HY6	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-3	5/19/1993 11:23	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B08HZ0	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-3	5/19/1993 11:23	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B08HY6	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-3	5/19/1993 11:23	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B08HZ0	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B08HY6	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	N	7440-23-5	Sodium	12000	ug/L	[NULL]	Q	[NULL]	R	B08HY6	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	Y	7440-23-5	Sodium	12000	ug/L	[NULL]	Q	[NULL]	R	B08HZ0	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	N	CONDUCT	Specific Conductance	600	uS/cm	[NULL]	[NULL]	[NULL]	R	B08J07	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-3	5/19/1993 11:23	N	10098-97-2	Strontium-90	574	pCi/L	[NULL]	[NULL]	[NULL]	R	B08HY6	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	5/19/1993 11:23	N	14808-79-8	Sulfate	140000	ug/L	[NULL]	[NULL]	[NULL]	R	B08HY6	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	5/19/1993 11:23	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B08HY6	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	5/19/1993 11:23	Y	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B08HZ0	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-3	5/19/1993 11:23	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B08HY6	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-3	5/19/1993 11:23	N	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B08HY6	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	Y	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B08HZ0	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B08HY6	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	5/19/1993 11:23	N	TOC	Total organic carbon	400	ug/L	L	[NULL]	[NULL]	R	B08HY6	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	5/19/1993 11:23	N	TOC	Total organic carbon	400	ug/L	L	[NULL]	[NULL]	R	B08HY7	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	5/19/1993 11:23	N	TOC	Total organic carbon	400	ug/L	L	[NULL]	[NULL]	R	B08HY9	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	5/19/1993 11:23	N	TOC	Total organic carbon	400	ug/L	L	[NULL]	[NULL]	R	B08HY8	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	5/19/1993 11:23	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B08HY9	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-3	5/19/1993 11:23	N	59473-04-0	Total organic halides	20	ug/L	[NULL]	Y	[NULL]	R	B08HY6	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-3	5/19/1993 11:23	N	59473-04-0	Total organic halides	8	ug/L	L	Y	[NULL]	R	B08HY8	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-3	5/19/1993 11:23	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B08HY7	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-3	5/19/1993 11:23	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08HY6	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	5/19/1993 11:23	N	10028-17-8	Tritium	28800	pCi/L	[NULL]	[NULL]	[NULL]	R	B08HY6	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-3	5/19/1993 11:23	N	TURBIDITY	Turbidity	0.5	NTU	[NULL]	[NULL]	[NULL]	R	B08HY6	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-3	5/19/1993 11:23	Y	7440-62-2	Vanadium	5.7	ug/L	L	[NULL]	[NULL]	R	B08HZ0	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B08HY6	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	N	7440-66-6	Zinc	30	ug/L	[NULL]	[NULL]	[NULL]	R	B08HY6	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	Y	7440-66-6	Zinc	8	ug/L	L	[NULL]	[NULL]	R	B08HZ0	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/19/1993 11:23	N	PH	pH Measurement	7.8	unitless	[NULL]	[NULL]	[NULL]	R	B08J07	PH	DATACH	D1293_PH	100-NR-2
199-N-3	5/19/1993 12:14	N	OIL/GREASE	Oil and grease	5000	ug/L	U	[NULL]	[NULL]	R	B08KZ6	OIL/GREASE	TMANC	9070_OILGREASE	100-NR-2
199-N-3	5/19/1993 12:14	N	CONDUCT	Specific Conductance	1220	uS/cm	[NULL]	Y	[NULL]	R	B08KZ6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	5/19/1993 12:14	N	TEMPERATURE	Temperature	21.9	Deg C	[NULL]	[NULL]	[NULL]	R	B08KZ6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	5/19/1993 12:14	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	2500	ug/L	U	[NULL]	[NULL]	R	B08KZ6	TPHDIESEL	TMANC	8015M_TPH_GC	100-NR-2
199-N-3	5/19/1993 12:14	N	PH	pH Measurement	7.52	unitless	[NULL]	[NULL]	[NULL]	R	B08KZ6	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	11/9/1993 9:15	N	88-06-2	2,4,6-Trichlorophenol	1.45	ug/L	U	[NULL]	[NULL]	R	B09KY0	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	11/9/1993 9:15	N	120-83-2	2,4-Dichlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B09KY0	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	11/9/1993 9:15	N	105-67-9	2,4-Dimethylphenol	1.01	ug/L	U	[NULL]	[NULL]	R	B09KY0	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	11/9/1993 9:15	N	51-28-5	2,4-Dinitrophenol	0.96	ug/L	U	[NULL]	[NULL]	R	B09KY0	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	11/9/1993 9:15	N	87-65-0	2,6-Dichlorophenol	1.59	ug/L	U	[NULL]	[NULL]	R	B09KY0	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	11/9/1993 9:15	N	95-57-8	2-Chlorophenol	1.42	ug/L	U	[NULL]	[NULL]	R	B09KY0	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	11/9/1993 9:15	N	88-75-5	2-Nitrophenol	1.56	ug/L	U	[NULL]	[NULL]	R	B09KY0	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	11/9/1993 9:15	N	534-52-1	4,6-Dinitro-2-methylphenol	1.18	ug/L	U	[NULL]	[NULL]	R	B09KY0	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	11/9/1993 9:15	N	59-50-7	4-Chloro-3-methylphenol	1.12	ug/L	U	[NULL]	[NULL]	R	B09KY0	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	11/9/1993 9:15	N	100-02-7	4-Nitrophenol	0.65	ug/L	U	[NULL]	[NULL]	R	B09KY0	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	11/9/1993 9:15	Y	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B09KY4	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	N	7429-90-5	Aluminum	150	ug/L	L	[NULL]	[NULL]	R	B09KY0	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	Y	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B09KY4	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	N	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B09KY0	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	N	14234-35-6	Antimony-125	0.627	pCi/L	U	[NULL]	[NULL]	R	B09KY0	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-3	11/9/1993 9:15	Y	7440-38-2	Arsenic	2	ug/L	L	[NULL]	[NULL]	R	B09KY4	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-3	11/9/1993 9:15	N	7440-38-2	Arsenic	2	ug/L	L	[NULL]	[NULL]	R	B09KY0	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-3	11/9/1993 9:15	Y	7440-39-3	Barium	110	ug/L	[NULL]	[NULL]	[NULL]	R	B09KY4	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	N	7440-39-3	Barium	110	ug/L	[NULL]	[NULL]	[NULL]	R	B09KY0	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	Y	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B09KY4	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	N	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B09KY0	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	N	24959-67-9	Bromide	100	ug/L	L	[NULL]	[NULL]	R	B09KY0	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	11/9/1993 9:15	N	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B09KY0	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	Y	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B09KY4	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	Y	7440-70-2	Calcium	120000	ug/L	[NULL]	[NULL]	[NULL]	R	B09KY4	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	N	7440-70-2	Calcium	120000	ug/L	[NULL]	[NULL]	[NULL]	R	B09KY0	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	N	10045-97-3	Cesium-137	1.39	pCi/L	U	[NULL]	[NULL]	R	B09KY0	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-3	11/9/1993 9:15	N	16887-00-6	Chloride	17000	ug/L	D	[NULL]	[NULL]	R	B09KY0	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	11/9/1993 9:15	Y	7440-47-3	Chromium	9.9	ug/L	L	[NULL]	[NULL]	R	B09KY4	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	N	7440-47-3	Chromium	26	ug/L	[NULL]	[NULL]	[NULL]	R	B09KY0	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	Y	7440-48-4	Cobalt	4.05	ug/L	U	[NULL]	[NULL]	R	B09KY4	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	N	7440-48-4	Cobalt	4.05	ug/L	U	[NULL]	[NULL]	R	B09KY0	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	N	10198-40-0	Cobalt-60	5.28	pCi/L	U	[NULL]	[NULL]	R	B09KY0	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-3	11/9/1993 9:15	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B09KY0	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-3	11/9/1993 9:15	Y	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B09KY4	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	N	7440-50-8	Copper	3.6	ug/L	L	[NULL]	[NULL]	R	B09KY0	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1.35	ug/L	U	[NULL]	[NULL]	R	B09KY0	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	11/9/1993 9:15	N	16984-48-8	Fluoride	500	ug/L	[NULL]	[NULL]	[NULL]	R	B09KY0	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	11/9/1993 9:15	N	12587-46-1	Gross alpha	6.01	pCi/L	[NULL]	[NULL]	[NULL]	R	B09KY0	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	11/9/1993 9:15	N	12587-47-2	Gross beta	1460	pCi/L	[NULL]	[NULL]	[NULL]	R	B09KY0	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	11/9/1993 9:15	N	302-01-2	Hydrazine	1.89	ug/L	U	[NULL]	[NULL]	R	B09KY0	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-3	11/9/1993 9:15	N	7439-89-6	Iron	1300	ug/L	[NULL]	[NULL]	[NULL]	R	B09KY0	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	Y	7439-89-6	Iron	26	ug/L	[NULL]	[NULL]	[NULL]	R	B09KY4	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	N	7439-92-1	Lead	3.1	ug/L	BL	[NULL]	[NULL]	R	B09KY0	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-3	11/9/1993 9:15	Y	7439-92-1	Lead	0.99	ug/L	BL	[NULL]	[NULL]	R	B09KY4	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-3	11/9/1993 9:15	Y	7439-95-4	Magnesium	21000	ug/L	[NULL]	[NULL]	[NULL]	R	B09KY4	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	N	7439-95-4	Magnesium	21000	ug/L	[NULL]	[NULL]	[NULL]	R	B09KY0	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	Y	7439-96-5	Manganese	1.5	ug/L	L	[NULL]	[NULL]	R	B09KY4	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	N	7439-96-5	Manganese	44	ug/L	[NULL]	[NULL]	[NULL]	R	B09KY0	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	Y	7439-97-6	Mercury	0.158	ug/L	U	[NULL]	[NULL]	R	B09KY4	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-3	11/9/1993 9:15	N	7439-97-6	Mercury	0.158	ug/L	U	[NULL]	[NULL]	R	B09KY0	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-3	11/9/1993 9:15	Y	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B09KY4	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	N	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B09KY0	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	N	14797-55-8	Nitrate	42000	ug/L	D	[NULL]	[NULL]	R	B09KY0	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	11/9/1993 9:15	N	14797-65-0	Nitrite	38.3	ug/L	U	[NULL]	[NULL]	R	B09KY0	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	11/9/1993 9:15	N	87-86-5	Pentachlorophenol	0.87	ug/L	U	[NULL]	[NULL]	R	B09KY0	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	11/9/1993 9:15	N	108-95-2	Phenol	0.31	ug/L	U	[NULL]	[NULL]	R	B09KY0	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	11/9/1993 9:15	N	14265-44-2	Phosphate	147	ug/L	U	[NULL]	[NULL]	R	B09KY0	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	11/9/1993 9:15	N	7440-09-7	Potassium	3800	ug/L	[NULL]	[NULL]	[NULL]	R	B09KY0	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	Y	7440-09-7	Potassium	3600	ug/L	[NULL]	[NULL]	[NULL]	R	B09KY4	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	N	7440-14-4	Radium	0.06	pCi/L	U	[NULL]	[NULL]	R	B09KY0	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-3	11/9/1993 9:15	N	13967-48-1	Ruthenium-106	-45.3	pCi/L	U	[NULL]	[NULL]	R	B09KY0	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-3	11/9/1993 9:15	Y	7782-49-2	Selenium	2.5	ug/L	L	[NULL]	[NULL]	R	B09KY4	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-3	11/9/1993 9:15	N	7782-49-2	Selenium	2	ug/L	L	[NULL]	[NULL]	R	B09KY0	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-3	11/9/1993 9:15	Y	7440-22-4	Silver	3.5	ug/L	L	[NULL]	[NULL]	R	B09KY4	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	N	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B09KY0	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	Y	7440-23-5	Sodium	15000	ug/L	[NULL]	[NULL]	[NULL]	R	B09KY4	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	N	7440-23-5	Sodium	15000	ug/L	[NULL]	[NULL]	[NULL]	R	B09KY0	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	N	CONDUCT	Specific Conductance	750	uS/cm	[NULL]	[NULL]	[NULL]	R	B09KY3	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-3	11/9/1993 9:15	N	CONDUCT	Specific Conductance	730	uS/cm	[NULL]	[NULL]	[NULL]	R	B09KY2	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-3	11/9/1993 9:15	N	CONDUCT	Specific Conductance	750	uS/cm	[NULL]	[NULL]	[NULL]	R	B09KY1	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-3	11/9/1993 9:15	N	CONDUCT	Specific Conductance	730	uS/cm	[NULL]	[NULL]	[NULL]	R	B09KY0	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-3	11/9/1993 9:15	N	CONDUCT	Specific Conductance	756	uS/cm	[NULL]	[NULL]	[NULL]	R	B09KY0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	11/9/1993 9:15	N	CONDUCT	Specific Conductance	758	uS/cm	[NULL]	[NULL]	[NULL]	R	B09KY1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	11/9/1993 9:15	N	CONDUCT	Specific Conductance	754	uS/cm	[NULL]	[NULL]	[NULL]	R	B09KY3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	11/9/1993 9:15	N	CONDUCT	Specific Conductance	761	uS/cm	[NULL]	[NULL]	[NULL]	R	B09KY2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	11/9/1993 9:15	N	10098-97-2	Strontium-90	83500	pCi/L	[NULL]	R	[NULL]	R	B09KY0	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	11/9/1993 9:15	N	14808-79-8	Sulfate	150000	ug/L	D	[NULL]	[NULL]	R	B09KY0	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	11/9/1993 9:15	N	TEMPERATURE	Temperature	19.7	Deg C	[NULL]	[NULL]	[NULL]	R	B09KY2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	11/9/1993 9:15	N	TEMPERATURE	Temperature	19.7	Deg C	[NULL]	[NULL]	[NULL]	R	B09KY1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	11/9/1993 9:15	N	TEMPERATURE	Temperature	19.6	Deg C	[NULL]	[NULL]	[NULL]	R	B09KY0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	11/9/1993 9:15	N	TEMPERATURE	Temperature	19.6	Deg C	[NULL]	[NULL]	[NULL]	R	B09KY1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	11/9/1993 9:15	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B09KY3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	11/9/1993 9:15	N	25167-83-3	Tetrachlorophenol	1.05	ug/L	U	[NULL]	[NULL]	R	B09KY0	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	11/9/1993 9:15	Y	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B09KY4	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	N	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B09KY0	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	N	1319-77-3	Total cresols	4.66	ug/L	U	[NULL]	[NULL]	R	B09KY0	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	11/9/1993 9:15	N	TOC	Total organic carbon	600	ug/L	LB	[NULL]	[NULL]	R	B09KY0	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	11/9/1993 9:15	N	TOC	Total organic carbon	600	ug/L	LB	[NULL]	[NULL]	R	B09KY1	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	11/9/1993 9:15	N	TOC	Total organic carbon	700	ug/L	LB	[NULL]	[NULL]	R	B09KY3	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	11/9/1993 9:15	N	TOC	Total organic carbon	900	ug/L	LB	[NULL]	[NULL]	R	B09KY2	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	11/9/1993 9:15	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B09KY1	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-3	11/9/1993 9:15	N	59473-04-0	Total organic halides	20	ug/L	[NULL]	Y	[NULL]	R	B09KY0	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-3	11/9/1993 9:15	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B09KY2	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-3	11/9/1993 9:15	N	59473-04-0	Total organic halides	8	ug/L	L	Y	[NULL]	R	B09KY3	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-3	11/9/1993 9:15	N	25167-82-2	Trichlorophenol	1.11	ug/L	U	[NULL]	[NULL]	R	B09KY0	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	11/9/1993 9:15	N	10028-17-8	Tritium	18100	pCi/L	[NULL]	[NULL]	[NULL]	R	B09KY0	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-3	11/9/1993 9:15	N	TURBIDITY	Turbidity	8.3	NTU	[NULL]	Q	[NULL]	R	B09KY0	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-3	11/9/1993 9:15	N	7440-62-2	Vanadium	4.6	ug/L	L	[NULL]	[NULL]	R	B09KY0	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	Y	7440-62-2	Vanadium	6.9	ug/L	L	[NULL]	[NULL]	R	B09KY4	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	N	7440-66-6	Zinc	27	ug/L	[NULL]	[NULL]	[NULL]	R	B09KY0	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	Y	7440-66-6	Zinc	18	ug/L	[NULL]	[NULL]	[NULL]	R	B09KY4	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	11/9/1993 9:15	N	PH	pH Measurement	7.34	unitless	[NULL]	[NULL]	[NULL]	R	B09KY3	PH	FIELD	9040_PH	100-NR-2
199-N-3	11/9/1993 9:15	N	PH	pH Measurement	7.35	unitless	[NULL]	[NULL]	[NULL]	R	B09KY2	PH	FIELD	9040_PH	100-NR-2
199-N-3	11/9/1993 9:15	N	PH	pH Measurement	7.34	unitless	[NULL]	[NULL]	[NULL]	R	B09KY1	PH	FIELD	9040_PH	100-NR-2
199-N-3	11/9/1993 9:15	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	R	B09KY0	PH	DATACH	D1293_PH	100-NR-2
199-N-3	11/9/1993 9:15	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	R	B09KY3	PH	DATACH	D1293_PH	100-NR-2
199-N-3	11/9/1993 9:15	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	R	B09KY2	PH	DATACH	D1293_PH	100-NR-2
199-N-3	11/9/1993 9:15	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	R	B09KY1	PH	DATACH	D1293_PH	100-NR-2
199-N-3	11/9/1993 9:15	N	PH	pH Measurement	7.34	unitless	[NULL]	[NULL]	[NULL]	R	B09KY0	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/3/1994 0:00	N	OIL/GREASE	Oil and grease	5000	ug/L	U	[NULL]	[NULL]	R	B0BFJ0	OIL/GREASE	TMANC	9070_OILGREASE	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/3/1994 0:00	N	CONDUCT	Specific Conductance	763	uS/cm	[NULL]	[NULL]	[NULL]	R	B0BFJ0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	3/3/1994 0:00	N	TEMPERATURE	Temperature	20.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0BFJ0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/3/1994 0:00	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	1000	ug/L	[NULL]	[NULL]	[NULL]	R	B0BFJ0	TPHDIESEL	TMANC	8015M_TPH_GC	100-NR-2
199-N-3	3/3/1994 0:00	N	PH	pH Measurement	6.82	unitless	[NULL]	[NULL]	[NULL]	R	B0BFJ0	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	3/3/1994 9:45	N	88-06-2	2,4,6-Trichlorophenol	1.45	ug/L	U	[NULL]	[NULL]	R	B09TC7	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/3/1994 9:45	N	120-83-2	2,4-Dichlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B09TC7	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/3/1994 9:45	N	105-67-9	2,4-Dimethylphenol	1.01	ug/L	U	[NULL]	[NULL]	R	B09TC7	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/3/1994 9:45	N	51-28-5	2,4-Dinitrophenol	0.96	ug/L	U	[NULL]	[NULL]	R	B09TC7	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/3/1994 9:45	N	87-65-0	2,6-Dichlorophenol	1.59	ug/L	U	[NULL]	[NULL]	R	B09TC7	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/3/1994 9:45	N	95-57-8	2-Chlorophenol	1.42	ug/L	U	[NULL]	[NULL]	R	B09TC7	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/3/1994 9:45	N	88-75-5	2-Nitrophenol	1.56	ug/L	U	[NULL]	[NULL]	R	B09TC7	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/3/1994 9:45	N	534-52-1	4,6-Dinitro-2-methylphenol	1.18	ug/L	U	[NULL]	[NULL]	R	B09TC7	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/3/1994 9:45	N	59-50-7	4-Chloro-3-methylphenol	1.12	ug/L	U	[NULL]	[NULL]	R	B09TC7	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/3/1994 9:45	N	100-02-7	4-Nitrophenol	0.65	ug/L	U	[NULL]	[NULL]	R	B09TC7	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/3/1994 9:45	Y	7429-90-5	Aluminum	120	ug/L	L	[NULL]	[NULL]	R	B09TD1	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	N	7429-90-5	Aluminum	120	ug/L	L	[NULL]	[NULL]	R	B09TC7	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	Y	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B09TD1	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	N	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B09TC7	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	N	14234-35-6	Antimony-125	-3.34	pCi/L	U	[NULL]	[NULL]	R	B09RJ9	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-3	3/3/1994 9:45	N	14234-35-6	Antimony-125	-4.91	pCi/L	U	[NULL]	[NULL]	R	B09TC7	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-3	3/3/1994 9:45	Y	7440-38-2	Arsenic	2	ug/L	L	[NULL]	[NULL]	R	B09TD1	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-3	3/3/1994 9:45	N	7440-38-2	Arsenic	2.1	ug/L	L	[NULL]	[NULL]	R	B09TC7	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-3	3/3/1994 9:45	Y	7440-39-3	Barium	110	ug/L	[NULL]	[NULL]	[NULL]	R	B09TD1	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	N	7440-39-3	Barium	110	ug/L	[NULL]	[NULL]	[NULL]	R	B09TC7	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	Y	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B09TD1	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	N	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B09TC7	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	N	24959-67-9	Bromide	100	ug/L	L	[NULL]	[NULL]	R	B09TC7	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	3/3/1994 9:45	N	24959-67-9	Bromide	100	ug/L	L	[NULL]	[NULL]	R	B09RJ9	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	3/3/1994 9:45	N	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B09TC7	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	Y	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B09TD1	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	Y	7440-70-2	Calcium	120000	ug/L	[NULL]	[NULL]	[NULL]	R	B09TD1	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	N	7440-70-2	Calcium	120000	ug/L	[NULL]	[NULL]	[NULL]	R	B09TC7	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	N	10045-97-3	Cesium-137	2.41	pCi/L	U	[NULL]	[NULL]	R	B09TC7	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-3	3/3/1994 9:45	N	10045-97-3	Cesium-137	-0.435	pCi/L	U	[NULL]	[NULL]	R	B09RJ9	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-3	3/3/1994 9:45	N	16887-00-6	Chloride	17000	ug/L	D	[NULL]	[NULL]	R	B09RJ9	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	3/3/1994 9:45	N	16887-00-6	Chloride	18000	ug/L	D	[NULL]	[NULL]	R	B09TC7	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	3/3/1994 9:45	Y	7440-47-3	Chromium	21	ug/L	[NULL]	[NULL]	[NULL]	R	B09TD1	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	N	7440-47-3	Chromium	23	ug/L	[NULL]	[NULL]	[NULL]	R	B09TC7	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	Y	7440-48-4	Cobalt	4.05	ug/L	U	[NULL]	[NULL]	R	B09TD1	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	N	7440-48-4	Cobalt	4.05	ug/L	U	[NULL]	[NULL]	R	B09TC7	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	N	10198-40-0	Cobalt-60	9.79	pCi/L	[NULL]	[NULL]	[NULL]	R	B09TC7	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-3	3/3/1994 9:45	N	10198-40-0	Cobalt-60	6.31	pCi/L	[NULL]	[NULL]	[NULL]	R	B09RJ9	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-3	3/3/1994 9:45	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B09TC7	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-3	3/3/1994 9:45	N	7440-50-8	Copper	3.9	ug/L	L	[NULL]	[NULL]	R	B09TC7	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	Y	7440-50-8	Copper	3.2	ug/L	L	[NULL]	[NULL]	R	B09TD1	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1.35	ug/L	U	[NULL]	[NULL]	R	B09TC7	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/3/1994 9:45	N	16984-48-8	Fluoride	700	ug/L	[NULL]	[NULL]	[NULL]	R	B09TC7	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	3/3/1994 9:45	N	16984-48-8	Fluoride	600	ug/L	[NULL]	[NULL]	[NULL]	R	B09RJ9	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	3/3/1994 9:45	N	12587-46-1	Gross alpha	4.32	pCi/L	[NULL]	[NULL]	[NULL]	R	B09RJ9	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	3/3/1994 9:45	N	12587-46-1	Gross alpha	5.62	pCi/L	[NULL]	[NULL]	[NULL]	R	B09TC7	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/3/1994 9:45	N	12587-47-2	Gross beta	1350	pCi/L	[NULL]	[NULL]	[NULL]	R	B09RJ9	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	3/3/1994 9:45	N	12587-47-2	Gross beta	1330	pCi/L	[NULL]	[NULL]	[NULL]	R	B09TC7	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	3/3/1994 9:45	N	302-01-2	Hydrazine	1.89	ug/L	U	[NULL]	[NULL]	R	B09TC7	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-3	3/3/1994 9:45	N	15046-84-1	Iodine-129	0.15	pCi/L	[NULL]	[NULL]	[NULL]	R	B09RJ9	15046-84-1	ITASRL	I129_SEP_LEPS_GS	100-NR-2
199-N-3	3/3/1994 9:45	N	7439-89-6	Iron	1000	ug/L	[NULL]	[NULL]	[NULL]	R	B09TC7	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	Y	7439-89-6	Iron	980	ug/L	[NULL]	[NULL]	[NULL]	R	B09TD1	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	N	7439-92-1	Lead	0.6	ug/L	L	[NULL]	[NULL]	R	B09TC7	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-3	3/3/1994 9:45	Y	7439-92-1	Lead	0.6	ug/L	L	[NULL]	[NULL]	R	B09TD1	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-3	3/3/1994 9:45	Y	7439-95-4	Magnesium	21000	ug/L	[NULL]	[NULL]	[NULL]	R	B09TD1	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	N	7439-95-4	Magnesium	20000	ug/L	[NULL]	[NULL]	[NULL]	R	B09TC7	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	N	7439-96-5	Manganese	30	ug/L	[NULL]	[NULL]	[NULL]	R	B09TC7	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	Y	7439-96-5	Manganese	31	ug/L	[NULL]	[NULL]	[NULL]	R	B09TD1	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	N	7439-97-6	Mercury	0.158	ug/L	U	[NULL]	[NULL]	R	B09TC7	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-3	3/3/1994 9:45	Y	7439-97-6	Mercury	0.158	ug/L	U	[NULL]	[NULL]	R	B09TD1	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-3	3/3/1994 9:45	N	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B09TC7	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	Y	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B09TD1	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	N	14797-55-8	Nitrate	39000	ug/L	D	[NULL]	[NULL]	R	B09TC7	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	3/3/1994 9:45	N	14797-55-8	Nitrate	38000	ug/L	D	[NULL]	[NULL]	R	B09RJ9	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	3/3/1994 9:45	N	14797-65-0	Nitrite	38.3	ug/L	U	[NULL]	[NULL]	R	B09TC7	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	3/3/1994 9:45	N	14797-65-0	Nitrite	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B09RJ9	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	3/3/1994 9:45	N	87-86-5	Pentachlorophenol	0.87	ug/L	U	[NULL]	[NULL]	R	B09TC7	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/3/1994 9:45	N	108-95-2	Phenol	0.31	ug/L	U	[NULL]	[NULL]	R	B09TC7	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/3/1994 9:45	N	14265-44-2	Phosphate	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B09RJ9	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	3/3/1994 9:45	N	14265-44-2	Phosphate	147	ug/L	U	[NULL]	[NULL]	R	B09TC7	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	3/3/1994 9:45	Y	7440-09-7	Potassium	3700	ug/L	[NULL]	[NULL]	[NULL]	R	B09TD1	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	N	7440-09-7	Potassium	3700	ug/L	[NULL]	[NULL]	[NULL]	R	B09TC7	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	N	7440-14-4	Radium	0.103	pCi/L	U	[NULL]	[NULL]	R	B09TC7	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-3	3/3/1994 9:45	N	13967-48-1	Ruthenium-106	29.5	pCi/L	U	[NULL]	[NULL]	R	B09TC7	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-3	3/3/1994 9:45	N	13967-48-1	Ruthenium-106	18.1	pCi/L	[NULL]	[NULL]	[NULL]	R	B09RJ9	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-3	3/3/1994 9:45	Y	7782-49-2	Selenium	1.21	ug/L	U	[NULL]	[NULL]	R	B09TD1	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-3	3/3/1994 9:45	N	7782-49-2	Selenium	1.21	ug/L	U	[NULL]	[NULL]	R	B09TC7	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-3	3/3/1994 9:45	N	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B09TC7	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	Y	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B09TD1	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	Y	7440-23-5	Sodium	15000	ug/L	[NULL]	[NULL]	[NULL]	R	B09TD1	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	N	7440-23-5	Sodium	15000	ug/L	[NULL]	[NULL]	[NULL]	R	B09TC7	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	N	CONDUCT	Specific Conductance	770	uS/cm	[NULL]	[NULL]	[NULL]	R	B09TC7	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-3	3/3/1994 9:45	N	CONDUCT	Specific Conductance	770	uS/cm	[NULL]	[NULL]	[NULL]	R	B09TC8	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-3	3/3/1994 9:45	N	CONDUCT	Specific Conductance	760	uS/cm	[NULL]	[NULL]	[NULL]	R	B09TC9	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-3	3/3/1994 9:45	N	CONDUCT	Specific Conductance	760	uS/cm	[NULL]	[NULL]	[NULL]	R	B09TD0	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-3	3/3/1994 9:45	N	CONDUCT	Specific Conductance	763	uS/cm	[NULL]	[NULL]	[NULL]	R	B09TC7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/3/1994 9:45	N	CONDUCT	Specific Conductance	763	uS/cm	[NULL]	[NULL]	[NULL]	R	B09TC8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/3/1994 9:45	N	CONDUCT	Specific Conductance	763	uS/cm	[NULL]	[NULL]	[NULL]	R	B09TC9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/3/1994 9:45	N	CONDUCT	Specific Conductance	759	uS/cm	[NULL]	[NULL]	[NULL]	R	B09TD0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/3/1994 9:45	N	10098-97-2	Strontium-90	731	pCi/L	[NULL]	[NULL]	[NULL]	R	B09TC7	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	3/3/1994 9:45	N	10098-97-2	Strontium-90	720	pCi/L	[NULL]	[NULL]	[NULL]	R	B09RJ9	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	3/3/1994 9:45	N	14808-79-8	Sulfate	140000	ug/L	BD	[NULL]	[NULL]	R	B09RJ9	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	3/3/1994 9:45	N	14808-79-8	Sulfate	140000	ug/L	BD	[NULL]	[NULL]	R	B09TC7	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	3/3/1994 9:45	N	14133-76-7	Technetium-99	2.62	pCi/L	[NULL]	[NULL]	[NULL]	R	B09RJ9	14133-76-7	ITASRL	TC99_SEP_LSC	100-NR-2
199-N-3	3/3/1994 9:45	N	TEMPERATURE	Temperature	20.1	Deg C	[NULL]	[NULL]	[NULL]	R	B09TC7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/3/1994 9:45	N	TEMPERATURE	Temperature	20.1	Deg C	[NULL]	[NULL]	[NULL]	R	B09TC8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/3/1994 9:45	N	TEMPERATURE	Temperature	20.1	Deg C	[NULL]	[NULL]	[NULL]	R	B09TC9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/3/1994 9:45	N	TEMPERATURE	Temperature	20.1	Deg C	[NULL]	[NULL]	[NULL]	R	B09TD0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/3/1994 9:45	N	25167-83-3	Tetrachlorophenol	1.05	ug/L	U	[NULL]	[NULL]	R	B09TC7	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/3/1994 9:45	N	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B09TC7	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	Y	7440-31-5	Tin	38	ug/L	L	[NULL]	[NULL]	R	B09TD1	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/3/1994 9:45	N	1319-77-3	Total cresols	4.66	ug/L	U	[NULL]	[NULL]	R	B09TC7	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/3/1994 9:45	N	TOC	Total organic carbon	600	ug/L	L	[NULL]	[NULL]	R	B09TC7	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	3/3/1994 9:45	N	TOC	Total organic carbon	600	ug/L	L	[NULL]	[NULL]	R	B09TD0	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	3/3/1994 9:45	N	TOC	Total organic carbon	700	ug/L	L	[NULL]	[NULL]	R	B09TC8	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	3/3/1994 9:45	N	TOC	Total organic carbon	700	ug/L	L	[NULL]	[NULL]	R	B09TC9	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	3/3/1994 9:45	N	59473-04-0	Total organic halides	7.9	ug/L	[NULL]	[NULL]	[NULL]	R	B09TC8	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-3	3/3/1994 9:45	N	59473-04-0	Total organic halides	7.7	ug/L	[NULL]	[NULL]	[NULL]	R	B09TC9	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-3	3/3/1994 9:45	N	59473-04-0	Total organic halides	11.2	ug/L	[NULL]	[NULL]	[NULL]	R	B09TD0	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-3	3/3/1994 9:45	N	59473-04-0	Total organic halides	6.7	ug/L	[NULL]	[NULL]	[NULL]	R	B09TC7	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-3	3/3/1994 9:45	N	25167-82-2	Trichlorophenol	1.11	ug/L	U	[NULL]	[NULL]	R	B09TC7	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/3/1994 9:45	N	10028-17-8	Tritium	17600	pCi/L	[NULL]	[NULL]	[NULL]	R	B09RJ9	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-3	3/3/1994 9:45	N	10028-17-8	Tritium	17600	pCi/L	[NULL]	[NULL]	[NULL]	R	B09TC7	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-3	3/3/1994 9:45	N	TURBIDITY	Turbidity	21	NTU	[NULL]	[NULL]	[NULL]	R	B09TC7	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-3	3/3/1994 9:45	Y	7440-62-2	Vanadium	3.84	ug/L	U	[NULL]	[NULL]	R	B09TD1	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	N	7440-62-2	Vanadium	3.84	ug/L	U	[NULL]	[NULL]	R	B09TC7	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	N	7440-66-6	Zinc	22	ug/L	[NULL]	[NULL]	[NULL]	R	B09TC7	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	Y	7440-66-6	Zinc	24	ug/L	[NULL]	[NULL]	[NULL]	R	B09TD1	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/3/1994 9:45	N	PH	pH Measurement	6.88	unitless	[NULL]	F	[NULL]	R	B09TD0	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/3/1994 9:45	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	B09TC7	PH	DATACH	D1293_PH	100-NR-2
199-N-3	3/3/1994 9:45	N	PH	pH Measurement	6.82	unitless	[NULL]	F	[NULL]	R	B09TC7	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/3/1994 9:45	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	B09TC8	PH	DATACH	D1293_PH	100-NR-2
199-N-3	3/3/1994 9:45	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	B09TC9	PH	DATACH	D1293_PH	100-NR-2
199-N-3	3/3/1994 9:45	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	B09TD0	PH	DATACH	D1293_PH	100-NR-2
199-N-3	3/3/1994 9:45	N	PH	pH Measurement	6.86	unitless	[NULL]	F	[NULL]	R	B09TC9	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/3/1994 9:45	N	PH	pH Measurement	6.84	unitless	[NULL]	F	[NULL]	R	B09TC8	PH	FIELD	9040_PH	100-NR-2
199-N-3	5/11/1994 10:20	N	88-06-2	2,4,6-Trichlorophenol	1.6	ug/L	U	[NULL]	[NULL]	R	B0BWK1	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	5/11/1994 10:20	N	120-83-2	2,4-Dichlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B0BWK1	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	5/11/1994 10:20	N	105-67-9	2,4-Dimethylphenol	1.5	ug/L	U	[NULL]	[NULL]	R	B0BWK1	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	5/11/1994 10:20	N	51-28-5	2,4-Dinitrophenol	1.8	ug/L	U	[NULL]	[NULL]	R	B0BWK1	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	5/11/1994 10:20	N	87-65-0	2,6-Dichlorophenol	2.2	ug/L	U	[NULL]	[NULL]	R	B0BWK1	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	5/11/1994 10:20	N	95-57-8	2-Chlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B0BWK1	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	5/11/1994 10:20	N	88-75-5	2-Nitrophenol	1.7	ug/L	U	[NULL]	[NULL]	R	B0BWK1	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	5/11/1994 10:20	N	534-52-1	4,6-Dinitro-2-methylphenol	1.6	ug/L	U	[NULL]	[NULL]	R	B0BWK1	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	5/11/1994 10:20	N	59-50-7	4-Chloro-3-methylphenol	1.5	ug/L	U	[NULL]	[NULL]	R	B0BWK1	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	5/11/1994 10:20	N	100-02-7	4-Nitrophenol	1.4	ug/L	U	[NULL]	[NULL]	R	B0BWK1	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	5/11/1994 10:20	N	7429-90-5	Aluminum	33	ug/L	BL	[NULL]	[NULL]	R	B0BWK1	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/11/1994 10:20	Y	7429-90-5	Aluminum	19	ug/L	U	[NULL]	[NULL]	R	B0BWK5	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/11/1994 10:20	Y	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0BWK5	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/11/1994 10:20	N	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0BWK1	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/11/1994 10:20	N	14234-35-6	Antimony-125	10.1	pCi/L	U	[NULL]	[NULL]	R	B0BWK1	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-3	5/11/1994 10:20	Y	7440-38-2	Arsenic	2	ug/L	L	[NULL]	[NULL]	R	B0BWK5	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-3	5/11/1994 10:20	N	7440-38-2	Arsenic	0.64	ug/L	U	[NULL]	[NULL]	R	B0BWK1	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-3	5/11/1994 10:20	N	7440-39-3	Barium	110	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWK1	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/11/1994 10:20	Y	7440-39-3	Barium	110	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWK5	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/11/1994 10:20	Y	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0BWK5	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/11/1994 10:20	N	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0BWK1	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/11/1994 10:20	N	24959-67-9	Bromide	110	ug/L	L	[NULL]	[NULL]	R	B0BWK1	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	5/11/1994 10:20	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0BWK1	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/11/1994 10:20	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0BWK5	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/11/1994 10:20	N	7440-70-2	Calcium	120000	ug/L	B	[NULL]	[NULL]	R	B0BWK1	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/11/1994 10:20	Y	7440-70-2	Calcium	120000	ug/L	B	[NULL]	[NULL]	R	B0BWK5	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/11/1994 10:20	N	10045-97-3	Cesium-137	-1.77	pCi/L	U	[NULL]	[NULL]	R	B0BWK1	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-3	5/11/1994 10:20	N	16887-00-6	Chloride	19000	ug/L	D	[NULL]	[NULL]	R	B0BWK1	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	5/11/1994 10:20	N	7440-47-3	Chromium	11	ug/L	U	[NULL]	[NULL]	R	B0BWK1	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	5/11/1994 10:20	Y	7440-47-3	Chromium	11	ug/L	U	[NULL]	[NULL]	R	B0BWK5	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/11/1994 10:20	N	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0BWK1	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/11/1994 10:20	Y	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0BWK5	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/11/1994 10:20	N	10198-40-0	Cobalt-60	-4.01	pCi/L	U	[NULL]	[NULL]	R	B0BWK1	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-3	5/11/1994 10:20	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B0BWK1	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-3	5/11/1994 10:20	N	7440-50-8	Copper	2.6	ug/L	U	[NULL]	[NULL]	R	B0BWK1	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/11/1994 10:20	Y	7440-50-8	Copper	2.6	ug/L	U	[NULL]	[NULL]	R	B0BWK5	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/11/1994 10:20	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1.7	ug/L	U	[NULL]	[NULL]	R	B0BWK1	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	5/11/1994 10:20	N	16984-48-8	Fluoride	800	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWK1	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	5/11/1994 10:20	N	12587-46-1	Gross alpha	3.05	pCi/L	[NULL]	[NULL]	[NULL]	R	B0BWK1	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	5/11/1994 10:20	N	12587-47-2	Gross beta	1480	pCi/L	[NULL]	[NULL]	[NULL]	R	B0BWK1	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	5/11/1994 10:20	N	302-01-2	Hydrazine	2.3	ug/L	U	[NULL]	[NULL]	R	B0BWK1	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-3	5/11/1994 10:20	Y	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B0BWK5	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/11/1994 10:20	N	7439-89-6	Iron	310	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWK1	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/11/1994 10:20	Y	7439-92-1	Lead	1.1	ug/L	BL	[NULL]	[NULL]	R	B0BWK5	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-3	5/11/1994 10:20	N	7439-92-1	Lead	1.4	ug/L	BL	[NULL]	[NULL]	R	B0BWK1	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-3	5/11/1994 10:20	N	7439-95-4	Magnesium	20000	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWK1	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/11/1994 10:20	Y	7439-95-4	Magnesium	21000	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWK5	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/11/1994 10:20	Y	7439-96-5	Manganese	1	ug/L	U	[NULL]	[NULL]	R	B0BWK5	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/11/1994 10:20	N	7439-96-5	Manganese	12	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWK1	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/11/1994 10:20	Y	7439-97-6	Mercury	0.095	ug/L	U	[NULL]	[NULL]	R	B0BWK5	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-3	5/11/1994 10:20	N	7439-97-6	Mercury	0.095	ug/L	U	[NULL]	[NULL]	R	B0BWK1	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-3	5/11/1994 10:20	N	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0BWK1	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/11/1994 10:20	Y	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0BWK5	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/11/1994 10:20	N	14797-55-8	Nitrate	35000	ug/L	D	[NULL]	[NULL]	R	B0BWK1	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	5/11/1994 10:20	N	14797-65-0	Nitrite	110	ug/L	U	[NULL]	[NULL]	R	B0BWK1	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	5/11/1994 10:20	N	87-86-5	Pentachlorophenol	1.7	ug/L	U	[NULL]	[NULL]	R	B0BWK1	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	5/11/1994 10:20	N	108-95-2	Phenol	0.57	ug/L	U	[NULL]	[NULL]	R	B0BWK1	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	5/11/1994 10:20	N	14265-44-2	Phosphate	470	ug/L	U	[NULL]	[NULL]	R	B0BWK1	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	5/11/1994 10:20	N	7440-09-7	Potassium	4000	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWK1	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/11/1994 10:20	Y	7440-09-7	Potassium	4000	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWK5	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/11/1994 10:20	N	7440-14-4	Radium	-0.022	pCi/L	U	[NULL]	[NULL]	R	B0BWK1	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-3	5/11/1994 10:20	N	13967-48-1	Ruthenium-106	74.6	pCi/L	[NULL]	F	[NULL]	R	B0BWK1	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-3	5/11/1994 10:20	N	7782-49-2	Selenium	2	ug/L	L	[NULL]	[NULL]	R	B0BWK1	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-3	5/11/1994 10:20	Y	7782-49-2	Selenium	1.4	ug/L	U	[NULL]	[NULL]	R	B0BWK5	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-3	5/11/1994 10:20	Y	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0BWK5	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/11/1994 10:20	N	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0BWK1	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/11/1994 10:20	N	7440-23-5	Sodium	15000	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWK1	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/11/1994 10:20	Y	7440-23-5	Sodium	15000	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWK5	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/11/1994 10:20	N	CONDUCT	Specific Conductance	780	uS/cm	[NULL]	[NULL]	[NULL]	R	B0BWK1	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-3	5/11/1994 10:20	N	CONDUCT	Specific Conductance	729	uS/cm	[NULL]	[NULL]	[NULL]	R	B0BWK1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	5/11/1994 10:20	N	CONDUCT	Specific Conductance	726	uS/cm	[NULL]	[NULL]	[NULL]	R	B0BWK3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	5/11/1994 10:20	N	CONDUCT	Specific Conductance	732	uS/cm	[NULL]	[NULL]	[NULL]	R	B0BWK4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	5/11/1994 10:20	N	CONDUCT	Specific Conductance	729	uS/cm	[NULL]	[NULL]	[NULL]	R	B0BWK2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	5/11/1994 10:20	N	10098-97-2	Strontium-90	853	pCi/L	[NULL]	[NULL]	[NULL]	R	B0BWK1	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	5/11/1994 10:20	N	14808-79-8	Sulfate	180000	ug/L	D	[NULL]	[NULL]	R	B0BWK1	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	5/11/1994 10:20	N	TEMPERATURE	Temperature	20.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0BWK4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	5/11/1994 10:20	N	TEMPERATURE	Temperature	20.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0BWK1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	5/11/1994 10:20	N	TEMPERATURE	Temperature	20.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0BWK2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	5/11/1994 10:20	N	TEMPERATURE	Temperature	20.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0BWK3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	5/11/1994 10:20	N	25167-83-3	Tetrachlorophenol	1.4	ug/L	U	[NULL]	[NULL]	R	B0BWK1	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	5/11/1994 10:20	Y	7440-31-5	Tin	79	ug/L	BL	Q	[NULL]	R	B0BWK5	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/11/1994 10:20	N	7440-31-5	Tin	95	ug/L	BL	Q	[NULL]	R	B0BWK1	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	5/11/1994 10:20	N	1319-77-3	Total cresols	4.8	ug/L	U	[NULL]	[NULL]	R	B0BWK1	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	5/11/1994 10:20	N	TOC	Total organic carbon	500	ug/L	L	[NULL]	[NULL]	R	B0BWK1	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	5/11/1994 10:20	N	TOC	Total organic carbon	500	ug/L	L	[NULL]	[NULL]	R	B0BWK2	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	5/11/1994 10:20	N	TOC	Total organic carbon	400	ug/L	L	[NULL]	[NULL]	R	B0BWK3	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	5/11/1994 10:20	N	TOC	Total organic carbon	400	ug/L	L	[NULL]	[NULL]	R	B0BWK4	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	5/11/1994 10:20	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B0BWK1	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-3	5/11/1994 10:20	N	59473-04-0	Total organic halides	5.9	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWK2	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-3	5/11/1994 10:20	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B0BWK3	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-3	5/11/1994 10:20	N	59473-04-0	Total organic halides	6	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWK4	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-3	5/11/1994 10:20	N	25167-82-2	Trichlorophenol	2.1	ug/L	U	[NULL]	[NULL]	R	B0BWK1	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	5/11/1994 10:20	N	10028-17-8	Tritium	16900	pCi/L	[NULL]	[NULL]	[NULL]	R	B0BWK1	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-3	5/11/1994 10:20	N	TURBIDITY	Turbidity	2	NTU	[NULL]	[NULL]	[NULL]	R	B0BWK1	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-3	5/11/1994 10:20	N	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0BWK1	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/11/1994 10:20	Y	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0BWK5	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/11/1994 10:20	Y	7440-66-6	Zinc	14	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWK5	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/11/1994 10:20	N	7440-66-6	Zinc	21	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWK1	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	5/11/1994 10:20	N	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	R	B0BWK1	PH	DATACH	D1293_PH	100-NR-2
199-N-3	5/11/1994 10:20	N	PH	pH Measurement	7.3	unitless	[NULL]	[NULL]	[NULL]	R	B0BWK3	PH	FIELD	9040_PH	100-NR-2
199-N-3	5/11/1994 10:20	N	PH	pH Measurement	7.29	unitless	[NULL]	[NULL]	[NULL]	R	B0BWK4	PH	FIELD	9040_PH	100-NR-2
199-N-3	5/11/1994 10:20	N	PH	pH Measurement	7.3	unitless	[NULL]	[NULL]	[NULL]	R	B0BWK1	PH	FIELD	9040_PH	100-NR-2
199-N-3	5/11/1994 10:20	N	PH	pH Measurement	7.3	unitless	[NULL]	[NULL]	[NULL]	R	B0BWK2	PH	FIELD	9040_PH	100-NR-2
199-N-3	6/13/1994 10:32	N	71-55-6	1,1,1-Trichloroethane	0.22	ug/L	U	[NULL]	[NULL]	R	B0C259	71-55-6	DATACH	8010_VOA_GC	100-NR-2
199-N-3	6/13/1994 10:32	N	79-00-5	1,1,2-Trichloroethane	0.062	ug/L	U	[NULL]	[NULL]	R	B0C259	79-00-5	DATACH	8010_VOA_GC	100-NR-2
199-N-3	6/13/1994 10:32	N	75-34-3	1,1-Dichloroethane	0.08	ug/L	U	[NULL]	[NULL]	R	B0C259	75-34-3	DATACH	8010_VOA_GC	100-NR-2
199-N-3	6/13/1994 10:32	N	107-06-2	1,2-Dichloroethane	0.055	ug/L	U	[NULL]	[NULL]	R	B0C259	107-06-2	DATACH	8010_VOA_GC	100-NR-2
199-N-3	6/13/1994 10:32	N	106-46-7	1,4-Dichlorobenzene	0.107	ug/L	U	[NULL]	[NULL]	R	B0C259	106-46-7	DATACH	8010_VOA_GC	100-NR-2
199-N-3	6/13/1994 10:32	Y	7429-90-5	Aluminum	19	ug/L	U	[NULL]	[NULL]	R	B0C236	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	N	7429-90-5	Aluminum	620	ug/L	[NULL]	[NULL]	[NULL]	R	B0C235	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	Y	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C236	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	N	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C235	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	Y	7440-38-2	Arsenic	0.64	ug/L	U	[NULL]	[NULL]	R	B0C236	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-3	6/13/1994 10:32	N	7440-38-2	Arsenic	2	ug/L	L	[NULL]	[NULL]	R	B0C235	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-3	6/13/1994 10:32	N	7440-39-3	Barium	120	ug/L	[NULL]	[NULL]	[NULL]	R	B0C235	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	Y	7440-39-3	Barium	88	ug/L	[NULL]	[NULL]	[NULL]	R	B0C236	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	N	71-43-2	Benzene	0.24	ug/L	U	[NULL]	[NULL]	R	B0C259	71-43-2	DATACH	8010_VOA_GC	100-NR-2
199-N-3	6/13/1994 10:32	N	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C235	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	Y	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C236	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	N	24959-67-9	Bromide	200	ug/L	L	[NULL]	[NULL]	R	B0C235	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 10:32	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C236	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C235	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	N	7440-70-2	Calcium	110000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C235	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	Y	7440-70-2	Calcium	110000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C236	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	N	56-23-5	Carbon tetrachloride	0.32	ug/L	U	[NULL]	[NULL]	R	B0C259	56-23-5	DATACH	8010_VOA_GC	100-NR-2
199-N-3	6/13/1994 10:32	N	16887-00-6	Chloride	14000	ug/L	D	[NULL]	[NULL]	R	B0C235	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 10:32	N	67-66-3	Chloroform	0.05	ug/L	U	[NULL]	[NULL]	R	B0C259	67-66-3	DATACH	8010_VOA_GC	100-NR-2
199-N-3	6/13/1994 10:32	N	7440-47-3	Chromium	32	ug/L	[NULL]	[NULL]	[NULL]	R	B0C235	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	Y	7440-47-3	Chromium	14	ug/L	L	[NULL]	[NULL]	R	B0C236	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	Y	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C236	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	N	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C235	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	Y	7440-50-8	Copper	2.6	ug/L	U	[NULL]	[NULL]	R	B0C236	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	N	7440-50-8	Copper	8.7	ug/L	L	[NULL]	[NULL]	R	B0C235	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	N	100-41-4	Ethylbenzene	0.043	ug/L	U	[NULL]	[NULL]	R	B0C259	100-41-4	DATACH	8010_VOA_GC	100-NR-2
199-N-3	6/13/1994 10:32	N	16984-48-8	Fluoride	600	ug/L	[NULL]	[NULL]	[NULL]	R	B0C235	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 10:32	N	7439-89-6	Iron	19000	ug/L	[NULL]	Q	[NULL]	R	B0C235	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	Y	7439-89-6	Iron	29	ug/L	[NULL]	Q	[NULL]	R	B0C236	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	6/13/1994 10:32	Y	7439-92-1	Lead	0.86	ug/L	U	[NULL]	[NULL]	R	B0C236	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-3	6/13/1994 10:32	N	7439-92-1	Lead	40	ug/L	[NULL]	[NULL]	[NULL]	R	B0C235	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-3	6/13/1994 10:32	N	7439-95-4	Magnesium	19000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C235	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	Y	7439-95-4	Magnesium	20000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C236	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	Y	7439-96-5	Manganese	29	ug/L	[NULL]	[NULL]	[NULL]	R	B0C236	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	N	7439-96-5	Manganese	730	ug/L	[NULL]	[NULL]	[NULL]	R	B0C235	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	N	7439-97-6	Mercury	0.095	ug/L	U	[NULL]	[NULL]	R	B0C235	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-3	6/13/1994 10:32	Y	7439-97-6	Mercury	0.095	ug/L	U	[NULL]	[NULL]	R	B0C236	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-3	6/13/1994 10:32	N	75-09-2	Methylene chloride	0.082	ug/L	U	[NULL]	[NULL]	R	B0C259	75-09-2	DATACH	8010_VOA_GC	100-NR-2
199-N-3	6/13/1994 10:32	N	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0C235	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	Y	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0C236	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	N	14797-55-8	Nitrate	15000	ug/L	D	[NULL]	[NULL]	R	B0C235	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 10:32	N	14797-65-0	Nitrite	110	ug/L	U	[NULL]	[NULL]	R	B0C235	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 10:32	N	14265-44-2	Phosphate	470	ug/L	U	[NULL]	[NULL]	R	B0C235	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 10:32	Y	7440-09-7	Potassium	4000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C236	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	N	7440-09-7	Potassium	4300	ug/L	[NULL]	[NULL]	[NULL]	R	B0C235	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	Y	7782-49-2	Selenium	1.4	ug/L	U	[NULL]	[NULL]	R	B0C236	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-3	6/13/1994 10:32	N	7782-49-2	Selenium	1.4	ug/L	U	[NULL]	[NULL]	R	B0C235	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-3	6/13/1994 10:32	Y	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C236	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	N	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C235	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	N	7440-23-5	Sodium	17000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C235	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	Y	7440-23-5	Sodium	17000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C236	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	N	10098-97-2	Strontium-90	368	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C235	SR-RAD	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	6/13/1994 10:32	Y	10098-97-2	Strontium-90	406	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C236	SR-RAD	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	6/13/1994 10:32	Y	10098-97-2	Strontium-90	406	pCi/L	[NULL]	HG	[NULL]	R	B0C236	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	6/13/1994 10:32	N	10098-97-2	Strontium-90	368	pCi/L	[NULL]	HG	[NULL]	R	B0C235	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	6/13/1994 10:32	N	14808-79-8	Sulfate	220000	ug/L	D	[NULL]	[NULL]	R	B0C235	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 10:32	N	18496-25-8	Sulfide	200	ug/L	U	[NULL]	[NULL]	R	B0C235	18496-25-8	DATACH	9030_SULFIDE	100-NR-2
199-N-3	6/13/1994 10:32	N	127-18-4	Tetrachloroethene	0.08	ug/L	U	[NULL]	[NULL]	R	B0C259	127-18-4	DATACH	8010_VOA_GC	100-NR-2
199-N-3	6/13/1994 10:32	N	7440-28-0	Thallium	1.2	ug/L	U	[NULL]	[NULL]	R	B0C235	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-3	6/13/1994 10:32	Y	7440-28-0	Thallium	1.2	ug/L	U	[NULL]	[NULL]	R	B0C236	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-3	6/13/1994 10:32	Y	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0C236	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	N	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0C235	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	N	108-88-3	Toluene	0.077	ug/L	U	[NULL]	[NULL]	R	B0C259	108-88-3	DATACH	8010_VOA_GC	100-NR-2
199-N-3	6/13/1994 10:32	N	79-01-6	Trichloroethene	0.043	ug/L	U	[NULL]	[NULL]	R	B0C259	79-01-6	DATACH	8010_VOA_GC	100-NR-2
199-N-3	6/13/1994 10:32	N	10028-17-8	Tritium	16500	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C235	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-3	6/13/1994 10:32	N	TURBIDITY	Turbidity	82	NTU	[NULL]	[NULL]	[NULL]	R	B0C235	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-3	6/13/1994 10:32	Y	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0C236	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	N	7440-62-2	Vanadium	7.7	ug/L	L	[NULL]	[NULL]	R	B0C235	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	N	75-01-4	Vinyl chloride	0.15	ug/L	U	[NULL]	[NULL]	R	B0C259	75-01-4	DATACH	8010_VOA_GC	100-NR-2
199-N-3	6/13/1994 10:32	N	1330-20-7	Xylenes (total)	0.2	ug/L	U	[NULL]	[NULL]	R	B0C259	1330-20-7	DATACH	8010_VOA_GC	100-NR-2
199-N-3	6/13/1994 10:32	N	7440-66-6	Zinc	2400	ug/L	[NULL]	F	[NULL]	R	B0C235	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	Y	7440-66-6	Zinc	130	ug/L	[NULL]	F	[NULL]	R	B0C236	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 10:32	N	156-59-2	cis-1,2-Dichloroethylene	0.045	ug/L	U	[NULL]	[NULL]	R	B0C259	156-59-2	DATACH	8010_VOA_GC	100-NR-2
199-N-3	6/13/1994 10:32	N	156-60-5	trans-1,2-Dichloroethylene	0.067	ug/L	U	[NULL]	[NULL]	R	B0C259	156-60-5	DATACH	8010_VOA_GC	100-NR-2
199-N-3	6/13/1994 11:11	N	7429-90-5	Aluminum	410	ug/L	[NULL]	[NULL]	[NULL]	R	B0C239	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:11	Y	7429-90-5	Aluminum	19	ug/L	U	[NULL]	[NULL]	R	B0C240	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:11	N	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C239	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:11	Y	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C240	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:11	N	7440-38-2	Arsenic	0.64	ug/L	U	[NULL]	[NULL]	R	B0C239	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-3	6/13/1994 11:11	Y	7440-38-2	Arsenic	0.64	ug/L	U	[NULL]	[NULL]	R	B0C240	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-3	6/13/1994 11:11	Y	7440-39-3	Barium	100	ug/L	[NULL]	[NULL]	[NULL]	R	B0C240	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:11	N	7440-39-3	Barium	110	ug/L	[NULL]	[NULL]	[NULL]	R	B0C239	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:11	Y	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C240	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	6/13/1994 11:11	N	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C239	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:11	N	24959-67-9	Bromide	110	ug/L	U	[NULL]	[NULL]	R	B0C239	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 11:11	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C239	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:11	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C240	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:11	N	7440-70-2	Calcium	120000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C239	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:11	Y	7440-70-2	Calcium	120000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C240	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:11	N	16887-00-6	Chloride	14000	ug/L	D	[NULL]	[NULL]	R	B0C239	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 11:11	N	7440-47-3	Chromium	60	ug/L	[NULL]	[NULL]	[NULL]	R	B0C239	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:11	Y	7440-47-3	Chromium	14	ug/L	L	[NULL]	[NULL]	R	B0C240	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:11	Y	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C240	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:11	N	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C239	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:11	N	7440-50-8	Copper	14	ug/L	L	[NULL]	[NULL]	R	B0C239	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:11	Y	7440-50-8	Copper	2.6	ug/L	U	[NULL]	[NULL]	R	B0C240	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:11	N	16984-48-8	Fluoride	600	ug/L	[NULL]	[NULL]	[NULL]	R	B0C239	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 11:11	N	7439-89-6	Iron	3000	ug/L	[NULL]	Q	[NULL]	R	B0C239	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:11	Y	7439-89-6	Iron	51	ug/L	[NULL]	Q	[NULL]	R	B0C240	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:11	Y	7439-92-1	Lead	0.86	ug/L	U	[NULL]	[NULL]	R	B0C240	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-3	6/13/1994 11:11	N	7439-92-1	Lead	2.6	ug/L	L	[NULL]	[NULL]	R	B0C239	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-3	6/13/1994 11:11	Y	7439-95-4	Magnesium	19000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C240	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:11	N	7439-95-4	Magnesium	20000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C239	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:11	Y	7439-96-5	Manganese	2.6	ug/L	L	[NULL]	[NULL]	R	B0C240	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:11	N	7439-96-5	Manganese	83	ug/L	[NULL]	[NULL]	[NULL]	R	B0C239	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:11	N	7439-97-6	Mercury	0.095	ug/L	U	[NULL]	[NULL]	R	B0C239	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-3	6/13/1994 11:11	Y	7439-97-6	Mercury	0.095	ug/L	U	[NULL]	[NULL]	R	B0C240	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-3	6/13/1994 11:11	N	7440-02-0	Nickel	27	ug/L	L	[NULL]	[NULL]	R	B0C239	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:11	Y	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0C240	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:11	N	14797-55-8	Nitrate	22000	ug/L	D	[NULL]	[NULL]	R	B0C239	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 11:11	N	14797-65-0	Nitrite	110	ug/L	U	[NULL]	[NULL]	R	B0C239	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 11:11	N	14265-44-2	Phosphate	470	ug/L	U	[NULL]	[NULL]	R	B0C239	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 11:11	Y	7440-09-7	Potassium	3300	ug/L	[NULL]	[NULL]	[NULL]	R	B0C240	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:11	N	7440-09-7	Potassium	3900	ug/L	[NULL]	[NULL]	[NULL]	R	B0C239	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:11	Y	7782-49-2	Selenium	2	ug/L	L	[NULL]	[NULL]	R	B0C240	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-3	6/13/1994 11:11	N	7782-49-2	Selenium	1.4	ug/L	U	[NULL]	[NULL]	R	B0C239	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-3	6/13/1994 11:11	N	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C239	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:11	Y	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C240	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:11	N	7440-23-5	Sodium	15000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C239	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:11	Y	7440-23-5	Sodium	14000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C240	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:11	Y	10098-97-2	Strontium-90	682	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C240	SR-RAD	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	6/13/1994 11:11	N	10098-97-2	Strontium-90	675	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C239	SR-RAD	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	6/13/1994 11:11	Y	10098-97-2	Strontium-90	682	pCi/L	[NULL]	HG	[NULL]	R	B0C240	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	6/13/1994 11:11	N	10098-97-2	Strontium-90	675	pCi/L	[NULL]	HG	[NULL]	R	B0C239	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	6/13/1994 11:11	N	14808-79-8	Sulfate	220000	ug/L	D	[NULL]	[NULL]	R	B0C239	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 11:11	N	18496-25-8	Sulfide	200	ug/L	U	[NULL]	[NULL]	R	B0C239	18496-25-8	DATACH	9030_SULFIDE	100-NR-2
199-N-3	6/13/1994 11:11	N	7440-28-0	Thallium	1.2	ug/L	U	[NULL]	[NULL]	R	B0C239	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-3	6/13/1994 11:11	Y	7440-28-0	Thallium	1.2	ug/L	U	[NULL]	[NULL]	R	B0C240	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-3	6/13/1994 11:11	N	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0C239	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:11	Y	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0C240	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:11	N	10028-17-8	Tritium	17400	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C239	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-3	6/13/1994 11:11	N	TURBIDITY	Turbidity	14	NTU	[NULL]	[NULL]	[NULL]	R	B0C239	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-3	6/13/1994 11:11	Y	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0C240	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:11	N	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0C239	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:11	N	7440-66-6	Zinc	48	ug/L	[NULL]	[NULL]	[NULL]	R	B0C239	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:11	Y	7440-66-6	Zinc	26	ug/L	[NULL]	[NULL]	[NULL]	R	B0C240	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	Y	7429-90-5	Aluminum	19	ug/L	U	[NULL]	[NULL]	R	B0C244	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	N	7429-90-5	Aluminum	260	ug/L	[NULL]	[NULL]	[NULL]	R	B0C243	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	6/13/1994 11:41	Y	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C244	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	N	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C243	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	N	7440-38-2	Arsenic	0.64	ug/L	U	[NULL]	[NULL]	R	B0C243	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-3	6/13/1994 11:41	Y	7440-38-2	Arsenic	0.64	ug/L	U	[NULL]	[NULL]	R	B0C244	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-3	6/13/1994 11:41	Y	7440-39-3	Barium	100	ug/L	[NULL]	[NULL]	[NULL]	R	B0C244	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	N	7440-39-3	Barium	110	ug/L	[NULL]	[NULL]	[NULL]	R	B0C243	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	Y	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C244	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	N	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C243	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	N	24959-67-9	Bromide	110	ug/L	U	[NULL]	[NULL]	R	B0C243	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 11:41	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C243	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C244	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	N	7440-70-2	Calcium	120000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C243	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	Y	7440-70-2	Calcium	120000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C244	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	N	16887-00-6	Chloride	14000	ug/L	D	[NULL]	[NULL]	R	B0C243	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 11:41	Y	7440-47-3	Chromium	14	ug/L	L	[NULL]	[NULL]	R	B0C244	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	N	7440-47-3	Chromium	39	ug/L	[NULL]	[NULL]	[NULL]	R	B0C243	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	Y	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C244	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	N	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C243	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	Y	7440-50-8	Copper	2.6	ug/L	U	[NULL]	[NULL]	R	B0C244	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	N	7440-50-8	Copper	8.7	ug/L	L	[NULL]	[NULL]	R	B0C243	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	N	16984-48-8	Fluoride	700	ug/L	[NULL]	[NULL]	[NULL]	R	B0C243	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 11:41	Y	7439-89-6	Iron	51	ug/L	[NULL]	Q	[NULL]	R	B0C244	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	N	7439-89-6	Iron	3800	ug/L	[NULL]	Q	[NULL]	R	B0C243	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	N	7439-92-1	Lead	2	ug/L	L	[NULL]	[NULL]	R	B0C243	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-3	6/13/1994 11:41	Y	7439-92-1	Lead	0.86	ug/L	U	[NULL]	[NULL]	R	B0C244	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-3	6/13/1994 11:41	N	7439-95-4	Magnesium	20000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C243	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	Y	7439-95-4	Magnesium	19000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C244	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	Y	7439-96-5	Manganese	2.6	ug/L	L	[NULL]	[NULL]	R	B0C244	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	N	7439-96-5	Manganese	160	ug/L	[NULL]	[NULL]	[NULL]	R	B0C243	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	N	7439-97-6	Mercury	0.095	ug/L	U	[NULL]	[NULL]	R	B0C243	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-3	6/13/1994 11:41	Y	7439-97-6	Mercury	0.095	ug/L	U	[NULL]	[NULL]	R	B0C244	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-3	6/13/1994 11:41	N	7440-02-0	Nickel	20	ug/L	L	[NULL]	[NULL]	R	B0C243	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	Y	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0C244	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	N	14797-55-8	Nitrate	25000	ug/L	D	[NULL]	[NULL]	R	B0C243	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 11:41	N	14797-65-0	Nitrite	110	ug/L	U	[NULL]	[NULL]	R	B0C243	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 11:41	N	14265-44-2	Phosphate	470	ug/L	U	[NULL]	[NULL]	R	B0C243	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 11:41	N	7440-09-7	Potassium	3700	ug/L	[NULL]	[NULL]	[NULL]	R	B0C243	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	Y	7440-09-7	Potassium	3800	ug/L	[NULL]	[NULL]	[NULL]	R	B0C244	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	N	7782-49-2	Selenium	1.4	ug/L	U	[NULL]	[NULL]	R	B0C243	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-3	6/13/1994 11:41	Y	7782-49-2	Selenium	1.4	ug/L	U	[NULL]	[NULL]	R	B0C244	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-3	6/13/1994 11:41	N	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C243	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	Y	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C244	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	Y	7440-23-5	Sodium	14000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C244	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	N	7440-23-5	Sodium	15000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C243	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	Y	10098-97-2	Strontium-90	674	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C244	SR-RAD	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	6/13/1994 11:41	Y	10098-97-2	Strontium-90	674	pCi/L	[NULL]	HG	[NULL]	R	B0C244	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	6/13/1994 11:41	N	10098-97-2	Strontium-90	678	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C243	SR-RAD	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	6/13/1994 11:41	N	10098-97-2	Strontium-90	678	pCi/L	[NULL]	HG	[NULL]	R	B0C243	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	6/13/1994 11:41	N	14808-79-8	Sulfate	200000	ug/L	D	[NULL]	[NULL]	R	B0C243	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 11:41	N	18496-25-8	Sulfide	200	ug/L	U	[NULL]	[NULL]	R	B0C243	18496-25-8	DATACH	9030_SULFIDE	100-NR-2
199-N-3	6/13/1994 11:41	N	7440-28-0	Thallium	1.2	ug/L	U	[NULL]	[NULL]	R	B0C243	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-3	6/13/1994 11:41	Y	7440-28-0	Thallium	1.2	ug/L	U	[NULL]	[NULL]	R	B0C244	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-3	6/13/1994 11:41	Y	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0C244	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	N	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0C243	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	N	10028-17-8	Tritium	17200	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C243	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	6/13/1994 11:41	N	TURBIDITY	Turbidity	30	NTU	[NULL]	[NULL]	[NULL]	R	B0C243	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-3	6/13/1994 11:41	N	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0C243	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	Y	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0C244	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	N	7440-66-6	Zinc	48	ug/L	[NULL]	[NULL]	[NULL]	R	B0C243	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 11:41	Y	7440-66-6	Zinc	20	ug/L	[NULL]	[NULL]	[NULL]	R	B0C244	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	Y	7429-90-5	Aluminum	19	ug/L	U	[NULL]	[NULL]	R	B0C246	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	N	7429-90-5	Aluminum	110	ug/L	L	[NULL]	[NULL]	R	B0C245	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	Y	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C246	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	N	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C245	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	N	7440-38-2	Arsenic	0.64	ug/L	U	[NULL]	[NULL]	R	B0C245	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-3	6/13/1994 12:41	Y	7440-38-2	Arsenic	0.64	ug/L	U	[NULL]	[NULL]	R	B0C246	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-3	6/13/1994 12:41	N	7440-39-3	Barium	110	ug/L	[NULL]	[NULL]	[NULL]	R	B0C245	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	Y	7440-39-3	Barium	110	ug/L	[NULL]	[NULL]	[NULL]	R	B0C246	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	Y	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C246	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	N	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C245	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	N	24959-67-9	Bromide	130	ug/L	L	[NULL]	[NULL]	R	B0C245	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 12:41	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C245	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C246	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	Y	7440-70-2	Calcium	120000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C246	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	N	7440-70-2	Calcium	120000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C245	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	N	16887-00-6	Chloride	15000	ug/L	D	[NULL]	[NULL]	R	B0C245	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 12:41	N	7440-47-3	Chromium	20	ug/L	[NULL]	[NULL]	[NULL]	R	B0C245	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	Y	7440-47-3	Chromium	14	ug/L	L	[NULL]	[NULL]	R	B0C246	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	N	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C245	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	Y	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C246	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	Y	7440-50-8	Copper	2.6	ug/L	U	[NULL]	[NULL]	R	B0C246	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	N	7440-50-8	Copper	3.1	ug/L	L	[NULL]	[NULL]	R	B0C245	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	N	16984-48-8	Fluoride	700	ug/L	[NULL]	[NULL]	[NULL]	R	B0C245	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 12:41	Y	7439-89-6	Iron	56	ug/L	[NULL]	Q	[NULL]	R	B0C246	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	N	7439-89-6	Iron	1900	ug/L	[NULL]	Q	[NULL]	R	B0C245	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	N	7439-92-1	Lead	1.7	ug/L	L	[NULL]	[NULL]	R	B0C245	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-3	6/13/1994 12:41	Y	7439-92-1	Lead	0.6	ug/L	L	[NULL]	[NULL]	R	B0C246	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-3	6/13/1994 12:41	Y	7439-95-4	Magnesium	20000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C246	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	N	7439-95-4	Magnesium	20000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C245	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	Y	7439-96-5	Manganese	1.3	ug/L	L	[NULL]	[NULL]	R	B0C246	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	N	7439-96-5	Manganese	56	ug/L	[NULL]	[NULL]	[NULL]	R	B0C245	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	Y	7439-97-6	Mercury	0.095	ug/L	U	[NULL]	[NULL]	R	B0C246	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-3	6/13/1994 12:41	N	7439-97-6	Mercury	0.095	ug/L	U	[NULL]	[NULL]	R	B0C245	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-3	6/13/1994 12:41	Y	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0C246	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	N	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0C245	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	N	14797-55-8	Nitrate	27000	ug/L	D	[NULL]	[NULL]	R	B0C245	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 12:41	N	14797-65-0	Nitrite	110	ug/L	U	[NULL]	[NULL]	R	B0C245	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 12:41	N	14265-44-2	Phosphate	470	ug/L	U	[NULL]	[NULL]	R	B0C245	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 12:41	N	7440-09-7	Potassium	3600	ug/L	[NULL]	[NULL]	[NULL]	R	B0C245	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	Y	7440-09-7	Potassium	3400	ug/L	[NULL]	[NULL]	[NULL]	R	B0C246	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	Y	7782-49-2	Selenium	1.4	ug/L	U	[NULL]	[NULL]	R	B0C246	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-3	6/13/1994 12:41	N	7782-49-2	Selenium	1.4	ug/L	U	[NULL]	[NULL]	R	B0C245	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-3	6/13/1994 12:41	N	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C245	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	Y	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C246	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	N	7440-23-5	Sodium	14000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C245	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	Y	7440-23-5	Sodium	15000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C246	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	Y	10098-97-2	Strontium-90	701	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C246	SR-RAD	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	6/13/1994 12:41	N	10098-97-2	Strontium-90	714	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C245	SR-RAD	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	6/13/1994 12:41	N	10098-97-2	Strontium-90	714	pCi/L	[NULL]	HG	[NULL]	R	B0C245	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	6/13/1994 12:41	Y	10098-97-2	Strontium-90	701	pCi/L	[NULL]	HG	[NULL]	R	B0C246	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	6/13/1994 12:41	N	14808-79-8	Sulfate	210000	ug/L	D	[NULL]	[NULL]	R	B0C245	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 12:41	N	18496-25-8	Sulfide	200	ug/L	U	[NULL]	[NULL]	R	B0C245	18496-25-8	DATACH	9030_SULFIDE	100-NR-2
199-N-3	6/13/1994 12:41	N	7440-28-0	Thallium	1.2	ug/L	U	[NULL]	[NULL]	R	B0C245	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-3	6/13/1994 12:41	Y	7440-28-0	Thallium	1.2	ug/L	U	[NULL]	[NULL]	R	B0C246	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-3	6/13/1994 12:41	N	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0C245	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	Y	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0C246	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	N	10028-17-8	Tritium	17100	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C245	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-3	6/13/1994 12:41	N	TURBIDITY	Turbidity	9	NTU	[NULL]	[NULL]	[NULL]	R	B0C245	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-3	6/13/1994 12:41	N	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0C245	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	Y	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0C246	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	Y	7440-66-6	Zinc	17	ug/L	[NULL]	[NULL]	[NULL]	R	B0C246	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 12:41	N	7440-66-6	Zinc	25	ug/L	[NULL]	[NULL]	[NULL]	R	B0C245	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	N	7429-90-5	Aluminum	48	ug/L	L	[NULL]	[NULL]	R	B0C251	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	Y	7429-90-5	Aluminum	19	ug/L	U	[NULL]	[NULL]	R	B0C252	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	N	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C251	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	Y	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C252	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	N	7440-38-2	Arsenic	0.64	ug/L	U	[NULL]	[NULL]	R	B0C251	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-3	6/13/1994 14:41	Y	7440-38-2	Arsenic	2.2	ug/L	L	[NULL]	[NULL]	R	B0C252	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-3	6/13/1994 14:41	Y	7440-39-3	Barium	110	ug/L	[NULL]	[NULL]	[NULL]	R	B0C252	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	N	7440-39-3	Barium	110	ug/L	[NULL]	[NULL]	[NULL]	R	B0C251	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	Y	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C252	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	N	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C251	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	N	24959-67-9	Bromide	130	ug/L	L	[NULL]	[NULL]	R	B0C251	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 14:41	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C252	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C251	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	N	7440-70-2	Calcium	120000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C251	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	Y	7440-70-2	Calcium	120000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C252	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	N	16887-00-6	Chloride	16000	ug/L	D	[NULL]	[NULL]	R	B0C251	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 14:41	N	7440-47-3	Chromium	18	ug/L	L	[NULL]	[NULL]	R	B0C251	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	Y	7440-47-3	Chromium	17	ug/L	L	[NULL]	[NULL]	R	B0C252	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	Y	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C252	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	N	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C251	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	Y	7440-50-8	Copper	2.6	ug/L	U	[NULL]	[NULL]	R	B0C252	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	N	7440-50-8	Copper	2.6	ug/L	U	[NULL]	[NULL]	R	B0C251	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	N	16984-48-8	Fluoride	600	ug/L	[NULL]	[NULL]	[NULL]	R	B0C251	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 14:41	Y	7439-89-6	Iron	21	ug/L	[NULL]	Q	[NULL]	R	B0C252	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	N	7439-89-6	Iron	860	ug/L	[NULL]	Q	[NULL]	R	B0C251	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	Y	7439-92-1	Lead	0.86	ug/L	U	[NULL]	[NULL]	R	B0C252	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-3	6/13/1994 14:41	N	7439-92-1	Lead	1.5	ug/L	L	[NULL]	[NULL]	R	B0C251	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-3	6/13/1994 14:41	N	7439-95-4	Magnesium	20000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C251	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	Y	7439-95-4	Magnesium	20000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C252	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	Y	7439-96-5	Manganese	1.5	ug/L	L	[NULL]	[NULL]	R	B0C252	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	N	7439-96-5	Manganese	28	ug/L	[NULL]	[NULL]	[NULL]	R	B0C251	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	Y	7439-97-6	Mercury	0.095	ug/L	U	[NULL]	[NULL]	R	B0C252	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-3	6/13/1994 14:41	N	7439-97-6	Mercury	0.095	ug/L	U	[NULL]	[NULL]	R	B0C251	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-3	6/13/1994 14:41	N	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0C251	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	Y	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0C252	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	N	14797-55-8	Nitrate	29000	ug/L	D	[NULL]	[NULL]	R	B0C251	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 14:41	N	14797-65-0	Nitrite	110	ug/L	U	[NULL]	[NULL]	R	B0C251	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 14:41	N	14265-44-2	Phosphate	470	ug/L	U	[NULL]	[NULL]	R	B0C251	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 14:41	N	7440-09-7	Potassium	3800	ug/L	[NULL]	[NULL]	[NULL]	R	B0C251	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	Y	7440-09-7	Potassium	3900	ug/L	[NULL]	[NULL]	[NULL]	R	B0C252	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	Y	7782-49-2	Selenium	1.4	ug/L	U	[NULL]	[NULL]	R	B0C252	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-3	6/13/1994 14:41	N	7782-49-2	Selenium	1.4	ug/L	U	[NULL]	[NULL]	R	B0C251	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-3	6/13/1994 14:41	Y	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C252	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	6/13/1994 14:41	N	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C251	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	N	7440-23-5	Sodium	14000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C251	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	Y	7440-23-5	Sodium	14000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C252	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	N	10098-97-2	Strontium-90	719	pCi/L	[NULL]	HG	[NULL]	R	B0C251	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	6/13/1994 14:41	Y	10098-97-2	Strontium-90	739	pCi/L	[NULL]	HG	[NULL]	R	B0C252	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	6/13/1994 14:41	Y	10098-97-2	Strontium-90	739	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C252	SR-RAD	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	6/13/1994 14:41	N	10098-97-2	Strontium-90	719	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C251	SR-RAD	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	6/13/1994 14:41	N	14808-79-8	Sulfate	190000	ug/L	D	[NULL]	[NULL]	R	B0C251	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 14:41	N	18496-25-8	Sulfide	300	ug/L	L	[NULL]	[NULL]	R	B0C251	18496-25-8	DATACH	9030_SULFIDE	100-NR-2
199-N-3	6/13/1994 14:41	N	7440-28-0	Thallium	1.2	ug/L	U	[NULL]	[NULL]	R	B0C251	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-3	6/13/1994 14:41	Y	7440-28-0	Thallium	1.2	ug/L	U	[NULL]	[NULL]	R	B0C252	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-3	6/13/1994 14:41	Y	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0C252	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	N	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0C251	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	N	10028-17-8	Tritium	18000	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C251	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-3	6/13/1994 14:41	N	TURBIDITY	Turbidity	3.2	NTU	[NULL]	[NULL]	[NULL]	R	B0C251	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-3	6/13/1994 14:41	Y	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0C252	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	N	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0C251	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	N	7440-66-6	Zinc	16	ug/L	[NULL]	[NULL]	[NULL]	R	B0C251	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 14:41	Y	7440-66-6	Zinc	13	ug/L	[NULL]	[NULL]	[NULL]	R	B0C252	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	N	630-20-6	1,1,1,2-Tetrachloroethane	0.2	ug/L	U	[NULL]	[NULL]	R	B0C255	630-20-6	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	71-55-6	1,1,1-Trichloroethane	0.28	ug/L	U	[NULL]	[NULL]	R	B0C255	71-55-6	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	79-34-5	1,1,2,2-Tetrachloroethane	0.23	ug/L	U	[NULL]	[NULL]	R	B0C255	79-34-5	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	79-00-5	1,1,2-Trichloroethane	0.23	ug/L	U	[NULL]	[NULL]	R	B0C255	79-00-5	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	75-34-3	1,1-Dichloroethane	0.14	ug/L	U	[NULL]	[NULL]	R	B0C255	75-34-3	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	75-35-4	1,1-Dichloroethene	0.36	ug/L	U	[NULL]	[NULL]	R	B0C255	75-35-4	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	96-18-4	1,2,3-Trichloropropane	1.9	ug/L	U	[NULL]	[NULL]	R	B0C255	96-18-4	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	95-94-3	1,2,4,5-Tetrachlorobenzene	1.3	ug/L	U	[NULL]	[NULL]	R	B0C255	95-94-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	120-82-1	1,2,4-Trichlorobenzene	1.8	ug/L	U	[NULL]	[NULL]	R	B0C255	120-82-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	96-12-8	1,2-Dibromo-3-chloropropane	3.9	ug/L	U	[NULL]	[NULL]	R	B0C255	96-12-8	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	106-93-4	1,2-Dibromoethane	0.13	ug/L	U	[NULL]	[NULL]	R	B0C255	106-93-4	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	95-50-1	1,2-Dichlorobenzene	1.3	ug/L	U	[NULL]	[NULL]	R	B0C255	95-50-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	107-06-2	1,2-Dichloroethane	0.29	ug/L	U	[NULL]	[NULL]	R	B0C255	107-06-2	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	540-59-0	1,2-Dichloroethene (Total)	0.65	ug/L	U	[NULL]	[NULL]	R	B0C255	540-59-0	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	78-87-5	1,2-Dichloropropane	0.19	ug/L	U	[NULL]	[NULL]	R	B0C255	78-87-5	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	541-73-1	1,3-Dichlorobenzene	1.3	ug/L	U	[NULL]	[NULL]	R	B0C255	541-73-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	106-46-7	1,4-Dichlorobenzene	1.2	ug/L	U	[NULL]	[NULL]	R	B0C255	106-46-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	123-91-1	1,4-Dioxane	88	ug/L	U	[NULL]	[NULL]	R	B0C255	123-91-1	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	130-15-4	1,4-Naphthoquinone	0	ug/L	U	[NULL]	[NULL]	R	B0C255	130-15-4	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	71-36-3	1-Butanol	76	ug/L	U	[NULL]	[NULL]	R	B0C255	71-36-3	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	134-32-7	1-Naphthylamine	2.6	ug/L	U	[NULL]	[NULL]	R	B0C255	134-32-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	58-90-2	2,3,4,6-Tetrachlorophenol	1.7	ug/L	U	[NULL]	[NULL]	R	B0C255	58-90-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	0.018	ug/L	U	[NULL]	[NULL]	R	B0C255	93-76-5	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-3	6/13/1994 15:41	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	0.015	ug/L	U	[NULL]	[NULL]	R	B0C255	93-72-1	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-3	6/13/1994 15:41	N	95-95-4	2,4,5-Trichlorophenol	2.7	ug/L	U	[NULL]	[NULL]	R	B0C255	95-95-4	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	88-06-2	2,4,6-Trichlorophenol	2.9	ug/L	U	[NULL]	[NULL]	R	B0C255	88-06-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	0.052	ug/L	U	[NULL]	[NULL]	R	B0C255	94-75-7	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-3	6/13/1994 15:41	N	120-83-2	2,4-Dichlorophenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0C255	120-83-2	DATACH	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	6/13/1994 15:41	N	105-67-9	2,4-Dimethylphenol	1.8	ug/L	U	[NULL]	[NULL]	R	B0C255	105-67-9	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	51-28-5	2,4-Dinitrophenol	2.3	ug/L	U	[NULL]	[NULL]	R	B0C255	51-28-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	121-14-2	2,4-Dinitrotoluene	1.9	ug/L	U	[NULL]	[NULL]	R	B0C255	121-14-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	87-65-0	2,6-Dichlorophenol	8.2	ug/L	U	[NULL]	[NULL]	R	B0C255	87-65-0	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	606-20-2	2,6-Dinitrotoluene	1.3	ug/L	U	[NULL]	[NULL]	R	B0C255	606-20-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	53-96-3	2-Acetylaminofluorene	1.8	ug/L	U	[NULL]	[NULL]	R	B0C255	53-96-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	78-93-3	2-Butanone	14	ug/L	U	[NULL]	[NULL]	R	B0C255	78-93-3	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	91-58-7	2-Chloronaphthalene	3.5	ug/L	U	[NULL]	[NULL]	R	B0C255	91-58-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	95-57-8	2-Chlorophenol	1.8	ug/L	U	[NULL]	[NULL]	R	B0C255	95-57-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	591-78-6	2-Hexanone	0.52	ug/L	U	[NULL]	[NULL]	R	B0C255	591-78-6	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	91-57-6	2-Methylnaphthalene	1.2	ug/L	U	[NULL]	[NULL]	R	B0C255	91-57-6	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	95-48-7	2-Methylphenol (cresol, o-)	1.9	ug/L	U	[NULL]	[NULL]	R	B0C255	95-48-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	91-59-8	2-Naphthylamine	4.4	ug/L	U	[NULL]	[NULL]	R	B0C255	91-59-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	88-74-4	2-Nitroaniline	2	ug/L	U	[NULL]	[NULL]	R	B0C255	88-74-4	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	88-75-5	2-Nitrophenol	1.6	ug/L	U	[NULL]	[NULL]	R	B0C255	88-75-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	108-10-1	2-Pentanone, 4-Methyl	18	ug/L	U	[NULL]	[NULL]	R	B0C255	108-10-1	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	109-06-8	2-Picoline	1.6	ug/L	U	[NULL]	[NULL]	R	B0C255	109-06-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	91-94-1	3,3'-Dichlorobenzidine	33.8	ug/L	U	[NULL]	[NULL]	R	B0C255	91-94-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	119-93-7	3,3'-Dimethylbenzidine	3.7	ug/L	U	[NULL]	[NULL]	R	B0C255	119-93-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	56-49-5	3-Methylcholanthrene	1.5	ug/L	U	[NULL]	[NULL]	R	B0C255	56-49-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	108-39-4	3-Methylphenol (cresol, m-)	6.3	ug/L	XU	[NULL]	[NULL]	R	B0C255	108-39-4	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	99-09-2	3-Nitroaniline	2.3	ug/L	U	[NULL]	[NULL]	R	B0C255	99-09-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	72-54-8	4,4'-DDD (Dichlorodiphenyldichloroethane)	0.004	ug/L	U	[NULL]	[NULL]	R	B0C255	72-54-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-3	6/13/1994 15:41	N	72-55-9	4,4'-DDE (Dichlorodiphenyldichloroethylene)	0.002	ug/L	U	[NULL]	[NULL]	R	B0C255	72-55-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-3	6/13/1994 15:41	N	50-29-3	4,4'-DDT (Dichlorodiphenyltrichloroethane)	0.001	ug/L	U	[NULL]	[NULL]	R	B0C255	50-29-3	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-3	6/13/1994 15:41	N	534-52-1	4,6-Dinitro-2-methylphenol	3.6	ug/L	U	[NULL]	[NULL]	R	B0C255	534-52-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	92-67-1	4-Aminobiphenyl	2.4	ug/L	U	[NULL]	[NULL]	R	B0C255	92-67-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	101-55-3	4-Bromophenylphenyl ether	1.6	ug/L	U	[NULL]	[NULL]	R	B0C255	101-55-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	59-50-7	4-Chloro-3-methylphenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0C255	59-50-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	106-47-8	4-Chloroaniline	1.2	ug/L	U	[NULL]	[NULL]	R	B0C255	106-47-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	7005-72-3	4-Chlorophenylphenyl ether	1.6	ug/L	U	[NULL]	[NULL]	R	B0C255	7005-72-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	106-44-5	4-Methylphenol (cresol, p-)	1.3	ug/L	U	[NULL]	[NULL]	R	B0C255	106-44-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	100-01-6	4-Nitroaniline	7.4	ug/L	U	[NULL]	[NULL]	R	B0C255	100-01-6	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	100-02-7	4-Nitrophenol	3.2	ug/L	U	[NULL]	[NULL]	R	B0C255	100-02-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	56-57-5	4-Nitroquinoline-1-oxide	3	ug/L	U	[NULL]	[NULL]	R	B0C255	56-57-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	99-55-8	5-Nitro-o-toluidine	3.3	ug/L	U	[NULL]	[NULL]	R	B0C255	99-55-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	57-97-6	7,12-Dimethylbenz[a]anthracene	1.2	ug/L	U	[NULL]	[NULL]	R	B0C255	57-97-6	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	83-32-9	Acenaphthene	1.4	ug/L	U	[NULL]	[NULL]	R	B0C255	83-32-9	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	208-96-8	Acenaphthylene	1.7	ug/L	U	[NULL]	[NULL]	R	B0C255	208-96-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	67-64-1	Acetone	2.6	ug/L	U	[NULL]	[NULL]	R	B0C255	67-64-1	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	75-05-8	Acetonitrile	2.3	ug/L	U	[NULL]	[NULL]	R	B0C255	75-05-8	DATACH	8260_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	6/13/1994 15:41	N	98-86-2	Acetophenone	1.5	ug/L	U	[NULL]	[NULL]	R	B0C255	98-86-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	107-02-8	Acrolein	6	ug/L	U	[NULL]	[NULL]	R	B0C255	107-02-8	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	107-13-1	Acrylonitrile	1.7	ug/L	U	[NULL]	[NULL]	R	B0C255	107-13-1	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	309-00-2	Aldrin	0.002	ug/L	U	[NULL]	[NULL]	R	B0C255	309-00-2	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-3	6/13/1994 15:41	N	107-05-1	Allyl chloride	0.42	ug/L	U	[NULL]	[NULL]	R	B0C255	107-05-1	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	319-84-6	Alpha-BHC	0.003	ug/L	U	[NULL]	[NULL]	R	B0C255	319-84-6	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-3	6/13/1994 15:41	Y	7429-90-5	Aluminum	19	ug/L	U	[NULL]	[NULL]	R	B0C256	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	N	7429-90-5	Aluminum	28	ug/L	L	[NULL]	[NULL]	R	B0C255	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	N	62-53-3	Aniline	1.9	ug/L	U	[NULL]	[NULL]	R	B0C255	62-53-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	120-12-7	Anthracene	1.6	ug/L	U	[NULL]	[NULL]	R	B0C255	120-12-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	Y	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C256	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	N	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C255	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	N	140-57-8	Aramite	2.9	ug/L	U	[NULL]	[NULL]	R	B0C255	140-57-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	Y	7440-38-2	Arsenic	0.64	ug/L	U	[NULL]	[NULL]	R	B0C256	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-3	6/13/1994 15:41	N	7440-38-2	Arsenic	0.64	ug/L	U	[NULL]	[NULL]	R	B0C255	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-3	6/13/1994 15:41	N	7440-39-3	Barium	110	ug/L	[NULL]	[NULL]	[NULL]	R	B0C255	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	Y	7440-39-3	Barium	110	ug/L	[NULL]	[NULL]	[NULL]	R	B0C256	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	N	71-43-2	Benzene	0.14	ug/L	U	[NULL]	[NULL]	R	B0C255	71-43-2	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	56-55-3	Benzo(a)anthracene	1.9	ug/L	U	[NULL]	[NULL]	R	B0C255	56-55-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	50-32-8	Benzo(a)pyrene	1.3	ug/L	U	[NULL]	[NULL]	R	B0C255	50-32-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	205-99-2	Benzo(b)fluoranthene	1.5	ug/L	U	[NULL]	[NULL]	R	B0C255	205-99-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	191-24-2	Benzo(ghi)perylene	1.3	ug/L	U	[NULL]	[NULL]	R	B0C255	191-24-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	207-08-9	Benzo(k)fluoranthene	1.4	ug/L	U	[NULL]	[NULL]	R	B0C255	207-08-9	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	95-16-9	Benzothiazole	1.9	ug/L	U	[NULL]	[NULL]	R	B0C255	95-16-9	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	100-51-6	Benzyl alcohol	1.5	ug/L	U	[NULL]	[NULL]	R	B0C255	100-51-6	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	Y	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C256	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	N	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C255	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	N	111-91-1	Bis(2-Chloroethoxy)methane	1.3	ug/L	U	[NULL]	[NULL]	R	B0C255	111-91-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	108-60-1	Bis(2-chloro-1-methylethyl)ether	1.7	ug/L	U	[NULL]	[NULL]	R	B0C255	108-60-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	111-44-4	Bis(2-chloroethyl) ether	1.6	ug/L	U	[NULL]	[NULL]	R	B0C255	111-44-4	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	117-81-7	Bis(2-ethylhexyl) phthalate	1.1	ug/L	U	[NULL]	[NULL]	R	B0C255	117-81-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	24959-67-9	Bromide	110	ug/L	U	[NULL]	[NULL]	R	B0C255	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 15:41	N	75-27-4	Bromodichloromethane	0.61	ug/L	U	[NULL]	[NULL]	R	B0C255	75-27-4	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	75-25-2	Bromoform	0.26	ug/L	U	[NULL]	[NULL]	R	B0C255	75-25-2	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	74-83-9	Bromomethane	0.31	ug/L	U	[NULL]	[NULL]	R	B0C255	74-83-9	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	85-68-7	Butylbenzylphthalate	2.4	ug/L	U	[NULL]	[NULL]	R	B0C255	85-68-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C255	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C256	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	N	7440-70-2	Calcium	120000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C255	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	Y	7440-70-2	Calcium	120000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C256	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	N	75-15-0	Carbon disulfide	0.32	ug/L	U	[NULL]	[NULL]	R	B0C255	75-15-0	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	56-23-5	Carbon tetrachloride	0.28	ug/L	U	[NULL]	[NULL]	R	B0C255	56-23-5	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	57-74-9	Chlordane	0.042	ug/L	U	[NULL]	[NULL]	R	B0C255	57-74-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-3	6/13/1994 15:41	N	16887-00-6	Chloride	16000	ug/L	D	[NULL]	[NULL]	R	B0C255	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 15:41	N	108-90-7	Chlorobenzene	0.16	ug/L	U	[NULL]	[NULL]	R	B0C255	108-90-7	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	510-15-6	Chlorobenzilate	5.4	ug/L	U	[NULL]	[NULL]	R	B0C255	510-15-6	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	75-00-3	Chloroethane	0.45	ug/L	U	[NULL]	[NULL]	R	B0C255	75-00-3	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	67-66-3	Chloroform	3.3	ug/L	L	[NULL]	[NULL]	R	B0C255	67-66-3	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	74-87-3	Chloromethane	0.43	ug/L	U	[NULL]	[NULL]	R	B0C255	74-87-3	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	126-99-8	Chloroprene	0.61	ug/L	U	[NULL]	[NULL]	R	B0C255	126-99-8	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	Y	7440-47-3	Chromium	17	ug/L	L	[NULL]	[NULL]	R	B0C256	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	N	7440-47-3	Chromium	18	ug/L	L	[NULL]	[NULL]	R	B0C255	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	6/13/1994 15:41	N	218-01-9	Chrysene	1.4	ug/L	U	[NULL]	[NULL]	R	B0C255	218-01-9	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	Y	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C256	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	N	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C255	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	N	7440-50-8	Copper	3.1	ug/L	L	[NULL]	[NULL]	R	B0C255	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	Y	7440-50-8	Copper	2.6	ug/L	U	[NULL]	[NULL]	R	B0C256	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	N	319-86-8	Delta-BHC	0.002	ug/L	U	[NULL]	[NULL]	R	B0C255	319-86-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-3	6/13/1994 15:41	N	84-74-2	Di-n-butylphthalate	1.8	ug/L	U	[NULL]	[NULL]	R	B0C255	84-74-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	117-84-0	Di-n-octylphthalate	1.5	ug/L	U	[NULL]	[NULL]	R	B0C255	117-84-0	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	2303-16-4	Diallate	7.5	ug/L	U	[NULL]	[NULL]	R	B0C255	2303-16-4	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	53-70-3	Dibenz[a,h]anthracene	1.4	ug/L	U	[NULL]	[NULL]	R	B0C255	53-70-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	132-64-9	Dibenzofuran	1.6	ug/L	U	[NULL]	[NULL]	R	B0C255	132-64-9	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	124-48-1	Dibromochloromethane	0.16	ug/L	U	[NULL]	[NULL]	R	B0C255	124-48-1	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	74-95-3	Dibromomethane	0.15	ug/L	U	[NULL]	[NULL]	R	B0C255	74-95-3	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	75-71-8	Dichlorodifluoromethane	0.45	ug/L	U	[NULL]	[NULL]	R	B0C255	75-71-8	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	60-57-1	Dieldrin	0.002	ug/L	U	[NULL]	[NULL]	R	B0C255	60-57-1	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-3	6/13/1994 15:41	N	84-66-2	Diethylphthalate	5	ug/L	U	[NULL]	[NULL]	R	B0C255	84-66-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	60-51-5	Dimethoate	10	ug/L	U	[NULL]	[NULL]	R	B0C255	60-51-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	131-11-3	Dimethyl phthalate	3.3	ug/L	U	[NULL]	[NULL]	R	B0C255	131-11-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	0.24	ug/L	U	[NULL]	[NULL]	R	B0C255	88-85-7	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-3	6/13/1994 15:41	N	122-39-4	Diphenylamine	1.7	ug/L	YU	[NULL]	[NULL]	R	B0C255	122-39-4	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	298-04-4	Disulfoton	0.076	ug/L	U	[NULL]	[NULL]	R	B0C255	298-04-4	DATACH	8140_PEST_GC	100-NR-2
199-N-3	6/13/1994 15:41	N	959-98-8	Endosulfan I	0.002	ug/L	U	[NULL]	[NULL]	R	B0C255	959-98-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-3	6/13/1994 15:41	N	33213-65-9	Endosulfan II	0.001	ug/L	U	[NULL]	[NULL]	R	B0C255	33213-65-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-3	6/13/1994 15:41	N	1031-07-8	Endosulfan sulfate	0.002	ug/L	U	[NULL]	[NULL]	R	B0C255	1031-07-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-3	6/13/1994 15:41	N	72-20-8	Endrin	0.004	ug/L	U	[NULL]	[NULL]	R	B0C255	72-20-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-3	6/13/1994 15:41	N	7421-93-4	Endrin aldehyde	0.004	ug/L	U	[NULL]	[NULL]	R	B0C255	7421-93-4	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-3	6/13/1994 15:41	N	107-12-0	Ethyl cyanide	3.2	ug/L	U	[NULL]	[NULL]	R	B0C255	107-12-0	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	97-63-2	Ethyl methacrylate	0.18	ug/L	U	[NULL]	[NULL]	R	B0C255	97-63-2	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	62-50-0	Ethyl methanesulfonate	1.3	ug/L	U	[NULL]	[NULL]	R	B0C255	62-50-0	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	100-41-4	Ethylbenzene	0.32	ug/L	U	[NULL]	[NULL]	R	B0C255	100-41-4	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	52-85-7	Famphur	3.4	ug/L	U	[NULL]	[NULL]	R	B0C255	52-85-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	206-44-0	Fluoranthene	1.5	ug/L	U	[NULL]	[NULL]	R	B0C255	206-44-0	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	86-73-7	Fluorene	1.6	ug/L	U	[NULL]	[NULL]	R	B0C255	86-73-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	16984-48-8	Fluoride	700	ug/L	[NULL]	[NULL]	[NULL]	R	B0C255	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 15:41	N	58-89-9	Gamma-BHC (Lindane)	0.002	ug/L	U	[NULL]	[NULL]	R	B0C255	58-89-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-3	6/13/1994 15:41	N	76-44-8	Heptachlor	0.002	ug/L	U	[NULL]	[NULL]	R	B0C255	76-44-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-3	6/13/1994 15:41	N	1024-57-3	Heptachlor epoxide	0.001	ug/L	U	[NULL]	[NULL]	R	B0C255	1024-57-3	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-3	6/13/1994 15:41	N	118-74-1	Hexachlorobenzene	1.2	ug/L	U	[NULL]	[NULL]	R	B0C255	118-74-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	87-68-3	Hexachlorobutadiene	1.2	ug/L	U	[NULL]	[NULL]	R	B0C255	87-68-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	77-47-4	Hexachlorocyclopentadiene	2.9	ug/L	U	[NULL]	[NULL]	R	B0C255	77-47-4	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	67-72-1	Hexachloroethane	1.8	ug/L	U	[NULL]	[NULL]	R	B0C255	67-72-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	70-30-4	Hexachlorophene	6.1	ug/L	U	[NULL]	[NULL]	R	B0C255	70-30-4	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	1888-71-7	Hexachloropropene	1.3	ug/L	U	[NULL]	[NULL]	R	B0C255	1888-71-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	193-39-5	Indeno(1,2,3-cd)pyrene	1.4	ug/L	U	[NULL]	[NULL]	R	B0C255	193-39-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	74-88-4	Iodomethane	0.14	ug/L	U	[NULL]	[NULL]	R	B0C255	74-88-4	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	Y	7439-89-6	Iron	38	ug/L	[NULL]	Q	[NULL]	R	B0C256	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	N	7439-89-6	Iron	400	ug/L	[NULL]	Q	[NULL]	R	B0C255	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	N	78-83-1	Isobutyl alcohol	58	ug/L	U	[NULL]	[NULL]	R	B0C255	78-83-1	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	465-73-6	Isodrin	1.4	ug/L	U	[NULL]	[NULL]	R	B0C255	465-73-6	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	78-59-1	Isophorone	1.2	ug/L	U	[NULL]	[NULL]	R	B0C255	78-59-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	120-58-1	Isosafrole	4.5	ug/L	U	[NULL]	[NULL]	R	B0C255	120-58-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	143-50-0	Kepone	4.1	ug/L	U	[NULL]	[NULL]	R	B0C255	143-50-0	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	7439-92-1	Lead	0.86	ug/L	U	[NULL]	[NULL]	R	B0C255	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	6/13/1994 15:41	Y	7439-92-1	Lead	0.86	ug/L	U	[NULL]	[NULL]	R	B0C256	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-3	6/13/1994 15:41	Y	7439-95-4	Magnesium	20000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C256	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	N	7439-95-4	Magnesium	20000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C255	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	Y	7439-96-5	Manganese	1.2	ug/L	L	[NULL]	[NULL]	R	B0C256	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	N	7439-96-5	Manganese	11	ug/L	[NULL]	[NULL]	[NULL]	R	B0C255	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	N	7439-97-6	Mercury	0.095	ug/L	U	[NULL]	[NULL]	R	B0C255	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-3	6/13/1994 15:41	Y	7439-97-6	Mercury	0.095	ug/L	U	[NULL]	[NULL]	R	B0C256	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-3	6/13/1994 15:41	N	126-98-7	Methacrylonitrile	1.5	ug/L	U	[NULL]	[NULL]	R	B0C255	126-98-7	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	91-80-5	Methapyrilene	2.5	ug/L	U	[NULL]	[NULL]	R	B0C255	91-80-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	72-43-5	Methoxychlor	0.022	ug/L	U	[NULL]	[NULL]	R	B0C255	72-43-5	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-3	6/13/1994 15:41	N	80-62-6	Methyl methacrylate	0.41	ug/L	U	[NULL]	[NULL]	R	B0C255	80-62-6	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	66-27-3	Methyl methanesulfonate	1.1	ug/L	U	[NULL]	[NULL]	R	B0C255	66-27-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	298-00-0	Methyl parathion	0.3	ug/L	U	[NULL]	[NULL]	R	B0C255	298-00-0	DATACH	8140_PEST_GC	100-NR-2
199-N-3	6/13/1994 15:41	N	75-09-2	Methylene chloride	1.4	ug/L	BL	[NULL]	[NULL]	R	B0C255	75-09-2	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	91-20-3	Naphthalene	1.2	ug/L	U	[NULL]	[NULL]	R	B0C255	91-20-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	Y	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0C256	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	N	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0C255	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	N	14797-55-8	Nitrate	30000	ug/L	D	[NULL]	[NULL]	R	B0C255	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 15:41	N	14797-65-0	Nitrite	110	ug/L	U	[NULL]	[NULL]	R	B0C255	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 15:41	N	98-95-3	Nitrobenzene	1.2	ug/L	U	[NULL]	[NULL]	R	B0C255	98-95-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	930-55-2	Nitrosopyrrolidine	1.5	ug/L	U	[NULL]	[NULL]	R	B0C255	930-55-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	126-68-1	O,O,O-Triethyl phosphorothioate	1.9	ug/L	U	[NULL]	[NULL]	R	B0C255	126-68-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	297-97-2	O,O-Diethyl O-2-pyrazinyl phosphorothioate	2.7	ug/L	U	[NULL]	[NULL]	R	B0C255	297-97-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	56-38-2	Parathion	2.7	ug/L	U	[NULL]	[NULL]	R	B0C255	56-38-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	608-93-5	Pentachlorobenzene	1.4	ug/L	U	[NULL]	[NULL]	R	B0C255	608-93-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	76-01-7	Pentachloroethane	0.51	ug/L	U	[NULL]	[NULL]	R	B0C255	76-01-7	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	82-68-8	Pentachloronitrobenzene (PCNB)	1.3	ug/L	U	[NULL]	[NULL]	R	B0C255	82-68-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	87-86-5	Pentachlorophenol	1.7	ug/L	U	[NULL]	[NULL]	R	B0C255	87-86-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	62-44-2	Phenacetin	1.8	ug/L	U	[NULL]	[NULL]	R	B0C255	62-44-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	85-01-8	Phenanthrene	1.6	ug/L	U	[NULL]	[NULL]	R	B0C255	85-01-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	108-95-2	Phenol	0.5	ug/L	U	[NULL]	[NULL]	R	B0C255	108-95-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	298-02-2	Phorate	0.033	ug/L	U	[NULL]	[NULL]	R	B0C255	298-02-2	DATACH	8140_PEST_GC	100-NR-2
199-N-3	6/13/1994 15:41	N	14265-44-2	Phosphate	470	ug/L	U	[NULL]	[NULL]	R	B0C255	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	6/13/1994 15:41	N	7440-09-7	Potassium	3900	ug/L	[NULL]	[NULL]	[NULL]	R	B0C255	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	Y	7440-09-7	Potassium	4000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C256	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	N	23950-58-5	Pronamide	4.5	ug/L	U	[NULL]	[NULL]	R	B0C255	23950-58-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	129-00-0	Pyrene	1.6	ug/L	U	[NULL]	[NULL]	R	B0C255	129-00-0	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	110-86-1	Pyridine	1.4	ug/L	U	[NULL]	[NULL]	R	B0C255	110-86-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	94-59-7	Safrol	1.4	ug/L	U	[NULL]	[NULL]	R	B0C255	94-59-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	7782-49-2	Selenium	1.4	ug/L	U	[NULL]	[NULL]	R	B0C255	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-3	6/13/1994 15:41	Y	7782-49-2	Selenium	1.4	ug/L	U	[NULL]	[NULL]	R	B0C256	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-3	6/13/1994 15:41	Y	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C256	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	N	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C255	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	Y	7440-23-5	Sodium	14000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C256	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	N	7440-23-5	Sodium	14000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C255	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	N	10098-97-2	Strontium-90	746	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C255	SR-RAD	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	6/13/1994 15:41	N	10098-97-2	Strontium-90	746	pCi/L	[NULL]	HG	[NULL]	R	B0C255	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	6/13/1994 15:41	Y	10098-97-2	Strontium-90	726	pCi/L	[NULL]	HG	[NULL]	R	B0C256	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	6/13/1994 15:41	Y	10098-97-2	Strontium-90	726	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C256	SR-RAD	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	6/13/1994 15:41	N	100-42-5	Styrene	0.55	ug/L	U	[NULL]	[NULL]	R	B0C255	100-42-5	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	14808-79-8	Sulfate	200000	ug/L	D	[NULL]	[NULL]	R	B0C255	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	6/13/1994 15:41	N	18496-25-8	Sulfide	300	ug/L	L	[NULL]	[NULL]	R	B0C255	18496-25-8	DATACH	9030_SULFIDE	100-NR-2
199-N-3	6/13/1994 15:41	N	127-18-4	Tetrachloroethene	0.42	ug/L	L	[NULL]	[NULL]	R	B0C255	127-18-4	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	3689-24-5	Tetraethyl dithiopyrophosphate (Sulfotepp)	2.6	ug/L	U	[NULL]	[NULL]	R	B0C255	3689-24-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	109-99-9	Tetrahydrofuran	4.3	ug/L	U	[NULL]	[NULL]	R	B0C255	109-99-9	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	Y	7440-28-0	Thallium	1.2	ug/L	U	[NULL]	[NULL]	R	B0C256	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-3	6/13/1994 15:41	N	7440-28-0	Thallium	1.2	ug/L	U	[NULL]	[NULL]	R	B0C255	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-3	6/13/1994 15:41	Y	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0C256	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	N	7440-31-5	Tin	47	ug/L	L	[NULL]	[NULL]	R	B0C255	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	N	108-88-3	Toluene	0.23	ug/L	U	[NULL]	[NULL]	R	B0C255	108-88-3	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	7.7	ug/L	U	[NULL]	[NULL]	R	B0C255	TPHKEROSENE	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	8001-35-2	Toxaphene	0.7	ug/L	U	[NULL]	[NULL]	R	B0C255	8001-35-2	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-3	6/13/1994 15:41	N	126-73-8	Tributyl phosphate	3.9	ug/L	U	[NULL]	[NULL]	R	B0C255	126-73-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	79-01-6	Trichloroethene	0.27	ug/L	U	[NULL]	[NULL]	R	B0C255	79-01-6	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	75-69-4	Trichloromonofluoromethane	0.21	ug/L	U	[NULL]	[NULL]	R	B0C255	75-69-4	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	115-96-8	Tris-2-chloroethyl phosphate	2.2	ug/L	U	[NULL]	[NULL]	R	B0C255	115-96-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	10028-17-8	Tritium	17700	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C255	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-3	6/13/1994 15:41	N	TURBIDITY	Turbidity	2.2	NTU	[NULL]	[NULL]	[NULL]	R	B0C255	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-3	6/13/1994 15:41	N	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0C255	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	Y	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0C256	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	N	108-05-4	Vinyl acetate	2.7	ug/L	U	[NULL]	[NULL]	R	B0C255	108-05-4	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	75-01-4	Vinyl chloride	0.39	ug/L	U	[NULL]	[NULL]	R	B0C255	75-01-4	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	1330-20-7	Xylenes (total)	0.45	ug/L	U	[NULL]	[NULL]	R	B0C255	1330-20-7	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	Y	7440-66-6	Zinc	15	ug/L	[NULL]	[NULL]	[NULL]	R	B0C256	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	N	7440-66-6	Zinc	14	ug/L	[NULL]	[NULL]	[NULL]	R	B0C255	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	6/13/1994 15:41	N	122-09-8	alpha,alpha-Dimethylphenethylamine	7.5	ug/L	U	[NULL]	[NULL]	R	B0C255	122-09-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.001	ug/L	U	[NULL]	[NULL]	R	B0C255	319-85-7	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-3	6/13/1994 15:41	N	10061-01-5	cis-1,3-Dichloropropene	0.17	ug/L	U	[NULL]	[NULL]	R	B0C255	10061-01-5	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	99-65-0	m-Dinitrobenzene	1.3	ug/L	U	[NULL]	[NULL]	R	B0C255	99-65-0	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	924-16-3	n-Nitrosodi-n-butylamine	5.5	ug/L	U	[NULL]	[NULL]	R	B0C255	924-16-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	621-64-7	n-Nitrosodi-n-dipropylamine	2	ug/L	U	[NULL]	[NULL]	R	B0C255	621-64-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	55-18-5	n-Nitrosodiethylamine	1.4	ug/L	U	[NULL]	[NULL]	R	B0C255	55-18-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	62-75-9	n-Nitrosodimethylamine	1.2	ug/L	U	[NULL]	[NULL]	R	B0C255	62-75-9	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	86-30-6	n-Nitrosodiphenylamine	1.6	ug/L	U	[NULL]	[NULL]	R	B0C255	86-30-6	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	10595-95-6	n-Nitrosomethylethylamine	1.1	ug/L	U	[NULL]	[NULL]	R	B0C255	10595-95-6	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	59-89-2	n-Nitrosomorpholine	1.5	ug/L	U	[NULL]	[NULL]	R	B0C255	59-89-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	100-75-4	n-Nitrosopiperidine	3.8	ug/L	U	[NULL]	[NULL]	R	B0C255	100-75-4	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	95-53-4	o-Toluidine	5.4	ug/L	U	[NULL]	[NULL]	R	B0C255	95-53-4	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	60-11-7	p-Dimethylaminoazobenzene	1.4	ug/L	U	[NULL]	[NULL]	R	B0C255	60-11-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	106-50-3	p-Phenylenediamine	2.6	ug/L	U	[NULL]	[NULL]	R	B0C255	106-50-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	99-35-4	sym-Trinitrobenzene	3.2	ug/L	U	[NULL]	[NULL]	R	B0C255	99-35-4	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-3	6/13/1994 15:41	N	10061-02-6	trans-1,3-Dichloropropene	0.16	ug/L	U	[NULL]	[NULL]	R	B0C255	10061-02-6	DATACH	8260_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	6/13/1994 15:41	N	110-57-6	trans-1,4-Dichloro-2-butene	2.2	ug/L	U	[NULL]	[NULL]	R	B0C255	110-57-6	DATACH	8260_VOA_GCMS	100-NR-2
199-N-3	9/9/1994 10:30	N	88-06-2	2,4,6-Trichlorophenol	1.6	ug/L	U	[NULL]	[NULL]	R	B0C975	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	9/9/1994 10:30	N	120-83-2	2,4-Dichlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B0C975	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	9/9/1994 10:30	N	105-67-9	2,4-Dimethylphenol	1.5	ug/L	U	[NULL]	[NULL]	R	B0C975	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	9/9/1994 10:30	N	51-28-5	2,4-Dinitrophenol	1.8	ug/L	U	[NULL]	[NULL]	R	B0C975	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	9/9/1994 10:30	N	87-65-0	2,6-Dichlorophenol	2.2	ug/L	U	[NULL]	[NULL]	R	B0C975	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	9/9/1994 10:30	N	95-57-8	2-Chlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B0C975	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	9/9/1994 10:30	N	88-75-5	2-Nitrophenol	1.7	ug/L	U	[NULL]	[NULL]	R	B0C975	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	9/9/1994 10:30	N	534-52-1	4,6-Dinitro-2-methylphenol	1.6	ug/L	U	[NULL]	[NULL]	R	B0C975	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	9/9/1994 10:30	N	59-50-7	4-Chloro-3-methylphenol	1.5	ug/L	U	[NULL]	[NULL]	R	B0C975	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	9/9/1994 10:30	N	100-02-7	4-Nitrophenol	1.4	ug/L	U	[NULL]	[NULL]	R	B0C975	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	9/9/1994 10:30	N	7429-90-5	Aluminum	34	ug/L	L	[NULL]	[NULL]	R	B0C975	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	Y	7429-90-5	Aluminum	19	ug/L	U	[NULL]	[NULL]	R	B0C979	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	Y	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C979	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	N	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C975	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	N	14234-35-6	Antimony-125	2.47	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCD2	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-3	9/9/1994 10:30	N	7440-38-2	Arsenic	0.64	ug/L	U	[NULL]	[NULL]	R	B0C975	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-3	9/9/1994 10:30	Y	7440-38-2	Arsenic	0.71	ug/L	L	[NULL]	[NULL]	R	B0C979	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-3	9/9/1994 10:30	Y	7440-39-3	Barium	120	ug/L	[NULL]	[NULL]	[NULL]	R	B0C979	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	N	7440-39-3	Barium	120	ug/L	[NULL]	[NULL]	[NULL]	R	B0C975	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	Y	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C979	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	N	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C975	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	N	24959-67-9	Bromide	110	ug/L	U	[NULL]	[NULL]	R	B0C975	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	9/9/1994 10:30	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C975	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C979	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	N	7440-70-2	Calcium	140000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C975	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	Y	7440-70-2	Calcium	140000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C979	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	N	10045-97-3	Cesium-137	-4.18	pCi/L	U	[NULL]	[NULL]	R	B0CCD2	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-3	9/9/1994 10:30	N	16887-00-6	Chloride	28000	ug/L	D	[NULL]	[NULL]	R	B0C975	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	9/9/1994 10:30	Y	7440-47-3	Chromium	11	ug/L	U	[NULL]	[NULL]	R	B0C979	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	N	7440-47-3	Chromium	11	ug/L	U	[NULL]	[NULL]	R	B0C975	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	Y	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C979	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	N	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C975	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	N	10198-40-0	Cobalt-60	3.68	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCD2	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-3	9/9/1994 10:30	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B0C975	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-3	9/9/1994 10:30	N	7440-50-8	Copper	2.6	ug/L	U	[NULL]	[NULL]	R	B0C975	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	Y	7440-50-8	Copper	2.6	ug/L	U	[NULL]	[NULL]	R	B0C979	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1.7	ug/L	U	[NULL]	[NULL]	R	B0C975	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	9/9/1994 10:30	N	16984-48-8	Fluoride	900	ug/L	[NULL]	[NULL]	[NULL]	R	B0C975	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	9/9/1994 10:30	N	12587-46-1	Gross alpha	7.25	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCD2	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	9/9/1994 10:30	N	12587-47-2	Gross beta	1680	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCD2	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	9/9/1994 10:30	N	302-01-2	Hydrazine	2.3	ug/L	U	[NULL]	[NULL]	R	B0C975	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-3	9/9/1994 10:30	Y	7439-89-6	Iron	18	ug/L	U	Q	[NULL]	R	B0C979	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	N	7439-89-6	Iron	280	ug/L	[NULL]	Q	[NULL]	R	B0C975	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	N	7439-92-1	Lead	1.5	ug/L	BL	[NULL]	[NULL]	R	B0C975	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-3	9/9/1994 10:30	Y	7439-92-1	Lead	2.8	ug/L	BL	[NULL]	[NULL]	R	B0C979	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-3	9/9/1994 10:30	N	7439-95-4	Magnesium	24000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C975	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	Y	7439-95-4	Magnesium	24000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C979	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	Y	7439-96-5	Manganese	1	ug/L	U	[NULL]	[NULL]	R	B0C979	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	N	7439-96-5	Manganese	5.2	ug/L	L	[NULL]	[NULL]	R	B0C975	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	Y	7439-97-6	Mercury	0.095	ug/L	U	[NULL]	[NULL]	R	B0C979	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	9/9/1994 10:30	N	7439-97-6	Mercury	0.095	ug/L	U	[NULL]	[NULL]	R	B0C975	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-3	9/9/1994 10:30	N	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0C975	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	Y	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0C979	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	N	14797-55-8	Nitrate	49000	ug/L	D	[NULL]	[NULL]	R	B0C975	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	9/9/1994 10:30	N	14797-65-0	Nitrite	110	ug/L	U	[NULL]	[NULL]	R	B0C975	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	9/9/1994 10:30	N	OIL/GREASE	Oil and grease	1000	ug/L	U	[NULL]	[NULL]	R	B0CSQ6	OIL/GREASE	QTESSL	9070_OILGREASE	100-NR-2
199-N-3	9/9/1994 10:30	N	87-86-5	Pentachlorophenol	1.7	ug/L	U	[NULL]	[NULL]	R	B0C975	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	9/9/1994 10:30	N	108-95-2	Phenol	0.57	ug/L	U	[NULL]	[NULL]	R	B0C975	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	9/9/1994 10:30	N	14265-44-2	Phosphate	470	ug/L	U	[NULL]	[NULL]	R	B0C975	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	9/9/1994 10:30	Y	7440-09-7	Potassium	3400	ug/L	[NULL]	[NULL]	[NULL]	R	B0C979	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	N	7440-09-7	Potassium	3700	ug/L	[NULL]	[NULL]	[NULL]	R	B0C975	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	N	7440-14-4	Radium	0.113	pCi/L	U	[NULL]	[NULL]	R	B0C975	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-3	9/9/1994 10:30	N	13967-48-1	Ruthenium-106	35.5	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCD2	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-3	9/9/1994 10:30	Y	7782-49-2	Selenium	1.4	ug/L	U	[NULL]	[NULL]	R	B0C979	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-3	9/9/1994 10:30	N	7782-49-2	Selenium	1.4	ug/L	U	[NULL]	[NULL]	R	B0C975	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-3	9/9/1994 10:30	N	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C975	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	Y	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C979	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	N	7440-23-5	Sodium	16000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C975	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	Y	7440-23-5	Sodium	16000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C979	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	N	CONDUCT	Specific Conductance	866	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C978	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/9/1994 10:30	N	CONDUCT	Specific Conductance	900	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C975	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-3	9/9/1994 10:30	N	CONDUCT	Specific Conductance	869	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C976	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/9/1994 10:30	N	CONDUCT	Specific Conductance	868	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C977	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/9/1994 10:30	N	CONDUCT	Specific Conductance	872	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C975	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/9/1994 10:30	N	10098-97-2	Strontium-90	927	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCD2	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	9/9/1994 10:30	N	14808-79-8	Sulfate	140000	ug/L	D	[NULL]	[NULL]	R	B0C975	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	9/9/1994 10:30	N	TEMPERATURE	Temperature	20.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0C975	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/9/1994 10:30	N	TEMPERATURE	Temperature	20.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0C976	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/9/1994 10:30	N	TEMPERATURE	Temperature	20.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0C977	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/9/1994 10:30	N	TEMPERATURE	Temperature	20.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0C978	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/9/1994 10:30	N	25167-83-3	Tetrachlorophenol	1.4	ug/L	U	[NULL]	[NULL]	R	B0C975	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	9/9/1994 10:30	N	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0C975	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	Y	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0C979	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	N	1319-77-3	Total cresols	4.8	ug/L	U	[NULL]	[NULL]	R	B0C975	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	9/9/1994 10:30	N	TOC	Total organic carbon	600	ug/L	L	[NULL]	[NULL]	R	B0C977	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	9/9/1994 10:30	N	TOC	Total organic carbon	700	ug/L	L	[NULL]	[NULL]	R	B0C978	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	9/9/1994 10:30	N	TOC	Total organic carbon	700	ug/L	L	[NULL]	[NULL]	R	B0C976	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	9/9/1994 10:30	N	TOC	Total organic carbon	600	ug/L	L	[NULL]	[NULL]	R	B0C975	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	9/9/1994 10:30	N	59473-04-0	Total organic halides	7	ug/L	[NULL]	[NULL]	[NULL]	R	B0C976	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-3	9/9/1994 10:30	N	59473-04-0	Total organic halides	6.5	ug/L	[NULL]	[NULL]	[NULL]	R	B0C975	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-3	9/9/1994 10:30	N	59473-04-0	Total organic halides	6.7	ug/L	[NULL]	[NULL]	[NULL]	R	B0C977	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-3	9/9/1994 10:30	N	59473-04-0	Total organic halides	6.6	ug/L	[NULL]	[NULL]	[NULL]	R	B0C978	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-3	9/9/1994 10:30	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	500	ug/L	U	[NULL]	[NULL]	R	B0CSQ6	TPHDIESEL	QTESSL	8015M_TPH_GC	100-NR-2
199-N-3	9/9/1994 10:30	N	25167-82-2	Trichlorophenol	2.1	ug/L	U	[NULL]	[NULL]	R	B0C975	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	9/9/1994 10:30	N	10028-17-8	Tritium	20800	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCD2	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-3	9/9/1994 10:30	N	TURBIDITY	Turbidity	3.6	NTU	[NULL]	Q	[NULL]	R	B0C975	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-3	9/9/1994 10:30	N	13966-29-5	Uranium-234	3.53	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCD2	13966-29-5	ITASRL	UISO_IE_AEA	100-NR-2
199-N-3	9/9/1994 10:30	N	15117-96-1	Uranium-235	0.16	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCD2	15117-96-1	ITASRL	UISO_IE_AEA	100-NR-2
199-N-3	9/9/1994 10:30	N	U-238	Uranium-238	3.31	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCD2	U-238	ITASRL	UISO_IE_AEA	100-NR-2
199-N-3	9/9/1994 10:30	Y	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0C979	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	N	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0C975	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	Y	7440-66-6	Zinc	16	ug/L	[NULL]	Q	[NULL]	R	B0C979	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/9/1994 10:30	N	7440-66-6	Zinc	20	ug/L	[NULL]	Q	[NULL]	R	B0C975	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	9/9/1994 10:30	N	PH	pH Measurement	7.46	unitless	[NULL]	[NULL]	[NULL]	R	B0C978	PH	FIELD	9040_PH	100-NR-2
199-N-3	9/9/1994 10:30	N	PH	pH Measurement	7.49	unitless	[NULL]	[NULL]	[NULL]	R	B0C977	PH	FIELD	9040_PH	100-NR-2
199-N-3	9/9/1994 10:30	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	B0C975	PH	DATACH	D1293_PH	100-NR-2
199-N-3	9/9/1994 10:30	N	PH	pH Measurement	7.47	unitless	[NULL]	[NULL]	[NULL]	R	B0C975	PH	FIELD	9040_PH	100-NR-2
199-N-3	9/9/1994 10:30	N	PH	pH Measurement	7.47	unitless	[NULL]	[NULL]	[NULL]	R	B0C976	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/9/1995 9:15	N	71-55-6	1,1,1-Trichloroethane	0.5	ug/L	U	[NULL]	[NULL]	R	B0DRS5	71-55-6	PNL1	502.2_VOA_GC	100-NR-2
199-N-3	3/9/1995 9:15	N	75-34-3	1,1-Dichloroethane	0.5	ug/L	U	[NULL]	[NULL]	R	B0DRS5	75-34-3	PNL1	502.2_VOA_GC	100-NR-2
199-N-3	3/9/1995 9:15	N	107-06-2	1,2-Dichloroethane	0.5	ug/L	U	[NULL]	[NULL]	R	B0DRS5	107-06-2	PNL1	502.2_VOA_GC	100-NR-2
199-N-3	3/9/1995 9:15	N	88-06-2	2,4,6-Trichlorophenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DYD9	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/9/1995 9:15	N	120-83-2	2,4-Dichlorophenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DYD9	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/9/1995 9:15	N	105-67-9	2,4-Dimethylphenol	1.2	ug/L	U	[NULL]	[NULL]	R	B0DYD9	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/9/1995 9:15	N	51-28-5	2,4-Dinitrophenol	3	ug/L	U	Q	[NULL]	R	B0DYD9	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/9/1995 9:15	N	87-65-0	2,6-Dichlorophenol	1.4	ug/L	U	[NULL]	[NULL]	R	B0DYD9	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/9/1995 9:15	N	78-93-3	2-Butanone	5	ug/L	U	[NULL]	[NULL]	R	B0DRS5	78-93-3	PNL1	502.2_VOA_GC	100-NR-2
199-N-3	3/9/1995 9:15	N	95-57-8	2-Chlorophenol	1.6	ug/L	U	[NULL]	[NULL]	R	B0DYD9	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/9/1995 9:15	N	88-75-5	2-Nitrophenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DYD9	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/9/1995 9:15	N	108-10-1	2-Pentanone, 4-Methyl	5	ug/L	U	[NULL]	[NULL]	R	B0DRS5	108-10-1	PNL1	502.2_VOA_GC	100-NR-2
199-N-3	3/9/1995 9:15	N	67-63-0	2-Propanol	500	ug/L	U	[NULL]	[NULL]	R	B0DRS5	67-63-0	PNL1	502.2_VOA_GC	100-NR-2
199-N-3	3/9/1995 9:15	N	534-52-1	4,6-Dinitro-2-methylphenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DYD9	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/9/1995 9:15	N	59-50-7	4-Chloro-3-methylphenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DYD9	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/9/1995 9:15	N	100-02-7	4-Nitrophenol	3	ug/L	U	[NULL]	[NULL]	R	B0DYD9	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/9/1995 9:15	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	B0DRS5	67-64-1	PNL1	502.2_VOA_GC	100-NR-2
199-N-3	3/9/1995 9:15	N	ALKALINITY	Alkalinity	230000	ug/L	B	[NULL]	[NULL]	R	B0DRS5	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-3	3/9/1995 9:15	Y	7429-90-5	Aluminum	23.5	ug/L	U	[NULL]	[NULL]	R	B0DX43	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1995 9:15	N	7429-90-5	Aluminum	44.3	ug/L	U	[NULL]	[NULL]	R	B0DX42	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1995 9:15	Y	7440-36-0	Antimony	32.7	ug/L	U	[NULL]	[NULL]	R	B0DX43	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1995 9:15	N	7440-36-0	Antimony	32.7	ug/L	U	[NULL]	[NULL]	R	B0DX42	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1995 9:15	N	14234-35-6	Antimony-125	1.93	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DRS5	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-3	3/9/1995 9:15	N	7440-39-3	Barium	422	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX42	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1995 9:15	Y	7440-39-3	Barium	140	ug/L	B	[NULL]	[NULL]	R	B0DX43	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1995 9:15	N	71-43-2	Benzene	0.5	ug/L	U	[NULL]	[NULL]	R	B0DRS5	71-43-2	PNL1	502.2_VOA_GC	100-NR-2
199-N-3	3/9/1995 9:15	N	7440-41-7	Beryllium	0.24	ug/L	B	[NULL]	[NULL]	R	B0DX42	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1995 9:15	Y	7440-41-7	Beryllium	0.2	ug/L	U	[NULL]	[NULL]	R	B0DX43	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1995 9:15	N	24959-67-9	Bromide	200	ug/L	L	[NULL]	[NULL]	R	B0DRS5	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	3/9/1995 9:15	N	75-27-4	Bromodichloromethane	0.5	ug/L	U	[NULL]	[NULL]	R	B0DRS5	75-27-4	PNL1	502.2_VOA_GC	100-NR-2
199-N-3	3/9/1995 9:15	N	75-25-2	Bromoform	0.5	ug/L	U	[NULL]	[NULL]	R	B0DRS5	75-25-2	PNL1	502.2_VOA_GC	100-NR-2
199-N-3	3/9/1995 9:15	Y	7440-43-9	Cadmium	3.8	ug/L	U	[NULL]	[NULL]	R	B0DX43	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1995 9:15	N	7440-43-9	Cadmium	3.8	ug/L	U	[NULL]	[NULL]	R	B0DX42	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1995 9:15	Y	7440-70-2	Calcium	150000	ug/L	J	[NULL]	[NULL]	R	B0DX43	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1995 9:15	N	7440-70-2	Calcium	148000	ug/L	J	[NULL]	[NULL]	R	B0DX42	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1995 9:15	N	56-23-5	Carbon tetrachloride	0.5	ug/L	U	[NULL]	[NULL]	R	B0DRS5	56-23-5	PNL1	502.2_VOA_GC	100-NR-2
199-N-3	3/9/1995 9:15	N	10045-97-3	Cesium-137	1.92	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DRS5	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-3	3/9/1995 9:15	N	16887-00-6	Chloride	26000	ug/L	D	[NULL]	[NULL]	R	B0DRS5	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	3/9/1995 9:15	Y	16887-00-6	Chloride	25300	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX43	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/9/1995 9:15	N	67-66-3	Chloroform	2.7	ug/L	[NULL]	[NULL]	[NULL]	R	B0DRS5	67-66-3	PNL1	502.2_VOA_GC	100-NR-2
199-N-3	3/9/1995 9:15	Y	7440-47-3	Chromium	3.2	ug/L	B	[NULL]	[NULL]	R	B0DX43	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1995 9:15	N	7440-47-3	Chromium	10	ug/L	B	[NULL]	[NULL]	R	B0DX42	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1995 9:15	Y	7440-48-4	Cobalt	4.1	ug/L	U	[NULL]	[NULL]	R	B0DX43	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1995 9:15	N	7440-48-4	Cobalt	4.1	ug/L	U	[NULL]	[NULL]	R	B0DX42	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1995 9:15	N	10198-40-0	Cobalt-60	3.72	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DRS5	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-3	3/9/1995 9:15	Y	7440-50-8	Copper	13.8	ug/L	B	[NULL]	[NULL]	R	B0DX43	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1995 9:15	N	7440-50-8	Copper	15.8	ug/L	B	[NULL]	[NULL]	R	B0DX42	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1995 9:15	N	124-48-1	Dibromochloromethane	0.5	ug/L	U	[NULL]	[NULL]	R	B0DRS5	124-48-1	PNL1	502.2_VOA_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/9/1995 9:15	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1.3	ug/L	U	[NULL]	[NULL]	R	B0DYD9	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/9/1995 9:15	N	100-41-4	Ethylbenzene	0.5	ug/L	U	[NULL]	[NULL]	R	B0DRS5	100-41-4	PNL1	502.2_VOA_GC	100-NR-2
199-N-3	3/9/1995 9:15	Y	16984-48-8	Fluoride	100	ug/L	U	[NULL]	[NULL]	R	B0DX43	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/9/1995 9:15	N	16984-48-8	Fluoride	700	ug/L	[NULL]	[NULL]	[NULL]	R	B0DRS5	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	3/9/1995 9:15	N	12587-46-1	Gross alpha	5.6	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DRS5	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	3/9/1995 9:15	N	12587-47-2	Gross beta	1800	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DRS5	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	3/9/1995 9:15	N	15046-84-1	Iodine-129	0.236	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DRS5	15046-84-1	ITASRL	I129_SEP_LEPS_GS	100-NR-2
199-N-3	3/9/1995 9:15	Y	7439-89-6	Iron	44.7	ug/L	U	[NULL]	[NULL]	R	B0DX43	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1995 9:15	N	7439-89-6	Iron	178	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX42	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1995 9:15	Y	7439-92-1	Lead	1.5	ug/L	U	[NULL]	[NULL]	R	B0DYF0	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-3	3/9/1995 9:15	N	7439-95-4	Magnesium	25600	ug/L	J	[NULL]	[NULL]	R	B0DX42	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1995 9:15	Y	7439-95-4	Magnesium	25900	ug/L	J	[NULL]	[NULL]	R	B0DX43	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1995 9:15	Y	7439-96-5	Manganese	6.8	ug/L	B	[NULL]	[NULL]	R	B0DX43	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1995 9:15	N	7439-96-5	Manganese	12	ug/L	B	[NULL]	[NULL]	R	B0DX42	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1995 9:15	N	75-09-2	Methylene chloride	2	ug/L	U	[NULL]	[NULL]	R	B0DRS5	75-09-2	PNL1	502.2_VOA_GC	100-NR-2
199-N-3	3/9/1995 9:15	Y	7440-02-0	Nickel	15.2	ug/L	U	[NULL]	[NULL]	R	B0DX43	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1995 9:15	N	7440-02-0	Nickel	15.2	ug/L	U	[NULL]	[NULL]	R	B0DX42	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1995 9:15	N	14797-55-8	Nitrate	43000	ug/L	D	[NULL]	[NULL]	R	B0DRS5	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	3/9/1995 9:15	Y	14797-55-8	Nitrate	51800	ug/L	J	[NULL]	[NULL]	R	B0DX43	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/9/1995 9:15	N	14797-65-0	Nitrite	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DRS5	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	3/9/1995 9:15	Y	14797-65-0	Nitrite	65.7	ug/L	U	R	R	R	B0DX43	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/9/1995 9:15	N	OIL/GREASE	Oil and grease	1430	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX42	OIL/GREASE	QTESSL	413.1_OILGREASE	100-NR-2
199-N-3	3/9/1995 9:15	N	87-86-5	Pentachlorophenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DYD9	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/9/1995 9:15	N	108-95-2	Phenol	0.31	ug/L	U	[NULL]	[NULL]	R	B0DYD9	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/9/1995 9:15	N	14265-44-2	Phosphate	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DRS5	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	3/9/1995 9:15	Y	14265-44-2	Phosphate	1000	ug/L	U	R	R	R	B0DX43	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/9/1995 9:15	Y	7440-09-7	Potassium	3810	ug/L	BJ	[NULL]	[NULL]	R	B0DX43	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1995 9:15	N	7440-09-7	Potassium	4340	ug/L	BJ	[NULL]	[NULL]	R	B0DX42	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1995 9:15	N	13967-48-1	Ruthenium-106	-25	pCi/L	U	[NULL]	[NULL]	R	B0DRS5	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-3	3/9/1995 9:15	Y	7440-22-4	Silver	3.8	ug/L	U	[NULL]	[NULL]	R	B0DX43	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1995 9:15	N	7440-22-4	Silver	4.1	ug/L	B	[NULL]	[NULL]	R	B0DX42	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1995 9:15	N	7440-23-5	Sodium	16500	ug/L	J	[NULL]	[NULL]	R	B0DX42	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1995 9:15	Y	7440-23-5	Sodium	16600	ug/L	J	[NULL]	[NULL]	R	B0DX43	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1995 9:15	N	CONDUCT	Specific Conductance	882	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DX42	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-3	3/9/1995 9:15	N	CONDUCT	Specific Conductance	841	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DYD9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/9/1995 9:15	N	10098-97-2	Strontium-90	960	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DRS5	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	3/9/1995 9:15	Y	10098-97-2	Strontium-90	1.4	pCi/L	[NULL]	F	[NULL]	R	B0DRS6	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	3/9/1995 9:15	N	14808-79-8	Sulfate	160000	ug/L	D	[NULL]	[NULL]	R	B0DRS5	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	3/9/1995 9:15	Y	14808-79-8	Sulfate	197000	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX43	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/9/1995 9:15	N	14133-76-7	Technetium-99	0.611	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DRS5	14133-76-7	ITASRL	TC99_SEP_LSC	100-NR-2
199-N-3	3/9/1995 9:15	N	TEMPERATURE	Temperature	19.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0DYD9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/9/1995 9:15	N	127-18-4	Tetrachloroethene	0.9	ug/L	[NULL]	[NULL]	[NULL]	R	B0DRS5	127-18-4	PNL1	502.2_VOA_GC	100-NR-2
199-N-3	3/9/1995 9:15	N	25167-83-3	Tetrachlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B0DYD9	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/9/1995 9:15	N	109-99-9	Tetrahydrofuran	5	ug/L	U	[NULL]	[NULL]	R	B0DRS5	109-99-9	PNL1	502.2_VOA_GC	100-NR-2
199-N-3	3/9/1995 9:15	N	108-88-3	Toluene	1	ug/L	U	[NULL]	[NULL]	R	B0DRS5	108-88-3	PNL1	502.2_VOA_GC	100-NR-2
199-N-3	3/9/1995 9:15	N	1319-77-3	Total cresols	4.8	ug/L	U	[NULL]	[NULL]	R	B0DYD9	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/9/1995 9:15	N	TOC	Total organic carbon	600	ug/L	L	[NULL]	[NULL]	R	B0DYD9	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	3/9/1995 9:15	N	59473-04-0	Total organic halides	5.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0DYD9	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-3	3/9/1995 9:15	N	TPH	Total petroleum hydrocarbons	480	ug/L	U	[NULL]	[NULL]	R	B0DX42	TPH	QTESSL	418.1_TPH_IR	100-NR-2
199-N-3	3/9/1995 9:15	N	79-01-6	Trichloroethene	0.5	ug/L	U	[NULL]	[NULL]	R	B0DRS5	79-01-6	PNL1	502.2_VOA_GC	100-NR-2
199-N-3	3/9/1995 9:15	N	25167-82-2	Trichlorophenol	1.7	ug/L	U	[NULL]	[NULL]	R	B0DYD9	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/9/1995 9:15	N	10028-17-8	Tritium	19400	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DRS5	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-3	3/9/1995 9:15	N	TURBIDITY	Turbidity	1.04	NTU	J	[NULL]	[NULL]	R	B0DX42	TURBIDITY	QTESSL	180.1_TURBIDITY	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/9/1995 9:15	N	13966-29-5	Uranium-234	3.12	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DRS5	13966-29-5	ITASRL	UISO_IE_AEA	100-NR-2
199-N-3	3/9/1995 9:15	N	15117-96-1	Uranium-235	0.106	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DRS5	15117-96-1	ITASRL	UISO_IE_AEA	100-NR-2
199-N-3	3/9/1995 9:15	N	U-238	Uranium-238	2.45	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DRS5	U-238	ITASRL	UISO_IE_AEA	100-NR-2
199-N-3	3/9/1995 9:15	N	7440-62-2	Vanadium	14.8	ug/L	B	[NULL]	[NULL]	R	B0DX42	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1995 9:15	Y	7440-62-2	Vanadium	15.4	ug/L	B	[NULL]	[NULL]	R	B0DX43	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1995 9:15	N	1330-20-7	Xylenes (total)	1	ug/L	U	[NULL]	[NULL]	R	B0DRS5	1330-20-7	PNL1	502.2_VOA_GC	100-NR-2
199-N-3	3/9/1995 9:15	Y	7440-66-6	Zinc	13.1	ug/L	B	[NULL]	[NULL]	R	B0DX43	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1995 9:15	N	7440-66-6	Zinc	53.5	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX42	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/1995 9:15	N	156-59-2	cis-1,2-Dichloroethylene	0.5	ug/L	U	[NULL]	[NULL]	R	B0DRS5	156-59-2	PNL1	502.2_VOA_GC	100-NR-2
199-N-3	3/9/1995 9:15	N	PH	pH Measurement	7.89	unitless	J	[NULL]	[NULL]	R	B0DX42	PH	QTESSL	9040_PH	100-NR-2
199-N-3	3/9/1995 9:15	N	PH	pH Measurement	7.31	unitless	[NULL]	[NULL]	[NULL]	R	B0DYD9	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/9/1995 9:15	N	156-60-5	trans-1,2-Dichloroethylene	0.5	ug/L	U	[NULL]	[NULL]	R	B0DRS5	156-60-5	PNL1	502.2_VOA_GC	100-NR-2
199-N-3	8/8/1995 11:35	N	7440-70-2	Calcium	139000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GB70	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	8/8/1995 11:35	N	7440-70-2	Calcium	150000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GB71	7440-70-2	LASLV	6010_METALS_ICP	100-NR-2
199-N-3	8/8/1995 11:35	N	7440-70-2	Calcium	141000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GB54	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	8/8/1995 11:35	N	7439-95-4	Magnesium	24400	ug/L	[NULL]	[NULL]	[NULL]	R	B0GB70	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	8/8/1995 11:35	N	7439-95-4	Magnesium	25600	ug/L	[NULL]	[NULL]	[NULL]	R	B0GB71	7439-95-4	LASLV	6010_METALS_ICP	100-NR-2
199-N-3	8/8/1995 11:35	N	7439-95-4	Magnesium	25000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GB54	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	8/8/1995 11:35	N	10098-97-2	Strontium-90	970	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GB71	SR-RAD	LASLV	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	8/8/1995 11:35	N	10098-97-2	Strontium-90	1040	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GB70	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	8/8/1995 11:35	N	10098-97-2	Strontium-90	1020	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GB54	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	8/8/1995 11:35	N	14808-79-8	Sulfate	130000	ug/L	D	[NULL]	[NULL]	R	B0GB71	14808-79-8	LASLV	375.4_SULFATE	100-NR-2
199-N-3	8/8/1995 11:35	N	14808-79-8	Sulfate	206000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GB70	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	8/8/1995 11:35	N	14808-79-8	Sulfate	198000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GB54	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	8/8/1995 11:35	N	TPH	Total petroleum hydrocarbons	2370	ug/L	U	[NULL]	[NULL]	R	B0GB54	TPH	QTESSL	418.1_TPH_IR	100-NR-2
199-N-3	8/8/1995 11:35	N	TPH	Total petroleum hydrocarbons	2340	ug/L	U	[NULL]	[NULL]	R	B0GB70	TPH	QTESSL	418.1_TPH_IR	100-NR-2
199-N-3	8/8/1995 11:35	N	TPH	Total petroleum hydrocarbons	1000	ug/L	U	[NULL]	[NULL]	R	B0GB71	TPH	LASLV	418.1_TPH_IR	100-NR-2
199-N-3	9/15/1995 11:18	N	ALKALINITY	Alkalinity	320000	ug/L	D	[NULL]	[NULL]	R	B0GC09	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-3	9/15/1995 11:18	N	7429-90-5	Aluminum	44.2	ug/L	U	[NULL]	[NULL]	R	B0GHX7	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	Y	7429-90-5	Aluminum	39	ug/L	BL	[NULL]	[NULL]	R	B0GC13	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	Y	7440-36-0	Antimony	24	ug/L	U	[NULL]	[NULL]	R	B0GC13	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	N	7440-36-0	Antimony	45.9	ug/L	U	[NULL]	[NULL]	R	B0GHX7	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	Y	7440-39-3	Barium	160	ug/L	[NULL]	[NULL]	[NULL]	R	B0GC13	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	N	7440-39-3	Barium	158	ug/L	B	[NULL]	[NULL]	R	B0GHX7	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	Y	7440-41-7	Beryllium	0.63	ug/L	U	[NULL]	[NULL]	R	B0GC13	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	N	7440-41-7	Beryllium	0.84	ug/L	U	[NULL]	[NULL]	R	B0GHX7	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	N	24959-67-9	Bromide	150	ug/L	[NULL]	[NULL]	[NULL]	R	B0GC09	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	9/15/1995 11:18	Y	7440-43-9	Cadmium	0.98	ug/L	U	[NULL]	[NULL]	R	B0GC13	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	N	7440-43-9	Cadmium	3.1	ug/L	U	[NULL]	[NULL]	R	B0GHX7	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	N	7440-70-2	Calcium	172000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GHX7	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	N	7440-70-2	Calcium	165000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GFS8	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	Y	7440-70-2	Calcium	170000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GC13	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	N	10045-97-3	Cesium-137	5.48	pCi/L	U	[NULL]	[NULL]	R	B0GHX7	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-3	9/15/1995 11:18	N	16887-00-6	Chloride	33000	ug/L	D	[NULL]	[NULL]	R	B0GC09	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	9/15/1995 11:18	N	16887-00-6	Chloride	30600	ug/L	[NULL]	[NULL]	[NULL]	R	B0GHX7	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/15/1995 11:18	Y	7440-47-3	Chromium	5.2	ug/L	L	[NULL]	[NULL]	R	B0GC13	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	N	7440-47-3	Chromium	9.8	ug/L	B	[NULL]	[NULL]	R	B0GHX7	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	N	7440-48-4	Cobalt	4.3	ug/L	U	[NULL]	[NULL]	R	B0GHX7	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	Y	7440-48-4	Cobalt	5.3	ug/L	U	[NULL]	[NULL]	R	B0GC13	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	N	13981-38-9	Cobalt-58	0.774	pCi/L	U	[NULL]	[NULL]	R	B0GHX7	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-3	9/15/1995 11:18	N	10198-40-0	Cobalt-60	-2.05	pCi/L	U	[NULL]	[NULL]	R	B0GHX7	10198-40-0	QTESRL	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	9/15/1995 11:18	N	7440-50-8	Copper	21.8	ug/L	B	[NULL]	[NULL]	R	B0GHX7	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	Y	7440-50-8	Copper	2.4	ug/L	BL	[NULL]	[NULL]	R	B0GC13	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	N	14683-23-9	Europium-152	-9.76	pCi/L	U	[NULL]	[NULL]	R	B0GHX7	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-3	9/15/1995 11:18	N	15585-10-1	Europium-154	3.94	pCi/L	U	[NULL]	[NULL]	R	B0GHX7	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-3	9/15/1995 11:18	N	14391-16-3	Europium-155	3.53	pCi/L	U	[NULL]	[NULL]	R	B0GHX7	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-3	9/15/1995 11:18	N	16984-48-8	Fluoride	1000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GC09	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	9/15/1995 11:18	N	16984-48-8	Fluoride	200	ug/L	U	[NULL]	[NULL]	R	B0GHX7	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/15/1995 11:18	N	12587-46-1	Gross alpha	9.13	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GC09	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	9/15/1995 11:18	N	12587-47-2	Gross beta	1880	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GC09	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	9/15/1995 11:18	Y	7439-89-6	Iron	19	ug/L	L	[NULL]	[NULL]	R	B0GC13	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	N	7439-89-6	Iron	267	ug/L	[NULL]	[NULL]	[NULL]	R	B0GHX7	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	N	14596-12-4	Iron-59	-9.43	pCi/L	U	[NULL]	[NULL]	R	B0GHX7	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-3	9/15/1995 11:18	Y	7439-92-1	Lead	0.88	ug/L	U	H	[NULL]	R	B0GC13	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-3	9/15/1995 11:18	N	7439-95-4	Magnesium	30500	ug/L	[NULL]	[NULL]	[NULL]	R	B0GHX7	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	N	7439-95-4	Magnesium	29200	ug/L	[NULL]	[NULL]	[NULL]	R	B0GFS8	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	Y	7439-95-4	Magnesium	29000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GC13	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	Y	7439-96-5	Manganese	0.55	ug/L	U	[NULL]	[NULL]	R	B0GC13	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	N	7439-96-5	Manganese	14.8	ug/L	B	[NULL]	[NULL]	R	B0GHX7	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	Y	7440-02-0	Nickel	11	ug/L	U	[NULL]	[NULL]	R	B0GC13	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	N	7440-02-0	Nickel	14.2	ug/L	U	[NULL]	[NULL]	R	B0GHX7	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	N	14797-55-8	Nitrate	72600	ug/L	J	[NULL]	[NULL]	R	B0GHX7	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/15/1995 11:18	N	14797-55-8	Nitrate	73000	ug/L	D	[NULL]	[NULL]	R	B0GC09	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	9/15/1995 11:18	N	14797-65-0	Nitrite	65.7	ug/L	U	R	R	R	B0GHX7	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/15/1995 11:18	N	14797-65-0	Nitrite	140	ug/L	U	[NULL]	[NULL]	R	B0GC09	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	9/15/1995 11:18	N	OIL/GREASE	Oil and grease	940	ug/L	U	[NULL]	[NULL]	R	B0GHX7	OIL/GREASE	QTESSL	413.1_OILGREASE	100-NR-2
199-N-3	9/15/1995 11:18	N	14265-44-2	Phosphate	340	ug/L	U	[NULL]	[NULL]	R	B0GC09	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	9/15/1995 11:18	N	14265-44-2	Phosphate	500	ug/L	U	R	R	R	B0GHX7	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/15/1995 11:18	N	7440-09-7	Potassium	4330	ug/L	B	[NULL]	[NULL]	R	B0GHX7	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	Y	7440-09-7	Potassium	4600	ug/L	[NULL]	[NULL]	[NULL]	R	B0GC13	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	N	7440-22-4	Silver	4.6	ug/L	U	[NULL]	[NULL]	R	B0GHX7	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	Y	7440-22-4	Silver	5.5	ug/L	U	[NULL]	[NULL]	R	B0GC13	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	N	7440-23-5	Sodium	17600	ug/L	[NULL]	[NULL]	[NULL]	R	B0GHX7	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	Y	7440-23-5	Sodium	18000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GC13	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	N	CONDUCT	Specific Conductance	1107	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GC12	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/15/1995 11:18	N	CONDUCT	Specific Conductance	1108	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GC09	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/15/1995 11:18	N	CONDUCT	Specific Conductance	1104	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GC10	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/15/1995 11:18	N	CONDUCT	Specific Conductance	1108	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GC11	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/15/1995 11:18	N	CONDUCT	Specific Conductance	1090	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GHX7	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-3	9/15/1995 11:18	Y	7440-24-6	Strontium	670	ug/L	[NULL]	H	[NULL]	R	B0GC13	7440-24-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	N	10098-97-2	Strontium-90	914	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GFS8	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	9/15/1995 11:18	N	10098-97-2	Strontium-90	952	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GHX7	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	9/15/1995 11:18	N	14808-79-8	Sulfate	144000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GFS8	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/15/1995 11:18	N	14808-79-8	Sulfate	143000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GHX7	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/15/1995 11:18	N	14808-79-8	Sulfate	140000	ug/L	D	[NULL]	[NULL]	R	B0GC09	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	9/15/1995 11:18	N	TEMPERATURE	Temperature	21.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0GC10	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/15/1995 11:18	N	TEMPERATURE	Temperature	21.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0GC11	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/15/1995 11:18	N	TEMPERATURE	Temperature	21.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0GC12	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/15/1995 11:18	N	TEMPERATURE	Temperature	21.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0GC09	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/15/1995 11:18	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	B0GC13	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	N	TOC	Total organic carbon	700	ug/L	[NULL]	[NULL]	[NULL]	R	B0GC11	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	9/15/1995 11:18	N	TOC	Total organic carbon	600	ug/L	[NULL]	[NULL]	[NULL]	R	B0GC10	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	9/15/1995 11:18	N	TOC	Total organic carbon	600	ug/L	[NULL]	[NULL]	[NULL]	R	B0GC09	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	9/15/1995 11:18	N	TOC	Total organic carbon	600	ug/L	[NULL]	[NULL]	[NULL]	R	B0GC12	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	9/15/1995 11:18	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0GC11	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-3	9/15/1995 11:18	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0GC12	59473-04-0	DATACH	9020_TOX	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	9/15/1995 11:18	N	TPH	Total petroleum hydrocarbons	480	ug/L	U	R	R	R	B0GHX7	TPH	QTESSL	418.1_TPH_IR	100-NR-2
199-N-3	9/15/1995 11:18	N	TPH	Total petroleum hydrocarbons	480	ug/L	U	[NULL]	[NULL]	R	B0GFS8	TPH	QTESSL	418.1_TPH_IR	100-NR-2
199-N-3	9/15/1995 11:18	N	10028-17-8	Tritium	20900	pCi/L	J	[NULL]	[NULL]	R	B0GHX7	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-3	9/15/1995 11:18	N	TURBIDITY	Turbidity	1.75	NTU	J	[NULL]	[NULL]	R	B0GHX7	TURBIDITY	QTESSL	180.1_TURBIDITY	100-NR-2
199-N-3	9/15/1995 11:18	N	TURBIDITY	Turbidity	2.74	NTU	[NULL]	[NULL]	[NULL]	R	B0GC09	TURBIDITY	FIELD	180.1_TURBIDITY	100-NR-2
199-N-3	9/15/1995 11:18	N	7440-62-2	Vanadium	23.1	ug/L	B	[NULL]	[NULL]	R	B0GHX7	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	Y	7440-62-2	Vanadium	4.5	ug/L	L	[NULL]	[NULL]	R	B0GC13	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	N	7440-66-6	Zinc	40.7	ug/L	[NULL]	[NULL]	[NULL]	R	B0GHX7	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	Y	7440-66-6	Zinc	3.7	ug/L	U	[NULL]	[NULL]	R	B0GC13	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/15/1995 11:18	N	PH	pH Measurement	7.39	unitless	[NULL]	[NULL]	[NULL]	R	B0GC12	PH	FIELD	9040_PH	100-NR-2
199-N-3	9/15/1995 11:18	N	PH	pH Measurement	7.39	unitless	[NULL]	[NULL]	[NULL]	R	B0GC10	PH	FIELD	9040_PH	100-NR-2
199-N-3	9/15/1995 11:18	N	PH	pH Measurement	7.39	unitless	[NULL]	[NULL]	[NULL]	R	B0GC11	PH	FIELD	9040_PH	100-NR-2
199-N-3	9/15/1995 11:18	N	PH	pH Measurement	7.39	unitless	[NULL]	[NULL]	[NULL]	R	B0GC09	PH	FIELD	9040_PH	100-NR-2
199-N-3	9/15/1995 11:18	N	PH	pH Measurement	7.4	unitless	[NULL]	[NULL]	[NULL]	R	B0GC09	PH	DATACH	D1293_PH	100-NR-2
199-N-3	12/13/1995 13:55	N	10098-97-2	Strontium-90	642	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GYT3	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	1/8/1996 14:15	N	7440-70-2	Calcium	134000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GZF9	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	1/8/1996 14:15	N	DO	Dissolved oxygen	4200	ug/L	[NULL]	[NULL]	[NULL]	R	B0GZF9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	1/8/1996 14:15	N	7439-95-4	Magnesium	24400	ug/L	[NULL]	[NULL]	[NULL]	R	B0GZF9	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	1/8/1996 14:15	N	CONDUCT	Specific Conductance	885	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GZF9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	1/8/1996 14:15	N	10098-97-2	Strontium-90	803	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GZF9	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	1/8/1996 14:15	N	14808-79-8	Sulfate	208000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GZF9	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	1/8/1996 14:15	N	TEMPERATURE	Temperature	14.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0GZF9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	1/8/1996 14:15	N	TPH	Total petroleum hydrocarbons	500	ug/L	U	[NULL]	[NULL]	R	B0GZF9	TPH	QTESSL	418.1_TPH_IR	100-NR-2
199-N-3	1/8/1996 14:15	N	TURBIDITY	Turbidity	8	NTU	[NULL]	[NULL]	[NULL]	R	B0GZF9	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	1/8/1996 14:15	N	PH	pH Measurement	7.64	unitless	[NULL]	[NULL]	[NULL]	R	B0GZF9	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	3/8/1996 13:15	N	DO	Dissolved oxygen	3060	ug/L	[NULL]	[NULL]	[NULL]	R	B0H6H5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	3/8/1996 13:15	N	CONDUCT	Specific Conductance	895	uS/cm	[NULL]	[NULL]	[NULL]	R	B0H6H5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	3/8/1996 13:15	N	10098-97-2	Strontium-90	1060	pCi/L	[NULL]	[NULL]	[NULL]	R	B0H6H5	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	3/8/1996 13:15	N	TEMPERATURE	Temperature	18.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0H6H5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/8/1996 13:15	N	TURBIDITY	Turbidity	23.6	NTU	[NULL]	[NULL]	[NULL]	R	B0H6H5	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	3/8/1996 13:15	N	PH	pH Measurement	7.61	unitless	[NULL]	[NULL]	[NULL]	R	B0H6H5	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	3/25/1996 12:25	N	88-06-2	2,4,6-Trichlorophenol	0.8	ug/L	U	[NULL]	[NULL]	R	B0HNK0	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/25/1996 12:25	N	120-83-2	2,4-Dichlorophenol	0.43	ug/L	U	[NULL]	[NULL]	R	B0HNK0	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/25/1996 12:25	N	105-67-9	2,4-Dimethylphenol	0.62	ug/L	U	[NULL]	[NULL]	R	B0HNK0	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/25/1996 12:25	N	51-28-5	2,4-Dinitrophenol	6.8	ug/L	U	[NULL]	[NULL]	R	B0HNK0	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/25/1996 12:25	N	87-65-0	2,6-Dichlorophenol	0.52	ug/L	U	[NULL]	[NULL]	R	B0HNK0	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/25/1996 12:25	N	95-57-8	2-Chlorophenol	0.6	ug/L	U	[NULL]	[NULL]	R	B0HNK0	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/25/1996 12:25	N	88-75-5	2-Nitrophenol	0.6	ug/L	U	[NULL]	[NULL]	R	B0HNK0	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/25/1996 12:25	N	534-52-1	4,6-Dinitro-2-methylphenol	0.84	ug/L	U	[NULL]	[NULL]	R	B0HNK0	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/25/1996 12:25	N	59-50-7	4-Chloro-3-methylphenol	0.52	ug/L	U	[NULL]	[NULL]	R	B0HNK0	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/25/1996 12:25	N	100-02-7	4-Nitrophenol	0.49	ug/L	U	[NULL]	[NULL]	R	B0HNK0	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/25/1996 12:25	N	ALKALINITY	Alkalinity	240000	ug/L	D	[NULL]	[NULL]	R	B0HNK0	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-3	3/25/1996 12:25	Y	7429-90-5	Aluminum	31	ug/L	U	[NULL]	[NULL]	R	B0HNK4	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	N	7429-90-5	Aluminum	320	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8H6	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	N	7440-36-0	Antimony	31.7	ug/L	U	[NULL]	[NULL]	R	B0H8H6	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	Y	7440-36-0	Antimony	24	ug/L	U	[NULL]	[NULL]	R	B0HNK4	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	Y	7440-38-2	Arsenic	2.6	ug/L	U	[NULL]	[NULL]	R	B0HNK4	7440-38-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	N	7440-39-3	Barium	143	ug/L	B	[NULL]	[NULL]	R	B0H8H6	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	Y	7440-39-3	Barium	140	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNK4	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	N	7440-41-7	Beryllium	0.6	ug/L	U	[NULL]	[NULL]	R	B0H8H6	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	Y	7440-41-7	Beryllium	0.63	ug/L	U	[NULL]	[NULL]	R	B0HNK4	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/25/1996 12:25	N	24959-67-9	Bromide	170	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNK0	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	3/25/1996 12:25	Y	7440-43-9	Cadmium	0.98	ug/L	U	[NULL]	[NULL]	R	B0HNK4	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	N	7440-43-9	Cadmium	3.4	ug/L	U	[NULL]	[NULL]	R	B0H8H6	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	N	7440-70-2	Calcium	143000	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8H6	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	Y	7440-70-2	Calcium	140000	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNK4	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	N	10045-97-3	Cesium-137	-0.319	pCi/L	U	[NULL]	[NULL]	R	B0H8H6	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-3	3/25/1996 12:25	N	16887-00-6	Chloride	24700	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8H6	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/25/1996 12:25	N	16887-00-6	Chloride	25000	ug/L	D	[NULL]	[NULL]	R	B0HNK0	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	3/25/1996 12:25	N	7440-47-3	Chromium	22.7	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8H6	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	Y	7440-47-3	Chromium	6.3	ug/L	L	[NULL]	[NULL]	R	B0HNK4	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	Y	7440-48-4	Cobalt	5.3	ug/L	U	[NULL]	[NULL]	R	B0HNK4	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	N	7440-48-4	Cobalt	3.6	ug/L	U	[NULL]	[NULL]	R	B0H8H6	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	N	13981-38-9	Cobalt-58	-6.03	pCi/L	U	[NULL]	[NULL]	R	B0H8H6	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-3	3/25/1996 12:25	N	10198-40-0	Cobalt-60	3.06	pCi/L	U	[NULL]	[NULL]	R	B0H8H6	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-3	3/25/1996 12:25	N	7440-50-8	Copper	17.4	ug/L	B	[NULL]	[NULL]	R	B0H8H6	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	Y	7440-50-8	Copper	2.1	ug/L	U	[NULL]	[NULL]	R	B0HNK4	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	0.41	ug/L	U	[NULL]	[NULL]	R	B0HNK0	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/25/1996 12:25	N	DO	Dissolved oxygen	4000	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8H6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	3/25/1996 12:25	N	14683-23-9	Europium-152	-4.97	pCi/L	U	[NULL]	[NULL]	R	B0H8H6	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-3	3/25/1996 12:25	N	15585-10-1	Europium-154	-11.1	pCi/L	U	[NULL]	[NULL]	R	B0H8H6	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-3	3/25/1996 12:25	N	14391-16-3	Europium-155	-6.27	pCi/L	U	[NULL]	[NULL]	R	B0H8H6	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-3	3/25/1996 12:25	N	16984-48-8	Fluoride	780	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNK0	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	3/25/1996 12:25	N	16984-48-8	Fluoride	100	ug/L	U	[NULL]	[NULL]	R	B0H8H6	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/25/1996 12:25	N	12587-46-1	Gross alpha	6.137	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HNK0	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	3/25/1996 12:25	N	12587-47-2	Gross beta	2216.2	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HNK0	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	3/25/1996 12:25	N	7439-89-6	Iron	732	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8H6	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	Y	7439-89-6	Iron	12	ug/L	L	[NULL]	[NULL]	R	B0HNK4	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	N	14596-12-4	Iron-59	9.44	pCi/L	U	[NULL]	[NULL]	R	B0H8H6	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-3	3/25/1996 12:25	Y	7439-92-1	Lead	1.7	ug/L	U	[NULL]	[NULL]	R	B0HNK4	7439-92-1	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	N	7439-95-4	Magnesium	26300	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8H6	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	Y	7439-95-4	Magnesium	25000	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNK4	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	Y	7439-96-5	Manganese	0.55	ug/L	U	[NULL]	[NULL]	R	B0HNK4	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	N	7439-96-5	Manganese	28.4	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8H6	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	N	7440-02-0	Nickel	16.1	ug/L	U	[NULL]	[NULL]	R	B0H8H6	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	Y	7440-02-0	Nickel	11	ug/L	U	[NULL]	[NULL]	R	B0HNK4	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	N	14797-55-8	Nitrate	42000	ug/L	D	[NULL]	[NULL]	R	B0HNK0	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	3/25/1996 12:25	N	14797-55-8	Nitrate	44100	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8H6	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/25/1996 12:25	N	14797-65-0	Nitrite	140	ug/L	U	[NULL]	[NULL]	R	B0HNK0	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	3/25/1996 12:25	N	14797-65-0	Nitrite	65.7	ug/L	U	[NULL]	[NULL]	R	B0H8H6	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/25/1996 12:25	N	OIL/GREASE	Oil and grease	2380	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8H6	OIL/GREASE	QTESSL	413.1_OILGREASE	100-NR-2
199-N-3	3/25/1996 12:25	N	87-86-5	Pentachlorophenol	0.48	ug/L	U	[NULL]	[NULL]	R	B0HNK0	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/25/1996 12:25	N	108-95-2	Phenol	0.58	ug/L	U	[NULL]	[NULL]	R	B0HNK0	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/25/1996 12:25	N	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B0H8H6	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/25/1996 12:25	N	14265-44-2	Phosphate	340	ug/L	U	[NULL]	[NULL]	R	B0HNK0	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	3/25/1996 12:25	Y	7440-09-7	Potassium	3800	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNK4	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	N	7440-09-7	Potassium	4370	ug/L	B	[NULL]	[NULL]	R	B0H8H6	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	Y	7782-49-2	Selenium	3.8	ug/L	U	[NULL]	[NULL]	R	B0HNK4	7782-49-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	Y	7440-22-4	Silver	5.5	ug/L	U	[NULL]	[NULL]	R	B0HNK4	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	N	7440-22-4	Silver	5	ug/L	UN	[NULL]	[NULL]	R	B0H8H6	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	Y	7440-23-5	Sodium	17000	ug/L	[NULL]	Q	[NULL]	R	B0HNK4	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	N	7440-23-5	Sodium	16600	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8H6	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	N	CONDUCT	Specific Conductance	877	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HNK3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/25/1996 12:25	N	CONDUCT	Specific Conductance	881	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HNK0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/25/1996 12:25	N	CONDUCT	Specific Conductance	878	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HNK1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/25/1996 12:25	N	CONDUCT	Specific Conductance	876	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HNK2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/25/1996 12:25	N	CONDUCT	Specific Conductance	894	uS/cm	[NULL]	[NULL]	[NULL]	R	B0H8H6	CONDUCT	QTESSL	9050_CONDUCT	100-NR-2
199-N-3	3/25/1996 12:25	Y	7440-24-6	Strontium	580	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNK4	7440-24-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	N	10098-97-2	Strontium-90	1050	pCi/L	[NULL]	[NULL]	[NULL]	R	B0H8M3	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	3/25/1996 12:25	N	14808-79-8	Sulfate	180000	ug/L	D	[NULL]	[NULL]	R	B0HNK0	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	3/25/1996 12:25	N	14808-79-8	Sulfate	199000	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8H6	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/25/1996 12:25	N	TEMPERATURE	Temperature	19.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0HNK0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/25/1996 12:25	N	TEMPERATURE	Temperature	19.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0HNK2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/25/1996 12:25	N	TEMPERATURE	Temperature	19.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0HNK1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/25/1996 12:25	N	TEMPERATURE	Temperature	19.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0HNK3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/25/1996 12:25	N	25167-83-3	Tetrachlorophenol	0.52	ug/L	U	[NULL]	[NULL]	R	B0HNK0	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/25/1996 12:25	Y	7440-28-0	Thallium	3.7	ug/L	U	[NULL]	[NULL]	R	B0HNK4	7440-28-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	Y	7440-31-5	Tin	43	ug/L	BL	[NULL]	[NULL]	R	B0HNK4	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	N	1319-77-3	Total cresols	1.7	ug/L	U	[NULL]	[NULL]	R	B0HNK0	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/25/1996 12:25	N	TOC	Total organic carbon	421	ug/L	L	[NULL]	[NULL]	R	B0HNK0	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	3/25/1996 12:25	N	TOC	Total organic carbon	405	ug/L	L	[NULL]	[NULL]	R	B0HNK2	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	3/25/1996 12:25	N	TOC	Total organic carbon	433	ug/L	L	[NULL]	[NULL]	R	B0HNK3	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	3/25/1996 12:25	N	TOC	Total organic carbon	435	ug/L	L	[NULL]	[NULL]	R	B0HNK1	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	3/25/1996 12:25	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0HNK0	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-3	3/25/1996 12:25	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0HNK3	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-3	3/25/1996 12:25	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0HNK2	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-3	3/25/1996 12:25	N	59473-04-0	Total organic halides	7.15	ug/L	L	[NULL]	[NULL]	R	B0HNK1	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-3	3/25/1996 12:25	N	TPH	Total petroleum hydrocarbons	470	ug/L	U	[NULL]	[NULL]	R	B0H8H6	TPH	QTESSL	418.1_TPH_IR	100-NR-2
199-N-3	3/25/1996 12:25	N	25167-82-2	Trichlorophenol	0.56	ug/L	U	[NULL]	[NULL]	R	B0HNK0	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-3	3/25/1996 12:25	N	TURBIDITY	Turbidity	4	NTU	[NULL]	[NULL]	[NULL]	R	B0HNK0	TURBIDITY	FIELD	180.1_TURBIDITY	100-NR-2
199-N-3	3/25/1996 12:25	N	7440-62-2	Vanadium	9.4	ug/L	B	[NULL]	[NULL]	R	B0H8H6	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	Y	7440-62-2	Vanadium	1.9	ug/L	U	[NULL]	[NULL]	R	B0HNK4	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	Y	7440-66-6	Zinc	3.7	ug/L	U	[NULL]	[NULL]	R	B0HNK4	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	N	7440-66-6	Zinc	19.7	ug/L	B	[NULL]	[NULL]	R	B0H8H6	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/25/1996 12:25	N	PH	pH Measurement	7.44	unitless	[NULL]	[NULL]	[NULL]	R	B0HNK2	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/25/1996 12:25	N	PH	pH Measurement	7.43	unitless	[NULL]	[NULL]	[NULL]	R	B0HNK1	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/25/1996 12:25	N	PH	pH Measurement	7.47	unitless	[NULL]	[NULL]	[NULL]	R	B0HNK0	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/25/1996 12:25	N	PH	pH Measurement	7.44	unitless	[NULL]	[NULL]	[NULL]	R	B0HNK3	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/25/1996 12:48	N	13966-02-4	Beryllium-7	-8.09	pCi/L	U	[NULL]	[NULL]	R	B0HNH8	13966-02-4	ITASRL	GAMMA_GS	100-NR-2
199-N-3	3/25/1996 12:48	N	13967-70-9	Cesium-134	-0.31	pCi/L	U	[NULL]	[NULL]	R	B0HNH8	13967-70-9	ITASRL	GAMMA_GS	100-NR-2
199-N-3	3/25/1996 12:48	N	10045-97-3	Cesium-137	0.73	pCi/L	U	[NULL]	[NULL]	R	B0HNH8	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-3	3/25/1996 12:48	N	10198-40-0	Cobalt-60	2.44	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HNH8	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-3	3/25/1996 12:48	N	15585-10-1	Europium-154	0.886	pCi/L	U	[NULL]	[NULL]	R	B0HNH8	15585-10-1	ITASRL	GAMMA_GS	100-NR-2
199-N-3	3/25/1996 12:48	N	14391-16-3	Europium-155	-0.848	pCi/L	U	[NULL]	[NULL]	R	B0HNH8	14391-16-3	ITASRL	GAMMA_GS	100-NR-2
199-N-3	3/25/1996 12:48	N	13966-00-2	Potassium-40	49.4	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HNH8	13966-00-2	ITASRL	GAMMA_GS	100-NR-2
199-N-3	3/25/1996 12:48	N	CONDUCT	Specific Conductance	890	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HNH8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/25/1996 12:48	N	TEMPERATURE	Temperature	19.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0HNH8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/25/1996 12:48	N	10028-17-8	Tritium	15950	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HNH8	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-3	3/25/1996 12:48	N	TURBIDITY	Turbidity	4	NTU	[NULL]	[NULL]	[NULL]	R	B0HNH8	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	3/25/1996 12:48	N	PH	pH Measurement	7.53	unitless	[NULL]	[NULL]	[NULL]	R	B0HNH8	PH	FIELD	9040_PH	100-NR-2
199-N-3	5/9/1996 12:23	N	DO	Dissolved oxygen	6800	ug/L	[NULL]	[NULL]	[NULL]	R	B0HDV4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	5/9/1996 12:23	N	CONDUCT	Specific Conductance	836	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HDV4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	5/9/1996 12:23	N	10098-97-2	Strontium-90	1010	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HDV4	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	5/9/1996 12:23	N	TEMPERATURE	Temperature	18.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0HDV4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	5/9/1996 12:23	N	TURBIDITY	Turbidity	18.5	NTU	[NULL]	[NULL]	[NULL]	R	B0HDV4	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	5/9/1996 12:23	N	PH	pH Measurement	6.53	unitless	[NULL]	[NULL]	[NULL]	R	B0HDV4	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	6/6/1996 12:00	N	DO	Dissolved oxygen	6400	ug/L	[NULL]	[NULL]	[NULL]	R	B0HG67	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	6/6/1996 12:00	N	CONDUCT	Specific Conductance	826	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HG67	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	6/6/1996 12:00	N	10098-97-2	Strontium-90	1180	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HG67	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	6/6/1996 12:00	N	TEMPERATURE	Temperature	21.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0HG67	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	6/6/1996 12:00	N	TURBIDITY	Turbidity	4.46	NTU	[NULL]	[NULL]	[NULL]	R	B0HG67	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	6/6/1996 12:00	N	PH	pH Measurement	7.65	unitless	[NULL]	[NULL]	[NULL]	R	B0HG67	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	9/30/1996 10:25	N	ALKALINITY	Alkalinity	250000	ug/L	D	[NULL]	[NULL]	R	B0J956	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-3	9/30/1996 10:25	N	7429-90-5	Aluminum	58.5	ug/L	U	[NULL]	[NULL]	R	B0J1L8	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	Y	7429-90-5	Aluminum	23	ug/L	L	[NULL]	[NULL]	R	B0J960	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	Y	7440-36-0	Antimony	43	ug/L	U	[NULL]	[NULL]	R	B0J960	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	N	7440-36-0	Antimony	27.2	ug/L	U	[NULL]	[NULL]	R	B0J1L8	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	Y	7440-38-2	Arsenic	2.6	ug/L	U	[NULL]	[NULL]	R	B0J960	7440-38-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	N	7440-39-3	Barium	150	ug/L	B	[NULL]	[NULL]	R	B0J1L8	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	Y	7440-39-3	Barium	130	ug/L	[NULL]	[NULL]	[NULL]	R	B0J960	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	Y	7440-41-7	Beryllium	0.2	ug/L	U	[NULL]	[NULL]	R	B0J960	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	N	7440-41-7	Beryllium	0.84	ug/L	B	[NULL]	[NULL]	R	B0J1L8	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	N	24959-67-9	Bromide	180	ug/L	[NULL]	[NULL]	[NULL]	R	B0J956	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	9/30/1996 10:25	Y	7440-43-9	Cadmium	0.31	ug/L	U	[NULL]	[NULL]	R	B0J960	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0J1L8	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	Y	7440-70-2	Calcium	150000	ug/L	[NULL]	[NULL]	[NULL]	R	B0J960	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	N	7440-70-2	Calcium	150000	ug/L	[NULL]	[NULL]	[NULL]	R	B0J276	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	N	7440-70-2	Calcium	162000	ug/L	[NULL]	[NULL]	[NULL]	R	B0J1L8	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	N	16887-00-6	Chloride	26000	ug/L	D	[NULL]	[NULL]	R	B0J956	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	9/30/1996 10:25	N	7440-47-3	Chromium	5.4	ug/L	B	[NULL]	[NULL]	R	B0J1L8	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	Y	7440-47-3	Chromium	5.6	ug/L	L	[NULL]	[NULL]	R	B0J960	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	N	7440-48-4	Cobalt	3	ug/L	U	[NULL]	[NULL]	R	B0J1L8	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B0J960	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	Y	7440-50-8	Copper	8.7	ug/L	U	[NULL]	[NULL]	R	B0J960	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	N	7440-50-8	Copper	37.4	ug/L	[NULL]	[NULL]	[NULL]	R	B0J1L8	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	N	16984-48-8	Fluoride	930	ug/L	[NULL]	[NULL]	[NULL]	R	B0J956	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	9/30/1996 10:25	N	12587-46-1	Gross alpha	7.845	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J956	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	9/30/1996 10:25	N	12587-47-2	Gross beta	2398.2	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J956	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	9/30/1996 10:25	Y	7439-89-6	Iron	19	ug/L	L	[NULL]	[NULL]	R	B0J960	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	N	7439-89-6	Iron	53	ug/L	B	[NULL]	[NULL]	R	B0J1L8	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	Y	7439-92-1	Lead	1.7	ug/L	U	[NULL]	[NULL]	R	B0J960	7439-92-1	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	Y	7439-95-4	Magnesium	25000	ug/L	[NULL]	[NULL]	[NULL]	R	B0J960	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	N	7439-95-4	Magnesium	26600	ug/L	[NULL]	[NULL]	[NULL]	R	B0J276	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	N	7439-95-4	Magnesium	28000	ug/L	[NULL]	[NULL]	[NULL]	R	B0J1L8	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	N	7439-96-5	Manganese	10.6	ug/L	B	[NULL]	[NULL]	R	B0J1L8	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	Y	7439-96-5	Manganese	5	ug/L	[NULL]	[NULL]	[NULL]	R	B0J960	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	N	7440-02-0	Nickel	13.4	ug/L	U	[NULL]	[NULL]	R	B0J1L8	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	Y	7440-02-0	Nickel	7.4	ug/L	U	[NULL]	[NULL]	R	B0J960	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	N	14797-55-8	Nitrate	51000	ug/L	D	[NULL]	[NULL]	R	B0J956	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	9/30/1996 10:25	N	14797-65-0	Nitrite	11	ug/L	U	[NULL]	[NULL]	R	B0J956	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	9/30/1996 10:25	N	14265-44-2	Phosphate	83	ug/L	U	[NULL]	[NULL]	R	B0J956	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	9/30/1996 10:25	Y	7440-09-7	Potassium	3300	ug/L	B	[NULL]	[NULL]	R	B0J960	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	N	7440-09-7	Potassium	4900	ug/L	B	[NULL]	[NULL]	R	B0J1L8	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	Y	7782-49-2	Selenium	3.8	ug/L	U	[NULL]	[NULL]	R	B0J960	7782-49-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	N	7440-22-4	Silver	6.6	ug/L	U	[NULL]	[NULL]	R	B0J1L8	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	Y	7440-22-4	Silver	4.5	ug/L	U	[NULL]	[NULL]	R	B0J960	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	Y	7440-23-5	Sodium	15000	ug/L	[NULL]	Q	[NULL]	R	B0J960	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	N	7440-23-5	Sodium	17000	ug/L	N	[NULL]	[NULL]	R	B0J1L8	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	N	CONDUCT	Specific Conductance	904	uS/cm	[NULL]	[NULL]	[NULL]	R	B0J956	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/30/1996 10:25	Y	7440-24-6	Strontium	540	ug/L	B	HQ	[NULL]	R	B0J960	7440-24-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	N	10098-97-2	Strontium-90	1410	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J276	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	9/30/1996 10:25	N	14808-79-8	Sulfate	186000	ug/L	[NULL]	[NULL]	[NULL]	R	B0J276	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/30/1996 10:25	N	14808-79-8	Sulfate	150000	ug/L	D	[NULL]	[NULL]	R	B0J956	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-3	9/30/1996 10:25	N	TEMPERATURE	Temperature	22.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0J956	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	9/30/1996 10:25	Y	7440-28-0	Thallium	3.7	ug/L	U	[NULL]	[NULL]	R	B0J960	7440-28-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	Y	7440-31-5	Tin	17	ug/L	U	[NULL]	[NULL]	R	B0J960	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	N	TOC	Total organic carbon	775	ug/L	[NULL]	[NULL]	[NULL]	R	B0J956	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	9/30/1996 10:25	N	TOC	Total organic carbon	778	ug/L	[NULL]	[NULL]	[NULL]	R	B0J957	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	9/30/1996 10:25	N	TOC	Total organic carbon	736	ug/L	[NULL]	[NULL]	[NULL]	R	B0J958	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	9/30/1996 10:25	N	TOC	Total organic carbon	732	ug/L	[NULL]	[NULL]	[NULL]	R	B0J959	TOC	DATACH	9060_TOC	100-NR-2
199-N-3	9/30/1996 10:25	N	59473-04-0	Total organic halides	12.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0J958	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-3	9/30/1996 10:25	N	59473-04-0	Total organic halides	12.7	ug/L	[NULL]	[NULL]	[NULL]	R	B0J956	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-3	9/30/1996 10:25	N	59473-04-0	Total organic halides	12.5	ug/L	[NULL]	[NULL]	[NULL]	R	B0J957	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-3	9/30/1996 10:25	N	59473-04-0	Total organic halides	11.9	ug/L	[NULL]	[NULL]	[NULL]	R	B0J959	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-3	9/30/1996 10:25	N	TPH	Total petroleum hydrocarbons	470	ug/L	U	[NULL]	[NULL]	R	B0J276	TPH	QTESSL	418.1_TPH_IR	100-NR-2
199-N-3	9/30/1996 10:25	N	10028-17-8	Tritium	14600	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J1L8	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-3	9/30/1996 10:25	N	TURBIDITY	Turbidity	2.72	NTU	[NULL]	[NULL]	[NULL]	R	B0J956	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	9/30/1996 10:25	Y	7440-62-2	Vanadium	1.7	ug/L	U	[NULL]	[NULL]	R	B0J960	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	N	7440-62-2	Vanadium	34.9	ug/L	B	[NULL]	[NULL]	R	B0J1L8	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	Y	7440-66-6	Zinc	700	ug/L	[NULL]	F	[NULL]	R	B0J960	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	N	7440-66-6	Zinc	787	ug/L	[NULL]	[NULL]	[NULL]	R	B0J1L8	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/30/1996 10:25	N	PH	pH Measurement	7.33	unitless	[NULL]	[NULL]	[NULL]	R	B0J956	PH	FIELD	9040_PH	100-NR-2
199-N-3	12/5/1996 14:22	N	7440-70-2	Calcium	147000	ug/L	[NULL]	[NULL]	[NULL]	R	B0J2N6	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	12/5/1996 14:22	N	DO	Dissolved oxygen	2110	ug/L	[NULL]	[NULL]	[NULL]	R	B0J2N6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	12/5/1996 14:22	N	7439-95-4	Magnesium	26100	ug/L	[NULL]	[NULL]	[NULL]	R	B0J2N6	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	12/5/1996 14:22	N	CONDUCT	Specific Conductance	889	uS/cm	[NULL]	[NULL]	[NULL]	R	B0J2N6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	12/5/1996 14:22	N	10098-97-2	Strontium-90	861	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J2N6	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	12/5/1996 14:22	N	14808-79-8	Sulfate	259000	ug/L	[NULL]	[NULL]	[NULL]	R	B0J2N6	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	12/5/1996 14:22	N	TEMPERATURE	Temperature	19.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0J2N6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	12/5/1996 14:22	N	TPH	Total petroleum hydrocarbons	480	ug/L	U	[NULL]	[NULL]	R	B0J2N6	TPH	QTESSL	418.1_TPH_IR	100-NR-2
199-N-3	12/5/1996 14:22	N	TURBIDITY	Turbidity	38.4	NTU	[NULL]	[NULL]	[NULL]	R	B0J2N6	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	12/5/1996 14:22	N	PH	pH Measurement	7.75	unitless	[NULL]	[NULL]	[NULL]	R	B0J2N6	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	1/9/1997 13:30	N	7440-70-2	Calcium	155000	ug/L	N	[NULL]	[NULL]	R	B0JR52	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	1/9/1997 13:30	N	DO	Dissolved oxygen	3810	ug/L	[NULL]	[NULL]	[NULL]	R	B0JR52	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	1/9/1997 13:30	N	7439-95-4	Magnesium	26400	ug/L	[NULL]	[NULL]	[NULL]	R	B0JR52	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	1/9/1997 13:30	N	CONDUCT	Specific Conductance	1011	uS/cm	[NULL]	[NULL]	[NULL]	R	B0JR52	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	1/9/1997 13:30	N	10098-97-2	Strontium-90	959	pCi/L	[NULL]	[NULL]	[NULL]	R	B0JR52	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	1/9/1997 13:30	N	14808-79-8	Sulfate	241000	ug/L	[NULL]	[NULL]	[NULL]	R	B0JR52	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	1/9/1997 13:30	N	TEMPERATURE	Temperature	18.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0JR52	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	1/9/1997 13:30	N	TPH	Total petroleum hydrocarbons	470	ug/L	U	[NULL]	[NULL]	R	B0JR52	TPH	QTESSL	418.1_TPH_IR	100-NR-2
199-N-3	1/9/1997 13:30	N	TURBIDITY	Turbidity	25	NTU	[NULL]	[NULL]	[NULL]	R	B0JR52	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	1/9/1997 13:30	N	PH	pH Measurement	7.23	unitless	[NULL]	[NULL]	[NULL]	R	B0JR52	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	2/5/1997 12:32	Y	7429-90-5	Aluminum	33.6	ug/L	U	[NULL]	[NULL]	R	B0JY62	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	2/5/1997 12:32	Y	7440-36-0	Antimony	46.1	ug/L	U	[NULL]	[NULL]	R	B0JY62	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	2/5/1997 12:32	Y	7440-39-3	Barium	145	ug/L	B	[NULL]	[NULL]	R	B0JY62	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	2/5/1997 12:32	Y	7440-41-7	Beryllium	0.63	ug/L	B	[NULL]	[NULL]	R	B0JY62	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	2/5/1997 12:32	N	24959-67-9	Bromide	250	ug/L	U	[NULL]	[NULL]	R	B0JY61	24959-67-9	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	2/5/1997 12:32	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0JY62	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	2/5/1997 12:32	Y	7440-70-2	Calcium	140000	ug/L	[NULL]	[NULL]	[NULL]	R	B0JY62	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	2/5/1997 12:32	N	16887-00-6	Chloride	27000	ug/L	[NULL]	[NULL]	[NULL]	R	B0JY61	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	2/5/1997 12:32	Y	7440-47-3	Chromium	2.7	ug/L	U	[NULL]	[NULL]	R	B0JY62	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	2/5/1997 12:32	Y	7440-48-4	Cobalt	3.8	ug/L	U	[NULL]	[NULL]	R	B0JY62	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	2/5/1997 12:32	Y	7440-50-8	Copper	10.8	ug/L	B	[NULL]	[NULL]	R	B0JY62	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	2/5/1997 12:32	Y	DO	Dissolved oxygen	220000	ug/L	[NULL]	[NULL]	[NULL]	R	B0JY62	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	2/5/1997 12:32	N	DO	Dissolved oxygen	220000	ug/L	[NULL]	[NULL]	[NULL]	R	B0JY61	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	2/5/1997 12:32	N	16984-48-8	Fluoride	100	ug/L	U	[NULL]	[NULL]	R	B0JY61	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	2/5/1997 12:32	N	12587-47-2	Gross beta	1950	pCi/L	[NULL]	[NULL]	[NULL]	R	B0JY61	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-3	2/5/1997 12:32	Y	7439-89-6	Iron	39.1	ug/L	B	[NULL]	[NULL]	R	B0JY62	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	2/5/1997 12:32	Y	7439-95-4	Magnesium	24400	ug/L	[NULL]	[NULL]	[NULL]	R	B0JY62	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	2/5/1997 12:32	Y	7439-96-5	Manganese	141	ug/L	[NULL]	[NULL]	[NULL]	R	B0JY62	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	2/5/1997 12:32	Y	7440-02-0	Nickel	35.6	ug/L	B	[NULL]	[NULL]	R	B0JY62	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	2/5/1997 12:32	N	14797-55-8	Nitrate	21200	ug/L	[NULL]	[NULL]	[NULL]	R	B0JY61	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	2/5/1997 12:32	N	14797-65-0	Nitrite	65.7	ug/L	U	[NULL]	[NULL]	R	B0JY61	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	2/5/1997 12:32	N	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B0JY61	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	2/5/1997 12:32	Y	7440-09-7	Potassium	3310	ug/L	B	[NULL]	[NULL]	R	B0JY62	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	2/5/1997 12:32	Y	7440-22-4	Silver	4.9	ug/L	U	[NULL]	[NULL]	R	B0JY62	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	2/5/1997 12:32	Y	7440-23-5	Sodium	17100	ug/L	[NULL]	[NULL]	[NULL]	R	B0JY62	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	2/5/1997 12:32	N	CONDUCT	Specific Conductance	930	uS/cm	[NULL]	[NULL]	[NULL]	R	B0JY61	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	2/5/1997 12:32	N	10098-97-2	Strontium-90	727	pCi/L	[NULL]	[NULL]	[NULL]	R	B0JY61	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	2/5/1997 12:32	N	14808-79-8	Sulfate	269000	ug/L	[NULL]	[NULL]	[NULL]	R	B0JY61	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	2/5/1997 12:32	N	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0JY61	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	2/5/1997 12:32	N	TPH	Total petroleum hydrocarbons	480	ug/L	U	[NULL]	[NULL]	R	B0JY61	TPH	QTESSL	418.1_TPH_IR	100-NR-2
199-N-3	2/5/1997 12:32	N	10028-17-8	Tritium	10600	pCi/L	[NULL]	[NULL]	[NULL]	R	B0JY61	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-3	2/5/1997 12:32	N	TURBIDITY	Turbidity	46.6	NTU	[NULL]	[NULL]	[NULL]	R	B0JY61	TURBIDITY	FIELD	180.1_TURBIDITY	100-NR-2
199-N-3	2/5/1997 12:32	Y	7440-62-2	Vanadium	7.5	ug/L	B	[NULL]	[NULL]	R	B0JY62	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	2/5/1997 12:32	Y	7440-66-6	Zinc	1220	ug/L	E	[NULL]	[NULL]	R	B0JY62	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	2/5/1997 12:32	N	PH	pH Measurement	7.75	unitless	[NULL]	[NULL]	[NULL]	R	B0JY61	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	3/6/1997 12:41	N	14234-35-6	Antimony-125	-0.605	pCi/L	U	[NULL]	[NULL]	R	B0JX60	14234-35-6	QTESRL	GAMMA_GS	100-NR-2
199-N-3	3/6/1997 12:41	N	13966-02-4	Beryllium-7	-18.5	pCi/L	U	[NULL]	[NULL]	R	B0JX60	13966-02-4	QTESRL	GAMMA_GS	100-NR-2
199-N-3	3/6/1997 12:41	N	13967-70-9	Cesium-134	1.29	pCi/L	U	[NULL]	[NULL]	R	B0JX60	13967-70-9	QTESRL	GAMMA_GS	100-NR-2
199-N-3	3/6/1997 12:41	N	10045-97-3	Cesium-137	1.66	pCi/L	U	[NULL]	[NULL]	R	B0JX60	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-3	3/6/1997 12:41	N	10198-40-0	Cobalt-60	-0.293	pCi/L	U	[NULL]	[NULL]	R	B0JX60	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-3	3/6/1997 12:41	N	15585-10-1	Europium-154	-0.594	pCi/L	U	[NULL]	[NULL]	R	B0JX60	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-3	3/6/1997 12:41	N	14391-16-3	Europium-155	0.274	pCi/L	U	[NULL]	[NULL]	R	B0JX60	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-3	3/6/1997 12:41	N	12587-46-1	Gross alpha	2.93	pCi/L	J	[NULL]	[NULL]	R	B0JX60	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-3	3/6/1997 12:41	N	13966-00-2	Potassium-40	47.9	pCi/L	U	[NULL]	[NULL]	R	B0JX60	13966-00-2	QTESRL	GAMMA_GS	100-NR-2
199-N-3	3/6/1997 12:41	N	13967-48-1	Ruthenium-106	4.53	pCi/L	U	[NULL]	[NULL]	R	B0JX60	13967-48-1	QTESRL	GAMMA_GS	100-NR-2
199-N-3	3/6/1997 12:41	N	CONDUCT	Specific Conductance	951	uS/cm	[NULL]	[NULL]	[NULL]	R	B0JX60	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/6/1997 12:41	N	10098-97-2	Strontium-90	712	pCi/L	[NULL]	[NULL]	[NULL]	R	B0K009	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	3/6/1997 12:41	N	TEMPERATURE	Temperature	20.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0JX60	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/6/1997 12:41	N	TPH	Total petroleum hydrocarbons	850	ug/L	[NULL]	[NULL]	[NULL]	R	B0K009	TPH	QTESSL	418.1_TPH_IR	100-NR-2
199-N-3	3/6/1997 12:41	N	10028-17-8	Tritium	9130	pCi/L	[NULL]	[NULL]	[NULL]	R	B0JX60	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-3	3/6/1997 12:41	N	TURBIDITY	Turbidity	4.97	NTU	[NULL]	[NULL]	[NULL]	R	B0JX60	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	3/6/1997 12:41	N	PH	pH Measurement	7.52	unitless	[NULL]	[NULL]	[NULL]	R	B0JX60	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/17/1997 11:30	N	ALKALINITY	Alkalinity	257000	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2D9	ALKALINITY	QTESSL	310.1_ALKALINITY	100-NR-2
199-N-3	3/17/1997 11:30	Y	7429-90-5	Aluminum	24.4	ug/L	BC	Q	[NULL]	R	B0K2F3	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1997 11:30	Y	7440-36-0	Antimony	20.2	ug/L	U	[NULL]	[NULL]	R	B0K2F3	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1997 11:30	Y	7440-39-3	Barium	163	ug/L	[NULL]	Q	[NULL]	R	B0K2F3	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1997 11:30	Y	7440-41-7	Beryllium	0.67	ug/L	B	[NULL]	[NULL]	R	B0K2F3	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1997 11:30	N	24959-67-9	Bromide	268	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2D9	24959-67-9	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/17/1997 11:30	Y	7440-43-9	Cadmium	3.4	ug/L	U	[NULL]	[NULL]	R	B0K2F3	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1997 11:30	Y	7440-70-2	Calcium	166000	ug/L	C	Q	[NULL]	R	B0K2F3	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1997 11:30	N	16887-00-6	Chloride	33000	ug/L	D	[NULL]	[NULL]	R	B0K2D9	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/17/1997 11:30	Y	7440-47-3	Chromium	2.9	ug/L	B	[NULL]	[NULL]	R	B0K2F3	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1997 11:30	Y	7440-48-4	Cobalt	2.7	ug/L	U	[NULL]	[NULL]	R	B0K2F3	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1997 11:30	Y	7440-50-8	Copper	7.5	ug/L	U	[NULL]	[NULL]	R	B0K2F3	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1997 11:30	N	16984-48-8	Fluoride	19	ug/L	U	[NULL]	[NULL]	R	B0K2D9	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/17/1997 11:30	Y	7439-89-6	Iron	67.4	ug/L	C	Q	[NULL]	R	B0K2F3	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1997 11:30	Y	7439-95-4	Magnesium	28900	ug/L	[NULL]	Q	[NULL]	R	B0K2F3	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/17/1997 11:30	Y	7439-96-5	Manganese	18.3	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2F3	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1997 11:30	Y	7440-02-0	Nickel	8.7	ug/L	U	[NULL]	[NULL]	R	B0K2F3	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1997 11:30	N	14797-55-8	Nitrate	51400	ug/L	D	[NULL]	[NULL]	R	B0K2D9	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/17/1997 11:30	N	14797-65-0	Nitrite	6.57	ug/L	U	[NULL]	[NULL]	R	B0K2D9	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/17/1997 11:30	N	14265-44-2	Phosphate	86	ug/L	U	[NULL]	[NULL]	R	B0K2D9	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/17/1997 11:30	Y	7440-09-7	Potassium	3930	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2F3	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1997 11:30	Y	7440-22-4	Silver	3.6	ug/L	U	[NULL]	[NULL]	R	B0K2F3	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1997 11:30	Y	7440-23-5	Sodium	16900	ug/L	[NULL]	Q	[NULL]	R	B0K2F3	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1997 11:30	N	CONDUCT	Specific Conductance	1003	uS/cm	[NULL]	[NULL]	[NULL]	R	B0K2F2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/17/1997 11:30	N	CONDUCT	Specific Conductance	1006	uS/cm	[NULL]	[NULL]	[NULL]	R	B0K2F0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/17/1997 11:30	N	CONDUCT	Specific Conductance	1005	uS/cm	[NULL]	[NULL]	[NULL]	R	B0K2D9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/17/1997 11:30	N	CONDUCT	Specific Conductance	1005	uS/cm	[NULL]	[NULL]	[NULL]	R	B0K2F1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/17/1997 11:30	Y	7440-24-6	Strontium	628	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2F3	7440-24-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1997 11:30	N	14808-79-8	Sulfate	242000	ug/L	D	[NULL]	[NULL]	R	B0K2D9	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/17/1997 11:30	N	TEMPERATURE	Temperature	18.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0K2F2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/17/1997 11:30	N	TEMPERATURE	Temperature	18.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0K2F1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/17/1997 11:30	N	TEMPERATURE	Temperature	18.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0K2F0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/17/1997 11:30	N	TEMPERATURE	Temperature	18.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0K2D9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/17/1997 11:30	N	TOC	Total organic carbon	1110	ug/L	[NULL]	Y	[NULL]	R	B0K2F1	TOC	QTESSL	9060_TOC	100-NR-2
199-N-3	3/17/1997 11:30	N	TOC	Total organic carbon	1040	ug/L	[NULL]	Y	[NULL]	R	B0K2F0	TOC	QTESSL	9060_TOC	100-NR-2
199-N-3	3/17/1997 11:30	N	TOC	Total organic carbon	1670	ug/L	[NULL]	Y	[NULL]	R	B0K2D9	TOC	QTESSL	9060_TOC	100-NR-2
199-N-3	3/17/1997 11:30	N	TOC	Total organic carbon	1250	ug/L	[NULL]	Y	[NULL]	R	B0K2F2	TOC	QTESSL	9060_TOC	100-NR-2
199-N-3	3/17/1997 11:30	N	59473-04-0	Total organic halides	9.1	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2F1	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-3	3/17/1997 11:30	N	59473-04-0	Total organic halides	9.4	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2D9	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-3	3/17/1997 11:30	N	59473-04-0	Total organic halides	9.85	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2F2	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-3	3/17/1997 11:30	N	59473-04-0	Total organic halides	11.9	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2F0	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-3	3/17/1997 11:30	N	TURBIDITY	Turbidity	20	NTU	[NULL]	[NULL]	[NULL]	R	B0K2F1	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	3/17/1997 11:30	N	TURBIDITY	Turbidity	19.6	NTU	[NULL]	[NULL]	[NULL]	R	B0K2F0	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	3/17/1997 11:30	N	TURBIDITY	Turbidity	20.2	NTU	[NULL]	[NULL]	[NULL]	R	B0K2F2	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	3/17/1997 11:30	N	TURBIDITY	Turbidity	22	NTU	[NULL]	[NULL]	[NULL]	R	B0K2D9	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	3/17/1997 11:30	Y	7440-62-2	Vanadium	24.3	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2F3	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1997 11:30	Y	7440-66-6	Zinc	975	ug/L	[NULL]	Q	[NULL]	R	B0K2F3	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1997 11:30	N	PH	pH Measurement	7.43	unitless	[NULL]	[NULL]	[NULL]	R	B0K2F2	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/17/1997 11:30	N	PH	pH Measurement	7.42	unitless	[NULL]	[NULL]	[NULL]	R	B0K2D9	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/17/1997 11:30	N	PH	pH Measurement	7.42	unitless	[NULL]	[NULL]	[NULL]	R	B0K2F1	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/17/1997 11:30	N	PH	pH Measurement	7.43	unitless	[NULL]	[NULL]	[NULL]	R	B0K2F0	PH	FIELD	9040_PH	100-NR-2
199-N-3	4/2/1997 11:52	Y	7440-70-2	Calcium	142000	ug/L	[NULL]	[NULL]	[NULL]	R	B0K034	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	4/2/1997 11:52	Y	7439-95-4	Magnesium	25500	ug/L	[NULL]	[NULL]	[NULL]	R	B0K034	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	4/2/1997 11:52	N	CONDUCT	Specific Conductance	953	uS/cm	[NULL]	[NULL]	[NULL]	R	B0K033	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	4/2/1997 11:52	N	10098-97-2	Strontium-90	772	pCi/L	[NULL]	[NULL]	[NULL]	R	B0K033	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	4/2/1997 11:52	N	14808-79-8	Sulfate	264000	ug/L	[NULL]	[NULL]	[NULL]	R	B0K033	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	4/2/1997 11:52	N	TEMPERATURE	Temperature	17.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0K033	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	4/2/1997 11:52	N	TPH	Total petroleum hydrocarbons	640	ug/L	[NULL]	[NULL]	[NULL]	R	B0K033	TPH	QTESSL	418.1_TPH_IR	100-NR-2
199-N-3	4/2/1997 11:52	N	TURBIDITY	Turbidity	4.21	NTU	[NULL]	[NULL]	[NULL]	R	B0K033	TURBIDITY	FIELD	180.1_TURBIDITY	100-NR-2
199-N-3	4/2/1997 11:52	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	B0K033	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	7/10/1997 11:45	N	10098-97-2	Strontium-90	1400	pCi/L	[NULL]	[NULL]	[NULL]	R	B0LFH9	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	9/10/1997 13:25	Y	7429-90-5	Aluminum	58.3	ug/L	U	[NULL]	[NULL]	R	B0LY38	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/10/1997 13:25	Y	7440-36-0	Antimony	36.1	ug/L	U	[NULL]	[NULL]	R	B0LY38	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/10/1997 13:25	Y	7440-39-3	Barium	158	ug/L	B	[NULL]	[NULL]	R	B0LY38	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/10/1997 13:25	Y	7440-41-7	Beryllium	0.4	ug/L	U	[NULL]	[NULL]	R	B0LY38	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/10/1997 13:25	N	24959-67-9	Bromide	250	ug/L	U	[NULL]	[NULL]	R	B0LY37	24959-67-9	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/10/1997 13:25	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0LY38	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/10/1997 13:25	Y	7440-70-2	Calcium	159000	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY38	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/10/1997 13:25	N	16887-00-6	Chloride	26500	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY37	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	9/10/1997 13:25	Y	7440-47-3	Chromium	4.1	ug/L	B	[NULL]	[NULL]	R	B0LY38	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/10/1997 13:25	Y	7440-48-4	Cobalt	4.2	ug/L	U	[NULL]	[NULL]	R	B0LY38	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/10/1997 13:25	Y	7440-50-8	Copper	3.8	ug/L	U	[NULL]	[NULL]	R	B0LY38	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/10/1997 13:25	N	16984-48-8	Fluoride	100	ug/L	U	[NULL]	[NULL]	R	B0LY37	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/10/1997 13:25	N	12587-47-2	Gross beta	3210	pCi/L	[NULL]	[NULL]	[NULL]	R	B0LY37	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-3	9/10/1997 13:25	Y	7439-89-6	Iron	65.4	ug/L	B	[NULL]	[NULL]	R	B0LY38	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/10/1997 13:25	Y	7439-95-4	Magnesium	27600	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY38	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/10/1997 13:25	Y	7439-96-5	Manganese	9.2	ug/L	B	[NULL]	[NULL]	R	B0LY38	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/10/1997 13:25	Y	7440-02-0	Nickel	9.9	ug/L	U	[NULL]	[NULL]	R	B0LY38	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/10/1997 13:25	N	14797-55-8	Nitrate	37100	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY37	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/10/1997 13:25	N	14797-65-0	Nitrite	65.7	ug/L	U	[NULL]	[NULL]	R	B0LY37	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/10/1997 13:25	N	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B0LY37	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/10/1997 13:25	Y	7440-09-7	Potassium	3880	ug/L	B	[NULL]	[NULL]	R	B0LY38	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/10/1997 13:25	Y	7440-22-4	Silver	31.7	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY38	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/10/1997 13:25	Y	7440-23-5	Sodium	16400	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY38	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/10/1997 13:25	N	CONDUCT	Specific Conductance	912	uS/cm	[NULL]	[NULL]	[NULL]	R	B0LY18	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/10/1997 13:25	N	CONDUCT	Specific Conductance	905	uS/cm	[NULL]	[NULL]	[NULL]	R	B0LY15	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/10/1997 13:25	N	CONDUCT	Specific Conductance	911	uS/cm	[NULL]	[NULL]	[NULL]	R	B0LY17	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/10/1997 13:25	N	CONDUCT	Specific Conductance	912	uS/cm	[NULL]	[NULL]	[NULL]	R	B0LY16	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/10/1997 13:25	N	10098-97-2	Strontium-90	1630	pCi/L	[NULL]	[NULL]	[NULL]	R	B0LY37	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	9/10/1997 13:25	N	14808-79-8	Sulfate	240000	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY37	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/10/1997 13:25	N	TEMPERATURE	Temperature	21	Deg C	[NULL]	[NULL]	[NULL]	R	B0LY18	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/10/1997 13:25	N	TEMPERATURE	Temperature	21	Deg C	[NULL]	[NULL]	[NULL]	R	B0LY16	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/10/1997 13:25	N	TEMPERATURE	Temperature	21	Deg C	[NULL]	[NULL]	[NULL]	R	B0LY15	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/10/1997 13:25	N	TEMPERATURE	Temperature	21	Deg C	[NULL]	[NULL]	[NULL]	R	B0LY17	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/10/1997 13:25	N	TOC	Total organic carbon	964	ug/L	B	[NULL]	[NULL]	R	B0LY18	TOC	QTESSL	9060_TOC	100-NR-2
199-N-3	9/10/1997 13:25	N	TEMPERATURE	Temperature	21	Deg C	[NULL]	[NULL]	[NULL]	R	B0LY17	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/10/1997 13:25	N	TOC	Total organic carbon	964	ug/L	B	[NULL]	[NULL]	R	B0LY18	TOC	QTESSL	9060_TOC	100-NR-2
199-N-3	9/10/1997 13:25	N	TOC	Total organic carbon	932	ug/L	B	[NULL]	[NULL]	R	B0LY17	TOC	QTESSL	9060_TOC	100-NR-2
199-N-3	9/10/1997 13:25	N	TOC	Total organic carbon	894	ug/L	B	[NULL]	[NULL]	R	B0LY16	TOC	QTESSL	9060_TOC	100-NR-2
199-N-3	9/10/1997 13:25	N	TOC	Total organic carbon	949	ug/L	B	[NULL]	[NULL]	R	B0LY15	TOC	QTESSL	9060_TOC	100-NR-2
199-N-3	9/10/1997 13:25	N	59473-04-0	Total organic halides	17.3	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY18	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-3	9/10/1997 13:25	N	59473-04-0	Total organic halides	11.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY17	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-3	9/10/1997 13:25	N	59473-04-0	Total organic halides	14	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY15	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-3	9/10/1997 13:25	N	59473-04-0	Total organic halides	11.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY16	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-3	9/10/1997 13:25	N	TPH	Total petroleum hydrocarbons	495	ug/L	U	[NULL]	[NULL]	R	B0LXX2	TPH	QTESSL	418.1_TPH_IR	100-NR-2
199-N-3	9/10/1997 13:25	N	10028-17-8	Tritium	10400	pCi/L	[NULL]	[NULL]	[NULL]	R	B0LY37	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-3	9/10/1997 13:25	N	TURBIDITY	Turbidity	20.8	NTU	[NULL]	[NULL]	[NULL]	R	B0LY18	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	9/10/1997 13:25	N	TURBIDITY	Turbidity	46.9	NTU	[NULL]	[NULL]	[NULL]	R	B0LY15	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	9/10/1997 13:25	N	TURBIDITY	Turbidity	20.5	NTU	[NULL]	[NULL]	[NULL]	R	B0LY17	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	9/10/1997 13:25	N	TURBIDITY	Turbidity	37.6	NTU	[NULL]	[NULL]	[NULL]	R	B0LY16	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	9/10/1997 13:25	Y	7440-62-2	Vanadium	13.4	ug/L	B	[NULL]	[NULL]	R	B0LY38	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/10/1997 13:25	Y	7440-66-6	Zinc	756	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY38	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/10/1997 13:25	N	PH	pH Measurement	7.69	unitless	[NULL]	[NULL]	[NULL]	R	B0LY15	PH	FIELD	9040_PH	100-NR-2
199-N-3	9/10/1997 13:25	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	R	B0LY16	PH	FIELD	9040_PH	100-NR-2
199-N-3	9/10/1997 13:25	N	PH	pH Measurement	7.55	unitless	[NULL]	[NULL]	[NULL]	R	B0LY18	PH	FIELD	9040_PH	100-NR-2
199-N-3	9/10/1997 13:25	N	PH	pH Measurement	7.41	unitless	[NULL]	[NULL]	[NULL]	R	B0LY17	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/5/1998 13:15	N	ALKALINITY	Alkalinity	202000	ug/L	[NULL]	[NULL]	[NULL]	R	B0N4R2	ALKALINITY	QTESSL	310.1_ALKALINITY	100-NR-2
199-N-3	3/5/1998 13:15	Y	7429-90-5	Aluminum	31.3	ug/L	U	[NULL]	[NULL]	R	B0N6L8	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/5/1998 13:15	Y	7440-36-0	Antimony	42.5	ug/L	U	[NULL]	[NULL]	R	B0N6L8	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/5/1998 13:15	N	14234-35-6	Antimony-125	4.43	pCi/L	U	[NULL]	[NULL]	R	B0N4B3	14234-35-6	QTESRL	GAMMA_GS	100-NR-2
199-N-3	3/5/1998 13:15	Y	7440-39-3	Barium	139	ug/L	B	[NULL]	[NULL]	R	B0N6L8	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/5/1998 13:15	Y	7440-41-7	Beryllium	0.61	ug/L	B	[NULL]	[NULL]	R	B0N6L8	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/5/1998 13:15	N	13966-02-4	Beryllium-7	51.9	pCi/L	U	[NULL]	[NULL]	R	B0N4B3	13966-02-4	QTESRL	GAMMA_GS	100-NR-2
199-N-3	3/5/1998 13:15	Y	7440-43-9	Cadmium	3.3	ug/L	U	[NULL]	[NULL]	R	B0N6L8	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/5/1998 13:15	Y	7440-70-2	Calcium	151000	ug/L	[NULL]	[NULL]	[NULL]	R	B0N6L8	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/5/1998 13:15	N	13967-70-9	Cesium-134	0.789	pCi/L	U	[NULL]	[NULL]	R	B0N4B3	13967-70-9	QTESRL	GAMMA_GS	100-NR-2
199-N-3	3/5/1998 13:15	N	10045-97-3	Cesium-137	-0.99	pCi/L	U	[NULL]	[NULL]	R	B0N4B3	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-3	3/5/1998 13:15	N	16887-00-6	Chloride	36900	ug/L	[NULL]	[NULL]	[NULL]	R	B0N6L9	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/5/1998 13:15	Y	7440-47-3	Chromium	2.7	ug/L	U	[NULL]	[NULL]	R	B0N6L8	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/5/1998 13:15	Y	7440-48-4	Cobalt	4.3	ug/L	U	[NULL]	[NULL]	R	B0N6L8	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/5/1998 13:15	N	10198-40-0	Cobalt-60	4.3	pCi/L	U	[NULL]	[NULL]	R	B0N4B3	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-3	3/5/1998 13:15	Y	7440-50-8	Copper	4.1	ug/L	U	[NULL]	[NULL]	R	B0N6L8	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/5/1998 13:15	N	14683-23-9	Europium-152	3.1	pCi/L	U	[NULL]	[NULL]	R	B0N4B3	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-3	3/5/1998 13:15	N	15585-10-1	Europium-154	-10.3	pCi/L	U	[NULL]	[NULL]	R	B0N4B3	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-3	3/5/1998 13:15	N	14391-16-3	Europium-155	-3.81	pCi/L	U	[NULL]	[NULL]	R	B0N4B3	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-3	3/5/1998 13:15	N	16984-48-8	Fluoride	200	ug/L	U	[NULL]	[NULL]	R	B0N6L9	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/5/1998 13:15	N	12587-46-1	Gross alpha	6.11	pCi/L	[NULL]	[NULL]	[NULL]	R	B0N4B3	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-3	3/5/1998 13:15	N	12587-47-2	Gross beta	2490	pCi/L	[NULL]	[NULL]	[NULL]	R	B0N6L9	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-3	3/5/1998 13:15	Y	7439-89-6	Iron	73.5	ug/L	B	[NULL]	[NULL]	R	B0N6L8	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/5/1998 13:15	Y	7439-95-4	Magnesium	25700	ug/L	[NULL]	[NULL]	[NULL]	R	B0N6L8	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/5/1998 13:15	Y	7439-96-5	Manganese	22.5	ug/L	[NULL]	[NULL]	[NULL]	R	B0N6L8	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/5/1998 13:15	Y	7440-02-0	Nickel	14.6	ug/L	U	[NULL]	[NULL]	R	B0N6L8	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/5/1998 13:15	N	14797-55-8	Nitrate	29600	ug/L	[NULL]	[NULL]	[NULL]	R	B0N6L9	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/5/1998 13:15	N	14797-65-0	Nitrite	328	ug/L	U	[NULL]	[NULL]	R	B0N6L9	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/5/1998 13:15	Y	7440-09-7	Potassium	4130	ug/L	B	[NULL]	[NULL]	R	B0N6L8	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/5/1998 13:15	N	13966-00-2	Potassium-40	190	pCi/L	U	[NULL]	[NULL]	R	B0N4B3	13966-00-2	QTESRL	GAMMA_GS	100-NR-2
199-N-3	3/5/1998 13:15	N	13967-48-1	Ruthenium-106	-3.9	pCi/L	U	[NULL]	[NULL]	R	B0N4B3	13967-48-1	QTESRL	GAMMA_GS	100-NR-2
199-N-3	3/5/1998 13:15	Y	7440-22-4	Silver	6	ug/L	U	[NULL]	[NULL]	R	B0N6L8	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/5/1998 13:15	Y	7440-23-5	Sodium	17500	ug/L	[NULL]	[NULL]	[NULL]	R	B0N6L8	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/5/1998 13:15	N	CONDUCT	Specific Conductance	988	uS/cm	[NULL]	[NULL]	[NULL]	R	B0N4P9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/5/1998 13:15	N	CONDUCT	Specific Conductance	988	uS/cm	[NULL]	[NULL]	[NULL]	R	B0N4P8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/5/1998 13:15	N	CONDUCT	Specific Conductance	988	uS/cm	[NULL]	[NULL]	[NULL]	R	B0N4R1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/5/1998 13:15	N	CONDUCT	Specific Conductance	988	uS/cm	[NULL]	[NULL]	[NULL]	R	B0N4R0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/5/1998 13:15	N	10098-97-2	Strontium-90	1220	pCi/L	[NULL]	[NULL]	[NULL]	R	B0N6L9	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-3	3/5/1998 13:15	N	14808-79-8	Sulfate	260000	ug/L	[NULL]	[NULL]	[NULL]	R	B0N6L9	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/5/1998 13:15	N	TEMPERATURE	Temperature	16.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0N4R0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/5/1998 13:15	N	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0N4P8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/5/1998 13:15	N	TEMPERATURE	Temperature	16.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0N4R1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/5/1998 13:15	N	TEMPERATURE	Temperature	16.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0N4P9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/5/1998 13:15	N	TOC	Total organic carbon	893	ug/L	B	[NULL]	[NULL]	R	B0N4P8	TOC	QTESSL	9060_TOC	100-NR-2
199-N-3	3/5/1998 13:15	N	TOC	Total organic carbon	780	ug/L	B	[NULL]	[NULL]	R	B0N4P9	TOC	QTESSL	9060_TOC	100-NR-2
199-N-3	3/5/1998 13:15	N	TOC	Total organic carbon	829	ug/L	B	[NULL]	[NULL]	R	B0N4R0	TOC	QTESSL	9060_TOC	100-NR-2
199-N-3	3/5/1998 13:15	N	TOC	Total organic carbon	836	ug/L	B	[NULL]	[NULL]	R	B0N4R1	TOC	QTESSL	9060_TOC	100-NR-2
199-N-3	3/5/1998 13:15	N	59473-04-0	Total organic halides	7.9	ug/L	[NULL]	[NULL]	[NULL]	R	B0N4R1	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-3	3/5/1998 13:15	N	59473-04-0	Total organic halides	5.75	ug/L	[NULL]	[NULL]	[NULL]	R	B0N4R0	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-3	3/5/1998 13:15	N	59473-04-0	Total organic halides	4.62	ug/L	U	[NULL]	[NULL]	R	B0N4P8	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-3	3/5/1998 13:15	N	59473-04-0	Total organic halides	6.65	ug/L	[NULL]	[NULL]	[NULL]	R	B0N4P9	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-3	3/5/1998 13:15	N	10028-17-8	Tritium	8720	pCi/L	[NULL]	[NULL]	[NULL]	R	B0N6L9	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-3	3/5/1998 13:15	N	TURBIDITY	Turbidity	13.5	NTU	[NULL]	[NULL]	[NULL]	R	B0N4R1	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	3/5/1998 13:15	N	TURBIDITY	Turbidity	13.4	NTU	[NULL]	[NULL]	[NULL]	R	B0N4R0	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	3/5/1998 13:15	N	TURBIDITY	Turbidity	13.3	NTU	[NULL]	[NULL]	[NULL]	R	B0N4P9	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	3/5/1998 13:15	N	TURBIDITY	Turbidity	13.7	NTU	[NULL]	[NULL]	[NULL]	R	B0N4P8	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	3/5/1998 13:15	Y	7440-62-2	Vanadium	20.5	ug/L	B	[NULL]	[NULL]	R	B0N6L8	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/5/1998 13:15	Y	7440-66-6	Zinc	581	ug/L	[NULL]	[NULL]	[NULL]	R	B0N6L8	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/5/1998 13:15	N	PH	pH Measurement	7.63	unitless	[NULL]	[NULL]	[NULL]	R	B0N4P9	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/5/1998 13:15	N	PH	pH Measurement	7.63	unitless	[NULL]	[NULL]	[NULL]	R	B0N4R0	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/5/1998 13:15	N	PH	pH Measurement	7.63	unitless	[NULL]	[NULL]	[NULL]	R	B0N4R1	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/5/1998 13:15	N	PH	pH Measurement	7.64	unitless	[NULL]	[NULL]	[NULL]	R	B0N4P8	PH	FIELD	9040_PH	100-NR-2
199-N-3	9/3/1998 11:55	Y	7429-90-5	Aluminum	26.6	ug/L	U	[NULL]	[NULL]	R	B0PPW7	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	Y	7429-90-5	Aluminum	23.6	ug/L	U	[NULL]	[NULL]	R	B0PPW5	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	9/3/1998 11:55	Y	7440-36-0	Antimony	25.8	ug/L	U	[NULL]	[NULL]	R	B0PPW7	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	Y	7440-36-0	Antimony	33	ug/L	U	[NULL]	[NULL]	R	B0PPW5	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	Y	7440-38-2	Arsenic	38.1	ug/L	U	[NULL]	[NULL]	R	B0PPW7	7440-38-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	Y	7440-39-3	Barium	199	ug/L	B	[NULL]	[NULL]	R	B0PPW5	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	Y	7440-39-3	Barium	194	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPW7	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	Y	7440-41-7	Beryllium	0.6	ug/L	U	[NULL]	[NULL]	R	B0PPW5	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	Y	7440-41-7	Beryllium	0.2	ug/L	U	[NULL]	[NULL]	R	B0PPW7	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	Y	7440-43-9	Cadmium	2.6	ug/L	U	[NULL]	[NULL]	R	B0PPW5	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B0PPW7	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	Y	7440-70-2	Calcium	216000	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPW5	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	Y	7440-70-2	Calcium	212000	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPW7	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	N	16887-00-6	Chloride	54400	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPW8	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/3/1998 11:55	N	16887-00-6	Chloride	54100	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPW6	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/3/1998 11:55	Y	7440-47-3	Chromium	5.6	ug/L	U	[NULL]	[NULL]	R	B0PPW7	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	Y	7440-47-3	Chromium	4.2	ug/L	U	[NULL]	[NULL]	R	B0PPW5	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B0PPW5	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	Y	7440-48-4	Cobalt	5.8	ug/L	U	[NULL]	[NULL]	R	B0PPW7	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	Y	7440-50-8	Copper	2.4	ug/L	U	[NULL]	[NULL]	R	B0PPW7	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	Y	7440-50-8	Copper	6.2	ug/L	U	[NULL]	[NULL]	R	B0PPW5	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	N	16984-48-8	Fluoride	5000	ug/L	U	[NULL]	[NULL]	R	B0PPW8	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/3/1998 11:55	N	16984-48-8	Fluoride	200	ug/L	U	[NULL]	[NULL]	R	B0PPW6	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/3/1998 11:55	N	12587-46-1	Gross alpha	-2.4	pCi/L	U	[NULL]	[NULL]	R	B0PPW8	12587-46-1	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-3	9/3/1998 11:55	N	12587-47-2	Gross beta	2900	pCi/L	[NULL]	[NULL]	[NULL]	R	B0PPW8	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-3	9/3/1998 11:55	N	12587-47-2	Gross beta	5310	pCi/L	[NULL]	[NULL]	[NULL]	R	B0PPW6	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-3	9/3/1998 11:55	Y	7439-89-6	Iron	49.3	ug/L	B	[NULL]	[NULL]	R	B0PPW5	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	Y	7439-89-6	Iron	14.5	ug/L	B	[NULL]	[NULL]	R	B0PPW7	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	Y	7439-92-1	Lead	37.2	ug/L	U	[NULL]	[NULL]	R	B0PPW7	7439-92-1	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	Y	7439-95-4	Magnesium	38500	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPW5	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	Y	7439-95-4	Magnesium	35700	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPW7	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	Y	7439-96-5	Manganese	29.9	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPW5	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	Y	7439-96-5	Manganese	27.5	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPW7	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	Y	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	B0PPW7	7439-97-6	RLNP	7470_HG_CVAA	100-NR-2
199-N-3	9/3/1998 11:55	Y	7440-02-0	Nickel	11.2	ug/L	U	[NULL]	[NULL]	R	B0PPW5	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	Y	7440-02-0	Nickel	9.5	ug/L	U	[NULL]	[NULL]	R	B0PPW7	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	N	14797-55-8	Nitrate	48300	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPW6	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/3/1998 11:55	N	14797-55-8	Nitrate	47000	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPW8	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/3/1998 11:55	N	14797-65-0	Nitrite	2500	ug/L	U	[NULL]	[NULL]	R	B0PPW8	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/3/1998 11:55	N	14797-65-0	Nitrite	131	ug/L	U	[NULL]	[NULL]	R	B0PPW6	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/3/1998 11:55	Y	7440-09-7	Potassium	4920	ug/L	B	[NULL]	[NULL]	R	B0PPW7	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	Y	7440-09-7	Potassium	6530	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPW5	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	Y	7782-49-2	Selenium	44	ug/L	U	[NULL]	[NULL]	R	B0PPW7	7782-49-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	Y	7440-22-4	Silver	6	ug/L	U	[NULL]	[NULL]	R	B0PPW5	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	Y	7440-22-4	Silver	4.6	ug/L	U	[NULL]	[NULL]	R	B0PPW7	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	Y	7440-23-5	Sodium	19000	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPW7	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	Y	7440-23-5	Sodium	20100	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPW5	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	N	CONDUCT	Specific Conductance	1084	uS/cm	[NULL]	[NULL]	[NULL]	R	B0PRT2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/3/1998 11:55	N	CONDUCT	Specific Conductance	1084	uS/cm	[NULL]	[NULL]	[NULL]	R	B0PRT5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/3/1998 11:55	N	CONDUCT	Specific Conductance	1087	uS/cm	[NULL]	[NULL]	[NULL]	R	B0PRT4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/3/1998 11:55	N	CONDUCT	Specific Conductance	1090	uS/cm	[NULL]	[NULL]	[NULL]	R	B0PRT3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/3/1998 11:55	N	10098-97-2	Strontium-90	2500	pCi/L	[NULL]	[NULL]	[NULL]	R	B0PPW6	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-3	9/3/1998 11:55	N	10098-97-2	Strontium-90	2400	pCi/L	[NULL]	[NULL]	[NULL]	R	B0PPW8	SR-RAD	TMANC	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	9/3/1998 11:55	N	14808-79-8	Sulfate	203000	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPW8	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/3/1998 11:55	N	14808-79-8	Sulfate	224000	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPW6	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/3/1998 11:55	N	TEMPERATURE	Temperature	28.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0PRT4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/3/1998 11:55	N	TEMPERATURE	Temperature	27.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0PRT2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	9/3/1998 11:55	N	TEMPERATURE	Temperature	28.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0PRT5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/3/1998 11:55	N	TEMPERATURE	Temperature	27.9	Deg C	[NULL]	[NULL]	[NULL]	R	B0PRT3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/3/1998 11:55	Y	7440-28-0	Thallium	50.2	ug/L	U	[NULL]	[NULL]	R	B0PPW7	7440-28-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	N	TOC	Total organic carbon	1440	ug/L	[NULL]	[NULL]	[NULL]	R	B0PRT4	TOC	QTESSL	9060_TOC	100-NR-2
199-N-3	9/3/1998 11:55	N	TOC	Total organic carbon	1680	ug/L	[NULL]	[NULL]	[NULL]	R	B0PRT3	TOC	QTESSL	9060_TOC	100-NR-2
199-N-3	9/3/1998 11:55	N	TOC	Total organic carbon	1540	ug/L	[NULL]	[NULL]	[NULL]	R	B0PRT5	TOC	QTESSL	9060_TOC	100-NR-2
199-N-3	9/3/1998 11:55	N	TOC	Total organic carbon	1440	ug/L	[NULL]	[NULL]	[NULL]	R	B0PRT2	TOC	QTESSL	9060_TOC	100-NR-2
199-N-3	9/3/1998 11:55	N	59473-04-0	Total organic halides	2.38	ug/L	UC	[NULL]	[NULL]	R	B0PRT4	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-3	9/3/1998 11:55	N	59473-04-0	Total organic halides	3.45	ug/L	BC	[NULL]	[NULL]	R	B0PRT5	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-3	9/3/1998 11:55	N	59473-04-0	Total organic halides	3.65	ug/L	BC	[NULL]	[NULL]	R	B0PRT3	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-3	9/3/1998 11:55	N	59473-04-0	Total organic halides	5.15	ug/L	C	[NULL]	[NULL]	R	B0PRT2	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-3	9/3/1998 11:55	N	10028-17-8	Tritium	10500	pCi/L	[NULL]	[NULL]	[NULL]	R	B0PPW6	10028-17-8	QTESRL	TRITIUM_ELECT_LSC	100-NR-2
199-N-3	9/3/1998 11:55	N	10028-17-8	Tritium	11000	pCi/L	[NULL]	[NULL]	[NULL]	R	B0PPW8	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-3	9/3/1998 11:55	N	TURBIDITY	Turbidity	3.42	NTU	[NULL]	[NULL]	[NULL]	R	B0PRT3	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	9/3/1998 11:55	N	TURBIDITY	Turbidity	3.37	NTU	[NULL]	[NULL]	[NULL]	R	B0PRT5	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	9/3/1998 11:55	Y	7440-62-2	Vanadium	3.5	ug/L	U	[NULL]	[NULL]	R	B0PPW7	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	Y	7440-62-2	Vanadium	15.3	ug/L	B	[NULL]	[NULL]	R	B0PPW5	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	Y	7440-66-6	Zinc	1120	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPW7	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	Y	7440-66-6	Zinc	1210	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPW5	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	9/3/1998 11:55	N	PH	pH Measurement	7.33	unitless	[NULL]	[NULL]	[NULL]	R	B0PRT3	PH	FIELD	9040_PH	100-NR-2
199-N-3	9/3/1998 11:55	N	PH	pH Measurement	7.33	unitless	[NULL]	[NULL]	[NULL]	R	B0PRT5	PH	FIELD	9040_PH	100-NR-2
199-N-3	9/3/1998 11:55	N	PH	pH Measurement	7.33	unitless	[NULL]	[NULL]	[NULL]	R	B0PRT4	PH	FIELD	9040_PH	100-NR-2
199-N-3	9/3/1998 11:55	N	PH	pH Measurement	7.33	unitless	[NULL]	[NULL]	[NULL]	R	B0PRT2	PH	FIELD	9040_PH	100-NR-2
199-N-3	1/7/1999 11:30	N	CONDUCT	Specific Conductance	796	uS/cm	[NULL]	[NULL]	[NULL]	R	B0T810	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	1/7/1999 11:30	N	CONDUCT	Specific Conductance	797	uS/cm	[NULL]	[NULL]	[NULL]	R	B0T808	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	1/7/1999 11:30	N	CONDUCT	Specific Conductance	795	uS/cm	[NULL]	[NULL]	[NULL]	R	B0T811	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	1/7/1999 11:30	N	CONDUCT	Specific Conductance	795	uS/cm	[NULL]	[NULL]	[NULL]	R	B0T809	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	1/7/1999 11:30	N	TEMPERATURE	Temperature	19.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0T809	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	1/7/1999 11:30	N	TEMPERATURE	Temperature	19.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0T811	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	1/7/1999 11:30	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0T808	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	1/7/1999 11:30	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0T810	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	1/7/1999 11:30	N	TOC	Total organic carbon	1760	ug/L	[NULL]	[NULL]	[NULL]	R	B0T811	TOC	QTESSL	9060_TOC	100-NR-2
199-N-3	1/7/1999 11:30	N	TOC	Total organic carbon	1590	ug/L	[NULL]	[NULL]	[NULL]	R	B0T809	TOC	QTESSL	9060_TOC	100-NR-2
199-N-3	1/7/1999 11:30	N	TOC	Total organic carbon	1590	ug/L	[NULL]	[NULL]	[NULL]	R	B0T808	TOC	QTESSL	9060_TOC	100-NR-2
199-N-3	1/7/1999 11:30	N	TOC	Total organic carbon	1800	ug/L	[NULL]	[NULL]	[NULL]	R	B0T810	TOC	QTESSL	9060_TOC	100-NR-2
199-N-3	1/7/1999 11:30	N	TURBIDITY	Turbidity	2.08	NTU	[NULL]	[NULL]	[NULL]	R	B0T811	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	1/7/1999 11:30	N	TURBIDITY	Turbidity	2.32	NTU	[NULL]	[NULL]	[NULL]	R	B0T810	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	1/7/1999 11:30	N	PH	pH Measurement	7.78	unitless	[NULL]	[NULL]	[NULL]	R	B0T808	PH	FIELD	9040_PH	100-NR-2
199-N-3	1/7/1999 11:30	N	PH	pH Measurement	7.81	unitless	[NULL]	[NULL]	[NULL]	R	B0T809	PH	FIELD	9040_PH	100-NR-2
199-N-3	1/7/1999 11:30	N	PH	pH Measurement	7.84	unitless	[NULL]	[NULL]	[NULL]	R	B0T811	PH	FIELD	9040_PH	100-NR-2
199-N-3	1/7/1999 11:30	N	PH	pH Measurement	7.82	unitless	[NULL]	[NULL]	[NULL]	R	B0T810	PH	FIELD	9040_PH	100-NR-2
199-N-3	1/7/1999 11:50	N	TOC	Total organic carbon	2200	ug/L	[NULL]	[NULL]	[NULL]	R	B0T813	TOC	RLNP	9060_TOC	100-NR-2
199-N-3	1/7/1999 11:50	N	TOC	Total organic carbon	2500	ug/L	[NULL]	[NULL]	[NULL]	R	B0T812	TOC	RLNP	9060_TOC	100-NR-2
199-N-3	1/7/1999 11:50	N	TOC	Total organic carbon	1900	ug/L	[NULL]	[NULL]	[NULL]	R	B0T815	TOC	RLNP	9060_TOC	100-NR-2
199-N-3	1/7/1999 11:50	N	TOC	Total organic carbon	1600	ug/L	[NULL]	[NULL]	[NULL]	R	B0T814	TOC	RLNP	9060_TOC	100-NR-2
199-N-3	3/17/1999 12:50	N	71-55-6	1,1,1-Trichloroethane	0.14	ug/L	U	[NULL]	[NULL]	R	B0TXX5	71-55-6	QTESSL	8260_VOA_GCMS	100-NR-2
199-N-3	3/17/1999 12:50	N	79-00-5	1,1,2-Trichloroethane	0.23	ug/L	U	[NULL]	[NULL]	R	B0TXX5	79-00-5	QTESSL	8260_VOA_GCMS	100-NR-2
199-N-3	3/17/1999 12:50	N	75-34-3	1,1-Dichloroethane	0.13	ug/L	U	[NULL]	[NULL]	R	B0TXX5	75-34-3	QTESSL	8260_VOA_GCMS	100-NR-2
199-N-3	3/17/1999 12:50	N	107-06-2	1,2-Dichloroethane	0.14	ug/L	U	[NULL]	[NULL]	R	B0TXX5	107-06-2	QTESSL	8260_VOA_GCMS	100-NR-2
199-N-3	3/17/1999 12:50	N	106-46-7	1,4-Dichlorobenzene	0.17	ug/L	U	[NULL]	[NULL]	R	B0TXX5	106-46-7	QTESSL	8260_VOA_GCMS	100-NR-2
199-N-3	3/17/1999 12:50	N	71-36-3	1-Butanol	7	ug/L	U	[NULL]	[NULL]	R	B0TXX5	71-36-3	QTESSL	8260_VOA_GCMS	100-NR-2
199-N-3	3/17/1999 12:50	N	71-36-3	1-Butanol	5000	ug/L	U	[NULL]	[NULL]	R	B0TXX5	71-36-3	QTESSL	8015_VOA_GC	100-NR-2
199-N-3	3/17/1999 12:50	N	78-93-3	2-Butanone	0.89	ug/L	U	[NULL]	[NULL]	R	B0TXX5	78-93-3	QTESSL	8260_VOA_GCMS	100-NR-2
199-N-3	3/17/1999 12:50	N	111-76-2	2-Butoxyethanol	5000	ug/L	U	[NULL]	[NULL]	R	B0TXX5	111-76-2	QTESSL	8015_VOA_GC	100-NR-2
199-N-3	3/17/1999 12:50	N	108-10-1	2-Pentanone, 4-Methyl	0.15	ug/L	U	[NULL]	[NULL]	R	B0TXX5	108-10-1	QTESSL	8260_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/17/1999 12:50	N	67-64-1	Acetone	0.33	ug/L	U	[NULL]	[NULL]	R	B0TXX5	67-64-1	QTESSL	8260_VOA_GCMS	100-NR-2
199-N-3	3/17/1999 12:50	N	ALKALINITY	Alkalinity	236000	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX65	ALKALINITY	QTESSL	310.1_ALKALINITY	100-NR-2
199-N-3	3/17/1999 12:50	Y	7429-90-5	Aluminum	50.4	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW83	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	Y	7429-90-5	Aluminum	33.5	ug/L	U	[NULL]	[NULL]	R	B0TX64	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	Y	7440-36-0	Antimony	2.3	ug/L	U	[NULL]	[NULL]	R	B0TW83	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	Y	7440-36-0	Antimony	50.7	ug/L	B	[NULL]	[NULL]	R	B0TX64	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	Y	7440-39-3	Barium	152	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW83	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	Y	7440-39-3	Barium	141	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX64	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	N	71-43-2	Benzene	0.13	ug/L	U	[NULL]	[NULL]	R	B0TXX5	71-43-2	QTESSL	8260_VOA_GCMS	100-NR-2
199-N-3	3/17/1999 12:50	Y	7440-41-7	Beryllium	0.81	ug/L	B	[NULL]	[NULL]	R	B0TX64	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	Y	7440-41-7	Beryllium	0.1	ug/L	U	[NULL]	[NULL]	R	B0TW83	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	Y	7440-43-9	Cadmium	3.9	ug/L	U	[NULL]	[NULL]	R	B0TX64	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	Y	7440-43-9	Cadmium	0.4	ug/L	U	[NULL]	[NULL]	R	B0TW83	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	Y	7440-70-2	Calcium	166000	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX64	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	Y	7440-70-2	Calcium	158000	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW83	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	N	75-15-0	Carbon disulfide	0.13	ug/L	U	[NULL]	[NULL]	R	B0TXX5	75-15-0	QTESSL	8260_VOA_GCMS	100-NR-2
199-N-3	3/17/1999 12:50	N	56-23-5	Carbon tetrachloride	0.15	ug/L	U	[NULL]	[NULL]	R	B0TXX5	56-23-5	QTESSL	8260_VOA_GCMS	100-NR-2
199-N-3	3/17/1999 12:50	N	16887-00-6	Chloride	44900	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW84	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/17/1999 12:50	N	16887-00-6	Chloride	42700	ug/L	D	[NULL]	[NULL]	R	B0TX65	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/17/1999 12:50	N	67-66-3	Chloroform	0.09	ug/L	U	Q	[NULL]	R	B0TXX5	67-66-3	QTESSL	8260_VOA_GCMS	100-NR-2
199-N-3	3/17/1999 12:50	Y	7440-47-3	Chromium	4.8	ug/L	U	[NULL]	[NULL]	R	B0TX64	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	Y	7440-47-3	Chromium	1.6	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW83	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	Y	7440-48-4	Cobalt	5.1	ug/L	U	[NULL]	[NULL]	R	B0TX64	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	Y	7440-48-4	Cobalt	0.6	ug/L	U	[NULL]	[NULL]	R	B0TW83	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	Y	7440-50-8	Copper	8.7	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW83	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	Y	7440-50-8	Copper	3.9	ug/L	U	[NULL]	[NULL]	R	B0TX64	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	N	60-29-7	Diethyl ether	0.5	ug/L	U	[NULL]	[NULL]	R	B0TXX5	60-29-7	QTESSL	8015_VOA_GC	100-NR-2
199-N-3	3/17/1999 12:50	N	64-17-5	Ethanol	380	ug/L	U	[NULL]	[NULL]	R	B0TXX5	64-17-5	QTESSL	8015_VOA_GC	100-NR-2
199-N-3	3/17/1999 12:50	N	141-78-6	Ethyl acetate	5000	ug/L	U	[NULL]	[NULL]	R	B0TXX5	141-78-6	QTESSL	8015_VOA_GC	100-NR-2
199-N-3	3/17/1999 12:50	N	107-12-0	Ethyl cyanide	1.5	ug/L	U	[NULL]	[NULL]	R	B0TXX5	107-12-0	QTESSL	8260_VOA_GCMS	100-NR-2
199-N-3	3/17/1999 12:50	N	107-21-1	Ethylene glycol	5000	ug/L	U	[NULL]	[NULL]	R	B0TXX5	107-21-1	QTESSL	8015_VOA_GC	100-NR-2
199-N-3	3/17/1999 12:50	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	B0TW84	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/17/1999 12:50	N	16984-48-8	Fluoride	100	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX65	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/17/1999 12:50	N	12587-46-1	Gross alpha	3.99	pCi/L	[NULL]	[NULL]	[NULL]	R	B0TW84	12587-46-1	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-3	3/17/1999 12:50	N	12587-47-2	Gross beta	1980	pCi/L	[NULL]	[NULL]	[NULL]	R	B0TW84	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-3	3/17/1999 12:50	Y	7439-89-6	Iron	32.4	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW83	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	Y	7439-89-6	Iron	52.6	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX64	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	Y	7439-95-4	Magnesium	27200	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW83	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	Y	7439-95-4	Magnesium	28400	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX64	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	Y	7439-96-5	Manganese	25.3	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW83	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	Y	7439-96-5	Manganese	29.3	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX64	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	N	67-56-1	Methanol	930	ug/L	U	[NULL]	[NULL]	R	B0TXX5	67-56-1	QTESSL	8015_VOA_GC	100-NR-2
199-N-3	3/17/1999 12:50	N	75-09-2	Methylene chloride	0.41	ug/L	U	[NULL]	[NULL]	R	B0TXX5	75-09-2	QTESSL	8260_VOA_GCMS	100-NR-2
199-N-3	3/17/1999 12:50	Y	7440-02-0	Nickel	14.5	ug/L	B	[NULL]	[NULL]	R	B0TX64	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	Y	7440-02-0	Nickel	11.3	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW83	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	N	14797-55-8	Nitrate	28500	ug/L	D	[NULL]	[NULL]	R	B0TX65	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/17/1999 12:50	N	14797-55-8	Nitrate	27000	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW84	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/17/1999 12:50	N	14797-65-0	Nitrite	23	ug/L	U	[NULL]	[NULL]	R	B0TX65	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/17/1999 12:50	N	14797-65-0	Nitrite	2500	ug/L	U	[NULL]	[NULL]	R	B0TW84	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/17/1999 12:50	N	OIL/GREASE	Oil and grease	930	ug/L	B	[NULL]	[NULL]	R	B0TXX5	OIL/GREASE	QTESSL	413.1_OILGREASE	100-NR-2
199-N-3	3/17/1999 12:50	Y	7440-09-7	Potassium	4600	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW83	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	Y	7440-09-7	Potassium	4200	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX64	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	Y	7440-22-4	Silver	0.9	ug/L	U	[NULL]	[NULL]	R	B0TW83	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	Y	7440-22-4	Silver	5.9	ug/L	U	[NULL]	[NULL]	R	B0TX64	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	Y	7440-23-5	Sodium	20300	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW83	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/17/1999 12:50	Y	7440-23-5	Sodium	20100	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX64	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	N	CONDUCT	Specific Conductance	1038	uS/cm	[NULL]	[NULL]	[NULL]	R	B0V0P9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/17/1999 12:50	N	CONDUCT	Specific Conductance	1040	uS/cm	[NULL]	[NULL]	[NULL]	R	B0TX65	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/17/1999 12:50	N	CONDUCT	Specific Conductance	1038	uS/cm	[NULL]	[NULL]	[NULL]	R	B0V0R0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/17/1999 12:50	N	CONDUCT	Specific Conductance	1020	uS/cm	C	[NULL]	[NULL]	R	B0TX65	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-3	3/17/1999 12:50	N	CONDUCT	Specific Conductance	1037	uS/cm	[NULL]	[NULL]	[NULL]	R	B0V0P8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/17/1999 12:50	Y	7440-24-6	Strontium	601	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX64	7440-24-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	Y	7440-24-6	Strontium	624	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW83	7440-24-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	N	10098-97-2	Strontium-90	1040	pCi/L	[NULL]	[NULL]	[NULL]	R	B0TWB8	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-3	3/17/1999 12:50	N	10098-97-2	Strontium-90	1020	pCi/L	[NULL]	[NULL]	[NULL]	R	B0TW84	10098-97-2	TMANC	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-3	3/17/1999 12:50	N	10098-97-2	Strontium-90	1170	pCi/L	[NULL]	[NULL]	[NULL]	R	B0TXX6	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-3	3/17/1999 12:50	N	14808-79-8	Sulfate	231000	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW84	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/17/1999 12:50	N	14808-79-8	Sulfate	237000	ug/L	D	[NULL]	[NULL]	R	B0TX65	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/17/1999 12:50	N	TEMPERATURE	Temperature	15.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0TX65	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/17/1999 12:50	N	TEMPERATURE	Temperature	15.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0V0P9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/17/1999 12:50	N	TEMPERATURE	Temperature	15.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0V0P8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/17/1999 12:50	N	TEMPERATURE	Temperature	15.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0V0R0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/17/1999 12:50	N	127-18-4	Tetrachloroethene	0.29	ug/L	U	[NULL]	[NULL]	R	B0TXX5	127-18-4	QTESSL	8260_VOA_GCMS	100-NR-2
199-N-3	3/17/1999 12:50	N	109-99-9	Tetrahydrofuran	1.6	ug/L	U	[NULL]	[NULL]	R	B0TXX5	109-99-9	QTESSL	8260_VOA_GCMS	100-NR-2
199-N-3	3/17/1999 12:50	N	108-88-3	Toluene	0.26	ug/L	U	[NULL]	[NULL]	R	B0TXX5	108-88-3	QTESSL	8260_VOA_GCMS	100-NR-2
199-N-3	3/17/1999 12:50	N	TOC	Total organic carbon	1390	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX65	TOC	QTESSL	9060_TOC	100-NR-2
199-N-3	3/17/1999 12:50	N	TOC	Total organic carbon	1480	ug/L	[NULL]	[NULL]	[NULL]	R	B0V0P8	TOC	QTESSL	9060_TOC	100-NR-2
199-N-3	3/17/1999 12:50	N	TOC	Total organic carbon	1430	ug/L	[NULL]	[NULL]	[NULL]	R	B0V0R0	TOC	QTESSL	9060_TOC	100-NR-2
199-N-3	3/17/1999 12:50	N	TOC	Total organic carbon	1660	ug/L	[NULL]	[NULL]	[NULL]	R	B0V0P9	TOC	QTESSL	9060_TOC	100-NR-2
199-N-3	3/17/1999 12:50	N	59473-04-0	Total organic halides	7.5	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX65	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-3	3/17/1999 12:50	N	59473-04-0	Total organic halides	6.9	ug/L	[NULL]	[NULL]	[NULL]	R	B0V0P9	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-3	3/17/1999 12:50	N	59473-04-0	Total organic halides	6.2	ug/L	[NULL]	[NULL]	[NULL]	R	B0V0P8	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-3	3/17/1999 12:50	N	59473-04-0	Total organic halides	6.4	ug/L	[NULL]	[NULL]	[NULL]	R	B0V0R0	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-3	3/17/1999 12:50	N	79-01-6	Trichloroethene	0.16	ug/L	U	[NULL]	[NULL]	R	B0TXX5	79-01-6	QTESSL	8260_VOA_GCMS	100-NR-2
199-N-3	3/17/1999 12:50	N	10028-17-8	Tritium	5010	pCi/L	[NULL]	[NULL]	[NULL]	R	B0TW84	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-3	3/17/1999 12:50	N	10028-17-8	Tritium	4500	pCi/L	[NULL]	[NULL]	[NULL]	R	B0TXX6	10028-17-8	QTESRL	906.0_H3_LSC	100-NR-2
199-N-3	3/17/1999 12:50	N	TURBIDITY	Turbidity	28.6	NTU	[NULL]	[NULL]	[NULL]	R	B0V0P8	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	3/17/1999 12:50	N	TURBIDITY	Turbidity	30.5	NTU	[NULL]	[NULL]	[NULL]	R	B0V0R0	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	3/17/1999 12:50	N	TURBIDITY	Turbidity	29.3	NTU	[NULL]	[NULL]	[NULL]	R	B0V0P9	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	3/17/1999 12:50	Y	TURBIDITY	Turbidity	0.66	NTU	[NULL]	[NULL]	[NULL]	R	B0TX64	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	3/17/1999 12:50	Y	7440-62-2	Vanadium	28.5	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX64	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	Y	7440-62-2	Vanadium	1.3	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW83	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	N	75-01-4	Vinyl chloride	0.1	ug/L	U	[NULL]	[NULL]	R	B0TXX5	75-01-4	QTESSL	8260_VOA_GCMS	100-NR-2
199-N-3	3/17/1999 12:50	N	1330-20-7	Xylenes (total)	0.79	ug/L	U	[NULL]	[NULL]	R	B0TXX5	1330-20-7	QTESSL	8260_VOA_GCMS	100-NR-2
199-N-3	3/17/1999 12:50	Y	7440-66-6	Zinc	781	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW83	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	Y	7440-66-6	Zinc	756	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX64	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-3	3/17/1999 12:50	N	156-59-2	cis-1,2-Dichloroethylene	0.15	ug/L	U	[NULL]	[NULL]	R	B0TXX5	156-59-2	QTESSL	8260_VOA_GCMS	100-NR-2
199-N-3	3/17/1999 12:50	N	PH	pH Measurement	7.51	unitless	[NULL]	[NULL]	[NULL]	R	B0V0P9	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/17/1999 12:50	N	PH	pH Measurement	7.54	unitless	[NULL]	[NULL]	[NULL]	R	B0V0P8	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/17/1999 12:50	N	PH	pH Measurement	7.51	unitless	[NULL]	[NULL]	[NULL]	R	B0V0R0	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/17/1999 12:50	N	PH	pH Measurement	7.54	unitless	[NULL]	[NULL]	[NULL]	R	B0TX65	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/17/1999 12:50	N	156-60-5	trans-1,2-Dichloroethylene	0.11	ug/L	U	[NULL]	[NULL]	R	B0TXX5	156-60-5	QTESSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/8/1999 12:11	Y	7429-90-5	Aluminum	28.3	ug/L	B	[NULL]	[NULL]	R	B0W7N1	7429-90-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-3	9/8/1999 12:11	Y	7440-36-0	Antimony	2.5	ug/L	U	[NULL]	[NULL]	R	B0W7N1	7440-36-0	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-3	9/8/1999 12:11	Y	7440-39-3	Barium	161	ug/L	B	[NULL]	[NULL]	R	B0W7N1	7440-39-3	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-3	9/8/1999 12:11	Y	7440-41-7	Beryllium	0.1	ug/L	U	[NULL]	[NULL]	R	B0W7N1	7440-41-7	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-3	9/8/1999 12:11	Y	7440-43-9	Cadmium	0.3	ug/L	U	[NULL]	[NULL]	R	B0W7N1	7440-43-9	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-3	9/8/1999 12:11	Y	7440-70-2	Calcium	183000	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7N1	7440-70-2	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-3	9/8/1999 12:11	N	16887-00-6	Chloride	52100	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7N2	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	9/8/1999 12:11	Y	7440-47-3	Chromium	7.6	ug/L	B	[NULL]	[NULL]	R	B0W7N1	7440-47-3	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-3	9/8/1999 12:11	Y	7440-48-4	Cobalt	0.5	ug/L	U	[NULL]	[NULL]	R	B0W7N1	7440-48-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-3	9/8/1999 12:11	Y	7440-50-8	Copper	4.3	ug/L	B	[NULL]	[NULL]	R	B0W7N1	7440-50-8	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-3	9/8/1999 12:11	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	B0W7N2	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/8/1999 12:11	N	12587-47-2	Gross beta	3420	pCi/L	[NULL]	[NULL]	[NULL]	R	B0W7N2	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-3	9/8/1999 12:11	Y	7439-89-6	Iron	54.7	ug/L	B	[NULL]	[NULL]	R	B0W7N1	7439-89-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-3	9/8/1999 12:11	Y	7439-92-1	Lead	2.1	ug/L	B	[NULL]	[NULL]	R	B0W7N1	7439-92-1	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-3	9/8/1999 12:11	Y	7439-95-4	Magnesium	32100	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7N1	7439-95-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-3	9/8/1999 12:11	Y	7439-96-5	Manganese	13.9	ug/L	B	[NULL]	[NULL]	R	B0W7N1	7439-96-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-3	9/8/1999 12:11	Y	7440-02-0	Nickel	1.2	ug/L	U	[NULL]	[NULL]	R	B0W7N1	7440-02-0	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-3	9/8/1999 12:11	N	14797-55-8	Nitrate	41000	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7N2	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/8/1999 12:11	N	14797-65-0	Nitrite	2500	ug/L	U	[NULL]	[NULL]	R	B0W7N2	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/8/1999 12:11	Y	7440-09-7	Potassium	4360	ug/L	B	[NULL]	[NULL]	R	B0W7N1	7440-09-7	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-3	9/8/1999 12:11	Y	7440-22-4	Silver	1	ug/L	U	[NULL]	[NULL]	R	B0W7N1	7440-22-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-3	9/8/1999 12:11	Y	7440-23-5	Sodium	18600	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7N1	7440-23-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-3	9/8/1999 12:11	N	CONDUCT	Specific Conductance	1129	uS/cm	[NULL]	[NULL]	[NULL]	R	B0W6L2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/8/1999 12:11	N	CONDUCT	Specific Conductance	1080	uS/cm	C	[NULL]	[NULL]	R	B0W6L3	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-3	9/8/1999 12:11	N	CONDUCT	Specific Conductance	1127	uS/cm	[NULL]	[NULL]	[NULL]	R	B0W6L0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/8/1999 12:11	N	CONDUCT	Specific Conductance	1127	uS/cm	[NULL]	[NULL]	[NULL]	R	B0W6K9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/8/1999 12:11	N	CONDUCT	Specific Conductance	1128	uS/cm	[NULL]	[NULL]	[NULL]	R	B0W6L1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/8/1999 12:11	Y	7440-24-6	Strontium	668	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7N1	7440-24-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-3	9/8/1999 12:11	N	10098-97-2	Strontium-90	1880	pCi/L	[NULL]	[NULL]	[NULL]	R	B0W7N2	10098-97-2	TMANC	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-3	9/8/1999 12:11	N	14808-79-8	Sulfate	238000	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7N2	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/8/1999 12:11	N	TEMPERATURE	Temperature	21.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0W6K9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/8/1999 12:11	N	TEMPERATURE	Temperature	21.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0W6L0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/8/1999 12:11	N	TEMPERATURE	Temperature	21.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0W6L1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/8/1999 12:11	N	TEMPERATURE	Temperature	21.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0W6L2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/8/1999 12:11	Y	7440-31-5	Tin	2.1	ug/L	U	[NULL]	[NULL]	R	B0W7N1	7440-31-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-3	9/8/1999 12:11	N	TOC	Total organic carbon	1680	ug/L	[NULL]	[NULL]	[NULL]	R	B0W6L1	TOC	QTESSL	9060_TOC	100-NR-2
199-N-3	9/8/1999 12:11	N	TOC	Total organic carbon	1690	ug/L	[NULL]	[NULL]	[NULL]	R	B0W6K9	TOC	QTESSL	9060_TOC	100-NR-2
199-N-3	9/8/1999 12:11	N	TOC	Total organic carbon	1590	ug/L	[NULL]	[NULL]	[NULL]	R	B0W6L0	TOC	QTESSL	9060_TOC	100-NR-2
199-N-3	9/8/1999 12:11	N	TOC	Total organic carbon	1570	ug/L	[NULL]	[NULL]	[NULL]	R	B0W6L2	TOC	QTESSL	9060_TOC	100-NR-2
199-N-3	9/8/1999 12:11	N	59473-04-0	Total organic halides	5	ug/L	[NULL]	[NULL]	[NULL]	R	B0W6L2	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-3	9/8/1999 12:11	N	59473-04-0	Total organic halides	5.75	ug/L	[NULL]	[NULL]	[NULL]	R	B0W6L1	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-3	9/8/1999 12:11	N	59473-04-0	Total organic halides	10.4	ug/L	[NULL]	[NULL]	[NULL]	R	B0W6K9	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-3	9/8/1999 12:11	N	59473-04-0	Total organic halides	11	ug/L	[NULL]	[NULL]	[NULL]	R	B0W6L0	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-3	9/8/1999 12:11	N	10028-17-8	Tritium	5550	pCi/L	[NULL]	[NULL]	[NULL]	R	B0W7N2	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-3	9/8/1999 12:11	N	TURBIDITY	Turbidity	2.67	NTU	[NULL]	[NULL]	[NULL]	R	B0W6L2	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	9/8/1999 12:11	N	TURBIDITY	Turbidity	2.28	NTU	[NULL]	[NULL]	[NULL]	R	B0W6L0	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	9/8/1999 12:11	Y	7440-62-2	Vanadium	2.2	ug/L	B	[NULL]	[NULL]	R	B0W7N1	7440-62-2	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-3	9/8/1999 12:11	Y	7440-66-6	Zinc	442	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7N1	7440-66-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-3	9/8/1999 12:11	N	PH	pH Measurement	7.44	unitless	[NULL]	[NULL]	[NULL]	R	B0W6L1	PH	FIELD	9040_PH	100-NR-2
199-N-3	9/8/1999 12:11	N	PH	pH Measurement	7.44	unitless	[NULL]	[NULL]	[NULL]	R	B0W6L2	PH	FIELD	9040_PH	100-NR-2
199-N-3	9/8/1999 12:11	N	PH	pH Measurement	7.44	unitless	[NULL]	[NULL]	[NULL]	R	B0W6K9	PH	FIELD	9040_PH	100-NR-2
199-N-3	9/8/1999 12:11	N	PH	pH Measurement	7.44	unitless	[NULL]	[NULL]	[NULL]	R	B0W6L0	PH	FIELD	9040_PH	100-NR-2
199-N-3	4/13/2000 10:16	N	ALKALINITY	Alkalinity	398000	ug/L	[NULL]	[NULL]	[NULL]	R	B0XL60	ALKALINITY	QTESSL	310.1_ALKALINITY	100-NR-2
199-N-3	4/13/2000 10:16	Y	7429-90-5	Aluminum	17.1	ug/L	U	[NULL]	[NULL]	R	B0XKY2	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	4/13/2000 10:16	Y	7440-36-0	Antimony	1.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0XKY2	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	4/13/2000 10:16	Y	7440-39-3	Barium	211	ug/L	[NULL]	[NULL]	[NULL]	R	B0XKY2	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	4/13/2000 10:16	Y	7440-41-7	Beryllium	0.1	ug/L	U	[NULL]	[NULL]	R	B0XKY2	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	4/13/2000 10:16	Y	7440-43-9	Cadmium	0.3	ug/L	U	[NULL]	[NULL]	R	B0XKY2	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	4/13/2000 10:16	Y	7440-70-2	Calcium	211000	ug/L	[NULL]	[NULL]	[NULL]	R	B0XKY2	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	4/13/2000 10:16	N	16887-00-6	Chloride	76900	ug/L	[NULL]	[NULL]	[NULL]	R	B0XKY3	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	4/13/2000 10:16	Y	7440-47-3	Chromium	2.7	ug/L	[NULL]	[NULL]	[NULL]	R	B0XKY2	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	4/13/2000 10:16	Y	7440-48-4	Cobalt	0.8	ug/L	U	[NULL]	[NULL]	R	B0XKY2	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	4/13/2000 10:16	Y	7440-50-8	Copper	0.8	ug/L	U	[NULL]	[NULL]	R	B0XKY2	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	4/13/2000 10:16	N	16984-48-8	Fluoride	513	ug/L	[NULL]	[NULL]	[NULL]	R	B0XKY3	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	4/13/2000 10:16	N	12587-47-2	Gross beta	3160	pCi/L	[NULL]	[NULL]	[NULL]	R	B0XKY3	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-3	4/13/2000 10:16	Y	7439-89-6	Iron	14.6	ug/L	U	[NULL]	[NULL]	R	B0XKY2	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	4/13/2000 10:16	Y	7439-92-1	Lead	2.3	ug/L	U	[NULL]	[NULL]	R	B0XKY2	7439-92-1	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	4/13/2000 10:16	Y	7439-95-4	Magnesium	36400	ug/L	[NULL]	[NULL]	[NULL]	R	B0XKY2	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	4/13/2000 10:16	Y	7439-96-5	Manganese	1.3	ug/L	[NULL]	[NULL]	[NULL]	R	B0XKY2	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	4/13/2000 10:16	Y	7440-02-0	Nickel	1.4	ug/L	U	[NULL]	[NULL]	R	B0XKY2	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	4/13/2000 10:16	N	14797-55-8	Nitrate	45000	ug/L	[NULL]	[NULL]	[NULL]	R	B0XKY3	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	4/13/2000 10:16	N	14797-65-0	Nitrite	2500	ug/L	U	[NULL]	[NULL]	R	B0XKY3	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	4/13/2000 10:16	Y	7440-09-7	Potassium	5140	ug/L	[NULL]	[NULL]	[NULL]	R	B0XKY2	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	4/13/2000 10:16	Y	7440-22-4	Silver	0.9	ug/L	U	[NULL]	[NULL]	R	B0XKY2	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	4/13/2000 10:16	Y	7440-23-5	Sodium	22600	ug/L	[NULL]	[NULL]	[NULL]	R	B0XKY2	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	4/13/2000 10:16	N	CONDUCT	Specific Conductance	1323	uS/cm	[NULL]	[NULL]	[NULL]	R	B0XL56	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	4/13/2000 10:16	N	CONDUCT	Specific Conductance	1270	uS/cm	C	[NULL]	[NULL]	R	B0XL60	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-3	4/13/2000 10:16	N	CONDUCT	Specific Conductance	1323	uS/cm	[NULL]	[NULL]	[NULL]	R	B0XL55	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	4/13/2000 10:16	N	CONDUCT	Specific Conductance	1325	uS/cm	[NULL]	[NULL]	[NULL]	R	B0XL58	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	4/13/2000 10:16	N	CONDUCT	Specific Conductance	1324	uS/cm	[NULL]	[NULL]	[NULL]	R	B0XL57	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	4/13/2000 10:16	Y	7440-24-6	Strontium	838	ug/L	[NULL]	[NULL]	[NULL]	R	B0XKY2	7440-24-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	4/13/2000 10:16	N	10098-97-2	Strontium-90	1670	pCi/L	[NULL]	[NULL]	[NULL]	R	B0XKY3	10098-97-2	TMANC	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-3	4/13/2000 10:16	N	14808-79-8	Sulfate	247000	ug/L	[NULL]	[NULL]	[NULL]	R	B0XKY3	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	4/13/2000 10:16	N	TEMPERATURE	Temperature	20.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0XL56	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	4/13/2000 10:16	N	TEMPERATURE	Temperature	20.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0XL55	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	4/13/2000 10:16	N	TEMPERATURE	Temperature	20.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0XL57	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	4/13/2000 10:16	N	TEMPERATURE	Temperature	20.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0XL58	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	4/13/2000 10:16	Y	7440-31-5	Tin	1.9	ug/L	U	[NULL]	[NULL]	R	B0XKY2	7440-31-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	4/13/2000 10:16	N	TOC	Total organic carbon	2000	ug/L	[NULL]	[NULL]	[NULL]	R	B0XL58	TOC	QTESSL	9060_TOC	100-NR-2
199-N-3	4/13/2000 10:16	N	TOC	Total organic carbon	2100	ug/L	[NULL]	[NULL]	[NULL]	R	B0XL55	TOC	QTESSL	9060_TOC	100-NR-2
199-N-3	4/13/2000 10:16	N	TOC	Total organic carbon	2000	ug/L	[NULL]	[NULL]	[NULL]	R	B0XL56	TOC	QTESSL	9060_TOC	100-NR-2
199-N-3	4/13/2000 10:16	N	TOC	Total organic carbon	2000	ug/L	[NULL]	[NULL]	[NULL]	R	B0XL57	TOC	QTESSL	9060_TOC	100-NR-2
199-N-3	4/13/2000 10:16	N	59473-04-0	Total organic halides	6.7	ug/L	[NULL]	[NULL]	[NULL]	R	B0XL56	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-3	4/13/2000 10:16	N	59473-04-0	Total organic halides	8.2	ug/L	[NULL]	[NULL]	[NULL]	R	B0XL55	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-3	4/13/2000 10:16	N	59473-04-0	Total organic halides	8	ug/L	[NULL]	[NULL]	[NULL]	R	B0XL57	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-3	4/13/2000 10:16	N	59473-04-0	Total organic halides	5.9	ug/L	[NULL]	[NULL]	[NULL]	R	B0XL58	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-3	4/13/2000 10:16	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	92	ug/L	U	[NULL]	[NULL]	R	B0XMF7	TPHDIESEL	QTESSL	8015M_TPH_GC	100-NR-2
199-N-3	4/13/2000 10:16	N	TPHGASOLINE	Total petroleum hydrocarbons - gasoline range	100	ug/L	U	[NULL]	[NULL]	R	B0XMF7	TPHGASOLINE	QTESSL	8015M_TPH_GC	100-NR-2
199-N-3	4/13/2000 10:16	N	10028-17-8	Tritium	4800	pCi/L	[NULL]	[NULL]	[NULL]	R	B0XKY3	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-3	4/13/2000 10:16	N	TURBIDITY	Turbidity	3.38	NTU	[NULL]	[NULL]	[NULL]	R	B0XL57	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	4/13/2000 10:16	N	TURBIDITY	Turbidity	3.41	NTU	[NULL]	[NULL]	[NULL]	R	B0XL55	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	4/13/2000 10:16	N	TURBIDITY	Turbidity	2.95	NTU	[NULL]	[NULL]	[NULL]	R	B0XL58	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	4/13/2000 10:16	N	TURBIDITY	Turbidity	3.34	NTU	[NULL]	[NULL]	[NULL]	R	B0XL56	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	4/13/2000 10:16	Y	7440-62-2	Vanadium	2.6	ug/L	[NULL]	[NULL]	[NULL]	R	B0XKY2	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	4/13/2000 10:16	Y	7440-66-6	Zinc	345	ug/L	[NULL]	[NULL]	[NULL]	R	B0XKY2	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	4/13/2000 10:16	N	PH	pH Measurement	7.76	unitless	[NULL]	[NULL]	[NULL]	R	B0XL56	PH	FIELD	9040_PH	100-NR-2
199-N-3	4/13/2000 10:16	N	PH	pH Measurement	7.75	unitless	[NULL]	[NULL]	[NULL]	R	B0XL55	PH	FIELD	9040_PH	100-NR-2
199-N-3	4/13/2000 10:16	N	PH	pH Measurement	7.77	unitless	[NULL]	[NULL]	[NULL]	R	B0XL58	PH	FIELD	9040_PH	100-NR-2
199-N-3	4/13/2000 10:16	N	PH	pH Measurement	7.77	unitless	[NULL]	[NULL]	[NULL]	R	B0XL57	PH	FIELD	9040_PH	100-NR-2
199-N-3	9/26/2000 10:02	Y	7429-90-5	Aluminum	17.8	ug/L	U	[NULL]	[NULL]	R	B10436	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	Y	7429-90-5	Aluminum	25.2	ug/L	[NULL]	[NULL]	[NULL]	R	B10434	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	Y	7440-36-0	Antimony	26.9	ug/L	U	[NULL]	[NULL]	R	B10436	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	Y	7440-36-0	Antimony	26.9	ug/L	U	[NULL]	[NULL]	R	B10434	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	9/26/2000 10:02	Y	7440-39-3	Barium	225	ug/L	[NULL]	[NULL]	[NULL]	R	B10436	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	Y	7440-39-3	Barium	232	ug/L	[NULL]	[NULL]	[NULL]	R	B10434	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	Y	7440-41-7	Beryllium	0.1	ug/L	U	[NULL]	[NULL]	R	B10434	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	Y	7440-41-7	Beryllium	0.1	ug/L	U	[NULL]	[NULL]	R	B10436	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	N	24959-67-9	Bromide	2500	ug/L	U	[NULL]	[NULL]	R	B10435	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/26/2000 10:02	N	24959-67-9	Bromide	2500	ug/L	U	[NULL]	[NULL]	R	B10437	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/26/2000 10:02	Y	7440-43-9	Cadmium	4.8	ug/L	U	[NULL]	[NULL]	R	B10434	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	Y	7440-43-9	Cadmium	4.8	ug/L	U	[NULL]	[NULL]	R	B10436	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	Y	7440-70-2	Calcium	252000	ug/L	[NULL]	[NULL]	[NULL]	R	B10436	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	Y	7440-70-2	Calcium	250000	ug/L	[NULL]	[NULL]	[NULL]	R	B10434	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	N	16887-00-6	Chloride	93500	ug/L	[NULL]	[NULL]	[NULL]	R	B10437	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/26/2000 10:02	N	16887-00-6	Chloride	94000	ug/L	[NULL]	[NULL]	[NULL]	R	B10435	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/26/2000 10:02	Y	7440-47-3	Chromium	4.4	ug/L	[NULL]	[NULL]	[NULL]	R	B10434	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	Y	7440-47-3	Chromium	3.5	ug/L	U	[NULL]	[NULL]	R	B10436	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	Y	7440-48-4	Cobalt	3.4	ug/L	U	[NULL]	[NULL]	R	B10436	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	Y	7440-48-4	Cobalt	3.4	ug/L	U	[NULL]	[NULL]	R	B10434	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	Y	7440-50-8	Copper	2.9	ug/L	U	[NULL]	[NULL]	R	B10436	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	Y	7440-50-8	Copper	2.9	ug/L	U	[NULL]	[NULL]	R	B10434	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	N	16984-48-8	Fluoride	5000	ug/L	U	[NULL]	[NULL]	R	B10435	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/26/2000 10:02	N	16984-48-8	Fluoride	5000	ug/L	U	[NULL]	[NULL]	R	B10437	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/26/2000 10:02	N	12587-47-2	Gross beta	3680	pCi/L	[NULL]	[NULL]	[NULL]	R	B10437	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-3	9/26/2000 10:02	N	12587-47-2	Gross beta	3900	pCi/L	[NULL]	[NULL]	[NULL]	R	B10435	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-3	9/26/2000 10:02	Y	7439-89-6	Iron	17.3	ug/L	[NULL]	[NULL]	[NULL]	R	B10434	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	Y	7439-89-6	Iron	13	ug/L	[NULL]	[NULL]	[NULL]	R	B10436	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	Y	7439-95-4	Magnesium	40700	ug/L	[NULL]	[NULL]	[NULL]	R	B10436	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	Y	7439-95-4	Magnesium	41400	ug/L	[NULL]	[NULL]	[NULL]	R	B10434	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	Y	7439-96-5	Manganese	1.2	ug/L	[NULL]	[NULL]	[NULL]	R	B10434	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	Y	7439-96-5	Manganese	1.5	ug/L	[NULL]	[NULL]	[NULL]	R	B10436	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	Y	7440-02-0	Nickel	14	ug/L	U	[NULL]	[NULL]	R	B10436	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	Y	7440-02-0	Nickel	14	ug/L	U	[NULL]	[NULL]	R	B10434	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	N	14797-55-8	Nitrate	56400	ug/L	[NULL]	[NULL]	[NULL]	R	B10435	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/26/2000 10:02	N	14797-55-8	Nitrate	56000	ug/L	[NULL]	[NULL]	[NULL]	R	B10437	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/26/2000 10:02	N	14797-65-0	Nitrite	2500	ug/L	U	[NULL]	[NULL]	R	B10435	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/26/2000 10:02	N	14797-65-0	Nitrite	2500	ug/L	U	[NULL]	[NULL]	R	B10437	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/26/2000 10:02	N	14265-44-2	Phosphate	2500	ug/L	U	[NULL]	[NULL]	R	B10435	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/26/2000 10:02	N	14265-44-2	Phosphate	2500	ug/L	U	[NULL]	[NULL]	R	B10437	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/26/2000 10:02	Y	7440-09-7	Potassium	4610	ug/L	[NULL]	[NULL]	[NULL]	R	B10436	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	Y	7440-09-7	Potassium	4930	ug/L	[NULL]	[NULL]	[NULL]	R	B10434	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	Y	7440-22-4	Silver	2.6	ug/L	U	[NULL]	[NULL]	R	B10436	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	Y	7440-22-4	Silver	2.6	ug/L	U	[NULL]	[NULL]	R	B10434	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	Y	7440-23-5	Sodium	21200	ug/L	[NULL]	[NULL]	[NULL]	R	B10436	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	Y	7440-23-5	Sodium	21900	ug/L	[NULL]	[NULL]	[NULL]	R	B10434	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	N	CONDUCT	Specific Conductance	1468	uS/cm	[NULL]	[NULL]	[NULL]	R	B101Y4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/26/2000 10:02	N	CONDUCT	Specific Conductance	1468	uS/cm	[NULL]	[NULL]	[NULL]	R	B101Y1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/26/2000 10:02	N	CONDUCT	Specific Conductance	1430	uS/cm	C	[NULL]	[NULL]	R	B101Y5	CONDUCT	STLSL	120.1_CONDUCT	100-NR-2
199-N-3	9/26/2000 10:02	N	CONDUCT	Specific Conductance	1470	uS/cm	[NULL]	[NULL]	[NULL]	R	B101Y3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/26/2000 10:02	N	CONDUCT	Specific Conductance	1469	uS/cm	[NULL]	[NULL]	[NULL]	R	B101Y2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/26/2000 10:02	Y	7440-24-6	Strontium	945	ug/L	[NULL]	[NULL]	[NULL]	R	B10436	7440-24-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	Y	7440-24-6	Strontium	960	ug/L	[NULL]	[NULL]	[NULL]	R	B10434	7440-24-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	N	10098-97-2	Strontium-90	2310	pCi/L	[NULL]	[NULL]	[NULL]	R	B10435	10098-97-2	TMANC	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-3	9/26/2000 10:02	N	10098-97-2	Strontium-90	1900	pCi/L	[NULL]	[NULL]	[NULL]	R	B10437	10098-97-2	TMANC	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-3	9/26/2000 10:02	N	14808-79-8	Sulfate	242000	ug/L	[NULL]	[NULL]	[NULL]	R	B10435	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/26/2000 10:02	N	14808-79-8	Sulfate	244000	ug/L	[NULL]	[NULL]	[NULL]	R	B10437	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/26/2000 10:02	N	TEMPERATURE	Temperature	20.9	Deg C	[NULL]	[NULL]	[NULL]	R	B101Y2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/26/2000 10:02	N	TEMPERATURE	Temperature	20.9	Deg C	[NULL]	[NULL]	[NULL]	R	B101Y3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	9/26/2000 10:02	N	TEMPERATURE	Temperature	20.9	Deg C	[NULL]	[NULL]	[NULL]	R	B101Y1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/26/2000 10:02	N	TEMPERATURE	Temperature	20.8	Deg C	[NULL]	[NULL]	[NULL]	R	B101Y4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/26/2000 10:02	N	TOC	Total organic carbon	2900	ug/L	[NULL]	[NULL]	[NULL]	R	B101Y2	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	9/26/2000 10:02	N	TOC	Total organic carbon	2300	ug/L	[NULL]	[NULL]	[NULL]	R	B101Y4	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	9/26/2000 10:02	N	TOC	Total organic carbon	2500	ug/L	[NULL]	[NULL]	[NULL]	R	B101Y1	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	9/26/2000 10:02	N	TOC	Total organic carbon	2500	ug/L	[NULL]	[NULL]	[NULL]	R	B101Y3	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	9/26/2000 10:02	N	59473-04-0	Total organic halides	12.8	ug/L	[NULL]	H	[NULL]	R	B101Y4	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	9/26/2000 10:02	N	59473-04-0	Total organic halides	8.6	ug/L	[NULL]	H	[NULL]	R	B101Y2	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	9/26/2000 10:02	N	59473-04-0	Total organic halides	14.1	ug/L	[NULL]	H	[NULL]	R	B101Y1	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	9/26/2000 10:02	N	10028-17-8	Tritium	4480	pCi/L	[NULL]	[NULL]	[NULL]	R	B10437	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-3	9/26/2000 10:02	N	10028-17-8	Tritium	4650	pCi/L	[NULL]	[NULL]	[NULL]	R	B10435	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-3	9/26/2000 10:02	N	TURBIDITY	Turbidity	3.09	NTU	[NULL]	[NULL]	[NULL]	R	B101Y4	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	9/26/2000 10:02	N	TURBIDITY	Turbidity	2.57	NTU	[NULL]	[NULL]	[NULL]	R	B101Y2	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	9/26/2000 10:02	Y	7440-62-2	Vanadium	3.8	ug/L	U	[NULL]	[NULL]	R	B10436	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	Y	7440-62-2	Vanadium	3.8	ug/L	U	[NULL]	[NULL]	R	B10434	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	Y	7440-66-6	Zinc	390	ug/L	[NULL]	[NULL]	[NULL]	R	B10434	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	Y	7440-66-6	Zinc	390	ug/L	[NULL]	[NULL]	[NULL]	R	B10436	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/26/2000 10:02	N	PH	pH Measurement	7.22	unitless	[NULL]	[NULL]	[NULL]	R	B101Y4	PH	FIELD	9040_PH	100-NR-2
199-N-3	9/26/2000 10:02	N	PH	pH Measurement	7.23	unitless	[NULL]	[NULL]	[NULL]	R	B101Y1	PH	FIELD	9040_PH	100-NR-2
199-N-3	9/26/2000 10:02	N	PH	pH Measurement	7.23	unitless	[NULL]	[NULL]	[NULL]	R	B101Y3	PH	FIELD	9040_PH	100-NR-2
199-N-3	9/26/2000 10:02	N	PH	pH Measurement	7.23	unitless	[NULL]	[NULL]	[NULL]	R	B101Y2	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/22/2001 10:01	N	ALKALINITY	Alkalinity	240000	ug/L	[NULL]	[NULL]	[NULL]	R	B11FL9	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-3	3/22/2001 10:01	N	ALKALINITY	Alkalinity	240000	ug/L	[NULL]	[NULL]	[NULL]	R	B11FM1	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-3	3/22/2001 10:01	Y	7429-90-5	Aluminum	12.4	ug/L	U	[NULL]	[NULL]	R	B11DC1	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	Y	7429-90-5	Aluminum	16.1	ug/L	U	[NULL]	[NULL]	R	B11DB9	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	Y	7440-36-0	Antimony	2.1	ug/L	U	[NULL]	[NULL]	R	B11DB9	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	Y	7440-36-0	Antimony	2.4	ug/L	[NULL]	[NULL]	[NULL]	R	B11DC1	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	Y	7440-39-3	Barium	246	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB9	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	Y	7440-39-3	Barium	252	ug/L	[NULL]	[NULL]	[NULL]	R	B11DC1	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	Y	7440-41-7	Beryllium	0.1	ug/L	U	[NULL]	[NULL]	R	B11DC1	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	Y	7440-41-7	Beryllium	0.1	ug/L	U	[NULL]	[NULL]	R	B11DB9	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	N	24959-67-9	Bromide	2500	ug/L	U	[NULL]	[NULL]	R	B11DC2	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/22/2001 10:01	N	24959-67-9	Bromide	2500	ug/L	U	[NULL]	[NULL]	R	B11DC0	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/22/2001 10:01	Y	7440-43-9	Cadmium	0.3	ug/L	U	[NULL]	[NULL]	R	B11DC1	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	Y	7440-43-9	Cadmium	0.3	ug/L	U	[NULL]	[NULL]	R	B11DB9	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	Y	7440-70-2	Calcium	252000	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB9	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	Y	7440-70-2	Calcium	257000	ug/L	[NULL]	[NULL]	[NULL]	R	B11DC1	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	N	16887-00-6	Chloride	96100	ug/L	[NULL]	[NULL]	[NULL]	R	B11DC2	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/22/2001 10:01	N	16887-00-6	Chloride	94600	ug/L	[NULL]	[NULL]	[NULL]	R	B11DC0	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/22/2001 10:01	Y	7440-47-3	Chromium	1.6	ug/L	[NULL]	[NULL]	[NULL]	R	B11DC1	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	Y	7440-47-3	Chromium	2	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB9	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	Y	7440-48-4	Cobalt	0.7	ug/L	U	[NULL]	[NULL]	R	B11DB9	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	Y	7440-48-4	Cobalt	0.7	ug/L	U	[NULL]	[NULL]	R	B11DC1	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	Y	7440-50-8	Copper	1.5	ug/L	[NULL]	[NULL]	[NULL]	R	B11DC1	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	Y	7440-50-8	Copper	1.7	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB9	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	N	DO	Dissolved oxygen	3030	ug/L	[NULL]	[NULL]	[NULL]	R	B11FL6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	3/22/2001 10:01	N	DO	Dissolved oxygen	2980	ug/L	[NULL]	[NULL]	[NULL]	R	B11FL7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	3/22/2001 10:01	N	DO	Dissolved oxygen	2960	ug/L	[NULL]	[NULL]	[NULL]	R	B11FL5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	3/22/2001 10:01	N	DO	Dissolved oxygen	2990	ug/L	[NULL]	[NULL]	[NULL]	R	B11FL4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	3/22/2001 10:01	N	16984-48-8	Fluoride	5000	ug/L	U	[NULL]	[NULL]	R	B11DC0	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/22/2001 10:01	N	16984-48-8	Fluoride	5000	ug/L	U	[NULL]	[NULL]	R	B11DC2	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/22/2001 10:01	N	12587-47-2	Gross beta	3130	pCi/L	[NULL]	[NULL]	[NULL]	R	B11DC0	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-3	3/22/2001 10:01	N	12587-47-2	Gross beta	3040	pCi/L	[NULL]	[NULL]	[NULL]	R	B11DC2	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-3	3/22/2001 10:01	Y	7439-89-6	Iron	23.7	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB9	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	Y	7439-89-6	Iron	21.4	ug/L	[NULL]	[NULL]	[NULL]	R	B11DC1	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/22/2001 10:01	Y	7439-95-4	Magnesium	45400	ug/L	[NULL]	[NULL]	[NULL]	R	B11DC1	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	Y	7439-95-4	Magnesium	44500	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB9	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	Y	7439-96-5	Manganese	3.1	ug/L	[NULL]	[NULL]	[NULL]	R	B11DC1	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	Y	7439-96-5	Manganese	2.9	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB9	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	Y	7440-02-0	Nickel	1.1	ug/L	U	[NULL]	[NULL]	R	B11DC1	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	Y	7440-02-0	Nickel	1.1	ug/L	U	[NULL]	[NULL]	R	B11DB9	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	N	14797-55-8	Nitrate	77700	ug/L	[NULL]	[NULL]	[NULL]	R	B11DC0	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/22/2001 10:01	N	14797-55-8	Nitrate	80300	ug/L	[NULL]	[NULL]	[NULL]	R	B11DC2	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/22/2001 10:01	N	14797-65-0	Nitrite	2500	ug/L	U	[NULL]	[NULL]	R	B11DC0	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/22/2001 10:01	N	14797-65-0	Nitrite	2500	ug/L	U	[NULL]	[NULL]	R	B11DC2	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/22/2001 10:01	N	OIL/GREASE	Oil and grease	700	ug/L	U	[NULL]	[NULL]	R	B11HN7	OIL/GREASE	STLSL	413.1_OILGREASE	100-NR-2
199-N-3	3/22/2001 10:01	N	OIL/GREASE	Oil and grease	700	ug/L	U	[NULL]	[NULL]	R	B11HN6	OIL/GREASE	STLSL	413.1_OILGREASE	100-NR-2
199-N-3	3/22/2001 10:01	N	EH	Oxidation Reduction Potential	184	mV	[NULL]	[NULL]	[NULL]	R	B11FL5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-3	3/22/2001 10:01	N	EH	Oxidation Reduction Potential	184	mV	[NULL]	[NULL]	[NULL]	R	B11FL6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-3	3/22/2001 10:01	N	EH	Oxidation Reduction Potential	184	mV	[NULL]	[NULL]	[NULL]	R	B11FL4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-3	3/22/2001 10:01	N	EH	Oxidation Reduction Potential	184	mV	[NULL]	[NULL]	[NULL]	R	B11FL7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-3	3/22/2001 10:01	N	14265-44-2	Phosphate	2500	ug/L	U	[NULL]	[NULL]	R	B11DC2	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/22/2001 10:01	N	14265-44-2	Phosphate	2500	ug/L	U	[NULL]	[NULL]	R	B11DC0	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/22/2001 10:01	Y	7440-09-7	Potassium	5870	ug/L	[NULL]	[NULL]	[NULL]	R	B11DC1	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	Y	7440-09-7	Potassium	5720	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB9	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	Y	7440-22-4	Silver	0.6	ug/L	U	[NULL]	[NULL]	R	B11DB9	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	Y	7440-22-4	Silver	0.6	ug/L	U	[NULL]	[NULL]	R	B11DC1	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	Y	7440-22-4	Silver	0.6	ug/L	U	[NULL]	[NULL]	R	B11DB9	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	Y	7440-22-4	Silver	0.6	ug/L	U	[NULL]	[NULL]	R	B11DC1	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	Y	7440-23-5	Sodium	24900	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB9	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	Y	7440-23-5	Sodium	25400	ug/L	[NULL]	[NULL]	[NULL]	R	B11DC1	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	N	CONDUCT	Specific Conductance	1563	uS/cm	[NULL]	[NULL]	[NULL]	R	B11FL7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/22/2001 10:01	N	CONDUCT	Specific Conductance	1565	uS/cm	[NULL]	[NULL]	[NULL]	R	B11FL5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/22/2001 10:01	N	CONDUCT	Specific Conductance	1566	uS/cm	[NULL]	[NULL]	[NULL]	R	B11FL4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/22/2001 10:01	N	CONDUCT	Specific Conductance	1470	uS/cm	C	[NULL]	[NULL]	R	B11FM1	CONDUCT	STLSL	120.1_CONDUCT	100-NR-2
199-N-3	3/22/2001 10:01	N	CONDUCT	Specific Conductance	1550	uS/cm	C	[NULL]	[NULL]	R	B11FL9	CONDUCT	STLSL	120.1_CONDUCT	100-NR-2
199-N-3	3/22/2001 10:01	N	CONDUCT	Specific Conductance	1565	uS/cm	[NULL]	[NULL]	[NULL]	R	B11FL6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/22/2001 10:01	Y	7440-24-6	Strontium	1050	ug/L	[NULL]	[NULL]	[NULL]	R	B11DC1	7440-24-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	Y	7440-24-6	Strontium	1030	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB9	7440-24-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	N	10098-97-2	Strontium-90	1440	pCi/L	[NULL]	[NULL]	[NULL]	R	B11DC0	10098-97-2	TMANC	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-3	3/22/2001 10:01	N	10098-97-2	Strontium-90	1500	pCi/L	[NULL]	[NULL]	[NULL]	R	B11DC2	10098-97-2	TMANC	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-3	3/22/2001 10:01	N	14808-79-8	Sulfate	253000	ug/L	[NULL]	[NULL]	[NULL]	R	B11DC2	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/22/2001 10:01	N	14808-79-8	Sulfate	248000	ug/L	[NULL]	[NULL]	[NULL]	R	B11DC0	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/22/2001 10:01	N	TEMPERATURE	Temperature	19.4	Deg C	[NULL]	[NULL]	[NULL]	R	B11FL4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/22/2001 10:01	N	TEMPERATURE	Temperature	19.4	Deg C	[NULL]	[NULL]	[NULL]	R	B11FL7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/22/2001 10:01	N	TEMPERATURE	Temperature	19.4	Deg C	[NULL]	[NULL]	[NULL]	R	B11FL6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/22/2001 10:01	N	TEMPERATURE	Temperature	19.4	Deg C	[NULL]	[NULL]	[NULL]	R	B11FL5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/22/2001 10:01	N	TOC	Total organic carbon	1700	ug/L	[NULL]	[NULL]	[NULL]	R	B11FL7	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	3/22/2001 10:01	N	TOC	Total organic carbon	1900	ug/L	[NULL]	[NULL]	[NULL]	R	B11FL6	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	3/22/2001 10:01	N	TOC	Total organic carbon	1600	ug/L	[NULL]	[NULL]	[NULL]	R	B11FL4	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	3/22/2001 10:01	N	TOC	Total organic carbon	1600	ug/L	[NULL]	[NULL]	[NULL]	R	B11FL5	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	3/22/2001 10:01	N	59473-04-0	Total organic halides	11.5	ug/L	[NULL]	[NULL]	[NULL]	R	B11FL6	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	3/22/2001 10:01	N	59473-04-0	Total organic halides	10.8	ug/L	[NULL]	[NULL]	[NULL]	R	B11FL5	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	3/22/2001 10:01	N	59473-04-0	Total organic halides	13.7	ug/L	[NULL]	[NULL]	[NULL]	R	B11FL4	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	3/22/2001 10:01	N	59473-04-0	Total organic halides	10.7	ug/L	[NULL]	[NULL]	[NULL]	R	B11FL7	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	3/22/2001 10:01	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	92	ug/L	U	[NULL]	[NULL]	R	B11HN7	TPHDIESEL	STLSL	WTPH_DIESEL	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/22/2001 10:01	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	92	ug/L	U	[NULL]	[NULL]	R	B11HN6	TPHDIESEL	STLSL	WTPH_DIESEL	100-NR-2
199-N-3	3/22/2001 10:01	N	TPHGASOLINE	Total petroleum hydrocarbons - gasoline range	100	ug/L	U	[NULL]	[NULL]	R	B11HN6	TPHGASOLINE	STLSL	WTPH_GASOLINE	100-NR-2
199-N-3	3/22/2001 10:01	N	TPHGASOLINE	Total petroleum hydrocarbons - gasoline range	100	ug/L	U	[NULL]	[NULL]	R	B11HN7	TPHGASOLINE	STLSL	WTPH_GASOLINE	100-NR-2
199-N-3	3/22/2001 10:01	N	10028-17-8	Tritium	4030	pCi/L	[NULL]	[NULL]	[NULL]	R	B11DC0	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-3	3/22/2001 10:01	N	10028-17-8	Tritium	4060	pCi/L	[NULL]	[NULL]	[NULL]	R	B11DC2	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-3	3/22/2001 10:01	N	TURBIDITY	Turbidity	4.21	NTU	[NULL]	[NULL]	[NULL]	R	B11FL5	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	3/22/2001 10:01	N	TURBIDITY	Turbidity	3.95	NTU	[NULL]	[NULL]	[NULL]	R	B11FL7	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	3/22/2001 10:01	N	TURBIDITY	Turbidity	4.07	NTU	[NULL]	[NULL]	[NULL]	R	B11FL6	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	3/22/2001 10:01	Y	7440-62-2	Vanadium	2.5	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB9	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	Y	7440-62-2	Vanadium	2.4	ug/L	[NULL]	[NULL]	[NULL]	R	B11DC1	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	Y	7440-66-6	Zinc	247	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB9	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	Y	7440-66-6	Zinc	254	ug/L	[NULL]	[NULL]	[NULL]	R	B11DC1	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/22/2001 10:01	N	PH	pH Measurement	7.11	unitless	[NULL]	[NULL]	[NULL]	R	B11FL4	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/22/2001 10:01	N	PH	pH Measurement	7.12	unitless	[NULL]	[NULL]	[NULL]	R	B11FL5	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/22/2001 10:01	N	PH	pH Measurement	7.12	unitless	[NULL]	[NULL]	[NULL]	R	B11FL6	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/22/2001 10:01	N	PH	pH Measurement	7.12	unitless	[NULL]	[NULL]	[NULL]	R	B11FL7	PH	FIELD	9040_PH	100-NR-2
199-N-3	10/1/2001 11:30	Y	7429-90-5	Aluminum	45.1	ug/L	U	[NULL]	[NULL]	R	B12MX7	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	10/1/2001 11:30	Y	7440-36-0	Antimony	45.4	ug/L	U	[NULL]	[NULL]	R	B12MX7	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	10/1/2001 11:30	Y	7440-39-3	Barium	238	ug/L	[NULL]	[NULL]	[NULL]	R	B12MX7	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	10/1/2001 11:30	Y	7440-41-7	Beryllium	0.4	ug/L	U	[NULL]	[NULL]	R	B12MX7	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	10/1/2001 11:30	N	24959-67-9	Bromide	1250	ug/L	U	[NULL]	[NULL]	R	B12MX8	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	10/1/2001 11:30	Y	7440-43-9	Cadmium	6.3	ug/L	U	[NULL]	[NULL]	R	B12MX7	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	10/1/2001 11:30	Y	7440-70-2	Calcium	265000	ug/L	[NULL]	[NULL]	[NULL]	R	B12MX7	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	10/1/2001 11:30	N	16887-00-6	Chloride	97500	ug/L	[NULL]	[NULL]	[NULL]	R	B12MX8	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	10/1/2001 11:30	Y	7440-47-3	Chromium	4.8	ug/L	U	[NULL]	[NULL]	R	B12MX7	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	10/1/2001 11:30	Y	7440-48-4	Cobalt	5.8	ug/L	U	[NULL]	[NULL]	R	B12MX7	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	10/1/2001 11:30	Y	7440-50-8	Copper	8	ug/L	U	[NULL]	[NULL]	R	B12MX7	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	10/1/2001 11:30	N	DO	Dissolved oxygen	1500	ug/L	[NULL]	[NULL]	[NULL]	R	B12N39	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	10/1/2001 11:30	N	DO	Dissolved oxygen	1510	ug/L	[NULL]	[NULL]	[NULL]	R	B12N41	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	10/1/2001 11:30	N	DO	Dissolved oxygen	1520	ug/L	[NULL]	[NULL]	[NULL]	R	B12N40	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	10/1/2001 11:30	N	DO	Dissolved oxygen	1520	ug/L	[NULL]	[NULL]	[NULL]	R	B12N42	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	10/1/2001 11:30	N	16984-48-8	Fluoride	2500	ug/L	U	[NULL]	[NULL]	R	B12MX8	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	10/1/2001 11:30	N	12587-47-2	Gross beta	2940	pCi/L	[NULL]	[NULL]	[NULL]	R	B12MX8	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-3	10/1/2001 11:30	Y	7439-89-6	Iron	13.9	ug/L	[NULL]	[NULL]	[NULL]	R	B12MX7	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	10/1/2001 11:30	Y	7439-92-1	Lead	22.7	ug/L	U	[NULL]	[NULL]	R	B12MX7	7439-92-1	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	10/1/2001 11:30	Y	7439-95-4	Magnesium	44400	ug/L	[NULL]	[NULL]	[NULL]	R	B12MX7	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	10/1/2001 11:30	Y	7439-96-5	Manganese	5	ug/L	[NULL]	[NULL]	[NULL]	R	B12MX7	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	10/1/2001 11:30	Y	7440-02-0	Nickel	11.3	ug/L	U	[NULL]	[NULL]	R	B12MX7	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	10/1/2001 11:30	N	14797-55-8	Nitrate	75900	ug/L	[NULL]	[NULL]	[NULL]	R	B12MX8	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	10/1/2001 11:30	N	14797-65-0	Nitrite	1250	ug/L	U	[NULL]	[NULL]	R	B12MX8	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	10/1/2001 11:30	N	EH	Oxidation Reduction Potential	103	mV	[NULL]	[NULL]	[NULL]	R	B12N41	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-3	10/1/2001 11:30	N	EH	Oxidation Reduction Potential	103	mV	[NULL]	[NULL]	[NULL]	R	B12N39	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-3	10/1/2001 11:30	N	EH	Oxidation Reduction Potential	103	mV	[NULL]	[NULL]	[NULL]	R	B12N42	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-3	10/1/2001 11:30	N	EH	Oxidation Reduction Potential	103	mV	[NULL]	[NULL]	[NULL]	R	B12N40	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-3	10/1/2001 11:30	N	14265-44-2	Phosphate	1250	ug/L	U	[NULL]	[NULL]	R	B12MX8	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	10/1/2001 11:30	Y	7440-09-7	Potassium	5010	ug/L	[NULL]	[NULL]	[NULL]	R	B12MX7	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	10/1/2001 11:30	Y	7440-22-4	Silver	9.6	ug/L	U	[NULL]	[NULL]	R	B12MX7	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	10/1/2001 11:30	Y	7440-23-5	Sodium	25400	ug/L	[NULL]	[NULL]	[NULL]	R	B12MX7	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	10/1/2001 11:30	N	CONDUCT	Specific Conductance	1420	uS/cm	[NULL]	Y	[NULL]	R	B12N43	CONDUCT	STLSL	120.1_CONDUCT	100-NR-2
199-N-3	10/1/2001 11:30	N	CONDUCT	Specific Conductance	1620	uS/cm	[NULL]	[NULL]	[NULL]	R	B12N39	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	10/1/2001 11:30	N	CONDUCT	Specific Conductance	1620	uS/cm	[NULL]	[NULL]	[NULL]	R	B12N40	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	10/1/2001 11:30	N	CONDUCT	Specific Conductance	1619	uS/cm	[NULL]	[NULL]	[NULL]	R	B12N42	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	10/1/2001 11:30	N	CONDUCT	Specific Conductance	1620	uS/cm	[NULL]	[NULL]	[NULL]	R	B12N41	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	10/1/2001 11:30	Y	7440-24-6	Strontium	980	ug/L	[NULL]	[NULL]	[NULL]	R	B12MX7	7440-24-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	10/1/2001 11:30	N	10098-97-2	Strontium-90	1360	pCi/L	[NULL]	[NULL]	[NULL]	R	B12MX8	10098-97-2	TMANC	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-3	10/1/2001 11:30	N	14808-79-8	Sulfate	254000	ug/L	[NULL]	[NULL]	[NULL]	R	B12MX8	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	10/1/2001 11:30	N	TEMPERATURE	Temperature	21.2	Deg C	[NULL]	[NULL]	[NULL]	R	B12N40	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	10/1/2001 11:30	N	TEMPERATURE	Temperature	21.3	Deg C	[NULL]	[NULL]	[NULL]	R	B12N42	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	10/1/2001 11:30	N	TEMPERATURE	Temperature	21.2	Deg C	[NULL]	[NULL]	[NULL]	R	B12N41	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	10/1/2001 11:30	N	TEMPERATURE	Temperature	21.2	Deg C	[NULL]	[NULL]	[NULL]	R	B12N39	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	10/1/2001 11:30	Y	7440-31-5	Tin	13.9	ug/L	U	[NULL]	[NULL]	R	B12MX7	7440-31-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	10/1/2001 11:30	N	TOC	Total organic carbon	2300	ug/L	C	[NULL]	[NULL]	R	B12N41	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	10/1/2001 11:30	N	TOC	Total organic carbon	2200	ug/L	C	[NULL]	[NULL]	R	B12N40	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	10/1/2001 11:30	N	TOC	Total organic carbon	1500	ug/L	C	[NULL]	[NULL]	R	B12N39	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	10/1/2001 11:30	N	TOC	Total organic carbon	2200	ug/L	C	[NULL]	[NULL]	R	B12N42	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	10/1/2001 11:30	N	59473-04-0	Total organic halides	11.3	ug/L	[NULL]	[NULL]	[NULL]	R	B12N42	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	10/1/2001 11:30	N	59473-04-0	Total organic halides	11.8	ug/L	[NULL]	[NULL]	[NULL]	R	B12N39	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	10/1/2001 11:30	N	59473-04-0	Total organic halides	14.2	ug/L	[NULL]	[NULL]	[NULL]	R	B12N41	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	10/1/2001 11:30	N	59473-04-0	Total organic halides	9.2	ug/L	[NULL]	[NULL]	[NULL]	R	B12N40	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	10/1/2001 11:30	N	10028-17-8	Tritium	3270	pCi/L	[NULL]	[NULL]	[NULL]	R	B12MX8	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-3	10/1/2001 11:30	N	TURBIDITY	Turbidity	4.37	NTU	[NULL]	[NULL]	[NULL]	R	B12N40	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	10/1/2001 11:30	N	TURBIDITY	Turbidity	2.16	NTU	[NULL]	[NULL]	[NULL]	R	B12N41	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	10/1/2001 11:30	N	TURBIDITY	Turbidity	4.6	NTU	[NULL]	[NULL]	[NULL]	R	B12N39	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	10/1/2001 11:30	N	TURBIDITY	Turbidity	2.19	NTU	[NULL]	[NULL]	[NULL]	R	B12N42	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	10/1/2001 11:30	Y	7440-62-2	Vanadium	8.9	ug/L	U	[NULL]	[NULL]	R	B12MX7	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	10/1/2001 11:30	Y	7440-66-6	Zinc	389	ug/L	[NULL]	[NULL]	[NULL]	R	B12MX7	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	10/1/2001 11:30	N	PH	pH Measurement	7.19	unitless	[NULL]	[NULL]	[NULL]	R	B12N40	PH	FIELD	9040_PH	100-NR-2
199-N-3	10/1/2001 11:30	N	PH	pH Measurement	7.19	unitless	[NULL]	[NULL]	[NULL]	R	B12N41	PH	FIELD	9040_PH	100-NR-2
199-N-3	10/1/2001 11:30	N	PH	pH Measurement	7.18	unitless	[NULL]	[NULL]	[NULL]	R	B12N39	PH	FIELD	9040_PH	100-NR-2
199-N-3	10/1/2001 11:30	N	PH	pH Measurement	7.19	unitless	[NULL]	[NULL]	[NULL]	R	B12N42	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/5/2002 12:18	N	ALKALINITY	Alkalinity	220000	ug/L	[NULL]	[NULL]	[NULL]	R	B142N8	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-3	3/5/2002 12:18	Y	7429-90-5	Aluminum	42.8	ug/L	[NULL]	[NULL]	[NULL]	R	B142J1	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	Y	7429-90-5	Aluminum	25.2	ug/L	U	[NULL]	[NULL]	R	B142J3	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	Y	7440-36-0	Antimony	24.8	ug/L	U	[NULL]	[NULL]	R	B142J3	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	Y	7440-36-0	Antimony	24.8	ug/L	U	[NULL]	[NULL]	R	B142J1	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	Y	7440-39-3	Barium	159	ug/L	[NULL]	[NULL]	[NULL]	R	B142J1	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	Y	7440-39-3	Barium	165	ug/L	[NULL]	[NULL]	[NULL]	R	B142J3	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	Y	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	R	B142J1	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	Y	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	R	B142J3	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	N	24959-67-9	Bromide	2500	ug/L	U	[NULL]	[NULL]	R	B142J2	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/5/2002 12:18	N	24959-67-9	Bromide	2500	ug/L	U	[NULL]	[NULL]	R	B142J4	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/5/2002 12:18	Y	7440-43-9	Cadmium	6.8	ug/L	U	[NULL]	[NULL]	R	B142J3	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	Y	7440-43-9	Cadmium	6.8	ug/L	U	[NULL]	[NULL]	R	B142J1	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	Y	7440-70-2	Calcium	171000	ug/L	[NULL]	[NULL]	[NULL]	R	B142J3	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	Y	7440-70-2	Calcium	165000	ug/L	[NULL]	[NULL]	[NULL]	R	B142J1	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	N	16887-00-6	Chloride	55300	ug/L	[NULL]	[NULL]	[NULL]	R	B142J2	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/5/2002 12:18	N	16887-00-6	Chloride	53900	ug/L	[NULL]	[NULL]	[NULL]	R	B142J4	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/5/2002 12:18	Y	7440-47-3	Chromium	10.5	ug/L	[NULL]	[NULL]	[NULL]	R	B142J1	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	Y	7440-47-3	Chromium	6.4	ug/L	[NULL]	[NULL]	[NULL]	R	B142J3	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	Y	7440-48-4	Cobalt	5.4	ug/L	U	[NULL]	[NULL]	R	B142J3	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/5/2002 12:18	Y	7440-48-4	Cobalt	5.4	ug/L	U	[NULL]	[NULL]	R	B142J1	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	Y	7440-50-8	Copper	2.2	ug/L	U	[NULL]	[NULL]	R	B142J3	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	Y	7440-50-8	Copper	2.2	ug/L	[NULL]	[NULL]	[NULL]	R	B142J1	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	N	16984-48-8	Fluoride	480	ug/L	[NULL]	[NULL]	[NULL]	R	B142J4	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/5/2002 12:18	N	16984-48-8	Fluoride	480	ug/L	[NULL]	[NULL]	[NULL]	R	B142J2	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/5/2002 12:18	N	12587-47-2	Gross beta	2130	pCi/L	[NULL]	[NULL]	[NULL]	R	B142J2	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-3	3/5/2002 12:18	N	12587-47-2	Gross beta	2250	pCi/L	[NULL]	[NULL]	[NULL]	R	B142J4	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-3	3/5/2002 12:18	Y	7439-89-6	Iron	12.8	ug/L	[NULL]	[NULL]	[NULL]	R	B142J3	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	Y	7439-89-6	Iron	58.5	ug/L	[NULL]	[NULL]	[NULL]	R	B142J1	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	Y	7439-95-4	Magnesium	29300	ug/L	[NULL]	[NULL]	[NULL]	R	B142J3	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	Y	7439-95-4	Magnesium	28200	ug/L	[NULL]	[NULL]	[NULL]	R	B142J1	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	Y	7439-96-5	Manganese	3.3	ug/L	[NULL]	[NULL]	[NULL]	R	B142J3	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	Y	7439-96-5	Manganese	3.3	ug/L	[NULL]	[NULL]	[NULL]	R	B142J1	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	Y	7440-02-0	Nickel	16.5	ug/L	[NULL]	[NULL]	[NULL]	R	B142J3	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	Y	7440-02-0	Nickel	14.1	ug/L	U	[NULL]	[NULL]	R	B142J1	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	N	14797-55-8	Nitrate	49000	ug/L	[NULL]	[NULL]	[NULL]	R	B142J4	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/5/2002 12:18	N	14797-55-8	Nitrate	49000	ug/L	[NULL]	[NULL]	[NULL]	R	B142J2	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/5/2002 12:18	N	14797-65-0	Nitrite	2500	ug/L	U	[NULL]	[NULL]	R	B142J4	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/5/2002 12:18	N	14797-65-0	Nitrite	2500	ug/L	U	[NULL]	[NULL]	R	B142J2	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/5/2002 12:18	N	OIL/GREASE	Oil and grease	7500	ug/L	[NULL]	[NULL]	[NULL]	R	B14436	OIL/GREASE	STLSL	413.1_OILGREASE	100-NR-2
199-N-3	3/5/2002 12:18	N	14265-44-2	Phosphate	250	ug/L	U	[NULL]	[NULL]	R	B142J2	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/5/2002 12:18	N	14265-44-2	Phosphate	250	ug/L	U	[NULL]	[NULL]	R	B142J4	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/5/2002 12:18	Y	7440-09-7	Potassium	4350	ug/L	[NULL]	[NULL]	[NULL]	R	B142J3	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	Y	7440-09-7	Potassium	4340	ug/L	[NULL]	[NULL]	[NULL]	R	B142J1	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	Y	7440-22-4	Silver	2.8	ug/L	U	[NULL]	[NULL]	R	B142J1	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	Y	7440-22-4	Silver	2.8	ug/L	U	[NULL]	[NULL]	R	B142J3	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	Y	7440-23-5	Sodium	22700	ug/L	[NULL]	[NULL]	[NULL]	R	B142J3	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	Y	7440-23-5	Sodium	22000	ug/L	[NULL]	[NULL]	[NULL]	R	B142J1	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	N	CONDUCT	Specific Conductance	1128	uS/cm	[NULL]	[NULL]	[NULL]	R	B142N6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/5/2002 12:18	N	CONDUCT	Specific Conductance	1128	uS/cm	[NULL]	[NULL]	[NULL]	R	B142N5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/5/2002 12:18	N	CONDUCT	Specific Conductance	1020	uS/cm	[NULL]	[NULL]	[NULL]	R	B142N8	CONDUCT	STLSL	120.1_CONDUCT	100-NR-2
199-N-3	3/5/2002 12:18	N	CONDUCT	Specific Conductance	1127	uS/cm	[NULL]	[NULL]	[NULL]	R	B142N4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/5/2002 12:18	N	CONDUCT	Specific Conductance	1127	uS/cm	[NULL]	[NULL]	[NULL]	R	B142N3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/5/2002 12:18	Y	7440-24-6	Strontium	683	ug/L	[NULL]	[NULL]	[NULL]	R	B142J3	7440-24-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	Y	7440-24-6	Strontium	658	ug/L	[NULL]	[NULL]	[NULL]	R	B142J1	7440-24-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	N	10098-97-2	Strontium-90	1060	pCi/L	[NULL]	[NULL]	[NULL]	R	B142J4	10098-97-2	TMANC	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-3	3/5/2002 12:18	N	10098-97-2	Strontium-90	1010	pCi/L	[NULL]	[NULL]	[NULL]	R	B142J2	10098-97-2	TMANC	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-3	3/5/2002 12:18	N	14808-79-8	Sulfate	201000	ug/L	[NULL]	[NULL]	[NULL]	R	B142J2	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/5/2002 12:18	N	14808-79-8	Sulfate	200000	ug/L	[NULL]	[NULL]	[NULL]	R	B142J4	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/5/2002 12:18	N	TEMPERATURE	Temperature	19.6	Deg C	[NULL]	[NULL]	[NULL]	R	B142N6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/5/2002 12:18	N	TEMPERATURE	Temperature	19.5	Deg C	[NULL]	[NULL]	[NULL]	R	B142N4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/5/2002 12:18	N	TEMPERATURE	Temperature	19.5	Deg C	[NULL]	[NULL]	[NULL]	R	B142N5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/5/2002 12:18	N	TEMPERATURE	Temperature	19.5	Deg C	[NULL]	[NULL]	[NULL]	R	B142N3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/5/2002 12:18	N	TOC	Total organic carbon	1200	ug/L	[NULL]	[NULL]	[NULL]	R	B142N4	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	3/5/2002 12:18	N	TOC	Total organic carbon	1300	ug/L	[NULL]	[NULL]	[NULL]	R	B142N6	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	3/5/2002 12:18	N	TOC	Total organic carbon	1300	ug/L	[NULL]	[NULL]	[NULL]	R	B142N5	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	3/5/2002 12:18	N	TOC	Total organic carbon	1300	ug/L	[NULL]	[NULL]	[NULL]	R	B142N3	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	3/5/2002 12:18	N	59473-04-0	Total organic halides	8.8	ug/L	[NULL]	[NULL]	[NULL]	R	B142N5	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	3/5/2002 12:18	N	59473-04-0	Total organic halides	8.3	ug/L	[NULL]	[NULL]	[NULL]	R	B142N4	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	3/5/2002 12:18	N	59473-04-0	Total organic halides	5.4	ug/L	[NULL]	[NULL]	[NULL]	R	B142N3	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	3/5/2002 12:18	N	59473-04-0	Total organic halides	5.4	ug/L	[NULL]	[NULL]	[NULL]	R	B142N6	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	3/5/2002 12:18	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	50	ug/L	U	[NULL]	[NULL]	R	B14436	TPHDIESEL	STLSL	WTPH_DIESEL	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/5/2002 12:18	N	TPHGASOLINE	Total petroleum hydrocarbons - gasoline range	50	ug/L	U	[NULL]	[NULL]	R	B14436	TPHGASOLINE	STLSL	WTPH_GASOLINE	100-NR-2
199-N-3	3/5/2002 12:18	N	10028-17-8	Tritium	4580	pCi/L	[NULL]	[NULL]	[NULL]	R	B142J2	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-3	3/5/2002 12:18	N	10028-17-8	Tritium	4480	pCi/L	[NULL]	[NULL]	[NULL]	R	B142J4	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-3	3/5/2002 12:18	N	TURBIDITY	Turbidity	0.79	NTU	[NULL]	[NULL]	[NULL]	R	B142N6	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	3/5/2002 12:18	N	TURBIDITY	Turbidity	1.14	NTU	[NULL]	[NULL]	[NULL]	R	B142N4	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	3/5/2002 12:18	Y	7440-62-2	Vanadium	4.3	ug/L	U	[NULL]	[NULL]	R	B142J1	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	Y	7440-62-2	Vanadium	4.3	ug/L	U	[NULL]	[NULL]	R	B142J3	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	Y	7440-66-6	Zinc	267	ug/L	[NULL]	[NULL]	[NULL]	R	B142J3	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	Y	7440-66-6	Zinc	248	ug/L	[NULL]	[NULL]	[NULL]	R	B142J1	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/5/2002 12:18	N	PH	pH Measurement	7.25	unitless	[NULL]	[NULL]	[NULL]	R	B142N4	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/5/2002 12:18	N	PH	pH Measurement	7.25	unitless	[NULL]	[NULL]	[NULL]	R	B142N3	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/5/2002 12:18	N	PH	pH Measurement	7.24	unitless	[NULL]	[NULL]	[NULL]	R	B142N5	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/5/2002 12:18	N	PH	pH Measurement	7.25	unitless	[NULL]	[NULL]	[NULL]	R	B142N6	PH	FIELD	9040_PH	100-NR-2
199-N-3	9/16/2002 12:06	N	71-55-6	1,1,1-Trichloroethane	0.31	ug/L	U	[NULL]	[NULL]	R	B15791	71-55-6	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	71-55-6	1,1,1-Trichloroethane	0.31	ug/L	U	[NULL]	[NULL]	R	B15792	71-55-6	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	79-00-5	1,1,2-Trichloroethane	0.27	ug/L	U	[NULL]	[NULL]	R	B15792	79-00-5	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	79-00-5	1,1,2-Trichloroethane	0.27	ug/L	U	[NULL]	[NULL]	R	B15791	79-00-5	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	75-34-3	1,1-Dichloroethane	0.25	ug/L	U	[NULL]	[NULL]	R	B15792	75-34-3	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	75-34-3	1,1-Dichloroethane	0.25	ug/L	U	[NULL]	[NULL]	R	B15791	75-34-3	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	107-06-2	1,2-Dichloroethane	0.27	ug/L	U	[NULL]	[NULL]	R	B15792	107-06-2	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	107-06-2	1,2-Dichloroethane	0.27	ug/L	U	[NULL]	[NULL]	R	B15791	107-06-2	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	106-46-7	1,4-Dichlorobenzene	0.25	ug/L	U	[NULL]	[NULL]	R	B15791	106-46-7	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	106-46-7	1,4-Dichlorobenzene	0.25	ug/L	U	[NULL]	[NULL]	R	B15792	106-46-7	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	71-36-3	1-Butanol	4.9	ug/L	U	[NULL]	[NULL]	R	B15791	71-36-3	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	71-36-3	1-Butanol	4.9	ug/L	U	[NULL]	[NULL]	R	B15792	71-36-3	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	78-93-3	2-Butanone	0.39	ug/L	U	[NULL]	[NULL]	R	B15791	78-93-3	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	78-93-3	2-Butanone	0.39	ug/L	U	[NULL]	[NULL]	R	B15792	78-93-3	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	108-10-1	2-Pentanone, 4-Methyl	0.42	ug/L	U	[NULL]	[NULL]	R	B15791	108-10-1	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	108-10-1	2-Pentanone, 4-Methyl	0.42	ug/L	U	[NULL]	[NULL]	R	B15792	108-10-1	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	67-64-1	Acetone	1	ug/L	J	[NULL]	[NULL]	R	B15792	67-64-1	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	67-64-1	Acetone	1.9	ug/L	J	[NULL]	[NULL]	R	B15791	67-64-1	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	Y	7429-90-5	Aluminum	64.1	ug/L	[NULL]	[NULL]	[NULL]	R	B15708	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	Y	7429-90-5	Aluminum	75.1	ug/L	[NULL]	[NULL]	[NULL]	R	B15710	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	Y	7440-36-0	Antimony	3.5	ug/L	U	[NULL]	[NULL]	R	B15710	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	Y	7440-36-0	Antimony	3.5	ug/L	U	[NULL]	[NULL]	R	B15708	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	Y	7440-39-3	Barium	174	ug/L	[NULL]	[NULL]	[NULL]	R	B15708	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	Y	7440-39-3	Barium	169	ug/L	[NULL]	[NULL]	[NULL]	R	B15710	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	N	71-43-2	Benzene	0.23	ug/L	U	[NULL]	[NULL]	R	B15792	71-43-2	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	71-43-2	Benzene	0.23	ug/L	U	[NULL]	[NULL]	R	B15791	71-43-2	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	Y	7440-41-7	Beryllium	0.16	ug/L	[NULL]	[NULL]	[NULL]	R	B15710	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	Y	7440-41-7	Beryllium	0.14	ug/L	[NULL]	[NULL]	[NULL]	R	B15708	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B15711	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/16/2002 12:06	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B15709	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/16/2002 12:06	Y	7440-43-9	Cadmium	0.3	ug/L	U	[NULL]	[NULL]	R	B15710	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	Y	7440-43-9	Cadmium	0.3	ug/L	U	[NULL]	[NULL]	R	B15708	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	Y	7440-70-2	Calcium	178000	ug/L	[NULL]	[NULL]	[NULL]	R	B15708	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	Y	7440-70-2	Calcium	173000	ug/L	[NULL]	[NULL]	[NULL]	R	B15710	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	N	75-15-0	Carbon disulfide	0.29	ug/L	U	[NULL]	[NULL]	R	B15792	75-15-0	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	75-15-0	Carbon disulfide	0.29	ug/L	U	[NULL]	[NULL]	R	B15791	75-15-0	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	56-23-5	Carbon tetrachloride	0.33	ug/L	U	[NULL]	[NULL]	R	B15791	56-23-5	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	56-23-5	Carbon tetrachloride	0.33	ug/L	U	[NULL]	[NULL]	R	B15792	56-23-5	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	16887-00-6	Chloride	57100	ug/L	[NULL]	[NULL]	[NULL]	R	B15711	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/16/2002 12:06	N	16887-00-6	Chloride	59000	ug/L	[NULL]	[NULL]	[NULL]	R	B15709	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	9/16/2002 12:06	N	67-66-3	Chloroform	1.9	ug/L	[NULL]	Q	[NULL]	R	B15792	67-66-3	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	67-66-3	Chloroform	1.9	ug/L	[NULL]	Q	[NULL]	R	B15791	67-66-3	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	Y	7440-47-3	Chromium	6.3	ug/L	[NULL]	[NULL]	[NULL]	R	B15708	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	Y	7440-47-3	Chromium	5.8	ug/L	[NULL]	[NULL]	[NULL]	R	B15710	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	Y	7440-48-4	Cobalt	1.4	ug/L	U	[NULL]	[NULL]	R	B15708	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	Y	7440-48-4	Cobalt	1.4	ug/L	U	[NULL]	[NULL]	R	B15710	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	Y	7440-50-8	Copper	1	ug/L	U	[NULL]	[NULL]	R	B15710	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	Y	7440-50-8	Copper	1	ug/L	U	[NULL]	[NULL]	R	B15708	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	N	DO	Dissolved oxygen	3290	ug/L	[NULL]	[NULL]	[NULL]	R	B15709	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	9/16/2002 12:06	N	DO	Dissolved oxygen	3200	ug/L	[NULL]	[NULL]	[NULL]	R	B15789	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	9/16/2002 12:06	N	DO	Dissolved oxygen	3290	ug/L	[NULL]	[NULL]	[NULL]	R	B15790	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	9/16/2002 12:06	N	DO	Dissolved oxygen	3150	ug/L	[NULL]	[NULL]	[NULL]	R	B15787	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	9/16/2002 12:06	N	DO	Dissolved oxygen	3180	ug/L	[NULL]	[NULL]	[NULL]	R	B15788	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	9/16/2002 12:06	N	107-12-0	Ethyl cyanide	2	ug/L	U	[NULL]	[NULL]	R	B15792	107-12-0	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	107-12-0	Ethyl cyanide	2	ug/L	U	[NULL]	[NULL]	R	B15791	107-12-0	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	100-41-4	Ethylbenzene	0.24	ug/L	U	[NULL]	[NULL]	R	B15791	100-41-4	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	100-41-4	Ethylbenzene	0.24	ug/L	U	[NULL]	[NULL]	R	B15792	100-41-4	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	B15711	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/16/2002 12:06	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	B15709	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/16/2002 12:06	N	12587-47-2	Gross beta	2640	pCi/L	[NULL]	[NULL]	[NULL]	R	B15709	12587-47-2	EBRLNE	900.0_ALPHABETA_GPC	100-NR-2
199-N-3	9/16/2002 12:06	N	12587-47-2	Gross beta	2680	pCi/L	[NULL]	[NULL]	[NULL]	R	B15711	12587-47-2	EBRLNE	900.0_ALPHABETA_GPC	100-NR-2
199-N-3	9/16/2002 12:06	Y	7439-89-6	Iron	18.1	ug/L	[NULL]	[NULL]	[NULL]	R	B15710	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	Y	7439-89-6	Iron	18.1	ug/L	U	[NULL]	[NULL]	R	B15708	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	Y	7439-95-4	Magnesium	30200	ug/L	[NULL]	[NULL]	[NULL]	R	B15710	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	Y	7439-95-4	Magnesium	31100	ug/L	[NULL]	[NULL]	[NULL]	R	B15708	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	Y	7439-96-5	Manganese	4.8	ug/L	[NULL]	[NULL]	[NULL]	R	B15710	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	Y	7439-96-5	Manganese	5	ug/L	[NULL]	[NULL]	[NULL]	R	B15708	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	N	75-09-2	Methylene chloride	0.26	ug/L	JB	[NULL]	[NULL]	R	B15792	75-09-2	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	75-09-2	Methylene chloride	0.57	ug/L	JB	[NULL]	[NULL]	R	B15791	75-09-2	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	Y	7440-02-0	Nickel	1.6	ug/L	U	[NULL]	[NULL]	R	B15708	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	Y	7440-02-0	Nickel	1.6	ug/L	U	[NULL]	[NULL]	R	B15710	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	N	14797-55-8	Nitrate	52500	ug/L	[NULL]	[NULL]	[NULL]	R	B15709	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/16/2002 12:06	N	14797-55-8	Nitrate	51700	ug/L	[NULL]	[NULL]	[NULL]	R	B15711	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/16/2002 12:06	N	14797-65-0	Nitrite	2500	ug/L	U	[NULL]	[NULL]	R	B15711	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/16/2002 12:06	N	14797-65-0	Nitrite	2500	ug/L	U	[NULL]	[NULL]	R	B15709	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/16/2002 12:06	N	OIL/GREASE	Oil and grease	3500	ug/L	[NULL]	[NULL]	[NULL]	R	B15792	OIL/GREASE	STLSL	413.1_OILGREASE	100-NR-2
199-N-3	9/16/2002 12:06	N	OIL/GREASE	Oil and grease	3500	ug/L	[NULL]	[NULL]	[NULL]	R	B15791	OIL/GREASE	STLSL	413.1_OILGREASE	100-NR-2
199-N-3	9/16/2002 12:06	N	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B15711	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/16/2002 12:06	N	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B15709	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/16/2002 12:06	Y	7440-09-7	Potassium	4840	ug/L	[NULL]	[NULL]	[NULL]	R	B15708	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	Y	7440-09-7	Potassium	4720	ug/L	[NULL]	[NULL]	[NULL]	R	B15710	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	Y	7440-22-4	Silver	1.1	ug/L	U	[NULL]	[NULL]	R	B15708	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	Y	7440-22-4	Silver	1.1	ug/L	U	[NULL]	[NULL]	R	B15710	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	Y	7440-23-5	Sodium	22400	ug/L	[NULL]	[NULL]	[NULL]	R	B15708	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	Y	7440-23-5	Sodium	21900	ug/L	[NULL]	[NULL]	[NULL]	R	B15710	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	N	CONDUCT	Specific Conductance	1136	uS/cm	[NULL]	[NULL]	[NULL]	R	B15790	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/16/2002 12:06	N	CONDUCT	Specific Conductance	1210	uS/cm	C	[NULL]	[NULL]	R	B15791	CONDUCT	STLSL	120.1_CONDUCT	100-NR-2
199-N-3	9/16/2002 12:06	N	CONDUCT	Specific Conductance	1137	uS/cm	[NULL]	[NULL]	[NULL]	R	B15788	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/16/2002 12:06	N	CONDUCT	Specific Conductance	1136	uS/cm	[NULL]	[NULL]	[NULL]	R	B15789	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/16/2002 12:06	N	CONDUCT	Specific Conductance	1136	uS/cm	[NULL]	[NULL]	[NULL]	R	B15709	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	9/16/2002 12:06	N	CONDUCT	Specific Conductance	1200	uS/cm	C	[NULL]	[NULL]	R	B15792	CONDUCT	STLSL	120.1_CONDUCT	100-NR-2
199-N-3	9/16/2002 12:06	N	CONDUCT	Specific Conductance	1137	uS/cm	[NULL]	[NULL]	[NULL]	R	B15787	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/16/2002 12:06	Y	7440-24-6	Strontium	720	ug/L	[NULL]	[NULL]	[NULL]	R	B15708	7440-24-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	Y	7440-24-6	Strontium	702	ug/L	[NULL]	[NULL]	[NULL]	R	B15710	7440-24-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	N	10098-97-2	Strontium-90	1230	pCi/L	[NULL]	[NULL]	[NULL]	R	B15711	10098-97-2	EBRLNE	SRISO_SEP_PRECIP_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	9/16/2002 12:06	N	10098-97-2	Strontium-90	1240	pCi/L	[NULL]	[NULL]	[NULL]	R	B15709	10098-97-2	EBRLNE	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-3	9/16/2002 12:06	N	14808-79-8	Sulfate	195000	ug/L	[NULL]	[NULL]	[NULL]	R	B15709	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/16/2002 12:06	N	14808-79-8	Sulfate	186000	ug/L	[NULL]	[NULL]	[NULL]	R	B15711	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/16/2002 12:06	N	TEMPERATURE	Temperature	22.5	Deg C	[NULL]	[NULL]	[NULL]	R	B15790	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/16/2002 12:06	N	TEMPERATURE	Temperature	22.5	Deg C	[NULL]	[NULL]	[NULL]	R	B15788	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/16/2002 12:06	N	TEMPERATURE	Temperature	22.5	Deg C	[NULL]	[NULL]	[NULL]	R	B15709	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/16/2002 12:06	N	TEMPERATURE	Temperature	22.5	Deg C	[NULL]	[NULL]	[NULL]	R	B15789	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/16/2002 12:06	N	TEMPERATURE	Temperature	22.5	Deg C	[NULL]	[NULL]	[NULL]	R	B15787	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/16/2002 12:06	N	127-18-4	Tetrachloroethene	0.4	ug/L	J	[NULL]	[NULL]	R	B15791	127-18-4	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	127-18-4	Tetrachloroethene	0.38	ug/L	J	[NULL]	[NULL]	R	B15792	127-18-4	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	109-99-9	Tetrahydrofuran	2.3	ug/L	U	[NULL]	[NULL]	R	B15792	109-99-9	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	109-99-9	Tetrahydrofuran	2.3	ug/L	U	[NULL]	[NULL]	R	B15791	109-99-9	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	108-88-3	Toluene	0.23	ug/L	U	[NULL]	[NULL]	R	B15792	108-88-3	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	108-88-3	Toluene	0.23	ug/L	U	[NULL]	[NULL]	R	B15791	108-88-3	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	TOC	Total organic carbon	900	ug/L	B	[NULL]	[NULL]	R	B15789	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	9/16/2002 12:06	N	TOC	Total organic carbon	960	ug/L	B	[NULL]	[NULL]	R	B15788	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	9/16/2002 12:06	N	TOC	Total organic carbon	1300	ug/L	[NULL]	[NULL]	[NULL]	R	B15790	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	9/16/2002 12:06	N	TOC	Total organic carbon	960	ug/L	B	[NULL]	[NULL]	R	B15787	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	9/16/2002 12:06	N	59473-04-0	Total organic halides	9.4	ug/L	[NULL]	[NULL]	[NULL]	R	B15787	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	9/16/2002 12:06	N	59473-04-0	Total organic halides	9.4	ug/L	[NULL]	[NULL]	[NULL]	R	B15790	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	9/16/2002 12:06	N	59473-04-0	Total organic halides	12.1	ug/L	[NULL]	[NULL]	[NULL]	R	B15789	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	9/16/2002 12:06	N	59473-04-0	Total organic halides	10.2	ug/L	[NULL]	[NULL]	[NULL]	R	B15788	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	9/16/2002 12:06	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	50	ug/L	U	[NULL]	[NULL]	R	B15792	TPHDIESEL	STLSL	WTPH_DIESEL	100-NR-2
199-N-3	9/16/2002 12:06	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	50	ug/L	U	[NULL]	[NULL]	R	B15791	TPHDIESEL	STLSL	WTPH_DIESEL	100-NR-2
199-N-3	9/16/2002 12:06	N	TPHGASOLINE	Total petroleum hydrocarbons - gasoline range	50	ug/L	U	[NULL]	[NULL]	R	B15791	TPHGASOLINE	STLSL	WTPH_GASOLINE	100-NR-2
199-N-3	9/16/2002 12:06	N	TPHGASOLINE	Total petroleum hydrocarbons - gasoline range	50	ug/L	U	[NULL]	[NULL]	R	B15792	TPHGASOLINE	STLSL	WTPH_GASOLINE	100-NR-2
199-N-3	9/16/2002 12:06	N	79-01-6	Trichloroethene	0.29	ug/L	U	[NULL]	[NULL]	R	B15791	79-01-6	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	79-01-6	Trichloroethene	0.29	ug/L	U	[NULL]	[NULL]	R	B15792	79-01-6	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	10028-17-8	Tritium	4180	pCi/L	[NULL]	[NULL]	[NULL]	R	B15709	10028-17-8	EBRLNE	906.0_H3_LSC	100-NR-2
199-N-3	9/16/2002 12:06	N	10028-17-8	Tritium	4190	pCi/L	[NULL]	[NULL]	[NULL]	R	B15711	10028-17-8	EBRLNE	906.0_H3_LSC	100-NR-2
199-N-3	9/16/2002 12:06	N	TURBIDITY	Turbidity	1.64	NTU	[NULL]	[NULL]	[NULL]	R	B15790	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	9/16/2002 12:06	N	TURBIDITY	Turbidity	1.68	NTU	[NULL]	[NULL]	[NULL]	R	B15789	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	9/16/2002 12:06	N	TURBIDITY	Turbidity	1.65	NTU	[NULL]	[NULL]	[NULL]	R	B15788	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	9/16/2002 12:06	N	TURBIDITY	Turbidity	1.33	NTU	[NULL]	[NULL]	[NULL]	R	B15787	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	9/16/2002 12:06	N	TURBIDITY	Turbidity	1.64	NTU	[NULL]	[NULL]	[NULL]	R	B15709	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-3	9/16/2002 12:06	Y	7440-62-2	Vanadium	2.4	ug/L	[NULL]	[NULL]	[NULL]	R	B15708	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	Y	7440-62-2	Vanadium	2.9	ug/L	[NULL]	[NULL]	[NULL]	R	B15710	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	N	75-01-4	Vinyl chloride	0.32	ug/L	U	[NULL]	[NULL]	R	B15792	75-01-4	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	75-01-4	Vinyl chloride	0.32	ug/L	U	[NULL]	[NULL]	R	B15791	75-01-4	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	1330-20-7	Xylenes (total)	0.66	ug/L	U	[NULL]	[NULL]	R	B15792	1330-20-7	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	1330-20-7	Xylenes (total)	0.66	ug/L	U	[NULL]	[NULL]	R	B15791	1330-20-7	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	Y	7440-66-6	Zinc	286	ug/L	[NULL]	[NULL]	[NULL]	R	B15708	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	Y	7440-66-6	Zinc	277	ug/L	[NULL]	[NULL]	[NULL]	R	B15710	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/16/2002 12:06	N	156-59-2	cis-1,2-Dichloroethylene	0.24	ug/L	U	[NULL]	[NULL]	R	B15791	156-59-2	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	156-59-2	cis-1,2-Dichloroethylene	0.24	ug/L	U	[NULL]	[NULL]	R	B15792	156-59-2	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	PH	pH Measurement	7.23	unitless	[NULL]	[NULL]	[NULL]	R	B15788	PH	FIELD	9040_PH	100-NR-2
199-N-3	9/16/2002 12:06	N	PH	pH Measurement	7.24	unitless	[NULL]	[NULL]	[NULL]	R	B15787	PH	FIELD	9040_PH	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	9/16/2002 12:06	N	PH	pH Measurement	7.23	unitless	[NULL]	[NULL]	[NULL]	R	B15709	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	9/16/2002 12:06	N	PH	pH Measurement	7.23	unitless	[NULL]	[NULL]	[NULL]	R	B15790	PH	FIELD	9040_PH	100-NR-2
199-N-3	9/16/2002 12:06	N	PH	pH Measurement	7.23	unitless	[NULL]	[NULL]	[NULL]	R	B15789	PH	FIELD	9040_PH	100-NR-2
199-N-3	9/16/2002 12:06	N	156-60-5	trans-1,2-Dichloroethylene	0.23	ug/L	U	[NULL]	[NULL]	R	B15791	156-60-5	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	9/16/2002 12:06	N	156-60-5	trans-1,2-Dichloroethylene	0.23	ug/L	U	[NULL]	[NULL]	R	B15792	156-60-5	STLSL	8260_VOA_GCMS	100-NR-2
199-N-3	3/4/2003 12:26	N	ALKALINITY	Alkalinity	330000	ug/L	[NULL]	[NULL]	[NULL]	R	B16HH9	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-3	3/4/2003 12:26	N	ALKALINITY	Alkalinity	341000	ug/L	[NULL]	[NULL]	[NULL]	R	B16HJ1	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-3	3/4/2003 12:26	Y	7429-90-5	Aluminum	30.4	ug/L	U	[NULL]	[NULL]	R	B16H37	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	Y	7429-90-5	Aluminum	30.4	ug/L	U	[NULL]	[NULL]	R	B16H41	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B16H41	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B16H37	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	Y	7440-39-3	Barium	177	ug/L	B	[NULL]	[NULL]	R	B16H41	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	Y	7440-39-3	Barium	176	ug/L	B	[NULL]	[NULL]	R	B16H37	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	Y	7440-41-7	Beryllium	0.73	ug/L	U	[NULL]	[NULL]	R	B16H41	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	Y	7440-41-7	Beryllium	0.73	ug/L	U	[NULL]	[NULL]	R	B16H37	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B16H41	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B16H37	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	Y	7440-70-2	Calcium	194000	ug/L	[NULL]	[NULL]	[NULL]	R	B16H37	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	Y	7440-70-2	Calcium	197000	ug/L	[NULL]	[NULL]	[NULL]	R	B16H41	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	N	16887-00-6	Chloride	50200	ug/L	CD	[NULL]	[NULL]	R	B16H42	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/4/2003 12:26	N	16887-00-6	Chloride	49600	ug/L	CD	[NULL]	[NULL]	R	B16H38	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/4/2003 12:26	Y	7440-47-3	Chromium	3.8	ug/L	U	[NULL]	[NULL]	R	B16H41	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	Y	7440-47-3	Chromium	3.8	ug/L	U	[NULL]	[NULL]	R	B16H37	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	Y	7440-48-4	Cobalt	4.9	ug/L	U	[NULL]	[NULL]	R	B16H41	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	Y	7440-48-4	Cobalt	4.9	ug/L	U	[NULL]	[NULL]	R	B16H37	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	Y	7440-50-8	Copper	3.1	ug/L	U	[NULL]	[NULL]	R	B16H37	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	Y	7440-50-8	Copper	3.1	ug/L	U	[NULL]	[NULL]	R	B16H41	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	N	16984-48-8	Fluoride	110	ug/L	C	[NULL]	[NULL]	R	B16H42	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/4/2003 12:26	N	16984-48-8	Fluoride	110	ug/L	C	[NULL]	[NULL]	R	B16H38	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/4/2003 12:26	N	12587-47-2	Gross beta	2050	pCi/L	[NULL]	[NULL]	[NULL]	R	B16H40	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	3/4/2003 12:26	N	12587-47-2	Gross beta	2130	pCi/L	[NULL]	[NULL]	[NULL]	R	B16H39	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	3/4/2003 12:26	Y	7439-89-6	Iron	48.6	ug/L	B	[NULL]	[NULL]	R	B16H41	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	Y	7439-89-6	Iron	46.8	ug/L	B	[NULL]	[NULL]	R	B16H37	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	Y	7439-95-4	Magnesium	33500	ug/L	[NULL]	[NULL]	[NULL]	R	B16H37	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	Y	7439-95-4	Magnesium	33900	ug/L	[NULL]	[NULL]	[NULL]	R	B16H41	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	Y	7439-96-5	Manganese	5.4	ug/L	B	[NULL]	[NULL]	R	B16H37	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	Y	7439-96-5	Manganese	5.3	ug/L	B	[NULL]	[NULL]	R	B16H41	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	B16H37	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	B16H41	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	N	14797-55-8	Nitrate	66000	ug/L	D	[NULL]	[NULL]	R	B16H38	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/4/2003 12:26	N	14797-55-8	Nitrate	65100	ug/L	D	[NULL]	[NULL]	R	B16H42	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/4/2003 12:26	N	14797-65-0	Nitrite	36.1	ug/L	U	[NULL]	[NULL]	R	B16H38	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/4/2003 12:26	N	14797-65-0	Nitrite	36.1	ug/L	U	[NULL]	[NULL]	R	B16H42	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/4/2003 12:26	N	OIL/GREASE	Oil and grease	920	ug/L	U	[NULL]	[NULL]	R	B16JT4	OIL/GREASE	STLSL	413.1_OILGREASE	100-NR-2
199-N-3	3/4/2003 12:26	N	OIL/GREASE	Oil and grease	920	ug/L	U	[NULL]	[NULL]	R	B16JT3	OIL/GREASE	STLSL	413.1_OILGREASE	100-NR-2
199-N-3	3/4/2003 12:26	Y	7440-09-7	Potassium	4260	ug/L	B	[NULL]	[NULL]	R	B16H37	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	Y	7440-09-7	Potassium	5880	ug/L	[NULL]	[NULL]	[NULL]	R	B16H41	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	Y	7440-22-4	Silver	3	ug/L	U	[NULL]	[NULL]	R	B16H41	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	Y	7440-22-4	Silver	3	ug/L	U	[NULL]	[NULL]	R	B16H37	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	Y	7440-23-5	Sodium	24400	ug/L	[NULL]	[NULL]	[NULL]	R	B16H37	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	Y	7440-23-5	Sodium	24800	ug/L	[NULL]	[NULL]	[NULL]	R	B16H41	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	N	CONDUCT	Specific Conductance	1239	uS/cm	[NULL]	[NULL]	[NULL]	R	B16H40	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/4/2003 12:26	Y	CONDUCT	Specific Conductance	1236	uS/cm	[NULL]	[NULL]	[NULL]	R	B16H41	CONDUCT	FIELD	9050_CONDUCT	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/4/2003 12:26	N	CONDUCT	Specific Conductance	1235	uS/cm	[NULL]	[NULL]	[NULL]	R	B16H38	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/4/2003 12:26	N	CONDUCT	Specific Conductance	1239	uS/cm	[NULL]	[NULL]	[NULL]	R	B16H39	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/4/2003 12:26	Y	7440-24-6	Strontium	757	ug/L	[NULL]	[NULL]	[NULL]	R	B16H41	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	Y	7440-24-6	Strontium	754	ug/L	[NULL]	[NULL]	[NULL]	R	B16H37	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	N	10098-97-2	Strontium-90	1170	pCi/L	[NULL]	[NULL]	[NULL]	R	B16H39	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-3	3/4/2003 12:26	N	10098-97-2	Strontium-90	1200	pCi/L	[NULL]	[NULL]	[NULL]	R	B16H40	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-3	3/4/2003 12:26	N	14808-79-8	Sulfate	194000	ug/L	CD	[NULL]	[NULL]	R	B16H38	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/4/2003 12:26	N	14808-79-8	Sulfate	192000	ug/L	CD	[NULL]	[NULL]	R	B16H42	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/4/2003 12:26	N	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	R	B16H40	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/4/2003 12:26	N	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	R	B16H38	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/4/2003 12:26	Y	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	R	B16H41	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/4/2003 12:26	N	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	R	B16H39	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/4/2003 12:26	N	TOC	Total organic carbon	1600	ug/L	[NULL]	[NULL]	[NULL]	R	B16HH7	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	3/4/2003 12:26	N	TOC	Total organic carbon	350	ug/L	B	Y	[NULL]	R	B16HH6	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	3/4/2003 12:26	N	TOC	Total organic carbon	1900	ug/L	[NULL]	[NULL]	[NULL]	R	B16HH4	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	3/4/2003 12:26	N	TOC	Total organic carbon	1700	ug/L	[NULL]	[NULL]	[NULL]	R	B16HH5	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	3/4/2003 12:26	N	59473-04-0	Total organic halides	13.7	ug/L	[NULL]	[NULL]	[NULL]	R	B16HH6	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	3/4/2003 12:26	N	59473-04-0	Total organic halides	9.7	ug/L	[NULL]	[NULL]	[NULL]	R	B16HH5	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	3/4/2003 12:26	N	59473-04-0	Total organic halides	12	ug/L	[NULL]	[NULL]	[NULL]	R	B16HH7	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	3/4/2003 12:26	N	59473-04-0	Total organic halides	28.3	ug/L	[NULL]	Y	[NULL]	R	B16HH4	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	3/4/2003 12:26	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	50	ug/L	U	[NULL]	[NULL]	R	B16JT3	TPHDIESEL	STLSL	CATPH_8015M_GC	100-NR-2
199-N-3	3/4/2003 12:26	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	50	ug/L	U	[NULL]	[NULL]	R	B16JT4	TPHDIESEL	STLSL	CATPH_8015M_GC	100-NR-2
199-N-3	3/4/2003 12:26	N	TPHGASOLINE	Total petroleum hydrocarbons - gasoline range	50	ug/L	U	[NULL]	[NULL]	R	B16JT4	TPHGASOLINE	STLSL	WTPH_GASOLINE	100-NR-2
199-N-3	3/4/2003 12:26	N	TPHGASOLINE	Total petroleum hydrocarbons - gasoline range	50	ug/L	U	[NULL]	[NULL]	R	B16JT3	TPHGASOLINE	STLSL	WTPH_GASOLINE	100-NR-2
199-N-3	3/4/2003 12:26	N	10028-17-8	Tritium	3690	pCi/L	[NULL]	[NULL]	[NULL]	R	B16H39	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-3	3/4/2003 12:26	N	10028-17-8	Tritium	3210	pCi/L	[NULL]	[NULL]	[NULL]	R	B16H40	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-3	3/4/2003 12:26	N	TURBIDITY	Turbidity	2.51	NTU	[NULL]	[NULL]	[NULL]	R	B16H38	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	3/4/2003 12:26	Y	TURBIDITY	Turbidity	2.6	NTU	[NULL]	[NULL]	[NULL]	R	B16H41	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	3/4/2003 12:26	N	TURBIDITY	Turbidity	2.36	NTU	[NULL]	[NULL]	[NULL]	R	B16H40	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	3/4/2003 12:26	N	TURBIDITY	Turbidity	2.11	NTU	[NULL]	[NULL]	[NULL]	R	B16H39	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	3/4/2003 12:26	Y	7440-62-2	Vanadium	24.7	ug/L	[NULL]	[NULL]	[NULL]	R	B16H41	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	Y	7440-62-2	Vanadium	26.5	ug/L	[NULL]	[NULL]	[NULL]	R	B16H37	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	Y	7440-66-6	Zinc	136	ug/L	[NULL]	[NULL]	[NULL]	R	B16H41	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	Y	7440-66-6	Zinc	136	ug/L	[NULL]	[NULL]	[NULL]	R	B16H37	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/4/2003 12:26	N	PH	pH Measurement	7.2	unitless	[NULL]	[NULL]	[NULL]	R	B16H39	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/4/2003 12:26	Y	PH	pH Measurement	7.21	unitless	[NULL]	[NULL]	[NULL]	R	B16H41	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/4/2003 12:26	N	PH	pH Measurement	7.21	unitless	[NULL]	[NULL]	[NULL]	R	B16H40	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/4/2003 12:26	N	PH	pH Measurement	7.2	unitless	[NULL]	[NULL]	[NULL]	R	B16H38	PH	FIELD	9040_PH	100-NR-2
199-N-3	9/19/2003 9:11	Y	7429-90-5	Aluminum	95.8	ug/L	U	[NULL]	[NULL]	R	B17D61	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2003 9:11	Y	7440-36-0	Antimony	28.5	ug/L	U	[NULL]	[NULL]	R	B17D61	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2003 9:11	Y	7440-39-3	Barium	187	ug/L	B	[NULL]	[NULL]	R	B17D61	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2003 9:11	Y	7440-41-7	Beryllium	0.33	ug/L	U	[NULL]	[NULL]	R	B17D61	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2003 9:11	Y	7440-43-9	Cadmium	2.5	ug/L	U	[NULL]	[NULL]	R	B17D61	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2003 9:11	Y	7440-70-2	Calcium	200000	ug/L	[NULL]	[NULL]	[NULL]	R	B17D61	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2003 9:11	N	16887-00-6	Chloride	50800	ug/L	D	[NULL]	[NULL]	R	B17D62	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/19/2003 9:11	Y	7440-47-3	Chromium	4.4	ug/L	U	[NULL]	[NULL]	R	B17D61	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2003 9:11	Y	7440-48-4	Cobalt	4.5	ug/L	U	[NULL]	[NULL]	R	B17D61	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	9/19/2003 9:11	Y	7440-50-8	Copper	3.2	ug/L	U	[NULL]	[NULL]	R	B17D61	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2003 9:11	N	DO	Dissolved oxygen	2810	ug/L	[NULL]	[NULL]	[NULL]	R	B17DT5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	9/19/2003 9:11	N	DO	Dissolved oxygen	2820	ug/L	[NULL]	[NULL]	[NULL]	R	B17DT2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	9/19/2003 9:11	N	DO	Dissolved oxygen	2800	ug/L	[NULL]	[NULL]	[NULL]	R	B17DT3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	9/19/2003 9:11	N	DO	Dissolved oxygen	2810	ug/L	[NULL]	[NULL]	[NULL]	R	B17DT4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	9/19/2003 9:11	N	16984-48-8	Fluoride	84	ug/L	B	[NULL]	[NULL]	R	B17D62	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/19/2003 9:11	N	12587-47-2	Gross beta	2290	pCi/L	[NULL]	[NULL]	[NULL]	R	B17D63	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	9/19/2003 9:11	Y	7439-89-6	Iron	49.4	ug/L	U	[NULL]	[NULL]	R	B17D61	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2003 9:11	Y	7439-95-4	Magnesium	33500	ug/L	[NULL]	[NULL]	[NULL]	R	B17D61	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2003 9:11	Y	7439-96-5	Manganese	3.6	ug/L	B	[NULL]	[NULL]	R	B17D61	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2003 9:11	Y	7440-02-0	Nickel	12.9	ug/L	U	[NULL]	[NULL]	R	B17D61	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2003 9:11	N	14797-55-8	Nitrate	62400	ug/L	D	H	[NULL]	R	B17D62	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/19/2003 9:11	N	14797-65-0	Nitrite	24.3	ug/L	U	[NULL]	[NULL]	R	B17D62	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/19/2003 9:11	N	OIL/GREASE	Oil and grease	920	ug/L	U	[NULL]	[NULL]	R	B17DD8	OIL/GREASE	STLSL	413.1_OILGREASE	100-NR-2
199-N-3	9/19/2003 9:11	Y	7440-09-7	Potassium	4530	ug/L	B	[NULL]	[NULL]	R	B17D61	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2003 9:11	Y	7440-22-4	Silver	3.7	ug/L	U	[NULL]	[NULL]	R	B17D61	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2003 9:11	Y	7440-23-5	Sodium	24900	ug/L	[NULL]	[NULL]	[NULL]	R	B17D61	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2003 9:11	N	CONDUCT	Specific Conductance	1230	uS/cm	[NULL]	[NULL]	[NULL]	R	B17DT5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/19/2003 9:11	N	CONDUCT	Specific Conductance	1229	uS/cm	[NULL]	[NULL]	[NULL]	R	B17DT3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/19/2003 9:11	N	CONDUCT	Specific Conductance	1229	uS/cm	[NULL]	[NULL]	[NULL]	R	B17DT2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/19/2003 9:11	N	CONDUCT	Specific Conductance	1230	uS/cm	[NULL]	[NULL]	[NULL]	R	B17DT4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/19/2003 9:11	Y	7440-24-6	Strontium	790	ug/L	[NULL]	[NULL]	[NULL]	R	B17D61	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2003 9:11	N	10098-97-2	Strontium-90	1190	pCi/L	[NULL]	[NULL]	[NULL]	R	B17D63	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-3	9/19/2003 9:11	N	14808-79-8	Sulfate	196000	ug/L	D	[NULL]	[NULL]	R	B17D62	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/19/2003 9:11	N	TEMPERATURE	Temperature	20.3	Deg C	[NULL]	[NULL]	[NULL]	R	B17DT4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/19/2003 9:11	N	TEMPERATURE	Temperature	20.2	Deg C	[NULL]	[NULL]	[NULL]	R	B17DT3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/19/2003 9:11	N	TEMPERATURE	Temperature	20.3	Deg C	[NULL]	[NULL]	[NULL]	R	B17DT5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/19/2003 9:11	N	TEMPERATURE	Temperature	20.2	Deg C	[NULL]	[NULL]	[NULL]	R	B17DT2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/19/2003 9:11	N	TOC	Total organic carbon	1600	ug/L	[NULL]	[NULL]	[NULL]	R	B17FF8	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	9/19/2003 9:11	N	TOC	Total organic carbon	1700	ug/L	[NULL]	[NULL]	[NULL]	R	B17DT3	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	9/19/2003 9:11	N	TOC	Total organic carbon	1600	ug/L	[NULL]	[NULL]	[NULL]	R	B17DT2	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	9/19/2003 9:11	N	TOC	Total organic carbon	1600	ug/L	[NULL]	[NULL]	[NULL]	R	B17DT4	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	9/19/2003 9:11	N	59473-04-0	Total organic halides	6.2	ug/L	[NULL]	[NULL]	[NULL]	R	B17DT3	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	9/19/2003 9:11	N	59473-04-0	Total organic halides	7.3	ug/L	[NULL]	[NULL]	[NULL]	R	B17DT4	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	9/19/2003 9:11	N	59473-04-0	Total organic halides	12.6	ug/L	[NULL]	[NULL]	[NULL]	R	B17DT2	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	9/19/2003 9:11	N	59473-04-0	Total organic halides	8	ug/L	[NULL]	[NULL]	[NULL]	R	B17FF8	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	9/19/2003 9:11	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	60	ug/L	UN	[NULL]	[NULL]	R	B17DD8	TPHDIESEL	STLSL	CATPH_8015M_GC	100-NR-2
199-N-3	9/19/2003 9:11	N	TPHGASOLINE	Total petroleum hydrocarbons - gasoline range	60	ug/L	U	[NULL]	[NULL]	R	B17DD8	TPHGASOLINE	STLSL	WTPH_GASOLINE	100-NR-2
199-N-3	9/19/2003 9:11	N	10028-17-8	Tritium	3700	pCi/L	[NULL]	[NULL]	[NULL]	R	B17D63	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-3	9/19/2003 9:11	N	TURBIDITY	Turbidity	3.62	NTU	[NULL]	[NULL]	[NULL]	R	B17DT4	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	9/19/2003 9:11	N	TURBIDITY	Turbidity	2.27	NTU	[NULL]	[NULL]	[NULL]	R	B17DT3	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	9/19/2003 9:11	N	TURBIDITY	Turbidity	1.69	NTU	[NULL]	[NULL]	[NULL]	R	B17DT2	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	9/19/2003 9:11	N	TURBIDITY	Turbidity	2.33	NTU	[NULL]	[NULL]	[NULL]	R	B17DT5	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	9/19/2003 9:11	Y	7440-62-2	Vanadium	14.9	ug/L	B	[NULL]	[NULL]	R	B17D61	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2003 9:11	Y	7440-66-6	Zinc	222	ug/L	[NULL]	[NULL]	[NULL]	R	B17D61	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2003 9:11	N	PH	pH Measurement	7.13	unitless	[NULL]	[NULL]	[NULL]	R	B17DT4	PH	FIELD	9040_PH	100-NR-2
199-N-3	9/19/2003 9:11	N	PH	pH Measurement	7.13	unitless	[NULL]	[NULL]	[NULL]	R	B17DT5	PH	FIELD	9040_PH	100-NR-2
199-N-3	9/19/2003 9:11	N	PH	pH Measurement	7.12	unitless	[NULL]	[NULL]	[NULL]	R	B17DT2	PH	FIELD	9040_PH	100-NR-2
199-N-3	9/19/2003 9:11	N	PH	pH Measurement	7.13	unitless	[NULL]	[NULL]	[NULL]	R	B17DT3	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/15/2004 12:10	N	ALKALINITY	Alkalinity	370000	ug/L	[NULL]	[NULL]	[NULL]	R	B18KX6	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-3	3/15/2004 12:10	N	ALKALINITY	Alkalinity	372000	ug/L	[NULL]	[NULL]	[NULL]	R	B18KX9	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/15/2004 12:10	Y	7429-90-5	Aluminum	34.2	ug/L	U	[NULL]	[NULL]	R	B18KM3	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	Y	7429-90-5	Aluminum	34.2	ug/L	U	[NULL]	[NULL]	R	B18KX8	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	Y	7440-36-0	Antimony	39	ug/L	U	[NULL]	[NULL]	R	B18KX8	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	Y	7440-36-0	Antimony	39	ug/L	U	[NULL]	[NULL]	R	B18KM3	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	Y	7440-39-3	Barium	193	ug/L	B	[NULL]	[NULL]	R	B18KM3	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	Y	7440-39-3	Barium	193	ug/L	B	[NULL]	[NULL]	R	B18KX8	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	Y	7440-41-7	Beryllium	0.96	ug/L	B	[NULL]	[NULL]	R	B18KM3	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	Y	7440-41-7	Beryllium	0.96	ug/L	B	[NULL]	[NULL]	R	B18KX8	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	Y	7440-43-9	Cadmium	3.3	ug/L	U	[NULL]	[NULL]	R	B18KX8	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	Y	7440-43-9	Cadmium	3.3	ug/L	U	[NULL]	[NULL]	R	B18KM3	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	Y	7440-70-2	Calcium	199000	ug/L	[NULL]	[NULL]	[NULL]	R	B18KM3	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	Y	7440-70-2	Calcium	201000	ug/L	[NULL]	[NULL]	[NULL]	R	B18KX8	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	N	16887-00-6	Chloride	59100	ug/L	D	[NULL]	[NULL]	R	B18KX9	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/15/2004 12:10	N	16887-00-6	Chloride	61300	ug/L	D	[NULL]	[NULL]	R	B18KM4	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/15/2004 12:10	Y	7440-47-3	Chromium	4.4	ug/L	U	[NULL]	[NULL]	R	B18KX8	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	Y	7440-47-3	Chromium	4.4	ug/L	U	[NULL]	[NULL]	R	B18KM3	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	Y	7440-48-4	Cobalt	4.8	ug/L	U	[NULL]	[NULL]	R	B18KM3	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	Y	7440-48-4	Cobalt	4.8	ug/L	U	[NULL]	[NULL]	R	B18KX8	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	Y	7440-50-8	Copper	2.9	ug/L	U	[NULL]	[NULL]	R	B18KM3	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	Y	7440-50-8	Copper	2.9	ug/L	U	[NULL]	[NULL]	R	B18KX8	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	N	DO	Dissolved oxygen	1910	ug/L	[NULL]	[NULL]	[NULL]	R	B18KX5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	3/15/2004 12:10	N	16984-48-8	Fluoride	48	ug/L	B	[NULL]	[NULL]	R	B18KM4	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/15/2004 12:10	N	16984-48-8	Fluoride	85	ug/L	B	[NULL]	[NULL]	R	B18KX9	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/15/2004 12:10	N	12587-47-2	Gross beta	2560	pCi/L	[NULL]	[NULL]	[NULL]	R	B18KM5	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	3/15/2004 12:10	Y	7439-89-6	Iron	61	ug/L	B	[NULL]	[NULL]	R	B18KM3	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	Y	7439-89-6	Iron	67.9	ug/L	B	[NULL]	[NULL]	R	B18KX8	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	Y	7439-95-4	Magnesium	34900	ug/L	[NULL]	[NULL]	[NULL]	R	B18KM3	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	Y	7439-95-4	Magnesium	35100	ug/L	[NULL]	[NULL]	[NULL]	R	B18KX8	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	Y	7439-96-5	Manganese	8.3	ug/L	B	[NULL]	[NULL]	R	B18KX8	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	Y	7439-96-5	Manganese	7	ug/L	B	[NULL]	[NULL]	R	B18KM3	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	Y	7440-02-0	Nickel	14	ug/L	U	[NULL]	[NULL]	R	B18KM3	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	Y	7440-02-0	Nickel	14	ug/L	U	[NULL]	[NULL]	R	B18KX8	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	N	14797-55-8	Nitrate	66400	ug/L	D	[NULL]	[NULL]	R	B18KM4	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/15/2004 12:10	N	14797-55-8	Nitrate	66000	ug/L	D	[NULL]	[NULL]	R	B18KX9	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/15/2004 12:10	N	14797-65-0	Nitrite	24.3	ug/L	U	[NULL]	[NULL]	R	B18KX9	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/15/2004 12:10	N	14797-65-0	Nitrite	24.3	ug/L	U	[NULL]	[NULL]	R	B18KM4	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/15/2004 12:10	Y	OIL/GREASE	Oil and grease	920	ug/L	U	[NULL]	[NULL]	R	B18MD6	OIL/GREASE	STLSL	413.1_OILGREASE	100-NR-2
199-N-3	3/15/2004 12:10	Y	OIL/GREASE	Oil and grease	920	ug/L	U	[NULL]	[NULL]	R	B18MD4	OIL/GREASE	STLSL	413.1_OILGREASE	100-NR-2
199-N-3	3/15/2004 12:10	N	EH	Oxidation Reduction Potential	224	mV	[NULL]	[NULL]	[NULL]	R	B18KX5	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-3	3/15/2004 12:10	Y	7440-09-7	Potassium	4220	ug/L	B	[NULL]	[NULL]	R	B18KX8	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	Y	7440-09-7	Potassium	5060	ug/L	[NULL]	[NULL]	[NULL]	R	B18KM3	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	Y	7440-22-4	Silver	3.1	ug/L	U	[NULL]	[NULL]	R	B18KX8	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	Y	7440-22-4	Silver	3.1	ug/L	U	[NULL]	[NULL]	R	B18KM3	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	Y	7440-23-5	Sodium	26000	ug/L	[NULL]	[NULL]	[NULL]	R	B18KM3	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	Y	7440-23-5	Sodium	26100	ug/L	[NULL]	[NULL]	[NULL]	R	B18KX8	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	N	CONDUCT	Specific Conductance	1291	uS/cm	[NULL]	[NULL]	[NULL]	R	B18KX3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/15/2004 12:10	N	CONDUCT	Specific Conductance	1291	uS/cm	[NULL]	[NULL]	[NULL]	R	B18KX4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/15/2004 12:10	N	CONDUCT	Specific Conductance	1290	uS/cm	[NULL]	[NULL]	[NULL]	R	B18KX5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/15/2004 12:10	N	CONDUCT	Specific Conductance	1291	uS/cm	[NULL]	[NULL]	[NULL]	R	B18KX2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/15/2004 12:10	Y	7440-24-6	Strontium	814	ug/L	[NULL]	[NULL]	[NULL]	R	B18KM3	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	Y	7440-24-6	Strontium	816	ug/L	[NULL]	[NULL]	[NULL]	R	B18KX8	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	N	10098-97-2	Strontium-90	1170	pCi/L	[NULL]	[NULL]	[NULL]	R	B18KM5	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-3	3/15/2004 12:10	N	14808-79-8	Sulfate	194000	ug/L	CD	[NULL]	[NULL]	R	B18KX9	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/15/2004 12:10	N	14808-79-8	Sulfate	201000	ug/L	CD	[NULL]	[NULL]	R	B18KM4	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/15/2004 12:10	N	TEMPERATURE	Temperature	20	Deg C	[NULL]	[NULL]	[NULL]	R	B18KX4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/15/2004 12:10	N	TEMPERATURE	Temperature	20.1	Deg C	[NULL]	[NULL]	[NULL]	R	B18KX3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/15/2004 12:10	N	TEMPERATURE	Temperature	20	Deg C	[NULL]	[NULL]	[NULL]	R	B18KX5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/15/2004 12:10	N	TEMPERATURE	Temperature	20.1	Deg C	[NULL]	[NULL]	[NULL]	R	B18KX2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/15/2004 12:10	N	TOC	Total organic carbon	1700	ug/L	[NULL]	[NULL]	[NULL]	R	B18KX2	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	3/15/2004 12:10	N	TOC	Total organic carbon	1900	ug/L	[NULL]	[NULL]	[NULL]	R	B18KX5	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	3/15/2004 12:10	N	TOC	Total organic carbon	1800	ug/L	[NULL]	[NULL]	[NULL]	R	B18KX4	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	3/15/2004 12:10	N	TOC	Total organic carbon	1800	ug/L	[NULL]	[NULL]	[NULL]	R	B18KX3	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	3/15/2004 12:10	N	59473-04-0	Total organic halides	9.8	ug/L	C	[NULL]	[NULL]	R	B18KX3	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	3/15/2004 12:10	N	59473-04-0	Total organic halides	9.2	ug/L	C	[NULL]	[NULL]	R	B18KX2	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	3/15/2004 12:10	N	59473-04-0	Total organic halides	11.4	ug/L	C	[NULL]	[NULL]	R	B18KX5	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	3/15/2004 12:10	N	59473-04-0	Total organic halides	12.3	ug/L	C	[NULL]	[NULL]	R	B18KX4	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	3/15/2004 12:10	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	60	ug/L	U	H	[NULL]	R	B18MD7	TPHDIESEL	STLSL	WTPH_DIESEL	100-NR-2
199-N-3	3/15/2004 12:10	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	60	ug/L	UN	[NULL]	[NULL]	R	B18MD5	TPHDIESEL	STLSL	WTPH_DIESEL	100-NR-2
199-N-3	3/15/2004 12:10	N	TPHGASOLINE	Total petroleum hydrocarbons - gasoline range	60	ug/L	U	[NULL]	[NULL]	R	B18MD5	TPHGASOLINE	STLSL	WTPH_GASOLINE	100-NR-2
199-N-3	3/15/2004 12:10	N	TPHGASOLINE	Total petroleum hydrocarbons - gasoline range	60	ug/L	U	[NULL]	[NULL]	R	B18MD7	TPHGASOLINE	STLSL	WTPH_GASOLINE	100-NR-2
199-N-3	3/15/2004 12:10	N	10028-17-8	Tritium	2830	pCi/L	[NULL]	[NULL]	[NULL]	R	B18KM5	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-3	3/15/2004 12:10	N	TURBIDITY	Turbidity	1.98	NTU	[NULL]	[NULL]	[NULL]	R	B18KX5	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	3/15/2004 12:10	Y	7440-62-2	Vanadium	21	ug/L	[NULL]	[NULL]	[NULL]	R	B18KM3	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	Y	7440-62-2	Vanadium	25	ug/L	[NULL]	[NULL]	[NULL]	R	B18KX8	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	Y	7440-66-6	Zinc	264	ug/L	[NULL]	[NULL]	[NULL]	R	B18KX8	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	Y	7440-66-6	Zinc	259	ug/L	[NULL]	[NULL]	[NULL]	R	B18KM3	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/15/2004 12:10	N	PH	pH Measurement	7.22	unitless	[NULL]	[NULL]	[NULL]	R	B18KX5	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/15/2004 12:10	N	PH	pH Measurement	7.21	unitless	[NULL]	[NULL]	[NULL]	R	B18KX2	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/15/2004 12:10	N	PH	pH Measurement	7.22	unitless	[NULL]	[NULL]	[NULL]	R	B18KX4	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/15/2004 12:10	N	PH	pH Measurement	7.21	unitless	[NULL]	[NULL]	[NULL]	R	B18KX3	PH	FIELD	9040_PH	100-NR-2
199-N-3	9/23/2004 10:04	Y	7429-90-5	Aluminum	26.1	ug/L	C	[NULL]	[NULL]	R	B1B132	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/23/2004 10:04	Y	7429-90-5	Aluminum	120	ug/L	B	Y	[NULL]	R	B1B130	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/23/2004 10:04	Y	7440-36-0	Antimony	3	ug/L	U	[NULL]	[NULL]	R	B1B132	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/23/2004 10:04	Y	7440-36-0	Antimony	21.3	ug/L	U	[NULL]	[NULL]	R	B1B130	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/23/2004 10:04	Y	7440-39-3	Barium	210	ug/L	[NULL]	[NULL]	[NULL]	R	B1B130	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/23/2004 10:04	Y	7440-39-3	Barium	205	ug/L	C	[NULL]	[NULL]	R	B1B132	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/23/2004 10:04	Y	7440-41-7	Beryllium	1.1	ug/L	B	[NULL]	[NULL]	R	B1B130	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/23/2004 10:04	Y	7440-41-7	Beryllium	0.1	ug/L	U	[NULL]	[NULL]	R	B1B132	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/23/2004 10:04	N	24959-67-9	Bromide	250	ug/L	U	[NULL]	[NULL]	R	B1B133	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/23/2004 10:04	Y	7440-43-9	Cadmium	0.3	ug/L	U	[NULL]	[NULL]	R	B1B132	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/23/2004 10:04	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	B1B130	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/23/2004 10:04	Y	7440-70-2	Calcium	209000	ug/L	[NULL]	[NULL]	[NULL]	R	B1B130	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/23/2004 10:04	Y	7440-70-2	Calcium	201000	ug/L	C	[NULL]	[NULL]	R	B1B132	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/23/2004 10:04	N	16887-00-6	Chloride	54300	ug/L	[NULL]	[NULL]	[NULL]	R	B1B133	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/23/2004 10:04	N	16887-00-6	Chloride	62600	ug/L	CD	[NULL]	[NULL]	R	B1B131	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/23/2004 10:04	Y	7440-47-3	Chromium	3.3	ug/L	U	[NULL]	[NULL]	R	B1B130	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/23/2004 10:04	Y	7440-47-3	Chromium	2.7	ug/L	C	[NULL]	[NULL]	R	B1B132	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/23/2004 10:04	Y	7440-48-4	Cobalt	0.8	ug/L	U	[NULL]	[NULL]	R	B1B132	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/23/2004 10:04	Y	7440-48-4	Cobalt	3.3	ug/L	U	[NULL]	[NULL]	R	B1B130	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/23/2004 10:04	Y	7440-50-8	Copper	0.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1B132	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/23/2004 10:04	Y	7440-50-8	Copper	2.4	ug/L	U	[NULL]	[NULL]	R	B1B130	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	9/23/2004 10:04	N	DO	Dissolved oxygen	890	ug/L	[NULL]	[NULL]	[NULL]	R	B1B131	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	9/23/2004 10:04	N	16984-48-8	Fluoride	70	ug/L	B	[NULL]	[NULL]	R	B1B131	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/23/2004 10:04	N	16984-48-8	Fluoride	250	ug/L	U	[NULL]	[NULL]	R	B1B133	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/23/2004 10:04	N	12587-47-2	Gross beta	2480	pCi/L	[NULL]	[NULL]	[NULL]	R	B1B133	12587-47-2	EBRLNE	BETA_GPC	100-NR-2
199-N-3	9/23/2004 10:04	N	12587-47-2	Gross beta	2400	pCi/L	[NULL]	[NULL]	[NULL]	R	B1B134	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	9/23/2004 10:04	Y	7439-89-6	Iron	26	ug/L	[NULL]	[NULL]	[NULL]	R	B1B132	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/23/2004 10:04	Y	7439-89-6	Iron	31.9	ug/L	B	[NULL]	[NULL]	R	B1B130	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/23/2004 10:04	Y	7439-95-4	Magnesium	35600	ug/L	C	[NULL]	[NULL]	R	B1B132	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/23/2004 10:04	Y	7439-95-4	Magnesium	37500	ug/L	[NULL]	[NULL]	[NULL]	R	B1B130	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/23/2004 10:04	Y	7439-96-5	Manganese	1.5	ug/L	C	[NULL]	[NULL]	R	B1B132	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/23/2004 10:04	Y	7439-96-5	Manganese	2.6	ug/L	BC	[NULL]	[NULL]	R	B1B130	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/23/2004 10:04	Y	7440-02-0	Nickel	1.7	ug/L	[NULL]	[NULL]	[NULL]	R	B1B132	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/23/2004 10:04	Y	7440-02-0	Nickel	8.6	ug/L	U	[NULL]	[NULL]	R	B1B130	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/23/2004 10:04	N	14797-55-8	Nitrate	68400	ug/L	[NULL]	H	[NULL]	R	B1B133	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/23/2004 10:04	N	14797-55-8	Nitrate	63700	ug/L	D	[NULL]	[NULL]	R	B1B131	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/23/2004 10:04	N	14797-65-0	Nitrite	250	ug/L	U	H	[NULL]	R	B1B133	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/23/2004 10:04	N	14797-65-0	Nitrite	13.1	ug/L	U	[NULL]	[NULL]	R	B1B131	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/23/2004 10:04	N	OIL/GREASE	Oil and grease	5000	ug/L	U	[NULL]	[NULL]	R	B1B1X5	OIL/GREASE	STLSL	413.1_OILGREASE	100-NR-2
199-N-3	9/23/2004 10:04	N	EH	Oxidation Reduction Potential	155	mV	[NULL]	[NULL]	[NULL]	R	B1B131	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-3	9/23/2004 10:04	N	14265-44-2	Phosphate	250	ug/L	U	H	[NULL]	R	B1B133	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/23/2004 10:04	Y	7440-09-7	Potassium	5690	ug/L	C	[NULL]	[NULL]	R	B1B132	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/23/2004 10:04	Y	7440-09-7	Potassium	4720	ug/L	B	[NULL]	[NULL]	R	B1B130	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/23/2004 10:04	Y	7440-22-4	Silver	0.9	ug/L	U	[NULL]	[NULL]	R	B1B132	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/23/2004 10:04	Y	7440-22-4	Silver	4.1	ug/L	U	[NULL]	[NULL]	R	B1B130	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/23/2004 10:04	Y	7440-23-5	Sodium	28500	ug/L	C	[NULL]	[NULL]	R	B1B130	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/23/2004 10:04	Y	7440-23-5	Sodium	26600	ug/L	C	[NULL]	[NULL]	R	B1B132	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/23/2004 10:04	N	CONDUCT	Specific Conductance	1311	uS/cm	[NULL]	[NULL]	[NULL]	R	B1B131	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/23/2004 10:04	Y	7440-24-6	Strontium	843	ug/L	C	[NULL]	[NULL]	R	B1B132	7440-24-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/23/2004 10:04	Y	7440-24-6	Strontium	874	ug/L	[NULL]	[NULL]	[NULL]	R	B1B130	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/23/2004 10:04	N	10098-97-2	Strontium-90	1300	pCi/L	[NULL]	[NULL]	[NULL]	R	B1B134	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-3	9/23/2004 10:04	N	10098-97-2	Strontium-90	1160	pCi/L	[NULL]	[NULL]	[NULL]	R	B1B133	10098-97-2	EBRLNE	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-3	9/23/2004 10:04	N	14808-79-8	Sulfate	200000	ug/L	[NULL]	[NULL]	[NULL]	R	B1B133	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	9/23/2004 10:04	N	14808-79-8	Sulfate	190000	ug/L	D	[NULL]	[NULL]	R	B1B131	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/23/2004 10:04	N	TEMPERATURE	Temperature	18.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1B131	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/23/2004 10:04	N	TOC	Total organic carbon	1200	ug/L	[NULL]	[NULL]	[NULL]	R	B1B212	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	9/23/2004 10:04	N	TOC	Total organic carbon	1400	ug/L	[NULL]	[NULL]	[NULL]	R	B1B210	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	9/23/2004 10:04	N	TOC	Total organic carbon	1200	ug/L	[NULL]	[NULL]	[NULL]	R	B1B213	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	9/23/2004 10:04	N	TOC	Total organic carbon	1200	ug/L	[NULL]	[NULL]	[NULL]	R	B1B211	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	9/23/2004 10:04	N	59473-04-0	Total organic halides	13	ug/L	[NULL]	[NULL]	[NULL]	R	B1B211	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	9/23/2004 10:04	N	59473-04-0	Total organic halides	10.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1B213	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	9/23/2004 10:04	N	59473-04-0	Total organic halides	11.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1B212	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	9/23/2004 10:04	N	59473-04-0	Total organic halides	9.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1B210	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	9/23/2004 10:04	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	50	ug/L	U	[NULL]	[NULL]	R	B1B1X5	TPHDIESEL	STLSL	WTPH_DIESEL	100-NR-2
199-N-3	9/23/2004 10:04	N	TPHGASOLINE	Total petroleum hydrocarbons - gasoline range	29	ug/L	U	[NULL]	[NULL]	R	B1B1X5	TPHGASOLINE	STLSL	WTPH_GASOLINE	100-NR-2
199-N-3	9/23/2004 10:04	N	10028-17-8	Tritium	3560	pCi/L	[NULL]	[NULL]	[NULL]	R	B1B133	10028-17-8	EBRLNE	TRITIUM_DIST_LSC	100-NR-2
199-N-3	9/23/2004 10:04	N	10028-17-8	Tritium	2580	pCi/L	[NULL]	[NULL]	[NULL]	R	B1B134	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-3	9/23/2004 10:04	N	TURBIDITY	Turbidity	6.66	NTU	[NULL]	[NULL]	[NULL]	R	B1B131	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	9/23/2004 10:04	Y	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	B1B130	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/23/2004 10:04	Y	7440-62-2	Vanadium	2.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1B132	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/23/2004 10:04	Y	7440-66-6	Zinc	222	ug/L	C	[NULL]	[NULL]	R	B1B130	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	9/23/2004 10:04	Y	7440-66-6	Zinc	228	ug/L	C	[NULL]	[NULL]	R	B1B132	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	9/23/2004 10:04	N	PH	pH Measurement	7.18	unitless	[NULL]	[NULL]	[NULL]	R	B1B131	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/8/2005 12:50	N	ALKALINITY	Alkalinity	334000	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBC0	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-3	3/8/2005 12:50	Y	7429-90-5	Aluminum	46	ug/L	B	[NULL]	[NULL]	R	B1CB36	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/8/2005 12:50	Y	7440-36-0	Antimony	21.3	ug/L	U	[NULL]	[NULL]	R	B1CB36	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/8/2005 12:50	Y	7440-39-3	Barium	184	ug/L	B	[NULL]	[NULL]	R	B1CB36	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/8/2005 12:50	Y	7440-41-7	Beryllium	0.29	ug/L	U	[NULL]	[NULL]	R	B1CB36	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/8/2005 12:50	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	B1CB36	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/8/2005 12:50	Y	7440-70-2	Calcium	184000	ug/L	[NULL]	Q	[NULL]	R	B1CB36	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/8/2005 12:50	N	16887-00-6	Chloride	51900	ug/L	CD	[NULL]	[NULL]	R	B1CB37	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/8/2005 12:50	N	16887-00-6	Chloride	53500	ug/L	CD	[NULL]	[NULL]	R	B1CBB6	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/8/2005 12:50	Y	7440-47-3	Chromium	4.6	ug/L	B	[NULL]	[NULL]	R	B1CB36	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/8/2005 12:50	Y	7440-48-4	Cobalt	3.3	ug/L	U	[NULL]	[NULL]	R	B1CB36	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/8/2005 12:50	Y	7440-50-8	Copper	2.4	ug/L	U	[NULL]	[NULL]	R	B1CB36	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/8/2005 12:50	N	DO	Dissolved oxygen	2540	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBB6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	3/8/2005 12:50	N	DO	Dissolved oxygen	2550	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBB7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	3/8/2005 12:50	N	DO	Dissolved oxygen	2520	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBB8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	3/8/2005 12:50	N	DO	Dissolved oxygen	2550	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBB9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	3/8/2005 12:50	N	16984-48-8	Fluoride	70	ug/L	B	[NULL]	[NULL]	R	B1CBB6	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/8/2005 12:50	N	16984-48-8	Fluoride	89	ug/L	B	[NULL]	[NULL]	R	B1CB37	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/8/2005 12:50	N	12587-47-2	Gross beta	2250	pCi/L	[NULL]	[NULL]	[NULL]	R	B1CB38	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	3/8/2005 12:50	Y	7439-89-6	Iron	49.6	ug/L	B	[NULL]	[NULL]	R	B1CB36	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/8/2005 12:50	Y	7439-95-4	Magnesium	31400	ug/L	[NULL]	[NULL]	[NULL]	R	B1CB36	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/8/2005 12:50	Y	7439-96-5	Manganese	0.99	ug/L	U	[NULL]	[NULL]	R	B1CB36	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/8/2005 12:50	Y	7440-02-0	Nickel	8.6	ug/L	U	[NULL]	[NULL]	R	B1CB36	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/8/2005 12:50	N	14797-55-8	Nitrate	59300	ug/L	D	Q	[NULL]	R	B1CB37	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/8/2005 12:50	N	14797-55-8	Nitrate	58900	ug/L	D	Q	[NULL]	R	B1CBB6	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/8/2005 12:50	N	14797-65-0	Nitrite	13.1	ug/L	U	[NULL]	[NULL]	R	B1CB37	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/8/2005 12:50	N	14797-65-0	Nitrite	13.1	ug/L	U	[NULL]	[NULL]	R	B1CBB6	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/8/2005 12:50	N	OIL/GREASE	Oil and grease	5000	ug/L	UN	[NULL]	[NULL]	R	B1CCF9	OIL/GREASE	STLSL	413.1_OILGREASE	100-NR-2
199-N-3	3/8/2005 12:50	Y	7440-09-7	Potassium	4490	ug/L	B	[NULL]	[NULL]	R	B1CB36	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/8/2005 12:50	Y	7440-22-4	Silver	4.1	ug/L	U	[NULL]	[NULL]	R	B1CB36	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/8/2005 12:50	Y	7440-23-5	Sodium	26100	ug/L	[NULL]	Q	[NULL]	R	B1CB36	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/8/2005 12:50	N	CONDUCT	Specific Conductance	1191	uS/cm	[NULL]	[NULL]	[NULL]	R	B1CBB9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/8/2005 12:50	N	CONDUCT	Specific Conductance	1191	uS/cm	[NULL]	[NULL]	[NULL]	R	B1CBB7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/8/2005 12:50	N	CONDUCT	Specific Conductance	1191	uS/cm	[NULL]	[NULL]	[NULL]	R	B1CBB8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/8/2005 12:50	N	CONDUCT	Specific Conductance	1190	uS/cm	[NULL]	[NULL]	[NULL]	R	B1CBB6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	3/8/2005 12:50	Y	7440-24-6	Strontium	810	ug/L	[NULL]	Q	[NULL]	R	B1CB36	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/8/2005 12:50	N	10098-97-2	Strontium-90	1160	pCi/L	[NULL]	[NULL]	[NULL]	R	B1CB38	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-3	3/8/2005 12:50	N	14808-79-8	Sulfate	200000	ug/L	D	[NULL]	[NULL]	R	B1CBB6	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/8/2005 12:50	N	14808-79-8	Sulfate	200000	ug/L	D	[NULL]	[NULL]	R	B1CB37	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/8/2005 12:50	N	TEMPERATURE	Temperature	20.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1CBB9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/8/2005 12:50	N	TEMPERATURE	Temperature	20.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1CBB8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/8/2005 12:50	N	TEMPERATURE	Temperature	20.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1CBB6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/8/2005 12:50	N	TEMPERATURE	Temperature	20.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1CBB7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/8/2005 12:50	N	TOC	Total organic carbon	1300	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBB6	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	3/8/2005 12:50	N	TOC	Total organic carbon	1200	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBB7	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	3/8/2005 12:50	N	TOC	Total organic carbon	1000	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBB9	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	3/8/2005 12:50	N	TOC	Total organic carbon	1300	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBB8	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	3/8/2005 12:50	N	59473-04-0	Total organic halides	5.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBB7	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	3/8/2005 12:50	N	59473-04-0	Total organic halides	18.6	ug/L	C	[NULL]	[NULL]	R	B1CBB6	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	3/8/2005 12:50	N	59473-04-0	Total organic halides	7.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBB8	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	3/8/2005 12:50	N	59473-04-0	Total organic halides	17.7	ug/L	C	[NULL]	[NULL]	R	B1CBB9	59473-04-0	STLSL	9020_TOX	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/8/2005 12:50	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	50	ug/L	U	[NULL]	[NULL]	R	B1CCF9	TPHDIESEL	STLSL	WTPH_DIESEL	100-NR-2
199-N-3	3/8/2005 12:50	N	TPHGASOLINE	Total petroleum hydrocarbons - gasoline range	20	ug/L	U	[NULL]	[NULL]	R	B1CCF9	TPHGASOLINE	STLSL	WTPH_GASOLINE	100-NR-2
199-N-3	3/8/2005 12:50	N	10028-17-8	Tritium	2920	pCi/L	[NULL]	[NULL]	[NULL]	R	B1CB38	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-3	3/8/2005 12:50	N	TURBIDITY	Turbidity	1.49	NTU	[NULL]	[NULL]	[NULL]	R	B1CBB9	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	3/8/2005 12:50	N	TURBIDITY	Turbidity	1.69	NTU	[NULL]	[NULL]	[NULL]	R	B1CBB8	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	3/8/2005 12:50	N	TURBIDITY	Turbidity	1.32	NTU	[NULL]	[NULL]	[NULL]	R	B1CBB7	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	3/8/2005 12:50	N	TURBIDITY	Turbidity	2.36	NTU	[NULL]	[NULL]	[NULL]	R	B1CBB6	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	3/8/2005 12:50	Y	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	B1CB36	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/8/2005 12:50	Y	7440-66-6	Zinc	158	ug/L	C	Q	[NULL]	R	B1CB36	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/8/2005 12:50	N	PH	pH Measurement	7.19	unitless	[NULL]	[NULL]	[NULL]	R	B1CBB6	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/8/2005 12:50	N	PH	pH Measurement	7.19	unitless	[NULL]	[NULL]	[NULL]	R	B1CBB7	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/8/2005 12:50	N	PH	pH Measurement	7.19	unitless	[NULL]	[NULL]	[NULL]	R	B1CBB8	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/8/2005 12:50	N	PH	pH Measurement	7.19	unitless	[NULL]	[NULL]	[NULL]	R	B1CBB9	PH	FIELD	9040_PH	100-NR-2
199-N-3	9/19/2005 9:30	Y	7429-90-5	Aluminum	38.8	ug/L	BC	[NULL]	[NULL]	R	B1DP54	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	Y	7429-90-5	Aluminum	36.7	ug/L	BC	[NULL]	[NULL]	R	B1DP58	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	Y	7440-36-0	Antimony	23	ug/L	U	[NULL]	[NULL]	R	B1DP54	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	Y	7440-36-0	Antimony	23	ug/L	U	[NULL]	[NULL]	R	B1DP58	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	Y	7440-39-3	Barium	220	ug/L	[NULL]	[NULL]	[NULL]	R	B1DP54	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	Y	7440-39-3	Barium	215	ug/L	[NULL]	[NULL]	[NULL]	R	B1DP58	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	Y	7440-41-7	Beryllium	0.18	ug/L	U	[NULL]	[NULL]	R	B1DP58	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	Y	7440-41-7	Beryllium	0.18	ug/L	U	[NULL]	[NULL]	R	B1DP54	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	Y	7440-43-9	Cadmium	0.86	ug/L	U	[NULL]	[NULL]	R	B1DP54	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	Y	7440-43-9	Cadmium	0.86	ug/L	U	[NULL]	[NULL]	R	B1DP58	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	Y	7440-70-2	Calcium	199000	ug/L	[NULL]	[NULL]	[NULL]	R	B1DP58	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	Y	7440-70-2	Calcium	202000	ug/L	[NULL]	[NULL]	[NULL]	R	B1DP54	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	N	16887-00-6	Chloride	50400	ug/L	D	[NULL]	[NULL]	R	B1DP59	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/19/2005 9:30	N	16887-00-6	Chloride	47100	ug/L	D	[NULL]	[NULL]	R	B1DP55	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/19/2005 9:30	Y	7440-47-3	Chromium	3.6	ug/L	B	[NULL]	[NULL]	R	B1DP54	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	Y	7440-47-3	Chromium	3.6	ug/L	B	[NULL]	[NULL]	R	B1DP58	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	Y	7440-48-4	Cobalt	1.9	ug/L	B	[NULL]	[NULL]	R	B1DP58	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	Y	7440-48-4	Cobalt	1.7	ug/L	U	[NULL]	[NULL]	R	B1DP54	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	Y	7440-50-8	Copper	4.3	ug/L	U	[NULL]	[NULL]	R	B1DP58	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	Y	7440-50-8	Copper	4.3	ug/L	U	[NULL]	[NULL]	R	B1DP54	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	N	16984-48-8	Fluoride	77	ug/L	B	[NULL]	[NULL]	R	B1DP59	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/19/2005 9:30	N	16984-48-8	Fluoride	77	ug/L	B	[NULL]	[NULL]	R	B1DP55	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/19/2005 9:30	N	12587-47-2	Gross beta	2210	pCi/L	[NULL]	[NULL]	[NULL]	R	B1DP56	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	9/19/2005 9:30	N	12587-47-2	Gross beta	2030	pCi/L	[NULL]	[NULL]	[NULL]	R	B1DP57	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	9/19/2005 9:30	Y	7439-89-6	Iron	33.9	ug/L	B	[NULL]	[NULL]	R	B1DP54	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	Y	7439-89-6	Iron	39.6	ug/L	B	[NULL]	[NULL]	R	B1DP58	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	Y	7439-95-4	Magnesium	34500	ug/L	[NULL]	[NULL]	[NULL]	R	B1DP58	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	Y	7439-95-4	Magnesium	35100	ug/L	[NULL]	[NULL]	[NULL]	R	B1DP54	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	Y	7439-96-5	Manganese	1.2	ug/L	B	[NULL]	[NULL]	R	B1DP54	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	Y	7439-96-5	Manganese	3.7	ug/L	B	[NULL]	[NULL]	R	B1DP58	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1DP58	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1DP54	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	N	14797-55-8	Nitrate	79200	ug/L	D	[NULL]	[NULL]	R	B1DP59	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/19/2005 9:30	N	14797-55-8	Nitrate	78400	ug/L	D	[NULL]	[NULL]	R	B1DP55	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/19/2005 9:30	N	14797-65-0	Nitrite	20	ug/L	U	[NULL]	[NULL]	R	B1DP59	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/19/2005 9:30	N	14797-65-0	Nitrite	20	ug/L	U	[NULL]	[NULL]	R	B1DP55	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/19/2005 9:30	N	OIL/GREASE	Oil and grease	5000	ug/L	U	[NULL]	[NULL]	R	B1DPW8	OIL/GREASE	STLSL	413.1_OILGREASE	100-NR-2
199-N-3	9/19/2005 9:30	N	OIL/GREASE	Oil and grease	5000	ug/L	U	[NULL]	[NULL]	R	B1DPW9	OIL/GREASE	STLSL	413.1_OILGREASE	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	9/19/2005 9:30	Y	7440-09-7	Potassium	3770	ug/L	B	[NULL]	[NULL]	R	B1DP54	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	Y	7440-09-7	Potassium	4120	ug/L	B	[NULL]	[NULL]	R	B1DP58	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	Y	7440-22-4	Silver	2.2	ug/L	U	[NULL]	[NULL]	R	B1DP58	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	Y	7440-22-4	Silver	2.2	ug/L	U	[NULL]	[NULL]	R	B1DP54	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	Y	7440-23-5	Sodium	24600	ug/L	[NULL]	[NULL]	[NULL]	R	B1DP54	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	Y	7440-23-5	Sodium	24200	ug/L	[NULL]	[NULL]	[NULL]	R	B1DP58	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	N	CONDUCT	Specific Conductance	1257	uS/cm	[NULL]	[NULL]	[NULL]	R	B1DR84	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/19/2005 9:30	N	CONDUCT	Specific Conductance	1258	uS/cm	[NULL]	[NULL]	[NULL]	R	B1DR81	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/19/2005 9:30	N	CONDUCT	Specific Conductance	1258	uS/cm	[NULL]	[NULL]	[NULL]	R	B1DR83	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/19/2005 9:30	N	CONDUCT	Specific Conductance	1259	uS/cm	[NULL]	[NULL]	[NULL]	R	B1DR82	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-3	9/19/2005 9:30	Y	7440-24-6	Strontium	926	ug/L	[NULL]	[NULL]	[NULL]	R	B1DP54	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	Y	7440-24-6	Strontium	908	ug/L	[NULL]	[NULL]	[NULL]	R	B1DP58	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	N	10098-97-2	Strontium-90	1330	pCi/L	[NULL]	[NULL]	[NULL]	R	B1DP57	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-3	9/19/2005 9:30	N	10098-97-2	Strontium-90	1310	pCi/L	[NULL]	[NULL]	[NULL]	R	B1DP56	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-3	9/19/2005 9:30	N	14808-79-8	Sulfate	173000	ug/L	D	[NULL]	[NULL]	R	B1DP59	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/19/2005 9:30	N	14808-79-8	Sulfate	182000	ug/L	D	[NULL]	[NULL]	R	B1DP55	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/19/2005 9:30	N	TEMPERATURE	Temperature	20.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1DR82	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/19/2005 9:30	N	TEMPERATURE	Temperature	20.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1DR83	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/19/2005 9:30	N	TEMPERATURE	Temperature	20.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1DR84	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/19/2005 9:30	N	TEMPERATURE	Temperature	20.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1DR81	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/19/2005 9:30	N	TOC	Total organic carbon	1800	ug/L	[NULL]	[NULL]	[NULL]	R	B1DR85	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	9/19/2005 9:30	N	TOC	Total organic carbon	1900	ug/L	[NULL]	[NULL]	[NULL]	R	B1DR86	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	9/19/2005 9:30	N	TOC	Total organic carbon	1800	ug/L	[NULL]	[NULL]	[NULL]	R	B1DR87	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	9/19/2005 9:30	N	TOC	Total organic carbon	1900	ug/L	[NULL]	[NULL]	[NULL]	R	B1DR88	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	9/19/2005 9:30	N	59473-04-0	Total organic halides	21.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1DR85	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	9/19/2005 9:30	N	59473-04-0	Total organic halides	27.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1DR88	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	9/19/2005 9:30	N	59473-04-0	Total organic halides	23.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1DR87	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	9/19/2005 9:30	N	59473-04-0	Total organic halides	20.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1DR86	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	9/19/2005 9:30	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	60	ug/L	U	[NULL]	[NULL]	R	B1DPW9	TPHDIESEL	STLSL	WTPH_DIESEL	100-NR-2
199-N-3	9/19/2005 9:30	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	60	ug/L	U	[NULL]	[NULL]	R	B1DPW8	TPHDIESEL	STLSL	WTPH_DIESEL	100-NR-2
199-N-3	9/19/2005 9:30	N	TPHGASOLINE	Total petroleum hydrocarbons - gasoline range	20	ug/L	U	[NULL]	[NULL]	R	B1DPW9	TPHGASOLINE	STLSL	WTPH_GASOLINE	100-NR-2
199-N-3	9/19/2005 9:30	N	TPHGASOLINE	Total petroleum hydrocarbons - gasoline range	20	ug/L	U	[NULL]	[NULL]	R	B1DPW8	TPHGASOLINE	STLSL	WTPH_GASOLINE	100-NR-2
199-N-3	9/19/2005 9:30	N	10028-17-8	Tritium	3790	pCi/L	[NULL]	[NULL]	[NULL]	R	B1DP56	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-3	9/19/2005 9:30	N	10028-17-8	Tritium	3700	pCi/L	[NULL]	[NULL]	[NULL]	R	B1DP57	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-3	9/19/2005 9:30	N	TURBIDITY	Turbidity	2.17	NTU	[NULL]	[NULL]	[NULL]	R	B1DR84	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	9/19/2005 9:30	N	TURBIDITY	Turbidity	2.03	NTU	[NULL]	[NULL]	[NULL]	R	B1DR82	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-3	9/19/2005 9:30	Y	7440-62-2	Vanadium	2.7	ug/L	B	[NULL]	[NULL]	R	B1DP54	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	Y	7440-62-2	Vanadium	2.5	ug/L	B	[NULL]	[NULL]	R	B1DP58	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	Y	7440-66-6	Zinc	269	ug/L	C	[NULL]	[NULL]	R	B1DP58	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	Y	7440-66-6	Zinc	274	ug/L	C	[NULL]	[NULL]	R	B1DP54	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	9/19/2005 9:30	N	PH	pH Measurement	7.14	unitless	[NULL]	[NULL]	[NULL]	R	B1DR82	PH	FIELD	9040_PH	100-NR-2
199-N-3	9/19/2005 9:30	N	PH	pH Measurement	7.14	unitless	[NULL]	[NULL]	[NULL]	R	B1DR81	PH	FIELD	9040_PH	100-NR-2
199-N-3	9/19/2005 9:30	N	PH	pH Measurement	7.14	unitless	[NULL]	[NULL]	[NULL]	R	B1DR84	PH	FIELD	9040_PH	100-NR-2
199-N-3	9/19/2005 9:30	N	PH	pH Measurement	7.14	unitless	[NULL]	[NULL]	[NULL]	R	B1DR83	PH	FIELD	9040_PH	100-NR-2
199-N-3	3/1/2006 12:32	N	120-82-1	1,2,4-Trichlorobenzene	10	ug/L	U	[NULL]	[NULL]	S	J111V8	120-82-1	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	95-50-1	1,2-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	S	J111V8	95-50-1	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	541-73-1	1,3-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	S	J111V8	541-73-1	RLNP	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/1/2006 12:32	N	106-46-7	1,4-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	S	J111V8	106-46-7	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	95-95-4	2,4,5-Trichlorophenol	25	ug/L	U	[NULL]	[NULL]	S	J111V8	95-95-4	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	88-06-2	2,4,6-Trichlorophenol	10	ug/L	U	[NULL]	[NULL]	S	J111V8	88-06-2	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	120-83-2	2,4-Dichlorophenol	10	ug/L	U	[NULL]	[NULL]	S	J111V8	120-83-2	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	105-67-9	2,4-Dimethylphenol	10	ug/L	U	[NULL]	[NULL]	S	J111V8	105-67-9	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	51-28-5	2,4-Dinitrophenol	25	ug/L	U	[NULL]	[NULL]	S	J111V8	51-28-5	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	121-14-2	2,4-Dinitrotoluene	10	ug/L	U	[NULL]	[NULL]	S	J111V8	121-14-2	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	606-20-2	2,6-Dinitrotoluene	10	ug/L	U	[NULL]	[NULL]	S	J111V8	606-20-2	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	91-58-7	2-Chloronaphthalene	10	ug/L	U	[NULL]	[NULL]	S	J111V8	91-58-7	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	95-57-8	2-Chlorophenol	10	ug/L	U	[NULL]	[NULL]	S	J111V8	95-57-8	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	91-57-6	2-Methylnaphthalene	10	ug/L	U	[NULL]	[NULL]	S	J111V8	91-57-6	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	95-48-7	2-Methylphenol (cresol, o-)	10	ug/L	U	[NULL]	[NULL]	S	J111V8	95-48-7	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	88-74-4	2-Nitroaniline	25	ug/L	U	[NULL]	[NULL]	S	J111V8	88-74-4	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	88-75-5	2-Nitrophenol	10	ug/L	U	[NULL]	[NULL]	S	J111V8	88-75-5	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	65794-96-9	3+4 Methylphenol (cresol, m+p)	10	ug/L	U	[NULL]	[NULL]	S	J111V8	65794-96-9	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	91-94-1	3,3'-Dichlorobenzidine	10	ug/L	U	[NULL]	[NULL]	S	J111V8	91-94-1	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	99-09-2	3-Nitroaniline	25	ug/L	U	[NULL]	[NULL]	S	J111V8	99-09-2	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	72-54-8	4,4'-DDD (Dichlorodiphenyldichloroethane)	0.041	ug/L	UD	[NULL]	[NULL]	S	J111V8	72-54-8	RLNP	8081_PEST_GC	100-NR-2
199-N-3	3/1/2006 12:32	N	72-55-9	4,4'-DDE (Dichlorodiphenyldichloroethylene)	0.041	ug/L	UD	[NULL]	[NULL]	S	J111V8	72-55-9	RLNP	8081_PEST_GC	100-NR-2
199-N-3	3/1/2006 12:32	N	50-29-3	4,4'-DDT (Dichlorodiphenyltrichloroethane)	0.041	ug/L	UD	[NULL]	[NULL]	S	J111V8	50-29-3	RLNP	8081_PEST_GC	100-NR-2
199-N-3	3/1/2006 12:32	N	534-52-1	4,6-Dinitro-2-methylphenol	25	ug/L	U	[NULL]	[NULL]	S	J111V8	534-52-1	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	101-55-3	4-Bromophenylphenyl ether	10	ug/L	U	[NULL]	[NULL]	S	J111V8	101-55-3	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	59-50-7	4-Chloro-3-methylphenol	10	ug/L	U	[NULL]	[NULL]	S	J111V8	59-50-7	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	106-47-8	4-Chloroaniline	10	ug/L	U	[NULL]	[NULL]	S	J111V8	106-47-8	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	7005-72-3	4-Chlorophenylphenyl ether	10	ug/L	U	[NULL]	[NULL]	S	J111V8	7005-72-3	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	100-01-6	4-Nitroaniline	25	ug/L	U	[NULL]	[NULL]	S	J111V8	100-01-6	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	100-02-7	4-Nitrophenol	25	ug/L	U	[NULL]	[NULL]	S	J111V8	100-02-7	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	83-32-9	Acenaphthene	10	ug/L	U	[NULL]	[NULL]	S	J111V8	83-32-9	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	208-96-8	Acenaphthylene	10	ug/L	U	[NULL]	[NULL]	S	J111V8	208-96-8	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	309-00-2	Aldrin	0.041	ug/L	UD	[NULL]	[NULL]	S	J111V8	309-00-2	RLNP	8081_PEST_GC	100-NR-2
199-N-3	3/1/2006 12:32	N	ALKALINITY	Alkalinity	268000	ug/L	[NULL]	[NULL]	[NULL]	R	B1HNJ4	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-3	3/1/2006 12:32	N	ALKALINITY	Alkalinity	270000	ug/L	[NULL]	[NULL]	[NULL]	R	B1HNJ6	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-3	3/1/2006 12:32	N	319-84-6	Alpha-BHC	0.041	ug/L	UD	[NULL]	[NULL]	S	J111V8	319-84-6	RLNP	8081_PEST_GC	100-NR-2
199-N-3	3/1/2006 12:32	N	5103-71-9	Alpha-Chlordane	0.041	ug/L	UD	[NULL]	[NULL]	S	J111V8	5103-71-9	RLNP	8081_PEST_GC	100-NR-2
199-N-3	3/1/2006 12:32	N	7429-90-5	Aluminum	29.5	ug/L	[NULL]	[NULL]	[NULL]	S	J111V8	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	Y	7429-90-5	Aluminum	8.5	ug/L	U	[NULL]	[NULL]	R	B1HPY9	7429-90-5	STLSL	6020_METALS_ICPMS	100-NR-2
199-N-3	3/1/2006 12:32	Y	7429-90-5	Aluminum	113	ug/L	B	Y	[NULL]	R	B1HPY9	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	14596-10-2	Americium-241	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J111V8	14596-10-2	EBRLNE	GAMMA_GS	100-NR-2
199-N-3	3/1/2006 12:32	N	120-12-7	Anthracene	10	ug/L	U	[NULL]	[NULL]	S	J111V8	120-12-7	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1HNJ3	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1HPY9	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	7440-36-0	Antimony	4.4	ug/L	U	[NULL]	[NULL]	S	J111V8	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	14234-35-6	Antimony-125	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J111V8	14234-35-6	EBRLNE	GAMMA_GS	100-NR-2
199-N-3	3/1/2006 12:32	N	12674-11-2	Aroclor-1016	0.41	ug/L	U	[NULL]	[NULL]	S	J111V8	12674-11-2	RLNP	8082_PCB_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/1/2006 12:32	N	11104-28-2	Aroclor-1221	0.41	ug/L	U	[NULL]	[NULL]	S	J111V8	11104-28-2	RLNP	8082_PCB_GC	100-NR-2
199-N-3	3/1/2006 12:32	N	11141-16-5	Aroclor-1232	0.41	ug/L	U	[NULL]	[NULL]	S	J111V8	11141-16-5	RLNP	8082_PCB_GC	100-NR-2
199-N-3	3/1/2006 12:32	N	53469-21-9	Aroclor-1242	0.41	ug/L	U	[NULL]	[NULL]	S	J111V8	53469-21-9	RLNP	8082_PCB_GC	100-NR-2
199-N-3	3/1/2006 12:32	N	12672-29-6	Aroclor-1248	0.41	ug/L	U	[NULL]	[NULL]	S	J111V8	12672-29-6	RLNP	8082_PCB_GC	100-NR-2
199-N-3	3/1/2006 12:32	N	11097-69-1	Aroclor-1254	0.41	ug/L	U	[NULL]	[NULL]	S	J111V8	11097-69-1	RLNP	8082_PCB_GC	100-NR-2
199-N-3	3/1/2006 12:32	N	11096-82-5	Aroclor-1260	0.41	ug/L	U	[NULL]	[NULL]	S	J111V8	11096-82-5	RLNP	8082_PCB_GC	100-NR-2
199-N-3	3/1/2006 12:32	N	7440-38-2	Arsenic	6.1	ug/L	U	[NULL]	[NULL]	S	J111V8	7440-38-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	7440-39-3	Barium	150	ug/L	C	[NULL]	[NULL]	S	J111V8	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	Y	7440-39-3	Barium	161	ug/L	B	[NULL]	[NULL]	R	B1HNJ3	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	Y	7440-39-3	Barium	158	ug/L	B	[NULL]	[NULL]	R	B1HPY9	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	56-55-3	Benzo(a)anthracene	10	ug/L	U	[NULL]	[NULL]	S	J111V8	56-55-3	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	50-32-8	Benzo(a)pyrene	10	ug/L	U	[NULL]	[NULL]	S	J111V8	50-32-8	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	205-99-2	Benzo(b)fluoranthene	10	ug/L	U	[NULL]	[NULL]	S	J111V8	205-99-2	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	191-24-2	Benzo(ghi)perylene	10	ug/L	U	[NULL]	[NULL]	S	J111V8	191-24-2	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	207-08-9	Benzo(k)fluoranthene	10	ug/L	U	[NULL]	[NULL]	S	J111V8	207-08-9	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	7440-41-7	Beryllium	0.2	ug/L	U	[NULL]	[NULL]	S	J111V8	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1HNJ3	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1HPY9	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	13966-02-4	Beryllium-7	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J111V8	13966-02-4	EBRLNE	GAMMA_GS	100-NR-2
199-N-3	3/1/2006 12:32	N	111-91-1	Bis(2-Chloroethoxy)methane	10	ug/L	U	[NULL]	[NULL]	S	J111V8	111-91-1	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	108-60-1	Bis(2-chloro-1-methylethyl)ether	10	ug/L	U	[NULL]	[NULL]	S	J111V8	108-60-1	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	111-44-4	Bis(2-chloroethyl) ether	10	ug/L	U	[NULL]	[NULL]	S	J111V8	111-44-4	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	117-81-7	Bis(2-ethylhexyl) phthalate	10	ug/L	U	[NULL]	[NULL]	S	J111V8	117-81-7	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	7440-69-9	Bismuth	5.1	ug/L	UC	[NULL]	[NULL]	S	J111V8	7440-69-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	7440-42-8	Boron	30.2	ug/L	[NULL]	[NULL]	[NULL]	S	J111V8	7440-42-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	24959-67-9	Bromide	250	ug/L	U	[NULL]	[NULL]	S	J111V8	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/1/2006 12:32	N	85-68-7	Butylbenzylphthalate	10	ug/L	U	[NULL]	[NULL]	S	J111V8	85-68-7	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1HPY9	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1HNJ3	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	7440-43-9	Cadmium	0.7	ug/L	U	[NULL]	[NULL]	S	J111V8	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	7440-70-2	Calcium	158000	ug/L	C	[NULL]	[NULL]	S	J111V8	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	Y	7440-70-2	Calcium	156000	ug/L	C	[NULL]	[NULL]	R	B1HPY9	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	Y	7440-70-2	Calcium	158000	ug/L	[NULL]	[NULL]	[NULL]	R	B1HNJ3	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	86-74-8	Carbazole	10	ug/L	U	[NULL]	[NULL]	S	J111V8	86-74-8	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	13967-70-9	Cesium-134	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J111V8	13967-70-9	EBRLNE	GAMMA_GS	100-NR-2
199-N-3	3/1/2006 12:32	N	10045-97-3	Cesium-137	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J111V8	10045-97-3	EBRLNE	GAMMA_GS	100-NR-2
199-N-3	3/1/2006 12:32	N	16887-00-6	Chloride	39600	ug/L	D	[NULL]	[NULL]	S	J111V8	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/1/2006 12:32	N	16887-00-6	Chloride	43600	ug/L	DN	[NULL]	[NULL]	R	B1HNJ4	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/1/2006 12:32	N	16887-00-6	Chloride	44300	ug/L	DN	[NULL]	[NULL]	R	B1HNJ6	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/1/2006 12:32	N	7440-47-3	Chromium	4.9	ug/L	[NULL]	[NULL]	[NULL]	S	J111V8	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	Y	7440-47-3	Chromium	4	ug/L	B	[NULL]	[NULL]	R	B1HNJ3	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1HPY9	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	218-01-9	Chrysene	10	ug/L	U	[NULL]	[NULL]	S	J111V8	218-01-9	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	Y	7440-48-4	Cobalt	2.6	ug/L	U	[NULL]	[NULL]	R	B1HPY9	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	7440-48-4	Cobalt	1.4	ug/L	U	[NULL]	[NULL]	S	J111V8	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	Y	7440-48-4	Cobalt	2.6	ug/L	U	[NULL]	[NULL]	R	B1HNJ3	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	10198-40-0	Cobalt-60	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J111V8	10198-40-0	EBRLNE	GAMMA_GS	100-NR-2
199-N-3	3/1/2006 12:32	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1HPY9	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1HNJ3	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	7440-50-8	Copper	1.2	ug/L	U	[NULL]	[NULL]	S	J111V8	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	319-86-8	Delta-BHC	0.041	ug/L	UD	[NULL]	[NULL]	S	J111V8	319-86-8	RLNP	8081_PEST_GC	100-NR-2
199-N-3	3/1/2006 12:32	N	84-74-2	Di-n-butylphthalate	10	ug/L	U	[NULL]	[NULL]	S	J111V8	84-74-2	RLNP	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/1/2006 12:32	N	117-84-0	Di-n-octylphthalate	10	ug/L	U	[NULL]	[NULL]	S	J111V8	117-84-0	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	53-70-3	Dibenz[a,h]anthracene	10	ug/L	U	[NULL]	[NULL]	S	J111V8	53-70-3	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	132-64-9	Dibenzofuran	10	ug/L	U	[NULL]	[NULL]	S	J111V8	132-64-9	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	60-57-1	Dieldrin	0.041	ug/L	UD	[NULL]	[NULL]	S	J111V8	60-57-1	RLNP	8081_PEST_GC	100-NR-2
199-N-3	3/1/2006 12:32	N	84-66-2	Diethylphthalate	10	ug/L	U	[NULL]	[NULL]	S	J111V8	84-66-2	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	131-11-3	Dimethyl phthalate	10	ug/L	U	[NULL]	[NULL]	S	J111V8	131-11-3	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	959-98-8	Endosulfan I	0.041	ug/L	UD	[NULL]	[NULL]	S	J111V8	959-98-8	RLNP	8081_PEST_GC	100-NR-2
199-N-3	3/1/2006 12:32	N	33213-65-9	Endosulfan II	0.041	ug/L	UD	[NULL]	[NULL]	S	J111V8	33213-65-9	RLNP	8081_PEST_GC	100-NR-2
199-N-3	3/1/2006 12:32	N	1031-07-8	Endosulfan sulfate	0.041	ug/L	UD	[NULL]	[NULL]	S	J111V8	1031-07-8	RLNP	8081_PEST_GC	100-NR-2
199-N-3	3/1/2006 12:32	N	72-20-8	Endrin	0.041	ug/L	UD	[NULL]	[NULL]	S	J111V8	72-20-8	RLNP	8081_PEST_GC	100-NR-2
199-N-3	3/1/2006 12:32	N	7421-93-4	Endrin aldehyde	0.041	ug/L	UD	[NULL]	[NULL]	S	J111V8	7421-93-4	RLNP	8081_PEST_GC	100-NR-2
199-N-3	3/1/2006 12:32	N	53494-70-5	Endrin ketone	0.041	ug/L	UD	[NULL]	[NULL]	S	J111V8	53494-70-5	RLNP	8081_PEST_GC	100-NR-2
199-N-3	3/1/2006 12:32	N	14683-23-9	Europium-152	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J111V8	14683-23-9	EBRLNE	GAMMA_GS	100-NR-2
199-N-3	3/1/2006 12:32	N	15585-10-1	Europium-154	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J111V8	15585-10-1	EBRLNE	GAMMA_GS	100-NR-2
199-N-3	3/1/2006 12:32	N	14391-16-3	Europium-155	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J111V8	14391-16-3	EBRLNE	GAMMA_GS	100-NR-2
199-N-3	3/1/2006 12:32	N	206-44-0	Fluoranthene	10	ug/L	U	[NULL]	[NULL]	S	J111V8	206-44-0	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	86-73-7	Fluorene	10	ug/L	U	[NULL]	[NULL]	S	J111V8	86-73-7	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	16984-48-8	Fluoride	72	ug/L	B	Q	[NULL]	R	B1HNJ6	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/1/2006 12:32	N	16984-48-8	Fluoride	30	ug/L	B	Q	[NULL]	R	B1HNJ4	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/1/2006 12:32	N	16984-48-8	Fluoride	250	ug/L	U	[NULL]	[NULL]	S	J111V8	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/1/2006 12:32	N	58-89-9	Gamma-BHC (Lindane)	0.041	ug/L	UD	[NULL]	[NULL]	S	J111V8	58-89-9	RLNP	8081_PEST_GC	100-NR-2
199-N-3	3/1/2006 12:32	N	12587-47-2	Gross beta	1630	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HR02	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	3/1/2006 12:32	N	76-44-8	Heptachlor	0.041	ug/L	UD	[NULL]	[NULL]	S	J111V8	76-44-8	RLNP	8081_PEST_GC	100-NR-2
199-N-3	3/1/2006 12:32	N	1024-57-3	Heptachlor epoxide	0.041	ug/L	UD	[NULL]	[NULL]	S	J111V8	1024-57-3	RLNP	8081_PEST_GC	100-NR-2
199-N-3	3/1/2006 12:32	N	118-74-1	Hexachlorobenzene	10	ug/L	U	[NULL]	[NULL]	S	J111V8	118-74-1	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	87-68-3	Hexachlorobutadiene	10	ug/L	U	[NULL]	[NULL]	S	J111V8	87-68-3	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	77-47-4	Hexachlorocyclopentadiene	10	ug/L	U	[NULL]	[NULL]	S	J111V8	77-47-4	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	67-72-1	Hexachloroethane	10	ug/L	U	[NULL]	[NULL]	S	J111V8	67-72-1	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	18540-29-9	Hexavalent Chromium	2	ug/L	U	[NULL]	[NULL]	S	J111W0	18540-29-9	STLRL	7196_CR6	100-NR-2
199-N-3	3/1/2006 12:32	N	193-39-5	Indeno(1,2,3-cd)pyrene	10	ug/L	U	[NULL]	[NULL]	S	J111V8	193-39-5	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	7439-89-6	Iron	71.6	ug/L	[NULL]	[NULL]	[NULL]	S	J111V8	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	Y	7439-89-6	Iron	47.6	ug/L	B	[NULL]	[NULL]	R	B1HNJ3	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	Y	7439-89-6	Iron	52.3	ug/L	B	[NULL]	[NULL]	R	B1HPY9	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	78-59-1	Isophorone	10	ug/L	U	[NULL]	[NULL]	S	J111V8	78-59-1	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	7439-92-1	Lead	3.1	ug/L	U	[NULL]	[NULL]	S	J111V8	7439-92-1	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	7439-93-2	Lithium	2.2	ug/L	[NULL]	[NULL]	[NULL]	S	J111V8	7439-93-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	Y	7439-95-4	Magnesium	27200	ug/L	[NULL]	[NULL]	[NULL]	R	B1HPY9	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	Y	7439-95-4	Magnesium	27300	ug/L	[NULL]	[NULL]	[NULL]	R	B1HNJ3	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	7439-95-4	Magnesium	27000	ug/L	C	[NULL]	[NULL]	S	J111V8	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	Y	7439-96-5	Manganese	2.7	ug/L	B	[NULL]	[NULL]	R	B1HNJ3	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	Y	7439-96-5	Manganese	2.5	ug/L	U	[NULL]	[NULL]	R	B1HPY9	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	7439-96-5	Manganese	2.9	ug/L	[NULL]	[NULL]	[NULL]	S	J111V8	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	S	J111V8	7439-97-6	RLNP	7470_HG_CVAA	100-NR-2
199-N-3	3/1/2006 12:32	N	72-43-5	Methoxychlor	0.041	ug/L	UD	[NULL]	[NULL]	S	J111V8	72-43-5	RLNP	8081_PEST_GC	100-NR-2
199-N-3	3/1/2006 12:32	N	7439-98-7	Molybdenum	2.9	ug/L	U	[NULL]	[NULL]	S	J111V8	7439-98-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	91-20-3	Naphthalene	10	ug/L	U	[NULL]	[NULL]	S	J111V8	91-20-3	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	7440-02-0	Nickel	2.4	ug/L	U	[NULL]	[NULL]	S	J111V8	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1HPY9	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1HNJ3	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	14797-55-8	Nitrate	49600	ug/L	D	[NULL]	[NULL]	S	J111V8	NO2+NO3-N	RLNP	353.2_NO3/NO2	100-NR-2
199-N-3	3/1/2006 12:32	N	14797-55-8	Nitrate	53600	ug/L	DN	[NULL]	[NULL]	R	B1HNJ4	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/1/2006 12:32	N	14797-55-8	Nitrate	53600	ug/L	DN	[NULL]	[NULL]	R	B1HNJ6	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/1/2006 12:32	N	14797-55-8	Nitrate	50600	ug/L	D	[NULL]	[NULL]	S	J111V8	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/1/2006 12:32	N	14797-65-0	Nitrite	20	ug/L	UN	[NULL]	[NULL]	R	B1HNJ6	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/1/2006 12:32	N	14797-65-0	Nitrite	250	ug/L	U	[NULL]	[NULL]	S	J111V8	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/1/2006 12:32	N	14797-65-0	Nitrite	20	ug/L	UN	[NULL]	[NULL]	R	B1HNJ4	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/1/2006 12:32	N	98-95-3	Nitrobenzene	10	ug/L	U	[NULL]	[NULL]	S	J111V8	98-95-3	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	OIL/GREASE	Oil and grease	2400	ug/L	[NULL]	H	[NULL]	R	B1HMH1	OIL/GREASE	STLSL	413.1_OILGREASE	100-NR-2
199-N-3	3/1/2006 12:32	N	OIL/GREASE	Oil and grease	1800	ug/L	U	H	[NULL]	R	B1HMH0	OIL/GREASE	STLSL	413.1_OILGREASE	100-NR-2
199-N-3	3/1/2006 12:32	N	87-86-5	Pentachlorophenol	25	ug/L	U	[NULL]	[NULL]	S	J111V8	87-86-5	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	85-01-8	Phenanthrene	10	ug/L	U	[NULL]	[NULL]	S	J111V8	85-01-8	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	S	J111V8	108-95-2	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	14265-44-2	Phosphate	250	ug/L	U	[NULL]	[NULL]	S	J111V8	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/1/2006 12:32	N	7723-14-0	Phosphorus	81.7	ug/L	C	[NULL]	[NULL]	S	J111V8	7723-14-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	Y	7440-09-7	Potassium	4050	ug/L	B	[NULL]	[NULL]	R	B1HPY9	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	7440-09-7	Potassium	4420	ug/L	[NULL]	[NULL]	[NULL]	S	J111V8	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	Y	7440-09-7	Potassium	2420	ug/L	B	[NULL]	[NULL]	R	B1HNJ3	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	13966-00-2	Potassium-40	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J111V8	13966-00-2	EBRLNE	GAMMA_GS	100-NR-2
199-N-3	3/1/2006 12:32	N	129-00-0	Pyrene	10	ug/L	U	[NULL]	[NULL]	S	J111V8	129-00-0	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	13982-63-3	Radium-226	-0.199	pCi/L	U	[NULL]	[NULL]	S	J111V8	13982-63-3	EBRLNE	903.1_RA226_LUC	100-NR-2
199-N-3	3/1/2006 12:32	N	13982-63-3	Radium-226	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J111V8	13982-63-3	EBRLNE	GAMMA_GS	100-NR-2
199-N-3	3/1/2006 12:32	N	15262-20-1	Radium-228	2.33	pCi/L	[NULL]	[NULL]	[NULL]	S	J111V8	15262-20-1	EBRLNE	RAISO_SEP_GPC	100-NR-2
199-N-3	3/1/2006 12:32	N	15262-20-1	Radium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J111V8	15262-20-1	EBRLNE	GAMMA_GS	100-NR-2
199-N-3	3/1/2006 12:32	N	13967-48-1	Ruthenium-106	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J111V8	13967-48-1	EBRLNE	GAMMA_GS	100-NR-2
199-N-3	3/1/2006 12:32	N	7782-49-2	Selenium	4.7	ug/L	U	[NULL]	[NULL]	S	J111V8	7782-49-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	7440-21-3	Silicon	10400	ug/L	C	[NULL]	[NULL]	S	J111V8	7440-21-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1HNJ3	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	7440-22-4	Silver	0.7	ug/L	U	[NULL]	[NULL]	S	J111V8	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1HPY9	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	Y	7440-23-5	Sodium	27000	ug/L	[NULL]	[NULL]	[NULL]	R	B1HNJ3	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	7440-23-5	Sodium	24500	ug/L	C	[NULL]	[NULL]	S	J111V8	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	Y	7440-23-5	Sodium	25700	ug/L	[NULL]	[NULL]	[NULL]	R	B1HPY9	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	CONDUCT	Specific Conductance	1001	uS/cm	[NULL]	[NULL]	[NULL]	R	B1HNH5	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	3/1/2006 12:32	N	CONDUCT	Specific Conductance	1002	uS/cm	[NULL]	[NULL]	[NULL]	R	B1HNH6	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	3/1/2006 12:32	N	CONDUCT	Specific Conductance	1001	uS/cm	[NULL]	[NULL]	[NULL]	R	B1HNH7	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	3/1/2006 12:32	N	CONDUCT	Specific Conductance	1002	uS/cm	[NULL]	[NULL]	[NULL]	R	B1HNH8	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	3/1/2006 12:32	Y	7440-24-6	Strontium	674	ug/L	[NULL]	[NULL]	[NULL]	R	B1HNJ3	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	7440-24-6	Strontium	629	ug/L	C	[NULL]	[NULL]	S	J111V8	7440-24-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	Y	7440-24-6	Strontium	679	ug/L	[NULL]	[NULL]	[NULL]	R	B1HPY9	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	10098-97-2	Strontium-90	831	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HMF9	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-3	3/1/2006 12:32	N	10098-97-2	Strontium-90	928	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HMF8	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-3	3/1/2006 12:32	N	10098-97-2	Strontium-90	916	pCi/L	[NULL]	[NULL]	[NULL]	S	J111V8	SR-RAD	EBRLNE	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	3/1/2006 12:32	N	14808-79-8	Sulfate	168000	ug/L	D	[NULL]	[NULL]	R	B1HNJ6	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/1/2006 12:32	N	14808-79-8	Sulfate	168000	ug/L	D	[NULL]	[NULL]	R	B1HNJ4	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	3/1/2006 12:32	N	14808-79-8	Sulfate	187000	ug/L	D	[NULL]	[NULL]	S	J111V8	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/1/2006 12:32	N	7440-28-0	Thallium	7	ug/L	U	[NULL]	[NULL]	S	J111V8	7440-28-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	14274-82-9	Thorium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J111V8	14274-82-9	EBRLNE	GAMMA_GS	100-NR-2
199-N-3	3/1/2006 12:32	N	14274-82-9	Thorium-228	-0.052	pCi/L	U	[NULL]	[NULL]	S	J111V8	14274-82-9	EBRLNE	THISO_IE_PLATE_AEA	100-NR-2
199-N-3	3/1/2006 12:32	N	14269-63-7	Thorium-230	-0.026	pCi/L	U	[NULL]	[NULL]	S	J111V8	14269-63-7	EBRLNE	THISO_IE_PLATE_AEA	100-NR-2
199-N-3	3/1/2006 12:32	N	TH-232	Thorium-232	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J111V8	TH-232	EBRLNE	GAMMA_GS	100-NR-2
199-N-3	3/1/2006 12:32	N	TH-232	Thorium-232	0.026	pCi/L	U	[NULL]	[NULL]	S	J111V8	TH-232	EBRLNE	THISO_IE_PLATE_AEA	100-NR-2
199-N-3	3/1/2006 12:32	N	7440-31-5	Tin	10.7	ug/L	U	[NULL]	[NULL]	S	J111V8	7440-31-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	TOC	Total organic carbon	1300	ug/L	[NULL]	[NULL]	[NULL]	R	B1HNJ2	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	3/1/2006 12:32	N	TOC	Total organic carbon	1000	ug/L	[NULL]	[NULL]	[NULL]	R	B1HNJ0	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	3/1/2006 12:32	N	TOC	Total organic carbon	470	ug/L	U	[NULL]	[NULL]	R	B1HNJ1	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	3/1/2006 12:32	N	TOC	Total organic carbon	470	ug/L	U	[NULL]	[NULL]	R	B1HNH9	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	3/1/2006 12:32	N	59473-04-0	Total organic halides	5.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1HNJ0	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	3/1/2006 12:32	N	59473-04-0	Total organic halides	14	ug/L	[NULL]	[NULL]	[NULL]	R	B1HNJ1	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	3/1/2006 12:32	N	59473-04-0	Total organic halides	17	ug/L	[NULL]	[NULL]	[NULL]	R	B1HNJ2	59473-04-0	STLSL	9020_TOX	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/1/2006 12:32	N	59473-04-0	Total organic halides	6.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1HNH9	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	3/1/2006 12:32	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	50	ug/L	U	[NULL]	[NULL]	R	B1HMH1	TPHDIESEL	STLSL	WTPH_DIESEL	100-NR-2
199-N-3	3/1/2006 12:32	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	50	ug/L	U	[NULL]	[NULL]	R	B1HMH0	TPHDIESEL	STLSL	WTPH_DIESEL	100-NR-2
199-N-3	3/1/2006 12:32	N	TPHGASOLINE	Total petroleum hydrocarbons - gasoline range	7.9	ug/L	U	[NULL]	[NULL]	R	B1HMH0	TPHGASOLINE	STLSL	WTPH_GASOLINE	100-NR-2
199-N-3	3/1/2006 12:32	N	TPHGASOLINE	Total petroleum hydrocarbons - gasoline range	7.9	ug/L	U	[NULL]	[NULL]	R	B1HMH1	TPHGASOLINE	STLSL	WTPH_GASOLINE	100-NR-2
199-N-3	3/1/2006 12:32	N	8001-35-2	Toxaphene	0.41	ug/L	UD	[NULL]	[NULL]	S	J111V8	8001-35-2	RLNP	8081_PEST_GC	100-NR-2
199-N-3	3/1/2006 12:32	N	10028-17-8	Tritium	4190	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HMF8	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-3	3/1/2006 12:32	N	10028-17-8	Tritium	3600	pCi/L	[NULL]	[NULL]	[NULL]	S	J111V8	10028-17-8	EBRLNE	906.0_H3_LSC	100-NR-2
199-N-3	3/1/2006 12:32	N	10028-17-8	Tritium	3800	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HMF9	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-3	3/1/2006 12:32	N	7440-61-1	Uranium	8.8	ug/L	U	[NULL]	[NULL]	S	J111V8	7440-61-1	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	U-233/234	Uranium-233/234	2.11	pCi/L	[NULL]	[NULL]	[NULL]	S	J111V8	U-233/234	EBRLNE	UISO_PLATE_AEA	100-NR-2
199-N-3	3/1/2006 12:32	N	15117-96-1	Uranium-235	0	pCi/L	U	[NULL]	[NULL]	S	J111V8	15117-96-1	EBRLNE	UISO_PLATE_AEA	100-NR-2
199-N-3	3/1/2006 12:32	N	15117-96-1	Uranium-235	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J111V8	15117-96-1	EBRLNE	GAMMA_GS	100-NR-2
199-N-3	3/1/2006 12:32	N	U-238	Uranium-238	1.78	pCi/L	[NULL]	[NULL]	[NULL]	S	J111V8	U-238	EBRLNE	UISO_PLATE_AEA	100-NR-2
199-N-3	3/1/2006 12:32	N	U-238	Uranium-238	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J111V8	U-238	EBRLNE	GAMMA_GS	100-NR-2
199-N-3	3/1/2006 12:32	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1HPY9	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	7440-62-2	Vanadium	1.7	ug/L	[NULL]	[NULL]	[NULL]	S	J111V8	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1HNJ3	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	7440-66-6	Zinc	210	ug/L	C	[NULL]	[NULL]	S	J111V8	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	Y	7440-66-6	Zinc	199	ug/L	C	[NULL]	[NULL]	R	B1HPY9	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	Y	7440-66-6	Zinc	211	ug/L	[NULL]	[NULL]	[NULL]	R	B1HNJ3	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	3/1/2006 12:32	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.041	ug/L	UD	[NULL]	[NULL]	S	J111V8	319-85-7	RLNP	8081_PEST_GC	100-NR-2
199-N-3	3/1/2006 12:32	N	621-64-7	n-Nitrosodi-n-dipropylamine	10	ug/L	U	[NULL]	[NULL]	S	J111V8	621-64-7	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	86-30-6	n-Nitrosodiphenylamine	10	ug/L	U	[NULL]	[NULL]	S	J111V8	86-30-6	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-3	3/1/2006 12:32	N	PH	pH Measurement	7.21	unitless	[NULL]	[NULL]	[NULL]	R	B1HNH5	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	3/1/2006 12:32	N	PH	pH Measurement	7.22	unitless	[NULL]	[NULL]	[NULL]	R	B1HNH6	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	3/1/2006 12:32	N	PH	pH Measurement	7.22	unitless	[NULL]	[NULL]	[NULL]	R	B1HNH7	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	3/1/2006 12:32	N	PH	pH Measurement	7.22	unitless	[NULL]	[NULL]	[NULL]	R	B1HNH8	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	3/1/2006 12:32	N	5103-74-2	trans-Chlordane	0.041	ug/L	UD	[NULL]	[NULL]	S	J111V8	5103-74-2	RLNP	8081_PEST_GC	100-NR-2
199-N-3	6/6/2006 13:00	N	DO	Dissolved oxygen	3420	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDC3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	6/6/2006 13:00	N	CONDUCT	Specific Conductance	475	uS/cm	[NULL]	[NULL]	[NULL]	R	B1JDC3	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	6/6/2006 13:00	Y	10098-97-2	Strontium-90	917	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JH95	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-3	6/6/2006 13:00	N	TEMPERATURE	Temperature	19.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1JDC3	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-3	6/6/2006 13:00	N	TURBIDITY	Turbidity	73.7	NTU	[NULL]	[NULL]	[NULL]	R	B1JDC3	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-3	6/6/2006 13:00	N	PH	pH Measurement	7.37	unitless	[NULL]	[NULL]	[NULL]	R	B1JDC3	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	10/23/2006 11:42	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1KCH0	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	10/23/2006 11:42	Y	7440-39-3	Barium	240	ug/L	[NULL]	[NULL]	[NULL]	R	B1KCH0	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	10/23/2006 11:42	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1KCH0	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	10/23/2006 11:42	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1KCH0	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	10/23/2006 11:42	Y	7440-70-2	Calcium	256000	ug/L	CN	[NULL]	[NULL]	R	B1KCH0	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	10/23/2006 11:42	N	16887-00-6	Chloride	55400	ug/L	CD	[NULL]	[NULL]	R	B1KCH1	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	10/23/2006 11:42	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1KCH0	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	10/23/2006 11:42	Y	7440-48-4	Cobalt	6.1	ug/L	B	[NULL]	[NULL]	R	B1KCH0	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	10/23/2006 11:42	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1KCH0	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	10/23/2006 11:42	N	16984-48-8	Fluoride	36	ug/L	B	[NULL]	[NULL]	R	B1KCH1	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	10/23/2006 11:42	N	12587-47-2	Gross beta	2350	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KCH3	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	10/23/2006 11:42	Y	7439-89-6	Iron	124	ug/L	[NULL]	[NULL]	[NULL]	R	B1KCH0	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	10/23/2006 11:42	Y	7439-95-4	Magnesium	44600	ug/L	[NULL]	[NULL]	[NULL]	R	B1KCH0	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	10/23/2006 11:42	Y	7439-96-5	Manganese	14.5	ug/L	B	[NULL]	[NULL]	R	B1KCH0	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	10/23/2006 11:42	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1KCH0	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	10/23/2006 11:42	N	14797-55-8	Nitrate	94700	ug/L	D	[NULL]	[NULL]	R	B1KCH1	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	10/23/2006 11:42	N	14797-65-0	Nitrite	13.1	ug/L	UN	[NULL]	[NULL]	R	B1KCH1	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	10/23/2006 11:42	Y	7440-09-7	Potassium	5630	ug/L	[NULL]	[NULL]	[NULL]	R	B1KCH0	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	10/23/2006 11:42	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1KCH0	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	10/23/2006 11:42	Y	7440-23-5	Sodium	28500	ug/L	[NULL]	[NULL]	[NULL]	R	B1KCH0	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	10/23/2006 11:42	Y	7440-24-6	Strontium	1070	ug/L	[NULL]	[NULL]	[NULL]	R	B1KCH0	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	10/23/2006 11:42	N	10098-97-2	Strontium-90	1230	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KCH3	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-3	10/23/2006 11:42	N	14808-79-8	Sulfate	183000	ug/L	D	[NULL]	[NULL]	R	B1KCH1	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-3	10/23/2006 11:42	N	TOC	Total organic carbon	3700	ug/L	[NULL]	[NULL]	[NULL]	R	B1KD49	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	10/23/2006 11:42	N	TOC	Total organic carbon	3800	ug/L	[NULL]	[NULL]	[NULL]	R	B1KD48	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	10/23/2006 11:42	N	TOC	Total organic carbon	4300	ug/L	[NULL]	[NULL]	[NULL]	R	B1KD50	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	10/23/2006 11:42	N	TOC	Total organic carbon	4000	ug/L	[NULL]	[NULL]	[NULL]	R	B1KD51	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	10/23/2006 11:42	N	59473-04-0	Total organic halides	8.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1KD51	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	10/23/2006 11:42	N	59473-04-0	Total organic halides	5.8	ug/L	BD	[NULL]	[NULL]	R	B1KD48	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	10/23/2006 11:42	N	59473-04-0	Total organic halides	8.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1KD50	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	10/23/2006 11:42	N	59473-04-0	Total organic halides	10.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1KD49	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	10/23/2006 11:42	N	10028-17-8	Tritium	2360	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KCH3	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-3	10/23/2006 11:42	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1KCH0	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	10/23/2006 11:42	Y	7440-66-6	Zinc	336	ug/L	[NULL]	[NULL]	[NULL]	R	B1KCH0	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-3	10/23/2006 11:47	N	DO	Dissolved oxygen	1570	ug/L	[NULL]	[NULL]	[NULL]	R	B1KD46	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	10/23/2006 11:47	N	DO	Dissolved oxygen	1550	ug/L	[NULL]	[NULL]	[NULL]	R	B1KD44	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	10/23/2006 11:47	N	DO	Dissolved oxygen	1550	ug/L	[NULL]	[NULL]	[NULL]	R	B1KD45	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	10/23/2006 11:47	N	DO	Dissolved oxygen	1550	ug/L	[NULL]	[NULL]	[NULL]	R	B1KD47	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	10/23/2006 11:47	N	CONDUCT	Specific Conductance	1505	uS/cm	[NULL]	[NULL]	[NULL]	R	B1KD44	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	10/23/2006 11:47	N	CONDUCT	Specific Conductance	1504	uS/cm	[NULL]	[NULL]	[NULL]	R	B1KD47	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	10/23/2006 11:47	N	CONDUCT	Specific Conductance	1504	uS/cm	[NULL]	[NULL]	[NULL]	R	B1KD45	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	10/23/2006 11:47	N	CONDUCT	Specific Conductance	1504	uS/cm	[NULL]	[NULL]	[NULL]	R	B1KD46	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	10/23/2006 11:47	N	TEMPERATURE	Temperature	20.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1KD47	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-3	10/23/2006 11:47	N	TEMPERATURE	Temperature	20.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1KD46	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-3	10/23/2006 11:47	N	TEMPERATURE	Temperature	20.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1KD45	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-3	10/23/2006 11:47	N	TEMPERATURE	Temperature	20.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1KD44	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-3	10/23/2006 11:47	N	TURBIDITY	Turbidity	4.74	NTU	[NULL]	[NULL]	[NULL]	R	B1KD45	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-3	10/23/2006 11:47	N	TURBIDITY	Turbidity	5.41	NTU	[NULL]	[NULL]	[NULL]	R	B1KD47	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-3	10/23/2006 11:47	N	PH	pH Measurement	7.02	unitless	[NULL]	[NULL]	[NULL]	R	B1KD45	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	10/23/2006 11:47	N	PH	pH Measurement	7.02	unitless	[NULL]	[NULL]	[NULL]	R	B1KD44	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	10/23/2006 11:47	N	PH	pH Measurement	7.02	unitless	[NULL]	[NULL]	[NULL]	R	B1KD47	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	10/23/2006 11:47	N	PH	pH Measurement	7.02	unitless	[NULL]	[NULL]	[NULL]	R	B1KD46	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	1/31/2007 9:55	N	CONDUCT	Specific Conductance	1255	uS/cm	[NULL]	[NULL]	[NULL]	R	B1LR59	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	1/31/2007 9:55	N	CONDUCT	Specific Conductance	1255	uS/cm	[NULL]	[NULL]	[NULL]	R	B1LR58	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	1/31/2007 9:55	N	CONDUCT	Specific Conductance	1256	uS/cm	[NULL]	[NULL]	[NULL]	R	B1LR60	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	1/31/2007 9:55	N	CONDUCT	Specific Conductance	1257	uS/cm	[NULL]	[NULL]	[NULL]	R	B1LR61	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	1/31/2007 9:55	N	TEMPERATURE	Temperature	19.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1LR59	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-3	1/31/2007 9:55	N	TEMPERATURE	Temperature	19.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1LR60	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-3	1/31/2007 9:55	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1LR58	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-3	1/31/2007 9:55	N	TEMPERATURE	Temperature	19.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1LR61	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-3	1/31/2007 9:55	N	TOC	Total organic carbon	2730	ug/L	X	R	[NULL]	R	B1LR66	TOC	WSCF	9060_TOC	100-NR-2
199-N-3	1/31/2007 9:55	N	TOC	Total organic carbon	2840	ug/L	X	R	[NULL]	R	B1LR67	TOC	WSCF	9060_TOC	100-NR-2
199-N-3	1/31/2007 9:55	N	TOC	Total organic carbon	2780	ug/L	X	R	[NULL]	R	B1LR68	TOC	WSCF	9060_TOC	100-NR-2
199-N-3	1/31/2007 9:55	N	TOC	Total organic carbon	2840	ug/L	X	R	[NULL]	R	B1LR69	TOC	WSCF	9060_TOC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	1/31/2007 9:55	N	TOC	Total organic carbon	2800	ug/L	N	[NULL]	[NULL]	R	B1LR65	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	1/31/2007 9:55	N	TOC	Total organic carbon	1300	ug/L	N	[NULL]	[NULL]	R	B1LR64	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	1/31/2007 9:55	N	TOC	Total organic carbon	760	ug/L	UN	[NULL]	[NULL]	R	B1LR63	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	1/31/2007 9:55	N	TOC	Total organic carbon	760	ug/L	UN	[NULL]	[NULL]	R	B1LR62	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	1/31/2007 9:55	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	50	ug/L	U	H	[NULL]	R	B1LR70	TPHDIESEL	STLSL	WTPH_DIESEL	100-NR-2
199-N-3	1/31/2007 9:55	N	TURBIDITY	Turbidity	3.71	NTU	[NULL]	[NULL]	[NULL]	R	B1LR58	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-3	1/31/2007 9:55	N	TURBIDITY	Turbidity	3.26	NTU	[NULL]	[NULL]	[NULL]	R	B1LR59	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-3	1/31/2007 9:55	N	TURBIDITY	Turbidity	3.6	NTU	[NULL]	[NULL]	[NULL]	R	B1LR60	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-3	1/31/2007 9:55	N	TURBIDITY	Turbidity	2.96	NTU	[NULL]	[NULL]	[NULL]	R	B1LR61	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-3	1/31/2007 9:55	N	PH	pH Measurement	7.17	unitless	[NULL]	[NULL]	[NULL]	R	B1LR61	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	1/31/2007 9:55	N	PH	pH Measurement	7.17	unitless	[NULL]	[NULL]	[NULL]	R	B1LR60	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	1/31/2007 9:55	N	PH	pH Measurement	7.17	unitless	[NULL]	[NULL]	[NULL]	R	B1LR59	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	1/31/2007 9:55	N	PH	pH Measurement	7.17	unitless	[NULL]	[NULL]	[NULL]	R	B1LR58	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	4/10/2007 11:41	N	ALKALINITY	Alkalinity	380000	ug/L	[NULL]	[NULL]	[NULL]	R	B1MJD3	ALKALINITY	WSCF	310.1_ALKALINITY	100-NR-2
199-N-3	4/10/2007 11:41	N	ALKALINITY	Alkalinity	397000	ug/L	C	[NULL]	[NULL]	R	B1MJD2	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-3	4/10/2007 11:41	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1MDD3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	4/10/2007 11:41	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1MDC9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	4/10/2007 11:41	Y	7440-39-3	Barium	184	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDC9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	4/10/2007 11:41	Y	7440-39-3	Barium	181	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDD3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	4/10/2007 11:41	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1MDD3	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	4/10/2007 11:41	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1MDC9	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	4/10/2007 11:41	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1MDD3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	4/10/2007 11:41	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1MDC9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	4/10/2007 11:41	Y	7440-70-2	Calcium	190000	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDD3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	4/10/2007 11:41	Y	7440-70-2	Calcium	198000	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDC9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	4/10/2007 11:41	N	16887-00-6	Chloride	47400	ug/L	D	[NULL]	[NULL]	R	B1MDD0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	4/10/2007 11:41	N	16887-00-6	Chloride	47300	ug/L	D	[NULL]	[NULL]	R	B1MDD4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	4/10/2007 11:41	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	R	B1MDC9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	4/10/2007 11:41	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	R	B1MDD3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	4/10/2007 11:41	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1MDD3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	4/10/2007 11:41	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1MDC9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	4/10/2007 11:41	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1MDD3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	4/10/2007 11:41	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1MDC9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	4/10/2007 11:41	N	DO	Dissolved oxygen	1890	ug/L	[NULL]	[NULL]	[NULL]	R	B1MJC1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	4/10/2007 11:41	N	DO	Dissolved oxygen	1780	ug/L	[NULL]	[NULL]	[NULL]	R	B1MJC0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	4/10/2007 11:41	N	DO	Dissolved oxygen	2070	ug/L	[NULL]	[NULL]	[NULL]	R	B1MJC2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	4/10/2007 11:41	N	DO	Dissolved oxygen	2270	ug/L	[NULL]	[NULL]	[NULL]	R	B1MJC3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	4/10/2007 11:41	N	16984-48-8	Fluoride	12.6	ug/L	DU	[NULL]	[NULL]	R	B1MDD4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	4/10/2007 11:41	N	16984-48-8	Fluoride	12.6	ug/L	DU	[NULL]	[NULL]	R	B1MDD0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	4/10/2007 11:41	N	12587-47-2	Gross beta	2030	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MDD2	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	4/10/2007 11:41	N	12587-47-2	Gross beta	2120	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MDD1	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	4/10/2007 11:41	Y	7439-89-6	Iron	11.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDC9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	4/10/2007 11:41	Y	7439-89-6	Iron	18.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDD3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	4/10/2007 11:41	Y	7439-95-4	Magnesium	32900	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDD3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	4/10/2007 11:41	Y	7439-95-4	Magnesium	33600	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDC9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	4/10/2007 11:41	Y	7439-96-5	Manganese	10.7	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDD3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	4/10/2007 11:41	Y	7439-96-5	Manganese	7.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDC9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	4/10/2007 11:41	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1MDC9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	4/10/2007 11:41	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1MDD3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	4/10/2007 11:41	N	14797-55-8	Nitrate	64200	ug/L	D	[NULL]	[NULL]	R	B1MDD4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	4/10/2007 11:41	N	14797-55-8	Nitrate	64200	ug/L	D	[NULL]	[NULL]	R	B1MDD0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	4/10/2007 11:41	N	14797-65-0	Nitrite	65.7	ug/L	DU	[NULL]	[NULL]	R	B1MDD0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	4/10/2007 11:41	N	14797-65-0	Nitrite	65.7	ug/L	DU	[NULL]	[NULL]	R	B1MDD4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	4/10/2007 11:41	Y	7440-09-7	Potassium	4590	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDD3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	4/10/2007 11:41	Y	7440-09-7	Potassium	4590	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDC9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	4/10/2007 11:41	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1MDC9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	4/10/2007 11:41	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1MDD3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	4/10/2007 11:41	Y	7440-23-5	Sodium	24900	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDD3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	4/10/2007 11:41	Y	7440-23-5	Sodium	24700	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDC9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	4/10/2007 11:41	N	CONDUCT	Specific Conductance	1231	uS/cm	[NULL]	[NULL]	[NULL]	R	B1MJC2	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	4/10/2007 11:41	N	CONDUCT	Specific Conductance	1230	uS/cm	[NULL]	[NULL]	[NULL]	R	B1MJC1	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	4/10/2007 11:41	N	CONDUCT	Specific Conductance	1231	uS/cm	[NULL]	[NULL]	[NULL]	R	B1MJC0	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	4/10/2007 11:41	N	CONDUCT	Specific Conductance	1231	uS/cm	[NULL]	[NULL]	[NULL]	R	B1MJC3	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-3	4/10/2007 11:41	Y	7440-24-6	Strontium	771	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDC9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	4/10/2007 11:41	Y	7440-24-6	Strontium	757	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDD3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	4/10/2007 11:41	N	10098-97-2	Strontium-90	1130	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MDD1	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-3	4/10/2007 11:41	N	10098-97-2	Strontium-90	1060	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MDD2	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-3	4/10/2007 11:41	N	14808-79-8	Sulfate	177000	ug/L	D	[NULL]	[NULL]	R	B1MDD4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	4/10/2007 11:41	N	14808-79-8	Sulfate	176000	ug/L	D	[NULL]	[NULL]	R	B1MDD0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	4/10/2007 11:41	N	TEMPERATURE	Temperature	19.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1MJC0	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-3	4/10/2007 11:41	N	TEMPERATURE	Temperature	19.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1MJC2	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-3	4/10/2007 11:41	N	TEMPERATURE	Temperature	19.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1MJC1	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-3	4/10/2007 11:41	N	TEMPERATURE	Temperature	19.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1MJC3	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-3	4/10/2007 11:41	N	TOC	Total organic carbon	1600	ug/L	[NULL]	[NULL]	[NULL]	R	B1N604	TOC	RLNP	9060_TOC	100-NR-2
199-N-3	4/10/2007 11:41	N	TOC	Total organic carbon	1100	ug/L	[NULL]	[NULL]	[NULL]	R	B1N603	TOC	RLNP	9060_TOC	100-NR-2
199-N-3	4/10/2007 11:41	N	TOC	Total organic carbon	1400	ug/L	[NULL]	[NULL]	[NULL]	R	B1N605	TOC	RLNP	9060_TOC	100-NR-2
199-N-3	4/10/2007 11:41	N	TOC	Total organic carbon	1000	ug/L	[NULL]	[NULL]	[NULL]	R	B1N606	TOC	RLNP	9060_TOC	100-NR-2
199-N-3	4/10/2007 11:41	N	TOC	Total organic carbon	1000	ug/L	[NULL]	[NULL]	[NULL]	R	B1MJD1	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	4/10/2007 11:41	N	TOC	Total organic carbon	1000	ug/L	[NULL]	[NULL]	[NULL]	R	B1MJD0	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	4/10/2007 11:41	N	TOC	Total organic carbon	1100	ug/L	[NULL]	[NULL]	[NULL]	R	B1MJC9	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	4/10/2007 11:41	N	TOC	Total organic carbon	1000	ug/L	[NULL]	[NULL]	[NULL]	R	B1MJC8	TOC	STLSL	9060_TOC	100-NR-2
199-N-3	4/10/2007 11:41	N	59473-04-0	Total organic halides	5.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1MJC7	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	4/10/2007 11:41	N	59473-04-0	Total organic halides	10.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1MJC4	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	4/10/2007 11:41	N	59473-04-0	Total organic halides	10.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1MJC5	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	4/10/2007 11:41	N	59473-04-0	Total organic halides	12.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1MJC6	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-3	4/10/2007 11:41	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	50	ug/L	U	[NULL]	[NULL]	R	B1MF00	TPHDIESEL	STLSL	WTPH_DIESEL	100-NR-2
199-N-3	4/10/2007 11:41	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	50	ug/L	U	[NULL]	[NULL]	R	B1MDY9	TPHDIESEL	STLSL	WTPH_DIESEL	100-NR-2
199-N-3	4/10/2007 11:41	N	10028-17-8	Tritium	2600	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MDD4	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-3	4/10/2007 11:41	N	10028-17-8	Tritium	2400	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MDD0	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-3	4/10/2007 11:41	N	TURBIDITY	Turbidity	26.1	NTU	[NULL]	[NULL]	[NULL]	R	B1MJC0	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-3	4/10/2007 11:41	N	TURBIDITY	Turbidity	17.3	NTU	[NULL]	[NULL]	[NULL]	R	B1MJC3	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-3	4/10/2007 11:41	N	TURBIDITY	Turbidity	21	NTU	[NULL]	[NULL]	[NULL]	R	B1MJC2	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-3	4/10/2007 11:41	N	TURBIDITY	Turbidity	19.9	NTU	[NULL]	[NULL]	[NULL]	R	B1MJC1	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-3	4/10/2007 11:41	Y	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	R	B1MDC9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	4/10/2007 11:41	Y	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	R	B1MDD3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	4/10/2007 11:41	Y	7440-66-6	Zinc	298	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDD3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	4/10/2007 11:41	Y	7440-66-6	Zinc	306	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDC9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	4/10/2007 11:41	N	PH	pH Measurement	7.19	unitless	[NULL]	[NULL]	[NULL]	R	B1MJC1	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	4/10/2007 11:41	N	PH	pH Measurement	7.17	unitless	[NULL]	[NULL]	[NULL]	R	B1MJC3	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	4/10/2007 11:41	N	PH	pH Measurement	7.17	unitless	[NULL]	[NULL]	[NULL]	R	B1MJC2	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	4/10/2007 11:41	N	PH	pH Measurement	7.2	unitless	[NULL]	[NULL]	[NULL]	R	B1MJC0	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	9/30/2007 10:08	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1PDY7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/30/2007 10:08	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1PDY3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/30/2007 10:08	Y	7440-39-3	Barium	229	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDY7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	9/30/2007 10:08	Y	7440-39-3	Barium	231	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDY3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/30/2007 10:08	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1PDY3	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/30/2007 10:08	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1PDY7	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/30/2007 10:08	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1PDY7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/30/2007 10:08	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1PDY3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/30/2007 10:08	Y	7440-70-2	Calcium	260000	ug/L	D	[NULL]	[NULL]	R	B1PDY7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/30/2007 10:08	Y	7440-70-2	Calcium	262000	ug/L	D	[NULL]	[NULL]	R	B1PDY3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/30/2007 10:08	N	16887-00-6	Chloride	41100	ug/L	D	[NULL]	[NULL]	R	B1PDY4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	9/30/2007 10:08	N	16887-00-6	Chloride	41100	ug/L	D	[NULL]	[NULL]	R	B1PDY8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	9/30/2007 10:08	Y	7440-47-3	Chromium	8.5	ug/L	[NULL]	Q	[NULL]	R	B1PDY3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/30/2007 10:08	Y	7440-47-3	Chromium	9.5	ug/L	[NULL]	Q	[NULL]	R	B1PDY7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/30/2007 10:08	Y	7440-48-4	Cobalt	4.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDY7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/30/2007 10:08	Y	7440-48-4	Cobalt	7.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDY3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/30/2007 10:08	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1PDY3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/30/2007 10:08	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1PDY7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/30/2007 10:08	N	16984-48-8	Fluoride	53.1	ug/L	BD	[NULL]	[NULL]	R	B1PDY8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	9/30/2007 10:08	N	16984-48-8	Fluoride	48.4	ug/L	BD	[NULL]	[NULL]	R	B1PDY4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	9/30/2007 10:08	N	12587-46-1	Gross alpha	7.26	pCi/L	[NULL]	G	[NULL]	R	B1PDY6	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	9/30/2007 10:08	N	12587-46-1	Gross alpha	6.16	pCi/L	[NULL]	G	[NULL]	R	B1PDY5	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	9/30/2007 10:08	N	12587-47-2	Gross beta	2300	pCi/L	[NULL]	[NULL]	[NULL]	R	B1PDY5	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	9/30/2007 10:08	N	12587-47-2	Gross beta	2460	pCi/L	[NULL]	[NULL]	[NULL]	R	B1PDY6	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	9/30/2007 10:08	Y	7439-89-6	Iron	14.8	ug/L	[NULL]	Q	[NULL]	R	B1PDY7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/30/2007 10:08	Y	7439-89-6	Iron	32.6	ug/L	[NULL]	Q	[NULL]	R	B1PDY3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/30/2007 10:08	Y	7439-95-4	Magnesium	42100	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDY7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/30/2007 10:08	Y	7439-95-4	Magnesium	42600	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDY3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/30/2007 10:08	Y	7439-96-5	Manganese	6.2	ug/L	C	[NULL]	[NULL]	R	B1PDY3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/30/2007 10:08	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1PDY7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/30/2007 10:08	Y	7440-02-0	Nickel	8.1	ug/L	C	[NULL]	[NULL]	R	B1PDY7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/30/2007 10:08	Y	7440-02-0	Nickel	8.9	ug/L	C	[NULL]	[NULL]	R	B1PDY3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/30/2007 10:08	N	14797-55-8	Nitrate	85400	ug/L	D	[NULL]	[NULL]	R	B1PDY8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	9/30/2007 10:08	N	14797-55-8	Nitrate	84600	ug/L	D	[NULL]	[NULL]	R	B1PDY4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	9/30/2007 10:08	N	14797-65-0	Nitrite	65.7	ug/L	DU	[NULL]	[NULL]	R	B1PDY8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	9/30/2007 10:08	N	14797-65-0	Nitrite	65.7	ug/L	DU	[NULL]	[NULL]	R	B1PDY4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	9/30/2007 10:08	Y	7440-09-7	Potassium	5190	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDY3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/30/2007 10:08	Y	7440-09-7	Potassium	5100	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDY7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/30/2007 10:08	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1PDY3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/30/2007 10:08	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1PDY7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/30/2007 10:08	Y	7440-23-5	Sodium	23700	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDY7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/30/2007 10:08	Y	7440-23-5	Sodium	24100	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDY3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/30/2007 10:08	N	CONDUCT	Specific Conductance	1497	uS/cm	[NULL]	[NULL]	[NULL]	R	B1PH96	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	9/30/2007 10:08	N	CONDUCT	Specific Conductance	1497	uS/cm	[NULL]	[NULL]	[NULL]	R	B1PH98	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	9/30/2007 10:08	N	CONDUCT	Specific Conductance	1497	uS/cm	[NULL]	[NULL]	[NULL]	R	B1PH95	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	9/30/2007 10:08	N	CONDUCT	Specific Conductance	1497	uS/cm	[NULL]	[NULL]	[NULL]	R	B1PH97	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	9/30/2007 10:08	Y	7440-24-6	Strontium	904	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDY3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/30/2007 10:08	Y	7440-24-6	Strontium	897	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDY7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/30/2007 10:08	N	10098-97-2	Strontium-90	1360	pCi/L	[NULL]	[NULL]	[NULL]	R	B1PDY6	10098-97-2	TARL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-3	9/30/2007 10:08	N	10098-97-2	Strontium-90	1460	pCi/L	[NULL]	[NULL]	[NULL]	R	B1PDY5	10098-97-2	TARL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-3	9/30/2007 10:08	N	14808-79-8	Sulfate	160000	ug/L	DN	[NULL]	[NULL]	R	B1PDY4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	9/30/2007 10:08	N	14808-79-8	Sulfate	161000	ug/L	DN	[NULL]	[NULL]	R	B1PDY8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	9/30/2007 10:08	N	TEMPERATURE	Temperature	18.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1PH97	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/30/2007 10:08	N	TEMPERATURE	Temperature	18.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1PH98	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/30/2007 10:08	N	TEMPERATURE	Temperature	18.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1PH96	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/30/2007 10:08	N	TEMPERATURE	Temperature	18.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1PH95	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/30/2007 10:08	N	TOC	Total organic carbon	2750	ug/L	[NULL]	[NULL]	[NULL]	R	B1PHB6	TOC	WSCF	9060_TOC	100-NR-2
199-N-3	9/30/2007 10:08	N	TOC	Total organic carbon	2690	ug/L	[NULL]	[NULL]	[NULL]	R	B1PHB5	TOC	WSCF	9060_TOC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	9/30/2007 10:08	N	TOC	Total organic carbon	3010	ug/L	[NULL]	[NULL]	[NULL]	R	B1PHB3	TOC	WSCF	9060_TOC	100-NR-2
199-N-3	9/30/2007 10:08	N	TOC	Total organic carbon	2970	ug/L	[NULL]	[NULL]	[NULL]	R	B1PHB4	TOC	WSCF	9060_TOC	100-NR-2
199-N-3	9/30/2007 10:08	N	59473-04-0	Total organic halides	18.5	ug/L	X	Y	[NULL]	R	B1PHB3	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-3	9/30/2007 10:08	N	59473-04-0	Total organic halides	88.5	ug/L	X	Y	[NULL]	R	B1PHB4	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-3	9/30/2007 10:08	N	59473-04-0	Total organic halides	290	ug/L	X	Y	[NULL]	R	B1PHB5	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-3	9/30/2007 10:08	N	59473-04-0	Total organic halides	15.1	ug/L	X	Y	[NULL]	R	B1PHB6	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-3	9/30/2007 10:08	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	71	ug/L	U	[NULL]	[NULL]	R	B1PFR2	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
199-N-3	9/30/2007 10:08	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	71	ug/L	U	[NULL]	[NULL]	R	B1PFR2	TPHKEROSENE	WSCF	WTPH_DIESEL	100-NR-2
199-N-3	9/30/2007 10:08	N	10028-17-8	Tritium	2500	pCi/L	[NULL]	[NULL]	[NULL]	R	B1PDY8	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-3	9/30/2007 10:08	N	10028-17-8	Tritium	2300	pCi/L	[NULL]	[NULL]	[NULL]	R	B1PDY4	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-3	9/30/2007 10:08	N	TURBIDITY	Turbidity	0.96	NTU	[NULL]	[NULL]	[NULL]	R	B1PH95	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-3	9/30/2007 10:08	N	TURBIDITY	Turbidity	0.95	NTU	[NULL]	[NULL]	[NULL]	R	B1PH96	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-3	9/30/2007 10:08	N	TURBIDITY	Turbidity	0.88	NTU	[NULL]	[NULL]	[NULL]	R	B1PH97	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-3	9/30/2007 10:08	N	TURBIDITY	Turbidity	1.06	NTU	[NULL]	[NULL]	[NULL]	R	B1PH98	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-3	9/30/2007 10:08	Y	7440-62-2	Vanadium	8.4	ug/L	C	[NULL]	[NULL]	R	B1PDY7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/30/2007 10:08	Y	7440-62-2	Vanadium	15.4	ug/L	C	[NULL]	[NULL]	R	B1PDY3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/30/2007 10:08	Y	7440-66-6	Zinc	20.3	ug/L	C	[NULL]	[NULL]	R	B1PDY3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/30/2007 10:08	Y	7440-66-6	Zinc	20.1	ug/L	C	[NULL]	[NULL]	R	B1PDY7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/30/2007 10:08	N	PH	pH Measurement	7.01	unitless	[NULL]	[NULL]	[NULL]	R	B1PH97	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	9/30/2007 10:08	N	PH	pH Measurement	7.01	unitless	[NULL]	[NULL]	[NULL]	R	B1PH96	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	9/30/2007 10:08	N	PH	pH Measurement	7.01	unitless	[NULL]	[NULL]	[NULL]	R	B1PH95	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	9/30/2007 10:08	N	PH	pH Measurement	7.01	unitless	[NULL]	[NULL]	[NULL]	R	B1PH98	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	1/8/2008 10:43	N	630-20-6	1,1,1,2-Tetrachloroethane	0.1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	630-20-6	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	71-55-6	1,1,1-Trichloroethane	0.1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	71-55-6	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	79-34-5	1,1,2,2-Tetrachloroethane	0.14	ug/L	U	[NULL]	[NULL]	R	B1RMX6	79-34-5	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	79-00-5	1,1,2-Trichloroethane	0.092	ug/L	U	[NULL]	[NULL]	R	B1RMX6	79-00-5	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	75-34-3	1,1-Dichloroethane	0.046	ug/L	U	[NULL]	[NULL]	R	B1RMX6	75-34-3	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	75-35-4	1,1-Dichloroethene	0.045	ug/L	U	[NULL]	[NULL]	R	B1RMX6	75-35-4	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	96-18-4	1,2,3-Trichloropropane	0.24	ug/L	U	[NULL]	[NULL]	R	B1RMX6	96-18-4	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	95-94-3	1,2,4,5-Tetrachlorobenzene	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	95-94-3	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	120-82-1	1,2,4-Trichlorobenzene	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	120-82-1	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	96-12-8	1,2-Dibromo-3-chloropropane	0.55	ug/L	U	[NULL]	[NULL]	R	B1RMX6	96-12-8	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	106-93-4	1,2-Dibromoethane	0.13	ug/L	U	[NULL]	[NULL]	R	B1RMX6	106-93-4	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	95-50-1	1,2-Dichlorobenzene	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	95-50-1	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	107-06-2	1,2-Dichloroethane	0.11	ug/L	U	[NULL]	[NULL]	R	B1RMX6	107-06-2	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	540-59-0	1,2-Dichloroethene (Total)	0.1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	540-59-0	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	78-87-5	1,2-Dichloropropane	0.077	ug/L	U	[NULL]	[NULL]	R	B1RMX6	78-87-5	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	541-73-1	1,3-Dichlorobenzene	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	541-73-1	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	106-46-7	1,4-Dichlorobenzene	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	106-46-7	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	106-46-7	1,4-Dichlorobenzene	0.1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	106-46-7	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	123-91-1	1,4-Dioxane	12	ug/L	U	[NULL]	[NULL]	R	B1RMX6	123-91-1	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	130-15-4	1,4-Naphthoquinone	0.95	ug/L	U	[NULL]	[NULL]	R	B1RMX6	130-15-4	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	71-36-3	1-Butanol	14	ug/L	U	[NULL]	[NULL]	R	B1RMX6	71-36-3	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	134-32-7	1-Naphthylamine	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	134-32-7	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	58-90-2	2,3,4,6-Tetrachlorophenol	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	58-90-2	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	95-95-4	2,4,5-Trichlorophenol	2	ug/L	U	[NULL]	[NULL]	R	B1RMX6	95-95-4	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	88-06-2	2,4,6-Trichlorophenol	2	ug/L	U	[NULL]	[NULL]	R	B1RMX6	88-06-2	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	120-83-2	2,4-Dichlorophenol	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	120-83-2	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	105-67-9	2,4-Dimethylphenol	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	105-67-9	TASL	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	1/8/2008 10:43	N	51-28-5	2,4-Dinitrophenol	10	ug/L	U	[NULL]	[NULL]	R	B1RMX6	51-28-5	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	121-14-2	2,4-Dinitrotoluene	1.1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	121-14-2	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	87-65-0	2,6-Dichlorophenol	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	87-65-0	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	606-20-2	2,6-Dinitrotoluene	1.1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	606-20-2	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	53-96-3	2-Acetylaminofluorene	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	53-96-3	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	78-93-3	2-Butanone	1.8	ug/L	U	[NULL]	[NULL]	R	B1RMX6	78-93-3	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	91-58-7	2-Chloronaphthalene	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	91-58-7	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	95-57-8	2-Chlorophenol	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	95-57-8	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	591-78-6	2-Hexanone	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	591-78-6	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	91-57-6	2-Methylnaphthalene	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	91-57-6	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	95-48-7	2-Methylphenol (cresol, o-)	2	ug/L	U	[NULL]	[NULL]	R	B1RMX6	95-48-7	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	91-59-8	2-Naphthylamine	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	91-59-8	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	88-74-4	2-Nitroaniline	2	ug/L	U	[NULL]	[NULL]	R	B1RMX6	88-74-4	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	88-75-5	2-Nitrophenol	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	88-75-5	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	108-10-1	2-Pentanone, 4-Methyl	0.21	ug/L	U	[NULL]	[NULL]	R	B1RMX6	108-10-1	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	109-06-8	2-Picoline	5.5	ug/L	U	[NULL]	[NULL]	R	B1RMX6	109-06-8	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	91-94-1	3,3'-Dichlorobenzidine	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	91-94-1	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	119-93-7	3,3'-Dimethylbenzidine	10	ug/L	U	[NULL]	[NULL]	R	B1RMX6	119-93-7	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	56-49-5	3-Methylcholanthrene	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	56-49-5	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	99-09-2	3-Nitroaniline	1.1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	99-09-2	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	534-52-1	4,6-Dinitro-2-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B1RMX6	534-52-1	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	92-67-1	4-Aminobiphenyl	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	92-67-1	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	101-55-3	4-Bromophenylphenyl ether	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	101-55-3	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	59-50-7	4-Chloro-3-methylphenol	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	59-50-7	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	106-47-8	4-Chloroaniline	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	106-47-8	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	7005-72-3	4-Chlorophenylphenyl ether	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	7005-72-3	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	106-44-5	4-Methylphenol (cresol, p-)	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	106-44-5	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	100-01-6	4-Nitroaniline	1.3	ug/L	U	[NULL]	[NULL]	R	B1RMX6	100-01-6	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	100-02-7	4-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B1RMX6	100-02-7	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	56-57-5	4-Nitroquinoline-1-oxide	5	ug/L	U	[NULL]	[NULL]	R	B1RMX6	56-57-5	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	99-55-8	5-Nitro-o-toluidine	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	99-55-8	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	57-97-6	7,12-Dimethylbenz[a]anthracene	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	57-97-6	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	83-32-9	Acenaphthene	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	83-32-9	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	208-96-8	Acenaphthylene	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	208-96-8	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	67-64-1	Acetone	0.8	ug/L	U	[NULL]	[NULL]	R	B1RMX6	67-64-1	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	75-05-8	Acetonitrile	1.5	ug/L	U	[NULL]	[NULL]	R	B1RMX6	75-05-8	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	98-86-2	Acetophenone	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	98-86-2	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	107-02-8	Acrolein	0.44	ug/L	U	[NULL]	[NULL]	R	B1RMX6	107-02-8	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	107-05-1	Allyl chloride	0.047	ug/L	U	[NULL]	[NULL]	R	B1RMX6	107-05-1	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	62-53-3	Aniline	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	62-53-3	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	120-12-7	Anthracene	1.1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	120-12-7	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	140-57-8	Aramite	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	140-57-8	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	103-33-3	Azobenzene	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	103-33-3	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	71-43-2	Benzene	0.1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	71-43-2	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	56-55-3	Benzo(a)anthracene	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	56-55-3	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	50-32-8	Benzo(a)pyrene	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	50-32-8	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	205-99-2	Benzo(b)fluoranthene	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	205-99-2	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	191-24-2	Benzo(ghi)perylene	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	191-24-2	TASL	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	1/8/2008 10:43	N	207-08-9	Benzo(k)fluoranthene	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	207-08-9	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	100-51-6	Benzyl alcohol	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	100-51-6	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	111-91-1	Bis(2-Chloroethoxy)methane	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	111-91-1	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	108-60-1	Bis(2-chloro-1-methylethyl)ether	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	108-60-1	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	111-44-4	Bis(2-chloroethyl) ether	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	111-44-4	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	117-81-7	Bis(2-ethylhexyl) phthalate	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	117-81-7	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	75-27-4	Bromodichloromethane	0.064	ug/L	U	[NULL]	[NULL]	R	B1RMX6	75-27-4	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	75-25-2	Bromoform	0.12	ug/L	U	[NULL]	[NULL]	R	B1RMX6	75-25-2	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	74-83-9	Bromomethane	0.085	ug/L	U	[NULL]	[NULL]	R	B1RMX6	74-83-9	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	85-68-7	Butylbenzylphthalate	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	85-68-7	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	75-15-0	Carbon disulfide	0.1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	75-15-0	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	56-23-5	Carbon tetrachloride	0.1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	56-23-5	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	108-90-7	Chlorobenzene	0.1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	108-90-7	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	510-15-6	Chlorobenzilate	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	510-15-6	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	75-00-3	Chloroethane	0.1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	75-00-3	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	67-66-3	Chloroform	0.91	ug/L	J	[NULL]	[NULL]	R	B1RMX6	67-66-3	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	74-87-3	Chloromethane	0.16	ug/L	JB	[NULL]	[NULL]	R	B1RMX6	74-87-3	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	126-99-8	Chloroprene	0.1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	126-99-8	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	218-01-9	Chrysene	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	218-01-9	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	84-74-2	Di-n-butylphthalate	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	84-74-2	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	117-84-0	Di-n-octylphthalate	5	ug/L	U	[NULL]	[NULL]	R	B1RMX6	117-84-0	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	2303-16-4	Diallate	2	ug/L	U	[NULL]	[NULL]	R	B1RMX6	2303-16-4	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	53-70-3	Dibenz[a,h]anthracene	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	53-70-3	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	132-64-9	Dibenzofuran	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	132-64-9	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	124-48-1	Dibromochloromethane	0.11	ug/L	U	[NULL]	[NULL]	R	B1RMX6	124-48-1	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	74-95-3	Dibromomethane	0.12	ug/L	U	[NULL]	[NULL]	R	B1RMX6	74-95-3	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	75-71-8	Dichlorodifluoromethane	0.045	ug/L	U	[NULL]	[NULL]	R	B1RMX6	75-71-8	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	84-66-2	Diethylphthalate	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	84-66-2	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	60-51-5	Dimethoate	1.1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	60-51-5	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	131-11-3	Dimethyl phthalate	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	131-11-3	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	2	ug/L	U	[NULL]	[NULL]	R	B1RMX6	88-85-7	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	298-04-4	Disulfoton	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	298-04-4	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	107-12-0	Ethyl cyanide	1.7	ug/L	U	[NULL]	[NULL]	R	B1RMX6	107-12-0	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	97-63-2	Ethyl methacrylate	0.66	ug/L	U	[NULL]	[NULL]	R	B1RMX6	97-63-2	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	62-50-0	Ethyl methanesulfonate	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	62-50-0	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	100-41-4	Ethylbenzene	0.064	ug/L	U	[NULL]	[NULL]	R	B1RMX6	100-41-4	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	52-85-7	Famphur	50	ug/L	U	[NULL]	[NULL]	R	B1RMX6	52-85-7	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	206-44-0	Fluoranthene	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	206-44-0	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	86-73-7	Fluorene	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	86-73-7	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	118-74-1	Hexachlorobenzene	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	118-74-1	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	87-68-3	Hexachlorobutadiene	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	87-68-3	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	77-47-4	Hexachlorocyclopentadiene	2.5	ug/L	U	[NULL]	[NULL]	R	B1RMX6	77-47-4	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	67-72-1	Hexachloroethane	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	67-72-1	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	70-30-4	Hexachlorophene	10	ug/L	U	[NULL]	[NULL]	R	B1RMX6	70-30-4	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	1888-71-7	Hexachloropropene	2.5	ug/L	U	[NULL]	[NULL]	R	B1RMX6	1888-71-7	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	193-39-5	Indeno(1,2,3-cd)pyrene	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	193-39-5	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	74-88-4	Iodomethane	0.13	ug/L	U	[NULL]	[NULL]	R	B1RMX6	74-88-4	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	78-83-1	Isobutyl alcohol	29	ug/L	U	[NULL]	[NULL]	R	B1RMX6	78-83-1	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	465-73-6	Isodrin	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	465-73-6	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	78-59-1	Isophorone	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	78-59-1	TASL	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	1/8/2008 10:43	N	120-58-1	Isosafrole	5.7	ug/L	U	[NULL]	[NULL]	R	B1RMX6	120-58-1	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	143-50-0	Kepone	20	ug/L	U	[NULL]	[NULL]	R	B1RMX6	143-50-0	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	126-98-7	Methacrylonitrile	0.3	ug/L	U	[NULL]	[NULL]	R	B1RMX6	126-98-7	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	91-80-5	Methapyrilene	14	ug/L	U	[NULL]	[NULL]	R	B1RMX6	91-80-5	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	80-62-6	Methyl methacrylate	0.84	ug/L	U	[NULL]	[NULL]	R	B1RMX6	80-62-6	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	66-27-3	Methyl methanesulfonate	5	ug/L	U	[NULL]	[NULL]	R	B1RMX6	66-27-3	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	298-00-0	Methyl parathion	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	298-00-0	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	75-09-2	Methylene chloride	0.1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	75-09-2	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	91-20-3	Naphthalene	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	91-20-3	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	98-95-3	Nitrobenzene	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	98-95-3	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	930-55-2	Nitrosopyrrolidine	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	930-55-2	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	126-68-1	O,O,O-Triethyl phosphorothioate	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	126-68-1	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	297-97-2	O,O-Diethyl O-2-pyrazinyl phosphorothioate	0.99	ug/L	U	[NULL]	[NULL]	R	B1RMX6	297-97-2	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	56-38-2	Parathion	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	56-38-2	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	608-93-5	Pentachlorobenzene	2.7	ug/L	U	[NULL]	[NULL]	R	B1RMX6	608-93-5	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	76-01-7	Pentachloroethane	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	76-01-7	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	82-68-8	Pentachloronitrobenzene (PCNB)	1.1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	82-68-8	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	87-86-5	Pentachlorophenol	2	ug/L	U	[NULL]	[NULL]	R	B1RMX6	87-86-5	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	62-44-2	Phenacetin	0.94	ug/L	U	[NULL]	[NULL]	R	B1RMX6	62-44-2	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	85-01-8	Phenanthrene	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	85-01-8	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	108-95-2	Phenol	4	ug/L	U	[NULL]	[NULL]	R	B1RMX6	108-95-2	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	298-02-2	Phorate	2.9	ug/L	U	[NULL]	[NULL]	R	B1RMX6	298-02-2	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	23950-58-5	Pronamide	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	23950-58-5	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	129-00-0	Pyrene	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	129-00-0	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	110-86-1	Pyridine	5	ug/L	U	[NULL]	[NULL]	R	B1RMX6	110-86-1	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	94-59-7	Safrol	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	94-59-7	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	CONDUCT	Specific Conductance	1386	uS/cm	[NULL]	[NULL]	[NULL]	R	B1RMX1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	1/8/2008 10:43	N	CONDUCT	Specific Conductance	1377	uS/cm	[NULL]	[NULL]	[NULL]	R	B1RMW9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	1/8/2008 10:43	N	CONDUCT	Specific Conductance	1380	uS/cm	[NULL]	[NULL]	[NULL]	R	B1RMX0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	1/8/2008 10:43	N	CONDUCT	Specific Conductance	1365	uS/cm	[NULL]	[NULL]	[NULL]	R	B1RMW8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	1/8/2008 10:43	N	100-42-5	Styrene	0.1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	100-42-5	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	TEMPERATURE	Temperature	15.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1RMW9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	1/8/2008 10:43	N	TEMPERATURE	Temperature	15.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1RMX0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	1/8/2008 10:43	N	TEMPERATURE	Temperature	16	Deg C	[NULL]	[NULL]	[NULL]	R	B1RMW8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	1/8/2008 10:43	N	TEMPERATURE	Temperature	15.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1RMX1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	1/8/2008 10:43	N	127-18-4	Tetrachloroethene	0.17	ug/L	U	[NULL]	[NULL]	R	B1RMX6	127-18-4	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	3689-24-5	Tetraethyl dithiopyrophosphate (Sulfotepp)	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	3689-24-5	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	109-99-9	Tetrahydrofuran	1.2	ug/L	U	[NULL]	[NULL]	R	B1RMX6	109-99-9	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	108-88-3	Toluene	0.1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	108-88-3	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	TOC	Total organic carbon	960	ug/L	B	[NULL]	[NULL]	R	B1RMX5	TOC	TASL	9060_TOC	100-NR-2
199-N-3	1/8/2008 10:43	N	TOC	Total organic carbon	2500	ug/L	N	[NULL]	[NULL]	R	B1RMX9	TOC	WSCF	9060_TOC	100-NR-2
199-N-3	1/8/2008 10:43	N	TOC	Total organic carbon	980	ug/L	B	[NULL]	[NULL]	R	B1RMX4	TOC	TASL	9060_TOC	100-NR-2
199-N-3	1/8/2008 10:43	N	TOC	Total organic carbon	1100	ug/L	[NULL]	[NULL]	[NULL]	R	B1RMX3	TOC	TASL	9060_TOC	100-NR-2
199-N-3	1/8/2008 10:43	N	TOC	Total organic carbon	1100	ug/L	[NULL]	[NULL]	[NULL]	R	B1RMX2	TOC	TASL	9060_TOC	100-NR-2
199-N-3	1/8/2008 10:43	N	TOC	Total organic carbon	2410	ug/L	N	[NULL]	[NULL]	R	B1RMX7	TOC	WSCF	9060_TOC	100-NR-2
199-N-3	1/8/2008 10:43	N	TOC	Total organic carbon	2680	ug/L	N	[NULL]	[NULL]	R	B1RMX8	TOC	WSCF	9060_TOC	100-NR-2
199-N-3	1/8/2008 10:43	N	TOC	Total organic carbon	2600	ug/L	N	[NULL]	[NULL]	R	B1RMY0	TOC	WSCF	9060_TOC	100-NR-2
199-N-3	1/8/2008 10:43	N	59473-04-0	Total organic halides	10.2	ug/L	[NULL]	H	[NULL]	R	B1RMX8	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-3	1/8/2008 10:43	N	59473-04-0	Total organic halides	10.7	ug/L	[NULL]	H	[NULL]	R	B1RMX7	59473-04-0	WSCF	9020_TOX	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	1/8/2008 10:43	N	59473-04-0	Total organic halides	56	ug/L	X	YH	[NULL]	R	B1RMY0	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-3	1/8/2008 10:43	N	59473-04-0	Total organic halides	8.79	ug/L	[NULL]	H	[NULL]	R	B1RMX9	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-3	1/8/2008 10:43	N	59473-04-0	Total organic halides	9.7	ug/L	[NULL]	[NULL]	[NULL]	R	B1RMX3	59473-04-0	TASL	9020_TOX	100-NR-2
199-N-3	1/8/2008 10:43	N	59473-04-0	Total organic halides	9.7	ug/L	[NULL]	[NULL]	[NULL]	R	B1RMX5	59473-04-0	TASL	9020_TOX	100-NR-2
199-N-3	1/8/2008 10:43	N	59473-04-0	Total organic halides	11.7	ug/L	[NULL]	[NULL]	[NULL]	R	B1RMX2	59473-04-0	TASL	9020_TOX	100-NR-2
199-N-3	1/8/2008 10:43	N	59473-04-0	Total organic halides	8.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1RMX4	59473-04-0	TASL	9020_TOX	100-NR-2
199-N-3	1/8/2008 10:43	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	72	ug/L	U	[NULL]	[NULL]	R	B1RMY1	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
199-N-3	1/8/2008 10:43	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	72	ug/L	U	[NULL]	[NULL]	R	B1RMY1	TPHKEROSENE	WSCF	WTPH_DIESEL	100-NR-2
199-N-3	1/8/2008 10:43	N	126-73-8	Tributyl phosphate	1.1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	126-73-8	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	79-01-6	Trichloroethene	0.1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	79-01-6	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	75-69-4	Trichloromonofluoromethane	0.1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	75-69-4	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	TURBIDITY	Turbidity	2.15	NTU	[NULL]	[NULL]	[NULL]	R	B1RMW9	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-3	1/8/2008 10:43	N	TURBIDITY	Turbidity	2.19	NTU	[NULL]	[NULL]	[NULL]	R	B1RMX0	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-3	1/8/2008 10:43	N	TURBIDITY	Turbidity	1.93	NTU	[NULL]	[NULL]	[NULL]	R	B1RMX1	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-3	1/8/2008 10:43	N	TURBIDITY	Turbidity	2.04	NTU	[NULL]	[NULL]	[NULL]	R	B1RMW8	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-3	1/8/2008 10:43	N	108-05-4	Vinyl acetate	0.72	ug/L	U	[NULL]	[NULL]	R	B1RMX6	108-05-4	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	75-01-4	Vinyl chloride	0.044	ug/L	U	[NULL]	[NULL]	R	B1RMX6	75-01-4	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	1330-20-7	Xylenes (total)	0.3	ug/L	U	[NULL]	[NULL]	R	B1RMX6	1330-20-7	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	122-09-8	alpha,alpha-Dimethylphenethylamine	20	ug/L	U	[NULL]	[NULL]	R	B1RMX6	122-09-8	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	156-59-2	cis-1,2-Dichloroethylene	0.048	ug/L	U	[NULL]	[NULL]	R	B1RMX6	156-59-2	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	10061-01-5	cis-1,3-Dichloropropene	0.05	ug/L	U	[NULL]	[NULL]	R	B1RMX6	10061-01-5	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	99-65-0	m-Dinitrobenzene	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	99-65-0	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	924-16-3	n-Nitrosodi-n-butylamine	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	924-16-3	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	621-64-7	n-Nitrosodi-n-dipropylamine	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	621-64-7	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	55-18-5	n-Nitrosodiethylamine	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	55-18-5	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	62-75-9	n-Nitrosodimethylamine	2	ug/L	U	[NULL]	[NULL]	R	B1RMX6	62-75-9	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	86-30-6	n-Nitrosodiphenylamine	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	86-30-6	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	10595-95-6	n-Nitrosomethylethylamine	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	10595-95-6	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	59-89-2	n-Nitrosomorpholine	0.96	ug/L	U	[NULL]	[NULL]	R	B1RMX6	59-89-2	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	100-75-4	n-Nitrosopiperidine	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	100-75-4	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	95-53-4	o-Toluidine	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	95-53-4	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	60-11-7	p-Dimethylaminoazobenzene	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	60-11-7	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	106-50-3	p-Phenylenediamine	1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	106-50-3	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	PH	pH Measurement	7.11	unitless	[NULL]	[NULL]	[NULL]	R	B1RMW8	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	1/8/2008 10:43	N	PH	pH Measurement	7.1	unitless	[NULL]	[NULL]	[NULL]	R	B1RMX1	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	1/8/2008 10:43	N	PH	pH Measurement	7.1	unitless	[NULL]	[NULL]	[NULL]	R	B1RMW9	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	1/8/2008 10:43	N	PH	pH Measurement	7.1	unitless	[NULL]	[NULL]	[NULL]	R	B1RMX0	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	1/8/2008 10:43	N	99-35-4	sym-Trinitrobenzene	5	ug/L	U	[NULL]	[NULL]	R	B1RMX6	99-35-4	TASL	8270_SVOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	156-60-5	trans-1,2-Dichloroethylene	0.1	ug/L	U	[NULL]	[NULL]	R	B1RMX6	156-60-5	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	10061-02-6	trans-1,3-Dichloropropene	0.085	ug/L	U	[NULL]	[NULL]	R	B1RMX6	10061-02-6	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	1/8/2008 10:43	N	110-57-6	trans-1,4-Dichloro-2-butene	0.43	ug/L	U	[NULL]	[NULL]	R	B1RMX6	110-57-6	TASL	8260_VOA_GCMS	100-NR-2
199-N-3	3/9/2008 14:13	N	ALKALINITY	Alkalinity	530000	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJK1	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-3	3/9/2008 14:13	N	ALKALINITY	Alkalinity	512000	ug/L	D	[NULL]	[NULL]	R	B1TJJ9	ALKALINITY	TASL	310.1_ALKALINITY	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/9/2008 14:13	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1TJK0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1TJJ8	7440-36-0	TASL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1TJJ9	7440-36-0	TASL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1TJK1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	Y	7440-39-3	Barium	187	ug/L	B	[NULL]	[NULL]	R	B1TJJ8	7440-39-3	TASL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	Y	7440-39-3	Barium	221	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJK0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	7440-39-3	Barium	228	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJJ9	7440-39-3	TASL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	7440-39-3	Barium	218	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJK1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	Y	7440-41-7	Beryllium	1.1	ug/L	U	[NULL]	[NULL]	R	B1TJJ8	7440-41-7	TASL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	7440-41-7	Beryllium	1.1	ug/L	U	[NULL]	[NULL]	R	B1TJJ9	7440-41-7	TASL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1TJK0	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1TJK1	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	24959-67-9	Bromide	1250	ug/L	UD	[NULL]	[NULL]	R	B1TJK3	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/9/2008 14:13	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1TJK0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1TJK1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	7440-43-9	Cadmium	3.5	ug/L	U	[NULL]	[NULL]	R	B1TJJ9	7440-43-9	TASL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	Y	7440-43-9	Cadmium	3.5	ug/L	U	[NULL]	[NULL]	R	B1TJJ8	7440-43-9	TASL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	Y	7440-70-2	Calcium	308000	ug/L	DN	Y	[NULL]	R	B1TJJ8	7440-70-2	TASL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	7440-70-2	Calcium	230000	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJK1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	7440-70-2	Calcium	237000	ug/L	DN	[NULL]	[NULL]	R	B1TJJ9	7440-70-2	TASL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	Y	7440-70-2	Calcium	230000	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJK0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	16887-00-6	Chloride	36000	ug/L	D	[NULL]	[NULL]	R	B1TJK1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	3/9/2008 14:13	N	16887-00-6	Chloride	36000	ug/L	D	[NULL]	[NULL]	R	B1TJK3	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/9/2008 14:13	N	7440-47-3	Chromium	5.2	ug/L	B	[NULL]	[NULL]	R	B1TJJ9	7440-47-3	TASL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	Y	7440-47-3	Chromium	2.5	ug/L	U	[NULL]	[NULL]	R	B1TJJ8	7440-47-3	TASL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	7440-47-3	Chromium	4.6	ug/L	C	[NULL]	[NULL]	R	B1TJK1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	Y	7440-47-3	Chromium	10.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJK0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	7440-48-4	Cobalt	2	ug/L	U	[NULL]	[NULL]	R	B1TJJ9	7440-48-4	TASL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1TJK0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1TJK1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	Y	7440-48-4	Cobalt	2	ug/L	U	[NULL]	[NULL]	R	B1TJJ8	7440-48-4	TASL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	7440-50-8	Copper	2	ug/L	U	[NULL]	[NULL]	R	B1TJJ9	7440-50-8	TASL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1TJK0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1TJK1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	Y	7440-50-8	Copper	2	ug/L	U	[NULL]	[NULL]	R	B1TJJ8	7440-50-8	TASL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	DO	Dissolved oxygen	1560	ug/L	[NULL]	[NULL]	[NULL]	R	B1TLR1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	3/9/2008 14:13	N	DO	Dissolved oxygen	1570	ug/L	[NULL]	[NULL]	[NULL]	R	B1TLR4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	3/9/2008 14:13	N	DO	Dissolved oxygen	1580	ug/L	[NULL]	[NULL]	[NULL]	R	B1TLR3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	3/9/2008 14:13	N	DO	Dissolved oxygen	1570	ug/L	[NULL]	[NULL]	[NULL]	R	B1TLR2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	3/9/2008 14:13	N	16984-48-8	Fluoride	18	ug/L	DU	[NULL]	[NULL]	R	B1TJK1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	3/9/2008 14:13	N	16984-48-8	Fluoride	250	ug/L	U	[NULL]	[NULL]	R	B1TJK3	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/9/2008 14:13	N	12587-47-2	Gross beta	2620	pCi/L	[NULL]	[NULL]	[NULL]	R	B1TJK2	12587-47-2	EBRLNE	900.0_ALPHABETA_GPC	100-NR-2
199-N-3	3/9/2008 14:13	N	12587-47-2	Gross beta	2410	pCi/L	[NULL]	[NULL]	[NULL]	R	B1TJK4	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	3/9/2008 14:13	N	7439-89-6	Iron	50.8	ug/L	B	[NULL]	[NULL]	R	B1TJJ9	7439-89-6	TASL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	Y	7439-89-6	Iron	18.6	ug/L	U	[NULL]	[NULL]	R	B1TJJ8	7439-89-6	TASL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	7439-89-6	Iron	93.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJK1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	Y	7439-89-6	Iron	14.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJK0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	Y	7439-95-4	Magnesium	31500	ug/L	DN	[NULL]	[NULL]	R	B1TJJ8	7439-95-4	TASL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	7439-95-4	Magnesium	40200	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJK1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	7439-95-4	Magnesium	38700	ug/L	N	[NULL]	[NULL]	R	B1TJJ9	7439-95-4	TASL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	Y	7439-95-4	Magnesium	41000	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJK0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	7439-96-5	Manganese	4.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJK1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	Y	7439-96-5	Manganese	4.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJK0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	7439-96-5	Manganese	5.3	ug/L	B	[NULL]	[NULL]	R	B1TJJ9	7439-96-5	TASL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	Y	7439-96-5	Manganese	2.7	ug/L	BD	[NULL]	[NULL]	R	B1TJJ8	7439-96-5	TASL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/9/2008 14:13	N	7440-02-0	Nickel	4.6	ug/L	U	[NULL]	[NULL]	R	B1TJJ9	7440-02-0	TASL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	7440-02-0	Nickel	4.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJK1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	Y	7440-02-0	Nickel	4.6	ug/L	U	[NULL]	[NULL]	R	B1TJJ8	7440-02-0	TASL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1TJK0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	14797-55-8	Nitrate	84200	ug/L	D	[NULL]	[NULL]	R	B1TJK3	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/9/2008 14:13	N	14797-55-8	Nitrate	84600	ug/L	D	[NULL]	[NULL]	R	B1TJK1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	3/9/2008 14:13	N	14797-65-0	Nitrite	98.5	ug/L	DU	[NULL]	[NULL]	R	B1TJK1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	3/9/2008 14:13	N	14797-65-0	Nitrite	2500	ug/L	UD	[NULL]	[NULL]	R	B1TJK3	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/9/2008 14:13	N	14265-44-2	Phosphate	2500	ug/L	UD	[NULL]	[NULL]	R	B1TJK3	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/9/2008 14:13	Y	7440-09-7	Potassium	5300	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJK0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	Y	7440-09-7	Potassium	6280	ug/L	[NULL]	Y	[NULL]	R	B1TJJ8	7440-09-7	TASL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	7440-09-7	Potassium	4610	ug/L	B	[NULL]	[NULL]	R	B1TJJ9	7440-09-7	TASL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	7440-09-7	Potassium	5240	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJK1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1TJK0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	Y	7440-22-4	Silver	1.7	ug/L	U	[NULL]	[NULL]	R	B1TJJ8	7440-22-4	TASL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	7440-22-4	Silver	1.7	ug/L	U	[NULL]	[NULL]	R	B1TJJ9	7440-22-4	TASL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1TJK1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	7440-23-5	Sodium	24600	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJK1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	7440-23-5	Sodium	28400	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJJ9	7440-23-5	TASL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	Y	7440-23-5	Sodium	29700	ug/L	[NULL]	Y	[NULL]	R	B1TJJ8	7440-23-5	TASL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	Y	7440-23-5	Sodium	24700	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJK0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	CONDUCT	Specific Conductance	1420	uS/cm	[NULL]	[NULL]	[NULL]	R	B1TLR4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	3/9/2008 14:13	N	CONDUCT	Specific Conductance	1420	uS/cm	[NULL]	[NULL]	[NULL]	R	B1TLR2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	3/9/2008 14:13	N	CONDUCT	Specific Conductance	1419	uS/cm	[NULL]	[NULL]	[NULL]	R	B1TLR1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	3/9/2008 14:13	N	CONDUCT	Specific Conductance	1420	uS/cm	[NULL]	[NULL]	[NULL]	R	B1TLR3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	3/9/2008 14:13	Y	7440-24-6	Strontium	914	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJK0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	7440-24-6	Strontium	902	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJK1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	7440-24-6	Strontium	1030	ug/L	DN	G	[NULL]	R	B1TJJ9	7440-24-6	TASL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	Y	7440-24-6	Strontium	1360	ug/L	DN	G	[NULL]	R	B1TJJ8	7440-24-6	TASL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	10098-97-2	Strontium-90	1230	pCi/L	[NULL]	[NULL]	[NULL]	R	B1TJK4	10098-97-2	TARL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-3	3/9/2008 14:13	N	10098-97-2	Strontium-90	1180	pCi/L	[NULL]	[NULL]	[NULL]	R	B1TJK2	10098-97-2	EBRLNE	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-3	3/9/2008 14:13	N	14808-79-8	Sulfate	143000	ug/L	D	[NULL]	[NULL]	R	B1TJK3	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-3	3/9/2008 14:13	N	14808-79-8	Sulfate	149000	ug/L	D	[NULL]	[NULL]	R	B1TJK1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	3/9/2008 14:13	N	TEMPERATURE	Temperature	18.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1TLR4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/9/2008 14:13	N	TEMPERATURE	Temperature	18.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1TLR2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/9/2008 14:13	N	TEMPERATURE	Temperature	18.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1TLR1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/9/2008 14:13	N	TEMPERATURE	Temperature	18.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1TLR3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/9/2008 14:13	N	TOC	Total organic carbon	2320	ug/L	[NULL]	[NULL]	[NULL]	R	B1TLR7	TOC	WSCF	9060_TOC	100-NR-2
199-N-3	3/9/2008 14:13	N	TOC	Total organic carbon	2450	ug/L	[NULL]	[NULL]	[NULL]	R	B1TLR5	TOC	WSCF	9060_TOC	100-NR-2
199-N-3	3/9/2008 14:13	N	TOC	Total organic carbon	2370	ug/L	[NULL]	[NULL]	[NULL]	R	B1TLR6	TOC	WSCF	9060_TOC	100-NR-2
199-N-3	3/9/2008 14:13	N	TOC	Total organic carbon	2300	ug/L	[NULL]	[NULL]	[NULL]	R	B1TLR8	TOC	WSCF	9060_TOC	100-NR-2
199-N-3	3/9/2008 14:13	N	59473-04-0	Total organic halides	22	ug/L	X	[NULL]	[NULL]	R	B1TLR8	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-3	3/9/2008 14:13	N	59473-04-0	Total organic halides	18.9	ug/L	X	[NULL]	[NULL]	R	B1TLR7	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-3	3/9/2008 14:13	N	59473-04-0	Total organic halides	20.4	ug/L	X	[NULL]	[NULL]	R	B1TLR5	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-3	3/9/2008 14:13	N	59473-04-0	Total organic halides	13	ug/L	X	[NULL]	[NULL]	R	B1TLR6	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-3	3/9/2008 14:13	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	75	ug/L	U	[NULL]	[NULL]	R	B1TJK1	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
199-N-3	3/9/2008 14:13	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	33	ug/L	U	[NULL]	[NULL]	R	B1TJJ9	TPHDIESEL	TASL	WTPH_DIESEL	100-NR-2
199-N-3	3/9/2008 14:13	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	75	ug/L	U	[NULL]	[NULL]	R	B1TJK1	TPHKEROSENE	WSCF	WTPH_DIESEL	100-NR-2
199-N-3	3/9/2008 14:13	N	10028-17-8	Tritium	2080	pCi/L	[NULL]	[NULL]	[NULL]	R	B1TJK4	10028-17-8	TARL	906.0_H3_LSC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/9/2008 14:13	N	10028-17-8	Tritium	1900	pCi/L	[NULL]	[NULL]	[NULL]	R	B1TJK1	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-3	3/9/2008 14:13	N	TURBIDITY	Turbidity	0.58	NTU	[NULL]	[NULL]	[NULL]	R	B1TLR4	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-3	3/9/2008 14:13	N	TURBIDITY	Turbidity	0.83	NTU	[NULL]	[NULL]	[NULL]	R	B1TLR3	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-3	3/9/2008 14:13	N	TURBIDITY	Turbidity	0.8	NTU	[NULL]	[NULL]	[NULL]	R	B1TLR1	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-3	3/9/2008 14:13	N	TURBIDITY	Turbidity	0.67	NTU	[NULL]	[NULL]	[NULL]	R	B1TLR2	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-3	3/9/2008 14:13	Y	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	R	B1TJK0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	Y	7440-62-2	Vanadium	6.1	ug/L	U	[NULL]	[NULL]	R	B1TJJ8	7440-62-2	TASL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	7440-62-2	Vanadium	6.1	ug/L	U	[NULL]	[NULL]	R	B1TJJ9	7440-62-2	TASL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	R	B1TJK1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	7440-66-6	Zinc	19.7	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJK1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	Y	7440-66-6	Zinc	22.7	ug/L	BD	[NULL]	[NULL]	R	B1TJJ8	7440-66-6	TASL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	7440-66-6	Zinc	28.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJJ9	7440-66-6	TASL	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	Y	7440-66-6	Zinc	17.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJK0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/9/2008 14:13	N	PH	pH Measurement	7.02	unitless	[NULL]	[NULL]	[NULL]	R	B1TLR2	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	3/9/2008 14:13	N	PH	pH Measurement	7.02	unitless	[NULL]	[NULL]	[NULL]	R	B1TLR4	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	3/9/2008 14:13	N	PH	pH Measurement	7.02	unitless	[NULL]	[NULL]	[NULL]	R	B1TLR1	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	3/9/2008 14:13	N	PH	pH Measurement	7.02	unitless	[NULL]	[NULL]	[NULL]	R	B1TLR3	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	7/8/2008 11:03	N	CONDUCT	Specific Conductance	1270	uS/cm	[NULL]	[NULL]	[NULL]	R	B1VTT2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	7/8/2008 11:03	N	CONDUCT	Specific Conductance	1272	uS/cm	[NULL]	[NULL]	[NULL]	R	B1VTT1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	7/8/2008 11:03	N	CONDUCT	Specific Conductance	1276	uS/cm	[NULL]	[NULL]	[NULL]	R	B1VTR9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	7/8/2008 11:03	N	CONDUCT	Specific Conductance	1273	uS/cm	[NULL]	[NULL]	[NULL]	R	B1VTT0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	7/8/2008 11:03	N	TEMPERATURE	Temperature	22.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1VTR9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	7/8/2008 11:03	N	TEMPERATURE	Temperature	23.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1VTT2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	7/8/2008 11:03	N	TEMPERATURE	Temperature	23.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1VTT1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	7/8/2008 11:03	N	TEMPERATURE	Temperature	23	Deg C	[NULL]	[NULL]	[NULL]	R	B1VTT0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	7/8/2008 11:03	N	TOC	Total organic carbon	1270	ug/L	[NULL]	[NULL]	[NULL]	R	B1VTT8	TOC	WSCF	9060_TOC	100-NR-2
199-N-3	7/8/2008 11:03	N	TOC	Total organic carbon	1490	ug/L	[NULL]	[NULL]	[NULL]	R	B1VTT7	TOC	WSCF	9060_TOC	100-NR-2
199-N-3	7/8/2008 11:03	N	TOC	Total organic carbon	680	ug/L	B	[NULL]	[NULL]	R	B1VTT3	TOC	TASL	9060_TOC	100-NR-2
199-N-3	7/8/2008 11:03	N	TOC	Total organic carbon	740	ug/L	B	[NULL]	[NULL]	R	B1VTT4	TOC	TASL	9060_TOC	100-NR-2
199-N-3	7/8/2008 11:03	N	TOC	Total organic carbon	770	ug/L	B	[NULL]	[NULL]	R	B1VTT5	TOC	TASL	9060_TOC	100-NR-2
199-N-3	7/8/2008 11:03	N	TOC	Total organic carbon	680	ug/L	B	[NULL]	[NULL]	R	B1VTT6	TOC	TASL	9060_TOC	100-NR-2
199-N-3	7/8/2008 11:03	N	TOC	Total organic carbon	1560	ug/L	[NULL]	[NULL]	[NULL]	R	B1VTV0	TOC	WSCF	9060_TOC	100-NR-2
199-N-3	7/8/2008 11:03	N	TOC	Total organic carbon	1510	ug/L	[NULL]	[NULL]	[NULL]	R	B1VTT9	TOC	WSCF	9060_TOC	100-NR-2
199-N-3	7/8/2008 11:03	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	71	ug/L	U	[NULL]	[NULL]	R	B1VTV0	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
199-N-3	7/8/2008 11:03	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	71	ug/L	U	[NULL]	[NULL]	R	B1VTV0	TPHKEROSENE	WSCF	WTPH_DIESEL	100-NR-2
199-N-3	7/8/2008 11:03	N	TURBIDITY	Turbidity	2	NTU	[NULL]	[NULL]	[NULL]	R	B1VTT0	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-3	7/8/2008 11:03	N	TURBIDITY	Turbidity	2.29	NTU	[NULL]	[NULL]	[NULL]	R	B1VTT1	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-3	7/8/2008 11:03	N	TURBIDITY	Turbidity	2.09	NTU	[NULL]	[NULL]	[NULL]	R	B1VTR9	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-3	7/8/2008 11:03	N	TURBIDITY	Turbidity	2.6	NTU	[NULL]	[NULL]	[NULL]	R	B1VTT2	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-3	7/8/2008 11:03	N	PH	pH Measurement	7.14	unitless	[NULL]	[NULL]	[NULL]	R	B1VTT2	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	7/8/2008 11:03	N	PH	pH Measurement	7.14	unitless	[NULL]	[NULL]	[NULL]	R	B1VTT1	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	7/8/2008 11:03	N	PH	pH Measurement	7.13	unitless	[NULL]	[NULL]	[NULL]	R	B1VTT0	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	7/8/2008 11:03	N	PH	pH Measurement	7.13	unitless	[NULL]	[NULL]	[NULL]	R	B1VTR9	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	9/11/2008 10:24	N	ALKALINITY	Alkalinity	480000	ug/L	[NULL]	[NULL]	[NULL]	R	B1WTK2	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-3	9/11/2008 10:24	N	7440-36-0	Antimony	4	ug/L	U	[NULL]	[NULL]	R	B1WXN3	7440-36-0	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/11/2008 10:24	Y	7440-36-0	Antimony	4	ug/L	U	[NULL]	[NULL]	R	B1WTK1	7440-36-0	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/11/2008 10:24	Y	7440-39-3	Barium	209	ug/L	[NULL]	[NULL]	[NULL]	R	B1WTK1	7440-39-3	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/11/2008 10:24	N	7440-39-3	Barium	221	ug/L	[NULL]	[NULL]	[NULL]	R	B1WXN3	7440-39-3	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/11/2008 10:24	Y	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	R	B1WTK1	7440-41-7	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/11/2008 10:24	N	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	R	B1WXN3	7440-41-7	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/11/2008 10:24	Y	7440-43-9	Cadmium	0.45	ug/L	U	[NULL]	[NULL]	R	B1WTK1	7440-43-9	TASL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	9/11/2008 10:24	N	7440-43-9	Cadmium	0.45	ug/L	U	[NULL]	[NULL]	R	B1WXN3	7440-43-9	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/11/2008 10:24	N	7440-70-2	Calcium	222000	ug/L	D	[NULL]	[NULL]	R	B1WXN3	7440-70-2	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/11/2008 10:24	Y	7440-70-2	Calcium	223000	ug/L	CD	[NULL]	[NULL]	R	B1WTK1	7440-70-2	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/11/2008 10:24	N	16887-00-6	Chloride	36500	ug/L	D	[NULL]	[NULL]	R	B1WTK2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	9/11/2008 10:24	N	7440-47-3	Chromium	4.8	ug/L	B	[NULL]	[NULL]	R	B1WXN3	7440-47-3	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/11/2008 10:24	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1WTK1	7440-47-3	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/11/2008 10:24	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1WTK1	7440-48-4	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/11/2008 10:24	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1WXN3	7440-48-4	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/11/2008 10:24	N	7440-50-8	Copper	4.6	ug/L	U	[NULL]	[NULL]	R	B1WXN3	7440-50-8	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/11/2008 10:24	Y	7440-50-8	Copper	4.6	ug/L	U	[NULL]	[NULL]	R	B1WTK1	7440-50-8	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/11/2008 10:24	N	DO	Dissolved oxygen	2650	ug/L	[NULL]	[NULL]	[NULL]	R	B1X0F2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	9/11/2008 10:24	N	DO	Dissolved oxygen	2680	ug/L	[NULL]	[NULL]	[NULL]	R	B1X0F5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	9/11/2008 10:24	N	DO	Dissolved oxygen	2670	ug/L	[NULL]	[NULL]	[NULL]	R	B1X0F4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	9/11/2008 10:24	N	DO	Dissolved oxygen	2670	ug/L	[NULL]	[NULL]	[NULL]	R	B1X0F3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-3	9/11/2008 10:24	N	16984-48-8	Fluoride	46.4	ug/L	DU	[NULL]	[NULL]	R	B1WTK2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	9/11/2008 10:24	N	12587-47-2	Gross beta	2300	pCi/L	[NULL]	[NULL]	[NULL]	R	B1WTK2	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-3	9/11/2008 10:24	N	7439-89-6	Iron	18.1	ug/L	B	[NULL]	[NULL]	R	B1WXN3	7439-89-6	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/11/2008 10:24	Y	7439-89-6	Iron	16	ug/L	U	[NULL]	[NULL]	R	B1WTK1	7439-89-6	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/11/2008 10:24	Y	7439-95-4	Magnesium	36900	ug/L	[NULL]	[NULL]	[NULL]	R	B1WTK1	7439-95-4	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/11/2008 10:24	N	7439-95-4	Magnesium	38100	ug/L	[NULL]	[NULL]	[NULL]	R	B1WXN3	7439-95-4	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/11/2008 10:24	N	7439-96-5	Manganese	0.96	ug/L	U	[NULL]	[NULL]	R	B1WXN3	7439-96-5	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/11/2008 10:24	Y	7439-96-5	Manganese	0.96	ug/L	U	[NULL]	[NULL]	R	B1WTK1	7439-96-5	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/11/2008 10:24	N	7440-02-0	Nickel	13.3	ug/L	U	[NULL]	[NULL]	R	B1WXN3	7440-02-0	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/11/2008 10:24	Y	7440-02-0	Nickel	13.3	ug/L	U	[NULL]	[NULL]	R	B1WTK1	7440-02-0	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/11/2008 10:24	N	14797-55-8	Nitrate	80100	ug/L	D	[NULL]	[NULL]	R	B1WTK2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	9/11/2008 10:24	N	14797-65-0	Nitrite	84.1	ug/L	DU	[NULL]	[NULL]	R	B1WTK2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	9/11/2008 10:24	N	7440-09-7	Potassium	7910	ug/L	[NULL]	[NULL]	[NULL]	R	B1WXN3	7440-09-7	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/11/2008 10:24	Y	7440-09-7	Potassium	4880	ug/L	B	[NULL]	[NULL]	R	B1WTK1	7440-09-7	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/11/2008 10:24	Y	7440-22-4	Silver	6	ug/L	U	[NULL]	[NULL]	R	B1WTK1	7440-22-4	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/11/2008 10:24	N	7440-22-4	Silver	6	ug/L	U	[NULL]	[NULL]	R	B1WXN3	7440-22-4	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/11/2008 10:24	Y	7440-23-5	Sodium	25500	ug/L	[NULL]	[NULL]	[NULL]	R	B1WTK1	7440-23-5	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/11/2008 10:24	N	7440-23-5	Sodium	25500	ug/L	[NULL]	[NULL]	[NULL]	R	B1WXN3	7440-23-5	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/11/2008 10:24	N	CONDUCT	Specific Conductance	1260	uS/cm	[NULL]	[NULL]	[NULL]	R	B1X0F3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	9/11/2008 10:24	N	CONDUCT	Specific Conductance	1260	uS/cm	[NULL]	[NULL]	[NULL]	R	B1X0F2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	9/11/2008 10:24	N	CONDUCT	Specific Conductance	1262	uS/cm	[NULL]	[NULL]	[NULL]	R	B1X0F5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	9/11/2008 10:24	N	CONDUCT	Specific Conductance	1259	uS/cm	[NULL]	[NULL]	[NULL]	R	B1X0F4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	9/11/2008 10:24	N	7440-24-6	Strontium	854	ug/L	D	[NULL]	[NULL]	R	B1WXN3	7440-24-6	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/11/2008 10:24	Y	7440-24-6	Strontium	944	ug/L	D	[NULL]	[NULL]	R	B1WTK1	7440-24-6	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/11/2008 10:24	N	10098-97-2	Strontium-90	1200	pCi/L	[NULL]	[NULL]	[NULL]	R	B1WRL0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	9/11/2008 10:24	N	14808-79-8	Sulfate	152000	ug/L	D	[NULL]	[NULL]	R	B1WTK2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	9/11/2008 10:24	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B1X0F2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/11/2008 10:24	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B1X0F3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/11/2008 10:24	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B1X0F4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/11/2008 10:24	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B1X0F5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/11/2008 10:24	N	TOC	Total organic carbon	1560	ug/L	[NULL]	[NULL]	[NULL]	R	B1X1X5	TOC	WSCF	9060_TOC	100-NR-2
199-N-3	9/11/2008 10:24	N	TOC	Total organic carbon	1100	ug/L	[NULL]	[NULL]	[NULL]	R	B1X0F6	TOC	TASL	9060_TOC	100-NR-2
199-N-3	9/11/2008 10:24	N	TOC	Total organic carbon	1000	ug/L	[NULL]	[NULL]	[NULL]	R	B1X0F7	TOC	TASL	9060_TOC	100-NR-2
199-N-3	9/11/2008 10:24	N	TOC	Total organic carbon	980	ug/L	B	[NULL]	[NULL]	R	B1X0F8	TOC	TASL	9060_TOC	100-NR-2
199-N-3	9/11/2008 10:24	N	TOC	Total organic carbon	1000	ug/L	[NULL]	[NULL]	[NULL]	R	B1X0F9	TOC	TASL	9060_TOC	100-NR-2
199-N-3	9/11/2008 10:24	N	TOC	Total organic carbon	1750	ug/L	[NULL]	[NULL]	[NULL]	R	B1X1X8	TOC	WSCF	9060_TOC	100-NR-2
199-N-3	9/11/2008 10:24	N	TOC	Total organic carbon	1890	ug/L	[NULL]	[NULL]	[NULL]	R	B1X1X7	TOC	WSCF	9060_TOC	100-NR-2
199-N-3	9/11/2008 10:24	N	TOC	Total organic carbon	2180	ug/L	[NULL]	[NULL]	[NULL]	R	B1X1X6	TOC	WSCF	9060_TOC	100-NR-2
199-N-3	9/11/2008 10:24	N	59473-04-0	Total organic halides	8.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1X0F6	59473-04-0	TASL	9020_TOX	100-NR-2
199-N-3	9/11/2008 10:24	N	59473-04-0	Total organic halides	8.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1X0F7	59473-04-0	TASL	9020_TOX	100-NR-2
199-N-3	9/11/2008 10:24	N	59473-04-0	Total organic halides	8.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1X0F8	59473-04-0	TASL	9020_TOX	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	9/11/2008 10:24	N	59473-04-0	Total organic halides	8.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1X0F9	59473-04-0	TASL	9020_TOX	100-NR-2
199-N-3	9/11/2008 10:24	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	71	ug/L	U	[NULL]	[NULL]	R	B1WTK2	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
199-N-3	9/11/2008 10:24	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	95	ug/L	U	[NULL]	[NULL]	R	B1WTK2	TPHKEROSENE	WSCF	WTPH_DIESEL	100-NR-2
199-N-3	9/11/2008 10:24	N	10028-17-8	Tritium	2000	pCi/L	[NULL]	[NULL]	[NULL]	R	B1WTK2	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-3	9/11/2008 10:24	N	TURBIDITY	Turbidity	0.86	NTU	[NULL]	[NULL]	[NULL]	R	B1X0F5	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-3	9/11/2008 10:24	N	TURBIDITY	Turbidity	0.61	NTU	[NULL]	[NULL]	[NULL]	R	B1X0F4	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-3	9/11/2008 10:24	N	TURBIDITY	Turbidity	0.59	NTU	[NULL]	[NULL]	[NULL]	R	B1X0F2	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-3	9/11/2008 10:24	N	TURBIDITY	Turbidity	0.56	NTU	[NULL]	[NULL]	[NULL]	R	B1X0F3	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-3	9/11/2008 10:24	Y	7440-62-2	Vanadium	4.1	ug/L	U	[NULL]	[NULL]	R	B1WTK1	7440-62-2	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/11/2008 10:24	N	7440-62-2	Vanadium	4.1	ug/L	U	[NULL]	[NULL]	R	B1WXN3	7440-62-2	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/11/2008 10:24	N	7440-66-6	Zinc	24.5	ug/L	C	[NULL]	[NULL]	R	B1WXN3	7440-66-6	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/11/2008 10:24	Y	7440-66-6	Zinc	19.9	ug/L	B	[NULL]	[NULL]	R	B1WTK1	7440-66-6	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/11/2008 10:24	N	PH	pH Measurement	7.01	unitless	[NULL]	[NULL]	[NULL]	R	B1X0F2	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	9/11/2008 10:24	N	PH	pH Measurement	7.01	unitless	[NULL]	[NULL]	[NULL]	R	B1X0F5	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	9/11/2008 10:24	N	PH	pH Measurement	7.01	unitless	[NULL]	[NULL]	[NULL]	R	B1X0F4	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	9/11/2008 10:24	N	PH	pH Measurement	7.01	unitless	[NULL]	[NULL]	[NULL]	R	B1X0F3	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	3/10/2009 12:48	N	ALKALINITY	Alkalinity	510000	ug/L	[NULL]	[NULL]	[NULL]	R	B1YWT0	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-3	3/10/2009 12:48	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1YWT0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1YWR9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	Y	7440-39-3	Barium	225	ug/L	[NULL]	[NULL]	[NULL]	R	B1YWR9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	N	7440-39-3	Barium	226	ug/L	[NULL]	[NULL]	[NULL]	R	B1YWT0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1YWT0	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1YWR9	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1YWR9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1YWT0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1YWR9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1YWT0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	N	7440-70-2	Calcium	246000	ug/L	[NULL]	Q	[NULL]	R	B1YWT0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	Y	7440-70-2	Calcium	243000	ug/L	[NULL]	Q	[NULL]	R	B1YWR9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	N	16887-00-6	Chloride	34200	ug/L	D	[NULL]	[NULL]	R	B1YWT0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	3/10/2009 12:48	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1YWR9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1YWT0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1YWR9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1YWT0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1YWT0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1YWR9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	N	16984-48-8	Fluoride	70	ug/L	UD	[NULL]	[NULL]	R	B1YWT0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	3/10/2009 12:48	N	12587-47-2	Gross beta	2400	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YRP3	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-3	3/10/2009 12:48	Y	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B1YWR9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	N	7439-89-6	Iron	37.9	ug/L	B	[NULL]	[NULL]	R	B1YWT0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	Y	7439-95-4	Magnesium	41100	ug/L	[NULL]	Q	[NULL]	R	B1YWR9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	N	7439-95-4	Magnesium	41400	ug/L	[NULL]	Q	[NULL]	R	B1YWT0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1YWR9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1YWT0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	N	7440-02-0	Nickel	6.4	ug/L	B	[NULL]	[NULL]	R	B1YWT0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1YWR9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	N	14797-55-8	Nitrate	94300	ug/L	D	[NULL]	[NULL]	R	B1YWT0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	3/10/2009 12:48	N	14797-65-0	Nitrite	125	ug/L	UD	[NULL]	[NULL]	R	B1YWT0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	3/10/2009 12:48	N	7440-09-7	Potassium	5170	ug/L	[NULL]	[NULL]	[NULL]	R	B1YWT0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	Y	7440-09-7	Potassium	5150	ug/L	[NULL]	[NULL]	[NULL]	R	B1YWR9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1YWR9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1YWT0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	N	7440-23-5	Sodium	26500	ug/L	[NULL]	Q	[NULL]	R	B1YWT0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	3/10/2009 12:48	Y	7440-23-5	Sodium	26300	ug/L	[NULL]	Q	[NULL]	R	B1YWR9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	N	CONDUCT	Specific Conductance	1448	uS/cm	[NULL]	[NULL]	[NULL]	R	B1YWP8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	3/10/2009 12:48	N	CONDUCT	Specific Conductance	1448	uS/cm	[NULL]	[NULL]	[NULL]	R	B1YWP7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	3/10/2009 12:48	N	CONDUCT	Specific Conductance	1447	uS/cm	[NULL]	[NULL]	[NULL]	R	B1YWR0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	3/10/2009 12:48	N	CONDUCT	Specific Conductance	1448	uS/cm	[NULL]	[NULL]	[NULL]	R	B1YWP9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	3/10/2009 12:48	Y	7440-24-6	Strontium	881	ug/L	[NULL]	[NULL]	[NULL]	R	B1YWR9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	N	7440-24-6	Strontium	886	ug/L	[NULL]	[NULL]	[NULL]	R	B1YWT0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	N	10098-97-2	Strontium-90	1100	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YRP3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	3/10/2009 12:48	N	14808-79-8	Sulfate	159000	ug/L	D	[NULL]	[NULL]	R	B1YWT0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	3/10/2009 12:48	N	TEMPERATURE	Temperature	17.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1YWP8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/10/2009 12:48	N	TEMPERATURE	Temperature	17.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1YWP9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/10/2009 12:48	N	TEMPERATURE	Temperature	17.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1YWR0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/10/2009 12:48	N	TEMPERATURE	Temperature	17.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1YWP7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	3/10/2009 12:48	N	TOC	Total organic carbon	2070	ug/L	[NULL]	[NULL]	[NULL]	R	B1YWR7	TOC	WSCF	9060_TOC	100-NR-2
199-N-3	3/10/2009 12:48	N	TOC	Total organic carbon	2020	ug/L	[NULL]	[NULL]	[NULL]	R	B1YWR6	TOC	WSCF	9060_TOC	100-NR-2
199-N-3	3/10/2009 12:48	N	TOC	Total organic carbon	1980	ug/L	[NULL]	[NULL]	[NULL]	R	B1YWR5	TOC	WSCF	9060_TOC	100-NR-2
199-N-3	3/10/2009 12:48	N	TOC	Total organic carbon	2070	ug/L	[NULL]	[NULL]	[NULL]	R	B1YWR8	TOC	WSCF	9060_TOC	100-NR-2
199-N-3	3/10/2009 12:48	N	59473-04-0	Total organic halides	7.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1YWR4	59473-04-0	TASL	9020_TOX	100-NR-2
199-N-3	3/10/2009 12:48	N	59473-04-0	Total organic halides	7.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1YWR1	59473-04-0	TASL	9020_TOX	100-NR-2
199-N-3	3/10/2009 12:48	N	59473-04-0	Total organic halides	7.7	ug/L	[NULL]	[NULL]	[NULL]	R	B1YWR3	59473-04-0	TASL	9020_TOX	100-NR-2
199-N-3	3/10/2009 12:48	N	59473-04-0	Total organic halides	8.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1YWR2	59473-04-0	TASL	9020_TOX	100-NR-2
199-N-3	3/10/2009 12:48	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	70	ug/L	U	[NULL]	[NULL]	R	B1YRP3	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
199-N-3	3/10/2009 12:48	N	10028-17-8	Tritium	2000	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YRP3	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-3	3/10/2009 12:48	N	TURBIDITY	Turbidity	0.53	NTU	[NULL]	[NULL]	[NULL]	R	B1YWP7	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-3	3/10/2009 12:48	N	TURBIDITY	Turbidity	0.57	NTU	[NULL]	[NULL]	[NULL]	R	B1YWP8	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-3	3/10/2009 12:48	N	TURBIDITY	Turbidity	0.46	NTU	[NULL]	[NULL]	[NULL]	R	B1YWR0	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-3	3/10/2009 12:48	N	TURBIDITY	Turbidity	0.48	NTU	[NULL]	[NULL]	[NULL]	R	B1YWP9	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-3	3/10/2009 12:48	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1YWR9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1YWT0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	Y	7440-66-6	Zinc	12.9	ug/L	B	[NULL]	[NULL]	R	B1YWR9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	N	7440-66-6	Zinc	13.6	ug/L	B	[NULL]	[NULL]	R	B1YWT0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	3/10/2009 12:48	N	PH	pH Measurement	7.01	unitless	[NULL]	[NULL]	[NULL]	R	B1YWP8	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	3/10/2009 12:48	N	PH	pH Measurement	7.01	unitless	[NULL]	[NULL]	[NULL]	R	B1YWP7	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	3/10/2009 12:48	N	PH	pH Measurement	7.01	unitless	[NULL]	[NULL]	[NULL]	R	B1YWP9	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	3/10/2009 12:48	N	PH	pH Measurement	7	unitless	[NULL]	[NULL]	[NULL]	R	B1YWR0	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	9/21/2009 10:46	N	ALKALINITY	Alkalinity	490000	ug/L	N	[NULL]	[NULL]	R	B21JC2	ALKALINITY	TASL	310.1_ALKALINITY	100-NR-2
199-N-3	9/21/2009 10:46	N	ALKALINITY	Alkalinity	510000	ug/L	[NULL]	[NULL]	[NULL]	R	B21JC4	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-3	9/21/2009 10:46	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B21JC3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	Y	7440-36-0	Antimony	4	ug/L	U	[NULL]	[NULL]	R	B21JC1	7440-36-0	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	7440-36-0	Antimony	4	ug/L	U	[NULL]	[NULL]	R	B21JC2	7440-36-0	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B21JC4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	7440-39-3	Barium	207	ug/L	[NULL]	[NULL]	[NULL]	R	B21JC4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	Y	7440-39-3	Barium	230	ug/L	[NULL]	[NULL]	[NULL]	R	B21JC1	7440-39-3	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	7440-39-3	Barium	237	ug/L	[NULL]	[NULL]	[NULL]	R	B21JC2	7440-39-3	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	Y	7440-39-3	Barium	206	ug/L	[NULL]	[NULL]	[NULL]	R	B21JC3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	Y	7440-41-7	Beryllium	0.61	ug/L	U	[NULL]	[NULL]	R	B21JC1	7440-41-7	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B21JC3	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	7440-41-7	Beryllium	0.61	ug/L	U	[NULL]	[NULL]	R	B21JC2	7440-41-7	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B21JC4	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	Y	7440-43-9	Cadmium	0.91	ug/L	U	[NULL]	[NULL]	R	B21JC1	7440-43-9	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	7440-43-9	Cadmium	0.91	ug/L	U	[NULL]	[NULL]	R	B21JC2	7440-43-9	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B21JC3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B21JC4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	9/21/2009 10:46	N	7440-70-2	Calcium	228000	ug/L	[NULL]	[NULL]	[NULL]	R	B21JC4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	Y	7440-70-2	Calcium	228000	ug/L	[NULL]	[NULL]	[NULL]	R	B21JC3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	7440-70-2	Calcium	197000	ug/L	DN	[NULL]	[NULL]	R	B21JC2	7440-70-2	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	Y	7440-70-2	Calcium	231000	ug/L	DN	[NULL]	[NULL]	R	B21JC1	7440-70-2	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	16887-00-6	Chloride	29100	ug/L	D	[NULL]	[NULL]	R	B21JC2	16887-00-6	TASL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/21/2009 10:46	N	16887-00-6	Chloride	30000	ug/L	D	[NULL]	[NULL]	R	B21JC4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	9/21/2009 10:46	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B21JC3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B21JC4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	7440-47-3	Chromium	4	ug/L	B	[NULL]	[NULL]	R	B21JC2	7440-47-3	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B21JC1	7440-47-3	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B21JC2	7440-48-4	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B21JC3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B21JC4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B21JC1	7440-48-4	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B21JC3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	Y	7440-50-8	Copper	4.6	ug/L	U	[NULL]	[NULL]	R	B21JC1	7440-50-8	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B21JC4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	7440-50-8	Copper	4.6	ug/L	U	[NULL]	[NULL]	R	B21JC2	7440-50-8	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	16984-48-8	Fluoride	37	ug/L	B	[NULL]	[NULL]	R	B21JC2	16984-48-8	TASL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/21/2009 10:46	N	16984-48-8	Fluoride	91	ug/L	UD	[NULL]	[NULL]	R	B21JC4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	9/21/2009 10:46	N	12587-47-2	Gross beta	2240	pCi/L	[NULL]	[NULL]	[NULL]	R	B21JC5	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-3	9/21/2009 10:46	N	12587-47-2	Gross beta	1600	pCi/L	[NULL]	[NULL]	[NULL]	R	B21JC4	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-3	9/21/2009 10:46	N	7439-89-6	Iron	78.3	ug/L	B	[NULL]	[NULL]	R	B21JC4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	Y	7439-89-6	Iron	28.2	ug/L	U	[NULL]	[NULL]	R	B21JC1	7439-89-6	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	7439-89-6	Iron	92.4	ug/L	B	[NULL]	[NULL]	R	B21JC2	7439-89-6	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	Y	7439-89-6	Iron	19.7	ug/L	B	[NULL]	[NULL]	R	B21JC3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	Y	7439-95-4	Magnesium	41200	ug/L	[NULL]	[NULL]	[NULL]	R	B21JC1	7439-95-4	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	Y	7439-95-4	Magnesium	39400	ug/L	[NULL]	[NULL]	[NULL]	R	B21JC3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	7439-95-4	Magnesium	42000	ug/L	[NULL]	[NULL]	[NULL]	R	B21JC2	7439-95-4	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	7439-95-4	Magnesium	39400	ug/L	[NULL]	[NULL]	[NULL]	R	B21JC4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	7439-96-5	Manganese	10.5	ug/L	B	[NULL]	[NULL]	R	B21JC2	7439-96-5	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	Y	7439-96-5	Manganese	3.3	ug/L	U	[NULL]	[NULL]	R	B21JC1	7439-96-5	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	7439-96-5	Manganese	17.6	ug/L	B	[NULL]	[NULL]	R	B21JC4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B21JC3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B21JC4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	7440-02-0	Nickel	13.3	ug/L	U	[NULL]	[NULL]	R	B21JC2	7440-02-0	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B21JC3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	Y	7440-02-0	Nickel	13.3	ug/L	U	[NULL]	[NULL]	R	B21JC1	7440-02-0	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	14797-55-8	Nitrate	99600	ug/L	D	[NULL]	[NULL]	R	B21JC4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	9/21/2009 10:46	N	14797-55-8	Nitrate	107000	ug/L	D	[NULL]	[NULL]	R	B21JC2	NO3-N	TASL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/21/2009 10:46	N	14797-65-0	Nitrite	177	ug/L	UD	[NULL]	[NULL]	R	B21JC4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	9/21/2009 10:46	N	14797-65-0	Nitrite	55.8	ug/L	BC	[NULL]	[NULL]	R	B21JC2	NO2-N	TASL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/21/2009 10:46	Y	7440-09-7	Potassium	5120	ug/L	[NULL]	[NULL]	[NULL]	R	B21JC3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	Y	7440-09-7	Potassium	3910	ug/L	B	[NULL]	[NULL]	R	B21JC1	7440-09-7	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	7440-09-7	Potassium	6590	ug/L	[NULL]	[NULL]	[NULL]	R	B21JC2	7440-09-7	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	7440-09-7	Potassium	5150	ug/L	[NULL]	[NULL]	[NULL]	R	B21JC4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	Y	7440-22-4	Silver	6	ug/L	U	[NULL]	[NULL]	R	B21JC1	7440-22-4	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B21JC3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	7440-22-4	Silver	6	ug/L	U	[NULL]	[NULL]	R	B21JC2	7440-22-4	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B21JC4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	Y	7440-23-5	Sodium	28500	ug/L	[NULL]	[NULL]	[NULL]	R	B21JC1	7440-23-5	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	Y	7440-23-5	Sodium	26300	ug/L	[NULL]	[NULL]	[NULL]	R	B21JC3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	7440-23-5	Sodium	29700	ug/L	[NULL]	[NULL]	[NULL]	R	B21JC2	7440-23-5	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	7440-23-5	Sodium	26000	ug/L	[NULL]	[NULL]	[NULL]	R	B21JC4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	CONDUCT	Specific Conductance	1229	uS/cm	[NULL]	[NULL]	[NULL]	R	B21LD6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-3	9/21/2009 10:46	N	CONDUCT	Specific Conductance	1196	uS/cm	[NULL]	[NULL]	[NULL]	R	B21LD5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	9/21/2009 10:46	N	CONDUCT	Specific Conductance	1211	uS/cm	[NULL]	[NULL]	[NULL]	R	B21LD8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	9/21/2009 10:46	N	CONDUCT	Specific Conductance	1234	uS/cm	[NULL]	[NULL]	[NULL]	R	B21LD7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-3	9/21/2009 10:46	N	7440-24-6	Strontium	907	ug/L	[NULL]	[NULL]	[NULL]	R	B21JC4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	Y	7440-24-6	Strontium	906	ug/L	[NULL]	[NULL]	[NULL]	R	B21JC3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	7440-24-6	Strontium	1020	ug/L	[NULL]	[NULL]	[NULL]	R	B21JC2	7440-24-6	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	Y	7440-24-6	Strontium	994	ug/L	[NULL]	[NULL]	[NULL]	R	B21JC1	7440-24-6	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	10098-97-2	Strontium-90	1000	pCi/L	[NULL]	[NULL]	[NULL]	R	B21JC4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-3	9/21/2009 10:46	N	10098-97-2	Strontium-90	1060	pCi/L	[NULL]	[NULL]	[NULL]	R	B21JC5	10098-97-2	TARL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-3	9/21/2009 10:46	N	14808-79-8	Sulfate	150000	ug/L	D	[NULL]	[NULL]	R	B21JC4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-3	9/21/2009 10:46	N	14808-79-8	Sulfate	155000	ug/L	D	[NULL]	[NULL]	R	B21JC2	14808-79-8	TASL	300.0_ANIONS_IC	100-NR-2
199-N-3	9/21/2009 10:46	N	TEMPERATURE	Temperature	18.5	Deg C	[NULL]	[NULL]	[NULL]	R	B21LD8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/21/2009 10:46	N	TEMPERATURE	Temperature	18.5	Deg C	[NULL]	[NULL]	[NULL]	R	B21LD7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/21/2009 10:46	N	TEMPERATURE	Temperature	18.5	Deg C	[NULL]	[NULL]	[NULL]	R	B21LD6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/21/2009 10:46	N	TEMPERATURE	Temperature	18.5	Deg C	[NULL]	[NULL]	[NULL]	R	B21LD5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-3	9/21/2009 10:46	N	TOC	Total organic carbon	797	ug/L	B	[NULL]	[NULL]	R	B21LF2	TOC	WSCF	9060_TOC	100-NR-2
199-N-3	9/21/2009 10:46	N	TOC	Total organic carbon	791	ug/L	B	[NULL]	[NULL]	R	B21LF1	TOC	WSCF	9060_TOC	100-NR-2
199-N-3	9/21/2009 10:46	N	TOC	Total organic carbon	778	ug/L	B	[NULL]	[NULL]	R	B21LF0	TOC	WSCF	9060_TOC	100-NR-2
199-N-3	9/21/2009 10:46	N	TOC	Total organic carbon	762	ug/L	B	[NULL]	[NULL]	R	B21LD9	TOC	WSCF	9060_TOC	100-NR-2
199-N-3	9/21/2009 10:46	N	59473-04-0	Total organic halides	11	ug/L	B	[NULL]	[NULL]	R	B21LF1	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-3	9/21/2009 10:46	N	59473-04-0	Total organic halides	10.4	ug/L	B	[NULL]	[NULL]	R	B21LF0	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-3	9/21/2009 10:46	N	59473-04-0	Total organic halides	8.56	ug/L	B	[NULL]	[NULL]	R	B21LD9	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-3	9/21/2009 10:46	N	59473-04-0	Total organic halides	9.48	ug/L	B	[NULL]	[NULL]	R	B21LF2	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-3	9/21/2009 10:46	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	17	ug/L	U	[NULL]	[NULL]	R	B21JC2	TPHDIESEL	TASL	WTPH_DIESEL	100-NR-2
199-N-3	9/21/2009 10:46	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	70	ug/L	U	[NULL]	[NULL]	R	B21JC4	TPHDIESEL	WSCF	WTPH_DIESEL	100-NR-2
199-N-3	9/21/2009 10:46	N	10028-17-8	Tritium	2200	pCi/L	[NULL]	[NULL]	[NULL]	R	B21JC5	10028-17-8	TARL	906.0_H3_LSC	100-NR-2
199-N-3	9/21/2009 10:46	N	10028-17-8	Tritium	2100	pCi/L	[NULL]	[NULL]	[NULL]	R	B21JC4	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-3	9/21/2009 10:46	N	TURBIDITY	Turbidity	1.76	NTU	[NULL]	[NULL]	[NULL]	R	B21LD7	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-3	9/21/2009 10:46	N	TURBIDITY	Turbidity	2.06	NTU	[NULL]	[NULL]	[NULL]	R	B21LD8	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-3	9/21/2009 10:46	N	TURBIDITY	Turbidity	1.86	NTU	[NULL]	[NULL]	[NULL]	R	B21LD5	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-3	9/21/2009 10:46	N	TURBIDITY	Turbidity	1.96	NTU	[NULL]	[NULL]	[NULL]	R	B21LD6	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-3	9/21/2009 10:46	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B21JC3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B21JC4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	7440-62-2	Vanadium	4.1	ug/L	U	[NULL]	[NULL]	R	B21JC2	7440-62-2	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	Y	7440-62-2	Vanadium	4.1	ug/L	U	[NULL]	[NULL]	R	B21JC1	7440-62-2	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	7440-66-6	Zinc	11.6	ug/L	B	[NULL]	[NULL]	R	B21JC4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	Y	7440-66-6	Zinc	13.4	ug/L	BC	[NULL]	[NULL]	R	B21JC1	7440-66-6	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	7440-66-6	Zinc	21.8	ug/L	C	[NULL]	[NULL]	R	B21JC2	7440-66-6	TASL	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	Y	7440-66-6	Zinc	12.1	ug/L	B	[NULL]	[NULL]	R	B21JC3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-3	9/21/2009 10:46	N	PH	pH Measurement	7.03	unitless	[NULL]	[NULL]	[NULL]	R	B21LD6	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	9/21/2009 10:46	N	PH	pH Measurement	7.03	unitless	[NULL]	[NULL]	[NULL]	R	B21LD5	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	9/21/2009 10:46	N	PH	pH Measurement	7.03	unitless	[NULL]	[NULL]	[NULL]	R	B21LD8	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-3	9/21/2009 10:46	N	PH	pH Measurement	7.03	unitless	[NULL]	[NULL]	[NULL]	R	B21LD7	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-30	3/21/1988 0:00	N	10045-97-3	Cesium-137	4.98	pCi/L	U	[NULL]	[NULL]	R	H0007GC5	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-30	3/21/1988 0:00	N	10198-40-0	Cobalt-60	124	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GC5	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-30	3/21/1988 0:00	N	12587-47-2	Gross beta	129	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GC5	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-30	3/21/1988 0:00	N	14797-55-8	Nitrate	30100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GC5	14797-55-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-30	3/21/1988 0:00	N	13967-48-1	Ruthenium-106	2.7	pCi/L	U	[NULL]	[NULL]	R	H0007GC5	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-30	3/21/1988 0:00	N	10098-97-2	Strontium-90	4.35	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GC5	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-30	3/21/1988 0:00	N	14133-76-7	Technetium-99	14.1	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GC5	14133-76-7	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-30	3/21/1988 0:00	N	10028-17-8	Tritium	89600	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GC5	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-30	3/21/1988 0:00	N	7440-61-1	Uranium	0.601	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GC5	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-30	4/27/1988 0:00	N	10045-97-3	Cesium-137	0	pCi/L	U	[NULL]	[NULL]	R	H0007GC6	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-30	4/27/1988 0:00	N	10198-40-0	Cobalt-60	128	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GC6	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-30	4/27/1988 0:00	N	12587-47-2	Gross beta	126	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GC6	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-30	4/27/1988 0:00	N	14797-55-8	Nitrate	26600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GC6	14797-55-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-30	4/27/1988 0:00	N	13967-48-1	Ruthenium-106	19.6	pCi/L	U	[NULL]	[NULL]	R	H0007GC6	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-30	4/27/1988 0:00	N	10098-97-2	Strontium-90	4.67	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GC6	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-30	4/27/1988 0:00	N	10028-17-8	Tritium	92400	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GC6	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-30	4/27/1988 0:00	N	7440-61-1	Uranium	0.652	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GC6	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	1/22/1988 0:00	N	14234-35-6	Antimony-125	165	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GG5	14234-35-6	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	1/22/1988 0:00	N	10045-97-3	Cesium-137	-2.65	pCi/L	U	[NULL]	[NULL]	R	H0007GG5	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	1/22/1988 0:00	N	10198-40-0	Cobalt-60	68.9	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GG5	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	1/22/1988 0:00	N	12587-47-2	Gross beta	193	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GG5	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	1/22/1988 0:00	N	14797-55-8	Nitrate	24600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GG5	14797-55-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	1/22/1988 0:00	N	13967-48-1	Ruthenium-106	70.1	pCi/L	U	[NULL]	[NULL]	R	H0007GG5	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	1/22/1988 0:00	N	10098-97-2	Strontium-90	20.3	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GG5	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	1/22/1988 0:00	N	14133-76-7	Technetium-99	14.5	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GG5	14133-76-7	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	1/22/1988 0:00	N	10028-17-8	Tritium	61900	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GG5	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	1/22/1988 0:00	N	7440-61-1	Uranium	1.01	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GG5	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	3/11/1988 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007GG6	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/11/1988 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GG6	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/11/1988 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GG6	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/11/1988 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007GG6	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-31	3/11/1988 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007GG6	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-31	3/11/1988 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007GG6	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/11/1988 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007GG6	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/11/1988 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GG6	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	3/11/1988 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GG6F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/11/1988 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GG6	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/11/1988 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007GG6	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-31	3/11/1988 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007GG6	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	3/11/1988 0:00	N	7440-39-3	Barium	18	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GG6	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/11/1988 0:00	Y	7440-39-3	Barium	21	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GG6F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/11/1988 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GG6	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/11/1988 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GG6F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/11/1988 0:00	Y	7440-70-2	Calcium	27500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GG6F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/11/1988 0:00	N	7440-70-2	Calcium	25400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GG6	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/11/1988 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007GG6	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/11/1988 0:00	N	16887-00-6	Chloride	913	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GG6	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	3/11/1988 0:00	N	67-66-3	Chloroform	3	ug/L	U	[NULL]	[NULL]	R	H0007GG6	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/11/1988 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GG6F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/11/1988 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GG6	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/11/1988 0:00	N	COLIFORM	Coliform Bacteria	2.2	MPN	U	[NULL]	[NULL]	R	H0007GG6	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-31	3/11/1988 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GG6	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/11/1988 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GG6F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	3/11/1988 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GG6	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	3/11/1988 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GG6	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	3/11/1988 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007GG6	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	3/11/1988 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GG6	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	3/11/1988 0:00	N	12587-46-1	Gross alpha	2.05	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GG6	12587-46-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	3/11/1988 0:00	N	12587-47-2	Gross beta	145	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GG6	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	3/11/1988 0:00	N	7439-89-6	Iron	40	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GG6	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/11/1988 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007GG6F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/11/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GG6	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-31	3/11/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GG6	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	3/11/1988 0:00	N	7439-95-4	Magnesium	4280	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GG6	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/11/1988 0:00	Y	7439-95-4	Magnesium	4620	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GG6F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/11/1988 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GG6	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/11/1988 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GG6F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/11/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GG6	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	3/11/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GG6	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-31	3/11/1988 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007GG6	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	3/11/1988 0:00	N	75-09-2	Methylene chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007GG6	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/11/1988 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GG6F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/11/1988 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GG6	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/11/1988 0:00	N	14797-55-8	Nitrate	15600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GG6	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	3/11/1988 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007GG6	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	3/11/1988 0:00	N	7440-09-7	Potassium	2250	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GG6	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/11/1988 0:00	Y	7440-09-7	Potassium	2480	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GG6F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/11/1988 0:00	N	7440-14-4	Radium	0.085	pCi/L	U	[NULL]	[NULL]	R	H0007GG6	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	3/11/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GG6	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-31	3/11/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GG6	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	3/11/1988 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GG6F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/11/1988 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GG6	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/11/1988 0:00	Y	7440-23-5	Sodium	1870	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GG6F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/11/1988 0:00	N	7440-23-5	Sodium	1730	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GG6	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/11/1988 0:00	N	CONDUCT	Specific Conductance	113	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GG6	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-31	3/11/1988 0:00	N	14808-79-8	Sulfate	12200	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GG6	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	3/11/1988 0:00	N	TEMPERATURE	Temperature	14	Deg C	[NULL]	[NULL]	[NULL]	R	H000GK58	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-31	3/11/1988 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GG6	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/11/1988 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007GG6	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	3/11/1988 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GG6	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/11/1988 0:00	N	7440-62-2	Vanadium	5	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GG6	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/11/1988 0:00	Y	7440-62-2	Vanadium	5	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GG6F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/11/1988 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007GG6	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/11/1988 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007GG6F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/11/1988 0:00	N	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007GG6	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/11/1988 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GG6	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	3/11/1988 0:00	N	PH	pH Measurement	8.5	unitless	[NULL]	[NULL]	[NULL]	R	H0007GG6	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	4/13/1988 0:00	N	10045-97-3	Cesium-137	4.88	pCi/L	U	[NULL]	[NULL]	R	H0007GG7	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	4/13/1988 0:00	N	10198-40-0	Cobalt-60	82.5	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GG7	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	4/13/1988 0:00	N	12587-47-2	Gross beta	155	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GG7	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	4/13/1988 0:00	N	14797-55-8	Nitrate	35600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GG7	14797-55-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	4/13/1988 0:00	N	13967-48-1	Ruthenium-106	18.9	pCi/L	U	[NULL]	[NULL]	R	H0007GG7	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	4/13/1988 0:00	N	10098-97-2	Strontium-90	31.2	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GG7	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	4/13/1988 0:00	N	10028-17-8	Tritium	62200	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GG7	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	4/13/1988 0:00	N	7440-61-1	Uranium	1.04	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GG7	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	6/28/1988 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007GG8	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	6/28/1988 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GG8	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	6/28/1988 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GG8	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	6/28/1988 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007GG8	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-31	6/28/1988 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007GG8	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-31	6/28/1988 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007GG8	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	6/28/1988 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007GG8	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	6/28/1988 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GG8	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	6/28/1988 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GG8F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	6/28/1988 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GG8	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	6/28/1988 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007GG8	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-31	6/28/1988 0:00	N	14234-35-6	Antimony-125	117	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GG8	14234-35-6	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	6/28/1988 0:00	N	12674-11-2	Aroclor-1016	1	ug/L	U	[NULL]	[NULL]	R	H0007GG8	12674-11-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	6/28/1988 0:00	N	11104-28-2	Aroclor-1221	1	ug/L	U	[NULL]	[NULL]	R	H0007GG8	11104-28-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	6/28/1988 0:00	N	11141-16-5	Aroclor-1232	1	ug/L	U	[NULL]	[NULL]	R	H0007GG8	11141-16-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	6/28/1988 0:00	N	53469-21-9	Aroclor-1242	1	ug/L	U	[NULL]	[NULL]	R	H0007GG8	53469-21-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	6/28/1988 0:00	N	12672-29-6	Aroclor-1248	1	ug/L	U	[NULL]	[NULL]	R	H0007GG8	12672-29-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	6/28/1988 0:00	N	11097-69-1	Aroclor-1254	1	ug/L	U	[NULL]	[NULL]	R	H0007GG8	11097-69-1	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	6/28/1988 0:00	N	11096-82-5	Aroclor-1260	1	ug/L	U	[NULL]	[NULL]	R	H0007GG8	11096-82-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	6/28/1988 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007GG8	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-31	6/28/1988 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007GG8	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	6/28/1988 0:00	Y	7440-39-3	Barium	17	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GG8F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	6/28/1988 0:00	N	7440-39-3	Barium	19	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GG8	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	6/28/1988 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GG8F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	6/28/1988 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GG8	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	6/28/1988 0:00	Y	7440-70-2	Calcium	29000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GG8F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	6/28/1988 0:00	N	7440-70-2	Calcium	29900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GG8	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	6/28/1988 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007GG8	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	6/28/1988 0:00	N	10045-97-3	Cesium-137	-0.662	pCi/L	U	[NULL]	[NULL]	R	H0007GG8	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	6/28/1988 0:00	N	16887-00-6	Chloride	747	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GG8	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	6/28/1988 0:00	N	67-66-3	Chloroform	3	ug/L	U	[NULL]	[NULL]	R	H0007GG8	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	6/28/1988 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GG8F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	6/28/1988 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GG8	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	6/28/1988 0:00	N	10198-40-0	Cobalt-60	63.1	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GG8	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	6/28/1988 0:00	N	COLIFORM	Coliform Bacteria	2.2	MPN	U	[NULL]	[NULL]	R	H0007GG8	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-31	6/28/1988 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GG8F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	6/28/1988 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GG8	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	6/28/1988 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GG8	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	6/28/1988 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GG8	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	6/28/1988 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007GG8	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	6/28/1988 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GG8	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	6/28/1988 0:00	N	12587-46-1	Gross alpha	1.36	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GG8	12587-46-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	6/28/1988 0:00	N	12587-47-2	Gross beta	219	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GG8	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	6/28/1988 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007GG8	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-31	6/28/1988 0:00	N	7439-89-6	Iron	38	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GG8	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	6/28/1988 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007GG8F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	6/28/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GG8	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-31	6/28/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GG8	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	6/28/1988 0:00	Y	7439-95-4	Magnesium	5130	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GG8F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	6/28/1988 0:00	N	7439-95-4	Magnesium	4960	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GG8	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	6/28/1988 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GG8	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	6/28/1988 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GG8F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	6/28/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GG8	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-31	6/28/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GG8	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	6/28/1988 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007GG8	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	6/28/1988 0:00	N	75-09-2	Methylene chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007GG8	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	6/28/1988 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GG8	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	6/28/1988 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GG8F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	6/28/1988 0:00	N	14797-55-8	Nitrate	31800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GG8	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	6/28/1988 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GG8	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2
199-N-31	6/28/1988 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007GG8	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	6/28/1988 0:00	Y	7440-09-7	Potassium	2680	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GG8F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	6/28/1988 0:00	N	7440-09-7	Potassium	2560	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GG8	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	6/28/1988 0:00	N	7440-14-4	Radium	0.126	pCi/L	U	[NULL]	[NULL]	R	H0007GG8	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	6/28/1988 0:00	N	13967-48-1	Ruthenium-106	25.3	pCi/L	U	[NULL]	[NULL]	R	H0007GG8	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	6/28/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GG8	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-31	6/28/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GG8	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	6/28/1988 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GG8F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	6/28/1988 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GG8	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	6/28/1988 0:00	N	7440-23-5	Sodium	2240	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GG8	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	6/28/1988 0:00	Y	7440-23-5	Sodium	2160	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GG8F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	6/28/1988 0:00	N	CONDUCT	Specific Conductance	195	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GH1	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-31	6/28/1988 0:00	N	CONDUCT	Specific Conductance	196	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GH0	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-31	6/28/1988 0:00	N	CONDUCT	Specific Conductance	196	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GG9	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-31	6/28/1988 0:00	N	CONDUCT	Specific Conductance	199	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GG8	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-31	6/28/1988 0:00	N	10098-97-2	Strontium-90	25.8	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GG8	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	6/28/1988 0:00	N	14808-79-8	Sulfate	7560	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GG8	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	6/28/1988 0:00	N	TEMPERATURE	Temperature	29	Deg C	[NULL]	[NULL]	[NULL]	R	H000GL03	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-31	6/28/1988 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GG8	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	6/28/1988 0:00	N	TOC	Total organic carbon	485	ug/L	U	[NULL]	[NULL]	R	H0007GH1	TOC	USTEST	9060_TOC	100-NR-2
199-N-31	6/28/1988 0:00	N	TOC	Total organic carbon	462	ug/L	U	[NULL]	[NULL]	R	H0007GG8	TOC	USTEST	9060_TOC	100-NR-2
199-N-31	6/28/1988 0:00	N	TOC	Total organic carbon	443	ug/L	U	[NULL]	[NULL]	R	H0007GG9	TOC	USTEST	9060_TOC	100-NR-2
199-N-31	6/28/1988 0:00	N	TOC	Total organic carbon	393	ug/L	U	[NULL]	[NULL]	R	H0007GH0	TOC	USTEST	9060_TOC	100-NR-2
199-N-31	6/28/1988 0:00	N	59473-04-0	Total organic halides	2.5	ug/L	U	[NULL]	[NULL]	R	H0007GH1	59473-04-0	USTEST	9020_TOX_M	100-NR-2
199-N-31	6/28/1988 0:00	N	59473-04-0	Total organic halides	1	ug/L	U	[NULL]	[NULL]	R	H0007GG9	59473-04-0	USTEST	9020_TOX_M	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	6/28/1988 0:00	N	59473-04-0	Total organic halides	5.2	ug/L	U	[NULL]	[NULL]	R	H0007GH0	59473-04-0	USTEST	9020_TOX_M	100-NR-2
199-N-31	6/28/1988 0:00	N	59473-04-0	Total organic halides	11	ug/L	U	[NULL]	[NULL]	R	H0007GG8	59473-04-0	USTEST	9020_TOX_M	100-NR-2
199-N-31	6/28/1988 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007GG8	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	6/28/1988 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GG8	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	6/28/1988 0:00	N	10028-17-8	Tritium	88800	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GG8	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	6/28/1988 0:00	N	7440-61-1	Uranium	0.844	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GG8	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	6/28/1988 0:00	Y	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007GG8F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	6/28/1988 0:00	N	7440-62-2	Vanadium	6	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GG8	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	6/28/1988 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007GG8	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	6/28/1988 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007GG8F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	6/28/1988 0:00	N	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007GG8	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	6/28/1988 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GG8	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	6/28/1988 0:00	N	PH	pH Measurement	7.4	unitless	[NULL]	[NULL]	[NULL]	R	H0007GH0	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-31	6/28/1988 0:00	N	PH	pH Measurement	7.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007GG8	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-31	6/28/1988 0:00	N	PH	pH Measurement	7.3	unitless	[NULL]	[NULL]	[NULL]	R	H0007GH1	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-31	6/28/1988 0:00	N	PH	pH Measurement	7.4	unitless	[NULL]	[NULL]	[NULL]	R	H0007GG9	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-31	8/1/1988 0:00	N	10045-97-3	Cesium-137	-0.376	pCi/L	U	[NULL]	[NULL]	R	H0007GH2	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	8/1/1988 0:00	N	10198-40-0	Cobalt-60	81.2	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GH2	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	8/1/1988 0:00	N	12587-47-2	Gross beta	166	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GH2	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	8/1/1988 0:00	N	14797-55-8	Nitrate	31700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH2	14797-55-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	8/1/1988 0:00	N	13967-48-1	Ruthenium-106	53.4	pCi/L	U	[NULL]	[NULL]	R	H0007GH2	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	8/1/1988 0:00	N	10098-97-2	Strontium-90	29.1	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GH2	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	8/1/1988 0:00	N	14133-76-7	Technetium-99	9.85	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GH2	14133-76-7	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	8/1/1988 0:00	N	10028-17-8	Tritium	52500	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GH2	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	8/1/1988 0:00	N	7440-61-1	Uranium	0.89	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH2	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	9/15/1988 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007GH3	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/15/1988 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GH3	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/15/1988 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GH3	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/15/1988 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007GH3	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-31	9/15/1988 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007GH3	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-31	9/15/1988 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007GH3	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/15/1988 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007GH3	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/15/1988 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GH3	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	9/15/1988 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GH3	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/15/1988 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GH3F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/15/1988 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007GH3	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-31	9/15/1988 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007GH3	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-31	9/15/1988 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007GH3	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	9/15/1988 0:00	Y	7440-39-3	Barium	17	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH3F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/15/1988 0:00	N	7440-39-3	Barium	18	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH3	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/15/1988 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GH3F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/15/1988 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GH3	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/15/1988 0:00	Y	7440-70-2	Calcium	29000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH3F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	9/15/1988 0:00	N	7440-70-2	Calcium	26500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH3	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/15/1988 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007GH3	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/15/1988 0:00	N	16887-00-6	Chloride	697	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH3	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	9/15/1988 0:00	N	67-66-3	Chloroform	8	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH3	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/15/1988 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GH3	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/15/1988 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GH3F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/15/1988 0:00	N	COLIFORM	Coliform Bacteria	2.2	MPN	U	[NULL]	[NULL]	R	H0007GH3	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-31	9/15/1988 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GH3	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/15/1988 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GH3F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/15/1988 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GH3	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	9/15/1988 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GH3	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	9/15/1988 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007GH3	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	9/15/1988 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GH3	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	9/15/1988 0:00	N	12587-46-1	Gross alpha	0.597	pCi/L	U	[NULL]	[NULL]	R	H0007GH3	12587-46-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	9/15/1988 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007GH3	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-31	9/15/1988 0:00	N	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007GH3	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/15/1988 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007GH3F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/15/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GH3	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	9/15/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GH3	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-31	9/15/1988 0:00	Y	7439-95-4	Magnesium	4620	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH3F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/15/1988 0:00	N	7439-95-4	Magnesium	4430	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH3	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/15/1988 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GH3	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/15/1988 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GH3F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/15/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GH3	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-31	9/15/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GH3	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	9/15/1988 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007GH3	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	9/15/1988 0:00	N	75-09-2	Methylene chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007GH3	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/15/1988 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GH3	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/15/1988 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GH3F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/15/1988 0:00	N	14797-55-8	Nitrate	28500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH3	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	9/15/1988 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GH3	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2
199-N-31	9/15/1988 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007GH3	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	9/15/1988 0:00	N	7440-09-7	Potassium	2630	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH3	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/15/1988 0:00	Y	7440-09-7	Potassium	2680	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH3F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/15/1988 0:00	N	7440-14-4	Radium	-0.0813	pCi/L	U	[NULL]	[NULL]	R	H0007GH3	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	9/15/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GH3	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	9/15/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GH3	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-31	9/15/1988 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GH3	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/15/1988 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GH3F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/15/1988 0:00	Y	7440-23-5	Sodium	2040	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH3F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/15/1988 0:00	N	7440-23-5	Sodium	2140	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH3	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/15/1988 0:00	N	CONDUCT	Specific Conductance	133	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GH5	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-31	9/15/1988 0:00	N	CONDUCT	Specific Conductance	133	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GH6	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-31	9/15/1988 0:00	N	CONDUCT	Specific Conductance	133	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GH4	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-31	9/15/1988 0:00	N	CONDUCT	Specific Conductance	133	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GH3	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-31	9/15/1988 0:00	N	14808-79-8	Sulfate	7990	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH3	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	9/15/1988 0:00	N	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	R	H000GM38	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-31	9/15/1988 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GH3	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/15/1988 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007GH4	TOC	USTEST	9060_TOC	100-NR-2
199-N-31	9/15/1988 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007GH6	TOC	USTEST	9060_TOC	100-NR-2
199-N-31	9/15/1988 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007GH5	TOC	USTEST	9060_TOC	100-NR-2
199-N-31	9/15/1988 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007GH3	TOC	USTEST	9060_TOC	100-NR-2
199-N-31	9/15/1988 0:00	N	59473-04-0	Total organic halides	12	ug/L	U	[NULL]	[NULL]	R	H0007GH3	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-31	9/15/1988 0:00	N	59473-04-0	Total organic halides	14	ug/L	U	[NULL]	[NULL]	R	H0007GH6	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-31	9/15/1988 0:00	N	59473-04-0	Total organic halides	12	ug/L	U	[NULL]	[NULL]	R	H0007GH4	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-31	9/15/1988 0:00	N	59473-04-0	Total organic halides	6	ug/L	U	[NULL]	[NULL]	R	H0007GH5	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-31	9/15/1988 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007GH3	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	9/15/1988 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GH3	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/15/1988 0:00	Y	7440-62-2	Vanadium	9	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH3F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/15/1988 0:00	N	7440-62-2	Vanadium	11	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH3	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/15/1988 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007GH3	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/15/1988 0:00	N	7440-66-6	Zinc	5	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH3	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/15/1988 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007GH3F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/15/1988 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GH3	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	9/15/1988 0:00	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	R	H0007GH3	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-31	9/15/1988 0:00	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	R	H0007GH6	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-31	9/15/1988 0:00	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	R	H0007GH5	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-31	9/15/1988 0:00	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	R	H0007GH4	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-31	11/30/1988 0:00	N	10045-97-3	Cesium-137	-0.662	pCi/L	U	[NULL]	[NULL]	R	H0007GH7	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	11/30/1988 0:00	N	10198-40-0	Cobalt-60	75.6	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GH7	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	11/30/1988 0:00	N	12587-47-2	Gross beta	186	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GH7	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	11/30/1988 0:00	N	14797-55-8	Nitrate	17300	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH7	14797-55-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	11/30/1988 0:00	N	13967-48-1	Ruthenium-106	47.6	pCi/L	U	[NULL]	[NULL]	R	H0007GH7	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	11/30/1988 0:00	N	10098-97-2	Strontium-90	24.7	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GH7	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	11/30/1988 0:00	N	10028-17-8	Tritium	443000	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GH7	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	11/30/1988 0:00	N	7440-61-1	Uranium	0.296	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH7	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	12/15/1988 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007GH8	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/15/1988 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GH8	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/15/1988 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GH8	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/15/1988 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007GH8	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-31	12/15/1988 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007GH8	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-31	12/15/1988 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007GH8	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/15/1988 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007GH8	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/15/1988 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GH8	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	12/15/1988 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GH8	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/15/1988 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GH8F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/15/1988 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007GH8F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/15/1988 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007GH8	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/15/1988 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007GH8	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-31	12/15/1988 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007GH8	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	12/15/1988 0:00	N	7440-39-3	Barium	12	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH8	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	12/15/1988 0:00	Y	7440-39-3	Barium	12	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH8F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/15/1988 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007GH8F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/15/1988 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007GH8	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/15/1988 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GH8	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/15/1988 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GH8F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/15/1988 0:00	Y	7440-70-2	Calcium	21000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH8F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/15/1988 0:00	N	7440-70-2	Calcium	19900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH8	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/15/1988 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007GH8	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/15/1988 0:00	N	10045-97-3	Cesium-137	-4.81	pCi/L	U	[NULL]	[NULL]	R	H0007GH8	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	12/15/1988 0:00	N	16887-00-6	Chloride	800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH8	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	12/15/1988 0:00	N	67-66-3	Chloroform	6	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH8	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/15/1988 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GH8	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/15/1988 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GH8F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/15/1988 0:00	N	10198-40-0	Cobalt-60	29.3	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GH8	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	12/15/1988 0:00	N	COLIFORM	Coliform Bacteria	2.2	MPN	U	[NULL]	[NULL]	R	H0007GH8	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-31	12/15/1988 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GH8	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/15/1988 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GH8F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/15/1988 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GH8	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	12/15/1988 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GH8	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	12/15/1988 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007GH8	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	12/15/1988 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GH8	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	12/15/1988 0:00	N	12587-46-1	Gross alpha	0.238	pCi/L	U	[NULL]	[NULL]	R	H0007GH8	12587-46-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	12/15/1988 0:00	N	12587-47-2	Gross beta	137	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GH8	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	12/15/1988 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007GH8F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/15/1988 0:00	N	7439-89-6	Iron	31	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH8	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/15/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GH8	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-31	12/15/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GH8	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	12/15/1988 0:00	N	7439-95-4	Magnesium	3440	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH8	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/15/1988 0:00	Y	7439-95-4	Magnesium	3510	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH8F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/15/1988 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GH8F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/15/1988 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GH8	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/15/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GH8	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	12/15/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GH8	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-31	12/15/1988 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007GH8	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	12/15/1988 0:00	N	75-09-2	Methylene chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007GH8	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/15/1988 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GH8	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/15/1988 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GH8F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/15/1988 0:00	N	14797-55-8	Nitrate	8600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH8	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	12/15/1988 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GH8	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2
199-N-31	12/15/1988 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007GH8	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	12/15/1988 0:00	Y	7440-09-7	Potassium	2240	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH8F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/15/1988 0:00	N	7440-09-7	Potassium	2250	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH8	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/15/1988 0:00	N	7440-14-4	Radium	0.0695	pCi/L	U	[NULL]	[NULL]	R	H0007GH8	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	12/15/1988 0:00	N	13967-48-1	Ruthenium-106	79.2	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GH8	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	12/15/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GH8	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	12/15/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GH8	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-31	12/15/1988 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GH8F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/15/1988 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GH8	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/15/1988 0:00	Y	7440-23-5	Sodium	1910	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH8F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/15/1988 0:00	N	7440-23-5	Sodium	1520	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH8	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/15/1988 0:00	N	CONDUCT	Specific Conductance	155	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GJ0	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-31	12/15/1988 0:00	N	CONDUCT	Specific Conductance	155	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GH8	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-31	12/15/1988 0:00	N	CONDUCT	Specific Conductance	155	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GH9	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-31	12/15/1988 0:00	N	CONDUCT	Specific Conductance	155	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GJ1	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-31	12/15/1988 0:00	N	7440-24-6	Strontium	84	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH8	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/15/1988 0:00	Y	7440-24-6	Strontium	86	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH8F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/15/1988 0:00	N	10098-97-2	Strontium-90	28.1	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GH8	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	12/15/1988 0:00	N	14808-79-8	Sulfate	13700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH8	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	12/15/1988 0:00	N	TEMPERATURE	Temperature	20	Deg C	[NULL]	[NULL]	[NULL]	R	H000GN31	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-31	12/15/1988 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GH8	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/15/1988 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007GJ0	TOC	USTEST	9060_TOC	100-NR-2
199-N-31	12/15/1988 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007GH9	TOC	USTEST	9060_TOC	100-NR-2
199-N-31	12/15/1988 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007GJ1	TOC	USTEST	9060_TOC	100-NR-2
199-N-31	12/15/1988 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007GH8	TOC	USTEST	9060_TOC	100-NR-2
199-N-31	12/15/1988 0:00	N	59473-04-0	Total organic halides	12	ug/L	U	[NULL]	[NULL]	R	H0007GH8	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-31	12/15/1988 0:00	N	59473-04-0	Total organic halides	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ1	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-31	12/15/1988 0:00	N	59473-04-0	Total organic halides	10	ug/L	U	[NULL]	[NULL]	R	H0007GH9	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-31	12/15/1988 0:00	N	59473-04-0	Total organic halides	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ0	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-31	12/15/1988 0:00	N	59473-04-0	Total organic halides	9	ug/L	U	[NULL]	[NULL]	R	H0007GJ0	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-31	12/15/1988 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007GH8	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	12/15/1988 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GH8	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/15/1988 0:00	N	10028-17-8	Tritium	173000	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GH8	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	12/15/1988 0:00	N	7440-61-1	Uranium	0.494	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH8	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	12/15/1988 0:00	N	7440-62-2	Vanadium	9	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH8	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/15/1988 0:00	Y	7440-62-2	Vanadium	11	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH8F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/15/1988 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007GH8	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/15/1988 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007GH8F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/15/1988 0:00	N	7440-66-6	Zinc	5	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GH8	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/15/1988 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GH8	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	12/15/1988 0:00	N	PH	pH Measurement	8.4	unitless	[NULL]	[NULL]	[NULL]	R	H0007GH9	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-31	12/15/1988 0:00	N	PH	pH Measurement	8.4	unitless	[NULL]	[NULL]	[NULL]	R	H0007GJ0	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-31	12/15/1988 0:00	N	PH	pH Measurement	8.3	unitless	[NULL]	[NULL]	[NULL]	R	H0007GJ1	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-31	12/15/1988 0:00	N	PH	pH Measurement	8.4	unitless	[NULL]	[NULL]	[NULL]	R	H0007GH8	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-31	1/5/1989 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007GJ2	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-31	1/5/1989 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007GJ2	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-31	1/5/1989 0:00	N	CONDUCT	Specific Conductance	114	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GJ2	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-31	1/5/1989 0:00	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	H000GN95	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-31	1/5/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007GJ2	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-31	3/6/1989 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	630-20-6	1,1,1,2-Tetrachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	630-20-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	79-34-5	1,1,2,2-Tetrachloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	79-34-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	3/6/1989 0:00	N	75-34-3	1,1-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	75-34-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	75-35-4	1,1-Dichloroethene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	75-35-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	57-14-7	1,1-Dimethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	57-14-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	634-66-2	1,2,3,4-Tetrachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	634-66-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	634-90-2	1,2,3,5-Tetrachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	634-90-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	87-61-6	1,2,3-Trichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	87-61-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	96-18-4	1,2,3-Trichloropropane	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	96-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	95-94-3	1,2,4,5-Tetrachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	95-94-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	120-82-1	1,2,4-Trichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	120-82-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	96-12-8	1,2-Dibromo-3-chloropropane	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	96-12-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	106-93-4	1,2-Dibromoethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	106-93-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	95-50-1	1,2-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	95-50-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	107-06-2	1,2-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	107-06-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	78-87-5	1,2-Dichloropropane	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	78-87-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	540-73-8	1,2-Dimethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	540-73-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	122-66-7	1,2-Diphenylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	122-66-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	108-70-3	1,3,5-Trichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	108-70-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	541-73-1	1,3-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	541-73-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	542-75-6	1,3-Dichloropropene	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	542-75-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	106-46-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	106-46-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	123-91-1	1,4-Dioxane	500	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	123-91-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	130-15-4	1,4-Naphthoquinone	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	130-15-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	5344-82-1	1-(o-Chlorophenyl)thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	5344-82-1	USTEST	8330_THIOUREA_M	100-NR-2
199-N-31	3/6/1989 0:00	N	591-08-2	1-Acetyl-2-thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	591-08-2	USTEST	8330_THIOUREA_M	100-NR-2
199-N-31	3/6/1989 0:00	N	71-36-3	1-Butanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	71-36-3	USTEST	GC_DIRECT	100-NR-2
199-N-31	3/6/1989 0:00	N	L60	1-Butynol	10000	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	L60	USTEST	GC_DIRECT	100-NR-2
199-N-31	3/6/1989 0:00	N	106-89-8	1-Chloro-2,3-epoxypropane	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	106-89-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	86-88-4	1-Naphthyl-2-thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	86-88-4	USTEST	8330_THIOUREA_M	100-NR-2
199-N-31	3/6/1989 0:00	N	134-32-7	1-Naphthylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	134-32-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	71-23-8	1-Propanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	71-23-8	USTEST	GC_DIRECT	100-NR-2
199-N-31	3/6/1989 0:00	N	58-90-2	2,3,4,6-Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	58-90-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	1746-01-6	2,3,7,8-Tetrachlorodibenzo-p-dioxin	0.01	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	1746-01-6	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	93-76-5	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-31	3/6/1989 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-31	3/6/1989 0:00	N	95-95-4	2,4,5-Trichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	95-95-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	88-06-2	2,4,6-Trichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	88-06-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-31	3/6/1989 0:00	N	120-83-2	2,4-Dichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	120-83-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	51-28-5	2,4-Dinitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	51-28-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	121-14-2	2,4-Dinitrotoluene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	121-14-2	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	3/6/1989 0:00	N	87-65-0	2,6-Dichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	87-65-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	606-20-2	2,6-Dinitrotoluene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	606-20-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	53-96-3	2-Acetylaminofluorene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	53-96-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	110-75-8	2-Chloroethyl vinyl ether	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	110-75-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	91-58-7	2-Chloronaphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	91-58-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	95-57-8	2-Chlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	95-57-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	131-89-5	2-Cyclohexyl-4,6-dinitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	131-89-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	591-78-6	2-Hexanone	50	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	591-78-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	116-06-3	2-Methyl-2-(methylthio)propionaldehyde-o-(methylcarbonyl) ox	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	116-06-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	75-55-8	2-Methylaziridine	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	75-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	75-86-5	2-Methyllactonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	75-86-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	91-57-6	2-Methylnaphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	91-57-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	91-59-8	2-Naphthylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	91-59-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	88-74-4	2-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	88-74-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	88-75-5	2-Nitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	88-75-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	109-06-8	2-Picoline	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	109-06-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	107-19-7	2-Propyn-1-ol	10000	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	107-19-7	USTEST	GC_DIRECT	100-NR-2
199-N-31	3/6/1989 0:00	N	91-94-1	3,3'-Dichlorobenzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	91-94-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	119-90-4	3,3'-Dimethoxybenzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	119-90-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	119-93-7	3,3'-Dimethylbenzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	119-93-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	542-76-7	3-Chloropropionitrile	10000	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	542-76-7	USTEST	GC_DIRECT	100-NR-2
199-N-31	3/6/1989 0:00	N	56-49-5	3-Methylcholanthrene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	56-49-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	99-09-2	3-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	99-09-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	72-54-8	4,4'-DDD (Dichlorodiphenyldichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	72-54-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	3/6/1989 0:00	N	72-55-9	4,4'-DDE (Dichlorodiphenyldichloroethylene)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	72-55-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	3/6/1989 0:00	N	50-29-3	4,4'-DDT (Dichlorodiphenyltrichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	50-29-3	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	3/6/1989 0:00	N	101-14-4	4,4'-Methylenebis(2-chloroaniline)	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	101-14-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	534-52-1	4,6-Dinitro-2-methylphenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	534-52-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	92-67-1	4-Aminobiphenyl	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	92-67-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	101-55-3	4-Bromophenylphenyl ether	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	101-55-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	59-50-7	4-Chloro-3-methylphenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	59-50-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	106-47-8	4-Chloroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	106-47-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	100-01-6	4-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	100-01-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	100-02-7	4-Nitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	100-02-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	56-57-5	4-Nitroquinoline-1-oxide	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	56-57-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	2763-96-4	5-(Aminomethyl)-3-isoxazolol	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	2763-96-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	99-55-8	5-Nitro-o-toluidine	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	99-55-8	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	3/6/1989 0:00	N	57-97-6	7,12-Dimethylbenz[a]anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	57-97-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	194-59-2	7H-Dibenzo[c,g]carbazole	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	194-59-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	83-32-9	Acenaphthene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	83-32-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	208-96-8	Acenaphthylene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	208-96-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	67-64-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	67-64-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	75-05-8	Acetonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	75-05-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	98-86-2	Acetophenone	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	98-86-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	107-02-8	Acrolein	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	107-02-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	79-06-1	Acrylamide	10000	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	79-06-1	USTEST	GC_DIRECT	100-NR-2
199-N-31	3/6/1989 0:00	N	107-13-1	Acrylonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	107-13-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	309-00-2	Aldrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	309-00-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	3/6/1989 0:00	N	107-18-6	Allyl alcohol	10000	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	107-18-6	USTEST	GC_DIRECT	100-NR-2
199-N-31	3/6/1989 0:00	N	107-05-1	Allyl chloride	100	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	107-05-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	ALPHAHI	Alpha	0.394	pCi/L	U	[NULL]	[NULL]	R	H0007GJ3	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	3/6/1989 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	3/6/1989 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GJ3F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	N	61-82-5	Amitrole	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	61-82-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-31	3/6/1989 0:00	N	62-53-3	Aniline	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	62-53-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	120-12-7	Anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	120-12-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007GJ3F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	N	140-57-8	Aramite	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	140-57-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	12674-11-2	Aroclor-1016	1	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	12674-11-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	3/6/1989 0:00	N	11104-28-2	Aroclor-1221	1	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	11104-28-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	3/6/1989 0:00	N	11141-16-5	Aroclor-1232	1	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	11141-16-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	3/6/1989 0:00	N	53469-21-9	Aroclor-1242	1	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	53469-21-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	3/6/1989 0:00	N	12672-29-6	Aroclor-1248	1	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	12672-29-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	3/6/1989 0:00	N	11097-69-1	Aroclor-1254	1	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	11097-69-1	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	3/6/1989 0:00	N	11096-82-5	Aroclor-1260	1	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	11096-82-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	3/6/1989 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-31	3/6/1989 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	3/6/1989 0:00	N	492-80-8	Auramine	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	492-80-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	7440-39-3	Barium	10	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ3	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	Y	7440-39-3	Barium	10	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ3F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	N	225-51-4	Benz[c]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	225-51-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	71-43-2	Benzene	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	71-43-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	108-98-5	Benzenethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	108-98-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	92-87-5	Benzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	92-87-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	56-55-3	Benzo(a)anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	56-55-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	50-32-8	Benzo(a)pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	50-32-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	205-99-2	Benzo(b)fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	205-99-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	191-24-2	Benzo(ghi)perylene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	191-24-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	207-08-9	Benzo(k)fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	207-08-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	205-82-3	Benzo[j]fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	205-82-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	100-51-6	Benzyl alcohol	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	100-51-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	100-44-7	Benzyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	100-44-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	N	111-91-1	Bis(2-Chloroethoxy)methane	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	111-91-1	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	3/6/1989 0:00	N	108-60-1	Bis(2-chloro-1-methylethyl)ether	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	108-60-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	111-44-4	Bis(2-chloroethyl) ether	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	111-44-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	117-81-7	Bis(2-ethylhexyl) phthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	117-81-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	542-88-1	Bis(chloromethyl) ether	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	542-88-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	7440-42-8	Boron	19	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ3	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	Y	7440-42-8	Boron	20	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ3F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	3/6/1989 0:00	N	598-31-2	Bromoacetone	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	598-31-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	75-27-4	Bromodichloromethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	75-27-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	75-25-2	Bromoform	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	75-25-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	74-83-9	Bromomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	74-83-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	85-68-7	Butylbenzylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	85-68-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GJ3F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	N	7440-70-2	Calcium	18400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ3	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	Y	7440-70-2	Calcium	18500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ3F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	N	75-15-0	Carbon disulfide	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	75-15-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	786-19-6	Carbophenothion	2	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	786-19-6	USTEST	8140_PEST_GC	100-NR-2
199-N-31	3/6/1989 0:00	N	10045-97-3	Cesium-137	6.36	pCi/L	U	[NULL]	[NULL]	R	H0007GJ3	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	3/6/1989 0:00	N	57-74-9	Chlordane	1	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	57-74-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	3/6/1989 0:00	N	16887-00-6	Chloride	1000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ3	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	3/6/1989 0:00	N	494-03-1	Chlornaphazine	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	494-03-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	B44	Chloroalkyl ethers	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	B44	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	108-90-7	Chlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	108-90-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	108-90-7	Chlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	108-90-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	510-15-6	Chlorobenzilate	300	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	510-15-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	3/6/1989 0:00	N	75-00-3	Chloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	75-00-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	67-66-3	Chloroform	4	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	74-87-3	Chloromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	74-87-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	107-30-2	Chloromethyl methyl ether	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	107-30-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	N	218-01-9	Chrysene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	218-01-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	6358-53-8	Citrus red No. 2	1000	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	6358-53-8	USTEST	CITRUS_RED	100-NR-2
199-N-31	3/6/1989 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007GJ3F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	N	10198-40-0	Cobalt-60	10.6	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GJ3	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	3/6/1989 0:00	N	COLIFORM	Coliform Bacteria	2.2	MPN	U	[NULL]	[NULL]	R	H0007GJ3	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-31	3/6/1989 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	N	4170-30-3	Crotonaldehyde	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	4170-30-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	57-12-5	Cyanide	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	57-12-5	USTEST	9010_CYANIDE	100-NR-2
199-N-31	3/6/1989 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	3/6/1989 0:00	N	84-74-2	Di-n-butylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	84-74-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	117-84-0	Di-n-octylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	117-84-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	2303-16-4	Diallate	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	2303-16-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	226-36-8	Dibenz[a,h]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	226-36-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	53-70-3	Dibenz[a,h]anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	53-70-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	224-42-0	Dibenz[a,j]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	224-42-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	192-65-4	Dibenzo[a,e]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	192-65-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	189-64-0	Dibenzo[a,h]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	189-64-0	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	3/6/1989 0:00	N	189-55-9	Dibenzo[a,i]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	189-55-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	132-64-9	Dibenzofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	132-64-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	124-48-1	Dibromochloromethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	124-48-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	74-95-3	Dibromomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	74-95-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	107-66-4	Dibutylphosphate	10000	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	107-66-4	USTEST	70-MDBP	100-NR-2
199-N-31	3/6/1989 0:00	N	75-71-8	Dichlorodifluoromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	75-71-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	98-87-3	Dichloromethyl-benzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	98-87-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	60-57-1	Dieldrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	60-57-1	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	3/6/1989 0:00	N	84-66-2	Diethylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	84-66-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	56-53-1	Diethylstilbesterol	200	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	56-53-1	USTEST	8330_THIOUREA_M	100-NR-2
199-N-31	3/6/1989 0:00	N	94-58-6	Dihydrosafrole	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	94-58-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	60-51-5	Dimethoate	2	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	60-51-5	USTEST	8140_PEST_GC	100-NR-2
199-N-31	3/6/1989 0:00	N	131-11-3	Dimethyl phthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	131-11-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	88-85-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	122-39-4	Diphenylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	122-39-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	298-04-4	Disulfoton	2	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	298-04-4	USTEST	8140_PEST_GC	100-NR-2
199-N-31	3/6/1989 0:00	N	959-98-8	Endosulfan I	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	959-98-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	3/6/1989 0:00	N	33213-65-9	Endosulfan II	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	33213-65-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	3/6/1989 0:00	N	1031-07-8	Endosulfan sulfate	0.5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	1031-07-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	3/6/1989 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	3/6/1989 0:00	N	64-17-5	Ethanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	64-17-5	USTEST	GC_DIRECT	100-NR-2
199-N-31	3/6/1989 0:00	N	51-79-6	Ethyl carbamate (Urethane)	10000	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	51-79-6	USTEST	GC_DIRECT	100-NR-2
199-N-31	3/6/1989 0:00	N	107-12-0	Ethyl cyanide	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	107-12-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	107-12-0	Ethyl cyanide	10000	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	107-12-0	USTEST	GC_DIRECT	100-NR-2
199-N-31	3/6/1989 0:00	N	97-63-2	Ethyl methacrylate	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	97-63-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	62-50-0	Ethyl methanesulfonate	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	62-50-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	100-41-4	Ethylbenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	100-41-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	107-21-1	Ethylene glycol	10000	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	107-21-1	USTEST	GC_DIRECT	100-NR-2
199-N-31	3/6/1989 0:00	N	75-21-8	Ethylene oxide	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	75-21-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	151-56-4	Ethyleneimine	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	151-56-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	96-45-7	Ethylenethiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	96-45-7	USTEST	8330_THIOUREA_M	100-NR-2
199-N-31	3/6/1989 0:00	N	206-44-0	Fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	206-44-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	86-73-7	Fluorene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	86-73-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	3/6/1989 0:00	N	50-00-0	Formaldehyde	500	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	50-00-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	3/6/1989 0:00	N	12587-47-2	Gross beta	51.6	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GJ3	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	3/6/1989 0:00	N	76-44-8	Heptachlor	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	76-44-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	3/6/1989 0:00	N	1024-57-3	Heptachlor epoxide	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	1024-57-3	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	3/6/1989 0:00	N	118-74-1	Hexachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	118-74-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	87-68-3	Hexachlorobutadiene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	87-68-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	77-47-4	Hexachlorocyclopentadiene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	77-47-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	67-72-1	Hexachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	67-72-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	70-30-4	Hexachlorophene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	70-30-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	1888-71-7	Hexachloropropene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	1888-71-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	193-39-5	Indeno(1,2,3-cd)pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	193-39-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	74-88-4	Iodomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	74-88-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007GJ3F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	N	7439-89-6	Iron	101	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ3	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	N	78-83-1	Isobutyl alcohol	10000	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	78-83-1	USTEST	GC_DIRECT	100-NR-2
199-N-31	3/6/1989 0:00	N	465-73-6	Isodrin	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	465-73-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	78-59-1	Isophorone	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	78-59-1	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	3/6/1989 0:00	N	120-58-1	Isosafrole	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	120-58-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	143-50-0	Kepone	1	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	143-50-0	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	3/6/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	3/6/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-31	3/6/1989 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	Y	7439-95-4	Magnesium	3070	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ3F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	N	7439-95-4	Magnesium	2990	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ3	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	N	123-33-1	Maleic hydrazide	500	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	123-33-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	109-77-3	Malononitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	109-77-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	N	148-82-3	Melphalan	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	148-82-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	3/6/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-31	3/6/1989 0:00	N	126-98-7	Methacrylonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	126-98-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	74-93-1	Methanethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	74-93-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	91-80-5	Methapyrilene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	91-80-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	16752-77-5	Metholonyl	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	16752-77-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	3/6/1989 0:00	N	80-62-6	Methyl methacrylate	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	80-62-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	66-27-3	Methyl methanesulfonate	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	66-27-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	298-00-0	Methyl parathion	2	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	298-00-0	USTEST	8140_PEST_GC	100-NR-2
199-N-31	3/6/1989 0:00	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	56-04-2	Methylthiouracil	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	56-04-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007GJ3F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	N	1623-15-0	Monobutyl phosphate	10000	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	1623-15-0	USTEST	70-MDBP	100-NR-2
199-N-31	3/6/1989 0:00	N	91-20-3	Naphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	91-20-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	N	59-67-6	Nicotinic acid	100	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	59-67-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	14797-55-8	Nitrate	2600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ3	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	3/6/1989 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-31	3/6/1989 0:00	N	98-95-3	Nitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	98-95-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	930-55-2	Nitrosopyrrolidine	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	930-55-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	126-68-1	O,O,O-Triethyl phosphorothioate	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	126-68-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	297-97-2	O,O-Diethyl O-2-pyrazinyl phosphorothioate	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	297-97-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	123-63-7	Paraldehyde	10000	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	123-63-7	USTEST	GC_DIRECT	100-NR-2
199-N-31	3/6/1989 0:00	N	56-38-2	Parathion	2	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	56-38-2	USTEST	8140_PEST_GC	100-NR-2
199-N-31	3/6/1989 0:00	N	608-93-5	Pentachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	608-93-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	76-01-7	Pentachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	76-01-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	82-68-8	Pentachloronitrobenzene (PCNB)	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	82-68-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	87-86-5	Pentachlorophenol	50	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	87-86-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	62-44-2	Phenacetin	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	62-44-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	85-01-8	Phenanthrene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	85-01-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	108-95-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	25265-76-3	Phenylenediamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	25265-76-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	298-02-2	Phorate	2	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	298-02-2	USTEST	8140_PEST_GC	100-NR-2
199-N-31	3/6/1989 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	3/6/1989 0:00	N	C31	Phthalic acid esters	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	C31	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	3/6/1989 0:00	N	136677-09-3	Polychlorinated dibenzo-p-dioxins	0.01	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	136677-09-3	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	136677-10-6	Polychlorinated dibenzofurans	0.01	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	136677-10-6	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	7440-09-7	Potassium	1670	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ3	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	Y	7440-09-7	Potassium	1730	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ3F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	N	23950-58-5	Pronamide	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	23950-58-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	129-00-0	Pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	129-00-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	110-86-1	Pyridine	500	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	110-86-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	7440-14-4	Radium	0.0726	pCi/L	U	[NULL]	[NULL]	R	H0007GJ3	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	3/6/1989 0:00	N	50-55-5	Reserpine	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	50-55-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	108-46-3	Resorcinol	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	108-46-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	13967-48-1	Ruthenium-106	38.2	pCi/L	U	[NULL]	[NULL]	R	H0007GJ3	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	3/6/1989 0:00	N	94-59-7	Safrol	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	94-59-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-31	3/6/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	3/6/1989 0:00	Y	7440-21-3	Silicon	5480	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ3F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	N	7440-21-3	Silicon	5420	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ3	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	N	7440-23-5	Sodium	1230	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ3	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	Y	7440-23-5	Sodium	1310	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ3F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	N	CONDUCT	Specific Conductance	126	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GJ5	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-31	3/6/1989 0:00	N	CONDUCT	Specific Conductance	126	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GJ6	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-31	3/6/1989 0:00	N	CONDUCT	Specific Conductance	124	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GJ3	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-31	3/6/1989 0:00	N	CONDUCT	Specific Conductance	133	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GJ5	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-31	3/6/1989 0:00	N	CONDUCT	Specific Conductance	125	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GJ4	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-31	3/6/1989 0:00	N	CONDUCT	Specific Conductance	133	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GJ3	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-31	3/6/1989 0:00	N	CONDUCT	Specific Conductance	134	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GJ4	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-31	3/6/1989 0:00	N	CONDUCT	Specific Conductance	133	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GJ6	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-31	3/6/1989 0:00	N	7440-24-6	Strontium	76	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ3	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	Y	7440-24-6	Strontium	78	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ3F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	N	10098-97-2	Strontium-90	36.6	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GJ3	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	3/6/1989 0:00	N	57-24-9	Strychnine	50	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	57-24-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	100-42-5	Styrene	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	100-42-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	14808-79-8	Sulfate	12500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ3	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	3/6/1989 0:00	N	18496-25-8	Sulfide	1000	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	18496-25-8	USTEST	9030_SULFIDE	100-NR-2
199-N-31	3/6/1989 0:00	N	TEMPERATURE	Temperature	15	Deg C	[NULL]	[NULL]	[NULL]	R	H000G316	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-31	3/6/1989 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	107-49-3	Tetraethylpyrophosphate	2	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	107-49-3	USTEST	8140_PEST_GC	100-NR-2
199-N-31	3/6/1989 0:00	N	109-99-9	Tetrahydrofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	109-99-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	7440-28-0	USTEST	7841_TL_GFAA	100-NR-2
199-N-31	3/6/1989 0:00	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	7440-28-0	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	3/6/1989 0:00	N	39196-18-4	Thiofanox	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	39196-18-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	62-56-6	Thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	62-56-6	USTEST	8330_THIOUREA_M	100-NR-2
199-N-31	3/6/1989 0:00	N	137-26-8	Thiuram	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	137-26-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007GJ3F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007GJ3F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	N	108-88-3	Toluene	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	108-88-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	25376-45-8	Toluenediamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	25376-45-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	TC	Total carbon	11500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ3	TC	USTEST	D2579A_CARBON	100-NR-2
199-N-31	3/6/1989 0:00	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	1319-77-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007GJ6	TOC	USTEST	9060_TOC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	3/6/1989 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007GJ4	TOC	USTEST	9060_TOC	100-NR-2
199-N-31	3/6/1989 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	TOC	USTEST	9060_TOC	100-NR-2
199-N-31	3/6/1989 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007GJ5	TOC	USTEST	9060_TOC	100-NR-2
199-N-31	3/6/1989 0:00	N	59473-04-0	Total organic halides	12	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ3	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-31	3/6/1989 0:00	N	59473-04-0	Total organic halides	12	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ5	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-31	3/6/1989 0:00	N	59473-04-0	Total organic halides	11	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ4	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-31	3/6/1989 0:00	N	59473-04-0	Total organic halides	11	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ6	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-31	3/6/1989 0:00	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	10000	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	TPHKEROSENE	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	3/6/1989 0:00	N	126-73-8	Tributyl phosphate	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	126-73-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	75-70-7	Trichloromethanethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	75-70-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	75-69-4	Trichloromonofluoromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	75-69-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	126-72-7	Tris(2,3-dibromopropyl) phosphate	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	126-72-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	10028-17-8	Tritium	27200	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GJ3	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	3/6/1989 0:00	N	7440-61-1	Uranium	0.469	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ3	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	3/6/1989 0:00	N	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	Y	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	N	108-05-4	Vinyl acetate	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	108-05-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	75-01-4	Vinyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	75-01-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	81-81-2	Warfarin	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	81-81-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007GJ3F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	3/6/1989 0:00	N	122-09-8	alpha,alpha-Dimethylphenethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	122-09-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	3/6/1989 0:00	N	99-65-0	m-Dinitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	99-65-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	616-40-0	n,n-Diethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	616-40-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	615-53-2	n-Nitroso-N-methylurethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	615-53-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	924-16-3	n-Nitrosodi-n-butylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	924-16-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	621-64-7	n-Nitrosodi-n-dipropylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	621-64-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	1116-54-7	n-Nitrosodiethanolamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	1116-54-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	55-18-5	n-Nitrosodiethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	55-18-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	62-75-9	n-Nitrosodimethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	62-75-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	86-30-6	n-Nitrosodiphenylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	86-30-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	10595-95-6	n-Nitrosomethylethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	10595-95-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	4549-40-0	n-Nitrosomethylvinylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	4549-40-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	59-89-2	n-Nitrosomorpholine	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	59-89-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	16543-55-8	n-Nitrosonornicotine	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	16543-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	100-75-4	n-Nitrosopiperidine	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	100-75-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	103-85-5	n-Phenylthiourea	500	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	103-85-5	USTEST	8330_THIOUREA_M	100-NR-2
199-N-31	3/6/1989 0:00	N	107-10-8	n-Propylamine	10000	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	107-10-8	USTEST	GC_DIRECT	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	3/6/1989 0:00	N	636-21-5	o-Toluidine hydrochloride	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	636-21-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	106-51-4	p-Benzoquinone	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	106-51-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	60-11-7	p-Dimethylaminoazobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	60-11-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	PH	pH Measurement	8.53	unitless	[NULL]	[NULL]	[NULL]	R	H0007GJ4	PH	USTEST	9040_PH	100-NR-2
199-N-31	3/6/1989 0:00	N	PH	pH Measurement	8.9	unitless	[NULL]	[NULL]	[NULL]	R	H0007GJ5	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-31	3/6/1989 0:00	N	PH	pH Measurement	8.49	unitless	[NULL]	[NULL]	[NULL]	R	H0007GJ3	PH	USTEST	9040_PH	100-NR-2
199-N-31	3/6/1989 0:00	N	PH	pH Measurement	9	unitless	[NULL]	[NULL]	[NULL]	R	H0007GJ6	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-31	3/6/1989 0:00	N	PH	pH Measurement	8.9	unitless	[NULL]	[NULL]	[NULL]	R	H0007GJ3	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-31	3/6/1989 0:00	N	PH	pH Measurement	9	unitless	[NULL]	[NULL]	[NULL]	R	H0007GJ4	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-31	3/6/1989 0:00	N	PH	pH Measurement	8.53	unitless	[NULL]	[NULL]	[NULL]	R	H0007GJ6	PH	USTEST	9040_PH	100-NR-2
199-N-31	3/6/1989 0:00	N	PH	pH Measurement	8.52	unitless	[NULL]	[NULL]	[NULL]	R	H0007GJ5	PH	USTEST	9040_PH	100-NR-2
199-N-31	3/6/1989 0:00	N	99-35-4	sym-Trinitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	99-35-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	156-60-5	trans-1,2-Dichloroethylene	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	156-60-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	3/6/1989 0:00	N	110-57-6	trans-1,4-Dichloro-2-butene	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ3	110-57-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	8/1/1989 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	8/1/1989 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	8/1/1989 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	8/1/1989 0:00	N	75-34-3	1,1-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	75-34-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	8/1/1989 0:00	N	107-06-2	1,2-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	107-06-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	8/1/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	106-46-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	8/1/1989 0:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	93-76-5	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-31	8/1/1989 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-31	8/1/1989 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-31	8/1/1989 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	8/1/1989 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	8/1/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	67-64-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	8/1/1989 0:00	N	ALPHAHI	Alpha	0.682	pCi/L	U	[NULL]	[NULL]	R	H0007GJ7	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	8/1/1989 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	8/1/1989 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GJ7F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-31	8/1/1989 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007GJ7F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-31	8/1/1989 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	8/1/1989 0:00	N	7440-39-3	Barium	13	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ7	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	Y	7440-39-3	Barium	12	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ7F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	N	71-43-2	Benzene	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	71-43-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	8/1/1989 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ7F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	Y	7440-42-8	Boron	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ7F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	N	7440-42-8	Boron	10	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ7	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	8/1/1989 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GJ7F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	8/1/1989 0:00	Y	7440-70-2	Calcium	22900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ7F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	N	7440-70-2	Calcium	23700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ7	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	8/1/1989 0:00	N	10045-97-3	Cesium-137	3.31	pCi/L	U	[NULL]	[NULL]	R	H0007GJ7	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	8/1/1989 0:00	N	16887-00-6	Chloride	1400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ7	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	8/1/1989 0:00	N	67-66-3	Chloroform	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	8/1/1989 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ7F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007GJ7F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	N	10198-40-0	Cobalt-60	9.43	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GJ7	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	8/1/1989 0:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	H0007GJ7	COLIFORM	USTEST	9222B_COLIFORM	100-NR-2
199-N-31	8/1/1989 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ7F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	8/1/1989 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	8/1/1989 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	8/1/1989 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	8/1/1989 0:00	N	12587-47-2	Gross beta	147	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GJ7	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	8/1/1989 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-31	8/1/1989 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007GJ7F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	N	7439-89-6	Iron	48	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ7	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-31	8/1/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	8/1/1989 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ7F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	Y	7439-95-4	Magnesium	3720	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ7F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	N	7439-95-4	Magnesium	3680	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ7	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ7F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-31	8/1/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	8/1/1989 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	8/1/1989 0:00	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	8/1/1989 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007GJ7F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ7F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	N	14797-55-8	Nitrate	1500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ7	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	8/1/1989 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-31	8/1/1989 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2
199-N-31	8/1/1989 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	8/1/1989 0:00	N	7440-09-7	Potassium	2050	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ7	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	Y	7440-09-7	Potassium	2160	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ7F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	N	7440-14-4	Radium	-0.0606	pCi/L	U	[NULL]	[NULL]	R	H0007GJ7	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	8/1/1989 0:00	N	13967-48-1	Ruthenium-106	-5.58	pCi/L	U	[NULL]	[NULL]	R	H0007GJ7	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	8/1/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-31	8/1/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	8/1/1989 0:00	Y	7440-21-3	Silicon	7130	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ7F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	N	7440-21-3	Silicon	7440	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ7	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ7F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	N	7440-23-5	Sodium	2340	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ7	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	Y	7440-23-5	Sodium	2440	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ7F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	8/1/1989 0:00	N	CONDUCT	Specific Conductance	171	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GJ8	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-31	8/1/1989 0:00	N	CONDUCT	Specific Conductance	148	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GK0	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-31	8/1/1989 0:00	N	CONDUCT	Specific Conductance	148	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GJ8	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-31	8/1/1989 0:00	N	CONDUCT	Specific Conductance	190	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GJ7	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-31	8/1/1989 0:00	N	CONDUCT	Specific Conductance	130	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GK0	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-31	8/1/1989 0:00	N	CONDUCT	Specific Conductance	160	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GJ9	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-31	8/1/1989 0:00	N	CONDUCT	Specific Conductance	147	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GJ9	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-31	8/1/1989 0:00	N	CONDUCT	Specific Conductance	150	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GJ7	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-31	8/1/1989 0:00	Y	7440-24-6	Strontium	100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ7F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	N	7440-24-6	Strontium	96	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ7	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	N	10098-97-2	Strontium-90	60.9	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GJ7	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	8/1/1989 0:00	N	14808-79-8	Sulfate	12600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ7	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	8/1/1989 0:00	N	TEMPERATURE	Temperature	15.8	Deg C	[NULL]	[NULL]	[NULL]	R	H000GNJ3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-31	8/1/1989 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	8/1/1989 0:00	N	109-99-9	Tetrahydrofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	109-99-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	8/1/1989 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007GJ7F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007GJ7F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	N	108-88-3	Toluene	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	108-88-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	8/1/1989 0:00	N	TOC	Total organic carbon	1200	ug/L	U	[NULL]	[NULL]	R	H0007GJ9	TOC	USTEST	9060_TOC	100-NR-2
199-N-31	8/1/1989 0:00	N	TOC	Total organic carbon	900	ug/L	U	[NULL]	[NULL]	R	H0007GJ8	TOC	USTEST	9060_TOC	100-NR-2
199-N-31	8/1/1989 0:00	N	TOC	Total organic carbon	1100	ug/L	U	[NULL]	[NULL]	R	H0007GK0	TOC	USTEST	9060_TOC	100-NR-2
199-N-31	8/1/1989 0:00	N	TOC	Total organic carbon	900	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	TOC	USTEST	9060_TOC	100-NR-2
199-N-31	8/1/1989 0:00	N	59473-04-0	Total organic halides	4	ug/L	U	[NULL]	[NULL]	R	H0007GJ9	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-31	8/1/1989 0:00	N	59473-04-0	Total organic halides	3	ug/L	U	[NULL]	[NULL]	R	H0007GJ8	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-31	8/1/1989 0:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	H0007GK0	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-31	8/1/1989 0:00	N	59473-04-0	Total organic halides	6	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-31	8/1/1989 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	8/1/1989 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	8/1/1989 0:00	N	10028-17-8	Tritium	10500	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GJ7	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	8/1/1989 0:00	N	TURBIDITY	Turbidity	0.2	NTU	[NULL]	[NULL]	[NULL]	R	H0007GJ7	TURBIDITY	USTEST	214A_TURBIDITY	100-NR-2
199-N-31	8/1/1989 0:00	N	7440-61-1	Uranium	1.13	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ7	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	8/1/1989 0:00	N	7440-62-2	Vanadium	7	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GJ7	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	Y	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ7F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	N	75-01-4	Vinyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	75-01-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	8/1/1989 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	8/1/1989 0:00	N	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ7F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007GJ7F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	8/1/1989 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	8/1/1989 0:00	N	PH	pH Measurement	8.42	unitless	[NULL]	[NULL]	[NULL]	R	H0007GK0	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-31	8/1/1989 0:00	N	PH	pH Measurement	8.41	unitless	[NULL]	[NULL]	[NULL]	R	H0007GJ7	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-31	8/1/1989 0:00	N	PH	pH Measurement	8.4	unitless	[NULL]	[NULL]	[NULL]	R	H0007GK0	PH	USTEST	9040_PH	100-NR-2
199-N-31	8/1/1989 0:00	N	PH	pH Measurement	8.4	unitless	[NULL]	[NULL]	[NULL]	R	H0007GJ7	PH	USTEST	9040_PH	100-NR-2
199-N-31	8/1/1989 0:00	N	PH	pH Measurement	8.4	unitless	[NULL]	[NULL]	[NULL]	R	H0007GJ8	PH	USTEST	9040_PH	100-NR-2
199-N-31	8/1/1989 0:00	N	PH	pH Measurement	8.4	unitless	[NULL]	[NULL]	[NULL]	R	H0007GJ9	PH	USTEST	9040_PH	100-NR-2
199-N-31	8/1/1989 0:00	N	PH	pH Measurement	8.43	unitless	[NULL]	[NULL]	[NULL]	R	H0007GJ9	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-31	8/1/1989 0:00	N	PH	pH Measurement	8.46	unitless	[NULL]	[NULL]	[NULL]	R	H0007GJ8	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-31	8/1/1989 0:00	N	156-60-5	trans-1,2-Dichloroethylene	5	ug/L	U	[NULL]	[NULL]	R	H0007GJ7	156-60-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007GK4	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	9/28/1989 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007GK1	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GK4	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GK1	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GK4	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GK1	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	N	75-34-3	1,1-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GK1	75-34-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	N	75-34-3	1,1-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GK4	75-34-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	N	107-06-2	1,2-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GK4	107-06-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	N	107-06-2	1,2-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GK1	107-06-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007GK1	106-46-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007GK4	106-46-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007GK1	93-76-5	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-31	9/28/1989 0:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007GK4	93-76-5	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-31	9/28/1989 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007GK4	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-31	9/28/1989 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007GK1	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-31	9/28/1989 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007GK4	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-31	9/28/1989 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007GK1	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-31	9/28/1989 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007GK4	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007GK1	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007GK1	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007GK4	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007GK1	67-64-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007GK4	67-64-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	N	ALPHAHI	Alpha	1.01	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GK1	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	9/28/1989 0:00	N	ALPHAHI	Alpha	1.16	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GK4	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	9/28/1989 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK4	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	9/28/1989 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK1	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	9/28/1989 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GK4	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GK4F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GK1	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GK1F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007GK4	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-31	9/28/1989 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007GK1	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007GK4	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007GK1F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007GK4F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007GK1	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007GK4	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007GK1	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	9/28/1989 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007GK1	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	9/28/1989 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007GK4	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-39-3	Barium	10	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK4F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-39-3	Barium	10	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK1	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-39-3	Barium	10	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK4	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-39-3	Barium	10	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK1F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	71-43-2	Benzene	5	ug/L	U	[NULL]	[NULL]	R	H0007GK1	71-43-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	N	71-43-2	Benzene	5	ug/L	U	[NULL]	[NULL]	R	H0007GK4	71-43-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007GK1	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-41-7	Beryllium	8	ug/L	[NULL]	Y	[NULL]	R	H0007GK1F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007GK4F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-41-7	Beryllium	7	ug/L	[NULL]	Y	[NULL]	R	H0007GK4	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-42-8	Boron	22	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK1	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-42-8	Boron	26	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK4F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-42-8	Boron	26	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK1F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-42-8	Boron	20	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK4	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007GK4	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	9/28/1989 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007GK1	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GK1	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GK4F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GK1F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GK4	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-70-2	Calcium	20000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK4F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-70-2	Calcium	20000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK4	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-70-2	Calcium	22200	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK1F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-70-2	Calcium	20000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK1	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007GK4	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007GK1	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	N	10045-97-3	Cesium-137	2.98	pCi/L	U	[NULL]	[NULL]	R	H0007GK4	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	9/28/1989 0:00	N	10045-97-3	Cesium-137	0.124	pCi/L	U	[NULL]	[NULL]	R	H0007GK1	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	9/28/1989 0:00	N	16887-00-6	Chloride	1800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK4	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	9/28/1989 0:00	N	16887-00-6	Chloride	1800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK1	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	9/28/1989 0:00	N	67-66-3	Chloroform	20	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK4	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	N	67-66-3	Chloroform	21	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK1	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GK1F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GK4F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GK1	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GK4	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007GK1F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007GK4	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007GK1	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	9/28/1989 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007GK4F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	10198-40-0	Cobalt-60	8.67	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GK1	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	9/28/1989 0:00	N	10198-40-0	Cobalt-60	13	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GK4	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	9/28/1989 0:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	H0007GK1	COLIFORM	USTEST	9222B_COLIFORM	100-NR-2
199-N-31	9/28/1989 0:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	H0007GK4	COLIFORM	USTEST	9222B_COLIFORM	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GK1F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GK1	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GK4F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GK4	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK1	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	9/28/1989 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK4	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	9/28/1989 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK1	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	9/28/1989 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK4	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	9/28/1989 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007GK1	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	9/28/1989 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007GK4	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	9/28/1989 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK4	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	9/28/1989 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK1	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	9/28/1989 0:00	N	12587-47-2	Gross beta	137	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GK1	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	9/28/1989 0:00	N	12587-47-2	Gross beta	138	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GK4	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	9/28/1989 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007GK1	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-31	9/28/1989 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007GK4	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-31	9/28/1989 0:00	N	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007GK4	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007GK1F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007GK4F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007GK1	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GK1	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	9/28/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GK4	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-31	9/28/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GK4	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	9/28/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GK1	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-31	9/28/1989 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007GK1F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007GK1	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007GK4F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007GK4	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7439-95-4	Magnesium	3150	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK4	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7439-95-4	Magnesium	3180	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK1	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7439-95-4	Magnesium	3150	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK4F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7439-95-4	Magnesium	3480	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK1F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GK1	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GK4F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GK1F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GK4	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK1	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	9/28/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK4	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	9/28/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK1	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	9/28/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK4	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-31	9/28/1989 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007GK4	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	9/28/1989 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007GK1	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	9/28/1989 0:00	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	H0007GK1	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	H0007GK4	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007GK4F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007GK4	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007GK1F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007GK1	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GK4F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GK1	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GK4	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GK1F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	14797-55-8	Nitrate	2400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK4	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	9/28/1989 0:00	N	14797-55-8	Nitrate	2400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK1	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	9/28/1989 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007GK4	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-31	9/28/1989 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007GK1	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-31	9/28/1989 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GK1	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2
199-N-31	9/28/1989 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GK4	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2
199-N-31	9/28/1989 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007GK1	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	9/28/1989 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007GK4	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-09-7	Potassium	2100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK4	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-09-7	Potassium	2320	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK1F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-09-7	Potassium	2150	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK1	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-09-7	Potassium	2100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK4F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-14-4	Radium	0.0358	pCi/L	U	[NULL]	[NULL]	R	H0007GK4	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-14-4	Radium	-0.0237	pCi/L	U	[NULL]	[NULL]	R	H0007GK1	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	9/28/1989 0:00	N	13967-48-1	Ruthenium-106	13.5	pCi/L	U	[NULL]	[NULL]	R	H0007GK1	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	9/28/1989 0:00	N	13967-48-1	Ruthenium-106	3.11	pCi/L	U	[NULL]	[NULL]	R	H0007GK4	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	9/28/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GK4	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-31	9/28/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GK1	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-31	9/28/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GK4	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	9/28/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GK1	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-21-3	Silicon	7160	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK4	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-21-3	Silicon	7170	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK4F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-21-3	Silicon	7210	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK1	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-21-3	Silicon	7950	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK1F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GK4F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GK4	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GK1	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GK1F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-23-5	Sodium	2050	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK4	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	9/28/1989 0:00	Y	7440-23-5	Sodium	2040	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK4F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-23-5	Sodium	2270	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK1F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-23-5	Sodium	2100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK1	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	CONDUCT	Specific Conductance	154	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GK1	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-31	9/28/1989 0:00	N	CONDUCT	Specific Conductance	149	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GK4	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-31	9/28/1989 0:00	N	CONDUCT	Specific Conductance	149	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GK3	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-31	9/28/1989 0:00	N	CONDUCT	Specific Conductance	152	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GK2	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-31	9/28/1989 0:00	N	CONDUCT	Specific Conductance	149	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GK4	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-31	9/28/1989 0:00	N	CONDUCT	Specific Conductance	152	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GK3	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-31	9/28/1989 0:00	N	CONDUCT	Specific Conductance	148	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GK1	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-31	9/28/1989 0:00	N	CONDUCT	Specific Conductance	150	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GK2	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-24-6	Strontium	85	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK1	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-24-6	Strontium	86	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK4	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-24-6	Strontium	95	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK1F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-24-6	Strontium	83	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK4F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	10098-97-2	Strontium-90	59.5	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GK4	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	9/28/1989 0:00	N	10098-97-2	Strontium-90	56.4	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GK1	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	9/28/1989 0:00	N	14808-79-8	Sulfate	11500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK4	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	9/28/1989 0:00	N	14808-79-8	Sulfate	11500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK1	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	9/28/1989 0:00	N	TEMPERATURE	Temperature	17.6	Deg C	[NULL]	[NULL]	[NULL]	R	H000GP77	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-31	9/28/1989 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GK4	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GK1	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	N	109-99-9	Tetrahydrofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007GK1	109-99-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	N	109-99-9	Tetrahydrofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007GK4	109-99-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007GK4F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007GK1	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007GK4	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007GK1F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007GK1	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007GK4	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007GK1F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007GK4F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	108-88-3	Toluene	5	ug/L	U	[NULL]	[NULL]	R	H0007GK4	108-88-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	N	108-88-3	Toluene	5	ug/L	U	[NULL]	[NULL]	R	H0007GK1	108-88-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	N	TOC	Total organic carbon	800	ug/L	U	[NULL]	[NULL]	R	H0007GK1	TOC	USTEST	9060_TOC	100-NR-2
199-N-31	9/28/1989 0:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	H0007GK4	TOC	USTEST	9060_TOC	100-NR-2
199-N-31	9/28/1989 0:00	N	TOC	Total organic carbon	900	ug/L	U	[NULL]	[NULL]	R	H0007GK3	TOC	USTEST	9060_TOC	100-NR-2
199-N-31	9/28/1989 0:00	N	TOC	Total organic carbon	800	ug/L	U	[NULL]	[NULL]	R	H0007GK2	TOC	USTEST	9060_TOC	100-NR-2
199-N-31	9/28/1989 0:00	N	59473-04-0	Total organic halides	22	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK1	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-31	9/28/1989 0:00	N	59473-04-0	Total organic halides	23	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK4	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-31	9/28/1989 0:00	N	59473-04-0	Total organic halides	28	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK3	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-31	9/28/1989 0:00	N	59473-04-0	Total organic halides	28	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK2	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-31	9/28/1989 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007GK1	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	9/28/1989 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007GK4	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	9/28/1989 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GK4	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GK1	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	N	10028-17-8	Tritium	85800	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GK4	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	9/28/1989 0:00	N	10028-17-8	Tritium	87400	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GK1	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	9/28/1989 0:00	N	TURBIDITY	Turbidity	0.1	NTU	[NULL]	[NULL]	[NULL]	R	H0007GK1	TURBIDITY	USTEST	214A_TURBIDITY	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-61-1	Uranium	0.591	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK1	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-61-1	Uranium	0.679	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK4	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-62-2	Vanadium	9	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK1	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-62-2	Vanadium	10	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK4	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007GK1F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-62-2	Vanadium	6	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK4F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	75-01-4	Vinyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007GK4	75-01-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	N	75-01-4	Vinyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007GK1	75-01-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007GK1	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007GK4	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007GK4	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007GK1F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007GK1	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007GK4F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007GK4F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007GK4	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007GK1F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007GK1	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	9/28/1989 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK1	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	9/28/1989 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK4	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	9/28/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007GK2	PH	USTEST	9040_PH	100-NR-2
199-N-31	9/28/1989 0:00	N	PH	pH Measurement	7.95	unitless	[NULL]	[NULL]	[NULL]	R	H0007GK2	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-31	9/28/1989 0:00	N	PH	pH Measurement	7.95	unitless	[NULL]	[NULL]	[NULL]	R	H0007GK3	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-31	9/28/1989 0:00	N	PH	pH Measurement	7.94	unitless	[NULL]	[NULL]	[NULL]	R	H0007GK1	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-31	9/28/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007GK4	PH	USTEST	9040_PH	100-NR-2
199-N-31	9/28/1989 0:00	N	PH	pH Measurement	7.95	unitless	[NULL]	[NULL]	[NULL]	R	H0007GK4	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-31	9/28/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007GK1	PH	USTEST	9040_PH	100-NR-2
199-N-31	9/28/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007GK3	PH	USTEST	9040_PH	100-NR-2
199-N-31	9/28/1989 0:00	N	156-60-5	trans-1,2-Dichloroethylene	5	ug/L	U	[NULL]	[NULL]	R	H0007GK1	156-60-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	9/28/1989 0:00	N	156-60-5	trans-1,2-Dichloroethylene	5	ug/L	U	[NULL]	[NULL]	R	H0007GK4	156-60-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	630-20-6	1,1,1,2-Tetrachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	630-20-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	79-34-5	1,1,2,2-Tetrachloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	79-34-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	75-34-3	1,1-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	75-34-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	75-35-4	1,1-Dichloroethene	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	75-35-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	57-14-7	1,1-Dimethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	57-14-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	634-66-2	1,2,3,4-Tetrachlorobenzene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	634-66-2	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	12/1/1989 0:00	N	634-90-2	1,2,3,5-Tetrachlorobenzene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	634-90-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	87-61-6	1,2,3-Trichlorobenzene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	87-61-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	96-18-4	1,2,3-Trichloropropane	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	96-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	95-94-3	1,2,4,5-Tetrachlorobenzene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	95-94-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	120-82-1	1,2,4-Trichlorobenzene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	120-82-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	96-12-8	1,2-Dibromo-3-chloropropane	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	96-12-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	106-93-4	1,2-Dibromoethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	106-93-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	95-50-1	1,2-Dichlorobenzene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	95-50-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	107-06-2	1,2-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	107-06-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	78-87-5	1,2-Dichloropropane	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	78-87-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	540-73-8	1,2-Dimethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	540-73-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	122-66-7	1,2-Diphenylhydrazine	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	122-66-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	108-70-3	1,3,5-Trichlorobenzene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	108-70-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	541-73-1	1,3-Dichlorobenzene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	541-73-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	542-75-6	1,3-Dichloropropene	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	542-75-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	106-46-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	106-46-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	123-91-1	1,4-Dioxane	500	ug/L	U	[NULL]	[NULL]	R	H0007GK5	123-91-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	130-15-4	1,4-Naphthoquinone	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	130-15-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	5344-82-1	1-(o-Chlorophenyl)thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007GK5	5344-82-1	USTEST	8330_THIOUREA_M	100-NR-2
199-N-31	12/1/1989 0:00	N	591-08-2	1-Acetyl-2-thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007GK5	591-08-2	USTEST	8330_THIOUREA_M	100-NR-2
199-N-31	12/1/1989 0:00	N	71-36-3	1-Butanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007GK5	71-36-3	USTEST	GC_DIRECT	100-NR-2
199-N-31	12/1/1989 0:00	N	L60	1-Butynol	10000	ug/L	U	[NULL]	[NULL]	R	H0007GK5	L60	USTEST	GC_DIRECT	100-NR-2
199-N-31	12/1/1989 0:00	N	106-89-8	1-Chloro-2,3-epoxypropane	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	106-89-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	86-88-4	1-Naphthyl-2-thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007GK5	86-88-4	USTEST	8330_THIOUREA_M	100-NR-2
199-N-31	12/1/1989 0:00	N	134-32-7	1-Naphthylamine	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	134-32-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	71-23-8	1-Propanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007GK5	71-23-8	USTEST	GC_DIRECT	100-NR-2
199-N-31	12/1/1989 0:00	N	58-90-2	2,3,4,6-Tetrachlorophenol	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	58-90-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	1746-01-6	2,3,7,8-Tetrachlorodibenzo-p-dioxin	0.01	ug/L	U	[NULL]	[NULL]	R	H0007GK5	1746-01-6	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007GK5	93-76-5	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-31	12/1/1989 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007GK5	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-31	12/1/1989 0:00	N	95-95-4	2,4,5-Trichlorophenol	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	95-95-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	88-06-2	2,4,6-Trichlorophenol	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	88-06-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007GK5	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-31	12/1/1989 0:00	N	120-83-2	2,4-Dichlorophenol	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	120-83-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	51-28-5	2,4-Dinitrophenol	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	51-28-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	121-14-2	2,4-Dinitrotoluene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	121-14-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	87-65-0	2,6-Dichlorophenol	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	87-65-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	606-20-2	2,6-Dinitrotoluene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	606-20-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	53-96-3	2-Acetylaminofluorene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	53-96-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	110-75-8	2-Chloroethyl vinyl ether	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	110-75-8	USTEST	8240_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	12/1/1989 0:00	N	91-58-7	2-Chloronaphthalene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	91-58-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	95-57-8	2-Chlorophenol	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	95-57-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	131-89-5	2-Cyclohexyl-4,6-dinitrophenol	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	131-89-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	591-78-6	2-Hexanone	50	ug/L	U	[NULL]	[NULL]	R	H0007GK5	591-78-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	116-06-3	2-Methyl-2-(methylthio)propionaldehyde-o-(methylcarbonyl) ox	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	116-06-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	75-55-8	2-Methylaziridine	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	75-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	75-86-5	2-Methyllactonitrile	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	75-86-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	91-57-6	2-Methylnaphthalene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	91-57-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	91-59-8	2-Naphthylamine	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	91-59-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	88-74-4	2-Nitroaniline	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	88-74-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	88-75-5	2-Nitrophenol	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	88-75-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	109-06-8	2-Picoline	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	109-06-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	107-19-7	2-Propyn-1-ol	10000	ug/L	U	[NULL]	[NULL]	R	H0007GK5	107-19-7	USTEST	GC_DIRECT	100-NR-2
199-N-31	12/1/1989 0:00	N	91-94-1	3,3'-Dichlorobenzidine	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	91-94-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	119-90-4	3,3'-Dimethoxybenzidine	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	119-90-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	119-93-7	3,3'-Dimethylbenzidine	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	119-93-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	542-76-7	3-Chloropropionitrile	10000	ug/L	U	[NULL]	[NULL]	R	H0007GK5	542-76-7	USTEST	GC_DIRECT	100-NR-2
199-N-31	12/1/1989 0:00	N	56-49-5	3-Methylcholanthrene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	56-49-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	99-09-2	3-Nitroaniline	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	99-09-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	72-54-8	4,4'-DDD (Dichlorodiphenyldichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK5	72-54-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	12/1/1989 0:00	N	72-55-9	4,4'-DDE (Dichlorodiphenyldichloroethylene)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK5	72-55-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	12/1/1989 0:00	N	50-29-3	4,4'-DDT (Dichlorodiphenyltrichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK5	50-29-3	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	12/1/1989 0:00	N	101-14-4	4,4'-Methylenebis(2-chloroaniline)	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	101-14-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	534-52-1	4,6-Dinitro-2-methylphenol	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	534-52-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	92-67-1	4-Aminobiphenyl	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	92-67-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	101-55-3	4-Bromophenylphenyl ether	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	101-55-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	59-50-7	4-Chloro-3-methylphenol	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	59-50-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	106-47-8	4-Chloroaniline	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	106-47-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	100-01-6	4-Nitroaniline	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	100-01-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	100-02-7	4-Nitrophenol	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	100-02-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	56-57-5	4-Nitroquinoline-1-oxide	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	56-57-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	2763-96-4	5-(Aminomethyl)-3-isoxazolol	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	2763-96-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	99-55-8	5-Nitro-o-toluidine	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	99-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	57-97-6	7,12-Dimethylbenz[a]anthracene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	57-97-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	194-59-2	7H-Dibenzo[c,g]carbazole	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	194-59-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	83-32-9	Acenaphthene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	83-32-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	208-96-8	Acenaphthylene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	208-96-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	67-64-1	USTEST	8240_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	12/1/1989 0:00	N	67-64-1	Acetone	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	67-64-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	75-05-8	Acetonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	75-05-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	98-86-2	Acetophenone	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	98-86-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	107-02-8	Acrolein	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	107-02-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	79-06-1	Acrylamide	10000	ug/L	U	[NULL]	[NULL]	R	H0007GK5	79-06-1	USTEST	GC_DIRECT	100-NR-2
199-N-31	12/1/1989 0:00	N	107-13-1	Acrylonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	107-13-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	309-00-2	Aldrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK5	309-00-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	12/1/1989 0:00	N	107-18-6	Allyl alcohol	10000	ug/L	U	[NULL]	[NULL]	R	H0007GK5	107-18-6	USTEST	GC_DIRECT	100-NR-2
199-N-31	12/1/1989 0:00	N	107-05-1	Allyl chloride	100	ug/L	U	[NULL]	[NULL]	R	H0007GK5	107-05-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	ALPHAHI	Alpha	0.653	pCi/L	U	[NULL]	[NULL]	R	H0007GK5	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	12/1/1989 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK5	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	12/1/1989 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GK5F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GK5	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	N	61-82-5	Amitrole	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	61-82-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007GK5	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-31	12/1/1989 0:00	N	62-53-3	Aniline	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	62-53-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	120-12-7	Anthracene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	120-12-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007GK5F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007GK5	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	N	140-57-8	Aramite	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	140-57-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	12674-11-2	Aroclor-1016	1	ug/L	U	[NULL]	[NULL]	R	H0007GK5	12674-11-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	12/1/1989 0:00	N	11104-28-2	Aroclor-1221	1	ug/L	U	[NULL]	[NULL]	R	H0007GK5	11104-28-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	12/1/1989 0:00	N	11141-16-5	Aroclor-1232	1	ug/L	U	[NULL]	[NULL]	R	H0007GK5	11141-16-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	12/1/1989 0:00	N	53469-21-9	Aroclor-1242	1	ug/L	U	[NULL]	[NULL]	R	H0007GK5	53469-21-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	12/1/1989 0:00	N	12672-29-6	Aroclor-1248	1	ug/L	U	[NULL]	[NULL]	R	H0007GK5	12672-29-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	12/1/1989 0:00	N	11097-69-1	Aroclor-1254	1	ug/L	U	[NULL]	[NULL]	R	H0007GK5	11097-69-1	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	12/1/1989 0:00	N	11096-82-5	Aroclor-1260	1	ug/L	U	[NULL]	[NULL]	R	H0007GK5	11096-82-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	12/1/1989 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-31	12/1/1989 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	12/1/1989 0:00	N	492-80-8	Auramine	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	492-80-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	7440-39-3	Barium	12	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK5	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	Y	7440-39-3	Barium	11	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK5F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	N	225-51-4	Benz[c]acridine	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	225-51-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	71-43-2	Benzene	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	71-43-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	108-98-5	Benzenethiol	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	108-98-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	92-87-5	Benzidine	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	92-87-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	56-55-3	Benzo(a)anthracene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	56-55-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	50-32-8	Benzo(a)pyrene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	50-32-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	205-99-2	Benzo(b)fluoranthene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	205-99-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	191-24-2	Benzo(ghi)perylene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	191-24-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	207-08-9	Benzo(k)fluoranthene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	207-08-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	205-82-3	Benzo[j]fluoranthene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	205-82-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	100-51-6	Benzyl alcohol	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	100-51-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	100-44-7	Benzyl chloride	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	100-44-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	N	111-91-1	Bis(2-Chloroethoxy)methane	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	111-91-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	108-60-1	Bis(2-chloro-1-methylethyl)ether	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	108-60-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	111-44-4	Bis(2-chloroethyl) ether	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	111-44-4	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	12/1/1989 0:00	N	117-81-7	Bis(2-ethylhexyl) phthalate	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	117-81-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	542-88-1	Bis(chloromethyl) ether	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	542-88-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	7440-42-8	Boron	48	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK5	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	Y	7440-42-8	Boron	45	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK5F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007GK5	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	12/1/1989 0:00	N	598-31-2	Bromoacetone	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	598-31-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	75-27-4	Bromodichloromethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	75-27-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	75-25-2	Bromoform	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	75-25-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	74-83-9	Bromomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	74-83-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	85-68-7	Butylbenzylphthalate	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	85-68-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GK5F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GK5	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	N	7440-70-2	Calcium	18000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK5	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	Y	7440-70-2	Calcium	19100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK5F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	N	75-15-0	Carbon disulfide	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	75-15-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	786-19-6	Carbophenothion	2	ug/L	U	[NULL]	[NULL]	R	H0007GK5	786-19-6	USTEST	8140_PEST_GC	100-NR-2
199-N-31	12/1/1989 0:00	N	10045-97-3	Cesium-137	0.825	pCi/L	U	[NULL]	[NULL]	R	H0007GK5	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	12/1/1989 0:00	N	57-74-9	Chlordane	1	ug/L	U	[NULL]	[NULL]	R	H0007GK5	57-74-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	12/1/1989 0:00	N	16887-00-6	Chloride	800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK5	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	12/1/1989 0:00	N	494-03-1	Chlornaphazine	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	494-03-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	B44	Chloroalkyl ethers	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	B44	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	108-90-7	Chlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	108-90-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	108-90-7	Chlorobenzene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	108-90-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	510-15-6	Chlorobenzilate	300	ug/L	U	[NULL]	[NULL]	R	H0007GK5	510-15-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	12/1/1989 0:00	N	75-00-3	Chloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	75-00-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	67-66-3	Chloroform	9	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK5	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	74-87-3	Chloromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	74-87-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	107-30-2	Chloromethyl methyl ether	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	107-30-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	N	218-01-9	Chrysene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	218-01-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	6358-53-8	Citrus red No. 2	1000	ug/L	U	[NULL]	[NULL]	R	H0007GK5	6358-53-8	USTEST	CITRUS_RED	100-NR-2
199-N-31	12/1/1989 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007GK5F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007GK5	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	N	10198-40-0	Cobalt-60	18.1	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GK5	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	12/1/1989 0:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	H0007GK5	COLIFORM	USTEST	9222B_COLIFORM	100-NR-2
199-N-31	12/1/1989 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	N	4170-30-3	Crotonaldehyde	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	4170-30-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	57-12-5	Cyanide	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	57-12-5	USTEST	9010_CYANIDE	100-NR-2
199-N-31	12/1/1989 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK5	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	12/1/1989 0:00	N	84-74-2	Di-n-butylphthalate	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	84-74-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	117-84-0	Di-n-octylphthalate	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	117-84-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	2303-16-4	Diallate	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	2303-16-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	226-36-8	Dibenz[a,h]acridine	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	226-36-8	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	12/1/1989 0:00	N	53-70-3	Dibenz[a,h]anthracene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	53-70-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	224-42-0	Dibenz[a,j]acridine	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	224-42-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	192-65-4	Dibenzo[a,e]pyrene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	192-65-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	189-64-0	Dibenzo[a,h]pyrene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	189-64-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	189-55-9	Dibenzo[a,i]pyrene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	189-55-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	132-64-9	Dibenzofuran	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	132-64-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	124-48-1	Dibromochloromethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	124-48-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	74-95-3	Dibromomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	74-95-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	107-66-4	Dibutylphosphate	10000	ug/L	U	[NULL]	[NULL]	R	H0007GK5	107-66-4	USTEST	70-MDBP	100-NR-2
199-N-31	12/1/1989 0:00	N	75-71-8	Dichlorodifluoromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	75-71-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	98-87-3	Dichloromethyl-benzene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	98-87-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	60-57-1	Dieldrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK5	60-57-1	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	12/1/1989 0:00	N	84-66-2	Diethylphthalate	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	84-66-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	56-53-1	Diethylstilbesterol	200	ug/L	U	[NULL]	[NULL]	R	H0007GK5	56-53-1	USTEST	8330_THIOUREA_M	100-NR-2
199-N-31	12/1/1989 0:00	N	94-58-6	Dihydrosafrole	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	94-58-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	60-51-5	Dimethoate	2	ug/L	U	[NULL]	[NULL]	R	H0007GK5	60-51-5	USTEST	8140_PEST_GC	100-NR-2
199-N-31	12/1/1989 0:00	N	131-11-3	Dimethyl phthalate	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	131-11-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	88-85-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	122-39-4	Diphenylamine	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	122-39-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	298-04-4	Disulfoton	2	ug/L	U	[NULL]	[NULL]	R	H0007GK5	298-04-4	USTEST	8140_PEST_GC	100-NR-2
199-N-31	12/1/1989 0:00	N	959-98-8	Endosulfan I	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK5	959-98-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	12/1/1989 0:00	N	33213-65-9	Endosulfan II	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK5	33213-65-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	12/1/1989 0:00	N	1031-07-8	Endosulfan sulfate	0.5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	1031-07-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	12/1/1989 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK5	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	12/1/1989 0:00	N	64-17-5	Ethanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007GK5	64-17-5	USTEST	GC_DIRECT	100-NR-2
199-N-31	12/1/1989 0:00	N	51-79-6	Ethyl carbamate (Urethane)	10000	ug/L	U	[NULL]	[NULL]	R	H0007GK5	51-79-6	USTEST	GC_DIRECT	100-NR-2
199-N-31	12/1/1989 0:00	N	107-12-0	Ethyl cyanide	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	107-12-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	107-12-0	Ethyl cyanide	10000	ug/L	U	[NULL]	[NULL]	R	H0007GK5	107-12-0	USTEST	GC_DIRECT	100-NR-2
199-N-31	12/1/1989 0:00	N	97-63-2	Ethyl methacrylate	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	97-63-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	62-50-0	Ethyl methanesulfonate	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	62-50-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	100-41-4	Ethylbenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	100-41-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	107-21-1	Ethylene glycol	10000	ug/L	U	[NULL]	[NULL]	R	H0007GK5	107-21-1	USTEST	GC_DIRECT	100-NR-2
199-N-31	12/1/1989 0:00	N	75-21-8	Ethylene oxide	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	75-21-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	151-56-4	Ethyleneimine	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	151-56-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	96-45-7	Ethylenethiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007GK5	96-45-7	USTEST	8330_THIOUREA_M	100-NR-2
199-N-31	12/1/1989 0:00	N	206-44-0	Fluoranthene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	206-44-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	86-73-7	Fluorene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	86-73-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	16984-48-8	Fluoride	199	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK5	16984-48-8	USTEST	D1179_FLUORIDE	100-NR-2
199-N-31	12/1/1989 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007GK5	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	12/1/1989 0:00	N	50-00-0	Formaldehyde	500	ug/L	U	[NULL]	[NULL]	R	H0007GK5	50-00-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK5	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	12/1/1989 0:00	N	12587-47-2	Gross beta	130	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GK5	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	12/1/1989 0:00	N	76-44-8	Heptachlor	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK5	76-44-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	12/1/1989 0:00	N	1024-57-3	Heptachlor epoxide	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK5	1024-57-3	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	12/1/1989 0:00	N	118-74-1	Hexachlorobenzene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	118-74-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	87-68-3	Hexachlorobutadiene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	87-68-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	77-47-4	Hexachlorocyclopentadiene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	77-47-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	67-72-1	Hexachloroethane	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	67-72-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	70-30-4	Hexachlorophene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	70-30-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	1888-71-7	Hexachloropropene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	1888-71-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007GK5	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-31	12/1/1989 0:00	N	193-39-5	Indeno(1,2,3-cd)pyrene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	193-39-5	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	12/1/1989 0:00	N	74-88-4	Iodomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	74-88-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	7439-89-6	Iron	40	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK5	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007GK5F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	N	78-83-1	Isobutyl alcohol	10000	ug/L	U	[NULL]	[NULL]	R	H0007GK5	78-83-1	USTEST	GC_DIRECT	100-NR-2
199-N-31	12/1/1989 0:00	N	465-73-6	Isodrin	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	465-73-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	78-59-1	Isophorone	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	78-59-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	120-58-1	Isosafrole	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	120-58-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	143-50-0	Kepone	1	ug/L	U	[NULL]	[NULL]	R	H0007GK5	143-50-0	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	12/1/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	12/1/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-31	12/1/1989 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	Y	7439-95-4	Magnesium	2980	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK5F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	N	7439-95-4	Magnesium	2910	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK5	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	N	123-33-1	Maleic hydrazide	980	ug/L	U	[NULL]	[NULL]	R	H0007GK5	123-33-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	109-77-3	Malononitrile	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	109-77-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	N	148-82-3	Melphalan	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	148-82-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK5	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	12/1/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK5	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-31	12/1/1989 0:00	N	126-98-7	Methacrylonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	126-98-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	74-93-1	Methanethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	74-93-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	91-80-5	Methapyrilene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	91-80-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	16752-77-5	Metholonyl	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	16752-77-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007GK5	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	12/1/1989 0:00	N	80-62-6	Methyl methacrylate	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	80-62-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	66-27-3	Methyl methanesulfonate	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	66-27-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	298-00-0	Methyl parathion	2	ug/L	U	[NULL]	[NULL]	R	H0007GK5	298-00-0	USTEST	8140_PEST_GC	100-NR-2
199-N-31	12/1/1989 0:00	N	75-09-2	Methylene chloride	4	ug/L	U	[NULL]	[NULL]	R	H0007GK5	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	56-04-2	Methylthiouracil	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	56-04-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007GK5	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007GK5F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	N	1623-15-0	Monobutyl phosphate	10000	ug/L	U	[NULL]	[NULL]	R	H0007GK5	1623-15-0	USTEST	70-MDBP	100-NR-2
199-N-31	12/1/1989 0:00	N	91-20-3	Naphthalene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	91-20-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	N	59-67-6	Nicotinic acid	196	ug/L	U	[NULL]	[NULL]	R	H0007GK5	59-67-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	14797-55-8	Nitrate	4900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK5	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	12/1/1989 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007GK5	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-31	12/1/1989 0:00	N	98-95-3	Nitrobenzene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	98-95-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	930-55-2	Nitrosopyrrolidine	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	930-55-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	126-68-1	O,O,O-Triethyl phosphorothioate	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	126-68-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	297-97-2	O,O-Diethyl O-2-pyrazinyl phosphorothioate	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	297-97-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	123-63-7	Paraldehyde	10000	ug/L	U	[NULL]	[NULL]	R	H0007GK5	123-63-7	USTEST	GC_DIRECT	100-NR-2
199-N-31	12/1/1989 0:00	N	56-38-2	Parathion	2	ug/L	U	[NULL]	[NULL]	R	H0007GK5	56-38-2	USTEST	8140_PEST_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	12/1/1989 0:00	N	608-93-5	Pentachlorobenzene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	608-93-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	76-01-7	Pentachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	76-01-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	82-68-8	Pentachloronitrobenzene (PCNB)	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	82-68-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	87-86-5	Pentachlorophenol	98	ug/L	U	[NULL]	[NULL]	R	H0007GK5	87-86-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	14797-73-0	Perchlorate anion	500	ug/L	U	[NULL]	[NULL]	R	H0007GK5	14797-73-0	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	12/1/1989 0:00	N	62-44-2	Phenacetin	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	62-44-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	85-01-8	Phenanthrene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	85-01-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	108-95-2	Phenol	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	108-95-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	25265-76-3	Phenylenediamine	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	25265-76-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	298-02-2	Phorate	2	ug/L	U	[NULL]	[NULL]	R	H0007GK5	298-02-2	USTEST	8140_PEST_GC	100-NR-2
199-N-31	12/1/1989 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007GK5	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	12/1/1989 0:00	N	C31	Phthalic acid esters	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	C31	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	136677-09-3	Polychlorinated dibenzo-p-dioxins	0.01	ug/L	U	[NULL]	[NULL]	R	H0007GK5	136677-09-3	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	136677-10-6	Polychlorinated dibenzofurans	0.01	ug/L	U	[NULL]	[NULL]	R	H0007GK5	136677-10-6	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	Y	7440-09-7	Potassium	2030	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK5F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	N	7440-09-7	Potassium	2040	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK5	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	N	23950-58-5	Pronamide	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	23950-58-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	129-00-0	Pyrene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	129-00-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	110-86-1	Pyridine	500	ug/L	U	[NULL]	[NULL]	R	H0007GK5	110-86-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	7440-14-4	Radium	-0.0419	pCi/L	U	[NULL]	[NULL]	R	H0007GK5	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	12/1/1989 0:00	N	50-55-5	Reserpine	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	50-55-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	108-46-3	Resorcinol	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	108-46-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	13967-48-1	Ruthenium-106	48.4	pCi/L	U	[NULL]	[NULL]	R	H0007GK5	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	12/1/1989 0:00	N	94-59-7	Safrol	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	94-59-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	12/1/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-31	12/1/1989 0:00	N	7440-21-3	Silicon	7080	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK5	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	Y	7440-21-3	Silicon	7400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK5F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	N	7440-23-5	Sodium	2000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK5	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	Y	7440-23-5	Sodium	1960	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK5F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	N	CONDUCT	Specific Conductance	141	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GK5	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-31	12/1/1989 0:00	N	CONDUCT	Specific Conductance	158	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GK7	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-31	12/1/1989 0:00	N	CONDUCT	Specific Conductance	155	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GK5	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-31	12/1/1989 0:00	N	CONDUCT	Specific Conductance	158	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GK6	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-31	12/1/1989 0:00	N	CONDUCT	Specific Conductance	158	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GK8	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-31	12/1/1989 0:00	Y	7440-24-6	Strontium	81	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK5F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	N	7440-24-6	Strontium	77	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK5	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	N	10098-97-2	Strontium-90	50.6	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GK5	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	12/1/1989 0:00	N	57-24-9	Strychnine	98	ug/L	U	[NULL]	[NULL]	R	H0007GK5	57-24-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	100-42-5	Styrene	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	100-42-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	14808-79-8	Sulfate	7300	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK5	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	12/1/1989 0:00	N	18496-25-8	Sulfide	1000	ug/L	U	[NULL]	[NULL]	R	H0007GK5	18496-25-8	USTEST	9030_SULFIDE	100-NR-2
199-N-31	12/1/1989 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	107-49-3	Tetraethylpyrophosphate	2	ug/L	U	[NULL]	[NULL]	R	H0007GK5	107-49-3	USTEST	8140_PEST_GC	100-NR-2
199-N-31	12/1/1989 0:00	N	109-99-9	Tetrahydrofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	109-99-9	USTEST	8240_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	12/1/1989 0:00	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	7440-28-0	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	12/1/1989 0:00	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	7440-28-0	USTEST	7841_TL_GFAA	100-NR-2
199-N-31	12/1/1989 0:00	N	39196-18-4	Thiofanox	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	39196-18-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	62-56-6	Thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007GK5	62-56-6	USTEST	8330_THIOUREA_M	100-NR-2
199-N-31	12/1/1989 0:00	N	137-26-8	Thiuram	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	137-26-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007GK5F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007GK5	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007GK5	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007GK5F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	N	108-88-3	Toluene	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	108-88-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	25376-45-8	Toluenediamine	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	25376-45-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	TC	Total carbon	22700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK5	TC	USTEST	D2579A_CARBON	100-NR-2
199-N-31	12/1/1989 0:00	N	1319-77-3	Total cresols	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	1319-77-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	TDS	Total dissolved solids	8.1E+07	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK5	TDS	USTEST	209B_TDS	100-NR-2
199-N-31	12/1/1989 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007GK6	TOC	USTEST	9060_TOC	100-NR-2
199-N-31	12/1/1989 0:00	N	TOC	Total organic carbon	600	ug/L	U	[NULL]	[NULL]	R	H0007GK5	TOC	USTEST	9060_TOC	100-NR-2
199-N-31	12/1/1989 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007GK8	TOC	USTEST	9060_TOC	100-NR-2
199-N-31	12/1/1989 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007GK7	TOC	USTEST	9060_TOC	100-NR-2
199-N-31	12/1/1989 0:00	N	59473-04-0	Total organic halides	10	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK8	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-31	12/1/1989 0:00	N	59473-04-0	Total organic halides	16	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK5	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-31	12/1/1989 0:00	N	59473-04-0	Total organic halides	12	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK7	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-31	12/1/1989 0:00	N	59473-04-0	Total organic halides	12	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK6	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-31	12/1/1989 0:00	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	19600	ug/L	U	[NULL]	[NULL]	R	H0007GK5	TPHKEROSENE	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007GK5	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	12/1/1989 0:00	N	126-73-8	Tributyl phosphate	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	126-73-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	75-70-7	Trichloromethanethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	75-70-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	75-69-4	Trichloromonofluoromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	75-69-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	126-72-7	Tris(2,3-dibromopropyl) phosphate	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	126-72-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	10028-17-8	Tritium	218000	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GK5	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	12/1/1989 0:00	N	TURBIDITY	Turbidity	0.2	NTU	[NULL]	[NULL]	[NULL]	R	H0007GK5	TURBIDITY	USTEST	214A_TURBIDITY	100-NR-2
199-N-31	12/1/1989 0:00	N	7440-61-1	Uranium	0.536	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK5	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	12/1/1989 0:00	Y	7440-62-2	Vanadium	9	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK5F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	N	7440-62-2	Vanadium	8	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK5	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	N	108-05-4	Vinyl acetate	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	108-05-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	75-01-4	Vinyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	75-01-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	81-81-2	Warfarin	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	81-81-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007GK5	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007GK5F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	12/1/1989 0:00	N	122-09-8	alpha,alpha-Dimethylphenethylamine	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	122-09-8	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	12/1/1989 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK5	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	12/1/1989 0:00	N	99-65-0	m-Dinitrobenzene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	99-65-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	616-40-0	n,n-Diethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	616-40-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	615-53-2	n-Nitroso-N-methylurethane	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	615-53-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	924-16-3	n-Nitrosodi-n-butylamine	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	924-16-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	621-64-7	n-Nitrosodi-n-dipropylamine	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	621-64-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	1116-54-7	n-Nitrosodiethanolamine	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	1116-54-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	55-18-5	n-Nitrosodiethylamine	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	55-18-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	62-75-9	n-Nitrosodimethylamine	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	62-75-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	86-30-6	n-Nitrosodiphenylamine	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	86-30-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	10595-95-6	n-Nitrosomethylethylamine	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	10595-95-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	4549-40-0	n-Nitrosomethylvinylamine	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	4549-40-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	59-89-2	n-Nitrosomorpholine	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	59-89-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	16543-55-8	n-Nitrosonornicotine	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	16543-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	100-75-4	n-Nitrosopiperidine	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	100-75-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	103-85-5	n-Phenylthiourea	500	ug/L	U	[NULL]	[NULL]	R	H0007GK5	103-85-5	USTEST	8330_THIOUREA_M	100-NR-2
199-N-31	12/1/1989 0:00	N	107-10-8	n-Propylamine	10000	ug/L	U	[NULL]	[NULL]	R	H0007GK5	107-10-8	USTEST	GC_DIRECT	100-NR-2
199-N-31	12/1/1989 0:00	N	636-21-5	o-Toluidine hydrochloride	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	636-21-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	106-51-4	p-Benzoquinone	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	106-51-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	60-11-7	p-Dimethylaminoazobenzene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	60-11-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	PH	pH Measurement	8.47	unitless	[NULL]	[NULL]	[NULL]	R	H0007GK5	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-31	12/1/1989 0:00	N	PH	pH Measurement	8.45	unitless	[NULL]	[NULL]	[NULL]	R	H0007GK8	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-31	12/1/1989 0:00	N	PH	pH Measurement	8.43	unitless	[NULL]	[NULL]	[NULL]	R	H0007GK6	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-31	12/1/1989 0:00	N	PH	pH Measurement	8.44	unitless	[NULL]	[NULL]	[NULL]	R	H0007GK7	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-31	12/1/1989 0:00	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	H0007GK5	PH	USTEST	9040_PH	100-NR-2
199-N-31	12/1/1989 0:00	N	99-35-4	sym-Trinitrobenzene	19.6	ug/L	U	[NULL]	[NULL]	R	H0007GK5	99-35-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	156-60-5	trans-1,2-Dichloroethylene	5	ug/L	U	[NULL]	[NULL]	R	H0007GK5	156-60-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 0:00	N	110-57-6	trans-1,4-Dichloro-2-butene	10	ug/L	U	[NULL]	[NULL]	R	H0007GK5	110-57-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	12/1/1989 10:26	N	TEMPERATURE	Temperature	18.9	Deg C	[NULL]	[NULL]	[NULL]	R	H000GPL5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-31	2/6/1990 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007GK9	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	2/6/1990 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GK9	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	2/6/1990 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GK9	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	2/6/1990 0:00	N	75-34-3	1,1-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GK9	75-34-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	2/6/1990 0:00	N	107-06-2	1,2-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GK9	107-06-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	2/6/1990 0:00	N	106-46-7	1,4-Dichlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007GK9	106-46-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	2/6/1990 0:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007GK9	93-76-5	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-31	2/6/1990 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007GK9	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-31	2/6/1990 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007GK9	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-31	2/6/1990 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007GK9	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	2/6/1990 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007GK9	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	2/6/1990 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007GK9	67-64-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	2/6/1990 0:00	N	ALPHAHI	Alpha	0.775	pCi/L	U	[NULL]	[NULL]	R	H0007GK9	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	2/6/1990 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK9	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	2/6/1990 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GK9	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GK9F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007GK9	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-31	2/6/1990 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007GK9F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007GK9	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	N	14234-35-6	Antimony-125	86.6	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GK9	14234-35-6	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	2/6/1990 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007GK9	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-31	2/6/1990 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007GK9	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	2/6/1990 0:00	Y	7440-39-3	Barium	11	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK9F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	N	7440-39-3	Barium	11	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK9	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	N	71-43-2	Benzene	5	ug/L	U	[NULL]	[NULL]	R	H0007GK9	71-43-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	2/6/1990 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007GK9	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007GK9F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	Y	7440-42-8	Boron	49	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK9F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	N	7440-42-8	Boron	54	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK9	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007GK9	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	2/6/1990 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GK9F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GK9	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	Y	7440-70-2	Calcium	17100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK9F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	N	7440-70-2	Calcium	18800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK9	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007GK9	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	2/6/1990 0:00	N	10045-97-3	Cesium-137	-1.27	pCi/L	U	[NULL]	[NULL]	R	H0007GK9	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	2/6/1990 0:00	N	16887-00-6	Chloride	600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK9	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	2/6/1990 0:00	N	67-66-3	Chloroform	7	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK9	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	2/6/1990 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GK9F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GK9	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007GK9F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007GK9	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	N	10198-40-0	Cobalt-60	34.2	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GK9	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	2/6/1990 0:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	H0007GK9	COLIFORM	USTEST	9222B_COLIFORM	100-NR-2
199-N-31	2/6/1990 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GK9	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GK9F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK9	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	2/6/1990 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK9	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	2/6/1990 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007GK9	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	2/6/1990 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK9	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	2/6/1990 0:00	N	12587-47-2	Gross beta	119	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GK9	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	2/6/1990 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007GK9	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-31	2/6/1990 0:00	N	7439-89-6	Iron	45	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK9	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	2/6/1990 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007GK9F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GK9	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-31	2/6/1990 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GK9	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	2/6/1990 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007GK9F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007GK9	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	N	7439-95-4	Magnesium	2790	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK9	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	Y	7439-95-4	Magnesium	2790	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK9F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GK9	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GK9F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK9	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-31	2/6/1990 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK9	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	2/6/1990 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007GK9	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	2/6/1990 0:00	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	H0007GK9	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	2/6/1990 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007GK9F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007GK9	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GK9F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GK9	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	N	14797-55-8	Nitrate	4600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK9	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	2/6/1990 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007GK9	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-31	2/6/1990 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GK9	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2
199-N-31	2/6/1990 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007GK9	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	2/6/1990 0:00	Y	7440-09-7	Potassium	2020	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK9F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	N	7440-09-7	Potassium	1960	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK9	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	N	7440-14-4	Radium	0.0524	pCi/L	U	[NULL]	[NULL]	R	H0007GK9	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	2/6/1990 0:00	N	13967-48-1	Ruthenium-106	41.6	pCi/L	U	[NULL]	[NULL]	R	H0007GK9	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	2/6/1990 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GK9	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-31	2/6/1990 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GK9	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-31	2/6/1990 0:00	N	7440-21-3	Silicon	7050	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK9	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	Y	7440-21-3	Silicon	6990	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK9F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GK9F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GK9	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	N	7440-23-5	Sodium	2020	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK9	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	Y	7440-23-5	Sodium	1950	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK9F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	N	CONDUCT	Specific Conductance	143	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GK9	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-31	2/6/1990 0:00	N	CONDUCT	Specific Conductance	133	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GL2	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-31	2/6/1990 0:00	N	CONDUCT	Specific Conductance	133	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GL1	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-31	2/6/1990 0:00	N	CONDUCT	Specific Conductance	133	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GL0	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-31	2/6/1990 0:00	N	CONDUCT	Specific Conductance	133	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GL1	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-31	2/6/1990 0:00	N	CONDUCT	Specific Conductance	134	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GL0	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-31	2/6/1990 0:00	N	CONDUCT	Specific Conductance	132	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GL2	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-31	2/6/1990 0:00	N	CONDUCT	Specific Conductance	134	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GK9	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-31	2/6/1990 0:00	N	7440-24-6	Strontium	79	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK9	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	Y	7440-24-6	Strontium	78	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK9F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	N	10098-97-2	Strontium-90	44.7	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GK9	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	2/6/1990 0:00	N	14808-79-8	Sulfate	7600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK9	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-31	2/6/1990 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GK9	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	2/6/1990 0:00	N	109-99-9	Tetrahydrofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007GK9	109-99-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	2/6/1990 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007GK9	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007GK9F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007GK9	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007GK9F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	N	108-88-3	Toluene	5	ug/L	U	[NULL]	[NULL]	R	H0007GK9	108-88-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	2/6/1990 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007GL2	TOC	USTEST	9060_TOC	100-NR-2
199-N-31	2/6/1990 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007GL1	TOC	USTEST	9060_TOC	100-NR-2
199-N-31	2/6/1990 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007GK9	TOC	USTEST	9060_TOC	100-NR-2
199-N-31	2/6/1990 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007GL0	TOC	USTEST	9060_TOC	100-NR-2
199-N-31	2/6/1990 0:00	N	59473-04-0	Total organic halides	8	ug/L	U	[NULL]	[NULL]	R	H0007GL0	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-31	2/6/1990 0:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	H0007GL2	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-31	2/6/1990 0:00	N	59473-04-0	Total organic halides	8	ug/L	U	[NULL]	[NULL]	R	H0007GL1	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-31	2/6/1990 0:00	N	59473-04-0	Total organic halides	6	ug/L	U	[NULL]	[NULL]	R	H0007GK9	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-31	2/6/1990 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007GK9	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	2/6/1990 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GK9	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	2/6/1990 0:00	N	10028-17-8	Tritium	260000	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GK9	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	2/6/1990 0:00	N	TURBIDITY	Turbidity	0.1	NTU	[NULL]	[NULL]	[NULL]	R	H0007GK9	TURBIDITY	USTEST	214A_TURBIDITY	100-NR-2
199-N-31	2/6/1990 0:00	N	7440-61-1	Uranium	0.515	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK9	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-31	2/6/1990 0:00	N	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007GK9	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	Y	7440-62-2	Vanadium	7	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK9F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	N	75-01-4	Vinyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007GK9	75-01-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	2/6/1990 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007GK9	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	2/6/1990 0:00	N	7440-66-6	Zinc	7	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GK9	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007GK9F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007GK9F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007GK9	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-31	2/6/1990 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GK9	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-31	2/6/1990 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007GK9	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-31	2/6/1990 0:00	N	PH	pH Measurement	8.12	unitless	[NULL]	[NULL]	[NULL]	R	H0007GL1	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-31	2/6/1990 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007GK9	PH	USTEST	9040_PH	100-NR-2
199-N-31	2/6/1990 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007GL1	PH	USTEST	9040_PH	100-NR-2
199-N-31	2/6/1990 0:00	N	PH	pH Measurement	8.11	unitless	[NULL]	[NULL]	[NULL]	R	H0007GL2	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-31	2/6/1990 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007GL0	PH	USTEST	9040_PH	100-NR-2
199-N-31	2/6/1990 0:00	N	PH	pH Measurement	8.13	unitless	[NULL]	[NULL]	[NULL]	R	H0007GL0	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-31	2/6/1990 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007GL2	PH	USTEST	9040_PH	100-NR-2
199-N-31	2/6/1990 0:00	N	156-60-5	trans-1,2-Dichloroethylene	5	ug/L	U	[NULL]	[NULL]	R	H0007GK9	156-60-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-31	2/6/1990 8:34	N	TEMPERATURE	Temperature	18.7	Deg C	[NULL]	[NULL]	[NULL]	R	H000GQ43	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-31	9/13/1994 12:00	N	14234-35-6	Antimony-125	15.8	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCF2	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-31	9/13/1994 12:00	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0CCF2	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-31	9/13/1994 12:00	N	10045-97-3	Cesium-137	2.52	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCF2	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-31	9/13/1994 12:00	N	16887-00-6	Chloride	2800	ug/L	[NULL]	[NULL]	[NULL]	R	B0CCF2	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-31	9/13/1994 12:00	N	10198-40-0	Cobalt-60	2.34	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCF2	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-31	9/13/1994 12:00	N	16984-48-8	Fluoride	400	ug/L	[NULL]	[NULL]	[NULL]	R	B0CCF2	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-31	9/13/1994 12:00	N	14797-55-8	Nitrate	20000	ug/L	D	[NULL]	[NULL]	R	B0CCF2	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	9/13/1994 12:00	N	14797-65-0	Nitrite	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0CCF2	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-31	9/13/1994 12:00	N	14265-44-2	Phosphate	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0CCF2	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-31	9/13/1994 12:00	N	13967-48-1	Ruthenium-106	12.5	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCF2	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-31	9/13/1994 12:00	N	CONDUCT	Specific Conductance	250	uS/cm	[NULL]	[NULL]	[NULL]	R	B0CCF2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-31	9/13/1994 12:00	N	10098-97-2	Strontium-90	156	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCF2	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-31	9/13/1994 12:00	N	14808-79-8	Sulfate	31000	ug/L	D	[NULL]	[NULL]	R	B0CCF2	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-31	9/13/1994 12:00	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0CCF2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-31	9/13/1994 12:00	N	10028-17-8	Tritium	32600	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCF2	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-31	9/13/1994 12:00	N	PH	pH Measurement	8.07	unitless	[NULL]	[NULL]	[NULL]	R	B0CCF2	PH	FIELD	9040_PH	100-NR-2
199-N-31	8/1/1995 12:17	N	DO	Dissolved oxygen	6800	ug/L	[NULL]	[NULL]	[NULL]	R	B0GB57	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-31	8/1/1995 12:17	N	CONDUCT	Specific Conductance	238	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GB57	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-31	8/1/1995 12:17	N	10098-97-2	Strontium-90	39.5	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GB57	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-31	8/1/1995 12:17	N	TEMPERATURE	Temperature	18.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0GB57	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-31	8/1/1995 12:17	N	PH	pH Measurement	8.5	unitless	[NULL]	[NULL]	[NULL]	R	B0GB57	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-31	9/11/1995 11:37	N	DO	Dissolved oxygen	11500	ug/L	[NULL]	[NULL]	[NULL]	R	B0GFT0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-31	9/11/1995 11:37	N	CONDUCT	Specific Conductance	285	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GFT0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-31	9/11/1995 11:37	N	10098-97-2	Strontium-90	41.9	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GFT0	10098-97-2	ITASRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-31	9/11/1995 11:37	N	TEMPERATURE	Temperature	18.9	Deg C	[NULL]	[NULL]	[NULL]	R	B0GFT0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-31	9/11/1995 11:37	N	TURBIDITY	Turbidity	1.63	NTU	[NULL]	[NULL]	[NULL]	R	B0GFT0	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-31	9/11/1995 11:37	N	PH	pH Measurement	8.26	unitless	[NULL]	[NULL]	[NULL]	R	B0GFT0	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-31	10/2/1995 11:35	N	DO	Dissolved oxygen	5000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GP00	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-31	10/2/1995 11:35	N	CONDUCT	Specific Conductance	295	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GP00	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-31	10/2/1995 11:35	N	10098-97-2	Strontium-90	38.2	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GP00	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-31	10/2/1995 11:35	N	TEMPERATURE	Temperature	18	Deg C	[NULL]	[NULL]	[NULL]	R	B0GP00	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-31	10/2/1995 11:35	N	TURBIDITY	Turbidity	1.11	NTU	[NULL]	[NULL]	[NULL]	R	B0GP00	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-31	10/2/1995 11:35	N	PH	pH Measurement	7.95	unitless	[NULL]	[NULL]	[NULL]	R	B0GP00	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-31	11/2/1995 12:38	N	DO	Dissolved oxygen	9000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GRP3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-31	11/2/1995 12:38	N	CONDUCT	Specific Conductance	325	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GRP3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-31	11/2/1995 12:38	N	10098-97-2	Strontium-90	41.2	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GRP3	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-31	11/2/1995 12:38	N	TEMPERATURE	Temperature	17.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0GRP3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-31	11/2/1995 12:38	N	PH	pH Measurement	8.41	unitless	[NULL]	[NULL]	[NULL]	R	B0GRP3	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-31	12/5/1995 9:20	N	DO	Dissolved oxygen	8400	ug/L	[NULL]	[NULL]	[NULL]	R	B0GYT7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-31	12/5/1995 9:20	N	CONDUCT	Specific Conductance	295	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GYT7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-31	12/5/1995 9:20	N	10098-97-2	Strontium-90	37.2	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GYT7	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-31	12/5/1995 9:20	N	10098-97-2	Strontium-90	44.3	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GYX3	10098-97-2	LASLV	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-31	12/5/1995 9:20	N	TEMPERATURE	Temperature	17.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0GYT7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-31	12/5/1995 9:20	N	TURBIDITY	Turbidity	0.91	NTU	[NULL]	[NULL]	[NULL]	R	B0GYT7	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-31	12/5/1995 9:20	N	PH	pH Measurement	8.23	unitless	[NULL]	[NULL]	[NULL]	R	B0GYT7	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-31	1/3/1996 10:35	N	DO	Dissolved oxygen	8000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GZG3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-31	1/3/1996 10:35	N	CONDUCT	Specific Conductance	323	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GZG3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-31	1/3/1996 10:35	N	10098-97-2	Strontium-90	43.6	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GZG3	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-31	1/3/1996 10:35	N	TEMPERATURE	Temperature	17.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0GZG3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-31	1/3/1996 10:35	N	TURBIDITY	Turbidity	1.07	NTU	[NULL]	[NULL]	[NULL]	R	B0GZG3	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-31	1/3/1996 10:35	N	PH	pH Measurement	8.23	unitless	[NULL]	[NULL]	[NULL]	R	B0GZG3	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-31	2/14/1996 12:52	N	DO	Dissolved oxygen	7600	ug/L	[NULL]	[NULL]	[NULL]	R	B0H6H9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-31	2/14/1996 12:52	N	CONDUCT	Specific Conductance	321	uS/cm	[NULL]	[NULL]	[NULL]	R	B0H6H9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-31	2/14/1996 12:52	N	10098-97-2	Strontium-90	46.8	pCi/L	[NULL]	[NULL]	[NULL]	R	B0H6H9	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-31	2/14/1996 12:52	N	TEMPERATURE	Temperature	17.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0H6H9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-31	2/14/1996 12:52	N	TURBIDITY	Turbidity	0.69	NTU	[NULL]	[NULL]	[NULL]	R	B0H6H9	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-31	2/14/1996 12:52	N	PH	pH Measurement	7.98	unitless	[NULL]	[NULL]	[NULL]	R	B0H6H9	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-31	3/4/1996 12:35	N	DO	Dissolved oxygen	8800	ug/L	[NULL]	[NULL]	[NULL]	R	B0H767	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-31	3/4/1996 12:35	N	CONDUCT	Specific Conductance	296	uS/cm	[NULL]	[NULL]	[NULL]	R	B0H767	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-31	3/4/1996 12:35	N	10098-97-2	Strontium-90	43.2	pCi/L	[NULL]	[NULL]	[NULL]	R	B0H767	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-31	3/4/1996 12:35	N	TEMPERATURE	Temperature	16.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0H767	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-31	3/4/1996 12:35	N	TURBIDITY	Turbidity	0.48	NTU	[NULL]	[NULL]	[NULL]	R	B0H767	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-31	3/4/1996 12:35	N	PH	pH Measurement	7.13	unitless	[NULL]	[NULL]	[NULL]	R	B0H767	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-31	4/4/1996 11:20	N	DO	Dissolved oxygen	8500	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8M9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-31	4/4/1996 11:20	N	CONDUCT	Specific Conductance	278	uS/cm	[NULL]	[NULL]	[NULL]	R	B0H8M9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-31	4/4/1996 11:20	N	10098-97-2	Strontium-90	42.1	pCi/L	[NULL]	[NULL]	[NULL]	R	B0H8M9	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-31	4/4/1996 11:20	N	TEMPERATURE	Temperature	18.9	Deg C	[NULL]	[NULL]	[NULL]	R	B0H8M9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-31	4/4/1996 11:20	N	TURBIDITY	Turbidity	0.41	NTU	[NULL]	[NULL]	[NULL]	R	B0H8M9	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-31	4/4/1996 11:20	N	PH	pH Measurement	7.89	unitless	[NULL]	[NULL]	[NULL]	R	B0H8M9	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-31	5/7/1996 11:46	N	DO	Dissolved oxygen	7200	ug/L	[NULL]	[NULL]	[NULL]	R	B0HDW0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-31	5/7/1996 11:46	N	CONDUCT	Specific Conductance	345	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HDW0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-31	5/7/1996 11:46	N	10098-97-2	Strontium-90	40	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HDW0	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-31	5/7/1996 11:46	N	TEMPERATURE	Temperature	17.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0HDW0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-31	5/7/1996 11:46	N	TURBIDITY	Turbidity	0.8	NTU	[NULL]	[NULL]	[NULL]	R	B0HDW0	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-31	5/7/1996 11:46	N	PH	pH Measurement	7.99	unitless	[NULL]	[NULL]	[NULL]	R	B0HDW0	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-31	6/4/1996 11:25	N	DO	Dissolved oxygen	7600	ug/L	[NULL]	[NULL]	[NULL]	R	B0HG71	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-31	6/4/1996 11:25	N	CONDUCT	Specific Conductance	276	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HG71	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-31	6/4/1996 11:25	N	10098-97-2	Strontium-90	40.8	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HG71	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-31	6/4/1996 11:25	N	TEMPERATURE	Temperature	19.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0HG71	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-31	6/4/1996 11:25	N	TURBIDITY	Turbidity	0.62	NTU	[NULL]	[NULL]	[NULL]	R	B0HG71	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-31	6/4/1996 11:25	N	PH	pH Measurement	8.22	unitless	[NULL]	[NULL]	[NULL]	R	B0HG71	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-31	3/18/1997 12:54	N	CONDUCT	Specific Conductance	260	uS/cm	[NULL]	[NULL]	[NULL]	R	B0K011	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-31	3/18/1997 12:54	N	10098-97-2	Strontium-90	34.6	pCi/L	[NULL]	[NULL]	[NULL]	R	B0K011	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-31	3/18/1997 12:54	N	TEMPERATURE	Temperature	18	Deg C	[NULL]	[NULL]	[NULL]	R	B0K011	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-31	3/18/1997 12:54	N	TURBIDITY	Turbidity	1.5	NTU	[NULL]	[NULL]	[NULL]	R	B0K011	TURBIDITY	FIELD	180.1_TURBIDITY	100-NR-2
199-N-31	3/18/1997 12:54	N	PH	pH Measurement	7.78	unitless	[NULL]	[NULL]	[NULL]	R	B0K011	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-31	7/7/1997 10:14	N	10098-97-2	Strontium-90	80.8	pCi/L	[NULL]	[NULL]	[NULL]	R	B0LFJ5	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-31	9/18/1997 13:30	N	CONDUCT	Specific Conductance	346	uS/cm	[NULL]	[NULL]	[NULL]	R	B0LXX3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-31	9/18/1997 13:30	N	10098-97-2	Strontium-90	66	pCi/L	[NULL]	[NULL]	[NULL]	R	B0LXX3	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-31	9/18/1997 13:30	N	TEMPERATURE	Temperature	18.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0LXX3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-31	9/18/1997 13:30	N	TURBIDITY	Turbidity	0.5	NTU	[NULL]	[NULL]	[NULL]	R	B0LXX3	TURBIDITY	FIELD	180.1_TURBIDITY	100-NR-2
199-N-31	9/18/1997 13:30	N	PH	pH Measurement	7.75	unitless	[NULL]	[NULL]	[NULL]	R	B0LXX3	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-32	1/22/1988 0:00	N	14234-35-6	Antimony-125	91	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GP9	14234-35-6	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	1/22/1988 0:00	N	10045-97-3	Cesium-137	-4.24	pCi/L	U	[NULL]	[NULL]	R	H0007GP9	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	1/22/1988 0:00	N	10198-40-0	Cobalt-60	168	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GP9	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	1/22/1988 0:00	N	12587-47-2	Gross beta	200	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GP9	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	1/22/1988 0:00	N	14797-55-8	Nitrate	43900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GP9	14797-55-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	1/22/1988 0:00	N	13967-48-1	Ruthenium-106	3.57	pCi/L	U	[NULL]	[NULL]	R	H0007GP9	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	1/22/1988 0:00	N	10098-97-2	Strontium-90	6.08	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GP9	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	1/22/1988 0:00	N	14133-76-7	Technetium-99	20.8	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GP9	14133-76-7	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	1/22/1988 0:00	N	10028-17-8	Tritium	94000	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GP9	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	1/22/1988 0:00	N	7440-61-1	Uranium	0.721	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GP9	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	3/11/1988 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/11/1988 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/11/1988 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/11/1988 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-32	3/11/1988 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-32	3/11/1988 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/11/1988 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/11/1988 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	3/11/1988 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/11/1988 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GQ0F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	3/11/1988 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-32	3/11/1988 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-32	3/11/1988 0:00	N	7440-39-3	Barium	20	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ0	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/11/1988 0:00	Y	7440-39-3	Barium	21	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ0F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/11/1988 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/11/1988 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GQ0F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/11/1988 0:00	Y	7440-70-2	Calcium	28400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ0F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/11/1988 0:00	N	7440-70-2	Calcium	29500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ0	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/11/1988 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/11/1988 0:00	N	16887-00-6	Chloride	1200	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ0	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	3/11/1988 0:00	N	67-66-3	Chloroform	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/11/1988 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/11/1988 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GQ0F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/11/1988 0:00	N	COLIFORM	Coliform Bacteria	5.1	MPN	[NULL]	[NULL]	[NULL]	R	H0007GQ0	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-32	3/11/1988 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GQ0F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/11/1988 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/11/1988 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	3/11/1988 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	3/11/1988 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	3/11/1988 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	3/11/1988 0:00	N	12587-46-1	Gross alpha	1.66	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GQ0	12587-46-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	3/11/1988 0:00	N	12587-47-2	Gross beta	144	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GQ0	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	3/11/1988 0:00	N	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/11/1988 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007GQ0F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/11/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-32	3/11/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-32	3/11/1988 0:00	Y	7439-95-4	Magnesium	5620	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ0F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/11/1988 0:00	N	7439-95-4	Magnesium	5580	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ0	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/11/1988 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/11/1988 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ0F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/11/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-32	3/11/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-32	3/11/1988 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	3/11/1988 0:00	N	75-09-2	Methylene chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/11/1988 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GQ0F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/11/1988 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/11/1988 0:00	N	14797-55-8	Nitrate	29700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ0	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	3/11/1988 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	3/11/1988 0:00	N	7440-09-7	Potassium	3020	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ0	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/11/1988 0:00	Y	7440-09-7	Potassium	3260	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ0F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/11/1988 0:00	N	7440-14-4	Radium	-0.0197	pCi/L	U	[NULL]	[NULL]	R	H0007GQ0	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	3/11/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-32	3/11/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-32	3/11/1988 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	3/11/1988 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GQ0F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/11/1988 0:00	Y	7440-23-5	Sodium	2960	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ0F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/11/1988 0:00	N	7440-23-5	Sodium	2800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ0	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/11/1988 0:00	N	CONDUCT	Specific Conductance	136	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GQ0	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-32	3/11/1988 0:00	N	14808-79-8	Sulfate	11200	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ0	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	3/11/1988 0:00	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	H000GK59	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	3/11/1988 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/11/1988 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	3/11/1988 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/11/1988 0:00	Y	7440-62-2	Vanadium	12	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ0F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/11/1988 0:00	N	7440-62-2	Vanadium	11	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ0	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/11/1988 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/11/1988 0:00	N	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/11/1988 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ0F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/11/1988 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GQ0	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	3/11/1988 0:00	N	PH	pH Measurement	8.5	unitless	[NULL]	[NULL]	[NULL]	R	H0007GQ0	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-32	4/13/1988 0:00	N	10045-97-3	Cesium-137	3.72	pCi/L	U	[NULL]	[NULL]	R	H0007GQ1	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	4/13/1988 0:00	N	10198-40-0	Cobalt-60	89.3	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GQ1	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	4/13/1988 0:00	N	12587-47-2	Gross beta	111	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GQ1	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	4/13/1988 0:00	N	14797-55-8	Nitrate	48400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ1	14797-55-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	4/13/1988 0:00	N	13967-48-1	Ruthenium-106	13.6	pCi/L	U	[NULL]	[NULL]	R	H0007GQ1	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	4/13/1988 0:00	N	10098-97-2	Strontium-90	8.14	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GQ1	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	4/13/1988 0:00	N	10028-17-8	Tritium	58300	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GQ1	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	4/13/1988 0:00	N	7440-61-1	Uranium	1.28	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ1	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	6/28/1988 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	6/28/1988 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	6/28/1988 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	6/28/1988 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-32	6/28/1988 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-32	6/28/1988 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	6/28/1988 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	6/28/1988 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	6/28/1988 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GQ2F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	6/28/1988 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	6/28/1988 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-32	6/28/1988 0:00	N	12674-11-2	Aroclor-1016	1	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	12674-11-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	6/28/1988 0:00	N	11104-28-2	Aroclor-1221	1	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	11104-28-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	6/28/1988 0:00	N	11141-16-5	Aroclor-1232	1	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	11141-16-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	6/28/1988 0:00	N	53469-21-9	Aroclor-1242	1	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	53469-21-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	6/28/1988 0:00	N	12672-29-6	Aroclor-1248	1	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	12672-29-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	6/28/1988 0:00	N	11097-69-1	Aroclor-1254	1	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	11097-69-1	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	6/28/1988 0:00	N	11096-82-5	Aroclor-1260	1	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	11096-82-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	6/28/1988 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-32	6/28/1988 0:00	N	H37	Arsenic, filtered	5	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ2	H37	USTEST	UNKNOWN_METALS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	6/28/1988 0:00	Y	7440-39-3	Barium	24	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ2F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	6/28/1988 0:00	N	7440-39-3	Barium	26	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ2	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	6/28/1988 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GQ2F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	6/28/1988 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	6/28/1988 0:00	N	7440-70-2	Calcium	40000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ2	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	6/28/1988 0:00	Y	7440-70-2	Calcium	37000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ2F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	6/28/1988 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	6/28/1988 0:00	N	10045-97-3	Cesium-137	3.01	pCi/L	U	[NULL]	[NULL]	R	H0007GQ2	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	6/28/1988 0:00	N	16887-00-6	Chloride	724	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ2	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	6/28/1988 0:00	N	67-66-3	Chloroform	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	6/28/1988 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	6/28/1988 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GQ2F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	6/28/1988 0:00	N	10198-40-0	Cobalt-60	82.7	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GQ2	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	6/28/1988 0:00	N	COLIFORM	Coliform Bacteria	2.2	MPN	U	[NULL]	[NULL]	R	H0007GQ2	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-32	6/28/1988 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GQ2F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	6/28/1988 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	6/28/1988 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	6/28/1988 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	6/28/1988 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	6/28/1988 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	6/28/1988 0:00	N	12587-46-1	Gross alpha	1.53	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GQ2	12587-46-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	6/28/1988 0:00	N	12587-47-2	Gross beta	151	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GQ2	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	6/28/1988 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-32	6/28/1988 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007GQ2F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	6/28/1988 0:00	N	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	6/28/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-32	6/28/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-32	6/28/1988 0:00	N	7439-95-4	Magnesium	7980	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ2	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	6/28/1988 0:00	Y	7439-95-4	Magnesium	7810	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ2F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	6/28/1988 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ2F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	6/28/1988 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	6/28/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-32	6/28/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-32	6/28/1988 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	6/28/1988 0:00	N	75-09-2	Methylene chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	6/28/1988 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GQ2F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	6/28/1988 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	6/28/1988 0:00	N	14797-55-8	Nitrate	56800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ2	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	6/28/1988 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2
199-N-32	6/28/1988 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	6/28/1988 0:00	Y	7440-09-7	Potassium	3490	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ2F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	6/28/1988 0:00	N	7440-09-7	Potassium	3540	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ2	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	6/28/1988 0:00	N	7440-14-4	Radium	0.0339	pCi/L	U	[NULL]	[NULL]	R	H0007GQ2	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	6/28/1988 0:00	N	13967-48-1	Ruthenium-106	-6.34	pCi/L	U	[NULL]	[NULL]	R	H0007GQ2	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	6/28/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	6/28/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-32	6/28/1988 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GQ2F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	6/28/1988 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	6/28/1988 0:00	N	7440-23-5	Sodium	3340	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ2	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	6/28/1988 0:00	Y	7440-23-5	Sodium	3350	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ2F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	6/28/1988 0:00	N	CONDUCT	Specific Conductance	245	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GQ4	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-32	6/28/1988 0:00	N	CONDUCT	Specific Conductance	193	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GQ5	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-32	6/28/1988 0:00	N	CONDUCT	Specific Conductance	252	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GQ2	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-32	6/28/1988 0:00	N	CONDUCT	Specific Conductance	248	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GQ3	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-32	6/28/1988 0:00	N	10098-97-2	Strontium-90	12.6	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GQ2	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	6/28/1988 0:00	N	14808-79-8	Sulfate	8880	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ2	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	6/28/1988 0:00	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	H000GL05	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	6/28/1988 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	6/28/1988 0:00	N	TOC	Total organic carbon	397	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	TOC	USTEST	9060_TOC	100-NR-2
199-N-32	6/28/1988 0:00	N	TOC	Total organic carbon	388	ug/L	U	[NULL]	[NULL]	R	H0007GQ5	TOC	USTEST	9060_TOC	100-NR-2
199-N-32	6/28/1988 0:00	N	TOC	Total organic carbon	430	ug/L	U	[NULL]	[NULL]	R	H0007GQ3	TOC	USTEST	9060_TOC	100-NR-2
199-N-32	6/28/1988 0:00	N	TOC	Total organic carbon	390	ug/L	U	[NULL]	[NULL]	R	H0007GQ4	TOC	USTEST	9060_TOC	100-NR-2
199-N-32	6/28/1988 0:00	N	59473-04-0	Total organic halides	2.8	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	59473-04-0	USTEST	9020_TOX_M	100-NR-2
199-N-32	6/28/1988 0:00	N	59473-04-0	Total organic halides	1.2	ug/L	U	[NULL]	[NULL]	R	H0007GQ3	59473-04-0	USTEST	9020_TOX_M	100-NR-2
199-N-32	6/28/1988 0:00	N	59473-04-0	Total organic halides	1.4	ug/L	U	[NULL]	[NULL]	R	H0007GQ4	59473-04-0	USTEST	9020_TOX_M	100-NR-2
199-N-32	6/28/1988 0:00	N	59473-04-0	Total organic halides	15.9	ug/L	U	[NULL]	[NULL]	R	H0007GQ5	59473-04-0	USTEST	9020_TOX_M	100-NR-2
199-N-32	6/28/1988 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	6/28/1988 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	6/28/1988 0:00	N	10028-17-8	Tritium	70500	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GQ2	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	6/28/1988 0:00	N	7440-61-1	Uranium	1.58	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ2	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	6/28/1988 0:00	N	7440-62-2	Vanadium	14	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ2	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	6/28/1988 0:00	Y	7440-62-2	Vanadium	10	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ2F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	6/28/1988 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	6/28/1988 0:00	N	7440-66-6	Zinc	6	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ2	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	6/28/1988 0:00	Y	7440-66-6	Zinc	5	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ2F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	6/28/1988 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GQ2	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	6/28/1988 0:00	N	PH	pH Measurement	8.3	unitless	[NULL]	[NULL]	[NULL]	R	H0007GQ3	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-32	6/28/1988 0:00	N	PH	pH Measurement	8.3	unitless	[NULL]	[NULL]	[NULL]	R	H0007GQ2	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-32	6/28/1988 0:00	N	PH	pH Measurement	8.3	unitless	[NULL]	[NULL]	[NULL]	R	H0007GQ4	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-32	6/28/1988 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007GQ5	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-32	9/16/1988 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	9/16/1988 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	9/16/1988 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	9/16/1988 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-32	9/16/1988 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-32	9/16/1988 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	9/16/1988 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	9/16/1988 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	9/16/1988 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	9/16/1988 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GQ6F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/16/1988 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-32	9/16/1988 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-32	9/16/1988 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-32	9/16/1988 0:00	Y	7440-39-3	Barium	26	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ6F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/16/1988 0:00	N	7440-39-3	Barium	26	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ6	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/16/1988 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GQ6F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/16/1988 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/16/1988 0:00	N	7440-70-2	Calcium	36800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ6	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/16/1988 0:00	Y	7440-70-2	Calcium	40400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ6F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/16/1988 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	9/16/1988 0:00	N	10045-97-3	Cesium-137	-0.265	pCi/L	U	[NULL]	[NULL]	R	H0007GQ6	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	9/16/1988 0:00	N	16887-00-6	Chloride	743	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ6	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	9/16/1988 0:00	N	67-66-3	Chloroform	5	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ6	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	9/16/1988 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/16/1988 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GQ6F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/16/1988 0:00	N	10198-40-0	Cobalt-60	84.3	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GQ6	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	9/16/1988 0:00	N	COLIFORM	Coliform Bacteria	2.2	MPN	[NULL]	[NULL]	[NULL]	R	H0007GQ6	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-32	9/16/1988 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GQ6F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/16/1988 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/16/1988 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	9/16/1988 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	9/16/1988 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	9/16/1988 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	9/16/1988 0:00	N	12587-46-1	Gross alpha	0.943	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GQ6	12587-46-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	9/16/1988 0:00	N	12587-47-2	Gross beta	111	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GQ6	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	9/16/1988 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-32	9/16/1988 0:00	N	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/16/1988 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007GQ6F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/16/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-32	9/16/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-32	9/16/1988 0:00	Y	7439-95-4	Magnesium	8050	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ6F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/16/1988 0:00	N	7439-95-4	Magnesium	7740	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ6	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/16/1988 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/16/1988 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ6F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/16/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-32	9/16/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-32	9/16/1988 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	9/16/1988 0:00	N	75-09-2	Methylene chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	9/16/1988 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/16/1988 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GQ6F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/16/1988 0:00	N	14797-55-8	Nitrate	52300	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ6	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	9/16/1988 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2
199-N-32	9/16/1988 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	9/16/1988 0:00	N	7440-09-7	Potassium	3480	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ6	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	9/16/1988 0:00	Y	7440-09-7	Potassium	3390	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ6F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/16/1988 0:00	N	7440-14-4	Radium	-0.022	pCi/L	U	[NULL]	[NULL]	R	H0007GQ6	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	9/16/1988 0:00	N	13967-48-1	Ruthenium-106	69.2	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GQ6	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	9/16/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-32	9/16/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-32	9/16/1988 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/16/1988 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GQ6F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/16/1988 0:00	N	7440-23-5	Sodium	3240	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ6	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/16/1988 0:00	Y	7440-23-5	Sodium	3110	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ6F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/16/1988 0:00	N	CONDUCT	Specific Conductance	232	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GQ9	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-32	9/16/1988 0:00	N	CONDUCT	Specific Conductance	232	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GQ8	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-32	9/16/1988 0:00	N	CONDUCT	Specific Conductance	232	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GQ7	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-32	9/16/1988 0:00	N	CONDUCT	Specific Conductance	235	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GQ6	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-32	9/16/1988 0:00	N	10098-97-2	Strontium-90	17.2	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GQ6	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	9/16/1988 0:00	N	14808-79-8	Sulfate	8940	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ6	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	9/16/1988 0:00	N	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	R	H000GM57	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	9/16/1988 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	9/16/1988 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007GQ9	TOC	USTEST	9060_TOC	100-NR-2
199-N-32	9/16/1988 0:00	N	TOC	Total organic carbon	700	ug/L	U	[NULL]	[NULL]	R	H0007GQ8	TOC	USTEST	9060_TOC	100-NR-2
199-N-32	9/16/1988 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007GQ7	TOC	USTEST	9060_TOC	100-NR-2
199-N-32	9/16/1988 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	TOC	USTEST	9060_TOC	100-NR-2
199-N-32	9/16/1988 0:00	N	59473-04-0	Total organic halides	1	ug/L	U	[NULL]	[NULL]	R	H0007GQ9	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-32	9/16/1988 0:00	N	59473-04-0	Total organic halides	1	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	TOC	USTEST	9060_TOC	100-NR-2
199-N-32	9/16/1988 0:00	N	59473-04-0	Total organic halides	1	ug/L	U	[NULL]	[NULL]	R	H0007GQ9	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-32	9/16/1988 0:00	N	59473-04-0	Total organic halides	27	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ8	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-32	9/16/1988 0:00	N	59473-04-0	Total organic halides	8	ug/L	U	[NULL]	[NULL]	R	H0007GQ7	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-32	9/16/1988 0:00	N	59473-04-0	Total organic halides	2	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-32	9/16/1988 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	9/16/1988 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	9/16/1988 0:00	N	10028-17-8	Tritium	119000	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GQ6	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	9/16/1988 0:00	N	7440-61-1	Uranium	1.35	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ6	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	9/16/1988 0:00	Y	7440-62-2	Vanadium	13	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ6F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/16/1988 0:00	N	7440-62-2	Vanadium	15	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ6	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/16/1988 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	9/16/1988 0:00	N	7440-66-6	Zinc	6	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GQ6	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/16/1988 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007GQ6F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/16/1988 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GQ6	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	9/16/1988 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007GQ6	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-32	9/16/1988 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007GQ7	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-32	9/16/1988 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007GQ9	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-32	9/16/1988 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007GQ8	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-32	12/14/1988 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007GR0	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	12/14/1988 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GR0	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	12/14/1988 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GR0	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	12/14/1988 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007GR0	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-32	12/14/1988 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007GR0	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	12/14/1988 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007GR0	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	12/14/1988 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007GR0	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	12/14/1988 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GR0	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	12/14/1988 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GR0	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	12/14/1988 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GR0F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	12/14/1988 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007GR0	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	12/14/1988 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007GR0F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	12/14/1988 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007GR0	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-32	12/14/1988 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007GR0	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-32	12/14/1988 0:00	N	7440-39-3	Barium	17	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR0	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	12/14/1988 0:00	Y	7440-39-3	Barium	19	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR0F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	12/14/1988 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007GR0	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	12/14/1988 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007GR0F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	12/14/1988 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GR0	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	12/14/1988 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GR0F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	12/14/1988 0:00	Y	7440-70-2	Calcium	28800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR0F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	12/14/1988 0:00	N	7440-70-2	Calcium	28700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR0	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	12/14/1988 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007GR0	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	12/14/1988 0:00	N	10045-97-3	Cesium-137	-4.24	pCi/L	U	[NULL]	[NULL]	R	H0007GR0	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	12/14/1988 0:00	N	16887-00-6	Chloride	700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR0	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	12/14/1988 0:00	N	67-66-3	Chloroform	4	ug/L	U	[NULL]	[NULL]	R	H0007GR0	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	12/14/1988 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GR0F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	12/14/1988 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GR0	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	12/14/1988 0:00	N	10198-40-0	Cobalt-60	54.6	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GR0	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	12/14/1988 0:00	N	COLIFORM	Coliform Bacteria	2.2	MPN	U	[NULL]	[NULL]	R	H0007GR0	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-32	12/14/1988 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GR0F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	12/14/1988 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GR0	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	12/14/1988 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GR0	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	12/14/1988 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GR0	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	12/14/1988 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007GR0	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	12/14/1988 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GR0	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	12/14/1988 0:00	N	12587-46-1	Gross alpha	1.04	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GR0	12587-46-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	12/14/1988 0:00	N	12587-47-2	Gross beta	102	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GR0	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	12/14/1988 0:00	Y	7439-89-6	Iron	37	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR0F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	12/14/1988 0:00	N	7439-89-6	Iron	110	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR0	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	12/14/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GR0	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-32	12/14/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GR0	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-32	12/14/1988 0:00	Y	7439-95-4	Magnesium	6240	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR0F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	12/14/1988 0:00	N	7439-95-4	Magnesium	6090	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR0	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	12/14/1988 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GR0	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	12/14/1988 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GR0F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	12/14/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GR0	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-32	12/14/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GR0	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-32	12/14/1988 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007GR0	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	12/14/1988 0:00	N	75-09-2	Methylene chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007GR0	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	12/14/1988 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GR0	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	12/14/1988 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GR0F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	12/14/1988 0:00	N	14797-55-8	Nitrate	29800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR0	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	12/14/1988 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GR0	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2
199-N-32	12/14/1988 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007GR0	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	12/14/1988 0:00	Y	7440-09-7	Potassium	3150	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR0F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	12/14/1988 0:00	N	7440-09-7	Potassium	2680	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR0	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	12/14/1988 0:00	N	7440-14-4	Radium	0.00732	pCi/L	U	[NULL]	[NULL]	R	H0007GR0	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	12/14/1988 0:00	N	13967-48-1	Ruthenium-106	79.9	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GR0	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	12/14/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GR0	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-32	12/14/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GR0	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-32	12/14/1988 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GR0	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	12/14/1988 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GR0F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	12/14/1988 0:00	N	7440-23-5	Sodium	2390	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR0	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	12/14/1988 0:00	Y	7440-23-5	Sodium	2750	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR0F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	12/14/1988 0:00	N	CONDUCT	Specific Conductance	186	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GR0	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-32	12/14/1988 0:00	N	CONDUCT	Specific Conductance	187	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GR2	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-32	12/14/1988 0:00	N	CONDUCT	Specific Conductance	187	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GR1	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-32	12/14/1988 0:00	N	CONDUCT	Specific Conductance	187	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GR3	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-32	12/14/1988 0:00	N	7440-24-6	Strontium	145	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR0	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	12/14/1988 0:00	Y	7440-24-6	Strontium	156	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR0F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	12/14/1988 0:00	N	10098-97-2	Strontium-90	11.5	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GR0	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	12/14/1988 0:00	N	14808-79-8	Sulfate	9300	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR0	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	12/14/1988 0:00	N	TEMPERATURE	Temperature	18	Deg C	[NULL]	[NULL]	[NULL]	R	H000GMT2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	12/14/1988 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GR0	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	12/14/1988 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007GR1	TOC	USTEST	9060_TOC	100-NR-2
199-N-32	12/14/1988 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007GR2	TOC	USTEST	9060_TOC	100-NR-2
199-N-32	12/14/1988 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007GR0	TOC	USTEST	9060_TOC	100-NR-2
199-N-32	12/14/1988 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007GR3	TOC	USTEST	9060_TOC	100-NR-2
199-N-32	12/14/1988 0:00	N	59473-04-0	Total organic halides	8	ug/L	U	[NULL]	[NULL]	R	H0007GR0	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-32	12/14/1988 0:00	N	59473-04-0	Total organic halides	18	ug/L	U	[NULL]	[NULL]	R	H0007GR2	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-32	12/14/1988 0:00	N	59473-04-0	Total organic halides	7	ug/L	U	[NULL]	[NULL]	R	H0007GR1	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-32	12/14/1988 0:00	N	59473-04-0	Total organic halides	9	ug/L	U	[NULL]	[NULL]	R	H0007GR3	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-32	12/14/1988 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007GR0	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	12/14/1988 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GR0	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	12/14/1988 0:00	N	10028-17-8	Tritium	234000	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GR0	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	12/14/1988 0:00	N	7440-61-1	Uranium	1.08	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR0	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	12/14/1988 0:00	Y	7440-62-2	Vanadium	14	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR0F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	12/14/1988 0:00	N	7440-62-2	Vanadium	12	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR0	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	12/14/1988 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007GR0	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	12/14/1988 0:00	Y	7440-66-6	Zinc	35	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR0F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	12/14/1988 0:00	N	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007GR0	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	12/14/1988 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GR0	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	12/14/1988 0:00	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	H0007GR1	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-32	12/14/1988 0:00	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	H0007GR0	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	12/14/1988 0:00	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	H0007GR3	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-32	12/14/1988 0:00	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	H0007GR2	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-32	1/5/1989 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007GR4	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-32	1/5/1989 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007GR4	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-32	1/5/1989 0:00	N	CONDUCT	Specific Conductance	186	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GR4	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-32	1/5/1989 0:00	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	H000GN87	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	1/5/1989 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007GR4	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-32	3/6/1989 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	630-20-6	1,1,1,2-Tetrachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	630-20-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	79-34-5	1,1,2,2-Tetrachloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	79-34-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	75-34-3	1,1-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	75-34-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	75-35-4	1,1-Dichloroethene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	75-35-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	57-14-7	1,1-Dimethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	57-14-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	634-66-2	1,2,3,4-Tetrachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	634-66-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	634-90-2	1,2,3,5-Tetrachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	634-90-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	87-61-6	1,2,3-Trichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	87-61-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	96-18-4	1,2,3-Trichloropropane	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	96-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	95-94-3	1,2,4,5-Tetrachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	95-94-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	120-82-1	1,2,4-Trichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	120-82-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	96-12-8	1,2-Dibromo-3-chloropropane	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	96-12-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	106-93-4	1,2-Dibromoethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	106-93-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	95-50-1	1,2-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	95-50-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	107-06-2	1,2-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	107-06-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	78-87-5	1,2-Dichloropropane	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	78-87-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	540-73-8	1,2-Dimethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	540-73-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	122-66-7	1,2-Diphenylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	122-66-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	108-70-3	1,3,5-Trichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	108-70-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	541-73-1	1,3-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	541-73-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	542-75-6	1,3-Dichloropropene	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	542-75-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	106-46-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	106-46-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	123-91-1	1,4-Dioxane	500	ug/L	U	[NULL]	[NULL]	R	H0007GR5	123-91-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	130-15-4	1,4-Naphthoquinone	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	130-15-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	5344-82-1	1-(o-Chlorophenyl)thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007GR5	5344-82-1	USTEST	8330_THIOUREA_M	100-NR-2
199-N-32	3/6/1989 0:00	N	591-08-2	1-Acetyl-2-thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007GR5	591-08-2	USTEST	8330_THIOUREA_M	100-NR-2
199-N-32	3/6/1989 0:00	N	71-36-3	1-Butanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007GR5	71-36-3	USTEST	GC_DIRECT	100-NR-2
199-N-32	3/6/1989 0:00	N	L60	1-Butynol	10000	ug/L	U	[NULL]	[NULL]	R	H0007GR5	L60	USTEST	GC_DIRECT	100-NR-2
199-N-32	3/6/1989 0:00	N	106-89-8	1-Chloro-2,3-epoxypropane	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	106-89-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	86-88-4	1-Naphthyl-2-thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007GR5	86-88-4	USTEST	8330_THIOUREA_M	100-NR-2
199-N-32	3/6/1989 0:00	N	134-32-7	1-Naphthylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	134-32-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	71-23-8	1-Propanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007GR5	71-23-8	USTEST	GC_DIRECT	100-NR-2
199-N-32	3/6/1989 0:00	N	58-90-2	2,3,4,6-Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	58-90-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	1746-01-6	2,3,7,8-Tetrachlorodibenzo-p-dioxin	0.01	ug/L	U	[NULL]	[NULL]	R	H0007GR5	1746-01-6	USTEST	8280_DIOXINS_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	3/6/1989 0:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007GR5	93-76-5	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-32	3/6/1989 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007GR5	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-32	3/6/1989 0:00	N	95-95-4	2,4,5-Trichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	95-95-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	88-06-2	2,4,6-Trichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	88-06-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007GR5	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-32	3/6/1989 0:00	N	120-83-2	2,4-Dichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	120-83-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	51-28-5	2,4-Dinitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	51-28-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	121-14-2	2,4-Dinitrotoluene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	121-14-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	87-65-0	2,6-Dichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	87-65-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	606-20-2	2,6-Dinitrotoluene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	606-20-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	53-96-3	2-Acetylaminofluorene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	53-96-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	110-75-8	2-Chloroethyl vinyl ether	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	110-75-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	91-58-7	2-Chloronaphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	91-58-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	95-57-8	2-Chlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	95-57-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	131-89-5	2-Cyclohexyl-4,6-dinitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	131-89-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	591-78-6	2-Hexanone	50	ug/L	U	[NULL]	[NULL]	R	H0007GR5	591-78-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	116-06-3	2-Methyl-2-(methylthio)propionaldehyde-o-(methylcarbonyl) ox	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	116-06-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	75-55-8	2-Methylaziridine	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	75-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	75-86-5	2-Methyllactonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	75-86-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	91-57-6	2-Methylnaphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	91-57-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	91-59-8	2-Naphthylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	91-59-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	88-74-4	2-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	88-74-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	88-75-5	2-Nitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	88-75-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	109-06-8	2-Picoline	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	109-06-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	107-19-7	2-Propyn-1-ol	10000	ug/L	U	[NULL]	[NULL]	R	H0007GR5	107-19-7	USTEST	GC_DIRECT	100-NR-2
199-N-32	3/6/1989 0:00	N	91-94-1	3,3'-Dichlorobenzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	91-94-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	119-90-4	3,3'-Dimethoxybenzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	119-90-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	119-93-7	3,3'-Dimethylbenzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	119-93-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	542-76-7	3-Chloropropionitrile	10000	ug/L	U	[NULL]	[NULL]	R	H0007GR5	542-76-7	USTEST	GC_DIRECT	100-NR-2
199-N-32	3/6/1989 0:00	N	56-49-5	3-Methylcholanthrene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	56-49-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	99-09-2	3-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	99-09-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	72-54-8	4,4'-DDD (Dichlorodiphenyldichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GR5	72-54-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	3/6/1989 0:00	N	72-55-9	4,4'-DDE (Dichlorodiphenyldichloroethylene)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GR5	72-55-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	3/6/1989 0:00	N	50-29-3	4,4'-DDT (Dichlorodiphenyltrichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GR5	50-29-3	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	3/6/1989 0:00	N	101-14-4	4,4'-Methylenebis(2-chloroaniline)	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	101-14-4	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	3/6/1989 0:00	N	534-52-1	4,6-Dinitro-2-methylphenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	534-52-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	92-67-1	4-Aminobiphenyl	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	92-67-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	101-55-3	4-Bromophenylphenyl ether	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	101-55-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	59-50-7	4-Chloro-3-methylphenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	59-50-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	106-47-8	4-Chloroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	106-47-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	100-01-6	4-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	100-01-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	100-02-7	4-Nitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	100-02-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	56-57-5	4-Nitroquinoline-1-oxide	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	56-57-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	2763-96-4	5-(Aminomethyl)-3-isoxazolol	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	2763-96-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	99-55-8	5-Nitro-o-toluidine	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	99-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	57-97-6	7,12-Dimethylbenz[a]anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	57-97-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	194-59-2	7H-Dibenzo[c,g]carbazole	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	194-59-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	83-32-9	Acenaphthene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	83-32-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	208-96-8	Acenaphthylene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	208-96-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	67-64-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	67-64-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	75-05-8	Acetonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	75-05-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	98-86-2	Acetophenone	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	98-86-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	107-02-8	Acrolein	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	107-02-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	79-06-1	Acrylamide	10000	ug/L	U	[NULL]	[NULL]	R	H0007GR5	79-06-1	USTEST	GC_DIRECT	100-NR-2
199-N-32	3/6/1989 0:00	N	107-13-1	Acrylonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	107-13-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	309-00-2	Aldrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GR5	309-00-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	3/6/1989 0:00	N	107-18-6	Allyl alcohol	10000	ug/L	U	[NULL]	[NULL]	R	H0007GR5	107-18-6	USTEST	GC_DIRECT	100-NR-2
199-N-32	3/6/1989 0:00	N	107-05-1	Allyl chloride	100	ug/L	U	[NULL]	[NULL]	R	H0007GR5	107-05-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	ALPHAHI	Alpha	1.28	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GR5	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	3/6/1989 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GR5	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	3/6/1989 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GR5F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GR5	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	N	61-82-5	Amitrole	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	61-82-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007GR5	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-32	3/6/1989 0:00	N	62-53-3	Aniline	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	62-53-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	120-12-7	Anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	120-12-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007GR5	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007GR5F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	N	14234-35-6	Antimony-125	93.6	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GR5	14234-35-6	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	3/6/1989 0:00	N	140-57-8	Aramite	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	140-57-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	12674-11-2	Aroclor-1016	1	ug/L	U	[NULL]	[NULL]	R	H0007GR5	12674-11-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	3/6/1989 0:00	N	11104-28-2	Aroclor-1221	1	ug/L	U	[NULL]	[NULL]	R	H0007GR5	11104-28-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	3/6/1989 0:00	N	11141-16-5	Aroclor-1232	1	ug/L	U	[NULL]	[NULL]	R	H0007GR5	11141-16-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	3/6/1989 0:00	N	53469-21-9	Aroclor-1242	1	ug/L	U	[NULL]	[NULL]	R	H0007GR5	53469-21-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	3/6/1989 0:00	N	12672-29-6	Aroclor-1248	1	ug/L	U	[NULL]	[NULL]	R	H0007GR5	12672-29-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	3/6/1989 0:00	N	11097-69-1	Aroclor-1254	1	ug/L	U	[NULL]	[NULL]	R	H0007GR5	11097-69-1	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	3/6/1989 0:00	N	11096-82-5	Aroclor-1260	1	ug/L	U	[NULL]	[NULL]	R	H0007GR5	11096-82-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	3/6/1989 0:00	N	7440-38-2	Arsenic	5	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR5	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-32	3/6/1989 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-32	3/6/1989 0:00	N	492-80-8	Auramine	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	492-80-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	7440-39-3	Barium	13	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR5	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	3/6/1989 0:00	Y	7440-39-3	Barium	14	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR5F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	N	225-51-4	Benz[c]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	225-51-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	71-43-2	Benzene	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	71-43-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	108-98-5	Benzenethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	108-98-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	92-87-5	Benzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	92-87-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	56-55-3	Benzo(a)anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	56-55-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	50-32-8	Benzo(a)pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	50-32-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	205-99-2	Benzo(b)fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	205-99-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	191-24-2	Benzo(ghi)perylene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	191-24-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	207-08-9	Benzo(k)fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	207-08-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	205-82-3	Benzo[j]fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	205-82-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	100-51-6	Benzyl alcohol	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	100-51-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	100-44-7	Benzyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	100-44-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	N	111-91-1	Bis(2-Chloroethoxy)methane	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	111-91-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	108-60-1	Bis(2-chloro-1-methylethyl)ether	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	108-60-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	111-44-4	Bis(2-chloroethyl) ether	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	111-44-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	117-81-7	Bis(2-ethylhexyl) phthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	117-81-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	542-88-1	Bis(chloromethyl) ether	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	542-88-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	7440-42-8	Boron	28	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR5	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	Y	7440-42-8	Boron	24	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR5F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007GR5	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	3/6/1989 0:00	N	598-31-2	Bromoacetone	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	598-31-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	75-27-4	Bromodichloromethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	75-27-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	75-25-2	Bromoform	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	75-25-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	74-83-9	Bromomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	74-83-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	85-68-7	Butylbenzylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	85-68-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GR5	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GR5F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	Y	7440-70-2	Calcium	18500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR5F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	N	7440-70-2	Calcium	19700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR5	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	N	75-15-0	Carbon disulfide	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	75-15-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	786-19-6	Carbophenothion	2	ug/L	U	[NULL]	[NULL]	R	H0007GR5	786-19-6	USTEST	8140_PEST_GC	100-NR-2
199-N-32	3/6/1989 0:00	N	10045-97-3	Cesium-137	-4.74	pCi/L	U	[NULL]	[NULL]	R	H0007GR5	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	3/6/1989 0:00	N	57-74-9	Chlordane	1	ug/L	U	[NULL]	[NULL]	R	H0007GR5	57-74-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	3/6/1989 0:00	N	16887-00-6	Chloride	700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR5	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	3/6/1989 0:00	N	494-03-1	Chlornaphazine	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	494-03-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	B44	Chloroalkyl ethers	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	B44	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	108-90-7	Chlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	108-90-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	108-90-7	Chlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	108-90-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	510-15-6	Chlorobenzilate	300	ug/L	U	[NULL]	[NULL]	R	H0007GR5	510-15-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	3/6/1989 0:00	N	75-00-3	Chloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	75-00-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	67-66-3	Chloroform	4	ug/L	U	[NULL]	[NULL]	R	H0007GR5	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	74-87-3	Chloromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	74-87-3	USTEST	8240_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	3/6/1989 0:00	N	107-30-2	Chloromethyl methyl ether	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	107-30-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	N	218-01-9	Chrysene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	218-01-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	6358-53-8	Citrus red No. 2	1000	ug/L	U	[NULL]	[NULL]	R	H0007GR5	6358-53-8	USTEST	CITRUS_RED	100-NR-2
199-N-32	3/6/1989 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007GR5F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007GR5	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	N	10198-40-0	Cobalt-60	20.2	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GR5	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	3/6/1989 0:00	N	COLIFORM	Coliform Bacteria	2.2	MPN	U	[NULL]	[NULL]	R	H0007GR5	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-32	3/6/1989 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	N	4170-30-3	Crotonaldehyde	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	4170-30-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	57-12-5	Cyanide	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	57-12-5	USTEST	9010_CYANIDE	100-NR-2
199-N-32	3/6/1989 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GR5	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	3/6/1989 0:00	N	84-74-2	Di-n-butylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	84-74-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	117-84-0	Di-n-octylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	117-84-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	2303-16-4	Diallate	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	2303-16-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	226-36-8	Dibenz[a,h]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	226-36-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	53-70-3	Dibenz[a,h]anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	53-70-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	224-42-0	Dibenz[a,j]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	224-42-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	192-65-4	Dibenzo[a,e]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	192-65-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	189-64-0	Dibenzo[a,h]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	189-64-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	189-55-9	Dibenzo[a,i]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	189-55-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	132-64-9	Dibenzofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	132-64-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	124-48-1	Dibromochloromethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	124-48-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	74-95-3	Dibromomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	74-95-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	107-66-4	Dibutylphosphate	10000	ug/L	U	[NULL]	[NULL]	R	H0007GR5	107-66-4	USTEST	70-MDBP	100-NR-2
199-N-32	3/6/1989 0:00	N	75-71-8	Dichlorodifluoromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	75-71-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	98-87-3	Dichloromethyl-benzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	98-87-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	60-57-1	Dieldrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GR5	60-57-1	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	3/6/1989 0:00	N	84-66-2	Diethylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	84-66-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	56-53-1	Diethylstilbesterol	200	ug/L	U	[NULL]	[NULL]	R	H0007GR5	56-53-1	USTEST	8330_THIOUREA_M	100-NR-2
199-N-32	3/6/1989 0:00	N	94-58-6	Dihydrosafrole	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	94-58-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	60-51-5	Dimethoate	2	ug/L	U	[NULL]	[NULL]	R	H0007GR5	60-51-5	USTEST	8140_PEST_GC	100-NR-2
199-N-32	3/6/1989 0:00	N	131-11-3	Dimethyl phthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	131-11-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	88-85-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	122-39-4	Diphenylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	122-39-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	298-04-4	Disulfoton	2	ug/L	U	[NULL]	[NULL]	R	H0007GR5	298-04-4	USTEST	8140_PEST_GC	100-NR-2
199-N-32	3/6/1989 0:00	N	959-98-8	Endosulfan I	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GR5	959-98-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	3/6/1989 0:00	N	33213-65-9	Endosulfan II	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GR5	33213-65-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	3/6/1989 0:00	N	1031-07-8	Endosulfan sulfate	0.5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	1031-07-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	3/6/1989 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GR5	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	3/6/1989 0:00	N	64-17-5	Ethanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007GR5	64-17-5	USTEST	GC_DIRECT	100-NR-2
199-N-32	3/6/1989 0:00	N	51-79-6	Ethyl carbamate (Urethane)	10000	ug/L	U	[NULL]	[NULL]	R	H0007GR5	51-79-6	USTEST	GC_DIRECT	100-NR-2
199-N-32	3/6/1989 0:00	N	107-12-0	Ethyl cyanide	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	107-12-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	107-12-0	Ethyl cyanide	10000	ug/L	U	[NULL]	[NULL]	R	H0007GR5	107-12-0	USTEST	GC_DIRECT	100-NR-2
199-N-32	3/6/1989 0:00	N	97-63-2	Ethyl methacrylate	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	97-63-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	62-50-0	Ethyl methanesulfonate	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	62-50-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	100-41-4	Ethylbenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	100-41-4	USTEST	8240_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	3/6/1989 0:00	N	107-21-1	Ethylene glycol	10000	ug/L	U	[NULL]	[NULL]	R	H0007GR5	107-21-1	USTEST	GC_DIRECT	100-NR-2
199-N-32	3/6/1989 0:00	N	75-21-8	Ethylene oxide	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	75-21-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	151-56-4	Ethyleneimine	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	151-56-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	96-45-7	Ethylenethiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007GR5	96-45-7	USTEST	8330_THIOUREA_M	100-NR-2
199-N-32	3/6/1989 0:00	N	206-44-0	Fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	206-44-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	86-73-7	Fluorene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	86-73-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007GR5	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	3/6/1989 0:00	N	50-00-0	Formaldehyde	500	ug/L	U	[NULL]	[NULL]	R	H0007GR5	50-00-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GR5	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	3/6/1989 0:00	N	12587-47-2	Gross beta	55.3	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GR5	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	3/6/1989 0:00	N	76-44-8	Heptachlor	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GR5	76-44-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	3/6/1989 0:00	N	1024-57-3	Heptachlor epoxide	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GR5	1024-57-3	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	3/6/1989 0:00	N	118-74-1	Hexachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	118-74-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	87-68-3	Hexachlorobutadiene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	87-68-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	77-47-4	Hexachlorocyclopentadiene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	77-47-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	67-72-1	Hexachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	67-72-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	70-30-4	Hexachlorophene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	70-30-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	1888-71-7	Hexachloropropene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	1888-71-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	193-39-5	Indeno(1,2,3-cd)pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	193-39-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	74-88-4	Iodomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	74-88-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	7439-89-6	Iron	43	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR5	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007GR5F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	N	78-83-1	Isobutyl alcohol	10000	ug/L	U	[NULL]	[NULL]	R	H0007GR5	78-83-1	USTEST	GC_DIRECT	100-NR-2
199-N-32	3/6/1989 0:00	N	465-73-6	Isodrin	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	465-73-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	78-59-1	Isophorone	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	78-59-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	120-58-1	Isosafrole	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	120-58-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	143-50-0	Kepone	1	ug/L	U	[NULL]	[NULL]	R	H0007GR5	143-50-0	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	3/6/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-32	3/6/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-32	3/6/1989 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	N	7439-95-4	Magnesium	4140	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR5	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	Y	7439-95-4	Magnesium	3910	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR5F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	N	123-33-1	Maleic hydrazide	500	ug/L	U	[NULL]	[NULL]	R	H0007GR5	123-33-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	109-77-3	Malononitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	109-77-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	N	148-82-3	Melphalan	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	148-82-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GR5	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-32	3/6/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GR5	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-32	3/6/1989 0:00	N	126-98-7	Methacrylonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	126-98-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	74-93-1	Methanethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	74-93-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	91-80-5	Methapyrilene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	91-80-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	16752-77-5	Metholonyl	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	16752-77-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007GR5	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	3/6/1989 0:00	N	80-62-6	Methyl methacrylate	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	80-62-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	66-27-3	Methyl methanesulfonate	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	66-27-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	298-00-0	Methyl parathion	2	ug/L	U	[NULL]	[NULL]	R	H0007GR5	298-00-0	USTEST	8140_PEST_GC	100-NR-2
199-N-32	3/6/1989 0:00	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	56-04-2	Methylthiouracil	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	56-04-2	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	3/6/1989 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007GR5	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007GR5F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	N	1623-15-0	Monobutyl phosphate	10000	ug/L	U	[NULL]	[NULL]	R	H0007GR5	1623-15-0	USTEST	70-MDBP	100-NR-2
199-N-32	3/6/1989 0:00	N	91-20-3	Naphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	91-20-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	N	59-67-6	Nicotinic acid	100	ug/L	U	[NULL]	[NULL]	R	H0007GR5	59-67-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	14797-55-8	Nitrate	7100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR5	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	3/6/1989 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007GR5	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-32	3/6/1989 0:00	N	98-95-3	Nitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	98-95-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	930-55-2	Nitrosopyrrolidine	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	930-55-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	126-68-1	O,O,O-Triethyl phosphorothioate	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	126-68-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	297-97-2	O,O-Diethyl O-2-pyrazinyl phosphorothioate	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	297-97-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	123-63-7	Paraldehyde	10000	ug/L	U	[NULL]	[NULL]	R	H0007GR5	123-63-7	USTEST	GC_DIRECT	100-NR-2
199-N-32	3/6/1989 0:00	N	56-38-2	Parathion	2	ug/L	U	[NULL]	[NULL]	R	H0007GR5	56-38-2	USTEST	8140_PEST_GC	100-NR-2
199-N-32	3/6/1989 0:00	N	608-93-5	Pentachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	608-93-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	76-01-7	Pentachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	76-01-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	82-68-8	Pentachloronitrobenzene (PCNB)	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	82-68-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	87-86-5	Pentachlorophenol	50	ug/L	U	[NULL]	[NULL]	R	H0007GR5	87-86-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	62-44-2	Phenacetin	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	62-44-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	85-01-8	Phenanthrene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	85-01-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	108-95-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	25265-76-3	Phenylenediamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	25265-76-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	298-02-2	Phorate	2	ug/L	U	[NULL]	[NULL]	R	H0007GR5	298-02-2	USTEST	8140_PEST_GC	100-NR-2
199-N-32	3/6/1989 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007GR5	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	3/6/1989 0:00	N	C31	Phthalic acid esters	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	C31	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	136677-09-3	Polychlorinated dibenzo-p-dioxins	0.01	ug/L	U	[NULL]	[NULL]	R	H0007GR5	136677-09-3	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	136677-10-6	Polychlorinated dibenzofurans	0.01	ug/L	U	[NULL]	[NULL]	R	H0007GR5	136677-10-6	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	Y	7440-09-7	Potassium	2270	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR5F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	N	7440-09-7	Potassium	2470	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR5	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	N	23950-58-5	Pronamide	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	23950-58-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	129-00-0	Pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	129-00-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	110-86-1	Pyridine	500	ug/L	U	[NULL]	[NULL]	R	H0007GR5	110-86-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	7440-14-4	Radium	0.0707	pCi/L	U	[NULL]	[NULL]	R	H0007GR5	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	3/6/1989 0:00	N	50-55-5	Reserpine	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	50-55-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	108-46-3	Resorcinol	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	108-46-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	13967-48-1	Ruthenium-106	-11.9	pCi/L	U	[NULL]	[NULL]	R	H0007GR5	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	3/6/1989 0:00	N	94-59-7	Safrol	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	94-59-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-32	3/6/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-32	3/6/1989 0:00	Y	7440-21-3	Silicon	8600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR5F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	N	7440-21-3	Silicon	8950	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR5	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	3/6/1989 0:00	N	7440-23-5	Sodium	2090	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR5	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	Y	7440-23-5	Sodium	1960	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR5F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	N	CONDUCT	Specific Conductance	144	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GR5	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-32	3/6/1989 0:00	N	CONDUCT	Specific Conductance	142	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GR6	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-32	3/6/1989 0:00	N	CONDUCT	Specific Conductance	144	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GR8	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-32	3/6/1989 0:00	N	CONDUCT	Specific Conductance	145	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GR5	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-32	3/6/1989 0:00	N	CONDUCT	Specific Conductance	145	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GR7	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-32	3/6/1989 0:00	N	CONDUCT	Specific Conductance	146	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GR8	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-32	3/6/1989 0:00	N	CONDUCT	Specific Conductance	145	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GR6	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-32	3/6/1989 0:00	N	CONDUCT	Specific Conductance	145	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GR7	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-32	3/6/1989 0:00	N	7440-24-6	Strontium	109	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR5	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	Y	7440-24-6	Strontium	102	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR5F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	N	10098-97-2	Strontium-90	11.2	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GR5	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	3/6/1989 0:00	N	57-24-9	Strychnine	50	ug/L	U	[NULL]	[NULL]	R	H0007GR5	57-24-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	100-42-5	Styrene	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	100-42-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	14808-79-8	Sulfate	11200	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR5	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	3/6/1989 0:00	N	18496-25-8	Sulfide	1000	ug/L	U	[NULL]	[NULL]	R	H0007GR5	18496-25-8	USTEST	9030_SULFIDE	100-NR-2
199-N-32	3/6/1989 0:00	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	H000G317	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	3/6/1989 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	107-49-3	Tetraethylpyrophosphate	2	ug/L	U	[NULL]	[NULL]	R	H0007GR5	107-49-3	USTEST	8140_PEST_GC	100-NR-2
199-N-32	3/6/1989 0:00	N	109-99-9	Tetrahydrofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	109-99-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	7440-28-0	USTEST	7841_TL_GFAA	100-NR-2
199-N-32	3/6/1989 0:00	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	7440-28-0	USTEST	UNKNOWN_METALS	100-NR-2
199-N-32	3/6/1989 0:00	N	39196-18-4	Thiofanox	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	39196-18-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	62-56-6	Thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007GR5	62-56-6	USTEST	8330_THIOUREA_M	100-NR-2
199-N-32	3/6/1989 0:00	N	137-26-8	Thiuram	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	137-26-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007GR5	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007GR5F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007GR5	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007GR5F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	N	108-88-3	Toluene	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	108-88-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	25376-45-8	Toluenediamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	25376-45-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	TC	Total carbon	13300	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR5	TC	USTEST	D2579A_CARBON	100-NR-2
199-N-32	3/6/1989 0:00	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	1319-77-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	H0007GR5	TOC	USTEST	9060_TOC	100-NR-2
199-N-32	3/6/1989 0:00	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	H0007GR6	TOC	USTEST	9060_TOC	100-NR-2
199-N-32	3/6/1989 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007GR7	TOC	USTEST	9060_TOC	100-NR-2
199-N-32	3/6/1989 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007GR8	TOC	USTEST	9060_TOC	100-NR-2
199-N-32	3/6/1989 0:00	N	59473-04-0	Total organic halides	6	ug/L	U	[NULL]	[NULL]	R	H0007GR7	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-32	3/6/1989 0:00	N	59473-04-0	Total organic halides	7	ug/L	U	[NULL]	[NULL]	R	H0007GR6	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-32	3/6/1989 0:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-32	3/6/1989 0:00	N	59473-04-0	Total organic halides	7	ug/L	U	[NULL]	[NULL]	R	H0007GR8	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-32	3/6/1989 0:00	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	10000	ug/L	U	[NULL]	[NULL]	R	H0007GR5	TPHKEROSENE	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007GR5	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	3/6/1989 0:00	N	126-73-8	Tributyl phosphate	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	126-73-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	75-70-7	Trichloromethanethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	75-70-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	75-69-4	Trichloromonofluoromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	75-69-4	USTEST	8240_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	3/6/1989 0:00	N	126-72-7	Tris(2,3-dibromopropyl) phosphate	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	126-72-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	10028-17-8	Tritium	67800	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GR5	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	3/6/1989 0:00	N	7440-61-1	Uranium	0.86	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR5	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	3/6/1989 0:00	N	7440-62-2	Vanadium	12	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR5	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	Y	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	N	108-05-4	Vinyl acetate	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	108-05-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	75-01-4	Vinyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	75-01-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	81-81-2	Warfarin	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	81-81-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	Y	7440-66-6	Zinc	6	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GR5F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	N	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007GR5	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007GR5F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	3/6/1989 0:00	N	122-09-8	alpha,alpha-Dimethylphenethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	122-09-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GR5	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	3/6/1989 0:00	N	99-65-0	m-Dinitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	99-65-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	616-40-0	n,n-Diethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	616-40-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	615-53-2	n-Nitroso-N-methylurethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	615-53-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	924-16-3	n-Nitrosodi-n-butylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	924-16-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	621-64-7	n-Nitrosodi-n-dipropylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	621-64-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	1116-54-7	n-Nitrosodiethanolamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	1116-54-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	55-18-5	n-Nitrosodiethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	55-18-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	62-75-9	n-Nitrosodimethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	62-75-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	86-30-6	n-Nitrosodiphenylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	86-30-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	10595-95-6	n-Nitrosomethylethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	10595-95-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	4549-40-0	n-Nitrosomethylvinylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	4549-40-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	59-89-2	n-Nitrosomorpholine	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	59-89-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	16543-55-8	n-Nitrosonornicotine	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	16543-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	100-75-4	n-Nitrosopiperidine	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	100-75-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	103-85-5	n-Phenylthiourea	500	ug/L	U	[NULL]	[NULL]	R	H0007GR5	103-85-5	USTEST	8330_THIOUREA_M	100-NR-2
199-N-32	3/6/1989 0:00	N	107-10-8	n-Propylamine	10000	ug/L	U	[NULL]	[NULL]	R	H0007GR5	107-10-8	USTEST	GC_DIRECT	100-NR-2
199-N-32	3/6/1989 0:00	N	636-21-5	o-Toluidine hydrochloride	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	636-21-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	106-51-4	p-Benzoquinone	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	106-51-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	60-11-7	p-Dimethylaminoazobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	60-11-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	PH	pH Measurement	8.31	unitless	[NULL]	[NULL]	[NULL]	R	H0007GR7	PH	USTEST	9040_PH	100-NR-2
199-N-32	3/6/1989 0:00	N	PH	pH Measurement	8.31	unitless	[NULL]	[NULL]	[NULL]	R	H0007GR8	PH	USTEST	9040_PH	100-NR-2
199-N-32	3/6/1989 0:00	N	PH	pH Measurement	8.4	unitless	[NULL]	[NULL]	[NULL]	R	H0007GR6	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-32	3/6/1989 0:00	N	PH	pH Measurement	8.27	unitless	[NULL]	[NULL]	[NULL]	R	H0007GR6	PH	USTEST	9040_PH	100-NR-2
199-N-32	3/6/1989 0:00	N	PH	pH Measurement	8.4	unitless	[NULL]	[NULL]	[NULL]	R	H0007GR7	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-32	3/6/1989 0:00	N	PH	pH Measurement	8.3	unitless	[NULL]	[NULL]	[NULL]	R	H0007GR5	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-32	3/6/1989 0:00	N	PH	pH Measurement	8.26	unitless	[NULL]	[NULL]	[NULL]	R	H0007GR5	PH	USTEST	9040_PH	100-NR-2
199-N-32	3/6/1989 0:00	N	PH	pH Measurement	8.3	unitless	[NULL]	[NULL]	[NULL]	R	H0007GR8	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	3/6/1989 0:00	N	99-35-4	sym-Trinitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	99-35-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	156-60-5	trans-1,2-Dichloroethylene	5	ug/L	U	[NULL]	[NULL]	R	H0007GR5	156-60-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	3/6/1989 0:00	N	110-57-6	trans-1,4-Dichloro-2-butene	10	ug/L	U	[NULL]	[NULL]	R	H0007GR5	110-57-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	6/7/1989 0:00	N	14797-55-8	Nitrate	2500	ug/L	U	[NULL]	[NULL]	R	H0007GR9	14797-55-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	6/7/1989 0:00	N	14133-76-7	Technetium-99	-0.384	pCi/L	U	[NULL]	[NULL]	R	H0007GR9	14133-76-7	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	7/17/1989 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007GS0	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	7/17/1989 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GS0	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	7/17/1989 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GS0	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	7/17/1989 0:00	N	75-34-3	1,1-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GS0	75-34-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	7/17/1989 0:00	N	107-06-2	1,2-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GS0	107-06-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	7/17/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007GS0	106-46-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	7/17/1989 0:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007GS0	93-76-5	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-32	7/17/1989 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007GS0	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-32	7/17/1989 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007GS0	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-32	7/17/1989 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007GS0	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	7/17/1989 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007GS0	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	7/17/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007GS0	67-64-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	7/17/1989 0:00	N	ALPHAHI	Alpha	0.441	pCi/L	U	[NULL]	[NULL]	R	H0007GS0	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	7/17/1989 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GS0	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	7/17/1989 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GS0	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GS0F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007GS0	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-32	7/17/1989 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007GS0	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007GS0F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007GS0	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-32	7/17/1989 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007GS0	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-32	7/17/1989 0:00	N	7440-39-3	Barium	7	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS0	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	Y	7440-39-3	Barium	7	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS0F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	N	71-43-2	Benzene	5	ug/L	U	[NULL]	[NULL]	R	H0007GS0	71-43-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	7/17/1989 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007GS0	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007GS0F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	N	7440-42-8	Boron	13	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS0	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	Y	7440-42-8	Boron	13	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS0F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007GS0	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	7/17/1989 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GS0	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GS0F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	N	7440-70-2	Calcium	18600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS0	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	Y	7440-70-2	Calcium	17700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS0F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007GS0	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	7/17/1989 0:00	N	10045-97-3	Cesium-137	1.06	pCi/L	U	[NULL]	[NULL]	R	H0007GS0	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	7/17/1989 0:00	N	16887-00-6	Chloride	1100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS0	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	7/17/1989 0:00	N	67-66-3	Chloroform	5	ug/L	U	[NULL]	[NULL]	R	H0007GS0	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	7/17/1989 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GS0	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GS0F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007GS0F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007GS0	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	N	10198-40-0	Cobalt-60	20.4	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GS0	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	7/17/1989 0:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	H0007GS0	COLIFORM	USTEST	9222B_COLIFORM	100-NR-2
199-N-32	7/17/1989 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GS0F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GS0	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GS0	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	7/17/1989 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GS0	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	7/17/1989 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007GS0	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	7/17/1989 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GS0	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	7/17/1989 0:00	N	12587-47-2	Gross beta	380	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GS0	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	7/17/1989 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007GS0	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-32	7/17/1989 0:00	N	7439-89-6	Iron	33	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS0	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007GS0F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GS0	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-32	7/17/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GS0	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-32	7/17/1989 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007GS0F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007GS0	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	N	7439-95-4	Magnesium	3440	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS0	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	Y	7439-95-4	Magnesium	3280	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS0F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GS0	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GS0F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GS0	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-32	7/17/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GS0	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-32	7/17/1989 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007GS0	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	7/17/1989 0:00	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	H0007GS0	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	7/17/1989 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007GS0	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007GS0F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GS0	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GS0F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	N	14797-55-8	Nitrate	507	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS0	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	7/17/1989 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007GS0	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-32	7/17/1989 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GS0	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2
199-N-32	7/17/1989 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007GS0	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	7/17/1989 0:00	Y	7440-09-7	Potassium	2060	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS0F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	N	7440-09-7	Potassium	2140	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS0	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	N	7440-14-4	Radium	0.0717	pCi/L	U	[NULL]	[NULL]	R	H0007GS0	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	7/17/1989 0:00	N	13967-48-1	Ruthenium-106	38.6	pCi/L	U	[NULL]	[NULL]	R	H0007GS0	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	7/17/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GS0	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-32	7/17/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GS0	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-32	7/17/1989 0:00	Y	7440-21-3	Silicon	4540	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS0F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	N	7440-21-3	Silicon	4800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS0	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GS0F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GS0	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	N	7440-23-5	Sodium	2910	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS0	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	Y	7440-23-5	Sodium	2830	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS0F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	N	CONDUCT	Specific Conductance	127	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GS2	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-32	7/17/1989 0:00	N	CONDUCT	Specific Conductance	129	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GS0	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-32	7/17/1989 0:00	N	CONDUCT	Specific Conductance	127	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GS1	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-32	7/17/1989 0:00	N	CONDUCT	Specific Conductance	127	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GS3	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-32	7/17/1989 0:00	N	CONDUCT	Specific Conductance	128	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GS3	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-32	7/17/1989 0:00	N	CONDUCT	Specific Conductance	127	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GS2	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-32	7/17/1989 0:00	N	CONDUCT	Specific Conductance	128	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GS1	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-32	7/17/1989 0:00	N	CONDUCT	Specific Conductance	128	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GS0	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-32	7/17/1989 0:00	Y	7440-24-6	Strontium	72	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS0F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	N	7440-24-6	Strontium	77	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS0	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	N	10098-97-2	Strontium-90	195	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GS0	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	7/17/1989 0:00	N	14808-79-8	Sulfate	10700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS0	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	7/17/1989 0:00	N	TEMPERATURE	Temperature	19.9	Deg C	[NULL]	[NULL]	[NULL]	R	H000GNN5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	7/17/1989 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GS0	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	7/17/1989 0:00	N	109-99-9	Tetrahydrofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007GS0	109-99-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	7/17/1989 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007GS0F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007GS0	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007GS0	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007GS0F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	N	108-88-3	Toluene	5	ug/L	U	[NULL]	[NULL]	R	H0007GS0	108-88-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	7/17/1989 0:00	N	TOC	Total organic carbon	1400	ug/L	U	[NULL]	[NULL]	R	H0007GS3	TOC	USTEST	9060_TOC	100-NR-2
199-N-32	7/17/1989 0:00	N	TOC	Total organic carbon	1300	ug/L	U	[NULL]	[NULL]	R	H0007GS0	TOC	USTEST	9060_TOC	100-NR-2
199-N-32	7/17/1989 0:00	N	TOC	Total organic carbon	1400	ug/L	U	[NULL]	[NULL]	R	H0007GS2	TOC	USTEST	9060_TOC	100-NR-2
199-N-32	7/17/1989 0:00	N	59473-04-0	Total organic halides	8	ug/L	U	[NULL]	[NULL]	R	H0007GS3	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-32	7/17/1989 0:00	N	59473-04-0	Total organic halides	6	ug/L	U	[NULL]	[NULL]	R	H0007GS1	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-32	7/17/1989 0:00	N	59473-04-0	Total organic halides	7	ug/L	U	[NULL]	[NULL]	R	H0007GS2	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-32	7/17/1989 0:00	N	59473-04-0	Total organic halides	9	ug/L	U	[NULL]	[NULL]	R	H0007GS0	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-32	7/17/1989 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007GS0	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	7/17/1989 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GS0	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	7/17/1989 0:00	N	10028-17-8	Tritium	7800	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GS0	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	7/17/1989 0:00	N	TURBIDITY	Turbidity	0.3	NTU	[NULL]	[NULL]	[NULL]	R	H0007GS0	TURBIDITY	USTEST	214A_TURBIDITY	100-NR-2
199-N-32	7/17/1989 0:00	N	7440-61-1	Uranium	0.524	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS0	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	7/17/1989 0:00	N	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007GS0	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	Y	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007GS0F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	N	75-01-4	Vinyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007GS0	75-01-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	7/17/1989 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007GS0	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	7/17/1989 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007GS0F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	N	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007GS0	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007GS0F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007GS0	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	7/17/1989 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GS0	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	7/17/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007GS0	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-32	7/17/1989 0:00	N	PH	pH Measurement	8.3	unitless	[NULL]	[NULL]	[NULL]	R	H0007GS0	PH	USTEST	9040_PH	100-NR-2
199-N-32	7/17/1989 0:00	N	PH	pH Measurement	8.3	unitless	[NULL]	[NULL]	[NULL]	R	H0007GS1	PH	USTEST	9040_PH	100-NR-2
199-N-32	7/17/1989 0:00	N	PH	pH Measurement	8.3	unitless	[NULL]	[NULL]	[NULL]	R	H0007GS2	PH	USTEST	9040_PH	100-NR-2
199-N-32	7/17/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007GS2	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-32	7/17/1989 0:00	N	PH	pH Measurement	8.3	unitless	[NULL]	[NULL]	[NULL]	R	H0007GS3	PH	USTEST	9040_PH	100-NR-2
199-N-32	7/17/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007GS1	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-32	7/17/1989 0:00	N	PH	pH Measurement	8.21	unitless	[NULL]	[NULL]	[NULL]	R	H0007GS3	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-32	7/17/1989 0:00	N	156-60-5	trans-1,2-Dichloroethylene	5	ug/L	U	[NULL]	[NULL]	R	H0007GS0	156-60-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	9/20/1989 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007GS4	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	9/20/1989 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GS4	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	9/20/1989 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GS4	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	9/20/1989 0:00	N	75-34-3	1,1-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GS4	75-34-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	9/20/1989 0:00	N	107-06-2	1,2-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GS4	107-06-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	9/20/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007GS4	106-46-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	9/20/1989 0:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007GS4	93-76-5	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-32	9/20/1989 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007GS4	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	9/20/1989 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007GS4	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-32	9/20/1989 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007GS4	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	9/20/1989 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007GS4	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	9/20/1989 0:00	N	67-64-1	Acetone	8	ug/L	U	[NULL]	[NULL]	R	H0007GS4	67-64-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	9/20/1989 0:00	N	ALPHAHI	Alpha	0.497	pCi/L	U	[NULL]	[NULL]	R	H0007GS4	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	9/20/1989 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GS4	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	9/20/1989 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GS4	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GS4F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007GS4	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-32	9/20/1989 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007GS4F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007GS4	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007GS4	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-32	9/20/1989 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007GS4	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-32	9/20/1989 0:00	Y	7440-39-3	Barium	11	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS4F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	7440-39-3	Barium	12	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS4	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	71-43-2	Benzene	5	ug/L	U	[NULL]	[NULL]	R	H0007GS4	71-43-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	9/20/1989 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007GS4F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007GS4	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	7440-42-8	Boron	15	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS4	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	Y	7440-42-8	Boron	16	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS4F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007GS4	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	9/20/1989 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GS4F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GS4	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	Y	7440-70-2	Calcium	19700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS4F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	7440-70-2	Calcium	18400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS4	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007GS4	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	9/20/1989 0:00	N	10045-97-3	Cesium-137	3.97	pCi/L	U	[NULL]	[NULL]	R	H0007GS4	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	9/20/1989 0:00	N	16887-00-6	Chloride	1700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS4	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	9/20/1989 0:00	N	67-66-3	Chloroform	8	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS4	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	9/20/1989 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GS4F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GS4	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007GS4F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007GS4	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	10198-40-0	Cobalt-60	16.9	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GS4	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	9/20/1989 0:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	H0007GS4	COLIFORM	USTEST	9222B_COLIFORM	100-NR-2
199-N-32	9/20/1989 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GS4F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GS4	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GS4	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	9/20/1989 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GS4	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	9/20/1989 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007GS4	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	9/20/1989 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GS4	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	9/20/1989 0:00	N	12587-47-2	Gross beta	75.1	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GS4	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	9/20/1989 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007GS4	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-32	9/20/1989 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007GS4F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	7439-89-6	Iron	40	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS4	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GS4	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-32	9/20/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GS4	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-32	9/20/1989 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007GS4F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007GS4	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	Y	7439-95-4	Magnesium	3560	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS4F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	7439-95-4	Magnesium	3310	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS4	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GS4F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	9/20/1989 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GS4	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GS4	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-32	9/20/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GS4	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-32	9/20/1989 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007GS4	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	9/20/1989 0:00	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	H0007GS4	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	9/20/1989 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007GS4F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007GS4	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GS4F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	7440-02-0	Nickel	479	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS4	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	14797-55-8	Nitrate	1400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS4	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	9/20/1989 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007GS4	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-32	9/20/1989 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GS4	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2
199-N-32	9/20/1989 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007GS4	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	9/20/1989 0:00	N	7440-09-7	Potassium	2480	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS4	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	Y	7440-09-7	Potassium	2670	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS4F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	7440-14-4	Radium	0.0817	pCi/L	U	[NULL]	[NULL]	R	H0007GS4	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	9/20/1989 0:00	N	13967-48-1	Ruthenium-106	26.8	pCi/L	U	[NULL]	[NULL]	R	H0007GS4	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	9/20/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GS4	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-32	9/20/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GS4	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-32	9/20/1989 0:00	Y	7440-21-3	Silicon	7340	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS4F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	7440-21-3	Silicon	6800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS4	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GS4F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GS4	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	7440-23-5	Sodium	2580	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS4	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	Y	7440-23-5	Sodium	2810	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS4F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	CONDUCT	Specific Conductance	139	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GS7	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-32	9/20/1989 0:00	N	CONDUCT	Specific Conductance	138	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GS6	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-32	9/20/1989 0:00	N	CONDUCT	Specific Conductance	134	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GS7	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-32	9/20/1989 0:00	N	CONDUCT	Specific Conductance	140	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GS4	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-32	9/20/1989 0:00	N	CONDUCT	Specific Conductance	135	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GS4	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-32	9/20/1989 0:00	N	CONDUCT	Specific Conductance	139	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GS5	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-32	9/20/1989 0:00	N	CONDUCT	Specific Conductance	133	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GS6	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-32	9/20/1989 0:00	N	CONDUCT	Specific Conductance	132	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GS5	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-32	9/20/1989 0:00	Y	7440-24-6	Strontium	100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS4F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	7440-24-6	Strontium	94	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS4	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	10098-97-2	Strontium-90	25.7	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GS4	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	9/20/1989 0:00	N	14808-79-8	Sulfate	11100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS4	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	9/20/1989 0:00	N	TEMPERATURE	Temperature	17.4	Deg C	[NULL]	[NULL]	[NULL]	R	H000GP75	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	9/20/1989 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GS4	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	9/20/1989 0:00	N	109-99-9	Tetrahydrofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007GS4	109-99-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	9/20/1989 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007GS4	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007GS4F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007GS4F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007GS4	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	108-88-3	Toluene	5	ug/L	U	[NULL]	[NULL]	R	H0007GS4	108-88-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	9/20/1989 0:00	N	TOC	Total organic carbon	800	ug/L	U	[NULL]	[NULL]	R	H0007GS4	TOC	USTEST	9060_TOC	100-NR-2
199-N-32	9/20/1989 0:00	N	TOC	Total organic carbon	1100	ug/L	U	[NULL]	[NULL]	R	H0007GS6	TOC	USTEST	9060_TOC	100-NR-2
199-N-32	9/20/1989 0:00	N	TOC	Total organic carbon	800	ug/L	U	[NULL]	[NULL]	R	H0007GS7	TOC	USTEST	9060_TOC	100-NR-2
199-N-32	9/20/1989 0:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	H0007GS5	TOC	USTEST	9060_TOC	100-NR-2
199-N-32	9/20/1989 0:00	N	59473-04-0	Total organic halides	15	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS5	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-32	9/20/1989 0:00	N	59473-04-0	Total organic halides	18	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS7	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-32	9/20/1989 0:00	N	59473-04-0	Total organic halides	15	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS6	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-32	9/20/1989 0:00	N	59473-04-0	Total organic halides	21	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS4	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-32	9/20/1989 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007GS4	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	9/20/1989 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GS4	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	9/20/1989 0:00	N	10028-17-8	Tritium	30600	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GS4	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	9/20/1989 0:00	N	TURBIDITY	Turbidity	0.3	NTU	[NULL]	[NULL]	[NULL]	R	H0007GS4	TURBIDITY	USTEST	214A_TURBIDITY	100-NR-2
199-N-32	9/20/1989 0:00	N	7440-61-1	Uranium	1.06	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS4	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	9/20/1989 0:00	N	7440-62-2	Vanadium	9	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS4	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	Y	7440-62-2	Vanadium	9	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS4F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	75-01-4	Vinyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007GS4	75-01-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	9/20/1989 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007GS4	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	9/20/1989 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007GS4F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	7440-66-6	Zinc	8800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS4	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007GS4	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007GS4F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	9/20/1989 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GS4	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	9/20/1989 0:00	N	PH	pH Measurement	8.01	unitless	[NULL]	[NULL]	[NULL]	R	H0007GS4	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-32	9/20/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007GS4	PH	USTEST	9040_PH	100-NR-2
199-N-32	9/20/1989 0:00	N	PH	pH Measurement	8.01	unitless	[NULL]	[NULL]	[NULL]	R	H0007GS6	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-32	9/20/1989 0:00	N	PH	pH Measurement	8.02	unitless	[NULL]	[NULL]	[NULL]	R	H0007GS5	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-32	9/20/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007GS7	PH	USTEST	9040_PH	100-NR-2
199-N-32	9/20/1989 0:00	N	PH	pH Measurement	8.01	unitless	[NULL]	[NULL]	[NULL]	R	H0007GS7	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-32	9/20/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007GS5	PH	USTEST	9040_PH	100-NR-2
199-N-32	9/20/1989 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007GS6	PH	USTEST	9040_PH	100-NR-2
199-N-32	9/20/1989 0:00	N	156-60-5	trans-1,2-Dichloroethylene	5	ug/L	U	[NULL]	[NULL]	R	H0007GS4	156-60-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	630-20-6	1,1,1,2-Tetrachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	630-20-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	79-34-5	1,1,2,2-Tetrachloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	79-34-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	75-34-3	1,1-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	75-34-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	75-35-4	1,1-Dichloroethene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	75-35-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	57-14-7	1,1-Dimethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	57-14-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	634-66-2	1,2,3,4-Tetrachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	634-66-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	634-90-2	1,2,3,5-Tetrachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	634-90-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	87-61-6	1,2,3-Trichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	87-61-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	96-18-4	1,2,3-Trichloropropane	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	96-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	95-94-3	1,2,4,5-Tetrachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	95-94-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	120-82-1	1,2,4-Trichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	120-82-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	96-12-8	1,2-Dibromo-3-chloropropane	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	96-12-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	106-93-4	1,2-Dibromoethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	106-93-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	95-50-1	1,2-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	95-50-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	107-06-2	1,2-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	107-06-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	78-87-5	1,2-Dichloropropane	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	78-87-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	540-73-8	1,2-Dimethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	540-73-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	122-66-7	1,2-Diphenylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	122-66-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	108-70-3	1,3,5-Trichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	108-70-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	541-73-1	1,3-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	541-73-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	542-75-6	1,3-Dichloropropene	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	542-75-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	106-46-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	106-46-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	123-91-1	1,4-Dioxane	500	ug/L	U	[NULL]	[NULL]	R	H0007GS8	123-91-1	USTEST	8240_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	11/30/1989 0:00	N	130-15-4	1,4-Naphthoquinone	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	130-15-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	5344-82-1	1-(o-Chlorophenyl)thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007GS8	5344-82-1	USTEST	8330_THIOUREA_M	100-NR-2
199-N-32	11/30/1989 0:00	N	591-08-2	1-Acetyl-2-thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007GS8	591-08-2	USTEST	8330_THIOUREA_M	100-NR-2
199-N-32	11/30/1989 0:00	N	71-36-3	1-Butanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007GS8	71-36-3	USTEST	GC_DIRECT	100-NR-2
199-N-32	11/30/1989 0:00	N	L60	1-Butynol	10000	ug/L	U	[NULL]	[NULL]	R	H0007GS8	L60	USTEST	GC_DIRECT	100-NR-2
199-N-32	11/30/1989 0:00	N	106-89-8	1-Chloro-2,3-epoxypropane	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	106-89-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	86-88-4	1-Naphthyl-2-thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007GS8	86-88-4	USTEST	8330_THIOUREA_M	100-NR-2
199-N-32	11/30/1989 0:00	N	134-32-7	1-Naphthylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	134-32-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	71-23-8	1-Propanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007GS8	71-23-8	USTEST	GC_DIRECT	100-NR-2
199-N-32	11/30/1989 0:00	N	58-90-2	2,3,4,6-Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	58-90-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	1746-01-6	2,3,7,8-Tetrachlorodibenzo-p-dioxin	0.01	ug/L	U	[NULL]	[NULL]	R	H0007GS8	1746-01-6	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007GS8	93-76-5	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-32	11/30/1989 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007GS8	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-32	11/30/1989 0:00	N	95-95-4	2,4,5-Trichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	95-95-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	88-06-2	2,4,6-Trichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	88-06-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007GS8	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-32	11/30/1989 0:00	N	120-83-2	2,4-Dichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	120-83-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	51-28-5	2,4-Dinitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	51-28-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	121-14-2	2,4-Dinitrotoluene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	121-14-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	87-65-0	2,6-Dichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	87-65-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	606-20-2	2,6-Dinitrotoluene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	606-20-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	53-96-3	2-Acetylaminofluorene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	53-96-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	78-93-3	2-Butanone	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	110-75-8	2-Chloroethyl vinyl ether	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	110-75-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	91-58-7	2-Chloronaphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	91-58-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	95-57-8	2-Chlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	95-57-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	131-89-5	2-Cyclohexyl-4,6-dinitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	131-89-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	591-78-6	2-Hexanone	50	ug/L	U	[NULL]	[NULL]	R	H0007GS8	591-78-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	116-06-3	2-Methyl-2-(methylthio)propionaldehyde-o-(methylcarbonyl) ox	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	116-06-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	75-55-8	2-Methylaziridine	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	75-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	75-86-5	2-Methyllactonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	75-86-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	91-57-6	2-Methylnaphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	91-57-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	91-59-8	2-Naphthylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	91-59-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	88-74-4	2-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	88-74-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	88-75-5	2-Nitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	88-75-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	109-06-8	2-Picoline	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	109-06-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	107-19-7	2-Propyn-1-ol	10000	ug/L	U	[NULL]	[NULL]	R	H0007GS8	107-19-7	USTEST	GC_DIRECT	100-NR-2
199-N-32	11/30/1989 0:00	N	91-94-1	3,3'-Dichlorobenzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	91-94-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	119-90-4	3,3'-Dimethoxybenzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	119-90-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	119-93-7	3,3'-Dimethylbenzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	119-93-7	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	11/30/1989 0:00	N	542-76-7	3-Chloropropionitrile	10000	ug/L	U	[NULL]	[NULL]	R	H0007GS8	542-76-7	USTEST	GC_DIRECT	100-NR-2
199-N-32	11/30/1989 0:00	N	56-49-5	3-Methylcholanthrene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	56-49-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	99-09-2	3-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	99-09-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	72-54-8	4,4'-DDD (Dichlorodiphenyldichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GS8	72-54-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	11/30/1989 0:00	N	72-55-9	4,4'-DDE (Dichlorodiphenyldichloroethylene)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GS8	72-55-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	11/30/1989 0:00	N	50-29-3	4,4'-DDT (Dichlorodiphenyltrichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GS8	50-29-3	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	11/30/1989 0:00	N	101-14-4	4,4'-Methylenebis(2-chloroaniline)	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	101-14-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	534-52-1	4,6-Dinitro-2-methylphenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	534-52-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	92-67-1	4-Aminobiphenyl	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	92-67-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	101-55-3	4-Bromophenylphenyl ether	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	101-55-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	59-50-7	4-Chloro-3-methylphenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	59-50-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	106-47-8	4-Chloroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	106-47-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	100-01-6	4-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	100-01-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	100-02-7	4-Nitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	100-02-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	56-57-5	4-Nitroquinoline-1-oxide	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	56-57-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	2763-96-4	5-(Aminomethyl)-3-isoxazolol	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	2763-96-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	99-55-8	5-Nitro-o-toluidine	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	99-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	57-97-6	7,12-Dimethylbenz[a]anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	57-97-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	194-59-2	7H-Dibenzo[c,g]carbazole	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	194-59-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	83-32-9	Acenaphthene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	83-32-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	208-96-8	Acenaphthylene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	208-96-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	67-64-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	67-64-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	75-05-8	Acetonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	75-05-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	98-86-2	Acetophenone	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	98-86-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	107-02-8	Acrolein	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	107-02-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	79-06-1	Acrylamide	10000	ug/L	U	[NULL]	[NULL]	R	H0007GS8	79-06-1	USTEST	GC_DIRECT	100-NR-2
199-N-32	11/30/1989 0:00	N	107-13-1	Acrylonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	107-13-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	309-00-2	Aldrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GS8	309-00-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	11/30/1989 0:00	N	107-18-6	Allyl alcohol	10000	ug/L	U	[NULL]	[NULL]	R	H0007GS8	107-18-6	USTEST	GC_DIRECT	100-NR-2
199-N-32	11/30/1989 0:00	N	107-05-1	Allyl chloride	100	ug/L	U	[NULL]	[NULL]	R	H0007GS8	107-05-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	ALPHAHI	Alpha	1.7	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GS8	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	11/30/1989 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GS8	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	11/30/1989 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GS8	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GS8F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	N	61-82-5	Amitrole	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	61-82-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007GS8	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-32	11/30/1989 0:00	N	62-53-3	Aniline	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	62-53-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	120-12-7	Anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	120-12-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007GS8F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007GS8	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	N	140-57-8	Aramite	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	140-57-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	12674-11-2	Aroclor-1016	1	ug/L	U	[NULL]	[NULL]	R	H0007GS8	12674-11-2	USTEST	8080_PESTPCB_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	11/30/1989 0:00	N	11104-28-2	Aroclor-1221	1	ug/L	U	[NULL]	[NULL]	R	H0007GS8	11104-28-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	11/30/1989 0:00	N	11141-16-5	Aroclor-1232	1	ug/L	U	[NULL]	[NULL]	R	H0007GS8	11141-16-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	11/30/1989 0:00	N	53469-21-9	Aroclor-1242	1	ug/L	U	[NULL]	[NULL]	R	H0007GS8	53469-21-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	11/30/1989 0:00	N	12672-29-6	Aroclor-1248	1	ug/L	U	[NULL]	[NULL]	R	H0007GS8	12672-29-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	11/30/1989 0:00	N	11097-69-1	Aroclor-1254	1	ug/L	U	[NULL]	[NULL]	R	H0007GS8	11097-69-1	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	11/30/1989 0:00	N	11096-82-5	Aroclor-1260	1	ug/L	U	[NULL]	[NULL]	R	H0007GS8	11096-82-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	11/30/1989 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-32	11/30/1989 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-32	11/30/1989 0:00	N	492-80-8	Auramine	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	492-80-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	7440-39-3	Barium	11	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS8	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	Y	7440-39-3	Barium	11	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS8F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	N	225-51-4	Benz[c]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	225-51-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	71-43-2	Benzene	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	71-43-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	108-98-5	Benzenethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	108-98-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	92-87-5	Benzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	92-87-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	56-55-3	Benzo(a)anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	56-55-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	50-32-8	Benzo(a)pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	50-32-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	205-99-2	Benzo(b)fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	205-99-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	191-24-2	Benzo(ghi)perylene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	191-24-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	207-08-9	Benzo(k)fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	207-08-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	205-82-3	Benzo[j]fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	205-82-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	100-51-6	Benzyl alcohol	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	100-51-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	100-44-7	Benzyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	100-44-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	N	111-91-1	Bis(2-Chloroethoxy)methane	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	111-91-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	108-60-1	Bis(2-chloro-1-methylethyl)ether	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	108-60-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	111-44-4	Bis(2-chloroethyl) ether	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	111-44-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	117-81-7	Bis(2-ethylhexyl) phthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	117-81-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	542-88-1	Bis(chloromethyl) ether	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	542-88-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	7440-42-8	Boron	31	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS8	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	Y	7440-42-8	Boron	38	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS8F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007GS8	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	11/30/1989 0:00	N	598-31-2	Bromoacetone	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	598-31-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	75-27-4	Bromodichloromethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	75-27-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	75-25-2	Bromoform	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	75-25-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	74-83-9	Bromomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	74-83-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	85-68-7	Butylbenzylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	85-68-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GS8F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GS8	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	N	7440-70-2	Calcium	17100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS8	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	Y	7440-70-2	Calcium	18100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS8F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	N	75-15-0	Carbon disulfide	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	75-15-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	786-19-6	Carbophenothion	2	ug/L	U	[NULL]	[NULL]	R	H0007GS8	786-19-6	USTEST	8140_PEST_GC	100-NR-2
199-N-32	11/30/1989 0:00	N	10045-97-3	Cesium-137	-0.501	pCi/L	U	[NULL]	[NULL]	R	H0007GS8	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	11/30/1989 0:00	N	57-74-9	Chlordane	1	ug/L	U	[NULL]	[NULL]	R	H0007GS8	57-74-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	11/30/1989 0:00	N	16887-00-6	Chloride	1000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS8	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	11/30/1989 0:00	N	494-03-1	Chlornaphazine	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	494-03-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	B44	Chloroalkyl ethers	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	B44	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	108-90-7	Chlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	108-90-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	108-90-7	Chlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	108-90-7	USTEST	8240_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	11/30/1989 0:00	N	510-15-6	Chlorobenzilate	300	ug/L	U	[NULL]	[NULL]	R	H0007GS8	510-15-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	11/30/1989 0:00	N	75-00-3	Chloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	75-00-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	67-66-3	Chloroform	8	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS8	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	74-87-3	Chloromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	74-87-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	107-30-2	Chloromethyl methyl ether	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	107-30-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	N	218-01-9	Chrysene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	218-01-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	6358-53-8	Citrus red No. 2	1000	ug/L	U	[NULL]	[NULL]	R	H0007GS8	6358-53-8	USTEST	CITRUS_RED	100-NR-2
199-N-32	11/30/1989 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007GS8F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007GS8	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	N	10198-40-0	Cobalt-60	17.8	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GS8	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	11/30/1989 0:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	H0007GS8	COLIFORM	USTEST	9222B_COLIFORM	100-NR-2
199-N-32	11/30/1989 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	N	4170-30-3	Crotonaldehyde	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	4170-30-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	57-12-5	Cyanide	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	57-12-5	USTEST	9010_CYANIDE	100-NR-2
199-N-32	11/30/1989 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GS8	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	11/30/1989 0:00	N	84-74-2	Di-n-butylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	84-74-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	117-84-0	Di-n-octylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	117-84-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	2303-16-4	Diallate	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	2303-16-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	226-36-8	Dibenz[a,h]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	226-36-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	53-70-3	Dibenz[a,h]anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	53-70-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	224-42-0	Dibenz[a,j]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	224-42-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	192-65-4	Dibenzo[a,e]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	192-65-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	189-64-0	Dibenzo[a,h]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	189-64-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	189-55-9	Dibenzo[a,i]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	189-55-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	132-64-9	Dibenzofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	132-64-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	124-48-1	Dibromochloromethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	124-48-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	74-95-3	Dibromomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	74-95-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	107-66-4	Dibutylphosphate	10000	ug/L	U	[NULL]	[NULL]	R	H0007GS8	107-66-4	USTEST	70-MDBP	100-NR-2
199-N-32	11/30/1989 0:00	N	75-71-8	Dichlorodifluoromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	75-71-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	98-87-3	Dichloromethyl-benzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	98-87-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	60-57-1	Dieldrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GS8	60-57-1	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	11/30/1989 0:00	N	84-66-2	Diethylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	84-66-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	56-53-1	Diethylstilbesterol	200	ug/L	U	[NULL]	[NULL]	R	H0007GS8	56-53-1	USTEST	8330_THIOUREA_M	100-NR-2
199-N-32	11/30/1989 0:00	N	94-58-6	Dihydrosafrole	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	94-58-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	60-51-5	Dimethoate	2	ug/L	U	[NULL]	[NULL]	R	H0007GS8	60-51-5	USTEST	8140_PEST_GC	100-NR-2
199-N-32	11/30/1989 0:00	N	131-11-3	Dimethyl phthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	131-11-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	88-85-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	122-39-4	Diphenylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	122-39-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	298-04-4	Disulfoton	2	ug/L	U	[NULL]	[NULL]	R	H0007GS8	298-04-4	USTEST	8140_PEST_GC	100-NR-2
199-N-32	11/30/1989 0:00	N	959-98-8	Endosulfan I	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GS8	959-98-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	11/30/1989 0:00	N	33213-65-9	Endosulfan II	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GS8	33213-65-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	11/30/1989 0:00	N	1031-07-8	Endosulfan sulfate	0.5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	1031-07-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	11/30/1989 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GS8	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	11/30/1989 0:00	N	64-17-5	Ethanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007GS8	64-17-5	USTEST	GC_DIRECT	100-NR-2
199-N-32	11/30/1989 0:00	N	51-79-6	Ethyl carbamate (Urethane)	10000	ug/L	U	[NULL]	[NULL]	R	H0007GS8	51-79-6	USTEST	GC_DIRECT	100-NR-2
199-N-32	11/30/1989 0:00	N	107-12-0	Ethyl cyanide	10000	ug/L	U	[NULL]	[NULL]	R	H0007GS8	107-12-0	USTEST	GC_DIRECT	100-NR-2
199-N-32	11/30/1989 0:00	N	107-12-0	Ethyl cyanide	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	107-12-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	97-63-2	Ethyl methacrylate	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	97-63-2	USTEST	8240_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	11/30/1989 0:00	N	62-50-0	Ethyl methanesulfonate	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	62-50-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	100-41-4	Ethylbenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	100-41-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	107-21-1	Ethylene glycol	10000	ug/L	U	[NULL]	[NULL]	R	H0007GS8	107-21-1	USTEST	GC_DIRECT	100-NR-2
199-N-32	11/30/1989 0:00	N	75-21-8	Ethylene oxide	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	75-21-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	151-56-4	Ethyleneimine	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	151-56-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	96-45-7	Ethylenethiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007GS8	96-45-7	USTEST	8330_THIOUREA_M	100-NR-2
199-N-32	11/30/1989 0:00	N	206-44-0	Fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	206-44-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	86-73-7	Fluorene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	86-73-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007GS8	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	11/30/1989 0:00	N	16984-48-8	Fluoride	189	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS8	16984-48-8	USTEST	D1179_FLUORIDE	100-NR-2
199-N-32	11/30/1989 0:00	N	50-00-0	Formaldehyde	500	ug/L	U	[NULL]	[NULL]	R	H0007GS8	50-00-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GS8	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	11/30/1989 0:00	N	12587-47-2	Gross beta	83.8	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GS8	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	11/30/1989 0:00	N	76-44-8	Heptachlor	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GS8	76-44-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	11/30/1989 0:00	N	1024-57-3	Heptachlor epoxide	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GS8	1024-57-3	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	11/30/1989 0:00	N	118-74-1	Hexachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	118-74-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	87-68-3	Hexachlorobutadiene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	87-68-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	77-47-4	Hexachlorocyclopentadiene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	77-47-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	67-72-1	Hexachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	67-72-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	70-30-4	Hexachlorophene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	70-30-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	1888-71-7	Hexachloropropene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	1888-71-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007GS8	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-32	11/30/1989 0:00	N	193-39-5	Indeno(1,2,3-cd)pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	193-39-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	74-88-4	Iodomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	74-88-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007GS8	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007GS8F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	N	78-83-1	Isobutyl alcohol	10000	ug/L	U	[NULL]	[NULL]	R	H0007GS8	78-83-1	USTEST	GC_DIRECT	100-NR-2
199-N-32	11/30/1989 0:00	N	465-73-6	Isodrin	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	465-73-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	78-59-1	Isophorone	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	78-59-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	120-58-1	Isosafrole	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	120-58-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	143-50-0	Kepone	1	ug/L	U	[NULL]	[NULL]	R	H0007GS8	143-50-0	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	11/30/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-32	11/30/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-32	11/30/1989 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	N	7439-95-4	Magnesium	3380	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS8	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	Y	7439-95-4	Magnesium	3500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS8F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	N	123-33-1	Maleic hydrazide	500	ug/L	U	[NULL]	[NULL]	R	H0007GS8	123-33-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	109-77-3	Malononitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	109-77-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	N	148-82-3	Melphalan	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	148-82-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GS8	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-32	11/30/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GS8	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-32	11/30/1989 0:00	N	126-98-7	Methacrylonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	126-98-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	74-93-1	Methanethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	74-93-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	91-80-5	Methapyrilene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	91-80-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	16752-77-5	Metholonyl	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	16752-77-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007GS8	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	11/30/1989 0:00	N	80-62-6	Methyl methacrylate	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	80-62-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	66-27-3	Methyl methanesulfonate	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	66-27-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	298-00-0	Methyl parathion	2	ug/L	U	[NULL]	[NULL]	R	H0007GS8	298-00-0	USTEST	8140_PEST_GC	100-NR-2
199-N-32	11/30/1989 0:00	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	56-04-2	Methylthiouracil	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	56-04-2	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	11/30/1989 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007GS8F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007GS8	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	N	1623-15-0	Monobutyl phosphate	10000	ug/L	U	[NULL]	[NULL]	R	H0007GS8	1623-15-0	USTEST	70-MDBP	100-NR-2
199-N-32	11/30/1989 0:00	N	91-20-3	Naphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	91-20-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	N	59-67-6	Nicotinic acid	100	ug/L	U	[NULL]	[NULL]	R	H0007GS8	59-67-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	14797-55-8	Nitrate	3400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS8	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	11/30/1989 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007GS8	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-32	11/30/1989 0:00	N	98-95-3	Nitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	98-95-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	930-55-2	Nitrosopyrrolidine	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	930-55-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	126-68-1	O,O,O-Triethyl phosphorothioate	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	126-68-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	297-97-2	O,O-Diethyl O-2-pyrazinyl phosphorothioate	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	297-97-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	123-63-7	Paraldehyde	10000	ug/L	U	[NULL]	[NULL]	R	H0007GS8	123-63-7	USTEST	GC_DIRECT	100-NR-2
199-N-32	11/30/1989 0:00	N	56-38-2	Parathion	2	ug/L	U	[NULL]	[NULL]	R	H0007GS8	56-38-2	USTEST	8140_PEST_GC	100-NR-2
199-N-32	11/30/1989 0:00	N	608-93-5	Pentachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	608-93-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	76-01-7	Pentachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	76-01-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	82-68-8	Pentachloronitrobenzene (PCNB)	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	82-68-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	87-86-5	Pentachlorophenol	50	ug/L	U	[NULL]	[NULL]	R	H0007GS8	87-86-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	14797-73-0	Perchlorate anion	500	ug/L	U	[NULL]	[NULL]	R	H0007GS8	14797-73-0	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	11/30/1989 0:00	N	62-44-2	Phenacetin	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	62-44-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	85-01-8	Phenanthrene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	85-01-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	108-95-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	25265-76-3	Phenylenediamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	25265-76-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	298-02-2	Phorate	2	ug/L	U	[NULL]	[NULL]	R	H0007GS8	298-02-2	USTEST	8140_PEST_GC	100-NR-2
199-N-32	11/30/1989 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007GS8	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	11/30/1989 0:00	N	C31	Phthalic acid esters	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	C31	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	136677-09-3	Polychlorinated dibenzo-p-dioxins	0.01	ug/L	U	[NULL]	[NULL]	R	H0007GS8	136677-09-3	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	136677-10-6	Polychlorinated dibenzofurans	0.01	ug/L	U	[NULL]	[NULL]	R	H0007GS8	136677-10-6	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	7440-09-7	Potassium	2170	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS8	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	Y	7440-09-7	Potassium	2260	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS8F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	N	23950-58-5	Pronamide	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	23950-58-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	129-00-0	Pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	129-00-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	110-86-1	Pyridine	500	ug/L	U	[NULL]	[NULL]	R	H0007GS8	110-86-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	7440-14-4	Radium	-0.0171	pCi/L	U	[NULL]	[NULL]	R	H0007GS8	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	11/30/1989 0:00	N	50-55-5	Reserpine	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	50-55-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	108-46-3	Resorcinol	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	108-46-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	13967-48-1	Ruthenium-106	-32.4	pCi/L	U	[NULL]	[NULL]	R	H0007GS8	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	11/30/1989 0:00	N	94-59-7	Safrol	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	94-59-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-32	11/30/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-32	11/30/1989 0:00	N	7440-21-3	Silicon	7600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS8	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	Y	7440-21-3	Silicon	8040	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS8F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	Y	7440-23-5	Sodium	2540	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS8F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	N	7440-23-5	Sodium	2440	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS8	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	N	CONDUCT	Specific Conductance	145	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GS8	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-32	11/30/1989 0:00	N	CONDUCT	Specific Conductance	131	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GS8	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	11/30/1989 0:00	Y	7440-24-6	Strontium	94	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS8F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	N	7440-24-6	Strontium	90	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS8	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	N	10098-97-2	Strontium-90	26.1	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GS8	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	11/30/1989 0:00	N	57-24-9	Strychnine	50	ug/L	U	[NULL]	[NULL]	R	H0007GS8	57-24-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	100-42-5	Styrene	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	100-42-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	14808-79-8	Sulfate	8700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS8	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	11/30/1989 0:00	N	18496-25-8	Sulfide	1000	ug/L	U	[NULL]	[NULL]	R	H0007GS8	18496-25-8	USTEST	9030_SULFIDE	100-NR-2
199-N-32	11/30/1989 0:00	N	TEMPERATURE	Temperature	17.4	Deg C	[NULL]	[NULL]	[NULL]	R	H000GPL0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	11/30/1989 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	107-49-3	Tetraethylpyrophosphate	2	ug/L	U	[NULL]	[NULL]	R	H0007GS8	107-49-3	USTEST	8140_PEST_GC	100-NR-2
199-N-32	11/30/1989 0:00	N	109-99-9	Tetrahydrofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	109-99-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	7440-28-0	USTEST	7841_TL_GFAA	100-NR-2
199-N-32	11/30/1989 0:00	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	7440-28-0	USTEST	UNKNOWN_METALS	100-NR-2
199-N-32	11/30/1989 0:00	N	39196-18-4	Thiofanox	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	39196-18-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	62-56-6	Thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007GS8	62-56-6	USTEST	8330_THIOUREA_M	100-NR-2
199-N-32	11/30/1989 0:00	N	137-26-8	Thiuram	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	137-26-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007GS8	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007GS8F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007GS8F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007GS8	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	N	108-88-3	Toluene	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	108-88-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	25376-45-8	Toluenediamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	25376-45-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	TC	Total carbon	13500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS8	TC	USTEST	D2579A_CARBON	100-NR-2
199-N-32	11/30/1989 0:00	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	1319-77-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	TDS	Total dissolved solids	7E+07	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS8	TDS	USTEST	209B_TDS	100-NR-2
199-N-32	11/30/1989 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007GS8	TOC	USTEST	9060_TOC	100-NR-2
199-N-32	11/30/1989 0:00	N	TOC	Total organic carbon	600	ug/L	U	[NULL]	[NULL]	R	H0007GT0	TOC	USTEST	9060_TOC	100-NR-2
199-N-32	11/30/1989 0:00	N	TOC	Total organic carbon	600	ug/L	U	[NULL]	[NULL]	R	H0007GS9	TOC	USTEST	9060_TOC	100-NR-2
199-N-32	11/30/1989 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007GT1	TOC	USTEST	9060_TOC	100-NR-2
199-N-32	11/30/1989 0:00	N	59473-04-0	Total organic halides	14	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GT1	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-32	11/30/1989 0:00	N	59473-04-0	Total organic halides	24	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GT0	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-32	11/30/1989 0:00	N	59473-04-0	Total organic halides	12	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS9	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-32	11/30/1989 0:00	N	59473-04-0	Total organic halides	13	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS8	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-32	11/30/1989 0:00	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	10000	ug/L	U	[NULL]	[NULL]	R	H0007GS8	TPHKEROSENE	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007GS8	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	11/30/1989 0:00	N	126-73-8	Tributyl phosphate	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	126-73-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	75-70-7	Trichloromethanethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	75-70-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	75-69-4	Trichloromonofluoromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	75-69-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	126-72-7	Tris(2,3-dibromopropyl) phosphate	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	126-72-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	10028-17-8	Tritium	164000	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GS8	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	11/30/1989 0:00	N	TURBIDITY	Turbidity	0.3	NTU	[NULL]	[NULL]	[NULL]	R	H0007GS8	TURBIDITY	USTEST	214A_TURBIDITY	100-NR-2
199-N-32	11/30/1989 0:00	N	7440-61-1	Uranium	0.621	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS8	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	11/30/1989 0:00	N	7440-62-2	Vanadium	13	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS8	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	Y	7440-62-2	Vanadium	12	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GS8F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	N	108-05-4	Vinyl acetate	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	108-05-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	75-01-4	Vinyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	75-01-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	81-81-2	Warfarin	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	81-81-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	11/30/1989 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007GS8F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007GS8	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	11/30/1989 0:00	N	122-09-8	alpha,alpha-Dimethylphenethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	122-09-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GS8	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	11/30/1989 0:00	N	99-65-0	m-Dinitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	99-65-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	616-40-0	n,n-Diethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	616-40-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	615-53-2	n-Nitroso-N-methylurethane	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	615-53-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	924-16-3	n-Nitrosodi-n-butylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	924-16-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	621-64-7	n-Nitrosodi-n-dipropylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	621-64-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	1116-54-7	n-Nitrosodiethanolamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	1116-54-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	55-18-5	n-Nitrosodiethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	55-18-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	62-75-9	n-Nitrosodimethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	62-75-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	86-30-6	n-Nitrosodiphenylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	86-30-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	10595-95-6	n-Nitrosomethylethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	10595-95-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	4549-40-0	n-Nitrosomethylvinylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	4549-40-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	59-89-2	n-Nitrosomorpholine	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	59-89-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	16543-55-8	n-Nitrosonornicotine	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	16543-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	100-75-4	n-Nitrosopiperidine	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	100-75-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	103-85-5	n-Phenylthiourea	500	ug/L	U	[NULL]	[NULL]	R	H0007GS8	103-85-5	USTEST	8330_THIOUREA_M	100-NR-2
199-N-32	11/30/1989 0:00	N	107-10-8	n-Propylamine	10000	ug/L	U	[NULL]	[NULL]	R	H0007GS8	107-10-8	USTEST	GC_DIRECT	100-NR-2
199-N-32	11/30/1989 0:00	N	636-21-5	o-Toluidine hydrochloride	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	636-21-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	106-51-4	p-Benzoquinone	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	106-51-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	60-11-7	p-Dimethylaminoazobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	60-11-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	PH	pH Measurement	8.14	unitless	[NULL]	[NULL]	[NULL]	R	H0007GS8	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-32	11/30/1989 0:00	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	H0007GS8	PH	USTEST	9040_PH	100-NR-2
199-N-32	11/30/1989 0:00	N	99-35-4	sym-Trinitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	99-35-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	156-60-5	trans-1,2-Dichloroethylene	5	ug/L	U	[NULL]	[NULL]	R	H0007GS8	156-60-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	11/30/1989 0:00	N	110-57-6	trans-1,4-Dichloro-2-butene	10	ug/L	U	[NULL]	[NULL]	R	H0007GS8	110-57-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	2/6/1990 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007GT2	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	2/6/1990 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GT2	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	2/6/1990 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GT2	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	2/6/1990 0:00	N	75-34-3	1,1-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GT2	75-34-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	2/6/1990 0:00	N	107-06-2	1,2-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007GT2	107-06-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	2/6/1990 0:00	N	106-46-7	1,4-Dichlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007GT2	106-46-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	2/6/1990 0:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007GT2	93-76-5	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-32	2/6/1990 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007GT2	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-32	2/6/1990 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007GT2	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-32	2/6/1990 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007GT2	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	2/6/1990 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007GT2	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	2/6/1990 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007GT2	67-64-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	2/6/1990 0:00	N	ALPHAHI	Alpha	0.323	pCi/L	U	[NULL]	[NULL]	R	H0007GT2	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	2/6/1990 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GT2	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	2/6/1990 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GT2F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007GT2	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007GT2	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-32	2/6/1990 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007GT2F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007GT2	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007GT2	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-32	2/6/1990 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007GT2	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-32	2/6/1990 0:00	Y	7440-39-3	Barium	12	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GT2F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	N	7440-39-3	Barium	11	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GT2	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	N	71-43-2	Benzene	5	ug/L	U	[NULL]	[NULL]	R	H0007GT2	71-43-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	2/6/1990 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007GT2F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007GT2	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	N	7440-42-8	Boron	51	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GT2	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	Y	7440-42-8	Boron	31	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GT2F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007GT2	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	2/6/1990 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GT2F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007GT2	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	Y	7440-70-2	Calcium	16600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GT2F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	N	7440-70-2	Calcium	18600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GT2	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007GT2	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	2/6/1990 0:00	N	10045-97-3	Cesium-137	3.71	pCi/L	U	[NULL]	[NULL]	R	H0007GT2	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	2/6/1990 0:00	N	16887-00-6	Chloride	1000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GT2	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	2/6/1990 0:00	N	67-66-3	Chloroform	9	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GT2	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	2/6/1990 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GT2F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007GT2	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007GT2	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007GT2F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	N	10198-40-0	Cobalt-60	17.5	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GT2	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	2/6/1990 0:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	H0007GT2	COLIFORM	USTEST	9222B_COLIFORM	100-NR-2
199-N-32	2/6/1990 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GT2	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007GT2F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GT2	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	2/6/1990 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GT2	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	2/6/1990 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007GT2	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	2/6/1990 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GT2	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	2/6/1990 0:00	N	12587-47-2	Gross beta	42.3	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GT2	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	2/6/1990 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007GT2	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-32	2/6/1990 0:00	N	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007GT2	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007GT2F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	2/6/1990 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GT2	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-32	2/6/1990 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007GT2	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-32	2/6/1990 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007GT2	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007GT2F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	N	7439-95-4	Magnesium	3930	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GT2	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	Y	7439-95-4	Magnesium	3900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GT2F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GT2	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007GT2F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GT2	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-32	2/6/1990 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GT2	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-32	2/6/1990 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007GT2	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	2/6/1990 0:00	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	H0007GT2	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	2/6/1990 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007GT2F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007GT2	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GT2F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007GT2	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	N	14797-55-8	Nitrate	3200	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GT2	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	2/6/1990 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007GT2	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-32	2/6/1990 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007GT2	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2
199-N-32	2/6/1990 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007GT2	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	2/6/1990 0:00	N	7440-09-7	Potassium	2070	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GT2	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	Y	7440-09-7	Potassium	2260	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GT2F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	N	7440-14-4	Radium	0.0166	pCi/L	U	[NULL]	[NULL]	R	H0007GT2	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	2/6/1990 0:00	N	13967-48-1	Ruthenium-106	50.2	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GT2	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	2/6/1990 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GT2	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-32	2/6/1990 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007GT2	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-32	2/6/1990 0:00	N	7440-21-3	Silicon	8800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GT2	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	Y	7440-21-3	Silicon	8530	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GT2F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GT2F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007GT2	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	N	7440-23-5	Sodium	2480	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GT2	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	Y	7440-23-5	Sodium	2560	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GT2F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	N	CONDUCT	Specific Conductance	144	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GT3	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-32	2/6/1990 0:00	N	CONDUCT	Specific Conductance	145	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GT2	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-32	2/6/1990 0:00	N	CONDUCT	Specific Conductance	144	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GT4	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-32	2/6/1990 0:00	N	CONDUCT	Specific Conductance	144	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GT5	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-32	2/6/1990 0:00	N	CONDUCT	Specific Conductance	142	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GT2	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-32	2/6/1990 0:00	N	CONDUCT	Specific Conductance	144	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GT5	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-32	2/6/1990 0:00	N	CONDUCT	Specific Conductance	143	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GT4	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-32	2/6/1990 0:00	N	CONDUCT	Specific Conductance	141	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GT3	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-32	2/6/1990 0:00	Y	7440-24-6	Strontium	101	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GT2F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	N	7440-24-6	Strontium	104	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GT2	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	N	10098-97-2	Strontium-90	9.57	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GT2	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	2/6/1990 0:00	N	14808-79-8	Sulfate	9600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GT2	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-32	2/6/1990 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GT2	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	2/6/1990 0:00	N	109-99-9	Tetrahydrofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007GT2	109-99-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	2/6/1990 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007GT2	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007GT2F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007GT2F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007GT2	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	N	108-88-3	Toluene	5	ug/L	U	[NULL]	[NULL]	R	H0007GT2	108-88-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	2/6/1990 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007GT4	TOC	USTEST	9060_TOC	100-NR-2
199-N-32	2/6/1990 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007GT2	TOC	USTEST	9060_TOC	100-NR-2
199-N-32	2/6/1990 0:00	N	TOC	Total organic carbon	600	ug/L	U	[NULL]	[NULL]	R	H0007GT3	TOC	USTEST	9060_TOC	100-NR-2
199-N-32	2/6/1990 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007GT5	TOC	USTEST	9060_TOC	100-NR-2
199-N-32	2/6/1990 0:00	N	59473-04-0	Total organic halides	11	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GT5	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-32	2/6/1990 0:00	N	59473-04-0	Total organic halides	14	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GT2	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-32	2/6/1990 0:00	N	59473-04-0	Total organic halides	10	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GT3	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-32	2/6/1990 0:00	N	59473-04-0	Total organic halides	13	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GT4	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-32	2/6/1990 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007GT2	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	2/6/1990 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007GT2	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	2/6/1990 0:00	N	10028-17-8	Tritium	129000	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007GT2	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	2/6/1990 0:00	N	TURBIDITY	Turbidity	0.2	NTU	[NULL]	[NULL]	[NULL]	R	H0007GT2	TURBIDITY	USTEST	214A_TURBIDITY	100-NR-2
199-N-32	2/6/1990 0:00	N	7440-61-1	Uranium	0.745	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GT2	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-32	2/6/1990 0:00	N	7440-62-2	Vanadium	10	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GT2	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	Y	7440-62-2	Vanadium	11	ug/L	[NULL]	[NULL]	[NULL]	R	H0007GT2F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	N	75-01-4	Vinyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007GT2	75-01-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	2/6/1990 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007GT2	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	2/6/1990 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007GT2F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	N	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007GT2	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007GT2	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007GT2F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-32	2/6/1990 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007GT2	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-32	2/6/1990 0:00	N	PH	pH Measurement	8.33	unitless	[NULL]	[NULL]	[NULL]	R	H0007GT2	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-32	2/6/1990 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007GT2	PH	USTEST	9040_PH	100-NR-2
199-N-32	2/6/1990 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007GT4	PH	USTEST	9040_PH	100-NR-2
199-N-32	2/6/1990 0:00	N	PH	pH Measurement	8.33	unitless	[NULL]	[NULL]	[NULL]	R	H0007GT4	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-32	2/6/1990 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007GT5	PH	USTEST	9040_PH	100-NR-2
199-N-32	2/6/1990 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007GT3	PH	USTEST	9040_PH	100-NR-2
199-N-32	2/6/1990 0:00	N	PH	pH Measurement	8.34	unitless	[NULL]	[NULL]	[NULL]	R	H0007GT3	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-32	2/6/1990 0:00	N	PH	pH Measurement	8.33	unitless	[NULL]	[NULL]	[NULL]	R	H0007GT5	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-32	2/6/1990 0:00	N	156-60-5	trans-1,2-Dichloroethylene	5	ug/L	U	[NULL]	[NULL]	R	H0007GT2	156-60-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-32	2/6/1990 10:31	N	TEMPERATURE	Temperature	17.4	Deg C	[NULL]	[NULL]	[NULL]	R	H000GQ44	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	4/10/1991 0:00	N	CONDUCT	Specific Conductance	192	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007GT6	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-32	4/10/1991 0:00	N	PH	pH Measurement	7.98	unitless	[NULL]	[NULL]	[NULL]	R	H0007GT6	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-32	4/10/1991 10:13	N	TEMPERATURE	Temperature	17.9	Deg C	[NULL]	[NULL]	[NULL]	R	H000GT14	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	9/18/1991 9:30	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B00L01F	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/18/1991 9:30	N	14234-35-6	Antimony-125	26.7	pCi/L	[NULL]	[NULL]	[NULL]	R	B00LM3	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-32	9/18/1991 9:30	Y	7440-39-3	Barium	20	ug/L	U	[NULL]	[NULL]	R	B00L01F	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/18/1991 9:30	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B00L01F	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/18/1991 9:30	N	13966-02-4	Beryllium-7	-40.2	pCi/L	U	[NULL]	[NULL]	R	B00LM3	13966-02-4	ITASRL	GAMMA_GS	100-NR-2
199-N-32	9/18/1991 9:30	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B00L01F	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	9/18/1991 9:30	Y	7440-70-2	Calcium	24000	ug/L	[NULL]	[NULL]	[NULL]	R	B00L01F	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/18/1991 9:30	N	CE/PR-144	Cerium/Praseodymium-144	10.3	pCi/L	[NULL]	[NULL]	[NULL]	R	B00LM3	CE/PR-144	ITASRL	GAMMA_GS	100-NR-2
199-N-32	9/18/1991 9:30	N	13967-70-9	Cesium-134	4.33	pCi/L	[NULL]	[NULL]	[NULL]	R	B00LM3	13967-70-9	ITASRL	GAMMA_GS	100-NR-2
199-N-32	9/18/1991 9:30	N	10045-97-3	Cesium-137	3.05	pCi/L	[NULL]	[NULL]	[NULL]	R	B00LM3	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-32	9/18/1991 9:30	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B00L01F	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/18/1991 9:30	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B00L01F	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/18/1991 9:30	N	10198-40-0	Cobalt-60	30.3	pCi/L	[NULL]	[NULL]	[NULL]	R	B00LM3	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-32	9/18/1991 9:30	Y	7440-50-8	Copper	33	ug/L	[NULL]	Q	[NULL]	R	B00L01F	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/18/1991 9:30	N	15585-10-1	Europium-154	4.79	pCi/L	[NULL]	[NULL]	[NULL]	R	B00LM3	15585-10-1	ITASRL	GAMMA_GS	100-NR-2
199-N-32	9/18/1991 9:30	N	14391-16-3	Europium-155	-5.01	pCi/L	U	[NULL]	[NULL]	R	B00LM3	14391-16-3	ITASRL	GAMMA_GS	100-NR-2
199-N-32	9/18/1991 9:30	N	16984-48-8	Fluoride	215	ug/L	[NULL]	[NULL]	[NULL]	R	B00LM3	16984-48-8	PNL1	ANIONS_IC	100-NR-2
199-N-32	9/18/1991 9:30	N	12587-46-1	Gross alpha	0.356	pCi/L	[NULL]	[NULL]	[NULL]	R	B00LM3	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-32	9/18/1991 9:30	N	12587-47-2	Gross beta	17.2	pCi/L	[NULL]	[NULL]	[NULL]	R	B00LM3	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-32	9/18/1991 9:30	Y	7439-89-6	Iron	120	ug/L	[NULL]	Q	[NULL]	R	B00L01F	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/18/1991 9:30	Y	7439-95-4	Magnesium	6100	ug/L	[NULL]	[NULL]	[NULL]	R	B00L01F	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/18/1991 9:30	Y	7439-96-5	Manganese	19	ug/L	[NULL]	[NULL]	[NULL]	R	B00L01F	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/18/1991 9:30	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B00L01F	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/18/1991 9:30	N	14797-55-8	Nitrate	11200	ug/L	[NULL]	[NULL]	[NULL]	R	B00LM3	14797-55-8	PNL1	ANIONS_IC	100-NR-2
199-N-32	9/18/1991 9:30	N	14265-44-2	Phosphate	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B00LM3	14265-44-2	PNL1	ANIONS_IC	100-NR-2
199-N-32	9/18/1991 9:30	Y	7440-09-7	Potassium	2300	ug/L	[NULL]	[NULL]	[NULL]	R	B00L01F	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/18/1991 9:30	N	13966-00-2	Potassium-40	281	pCi/L	[NULL]	[NULL]	[NULL]	R	B00LM3	13966-00-2	ITASRL	GAMMA_GS	100-NR-2
199-N-32	9/18/1991 9:30	N	13967-48-1	Ruthenium-106	-28.9	pCi/L	U	[NULL]	[NULL]	R	B00LM3	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-32	9/18/1991 9:30	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B00L01F	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/18/1991 9:30	Y	7440-23-5	Sodium	3200	ug/L	[NULL]	[NULL]	[NULL]	R	B00L01F	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/18/1991 9:30	N	10098-97-2	Strontium-90	5	pCi/L	[NULL]	[NULL]	[NULL]	R	B00LM3	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-32	9/18/1991 9:30	N	14808-79-8	Sulfate	23600	ug/L	[NULL]	[NULL]	[NULL]	R	B00LM3	14808-79-8	PNL1	ANIONS_IC	100-NR-2
199-N-32	9/18/1991 9:30	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B00L01F	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/18/1991 9:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B00L04	TOC	ITASSJ	9060_TOC	100-NR-2
199-N-32	9/18/1991 9:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B00L03	TOC	ITASSJ	9060_TOC	100-NR-2
199-N-32	9/18/1991 9:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B00L02	TOC	ITASSJ	9060_TOC	100-NR-2
199-N-32	9/18/1991 9:30	N	59473-04-0	Total organic halides	10	ug/L	U	[NULL]	[NULL]	R	B00L03	59473-04-0	ITASSJ	9020_TOX	100-NR-2
199-N-32	9/18/1991 9:30	N	59473-04-0	Total organic halides	10	ug/L	U	[NULL]	[NULL]	R	B00L02	59473-04-0	ITASSJ	9020_TOX	100-NR-2
199-N-32	9/18/1991 9:30	N	59473-04-0	Total organic halides	10	ug/L	U	[NULL]	[NULL]	R	B00L04	59473-04-0	ITASSJ	9020_TOX	100-NR-2
199-N-32	9/18/1991 9:30	N	10028-17-8	Tritium	103000	pCi/L	[NULL]	[NULL]	[NULL]	R	B00LM3	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-32	9/18/1991 9:30	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B00L01F	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/18/1991 9:30	Y	7440-66-6	Zinc	12	ug/L	[NULL]	[NULL]	[NULL]	R	B00L01F	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/18/1991 9:30	N	13982-39-3	Zinc-65	-6.12	pCi/L	U	[NULL]	[NULL]	R	B00LM3	13982-39-3	ITASRL	GAMMA_GS	100-NR-2
199-N-32	9/18/1991 9:30	N	ZR/NB-95	Zirconium/Niobium-95	19.3	pCi/L	[NULL]	[NULL]	[NULL]	R	B00LM3	ZR/NB-95	ITASRL	GAMMA_GS	100-NR-2
199-N-32	9/18/1991 9:32	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B00L01	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/18/1991 9:32	N	14234-35-6	Antimony-125	19	pCi/L	[NULL]	[NULL]	[NULL]	R	B00L01	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-32	9/18/1991 9:32	N	7440-39-3	Barium	20	ug/L	U	[NULL]	[NULL]	R	B00L01	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/18/1991 9:32	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B00L01	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/18/1991 9:32	N	13966-02-4	Beryllium-7	16.6	pCi/L	[NULL]	[NULL]	[NULL]	R	B00L01	13966-02-4	ITASRL	GAMMA_GS	100-NR-2
199-N-32	9/18/1991 9:32	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B00L01	24959-67-9	ITASSJ	D4327_ANIONS_IC	100-NR-2
199-N-32	9/18/1991 9:32	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B00L01	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/18/1991 9:32	N	7440-70-2	Calcium	25000	ug/L	[NULL]	[NULL]	[NULL]	R	B00L01	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/18/1991 9:32	N	CE/PR-144	Cerium/Praseodymium-144	-3.29	pCi/L	U	[NULL]	[NULL]	R	B00L01	CE/PR-144	ITASRL	GAMMA_GS	100-NR-2
199-N-32	9/18/1991 9:32	N	13967-70-9	Cesium-134	0.187	pCi/L	[NULL]	[NULL]	[NULL]	R	B00L01	13967-70-9	ITASRL	GAMMA_GS	100-NR-2
199-N-32	9/18/1991 9:32	N	10045-97-3	Cesium-137	-0.567	pCi/L	U	[NULL]	[NULL]	R	B00L01	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-32	9/18/1991 9:32	N	16887-00-6	Chloride	1400	ug/L	[NULL]	[NULL]	[NULL]	R	B00L01	16887-00-6	ITASSJ	D4327_ANIONS_IC	100-NR-2
199-N-32	9/18/1991 9:32	N	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B00L01	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/18/1991 9:32	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B00L01	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/18/1991 9:32	N	10198-40-0	Cobalt-60	20.7	pCi/L	[NULL]	[NULL]	[NULL]	R	B00L01	10198-40-0	ITASRL	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	9/18/1991 9:32	N	7440-50-8	Copper	20	ug/L	U	Q	[NULL]	R	B00L01	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/18/1991 9:32	N	15585-10-1	Europium-154	0.602	pCi/L	[NULL]	[NULL]	[NULL]	R	B00L01	15585-10-1	ITASRL	GAMMA_GS	100-NR-2
199-N-32	9/18/1991 9:32	N	14391-16-3	Europium-155	0	pCi/L	[NULL]	[NULL]	[NULL]	R	B00L01	14391-16-3	ITASRL	GAMMA_GS	100-NR-2
199-N-32	9/18/1991 9:32	N	16984-48-8	Fluoride	140	ug/L	[NULL]	[NULL]	[NULL]	R	B00L01	16984-48-8	ITASSJ	D4327_ANIONS_IC	100-NR-2
199-N-32	9/18/1991 9:32	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B00L01	302-01-2	ITASSJ	D1385_HYDRAZINE	100-NR-2
199-N-32	9/18/1991 9:32	N	7439-89-6	Iron	570	ug/L	[NULL]	Q	[NULL]	R	B00L01	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/18/1991 9:32	N	7439-95-4	Magnesium	6200	ug/L	[NULL]	[NULL]	[NULL]	R	B00L01	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/18/1991 9:32	N	7439-96-5	Manganese	23	ug/L	[NULL]	[NULL]	[NULL]	R	B00L01	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/18/1991 9:32	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B00L01	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/18/1991 9:32	N	14797-55-8	Nitrate	9700	ug/L	[NULL]	[NULL]	[NULL]	R	B00L01	14797-55-8	PNL2	300.0_ANIONS_IC	100-NR-2
199-N-32	9/18/1991 9:32	N	108-95-2	Phenol	20	ug/L	U	[NULL]	[NULL]	R	B00L01	108-95-2	ITASSJ	8040_PHENOLIC_GC	100-NR-2
199-N-32	9/18/1991 9:32	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B00L01	14265-44-2	ITASSJ	D4327_ANIONS_IC	100-NR-2
199-N-32	9/18/1991 9:32	N	7440-09-7	Potassium	3000	ug/L	[NULL]	[NULL]	[NULL]	R	B00L01	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/18/1991 9:32	N	13966-00-2	Potassium-40	109	pCi/L	[NULL]	R	[NULL]	R	B00L01	13966-00-2	ITASRL	GAMMA_GS	100-NR-2
199-N-32	9/18/1991 9:32	N	13967-48-1	Ruthenium-106	36.7	pCi/L	[NULL]	[NULL]	[NULL]	R	B00L01	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-32	9/18/1991 9:32	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B00L01	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/18/1991 9:32	N	7440-23-5	Sodium	2900	ug/L	[NULL]	[NULL]	[NULL]	R	B00L01	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/18/1991 9:32	N	CONDUCT	Specific Conductance	203	uS/cm	[NULL]	[NULL]	[NULL]	R	B00L01	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	9/18/1991 9:32	N	10098-97-2	Strontium-90	4.81	pCi/L	[NULL]	[NULL]	[NULL]	R	B00L01	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-32	9/18/1991 9:32	N	14808-79-8	Sulfate	19000	ug/L	[NULL]	[NULL]	[NULL]	R	B00L01	14808-79-8	ITASSJ	D4327_ANIONS_IC	100-NR-2
199-N-32	9/18/1991 9:32	N	TEMPERATURE	Temperature	19.5	Deg C	[NULL]	[NULL]	[NULL]	R	B00L01	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	9/18/1991 9:32	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B00L01	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/18/1991 9:32	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B00L01	TOC	ITASSJ	9060_TOC	100-NR-2
199-N-32	9/18/1991 9:32	N	59473-04-0	Total organic halides	10	ug/L	U	[NULL]	[NULL]	R	B00L01	59473-04-0	ITASSJ	9020_TOX	100-NR-2
199-N-32	9/18/1991 9:32	N	10028-17-8	Tritium	102000	pCi/L	[NULL]	[NULL]	[NULL]	R	B00L01	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-32	9/18/1991 9:32	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B00L01	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/18/1991 9:32	N	7440-66-6	Zinc	11	ug/L	[NULL]	[NULL]	[NULL]	R	B00L01	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/18/1991 9:32	N	13982-39-3	Zinc-65	-4.08	pCi/L	U	[NULL]	[NULL]	R	B00L01	13982-39-3	ITASRL	GAMMA_GS	100-NR-2
199-N-32	9/18/1991 9:32	N	ZR/NB-95	Zirconium/Niobium-95	-2.53	pCi/L	U	[NULL]	[NULL]	R	B00L01	ZR/NB-95	ITASRL	GAMMA_GS	100-NR-2
199-N-32	9/18/1991 9:32	N	PH	pH Measurement	8.08	unitless	[NULL]	[NULL]	[NULL]	R	B00L01	PH	FIELD	9040_PH	100-NR-2
199-N-32	12/5/1991 12:30	N	14234-35-6	Antimony-125	27.1	pCi/L	[NULL]	[NULL]	[NULL]	R	B00MZ7	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-32	12/5/1991 12:30	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B00MZ7	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	12/5/1991 12:30	N	10045-97-3	Cesium-137	-1.04	pCi/L	U	[NULL]	[NULL]	R	B00MZ7	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-32	12/5/1991 12:30	N	16887-00-6	Chloride	1600	ug/L	[NULL]	[NULL]	[NULL]	R	B00MZ7	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	12/5/1991 12:30	N	10198-40-0	Cobalt-60	10.6	pCi/L	[NULL]	[NULL]	[NULL]	R	B00MZ7	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-32	12/5/1991 12:30	N	16984-48-8	Fluoride	500	ug/L	[NULL]	[NULL]	[NULL]	R	B00MZ7	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	12/5/1991 12:30	N	12587-46-1	Gross alpha	0.647	pCi/L	[NULL]	[NULL]	[NULL]	R	B00MZ7	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-32	12/5/1991 12:30	N	12587-47-2	Gross beta	190	pCi/L	[NULL]	[NULL]	[NULL]	R	B00MZ7	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-32	12/5/1991 12:30	N	14797-55-8	Nitrate	15500	ug/L	[NULL]	[NULL]	[NULL]	R	B00MZ7	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	12/5/1991 12:30	N	14797-65-0	Nitrite	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B00MZ7	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	12/5/1991 12:30	N	14265-44-2	Phosphate	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B00MZ7	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	12/5/1991 12:30	N	13967-48-1	Ruthenium-106	-25.5	pCi/L	U	[NULL]	[NULL]	R	B00MZ7	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-32	12/5/1991 12:30	N	CONDUCT	Specific Conductance	212	uS/cm	[NULL]	[NULL]	[NULL]	R	B00MZ7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	12/5/1991 12:30	N	10098-97-2	Strontium-90	4.07	pCi/L	[NULL]	[NULL]	[NULL]	R	B00MZ7	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-32	12/5/1991 12:30	N	14808-79-8	Sulfate	21000	ug/L	[NULL]	[NULL]	[NULL]	R	B00MZ7	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	12/5/1991 12:30	N	TEMPERATURE	Temperature	18.1	Deg C	[NULL]	[NULL]	[NULL]	R	B00MZ7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	12/5/1991 12:30	N	10028-17-8	Tritium	107000	pCi/L	[NULL]	[NULL]	[NULL]	R	B00MZ7	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-32	12/5/1991 12:30	N	PH	pH Measurement	8.12	unitless	[NULL]	[NULL]	[NULL]	R	B00MZ7	PH	FIELD	9040_PH	100-NR-2
199-N-32	3/25/1992 8:30	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B01W81	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/25/1992 8:30	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B01W81	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/25/1992 8:30	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B01W81	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/25/1992 8:30	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B01W81	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/25/1992 8:30	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B01W81	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/25/1992 8:30	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B01W81	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/25/1992 8:30	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B01W81	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	3/25/1992 8:30	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B01W81	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/25/1992 8:30	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B01W81	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/25/1992 8:30	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B01W81	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/25/1992 8:30	N	14798-03-9	Ammonium ion	100	ug/L	U	[NULL]	[NULL]	R	B01W81	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-32	3/25/1992 8:30	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B01W81	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/25/1992 8:30	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B01W85	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/25/1992 8:30	N	14234-35-6	Antimony-125	22.7	pCi/L	[NULL]	[NULL]	[NULL]	R	B01W81	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-32	3/25/1992 8:30	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B01W85	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-32	3/25/1992 8:30	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B01W81	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-32	3/25/1992 8:30	Y	7440-39-3	Barium	20	ug/L	[NULL]	[NULL]	[NULL]	R	B01W85	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/25/1992 8:30	N	7440-39-3	Barium	20	ug/L	U	[NULL]	[NULL]	R	B01W81	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/25/1992 8:30	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B01W85	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/25/1992 8:30	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B01W81	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/25/1992 8:30	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B01W81	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	3/25/1992 8:30	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B01W85	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/25/1992 8:30	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B01W81	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/25/1992 8:30	N	7440-70-2	Calcium	29000	ug/L	[NULL]	[NULL]	[NULL]	R	B01W81	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/25/1992 8:30	Y	7440-70-2	Calcium	28000	ug/L	[NULL]	[NULL]	[NULL]	R	B01W85	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/25/1992 8:30	N	10045-97-3	Cesium-137	1.82	pCi/L	[NULL]	[NULL]	[NULL]	R	B01W81	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-32	3/25/1992 8:30	N	16887-00-6	Chloride	1700	ug/L	[NULL]	[NULL]	[NULL]	R	B01W81	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	3/25/1992 8:30	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B01W85	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/25/1992 8:30	N	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B01W81	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/25/1992 8:30	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B01W85	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/25/1992 8:30	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B01W81	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/25/1992 8:30	N	10198-40-0	Cobalt-60	13.1	pCi/L	[NULL]	[NULL]	[NULL]	R	B01W81	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-32	3/25/1992 8:30	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B01W81	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-32	3/25/1992 8:30	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B01W81	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/25/1992 8:30	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B01W85	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/25/1992 8:30	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B01W81	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/25/1992 8:30	N	16984-48-8	Fluoride	200	ug/L	[NULL]	[NULL]	[NULL]	R	B01W81	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	3/25/1992 8:30	N	12587-46-1	Gross alpha	1.1	pCi/L	[NULL]	[NULL]	[NULL]	R	B01W81	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-32	3/25/1992 8:30	N	12587-47-2	Gross beta	28	pCi/L	[NULL]	[NULL]	[NULL]	R	B01W81	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-32	3/25/1992 8:30	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B01W81	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-32	3/25/1992 8:30	N	7439-89-6	Iron	180	ug/L	[NULL]	[NULL]	[NULL]	R	B01W81	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/25/1992 8:30	Y	7439-89-6	Iron	42	ug/L	[NULL]	[NULL]	[NULL]	R	B01W85	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/25/1992 8:30	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B01W81	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-32	3/25/1992 8:30	Y	7439-92-1	Lead	5.3	ug/L	[NULL]	[NULL]	[NULL]	R	B01W85	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-32	3/25/1992 8:30	Y	7439-95-4	Magnesium	7400	ug/L	[NULL]	[NULL]	[NULL]	R	B01W85	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/25/1992 8:30	N	7439-95-4	Magnesium	7700	ug/L	[NULL]	[NULL]	[NULL]	R	B01W81	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/25/1992 8:30	N	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B01W81	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/25/1992 8:30	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B01W85	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/25/1992 8:30	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B01W85	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-32	3/25/1992 8:30	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B01W81	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-32	3/25/1992 8:30	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B01W85	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/25/1992 8:30	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B01W81	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/25/1992 8:30	N	14797-55-8	Nitrate	24000	ug/L	[NULL]	[NULL]	[NULL]	R	B01W81	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	3/25/1992 8:30	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B01W81	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	3/25/1992 8:30	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B01W81	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/25/1992 8:30	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B01W81	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/25/1992 8:30	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B01W81	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	3/25/1992 8:30	N	7440-09-7	Potassium	3100	ug/L	[NULL]	[NULL]	[NULL]	R	B01W81	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/25/1992 8:30	Y	7440-09-7	Potassium	2700	ug/L	[NULL]	[NULL]	[NULL]	R	B01W85	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	3/25/1992 8:30	N	7440-14-4	Radium	0.102	pCi/L	[NULL]	[NULL]	[NULL]	R	B01W81	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-32	3/25/1992 8:30	N	13967-48-1	Ruthenium-106	47.6	pCi/L	[NULL]	[NULL]	[NULL]	R	B01W81	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-32	3/25/1992 8:30	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B01W81	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-32	3/25/1992 8:30	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B01W85	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-32	3/25/1992 8:30	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B01W85	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/25/1992 8:30	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B01W81	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/25/1992 8:30	Y	7440-23-5	Sodium	3200	ug/L	[NULL]	[NULL]	[NULL]	R	B01W85	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/25/1992 8:30	N	7440-23-5	Sodium	3300	ug/L	[NULL]	[NULL]	[NULL]	R	B01W81	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/25/1992 8:30	N	CONDUCT	Specific Conductance	227	uS/cm	[NULL]	[NULL]	[NULL]	R	B01W83	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	3/25/1992 8:30	N	CONDUCT	Specific Conductance	227	uS/cm	[NULL]	[NULL]	[NULL]	R	B01W84	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	3/25/1992 8:30	N	CONDUCT	Specific Conductance	226	uS/cm	[NULL]	[NULL]	[NULL]	R	B01W82	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	3/25/1992 8:30	N	CONDUCT	Specific Conductance	227	uS/cm	[NULL]	[NULL]	[NULL]	R	B01W81	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	3/25/1992 8:30	N	10098-97-2	Strontium-90	3.96	pCi/L	[NULL]	[NULL]	[NULL]	R	B01W81	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-32	3/25/1992 8:30	N	14808-79-8	Sulfate	23000	ug/L	[NULL]	[NULL]	[NULL]	R	B01W81	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	3/25/1992 8:30	N	TEMPERATURE	Temperature	18.1	Deg C	[NULL]	[NULL]	[NULL]	R	B01W81	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	3/25/1992 8:30	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B01W81	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/25/1992 8:30	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B01W81	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/25/1992 8:30	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B01W85	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/25/1992 8:30	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B01W81	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/25/1992 8:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B01W83	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	3/25/1992 8:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B01W81	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	3/25/1992 8:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B01W82	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	3/25/1992 8:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B01W84	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	3/25/1992 8:30	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B01W84	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-32	3/25/1992 8:30	N	59473-04-0	Total organic halides	30	ug/L	[NULL]	Y	[NULL]	R	B01W82	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-32	3/25/1992 8:30	N	59473-04-0	Total organic halides	20	ug/L	[NULL]	Y	[NULL]	R	B01W81	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-32	3/25/1992 8:30	N	59473-04-0	Total organic halides	30	ug/L	[NULL]	Y	[NULL]	R	B01W82	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-32	3/25/1992 8:30	N	59473-04-0	Total organic halides	20	ug/L	[NULL]	Y	[NULL]	R	B01W81	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-32	3/25/1992 8:30	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B01W83	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-32	3/25/1992 8:30	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B01W81	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/25/1992 8:30	N	10028-17-8	Tritium	96800	pCi/L	[NULL]	[NULL]	[NULL]	R	B01W81	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-32	3/25/1992 8:30	N	TURBIDITY	Turbidity	0.6	NTU	[NULL]	[NULL]	[NULL]	R	B01W81	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-32	3/25/1992 8:30	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B01W81	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/25/1992 8:30	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B01W85	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/25/1992 8:30	N	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B01W81	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/25/1992 8:30	Y	7440-66-6	Zinc	21	ug/L	[NULL]	[NULL]	[NULL]	R	B01W85	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/25/1992 8:30	N	PH	pH Measurement	8.02	unitless	[NULL]	[NULL]	[NULL]	R	B01W83	PH	FIELD	9040_PH	100-NR-2
199-N-32	3/25/1992 8:30	N	PH	pH Measurement	7.99	unitless	[NULL]	[NULL]	[NULL]	R	B01W81	PH	FIELD	9040_PH	100-NR-2
199-N-32	3/25/1992 8:30	N	PH	pH Measurement	8.01	unitless	[NULL]	[NULL]	[NULL]	R	B01W82	PH	FIELD	9040_PH	100-NR-2
199-N-32	3/25/1992 8:30	N	PH	pH Measurement	8.01	unitless	[NULL]	[NULL]	[NULL]	R	B01W84	PH	FIELD	9040_PH	100-NR-2
199-N-32	5/12/1992 12:00	N	14234-35-6	Antimony-125	3.15	pCi/L	[NULL]	[NULL]	[NULL]	R	B06M93	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-32	5/12/1992 12:00	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B06M93	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	5/12/1992 12:00	N	10045-97-3	Cesium-137	0.434	pCi/L	[NULL]	[NULL]	[NULL]	R	B06M93	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-32	5/12/1992 12:00	N	16887-00-6	Chloride	1600	ug/L	[NULL]	[NULL]	[NULL]	R	B06M93	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	5/12/1992 12:00	N	10198-40-0	Cobalt-60	16.8	pCi/L	[NULL]	[NULL]	[NULL]	R	B06M93	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-32	5/12/1992 12:00	N	16984-48-8	Fluoride	100	ug/L	[NULL]	[NULL]	[NULL]	R	B06M93	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	5/12/1992 12:00	N	12587-46-1	Gross alpha	0.933	pCi/L	[NULL]	[NULL]	[NULL]	R	B06M93	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-32	5/12/1992 12:00	N	12587-47-2	Gross beta	22.4	pCi/L	[NULL]	[NULL]	[NULL]	R	B06M93	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-32	5/12/1992 12:00	N	14797-55-8	Nitrate	24000	ug/L	[NULL]	[NULL]	[NULL]	R	B06M93	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	5/12/1992 12:00	N	14797-65-0	Nitrite	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B06M93	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	5/12/1992 12:00	N	14265-44-2	Phosphate	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B06M93	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	5/12/1992 12:00	N	13967-48-1	Ruthenium-106	-38	pCi/L	U	[NULL]	[NULL]	R	B06M93	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-32	5/12/1992 12:00	N	CONDUCT	Specific Conductance	242	uS/cm	[NULL]	[NULL]	[NULL]	R	B06M93	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	5/12/1992 12:00	N	10098-97-2	Strontium-90	4.25	pCi/L	[NULL]	[NULL]	[NULL]	R	B06M93	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-32	5/12/1992 12:00	N	14808-79-8	Sulfate	21000	ug/L	[NULL]	[NULL]	[NULL]	R	B06M93	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	5/12/1992 12:00	N	TEMPERATURE	Temperature	18.5	Deg C	[NULL]	[NULL]	[NULL]	R	B06M93	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	5/12/1992 12:00	N	10028-17-8	Tritium	94100	pCi/L	[NULL]	[NULL]	[NULL]	R	B06M93	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	5/12/1992 12:00	N	PH	pH Measurement	7.81	unitless	[NULL]	[NULL]	[NULL]	R	B06M93	PH	FIELD	9040_PH	100-NR-2
199-N-32	8/17/1992 10:30	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	P	[NULL]	R	B07428	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	8/17/1992 10:30	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	P	[NULL]	R	B07428	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	8/17/1992 10:30	N	105-67-9	2,4-Dimethylphenol	16	ug/L	B	P	[NULL]	R	B07428	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	8/17/1992 10:30	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	P	[NULL]	R	B07428	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	8/17/1992 10:30	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	P	[NULL]	R	B07428	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	8/17/1992 10:30	N	95-57-8	2-Chlorophenol	5	ug/L	U	P	[NULL]	R	B07428	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	8/17/1992 10:30	N	88-75-5	2-Nitrophenol	5	ug/L	U	P	[NULL]	R	B07428	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	8/17/1992 10:30	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	P	[NULL]	R	B07428	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	8/17/1992 10:30	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	P	[NULL]	R	B07428	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	8/17/1992 10:30	N	100-02-7	4-Nitrophenol	30	ug/L	U	P	[NULL]	R	B07428	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	8/17/1992 10:30	N	14798-03-9	Ammonium ion	100	ug/L	[NULL]	P	[NULL]	R	B07428	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-32	8/17/1992 10:30	Y	7440-36-0	Antimony	200	ug/L	U	P	[NULL]	R	B07433	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/17/1992 10:30	N	7440-36-0	Antimony	200	ug/L	U	P	[NULL]	R	B07428	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/17/1992 10:30	N	14234-35-6	Antimony-125	32.9	pCi/L	[NULL]	P	[NULL]	R	B07428	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-32	8/17/1992 10:30	N	14234-35-6	Antimony-125	17.6	pCi/L	[NULL]	[NULL]	[NULL]	R	B073W2	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-32	8/17/1992 10:30	N	7440-38-2	Arsenic	5	ug/L	U	P	[NULL]	R	B07428	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-32	8/17/1992 10:30	Y	7440-38-2	Arsenic	5.5	ug/L	[NULL]	P	[NULL]	R	B07433	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-32	8/17/1992 10:30	Y	7440-39-3	Barium	25	ug/L	[NULL]	P	[NULL]	R	B07433	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/17/1992 10:30	N	7440-39-3	Barium	25	ug/L	[NULL]	P	[NULL]	R	B07428	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/17/1992 10:30	N	7440-41-7	Beryllium	3	ug/L	U	P	[NULL]	R	B07428	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/17/1992 10:30	Y	7440-41-7	Beryllium	3	ug/L	U	P	[NULL]	R	B07433	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/17/1992 10:30	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B073W2	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	8/17/1992 10:30	N	24959-67-9	Bromide	500	ug/L	U	P	[NULL]	R	B07428	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	8/17/1992 10:30	N	7440-43-9	Cadmium	10	ug/L	U	P	[NULL]	R	B07428	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/17/1992 10:30	Y	7440-43-9	Cadmium	10	ug/L	U	P	[NULL]	R	B07433	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/17/1992 10:30	N	7440-70-2	Calcium	31000	ug/L	[NULL]	P	[NULL]	R	B07428	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/17/1992 10:30	Y	7440-70-2	Calcium	31000	ug/L	[NULL]	P	[NULL]	R	B07433	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/17/1992 10:30	N	10045-97-3	Cesium-137	-7.9	pCi/L	U	[NULL]	[NULL]	R	B073W2	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-32	8/17/1992 10:30	N	10045-97-3	Cesium-137	1.74	pCi/L	[NULL]	P	[NULL]	R	B07428	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-32	8/17/1992 10:30	N	16887-00-6	Chloride	1900	ug/L	[NULL]	[NULL]	[NULL]	R	B073W2	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	8/17/1992 10:30	N	16887-00-6	Chloride	2000	ug/L	[NULL]	P	[NULL]	R	B07428	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	8/17/1992 10:30	Y	7440-47-3	Chromium	20	ug/L	U	P	[NULL]	R	B07433	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/17/1992 10:30	N	7440-47-3	Chromium	20	ug/L	U	P	[NULL]	R	B07428	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/17/1992 10:30	N	7440-48-4	Cobalt	20	ug/L	U	P	[NULL]	R	B07428	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/17/1992 10:30	Y	7440-48-4	Cobalt	20	ug/L	U	P	[NULL]	R	B07433	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/17/1992 10:30	N	10198-40-0	Cobalt-60	21.1	pCi/L	[NULL]	P	[NULL]	R	B07428	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-32	8/17/1992 10:30	N	10198-40-0	Cobalt-60	21	pCi/L	[NULL]	[NULL]	[NULL]	R	B073W2	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-32	8/17/1992 10:30	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	P	[NULL]	R	B07428	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-32	8/17/1992 10:30	N	7440-50-8	Copper	20	ug/L	U	P	[NULL]	R	B07428	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/17/1992 10:30	Y	7440-50-8	Copper	20	ug/L	U	P	[NULL]	R	B07433	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/17/1992 10:30	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	P	[NULL]	R	B07428	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	8/17/1992 10:30	N	16984-48-8	Fluoride	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B073W2	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	8/17/1992 10:30	N	16984-48-8	Fluoride	100	ug/L	U	P	[NULL]	R	B07428	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	8/17/1992 10:30	N	12587-46-1	Gross alpha	1.66	pCi/L	[NULL]	[NULL]	[NULL]	R	B073W2	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-32	8/17/1992 10:30	N	12587-46-1	Gross alpha	2.09	pCi/L	[NULL]	P	[NULL]	R	B07428	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-32	8/17/1992 10:30	N	12587-47-2	Gross beta	19.5	pCi/L	[NULL]	P	[NULL]	R	B07428	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-32	8/17/1992 10:30	N	12587-47-2	Gross beta	18.5	pCi/L	[NULL]	[NULL]	[NULL]	R	B073W2	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-32	8/17/1992 10:30	N	302-01-2	Hydrazine	30	ug/L	U	P	[NULL]	R	B07428	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-32	8/17/1992 10:30	Y	7439-89-6	Iron	46	ug/L	[NULL]	P	[NULL]	R	B07433	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/17/1992 10:30	N	7439-89-6	Iron	220	ug/L	[NULL]	P	[NULL]	R	B07428	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/17/1992 10:30	N	7439-92-1	Lead	5	ug/L	U	P	[NULL]	R	B07428	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	8/17/1992 10:30	Y	7439-92-1	Lead	5	ug/L	U	P	[NULL]	R	B07433	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-32	8/17/1992 10:30	Y	7439-95-4	Magnesium	8500	ug/L	[NULL]	P	[NULL]	R	B07433	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/17/1992 10:30	N	7439-95-4	Magnesium	8400	ug/L	[NULL]	P	[NULL]	R	B07428	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/17/1992 10:30	Y	7439-96-5	Manganese	10	ug/L	U	P	[NULL]	R	B07433	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/17/1992 10:30	N	7439-96-5	Manganese	10	ug/L	U	P	[NULL]	R	B07428	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/17/1992 10:30	N	7439-97-6	Mercury	0.2	ug/L	U	P	[NULL]	R	B07428	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-32	8/17/1992 10:30	Y	7439-97-6	Mercury	0.2	ug/L	U	P	[NULL]	R	B07433	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-32	8/17/1992 10:30	Y	7440-02-0	Nickel	30	ug/L	U	P	[NULL]	R	B07433	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/17/1992 10:30	N	7440-02-0	Nickel	30	ug/L	U	P	[NULL]	R	B07428	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/17/1992 10:30	N	14797-55-8	Nitrate	27000	ug/L	[NULL]	P	[NULL]	R	B07428	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	8/17/1992 10:30	N	14797-55-8	Nitrate	28000	ug/L	[NULL]	[NULL]	[NULL]	R	B073W2	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	8/17/1992 10:30	N	14797-65-0	Nitrite	200	ug/L	U	P	[NULL]	R	B07428	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	8/17/1992 10:30	N	14797-65-0	Nitrite	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B073W2	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	8/17/1992 10:30	N	87-86-5	Pentachlorophenol	100	ug/L	U	P	[NULL]	R	B07428	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	8/17/1992 10:30	N	108-95-2	Phenol	1	ug/L	U	P	[NULL]	R	B07428	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	8/17/1992 10:30	N	14265-44-2	Phosphate	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B073W2	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	8/17/1992 10:30	N	14265-44-2	Phosphate	400	ug/L	U	P	[NULL]	R	B07428	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	8/17/1992 10:30	Y	7440-09-7	Potassium	3000	ug/L	[NULL]	P	[NULL]	R	B07433	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/17/1992 10:30	N	7440-09-7	Potassium	3100	ug/L	[NULL]	P	[NULL]	R	B07428	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/17/1992 10:30	N	7440-14-4	Radium	-0.0303	pCi/L	U	P	[NULL]	R	B07428	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-32	8/17/1992 10:30	N	13967-48-1	Ruthenium-106	-76.2	pCi/L	U	P	[NULL]	R	B07428	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-32	8/17/1992 10:30	N	13967-48-1	Ruthenium-106	12	pCi/L	[NULL]	[NULL]	[NULL]	R	B073W2	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-32	8/17/1992 10:30	Y	7782-49-2	Selenium	10	ug/L	U	P	[NULL]	R	B07433	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-32	8/17/1992 10:30	N	7782-49-2	Selenium	10	ug/L	U	P	[NULL]	R	B07428	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-32	8/17/1992 10:30	N	7440-22-4	Silver	20	ug/L	U	P	[NULL]	R	B07428	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/17/1992 10:30	Y	7440-22-4	Silver	20	ug/L	U	P	[NULL]	R	B07433	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/17/1992 10:30	Y	7440-23-5	Sodium	3500	ug/L	[NULL]	P	[NULL]	R	B07433	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/17/1992 10:30	N	7440-23-5	Sodium	3500	ug/L	[NULL]	P	[NULL]	R	B07428	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/17/1992 10:30	N	CONDUCT	Specific Conductance	255	uS/cm	[NULL]	P	[NULL]	R	B07432	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	8/17/1992 10:30	N	CONDUCT	Specific Conductance	254	uS/cm	[NULL]	[NULL]	[NULL]	R	B07430	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	8/17/1992 10:30	N	CONDUCT	Specific Conductance	255	uS/cm	[NULL]	P	[NULL]	R	B07428	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	8/17/1992 10:30	N	CONDUCT	Specific Conductance	256	uS/cm	[NULL]	P	[NULL]	R	B07431	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	8/17/1992 10:30	N	10098-97-2	Strontium-90	3.01	pCi/L	[NULL]	P	[NULL]	R	B07428	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-32	8/17/1992 10:30	N	10098-97-2	Strontium-90	3.45	pCi/L	[NULL]	[NULL]	[NULL]	R	B073W2	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-32	8/17/1992 10:30	N	14808-79-8	Sulfate	21000	ug/L	[NULL]	[NULL]	[NULL]	R	B073W2	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	8/17/1992 10:30	N	14808-79-8	Sulfate	20000	ug/L	[NULL]	P	[NULL]	R	B07428	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	8/17/1992 10:30	N	TEMPERATURE	Temperature	17.7	Deg C	[NULL]	P	[NULL]	R	B07428	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	8/17/1992 10:30	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	P	[NULL]	R	B07428	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	8/17/1992 10:30	N	7440-31-5	Tin	100	ug/L	U	P	[NULL]	R	B07428	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/17/1992 10:30	Y	7440-31-5	Tin	100	ug/L	U	P	[NULL]	R	B07433	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/17/1992 10:30	N	1319-77-3	Total cresols	10	ug/L	U	P	[NULL]	R	B07428	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	8/17/1992 10:30	N	TOC	Total organic carbon	1000	ug/L	U	P	[NULL]	R	B07428	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	8/17/1992 10:30	N	TOC	Total organic carbon	1000	ug/L	U	P	[NULL]	R	B07432	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	8/17/1992 10:30	N	TOC	Total organic carbon	1000	ug/L	U	P	[NULL]	R	B07431	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	8/17/1992 10:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07430	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	8/17/1992 10:30	N	59473-04-0	Total organic halides	10	ug/L	U	PY	[NULL]	R	B07431	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-32	8/17/1992 10:30	N	59473-04-0	Total organic halides	10	ug/L	U	PY	[NULL]	R	B07432	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-32	8/17/1992 10:30	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B07430	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-32	8/17/1992 10:30	N	59473-04-0	Total organic halides	10	ug/L	U	PY	[NULL]	R	B07428	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-32	8/17/1992 10:30	N	25167-82-2	Trichlorophenol	5	ug/L	U	P	[NULL]	R	B07428	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	8/17/1992 10:30	N	10028-17-8	Tritium	90400	pCi/L	[NULL]	P	[NULL]	R	B07428	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-32	8/17/1992 10:30	N	10028-17-8	Tritium	85700	pCi/L	[NULL]	[NULL]	[NULL]	R	B073W2	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-32	8/17/1992 10:30	N	TURBIDITY	Turbidity	1.5	NTU	[NULL]	P	[NULL]	R	B07428	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-32	8/17/1992 10:30	N	7440-62-2	Vanadium	30	ug/L	U	P	[NULL]	R	B07428	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/17/1992 10:30	Y	7440-62-2	Vanadium	30	ug/L	U	P	[NULL]	R	B07433	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	8/17/1992 10:30	Y	7440-66-6	Zinc	10	ug/L	U	P	[NULL]	R	B07433	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/17/1992 10:30	N	7440-66-6	Zinc	10	ug/L	U	P	[NULL]	R	B07428	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/17/1992 10:30	N	PH	pH Measurement	8.08	unitless	[NULL]	P	[NULL]	R	B07428	PH	FIELD	9040_PH	100-NR-2
199-N-32	8/17/1992 10:30	N	PH	pH Measurement	8.04	unitless	[NULL]	P	[NULL]	R	B07431	PH	FIELD	9040_PH	100-NR-2
199-N-32	8/17/1992 10:30	N	PH	pH Measurement	8.04	unitless	[NULL]	P	[NULL]	R	B07432	PH	FIELD	9040_PH	100-NR-2
199-N-32	8/17/1992 10:30	N	PH	pH Measurement	8.06	unitless	[NULL]	[NULL]	[NULL]	R	B07430	PH	FIELD	9040_PH	100-NR-2
199-N-32	11/17/1992 8:00	N	14234-35-6	Antimony-125	3.67	pCi/L	[NULL]	[NULL]	[NULL]	R	B07MF7	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-32	11/17/1992 8:00	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B07MF7	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	11/17/1992 8:00	N	10045-97-3	Cesium-137	1.99	pCi/L	[NULL]	[NULL]	[NULL]	R	B07MF7	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-32	11/17/1992 8:00	N	16887-00-6	Chloride	1900	ug/L	[NULL]	[NULL]	[NULL]	R	B07MF7	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	11/17/1992 8:00	N	10198-40-0	Cobalt-60	13.6	pCi/L	[NULL]	[NULL]	[NULL]	R	B07MF7	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-32	11/17/1992 8:00	N	16984-48-8	Fluoride	200	ug/L	[NULL]	[NULL]	[NULL]	R	B07MF7	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	11/17/1992 8:00	N	12587-46-1	Gross alpha	1.8	pCi/L	[NULL]	[NULL]	[NULL]	R	B07MF7	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-32	11/17/1992 8:00	N	12587-47-2	Gross beta	20	pCi/L	[NULL]	[NULL]	[NULL]	R	B07MF7	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-32	11/17/1992 8:00	N	14797-55-8	Nitrate	30000	ug/L	[NULL]	[NULL]	[NULL]	R	B07MF7	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	11/17/1992 8:00	N	14797-65-0	Nitrite	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B07MF7	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	11/17/1992 8:00	N	14265-44-2	Phosphate	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B07MF7	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	11/17/1992 8:00	N	13967-48-1	Ruthenium-106	0	pCi/L	[NULL]	[NULL]	[NULL]	R	B07MF7	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-32	11/17/1992 8:00	N	CONDUCT	Specific Conductance	264	uS/cm	[NULL]	[NULL]	[NULL]	R	B07MF7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	11/17/1992 8:00	N	10098-97-2	Strontium-90	2.3	pCi/L	[NULL]	[NULL]	[NULL]	R	B07MF7	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-32	11/17/1992 8:00	N	14808-79-8	Sulfate	23000	ug/L	[NULL]	[NULL]	[NULL]	R	B07MF7	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	11/17/1992 8:00	N	TEMPERATURE	Temperature	18.9	Deg C	[NULL]	[NULL]	[NULL]	R	B07MF7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	11/17/1992 8:00	N	10028-17-8	Tritium	80300	pCi/L	[NULL]	[NULL]	[NULL]	R	B07MF7	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-32	11/17/1992 8:00	N	PH	pH Measurement	8.06	unitless	[NULL]	[NULL]	[NULL]	R	B07MF7	PH	FIELD	9040_PH	100-NR-2
199-N-32	11/18/1992 11:15	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07PW5	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	11/18/1992 11:15	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07PW5	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	11/18/1992 11:15	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B07PW5	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	11/18/1992 11:15	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B07PW5	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	11/18/1992 11:15	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07PW5	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	11/18/1992 11:15	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07PW5	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	11/18/1992 11:15	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B07PW5	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	11/18/1992 11:15	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B07PW5	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	11/18/1992 11:15	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B07PW5	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	11/18/1992 11:15	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B07PW5	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	11/18/1992 11:15	N	14798-03-9	Ammonium ion	100	ug/L	[NULL]	[NULL]	[NULL]	R	B07PW5	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-32	11/18/1992 11:15	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B07PW5	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	11/18/1992 11:15	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B07PW6	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	11/18/1992 11:15	N	14234-35-6	Antimony-125	-14.3	pCi/L	U	[NULL]	[NULL]	R	B07PW5	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-32	11/18/1992 11:15	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B07PW5	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-32	11/18/1992 11:15	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B07PW6	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-32	11/18/1992 11:15	N	7440-39-3	Barium	20	ug/L	[NULL]	[NULL]	[NULL]	R	B07PW5	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	11/18/1992 11:15	Y	7440-39-3	Barium	20	ug/L	[NULL]	[NULL]	[NULL]	R	B07PW6	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	11/18/1992 11:15	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B07PW5	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	11/18/1992 11:15	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B07PW6	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	11/18/1992 11:15	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B07PW5	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	11/18/1992 11:15	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B07PW6	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	11/18/1992 11:15	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B07PW5	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	11/18/1992 11:15	N	7440-70-2	Calcium	32000	ug/L	[NULL]	[NULL]	[NULL]	R	B07PW5	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	11/18/1992 11:15	Y	7440-70-2	Calcium	31000	ug/L	[NULL]	[NULL]	[NULL]	R	B07PW6	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	11/18/1992 11:15	N	10045-97-3	Cesium-137	-0.619	pCi/L	U	[NULL]	[NULL]	R	B07PW5	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-32	11/18/1992 11:15	N	16887-00-6	Chloride	1800	ug/L	[NULL]	[NULL]	[NULL]	R	B07PW5	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	11/18/1992 11:15	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B07PW6	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	11/18/1992 11:15	N	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B07PW5	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	11/18/1992 11:15	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B07PW5	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	11/18/1992 11:15	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B07PW6	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	11/18/1992 11:15	N	10198-40-0	Cobalt-60	19.5	pCi/L	[NULL]	[NULL]	[NULL]	R	B07PW5	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-32	11/18/1992 11:15	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B07PW5	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-32	11/18/1992 11:15	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B07PW5	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	11/18/1992 11:15	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B07PW6	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	11/18/1992 11:15	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B07PW5	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	11/18/1992 11:15	N	16984-48-8	Fluoride	100	ug/L	[NULL]	[NULL]	[NULL]	R	B07PW5	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	11/18/1992 11:15	N	12587-46-1	Gross alpha	1.12	pCi/L	[NULL]	[NULL]	[NULL]	R	B07PW5	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-32	11/18/1992 11:15	N	12587-47-2	Gross beta	23	pCi/L	[NULL]	[NULL]	[NULL]	R	B07PW5	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-32	11/18/1992 11:15	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B07PW5	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-32	11/18/1992 11:15	N	7439-89-6	Iron	100	ug/L	[NULL]	[NULL]	[NULL]	R	B07PW5	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	11/18/1992 11:15	Y	7439-89-6	Iron	50	ug/L	[NULL]	[NULL]	[NULL]	R	B07PW6	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	11/18/1992 11:15	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B07PW5	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-32	11/18/1992 11:15	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B07PW6	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-32	11/18/1992 11:15	N	7439-95-4	Magnesium	8700	ug/L	[NULL]	[NULL]	[NULL]	R	B07PW5	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	11/18/1992 11:15	Y	7439-95-4	Magnesium	8500	ug/L	[NULL]	[NULL]	[NULL]	R	B07PW6	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	11/18/1992 11:15	Y	7439-96-5	Manganese	10	ug/L	[NULL]	[NULL]	[NULL]	R	B07PW6	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	11/18/1992 11:15	N	7439-96-5	Manganese	10	ug/L	[NULL]	[NULL]	[NULL]	R	B07PW5	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	11/18/1992 11:15	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B07PW6	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-32	11/18/1992 11:15	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B07PW5	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-32	11/18/1992 11:15	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B07PW6	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	11/18/1992 11:15	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B07PW5	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	11/18/1992 11:15	N	14797-55-8	Nitrate	30000	ug/L	[NULL]	[NULL]	[NULL]	R	B07PW5	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	11/18/1992 11:15	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B07PW5	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	11/18/1992 11:15	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B07PW5	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	11/18/1992 11:15	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B07PW5	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	11/18/1992 11:15	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B07PW5	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	11/18/1992 11:15	Y	7440-09-7	Potassium	2400	ug/L	[NULL]	[NULL]	[NULL]	R	B07PW6	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	11/18/1992 11:15	N	7440-09-7	Potassium	2900	ug/L	[NULL]	[NULL]	[NULL]	R	B07PW5	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	11/18/1992 11:15	N	13967-48-1	Ruthenium-106	7.11	pCi/L	[NULL]	[NULL]	[NULL]	R	B07PW5	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-32	11/18/1992 11:15	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B07PW5	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-32	11/18/1992 11:15	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B07PW6	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-32	11/18/1992 11:15	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B07PW6	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	11/18/1992 11:15	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B07PW5	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	11/18/1992 11:15	Y	7440-23-5	Sodium	3300	ug/L	[NULL]	[NULL]	[NULL]	R	B07PW6	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	11/18/1992 11:15	N	7440-23-5	Sodium	3400	ug/L	[NULL]	[NULL]	[NULL]	R	B07PW5	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	11/18/1992 11:15	N	CONDUCT	Specific Conductance	260	uS/cm	[NULL]	[NULL]	[NULL]	R	B07PW5	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-32	11/18/1992 11:15	N	CONDUCT	Specific Conductance	244	uS/cm	[NULL]	[NULL]	[NULL]	R	B07PW5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	11/18/1992 11:15	N	14808-79-8	Sulfate	23000	ug/L	[NULL]	[NULL]	[NULL]	R	B07PW5	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	11/18/1992 11:15	N	TEMPERATURE	Temperature	18.8	Deg C	[NULL]	[NULL]	[NULL]	R	B07PW5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	11/18/1992 11:15	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B07PW5	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	11/18/1992 11:15	Y	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B07PW6	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-32	11/18/1992 11:15	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B07PW5	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-32	11/18/1992 11:15	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B07PW5	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	11/18/1992 11:15	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B07PW6	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	11/18/1992 11:15	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B07PW5	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	11/18/1992 11:15	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07PW5	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	11/18/1992 11:15	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B07PW5	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-32	11/18/1992 11:15	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07PW5	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	11/18/1992 11:15	N	10028-17-8	Tritium	81900	pCi/L	[NULL]	[NULL]	[NULL]	R	B07PW5	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-32	11/18/1992 11:15	N	TURBIDITY	Turbidity	0.2	NTU	[NULL]	[NULL]	[NULL]	R	B07PW5	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-32	11/18/1992 11:15	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B07PW6	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	11/18/1992 11:15	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B07PW5	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	11/18/1992 11:15	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B07PW6	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	11/18/1992 11:15	N	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B07PW5	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	11/18/1992 11:15	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	B07PW5	PH	DATACH	D1293_PH	100-NR-2
199-N-32	11/18/1992 11:15	N	PH	pH Measurement	8.03	unitless	[NULL]	[NULL]	[NULL]	R	B07PW5	PH	FIELD	9040_PH	100-NR-2
199-N-32	2/18/1993 8:15	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085R3	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	2/18/1993 8:15	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085R3	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	2/18/1993 8:15	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B085R3	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	2/18/1993 8:15	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B085R3	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	2/18/1993 8:15	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085R3	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	2/18/1993 8:15	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085R3	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	2/18/1993 8:15	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B085R3	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	2/18/1993 8:15	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B085R3	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	2/18/1993 8:15	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B085R3	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	2/18/1993 8:15	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B085R3	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	2/18/1993 8:15	N	14798-03-9	Ammonium ion	100	ug/L	U	[NULL]	[NULL]	R	B085R3	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-32	2/18/1993 8:15	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B085R7	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	2/18/1993 8:15	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B085R3	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	2/18/1993 8:15	N	14234-35-6	Antimony-125	8.93	pCi/L	[NULL]	[NULL]	[NULL]	R	B085R3	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-32	2/18/1993 8:15	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B085R3	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-32	2/18/1993 8:15	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B085R7	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-32	2/18/1993 8:15	N	7440-39-3	Barium	20	ug/L	[NULL]	[NULL]	[NULL]	R	B085R3	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	2/18/1993 8:15	Y	7440-39-3	Barium	20	ug/L	[NULL]	[NULL]	[NULL]	R	B085R7	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	2/18/1993 8:15	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B085R3	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	2/18/1993 8:15	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B085R7	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	2/18/1993 8:15	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B085R3	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	2/18/1993 8:15	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B085R7	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	2/18/1993 8:15	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B085R3	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	2/18/1993 8:15	N	7440-70-2	Calcium	32000	ug/L	[NULL]	[NULL]	[NULL]	R	B085R3	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	2/18/1993 8:15	Y	7440-70-2	Calcium	32000	ug/L	[NULL]	[NULL]	[NULL]	R	B085R7	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	2/18/1993 8:15	N	10045-97-3	Cesium-137	0.431	pCi/L	U	[NULL]	[NULL]	R	B085R3	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-32	2/18/1993 8:15	N	16887-00-6	Chloride	1900	ug/L	[NULL]	[NULL]	[NULL]	R	B085R3	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	2/18/1993 8:15	N	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B085R3	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	2/18/1993 8:15	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B085R7	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	2/18/1993 8:15	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B085R7	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	2/18/1993 8:15	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B085R3	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	2/18/1993 8:15	N	10198-40-0	Cobalt-60	9.89	pCi/L	[NULL]	[NULL]	[NULL]	R	B085R3	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-32	2/18/1993 8:15	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B085R3	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-32	2/18/1993 8:15	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B085R3	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	2/18/1993 8:15	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B085R7	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	2/18/1993 8:15	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B085R3	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	2/18/1993 8:15	N	16984-48-8	Fluoride	200	ug/L	[NULL]	[NULL]	[NULL]	R	B085R3	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	2/18/1993 8:15	N	12587-46-1	Gross alpha	0.814	pCi/L	U	[NULL]	[NULL]	R	B085R3	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-32	2/18/1993 8:15	N	12587-47-2	Gross beta	20.6	pCi/L	[NULL]	[NULL]	[NULL]	R	B085R3	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-32	2/18/1993 8:15	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B085R3	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-32	2/18/1993 8:15	N	7439-89-6	Iron	250	ug/L	[NULL]	[NULL]	[NULL]	R	B085R3	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	2/18/1993 8:15	Y	7439-89-6	Iron	80	ug/L	[NULL]	[NULL]	[NULL]	R	B085R7	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	2/18/1993 8:15	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B085R7	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-32	2/18/1993 8:15	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B085R3	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-32	2/18/1993 8:15	N	7439-95-4	Magnesium	8800	ug/L	[NULL]	[NULL]	[NULL]	R	B085R3	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	2/18/1993 8:15	Y	7439-95-4	Magnesium	8800	ug/L	[NULL]	[NULL]	[NULL]	R	B085R7	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	2/18/1993 8:15	Y	7439-96-5	Manganese	10	ug/L	[NULL]	[NULL]	[NULL]	R	B085R7	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	2/18/1993 8:15	N	7439-96-5	Manganese	20	ug/L	[NULL]	[NULL]	[NULL]	R	B085R3	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	2/18/1993 8:15	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B085R7	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-32	2/18/1993 8:15	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B085R3	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-32	2/18/1993 8:15	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B085R3	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	2/18/1993 8:15	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B085R7	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	2/18/1993 8:15	N	14797-55-8	Nitrate	30000	ug/L	[NULL]	[NULL]	[NULL]	R	B085R3	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	2/18/1993 8:15	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B085R3	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	2/18/1993 8:15	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B085R3	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	2/18/1993 8:15	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B085R3	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	2/18/1993 8:15	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B085R3	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	2/18/1993 8:15	Y	7440-09-7	Potassium	3400	ug/L	[NULL]	[NULL]	[NULL]	R	B085R7	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	2/18/1993 8:15	N	7440-09-7	Potassium	3000	ug/L	[NULL]	[NULL]	[NULL]	R	B085R3	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	2/18/1993 8:15	N	7440-14-4	Radium	0.069	pCi/L	U	[NULL]	[NULL]	R	B085R3	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-32	2/18/1993 8:15	N	13967-48-1	Ruthenium-106	66.2	pCi/L	[NULL]	[NULL]	[NULL]	R	B085R3	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-32	2/18/1993 8:15	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B085R7	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-32	2/18/1993 8:15	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B085R3	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-32	2/18/1993 8:15	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B085R3	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	2/18/1993 8:15	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B085R7	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	2/18/1993 8:15	N	7440-23-5	Sodium	3600	ug/L	[NULL]	[NULL]	[NULL]	R	B085R3	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	2/18/1993 8:15	Y	7440-23-5	Sodium	3700	ug/L	[NULL]	[NULL]	[NULL]	R	B085R7	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	2/18/1993 8:15	N	CONDUCT	Specific Conductance	468	uS/cm	[NULL]	R	[NULL]	R	B085R4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	2/18/1993 8:15	N	CONDUCT	Specific Conductance	470	uS/cm	[NULL]	R	[NULL]	R	B085R3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	2/18/1993 8:15	N	CONDUCT	Specific Conductance	466	uS/cm	[NULL]	R	[NULL]	R	B085R5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	2/18/1993 8:15	N	CONDUCT	Specific Conductance	468	uS/cm	[NULL]	R	[NULL]	R	B085R6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	2/18/1993 8:15	N	CONDUCT	Specific Conductance	260	uS/cm	[NULL]	[NULL]	[NULL]	R	B01PC1	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-32	2/18/1993 8:15	N	10098-97-2	Strontium-90	2.48	pCi/L	[NULL]	[NULL]	[NULL]	R	B085R3	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-32	2/18/1993 8:15	N	14808-79-8	Sulfate	22000	ug/L	[NULL]	[NULL]	[NULL]	R	B085R3	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	2/18/1993 8:15	N	TEMPERATURE	Temperature	17.9	Deg C	[NULL]	[NULL]	[NULL]	R	B085R5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	2/18/1993 8:15	N	TEMPERATURE	Temperature	17.9	Deg C	[NULL]	[NULL]	[NULL]	R	B085R4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	2/18/1993 8:15	N	TEMPERATURE	Temperature	17.8	Deg C	[NULL]	[NULL]	[NULL]	R	B085R3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	2/18/1993 8:15	N	TEMPERATURE	Temperature	17.9	Deg C	[NULL]	[NULL]	[NULL]	R	B085R6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	2/18/1993 8:15	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B085R3	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	2/18/1993 8:15	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B085R3	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-32	2/18/1993 8:15	Y	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B085R7	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-32	2/18/1993 8:15	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B085R7	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	2/18/1993 8:15	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B085R3	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	2/18/1993 8:15	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B085R3	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	2/18/1993 8:15	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B085R4	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	2/18/1993 8:15	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B085R3	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	2/18/1993 8:15	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B085R6	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	2/18/1993 8:15	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B085R5	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	2/18/1993 8:15	N	59473-04-0	Total organic halides	10	ug/L	U	HY	[NULL]	R	B085R3	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-32	2/18/1993 8:15	N	59473-04-0	Total organic halides	10	ug/L	U	HY	[NULL]	R	B085R5	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-32	2/18/1993 8:15	N	59473-04-0	Total organic halides	10	ug/L	U	HY	[NULL]	R	B085R6	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-32	2/18/1993 8:15	N	59473-04-0	Total organic halides	10	ug/L	U	HY	[NULL]	R	B085R4	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-32	2/18/1993 8:15	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085R3	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	2/18/1993 8:15	N	10028-17-8	Tritium	76800	pCi/L	[NULL]	[NULL]	[NULL]	R	B085R3	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-32	2/18/1993 8:15	N	TURBIDITY	Turbidity	1.4	NTU	[NULL]	[NULL]	[NULL]	R	B085R3	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-32	2/18/1993 8:15	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B085R3	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	2/18/1993 8:15	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B085R7	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	2/18/1993 8:15	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B085R7	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	2/18/1993 8:15	N	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B085R3	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	2/18/1993 8:15	N	PH	pH Measurement	7.84	unitless	[NULL]	[NULL]	[NULL]	R	B085R3	PH	FIELD	9040_PH	100-NR-2
199-N-32	2/18/1993 8:15	N	PH	pH Measurement	7.89	unitless	[NULL]	[NULL]	[NULL]	R	B085R4	PH	FIELD	9040_PH	100-NR-2
199-N-32	2/18/1993 8:15	N	PH	pH Measurement	7.81	unitless	[NULL]	[NULL]	[NULL]	R	B085R6	PH	FIELD	9040_PH	100-NR-2
199-N-32	2/18/1993 8:15	N	PH	pH Measurement	7.73	unitless	[NULL]	[NULL]	[NULL]	R	B085R5	PH	FIELD	9040_PH	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	2/18/1993 8:15	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	B01PC1	PH	DATACH	D1293_PH	100-NR-2
199-N-32	5/17/1993 9:07	Y	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B08KM3	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	N	7429-90-5	Aluminum	400	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM2	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B08KM2	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B08KM3	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	N	14234-35-6	Antimony-125	16	pCi/L	[NULL]	[NULL]	[NULL]	R	B08KM2	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-32	5/17/1993 9:07	N	7440-39-3	Barium	30	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM2	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	Y	7440-39-3	Barium	19	ug/L	L	[NULL]	[NULL]	R	B08KM3	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B08KM3	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B08KM2	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B08KM2	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	5/17/1993 9:07	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B08KM3	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B08KM2	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	N	7440-70-2	Calcium	31000	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM2	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	Y	7440-70-2	Calcium	31000	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM3	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	N	10045-97-3	Cesium-137	0.731	pCi/L	U	[NULL]	[NULL]	R	B08KM2	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-32	5/17/1993 9:07	N	16887-00-6	Chloride	800	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM2	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	5/17/1993 9:07	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B08KM3	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	N	7440-47-3	Chromium	12	ug/L	L	[NULL]	[NULL]	R	B08KM2	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B08KM2	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B08KM3	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	N	10198-40-0	Cobalt-60	16.6	pCi/L	[NULL]	[NULL]	[NULL]	R	B08KM2	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-32	5/17/1993 9:07	N	7440-50-8	Copper	20	ug/L	U	Q	[NULL]	R	B08KM2	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	Y	7440-50-8	Copper	3	ug/L	L	Q	[NULL]	R	B08KM3	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	N	16984-48-8	Fluoride	70	ug/L	L	[NULL]	[NULL]	R	B08KM2	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	5/17/1993 9:07	N	12587-46-1	Gross alpha	2.27	pCi/L	[NULL]	[NULL]	[NULL]	R	B08KM2	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-32	5/17/1993 9:07	N	12587-47-2	Gross beta	16.7	pCi/L	[NULL]	[NULL]	[NULL]	R	B08KM2	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-32	5/17/1993 9:07	Y	7439-89-6	Iron	50	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM3	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	N	7439-89-6	Iron	3600	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM2	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	N	7439-95-4	Magnesium	8300	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM2	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	Y	7439-95-4	Magnesium	8100	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM3	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	N	7439-96-5	Manganese	70	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM2	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	Y	7439-96-5	Manganese	20	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM3	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	N	7440-02-0	Nickel	40	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM2	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B08KM3	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	N	14797-55-8	Nitrate	33000	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM2	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	5/17/1993 9:07	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B08KM2	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	5/17/1993 9:07	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B08KM2	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	5/17/1993 9:07	N	7440-09-7	Potassium	2000	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM2	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	Y	7440-09-7	Potassium	4000	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM3	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	N	13967-48-1	Ruthenium-106	12.1	pCi/L	U	[NULL]	[NULL]	R	B08KM2	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-32	5/17/1993 9:07	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B08KM2	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B08KM3	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	Y	7440-23-5	Sodium	3300	ug/L	[NULL]	Q	[NULL]	R	B08KM3	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	N	7440-23-5	Sodium	3300	ug/L	[NULL]	Q	[NULL]	R	B08KM2	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	N	CONDUCT	Specific Conductance	260	uS/cm	[NULL]	[NULL]	[NULL]	R	B08KM2	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-32	5/17/1993 9:07	N	CONDUCT	Specific Conductance	369	uS/cm	[NULL]	[NULL]	[NULL]	R	B08KM2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	5/17/1993 9:07	N	10098-97-2	Strontium-90	2.14	pCi/L	[NULL]	[NULL]	[NULL]	R	B08KM2	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-32	5/17/1993 9:07	N	14808-79-8	Sulfate	9600	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM2	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	5/17/1993 9:07	N	TEMPERATURE	Temperature	19.6	Deg C	[NULL]	[NULL]	[NULL]	R	B08KM2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	5/17/1993 9:07	N	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B08KM2	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	Y	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B08KM3	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	N	10028-17-8	Tritium	107	pCi/L	U	R	[NULL]	R	B08KM2	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-32	5/17/1993 9:07	N	TURBIDITY	Turbidity	35.5	NTU	[NULL]	[NULL]	[NULL]	R	B08KM2	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-32	5/17/1993 9:07	Y	7440-62-2	Vanadium	6.9	ug/L	L	[NULL]	[NULL]	R	B08KM3	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	5/17/1993 9:07	N	7440-62-2	Vanadium	10	ug/L	L	[NULL]	[NULL]	R	B08KM2	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B08KM3	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	N	7440-66-6	Zinc	180	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM2	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	5/17/1993 9:07	N	PH	pH Measurement	7.74	unitless	[NULL]	[NULL]	[NULL]	R	B08KM2	PH	FIELD	9040_PH	100-NR-2
199-N-32	5/17/1993 9:07	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	R	B08KM2	PH	DATACH	D1293_PH	100-NR-2
199-N-32	8/9/1993 10:00	N	88-06-2	2,4,6-Trichlorophenol	1.45	ug/L	U	[NULL]	[NULL]	R	B090Q3	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	8/9/1993 10:00	N	120-83-2	2,4-Dichlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B090Q3	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	8/9/1993 10:00	N	105-67-9	2,4-Dimethylphenol	1.01	ug/L	U	[NULL]	[NULL]	R	B090Q3	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	8/9/1993 10:00	N	51-28-5	2,4-Dinitrophenol	0.96	ug/L	U	[NULL]	[NULL]	R	B090Q3	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	8/9/1993 10:00	N	87-65-0	2,6-Dichlorophenol	1.59	ug/L	U	[NULL]	[NULL]	R	B090Q3	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	8/9/1993 10:00	N	95-57-8	2-Chlorophenol	1.42	ug/L	U	[NULL]	[NULL]	R	B090Q3	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	8/9/1993 10:00	N	88-75-5	2-Nitrophenol	1.56	ug/L	U	[NULL]	[NULL]	R	B090Q3	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	8/9/1993 10:00	N	534-52-1	4,6-Dinitro-2-methylphenol	1.18	ug/L	U	[NULL]	[NULL]	R	B090Q3	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	8/9/1993 10:00	N	59-50-7	4-Chloro-3-methylphenol	1.12	ug/L	U	[NULL]	[NULL]	R	B090Q3	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	8/9/1993 10:00	N	100-02-7	4-Nitrophenol	0.65	ug/L	U	[NULL]	[NULL]	R	B090Q3	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	8/9/1993 10:00	N	7429-90-5	Aluminum	43	ug/L	L	[NULL]	[NULL]	R	B090Q3	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	Y	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B090Q7	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	N	14798-03-9	Ammonium ion	38.5	ug/L	U	Q	[NULL]	R	B090Q3	14798-03-9	DATACH	D1426C_AMMONIUM	100-NR-2
199-N-32	8/9/1993 10:00	Y	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B090Q7	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	N	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B090Q3	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	N	14234-35-6	Antimony-125	15.3	pCi/L	U	[NULL]	[NULL]	R	B090Q3	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-32	8/9/1993 10:00	N	7440-38-2	Arsenic	2.9	ug/L	L	[NULL]	[NULL]	R	B090Q3	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-32	8/9/1993 10:00	Y	7440-38-2	Arsenic	3	ug/L	L	[NULL]	[NULL]	R	B090Q7	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-32	8/9/1993 10:00	N	7440-39-3	Barium	22	ug/L	[NULL]	[NULL]	[NULL]	R	B090Q3	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	Y	7440-39-3	Barium	20	ug/L	[NULL]	[NULL]	[NULL]	R	B090Q7	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	N	7440-41-7	Beryllium	0.91	ug/L	L	[NULL]	[NULL]	R	B090Q3	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	Y	7440-41-7	Beryllium	1.3	ug/L	L	[NULL]	[NULL]	R	B090Q7	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	N	24959-67-9	Bromide	52.8	ug/L	U	[NULL]	[NULL]	R	B090Q3	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	8/9/1993 10:00	Y	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B090Q7	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	N	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B090Q3	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	N	7440-70-2	Calcium	33000	ug/L	[NULL]	[NULL]	[NULL]	R	B090Q3	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	Y	7440-70-2	Calcium	32000	ug/L	[NULL]	[NULL]	[NULL]	R	B090Q7	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	N	10045-97-3	Cesium-137	7.56	pCi/L	[NULL]	[NULL]	[NULL]	R	B090Q3	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-32	8/9/1993 10:00	N	16887-00-6	Chloride	1900	ug/L	[NULL]	[NULL]	[NULL]	R	B090Q3	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	8/9/1993 10:00	Y	7440-47-3	Chromium	5.42	ug/L	U	[NULL]	[NULL]	R	B090Q7	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	N	7440-47-3	Chromium	5.42	ug/L	U	[NULL]	[NULL]	R	B090Q3	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	N	7440-48-4	Cobalt	4.4	ug/L	L	[NULL]	[NULL]	R	B090Q3	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	Y	7440-48-4	Cobalt	7	ug/L	L	[NULL]	[NULL]	R	B090Q7	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	N	10198-40-0	Cobalt-60	12.6	pCi/L	[NULL]	[NULL]	[NULL]	R	B090Q3	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-32	8/9/1993 10:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B090Q3	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-32	8/9/1993 10:00	Y	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B090Q7	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	N	7440-50-8	Copper	4	ug/L	L	[NULL]	[NULL]	R	B090Q3	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1.35	ug/L	U	[NULL]	[NULL]	R	B090Q3	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	8/9/1993 10:00	N	16984-48-8	Fluoride	100	ug/L	[NULL]	[NULL]	[NULL]	R	B090Q3	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	8/9/1993 10:00	N	12587-46-1	Gross alpha	1.43	pCi/L	[NULL]	[NULL]	[NULL]	R	B090Q3	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-32	8/9/1993 10:00	N	12587-47-2	Gross beta	12.9	pCi/L	[NULL]	[NULL]	[NULL]	R	B090Q3	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-32	8/9/1993 10:00	N	302-01-2	Hydrazine	1.89	ug/L	U	[NULL]	[NULL]	R	B090Q3	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-32	8/9/1993 10:00	N	7439-89-6	Iron	490	ug/L	[NULL]	[NULL]	[NULL]	R	B090Q3	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	Y	7439-89-6	Iron	23	ug/L	[NULL]	[NULL]	[NULL]	R	B090Q7	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	Y	7439-92-1	Lead	0.508	ug/L	U	[NULL]	[NULL]	R	B090Q7	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-32	8/9/1993 10:00	N	7439-92-1	Lead	1.2	ug/L	L	[NULL]	[NULL]	R	B090Q3	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-32	8/9/1993 10:00	N	7439-95-4	Magnesium	8300	ug/L	[NULL]	[NULL]	[NULL]	R	B090Q3	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	8/9/1993 10:00	Y	7439-95-4	Magnesium	8100	ug/L	[NULL]	[NULL]	[NULL]	R	B090Q7	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	Y	7439-96-5	Manganese	6.2	ug/L	L	Q	[NULL]	R	B090Q7	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	N	7439-96-5	Manganese	6.7	ug/L	L	Q	[NULL]	R	B090Q3	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	N	7439-97-6	Mercury	0.158	ug/L	U	[NULL]	[NULL]	R	B090Q3	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-32	8/9/1993 10:00	Y	7439-97-6	Mercury	0.158	ug/L	U	[NULL]	[NULL]	R	B090Q7	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-32	8/9/1993 10:00	Y	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B090Q7	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	N	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B090Q3	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	N	14797-55-8	Nitrate	30000	ug/L	[NULL]	Q	[NULL]	R	B090Q3	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	8/9/1993 10:00	N	14797-65-0	Nitrite	38.3	ug/L	U	[NULL]	[NULL]	R	B090Q3	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	8/9/1993 10:00	N	87-86-5	Pentachlorophenol	0.87	ug/L	U	[NULL]	[NULL]	R	B090Q3	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	8/9/1993 10:00	N	108-95-2	Phenol	0.31	ug/L	U	[NULL]	[NULL]	R	B090Q3	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	8/9/1993 10:00	N	14265-44-2	Phosphate	147	ug/L	U	[NULL]	[NULL]	R	B090Q3	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	8/9/1993 10:00	Y	7440-09-7	Potassium	4200	ug/L	[NULL]	[NULL]	[NULL]	R	B090Q7	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	N	7440-09-7	Potassium	3900	ug/L	[NULL]	[NULL]	[NULL]	R	B090Q3	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	N	7440-14-4	Radium	0.024	pCi/L	U	[NULL]	[NULL]	R	B090Q3	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-32	8/9/1993 10:00	N	13967-48-1	Ruthenium-106	35.5	pCi/L	[NULL]	[NULL]	[NULL]	R	B090Q3	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-32	8/9/1993 10:00	Y	7782-49-2	Selenium	1.21	ug/L	U	[NULL]	[NULL]	R	B090Q7	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-32	8/9/1993 10:00	N	7782-49-2	Selenium	1.21	ug/L	U	[NULL]	[NULL]	R	B090Q3	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-32	8/9/1993 10:00	N	7440-22-4	Silver	3.8	ug/L	L	[NULL]	[NULL]	R	B090Q3	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	Y	7440-22-4	Silver	4.1	ug/L	L	[NULL]	[NULL]	R	B090Q7	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	N	7440-23-5	Sodium	3400	ug/L	[NULL]	[NULL]	[NULL]	R	B090Q3	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	Y	7440-23-5	Sodium	3300	ug/L	[NULL]	[NULL]	[NULL]	R	B090Q7	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	N	CONDUCT	Specific Conductance	373	uS/cm	[NULL]	F	[NULL]	R	B090Q4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	8/9/1993 10:00	N	CONDUCT	Specific Conductance	366	uS/cm	[NULL]	F	[NULL]	R	B090Q6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	8/9/1993 10:00	N	CONDUCT	Specific Conductance	374	uS/cm	[NULL]	F	[NULL]	R	B090Q3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	8/9/1993 10:00	N	CONDUCT	Specific Conductance	374	uS/cm	[NULL]	F	[NULL]	R	B090Q5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	8/9/1993 10:00	N	CONDUCT	Specific Conductance	260	uS/cm	[NULL]	[NULL]	[NULL]	R	B090D8	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-32	8/9/1993 10:00	N	10098-97-2	Strontium-90	2.87	pCi/L	[NULL]	[NULL]	[NULL]	R	B090Q3	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-32	8/9/1993 10:00	N	14808-79-8	Sulfate	20000	ug/L	[NULL]	[NULL]	[NULL]	R	B090Q3	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	8/9/1993 10:00	N	TEMPERATURE	Temperature	19.4	Deg C	[NULL]	[NULL]	[NULL]	R	B090Q3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	8/9/1993 10:00	N	TEMPERATURE	Temperature	18.9	Deg C	[NULL]	[NULL]	[NULL]	R	B090Q5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	8/9/1993 10:00	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B090Q4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	8/9/1993 10:00	N	TEMPERATURE	Temperature	18.9	Deg C	[NULL]	[NULL]	[NULL]	R	B090Q6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	8/9/1993 10:00	N	25167-83-3	Tetrachlorophenol	1.05	ug/L	U	[NULL]	[NULL]	R	B090Q3	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	8/9/1993 10:00	Y	7440-28-0	Thallium	1.02	ug/L	U	[NULL]	[NULL]	R	B090Q7	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-32	8/9/1993 10:00	N	7440-28-0	Thallium	1.02	ug/L	U	[NULL]	[NULL]	R	B090Q3	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-32	8/9/1993 10:00	Y	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B090Q7	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	N	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B090Q3	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	N	1319-77-3	Total cresols	4.66	ug/L	U	[NULL]	[NULL]	R	B090Q3	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	8/9/1993 10:00	N	TOC	Total organic carbon	600	ug/L	LB	[NULL]	[NULL]	R	B090Q4	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	8/9/1993 10:00	N	TOC	Total organic carbon	500	ug/L	LB	[NULL]	[NULL]	R	B090Q3	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	8/9/1993 10:00	N	TOC	Total organic carbon	600	ug/L	LB	[NULL]	[NULL]	R	B090Q6	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	8/9/1993 10:00	N	TOC	Total organic carbon	500	ug/L	LB	[NULL]	[NULL]	R	B090Q5	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	8/9/1993 10:00	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B090Q4	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-32	8/9/1993 10:00	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B090Q5	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-32	8/9/1993 10:00	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B090Q6	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-32	8/9/1993 10:00	N	59473-04-0	Total organic halides	10	ug/L	[NULL]	Y	[NULL]	R	B090Q3	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-32	8/9/1993 10:00	N	25167-82-2	Trichlorophenol	1.11	ug/L	U	[NULL]	[NULL]	R	B090Q3	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	8/9/1993 10:00	N	10028-17-8	Tritium	78500	pCi/L	[NULL]	[NULL]	[NULL]	R	B090Q3	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-32	8/9/1993 10:00	N	TURBIDITY	Turbidity	4.4	NTU	[NULL]	Q	[NULL]	R	B090Q3	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-32	8/9/1993 10:00	Y	7440-62-2	Vanadium	11	ug/L	L	[NULL]	[NULL]	R	B090Q7	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	N	7440-62-2	Vanadium	6.9	ug/L	L	[NULL]	[NULL]	R	B090Q3	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	Y	7440-66-6	Zinc	3.44	ug/L	U	[NULL]	[NULL]	R	B090Q7	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	N	7440-66-6	Zinc	4.5	ug/L	L	[NULL]	[NULL]	R	B090Q3	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	8/9/1993 10:00	N	PH	pH Measurement	7.47	unitless	[NULL]	[NULL]	[NULL]	R	B090Q3	PH	FIELD	9040_PH	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	8/9/1993 10:00	N	PH	pH Measurement	7.62	unitless	[NULL]	[NULL]	[NULL]	R	B090Q4	PH	FIELD	9040_PH	100-NR-2
199-N-32	8/9/1993 10:00	N	PH	pH Measurement	7.64	unitless	[NULL]	[NULL]	[NULL]	R	B090Q5	PH	FIELD	9040_PH	100-NR-2
199-N-32	8/9/1993 10:00	N	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	R	B090Q6	PH	FIELD	9040_PH	100-NR-2
199-N-32	8/9/1993 10:00	N	PH	pH Measurement	7.8	unitless	[NULL]	[NULL]	[NULL]	R	B090D8	PH	DATACH	D1293_PH	100-NR-2
199-N-32	3/3/1994 10:45	N	88-06-2	2,4,6-Trichlorophenol	1.45	ug/L	U	[NULL]	[NULL]	R	B09VP2	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/3/1994 10:45	N	120-83-2	2,4-Dichlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B09VP2	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/3/1994 10:45	N	105-67-9	2,4-Dimethylphenol	1.01	ug/L	U	[NULL]	[NULL]	R	B09VP2	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/3/1994 10:45	N	51-28-5	2,4-Dinitrophenol	0.96	ug/L	U	[NULL]	[NULL]	R	B09VP2	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/3/1994 10:45	N	87-65-0	2,6-Dichlorophenol	1.59	ug/L	U	[NULL]	[NULL]	R	B09VP2	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/3/1994 10:45	N	95-57-8	2-Chlorophenol	1.42	ug/L	U	[NULL]	[NULL]	R	B09VP2	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/3/1994 10:45	N	88-75-5	2-Nitrophenol	1.56	ug/L	U	[NULL]	[NULL]	R	B09VP2	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/3/1994 10:45	N	534-52-1	4,6-Dinitro-2-methylphenol	1.18	ug/L	U	[NULL]	[NULL]	R	B09VP2	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/3/1994 10:45	N	59-50-7	4-Chloro-3-methylphenol	1.12	ug/L	U	[NULL]	[NULL]	R	B09VP2	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/3/1994 10:45	N	100-02-7	4-Nitrophenol	0.65	ug/L	U	[NULL]	[NULL]	R	B09VP2	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/3/1994 10:45	Y	7429-90-5	Aluminum	21	ug/L	L	[NULL]	[NULL]	R	B09VP6	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	N	7429-90-5	Aluminum	82	ug/L	L	[NULL]	[NULL]	R	B09VP2	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	N	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B09VP2	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	Y	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B09VP6	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	N	14234-35-6	Antimony-125	9.95	pCi/L	U	[NULL]	[NULL]	R	B09VP2	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-32	3/3/1994 10:45	N	7440-38-2	Arsenic	2.4	ug/L	L	[NULL]	[NULL]	R	B09VP2	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-32	3/3/1994 10:45	Y	7440-38-2	Arsenic	3	ug/L	L	[NULL]	[NULL]	R	B09VP6	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-32	3/3/1994 10:45	Y	7440-39-3	Barium	25	ug/L	[NULL]	[NULL]	[NULL]	R	B09VP6	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	N	7440-39-3	Barium	26	ug/L	[NULL]	[NULL]	[NULL]	R	B09VP2	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	Y	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B09VP6	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	N	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B09VP2	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	N	24959-67-9	Bromide	52.8	ug/L	U	[NULL]	[NULL]	R	B09VP2	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	3/3/1994 10:45	Y	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B09VP6	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	N	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B09VP2	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	Y	7440-70-2	Calcium	34000	ug/L	[NULL]	[NULL]	[NULL]	R	B09VP6	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	N	7440-70-2	Calcium	34000	ug/L	[NULL]	[NULL]	[NULL]	R	B09VP2	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	N	10045-97-3	Cesium-137	2.95	pCi/L	U	[NULL]	[NULL]	R	B09VP2	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-32	3/3/1994 10:45	N	16887-00-6	Chloride	1700	ug/L	[NULL]	[NULL]	[NULL]	R	B09VP2	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	3/3/1994 10:45	Y	7440-47-3	Chromium	5.42	ug/L	U	[NULL]	[NULL]	R	B09VP6	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	N	7440-47-3	Chromium	5.42	ug/L	U	[NULL]	[NULL]	R	B09VP2	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	Y	7440-48-4	Cobalt	4.05	ug/L	U	[NULL]	[NULL]	R	B09VP6	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	N	7440-48-4	Cobalt	4.05	ug/L	U	[NULL]	[NULL]	R	B09VP2	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	N	10198-40-0	Cobalt-60	1.02	pCi/L	U	[NULL]	[NULL]	R	B09VP2	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-32	3/3/1994 10:45	Y	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B09VP6	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	N	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B09VP2	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1.35	ug/L	U	[NULL]	[NULL]	R	B09VP2	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/3/1994 10:45	N	16984-48-8	Fluoride	400	ug/L	[NULL]	[NULL]	[NULL]	R	B09VP2	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	3/3/1994 10:45	N	12587-46-1	Gross alpha	2.04	pCi/L	[NULL]	[NULL]	[NULL]	R	B09VP2	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-32	3/3/1994 10:45	N	12587-47-2	Gross beta	14.9	pCi/L	[NULL]	[NULL]	[NULL]	R	B09VP2	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-32	3/3/1994 10:45	N	302-01-2	Hydrazine	1.89	ug/L	U	[NULL]	[NULL]	R	B09VP2	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-32	3/3/1994 10:45	Y	7439-89-6	Iron	26	ug/L	[NULL]	[NULL]	[NULL]	R	B09VP6	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	N	7439-89-6	Iron	1200	ug/L	[NULL]	[NULL]	[NULL]	R	B09VP2	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	N	7439-92-1	Lead	0.508	ug/L	U	[NULL]	[NULL]	R	B09VP2	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-32	3/3/1994 10:45	Y	7439-92-1	Lead	0.508	ug/L	U	[NULL]	[NULL]	R	B09VP6	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-32	3/3/1994 10:45	Y	7439-95-4	Magnesium	9600	ug/L	[NULL]	[NULL]	[NULL]	R	B09VP6	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	N	7439-95-4	Magnesium	9800	ug/L	[NULL]	[NULL]	[NULL]	R	B09VP2	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	Y	7439-96-5	Manganese	6.1	ug/L	L	[NULL]	[NULL]	R	B09VP6	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	N	7439-96-5	Manganese	15	ug/L	[NULL]	[NULL]	[NULL]	R	B09VP2	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	Y	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B09VP6	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	3/3/1994 10:45	N	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B09VP2	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	N	14797-55-8	Nitrate	37000	ug/L	D	[NULL]	[NULL]	R	B09VP2	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	3/3/1994 10:45	N	14797-65-0	Nitrite	38.3	ug/L	U	[NULL]	[NULL]	R	B09VP2	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	3/3/1994 10:45	N	87-86-5	Pentachlorophenol	0.87	ug/L	U	[NULL]	[NULL]	R	B09VP2	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/3/1994 10:45	N	108-95-2	Phenol	0.31	ug/L	U	[NULL]	[NULL]	R	B09VP2	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/3/1994 10:45	N	14265-44-2	Phosphate	147	ug/L	U	[NULL]	[NULL]	R	B09VP2	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	3/3/1994 10:45	N	7440-09-7	Potassium	3700	ug/L	[NULL]	[NULL]	[NULL]	R	B09VP2	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	Y	7440-09-7	Potassium	3300	ug/L	[NULL]	[NULL]	[NULL]	R	B09VP6	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	N	13967-48-1	Ruthenium-106	7.95	pCi/L	U	[NULL]	[NULL]	R	B09VP2	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-32	3/3/1994 10:45	Y	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B09VP6	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	N	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B09VP2	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	N	7440-23-5	Sodium	3600	ug/L	[NULL]	[NULL]	[NULL]	R	B09VP2	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	Y	7440-23-5	Sodium	3500	ug/L	[NULL]	[NULL]	[NULL]	R	B09VP6	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	N	CONDUCT	Specific Conductance	270	uS/cm	[NULL]	[NULL]	[NULL]	R	B09VP2	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-32	3/3/1994 10:45	N	CONDUCT	Specific Conductance	269	uS/cm	[NULL]	[NULL]	[NULL]	R	B09VP5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	3/3/1994 10:45	N	CONDUCT	Specific Conductance	257	uS/cm	[NULL]	[NULL]	[NULL]	R	B09VP3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	3/3/1994 10:45	N	CONDUCT	Specific Conductance	257	uS/cm	[NULL]	[NULL]	[NULL]	R	B09VP2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	3/3/1994 10:45	N	CONDUCT	Specific Conductance	267	uS/cm	[NULL]	[NULL]	[NULL]	R	B09VP4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	3/3/1994 10:45	N	CONDUCT	Specific Conductance	270	uS/cm	[NULL]	[NULL]	[NULL]	R	B09VP5	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-32	3/3/1994 10:45	N	CONDUCT	Specific Conductance	270	uS/cm	[NULL]	[NULL]	[NULL]	R	B09VP4	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-32	3/3/1994 10:45	N	CONDUCT	Specific Conductance	270	uS/cm	[NULL]	[NULL]	[NULL]	R	B09VP3	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-32	3/3/1994 10:45	N	10098-97-2	Strontium-90	1.61	pCi/L	[NULL]	[NULL]	[NULL]	R	B09VP2	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-32	3/3/1994 10:45	N	14808-79-8	Sulfate	19000	ug/L	BD	[NULL]	[NULL]	R	B09VP2	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	3/3/1994 10:45	N	TEMPERATURE	Temperature	17.9	Deg C	[NULL]	[NULL]	[NULL]	R	B09VP2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	3/3/1994 10:45	N	TEMPERATURE	Temperature	17.9	Deg C	[NULL]	[NULL]	[NULL]	R	B09VP3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	3/3/1994 10:45	N	TEMPERATURE	Temperature	17.9	Deg C	[NULL]	[NULL]	[NULL]	R	B09VP4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	3/3/1994 10:45	N	TEMPERATURE	Temperature	17.9	Deg C	[NULL]	[NULL]	[NULL]	R	B09VP5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	3/3/1994 10:45	N	25167-83-3	Tetrachlorophenol	1.05	ug/L	U	[NULL]	[NULL]	R	B09VP2	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/3/1994 10:45	Y	7440-31-5	Tin	29	ug/L	L	[NULL]	[NULL]	R	B09VP6	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	N	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B09VP2	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	N	1319-77-3	Total cresols	4.66	ug/L	U	[NULL]	[NULL]	R	B09VP2	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/3/1994 10:45	N	TOC	Total organic carbon	500	ug/L	L	[NULL]	[NULL]	R	B09VP4	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	3/3/1994 10:45	N	TOC	Total organic carbon	500	ug/L	L	[NULL]	[NULL]	R	B09VP5	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	3/3/1994 10:45	N	TOC	Total organic carbon	500	ug/L	L	[NULL]	[NULL]	R	B09VP3	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	3/3/1994 10:45	N	TOC	Total organic carbon	400	ug/L	L	[NULL]	[NULL]	R	B09VP2	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	3/3/1994 10:45	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B09VP4	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-32	3/3/1994 10:45	N	59473-04-0	Total organic halides	5.2	ug/L	[NULL]	[NULL]	[NULL]	R	B09VP3	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-32	3/3/1994 10:45	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B09VP5	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-32	3/3/1994 10:45	N	59473-04-0	Total organic halides	5.6	ug/L	[NULL]	[NULL]	[NULL]	R	B09VP2	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-32	3/3/1994 10:45	N	25167-82-2	Trichlorophenol	1.11	ug/L	U	[NULL]	[NULL]	R	B09VP2	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/3/1994 10:45	N	10028-17-8	Tritium	71700	pCi/L	[NULL]	[NULL]	[NULL]	R	B09VP2	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-32	3/3/1994 10:45	N	TURBIDITY	Turbidity	3.7	NTU	[NULL]	[NULL]	[NULL]	R	B09VP2	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-32	3/3/1994 10:45	Y	7440-62-2	Vanadium	13	ug/L	L	[NULL]	[NULL]	R	B09VP6	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	N	7440-62-2	Vanadium	15	ug/L	L	[NULL]	[NULL]	R	B09VP2	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	Y	7440-66-6	Zinc	3.44	ug/L	U	[NULL]	[NULL]	R	B09VP6	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	N	7440-66-6	Zinc	10	ug/L	[NULL]	[NULL]	[NULL]	R	B09VP2	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/3/1994 10:45	N	PH	pH Measurement	7.94	unitless	[NULL]	[NULL]	[NULL]	R	B09VP2	PH	FIELD	9040_PH	100-NR-2
199-N-32	3/3/1994 10:45	N	PH	pH Measurement	7.94	unitless	[NULL]	[NULL]	[NULL]	R	B09VP3	PH	FIELD	9040_PH	100-NR-2
199-N-32	3/3/1994 10:45	N	PH	pH Measurement	7.93	unitless	[NULL]	[NULL]	[NULL]	R	B09VP4	PH	FIELD	9040_PH	100-NR-2
199-N-32	3/3/1994 10:45	N	PH	pH Measurement	7.92	unitless	[NULL]	[NULL]	[NULL]	R	B09VP5	PH	FIELD	9040_PH	100-NR-2
199-N-32	3/3/1994 10:45	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B09VP5	PH	DATACH	D1293_PH	100-NR-2
199-N-32	3/3/1994 10:45	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B09VP4	PH	DATACH	D1293_PH	100-NR-2
199-N-32	3/3/1994 10:45	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B09VP3	PH	DATACH	D1293_PH	100-NR-2
199-N-32	3/3/1994 10:45	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B09VP2	PH	DATACH	D1293_PH	100-NR-2
199-N-32	9/8/1994 10:00	Y	7429-90-5	Aluminum	19	ug/L	U	[NULL]	[NULL]	R	B0C9F7	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	9/8/1994 10:00	N	7429-90-5	Aluminum	26	ug/L	L	[NULL]	[NULL]	R	B0C9F3	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	N	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C9F3	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	Y	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C9F7	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	N	14234-35-6	Antimony-125	15.3	pCi/L	U	[NULL]	[NULL]	R	B0C9F3	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-32	9/8/1994 10:00	N	7440-38-2	Arsenic	0.93	ug/L	L	[NULL]	[NULL]	R	B0C9F3	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-32	9/8/1994 10:00	Y	7440-38-2	Arsenic	1.3	ug/L	L	[NULL]	[NULL]	R	B0C9F7	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-32	9/8/1994 10:00	Y	7440-39-3	Barium	21	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9F7	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	N	7440-39-3	Barium	21	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9F3	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	N	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C9F3	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	Y	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C9F7	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	N	24959-67-9	Bromide	110	ug/L	UD	[NULL]	[NULL]	R	B0C9F3	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	9/8/1994 10:00	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C9F7	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C9F3	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	N	7440-70-2	Calcium	34000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9F3	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	Y	7440-70-2	Calcium	34000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9F7	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	N	10045-97-3	Cesium-137	1.21	pCi/L	U	[NULL]	[NULL]	R	B0C9F3	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-32	9/8/1994 10:00	N	16887-00-6	Chloride	2100	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9F3	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	9/8/1994 10:00	Y	7440-47-3	Chromium	11	ug/L	U	[NULL]	[NULL]	R	B0C9F7	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	N	7440-47-3	Chromium	11	ug/L	U	[NULL]	[NULL]	R	B0C9F3	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	Y	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C9F7	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	N	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C9F3	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	N	10198-40-0	Cobalt-60	4.37	pCi/L	U	[NULL]	[NULL]	R	B0C9F3	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-32	9/8/1994 10:00	Y	7440-50-8	Copper	2.6	ug/L	U	[NULL]	[NULL]	R	B0C9F7	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	N	7440-50-8	Copper	4.3	ug/L	L	[NULL]	[NULL]	R	B0C9F3	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	N	16984-48-8	Fluoride	500	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9F3	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	9/8/1994 10:00	N	12587-46-1	Gross alpha	0.705	pCi/L	U	[NULL]	[NULL]	R	B0C9F3	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-32	9/8/1994 10:00	N	12587-47-2	Gross beta	9.8	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C9F3	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-32	9/8/1994 10:00	N	302-01-2	Hydrazine	2.3	ug/L	U	[NULL]	[NULL]	R	B0C9F3	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-32	9/8/1994 10:00	Y	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B0C9F7	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	N	7439-89-6	Iron	1200	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9F3	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	Y	7439-92-1	Lead	0.86	ug/L	U	[NULL]	[NULL]	R	B0C9F7	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-32	9/8/1994 10:00	N	7439-92-1	Lead	1.3	ug/L	BL	[NULL]	[NULL]	R	B0C9F3	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-32	9/8/1994 10:00	Y	7439-95-4	Magnesium	9700	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9F7	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	N	7439-95-4	Magnesium	9700	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9F3	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	Y	7439-96-5	Manganese	8.2	ug/L	L	[NULL]	[NULL]	R	B0C9F7	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	N	7439-96-5	Manganese	9.3	ug/L	L	[NULL]	[NULL]	R	B0C9F3	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	Y	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0C9F7	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	N	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0C9F3	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	N	14797-55-8	Nitrate	43000	ug/L	D	[NULL]	[NULL]	R	B0C9F3	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	9/8/1994 10:00	N	14797-65-0	Nitrite	110	ug/L	U	[NULL]	[NULL]	R	B0C9F3	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	9/8/1994 10:00	N	14265-44-2	Phosphate	470	ug/L	U	[NULL]	[NULL]	R	B0C9F3	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	9/8/1994 10:00	N	7440-09-7	Potassium	3000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9F3	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	Y	7440-09-7	Potassium	3100	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9F7	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	N	13967-48-1	Ruthenium-106	-13	pCi/L	U	[NULL]	[NULL]	R	B0C9F3	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-32	9/8/1994 10:00	N	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C9F3	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	Y	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C9F7	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	Y	7440-23-5	Sodium	3500	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9F7	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	N	7440-23-5	Sodium	3400	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9F3	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	N	CONDUCT	Specific Conductance	280	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C9F3	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-32	9/8/1994 10:00	N	CONDUCT	Specific Conductance	262	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C9F6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	9/8/1994 10:00	N	CONDUCT	Specific Conductance	261	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C9F5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	9/8/1994 10:00	N	CONDUCT	Specific Conductance	260	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C9F4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	9/8/1994 10:00	N	CONDUCT	Specific Conductance	260	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C9F3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	9/8/1994 10:00	N	10098-97-2	Strontium-90	1.27	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C9F3	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-32	9/8/1994 10:00	N	14808-79-8	Sulfate	21000	ug/L	D	[NULL]	[NULL]	R	B0C9F3	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	9/8/1994 10:00	N	TEMPERATURE	Temperature	18	Deg C	[NULL]	[NULL]	[NULL]	R	B0C9F4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	9/8/1994 10:00	N	TEMPERATURE	Temperature	18	Deg C	[NULL]	[NULL]	[NULL]	R	B0C9F5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	9/8/1994 10:00	N	TEMPERATURE	Temperature	18	Deg C	[NULL]	[NULL]	[NULL]	R	B0C9F6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	9/8/1994 10:00	N	TEMPERATURE	Temperature	18.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0C9F3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	9/8/1994 10:00	Y	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0C9F7	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	N	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0C9F3	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	N	TOC	Total organic carbon	400	ug/L	L	[NULL]	[NULL]	R	B0C9F4	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	9/8/1994 10:00	N	TOC	Total organic carbon	400	ug/L	L	[NULL]	[NULL]	R	B0C9F3	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	9/8/1994 10:00	N	TOC	Total organic carbon	400	ug/L	L	[NULL]	[NULL]	R	B0C9F5	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	9/8/1994 10:00	N	TOC	Total organic carbon	350	ug/L	L	[NULL]	[NULL]	R	B0C9F6	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	9/8/1994 10:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B0C9F6	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-32	9/8/1994 10:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B0C9F3	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-32	9/8/1994 10:00	N	59473-04-0	Total organic halides	7.2	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9F4	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-32	9/8/1994 10:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B0C9F5	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-32	9/8/1994 10:00	N	10028-17-8	Tritium	65400	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C9F3	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-32	9/8/1994 10:00	N	TURBIDITY	Turbidity	12	NTU	[NULL]	Q	[NULL]	R	B0CJ30	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-32	9/8/1994 10:00	Y	7440-62-2	Vanadium	8.6	ug/L	L	[NULL]	[NULL]	R	B0C9F7	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	N	7440-62-2	Vanadium	8.6	ug/L	L	[NULL]	[NULL]	R	B0C9F3	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	N	7440-66-6	Zinc	12	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9F3	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	Y	7440-66-6	Zinc	4.4	ug/L	U	[NULL]	[NULL]	R	B0C9F7	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/8/1994 10:00	N	PH	pH Measurement	7.85	unitless	[NULL]	[NULL]	[NULL]	R	B0C9F5	PH	FIELD	9040_PH	100-NR-2
199-N-32	9/8/1994 10:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	B0C9F3	PH	DATACH	D1293_PH	100-NR-2
199-N-32	9/8/1994 10:00	N	PH	pH Measurement	7.85	unitless	[NULL]	[NULL]	[NULL]	R	B0C9F3	PH	FIELD	9040_PH	100-NR-2
199-N-32	9/8/1994 10:00	N	PH	pH Measurement	7.85	unitless	[NULL]	[NULL]	[NULL]	R	B0C9F4	PH	FIELD	9040_PH	100-NR-2
199-N-32	9/8/1994 10:00	N	PH	pH Measurement	7.85	unitless	[NULL]	[NULL]	[NULL]	R	B0C9F6	PH	FIELD	9040_PH	100-NR-2
199-N-32	3/1/1995 8:45	N	71-55-6	1,1,1-Trichloroethane	0.5	ug/L	U	[NULL]	[NULL]	R	B0DRR6	71-55-6	PNL1	502.2_VOA_GC	100-NR-2
199-N-32	3/1/1995 8:45	N	75-34-3	1,1-Dichloroethane	0.5	ug/L	U	[NULL]	[NULL]	R	B0DRR6	75-34-3	PNL1	502.2_VOA_GC	100-NR-2
199-N-32	3/1/1995 8:45	N	107-06-2	1,2-Dichloroethane	0.5	ug/L	U	[NULL]	[NULL]	R	B0DRR6	107-06-2	PNL1	502.2_VOA_GC	100-NR-2
199-N-32	3/1/1995 8:45	N	88-06-2	2,4,6-Trichlorophenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DYG0	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/1/1995 8:45	N	120-83-2	2,4-Dichlorophenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DYG0	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/1/1995 8:45	N	105-67-9	2,4-Dimethylphenol	1.2	ug/L	U	[NULL]	[NULL]	R	B0DYG0	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/1/1995 8:45	N	51-28-5	2,4-Dinitrophenol	3	ug/L	U	[NULL]	[NULL]	R	B0DYG0	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/1/1995 8:45	N	87-65-0	2,6-Dichlorophenol	1.4	ug/L	U	[NULL]	[NULL]	R	B0DYG0	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/1/1995 8:45	N	78-93-3	2-Butanone	5	ug/L	U	[NULL]	[NULL]	R	B0DRR6	78-93-3	PNL1	502.2_VOA_GC	100-NR-2
199-N-32	3/1/1995 8:45	N	95-57-8	2-Chlorophenol	1.6	ug/L	U	[NULL]	[NULL]	R	B0DYG0	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/1/1995 8:45	N	88-75-5	2-Nitrophenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DYG0	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/1/1995 8:45	N	108-10-1	2-Pentanone, 4-Methyl	5	ug/L	U	[NULL]	[NULL]	R	B0DRR6	108-10-1	PNL1	502.2_VOA_GC	100-NR-2
199-N-32	3/1/1995 8:45	N	67-63-0	2-Propanol	500	ug/L	U	[NULL]	[NULL]	R	B0DRR6	67-63-0	PNL1	502.2_VOA_GC	100-NR-2
199-N-32	3/1/1995 8:45	N	534-52-1	4,6-Dinitro-2-methylphenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DYG0	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/1/1995 8:45	N	59-50-7	4-Chloro-3-methylphenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DYG0	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/1/1995 8:45	N	100-02-7	4-Nitrophenol	3	ug/L	U	[NULL]	[NULL]	R	B0DYG0	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/1/1995 8:45	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	B0DRR6	67-64-1	PNL1	502.2_VOA_GC	100-NR-2
199-N-32	3/1/1995 8:45	N	ALKALINITY	Alkalinity	70000	ug/L	[NULL]	[NULL]	[NULL]	R	B0DYG0	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-32	3/1/1995 8:45	Y	7429-90-5	Aluminum	26	ug/L	U	[NULL]	[NULL]	R	B0DYG4	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	N	7429-90-5	Aluminum	54.9	ug/L	U	[NULL]	[NULL]	R	B0DX59	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	Y	7440-36-0	Antimony	62	ug/L	U	[NULL]	[NULL]	R	B0DYG4	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	N	7440-36-0	Antimony	32.8	ug/L	U	[NULL]	[NULL]	R	B0DX59	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	N	14234-35-6	Antimony-125	7.22	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DRR6	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-32	3/1/1995 8:45	N	7440-39-3	Barium	33.4	ug/L	B	[NULL]	[NULL]	R	B0DX59	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	Y	7440-39-3	Barium	23	ug/L	[NULL]	[NULL]	[NULL]	R	B0DYG4	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	N	71-43-2	Benzene	0.5	ug/L	U	[NULL]	[NULL]	R	B0DRR6	71-43-2	PNL1	502.2_VOA_GC	100-NR-2
199-N-32	3/1/1995 8:45	N	7440-41-7	Beryllium	1.1	ug/L	U	[NULL]	[NULL]	R	B0DX59	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	Y	7440-41-7	Beryllium	0.17	ug/L	U	Q	[NULL]	R	B0DYG4	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	N	24959-67-9	Bromide	100	ug/L	U	[NULL]	[NULL]	R	B0DYG0	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	3/1/1995 8:45	N	75-27-4	Bromodichloromethane	0.5	ug/L	U	[NULL]	[NULL]	R	B0DRR6	75-27-4	PNL1	502.2_VOA_GC	100-NR-2
199-N-32	3/1/1995 8:45	N	75-25-2	Bromoform	0.5	ug/L	U	[NULL]	[NULL]	R	B0DRR6	75-25-2	PNL1	502.2_VOA_GC	100-NR-2
199-N-32	3/1/1995 8:45	Y	7440-43-9	Cadmium	3.3	ug/L	U	[NULL]	[NULL]	R	B0DYG4	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	N	7440-43-9	Cadmium	3.8	ug/L	U	[NULL]	[NULL]	R	B0DX59	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	Y	7440-70-2	Calcium	35000	ug/L	[NULL]	[NULL]	[NULL]	R	B0DYG4	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	N	7440-70-2	Calcium	38000	ug/L	J	[NULL]	[NULL]	R	B0DX59	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	N	56-23-5	Carbon tetrachloride	0.5	ug/L	U	[NULL]	[NULL]	R	B0DRR6	56-23-5	PNL1	502.2_VOA_GC	100-NR-2
199-N-32	3/1/1995 8:45	N	10045-97-3	Cesium-137	-7.09	pCi/L	U	[NULL]	[NULL]	R	B0DRR6	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-32	3/1/1995 8:45	N	16887-00-6	Chloride	2100	ug/L	[NULL]	Q	[NULL]	R	B0DYG0	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	3/1/1995 8:45	N	16887-00-6	Chloride	2020	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX59	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	3/1/1995 8:45	N	67-66-3	Chloroform	1.4	ug/L	[NULL]	[NULL]	[NULL]	R	B0DRR6	67-66-3	PNL1	502.2_VOA_GC	100-NR-2
199-N-32	3/1/1995 8:45	Y	7440-47-3	Chromium	4.5	ug/L	U	[NULL]	[NULL]	R	B0DYG4	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	N	7440-47-3	Chromium	3.8	ug/L	B	[NULL]	[NULL]	R	B0DX59	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	N	7440-48-4	Cobalt	4.1	ug/L	U	[NULL]	[NULL]	R	B0DX59	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	Y	7440-48-4	Cobalt	5.9	ug/L	U	[NULL]	[NULL]	R	B0DYG4	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	N	10198-40-0	Cobalt-60	15.1	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DRR6	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-32	3/1/1995 8:45	Y	7440-50-8	Copper	4.1	ug/L	U	[NULL]	[NULL]	R	B0DYG4	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	N	7440-50-8	Copper	31.6	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX59	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	N	124-48-1	Dibromochloromethane	0.5	ug/L	U	[NULL]	[NULL]	R	B0DRR6	124-48-1	PNL1	502.2_VOA_GC	100-NR-2
199-N-32	3/1/1995 8:45	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1.3	ug/L	U	[NULL]	[NULL]	R	B0DYG0	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/1/1995 8:45	N	100-41-4	Ethylbenzene	0.5	ug/L	U	[NULL]	[NULL]	R	B0DRR6	100-41-4	PNL1	502.2_VOA_GC	100-NR-2
199-N-32	3/1/1995 8:45	N	16984-48-8	Fluoride	400	ug/L	[NULL]	Q	[NULL]	R	B0DYG0	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	3/1/1995 8:45	N	16984-48-8	Fluoride	150	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX59	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	3/1/1995 8:45	N	12587-46-1	Gross alpha	1.09	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DYG0	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-32	3/1/1995 8:45	N	12587-47-2	Gross beta	13.4	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DYG0	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-32	3/1/1995 8:45	Y	7439-89-6	Iron	31	ug/L	[NULL]	Q	[NULL]	R	B0DYG4	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	N	7439-89-6	Iron	836	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX59	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	Y	7439-92-1	Lead	1.6	ug/L	L	[NULL]	[NULL]	R	B0DYG4	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-32	3/1/1995 8:45	Y	7439-95-4	Magnesium	10000	ug/L	[NULL]	[NULL]	[NULL]	R	B0DYG4	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	N	7439-95-4	Magnesium	11000	ug/L	J	[NULL]	[NULL]	R	B0DX59	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	N	7439-96-5	Manganese	20.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX59	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	Y	7439-96-5	Manganese	9.9	ug/L	L	[NULL]	[NULL]	R	B0DYG4	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	N	75-09-2	Methylene chloride	2	ug/L	U	[NULL]	[NULL]	R	B0DRR6	75-09-2	PNL1	502.2_VOA_GC	100-NR-2
199-N-32	3/1/1995 8:45	N	7778-77-0	Monopotassium phosphate	1000	ug/L	U	R	R	R	B0DX59	7778-77-0	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	3/1/1995 8:45	N	7440-02-0	Nickel	15.2	ug/L	U	[NULL]	[NULL]	R	B0DX59	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	Y	7440-02-0	Nickel	13	ug/L	U	[NULL]	[NULL]	R	B0DYG4	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	N	14797-55-8	Nitrate	43000	ug/L	D	Q	[NULL]	R	B0DYG0	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	3/1/1995 8:45	N	14797-55-8	Nitrate	46000	ug/L	J	[NULL]	[NULL]	R	B0DX59	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	3/1/1995 8:45	N	14797-65-0	Nitrite	65.7	ug/L	U	R	R	R	B0DX59	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	3/1/1995 8:45	N	14797-65-0	Nitrite	18	ug/L	U	[NULL]	[NULL]	R	B0DYG0	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	3/1/1995 8:45	N	87-86-5	Pentachlorophenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DYG0	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/1/1995 8:45	N	108-95-2	Phenol	0.31	ug/L	U	[NULL]	[NULL]	R	B0DYG0	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/1/1995 8:45	N	14265-44-2	Phosphate	82	ug/L	U	[NULL]	[NULL]	R	B0DYG0	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	3/1/1995 8:45	Y	7440-09-7	Potassium	3500	ug/L	[NULL]	[NULL]	[NULL]	R	B0DYG4	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	N	7440-09-7	Potassium	4220	ug/L	BJ	[NULL]	[NULL]	R	B0DX59	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	N	13967-48-1	Ruthenium-106	-11	pCi/L	U	[NULL]	[NULL]	R	B0DRR6	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-32	3/1/1995 8:45	N	7440-22-4	Silver	3.8	ug/L	U	[NULL]	[NULL]	R	B0DX59	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	Y	7440-22-4	Silver	3.6	ug/L	U	[NULL]	[NULL]	R	B0DYG4	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	Y	7440-23-5	Sodium	3500	ug/L	[NULL]	Q	[NULL]	R	B0DYG4	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	N	7440-23-5	Sodium	4590	ug/L	J	[NULL]	[NULL]	R	B0DX59	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	N	CONDUCT	Specific Conductance	260	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DYG2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	3/1/1995 8:45	N	CONDUCT	Specific Conductance	290	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DYG0	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-32	3/1/1995 8:45	N	CONDUCT	Specific Conductance	260	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DYG3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	3/1/1995 8:45	N	CONDUCT	Specific Conductance	257	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DYG0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	3/1/1995 8:45	N	CONDUCT	Specific Conductance	260	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DYG1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	3/1/1995 8:45	N	10098-97-2	Strontium-90	1.12	pCi/L	[NULL]	G	[NULL]	R	B0DRR6	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-32	3/1/1995 8:45	Y	10098-97-2	Strontium-90	1010	pCi/L	[NULL]	Y	[NULL]	R	B0DRR7	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-32	3/1/1995 8:45	N	14808-79-8	Sulfate	23300	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX59	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	3/1/1995 8:45	N	14808-79-8	Sulfate	23000	ug/L	D	[NULL]	[NULL]	R	B0DYG0	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-32	3/1/1995 8:45	N	TEMPERATURE	Temperature	18.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0DYG0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	3/1/1995 8:45	N	TEMPERATURE	Temperature	18.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0DYG1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	3/1/1995 8:45	N	TEMPERATURE	Temperature	18.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0DYG2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	3/1/1995 8:45	N	TEMPERATURE	Temperature	18.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0DYG3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	3/1/1995 8:45	N	127-18-4	Tetrachloroethene	0.5	ug/L	U	[NULL]	[NULL]	R	B0DRR6	127-18-4	PNL1	502.2_VOA_GC	100-NR-2
199-N-32	3/1/1995 8:45	N	25167-83-3	Tetrachlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B0DYG0	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/1/1995 8:45	N	109-99-9	Tetrahydrofuran	5	ug/L	U	[NULL]	[NULL]	R	B0DRR6	109-99-9	PNL1	502.2_VOA_GC	100-NR-2
199-N-32	3/1/1995 8:45	Y	7440-31-5	Tin	69	ug/L	U	[NULL]	[NULL]	R	B0DYG4	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	N	108-88-3	Toluene	1	ug/L	U	[NULL]	[NULL]	R	B0DRR6	108-88-3	PNL1	502.2_VOA_GC	100-NR-2
199-N-32	3/1/1995 8:45	N	1319-77-3	Total cresols	4.8	ug/L	U	[NULL]	[NULL]	R	B0DYG0	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/1/1995 8:45	N	TOC	Total organic carbon	500	ug/L	L	[NULL]	[NULL]	R	B0DYG3	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	3/1/1995 8:45	N	TOC	Total organic carbon	400	ug/L	L	[NULL]	[NULL]	R	B0DYG2	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	3/1/1995 8:45	N	TOC	Total organic carbon	400	ug/L	L	[NULL]	[NULL]	R	B0DYG1	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	3/1/1995 8:45	N	TOC	Total organic carbon	400	ug/L	L	[NULL]	[NULL]	R	B0DYG0	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	3/1/1995 8:45	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B0DYG1	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-32	3/1/1995 8:45	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B0DYG3	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-32	3/1/1995 8:45	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B0DYG2	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-32	3/1/1995 8:45	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B0DYG0	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-32	3/1/1995 8:45	N	79-01-6	Trichloroethene	0.5	ug/L	U	[NULL]	[NULL]	R	B0DRR6	79-01-6	PNL1	502.2_VOA_GC	100-NR-2
199-N-32	3/1/1995 8:45	N	25167-82-2	Trichlorophenol	1.7	ug/L	U	[NULL]	[NULL]	R	B0DYG0	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/1/1995 8:45	N	10028-17-8	Tritium	58200	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DRR6	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-32	3/1/1995 8:45	N	TURBIDITY	Turbidity	9.1	NTU	[NULL]	Q	[NULL]	R	B0DYG0	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-32	3/1/1995 8:45	N	7440-62-2	Vanadium	26	ug/L	U	[NULL]	[NULL]	R	B0DX59	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	Y	7440-62-2	Vanadium	9.6	ug/L	L	[NULL]	[NULL]	R	B0DYG4	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	N	1330-20-7	Xylenes (total)	1	ug/L	U	[NULL]	[NULL]	R	B0DRR6	1330-20-7	PNL1	502.2_VOA_GC	100-NR-2
199-N-32	3/1/1995 8:45	Y	7440-66-6	Zinc	6.3	ug/L	U	Q	[NULL]	R	B0DYG4	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	N	7440-66-6	Zinc	20.1	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX59	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/1/1995 8:45	N	156-59-2	cis-1,2-Dichloroethylene	0.5	ug/L	U	[NULL]	[NULL]	R	B0DRR6	156-59-2	PNL1	502.2_VOA_GC	100-NR-2
199-N-32	3/1/1995 8:45	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	R	B0DYG2	PH	FIELD	9040_PH	100-NR-2
199-N-32	3/1/1995 8:45	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	R	B0DYG1	PH	FIELD	9040_PH	100-NR-2
199-N-32	3/1/1995 8:45	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	B0DYG0	PH	DATACH	D1293_PH	100-NR-2
199-N-32	3/1/1995 8:45	N	PH	pH Measurement	7.92	unitless	[NULL]	[NULL]	[NULL]	R	B0DYG0	PH	FIELD	9040_PH	100-NR-2
199-N-32	3/1/1995 8:45	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	R	B0DYG3	PH	FIELD	9040_PH	100-NR-2
199-N-32	3/1/1995 8:45	N	156-60-5	trans-1,2-Dichloroethylene	0.5	ug/L	U	[NULL]	[NULL]	R	B0DRR6	156-60-5	PNL1	502.2_VOA_GC	100-NR-2
199-N-32	9/7/1995 13:20	N	ALKALINITY	Alkalinity	70000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBV1	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-32	9/7/1995 13:20	Y	7429-90-5	Aluminum	24.6	ug/L	U	[NULL]	[NULL]	R	B0GJT5	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	9/7/1995 13:20	N	7429-90-5	Aluminum	30.8	ug/L	B	[NULL]	[NULL]	R	B0GJT4	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	9/7/1995 13:20	Y	7440-36-0	Antimony	45.9	ug/L	U	[NULL]	[NULL]	R	B0GJT5	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	9/7/1995 13:20	N	7440-36-0	Antimony	45.9	ug/L	U	[NULL]	[NULL]	R	B0GJT4	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	9/7/1995 13:20	N	7440-39-3	Barium	27.4	ug/L	B	[NULL]	[NULL]	R	B0GJT4	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	9/7/1995 13:20	Y	7440-39-3	Barium	28.3	ug/L	B	[NULL]	[NULL]	R	B0GJT5	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	9/7/1995 13:20	Y	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	R	B0GJT5	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	9/7/1995 13:20	N	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	R	B0GJT4	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	9/7/1995 13:20	N	7440-43-9	Cadmium	3.1	ug/L	U	[NULL]	[NULL]	R	B0GJT4	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	9/7/1995 13:20	Y	7440-43-9	Cadmium	3.1	ug/L	U	[NULL]	[NULL]	R	B0GJT5	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	9/7/1995 13:20	N	7440-70-2	Calcium	35900	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT4	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	9/7/1995 13:20	Y	7440-70-2	Calcium	37900	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT5	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	9/7/1995 13:20	N	10045-97-3	Cesium-137	1.7	pCi/L	U	[NULL]	[NULL]	R	B0GJT4	10045-97-3	QTESRL	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	9/7/1995 13:20	Y	16887-00-6	Chloride	1930	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT5	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	9/7/1995 13:20	N	16887-00-6	Chloride	1920	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT4	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	9/7/1995 13:20	Y	7440-47-3	Chromium	2.8	ug/L	U	[NULL]	[NULL]	R	B0GJT5	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	9/7/1995 13:20	N	7440-47-3	Chromium	2.8	ug/L	U	[NULL]	[NULL]	R	B0GJT4	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	9/7/1995 13:20	N	7440-48-4	Cobalt	4.3	ug/L	U	[NULL]	[NULL]	R	B0GJT4	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	9/7/1995 13:20	Y	7440-48-4	Cobalt	4.3	ug/L	U	[NULL]	[NULL]	R	B0GJT5	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	9/7/1995 13:20	N	13981-38-9	Cobalt-58	-2.16	pCi/L	U	[NULL]	[NULL]	R	B0GJT4	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-32	9/7/1995 13:20	N	10198-40-0	Cobalt-60	6.58	pCi/L	U	[NULL]	[NULL]	R	B0GJT4	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-32	9/7/1995 13:20	Y	7440-50-8	Copper	10.8	ug/L	B	[NULL]	[NULL]	R	B0GJT5	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	9/7/1995 13:20	N	7440-50-8	Copper	6.1	ug/L	B	[NULL]	[NULL]	R	B0GJT4	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	9/7/1995 13:20	N	DO	Dissolved oxygen	5100	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-32	9/7/1995 13:20	N	14683-23-9	Europium-152	4.47	pCi/L	U	[NULL]	[NULL]	R	B0GJT4	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-32	9/7/1995 13:20	N	15585-10-1	Europium-154	2.13	pCi/L	U	[NULL]	[NULL]	R	B0GJT4	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-32	9/7/1995 13:20	N	14391-16-3	Europium-155	3.91	pCi/L	U	[NULL]	[NULL]	R	B0GJT4	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-32	9/7/1995 13:20	Y	16984-48-8	Fluoride	130	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT5	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	9/7/1995 13:20	N	16984-48-8	Fluoride	120	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT4	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	9/7/1995 13:20	N	12587-46-1	Gross alpha	1.59	pCi/L	J	[NULL]	[NULL]	R	B0GJT4	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-32	9/7/1995 13:20	N	12587-47-2	Gross beta	13.7	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GJT4	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-32	9/7/1995 13:20	Y	7439-89-6	Iron	58.5	ug/L	B	[NULL]	[NULL]	R	B0GJT5	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	9/7/1995 13:20	N	7439-89-6	Iron	585	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT4	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	9/7/1995 13:20	N	14596-12-4	Iron-59	0	pCi/L	U	[NULL]	[NULL]	R	B0GJT4	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-32	9/7/1995 13:20	Y	7439-92-1	Lead	0.88	ug/L	U	H	[NULL]	R	B0GBV5	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-32	9/7/1995 13:20	Y	7439-95-4	Magnesium	10800	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT5	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	9/7/1995 13:20	N	7439-95-4	Magnesium	10400	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT4	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	9/7/1995 13:20	Y	7439-96-5	Manganese	11.2	ug/L	B	[NULL]	[NULL]	R	B0GJT5	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	9/7/1995 13:20	N	7439-96-5	Manganese	12.5	ug/L	B	[NULL]	[NULL]	R	B0GJT4	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	9/7/1995 13:20	N	7440-02-0	Nickel	14.2	ug/L	U	[NULL]	[NULL]	R	B0GJT4	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	9/7/1995 13:20	Y	7440-02-0	Nickel	14.2	ug/L	U	[NULL]	[NULL]	R	B0GJT5	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	9/7/1995 13:20	N	14797-55-8	Nitrate	48300	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT4	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	9/7/1995 13:20	Y	14797-55-8	Nitrate	46900	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT5	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	9/7/1995 13:20	N	14797-65-0	Nitrite	65.7	ug/L	U	G	[NULL]	R	B0GJT4	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	9/7/1995 13:20	Y	14797-65-0	Nitrite	65.7	ug/L	U	G	[NULL]	R	B0GJT5	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	9/7/1995 13:20	N	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B0GJT4	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	9/7/1995 13:20	Y	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B0GJT5	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	9/7/1995 13:20	Y	7440-09-7	Potassium	3080	ug/L	B	[NULL]	[NULL]	R	B0GJT5	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	9/7/1995 13:20	N	7440-09-7	Potassium	4030	ug/L	B	[NULL]	[NULL]	R	B0GJT4	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	9/7/1995 13:20	N	7440-22-4	Silver	2.4	ug/L	B	[NULL]	[NULL]	R	B0GJT4	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	9/7/1995 13:20	Y	7440-22-4	Silver	2.2	ug/L	U	[NULL]	[NULL]	R	B0GJT5	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	9/7/1995 13:20	N	7440-23-5	Sodium	3560	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT4	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	9/7/1995 13:20	Y	7440-23-5	Sodium	3710	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT5	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	9/7/1995 13:20	N	CONDUCT	Specific Conductance	300	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GBV1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	9/7/1995 13:20	N	CONDUCT	Specific Conductance	291	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GJT4	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-32	9/7/1995 13:20	N	10098-97-2	Strontium-90	0.232	pCi/L	U	[NULL]	[NULL]	R	B0GJT4	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-32	9/7/1995 13:20	N	14808-79-8	Sulfate	26800	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT4	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	9/7/1995 13:20	Y	14808-79-8	Sulfate	27300	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT5	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	9/7/1995 13:20	N	TEMPERATURE	Temperature	19.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0GBV1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	9/7/1995 13:20	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B0GBV3	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	9/7/1995 13:20	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B0GBV4	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	9/7/1995 13:20	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B0GBV1	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	9/7/1995 13:20	N	TOC	Total organic carbon	400	ug/L	L	[NULL]	[NULL]	R	B0GBV2	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	9/7/1995 13:20	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0GBV3	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-32	9/7/1995 13:20	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0GBV2	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-32	9/7/1995 13:20	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0GBV4	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-32	9/7/1995 13:20	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0GBV1	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-32	9/7/1995 13:20	N	10028-17-8	Tritium	60800	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GJT4	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	9/7/1995 13:20	N	TURBIDITY	Turbidity	1.2	NTU	[NULL]	[NULL]	[NULL]	R	B0GJT4	TURBIDITY	QTESSL	180.1_TURBIDITY	100-NR-2
199-N-32	9/7/1995 13:20	N	TURBIDITY	Turbidity	5	NTU	[NULL]	[NULL]	[NULL]	R	B0GBV1	TURBIDITY	FIELD	180.1_TURBIDITY	100-NR-2
199-N-32	9/7/1995 13:20	N	7440-62-2	Vanadium	12.4	ug/L	B	[NULL]	[NULL]	R	B0GJT4	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	9/7/1995 13:20	Y	7440-62-2	Vanadium	15.8	ug/L	B	[NULL]	[NULL]	R	B0GJT5	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	9/7/1995 13:20	Y	7440-66-6	Zinc	38.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT5	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	9/7/1995 13:20	N	7440-66-6	Zinc	36.9	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT4	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	9/7/1995 13:20	N	PH	pH Measurement	8.15	unitless	[NULL]	[NULL]	[NULL]	R	B0GJT4	PH	QTESSL	9040_PH	100-NR-2
199-N-32	9/7/1995 13:20	N	PH	pH Measurement	8.42	unitless	[NULL]	[NULL]	[NULL]	R	B0GBV1	PH	FIELD	9040_PH	100-NR-2
199-N-32	3/27/1996 9:13	N	88-06-2	2,4,6-Trichlorophenol	0.8	ug/L	U	[NULL]	[NULL]	R	B0HNM0	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/27/1996 9:13	N	120-83-2	2,4-Dichlorophenol	0.43	ug/L	U	[NULL]	[NULL]	R	B0HNM0	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/27/1996 9:13	N	105-67-9	2,4-Dimethylphenol	0.62	ug/L	U	[NULL]	[NULL]	R	B0HNM0	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/27/1996 9:13	N	51-28-5	2,4-Dinitrophenol	6.8	ug/L	U	[NULL]	[NULL]	R	B0HNM0	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/27/1996 9:13	N	87-65-0	2,6-Dichlorophenol	0.52	ug/L	U	[NULL]	[NULL]	R	B0HNM0	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/27/1996 9:13	N	95-57-8	2-Chlorophenol	0.6	ug/L	U	[NULL]	[NULL]	R	B0HNM0	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/27/1996 9:13	N	88-75-5	2-Nitrophenol	0.6	ug/L	U	[NULL]	[NULL]	R	B0HNM0	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/27/1996 9:13	N	534-52-1	4,6-Dinitro-2-methylphenol	0.84	ug/L	U	[NULL]	[NULL]	R	B0HNM0	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/27/1996 9:13	N	59-50-7	4-Chloro-3-methylphenol	0.52	ug/L	U	[NULL]	[NULL]	R	B0HNM0	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/27/1996 9:13	N	100-02-7	4-Nitrophenol	0.49	ug/L	U	[NULL]	[NULL]	R	B0HNM0	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/27/1996 9:13	N	ALKALINITY	Alkalinity	73000	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNM0	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-32	3/27/1996 9:13	Y	7429-90-5	Aluminum	31	ug/L	U	[NULL]	[NULL]	R	B0HNM4	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	N	7429-90-5	Aluminum	53.2	ug/L	U	[NULL]	[NULL]	R	B0H8J1	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	N	7440-36-0	Antimony	34.6	ug/L	U	[NULL]	[NULL]	R	B0H8J1	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	Y	7440-36-0	Antimony	24	ug/L	U	[NULL]	[NULL]	R	B0HNM4	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	Y	7440-38-2	Arsenic	2.6	ug/L	U	[NULL]	[NULL]	R	B0HNM4	7440-38-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	Y	7440-39-3	Barium	28	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNM4	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	N	7440-39-3	Barium	30	ug/L	B	[NULL]	[NULL]	R	B0H8J1	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	N	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	R	B0H8J1	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	Y	7440-41-7	Beryllium	0.63	ug/L	U	[NULL]	[NULL]	R	B0HNM4	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	N	7440-43-9	Cadmium	2.4	ug/L	U	[NULL]	[NULL]	R	B0H8J1	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	Y	7440-43-9	Cadmium	0.98	ug/L	U	[NULL]	[NULL]	R	B0HNM4	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	Y	7440-70-2	Calcium	39000	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNM4	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	N	7440-70-2	Calcium	39500	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8J1	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	N	10045-97-3	Cesium-137	2.11	pCi/L	U	[NULL]	[NULL]	R	B0H8J1	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-32	3/27/1996 9:13	N	16887-00-6	Chloride	3020	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8J1	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	3/27/1996 9:13	Y	16887-00-6	Chloride	3100	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8J2	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	3/27/1996 9:13	N	7440-47-3	Chromium	4.1	ug/L	U	[NULL]	[NULL]	R	B0H8J1	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	Y	7440-47-3	Chromium	3.7	ug/L	U	[NULL]	[NULL]	R	B0HNM4	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	N	7440-48-4	Cobalt	4.8	ug/L	U	[NULL]	[NULL]	R	B0H8J1	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	Y	7440-48-4	Cobalt	5.3	ug/L	U	[NULL]	[NULL]	R	B0HNM4	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	N	13981-38-9	Cobalt-58	0.233	pCi/L	U	[NULL]	[NULL]	R	B0H8J1	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-32	3/27/1996 9:13	N	10198-40-0	Cobalt-60	14.7	pCi/L	J	[NULL]	[NULL]	R	B0H8J1	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-32	3/27/1996 9:13	Y	7440-50-8	Copper	2.4	ug/L	L	[NULL]	[NULL]	R	B0HNM4	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	N	7440-50-8	Copper	8.2	ug/L	B	[NULL]	[NULL]	R	B0H8J1	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	0.41	ug/L	U	[NULL]	[NULL]	R	B0HNM0	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/27/1996 9:13	N	14683-23-9	Europium-152	3.54	pCi/L	U	[NULL]	[NULL]	R	B0H8J1	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-32	3/27/1996 9:13	N	15585-10-1	Europium-154	-5.25	pCi/L	U	[NULL]	[NULL]	R	B0H8J1	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-32	3/27/1996 9:13	N	14391-16-3	Europium-155	8.99	pCi/L	U	[NULL]	[NULL]	R	B0H8J1	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-32	3/27/1996 9:13	Y	16984-48-8	Fluoride	100	ug/L	U	[NULL]	[NULL]	R	B0H8J2	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	3/27/1996 9:13	N	16984-48-8	Fluoride	150	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8J1	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	3/27/1996 9:13	N	12587-46-1	Gross alpha	0.853	pCi/L	J	[NULL]	[NULL]	R	B0H8J1	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-32	3/27/1996 9:13	N	12587-47-2	Gross beta	10.2	pCi/L	[NULL]	[NULL]	[NULL]	R	B0H8J1	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-32	3/27/1996 9:13	Y	7439-89-6	Iron	24	ug/L	L	[NULL]	[NULL]	R	B0HNM4	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	N	7439-89-6	Iron	298	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8J1	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	3/27/1996 9:13	N	14596-12-4	Iron-59	2.32	pCi/L	U	[NULL]	[NULL]	R	B0H8J1	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-32	3/27/1996 9:13	Y	7439-92-1	Lead	1.7	ug/L	U	[NULL]	[NULL]	R	B0HNM4	7439-92-1	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	Y	7439-95-4	Magnesium	11000	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNM4	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	N	7439-95-4	Magnesium	11300	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8J1	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	N	7439-96-5	Manganese	23.9	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8J1	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	Y	7439-96-5	Manganese	20	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNM4	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	Y	7440-02-0	Nickel	11	ug/L	U	[NULL]	[NULL]	R	B0HNM4	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	N	7440-02-0	Nickel	9.1	ug/L	U	[NULL]	[NULL]	R	B0H8J1	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	N	14797-55-8	Nitrate	51400	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8J1	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	3/27/1996 9:13	Y	14797-55-8	Nitrate	51400	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8J2	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	3/27/1996 9:13	Y	14797-65-0	Nitrite	65.7	ug/L	U	[NULL]	[NULL]	R	B0H8J2	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	3/27/1996 9:13	N	14797-65-0	Nitrite	65.7	ug/L	U	[NULL]	[NULL]	R	B0H8J1	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	3/27/1996 9:13	N	87-86-5	Pentachlorophenol	0.48	ug/L	U	[NULL]	[NULL]	R	B0HNM0	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/27/1996 9:13	N	108-95-2	Phenol	0.58	ug/L	U	[NULL]	[NULL]	R	B0HNM0	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/27/1996 9:13	Y	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B0H8J2	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	3/27/1996 9:13	N	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B0H8J1	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	3/27/1996 9:13	N	7440-09-7	Potassium	3730	ug/L	B	[NULL]	[NULL]	R	B0H8J1	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	Y	7440-09-7	Potassium	3600	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNM4	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	Y	7782-49-2	Selenium	3.8	ug/L	U	[NULL]	[NULL]	R	B0HNM4	7782-49-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	N	7440-22-4	Silver	5.9	ug/L	U	[NULL]	[NULL]	R	B0H8J1	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	Y	7440-22-4	Silver	5.5	ug/L	U	[NULL]	[NULL]	R	B0HNM4	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	Y	7440-23-5	Sodium	4000	ug/L	[NULL]	Q	[NULL]	R	B0HNM4	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	N	7440-23-5	Sodium	4100	ug/L	B	[NULL]	[NULL]	R	B0H8J1	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	N	CONDUCT	Specific Conductance	322	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HNM2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	3/27/1996 9:13	N	CONDUCT	Specific Conductance	322	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HNM1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	3/27/1996 9:13	N	CONDUCT	Specific Conductance	322	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HNM0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	3/27/1996 9:13	N	CONDUCT	Specific Conductance	322	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HNM3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	3/27/1996 9:13	N	CONDUCT	Specific Conductance	317	uS/cm	[NULL]	[NULL]	[NULL]	R	B0H8J1	CONDUCT	QTESSL	9050_CONDUCT	100-NR-2
199-N-32	3/27/1996 9:13	Y	7440-24-6	Strontium	260	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNM4	7440-24-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	N	14158-27-1	Strontium-89	0.0537	pCi/L	U	[NULL]	[NULL]	R	B0H8J1	14158-27-1	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-32	3/27/1996 9:13	N	10098-97-2	Strontium-90	0.676	pCi/L	J	[NULL]	[NULL]	R	B0H8J1	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-32	3/27/1996 9:13	Y	14808-79-8	Sulfate	32900	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8J2	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	3/27/1996 9:13	N	14808-79-8	Sulfate	32300	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8J1	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	3/27/1996 9:13	N	TEMPERATURE	Temperature	19.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0HNM2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	3/27/1996 9:13	N	TEMPERATURE	Temperature	19.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0HNM1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	3/27/1996 9:13	N	TEMPERATURE	Temperature	19.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0HNM0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	3/27/1996 9:13	N	TEMPERATURE	Temperature	19.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0HNM3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	3/27/1996 9:13	N	25167-83-3	Tetrachlorophenol	0.52	ug/L	U	[NULL]	[NULL]	R	B0HNM0	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/27/1996 9:13	Y	7440-28-0	Thallium	3.7	ug/L	U	[NULL]	[NULL]	R	B0HNM4	7440-28-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	B0HNM4	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	N	1319-77-3	Total cresols	1.7	ug/L	U	[NULL]	[NULL]	R	B0HNM0	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/27/1996 9:13	N	TOC	Total organic carbon	355	ug/L	L	[NULL]	[NULL]	R	B0HNM3	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	3/27/1996 9:13	N	TOC	Total organic carbon	333	ug/L	L	[NULL]	[NULL]	R	B0HNM2	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	3/27/1996 9:13	N	TOC	Total organic carbon	290	ug/L	L	[NULL]	[NULL]	R	B0HNM0	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	3/27/1996 9:13	N	TOC	Total organic carbon	303	ug/L	L	[NULL]	[NULL]	R	B0HNM1	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	3/27/1996 9:13	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0HNM1	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-32	3/27/1996 9:13	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0HNM3	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-32	3/27/1996 9:13	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0HNM0	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-32	3/27/1996 9:13	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0HNM2	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-32	3/27/1996 9:13	N	25167-82-2	Trichlorophenol	0.56	ug/L	U	[NULL]	[NULL]	R	B0HNM0	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-32	3/27/1996 9:13	N	10028-17-8	Tritium	56900	pCi/L	[NULL]	[NULL]	[NULL]	R	B0H8J1	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-32	3/27/1996 9:13	N	TURBIDITY	Turbidity	4.14	NTU	[NULL]	[NULL]	[NULL]	R	B0HNM0	TURBIDITY	FIELD	180.1_TURBIDITY	100-NR-2
199-N-32	3/27/1996 9:13	Y	7440-62-2	Vanadium	7.5	ug/L	L	[NULL]	[NULL]	R	B0HNM4	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	N	7440-62-2	Vanadium	10.2	ug/L	B	[NULL]	[NULL]	R	B0H8J1	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	N	7440-66-6	Zinc	23.5	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8J1	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	3/27/1996 9:13	Y	7440-66-6	Zinc	4.4	ug/L	L	[NULL]	[NULL]	R	B0HNM4	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	3/27/1996 9:13	N	PH	pH Measurement	8.24	unitless	[NULL]	[NULL]	[NULL]	R	B0HNM0	PH	FIELD	9040_PH	100-NR-2
199-N-32	3/27/1996 9:13	N	PH	pH Measurement	8.23	unitless	[NULL]	[NULL]	[NULL]	R	B0HNM2	PH	FIELD	9040_PH	100-NR-2
199-N-32	3/27/1996 9:13	N	PH	pH Measurement	8.23	unitless	[NULL]	[NULL]	[NULL]	R	B0HNM3	PH	FIELD	9040_PH	100-NR-2
199-N-32	3/27/1996 9:13	N	PH	pH Measurement	8.23	unitless	[NULL]	[NULL]	[NULL]	R	B0HNM1	PH	FIELD	9040_PH	100-NR-2
199-N-32	9/25/1996 9:50	N	ALKALINITY	Alkalinity	74000	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBN5	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-32	9/25/1996 9:50	Y	7429-90-5	Aluminum	15	ug/L	U	[NULL]	[NULL]	R	B0JBN9	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/25/1996 9:50	Y	7440-36-0	Antimony	43	ug/L	U	[NULL]	[NULL]	R	B0JBN9	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/25/1996 9:50	Y	7440-38-2	Arsenic	2.6	ug/L	U	[NULL]	[NULL]	R	B0JBN9	7440-38-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/25/1996 9:50	Y	7440-39-3	Barium	25	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBN9	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/25/1996 9:50	Y	7440-41-7	Beryllium	0.2	ug/L	U	[NULL]	[NULL]	R	B0JBN9	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/25/1996 9:50	Y	7440-43-9	Cadmium	0.31	ug/L	U	[NULL]	[NULL]	R	B0JBN9	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/25/1996 9:50	Y	7440-70-2	Calcium	38000	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBN9	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/25/1996 9:50	N	10045-97-3	Cesium-137	-0.767	pCi/L	U	[NULL]	[NULL]	R	B0J1M0	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-32	9/25/1996 9:50	N	16887-00-6	Chloride	2940	ug/L	[NULL]	[NULL]	[NULL]	R	B0J1M0	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	9/25/1996 9:50	Y	7440-47-3	Chromium	1.8	ug/L	U	[NULL]	[NULL]	R	B0JBN9	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/25/1996 9:50	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B0JBN9	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/25/1996 9:50	N	13981-38-9	Cobalt-58	4.94	pCi/L	U	[NULL]	[NULL]	R	B0J1M0	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-32	9/25/1996 9:50	N	10198-40-0	Cobalt-60	6.12	pCi/L	U	[NULL]	[NULL]	R	B0J1M0	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-32	9/25/1996 9:50	Y	7440-50-8	Copper	8.7	ug/L	U	[NULL]	[NULL]	R	B0JBN9	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/25/1996 9:50	N	14683-23-9	Europium-152	3.8	pCi/L	U	[NULL]	[NULL]	R	B0J1M0	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-32	9/25/1996 9:50	N	15585-10-1	Europium-154	7.88	pCi/L	U	[NULL]	[NULL]	R	B0J1M0	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-32	9/25/1996 9:50	N	14391-16-3	Europium-155	-1.46	pCi/L	U	[NULL]	[NULL]	R	B0J1M0	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-32	9/25/1996 9:50	N	16984-48-8	Fluoride	110	ug/L	[NULL]	[NULL]	[NULL]	R	B0J1M0	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	9/25/1996 9:50	N	12587-46-1	Gross alpha	1.41	pCi/L	J	[NULL]	[NULL]	R	B0J1M0	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-32	9/25/1996 9:50	N	12587-47-2	Gross beta	12.4	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J1M0	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-32	9/25/1996 9:50	Y	7439-89-6	Iron	70	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBN9	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/25/1996 9:50	N	14596-12-4	Iron-59	-1.22	pCi/L	U	[NULL]	[NULL]	R	B0J1M0	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-32	9/25/1996 9:50	Y	7439-92-1	Lead	1.7	ug/L	U	[NULL]	[NULL]	R	B0JBN9	7439-92-1	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/25/1996 9:50	Y	7439-95-4	Magnesium	11000	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBN9	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/25/1996 9:50	Y	7439-96-5	Manganese	25	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBN9	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/25/1996 9:50	Y	7440-02-0	Nickel	7.4	ug/L	U	[NULL]	[NULL]	R	B0JBN9	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/25/1996 9:50	N	14797-55-8	Nitrate	50000	ug/L	[NULL]	[NULL]	[NULL]	R	B0J1M0	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	9/25/1996 9:50	N	14797-65-0	Nitrite	65.7	ug/L	U	[NULL]	[NULL]	R	B0J1M0	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	9/25/1996 9:50	N	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B0J1M0	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	9/25/1996 9:50	Y	7440-09-7	Potassium	3400	ug/L	B	[NULL]	[NULL]	R	B0JBN9	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/25/1996 9:50	Y	7782-49-2	Selenium	3.8	ug/L	U	[NULL]	[NULL]	R	B0JBN9	7782-49-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/25/1996 9:50	Y	7440-22-4	Silver	4.5	ug/L	U	[NULL]	[NULL]	R	B0JBN9	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/25/1996 9:50	Y	7440-23-5	Sodium	3700	ug/L	[NULL]	Q	[NULL]	R	B0JBN9	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/25/1996 9:50	N	CONDUCT	Specific Conductance	327	uS/cm	[NULL]	[NULL]	[NULL]	R	B0JBN7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	9/25/1996 9:50	N	CONDUCT	Specific Conductance	327	uS/cm	[NULL]	[NULL]	[NULL]	R	B0JBN8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	9/25/1996 9:50	N	CONDUCT	Specific Conductance	327	uS/cm	[NULL]	[NULL]	[NULL]	R	B0JBN6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	9/25/1996 9:50	N	CONDUCT	Specific Conductance	327	uS/cm	[NULL]	[NULL]	[NULL]	R	B0JBN5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	9/25/1996 9:50	Y	7440-24-6	Strontium	240	ug/L	B	Q	[NULL]	R	B0JBN9	7440-24-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/25/1996 9:50	N	14158-27-1	Strontium-89	0.36	pCi/L	UJ	[NULL]	[NULL]	R	B0J1M0	14158-27-1	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-32	9/25/1996 9:50	N	10098-97-2	Strontium-90	0.254	pCi/L	U	[NULL]	[NULL]	R	B0J1M0	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-32	9/25/1996 9:50	N	14808-79-8	Sulfate	37100	ug/L	[NULL]	[NULL]	[NULL]	R	B0J1M0	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	9/25/1996 9:50	N	TEMPERATURE	Temperature	20.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0JBN5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	9/25/1996 9:50	N	TEMPERATURE	Temperature	20.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0JBN8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	9/25/1996 9:50	N	TEMPERATURE	Temperature	20.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0JBN7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	9/25/1996 9:50	N	TEMPERATURE	Temperature	20.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0JBN6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	9/25/1996 9:50	Y	7440-28-0	Thallium	3.7	ug/L	U	[NULL]	[NULL]	R	B0JBN9	7440-28-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/25/1996 9:50	Y	7440-31-5	Tin	17	ug/L	U	[NULL]	[NULL]	R	B0JBN9	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/25/1996 9:50	N	TOC	Total organic carbon	338	ug/L	L	[NULL]	[NULL]	R	B0JBN7	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	9/25/1996 9:50	N	TOC	Total organic carbon	320	ug/L	L	[NULL]	[NULL]	R	B0JBN6	TOC	DATACH	9060_TOC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-32	9/25/1996 9:50	N	TOC	Total organic carbon	384	ug/L	L	[NULL]	[NULL]	R	B0JBN5	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	9/25/1996 9:50	N	TOC	Total organic carbon	328	ug/L	L	[NULL]	[NULL]	R	B0JBN8	TOC	DATACH	9060_TOC	100-NR-2
199-N-32	9/25/1996 9:50	N	59473-04-0	Total organic halides	7.89	ug/L	U	[NULL]	[NULL]	R	B0JBN7	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-32	9/25/1996 9:50	N	59473-04-0	Total organic halides	7.89	ug/L	U	[NULL]	[NULL]	R	B0JBN6	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-32	9/25/1996 9:50	N	59473-04-0	Total organic halides	7.89	ug/L	U	[NULL]	[NULL]	R	B0JBN8	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-32	9/25/1996 9:50	N	59473-04-0	Total organic halides	8.33	ug/L	L	[NULL]	[NULL]	R	B0JBN5	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-32	9/25/1996 9:50	N	10028-17-8	Tritium	54100	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J1M0	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-32	9/25/1996 9:50	N	TURBIDITY	Turbidity	4.75	NTU	[NULL]	[NULL]	[NULL]	R	B0JBN8	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-32	9/25/1996 9:50	Y	7440-62-2	Vanadium	5.6	ug/L	L	[NULL]	[NULL]	R	B0JBN9	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/25/1996 9:50	Y	7440-66-6	Zinc	7.7	ug/L	U	[NULL]	[NULL]	R	B0JBN9	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-32	9/25/1996 9:50	N	PH	pH Measurement	8.15	unitless	[NULL]	[NULL]	[NULL]	R	B0JBN5	PH	FIELD	9040_PH	100-NR-2
199-N-32	9/25/1996 9:50	N	PH	pH Measurement	8.14	unitless	[NULL]	[NULL]	[NULL]	R	B0JBN6	PH	FIELD	9040_PH	100-NR-2
199-N-32	9/25/1996 9:50	N	PH	pH Measurement	8.14	unitless	[NULL]	[NULL]	[NULL]	R	B0JBN7	PH	FIELD	9040_PH	100-NR-2
199-N-32	9/25/1996 9:50	N	PH	pH Measurement	8.13	unitless	[NULL]	[NULL]	[NULL]	R	B0JBN8	PH	FIELD	9040_PH	100-NR-2
199-N-32	3/5/1997 13:10	N	ALKALINITY	Alkalinity	75600	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2J9	ALKALINITY	QTESSL	310.1_ALKALINITY	100-NR-2
199-N-32	3/5/1997 13:10	Y	7429-90-5	Aluminum	20.6	ug/L	BC	[NULL]	[NULL]	R	B0K2K3	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/5/1997 13:10	Y	7440-36-0	Antimony	20.2	ug/L	U	[NULL]	[NULL]	R	B0K2K3	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/5/1997 13:10	Y	7440-39-3	Barium	31	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2K3	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/5/1997 13:10	Y	7440-41-7	Beryllium	0.43	ug/L	B	[NULL]	[NULL]	R	B0K2K3	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/5/1997 13:10	N	24959-67-9	Bromide	250	ug/L	U	[NULL]	[NULL]	R	B0K046	24959-67-9	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	3/5/1997 13:10	Y	7440-43-9	Cadmium	3.4	ug/L	U	[NULL]	[NULL]	R	B0K2K3	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/5/1997 13:10	Y	7440-70-2	Calcium	42700	ug/L	EC	Q	[NULL]	R	B0K2K3	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/5/1997 13:10	N	10045-97-3	Cesium-137	0.733	pCi/L	U	[NULL]	[NULL]	R	B0K046	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-32	3/5/1997 13:10	N	16887-00-6	Chloride	1940	ug/L	[NULL]	[NULL]	[NULL]	R	B0K046	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	3/5/1997 13:10	Y	7440-47-3	Chromium	2.7	ug/L	U	[NULL]	[NULL]	R	B0K2K3	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/5/1997 13:10	Y	7440-48-4	Cobalt	2.7	ug/L	U	[NULL]	[NULL]	R	B0K2K3	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/5/1997 13:10	N	13981-38-9	Cobalt-58	-2	pCi/L	U	[NULL]	[NULL]	R	B0K046	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-32	3/5/1997 13:10	N	10198-40-0	Cobalt-60	10.1	pCi/L	J	[NULL]	[NULL]	R	B0K046	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-32	3/5/1997 13:10	Y	7440-50-8	Copper	7.5	ug/L	U	[NULL]	[NULL]	R	B0K2K3	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/5/1997 13:10	N	14683-23-9	Europium-152	-12.8	pCi/L	U	[NULL]	[NULL]	R	B0K046	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-32	3/5/1997 13:10	N	15585-10-1	Europium-154	-10.4	pCi/L	U	[NULL]	[NULL]	R	B0K046	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-32	3/5/1997 13:10	N	14391-16-3	Europium-155	9.23	pCi/L	U	[NULL]	[NULL]	R	B0K046	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-32	3/5/1997 13:10	N	16984-48-8	Fluoride	130	ug/L	[NULL]	[NULL]	[NULL]	R	B0K046	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	3/5/1997 13:10	N	12587-47-2	Gross beta	18.3	pCi/L	[NULL]	[NULL]	[NULL]	R	B0K046	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-32	3/5/1997 13:10	Y	7439-89-6	Iron	72.7	ug/L	C	Q	[NULL]	R	B0K2K3	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/5/1997 13:10	N	14596-12-4	Iron-59	1.55	pCi/L	U	[NULL]	[NULL]	R	B0K046	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-32	3/5/1997 13:10	Y	7439-95-4	Magnesium	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2K3	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/5/1997 13:10	Y	7439-96-5	Manganese	21	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2K3	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/5/1997 13:10	Y	7440-02-0	Nickel	8.7	ug/L	U	[NULL]	[NULL]	R	B0K2K3	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/5/1997 13:10	N	14797-55-8	Nitrate	69100	ug/L	[NULL]	[NULL]	[NULL]	R	B0K046	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	3/5/1997 13:10	N	14797-65-0	Nitrite	65.7	ug/L	U	[NULL]	[NULL]	R	B0K046	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	3/5/1997 13:10	N	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B0K046	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	3/5/1997 13:10	Y	7440-09-7	Potassium	4930	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2K3	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/5/1997 13:10	Y	7440-22-4	Silver	3.6	ug/L	U	[NULL]	[NULL]	R	B0K2K3	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/5/1997 13:10	Y	7440-23-5	Sodium	3990	ug/L	[NULL]	Q	[NULL]	R	B0K2K3	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/5/1997 13:10	N	CONDUCT	Specific Conductance	348	uS/cm	[NULL]	[NULL]	[NULL]	R	B0K2K2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	3/5/1997 13:10	N	CONDUCT	Specific Conductance	350	uS/cm	[NULL]	[NULL]	[NULL]	R	B0K2K1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	3/5/1997 13:10	N	CONDUCT	Specific Conductance	350	uS/cm	[NULL]	[NULL]	[NULL]	R	B0K2K0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	3/5/1997 13:10	N	CONDUCT	Specific Conductance	349	uS/cm	[NULL]	[NULL]	[NULL]	R	B0K2J9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-32	3/5/1997 13:10	Y	7440-24-6	Strontium	269	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2K3	7440-24-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-32	3/5/1997 13:10	N	10098-97-2	Strontium-90	0.5	pCi/L	U	[NULL]	[NULL]	R	B0K046	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-32	3/5/1997 13:10	N	14808-79-8	Sulfate	30400	ug/L	[NULL]	[NULL]	[NULL]	R	B0K046	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-32	3/5/1997 13:10	N	TEMPERATURE	Temperature	19.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0K2K0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	3/5/1997 13:10	N	TEMPERATURE	Temperature	19.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0K2J9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-32	3/5/1997 13:10	N	TEMPERATURE	Temperature	19.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0K2K1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2