SECTION

13 OF 25

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	11/29/1989 0:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	93-76-5	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	95-95-4	2,4,5-Trichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	95-95-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	88-06-2	2,4,6-Trichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	88-06-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	120-83-2	2,4-Dichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	120-83-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	51-28-5	2,4-Dinitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	51-28-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	121-14-2	2,4-Dinitrotoluene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	121-14-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	87-65-0	2,6-Dichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	87-65-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	606-20-2	2,6-Dinitrotoluene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	606-20-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	53-96-3	2-Acetylaminofluorene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	53-96-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	110-75-8	2-Chloroethyl vinyl ether	5	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	110-75-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	91-58-7	2-Chloronaphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	91-58-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	95-57-8	2-Chlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	95-57-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	131-89-5	2-Cyclohexyl-4,6-dinitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	131-89-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	591-78-6	2-Hexanone	50	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	591-78-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	116-06-3	2-Methyl-2-(methylthio)propionaldehyde-o-(methylcarbonyl) ox	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	116-06-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	75-55-8	2-Methylaziridine	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	75-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	75-86-5	2-Methyllactonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	75-86-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	91-57-6	2-Methylnaphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	91-57-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	91-59-8	2-Naphthylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	91-59-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	88-74-4	2-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	88-74-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	88-75-5	2-Nitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	88-75-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	109-06-8	2-Picoline	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	109-06-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	107-19-7	2-Propyn-1-ol	10000	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	107-19-7	USTEST	GC_DIRECT	100-NR-2
199-N-41	11/29/1989 0:00	N	91-94-1	3,3'-Dichlorobenzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	91-94-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	119-90-4	3,3'-Dimethoxybenzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	119-90-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	119-93-7	3,3'-Dimethylbenzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	119-93-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	542-76-7	3-Chloropropionitrile	10000	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	542-76-7	USTEST	GC_DIRECT	100-NR-2
199-N-41	11/29/1989 0:00	N	56-49-5	3-Methylcholanthrene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	56-49-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	99-09-2	3-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	99-09-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	72-54-8	4,4'-DDD (Dichlorodiphenyldichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	72-54-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	72-55-9	4,4'-DDE (Dichlorodiphenyldichloroethylene)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	72-55-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	50-29-3	4,4'-DDT (Dichlorodiphenyltrichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	50-29-3	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	101-14-4	4,4'-Methylenebis(2-chloroaniline)	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	101-14-4	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	11/29/1989 0:00	N	534-52-1	4,6-Dinitro-2-methylphenol	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	534-52-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	92-67-1	4-Aminobiphenyl	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	92-67-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	101-55-3	4-Bromophenylphenyl ether	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	101-55-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	59-50-7	4-Chloro-3-methylphenol	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	59-50-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	106-47-8	4-Chloroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	106-47-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	100-01-6	4-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	100-01-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	100-02-7	4-Nitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	100-02-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	56-57-5	4-Nitroquinoline-1-oxide	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	56-57-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	2763-96-4	5-(Aminomethyl)-3-isoxazolol	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	2763-96-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	99-55-8	5-Nitro-o-toluidine	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	99-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	57-97-6	7,12-Dimethylbenz[a]anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	57-97-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	194-59-2	7H-Dibenzo[c,g]carbazole	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	194-59-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	83-32-9	Acenaphthene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	83-32-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	208-96-8	Acenaphthylene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	208-96-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	67-64-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	67-64-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	75-05-8	Acetonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	75-05-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	98-86-2	Acetophenone	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	98-86-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	107-02-8	Acrolein	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	107-02-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	79-06-1	Acrylamide	10000	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	79-06-1	USTEST	GC_DIRECT	100-NR-2
199-N-41	11/29/1989 0:00	N	107-13-1	Acrylonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	107-13-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	309-00-2	Aldrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	309-00-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	107-18-6	Allyl alcohol	10000	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	107-18-6	USTEST	GC_DIRECT	100-NR-2
199-N-41	11/29/1989 0:00	N	107-05-1	Allyl chloride	100	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	107-05-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	ALPHAHI	Alpha	0.893	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007HZ7	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-41	11/29/1989 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007HZ7F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	N	61-82-5	Amitrole	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	61-82-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-41	11/29/1989 0:00	N	62-53-3	Aniline	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	62-53-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	120-12-7	Anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	120-12-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007HZ7F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	N	140-57-8	Aramite	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	140-57-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	12674-11-2	Aroclor-1016	1	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	12674-11-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	11104-28-2	Aroclor-1221	1	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	11104-28-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	11141-16-5	Aroclor-1232	1	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	11141-16-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	53469-21-9	Aroclor-1242	1	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	53469-21-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	12672-29-6	Aroclor-1248	1	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	12672-29-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	11097-69-1	Aroclor-1254	1	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	11097-69-1	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	11096-82-5	Aroclor-1260	1	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	11096-82-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	7440-38-2	Arsenic	9	ug/L	[NULL]	[NULL]	[NULL]	R	H0007HZ7	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-41	11/29/1989 0:00	N	H37	Arsenic, filtered	7	ug/L	[NULL]	[NULL]	[NULL]	R	H0007HZ7	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-41	11/29/1989 0:00	N	492-80-8	Auramine	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	492-80-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	Y	7440-39-3	Barium	12	ug/L	[NULL]	[NULL]	[NULL]	R	H0007HZ7F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	N	7440-39-3	Barium	13	ug/L	[NULL]	[NULL]	[NULL]	R	H0007HZ7	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	11/29/1989 0:00	N	225-51-4	Benz[c]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	225-51-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	71-43-2	Benzene	5	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	71-43-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	108-98-5	Benzenethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	108-98-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	92-87-5	Benzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	92-87-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	56-55-3	Benzo(a)anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	56-55-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	50-32-8	Benzo(a)pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	50-32-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	205-99-2	Benzo(b)fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	205-99-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	191-24-2	Benzo(ghi)perylene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	191-24-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	207-08-9	Benzo(k)fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	207-08-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	205-82-3	Benzo[j]fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	205-82-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	100-51-6	Benzyl alcohol	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	100-51-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	100-44-7	Benzyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	100-44-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007HZ7F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	N	111-91-1	Bis(2-Chloroethoxy)methane	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	111-91-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	108-60-1	Bis(2-chloro-1-methylethyl)ether	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	108-60-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	111-44-4	Bis(2-chloroethyl) ether	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	111-44-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	117-81-7	Bis(2-ethylhexyl) phthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	117-81-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	542-88-1	Bis(chloromethyl) ether	5	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	542-88-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	7440-42-8	Boron	16	ug/L	[NULL]	[NULL]	[NULL]	R	H0007HZ7	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	Y	7440-42-8	Boron	16	ug/L	[NULL]	[NULL]	[NULL]	R	H0007HZ7F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-41	11/29/1989 0:00	N	598-31-2	Bromoacetone	5	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	598-31-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	75-27-4	Bromodichloromethane	5	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	75-27-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	75-25-2	Bromoform	5	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	75-25-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	74-83-9	Bromomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	74-83-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	85-68-7	Butylbenzylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	85-68-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007HZ7F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	N	7440-70-2	Calcium	17800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007HZ7	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	Y	7440-70-2	Calcium	19000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007HZ7F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	N	75-15-0	Carbon disulfide	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	75-15-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	786-19-6	Carbophenothion	2	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	786-19-6	USTEST	8140_PEST_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	10045-97-3	Cesium-137	-1.39	pCi/L	U	[NULL]	[NULL]	R	H0007HZ7	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-41	11/29/1989 0:00	N	57-74-9	Chlordane	1	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	57-74-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	16887-00-6	Chloride	1600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007HZ7	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-41	11/29/1989 0:00	N	494-03-1	Chlornaphazine	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	494-03-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	B44	Chloroalkyl ethers	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	B44	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	108-90-7	Chlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	108-90-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	108-90-7	Chlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	108-90-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	510-15-6	Chlorobenzilate	300	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	510-15-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	75-00-3	Chloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	75-00-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	67-66-3	Chloroform	5	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	74-87-3	Chloromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	74-87-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	107-30-2	Chloromethyl methyl ether	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	107-30-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	11/29/1989 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	N	218-01-9	Chrysene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	218-01-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	6358-53-8	Citrus red No. 2	1000	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	6358-53-8	USTEST	CITRUS_RED	100-NR-2
199-N-41	11/29/1989 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007HZ7F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	N	10198-40-0	Cobalt-60	6.14	pCi/L	U	[NULL]	[NULL]	R	H0007HZ7	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-41	11/29/1989 0:00	N	COLIFORM	Coliform Bacteria	2.2	MPN	U	[NULL]	[NULL]	R	H0007HZ7	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-41	11/29/1989 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	N	4170-30-3	Crotonaldehyde	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	4170-30-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	57-12-5	Cyanide	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	57-12-5	USTEST	9010_CYANIDE	100-NR-2
199-N-41	11/29/1989 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	84-74-2	Di-n-butylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	84-74-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	117-84-0	Di-n-octylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	117-84-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	2303-16-4	Diallate	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	2303-16-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	226-36-8	Dibenz[a,h]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	226-36-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	53-70-3	Dibenz[a,h]anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	53-70-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	224-42-0	Dibenz[a,j]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	224-42-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	192-65-4	Dibenzo[a,e]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	192-65-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	189-64-0	Dibenzo[a,h]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	189-64-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	189-55-9	Dibenzo[a,i]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	189-55-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	132-64-9	Dibenzofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	132-64-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	124-48-1	Dibromochloromethane	5	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	124-48-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	74-95-3	Dibromomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	74-95-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	107-66-4	Dibutylphosphate	10000	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	107-66-4	USTEST	70-MDBP	100-NR-2
199-N-41	11/29/1989 0:00	N	75-71-8	Dichlorodifluoromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	75-71-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	98-87-3	Dichloromethyl-benzene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	98-87-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	60-57-1	Dieldrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	60-57-1	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	84-66-2	Diethylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	84-66-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	56-53-1	Diethylstilbesterol	200	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	56-53-1	USTEST	8330_THIOUREA_M	100-NR-2
199-N-41	11/29/1989 0:00	N	94-58-6	Dihydrosafrole	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	94-58-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	60-51-5	Dimethoate	2	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	60-51-5	USTEST	8140_PEST_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	131-11-3	Dimethyl phthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	131-11-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	88-85-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	122-39-4	Diphenylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	122-39-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	298-04-4	Disulfoton	2	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	298-04-4	USTEST	8140_PEST_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	959-98-8	Endosulfan I	0.1	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	959-98-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	33213-65-9	Endosulfan II	0.1	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	33213-65-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	1031-07-8	Endosulfan sulfate	0.5	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	1031-07-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	64-17-5	Ethanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	64-17-5	USTEST	GC_DIRECT	100-NR-2
199-N-41	11/29/1989 0:00	N	51-79-6	Ethyl carbamate (Urethane)	10000	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	51-79-6	USTEST	GC_DIRECT	100-NR-2
199-N-41	11/29/1989 0:00	N	107-12-0	Ethyl cyanide	5	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	107-12-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	107-12-0	Ethyl cyanide	10000	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	107-12-0	USTEST	GC_DIRECT	100-NR-2
199-N-41	11/29/1989 0:00	N	97-63-2	Ethyl methacrylate	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	97-63-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	62-50-0	Ethyl methanesulfonate	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	62-50-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	100-41-4	Ethylbenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	100-41-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	107-21-1	Ethylene glycol	10000	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	107-21-1	USTEST	GC_DIRECT	100-NR-2
199-N-41	11/29/1989 0:00	N	75-21-8	Ethylene oxide	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	75-21-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	151-56-4	Ethyleneimine	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	151-56-4	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	11/29/1989 0:00	N	96-45-7	Ethylenethiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	96-45-7	USTEST	8330_THIOUREA_M	100-NR-2
199-N-41	11/29/1989 0:00	N	206-44-0	Fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	206-44-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	86-73-7	Fluorene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	86-73-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	16984-48-8	Fluoride	231	ug/L	[NULL]	[NULL]	[NULL]	R	H0007HZ7	16984-48-8	USTEST	D1179_FLUORIDE	100-NR-2
199-N-41	11/29/1989 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-41	11/29/1989 0:00	N	50-00-0	Formaldehyde	500	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	50-00-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	12587-47-2	Gross beta	11.2	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007HZ7	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-41	11/29/1989 0:00	N	76-44-8	Heptachlor	0.1	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	76-44-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	1024-57-3	Heptachlor epoxide	0.1	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	1024-57-3	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	118-74-1	Hexachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	118-74-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	87-68-3	Hexachlorobutadiene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	87-68-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	77-47-4	Hexachlorocyclopentadiene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	77-47-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	67-72-1	Hexachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	67-72-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	70-30-4	Hexachlorophene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	70-30-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	1888-71-7	Hexachloropropene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	1888-71-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-41	11/29/1989 0:00	N	193-39-5	Indeno(1,2,3-cd)pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	193-39-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	74-88-4	Iodomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	74-88-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	7439-89-6	Iron	1020	ug/L	[NULL]	[NULL]	[NULL]	R	H0007HZ7	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007HZ7F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	N	78-83-1	Isobutyl alcohol	10000	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	78-83-1	USTEST	GC_DIRECT	100-NR-2
199-N-41	11/29/1989 0:00	N	465-73-6	Isodrin	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	465-73-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	78-59-1	Isophorone	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	78-59-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	120-58-1	Isosafrole	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	120-58-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	143-50-0	Kepone	1	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	143-50-0	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-41	11/29/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-41	11/29/1989 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	Y	7439-95-4	Magnesium	4150	ug/L	[NULL]	[NULL]	[NULL]	R	H0007HZ7F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	N	7439-95-4	Magnesium	3960	ug/L	[NULL]	[NULL]	[NULL]	R	H0007HZ7	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	N	123-33-1	Maleic hydrazide	500	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	123-33-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	109-77-3	Malononitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	109-77-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007HZ7F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	N	7439-96-5	Manganese	10	ug/L	[NULL]	[NULL]	[NULL]	R	H0007HZ7	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	N	148-82-3	Melphalan	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	148-82-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-41	11/29/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-41	11/29/1989 0:00	N	126-98-7	Methacrylonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	126-98-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	74-93-1	Methanethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	74-93-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	91-80-5	Methapyrilene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	91-80-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	16752-77-5	Metholonyl	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	16752-77-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	80-62-6	Methyl methacrylate	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	80-62-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	66-27-3	Methyl methanesulfonate	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	66-27-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	298-00-0	Methyl parathion	2	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	298-00-0	USTEST	8140_PEST_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	56-04-2	Methylthiouracil	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	56-04-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	11/29/1989 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007HZ7F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	N	1623-15-0	Monobutyl phosphate	10000	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	1623-15-0	USTEST	70-MDBP	100-NR-2
199-N-41	11/29/1989 0:00	N	91-20-3	Naphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	91-20-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	N	59-67-6	Nicotinic acid	100	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	59-67-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	14797-55-8	Nitrate	1000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007HZ7	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-41	11/29/1989 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-41	11/29/1989 0:00	N	98-95-3	Nitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	98-95-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	930-55-2	Nitrosopyrrolidine	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	930-55-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	126-68-1	O,O,O-Triethyl phosphorothioate	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	126-68-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	297-97-2	O,O-Diethyl O-2-pyrazinyl phosphorothioate	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	297-97-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	123-63-7	Paraldehyde	10000	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	123-63-7	USTEST	GC_DIRECT	100-NR-2
199-N-41	11/29/1989 0:00	N	56-38-2	Parathion	2	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	56-38-2	USTEST	8140_PEST_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	608-93-5	Pentachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	608-93-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	76-01-7	Pentachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	76-01-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	82-68-8	Pentachloronitrobenzene (PCNB)	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	82-68-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	87-86-5	Pentachlorophenol	50	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	87-86-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	14797-73-0	Perchlorate anion	500	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	14797-73-0	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-41	11/29/1989 0:00	N	62-44-2	Phenacetin	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	62-44-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	85-01-8	Phenanthrene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	85-01-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	108-95-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	25265-76-3	Phenylenediamine	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	25265-76-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	298-02-2	Phorate	2	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	298-02-2	USTEST	8140_PEST_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-41	11/29/1989 0:00	N	C31	Phthalic acid esters	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	C31	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	13981-16-3	Plutonium-238	-0.00144	pCi/L	U	[NULL]	[NULL]	R	H0007HZ7	13981-16-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-41	11/29/1989 0:00	N	PU-239/240	Plutonium-239/240	-0.00017	pCi/L	U	[NULL]	[NULL]	R	H0007HZ7	PU-239/240	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-41	11/29/1989 0:00	N	136677-09-3	Polychlorinated dibenzo-p-dioxins	0.01	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	136677-09-3	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	136677-10-6	Polychlorinated dibenzofurans	0.01	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	136677-10-6	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	7440-09-7	Potassium	2710	ug/L	[NULL]	[NULL]	[NULL]	R	H0007HZ7	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	Y	7440-09-7	Potassium	2740	ug/L	[NULL]	[NULL]	[NULL]	R	H0007HZ7F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	N	23950-58-5	Pronamide	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	23950-58-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	129-00-0	Pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	129-00-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	110-86-1	Pyridine	500	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	110-86-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	7440-14-4	Radium	0.0817	pCi/L	U	[NULL]	[NULL]	R	H0007HZ7	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-41	11/29/1989 0:00	N	50-55-5	Reserpine	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	50-55-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	108-46-3	Resorcinol	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	108-46-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	13967-48-1	Ruthenium-106	-10.6	pCi/L	U	[NULL]	[NULL]	R	H0007HZ7	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-41	11/29/1989 0:00	N	94-59-7	Safrol	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	94-59-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-41	11/29/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-41	11/29/1989 0:00	N	7440-21-3	Silicon	11900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007HZ7	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	Y	7440-21-3	Silicon	12400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007HZ7F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	11/29/1989 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	N	7440-23-5	Sodium	4660	ug/L	[NULL]	[NULL]	[NULL]	R	H0007HZ7	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	Y	7440-23-5	Sodium	4750	ug/L	[NULL]	[NULL]	[NULL]	R	H0007HZ7F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	N	CONDUCT	Specific Conductance	175	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007HZ7	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-41	11/29/1989 0:00	N	CONDUCT	Specific Conductance	155	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007HZ7	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-41	11/29/1989 0:00	N	CONDUCT	Specific Conductance	175	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007HZ8	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-41	11/29/1989 0:00	N	CONDUCT	Specific Conductance	174	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J00	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-41	11/29/1989 0:00	N	CONDUCT	Specific Conductance	176	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007HZ9	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-41	11/29/1989 0:00	N	7440-24-6	Strontium	100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007HZ7	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	Y	7440-24-6	Strontium	105	ug/L	[NULL]	[NULL]	[NULL]	R	H0007HZ7F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	N	10098-97-2	Strontium-90	0.0627	pCi/L	U	[NULL]	[NULL]	R	H0007HZ7	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-41	11/29/1989 0:00	N	57-24-9	Strychnine	50	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	57-24-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	100-42-5	Styrene	5	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	100-42-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	14808-79-8	Sulfate	12100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007HZ7	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-41	11/29/1989 0:00	N	18496-25-8	Sulfide	1000	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	18496-25-8	USTEST	9030_SULFIDE	100-NR-2
199-N-41	11/29/1989 0:00	N	TEMPERATURE	Temperature	20.7	Deg C	[NULL]	[NULL]	[NULL]	R	H000GPK2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	11/29/1989 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	107-49-3	Tetraethylpyrophosphate	2	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	107-49-3	USTEST	8140_PEST_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	109-99-9	Tetrahydrofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	109-99-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	7440-28-0	USTEST	UNKNOWN_METALS	100-NR-2
199-N-41	11/29/1989 0:00	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	7440-28-0	USTEST	7841_TL_GFAA	100-NR-2
199-N-41	11/29/1989 0:00	N	39196-18-4	Thiofanox	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	39196-18-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	62-56-6	Thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	62-56-6	USTEST	8330_THIOUREA_M	100-NR-2
199-N-41	11/29/1989 0:00	N	137-26-8	Thiuram	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	137-26-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007HZ7F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007HZ7F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	N	108-88-3	Toluene	5	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	108-88-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	25376-45-8	Toluenediamine	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	25376-45-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	TC	Total carbon	15100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007HZ7	TC	USTEST	D2579A_CARBON	100-NR-2
199-N-41	11/29/1989 0:00	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	1319-77-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	TDS	Total dissolved solids	8.4E+07	ug/L	[NULL]	[NULL]	[NULL]	R	H0007HZ7	TDS	USTEST	209B_TDS	100-NR-2
199-N-41	11/29/1989 0:00	N	TOC	Total organic carbon	600	ug/L	U	[NULL]	[NULL]	R	H0007J00	TOC	USTEST	9060_TOC	100-NR-2
199-N-41	11/29/1989 0:00	N	TOC	Total organic carbon	600	ug/L	U	[NULL]	[NULL]	R	H0007HZ9	TOC	USTEST	9060_TOC	100-NR-2
199-N-41	11/29/1989 0:00	N	TOC	Total organic carbon	600	ug/L	U	[NULL]	[NULL]	R	H0007HZ8	TOC	USTEST	9060_TOC	100-NR-2
199-N-41	11/29/1989 0:00	N	TOC	Total organic carbon	600	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	TOC	USTEST	9060_TOC	100-NR-2
199-N-41	11/29/1989 0:00	N	59473-04-0	Total organic halides	3	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-41	11/29/1989 0:00	N	59473-04-0	Total organic halides	4	ug/L	U	[NULL]	[NULL]	R	H0007HZ8	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-41	11/29/1989 0:00	N	59473-04-0	Total organic halides	6	ug/L	U	[NULL]	[NULL]	R	H0007J00	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-41	11/29/1989 0:00	N	59473-04-0	Total organic halides	16	ug/L	[NULL]	[NULL]	[NULL]	R	H0007HZ9	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-41	11/29/1989 0:00	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	10000	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	TPHKEROSENE	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	126-73-8	Tributyl phosphate	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	126-73-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	75-70-7	Trichloromethanethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	75-70-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	75-69-4	Trichloromonofluoromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	75-69-4	USTEST	8240_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	11/29/1989 0:00	N	126-72-7	Tris(2,3-dibromopropyl) phosphate	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	126-72-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	10028-17-8	Tritium	7650	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007HZ7	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-41	11/29/1989 0:00	N	TURBIDITY	Turbidity	1.7	NTU	[NULL]	[NULL]	[NULL]	R	H0007HZ7	TURBIDITY	USTEST	214A_TURBIDITY	100-NR-2
199-N-41	11/29/1989 0:00	N	7440-61-1	Uranium	0.599	ug/L	[NULL]	[NULL]	[NULL]	R	H0007HZ7	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-41	11/29/1989 0:00	N	7440-62-2	Vanadium	32	ug/L	[NULL]	[NULL]	[NULL]	R	H0007HZ7	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	Y	7440-62-2	Vanadium	29	ug/L	[NULL]	[NULL]	[NULL]	R	H0007HZ7F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	N	108-05-4	Vinyl acetate	5	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	108-05-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	75-01-4	Vinyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	75-01-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	81-81-2	Warfarin	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	81-81-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	7440-66-6	Zinc	50	ug/L	[NULL]	[NULL]	[NULL]	R	H0007HZ7	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007HZ7F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007HZ7F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	11/29/1989 0:00	N	122-09-8	alpha,alpha-Dimethylphenethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	122-09-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-41	11/29/1989 0:00	N	99-65-0	m-Dinitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	99-65-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	616-40-0	n,n-Diethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	616-40-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	615-53-2	n-Nitroso-N-methylurethane	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	615-53-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	924-16-3	n-Nitrosodi-n-butylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	924-16-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	621-64-7	n-Nitrosodi-n-dipropylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	621-64-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	1116-54-7	n-Nitrosodiethanolamine	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	1116-54-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	55-18-5	n-Nitrosodiethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	55-18-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	62-75-9	n-Nitrosodimethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	62-75-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	86-30-6	n-Nitrosodiphenylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	86-30-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	10595-95-6	n-Nitrosomethylethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	10595-95-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	4549-40-0	n-Nitrosomethylvinylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	4549-40-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	59-89-2	n-Nitrosomorpholine	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	59-89-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	16543-55-8	n-Nitrosonornicotine	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	16543-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	100-75-4	n-Nitrosopiperidine	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	100-75-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	103-85-5	n-Phenylthiourea	500	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	103-85-5	USTEST	8330_THIOUREA_M	100-NR-2
199-N-41	11/29/1989 0:00	N	107-10-8	n-Propylamine	10000	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	107-10-8	USTEST	GC_DIRECT	100-NR-2
199-N-41	11/29/1989 0:00	N	636-21-5	o-Toluidine hydrochloride	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	636-21-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	106-51-4	p-Benzoquinone	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	106-51-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	60-11-7	p-Dimethylaminoazobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	60-11-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	PH	pH Measurement	8.11	unitless	[NULL]	[NULL]	[NULL]	R	H0007HZ8	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-41	11/29/1989 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007HZ7	PH	USTEST	9040_PH	100-NR-2
199-N-41	11/29/1989 0:00	N	PH	pH Measurement	8.13	unitless	[NULL]	[NULL]	[NULL]	R	H0007J00	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-41	11/29/1989 0:00	N	PH	pH Measurement	8.12	unitless	[NULL]	[NULL]	[NULL]	R	H0007HZ9	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-41	11/29/1989 0:00	N	PH	pH Measurement	8.12	unitless	[NULL]	[NULL]	[NULL]	R	H0007HZ7	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-41	11/29/1989 0:00	N	99-35-4	sym-Trinitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	99-35-4	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	11/29/1989 0:00	N	156-60-5	trans-1,2-Dichloroethylene	5	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	156-60-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	11/29/1989 0:00	N	110-57-6	trans-1,4-Dichloro-2-butene	10	ug/L	U	[NULL]	[NULL]	R	H0007HZ7	110-57-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	2/5/1990 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007J01	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	2/5/1990 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J01	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	2/5/1990 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J01	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	2/5/1990 0:00	N	75-34-3	1,1-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J01	75-34-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	2/5/1990 0:00	N	107-06-2	1,2-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J01	107-06-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	2/5/1990 0:00	N	106-46-7	1,4-Dichlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007J01	106-46-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	2/5/1990 0:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007J01	93-76-5	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-41	2/5/1990 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007J01	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-41	2/5/1990 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007J01	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-41	2/5/1990 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007J01	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	2/5/1990 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007J01	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	2/5/1990 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007J01	67-64-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	2/5/1990 0:00	N	ALPHAHI	Alpha	0.155	pCi/L	U	[NULL]	[NULL]	R	H0007J01	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-41	2/5/1990 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J01	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-41	2/5/1990 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007J01F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007J01	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007J01	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-41	2/5/1990 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007J01	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007J01F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	N	7440-38-2	Arsenic	8	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J01	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-41	2/5/1990 0:00	N	H37	Arsenic, filtered	7	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J01	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-41	2/5/1990 0:00	N	7440-39-3	Barium	14	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J01	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	Y	7440-39-3	Barium	13	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J01F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	N	71-43-2	Benzene	5	ug/L	U	[NULL]	[NULL]	R	H0007J01	71-43-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	2/5/1990 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007J01F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007J01	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	Y	7440-42-8	Boron	15	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J01F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	N	7440-42-8	Boron	25	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J01	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007J01	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-41	2/5/1990 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007J01F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	N	7440-43-9	Cadmium	3	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J01	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	Y	7440-70-2	Calcium	19400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J01F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	N	7440-70-2	Calcium	19100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J01	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007J01	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	2/5/1990 0:00	N	10045-97-3	Cesium-137	-1.74	pCi/L	U	[NULL]	[NULL]	R	H0007J01	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-41	2/5/1990 0:00	N	16887-00-6	Chloride	1800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J01	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-41	2/5/1990 0:00	N	67-66-3	Chloroform	3	ug/L	U	[NULL]	[NULL]	R	H0007J01	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	2/5/1990 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007J01F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007J01	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007J01	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007J01F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	N	10198-40-0	Cobalt-60	10.6	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J01	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-41	2/5/1990 0:00	N	COLIFORM	Coliform Bacteria	2.2	MPN	U	[NULL]	[NULL]	R	H0007J01	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-41	2/5/1990 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007J01F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007J01	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	2/5/1990 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J01	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-41	2/5/1990 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J01	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-41	2/5/1990 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007J01	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-41	2/5/1990 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J01	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-41	2/5/1990 0:00	N	12587-47-2	Gross beta	12.2	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J01	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-41	2/5/1990 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007J01	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-41	2/5/1990 0:00	N	7439-89-6	Iron	519	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J01	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007J01F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007J01	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-41	2/5/1990 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007J01	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-41	2/5/1990 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007J01F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007J01	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	Y	7439-95-4	Magnesium	4160	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J01F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	N	7439-95-4	Magnesium	4270	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J01	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007J01F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	N	7439-96-5	Manganese	9	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J01	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J01	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-41	2/5/1990 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J01	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-41	2/5/1990 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007J01	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-41	2/5/1990 0:00	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	H0007J01	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	2/5/1990 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007J01	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007J01F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007J01F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007J01	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	N	14797-55-8	Nitrate	1400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J01	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-41	2/5/1990 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007J01	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-41	2/5/1990 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J01	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/5/1990 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007J01	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-41	2/5/1990 0:00	N	7440-09-7	Potassium	2750	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J01	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	Y	7440-09-7	Potassium	2680	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J01F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	N	7440-14-4	Radium	-0.0775	pCi/L	U	[NULL]	[NULL]	R	H0007J01	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-41	2/5/1990 0:00	N	13967-48-1	Ruthenium-106	-33.6	pCi/L	U	[NULL]	[NULL]	R	H0007J01	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-41	2/5/1990 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007J01	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-41	2/5/1990 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007J01	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-41	2/5/1990 0:00	N	7440-21-3	Silicon	12400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J01	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	Y	7440-21-3	Silicon	12200	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J01F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007J01	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007J01F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	N	7440-23-5	Sodium	4910	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J01	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	Y	7440-23-5	Sodium	4570	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J01F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	N	CONDUCT	Specific Conductance	153	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J02	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-41	2/5/1990 0:00	N	CONDUCT	Specific Conductance	153	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J03	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-41	2/5/1990 0:00	N	CONDUCT	Specific Conductance	154	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J04	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-41	2/5/1990 0:00	N	CONDUCT	Specific Conductance	158	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J02	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-41	2/5/1990 0:00	N	CONDUCT	Specific Conductance	157	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J04	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-41	2/5/1990 0:00	N	CONDUCT	Specific Conductance	157	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J01	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-41	2/5/1990 0:00	N	CONDUCT	Specific Conductance	158	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J03	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-41	2/5/1990 0:00	N	CONDUCT	Specific Conductance	153	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J01	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-41	2/5/1990 0:00	Y	7440-24-6	Strontium	106	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J01F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	N	7440-24-6	Strontium	113	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J01	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	N	10098-97-2	Strontium-90	-0.0798	pCi/L	U	[NULL]	[NULL]	R	H0007J01	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-41	2/5/1990 0:00	N	14808-79-8	Sulfate	12400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J01	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-41	2/5/1990 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007J01	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	2/5/1990 0:00	N	109-99-9	Tetrahydrofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007J01	109-99-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	2/5/1990 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007J01F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	2/5/1990 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007J01	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007J01F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007J01	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	N	108-88-3	Toluene	5	ug/L	U	[NULL]	[NULL]	R	H0007J01	108-88-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	2/5/1990 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007J01	TOC	USTEST	9060_TOC	100-NR-2
199-N-41	2/5/1990 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007J04	TOC	USTEST	9060_TOC	100-NR-2
199-N-41	2/5/1990 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007J03	TOC	USTEST	9060_TOC	100-NR-2
199-N-41	2/5/1990 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007J02	TOC	USTEST	9060_TOC	100-NR-2
199-N-41	2/5/1990 0:00	N	59473-04-0	Total organic halides	9	ug/L	U	[NULL]	[NULL]	R	H0007J02	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-41	2/5/1990 0:00	N	59473-04-0	Total organic halides	4	ug/L	U	[NULL]	[NULL]	R	H0007J03	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-41	2/5/1990 0:00	N	59473-04-0	Total organic halides	3	ug/L	U	[NULL]	[NULL]	R	H0007J04	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-41	2/5/1990 0:00	N	59473-04-0	Total organic halides	9	ug/L	U	[NULL]	[NULL]	R	H0007J01	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-41	2/5/1990 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007J01	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-41	2/5/1990 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007J01	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	2/5/1990 0:00	N	10028-17-8	Tritium	8380	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J01	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-41	2/5/1990 0:00	N	TURBIDITY	Turbidity	2.4	NTU	[NULL]	[NULL]	[NULL]	R	H0007J01	TURBIDITY	USTEST	214A_TURBIDITY	100-NR-2
199-N-41	2/5/1990 0:00	N	7440-61-1	Uranium	0.455	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J01	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-41	2/5/1990 0:00	N	7440-62-2	Vanadium	25	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J01	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	Y	7440-62-2	Vanadium	25	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J01F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	N	75-01-4	Vinyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007J01	75-01-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	2/5/1990 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007J01	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	2/5/1990 0:00	Y	7440-66-6	Zinc	7	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J01F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	N	7440-66-6	Zinc	31	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J01	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007J01F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007J01	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-41	2/5/1990 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J01	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-41	2/5/1990 0:00	N	PH	pH Measurement	8.48	unitless	[NULL]	[NULL]	[NULL]	R	H0007J04	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-41	2/5/1990 0:00	N	PH	pH Measurement	8.51	unitless	[NULL]	[NULL]	[NULL]	R	H0007J03	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-41	2/5/1990 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007J03	PH	USTEST	9040_PH	100-NR-2
199-N-41	2/5/1990 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007J02	PH	USTEST	9040_PH	100-NR-2
199-N-41	2/5/1990 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007J04	PH	USTEST	9040_PH	100-NR-2
199-N-41	2/5/1990 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007J01	PH	USTEST	9040_PH	100-NR-2
199-N-41	2/5/1990 0:00	N	PH	pH Measurement	8.45	unitless	[NULL]	[NULL]	[NULL]	R	H0007J01	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-41	2/5/1990 0:00	N	PH	pH Measurement	8.52	unitless	[NULL]	[NULL]	[NULL]	R	H0007J02	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-41	2/5/1990 0:00	N	156-60-5	trans-1,2-Dichloroethylene	5	ug/L	U	[NULL]	[NULL]	R	H0007J01	156-60-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-41	2/5/1990 11:16	N	TEMPERATURE	Temperature	21.7	Deg C	[NULL]	[NULL]	[NULL]	R	H000GQ35	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	8/30/1991 10:40	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B00L17	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/30/1991 10:40	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B00L17F	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/30/1991 10:40	N	14234-35-6	Antimony-125	7.26	pCi/L	[NULL]	[NULL]	[NULL]	R	B00L17	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-41	8/30/1991 10:40	Y	7440-39-3	Barium	20	ug/L	U	[NULL]	[NULL]	R	B00L17F	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/30/1991 10:40	N	7440-39-3	Barium	20	ug/L	U	[NULL]	[NULL]	R	B00L17	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/30/1991 10:40	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B00L17F	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/30/1991 10:40	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B00L17	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/30/1991 10:40	N	13966-02-4	Beryllium-7	-1.49	pCi/L	U	[NULL]	[NULL]	R	B00L17	13966-02-4	ITASRL	GAMMA_GS	100-NR-2
199-N-41	8/30/1991 10:40	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B00L17	24959-67-9	ITASSJ	D4327_ANIONS_IC	100-NR-2
199-N-41	8/30/1991 10:40	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B00L17F	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/30/1991 10:40	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B00L17	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/30/1991 10:40	Y	7440-70-2	Calcium	22000	ug/L	[NULL]	[NULL]	[NULL]	R	B00L17F	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/30/1991 10:40	N	7440-70-2	Calcium	22000	ug/L	[NULL]	[NULL]	[NULL]	R	B00L17	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/30/1991 10:40	N	CE/PR-144	Cerium/Praseodymium-144	11.9	pCi/L	[NULL]	[NULL]	[NULL]	R	B00L17	CE/PR-144	ITASRL	GAMMA_GS	100-NR-2
199-N-41	8/30/1991 10:40	N	13967-70-9	Cesium-134	-0.461	pCi/L	U	[NULL]	[NULL]	R	B00L17	13967-70-9	ITASRL	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	8/30/1991 10:40	N	10045-97-3	Cesium-137	-2.11	pCi/L	U	[NULL]	[NULL]	R	B00L17	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-41	8/30/1991 10:40	N	16887-00-6	Chloride	1600	ug/L	[NULL]	[NULL]	[NULL]	R	B00L17	16887-00-6	ITASSJ	D4327_ANIONS_IC	100-NR-2
199-N-41	8/30/1991 10:40	N	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B00L17	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/30/1991 10:40	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B00L17F	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/30/1991 10:40	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B00L17	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/30/1991 10:40	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B00L17F	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/30/1991 10:40	N	10198-40-0	Cobalt-60	-2.35	pCi/L	U	[NULL]	[NULL]	R	B00L17	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-41	8/30/1991 10:40	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B00L17	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/30/1991 10:40	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B00L17F	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/30/1991 10:40	N	15585-10-1	Europium-154	-14.5	pCi/L	U	[NULL]	[NULL]	R	B00L17	15585-10-1	ITASRL	GAMMA_GS	100-NR-2
199-N-41	8/30/1991 10:40	N	14391-16-3	Europium-155	3.35	pCi/L	[NULL]	[NULL]	[NULL]	R	B00L17	14391-16-3	ITASRL	GAMMA_GS	100-NR-2
199-N-41	8/30/1991 10:40	N	16984-48-8	Fluoride	350	ug/L	[NULL]	[NULL]	[NULL]	R	B00L17	16984-48-8	ITASSJ	D4327_ANIONS_IC	100-NR-2
199-N-41	8/30/1991 10:40	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B00L17	302-01-2	ITASSJ	D1385_HYDRAZINE	100-NR-2
199-N-41	8/30/1991 10:40	Y	7439-89-6	Iron	62	ug/L	[NULL]	[NULL]	[NULL]	R	B00L17F	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/30/1991 10:40	N	7439-89-6	Iron	1000	ug/L	[NULL]	[NULL]	[NULL]	R	B00L17	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/30/1991 10:40	N	7439-95-4	Magnesium	4700	ug/L	[NULL]	[NULL]	[NULL]	R	B00L17	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/30/1991 10:40	Y	7439-95-4	Magnesium	4700	ug/L	[NULL]	[NULL]	[NULL]	R	B00L17F	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/30/1991 10:40	N	7439-96-5	Manganese	14	ug/L	[NULL]	[NULL]	[NULL]	R	B00L17	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/30/1991 10:40	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B00L17F	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/30/1991 10:40	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B00L17	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/30/1991 10:40	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B00L17F	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/30/1991 10:40	N	14797-55-8	Nitrate	6600	ug/L	[NULL]	[NULL]	[NULL]	R	B00L17	14797-55-8	PNL2	300.0_ANIONS_IC	100-NR-2
199-N-41	8/30/1991 10:40	N	108-95-2	Phenol	20	ug/L	U	[NULL]	[NULL]	R	B00L17	108-95-2	ITASSJ	8040_PHENOLIC_GC	100-NR-2
199-N-41	8/30/1991 10:40	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B00L17	14265-44-2	ITASSJ	D4327_ANIONS_IC	100-NR-2
199-N-41	8/30/1991 10:40	N	7440-09-7	Potassium	3100	ug/L	[NULL]	Q	[NULL]	R	B00L17	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/30/1991 10:40	Y	7440-09-7	Potassium	2900	ug/L	[NULL]	Q	[NULL]	R	B00L17F	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/30/1991 10:40	N	13966-00-2	Potassium-40	60.6	pCi/L	[NULL]	R	[NULL]	R	B00L17	13966-00-2	ITASRL	GAMMA_GS	100-NR-2
199-N-41	8/30/1991 10:40	N	13967-48-1	Ruthenium-106	11	pCi/L	[NULL]	[NULL]	[NULL]	R	B00L17	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-41	8/30/1991 10:40	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B00L17	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/30/1991 10:40	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B00L17F	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/30/1991 10:40	Y	7440-23-5	Sodium	4200	ug/L	[NULL]	[NULL]	[NULL]	R	B00L17F	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/30/1991 10:40	N	7440-23-5	Sodium	4400	ug/L	[NULL]	[NULL]	[NULL]	R	B00L17	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/30/1991 10:40	N	10098-97-2	Strontium-90	-0.0482	pCi/L	U	[NULL]	[NULL]	R	B00L17	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-41	8/30/1991 10:40	N	14808-79-8	Sulfate	11000	ug/L	[NULL]	[NULL]	[NULL]	R	B00L17	14808-79-8	ITASSJ	D4327_ANIONS_IC	100-NR-2
199-N-41	8/30/1991 10:40	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B00L17F	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/30/1991 10:40	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B00L17	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/30/1991 10:40	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B00L18	TOC	ITASSJ	9060_TOC	100-NR-2
199-N-41	8/30/1991 10:40	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B00L20	TOC	ITASSJ	9060_TOC	100-NR-2
199-N-41	8/30/1991 10:40	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B00L17	TOC	ITASSJ	9060_TOC	100-NR-2
199-N-41	8/30/1991 10:40	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B00L19	TOC	ITASSJ	9060_TOC	100-NR-2
199-N-41	8/30/1991 10:40	N	59473-04-0	Total organic halides	10	ug/L	U	[NULL]	[NULL]	R	B00L19	59473-04-0	ITASSJ	9020_TOX	100-NR-2
199-N-41	8/30/1991 10:40	N	59473-04-0	Total organic halides	10	ug/L	U	[NULL]	[NULL]	R	B00L18	59473-04-0	ITASSJ	9020_TOX	100-NR-2
199-N-41	8/30/1991 10:40	N	59473-04-0	Total organic halides	10	ug/L	U	[NULL]	[NULL]	R	B00L20	59473-04-0	ITASSJ	9020_TOX	100-NR-2
199-N-41	8/30/1991 10:40	N	59473-04-0	Total organic halides	10	ug/L	U	[NULL]	[NULL]	R	B00L17	59473-04-0	ITASSJ	9020_TOX	100-NR-2
199-N-41	8/30/1991 10:40	N	10028-17-8	Tritium	34300	pCi/L	[NULL]	[NULL]	[NULL]	R	B00L17	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-41	8/30/1991 10:40	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B00L17	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/30/1991 10:40	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B00L17F	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/30/1991 10:40	N	7440-66-6	Zinc	17	ug/L	[NULL]	[NULL]	[NULL]	R	B00L17	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/30/1991 10:40	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B00L17F	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/30/1991 10:40	N	13982-39-3	Zinc-65	-5.39	pCi/L	U	[NULL]	[NULL]	R	B00L17	13982-39-3	ITASRL	GAMMA_GS	100-NR-2
199-N-41	8/30/1991 10:40	N	ZR/NB-95	Zirconium/Niobium-95	-5.62	pCi/L	U	[NULL]	[NULL]	R	B00L17	ZR/NB-95	ITASRL	GAMMA_GS	100-NR-2
199-N-41	8/30/1991 10:40	N	PH	pH Measurement	7.67	unitless	[NULL]	[NULL]	[NULL]	R	B00L20	PH	FIELD	9040_PH	100-NR-2
199-N-41	8/30/1991 10:40	N	PH	pH Measurement	7.66	unitless	[NULL]	[NULL]	[NULL]	R	B00L19	PH	FIELD	9040_PH	100-NR-2
199-N-41	8/30/1991 10:40	N	PH	pH Measurement	7.65	unitless	[NULL]	[NULL]	[NULL]	R	B00L18	PH	FIELD	9040_PH	100-NR-2
199-N-41	8/30/1991 10:40	N	PH	pH Measurement	7.63	unitless	[NULL]	[NULL]	[NULL]	R	B00L17	PH	FIELD	9040_PH	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	9/25/1991 10:45	N	16887-00-6	Chloride	1510	ug/L	[NULL]	[NULL]	[NULL]	R	B00K11	16887-00-6	PNL1	ANIONS_IC	100-NR-2
199-N-41	9/25/1991 10:45	N	16984-48-8	Fluoride	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B00K11	16984-48-8	PNL1	ANIONS_IC	100-NR-2
199-N-41	9/25/1991 10:45	N	14797-55-8	Nitrate	6770	ug/L	[NULL]	[NULL]	[NULL]	R	B00K11	14797-55-8	PNL1	ANIONS_IC	100-NR-2
199-N-41	9/25/1991 10:45	N	14265-44-2	Phosphate	244	ug/L	[NULL]	[NULL]	[NULL]	R	B00K11	14265-44-2	PNL1	ANIONS_IC	100-NR-2
199-N-41	9/25/1991 10:45	N	CONDUCT	Specific Conductance	180	uS/cm	[NULL]	[NULL]	[NULL]	R	B00K11	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/25/1991 10:45	N	14808-79-8	Sulfate	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B00K11	14808-79-8	PNL1	ANIONS_IC	100-NR-2
199-N-41	9/25/1991 10:45	N	TEMPERATURE	Temperature	21.1	Deg C	[NULL]	[NULL]	[NULL]	R	B00K11	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/25/1991 10:45	N	PH	pH Measurement	7.99	unitless	[NULL]	[NULL]	[NULL]	R	B00K11	PH	FIELD	9040_PH	100-NR-2
199-N-41	8/4/1992 8:00	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07439	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	8/4/1992 8:00	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07439	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	8/4/1992 8:00	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B07439	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	8/4/1992 8:00	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B07439	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	8/4/1992 8:00	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07439	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	8/4/1992 8:00	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07439	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	8/4/1992 8:00	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B07439	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	8/4/1992 8:00	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B07439	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	8/4/1992 8:00	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B07439	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	8/4/1992 8:00	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B07439	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	8/4/1992 8:00	N	14798-03-9	Ammonium ion	100	ug/L	[NULL]	[NULL]	[NULL]	R	B07439	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-41	8/4/1992 8:00	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B07443	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/4/1992 8:00	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B07439	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/4/1992 8:00	N	14234-35-6	Antimony-125	-1.65	pCi/L	U	[NULL]	[NULL]	R	B07439	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-41	8/4/1992 8:00	Y	7440-38-2	Arsenic	7.3	ug/L	[NULL]	[NULL]	[NULL]	R	B07443	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-41	8/4/1992 8:00	N	7440-38-2	Arsenic	7.2	ug/L	[NULL]	[NULL]	[NULL]	R	B07439	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-41	8/4/1992 8:00	Y	7440-39-3	Barium	20	ug/L	U	[NULL]	[NULL]	R	B07443	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/4/1992 8:00	N	7440-39-3	Barium	20	ug/L	U	[NULL]	[NULL]	R	B07439	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/4/1992 8:00	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B07443	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/4/1992 8:00	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B07439	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/4/1992 8:00	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B07439	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	8/4/1992 8:00	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B07439	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/4/1992 8:00	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B07443	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/4/1992 8:00	Y	7440-70-2	Calcium	22000	ug/L	[NULL]	[NULL]	[NULL]	R	B07443	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/4/1992 8:00	N	7440-70-2	Calcium	22000	ug/L	[NULL]	[NULL]	[NULL]	R	B07439	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/4/1992 8:00	N	10045-97-3	Cesium-137	-1.28	pCi/L	U	[NULL]	[NULL]	R	B07439	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-41	8/4/1992 8:00	N	16887-00-6	Chloride	1600	ug/L	[NULL]	[NULL]	[NULL]	R	B07439	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	8/4/1992 8:00	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B07443	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/4/1992 8:00	N	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B07439	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/4/1992 8:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B07443	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/4/1992 8:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B07439	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/4/1992 8:00	N	10198-40-0	Cobalt-60	9.09	pCi/L	[NULL]	[NULL]	[NULL]	R	B07439	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-41	8/4/1992 8:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B07439	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-41	8/4/1992 8:00	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B07439	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/4/1992 8:00	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B07443	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/4/1992 8:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B07439	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	8/4/1992 8:00	N	16984-48-8	Fluoride	100	ug/L	[NULL]	[NULL]	[NULL]	R	B07439	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	8/4/1992 8:00	N	12587-46-1	Gross alpha	1.05	pCi/L	[NULL]	[NULL]	[NULL]	R	B07439	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-41	8/4/1992 8:00	N	12587-47-2	Gross beta	8.49	pCi/L	[NULL]	[NULL]	[NULL]	R	B07439	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-41	8/4/1992 8:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B07439	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-41	8/4/1992 8:00	Y	7439-89-6	Iron	29	ug/L	[NULL]	[NULL]	[NULL]	R	B07443	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/4/1992 8:00	N	7439-89-6	Iron	560	ug/L	[NULL]	[NULL]	[NULL]	R	B07439	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/4/1992 8:00	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B07443	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-41	8/4/1992 8:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B07439	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	8/4/1992 8:00	N	7439-95-4	Magnesium	4900	ug/L	[NULL]	[NULL]	[NULL]	R	B07439	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/4/1992 8:00	Y	7439-95-4	Magnesium	5000	ug/L	[NULL]	[NULL]	[NULL]	R	B07443	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/4/1992 8:00	N	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B07439	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/4/1992 8:00	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B07443	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/4/1992 8:00	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B07443	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-41	8/4/1992 8:00	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B07439	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-41	8/4/1992 8:00	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B07443	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/4/1992 8:00	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B07439	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/4/1992 8:00	N	14797-55-8	Nitrate	9500	ug/L	[NULL]	[NULL]	[NULL]	R	B07439	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	8/4/1992 8:00	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B07439	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	8/4/1992 8:00	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B07439	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	8/4/1992 8:00	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B07439	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	8/4/1992 8:00	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B07439	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	8/4/1992 8:00	Y	7440-09-7	Potassium	2700	ug/L	[NULL]	[NULL]	[NULL]	R	B07443	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/4/1992 8:00	N	7440-09-7	Potassium	2700	ug/L	[NULL]	[NULL]	[NULL]	R	B07439	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/4/1992 8:00	N	7440-14-4	Radium	-0.00872	pCi/L	U	[NULL]	[NULL]	R	B07439	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-41	8/4/1992 8:00	N	13967-48-1	Ruthenium-106	43.2	pCi/L	[NULL]	[NULL]	[NULL]	R	B07439	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-41	8/4/1992 8:00	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B07439	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-41	8/4/1992 8:00	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B07443	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-41	8/4/1992 8:00	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B07443	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/4/1992 8:00	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B07439	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/4/1992 8:00	N	7440-23-5	Sodium	3900	ug/L	[NULL]	[NULL]	[NULL]	R	B07439	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/4/1992 8:00	Y	7440-23-5	Sodium	4000	ug/L	[NULL]	[NULL]	[NULL]	R	B07443	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/4/1992 8:00	N	CONDUCT	Specific Conductance	165	uS/cm	[NULL]	[NULL]	[NULL]	R	B07442	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	8/4/1992 8:00	N	CONDUCT	Specific Conductance	167	uS/cm	[NULL]	[NULL]	[NULL]	R	B07440	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	8/4/1992 8:00	N	CONDUCT	Specific Conductance	167	uS/cm	[NULL]	[NULL]	[NULL]	R	B07439	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	8/4/1992 8:00	N	CONDUCT	Specific Conductance	166	uS/cm	[NULL]	[NULL]	[NULL]	R	B07441	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	8/4/1992 8:00	N	10098-97-2	Strontium-90	-0.403	pCi/L	U	[NULL]	[NULL]	R	B07439	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-41	8/4/1992 8:00	N	14808-79-8	Sulfate	14000	ug/L	[NULL]	[NULL]	[NULL]	R	B07439	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	8/4/1992 8:00	N	TEMPERATURE	Temperature	20.8	Deg C	[NULL]	[NULL]	[NULL]	R	B07442	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	8/4/1992 8:00	N	TEMPERATURE	Temperature	20.8	Deg C	[NULL]	[NULL]	[NULL]	R	B07439	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	8/4/1992 8:00	N	TEMPERATURE	Temperature	20.8	Deg C	[NULL]	[NULL]	[NULL]	R	B07440	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	8/4/1992 8:00	N	TEMPERATURE	Temperature	20.8	Deg C	[NULL]	[NULL]	[NULL]	R	B07441	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	8/4/1992 8:00	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B07439	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	8/4/1992 8:00	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B07443	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/4/1992 8:00	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B07439	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/4/1992 8:00	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B07439	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	8/4/1992 8:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07441	TOC	DATACH	9060_TOC	100-NR-2
199-N-41	8/4/1992 8:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07439	TOC	DATACH	9060_TOC	100-NR-2
199-N-41	8/4/1992 8:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07440	TOC	DATACH	9060_TOC	100-NR-2
199-N-41	8/4/1992 8:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07442	TOC	DATACH	9060_TOC	100-NR-2
199-N-41	8/4/1992 8:00	N	59473-04-0	Total organic halides	10	ug/L	U	RY	[NULL]	R	B07441	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-41	8/4/1992 8:00	N	59473-04-0	Total organic halides	10	ug/L	U	RY	[NULL]	R	B07440	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-41	8/4/1992 8:00	N	59473-04-0	Total organic halides	10	ug/L	U	RY	[NULL]	R	B07439	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-41	8/4/1992 8:00	N	59473-04-0	Total organic halides	10	ug/L	U	RY	[NULL]	R	B07442	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-41	8/4/1992 8:00	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07439	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	8/4/1992 8:00	N	10028-17-8	Tritium	46900	pCi/L	[NULL]	[NULL]	[NULL]	R	B07439	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-41	8/4/1992 8:00	N	TURBIDITY	Turbidity	3.7	NTU	[NULL]	[NULL]	[NULL]	R	B07439	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-41	8/4/1992 8:00	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B07443	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/4/1992 8:00	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B07439	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/4/1992 8:00	N	7440-66-6	Zinc	21	ug/L	[NULL]	[NULL]	[NULL]	R	B07439	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/4/1992 8:00	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B07443	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/4/1992 8:00	N	PH	pH Measurement	7.77	unitless	[NULL]	[NULL]	[NULL]	R	B07440	PH	FIELD	9040_PH	100-NR-2
199-N-41	8/4/1992 8:00	N	PH	pH Measurement	7.76	unitless	[NULL]	[NULL]	[NULL]	R	B07441	PH	FIELD	9040_PH	100-NR-2
199-N-41	8/4/1992 8:00	N	PH	pH Measurement	7.8	unitless	[NULL]	[NULL]	[NULL]	R	B07442	PH	FIELD	9040_PH	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	8/4/1992 8:00	N	PH	pH Measurement	7.74	unitless	[NULL]	[NULL]	[NULL]	R	B07439	PH	FIELD	9040_PH	100-NR-2
199-N-41	2/17/1993 10:30	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085S3	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/17/1993 10:30	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085S3	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/17/1993 10:30	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B085S3	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/17/1993 10:30	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B085S3	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/17/1993 10:30	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085S3	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/17/1993 10:30	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085S3	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/17/1993 10:30	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B085S3	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/17/1993 10:30	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B085S3	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/17/1993 10:30	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B085S3	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/17/1993 10:30	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B085S3	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/17/1993 10:30	N	14798-03-9	Ammonium ion	100	ug/L	U	[NULL]	[NULL]	R	B085S3	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-41	2/17/1993 10:30	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B085S3	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/17/1993 10:30	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B085S7	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/17/1993 10:30	N	14234-35-6	Antimony-125	2.75	pCi/L	[NULL]	[NULL]	[NULL]	R	B085S3	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-41	2/17/1993 10:30	N	7440-38-2	Arsenic	8.5	ug/L	[NULL]	[NULL]	[NULL]	R	B085S3	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-41	2/17/1993 10:30	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B085S7	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-41	2/17/1993 10:30	N	7440-39-3	Barium	20	ug/L	[NULL]	[NULL]	[NULL]	R	B085S3	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/17/1993 10:30	Y	7440-39-3	Barium	20	ug/L	U	[NULL]	[NULL]	R	B085S7	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/17/1993 10:30	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B085S3	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/17/1993 10:30	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B085S7	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/17/1993 10:30	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B085S3	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	2/17/1993 10:30	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B085S3	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/17/1993 10:30	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B085S7	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/17/1993 10:30	Y	7440-70-2	Calcium	22000	ug/L	[NULL]	Q	[NULL]	R	B085S7	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/17/1993 10:30	N	7440-70-2	Calcium	22000	ug/L	[NULL]	Q	[NULL]	R	B085S3	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/17/1993 10:30	N	10045-97-3	Cesium-137	-0.863	pCi/L	U	[NULL]	[NULL]	R	B085S3	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-41	2/17/1993 10:30	N	16887-00-6	Chloride	2300	ug/L	[NULL]	[NULL]	[NULL]	R	B085S3	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	2/17/1993 10:30	N	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B085S3	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/17/1993 10:30	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B085S7	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/17/1993 10:30	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B085S3	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/17/1993 10:30	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B085S7	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/17/1993 10:30	N	10198-40-0	Cobalt-60	-5.67	pCi/L	U	[NULL]	[NULL]	R	B085S3	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-41	2/17/1993 10:30	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B085S3	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-41	2/17/1993 10:30	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B085S7	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/17/1993 10:30	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B085S3	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/17/1993 10:30	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B085S3	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/17/1993 10:30	N	16984-48-8	Fluoride	100	ug/L	[NULL]	[NULL]	[NULL]	R	B085S3	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	2/17/1993 10:30	N	12587-46-1	Gross alpha	0.557	pCi/L	U	[NULL]	[NULL]	R	B085S3	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-41	2/17/1993 10:30	N	12587-47-2	Gross beta	7.83	pCi/L	[NULL]	[NULL]	[NULL]	R	B085S3	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-41	2/17/1993 10:30	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B085S3	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-41	2/17/1993 10:30	N	7439-89-6	Iron	21000	ug/L	[NULL]	[NULL]	[NULL]	R	B085S3	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/17/1993 10:30	Y	7439-89-6	Iron	290	ug/L	[NULL]	[NULL]	[NULL]	R	B085S7	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/17/1993 10:30	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B085S3	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-41	2/17/1993 10:30	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B085S7	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-41	2/17/1993 10:30	Y	7439-95-4	Magnesium	6100	ug/L	[NULL]	[NULL]	[NULL]	R	B085S7	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/17/1993 10:30	N	7439-95-4	Magnesium	6000	ug/L	[NULL]	[NULL]	[NULL]	R	B085S3	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/17/1993 10:30	Y	7439-96-5	Manganese	40	ug/L	[NULL]	[NULL]	[NULL]	R	B085S7	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/17/1993 10:30	N	7439-96-5	Manganese	100	ug/L	[NULL]	[NULL]	[NULL]	R	B085S3	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/17/1993 10:30	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B085S3	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-41	2/17/1993 10:30	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B085S7	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-41	2/17/1993 10:30	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B085S3	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	2/17/1993 10:30	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B085S7	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/17/1993 10:30	N	14797-55-8	Nitrate	7700	ug/L	[NULL]	[NULL]	[NULL]	R	B085S3	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	2/17/1993 10:30	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B085S3	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	2/17/1993 10:30	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B085S3	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/17/1993 10:30	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B085S3	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/17/1993 10:30	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B085S3	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	2/17/1993 10:30	Y	7440-09-7	Potassium	3100	ug/L	[NULL]	[NULL]	[NULL]	R	B085S7	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/17/1993 10:30	N	7440-09-7	Potassium	2900	ug/L	[NULL]	[NULL]	[NULL]	R	B085S3	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/17/1993 10:30	N	7440-14-4	Radium	0.003	pCi/L	U	[NULL]	[NULL]	R	B085S3	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-41	2/17/1993 10:30	N	13967-48-1	Ruthenium-106	-39.6	pCi/L	U	[NULL]	[NULL]	R	B085S3	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-41	2/17/1993 10:30	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B085S7	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-41	2/17/1993 10:30	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B085S3	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-41	2/17/1993 10:30	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B085S3	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/17/1993 10:30	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B085S7	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/17/1993 10:30	N	7440-23-5	Sodium	4800	ug/L	[NULL]	[NULL]	[NULL]	R	B085S3	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/17/1993 10:30	Y	7440-23-5	Sodium	4700	ug/L	[NULL]	[NULL]	[NULL]	R	B085S7	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/17/1993 10:30	N	CONDUCT	Specific Conductance	434	uS/cm	[NULL]	R	[NULL]	R	B085S3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	2/17/1993 10:30	N	CONDUCT	Specific Conductance	426	uS/cm	[NULL]	R	[NULL]	R	B085S5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	2/17/1993 10:30	N	CONDUCT	Specific Conductance	429	uS/cm	[NULL]	R	[NULL]	R	B085S6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	2/17/1993 10:30	N	CONDUCT	Specific Conductance	429	uS/cm	[NULL]	R	[NULL]	R	B085S4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	2/17/1993 10:30	N	CONDUCT	Specific Conductance	180	uS/cm	[NULL]	[NULL]	[NULL]	R	B085W3	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-41	2/17/1993 10:30	N	10098-97-2	Strontium-90	-0.271	pCi/L	U	[NULL]	[NULL]	R	B085S3	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-41	2/17/1993 10:30	N	14808-79-8	Sulfate	18000	ug/L	[NULL]	[NULL]	[NULL]	R	B085S3	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	2/17/1993 10:30	N	TEMPERATURE	Temperature	19.5	Deg C	[NULL]	[NULL]	[NULL]	R	B085S3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	2/17/1993 10:30	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B085S3	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/17/1993 10:30	Y	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B085S7	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-41	2/17/1993 10:30	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B085S3	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-41	2/17/1993 10:30	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B085S3	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/17/1993 10:30	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B085S7	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/17/1993 10:30	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B085S3	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/17/1993 10:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B085S4	TOC	DATACH	9060_TOC	100-NR-2
199-N-41	2/17/1993 10:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B085S3	TOC	DATACH	9060_TOC	100-NR-2
199-N-41	2/17/1993 10:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B085S5	TOC	DATACH	9060_TOC	100-NR-2
199-N-41	2/17/1993 10:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B085S6	TOC	DATACH	9060_TOC	100-NR-2
199-N-41	2/17/1993 10:30	N	59473-04-0	Total organic halides	10	ug/L	U	HY	[NULL]	R	B085S5	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-41	2/17/1993 10:30	N	59473-04-0	Total organic halides	10	ug/L	U	HY	[NULL]	R	B085S3	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-41	2/17/1993 10:30	N	59473-04-0	Total organic halides	10	ug/L	U	HY	[NULL]	R	B085S4	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-41	2/17/1993 10:30	N	59473-04-0	Total organic halides	10	ug/L	U	HY	[NULL]	R	B085S6	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-41	2/17/1993 10:30	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085S3	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/17/1993 10:30	N	10028-17-8	Tritium	35600	pCi/L	[NULL]	[NULL]	[NULL]	R	B085S3	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-41	2/17/1993 10:30	N	TURBIDITY	Turbidity	200	NTU	[NULL]	[NULL]	[NULL]	R	B085S3	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-41	2/17/1993 10:30	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B085S3	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/17/1993 10:30	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B085S7	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/17/1993 10:30	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B085S7	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/17/1993 10:30	N	7440-66-6	Zinc	80	ug/L	[NULL]	[NULL]	[NULL]	R	B085S3	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/17/1993 10:30	N	PH	pH Measurement	8.09	unitless	[NULL]	[NULL]	[NULL]	R	B085S3	PH	FIELD	9040_PH	100-NR-2
199-N-41	2/17/1993 10:30	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	B085S5	PH	FIELD	9040_PH	100-NR-2
199-N-41	2/17/1993 10:30	N	PH	pH Measurement	8.06	unitless	[NULL]	[NULL]	[NULL]	R	B085S4	PH	FIELD	9040_PH	100-NR-2
199-N-41	2/17/1993 10:30	N	PH	pH Measurement	7.96	unitless	[NULL]	[NULL]	[NULL]	R	B085S6	PH	FIELD	9040_PH	100-NR-2
199-N-41	2/17/1993 10:30	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	B085W3	PH	DATACH	D1293_PH	100-NR-2
199-N-41	9/1/1993 9:00	N	88-06-2	2,4,6-Trichlorophenol	1.45	ug/L	U	[NULL]	[NULL]	R	B090R8	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	9/1/1993 9:00	N	120-83-2	2,4-Dichlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B090R8	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	9/1/1993 9:00	N	105-67-9	2,4-Dimethylphenol	1.01	ug/L	U	[NULL]	[NULL]	R	B090R8	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	9/1/1993 9:00	N	51-28-5	2,4-Dinitrophenol	0.96	ug/L	U	[NULL]	[NULL]	R	B090R8	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	9/1/1993 9:00	N	87-65-0	2,6-Dichlorophenol	1.59	ug/L	U	[NULL]	[NULL]	R	B090R8	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	9/1/1993 9:00	N	95-57-8	2-Chlorophenol	1.42	ug/L	U	[NULL]	[NULL]	R	B090R8	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	9/1/1993 9:00	N	88-75-5	2-Nitrophenol	1.56	ug/L	U	[NULL]	[NULL]	R	B090R8	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	9/1/1993 9:00	N	534-52-1	4,6-Dinitro-2-methylphenol	1.18	ug/L	U	[NULL]	[NULL]	R	B090R8	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	9/1/1993 9:00	N	59-50-7	4-Chloro-3-methylphenol	1.12	ug/L	U	[NULL]	[NULL]	R	B090R8	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	9/1/1993 9:00	N	100-02-7	4-Nitrophenol	0.65	ug/L	U	[NULL]	[NULL]	R	B090R8	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	9/1/1993 9:00	Y	7429-90-5	Aluminum	35	ug/L	L	[NULL]	[NULL]	R	B090S2	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	N	7429-90-5	Aluminum	79	ug/L	L	[NULL]	[NULL]	R	B090R8	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	N	14798-03-9	Ammonium ion	70	ug/L	L	Y	[NULL]	R	B090R8	14798-03-9	DATACH	D1426C_AMMONIUM	100-NR-2
199-N-41	9/1/1993 9:00	Y	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B090S2	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	N	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B090R8	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	N	14234-35-6	Antimony-125	-4.23	pCi/L	U	[NULL]	[NULL]	R	B090R8	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-41	9/1/1993 9:00	Y	7440-38-2	Arsenic	5.8	ug/L	[NULL]	[NULL]	[NULL]	R	B090S2	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-41	9/1/1993 9:00	N	7440-38-2	Arsenic	4	ug/L	L	[NULL]	[NULL]	R	B090R8	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-41	9/1/1993 9:00	Y	7440-39-3	Barium	14	ug/L	L	[NULL]	[NULL]	R	B090S2	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	N	7440-39-3	Barium	16	ug/L	L	[NULL]	[NULL]	R	B090R8	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	Y	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B090S2	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	N	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B090R8	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	N	24959-67-9	Bromide	52.8	ug/L	U	[NULL]	[NULL]	R	B090R8	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	9/1/1993 9:00	Y	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B090S2	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	N	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B090R8	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	N	7440-70-2	Calcium	24000	ug/L	[NULL]	[NULL]	[NULL]	R	B090R8	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	Y	7440-70-2	Calcium	24000	ug/L	[NULL]	[NULL]	[NULL]	R	B090S2	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	N	10045-97-3	Cesium-137	-4.09	pCi/L	U	[NULL]	[NULL]	R	B090R8	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-41	9/1/1993 9:00	N	16887-00-6	Chloride	2500	ug/L	[NULL]	[NULL]	[NULL]	R	B090R8	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	9/1/1993 9:00	N	7440-47-3	Chromium	15	ug/L	L	[NULL]	[NULL]	R	B090R8	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	Y	7440-47-3	Chromium	5.42	ug/L	U	[NULL]	[NULL]	R	B090S2	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	Y	7440-48-4	Cobalt	4.05	ug/L	U	[NULL]	[NULL]	R	B090S2	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	N	7440-48-4	Cobalt	4.05	ug/L	U	[NULL]	[NULL]	R	B090R8	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	N	10198-40-0	Cobalt-60	3.97	pCi/L	U	[NULL]	[NULL]	R	B090R8	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-41	9/1/1993 9:00	N	COLIFORM	Coliform Bacteria	200	Col/100mL	[NULL]	F	[NULL]	R	B090R8	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-41	9/1/1993 9:00	Y	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B090S2	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	N	7440-50-8	Copper	7.4	ug/L	L	[NULL]	[NULL]	R	B090R8	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1.35	ug/L	U	[NULL]	[NULL]	R	B090R8	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	9/1/1993 9:00	N	16984-48-8	Fluoride	200	ug/L	[NULL]	[NULL]	[NULL]	R	B090R8	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	9/1/1993 9:00	N	12587-46-1	Gross alpha	0.708	pCi/L	U	[NULL]	[NULL]	R	B090R8	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-41	9/1/1993 9:00	N	12587-47-2	Gross beta	5.69	pCi/L	[NULL]	[NULL]	[NULL]	R	B090R8	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-41	9/1/1993 9:00	N	302-01-2	Hydrazine	1.89	ug/L	U	[NULL]	[NULL]	R	B090R8	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-41	9/1/1993 9:00	N	7439-89-6	Iron	2500	ug/L	[NULL]	[NULL]	[NULL]	R	B090R8	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	Y	7439-89-6	Iron	20	ug/L	L	[NULL]	[NULL]	R	B090S2	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	N	7439-92-1	Lead	1.8	ug/L	L	[NULL]	[NULL]	R	B090R8	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-41	9/1/1993 9:00	Y	7439-92-1	Lead	0.6	ug/L	L	[NULL]	[NULL]	R	B090S2	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-41	9/1/1993 9:00	Y	7439-95-4	Magnesium	5600	ug/L	[NULL]	[NULL]	[NULL]	R	B090S2	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	N	7439-95-4	Magnesium	5600	ug/L	[NULL]	[NULL]	[NULL]	R	B090R8	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	Y	7439-96-5	Manganese	5.6	ug/L	L	[NULL]	[NULL]	R	B090S2	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	N	7439-96-5	Manganese	43	ug/L	[NULL]	[NULL]	[NULL]	R	B090R8	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	N	7439-97-6	Mercury	0.158	ug/L	U	[NULL]	[NULL]	R	B090R8	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-41	9/1/1993 9:00	Y	7439-97-6	Mercury	0.158	ug/L	U	[NULL]	[NULL]	R	B090S2	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-41	9/1/1993 9:00	Y	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B090S2	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	N	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B090R8	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	N	14797-55-8	Nitrate	8800	ug/L	[NULL]	[NULL]	[NULL]	R	B090R8	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	9/1/1993 9:00	N	14797-65-0	Nitrite	38.3	ug/L	U	[NULL]	[NULL]	R	B090R8	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	9/1/1993 9:00	N	87-86-5	Pentachlorophenol	0.87	ug/L	U	[NULL]	[NULL]	R	B090R8	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	9/1/1993 9:00	N	108-95-2	Phenol	0.31	ug/L	U	[NULL]	[NULL]	R	B090R8	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	9/1/1993 9:00	N	14265-44-2	Phosphate	147	ug/L	U	[NULL]	[NULL]	R	B090R8	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	9/1/1993 9:00	Y	7440-09-7	Potassium	2500	ug/L	[NULL]	[NULL]	[NULL]	R	B090S2	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	N	7440-09-7	Potassium	3700	ug/L	[NULL]	[NULL]	[NULL]	R	B090R8	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	N	7440-14-4	Radium	-0.011	pCi/L	U	[NULL]	[NULL]	R	B090R8	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-41	9/1/1993 9:00	N	13967-48-1	Ruthenium-106	30.6	pCi/L	U	[NULL]	[NULL]	R	B090R8	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-41	9/1/1993 9:00	Y	7782-49-2	Selenium	1.21	ug/L	U	[NULL]	[NULL]	R	B090S2	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-41	9/1/1993 9:00	N	7782-49-2	Selenium	1.21	ug/L	U	[NULL]	[NULL]	R	B090R8	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-41	9/1/1993 9:00	Y	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B090S2	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	N	7440-22-4	Silver	4.1	ug/L	L	[NULL]	[NULL]	R	B090R8	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	Y	7440-23-5	Sodium	4100	ug/L	[NULL]	[NULL]	[NULL]	R	B090S2	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	N	7440-23-5	Sodium	4100	ug/L	[NULL]	[NULL]	[NULL]	R	B090R8	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	N	CONDUCT	Specific Conductance	200	uS/cm	[NULL]	[NULL]	[NULL]	R	B090F2	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-41	9/1/1993 9:00	N	CONDUCT	Specific Conductance	190	uS/cm	[NULL]	[NULL]	[NULL]	R	B090S1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/1/1993 9:00	N	CONDUCT	Specific Conductance	191	uS/cm	[NULL]	[NULL]	[NULL]	R	B090R8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/1/1993 9:00	N	CONDUCT	Specific Conductance	191	uS/cm	[NULL]	[NULL]	[NULL]	R	B090R9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/1/1993 9:00	N	CONDUCT	Specific Conductance	190	uS/cm	[NULL]	[NULL]	[NULL]	R	B090S0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/1/1993 9:00	N	10098-97-2	Strontium-90	-0.062	pCi/L	U	[NULL]	[NULL]	R	B090R8	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-41	9/1/1993 9:00	N	14808-79-8	Sulfate	18000	ug/L	D	[NULL]	[NULL]	R	B090R8	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	9/1/1993 9:00	N	TEMPERATURE	Temperature	20.1	Deg C	[NULL]	[NULL]	[NULL]	R	B090R8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/1/1993 9:00	N	25167-83-3	Tetrachlorophenol	1.05	ug/L	U	[NULL]	[NULL]	R	B090R8	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	9/1/1993 9:00	N	7440-28-0	Thallium	1.02	ug/L	U	[NULL]	[NULL]	R	B090R8	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-41	9/1/1993 9:00	Y	7440-28-0	Thallium	1.02	ug/L	U	[NULL]	[NULL]	R	B090S2	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-41	9/1/1993 9:00	N	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B090R8	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	Y	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B090S2	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	N	1319-77-3	Total cresols	4.66	ug/L	U	[NULL]	[NULL]	R	B090R8	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	9/1/1993 9:00	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B090R9	TOC	DATACH	9060_TOC	100-NR-2
199-N-41	9/1/1993 9:00	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B090S1	TOC	DATACH	9060_TOC	100-NR-2
199-N-41	9/1/1993 9:00	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B090R8	TOC	DATACH	9060_TOC	100-NR-2
199-N-41	9/1/1993 9:00	N	TOC	Total organic carbon	500	ug/L	L	[NULL]	[NULL]	R	B090S0	TOC	DATACH	9060_TOC	100-NR-2
199-N-41	9/1/1993 9:00	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B090R9	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-41	9/1/1993 9:00	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B090R8	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-41	9/1/1993 9:00	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B090S1	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-41	9/1/1993 9:00	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B090S0	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-41	9/1/1993 9:00	N	25167-82-2	Trichlorophenol	1.11	ug/L	U	[NULL]	[NULL]	R	B090R8	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	9/1/1993 9:00	N	10028-17-8	Tritium	27200	pCi/L	[NULL]	[NULL]	[NULL]	R	B090R8	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-41	9/1/1993 9:00	N	TURBIDITY	Turbidity	7.1	NTU	[NULL]	[NULL]	[NULL]	R	B090R8	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-41	9/1/1993 9:00	Y	7440-62-2	Vanadium	18	ug/L	L	[NULL]	[NULL]	R	B090S2	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	N	7440-62-2	Vanadium	22	ug/L	L	[NULL]	[NULL]	R	B090R8	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	N	7440-66-6	Zinc	13	ug/L	[NULL]	[NULL]	[NULL]	R	B090R8	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	Y	7440-66-6	Zinc	3.44	ug/L	U	[NULL]	[NULL]	R	B090S2	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/1/1993 9:00	N	PH	pH Measurement	7.16	unitless	[NULL]	R	[NULL]	R	B090S0	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/1/1993 9:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B090F2	PH	DATACH	D1293_PH	100-NR-2
199-N-41	9/1/1993 9:00	N	PH	pH Measurement	7.1	unitless	[NULL]	R	[NULL]	R	B090R8	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/1/1993 9:00	N	PH	pH Measurement	7.19	unitless	[NULL]	R	[NULL]	R	B090S1	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/1/1993 9:00	N	PH	pH Measurement	7.11	unitless	[NULL]	R	[NULL]	R	B090R9	PH	FIELD	9040_PH	100-NR-2
199-N-41	2/7/1994 8:15	N	88-06-2	2,4,6-Trichlorophenol	1.45	ug/L	U	[NULL]	[NULL]	R	B09VP7	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/7/1994 8:15	N	120-83-2	2,4-Dichlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B09VP7	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/7/1994 8:15	N	105-67-9	2,4-Dimethylphenol	1.01	ug/L	U	[NULL]	[NULL]	R	B09VP7	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/7/1994 8:15	N	51-28-5	2,4-Dinitrophenol	0.96	ug/L	U	[NULL]	[NULL]	R	B09VP7	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/7/1994 8:15	N	87-65-0	2,6-Dichlorophenol	1.59	ug/L	U	[NULL]	[NULL]	R	B09VP7	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/7/1994 8:15	N	95-57-8	2-Chlorophenol	1.42	ug/L	U	[NULL]	[NULL]	R	B09VP7	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/7/1994 8:15	N	88-75-5	2-Nitrophenol	1.56	ug/L	U	[NULL]	[NULL]	R	B09VP7	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/7/1994 8:15	N	534-52-1	4,6-Dinitro-2-methylphenol	1.18	ug/L	U	[NULL]	[NULL]	R	B09VP7	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	2/7/1994 8:15	N	59-50-7	4-Chloro-3-methylphenol	1.12	ug/L	U	[NULL]	[NULL]	R	B09VP7	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/7/1994 8:15	N	100-02-7	4-Nitrophenol	0.65	ug/L	U	[NULL]	[NULL]	R	B09VP7	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/7/1994 8:15	Y	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B09VQ1	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	N	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B09VP7	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	N	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B09VP7	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	Y	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B09VQ1	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	N	14234-35-6	Antimony-125	-2.29	pCi/L	U	[NULL]	[NULL]	R	B09VP7	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-41	2/7/1994 8:15	N	7440-38-2	Arsenic	4.5	ug/L	L	[NULL]	[NULL]	R	B09VP7	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-41	2/7/1994 8:15	Y	7440-38-2	Arsenic	4.3	ug/L	L	[NULL]	[NULL]	R	B09VQ1	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-41	2/7/1994 8:15	N	7440-39-3	Barium	18	ug/L	L	[NULL]	[NULL]	R	B09VP7	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	Y	7440-39-3	Barium	16	ug/L	L	[NULL]	[NULL]	R	B09VQ1	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	N	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B09VP7	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	Y	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B09VQ1	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	N	24959-67-9	Bromide	52.8	ug/L	U	[NULL]	[NULL]	R	B09VP7	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	2/7/1994 8:15	N	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B09VP7	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	Y	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B09VQ1	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	Y	7440-70-2	Calcium	27000	ug/L	[NULL]	[NULL]	[NULL]	R	B09VQ1	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	N	7440-70-2	Calcium	27000	ug/L	[NULL]	[NULL]	[NULL]	R	B09VP7	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	N	10045-97-3	Cesium-137	-4.34	pCi/L	U	[NULL]	[NULL]	R	B09VP7	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-41	2/7/1994 8:15	N	16887-00-6	Chloride	4200	ug/L	[NULL]	[NULL]	[NULL]	R	B09VP7	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	2/7/1994 8:15	N	7440-47-3	Chromium	14	ug/L	L	[NULL]	[NULL]	R	B09VP7	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	Y	7440-47-3	Chromium	5.42	ug/L	U	[NULL]	[NULL]	R	B09VQ1	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	N	7440-48-4	Cobalt	4.05	ug/L	U	[NULL]	[NULL]	R	B09VP7	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	Y	7440-48-4	Cobalt	4.05	ug/L	U	[NULL]	[NULL]	R	B09VQ1	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	N	10198-40-0	Cobalt-60	-0.407	pCi/L	U	[NULL]	[NULL]	R	B09VP7	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-41	2/7/1994 8:15	Y	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B09VQ1	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	N	7440-50-8	Copper	6.4	ug/L	L	[NULL]	[NULL]	R	B09VP7	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1.35	ug/L	U	[NULL]	[NULL]	R	B09VP7	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/7/1994 8:15	N	16984-48-8	Fluoride	200	ug/L	[NULL]	[NULL]	[NULL]	R	B09VP7	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	2/7/1994 8:15	N	12587-46-1	Gross alpha	0.312	pCi/L	U	[NULL]	[NULL]	R	B09VP7	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-41	2/7/1994 8:15	N	12587-47-2	Gross beta	5.03	pCi/L	[NULL]	[NULL]	[NULL]	R	B09VP7	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-41	2/7/1994 8:15	N	302-01-2	Hydrazine	1.89	ug/L	U	[NULL]	[NULL]	R	B09VP7	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-41	2/7/1994 8:15	Y	7439-89-6	Iron	93	ug/L	B	[NULL]	[NULL]	R	B09VQ1	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	N	7439-89-6	Iron	1200	ug/L	B	[NULL]	[NULL]	R	B09VP7	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	N	7439-92-1	Lead	0.85	ug/L	BL	[NULL]	[NULL]	R	B09VP7	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-41	2/7/1994 8:15	Y	7439-92-1	Lead	6	ug/L	B	[NULL]	[NULL]	R	B09VQ1	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-41	2/7/1994 8:15	Y	7439-95-4	Magnesium	6400	ug/L	[NULL]	[NULL]	[NULL]	R	B09VQ1	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	N	7439-95-4	Magnesium	6300	ug/L	[NULL]	[NULL]	[NULL]	R	B09VP7	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	Y	7439-96-5	Manganese	3.2	ug/L	L	[NULL]	[NULL]	R	B09VQ1	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	N	7439-96-5	Manganese	22	ug/L	[NULL]	[NULL]	[NULL]	R	B09VP7	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	N	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B09VP7	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	Y	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B09VQ1	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	N	14797-55-8	Nitrate	11000	ug/L	D	[NULL]	[NULL]	R	B09VP7	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	2/7/1994 8:15	N	14797-65-0	Nitrite	38.3	ug/L	U	[NULL]	[NULL]	R	B09VP7	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	2/7/1994 8:15	N	87-86-5	Pentachlorophenol	0.87	ug/L	U	[NULL]	[NULL]	R	B09VP7	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/7/1994 8:15	N	108-95-2	Phenol	0.31	ug/L	U	[NULL]	[NULL]	R	B09VP7	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/7/1994 8:15	N	14265-44-2	Phosphate	147	ug/L	U	[NULL]	[NULL]	R	B09VP7	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	2/7/1994 8:15	N	7440-09-7	Potassium	2800	ug/L	[NULL]	[NULL]	[NULL]	R	B09VP7	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	Y	7440-09-7	Potassium	3100	ug/L	[NULL]	[NULL]	[NULL]	R	B09VQ1	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	N	13967-48-1	Ruthenium-106	-12	pCi/L	U	[NULL]	[NULL]	R	B09VP7	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-41	2/7/1994 8:15	N	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B09VP7	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	Y	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B09VQ1	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	N	7440-23-5	Sodium	4300	ug/L	[NULL]	[NULL]	[NULL]	R	B09VP7	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	Y	7440-23-5	Sodium	4400	ug/L	[NULL]	[NULL]	[NULL]	R	B09VQ1	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	2/7/1994 8:15	N	CONDUCT	Specific Conductance	220	uS/cm	[NULL]	[NULL]	[NULL]	R	B09VP8	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-41	2/7/1994 8:15	N	CONDUCT	Specific Conductance	220	uS/cm	[NULL]	[NULL]	[NULL]	R	B09VP7	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-41	2/7/1994 8:15	N	CONDUCT	Specific Conductance	220	uS/cm	[NULL]	[NULL]	[NULL]	R	B09VP9	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-41	2/7/1994 8:15	N	CONDUCT	Specific Conductance	209	uS/cm	[NULL]	[NULL]	[NULL]	R	B09VP7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	2/7/1994 8:15	N	CONDUCT	Specific Conductance	220	uS/cm	[NULL]	[NULL]	[NULL]	R	B09VQ0	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-41	2/7/1994 8:15	N	CONDUCT	Specific Conductance	208	uS/cm	[NULL]	[NULL]	[NULL]	R	B09VQ0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	2/7/1994 8:15	N	CONDUCT	Specific Conductance	208	uS/cm	[NULL]	[NULL]	[NULL]	R	B09VP9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	2/7/1994 8:15	N	CONDUCT	Specific Conductance	209	uS/cm	[NULL]	[NULL]	[NULL]	R	B09VP8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	2/7/1994 8:15	N	10098-97-2	Strontium-90	0.299	pCi/L	[NULL]	[NULL]	[NULL]	R	B09VP7	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-41	2/7/1994 8:15	N	14808-79-8	Sulfate	25000	ug/L	D	[NULL]	[NULL]	R	B09VP7	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	2/7/1994 8:15	N	TEMPERATURE	Temperature	19.3	Deg C	[NULL]	[NULL]	[NULL]	R	B09VQ0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	2/7/1994 8:15	N	TEMPERATURE	Temperature	19.3	Deg C	[NULL]	[NULL]	[NULL]	R	B09VP9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	2/7/1994 8:15	N	TEMPERATURE	Temperature	19.3	Deg C	[NULL]	[NULL]	[NULL]	R	B09VP8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	2/7/1994 8:15	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B09VP7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	2/7/1994 8:15	N	25167-83-3	Tetrachlorophenol	1.05	ug/L	U	[NULL]	[NULL]	R	B09VP7	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/7/1994 8:15	N	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B09VP7	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	Y	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B09VQ1	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	N	1319-77-3	Total cresols	4.66	ug/L	U	[NULL]	[NULL]	R	B09VP7	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/7/1994 8:15	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B09VP8	TOC	DATACH	9060_TOC	100-NR-2
199-N-41	2/7/1994 8:15	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B09VP7	TOC	DATACH	9060_TOC	100-NR-2
199-N-41	2/7/1994 8:15	N	TOC	Total organic carbon	400	ug/L	L	[NULL]	[NULL]	R	B09VQ0	TOC	DATACH	9060_TOC	100-NR-2
199-N-41	2/7/1994 8:15	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B09VP9	TOC	DATACH	9060_TOC	100-NR-2
199-N-41	2/7/1994 8:15	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B09VQ0	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-41	2/7/1994 8:15	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B09VP8	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-41	2/7/1994 8:15	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B09VP7	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-41	2/7/1994 8:15	N	25167-82-2	Trichlorophenol	1.11	ug/L	U	[NULL]	[NULL]	R	B09VP7	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/7/1994 8:15	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B09VP7	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-41	2/7/1994 8:15	N	25167-82-2	Trichlorophenol	1.11	ug/L	U	[NULL]	[NULL]	R	B09VP7	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/7/1994 8:15	N	10028-17-8	Tritium	25000	pCi/L	[NULL]	[NULL]	[NULL]	R	B09VP7	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-41	2/7/1994 8:15	N	TURBIDITY	Turbidity	1.7	NTU	[NULL]	[NULL]	[NULL]	R	B09VP7	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-41	2/7/1994 8:15	N	7440-62-2	Vanadium	19	ug/L	L	[NULL]	[NULL]	R	B09VP7	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	Y	7440-62-2	Vanadium	17	ug/L	L	[NULL]	[NULL]	R	B09VQ1	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	Y	7440-66-6	Zinc	1.6	ug/L	BL	[NULL]	[NULL]	R	B09VQ1	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	N	7440-66-6	Zinc	11	ug/L	B	[NULL]	[NULL]	R	B09VP7	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/7/1994 8:15	N	PH	pH Measurement	7.99	unitless	[NULL]	[NULL]	[NULL]	R	B09VQ0	PH	FIELD	9040_PH	100-NR-2
199-N-41	2/7/1994 8:15	N	PH	pH Measurement	7.97	unitless	[NULL]	[NULL]	[NULL]	R	B09VP9	PH	FIELD	9040_PH	100-NR-2
199-N-41	2/7/1994 8:15	N	PH	pH Measurement	7.94	unitless	[NULL]	[NULL]	[NULL]	R	B09VP8	PH	FIELD	9040_PH	100-NR-2
199-N-41	2/7/1994 8:15	N	PH	pH Measurement	8.3	unitless	[NULL]	[NULL]	[NULL]	R	B09VP9	PH	DATACH	D1293_PH	100-NR-2
199-N-41	2/7/1994 8:15	N	PH	pH Measurement	8.3	unitless	[NULL]	[NULL]	[NULL]	R	B09VP8	PH	DATACH	D1293_PH	100-NR-2
199-N-41	2/7/1994 8:15	N	PH	pH Measurement	8.3	unitless	[NULL]	[NULL]	[NULL]	R	B09VP7	PH	DATACH	D1293_PH	100-NR-2
199-N-41	2/7/1994 8:15	N	PH	pH Measurement	8.3	unitless	[NULL]	[NULL]	[NULL]	R	B09VQ0	PH	DATACH	D1293_PH	100-NR-2
199-N-41	9/7/1994 17:30	N	7429-90-5	Aluminum	42	ug/L	L	[NULL]	[NULL]	R	B0C9F8	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	Y	7429-90-5	Aluminum	19	ug/L	U	[NULL]	[NULL]	R	B0C9G2	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	Y	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C9G2	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	N	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C9F8	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	N	14234-35-6	Antimony-125	-4.46	pCi/L	U	[NULL]	[NULL]	R	B0C9F8	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-41	9/7/1994 17:30	Y	7440-38-2	Arsenic	5.4	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9G2	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-41	9/7/1994 17:30	N	7440-38-2	Arsenic	5	ug/L	L	[NULL]	[NULL]	R	B0C9F8	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-41	9/7/1994 17:30	N	7440-39-3	Barium	16	ug/L	L	[NULL]	[NULL]	R	B0C9F8	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	Y	7440-39-3	Barium	16	ug/L	L	[NULL]	[NULL]	R	B0C9G2	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	Y	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C9G2	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	N	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C9F8	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	N	24959-67-9	Bromide	110	ug/L	U	[NULL]	[NULL]	R	B0C9F8	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	9/7/1994 17:30	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C9G2	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C9F8	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	Y	7440-70-2	Calcium	28000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9G2	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	9/7/1994 17:30	N	7440-70-2	Calcium	29000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9F8	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	N	10045-97-3	Cesium-137	0.771	pCi/L	U	[NULL]	[NULL]	R	B0C9F8	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-41	9/7/1994 17:30	N	16887-00-6	Chloride	5000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9F8	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	9/7/1994 17:30	Y	7440-47-3	Chromium	11	ug/L	U	[NULL]	[NULL]	R	B0C9G2	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	N	7440-47-3	Chromium	11	ug/L	U	[NULL]	[NULL]	R	B0C9F8	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	Y	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C9G2	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	N	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C9F8	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	N	10198-40-0	Cobalt-60	10.2	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C9F8	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-41	9/7/1994 17:30	N	7440-50-8	Copper	3.8	ug/L	L	[NULL]	[NULL]	R	B0C9F8	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	Y	7440-50-8	Copper	2.6	ug/L	U	[NULL]	[NULL]	R	B0C9G2	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	N	16984-48-8	Fluoride	500	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9F8	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	9/7/1994 17:30	N	12587-46-1	Gross alpha	0.568	pCi/L	U	[NULL]	[NULL]	R	B0C9F8	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-41	9/7/1994 17:30	N	12587-47-2	Gross beta	2.74	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C9F8	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-41	9/7/1994 17:30	N	302-01-2	Hydrazine	2.3	ug/L	U	[NULL]	[NULL]	R	B0C9F8	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-41	9/7/1994 17:30	N	7439-89-6	Iron	390	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9F8	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	Y	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B0C9G2	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	N	7439-92-1	Lead	1.2	ug/L	BL	[NULL]	[NULL]	R	B0C9F8	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-41	9/7/1994 17:30	Y	7439-92-1	Lead	4.5	ug/L	BL	[NULL]	[NULL]	R	B0C9G2	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-41	9/7/1994 17:30	Y	7439-95-4	Magnesium	6700	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9G2	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	N	7439-95-4	Magnesium	6700	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9F8	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	N	7439-96-5	Manganese	5.9	ug/L	L	[NULL]	[NULL]	R	B0C9F8	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	Y	7439-96-5	Manganese	2.1	ug/L	L	[NULL]	[NULL]	R	B0C9G2	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	N	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0C9F8	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	Y	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0C9G2	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	N	14797-55-8	Nitrate	12000	ug/L	D	[NULL]	[NULL]	R	B0C9F8	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	9/7/1994 17:30	N	14797-65-0	Nitrite	110	ug/L	U	[NULL]	[NULL]	R	B0C9F8	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	9/7/1994 17:30	N	14265-44-2	Phosphate	470	ug/L	U	[NULL]	[NULL]	R	B0C9F8	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	9/7/1994 17:30	N	7440-09-7	Potassium	3000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9F8	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	Y	7440-09-7	Potassium	3100	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9G2	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	N	13967-48-1	Ruthenium-106	-20.9	pCi/L	U	[NULL]	[NULL]	R	B0C9F8	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-41	9/7/1994 17:30	Y	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C9G2	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	N	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C9F8	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	N	7440-23-5	Sodium	4500	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9F8	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	Y	7440-23-5	Sodium	4400	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9G2	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	N	CONDUCT	Specific Conductance	224	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C9F9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/7/1994 17:30	N	CONDUCT	Specific Conductance	225	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C9F8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/7/1994 17:30	N	CONDUCT	Specific Conductance	225	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C9G0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/7/1994 17:30	N	CONDUCT	Specific Conductance	224	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C9G1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/7/1994 17:30	N	CONDUCT	Specific Conductance	230	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C9F8	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-41	9/7/1994 17:30	N	10098-97-2	Strontium-90	0.004	pCi/L	U	[NULL]	[NULL]	R	B0C9F8	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-41	9/7/1994 17:30	N	14808-79-8	Sulfate	28000	ug/L	D	[NULL]	[NULL]	R	B0C9F8	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	9/7/1994 17:30	N	TEMPERATURE	Temperature	20.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0C9G1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/7/1994 17:30	N	TEMPERATURE	Temperature	20.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0C9F8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/7/1994 17:30	N	TEMPERATURE	Temperature	20.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0C9F9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/7/1994 17:30	N	TEMPERATURE	Temperature	20.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0C9G0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/7/1994 17:30	Y	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0C9G2	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	N	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0C9F8	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	N	TOC	Total organic carbon	320	ug/L	U	[NULL]	[NULL]	R	B0C9G1	TOC	DATACH	9060_TOC	100-NR-2
199-N-41	9/7/1994 17:30	N	TOC	Total organic carbon	320	ug/L	U	[NULL]	[NULL]	R	B0C9F8	TOC	DATACH	9060_TOC	100-NR-2
199-N-41	9/7/1994 17:30	N	TOC	Total organic carbon	320	ug/L	U	[NULL]	[NULL]	R	B0C9F9	TOC	DATACH	9060_TOC	100-NR-2
199-N-41	9/7/1994 17:30	N	TOC	Total organic carbon	320	ug/L	U	[NULL]	[NULL]	R	B0C9G0	TOC	DATACH	9060_TOC	100-NR-2
199-N-41	9/7/1994 17:30	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B0C9G1	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-41	9/7/1994 17:30	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B0C9G0	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-41	9/7/1994 17:30	N	59473-04-0	Total organic halides	8.4	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9F9	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-41	9/7/1994 17:30	N	59473-04-0	Total organic halides	5.7	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9F8	59473-04-0	WESTON	9020_TOX	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	9/7/1994 17:30	N	10028-17-8	Tritium	23000	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C9F8	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-41	9/7/1994 17:30	N	7440-62-2	Vanadium	17	ug/L	L	[NULL]	[NULL]	R	B0C9F8	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	Y	7440-62-2	Vanadium	15	ug/L	L	[NULL]	[NULL]	R	B0C9G2	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	Y	7440-66-6	Zinc	4.4	ug/L	U	[NULL]	[NULL]	R	B0C9G2	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	N	7440-66-6	Zinc	11	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9F8	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/7/1994 17:30	N	PH	pH Measurement	8.5	unitless	[NULL]	[NULL]	[NULL]	R	B0C9F8	PH	DATACH	D1293_PH	100-NR-2
199-N-41	9/7/1994 17:30	N	PH	pH Measurement	8.24	unitless	[NULL]	[NULL]	[NULL]	R	B0C9G1	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/7/1994 17:30	N	PH	pH Measurement	8.25	unitless	[NULL]	[NULL]	[NULL]	R	B0C9G0	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/7/1994 17:30	N	PH	pH Measurement	8.25	unitless	[NULL]	[NULL]	[NULL]	R	B0C9F9	PH	FIELD	9040_PH	100-NR-2
199-N-41	2/24/1995 9:30	N	88-06-2	2,4,6-Trichlorophenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0C9F8	PH	FIELD	9040_PH	100-NR-2
199-N-41	2/24/1995 9:30	N	120-83-2	2,4-Dichlorophenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DX01	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/24/1995 9:30	N	105-67-9	2,4-Dimethylphenol	1.2	ug/L	U	[NULL]	[NULL]	R	B0DX01	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/24/1995 9:30	N	51-28-5	2,4-Dinitrophenol	3	ug/L	U	[NULL]	[NULL]	R	B0DX01	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/24/1995 9:30	N	87-65-0	2,6-Dichlorophenol	1.4	ug/L	U	[NULL]	[NULL]	R	B0DX01	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/24/1995 9:30	N	95-57-8	2-Chlorophenol	1.6	ug/L	U	[NULL]	[NULL]	R	B0DX01	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/24/1995 9:30	N	88-75-5	2-Nitrophenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DX01	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/24/1995 9:30	N	534-52-1	4,6-Dinitro-2-methylphenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DX01	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/24/1995 9:30	N	59-50-7	4-Chloro-3-methylphenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DX01	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/24/1995 9:30	N	100-02-7	4-Nitrophenol	3	ug/L	U	[NULL]	[NULL]	R	B0DX01	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/24/1995 9:30	N	ALKALINITY	Alkalinity	60000	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX01	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/24/1995 9:30	Y	7429-90-5	Aluminum	26	ug/L	U	[NULL]	[NULL]	R	B0DX01	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-41	2/24/1995 9:30	Y	7440-36-0	Antimony	62	ug/L	U	[NULL]	[NULL]	R	B0DX05	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/24/1995 9:30	Y	7440-39-3	Barium	18	ug/L	L	[NULL]	[NULL]	R	B0DX05	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/24/1995 9:30	Y	7440-41-7	Beryllium	0.17	ug/L	U	[NULL]	[NULL]	R	B0DX05	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/24/1995 9:30	N	24959-67-9	Bromide	30	ug/L	L	[NULL]	[NULL]	R	B0DX05	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/24/1995 9:30	Y	7440-43-9	Cadmium	3.3	ug/L	U	[NULL]	[NULL]	R	B0DX01	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	2/24/1995 9:30	Y	7440-70-2	Calcium	30000	ug/L	B	[NULL]	[NULL]	R	B0DX05	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/24/1995 9:30	N	16887-00-6	Chloride	5400	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX05	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/24/1995 9:30	Y	7440-47-3	Chromium	4.5	ug/L	U	[NULL]	[NULL]	R	B0DX01	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	2/24/1995 9:30	Y	7440-48-4	Cobalt	5.9	ug/L	U	[NULL]	[NULL]	R	B0DX05	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/24/1995 9:30	Y	7440-50-8	Copper	4.1	ug/L	U	[NULL]	[NULL]	R	B0DX05	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/24/1995 9:30	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1.3	ug/L	U	[NULL]	[NULL]	R	B0DX05	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/24/1995 9:30	N	16984-48-8	Fluoride	400	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX01	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/24/1995 9:30	N	12587-46-1	Gross alpha	0.482	pCi/L	U	[NULL]	[NULL]	R	B0DX01	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	2/24/1995 9:30	N	12587-47-2	Gross beta	5.54	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DX01	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-41	2/24/1995 9:30	Y	7439-89-6	Iron	17	ug/L	L	Q	[NULL]	R	B0DX01	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-41	2/24/1995 9:30	Y	7439-92-1	Lead	1.5	ug/L	U	[NULL]	[NULL]	R	B0DX05	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/24/1995 9:30	Y	7439-95-4	Magnesium	7100	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX05	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-41	2/24/1995 9:30	Y	7439-96-5	Manganese	0.73	ug/L	L	[NULL]	[NULL]	R	B0DX05	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/24/1995 9:30	Y	7440-02-0	Nickel	13	ug/L	U	[NULL]	[NULL]	R	B0DX05	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/24/1995 9:30	N	14797-55-8	Nitrate	13000	ug/L	D	[NULL]	[NULL]	R	B0DX05	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/24/1995 9:30	N	14797-65-0	Nitrite	18	ug/L	U	[NULL]	[NULL]	R	B0DX01	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	2/24/1995 9:30	N	87-86-5	Pentachlorophenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DX01	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	2/24/1995 9:30	N	108-95-2	Phenol	0.31	ug/L	U	[NULL]	[NULL]	R	B0DX01	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/24/1995 9:30	N	14265-44-2	Phosphate	82	ug/L	U	[NULL]	[NULL]	R	B0DX01	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/24/1995 9:30	Y	7440-09-7	Potassium	2900	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX01	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	2/24/1995 9:30	Y	7440-22-4	Silver	3.6	ug/L	U	[NULL]	[NULL]	R	B0DX05	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/24/1995 9:30	Y	7440-23-5	Sodium	4700	ug/L	[NULL]	Q	[NULL]	R	B0DX05	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/24/1995 9:30	N	CONDUCT	Specific Conductance	238	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DX05	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/24/1995 9:30	N	CONDUCT	Specific Conductance	250	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DX04	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	2/24/1995 9:30	N	CONDUCT	Specific Conductance	236	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DX01	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-41	2/24/1995 9:30	N	CONDUCT	Specific Conductance	235	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DX01	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
											B0DX02	CONDUCT	FIELD	9050_CONDUCT	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	2/24/1995 9:30	N	CONDUCT	Specific Conductance	236	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DX03	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	2/24/1995 9:30	N	14808-79-8	Sulfate	34000	ug/L	D	[NULL]	[NULL]	R	B0DX01	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	2/24/1995 9:30	N	TEMPERATURE	Temperature	19.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0DX01	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	2/24/1995 9:30	N	25167-83-3	Tetrachlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B0DX01	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/24/1995 9:30	Y	7440-31-5	Tin	69	ug/L	U	[NULL]	[NULL]	R	B0DX05	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/24/1995 9:30	N	1319-77-3	Total cresols	4.8	ug/L	U	[NULL]	[NULL]	R	B0DX01	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/24/1995 9:30	N	TOC	Total organic carbon	200	ug/L	L	[NULL]	[NULL]	R	B0DX02	TOC	DATACH	9060_TOC	100-NR-2
199-N-41	2/24/1995 9:30	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B0DX03	TOC	DATACH	9060_TOC	100-NR-2
199-N-41	2/24/1995 9:30	N	TOC	Total organic carbon	200	ug/L	L	[NULL]	[NULL]	R	B0DX04	TOC	DATACH	9060_TOC	100-NR-2
199-N-41	2/24/1995 9:30	N	TOC	Total organic carbon	200	ug/L	L	[NULL]	[NULL]	R	B0DX01	TOC	DATACH	9060_TOC	100-NR-2
199-N-41	2/24/1995 9:30	N	59473-04-0	Total organic halides	5.9	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX02	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-41	2/24/1995 9:30	N	59473-04-0	Total organic halides	5.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX03	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-41	2/24/1995 9:30	N	59473-04-0	Total organic halides	7.7	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX04	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-41	2/24/1995 9:30	N	59473-04-0	Total organic halides	6.2	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX01	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-41	2/24/1995 9:30	N	25167-82-2	Trichlorophenol	1.7	ug/L	U	[NULL]	[NULL]	R	B0DX01	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	2/24/1995 9:30	N	TURBIDITY	Turbidity	8.1	NTU	[NULL]	[NULL]	[NULL]	R	B0DX01	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-41	2/24/1995 9:30	Y	7440-62-2	Vanadium	14	ug/L	L	[NULL]	[NULL]	R	B0DX05	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/24/1995 9:30	Y	7440-66-6	Zinc	6.3	ug/L	U	[NULL]	[NULL]	R	B0DX05	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	2/24/1995 9:30	N	PH	pH Measurement	7.11	unitless	[NULL]	R	[NULL]	R	B0DX03	PH	FIELD	9040_PH	100-NR-2
199-N-41	2/24/1995 9:30	N	PH	pH Measurement	7.11	unitless	[NULL]	R	[NULL]	R	B0DX02	PH	FIELD	9040_PH	100-NR-2
199-N-41	2/24/1995 9:30	N	PH	pH Measurement	7.1	unitless	[NULL]	R	[NULL]	R	B0DX01	PH	FIELD	9040_PH	100-NR-2
199-N-41	2/24/1995 9:30	N	PH	pH Measurement	8.3	unitless	[NULL]	[NULL]	[NULL]	R	B0DX01	PH	DATACH	D1293_PH	100-NR-2
199-N-41	2/24/1995 9:30	N	PH	pH Measurement	7.12	unitless	[NULL]	R	[NULL]	R	B0DX04	PH	FIELD	9040_PH	100-NR-2
199-N-41	8/23/1995 11:12	N	ALKALINITY	Alkalinity	60000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBW6	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-41	8/23/1995 11:12	Y	7429-90-5	Aluminum	31	ug/L	U	[NULL]	[NULL]	R	B0GBX0	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/23/1995 11:12	Y	7440-36-0	Antimony	24	ug/L	U	[NULL]	[NULL]	R	B0GBX0	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/23/1995 11:12	Y	7440-39-3	Barium	22	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBX0	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/23/1995 11:12	Y	7440-41-7	Beryllium	0.63	ug/L	U	[NULL]	[NULL]	R	B0GBX0	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/23/1995 11:12	N	24959-67-9	Bromide	72	ug/L	U	[NULL]	[NULL]	R	B0GBW6	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	8/23/1995 11:12	Y	7440-43-9	Cadmium	0.98	ug/L	U	[NULL]	[NULL]	R	B0GBX0	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/23/1995 11:12	Y	7440-70-2	Calcium	32000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBX0	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/23/1995 11:12	N	16887-00-6	Chloride	5900	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBW6	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	8/23/1995 11:12	Y	7440-47-3	Chromium	4.5	ug/L	L	[NULL]	[NULL]	R	B0GBX0	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/23/1995 11:12	Y	7440-48-4	Cobalt	5.3	ug/L	U	[NULL]	[NULL]	R	B0GBX0	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/23/1995 11:12	Y	7440-50-8	Copper	2.1	ug/L	U	[NULL]	[NULL]	R	B0GBX0	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/23/1995 11:12	N	16984-48-8	Fluoride	100	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBW6	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	8/23/1995 11:12	N	12587-46-1	Gross alpha	0.408	pCi/L	U	[NULL]	[NULL]	R	B0GBW6	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-41	8/23/1995 11:12	N	12587-47-2	Gross beta	6.25	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GBW6	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-41	8/23/1995 11:12	Y	7439-89-6	Iron	28	ug/L	BL	[NULL]	[NULL]	R	B0GBX0	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/23/1995 11:12	Y	7439-92-1	Lead	0.88	ug/L	U	H	[NULL]	R	B0GBX0	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-41	8/23/1995 11:12	Y	7439-95-4	Magnesium	7500	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBX0	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/23/1995 11:12	Y	7439-96-5	Manganese	0.63	ug/L	BL	[NULL]	[NULL]	R	B0GBX0	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/23/1995 11:12	Y	7440-02-0	Nickel	11	ug/L	U	[NULL]	[NULL]	R	B0GBX0	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/23/1995 11:12	N	14797-55-8	Nitrate	13000	ug/L	D	[NULL]	[NULL]	R	B0GBW6	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	8/23/1995 11:12	N	14797-65-0	Nitrite	140	ug/L	U	[NULL]	[NULL]	R	B0GBW6	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	8/23/1995 11:12	N	14265-44-2	Phosphate	340	ug/L	U	[NULL]	[NULL]	R	B0GBW6	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	8/23/1995 11:12	Y	7440-09-7	Potassium	3300	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBX0	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/23/1995 11:12	Y	7440-22-4	Silver	5.5	ug/L	U	[NULL]	[NULL]	R	B0GBX0	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/23/1995 11:12	Y	7440-23-5	Sodium	5200	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBX0	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/23/1995 11:12	N	CONDUCT	Specific Conductance	265	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GBW7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	8/23/1995 11:12	N	CONDUCT	Specific Conductance	265	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GBW6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	8/23/1995 11:12	N	CONDUCT	Specific Conductance	264	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GBW9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	8/23/1995 11:12	N	CONDUCT	Specific Conductance	265	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GBW8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	8/23/1995 11:12	Y	7440-24-6	Strontium	180	ug/L	[NULL]	H	[NULL]	R	B0GBX0	7440-24-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/23/1995 11:12	N	14808-79-8	Sulfate	38000	ug/L	D	[NULL]	[NULL]	R	B0GBW6	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	8/23/1995 11:12	N	TEMPERATURE	Temperature	20.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0GBW6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	8/23/1995 11:12	N	TEMPERATURE	Temperature	20.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0GBW9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	8/23/1995 11:12	N	TEMPERATURE	Temperature	20.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0GBW8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	8/23/1995 11:12	N	TEMPERATURE	Temperature	20.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0GBW7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	8/23/1995 11:12	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	B0GBX0	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/23/1995 11:12	N	TOC	Total organic carbon	200	ug/L	L	[NULL]	[NULL]	R	B0GBW8	TOC	DATACH	9060_TOC	100-NR-2
199-N-41	8/23/1995 11:12	N	TOC	Total organic carbon	200	ug/L	L	[NULL]	[NULL]	R	B0GBW7	TOC	DATACH	9060_TOC	100-NR-2
199-N-41	8/23/1995 11:12	N	TOC	Total organic carbon	200	ug/L	L	[NULL]	[NULL]	R	B0GBW9	TOC	DATACH	9060_TOC	100-NR-2
199-N-41	8/23/1995 11:12	N	TOC	Total organic carbon	200	ug/L	L	[NULL]	[NULL]	R	B0GBW6	TOC	DATACH	9060_TOC	100-NR-2
199-N-41	8/23/1995 11:12	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0GBW6	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-41	8/23/1995 11:12	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0GBW8	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-41	8/23/1995 11:12	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0GBW7	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-41	8/23/1995 11:12	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0GBW9	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-41	8/23/1995 11:12	N	TURBIDITY	Turbidity	11.2	NTU	[NULL]	[NULL]	[NULL]	R	B0GBW6	TURBIDITY	FIELD	180.1_TURBIDITY	100-NR-2
199-N-41	8/23/1995 11:12	Y	7440-62-2	Vanadium	16	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBX0	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/23/1995 11:12	Y	7440-66-6	Zinc	3.7	ug/L	U	[NULL]	[NULL]	R	B0GBX0	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	8/23/1995 11:12	N	PH	pH Measurement	8.35	unitless	[NULL]	[NULL]	[NULL]	R	B0GBW7	PH	FIELD	9040_PH	100-NR-2
199-N-41	8/23/1995 11:12	N	PH	pH Measurement	8.4	unitless	[NULL]	[NULL]	[NULL]	R	B0GBW6	PH	FIELD	9040_PH	100-NR-2
199-N-41	8/23/1995 11:12	N	PH	pH Measurement	8.31	unitless	[NULL]	[NULL]	[NULL]	R	B0GBW9	PH	FIELD	9040_PH	100-NR-2
199-N-41	8/23/1995 11:12	N	PH	pH Measurement	8.31	unitless	[NULL]	[NULL]	[NULL]	R	B0GBW8	PH	FIELD	9040_PH	100-NR-2
199-N-41	8/23/1995 11:12	N	PH	pH Measurement	8.3	unitless	[NULL]	[NULL]	[NULL]	R	B0GBW6	PH	DATACH	D1293_PH	100-NR-2
199-N-41	3/21/1996 9:33	N	88-06-2	2,4,6-Trichlorophenol	0.8	ug/L	U	[NULL]	[NULL]	R	B0HN94	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	3/21/1996 9:33	N	120-83-2	2,4-Dichlorophenol	0.43	ug/L	U	[NULL]	[NULL]	R	B0HN94	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	3/21/1996 9:33	N	105-67-9	2,4-Dimethylphenol	0.62	ug/L	U	[NULL]	[NULL]	R	B0HN94	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	3/21/1996 9:33	N	51-28-5	2,4-Dinitrophenol	6.8	ug/L	U	[NULL]	[NULL]	R	B0HN94	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	3/21/1996 9:33	N	87-65-0	2,6-Dichlorophenol	0.52	ug/L	U	[NULL]	[NULL]	R	B0HN94	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	3/21/1996 9:33	N	95-57-8	2-Chlorophenol	0.6	ug/L	U	[NULL]	[NULL]	R	B0HN94	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	3/21/1996 9:33	N	88-75-5	2-Nitrophenol	0.6	ug/L	U	[NULL]	[NULL]	R	B0HN94	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	3/21/1996 9:33	N	534-52-1	4,6-Dinitro-2-methylphenol	0.84	ug/L	U	[NULL]	[NULL]	R	B0HN94	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	3/21/1996 9:33	N	59-50-7	4-Chloro-3-methylphenol	0.52	ug/L	U	[NULL]	[NULL]	R	B0HN94	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	3/21/1996 9:33	N	100-02-7	4-Nitrophenol	0.49	ug/L	U	[NULL]	[NULL]	R	B0HN94	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	3/21/1996 9:33	N	ALKALINITY	Alkalinity	63000	ug/L	[NULL]	[NULL]	[NULL]	R	B0HN94	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-41	3/21/1996 9:33	Y	7429-90-5	Aluminum	31	ug/L	U	[NULL]	[NULL]	R	B0HN98	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	3/21/1996 9:33	Y	7440-36-0	Antimony	24	ug/L	U	[NULL]	[NULL]	R	B0HN98	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	3/21/1996 9:33	Y	7440-38-2	Arsenic	3.9	ug/L	L	[NULL]	[NULL]	R	B0HN98	7440-38-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	3/21/1996 9:33	Y	7440-39-3	Barium	20	ug/L	[NULL]	[NULL]	[NULL]	R	B0HN98	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	3/21/1996 9:33	Y	7440-41-7	Beryllium	0.63	ug/L	U	[NULL]	[NULL]	R	B0HN98	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	3/21/1996 9:33	N	24959-67-9	Bromide	72	ug/L	U	[NULL]	[NULL]	R	B0HN94	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	3/21/1996 9:33	Y	7440-43-9	Cadmium	0.98	ug/L	U	[NULL]	[NULL]	R	B0HN98	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	3/21/1996 9:33	Y	7440-70-2	Calcium	32000	ug/L	[NULL]	[NULL]	[NULL]	R	B0HN98	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	3/21/1996 9:33	N	16887-00-6	Chloride	5700	ug/L	[NULL]	[NULL]	[NULL]	R	B0HN94	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	3/21/1996 9:33	Y	7440-47-3	Chromium	4.7	ug/L	L	[NULL]	[NULL]	R	B0HN98	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	3/21/1996 9:33	Y	7440-48-4	Cobalt	5.3	ug/L	U	[NULL]	[NULL]	R	B0HN98	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	3/21/1996 9:33	Y	7440-50-8	Copper	2.1	ug/L	U	[NULL]	[NULL]	R	B0HN98	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	3/21/1996 9:33	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	0.41	ug/L	U	[NULL]	[NULL]	R	B0HN94	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	3/21/1996 9:33	N	16984-48-8	Fluoride	180	ug/L	[NULL]	[NULL]	[NULL]	R	B0HN94	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	3/21/1996 9:33	N	12587-46-1	Gross alpha	0.357	pCi/L	U	[NULL]	[NULL]	R	B0HN94	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-41	3/21/1996 9:33	N	12587-47-2	Gross beta	3.515	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HN94	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-41	3/21/1996 9:33	Y	7439-89-6	Iron	38	ug/L	[NULL]	[NULL]	[NULL]	R	B0HN98	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	3/21/1996 9:33	Y	7439-92-1	Lead	1.7	ug/L	U	[NULL]	[NULL]	R	B0HN98	7439-92-1	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	3/21/1996 9:33	Y	7439-95-4	Magnesium	7600	ug/L	[NULL]	[NULL]	[NULL]	R	B0HN98	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	3/21/1996 9:33	Y	7439-96-5	Manganese	0.91	ug/L	BL	[NULL]	[NULL]	R	B0HN98	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	3/21/1996 9:33	Y	7440-02-0	Nickel	11	ug/L	U	[NULL]	[NULL]	R	B0HN98	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	3/21/1996 9:33	N	14797-55-8	Nitrate	14000	ug/L	D	[NULL]	[NULL]	R	B0HN94	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	3/21/1996 9:33	N	14797-65-0	Nitrite	140	ug/L	U	[NULL]	[NULL]	R	B0HN94	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	3/21/1996 9:33	N	87-86-5	Pentachlorophenol	0.48	ug/L	U	[NULL]	[NULL]	R	B0HN94	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	3/21/1996 9:33	N	108-95-2	Phenol	0.58	ug/L	U	[NULL]	[NULL]	R	B0HN94	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	3/21/1996 9:33	N	14265-44-2	Phosphate	340	ug/L	U	[NULL]	[NULL]	R	B0HN94	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	3/21/1996 9:33	Y	7440-09-7	Potassium	3200	ug/L	[NULL]	[NULL]	[NULL]	R	B0HN98	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	3/21/1996 9:33	Y	7782-49-2	Selenium	3.8	ug/L	U	[NULL]	[NULL]	R	B0HN98	7782-49-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	3/21/1996 9:33	Y	7440-22-4	Silver	5.5	ug/L	U	[NULL]	[NULL]	R	B0HN98	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	3/21/1996 9:33	Y	7440-23-5	Sodium	5000	ug/L	[NULL]	[NULL]	[NULL]	R	B0HN98	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	3/21/1996 9:33	N	CONDUCT	Specific Conductance	265	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HN94	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/21/1996 9:33	N	CONDUCT	Specific Conductance	265	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HN95	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/21/1996 9:33	N	CONDUCT	Specific Conductance	264	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HN96	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/21/1996 9:33	N	CONDUCT	Specific Conductance	264	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HN97	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/21/1996 9:33	Y	7440-24-6	Strontium	180	ug/L	[NULL]	[NULL]	[NULL]	R	B0HN98	7440-24-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	3/21/1996 9:33	N	10098-97-2	Strontium-90	-0.072	pCi/L	U	[NULL]	[NULL]	R	B0HND9	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-41	3/21/1996 9:33	N	14808-79-8	Sulfate	39000	ug/L	D	[NULL]	[NULL]	R	B0HN94	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	3/21/1996 9:33	N	TEMPERATURE	Temperature	19.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0HN94	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/21/1996 9:33	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B0HN95	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/21/1996 9:33	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B0HN96	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/21/1996 9:33	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B0HN97	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/21/1996 9:33	N	25167-83-3	Tetrachlorophenol	0.52	ug/L	U	[NULL]	[NULL]	R	B0HN94	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	3/21/1996 9:33	Y	7440-28-0	Thallium	3.7	ug/L	U	[NULL]	[NULL]	R	B0HN98	7440-28-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	3/21/1996 9:33	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	B0HN98	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	3/21/1996 9:33	N	1319-77-3	Total cresols	1.7	ug/L	U	[NULL]	[NULL]	R	B0HN94	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	3/21/1996 9:33	N	TOC	Total organic carbon	189	ug/L	L	[NULL]	[NULL]	R	B0HN94	TOC	DATACH	9060_TOC	100-NR-2
199-N-41	3/21/1996 9:33	N	TOC	Total organic carbon	209	ug/L	L	[NULL]	[NULL]	R	B0HN97	TOC	DATACH	9060_TOC	100-NR-2
199-N-41	3/21/1996 9:33	N	TOC	Total organic carbon	253	ug/L	L	[NULL]	[NULL]	R	B0HN96	TOC	DATACH	9060_TOC	100-NR-2
199-N-41	3/21/1996 9:33	N	TOC	Total organic carbon	212	ug/L	L	[NULL]	[NULL]	R	B0HN95	TOC	DATACH	9060_TOC	100-NR-2
199-N-41	3/21/1996 9:33	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0HN94	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-41	3/21/1996 9:33	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0HN95	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-41	3/21/1996 9:33	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0HN96	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-41	3/21/1996 9:33	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0HN97	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-41	3/21/1996 9:33	N	25167-82-2	Trichlorophenol	0.56	ug/L	U	[NULL]	[NULL]	R	B0HN94	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-41	3/21/1996 9:33	N	TURBIDITY	Turbidity	3.63	NTU	[NULL]	[NULL]	[NULL]	R	B0HN94	TURBIDITY	FIELD	180.1_TURBIDITY	100-NR-2
199-N-41	3/21/1996 9:33	Y	7440-62-2	Vanadium	15	ug/L	[NULL]	[NULL]	[NULL]	R	B0HN98	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	3/21/1996 9:33	Y	7440-66-6	Zinc	3.7	ug/L	U	[NULL]	[NULL]	R	B0HN98	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	3/21/1996 9:33	N	PH	pH Measurement	8.71	unitless	[NULL]	[NULL]	[NULL]	R	B0HN97	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/21/1996 9:33	N	PH	pH Measurement	8.7	unitless	[NULL]	[NULL]	[NULL]	R	B0HN96	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/21/1996 9:33	N	PH	pH Measurement	8.77	unitless	[NULL]	[NULL]	[NULL]	R	B0HN95	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/21/1996 9:33	N	PH	pH Measurement	8.8	unitless	[NULL]	[NULL]	[NULL]	R	B0HN94	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/24/1996 12:16	N	ALKALINITY	Alkalinity	66000	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBM0	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-41	9/24/1996 12:16	Y	7429-90-5	Aluminum	15	ug/L	U	[NULL]	[NULL]	R	B0JBM4	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/24/1996 12:16	Y	7440-36-0	Antimony	43	ug/L	U	[NULL]	[NULL]	R	B0JBM4	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/24/1996 12:16	Y	7440-38-2	Arsenic	6.5	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBM4	7440-38-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/24/1996 12:16	Y	7440-39-3	Barium	20	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBM4	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/24/1996 12:16	Y	7440-41-7	Beryllium	0.2	ug/L	U	[NULL]	[NULL]	R	B0JBM4	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/24/1996 12:16	N	24959-67-9	Bromide	36	ug/L	L	[NULL]	[NULL]	R	B0JBM0	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	9/24/1996 12:16	Y	7440-43-9	Cadmium	0.31	ug/L	U	[NULL]	[NULL]	R	B0JBM4	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/24/1996 12:16	Y	7440-70-2	Calcium	32000	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBM4	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/24/1996 12:16	N	16887-00-6	Chloride	5300	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBM0	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	9/24/1996 12:16	Y	7440-47-3	Chromium	4.4	ug/L	L	[NULL]	[NULL]	R	B0JBM4	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/24/1996 12:16	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B0JBM4	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/24/1996 12:16	Y	7440-50-8	Copper	8.7	ug/L	U	[NULL]	[NULL]	R	B0JBM4	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/24/1996 12:16	N	16984-48-8	Fluoride	160	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBM0	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	9/24/1996 12:16	N	12587-46-1	Gross alpha	0.497	pCi/L	[NULL]	[NULL]	[NULL]	R	B0JBM0	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	9/24/1996 12:16	N	12587-47-2	Gross beta	2.053	pCi/L	[NULL]	[NULL]	[NULL]	R	B0JBM0	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-41	9/24/1996 12:16	Y	7439-89-6	Iron	30	ug/L	L	[NULL]	[NULL]	R	B0JBM4	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/24/1996 12:16	Y	7439-92-1	Lead	1.7	ug/L	U	[NULL]	[NULL]	R	B0JBM4	7439-92-1	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/24/1996 12:16	Y	7439-95-4	Magnesium	7400	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBM4	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/24/1996 12:16	Y	7439-96-5	Manganese	0.86	ug/L	L	[NULL]	[NULL]	R	B0JBM4	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/24/1996 12:16	Y	7440-02-0	Nickel	7.4	ug/L	U	[NULL]	[NULL]	R	B0JBM4	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/24/1996 12:16	N	14797-55-8	Nitrate	14000	ug/L	D	[NULL]	[NULL]	R	B0JBM0	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	9/24/1996 12:16	N	14797-65-0	Nitrite	11	ug/L	U	[NULL]	[NULL]	R	B0JBM0	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	9/24/1996 12:16	N	14265-44-2	Phosphate	83	ug/L	U	[NULL]	[NULL]	R	B0JBM0	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	9/24/1996 12:16	Y	7440-09-7	Potassium	3100	ug/L	B	[NULL]	[NULL]	R	B0JBM4	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/24/1996 12:16	Y	7782-49-2	Selenium	3.8	ug/L	U	[NULL]	[NULL]	R	B0JBM4	7782-49-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/24/1996 12:16	Y	7440-22-4	Silver	4.5	ug/L	U	[NULL]	[NULL]	R	B0JBM4	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/24/1996 12:16	Y	7440-23-5	Sodium	5000	ug/L	[NULL]	Q	[NULL]	R	B0JBM4	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/24/1996 12:16	N	CONDUCT	Specific Conductance	268	uS/cm	[NULL]	[NULL]	[NULL]	R	B0JBM0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/24/1996 12:16	N	CONDUCT	Specific Conductance	268	uS/cm	[NULL]	[NULL]	[NULL]	R	B0JBM3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/24/1996 12:16	N	CONDUCT	Specific Conductance	268	uS/cm	[NULL]	[NULL]	[NULL]	R	B0JBM2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/24/1996 12:16	N	CONDUCT	Specific Conductance	268	uS/cm	[NULL]	[NULL]	[NULL]	R	B0JBM1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/24/1996 12:16	Y	7440-24-6	Strontium	170	ug/L	B	Q	[NULL]	R	B0JBM4	7440-24-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/24/1996 12:16	N	14808-79-8	Sulfate	41000	ug/L	D	[NULL]	[NULL]	R	B0JBM0	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-41	9/24/1996 12:16	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0JBM1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/24/1996 12:16	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0JBM0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/24/1996 12:16	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0JBM3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/24/1996 12:16	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0JBM2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/24/1996 12:16	Y	7440-28-0	Thallium	3.7	ug/L	U	[NULL]	[NULL]	R	B0JBM4	7440-28-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/24/1996 12:16	Y	7440-31-5	Tin	17	ug/L	U	[NULL]	[NULL]	R	B0JBM4	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/24/1996 12:16	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B0JBM0	TOC	DATACH	9060_TOC	100-NR-2
199-N-41	9/24/1996 12:16	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B0JBM1	TOC	DATACH	9060_TOC	100-NR-2
199-N-41	9/24/1996 12:16	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B0JBM2	TOC	DATACH	9060_TOC	100-NR-2
199-N-41	9/24/1996 12:16	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B0JBM3	TOC	DATACH	9060_TOC	100-NR-2
199-N-41	9/24/1996 12:16	N	59473-04-0	Total organic halides	7.89	ug/L	U	[NULL]	[NULL]	R	B0JBM3	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-41	9/24/1996 12:16	N	59473-04-0	Total organic halides	7.89	ug/L	U	[NULL]	[NULL]	R	B0JBM2	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-41	9/24/1996 12:16	N	59473-04-0	Total organic halides	7.89	ug/L	U	[NULL]	[NULL]	R	B0JBM0	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-41	9/24/1996 12:16	N	59473-04-0	Total organic halides	7.89	ug/L	U	[NULL]	[NULL]	R	B0JBM1	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-41	9/24/1996 12:16	N	TURBIDITY	Turbidity	3.67	NTU	[NULL]	[NULL]	[NULL]	R	B0JBM3	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	9/24/1996 12:16	Y	7440-62-2	Vanadium	14	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBM4	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/24/1996 12:16	Y	7440-66-6	Zinc	7.7	ug/L	U	[NULL]	[NULL]	R	B0JBM4	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-41	9/24/1996 12:16	N	PH	pH Measurement	8.39	unitless	[NULL]	[NULL]	[NULL]	R	B0JBM3	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/24/1996 12:16	N	PH	pH Measurement	8.39	unitless	[NULL]	[NULL]	[NULL]	R	B0JBM2	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/24/1996 12:16	N	PH	pH Measurement	8.39	unitless	[NULL]	[NULL]	[NULL]	R	B0JBM1	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/24/1996 12:16	N	PH	pH Measurement	8.39	unitless	[NULL]	[NULL]	[NULL]	R	B0JBM0	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/6/1997 11:30	N	ALKALINITY	Alkalinity	71600	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2K6	ALKALINITY	QTESSL	310.1_ALKALINITY	100-NR-2
199-N-41	3/6/1997 11:30	Y	7429-90-5	Aluminum	20.1	ug/L	UC	[NULL]	[NULL]	R	B0K2L0	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/6/1997 11:30	Y	7440-36-0	Antimony	24	ug/L	B	[NULL]	[NULL]	R	B0K2L0	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/6/1997 11:30	Y	7440-39-3	Barium	24.3	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2L0	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/6/1997 11:30	Y	7440-41-7	Beryllium	0.43	ug/L	B	[NULL]	[NULL]	R	B0K2L0	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/6/1997 11:30	N	24959-67-9	Bromide	23	ug/L	U	[NULL]	[NULL]	R	B0K2K6	24959-67-9	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/6/1997 11:30	Y	7440-43-9	Cadmium	3.4	ug/L	U	[NULL]	[NULL]	R	B0K2L0	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/6/1997 11:30	Y	7440-70-2	Calcium	35800	ug/L	C	Q	[NULL]	R	B0K2L0	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/6/1997 11:30	N	16887-00-6	Chloride	5770	ug/L	D	[NULL]	[NULL]	R	B0K2K6	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/6/1997 11:30	Y	7440-47-3	Chromium	6.3	ug/L	B	[NULL]	[NULL]	R	B0K2L0	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/6/1997 11:30	Y	7440-48-4	Cobalt	2.7	ug/L	U	[NULL]	[NULL]	R	B0K2L0	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/6/1997 11:30	Y	7440-50-8	Copper	7.5	ug/L	U	[NULL]	[NULL]	R	B0K2L0	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/6/1997 11:30	N	16984-48-8	Fluoride	150	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2K6	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/6/1997 11:30	Y	7439-89-6	Iron	38.2	ug/L	C	Q	[NULL]	R	B0K2L0	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/6/1997 11:30	Y	7439-95-4	Magnesium	8440	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2L0	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	3/6/1997 11:30	Y	7439-96-5	Manganese	2.5	ug/L	B	[NULL]	[NULL]	R	B0K2L0	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/6/1997 11:30	Y	7440-02-0	Nickel	8.7	ug/L	U	[NULL]	[NULL]	R	B0K2L0	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/6/1997 11:30	N	14797-55-8	Nitrate	14000	ug/L	D	[NULL]	[NULL]	R	B0K2K6	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/6/1997 11:30	N	14797-65-0	Nitrite	6.57	ug/L	U	[NULL]	[NULL]	R	B0K2K6	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/6/1997 11:30	N	14265-44-2	Phosphate	36	ug/L	U	[NULL]	[NULL]	R	B0K2K6	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/6/1997 11:30	Y	7440-09-7	Potassium	4390	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2L0	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/6/1997 11:30	Y	7440-22-4	Silver	3.6	ug/L	UN	[NULL]	[NULL]	R	B0K2L0	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/6/1997 11:30	Y	7440-23-5	Sodium	5300	ug/L	[NULL]	Q	[NULL]	R	B0K2L0	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/6/1997 11:30	N	CONDUCT	Specific Conductance	280	uS/cm	[NULL]	[NULL]	[NULL]	R	B0K2K8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/6/1997 11:30	N	CONDUCT	Specific Conductance	279	uS/cm	[NULL]	[NULL]	[NULL]	R	B0K2K6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/6/1997 11:30	N	CONDUCT	Specific Conductance	280	uS/cm	[NULL]	[NULL]	[NULL]	R	B0K2K9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/6/1997 11:30	N	CONDUCT	Specific Conductance	280	uS/cm	[NULL]	[NULL]	[NULL]	R	B0K2K7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/6/1997 11:30	Y	7440-24-6	Strontium	191	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2L0	7440-24-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/6/1997 11:30	N	10098-97-2	Strontium-90	0.529	pCi/L	J	[NULL]	[NULL]	R	B0JX65	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-41	3/6/1997 11:30	N	14808-79-8	Sulfate	46300	ug/L	D	[NULL]	[NULL]	R	B0K2K6	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/6/1997 11:30	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B0K2K6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/6/1997 11:30	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B0K2K9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/6/1997 11:30	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B0K2K8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/6/1997 11:30	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B0K2K7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/6/1997 11:30	N	TOC	Total organic carbon	532	ug/L	U	[NULL]	[NULL]	R	B0K2K8	TOC	QTESSL	9060_TOC	100-NR-2
199-N-41	3/6/1997 11:30	N	TOC	Total organic carbon	714	ug/L	B	[NULL]	[NULL]	R	B0K2K9	TOC	QTESSL	9060_TOC	100-NR-2
199-N-41	3/6/1997 11:30	N	TOC	Total organic carbon	532	ug/L	U	[NULL]	[NULL]	R	B0K2K6	TOC	QTESSL	9060_TOC	100-NR-2
199-N-41	3/6/1997 11:30	N	TOC	Total organic carbon	670	ug/L	B	[NULL]	[NULL]	R	B0K2K7	TOC	QTESSL	9060_TOC	100-NR-2
199-N-41	3/6/1997 11:30	N	59473-04-0	Total organic halides	2.65	ug/L	U	[NULL]	[NULL]	R	B0K2K6	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-41	3/6/1997 11:30	N	59473-04-0	Total organic halides	7.9	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2K7	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-41	3/6/1997 11:30	N	59473-04-0	Total organic halides	2.65	ug/L	U	[NULL]	[NULL]	R	B0K2K8	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-41	3/6/1997 11:30	N	59473-04-0	Total organic halides	2.65	ug/L	U	[NULL]	[NULL]	R	B0K2K9	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-41	3/6/1997 11:30	N	TURBIDITY	Turbidity	1.56	NTU	[NULL]	[NULL]	[NULL]	R	B0K2K9	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	3/6/1997 11:30	Y	7440-62-2	Vanadium	20.5	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2L0	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/6/1997 11:30	Y	7440-66-6	Zinc	49.1	ug/L	[NULL]	Q	[NULL]	R	B0K2L0	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/6/1997 11:30	N	PH	pH Measurement	8.41	unitless	[NULL]	[NULL]	[NULL]	R	B0K2K8	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/6/1997 11:30	N	PH	pH Measurement	8.42	unitless	[NULL]	[NULL]	[NULL]	R	B0K2K6	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/6/1997 11:30	N	PH	pH Measurement	8.41	unitless	[NULL]	[NULL]	[NULL]	R	B0K2K9	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/6/1997 11:30	N	PH	pH Measurement	8.4	unitless	[NULL]	[NULL]	[NULL]	R	B0K2K7	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/19/1997 11:42	N	CONDUCT	Specific Conductance	285	uS/cm	[NULL]	[NULL]	[NULL]	R	B0LYL2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/19/1997 11:42	N	CONDUCT	Specific Conductance	285	uS/cm	[NULL]	[NULL]	[NULL]	R	B0LYL3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/19/1997 11:42	N	CONDUCT	Specific Conductance	285	uS/cm	[NULL]	[NULL]	[NULL]	R	B0LYL1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/19/1997 11:42	N	CONDUCT	Specific Conductance	285	uS/cm	[NULL]	[NULL]	[NULL]	R	B0LYL0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/19/1997 11:42	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0LYL2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/19/1997 11:42	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0LYL3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/19/1997 11:42	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0LYL0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/19/1997 11:42	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0LYL1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/19/1997 11:42	N	TOC	Total organic carbon	370	ug/L	U	[NULL]	[NULL]	R	B0LYL0	TOC	QTESSL	9060_TOC	100-NR-2
199-N-41	9/19/1997 11:42	N	TOC	Total organic carbon	370	ug/L	U	[NULL]	[NULL]	R	B0LYL3	TOC	QTESSL	9060_TOC	100-NR-2
199-N-41	9/19/1997 11:42	N	TOC	Total organic carbon	370	ug/L	U	[NULL]	[NULL]	R	B0LYL1	TOC	QTESSL	9060_TOC	100-NR-2
199-N-41	9/19/1997 11:42	N	TOC	Total organic carbon	370	ug/L	U	[NULL]	[NULL]	R	B0LYL2	TOC	QTESSL	9060_TOC	100-NR-2
199-N-41	9/19/1997 11:42	N	59473-04-0	Total organic halides	4.62	ug/L	U	[NULL]	[NULL]	R	B0LYL2	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-41	9/19/1997 11:42	N	59473-04-0	Total organic halides	4.62	ug/L	U	[NULL]	[NULL]	R	B0LYL1	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-41	9/19/1997 11:42	N	59473-04-0	Total organic halides	4.62	ug/L	U	[NULL]	[NULL]	R	B0LYL0	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-41	9/19/1997 11:42	N	59473-04-0	Total organic halides	4.62	ug/L	U	[NULL]	[NULL]	R	B0LYL3	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-41	9/19/1997 11:42	N	TURBIDITY	Turbidity	4.93	NTU	[NULL]	[NULL]	[NULL]	R	B0LYL3	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	9/19/1997 11:42	N	TURBIDITY	Turbidity	6.47	NTU	[NULL]	[NULL]	[NULL]	R	B0LYL0	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	9/19/1997 11:42	N	PH	pH Measurement	8.22	unitless	[NULL]	[NULL]	[NULL]	R	B0LYL2	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/19/1997 11:42	N	PH	pH Measurement	8.22	unitless	[NULL]	[NULL]	[NULL]	R	B0LYL3	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/19/1997 11:42	N	PH	pH Measurement	8.22	unitless	[NULL]	[NULL]	[NULL]	R	B0LYL0	PH	FIELD	9040_PH	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	9/19/1997 11:42	N	PH	pH Measurement	8.21	unitless	[NULL]	[NULL]	[NULL]	R	B0LYL1	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/3/1998 13:28	N	ALKALINITY	Alkalinity	60000	ug/L	[NULL]	[NULL]	[NULL]	R	B0N4Y5	ALKALINITY	QTESSL	310.1_ALKALINITY	100-NR-2
199-N-41	3/3/1998 13:28	Y	7429-90-5	Aluminum	31.3	ug/L	UC	[NULL]	[NULL]	R	B0N4Y4	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/1998 13:28	Y	7440-36-0	Antimony	42.5	ug/L	U	[NULL]	[NULL]	R	B0N4Y4	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/1998 13:28	Y	7440-39-3	Barium	31.7	ug/L	[NULL]	[NULL]	[NULL]	R	B0N4Y4	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/1998 13:28	Y	7440-41-7	Beryllium	0.4	ug/L	U	[NULL]	[NULL]	R	B0N4Y4	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/1998 13:28	Y	7440-43-9	Cadmium	3.3	ug/L	U	[NULL]	[NULL]	R	B0N4Y4	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/1998 13:28	Y	7440-70-2	Calcium	47200	ug/L	C	[NULL]	[NULL]	R	B0N4Y4	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/1998 13:28	N	16887-00-6	Chloride	13900	ug/L	D	[NULL]	[NULL]	R	B0N4Y5	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/3/1998 13:28	Y	7440-47-3	Chromium	6.6	ug/L	B	[NULL]	[NULL]	R	B0N4Y4	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/1998 13:28	Y	7440-48-4	Cobalt	4.3	ug/L	U	[NULL]	[NULL]	R	B0N4Y4	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/1998 13:28	Y	7440-50-8	Copper	4.1	ug/L	U	Q	[NULL]	R	B0N4Y4	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/1998 13:28	N	16984-48-8	Fluoride	144	ug/L	[NULL]	[NULL]	[NULL]	R	B0N4Y5	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/3/1998 13:28	Y	7439-89-6	Iron	293	ug/L	NC	Q	[NULL]	R	B0N4Y4	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/1998 13:28	Y	7439-95-4	Magnesium	11600	ug/L	C	[NULL]	[NULL]	R	B0N4Y4	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/1998 13:28	Y	7439-96-5	Manganese	3.5	ug/L	B	Q	[NULL]	R	B0N4Y4	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/1998 13:28	Y	7440-02-0	Nickel	14.6	ug/L	U	[NULL]	[NULL]	R	B0N4Y4	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/1998 13:28	N	14797-55-8	Nitrate	30600	ug/L	D	Q	[NULL]	R	B0N4Y5	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/3/1998 13:28	N	14797-65-0	Nitrite	6.57	ug/L	UD	[NULL]	[NULL]	R	B0N4Y5	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/3/1998 13:28	Y	7440-09-7	Potassium	3450	ug/L	[NULL]	[NULL]	[NULL]	R	B0N4Y4	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/1998 13:28	Y	7440-22-4	Silver	6	ug/L	U	[NULL]	[NULL]	R	B0N4Y4	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/1998 13:28	Y	7440-23-5	Sodium	6220	ug/L	[NULL]	Q	[NULL]	R	B0N4Y4	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/1998 13:28	N	CONDUCT	Specific Conductance	368	uS/cm	[NULL]	[NULL]	[NULL]	R	B0N4Y3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/3/1998 13:28	N	CONDUCT	Specific Conductance	370	uS/cm	[NULL]	[NULL]	[NULL]	R	B0N4Y2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/3/1998 13:28	N	CONDUCT	Specific Conductance	369	uS/cm	[NULL]	[NULL]	[NULL]	R	B0N4Y1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/3/1998 13:28	N	CONDUCT	Specific Conductance	370	uS/cm	[NULL]	[NULL]	[NULL]	R	B0N4Y0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/3/1998 13:28	Y	7440-24-6	Strontium	270	ug/L	[NULL]	[NULL]	[NULL]	R	B0N4Y4	7440-24-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/1998 13:28	N	10098-97-2	Strontium-90	0.571	pCi/L	U	[NULL]	[NULL]	R	B0N465	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-41	3/3/1998 13:28	N	14808-79-8	Sulfate	62900	ug/L	D	[NULL]	[NULL]	R	B0N4Y5	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/3/1998 13:28	N	TEMPERATURE	Temperature	18.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0N4Y1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/3/1998 13:28	N	TEMPERATURE	Temperature	18.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0N4Y3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/3/1998 13:28	N	TEMPERATURE	Temperature	18.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0N4Y2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/3/1998 13:28	N	TEMPERATURE	Temperature	18.9	Deg C	[NULL]	[NULL]	[NULL]	R	B0N4Y0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/3/1998 13:28	N	TOC	Total organic carbon	548	ug/L	B	[NULL]	[NULL]	R	B0N4Y3	TOC	QTESSL	9060_TOC	100-NR-2
199-N-41	3/3/1998 13:28	N	TOC	Total organic carbon	634	ug/L	B	[NULL]	[NULL]	R	B0N4Y0	TOC	QTESSL	9060_TOC	100-NR-2
199-N-41	3/3/1998 13:28	N	TOC	Total organic carbon	544	ug/L	B	[NULL]	[NULL]	R	B0N4Y1	TOC	QTESSL	9060_TOC	100-NR-2
199-N-41	3/3/1998 13:28	N	TOC	Total organic carbon	578	ug/L	B	[NULL]	[NULL]	R	B0N4Y2	TOC	QTESSL	9060_TOC	100-NR-2
199-N-41	3/3/1998 13:28	N	59473-04-0	Total organic halides	11.9	ug/L	[NULL]	[NULL]	[NULL]	R	B0N4Y3	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-41	3/3/1998 13:28	N	59473-04-0	Total organic halides	7.6	ug/L	[NULL]	[NULL]	[NULL]	R	B0N4Y2	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-41	3/3/1998 13:28	N	59473-04-0	Total organic halides	4.62	ug/L	U	[NULL]	[NULL]	R	B0N4Y0	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-41	3/3/1998 13:28	N	59473-04-0	Total organic halides	4.9	ug/L	B	[NULL]	[NULL]	R	B0N4Y1	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-41	3/3/1998 13:28	N	TURBIDITY	Turbidity	4.61	NTU	[NULL]	[NULL]	[NULL]	R	B0N4Y1	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	3/3/1998 13:28	N	TURBIDITY	Turbidity	4.24	NTU	[NULL]	[NULL]	[NULL]	R	B0N4Y3	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	3/3/1998 13:28	Y	7440-62-2	Vanadium	18.7	ug/L	[NULL]	[NULL]	[NULL]	R	B0N4Y4	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/1998 13:28	Y	7440-66-6	Zinc	7.8	ug/L	B	[NULL]	[NULL]	R	B0N4Y4	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/1998 13:28	N	PH	pH Measurement	8.24	unitless	[NULL]	[NULL]	[NULL]	R	B0N4Y2	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/3/1998 13:28	N	PH	pH Measurement	8.24	unitless	[NULL]	[NULL]	[NULL]	R	B0N4Y3	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/3/1998 13:28	N	PH	pH Measurement	8.24	unitless	[NULL]	[NULL]	[NULL]	R	B0N4Y1	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/3/1998 13:28	N	PH	pH Measurement	8.24	unitless	[NULL]	[NULL]	[NULL]	R	B0N4Y0	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/2/1998 9:37	N	CONDUCT	Specific Conductance	379	uS/cm	[NULL]	[NULL]	[NULL]	R	B0PRK9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/2/1998 9:37	N	CONDUCT	Specific Conductance	378	uS/cm	[NULL]	[NULL]	[NULL]	R	B0PRL1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/2/1998 9:37	N	CONDUCT	Specific Conductance	379	uS/cm	[NULL]	[NULL]	[NULL]	R	B0PRL0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/2/1998 9:37	N	CONDUCT	Specific Conductance	377	uS/cm	[NULL]	[NULL]	[NULL]	R	B0PRK8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/2/1998 9:37	N	TEMPERATURE	Temperature	19.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0PRK9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/2/1998 9:37	N	TEMPERATURE	Temperature	19.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0PRL1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	9/2/1998 9:37	N	TEMPERATURE	Temperature	19.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0PRL0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/2/1998 9:37	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B0PRK8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/2/1998 9:37	N	TOC	Total organic carbon	963	ug/L	B	[NULL]	[NULL]	R	B0PRK9	TOC	QTESSL	9060_TOC	100-NR-2
199-N-41	9/2/1998 9:37	N	TOC	Total organic carbon	794	ug/L	B	[NULL]	[NULL]	R	B0PRL1	TOC	QTESSL	9060_TOC	100-NR-2
199-N-41	9/2/1998 9:37	N	TOC	Total organic carbon	802	ug/L	B	[NULL]	[NULL]	R	B0PRK8	TOC	QTESSL	9060_TOC	100-NR-2
199-N-41	9/2/1998 9:37	N	TOC	Total organic carbon	828	ug/L	B	[NULL]	[NULL]	R	B0PRL0	TOC	QTESSL	9060_TOC	100-NR-2
199-N-41	9/2/1998 9:37	N	59473-04-0	Total organic halides	2.38	ug/L	UC	[NULL]	[NULL]	R	B0PRK8	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-41	9/2/1998 9:37	N	59473-04-0	Total organic halides	4.9	ug/L	BC	[NULL]	[NULL]	R	B0PRL0	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-41	9/2/1998 9:37	N	59473-04-0	Total organic halides	2.38	ug/L	UC	[NULL]	[NULL]	R	B0PRK9	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-41	9/2/1998 9:37	N	59473-04-0	Total organic halides	3.8	ug/L	BC	[NULL]	[NULL]	R	B0PRL1	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-41	9/2/1998 9:37	N	TURBIDITY	Turbidity	2.94	NTU	[NULL]	[NULL]	[NULL]	R	B0PRK8	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	9/2/1998 9:37	N	TURBIDITY	Turbidity	2.66	NTU	[NULL]	[NULL]	[NULL]	R	B0PRL1	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	9/2/1998 9:37	N	TURBIDITY	Turbidity	2.9	NTU	[NULL]	[NULL]	[NULL]	R	B0PRL0	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	9/2/1998 9:37	N	TURBIDITY	Turbidity	3.22	NTU	[NULL]	[NULL]	[NULL]	R	B0PRK9	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	9/2/1998 9:37	N	PH	pH Measurement	8.24	unitless	[NULL]	[NULL]	[NULL]	R	B0PRK8	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/2/1998 9:37	N	PH	pH Measurement	8.24	unitless	[NULL]	[NULL]	[NULL]	R	B0PRK9	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/2/1998 9:37	N	PH	pH Measurement	8.22	unitless	[NULL]	[NULL]	[NULL]	R	B0PRL0	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/2/1998 9:37	N	PH	pH Measurement	8.24	unitless	[NULL]	[NULL]	[NULL]	R	B0PRL1	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/18/1999 13:06	N	ALKALINITY	Alkalinity	56000	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX44	ALKALINITY	QTESSL	310.1_ALKALINITY	100-NR-2
199-N-41	3/18/1999 13:06	Y	7429-90-5	Aluminum	33.5	ug/L	U	[NULL]	[NULL]	R	B0TX43	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/18/1999 13:06	Y	7440-36-0	Antimony	41.4	ug/L	B	[NULL]	[NULL]	R	B0TX43	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/18/1999 13:06	Y	7440-39-3	Barium	37.3	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX43	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/18/1999 13:06	Y	7440-41-7	Beryllium	1.1	ug/L	B	[NULL]	[NULL]	R	B0TX43	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/18/1999 13:06	Y	7440-43-9	Cadmium	3.9	ug/L	U	[NULL]	[NULL]	R	B0TX43	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/18/1999 13:06	Y	7440-70-2	Calcium	64600	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX43	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/18/1999 13:06	N	16887-00-6	Chloride	28400	ug/L	D	Q	[NULL]	R	B0TX44	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/18/1999 13:06	Y	7440-47-3	Chromium	7.8	ug/L	B	[NULL]	[NULL]	R	B0TX43	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/18/1999 13:06	Y	7440-48-4	Cobalt	5.1	ug/L	U	[NULL]	[NULL]	R	B0TX43	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/18/1999 13:06	Y	7440-50-8	Copper	3.9	ug/L	U	[NULL]	[NULL]	R	B0TX43	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/18/1999 13:06	N	16984-48-8	Fluoride	118	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX44	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/18/1999 13:06	Y	7439-89-6	Iron	60.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX43	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/18/1999 13:06	Y	7439-95-4	Magnesium	15400	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX43	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/18/1999 13:06	Y	7439-96-5	Manganese	6.1	ug/L	[NULL]	Q	[NULL]	R	B0TX43	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/18/1999 13:06	Y	7440-02-0	Nickel	10.6	ug/L	B	[NULL]	[NULL]	R	B0TX43	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/18/1999 13:06	N	14797-55-8	Nitrate	25800	ug/L	D	[NULL]	[NULL]	R	B0TX44	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/18/1999 13:06	N	14797-65-0	Nitrite	23	ug/L	U	[NULL]	[NULL]	R	B0TX44	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/18/1999 13:06	Y	7440-09-7	Potassium	5500	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX43	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/18/1999 13:06	Y	7440-22-4	Silver	5.9	ug/L	U	[NULL]	[NULL]	R	B0TX43	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/18/1999 13:06	Y	7440-23-5	Sodium	7190	ug/L	[NULL]	Q	[NULL]	R	B0TX43	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/18/1999 13:06	N	CONDUCT	Specific Conductance	453	uS/cm	C	Q	[NULL]	R	B0TX44	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-41	3/18/1999 13:06	N	CONDUCT	Specific Conductance	471	uS/cm	[NULL]	[NULL]	[NULL]	R	B0TX44	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/18/1999 13:06	N	CONDUCT	Specific Conductance	474	uS/cm	[NULL]	[NULL]	[NULL]	R	B0V0V9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/18/1999 13:06	N	CONDUCT	Specific Conductance	474	uS/cm	[NULL]	[NULL]	[NULL]	R	B0V0V8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/18/1999 13:06	N	CONDUCT	Specific Conductance	472	uS/cm	[NULL]	[NULL]	[NULL]	R	B0V0W0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/18/1999 13:06	Y	7440-24-6	Strontium	324	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX43	7440-24-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/18/1999 13:06	N	10098-97-2	Strontium-90	0.187	pCi/L	U	[NULL]	[NULL]	R	B0TXY6	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-41	3/18/1999 13:06	N	14808-79-8	Sulfate	105000	ug/L	D	Q	[NULL]	R	B0TX44	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/18/1999 13:06	N	TEMPERATURE	Temperature	18.9	Deg C	[NULL]	[NULL]	[NULL]	R	B0V0V8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/18/1999 13:06	N	TEMPERATURE	Temperature	18.9	Deg C	[NULL]	[NULL]	[NULL]	R	B0V0W0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/18/1999 13:06	N	TEMPERATURE	Temperature	18.9	Deg C	[NULL]	[NULL]	[NULL]	R	B0V0V9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/18/1999 13:06	N	TEMPERATURE	Temperature	18.9	Deg C	[NULL]	[NULL]	[NULL]	R	B0TX44	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/18/1999 13:06	N	TOC	Total organic carbon	989	ug/L	B	[NULL]	[NULL]	R	B0V0V9	TOC	QTESSL	9060_TOC	100-NR-2
199-N-41	3/18/1999 13:06	N	TOC	Total organic carbon	797	ug/L	B	[NULL]	[NULL]	R	B0V0W0	TOC	QTESSL	9060_TOC	100-NR-2
199-N-41	3/18/1999 13:06	N	TOC	Total organic carbon	603	ug/L	B	[NULL]	[NULL]	R	B0TX44	TOC	QTESSL	9060_TOC	100-NR-2
199-N-41	3/18/1999 13:06	N	TOC	Total organic carbon	694	ug/L	B	[NULL]	[NULL]	R	B0V0V8	TOC	QTESSL	9060_TOC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	3/18/1999 13:06	N	59473-04-0	Total organic halides	2.38	ug/L	U	[NULL]	[NULL]	R	B0TX44	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-41	3/18/1999 13:06	N	59473-04-0	Total organic halides	4.15	ug/L	B	[NULL]	[NULL]	R	B0V0W0	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-41	3/18/1999 13:06	N	59473-04-0	Total organic halides	4.2	ug/L	B	[NULL]	[NULL]	R	B0V0V8	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-41	3/18/1999 13:06	N	59473-04-0	Total organic halides	7.1	ug/L	[NULL]	[NULL]	[NULL]	R	B0V0V9	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-41	3/18/1999 13:06	Y	TURBIDITY	Turbidity	0.28	NTU	[NULL]	[NULL]	[NULL]	R	B0TX43	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	3/18/1999 13:06	N	TURBIDITY	Turbidity	1.18	NTU	[NULL]	[NULL]	[NULL]	R	B0V0W0	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	3/18/1999 13:06	Y	7440-62-2	Vanadium	41.7	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX43	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/18/1999 13:06	Y	7440-66-6	Zinc	43.2	ug/L	[NULL]	Q	[NULL]	R	B0TX43	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/18/1999 13:06	N	PH	pH Measurement	8.23	unitless	[NULL]	[NULL]	[NULL]	R	B0V0V8	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/18/1999 13:06	N	PH	pH Measurement	8.23	unitless	[NULL]	[NULL]	[NULL]	R	B0V0V9	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/18/1999 13:06	N	PH	pH Measurement	8.24	unitless	[NULL]	[NULL]	[NULL]	R	B0V0W0	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/18/1999 13:06	N	PH	pH Measurement	8.23	unitless	[NULL]	[NULL]	[NULL]	R	B0TX44	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/10/1999 8:41	N	CONDUCT	Specific Conductance	493	uS/cm	[NULL]	[NULL]	[NULL]	R	B0W6V6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/10/1999 8:41	N	CONDUCT	Specific Conductance	492	uS/cm	[NULL]	[NULL]	[NULL]	R	B0W6V5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/10/1999 8:41	N	CONDUCT	Specific Conductance	492	uS/cm	[NULL]	[NULL]	[NULL]	R	B0W6V4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/10/1999 8:41	N	CONDUCT	Specific Conductance	468	uS/cm	C	[NULL]	[NULL]	R	B0W6V7	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-41	9/10/1999 8:41	N	CONDUCT	Specific Conductance	492	uS/cm	[NULL]	[NULL]	[NULL]	R	B0W6V3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/10/1999 8:41	N	TEMPERATURE	Temperature	18.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0W6V5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/10/1999 8:41	N	TEMPERATURE	Temperature	18.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0W6V4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/10/1999 8:41	N	TEMPERATURE	Temperature	18.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0W6V3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/10/1999 8:41	N	TEMPERATURE	Temperature	18.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0W6V6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/10/1999 8:41	N	TOC	Total organic carbon	353	ug/L	B	[NULL]	[NULL]	R	B0W6V6	TOC	QTESSL	9060_TOC	100-NR-2
199-N-41	9/10/1999 8:41	N	TOC	Total organic carbon	341	ug/L	B	[NULL]	[NULL]	R	B0W6V3	TOC	QTESSL	9060_TOC	100-NR-2
199-N-41	9/10/1999 8:41	N	TOC	Total organic carbon	437	ug/L	B	[NULL]	[NULL]	R	B0W6V5	TOC	QTESSL	9060_TOC	100-NR-2
199-N-41	9/10/1999 8:41	N	TOC	Total organic carbon	456	ug/L	B	[NULL]	[NULL]	R	B0W6V4	TOC	QTESSL	9060_TOC	100-NR-2
199-N-41	9/10/1999 8:41	N	59473-04-0	Total organic halides	5.15	ug/L	[NULL]	[NULL]	[NULL]	R	B0W6V3	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-41	9/10/1999 8:41	N	59473-04-0	Total organic halides	4.9	ug/L	B	[NULL]	[NULL]	R	B0W6V5	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-41	9/10/1999 8:41	N	59473-04-0	Total organic halides	10.6	ug/L	[NULL]	[NULL]	[NULL]	R	B0W6V6	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-41	9/10/1999 8:41	N	59473-04-0	Total organic halides	4.6	ug/L	B	[NULL]	[NULL]	R	B0W6V4	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-41	9/10/1999 8:41	N	TURBIDITY	Turbidity	5.6	NTU	[NULL]	[NULL]	[NULL]	R	B0W6V4	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	9/10/1999 8:41	N	TURBIDITY	Turbidity	5.83	NTU	[NULL]	[NULL]	[NULL]	R	B0W6V6	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	9/10/1999 8:41	N	PH	pH Measurement	8.19	unitless	[NULL]	[NULL]	[NULL]	R	B0W6V6	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/10/1999 8:41	N	PH	pH Measurement	8.19	unitless	[NULL]	[NULL]	[NULL]	R	B0W6V5	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/10/1999 8:41	N	PH	pH Measurement	8.18	unitless	[NULL]	[NULL]	[NULL]	R	B0W6V4	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/10/1999 8:41	N	PH	pH Measurement	8.19	unitless	[NULL]	[NULL]	[NULL]	R	B0W6V3	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/28/2000 12:31	N	ALKALINITY	Alkalinity	63000	ug/L	[NULL]	[NULL]	[NULL]	R	B0XLF7	ALKALINITY	QTESSL	310.1_ALKALINITY	100-NR-2
199-N-41	3/28/2000 12:31	Y	7429-90-5	Aluminum	41.8	ug/L	U	[NULL]	[NULL]	R	B0XLF6	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/28/2000 12:31	Y	7440-36-0	Antimony	29.2	ug/L	[NULL]	[NULL]	[NULL]	R	B0XLF6	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/28/2000 12:31	Y	7440-39-3	Barium	47.2	ug/L	B	[NULL]	[NULL]	R	B0XLF6	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/28/2000 12:31	Y	7440-41-7	Beryllium	0.56	ug/L	B	[NULL]	[NULL]	R	B0XLF6	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/28/2000 12:31	Y	7440-43-9	Cadmium	2.8	ug/L	U	[NULL]	[NULL]	R	B0XLF6	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/28/2000 12:31	Y	7440-70-2	Calcium	76900	ug/L	[NULL]	[NULL]	[NULL]	R	B0XLF6	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/28/2000 12:31	N	16887-00-6	Chloride	34100	ug/L	DC	[NULL]	[NULL]	R	B0XLF7	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/28/2000 12:31	Y	7440-47-3	Chromium	6.3	ug/L	B	[NULL]	[NULL]	R	B0XLF6	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/28/2000 12:31	Y	7440-48-4	Cobalt	4.3	ug/L	U	[NULL]	[NULL]	R	B0XLF6	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/28/2000 12:31	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B0XLF6	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/28/2000 12:31	N	16984-48-8	Fluoride	140	ug/L	[NULL]	[NULL]	[NULL]	R	B0XLF7	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/28/2000 12:31	Y	7439-89-6	Iron	34	ug/L	B	[NULL]	[NULL]	R	B0XLF6	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/28/2000 12:31	Y	7439-95-4	Magnesium	18300	ug/L	[NULL]	[NULL]	[NULL]	R	B0XLF6	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/28/2000 12:31	Y	7439-96-5	Manganese	4.1	ug/L	B	[NULL]	[NULL]	R	B0XLF6	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/28/2000 12:31	Y	7440-02-0	Nickel	15.4	ug/L	U	[NULL]	[NULL]	R	B0XLF6	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/28/2000 12:31	N	14797-55-8	Nitrate	35400	ug/L	D	[NULL]	[NULL]	R	B0XLF7	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/28/2000 12:31	N	14797-65-0	Nitrite	24.3	ug/L	U	[NULL]	[NULL]	R	B0XLF7	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/28/2000 12:31	Y	7440-09-7	Potassium	6220	ug/L	[NULL]	[NULL]	[NULL]	R	B0XLF6	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/28/2000 12:31	Y	7440-22-4	Silver	6.9	ug/L	U	[NULL]	[NULL]	R	B0XLF6	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	3/28/2000 12:31	Y	7440-23-5	Sodium	7110	ug/L	[NULL]	[NULL]	[NULL]	R	B0XLF6	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/28/2000 12:31	N	CONDUCT	Specific Conductance	568	uS/cm	[NULL]	[NULL]	[NULL]	R	B0XLF3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/28/2000 12:31	N	CONDUCT	Specific Conductance	541	uS/cm	C	[NULL]	[NULL]	R	B0XLF7	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-41	3/28/2000 12:31	N	CONDUCT	Specific Conductance	563	uS/cm	[NULL]	[NULL]	[NULL]	R	B0XLF2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/28/2000 12:31	N	CONDUCT	Specific Conductance	570	uS/cm	[NULL]	[NULL]	[NULL]	R	B0XLF4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/28/2000 12:31	N	CONDUCT	Specific Conductance	574	uS/cm	[NULL]	[NULL]	[NULL]	R	B0XLF5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/28/2000 12:31	Y	7440-24-6	Strontium	414	ug/L	[NULL]	[NULL]	[NULL]	R	B0XLF6	7440-24-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/28/2000 12:31	N	10098-97-2	Strontium-90	0.063	pCi/L	U	[NULL]	[NULL]	R	B0XMF4	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-41	3/28/2000 12:31	N	14808-79-8	Sulfate	124000	ug/L	D	[NULL]	[NULL]	R	B0XLF7	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/28/2000 12:31	N	TEMPERATURE	Temperature	18.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0XLF3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/28/2000 12:31	N	TEMPERATURE	Temperature	18.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0XLF4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/28/2000 12:31	N	TEMPERATURE	Temperature	18.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0XLF2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/28/2000 12:31	N	TEMPERATURE	Temperature	18.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0XLF5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/28/2000 12:31	N	TOC	Total organic carbon	680	ug/L	B	[NULL]	[NULL]	R	B0XLF5	TOC	QTESSL	9060_TOC	100-NR-2
199-N-41	3/28/2000 12:31	N	TOC	Total organic carbon	890	ug/L	B	[NULL]	[NULL]	R	B0XLF3	TOC	QTESSL	9060_TOC	100-NR-2
199-N-41	3/28/2000 12:31	N	TOC	Total organic carbon	680	ug/L	B	[NULL]	[NULL]	R	B0XLF2	TOC	QTESSL	9060_TOC	100-NR-2
199-N-41	3/28/2000 12:31	N	TOC	Total organic carbon	580	ug/L	B	[NULL]	[NULL]	R	B0XLF4	TOC	QTESSL	9060_TOC	100-NR-2
199-N-41	3/28/2000 12:31	N	59473-04-0	Total organic halides	14.6	ug/L	[NULL]	Y	[NULL]	R	B0XLF5	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-41	3/28/2000 12:31	N	59473-04-0	Total organic halides	4.6	ug/L	B	[NULL]	[NULL]	R	B0XLF2	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-41	3/28/2000 12:31	N	59473-04-0	Total organic halides	9.2	ug/L	[NULL]	[NULL]	[NULL]	R	B0XLF4	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-41	3/28/2000 12:31	N	59473-04-0	Total organic halides	7	ug/L	[NULL]	[NULL]	[NULL]	R	B0XLF3	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-41	3/28/2000 12:31	N	10028-17-8	Tritium	10300	pCi/L	[NULL]	[NULL]	[NULL]	R	B0XMF4	10028-17-8	QTESRL	906.0_H3_LSC	100-NR-2
199-N-41	3/28/2000 12:31	N	TURBIDITY	Turbidity	1.63	NTU	[NULL]	[NULL]	[NULL]	R	B0XLF3	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	3/28/2000 12:31	N	TURBIDITY	Turbidity	2.27	NTU	[NULL]	[NULL]	[NULL]	R	B0XLF5	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	3/28/2000 12:31	Y	7440-62-2	Vanadium	21.9	ug/L	B	[NULL]	[NULL]	R	B0XLF6	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/28/2000 12:31	Y	7440-66-6	Zinc	18	ug/L	B	[NULL]	[NULL]	R	B0XLF6	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-41	3/28/2000 12:31	N	PH	pH Measurement	8.07	unitless	[NULL]	[NULL]	[NULL]	R	B0XLF2	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/28/2000 12:31	N	PH	pH Measurement	8.07	unitless	[NULL]	[NULL]	[NULL]	R	B0XLF3	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/28/2000 12:31	N	PH	pH Measurement	8.07	unitless	[NULL]	[NULL]	[NULL]	R	B0XLF4	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/28/2000 12:31	N	PH	pH Measurement	8.07	unitless	[NULL]	[NULL]	[NULL]	R	B0XLF5	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/28/2000 12:14	N	CONDUCT	Specific Conductance	549	uS/cm	[NULL]	[NULL]	[NULL]	R	B10274	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/28/2000 12:14	N	CONDUCT	Specific Conductance	550	uS/cm	[NULL]	[NULL]	[NULL]	R	B10273	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/28/2000 12:14	N	CONDUCT	Specific Conductance	532	uS/cm	C	[NULL]	[NULL]	R	B10275	CONDUCT	STLSL	120.1_CONDUCT	100-NR-2
199-N-41	9/28/2000 12:14	N	CONDUCT	Specific Conductance	549	uS/cm	[NULL]	[NULL]	[NULL]	R	B10271	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/28/2000 12:14	N	CONDUCT	Specific Conductance	550	uS/cm	[NULL]	[NULL]	[NULL]	R	B10272	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/28/2000 12:14	N	TEMPERATURE	Temperature	19.1	Deg C	[NULL]	[NULL]	[NULL]	R	B10271	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/28/2000 12:14	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B10272	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/28/2000 12:14	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B10273	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/28/2000 12:14	N	TEMPERATURE	Temperature	19.1	Deg C	[NULL]	[NULL]	[NULL]	R	B10274	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/28/2000 12:14	N	TOC	Total organic carbon	220	ug/L	U	[NULL]	[NULL]	R	B10274	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	9/28/2000 12:14	N	TOC	Total organic carbon	220	ug/L	U	[NULL]	[NULL]	R	B10273	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	9/28/2000 12:14	N	TOC	Total organic carbon	220	ug/L	U	[NULL]	[NULL]	R	B10272	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	9/28/2000 12:14	N	TOC	Total organic carbon	500	ug/L	B	G	[NULL]	R	B10271	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	9/28/2000 12:14	N	59473-04-0	Total organic halides	4.3	ug/L	U	[NULL]	[NULL]	R	B10271	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	9/28/2000 12:14	N	59473-04-0	Total organic halides	4.3	ug/L	U	[NULL]	[NULL]	R	B10272	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	9/28/2000 12:14	N	59473-04-0	Total organic halides	4.3	ug/L	U	[NULL]	[NULL]	R	B10274	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	9/28/2000 12:14	N	59473-04-0	Total organic halides	4.3	ug/L	U	[NULL]	[NULL]	R	B10273	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	9/28/2000 12:14	N	TURBIDITY	Turbidity	1.83	NTU	[NULL]	[NULL]	[NULL]	R	B10272	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	9/28/2000 12:14	N	TURBIDITY	Turbidity	1.86	NTU	[NULL]	[NULL]	[NULL]	R	B10274	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	9/28/2000 12:14	N	PH	pH Measurement	8.04	unitless	[NULL]	[NULL]	[NULL]	R	B10273	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/28/2000 12:14	N	PH	pH Measurement	8.04	unitless	[NULL]	[NULL]	[NULL]	R	B10272	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/28/2000 12:14	N	PH	pH Measurement	8.04	unitless	[NULL]	[NULL]	[NULL]	R	B10271	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/28/2000 12:14	N	PH	pH Measurement	8.04	unitless	[NULL]	[NULL]	[NULL]	R	B10274	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/26/2001 9:45	N	ALKALINITY	Alkalinity	54000	ug/L	[NULL]	[NULL]	[NULL]	R	B11FX6	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-41	3/26/2001 9:45	Y	7429-90-5	Aluminum	23.7	ug/L	B	[NULL]	[NULL]	R	B11FX5	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	3/26/2001 9:45	Y	7440-36-0	Antimony	2.5	ug/L	U	[NULL]	[NULL]	R	B11FX5	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/26/2001 9:45	Y	7440-39-3	Barium	48.9	ug/L	B	[NULL]	[NULL]	R	B11FX5	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/26/2001 9:45	Y	7440-41-7	Beryllium	0.16	ug/L	U	[NULL]	[NULL]	R	B11FX5	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/26/2001 9:45	Y	7440-43-9	Cadmium	0.26	ug/L	U	[NULL]	[NULL]	R	B11FX5	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/26/2001 9:45	Y	7440-70-2	Calcium	72600	ug/L	[NULL]	[NULL]	[NULL]	R	B11FX5	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/26/2001 9:45	N	16887-00-6	Chloride	29400	ug/L	DC	[NULL]	[NULL]	R	B11FX6	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/26/2001 9:45	Y	7440-47-3	Chromium	9.3	ug/L	B	[NULL]	[NULL]	R	B11FX5	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/26/2001 9:45	Y	7440-48-4	Cobalt	1.3	ug/L	U	[NULL]	[NULL]	R	B11FX5	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/26/2001 9:45	Y	7440-50-8	Copper	1.2	ug/L	U	[NULL]	[NULL]	R	B11FX5	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/26/2001 9:45	N	DO	Dissolved oxygen	8580	ug/L	[NULL]	[NULL]	[NULL]	R	B11FX1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-41	3/26/2001 9:45	N	DO	Dissolved oxygen	8570	ug/L	[NULL]	[NULL]	[NULL]	R	B11FX4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-41	3/26/2001 9:45	N	DO	Dissolved oxygen	8580	ug/L	[NULL]	[NULL]	[NULL]	R	B11FX3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-41	3/26/2001 9:45	N	DO	Dissolved oxygen	8580	ug/L	[NULL]	[NULL]	[NULL]	R	B11FX2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-41	3/26/2001 9:45	N	16984-48-8	Fluoride	200	ug/L	[NULL]	[NULL]	[NULL]	R	B11FX6	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/26/2001 9:45	Y	7439-89-6	Iron	14.5	ug/L	U	[NULL]	[NULL]	R	B11FX5	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/26/2001 9:45	Y	7439-95-4	Magnesium	17400	ug/L	[NULL]	[NULL]	[NULL]	R	B11FX5	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/26/2001 9:45	Y	7439-96-5	Manganese	0.42	ug/L	B	[NULL]	[NULL]	R	B11FX5	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/26/2001 9:45	Y	7440-02-0	Nickel	1.1	ug/L	U	[NULL]	[NULL]	R	B11FX5	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/26/2001 9:45	N	14797-55-8	Nitrate	32800	ug/L	D	[NULL]	[NULL]	R	B11FX6	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/26/2001 9:45	N	14797-65-0	Nitrite	6.57	ug/L	U	[NULL]	[NULL]	R	B11FX6	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/26/2001 9:45	N	EH	Oxidation Reduction Potential	254.4	mV	[NULL]	[NULL]	[NULL]	R	B11FX4	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-41	3/26/2001 9:45	N	EH	Oxidation Reduction Potential	252.7	mV	[NULL]	[NULL]	[NULL]	R	B11FX1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-41	3/26/2001 9:45	N	EH	Oxidation Reduction Potential	252.5	mV	[NULL]	[NULL]	[NULL]	R	B11FX2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-41	3/26/2001 9:45	N	EH	Oxidation Reduction Potential	255.7	mV	[NULL]	[NULL]	[NULL]	R	B11FX3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-41	3/26/2001 9:45	Y	7440-09-7	Potassium	2170	ug/L	B	[NULL]	[NULL]	R	B11FX5	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/26/2001 9:45	Y	7440-22-4	Silver	1.3	ug/L	U	[NULL]	[NULL]	R	B11FX5	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/26/2001 9:45	Y	7440-23-5	Sodium	6720	ug/L	[NULL]	[NULL]	[NULL]	R	B11FX5	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/26/2001 9:45	N	CONDUCT	Specific Conductance	528	uS/cm	[NULL]	[NULL]	[NULL]	R	B11FX1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/26/2001 9:45	N	CONDUCT	Specific Conductance	528	uS/cm	[NULL]	[NULL]	[NULL]	R	B11FX4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/26/2001 9:45	N	CONDUCT	Specific Conductance	440	uS/cm	C	Y	[NULL]	R	B11FX6	CONDUCT	STLSL	120.1_CONDUCT	100-NR-2
199-N-41	3/26/2001 9:45	N	CONDUCT	Specific Conductance	527	uS/cm	[NULL]	[NULL]	[NULL]	R	B11FX3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/26/2001 9:45	N	CONDUCT	Specific Conductance	525	uS/cm	[NULL]	[NULL]	[NULL]	R	B11FX2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/26/2001 9:45	Y	7440-24-6	Strontium	405	ug/L	[NULL]	[NULL]	[NULL]	R	B11FX5	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/26/2001 9:45	N	10098-97-2	Strontium-90	0.0182	pCi/L	U	[NULL]	[NULL]	R	B11HN1	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-41	3/26/2001 9:45	N	14808-79-8	Sulfate	112000	ug/L	D	[NULL]	[NULL]	R	B11FX6	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/26/2001 9:45	N	TEMPERATURE	Temperature	17.7	Deg C	[NULL]	[NULL]	[NULL]	R	B11FX4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/26/2001 9:45	N	TEMPERATURE	Temperature	17.8	Deg C	[NULL]	[NULL]	[NULL]	R	B11FX1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/26/2001 9:45	N	TEMPERATURE	Temperature	17.7	Deg C	[NULL]	[NULL]	[NULL]	R	B11FX2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/26/2001 9:45	N	TEMPERATURE	Temperature	17.7	Deg C	[NULL]	[NULL]	[NULL]	R	B11FX3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/26/2001 9:45	N	TOC	Total organic carbon	680	ug/L	B	[NULL]	[NULL]	R	B11FX2	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	3/26/2001 9:45	N	TOC	Total organic carbon	810	ug/L	B	[NULL]	[NULL]	R	B11FX4	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	3/26/2001 9:45	N	TOC	Total organic carbon	470	ug/L	B	[NULL]	[NULL]	R	B11FX1	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	3/26/2001 9:45	N	TOC	Total organic carbon	560	ug/L	B	[NULL]	[NULL]	R	B11FX3	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	3/26/2001 9:45	N	59473-04-0	Total organic halides	4.3	ug/L	U	[NULL]	[NULL]	R	B11FX1	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	3/26/2001 9:45	N	59473-04-0	Total organic halides	4.3	ug/L	U	[NULL]	[NULL]	R	B11FX2	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	3/26/2001 9:45	N	59473-04-0	Total organic halides	4.3	ug/L	U	[NULL]	[NULL]	R	B11FX3	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	3/26/2001 9:45	N	59473-04-0	Total organic halides	4.3	ug/L	U	[NULL]	[NULL]	R	B11FX4	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	3/26/2001 9:45	N	10028-17-8	Tritium	11000	pCi/L	[NULL]	[NULL]	[NULL]	R	B11HN1	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-41	3/26/2001 9:45	N	TURBIDITY	Turbidity	1.92	NTU	[NULL]	[NULL]	[NULL]	R	B11FX4	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	3/26/2001 9:45	N	TURBIDITY	Turbidity	2.02	NTU	[NULL]	[NULL]	[NULL]	R	B11FX2	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	3/26/2001 9:45	Y	7440-62-2	Vanadium	12.4	ug/L	B	[NULL]	[NULL]	R	B11FX5	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	3/26/2001 9:45	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B11FX5	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/26/2001 9:45	N	PH	pH Measurement	8.04	unitless	[NULL]	[NULL]	[NULL]	R	B11FX2	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/26/2001 9:45	N	PH	pH Measurement	8.04	unitless	[NULL]	[NULL]	[NULL]	R	B11FX1	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/26/2001 9:45	N	PH	pH Measurement	8.04	unitless	[NULL]	[NULL]	[NULL]	R	B11FX3	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/7/2001 10:55	N	CONDUCT	Specific Conductance	491	uS/cm	[NULL]	[NULL]	[NULL]	R	B11FX4	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/7/2001 10:55	N	CONDUCT	Specific Conductance	453	uS/cm	[NULL]	Y	[NULL]	R	B12N86	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/7/2001 10:55	N	CONDUCT	Specific Conductance	491	uS/cm	[NULL]	[NULL]	[NULL]	R	B12N87	CONDUCT	STLSL	120.1_CONDUCT	100-NR-2
199-N-41	9/7/2001 10:55	N	CONDUCT	Specific Conductance	489	uS/cm	[NULL]	[NULL]	[NULL]	R	B12N83	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/7/2001 10:55	N	CONDUCT	Specific Conductance	488	uS/cm	[NULL]	[NULL]	[NULL]	R	B12N84	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/7/2001 10:55	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B12N85	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/7/2001 10:55	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B12N84	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/7/2001 10:55	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B12N86	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/7/2001 10:55	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B12N85	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/7/2001 10:55	N	TOC	Total organic carbon	540	ug/L	B	[NULL]	[NULL]	R	B12N83	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/7/2001 10:55	N	TOC	Total organic carbon	530	ug/L	B	[NULL]	[NULL]	R	B12N86	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	9/7/2001 10:55	N	TOC	Total organic carbon	540	ug/L	B	[NULL]	[NULL]	R	B12N85	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	9/7/2001 10:55	N	TOC	Total organic carbon	550	ug/L	B	[NULL]	[NULL]	R	B12N84	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	9/7/2001 10:55	N	59473-04-0	Total organic halides	3.6	ug/L	U	[NULL]	[NULL]	R	B12N83	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	9/7/2001 10:55	N	59473-04-0	Total organic halides	3.6	ug/L	U	[NULL]	[NULL]	R	B12N85	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	9/7/2001 10:55	N	59473-04-0	Total organic halides	3.6	ug/L	U	[NULL]	[NULL]	R	B12N84	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	9/7/2001 10:55	N	59473-04-0	Total organic halides	3.6	ug/L	U	[NULL]	[NULL]	R	B12N83	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	9/7/2001 10:55	N	TURBIDITY	Turbidity	1.3	NTU	[NULL]	[NULL]	[NULL]	R	B12N86	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	9/7/2001 10:55	N	TURBIDITY	Turbidity	4.36	NTU	[NULL]	[NULL]	[NULL]	R	B12N85	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	9/7/2001 10:55	N	TURBIDITY	Turbidity	1.29	NTU	[NULL]	[NULL]	[NULL]	R	B12N83	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	9/7/2001 10:55	N	TURBIDITY	Turbidity	1.63	NTU	[NULL]	[NULL]	[NULL]	R	B12N86	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	9/7/2001 10:55	N	PH	pH Measurement	8.02	unitless	[NULL]	[NULL]	[NULL]	R	B12N84	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	9/7/2001 10:55	N	PH	pH Measurement	8.02	unitless	[NULL]	[NULL]	[NULL]	R	B12N86	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/7/2001 10:55	N	PH	pH Measurement	8.02	unitless	[NULL]	[NULL]	[NULL]	R	B12N84	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/7/2001 10:55	N	PH	pH Measurement	8.02	unitless	[NULL]	[NULL]	[NULL]	R	B12N83	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/7/2002 12:24	N	ALKALINITY	Alkalinity	100000	ug/L	[NULL]	[NULL]	[NULL]	R	B12N85	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/7/2002 12:24	Y	7429-90-5	Aluminum	45.7	ug/L	B	[NULL]	[NULL]	R	B14309	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-41	3/7/2002 12:24	Y	7440-36-0	Antimony	3.3	ug/L	U	[NULL]	[NULL]	R	B14308	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/7/2002 12:24	Y	7440-39-3	Barium	48.4	ug/L	B	[NULL]	[NULL]	R	B14308	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/7/2002 12:24	Y	7440-41-7	Beryllium	0.25	ug/L	B	[NULL]	[NULL]	R	B14308	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/7/2002 12:24	Y	7440-43-9	Cadmium	0.31	ug/L	U	[NULL]	[NULL]	R	B14308	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/7/2002 12:24	Y	7440-70-2	Calcium	68900	ug/L	[NULL]	[NULL]	[NULL]	R	B14308	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/7/2002 12:24	N	16887-00-6	Chloride	18600	ug/L	D	[NULL]	[NULL]	R	B14308	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/7/2002 12:24	Y	7440-47-3	Chromium	12	ug/L	[NULL]	[NULL]	[NULL]	R	B14309	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/7/2002 12:24	Y	7440-48-4	Cobalt	1.6	ug/L	U	[NULL]	[NULL]	R	B14308	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/7/2002 12:24	Y	7440-50-8	Copper	1.4	ug/L	U	[NULL]	[NULL]	R	B14308	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/7/2002 12:24	N	16984-48-8	Fluoride	130	ug/L	[NULL]	[NULL]	[NULL]	R	B14308	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/7/2002 12:24	Y	7439-89-6	Iron	35.8	ug/L	B	[NULL]	[NULL]	R	B14309	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/7/2002 12:24	Y	7439-95-4	Magnesium	16800	ug/L	[NULL]	[NULL]	[NULL]	R	B14308	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/7/2002 12:24	Y	7439-96-5	Manganese	1.8	ug/L	B	[NULL]	[NULL]	R	B14308	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/7/2002 12:24	Y	7440-02-0	Nickel	4.8	ug/L	B	[NULL]	[NULL]	R	B14308	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/7/2002 12:24	N	14797-55-8	Nitrate	27400	ug/L	D	[NULL]	[NULL]	R	B14308	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/7/2002 12:24	N	14797-65-0	Nitrite	36.1	ug/L	U	[NULL]	[NULL]	R	B14309	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/7/2002 12:24	Y	7440-09-7	Potassium	4230	ug/L	B	[NULL]	[NULL]	R	B14309	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/7/2002 12:24	Y	7440-22-4	Silver	1.7	ug/L	U	[NULL]	[NULL]	R	B14308	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/7/2002 12:24	Y	7440-23-5	Sodium	6780	ug/L	[NULL]	[NULL]	[NULL]	R	B14308	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/7/2002 12:24	N	CONDUCT	Specific Conductance	473	uS/cm	[NULL]	[NULL]	[NULL]	R	B14308	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/7/2002 12:24	N	CONDUCT	Specific Conductance	514	uS/cm	[NULL]	[NULL]	[NULL]	R	B14309	CONDUCT	STLSL	120.1_CONDUCT	100-NR-2
199-N-41	3/7/2002 12:24	N	CONDUCT	Specific Conductance	514	uS/cm	[NULL]	[NULL]	[NULL]	R	B14305	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/7/2002 12:24	N	CONDUCT	Specific Conductance	511	uS/cm	[NULL]	[NULL]	[NULL]	R	B14306	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
											B14307	CONDUCT	FIELD	9050_CONDUCT	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	3/7/2002 12:24	N	CONDUCT	Specific Conductance	514	uS/cm	[NULL]	[NULL]	[NULL]	R	B14304	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/7/2002 12:24	Y	7440-24-6	Strontium	426	ug/L	[NULL]	[NULL]	[NULL]	R	B14308	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/7/2002 12:24	N	10098-97-2	Strontium-90	0.193	pCi/L	U	[NULL]	[NULL]	R	B14450	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-41	3/7/2002 12:24	N	14808-79-8	Sulfate	114000	ug/L	D	[NULL]	[NULL]	R	B14309	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/7/2002 12:24	N	TEMPERATURE	Temperature	15.1	Deg C	[NULL]	[NULL]	[NULL]	R	B14306	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/7/2002 12:24	N	TEMPERATURE	Temperature	15.5	Deg C	[NULL]	[NULL]	[NULL]	R	B14304	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/7/2002 12:24	N	TEMPERATURE	Temperature	15.2	Deg C	[NULL]	[NULL]	[NULL]	R	B14307	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/7/2002 12:24	N	TEMPERATURE	Temperature	15.1	Deg C	[NULL]	[NULL]	[NULL]	R	B14305	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/7/2002 12:24	N	TOC	Total organic carbon	760	ug/L	B	[NULL]	[NULL]	R	B14306	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	3/7/2002 12:24	N	TOC	Total organic carbon	780	ug/L	B	[NULL]	[NULL]	R	B14307	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	3/7/2002 12:24	N	TOC	Total organic carbon	620	ug/L	B	[NULL]	[NULL]	R	B14305	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	3/7/2002 12:24	N	TOC	Total organic carbon	580	ug/L	B	[NULL]	[NULL]	R	B14304	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	3/7/2002 12:24	N	59473-04-0	Total organic halides	12.4	ug/L	[NULL]	[NULL]	[NULL]	R	B14306	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	3/7/2002 12:24	N	59473-04-0	Total organic halides	8.8	ug/L	[NULL]	[NULL]	[NULL]	R	B14307	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	3/7/2002 12:24	N	59473-04-0	Total organic halides	4.4	ug/L	B	[NULL]	[NULL]	R	B14305	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	3/7/2002 12:24	N	10028-17-8	Tritium	12500	pCi/L	[NULL]	[NULL]	[NULL]	R	B14450	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-41	3/7/2002 12:24	N	TURBIDITY	Turbidity	10.3	NTU	[NULL]	[NULL]	[NULL]	R	B14305	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	3/7/2002 12:24	N	TURBIDITY	Turbidity	9.46	NTU	[NULL]	[NULL]	[NULL]	R	B14306	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	3/7/2002 12:24	N	TURBIDITY	Turbidity	11	NTU	[NULL]	[NULL]	[NULL]	R	B14304	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	3/7/2002 12:24	N	TURBIDITY	Turbidity	9.45	NTU	[NULL]	[NULL]	[NULL]	R	B14307	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	3/7/2002 12:24	Y	7440-62-2	Vanadium	11.5	ug/L	B	[NULL]	[NULL]	R	B14308	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/7/2002 12:24	Y	7440-66-6	Zinc	4.3	ug/L	B	[NULL]	[NULL]	R	B14308	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/7/2002 12:24	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B14305	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/7/2002 12:24	N	PH	pH Measurement	8.11	unitless	[NULL]	[NULL]	[NULL]	R	B14306	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/7/2002 12:24	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B14307	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/7/2002 12:24	N	PH	pH Measurement	8.09	unitless	[NULL]	[NULL]	[NULL]	R	B14304	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/16/2002 10:42	N	CONDUCT	Specific Conductance	532	uS/cm	[NULL]	[NULL]	[NULL]	R	B157J8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/16/2002 10:42	N	CONDUCT	Specific Conductance	532	uS/cm	[NULL]	[NULL]	[NULL]	R	B157J7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/16/2002 10:42	N	CONDUCT	Specific Conductance	532	uS/cm	[NULL]	[NULL]	[NULL]	R	B157J9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/16/2002 10:42	N	CONDUCT	Specific Conductance	532	uS/cm	[NULL]	[NULL]	[NULL]	R	B157J6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/16/2002 10:42	N	CONDUCT	Specific Conductance	574	uS/cm	C	[NULL]	[NULL]	R	B157K0	CONDUCT	STLSL	120.1_CONDUCT	100-NR-2
199-N-41	9/16/2002 10:42	N	TEMPERATURE	Temperature	18.8	Deg C	[NULL]	[NULL]	[NULL]	R	B157J7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/16/2002 10:42	N	TEMPERATURE	Temperature	18.8	Deg C	[NULL]	[NULL]	[NULL]	R	B157J8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/16/2002 10:42	N	TEMPERATURE	Temperature	18.8	Deg C	[NULL]	[NULL]	[NULL]	R	B157J6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/16/2002 10:42	N	TEMPERATURE	Temperature	18.8	Deg C	[NULL]	[NULL]	[NULL]	R	B157J9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/16/2002 10:42	N	TOC	Total organic carbon	140	ug/L	B	[NULL]	[NULL]	R	B157J9	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	9/16/2002 10:42	N	TOC	Total organic carbon	180	ug/L	B	[NULL]	[NULL]	R	B157J8	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	9/16/2002 10:42	N	TOC	Total organic carbon	140	ug/L	U	[NULL]	[NULL]	R	B157J7	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	9/16/2002 10:42	N	TOC	Total organic carbon	150	ug/L	B	[NULL]	[NULL]	R	B157J6	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	9/16/2002 10:42	N	59473-04-0	Total organic halides	5.2	ug/L	[NULL]	[NULL]	[NULL]	R	B157J8	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	9/16/2002 10:42	N	59473-04-0	Total organic halides	5.6	ug/L	[NULL]	[NULL]	[NULL]	R	B157J6	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	9/16/2002 10:42	N	59473-04-0	Total organic halides	4.8	ug/L	B	[NULL]	[NULL]	R	B157J7	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	9/16/2002 10:42	N	59473-04-0	Total organic halides	4	ug/L	U	[NULL]	[NULL]	R	B157J9	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	9/16/2002 10:42	N	TURBIDITY	Turbidity	4.25	NTU	[NULL]	[NULL]	[NULL]	R	B157J9	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	9/16/2002 10:42	N	TURBIDITY	Turbidity	4.18	NTU	[NULL]	[NULL]	[NULL]	R	B157J8	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	9/16/2002 10:42	N	TURBIDITY	Turbidity	4.91	NTU	[NULL]	[NULL]	[NULL]	R	B157J7	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	9/16/2002 10:42	N	TURBIDITY	Turbidity	4.73	NTU	[NULL]	[NULL]	[NULL]	R	B157J6	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	9/16/2002 10:42	N	PH	pH Measurement	8.12	unitless	[NULL]	[NULL]	[NULL]	R	B157J9	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/16/2002 10:42	N	PH	pH Measurement	8.13	unitless	[NULL]	[NULL]	[NULL]	R	B157J6	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/16/2002 10:42	N	PH	pH Measurement	8.12	unitless	[NULL]	[NULL]	[NULL]	R	B157J8	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/16/2002 10:42	N	PH	pH Measurement	8.12	unitless	[NULL]	[NULL]	[NULL]	R	B157J7	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/3/2003 12:12	N	ALKALINITY	Alkalinity	84000	ug/L	[NULL]	[NULL]	[NULL]	R	B16HT7	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-41	3/3/2003 12:12	Y	7429-90-5	Aluminum	40.6	ug/L	B	[NULL]	[NULL]	R	B16HT6	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/2003 12:12	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B16HT6	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/2003 12:12	Y	7440-39-3	Barium	44.2	ug/L	B	[NULL]	[NULL]	R	B16HT6	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	3/3/2003 12:12	Y	7440-41-7	Beryllium	1.1	ug/L	B	[NULL]	[NULL]	R	B16HT6	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/2003 12:12	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B16HT6	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/2003 12:12	Y	7440-70-2	Calcium	69600	ug/L	[NULL]	[NULL]	[NULL]	R	B16HT6	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/2003 12:12	N	16887-00-6	Chloride	25200	ug/L	CD	[NULL]	[NULL]	R	B16HT7	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/3/2003 12:12	Y	7440-47-3	Chromium	15.4	ug/L	[NULL]	[NULL]	[NULL]	R	B16HT6	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/2003 12:12	Y	7440-48-4	Cobalt	4.9	ug/L	U	[NULL]	[NULL]	R	B16HT6	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/2003 12:12	Y	7440-50-8	Copper	3.1	ug/L	U	[NULL]	[NULL]	R	B16HT6	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/2003 12:12	N	16984-48-8	Fluoride	180	ug/L	N	[NULL]	[NULL]	R	B16HT7	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/3/2003 12:12	Y	7439-89-6	Iron	45.3	ug/L	B	[NULL]	[NULL]	R	B16HT6	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/2003 12:12	Y	7439-95-4	Magnesium	16700	ug/L	[NULL]	[NULL]	[NULL]	R	B16HT6	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/2003 12:12	Y	7439-96-5	Manganese	4.4	ug/L	B	[NULL]	[NULL]	R	B16HT6	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/2003 12:12	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	B16HT6	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/2003 12:12	N	14797-55-8	Nitrate	26100	ug/L	CDN	[NULL]	[NULL]	R	B16HT7	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/3/2003 12:12	N	14797-65-0	Nitrite	36.1	ug/L	U	[NULL]	[NULL]	R	B16HT7	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/3/2003 12:12	Y	7440-09-7	Potassium	5580	ug/L	[NULL]	[NULL]	[NULL]	R	B16HT6	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/2003 12:12	Y	7440-22-4	Silver	3	ug/L	U	[NULL]	[NULL]	R	B16HT6	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/2003 12:12	Y	7440-23-5	Sodium	7040	ug/L	[NULL]	[NULL]	[NULL]	R	B16HT6	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/2003 12:12	N	CONDUCT	Specific Conductance	501	uS/cm	[NULL]	[NULL]	[NULL]	R	B16HT4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/3/2003 12:12	N	CONDUCT	Specific Conductance	501	uS/cm	[NULL]	[NULL]	[NULL]	R	B16HT3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/3/2003 12:12	N	CONDUCT	Specific Conductance	501	uS/cm	[NULL]	[NULL]	[NULL]	R	B16HT2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/3/2003 12:12	N	CONDUCT	Specific Conductance	502	uS/cm	[NULL]	[NULL]	[NULL]	R	B16HT5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/3/2003 12:12	Y	7440-24-6	Strontium	372	ug/L	[NULL]	[NULL]	[NULL]	R	B16HT6	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/2003 12:12	N	10098-97-2	Strontium-90	0.522	pCi/L	U	[NULL]	[NULL]	R	B16JT6	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-41	3/3/2003 12:12	N	14808-79-8	Sulfate	110000	ug/L	CD	[NULL]	[NULL]	R	B16HT7	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/3/2003 12:12	N	TEMPERATURE	Temperature	18.3	Deg C	[NULL]	[NULL]	[NULL]	R	B16HT4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/3/2003 12:12	N	TEMPERATURE	Temperature	18.3	Deg C	[NULL]	[NULL]	[NULL]	R	B16HT3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/3/2003 12:12	N	TEMPERATURE	Temperature	18.3	Deg C	[NULL]	[NULL]	[NULL]	R	B16HT2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/3/2003 12:12	N	TEMPERATURE	Temperature	18.3	Deg C	[NULL]	[NULL]	[NULL]	R	B16HT5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/3/2003 12:12	N	TOC	Total organic carbon	140	ug/L	U	[NULL]	[NULL]	R	B16HT5	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	3/3/2003 12:12	N	TOC	Total organic carbon	140	ug/L	U	[NULL]	[NULL]	R	B16HT5	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	3/3/2003 12:12	N	TOC	Total organic carbon	140	ug/L	U	[NULL]	[NULL]	R	B16HT4	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	3/3/2003 12:12	N	TOC	Total organic carbon	140	ug/L	U	[NULL]	[NULL]	R	B16HT3	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	3/3/2003 12:12	N	TOC	Total organic carbon	140	ug/L	U	[NULL]	[NULL]	R	B16HT2	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	3/3/2003 12:12	N	59473-04-0	Total organic halides	10.1	ug/L	[NULL]	[NULL]	[NULL]	R	B16HT3	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	3/3/2003 12:12	N	59473-04-0	Total organic halides	14.5	ug/L	[NULL]	[NULL]	[NULL]	R	B16HT4	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	3/3/2003 12:12	N	59473-04-0	Total organic halides	4	ug/L	U	[NULL]	[NULL]	R	B16HT5	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	3/3/2003 12:12	N	59473-04-0	Total organic halides	7.2	ug/L	[NULL]	[NULL]	[NULL]	R	B16HT2	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	3/3/2003 12:12	N	10028-17-8	Tritium	13100	pCi/L	[NULL]	[NULL]	[NULL]	R	B16JT6	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-41	3/3/2003 12:12	N	TURBIDITY	Turbidity	5.35	NTU	[NULL]	[NULL]	[NULL]	R	B16HT5	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	3/3/2003 12:12	N	TURBIDITY	Turbidity	5.59	NTU	[NULL]	[NULL]	[NULL]	R	B16HT2	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	3/3/2003 12:12	Y	7440-62-2	Vanadium	29.6	ug/L	[NULL]	[NULL]	[NULL]	R	B16HT6	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/2003 12:12	Y	7440-66-6	Zinc	1.8	ug/L	U	[NULL]	[NULL]	R	B16HT6	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/3/2003 12:12	N	PH	pH Measurement	8.13	unitless	[NULL]	[NULL]	[NULL]	R	B16HT5	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/3/2003 12:12	N	PH	pH Measurement	8.13	unitless	[NULL]	[NULL]	[NULL]	R	B16HT4	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/3/2003 12:12	N	PH	pH Measurement	8.12	unitless	[NULL]	[NULL]	[NULL]	R	B16HT3	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/3/2003 12:12	N	PH	pH Measurement	8.13	unitless	[NULL]	[NULL]	[NULL]	R	B16HT2	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/19/2003 10:55	N	CONDUCT	Specific Conductance	575	uS/cm	[NULL]	[NULL]	[NULL]	R	B17F04	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/19/2003 10:55	N	CONDUCT	Specific Conductance	574	uS/cm	[NULL]	[NULL]	[NULL]	R	B17F03	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/19/2003 10:55	N	CONDUCT	Specific Conductance	575	uS/cm	[NULL]	[NULL]	[NULL]	R	B17F05	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/19/2003 10:55	N	CONDUCT	Specific Conductance	574	uS/cm	[NULL]	[NULL]	[NULL]	R	B17F02	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/19/2003 10:55	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B17F04	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/19/2003 10:55	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B17F05	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/19/2003 10:55	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B17F03	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/19/2003 10:55	N	TEMPERATURE	Temperature	19.1	Deg C	[NULL]	[NULL]	[NULL]	R	B17F02	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/19/2003 10:55	N	TOC	Total organic carbon	400	ug/L	B	[NULL]	[NULL]	R	B17F05	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	9/19/2003 10:55	N	TOC	Total organic carbon	400	ug/L	B	[NULL]	[NULL]	R	B17F03	TOC	STLSL	9060_TOC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	9/19/2003 10:55	N	TOC	Total organic carbon	530	ug/L	B	[NULL]	[NULL]	R	B17F04	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	9/19/2003 10:55	N	TOC	Total organic carbon	390	ug/L	U	[NULL]	[NULL]	R	B17F02	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	9/19/2003 10:55	N	59473-04-0	Total organic halides	10.3	ug/L	[NULL]	[NULL]	[NULL]	R	B17F05	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	9/19/2003 10:55	N	59473-04-0	Total organic halides	8.3	ug/L	[NULL]	[NULL]	[NULL]	R	B17F04	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	9/19/2003 10:55	N	59473-04-0	Total organic halides	4.8	ug/L	B	[NULL]	[NULL]	R	B17F02	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	9/19/2003 10:55	N	59473-04-0	Total organic halides	6.7	ug/L	[NULL]	[NULL]	[NULL]	R	B17F03	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	9/19/2003 10:55	N	TURBIDITY	Turbidity	7.55	NTU	[NULL]	[NULL]	[NULL]	R	B17F03	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	9/19/2003 10:55	N	TURBIDITY	Turbidity	7.55	NTU	[NULL]	[NULL]	[NULL]	R	B17F04	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	9/19/2003 10:55	N	TURBIDITY	Turbidity	8.2	NTU	[NULL]	[NULL]	[NULL]	R	B17F02	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	9/19/2003 10:55	N	TURBIDITY	Turbidity	7.33	NTU	[NULL]	[NULL]	[NULL]	R	B17F05	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	9/19/2003 10:55	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	B17F03	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/19/2003 10:55	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	B17F05	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/19/2003 10:55	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	B17F04	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/19/2003 10:55	N	PH	pH Measurement	8.19	unitless	[NULL]	[NULL]	[NULL]	R	B17F02	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/11/2004 13:23	N	ALKALINITY	Alkalinity	82000	ug/L	[NULL]	[NULL]	[NULL]	R	B18L64	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-41	3/11/2004 13:23	Y	7429-90-5	Aluminum	34.2	ug/L	U	[NULL]	[NULL]	R	B18L63	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/11/2004 13:23	Y	7440-36-0	Antimony	39	ug/L	U	[NULL]	[NULL]	R	B18L63	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/11/2004 13:23	Y	7440-39-3	Barium	46.8	ug/L	B	[NULL]	[NULL]	R	B18L63	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/11/2004 13:23	Y	7440-41-7	Beryllium	0.4	ug/L	U	[NULL]	[NULL]	R	B18L63	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/11/2004 13:23	Y	7440-43-9	Cadmium	3.3	ug/L	U	[NULL]	[NULL]	R	B18L63	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/11/2004 13:23	Y	7440-70-2	Calcium	66200	ug/L	[NULL]	[NULL]	[NULL]	R	B18L63	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/11/2004 13:23	N	16887-00-6	Chloride	28100	ug/L	BD	[NULL]	[NULL]	R	B18L64	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/11/2004 13:23	Y	7440-47-3	Chromium	11.7	ug/L	[NULL]	[NULL]	[NULL]	R	B18L63	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/11/2004 13:23	Y	7440-48-4	Cobalt	4.8	ug/L	U	[NULL]	[NULL]	R	B18L63	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/11/2004 13:23	Y	7440-50-8	Copper	2.9	ug/L	U	[NULL]	[NULL]	R	B18L63	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/11/2004 13:23	N	DO	Dissolved oxygen	7050	ug/L	[NULL]	[NULL]	[NULL]	R	B18L62	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-41	3/11/2004 13:23	N	DO	Dissolved oxygen	7060	ug/L	[NULL]	[NULL]	[NULL]	R	B18L61	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-41	3/11/2004 13:23	N	DO	Dissolved oxygen	7070	ug/L	[NULL]	[NULL]	[NULL]	R	B18L60	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-41	3/11/2004 13:23	N	DO	Dissolved oxygen	7090	ug/L	[NULL]	[NULL]	[NULL]	R	B18L59	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-41	3/11/2004 13:23	N	16984-48-8	Fluoride	63	ug/L	B	[NULL]	[NULL]	R	B18L64	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/11/2004 13:23	Y	7439-89-6	Iron	54.5	ug/L	U	[NULL]	[NULL]	R	B18L63	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/11/2004 13:23	Y	7439-95-4	Magnesium	16100	ug/L	[NULL]	[NULL]	[NULL]	R	B18L63	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/11/2004 13:23	Y	7439-96-5	Manganese	5	ug/L	B	[NULL]	[NULL]	R	B18L63	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/11/2004 13:23	Y	7440-02-0	Nickel	14	ug/L	U	[NULL]	[NULL]	R	B18L63	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/11/2004 13:23	N	14797-55-8	Nitrate	24800	ug/L	BD	[NULL]	[NULL]	R	B18L64	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/11/2004 13:23	N	14797-65-0	Nitrite	24.3	ug/L	U	[NULL]	[NULL]	R	B18L64	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/11/2004 13:23	N	EH	Oxidation Reduction Potential	180.7	mV	[NULL]	[NULL]	[NULL]	R	B18L61	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-41	3/11/2004 13:23	N	EH	Oxidation Reduction Potential	179.9	mV	[NULL]	[NULL]	[NULL]	R	B18L59	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-41	3/11/2004 13:23	N	EH	Oxidation Reduction Potential	180.6	mV	[NULL]	[NULL]	[NULL]	R	B18L62	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-41	3/11/2004 13:23	N	EH	Oxidation Reduction Potential	180.4	mV	[NULL]	[NULL]	[NULL]	R	B18L60	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-41	3/11/2004 13:23	Y	7440-09-7	Potassium	5100	ug/L	[NULL]	[NULL]	[NULL]	R	B18L63	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/11/2004 13:23	Y	7440-22-4	Silver	3.1	ug/L	U	[NULL]	[NULL]	R	B18L63	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/11/2004 13:23	Y	7440-23-5	Sodium	7010	ug/L	[NULL]	[NULL]	[NULL]	R	B18L63	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/11/2004 13:23	N	CONDUCT	Specific Conductance	515	uS/cm	[NULL]	[NULL]	[NULL]	R	B18L61	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/11/2004 13:23	N	CONDUCT	Specific Conductance	516	uS/cm	[NULL]	[NULL]	[NULL]	R	B18L60	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/11/2004 13:23	N	CONDUCT	Specific Conductance	516	uS/cm	[NULL]	[NULL]	[NULL]	R	B18L59	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/11/2004 13:23	N	CONDUCT	Specific Conductance	515	uS/cm	[NULL]	[NULL]	[NULL]	R	B18L62	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/11/2004 13:23	Y	7440-24-6	Strontium	383	ug/L	[NULL]	[NULL]	[NULL]	R	B18L63	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/11/2004 13:23	N	10098-97-2	Strontium-90	-0.00523	pCi/L	U	[NULL]	[NULL]	R	B18MF3	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-41	3/11/2004 13:23	N	14808-79-8	Sulfate	117000	ug/L	BD	[NULL]	[NULL]	R	B18L64	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/11/2004 13:23	N	TEMPERATURE	Temperature	19.3	Deg C	[NULL]	[NULL]	[NULL]	R	B18L59	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	3/11/2004 13:23	N	TEMPERATURE	Temperature	19.4	Deg C	[NULL]	[NULL]	[NULL]	R	B18L60	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/11/2004 13:23	N	TEMPERATURE	Temperature	19.3	Deg C	[NULL]	[NULL]	[NULL]	R	B18L61	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/11/2004 13:23	N	TEMPERATURE	Temperature	19.3	Deg C	[NULL]	[NULL]	[NULL]	R	B18L62	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/11/2004 13:23	N	TOC	Total organic carbon	630	ug/L	B	[NULL]	[NULL]	R	B18L62	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	3/11/2004 13:23	N	TOC	Total organic carbon	630	ug/L	B	[NULL]	[NULL]	R	B18L61	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	3/11/2004 13:23	N	TOC	Total organic carbon	590	ug/L	B	[NULL]	[NULL]	R	B18L59	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	3/11/2004 13:23	N	TOC	Total organic carbon	640	ug/L	B	[NULL]	[NULL]	R	B18L60	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	3/11/2004 13:23	N	59473-04-0	Total organic halides	11.5	ug/L	[NULL]	[NULL]	[NULL]	R	B18L61	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	3/11/2004 13:23	N	59473-04-0	Total organic halides	16.8	ug/L	[NULL]	[NULL]	[NULL]	R	B18L60	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	3/11/2004 13:23	N	59473-04-0	Total organic halides	8.4	ug/L	[NULL]	[NULL]	[NULL]	R	B18L59	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	3/11/2004 13:23	N	59473-04-0	Total organic halides	6.5	ug/L	[NULL]	[NULL]	[NULL]	R	B18L62	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	3/11/2004 13:23	N	10028-17-8	Tritium	12100	pCi/L	[NULL]	[NULL]	[NULL]	R	B18MF3	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-41	3/11/2004 13:23	N	TURBIDITY	Turbidity	2.19	NTU	[NULL]	[NULL]	[NULL]	R	B18L59	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	3/11/2004 13:23	N	TURBIDITY	Turbidity	2.05	NTU	[NULL]	[NULL]	[NULL]	R	B18L62	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	3/11/2004 13:23	N	TURBIDITY	Turbidity	2.18	NTU	[NULL]	[NULL]	[NULL]	R	B18L61	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	3/11/2004 13:23	N	TURBIDITY	Turbidity	2.08	NTU	[NULL]	[NULL]	[NULL]	R	B18L60	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	3/11/2004 13:23	Y	7440-62-2	Vanadium	19.1	ug/L	B	[NULL]	[NULL]	R	B18L63	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/11/2004 13:23	Y	7440-66-6	Zinc	3.5	ug/L	B	[NULL]	[NULL]	R	B18L63	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/11/2004 13:23	N	PH	pH Measurement	8.05	unitless	[NULL]	[NULL]	[NULL]	R	B18L59	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/11/2004 13:23	N	PH	pH Measurement	8.05	unitless	[NULL]	[NULL]	[NULL]	R	B18L60	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/11/2004 13:23	N	PH	pH Measurement	8.05	unitless	[NULL]	[NULL]	[NULL]	R	B18L61	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/11/2004 13:23	N	PH	pH Measurement	8.05	unitless	[NULL]	[NULL]	[NULL]	R	B18L62	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/29/2004 10:22	N	CONDUCT	Specific Conductance	490	uS/cm	[NULL]	[NULL]	[NULL]	R	B1B262	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/29/2004 10:22	N	CONDUCT	Specific Conductance	489	uS/cm	[NULL]	[NULL]	[NULL]	R	B1B261	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/29/2004 10:22	N	CONDUCT	Specific Conductance	496	uS/cm	[NULL]	[NULL]	[NULL]	R	B1B259	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/29/2004 10:22	N	CONDUCT	Specific Conductance	493	uS/cm	[NULL]	[NULL]	[NULL]	R	B1B260	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/29/2004 10:22	N	TEMPERATURE	Temperature	18.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1B261	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/29/2004 10:22	N	TEMPERATURE	Temperature	18.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1B259	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/29/2004 10:22	N	TEMPERATURE	Temperature	18.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1B260	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/29/2004 10:22	N	TEMPERATURE	Temperature	18.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1B262	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/29/2004 10:22	N	TOC	Total organic carbon	620	ug/L	B	[NULL]	[NULL]	R	B1B259	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	9/29/2004 10:22	N	TOC	Total organic carbon	640	ug/L	B	[NULL]	[NULL]	R	B1B262	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	9/29/2004 10:22	N	TOC	Total organic carbon	680	ug/L	B	[NULL]	[NULL]	R	B1B260	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	9/29/2004 10:22	N	TOC	Total organic carbon	560	ug/L	B	[NULL]	[NULL]	R	B1B261	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	9/29/2004 10:22	N	59473-04-0	Total organic halides	8.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1B262	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	9/29/2004 10:22	N	59473-04-0	Total organic halides	4.6	ug/L	B	[NULL]	[NULL]	R	B1B260	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	9/29/2004 10:22	N	59473-04-0	Total organic halides	11.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1B259	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	9/29/2004 10:22	N	59473-04-0	Total organic halides	2.2	ug/L	U	[NULL]	[NULL]	R	B1B261	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	9/29/2004 10:22	N	TURBIDITY	Turbidity	1.95	NTU	[NULL]	[NULL]	[NULL]	R	B1B260	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	9/29/2004 10:22	N	TURBIDITY	Turbidity	2.46	NTU	[NULL]	[NULL]	[NULL]	R	B1B262	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	9/29/2004 10:22	N	PH	pH Measurement	8.13	unitless	[NULL]	[NULL]	[NULL]	R	B1B262	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/29/2004 10:22	N	PH	pH Measurement	8.13	unitless	[NULL]	[NULL]	[NULL]	R	B1B261	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/29/2004 10:22	N	PH	pH Measurement	8.13	unitless	[NULL]	[NULL]	[NULL]	R	B1B260	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/29/2004 10:22	N	PH	pH Measurement	8.13	unitless	[NULL]	[NULL]	[NULL]	R	B1B259	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/14/2005 11:51	N	ALKALINITY	Alkalinity	66000	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBL5	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-41	3/14/2005 11:51	Y	7429-90-5	Aluminum	45.5	ug/L	U	[NULL]	[NULL]	R	B1CBL4	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/14/2005 11:51	Y	7429-90-5	Aluminum	20.8	ug/L	U	[NULL]	[NULL]	R	B1CBL2	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-41	3/14/2005 11:51	Y	7440-36-0	Antimony	2.2	ug/L	U	[NULL]	[NULL]	R	B1CBL2	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-41	3/14/2005 11:51	Y	7440-36-0	Antimony	21.3	ug/L	U	[NULL]	[NULL]	R	B1CBL4	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/14/2005 11:51	Y	7440-39-3	Barium	50	ug/L	B	[NULL]	[NULL]	R	B1CBL4	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/14/2005 11:51	Y	7440-39-3	Barium	48.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBL2	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-41	3/14/2005 11:51	Y	7440-41-7	Beryllium	0.29	ug/L	U	[NULL]	[NULL]	R	B1CBL4	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/14/2005 11:51	Y	7440-41-7	Beryllium	0.1	ug/L	U	[NULL]	[NULL]	R	B1CBL2	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-41	3/14/2005 11:51	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	B1CBL4	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/14/2005 11:51	Y	7440-43-9	Cadmium	0.4	ug/L	U	[NULL]	[NULL]	R	B1CBL2	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	3/14/2005 11:51	Y	7440-70-2	Calcium	72300	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBL4	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/14/2005 11:51	Y	7440-70-2	Calcium	72000	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBL2	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-41	3/14/2005 11:51	N	16887-00-6	Chloride	33900	ug/L	CD	[NULL]	[NULL]	R	B1CBL5	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/14/2005 11:51	Y	7440-47-3	Chromium	13.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBL4	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/14/2005 11:51	Y	7440-47-3	Chromium	14.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBL2	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-41	3/14/2005 11:51	Y	7440-48-4	Cobalt	0.73	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBL2	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-41	3/14/2005 11:51	Y	7440-48-4	Cobalt	3.3	ug/L	U	[NULL]	[NULL]	R	B1CBL4	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/14/2005 11:51	Y	7440-50-8	Copper	2.4	ug/L	U	[NULL]	[NULL]	R	B1CBL4	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/14/2005 11:51	Y	7440-50-8	Copper	0.5	ug/L	U	[NULL]	[NULL]	R	B1CBL2	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-41	3/14/2005 11:51	N	16984-48-8	Fluoride	53	ug/L	B	[NULL]	[NULL]	R	B1CBL5	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/14/2005 11:51	Y	7439-89-6	Iron	26.6	ug/L	B	[NULL]	[NULL]	R	B1CBL4	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/14/2005 11:51	Y	7439-89-6	Iron	11.7	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBL2	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-41	3/14/2005 11:51	Y	7439-95-4	Magnesium	17100	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBL4	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/14/2005 11:51	Y	7439-95-4	Magnesium	16500	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBL2	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-41	3/14/2005 11:51	Y	7439-96-5	Manganese	2.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBL2	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-41	3/14/2005 11:51	Y	7439-96-5	Manganese	0.99	ug/L	U	[NULL]	[NULL]	R	B1CBL4	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/14/2005 11:51	Y	7440-02-0	Nickel	1	ug/L	U	[NULL]	[NULL]	R	B1CBL2	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-41	3/14/2005 11:51	Y	7440-02-0	Nickel	8.6	ug/L	U	[NULL]	[NULL]	R	B1CBL4	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/14/2005 11:51	N	14797-55-8	Nitrate	26100	ug/L	D	[NULL]	[NULL]	R	B1CBL5	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/14/2005 11:51	N	14797-65-0	Nitrite	13.1	ug/L	U	[NULL]	[NULL]	R	B1CBL5	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/14/2005 11:51	Y	7440-09-7	Potassium	4500	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBL2	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-41	3/14/2005 11:51	Y	7440-09-7	Potassium	5710	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBL4	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/14/2005 11:51	Y	7440-22-4	Silver	4.1	ug/L	U	[NULL]	[NULL]	R	B1CBL4	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/14/2005 11:51	Y	7440-22-4	Silver	0.5	ug/L	U	[NULL]	[NULL]	R	B1CBL2	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-41	3/14/2005 11:51	Y	7440-23-5	Sodium	7380	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBL4	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/14/2005 11:51	Y	7440-23-5	Sodium	7090	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBL2	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-41	3/14/2005 11:51	N	CONDUCT	Specific Conductance	546	uS/cm	[NULL]	[NULL]	[NULL]	R	B1CBL0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/14/2005 11:51	N	CONDUCT	Specific Conductance	548	uS/cm	[NULL]	[NULL]	[NULL]	R	B1CBK9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/14/2005 11:51	N	CONDUCT	Specific Conductance	545	uS/cm	[NULL]	[NULL]	[NULL]	R	B1CBL1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/14/2005 11:51	N	CONDUCT	Specific Conductance	548	uS/cm	[NULL]	[NULL]	[NULL]	R	B1CBK8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	3/14/2005 11:51	Y	7440-24-6	Strontium	434	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBL4	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/14/2005 11:51	N	10098-97-2	Strontium-90	-0.0993	pCi/L	U	[NULL]	[NULL]	R	B1CCJ1	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-41	3/14/2005 11:51	N	14808-79-8	Sulfate	141000	ug/L	D	[NULL]	[NULL]	R	B1CBL5	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/14/2005 11:51	N	TEMPERATURE	Temperature	18	Deg C	[NULL]	[NULL]	[NULL]	R	B1CBK8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/14/2005 11:51	N	TEMPERATURE	Temperature	18	Deg C	[NULL]	[NULL]	[NULL]	R	B1CBL0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/14/2005 11:51	N	TEMPERATURE	Temperature	18	Deg C	[NULL]	[NULL]	[NULL]	R	B1CBK9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/14/2005 11:51	N	TEMPERATURE	Temperature	18	Deg C	[NULL]	[NULL]	[NULL]	R	B1CBL1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/14/2005 11:51	N	TOC	Total organic carbon	430	ug/L	B	[NULL]	[NULL]	R	B1CBK9	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	3/14/2005 11:51	N	TOC	Total organic carbon	450	ug/L	B	[NULL]	[NULL]	R	B1CBL1	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	3/14/2005 11:51	N	TOC	Total organic carbon	430	ug/L	U	[NULL]	[NULL]	R	B1CBL0	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	3/14/2005 11:51	N	TOC	Total organic carbon	590	ug/L	B	[NULL]	[NULL]	R	B1CBK8	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	3/14/2005 11:51	N	59473-04-0	Total organic halides	17.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBL0	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	3/14/2005 11:51	N	59473-04-0	Total organic halides	8.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBK9	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	3/14/2005 11:51	N	59473-04-0	Total organic halides	4.7	ug/L	B	[NULL]	[NULL]	R	B1CBK8	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	3/14/2005 11:51	N	59473-04-0	Total organic halides	6.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBL1	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	3/14/2005 11:51	N	10028-17-8	Tritium	9980	pCi/L	[NULL]	[NULL]	[NULL]	R	B1CCJ1	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-41	3/14/2005 11:51	N	TURBIDITY	Turbidity	1.38	NTU	[NULL]	[NULL]	[NULL]	R	B1CBK8	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	3/14/2005 11:51	N	TURBIDITY	Turbidity	1.17	NTU	[NULL]	[NULL]	[NULL]	R	B1CBL0	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	3/14/2005 11:51	N	TURBIDITY	Turbidity	1.31	NTU	[NULL]	[NULL]	[NULL]	R	B1CBK9	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	3/14/2005 11:51	N	TURBIDITY	Turbidity	1.14	NTU	[NULL]	[NULL]	[NULL]	R	B1CBL1	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	3/14/2005 11:51	Y	7440-62-2	Vanadium	10.7	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBL2	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-41	3/14/2005 11:51	Y	7440-62-2	Vanadium	11	ug/L	B	[NULL]	[NULL]	R	B1CBL4	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/14/2005 11:51	Y	7440-66-6	Zinc	3.4	ug/L	BC	[NULL]	[NULL]	R	B1CBL4	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/14/2005 11:51	Y	7440-66-6	Zinc	7.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBL2	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-41	3/14/2005 11:51	N	PH	pH Measurement	7.99	unitless	[NULL]	[NULL]	[NULL]	R	B1CBL0	PH	FIELD	9040_PH	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	3/14/2005 11:51	N	PH	pH Measurement	7.99	unitless	[NULL]	[NULL]	[NULL]	R	B1CBL1	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/14/2005 11:51	N	PH	pH Measurement	7.99	unitless	[NULL]	[NULL]	[NULL]	R	B1CBK9	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/14/2005 11:51	N	PH	pH Measurement	7.99	unitless	[NULL]	[NULL]	[NULL]	R	B1CBK8	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/7/2005 13:05	N	CONDUCT	Specific Conductance	538	uS/cm	[NULL]	[NULL]	[NULL]	R	B1DRD8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/7/2005 13:05	N	CONDUCT	Specific Conductance	534	uS/cm	[NULL]	[NULL]	[NULL]	R	B1DRD7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/7/2005 13:05	N	CONDUCT	Specific Conductance	538	uS/cm	[NULL]	[NULL]	[NULL]	R	B1DRD6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/7/2005 13:05	N	CONDUCT	Specific Conductance	537	uS/cm	[NULL]	[NULL]	[NULL]	R	B1DRD9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-41	9/7/2005 13:05	N	TEMPERATURE	Temperature	19.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1DRD9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/7/2005 13:05	N	TEMPERATURE	Temperature	19.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1DRD6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/7/2005 13:05	N	TEMPERATURE	Temperature	19.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1DRD7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/7/2005 13:05	N	TEMPERATURE	Temperature	19.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1DRD8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/7/2005 13:05	N	TOC	Total organic carbon	710	ug/L	B	[NULL]	[NULL]	R	B1DRF2	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	9/7/2005 13:05	N	TOC	Total organic carbon	780	ug/L	B	[NULL]	[NULL]	R	B1DRF3	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	9/7/2005 13:05	N	TOC	Total organic carbon	740	ug/L	B	[NULL]	[NULL]	R	B1DRF0	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	9/7/2005 13:05	N	TOC	Total organic carbon	770	ug/L	B	[NULL]	[NULL]	R	B1DRF1	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	9/7/2005 13:05	N	59473-04-0	Total organic halides	3.2	ug/L	U	[NULL]	[NULL]	R	B1DRF3	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	9/7/2005 13:05	N	59473-04-0	Total organic halides	5.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1DRF2	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	9/7/2005 13:05	N	59473-04-0	Total organic halides	88.4	ug/L	[NULL]	Y	[NULL]	R	B1DRF1	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	9/7/2005 13:05	N	59473-04-0	Total organic halides	5.7	ug/L	[NULL]	[NULL]	[NULL]	R	B1DRF0	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	9/7/2005 13:05	N	TURBIDITY	Turbidity	4.46	NTU	[NULL]	[NULL]	[NULL]	R	B1DRD7	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	9/7/2005 13:05	N	TURBIDITY	Turbidity	4.87	NTU	[NULL]	[NULL]	[NULL]	R	B1DRD6	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	9/7/2005 13:05	N	TURBIDITY	Turbidity	3.63	NTU	[NULL]	[NULL]	[NULL]	R	B1DRD9	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	9/7/2005 13:05	N	TURBIDITY	Turbidity	3.82	NTU	[NULL]	[NULL]	[NULL]	R	B1DRD8	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-41	9/7/2005 13:05	N	PH	pH Measurement	8.14	unitless	[NULL]	[NULL]	[NULL]	R	B1DRD6	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/7/2005 13:05	N	PH	pH Measurement	8.13	unitless	[NULL]	[NULL]	[NULL]	R	B1DRD7	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/7/2005 13:05	N	PH	pH Measurement	8.14	unitless	[NULL]	[NULL]	[NULL]	R	B1DRD8	PH	FIELD	9040_PH	100-NR-2
199-N-41	9/7/2005 13:05	N	PH	pH Measurement	8.14	unitless	[NULL]	[NULL]	[NULL]	R	B1DRD9	PH	FIELD	9040_PH	100-NR-2
199-N-41	3/2/2006 11:53	N	ALKALINITY	Alkalinity	62000	ug/L	[NULL]	[NULL]	[NULL]	R	B1HP67	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-41	3/2/2006 11:53	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1HP66	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/2/2006 11:53	Y	7440-39-3	Barium	59.8	ug/L	B	[NULL]	[NULL]	R	B1HP66	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/2/2006 11:53	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1HP66	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/2/2006 11:53	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1HP66	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/2/2006 11:53	Y	7440-70-2	Calcium	82100	ug/L	[NULL]	[NULL]	[NULL]	R	B1HP66	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/2/2006 11:53	N	16887-00-6	Chloride	42000	ug/L	CD	Q	[NULL]	R	B1HP67	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/2/2006 11:53	Y	7440-47-3	Chromium	14.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1HP66	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/2/2006 11:53	Y	7440-48-4	Cobalt	2.6	ug/L	U	[NULL]	[NULL]	R	B1HP66	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/2/2006 11:53	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1HP66	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/2/2006 11:53	N	16984-48-8	Fluoride	56	ug/L	B	[NULL]	[NULL]	R	B1HP67	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/2/2006 11:53	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1HP66	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/2/2006 11:53	Y	7439-95-4	Magnesium	19600	ug/L	[NULL]	[NULL]	[NULL]	R	B1HP66	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/2/2006 11:53	Y	7439-96-5	Manganese	2.5	ug/L	U	[NULL]	[NULL]	R	B1HP66	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/2/2006 11:53	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1HP66	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/2/2006 11:53	N	14797-55-8	Nitrate	30500	ug/L	D	[NULL]	[NULL]	R	B1HP67	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/2/2006 11:53	N	14797-65-0	Nitrite	20	ug/L	UN	[NULL]	[NULL]	R	B1HP67	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/2/2006 11:53	Y	7440-09-7	Potassium	2530	ug/L	B	[NULL]	[NULL]	R	B1HP66	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/2/2006 11:53	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1HP66	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/2/2006 11:53	Y	7440-23-5	Sodium	7630	ug/L	[NULL]	[NULL]	[NULL]	R	B1HP66	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/2/2006 11:53	N	CONDUCT	Specific Conductance	589	uS/cm	[NULL]	[NULL]	[NULL]	R	B1HP58	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-41	3/2/2006 11:53	N	CONDUCT	Specific Conductance	589	uS/cm	[NULL]	[NULL]	[NULL]	R	B1HP59	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-41	3/2/2006 11:53	N	CONDUCT	Specific Conductance	589	uS/cm	[NULL]	[NULL]	[NULL]	R	B1HP60	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-41	3/2/2006 11:53	N	CONDUCT	Specific Conductance	589	uS/cm	[NULL]	[NULL]	[NULL]	R	B1HP61	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-41	3/2/2006 11:53	Y	7440-24-6	Strontium	483	ug/L	[NULL]	[NULL]	[NULL]	R	B1HP66	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/2/2006 11:53	N	10098-97-2	Strontium-90	0.0242	pCi/L	U	[NULL]	[NULL]	R	B1HMH6	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-41	3/2/2006 11:53	N	14808-79-8	Sulfate	132000	ug/L	D	[NULL]	[NULL]	R	B1HP67	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-41	3/2/2006 11:53	N	TEMPERATURE	Temperature	18.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1HP61	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	3/2/2006 11:53	N	TEMPERATURE	Temperature	18.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1HP58	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-41	3/2/2006 11:53	N	TOC	Total organic carbon	470	ug/L	U	[NULL]	[NULL]	R	B1HP65	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	3/2/2006 11:53	N	TOC	Total organic carbon	470	ug/L	U	[NULL]	[NULL]	R	B1HP63	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	3/2/2006 11:53	N	TOC	Total organic carbon	470	ug/L	U	[NULL]	[NULL]	R	B1HP62	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	3/2/2006 11:53	N	TOC	Total organic carbon	960	ug/L	B	[NULL]	[NULL]	R	B1HP64	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	3/2/2006 11:53	N	59473-04-0	Total organic halides	7.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1HP62	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	3/2/2006 11:53	N	59473-04-0	Total organic halides	7.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1HP63	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	3/2/2006 11:53	N	59473-04-0	Total organic halides	7.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1HP64	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	3/2/2006 11:53	N	59473-04-0	Total organic halides	15	ug/L	[NULL]	[NULL]	[NULL]	R	B1HP65	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	3/2/2006 11:53	N	10028-17-8	Tritium	11600	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HMH6	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-41	3/2/2006 11:53	N	TURBIDITY	Turbidity	2.15	NTU	[NULL]	[NULL]	[NULL]	R	B1HP61	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-41	3/2/2006 11:53	N	TURBIDITY	Turbidity	2.13	NTU	[NULL]	[NULL]	[NULL]	R	B1HP58	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-41	3/2/2006 11:53	Y	7440-62-2	Vanadium	11	ug/L	B	[NULL]	[NULL]	R	B1HP66	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/2/2006 11:53	Y	7440-66-6	Zinc	5.6	ug/L	U	[NULL]	[NULL]	R	B1HP66	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	3/2/2006 11:53	N	PH	pH Measurement	8.09	unitless	[NULL]	[NULL]	[NULL]	R	B1HP60	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	3/2/2006 11:53	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B1HP61	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	3/2/2006 11:53	N	PH	pH Measurement	8.09	unitless	[NULL]	[NULL]	[NULL]	R	B1HP58	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	3/2/2006 11:53	N	PH	pH Measurement	8.09	unitless	[NULL]	[NULL]	[NULL]	R	B1HP59	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	11/16/2006 10:47	N	CONDUCT	Specific Conductance	503	uS/cm	[NULL]	[NULL]	[NULL]	R	B1KD71	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-41	11/16/2006 10:47	N	CONDUCT	Specific Conductance	504	uS/cm	[NULL]	[NULL]	[NULL]	R	B1KD72	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-41	11/16/2006 10:47	N	CONDUCT	Specific Conductance	505	uS/cm	[NULL]	[NULL]	[NULL]	R	B1KD73	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-41	11/16/2006 10:47	N	CONDUCT	Specific Conductance	506	uS/cm	[NULL]	[NULL]	[NULL]	R	B1KD74	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-41	11/16/2006 10:47	N	TEMPERATURE	Temperature	18.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1KD73	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-41	11/16/2006 10:47	N	TEMPERATURE	Temperature	18.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1KD74	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-41	11/16/2006 10:47	N	TEMPERATURE	Temperature	18.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1KD72	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-41	11/16/2006 10:47	N	TEMPERATURE	Temperature	18.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1KD71	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-41	11/16/2006 10:47	N	TOC	Total organic carbon	470	ug/L	UN	[NULL]	[NULL]	R	B1KD76	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	11/16/2006 10:47	N	TOC	Total organic carbon	470	ug/L	UN	[NULL]	[NULL]	R	B1KD75	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	11/16/2006 10:47	N	TOC	Total organic carbon	470	ug/L	UN	[NULL]	[NULL]	R	B1KD77	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	11/16/2006 10:47	N	TOC	Total organic carbon	4600	ug/L	N	Y	[NULL]	R	B1KD78	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	11/16/2006 10:47	N	59473-04-0	Total organic halides	2.6	ug/L	U	[NULL]	[NULL]	R	B1KD76	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	11/16/2006 10:47	N	59473-04-0	Total organic halides	2.6	ug/L	U	[NULL]	[NULL]	R	B1KD75	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	11/16/2006 10:47	N	59473-04-0	Total organic halides	2.6	ug/L	U	[NULL]	[NULL]	R	B1KD77	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	11/16/2006 10:47	N	59473-04-0	Total organic halides	6.7	ug/L	[NULL]	[NULL]	[NULL]	R	B1KD78	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	11/16/2006 10:47	N	TURBIDITY	Turbidity	3.3	NTU	[NULL]	[NULL]	[NULL]	R	B1KD73	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-41	11/16/2006 10:47	N	TURBIDITY	Turbidity	3.63	NTU	[NULL]	[NULL]	[NULL]	R	B1KD71	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-41	11/16/2006 10:47	N	TURBIDITY	Turbidity	3.54	NTU	[NULL]	[NULL]	[NULL]	R	B1KD72	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-41	11/16/2006 10:47	N	TURBIDITY	Turbidity	3.21	NTU	[NULL]	[NULL]	[NULL]	R	B1KD74	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-41	11/16/2006 10:47	N	PH	pH Measurement	8.71	unitless	[NULL]	Y	[NULL]	R	B1KD73	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	11/16/2006 10:47	N	PH	pH Measurement	9.18	unitless	[NULL]	Y	[NULL]	R	B1KD71	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	11/16/2006 10:47	N	PH	pH Measurement	8.71	unitless	[NULL]	Y	[NULL]	R	B1KD72	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	11/16/2006 10:47	N	PH	pH Measurement	8.69	unitless	[NULL]	Y	[NULL]	R	B1KD74	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	1/25/2007 13:04	N	CONDUCT	Specific Conductance	565	uS/cm	[NULL]	[NULL]	[NULL]	R	B1LR77	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-41	1/25/2007 13:04	N	CONDUCT	Specific Conductance	566	uS/cm	[NULL]	[NULL]	[NULL]	R	B1LR76	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-41	1/25/2007 13:04	N	CONDUCT	Specific Conductance	566	uS/cm	[NULL]	[NULL]	[NULL]	R	B1LR75	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-41	1/25/2007 13:04	N	CONDUCT	Specific Conductance	564	uS/cm	[NULL]	[NULL]	[NULL]	R	B1LR78	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-41	1/25/2007 13:04	N	TEMPERATURE	Temperature	17.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1LR75	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-41	1/25/2007 13:04	N	TEMPERATURE	Temperature	17.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1LR78	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-41	1/25/2007 13:04	N	TEMPERATURE	Temperature	17.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1LR77	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-41	1/25/2007 13:04	N	TEMPERATURE	Temperature	17.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1LR76	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-41	1/25/2007 13:04	N	TURBIDITY	Turbidity	3.31	NTU	[NULL]	[NULL]	[NULL]	R	B1LR77	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-41	1/25/2007 13:04	N	TURBIDITY	Turbidity	3.52	NTU	[NULL]	[NULL]	[NULL]	R	B1LR75	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-41	1/25/2007 13:04	N	TURBIDITY	Turbidity	3.06	NTU	[NULL]	[NULL]	[NULL]	R	B1LR78	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-41	1/25/2007 13:04	N	TURBIDITY	Turbidity	3.47	NTU	[NULL]	[NULL]	[NULL]	R	B1LR76	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-41	1/25/2007 13:04	N	PH	pH Measurement	8.06	unitless	[NULL]	[NULL]	[NULL]	R	B1LR78	PH	FIELD	PH_ELECT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	1/25/2007 13:04	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B1PBJ7	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	1/25/2007 13:04	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B1PBJ6	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	1/25/2007 13:04	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B1PBJ5	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	1/25/2007 13:04	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B1PBJ4	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	1/25/2007 13:04	N	PH	pH Measurement	8.05	unitless	[NULL]	[NULL]	[NULL]	R	B1LR77	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	1/25/2007 13:04	N	PH	pH Measurement	8.06	unitless	[NULL]	[NULL]	[NULL]	R	B1LR76	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	1/25/2007 13:04	N	PH	pH Measurement	8.06	unitless	[NULL]	[NULL]	[NULL]	R	B1LR75	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	4/24/2007 10:32	N	ALKALINITY	Alkalinity	71000	ug/L	[NULL]	[NULL]	[NULL]	R	B1MF07	ALKALINITY	WSCF	310.1_ALKALINITY	100-NR-2
199-N-41	4/24/2007 10:32	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1MJN2	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	4/24/2007 10:32	Y	7440-39-3	Barium	48.4	ug/L	B	[NULL]	[NULL]	R	B1MJN2	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	4/24/2007 10:32	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1MJN2	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	4/24/2007 10:32	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1MJN2	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	4/24/2007 10:32	Y	7440-70-2	Calcium	73900	ug/L	[NULL]	[NULL]	[NULL]	R	B1MJN2	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	4/24/2007 10:32	N	16887-00-6	Chloride	35400	ug/L	DN	[NULL]	[NULL]	R	B1MJN3	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-41	4/24/2007 10:32	Y	7440-47-3	Chromium	12.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1MJN2	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	4/24/2007 10:32	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1MJN2	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	4/24/2007 10:32	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1MJN2	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	4/24/2007 10:32	N	16984-48-8	Fluoride	20	ug/L	UN	[NULL]	[NULL]	R	B1MJN3	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-41	4/24/2007 10:32	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1MJN2	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	4/24/2007 10:32	Y	7439-95-4	Magnesium	17600	ug/L	[NULL]	[NULL]	[NULL]	R	B1MJN2	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	4/24/2007 10:32	Y	7439-96-5	Manganese	2.5	ug/L	U	[NULL]	[NULL]	R	B1MJN2	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	4/24/2007 10:32	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1MJN2	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	4/24/2007 10:32	N	14797-55-8	Nitrate	28300	ug/L	DN	[NULL]	[NULL]	R	B1MJN3	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-41	4/24/2007 10:32	N	14797-65-0	Nitrite	13.1	ug/L	UN	[NULL]	[NULL]	R	B1MJN3	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-41	4/24/2007 10:32	Y	7440-09-7	Potassium	5040	ug/L	[NULL]	[NULL]	[NULL]	R	B1MJN2	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	4/24/2007 10:32	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1MJN2	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	4/24/2007 10:32	Y	7440-23-5	Sodium	7160	ug/L	[NULL]	[NULL]	[NULL]	R	B1MJN2	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	4/24/2007 10:32	N	CONDUCT	Specific Conductance	547	uS/cm	[NULL]	[NULL]	[NULL]	R	B1MJM6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-41	4/24/2007 10:32	N	CONDUCT	Specific Conductance	546	uS/cm	[NULL]	[NULL]	[NULL]	R	B1MJM5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-41	4/24/2007 10:32	N	CONDUCT	Specific Conductance	547	uS/cm	[NULL]	[NULL]	[NULL]	R	B1MJM7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-41	4/24/2007 10:32	N	CONDUCT	Specific Conductance	547	uS/cm	[NULL]	[NULL]	[NULL]	R	B1MJM4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-41	4/24/2007 10:32	Y	7440-24-6	Strontium	411	ug/L	[NULL]	[NULL]	[NULL]	R	B1MJN2	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	4/24/2007 10:32	N	10098-97-2	Strontium-90	0.0514	pCi/L	U	[NULL]	[NULL]	R	B1MF06	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-41	4/24/2007 10:32	N	14808-79-8	Sulfate	116000	ug/L	D	[NULL]	[NULL]	R	B1MJN3	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-41	4/24/2007 10:32	N	TEMPERATURE	Temperature	18.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1MJM7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	4/24/2007 10:32	N	TEMPERATURE	Temperature	18.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1MJM4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	4/24/2007 10:32	N	TEMPERATURE	Temperature	18.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1MJM5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	4/24/2007 10:32	N	TEMPERATURE	Temperature	18.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1MJM6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	4/24/2007 10:32	N	TOC	Total organic carbon	760	ug/L	U	[NULL]	[NULL]	R	B1MJM8	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	4/24/2007 10:32	N	TOC	Total organic carbon	760	ug/L	U	[NULL]	[NULL]	R	B1MJN1	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	4/24/2007 10:32	N	TOC	Total organic carbon	760	ug/L	U	[NULL]	[NULL]	R	B1MJM9	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	4/24/2007 10:32	N	TOC	Total organic carbon	760	ug/L	U	[NULL]	[NULL]	R	B1MJN0	TOC	STLSL	9060_TOC	100-NR-2
199-N-41	4/24/2007 10:32	N	59473-04-0	Total organic halides	5.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1MJN1	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	4/24/2007 10:32	N	59473-04-0	Total organic halides	5.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1MJN0	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	4/24/2007 10:32	N	59473-04-0	Total organic halides	2.2	ug/L	BC	[NULL]	[NULL]	R	B1MJM9	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	4/24/2007 10:32	N	59473-04-0	Total organic halides	2.5	ug/L	BC	[NULL]	[NULL]	R	B1MJM8	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-41	4/24/2007 10:32	N	10028-17-8	Tritium	9400	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MF07	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-41	4/24/2007 10:32	N	TURBIDITY	Turbidity	2.49	NTU	[NULL]	[NULL]	[NULL]	R	B1MJM4	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-41	4/24/2007 10:32	N	TURBIDITY	Turbidity	2.38	NTU	[NULL]	[NULL]	[NULL]	R	B1MJM6	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-41	4/24/2007 10:32	N	TURBIDITY	Turbidity	2.29	NTU	[NULL]	[NULL]	[NULL]	R	B1MJM7	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-41	4/24/2007 10:32	N	TURBIDITY	Turbidity	2.47	NTU	[NULL]	[NULL]	[NULL]	R	B1MJM5	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-41	4/24/2007 10:32	Y	7440-62-2	Vanadium	11.3	ug/L	B	[NULL]	[NULL]	R	B1MJN2	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	4/24/2007 10:32	Y	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1MJN2	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-41	4/24/2007 10:32	N	PH	pH Measurement	8.03	unitless	[NULL]	[NULL]	[NULL]	R	B1MJM7	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	4/24/2007 10:32	N	PH	pH Measurement	8.02	unitless	[NULL]	[NULL]	[NULL]	R	B1MJM6	PH	FIELD	PH_ELECT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	4/24/2007 10:32	N	PH	pH Measurement	8.02	unitless	[NULL]	[NULL]	[NULL]	R	B1MJM4	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	4/24/2007 10:32	N	PH	pH Measurement	8.02	unitless	[NULL]	[NULL]	[NULL]	R	B1MJM5	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	9/23/2007 13:38	N	CONDUCT	Specific Conductance	531	uS/cm	[NULL]	[NULL]	[NULL]	R	B1PHK2	CONDUCT	MOBILE	CONDUCT_FLD	100-NR-2
199-N-41	9/23/2007 13:38	N	CONDUCT	Specific Conductance	531	uS/cm	[NULL]	[NULL]	[NULL]	R	B1PHK5	CONDUCT	MOBILE	CONDUCT_FLD	100-NR-2
199-N-41	9/23/2007 13:38	N	CONDUCT	Specific Conductance	531	uS/cm	[NULL]	[NULL]	[NULL]	R	B1PHK4	CONDUCT	MOBILE	CONDUCT_FLD	100-NR-2
199-N-41	9/23/2007 13:38	N	CONDUCT	Specific Conductance	531	uS/cm	[NULL]	[NULL]	[NULL]	R	B1PHK3	CONDUCT	MOBILE	CONDUCT_FLD	100-NR-2
199-N-41	9/23/2007 13:38	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B1PHK3	TEMPERATURE	MOBILE	TEMP_FLD	100-NR-2
199-N-41	9/23/2007 13:38	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B1PHK2	TEMPERATURE	MOBILE	TEMP_FLD	100-NR-2
199-N-41	9/23/2007 13:38	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B1PHK5	TEMPERATURE	MOBILE	TEMP_FLD	100-NR-2
199-N-41	9/23/2007 13:38	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B1PHK4	TEMPERATURE	MOBILE	TEMP_FLD	100-NR-2
199-N-41	9/23/2007 13:38	N	TOC	Total organic carbon	419	ug/L	[NULL]	[NULL]	[NULL]	R	B1PHL2	TOC	WSCF	9060_TOC	100-NR-2
199-N-41	9/23/2007 13:38	N	TOC	Total organic carbon	318	ug/L	[NULL]	[NULL]	[NULL]	R	B1PHL3	TOC	WSCF	9060_TOC	100-NR-2
199-N-41	9/23/2007 13:38	N	TOC	Total organic carbon	310	ug/L	[NULL]	[NULL]	[NULL]	R	B1PHL1	TOC	WSCF	9060_TOC	100-NR-2
199-N-41	9/23/2007 13:38	N	TOC	Total organic carbon	322	ug/L	[NULL]	[NULL]	[NULL]	R	B1PHL0	TOC	WSCF	9060_TOC	100-NR-2
199-N-41	9/23/2007 13:38	N	59473-04-0	Total organic halides	6.84	ug/L	X	[NULL]	[NULL]	R	B1PHL2	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-41	9/23/2007 13:38	N	59473-04-0	Total organic halides	6.58	ug/L	X	[NULL]	[NULL]	R	B1PHL3	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-41	9/23/2007 13:38	N	59473-04-0	Total organic halides	61.1	ug/L	X	Y	[NULL]	R	B1PHL0	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-41	9/23/2007 13:38	N	59473-04-0	Total organic halides	7.75	ug/L	X	[NULL]	[NULL]	R	B1PHL1	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-41	9/23/2007 13:38	N	TURBIDITY	Turbidity	1.04	NTU	[NULL]	[NULL]	[NULL]	R	B1PHK5	TURBIDITY	MOBILE	TURBIDITY_FLD	100-NR-2
199-N-41	9/23/2007 13:38	N	TURBIDITY	Turbidity	0.96	NTU	[NULL]	[NULL]	[NULL]	R	B1PHK4	TURBIDITY	MOBILE	TURBIDITY_FLD	100-NR-2
199-N-41	9/23/2007 13:38	N	TURBIDITY	Turbidity	1.23	NTU	[NULL]	[NULL]	[NULL]	R	B1PHK2	TURBIDITY	MOBILE	TURBIDITY_FLD	100-NR-2
199-N-41	9/23/2007 13:38	N	TURBIDITY	Turbidity	1.22	NTU	[NULL]	[NULL]	[NULL]	R	B1PHK3	TURBIDITY	MOBILE	TURBIDITY_FLD	100-NR-2
199-N-41	9/23/2007 13:38	N	PH	pH Measurement	7.99	unitless	[NULL]	[NULL]	[NULL]	R	B1PHK2	PH	MOBILE	PH_ELECT_FLD	100-NR-2
199-N-41	9/23/2007 13:38	N	PH	pH Measurement	7.98	unitless	[NULL]	[NULL]	[NULL]	R	B1PHK4	PH	MOBILE	PH_ELECT_FLD	100-NR-2
199-N-41	9/23/2007 13:38	N	PH	pH Measurement	7.98	unitless	[NULL]	[NULL]	[NULL]	R	B1PHK3	PH	MOBILE	PH_ELECT_FLD	100-NR-2
199-N-41	9/23/2007 13:38	N	PH	pH Measurement	7.98	unitless	[NULL]	[NULL]	[NULL]	R	B1PHK5	PH	MOBILE	PH_ELECT_FLD	100-NR-2
199-N-41	3/9/2008 11:55	N	ALKALINITY	Alkalinity	74000	ug/L	[NULL]	[NULL]	[NULL]	R	B1TM00	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-41	3/9/2008 11:55	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1TLY9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	3/9/2008 11:55	N	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1TM00	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	3/9/2008 11:55	N	7440-39-3	Barium	49.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1TM00	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	3/9/2008 11:55	Y	7440-39-3	Barium	48.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1TLY9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	3/9/2008 11:55	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1TM00	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	3/9/2008 11:55	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1TLY9	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	3/9/2008 11:55	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1TLY9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	3/9/2008 11:55	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1TM00	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	3/9/2008 11:55	Y	7440-70-2	Calcium	72000	ug/L	[NULL]	[NULL]	[NULL]	R	B1TLY9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	3/9/2008 11:55	N	7440-70-2	Calcium	74000	ug/L	[NULL]	[NULL]	[NULL]	R	B1TM00	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	3/9/2008 11:55	N	16887-00-6	Chloride	29200	ug/L	D	[NULL]	[NULL]	R	B1TM00	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-41	3/9/2008 11:55	Y	7440-47-3	Chromium	16.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1TLY9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	3/9/2008 11:55	N	7440-47-3	Chromium	19.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1TM00	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	3/9/2008 11:55	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1TM00	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	3/9/2008 11:55	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1TLY9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	3/9/2008 11:55	N	7440-50-8	Copper	7.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1TM00	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	3/9/2008 11:55	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1TLY9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	3/9/2008 11:55	N	16984-48-8	Fluoride	12	ug/L	DU	[NULL]	[NULL]	R	B1TM00	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-41	3/9/2008 11:55	N	7439-89-6	Iron	373	ug/L	[NULL]	[NULL]	[NULL]	R	B1TM00	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	3/9/2008 11:55	Y	7439-89-6	Iron	16.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1TLY9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	3/9/2008 11:55	Y	7439-95-4	Magnesium	17100	ug/L	[NULL]	[NULL]	[NULL]	R	B1TLY9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	3/9/2008 11:55	N	7439-95-4	Magnesium	17400	ug/L	[NULL]	[NULL]	[NULL]	R	B1TM00	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	3/9/2008 11:55	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1TLY9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	3/9/2008 11:55	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1TM00	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	3/9/2008 11:55	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1TM00	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	3/9/2008 11:55	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1TLY9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	3/9/2008 11:55	N	14797-55-8	Nitrate	27400	ug/L	D	[NULL]	[NULL]	R	B1TM00	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-41	3/9/2008 11:55	N	14797-65-0	Nitrite	65.7	ug/L	DU	[NULL]	[NULL]	R	B1TM00	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	3/9/2008 11:55	Y	7440-09-7	Potassium	4640	ug/L	[NULL]	[NULL]	[NULL]	R	B1TLY9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	3/9/2008 11:55	N	7440-09-7	Potassium	4690	ug/L	[NULL]	[NULL]	[NULL]	R	B1TM00	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	3/9/2008 11:55	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1TM00	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	3/9/2008 11:55	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1TLY9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	3/9/2008 11:55	Y	7440-23-5	Sodium	6920	ug/L	[NULL]	[NULL]	[NULL]	R	B1TLY9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	3/9/2008 11:55	N	7440-23-5	Sodium	7050	ug/L	[NULL]	[NULL]	[NULL]	R	B1TM00	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	3/9/2008 11:55	N	CONDUCT	Specific Conductance	552	uS/cm	[NULL]	[NULL]	[NULL]	R	B1TLY2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-41	3/9/2008 11:55	N	CONDUCT	Specific Conductance	552	uS/cm	[NULL]	[NULL]	[NULL]	R	B1TLY3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-41	3/9/2008 11:55	N	CONDUCT	Specific Conductance	551	uS/cm	[NULL]	[NULL]	[NULL]	R	B1TLY4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-41	3/9/2008 11:55	N	CONDUCT	Specific Conductance	552	uS/cm	[NULL]	[NULL]	[NULL]	R	B1TLY1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-41	3/9/2008 11:55	N	7440-24-6	Strontium	410	ug/L	[NULL]	[NULL]	[NULL]	R	B1TM00	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	3/9/2008 11:55	Y	7440-24-6	Strontium	405	ug/L	[NULL]	[NULL]	[NULL]	R	B1TLY9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	3/9/2008 11:55	N	14808-79-8	Sulfate	133000	ug/L	D	[NULL]	[NULL]	R	B1TM00	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-41	3/9/2008 11:55	N	TEMPERATURE	Temperature	14	Deg C	[NULL]	[NULL]	[NULL]	R	B1TLY4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/9/2008 11:55	N	TEMPERATURE	Temperature	14.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1TLY2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/9/2008 11:55	N	TEMPERATURE	Temperature	14.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1TLY3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/9/2008 11:55	N	TEMPERATURE	Temperature	14.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1TLY1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/9/2008 11:55	N	TOC	Total organic carbon	338	ug/L	[NULL]	[NULL]	[NULL]	R	B1TLY8	TOC	WSCF	9060_TOC	100-NR-2
199-N-41	3/9/2008 11:55	N	TOC	Total organic carbon	387	ug/L	[NULL]	[NULL]	[NULL]	R	B1TLY7	TOC	WSCF	9060_TOC	100-NR-2
199-N-41	3/9/2008 11:55	N	TOC	Total organic carbon	382	ug/L	[NULL]	[NULL]	[NULL]	R	B1TLY6	TOC	WSCF	9060_TOC	100-NR-2
199-N-41	3/9/2008 11:55	N	TOC	Total organic carbon	354	ug/L	[NULL]	[NULL]	[NULL]	R	B1TLY5	TOC	WSCF	9060_TOC	100-NR-2
199-N-41	3/9/2008 11:55	N	59473-04-0	Total organic halides	17.1	ug/L	X	[NULL]	[NULL]	R	B1TLY5	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-41	3/9/2008 11:55	N	59473-04-0	Total organic halides	5.96	ug/L	X	[NULL]	[NULL]	R	B1TLY8	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-41	3/9/2008 11:55	N	59473-04-0	Total organic halides	20	ug/L	X	[NULL]	[NULL]	R	B1TLY6	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-41	3/9/2008 11:55	N	59473-04-0	Total organic halides	6.91	ug/L	X	[NULL]	[NULL]	R	B1TLY7	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-41	3/9/2008 11:55	N	TURBIDITY	Turbidity	2.73	NTU	[NULL]	[NULL]	[NULL]	R	B1TLY4	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-41	3/9/2008 11:55	N	TURBIDITY	Turbidity	2.48	NTU	[NULL]	[NULL]	[NULL]	R	B1TLY3	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-41	3/9/2008 11:55	N	TURBIDITY	Turbidity	3.75	NTU	[NULL]	[NULL]	[NULL]	R	B1TLY1	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-41	3/9/2008 11:55	N	TURBIDITY	Turbidity	3.65	NTU	[NULL]	[NULL]	[NULL]	R	B1TLY2	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-41	3/9/2008 11:55	Y	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	R	B1TLY9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	3/9/2008 11:55	N	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	R	B1TM00	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	3/9/2008 11:55	N	7440-66-6	Zinc	5.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1TM00	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	3/9/2008 11:55	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1TLY9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	3/9/2008 11:55	N	PH	pH Measurement	7.95	unitless	[NULL]	[NULL]	[NULL]	R	B1TLY3	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	3/9/2008 11:55	N	PH	pH Measurement	7.95	unitless	[NULL]	[NULL]	[NULL]	R	B1TLY4	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	3/9/2008 11:55	N	PH	pH Measurement	7.95	unitless	[NULL]	[NULL]	[NULL]	R	B1TLY2	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	3/9/2008 11:55	N	PH	pH Measurement	7.94	unitless	[NULL]	[NULL]	[NULL]	R	B1TLY1	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	9/24/2008 8:49	N	ALKALINITY	Alkalinity	68000	ug/L	[NULL]	[NULL]	[NULL]	R	B1WTL3	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-41	9/24/2008 8:49	N	7440-36-0	Antimony	4	ug/L	UN	[NULL]	[NULL]	R	B1WXN7	7440-36-0	TASL	6010_METALS_ICP	100-NR-2
199-N-41	9/24/2008 8:49	Y	7440-36-0	Antimony	4	ug/L	U	[NULL]	[NULL]	R	B1WTL2	7440-36-0	TASL	6010_METALS_ICP	100-NR-2
199-N-41	9/24/2008 8:49	Y	7440-39-3	Barium	52.3	ug/L	B	[NULL]	[NULL]	R	B1WTL2	7440-39-3	TASL	6010_METALS_ICP	100-NR-2
199-N-41	9/24/2008 8:49	N	7440-39-3	Barium	47.1	ug/L	B	[NULL]	[NULL]	R	B1WXN7	7440-39-3	TASL	6010_METALS_ICP	100-NR-2
199-N-41	9/24/2008 8:49	Y	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	R	B1WTL2	7440-41-7	TASL	6010_METALS_ICP	100-NR-2
199-N-41	9/24/2008 8:49	N	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	R	B1WXN7	7440-41-7	TASL	6010_METALS_ICP	100-NR-2
199-N-41	9/24/2008 8:49	Y	7440-43-9	Cadmium	0.45	ug/L	U	[NULL]	[NULL]	R	B1WTL2	7440-43-9	TASL	6010_METALS_ICP	100-NR-2
199-N-41	9/24/2008 8:49	N	7440-43-9	Cadmium	0.45	ug/L	U	[NULL]	[NULL]	R	B1WXN7	7440-43-9	TASL	6010_METALS_ICP	100-NR-2
199-N-41	9/24/2008 8:49	N	7440-70-2	Calcium	78300	ug/L	CD	[NULL]	[NULL]	R	B1WXN7	7440-70-2	TASL	6010_METALS_ICP	100-NR-2
199-N-41	9/24/2008 8:49	Y	7440-70-2	Calcium	79100	ug/L	CD	[NULL]	[NULL]	R	B1WTL2	7440-70-2	TASL	6010_METALS_ICP	100-NR-2
199-N-41	9/24/2008 8:49	N	16887-00-6	Chloride	31700	ug/L	D	[NULL]	[NULL]	R	B1WTL3	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-41	9/24/2008 8:49	Y	7440-47-3	Chromium	13	ug/L	[NULL]	[NULL]	[NULL]	R	B1WTL2	7440-47-3	TASL	6010_METALS_ICP	100-NR-2
199-N-41	9/24/2008 8:49	N	7440-47-3	Chromium	28.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1WXN7	7440-47-3	TASL	6010_METALS_ICP	100-NR-2
199-N-41	9/24/2008 8:49	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1WTL2	7440-48-4	TASL	6010_METALS_ICP	100-NR-2
199-N-41	9/24/2008 8:49	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1WXN7	7440-48-4	TASL	6010_METALS_ICP	100-NR-2
199-N-41	9/24/2008 8:49	Y	7440-50-8	Copper	4.6	ug/L	U	[NULL]	[NULL]	R	B1WTL2	7440-50-8	TASL	6010_METALS_ICP	100-NR-2
199-N-41	9/24/2008 8:49	N	7440-50-8	Copper	4.6	ug/L	U	[NULL]	[NULL]	R	B1WXN7	7440-50-8	TASL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	9/24/2008 8:49	N	16984-48-8	Fluoride	46.4	ug/L	DU	[NULL]	[NULL]	R	B1WTL3	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-41	9/24/2008 8:49	N	7439-89-6	Iron	152	ug/L	[NULL]	[NULL]	[NULL]	R	B1WXN7	7439-89-6	TASL	6010_METALS_ICP	100-NR-2
199-N-41	9/24/2008 8:49	Y	7439-89-6	Iron	31.1	ug/L	B	[NULL]	[NULL]	R	B1WTL2	7439-89-6	TASL	6010_METALS_ICP	100-NR-2
199-N-41	9/24/2008 8:49	Y	7439-95-4	Magnesium	16300	ug/L	[NULL]	[NULL]	[NULL]	R	B1WTL2	7439-95-4	TASL	6010_METALS_ICP	100-NR-2
199-N-41	9/24/2008 8:49	N	7439-95-4	Magnesium	16400	ug/L	[NULL]	[NULL]	[NULL]	R	B1WXN7	7439-95-4	TASL	6010_METALS_ICP	100-NR-2
199-N-41	9/24/2008 8:49	N	7439-96-5	Manganese	2.3	ug/L	B	[NULL]	[NULL]	R	B1WXN7	7439-96-5	TASL	6010_METALS_ICP	100-NR-2
199-N-41	9/24/2008 8:49	Y	7439-96-5	Manganese	0.96	ug/L	U	[NULL]	[NULL]	R	B1WTL2	7439-96-5	TASL	6010_METALS_ICP	100-NR-2
199-N-41	9/24/2008 8:49	Y	7440-02-0	Nickel	13.3	ug/L	U	[NULL]	[NULL]	R	B1WTL2	7440-02-0	TASL	6010_METALS_ICP	100-NR-2
199-N-41	9/24/2008 8:49	N	7440-02-0	Nickel	13.3	ug/L	U	[NULL]	[NULL]	R	B1WXN7	7440-02-0	TASL	6010_METALS_ICP	100-NR-2
199-N-41	9/24/2008 8:49	N	14797-55-8	Nitrate	29500	ug/L	D	Q	[NULL]	R	B1WTL3	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-41	9/24/2008 8:49	N	14797-65-0	Nitrite	84.1	ug/L	DU	[NULL]	[NULL]	R	B1WTL3	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-41	9/24/2008 8:49	N	7440-09-7	Potassium	3990	ug/L	B	[NULL]	[NULL]	R	B1WXN7	7440-09-7	TASL	6010_METALS_ICP	100-NR-2
199-N-41	9/24/2008 8:49	Y	7440-09-7	Potassium	5210	ug/L	[NULL]	[NULL]	[NULL]	R	B1WTL2	7440-09-7	TASL	6010_METALS_ICP	100-NR-2
199-N-41	9/24/2008 8:49	Y	7440-22-4	Silver	6	ug/L	U	[NULL]	[NULL]	R	B1WTL2	7440-22-4	TASL	6010_METALS_ICP	100-NR-2
199-N-41	9/24/2008 8:49	N	7440-22-4	Silver	6	ug/L	U	[NULL]	[NULL]	R	B1WXN7	7440-22-4	TASL	6010_METALS_ICP	100-NR-2
199-N-41	9/24/2008 8:49	Y	7440-23-5	Sodium	7190	ug/L	C	[NULL]	[NULL]	R	B1WTL2	7440-23-5	TASL	6010_METALS_ICP	100-NR-2
199-N-41	9/24/2008 8:49	N	7440-23-5	Sodium	6600	ug/L	[NULL]	[NULL]	[NULL]	R	B1WXN7	7440-23-5	TASL	6010_METALS_ICP	100-NR-2
199-N-41	9/24/2008 8:49	N	CONDUCT	Specific Conductance	551	uS/cm	[NULL]	[NULL]	[NULL]	R	B1X0N0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-41	9/24/2008 8:49	N	CONDUCT	Specific Conductance	551	uS/cm	[NULL]	[NULL]	[NULL]	R	B1X0M8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-41	9/24/2008 8:49	N	CONDUCT	Specific Conductance	551	uS/cm	[NULL]	[NULL]	[NULL]	R	B1X0M9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-41	9/24/2008 8:49	N	CONDUCT	Specific Conductance	550	uS/cm	[NULL]	[NULL]	[NULL]	R	B1X0M7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-41	9/24/2008 8:49	N	7440-24-6	Strontium	363	ug/L	[NULL]	[NULL]	[NULL]	R	B1WXN7	7440-24-6	TASL	6010_METALS_ICP	100-NR-2
199-N-41	9/24/2008 8:49	Y	7440-24-6	Strontium	375	ug/L	C	[NULL]	[NULL]	R	B1WTL2	7440-24-6	TASL	6010_METALS_ICP	100-NR-2
199-N-41	9/24/2008 8:49	N	10098-97-2	Strontium-90	-0.41	pCi/L	U	[NULL]	[NULL]	R	B1WTL3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-41	9/24/2008 8:49	N	14808-79-8	Sulfate	123000	ug/L	D	[NULL]	[NULL]	R	B1WTL3	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-41	9/24/2008 8:49	N	TEMPERATURE	Temperature	17.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1X0N0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/24/2008 8:49	N	TEMPERATURE	Temperature	17.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1X0M9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/24/2008 8:49	N	TEMPERATURE	Temperature	17.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1X0M7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/24/2008 8:49	N	TEMPERATURE	Temperature	17.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1X0M8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/24/2008 8:49	N	TOC	Total organic carbon	300	ug/L	B	[NULL]	[NULL]	R	B1X0N1	TOC	TASL	9060_TOC	100-NR-2
199-N-41	9/24/2008 8:49	N	TOC	Total organic carbon	270	ug/L	B	[NULL]	[NULL]	R	B1X0N2	TOC	TASL	9060_TOC	100-NR-2
199-N-41	9/24/2008 8:49	N	TOC	Total organic carbon	230	ug/L	B	[NULL]	[NULL]	R	B1X0N3	TOC	TASL	9060_TOC	100-NR-2
199-N-41	9/24/2008 8:49	N	TOC	Total organic carbon	260	ug/L	B	[NULL]	[NULL]	R	B1X0N4	TOC	TASL	9060_TOC	100-NR-2
199-N-41	9/24/2008 8:49	N	59473-04-0	Total organic halides	3.5	ug/L	U	[NULL]	[NULL]	R	B1X0N3	59473-04-0	TASL	9020_TOX	100-NR-2
199-N-41	9/24/2008 8:49	N	59473-04-0	Total organic halides	4.4	ug/L	B	[NULL]	[NULL]	R	B1X0N1	59473-04-0	TASL	9020_TOX	100-NR-2
199-N-41	9/24/2008 8:49	N	59473-04-0	Total organic halides	3.5	ug/L	U	[NULL]	[NULL]	R	B1X0N4	59473-04-0	TASL	9020_TOX	100-NR-2
199-N-41	9/24/2008 8:49	N	59473-04-0	Total organic halides	3.5	ug/L	U	[NULL]	[NULL]	R	B1X0N2	59473-04-0	TASL	9020_TOX	100-NR-2
199-N-41	9/24/2008 8:49	N	10028-17-8	Tritium	8700	pCi/L	[NULL]	[NULL]	[NULL]	R	B1WTL3	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-41	9/24/2008 8:49	N	TURBIDITY	Turbidity	4.11	NTU	[NULL]	[NULL]	[NULL]	R	B1X0N0	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-41	9/24/2008 8:49	N	TURBIDITY	Turbidity	4.31	NTU	[NULL]	[NULL]	[NULL]	R	B1X0M7	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-41	9/24/2008 8:49	N	TURBIDITY	Turbidity	3.4	NTU	[NULL]	[NULL]	[NULL]	R	B1X0M9	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-41	9/24/2008 8:49	N	TURBIDITY	Turbidity	4.52	NTU	[NULL]	[NULL]	[NULL]	R	B1X0M8	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-41	9/24/2008 8:49	N	7440-62-2	Vanadium	10.5	ug/L	B	[NULL]	[NULL]	R	B1WXN7	7440-62-2	TASL	6010_METALS_ICP	100-NR-2
199-N-41	9/24/2008 8:49	Y	7440-62-2	Vanadium	11	ug/L	B	[NULL]	[NULL]	R	B1WTL2	7440-62-2	TASL	6010_METALS_ICP	100-NR-2
199-N-41	9/24/2008 8:49	Y	7440-66-6	Zinc	6	ug/L	BC	[NULL]	[NULL]	R	B1WTL2	7440-66-6	TASL	6010_METALS_ICP	100-NR-2
199-N-41	9/24/2008 8:49	N	7440-66-6	Zinc	5.7	ug/L	BC	[NULL]	[NULL]	R	B1WXN7	7440-66-6	TASL	6010_METALS_ICP	100-NR-2
199-N-41	9/24/2008 8:49	N	PH	pH Measurement	7.82	unitless	[NULL]	[NULL]	[NULL]	R	B1X0N0	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	9/24/2008 8:49	N	PH	pH Measurement	7.83	unitless	[NULL]	[NULL]	[NULL]	R	B1X0M8	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	9/24/2008 8:49	N	PH	pH Measurement	7.83	unitless	[NULL]	[NULL]	[NULL]	R	B1X0M9	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	9/24/2008 8:49	N	PH	pH Measurement	7.83	unitless	[NULL]	[NULL]	[NULL]	R	B1X0M7	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	3/10/2009 10:11	N	CONDUCT	Specific Conductance	533	uS/cm	[NULL]	[NULL]	[NULL]	R	B1YX12	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-41	3/10/2009 10:11	N	CONDUCT	Specific Conductance	525	uS/cm	[NULL]	[NULL]	[NULL]	R	B1YX13	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-41	3/10/2009 10:11	N	CONDUCT	Specific Conductance	523	uS/cm	[NULL]	[NULL]	[NULL]	R	B1YX15	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-41	3/10/2009 10:11	N	CONDUCT	Specific Conductance	531	uS/cm	[NULL]	[NULL]	[NULL]	R	B1YX14	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-41	3/10/2009 10:11	N	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	R	B1YX13	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	3/10/2009 10:11	N	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	R	B1YX14	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/10/2009 10:11	N	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	R	B1YX12	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/10/2009 10:11	N	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1YX15	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/10/2009 10:11	N	TOC	Total organic carbon	415	ug/L	B	[NULL]	[NULL]	R	B1YX16	TOC	WSCF	9060_TOC	100-NR-2
199-N-41	3/10/2009 10:11	N	TOC	Total organic carbon	369	ug/L	B	[NULL]	[NULL]	R	B1YX18	TOC	WSCF	9060_TOC	100-NR-2
199-N-41	3/10/2009 10:11	N	TOC	Total organic carbon	410	ug/L	B	[NULL]	[NULL]	R	B1YX19	TOC	WSCF	9060_TOC	100-NR-2
199-N-41	3/10/2009 10:11	N	TOC	Total organic carbon	420	ug/L	B	[NULL]	[NULL]	R	B1YX17	TOC	WSCF	9060_TOC	100-NR-2
199-N-41	3/10/2009 10:11	N	59473-04-0	Total organic halides	8.34	ug/L	B	[NULL]	[NULL]	R	B1YX18	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-41	3/10/2009 10:11	N	59473-04-0	Total organic halides	8.27	ug/L	B	[NULL]	[NULL]	R	B1YX19	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-41	3/10/2009 10:11	N	59473-04-0	Total organic halides	9.1	ug/L	B	[NULL]	[NULL]	R	B1YX17	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-41	3/10/2009 10:11	N	59473-04-0	Total organic halides	7.72	ug/L	B	[NULL]	[NULL]	R	B1YX16	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-41	3/10/2009 10:11	N	TURBIDITY	Turbidity	0.87	NTU	[NULL]	[NULL]	[NULL]	R	B1YX15	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-41	3/10/2009 10:11	N	TURBIDITY	Turbidity	0.9	NTU	[NULL]	[NULL]	[NULL]	R	B1YX14	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-41	3/10/2009 10:11	N	TURBIDITY	Turbidity	0.96	NTU	[NULL]	[NULL]	[NULL]	R	B1YX12	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-41	3/10/2009 10:11	N	TURBIDITY	Turbidity	0.95	NTU	[NULL]	[NULL]	[NULL]	R	B1YX13	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-41	3/10/2009 10:11	N	PH	pH Measurement	7.72	unitless	[NULL]	[NULL]	[NULL]	R	B1YX14	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	3/10/2009 10:11	N	PH	pH Measurement	7.72	unitless	[NULL]	[NULL]	[NULL]	R	B1YX15	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	3/10/2009 10:11	N	PH	pH Measurement	7.72	unitless	[NULL]	[NULL]	[NULL]	R	B1YX13	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	3/10/2009 10:11	N	PH	pH Measurement	7.72	unitless	[NULL]	[NULL]	[NULL]	R	B1YX12	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	9/8/2009 13:02	N	ALKALINITY	Alkalinity	68000	ug/L	[NULL]	[NULL]	[NULL]	R	B21JD6	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-41	9/8/2009 13:02	N	ALKALINITY	Alkalinity	68000	ug/L	[NULL]	[NULL]	[NULL]	R	B21JD4	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-41	9/8/2009 13:02	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B21JD5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B21JD6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B21JD3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B21JD4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	7440-39-3	Barium	47.4	ug/L	[NULL]	[NULL]	[NULL]	R	B21JD4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	Y	7440-39-3	Barium	47.4	ug/L	[NULL]	[NULL]	[NULL]	R	B21JD3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	Y	7440-39-3	Barium	48.3	ug/L	[NULL]	[NULL]	[NULL]	R	B21JD5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	7440-39-3	Barium	46.6	ug/L	[NULL]	[NULL]	[NULL]	R	B21JD6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B21JD4	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B21JD6	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B21JD3	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B21JD5	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B21JD5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B21JD3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B21JD6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B21JD4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	7440-70-2	Calcium	73600	ug/L	[NULL]	[NULL]	[NULL]	R	B21JD4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	7440-70-2	Calcium	73400	ug/L	[NULL]	[NULL]	[NULL]	R	B21JD6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	Y	7440-70-2	Calcium	74000	ug/L	[NULL]	[NULL]	[NULL]	R	B21JD3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	Y	7440-70-2	Calcium	74400	ug/L	[NULL]	[NULL]	[NULL]	R	B21JD5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	16887-00-6	Chloride	33800	ug/L	D	[NULL]	[NULL]	R	B21JD4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-41	9/8/2009 13:02	N	16887-00-6	Chloride	33700	ug/L	D	[NULL]	[NULL]	R	B21JD6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-41	9/8/2009 13:02	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B21JD6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B21JD5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	7440-47-3	Chromium	15.3	ug/L	B	[NULL]	[NULL]	R	B21JD4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	Y	7440-47-3	Chromium	13.4	ug/L	B	[NULL]	[NULL]	R	B21JD3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B21JD4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B21JD3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B21JD5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B21JD6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B21JD3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B21JD4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B21JD6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B21JD5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	9/8/2009 13:02	N	16984-48-8	Fluoride	91	ug/L	UD	[NULL]	[NULL]	R	B21JD6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-41	9/8/2009 13:02	N	16984-48-8	Fluoride	60	ug/L	UD	[NULL]	[NULL]	R	B21JD4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-41	9/8/2009 13:02	Y	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B21JD5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	Y	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B21JD3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	7439-89-6	Iron	33.5	ug/L	B	[NULL]	[NULL]	R	B21JD4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	7439-89-6	Iron	24.8	ug/L	B	[NULL]	[NULL]	R	B21JD6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	7439-95-4	Magnesium	17400	ug/L	[NULL]	[NULL]	[NULL]	R	B21JD4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	Y	7439-95-4	Magnesium	17400	ug/L	[NULL]	[NULL]	[NULL]	R	B21JD3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	Y	7439-95-4	Magnesium	17700	ug/L	[NULL]	[NULL]	[NULL]	R	B21JD5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	7439-95-4	Magnesium	17200	ug/L	[NULL]	[NULL]	[NULL]	R	B21JD6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B21JD4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B21JD3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B21JD5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B21JD6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B21JD4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B21JD6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B21JD5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B21JD3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	14797-55-8	Nitrate	29800	ug/L	D	[NULL]	[NULL]	R	B21JD6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-41	9/8/2009 13:02	N	14797-55-8	Nitrate	30000	ug/L	D	[NULL]	[NULL]	R	B21JD4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-41	9/8/2009 13:02	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	R	B21JD4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-41	9/8/2009 13:02	N	14797-65-0	Nitrite	177	ug/L	UD	[NULL]	[NULL]	R	B21JD6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-41	9/8/2009 13:02	Y	7440-09-7	Potassium	4570	ug/L	[NULL]	[NULL]	[NULL]	R	B21JD3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	7440-09-7	Potassium	4430	ug/L	[NULL]	[NULL]	[NULL]	R	B21JD4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	Y	7440-09-7	Potassium	4620	ug/L	[NULL]	[NULL]	[NULL]	R	B21JD5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	7440-09-7	Potassium	4490	ug/L	[NULL]	[NULL]	[NULL]	R	B21JD6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B21JD6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B21JD5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B21JD4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B21JD3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	7440-23-5	Sodium	7120	ug/L	[NULL]	[NULL]	[NULL]	R	B21JD4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	7440-23-5	Sodium	7200	ug/L	[NULL]	[NULL]	[NULL]	R	B21JD6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	Y	7440-23-5	Sodium	7370	ug/L	[NULL]	[NULL]	[NULL]	R	B21JD5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	Y	7440-23-5	Sodium	7270	ug/L	[NULL]	[NULL]	[NULL]	R	B21JD3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	CONDUCT	Specific Conductance	559	uS/cm	[NULL]	[NULL]	[NULL]	R	B21LM5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-41	9/8/2009 13:02	N	CONDUCT	Specific Conductance	546	uS/cm	[NULL]	[NULL]	[NULL]	R	B21LM7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-41	9/8/2009 13:02	N	CONDUCT	Specific Conductance	546	uS/cm	[NULL]	[NULL]	[NULL]	R	B21LM4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-41	9/8/2009 13:02	N	CONDUCT	Specific Conductance	553	uS/cm	[NULL]	[NULL]	[NULL]	R	B21LM6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-41	9/8/2009 13:02	N	7440-24-6	Strontium	418	ug/L	[NULL]	[NULL]	[NULL]	R	B21JD4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	Y	7440-24-6	Strontium	428	ug/L	[NULL]	[NULL]	[NULL]	R	B21JD5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	Y	7440-24-6	Strontium	424	ug/L	[NULL]	[NULL]	[NULL]	R	B21JD3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	7440-24-6	Strontium	421	ug/L	[NULL]	[NULL]	[NULL]	R	B21JD6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	10098-97-2	Strontium-90	-1.2	pCi/L	U	[NULL]	[NULL]	R	B21JD4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-41	9/8/2009 13:02	N	10098-97-2	Strontium-90	-5.3	pCi/L	U	[NULL]	[NULL]	R	B21JD6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-41	9/8/2009 13:02	N	14808-79-8	Sulfate	126000	ug/L	D	[NULL]	[NULL]	R	B21JD4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-41	9/8/2009 13:02	N	14808-79-8	Sulfate	126000	ug/L	D	[NULL]	[NULL]	R	B21JD6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-41	9/8/2009 13:02	N	TEMPERATURE	Temperature	18.7	Deg C	[NULL]	[NULL]	[NULL]	R	B21LM7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/8/2009 13:02	N	TEMPERATURE	Temperature	18.7	Deg C	[NULL]	[NULL]	[NULL]	R	B21LM6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/8/2009 13:02	N	TEMPERATURE	Temperature	18.7	Deg C	[NULL]	[NULL]	[NULL]	R	B21LM5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/8/2009 13:02	N	TEMPERATURE	Temperature	18.7	Deg C	[NULL]	[NULL]	[NULL]	R	B21LM4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	9/8/2009 13:02	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B21LN1	TOC	WSCF	9060_TOC	100-NR-2
199-N-41	9/8/2009 13:02	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B21LM8	TOC	WSCF	9060_TOC	100-NR-2
199-N-41	9/8/2009 13:02	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B21LM9	TOC	WSCF	9060_TOC	100-NR-2
199-N-41	9/8/2009 13:02	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B21LN0	TOC	WSCF	9060_TOC	100-NR-2
199-N-41	9/8/2009 13:02	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B21LM9	59473-04-0	WSCF	9020_TOX	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-41	9/8/2009 13:02	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B21LN1	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-41	9/8/2009 13:02	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B21LM8	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-41	9/8/2009 13:02	N	59473-04-0	Total organic halides	5.58	ug/L	B	[NULL]	[NULL]	R	B21LN0	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-41	9/8/2009 13:02	N	10028-17-8	Tritium	8000	pCi/L	[NULL]	[NULL]	[NULL]	R	B21JD4	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-41	9/8/2009 13:02	N	10028-17-8	Tritium	8200	pCi/L	[NULL]	[NULL]	[NULL]	R	B21JD6	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-41	9/8/2009 13:02	N	TURBIDITY	Turbidity	1.2	NTU	[NULL]	[NULL]	[NULL]	R	B21LM5	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-41	9/8/2009 13:02	N	TURBIDITY	Turbidity	1.25	NTU	[NULL]	[NULL]	[NULL]	R	B21LM6	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-41	9/8/2009 13:02	N	TURBIDITY	Turbidity	0.78	NTU	[NULL]	[NULL]	[NULL]	R	B21LM7	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-41	9/8/2009 13:02	N	TURBIDITY	Turbidity	1.03	NTU	[NULL]	[NULL]	[NULL]	R	B21LM4	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-41	9/8/2009 13:02	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B21JD5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	Y	7440-62-2	Vanadium	18.5	ug/L	B	[NULL]	[NULL]	R	B21JD3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	7440-62-2	Vanadium	15.7	ug/L	B	[NULL]	[NULL]	R	B21JD4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	7440-62-2	Vanadium	15	ug/L	B	[NULL]	[NULL]	R	B21JD6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B21JD6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B21JD4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B21JD5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B21JD3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-41	9/8/2009 13:02	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	B21LM5	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	9/8/2009 13:02	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	B21LM7	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	9/8/2009 13:02	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	B21LM4	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	9/8/2009 13:02	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	B21LM6	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	3/9/2010 9:52	N	CONDUCT	Specific Conductance	560	uS/cm	[NULL]	[NULL]	[NULL]	R	B24BJ8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-41	3/9/2010 9:52	N	CONDUCT	Specific Conductance	560	uS/cm	[NULL]	[NULL]	[NULL]	R	B24BJ9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-41	3/9/2010 9:52	N	CONDUCT	Specific Conductance	560	uS/cm	[NULL]	[NULL]	[NULL]	R	B24BJ7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-41	3/9/2010 9:52	N	CONDUCT	Specific Conductance	560	uS/cm	[NULL]	[NULL]	[NULL]	R	B24BJ6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-41	3/9/2010 9:52	N	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	R	B24BJ6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/9/2010 9:52	N	CONDUCT	Specific Conductance	560	uS/cm	[NULL]	[NULL]	[NULL]	R	B24BJ6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-41	3/9/2010 9:52	N	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	R	B24BJ6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/9/2010 9:52	N	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	R	B24BJ8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/9/2010 9:52	N	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	R	B24BJ7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/9/2010 9:52	N	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	R	B24BJ9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-41	3/9/2010 9:52	N	TURBIDITY	Turbidity	4.27	NTU	[NULL]	[NULL]	[NULL]	R	B24BJ8	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-41	3/9/2010 9:52	N	TURBIDITY	Turbidity	5.79	NTU	[NULL]	[NULL]	[NULL]	R	B24BJ7	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-41	3/9/2010 9:52	N	TURBIDITY	Turbidity	4.81	NTU	[NULL]	[NULL]	[NULL]	R	B24BJ6	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-41	3/9/2010 9:52	N	TURBIDITY	Turbidity	4.54	NTU	[NULL]	[NULL]	[NULL]	R	B24BJ9	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-41	3/9/2010 9:52	N	PH	pH Measurement	8.07	unitless	[NULL]	[NULL]	[NULL]	R	B24BJ8	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	3/9/2010 9:52	N	PH	pH Measurement	8.07	unitless	[NULL]	[NULL]	[NULL]	R	B24BJ7	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	3/9/2010 9:52	N	PH	pH Measurement	8.07	unitless	[NULL]	[NULL]	[NULL]	R	B24BJ6	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-41	3/9/2010 9:52	N	PH	pH Measurement	8.08	unitless	[NULL]	[NULL]	[NULL]	R	B24BJ9	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-42	3/15/1988 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007J06	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/15/1988 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J06	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/15/1988 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J06	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/15/1988 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007J06	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-42	3/15/1988 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007J06	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-42	3/15/1988 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007J06	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/15/1988 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007J06	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/15/1988 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J06	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	3/15/1988 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007J06F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/15/1988 0:00	N	7429-90-5	Aluminum	227	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J06	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/15/1988 0:00	N	7440-38-2	Arsenic	7	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J06	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-42	3/15/1988 0:00	N	H37	Arsenic, filtered	8	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J06	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	3/15/1988 0:00	N	7440-39-3	Barium	19	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J06	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/15/1988 0:00	Y	7440-39-3	Barium	14	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J06F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-42	3/15/1988 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007J06F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/15/1988 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007J06	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/15/1988 0:00	Y	7440-70-2	Calcium	22500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J06F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/15/1988 0:00	N	7440-70-2	Calcium	24000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J06	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/15/1988 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007J06	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/15/1988 0:00	N	16887-00-6	Chloride	1080	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J06	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	3/15/1988 0:00	N	67-66-3	Chloroform	3	ug/L	U	[NULL]	[NULL]	R	H0007J06	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/15/1988 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007J06F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/15/1988 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007J06	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/15/1988 0:00	N	COLIFORM	Coliform Bacteria	2.2	MPN	U	[NULL]	[NULL]	R	H0007J06	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-42	3/15/1988 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007J06	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/15/1988 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007J06F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/15/1988 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J06	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	3/15/1988 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J06	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	3/15/1988 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007J06	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	3/15/1988 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J06	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	3/15/1988 0:00	N	12587-46-1	Gross alpha	1.06	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J06	12587-46-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	3/15/1988 0:00	N	12587-47-2	Gross beta	93.1	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J06	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	3/15/1988 0:00	N	7439-89-6	Iron	3010	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J06	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/15/1988 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007J06F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/15/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007J06	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-42	3/15/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007J06	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	3/15/1988 0:00	Y	7439-95-4	Magnesium	5410	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J06F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/15/1988 0:00	N	7439-95-4	Magnesium	5610	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J06	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/15/1988 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007J06F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/15/1988 0:00	N	7439-96-5	Manganese	19	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J06	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/15/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J06	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-42	3/15/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J06	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	3/15/1988 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007J06	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	3/15/1988 0:00	N	75-09-2	Methylene chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007J06	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/15/1988 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007J06F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/15/1988 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007J06	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/15/1988 0:00	N	14797-55-8	Nitrate	27000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J06	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	3/15/1988 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007J06	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	3/15/1988 0:00	Y	7440-09-7	Potassium	3130	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J06F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/15/1988 0:00	N	7440-09-7	Potassium	3100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J06	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/15/1988 0:00	N	7440-14-4	Radium	-0.0774	pCi/L	U	[NULL]	[NULL]	R	H0007J06	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	3/15/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007J06	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-42	3/15/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007J06	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	3/15/1988 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007J06F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/15/1988 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007J06	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/15/1988 0:00	N	7440-23-5	Sodium	6350	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J06	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/15/1988 0:00	Y	7440-23-5	Sodium	6380	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J06F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/15/1988 0:00	N	CONDUCT	Specific Conductance	172	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J06	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-42	3/15/1988 0:00	N	14808-79-8	Sulfate	10300	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J06	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	3/15/1988 0:00	N	TEMPERATURE	Temperature	20	Deg C	[NULL]	[NULL]	[NULL]	R	H000GK83	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-42	3/15/1988 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007J06	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/15/1988 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007J06	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	3/15/1988 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007J06	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/15/1988 0:00	N	7440-62-2	Vanadium	33	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J06	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/15/1988 0:00	Y	7440-62-2	Vanadium	24	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J06F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/15/1988 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007J06	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/15/1988 0:00	N	7440-66-6	Zinc	41	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J06	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/15/1988 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007J06F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-42	3/15/1988 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J06	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	3/15/1988 0:00	N	PH	pH Measurement	8.4	unitless	[NULL]	[NULL]	[NULL]	R	H0007J06	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-42	6/29/1988 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007J07	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	6/29/1988 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J07	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	6/29/1988 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J07	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	6/29/1988 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007J07	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-42	6/29/1988 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007J07	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-42	6/29/1988 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007J07	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	6/29/1988 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007J07	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	6/29/1988 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J07	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	6/29/1988 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007J07F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	6/29/1988 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007J07	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	6/29/1988 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007J07	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-42	6/29/1988 0:00	N	12674-11-2	Aroclor-1016	1	ug/L	U	[NULL]	[NULL]	R	H0007J07	12674-11-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	6/29/1988 0:00	N	11104-28-2	Aroclor-1221	1	ug/L	U	[NULL]	[NULL]	R	H0007J07	11104-28-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	6/29/1988 0:00	N	11141-16-5	Aroclor-1232	1	ug/L	U	[NULL]	[NULL]	R	H0007J07	11141-16-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	6/29/1988 0:00	N	53469-21-9	Aroclor-1242	1	ug/L	U	[NULL]	[NULL]	R	H0007J07	53469-21-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	6/29/1988 0:00	N	12672-29-6	Aroclor-1248	1	ug/L	U	[NULL]	[NULL]	R	H0007J07	12672-29-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	6/29/1988 0:00	N	11097-69-1	Aroclor-1254	1	ug/L	U	[NULL]	[NULL]	R	H0007J07	11097-69-1	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	6/29/1988 0:00	N	11096-82-5	Aroclor-1260	1	ug/L	U	[NULL]	[NULL]	R	H0007J07	11096-82-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	6/29/1988 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007J07	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-42	6/29/1988 0:00	N	H37	Arsenic, filtered	7	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J07	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	6/29/1988 0:00	Y	7440-39-3	Barium	17	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J07F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	6/29/1988 0:00	N	7440-39-3	Barium	15	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J07	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	6/29/1988 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007J07	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	6/29/1988 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007J07F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	6/29/1988 0:00	Y	7440-70-2	Calcium	23100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J07F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	6/29/1988 0:00	N	7440-70-2	Calcium	23200	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J07	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	6/29/1988 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007J07	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	6/29/1988 0:00	N	10045-97-3	Cesium-137	0.708	pCi/L	U	[NULL]	[NULL]	R	H0007J07	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	6/29/1988 0:00	N	16887-00-6	Chloride	989	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J07	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	6/29/1988 0:00	N	67-66-3	Chloroform	5	ug/L	U	[NULL]	[NULL]	R	H0007J07	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	6/29/1988 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007J07F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	6/29/1988 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007J07	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	6/29/1988 0:00	N	10198-40-0	Cobalt-60	93.7	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J07	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	6/29/1988 0:00	N	COLIFORM	Coliform Bacteria	2.2	MPN	U	[NULL]	[NULL]	R	H0007J07	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-42	6/29/1988 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007J07F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	6/29/1988 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007J07	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	6/29/1988 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J07	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	6/29/1988 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J07	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	6/29/1988 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007J07	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	6/29/1988 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J07	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	6/29/1988 0:00	N	12587-46-1	Gross alpha	0.649	pCi/L	U	[NULL]	[NULL]	R	H0007J07	12587-46-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	6/29/1988 0:00	N	12587-47-2	Gross beta	94.7	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J07	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	6/29/1988 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007J07	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-42	6/29/1988 0:00	N	7439-89-6	Iron	1250	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J07	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	6/29/1988 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007J07F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	6/29/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007J07	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	6/29/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007J07	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-42	6/29/1988 0:00	Y	7439-95-4	Magnesium	5680	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J07F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	6/29/1988 0:00	N	7439-95-4	Magnesium	5790	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J07	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	6/29/1988 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007J07F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	6/29/1988 0:00	N	7439-96-5	Manganese	5	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J07	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	6/29/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J07	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	6/29/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J07	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-42	6/29/1988 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007J07	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	6/29/1988 0:00	N	75-09-2	Methylene chloride	4	ug/L	U	[NULL]	[NULL]	R	H0007J07	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	6/29/1988 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007J07F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	6/29/1988 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007J07	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	6/29/1988 0:00	N	14797-55-8	Nitrate	28200	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J07	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	6/29/1988 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J07	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2
199-N-42	6/29/1988 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007J07	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	6/29/1988 0:00	Y	7440-09-7	Potassium	3390	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J07F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	6/29/1988 0:00	N	7440-09-7	Potassium	3450	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J07	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	6/29/1988 0:00	N	7440-14-4	Radium	0.0213	pCi/L	U	[NULL]	[NULL]	R	H0007J07	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	6/29/1988 0:00	N	13967-48-1	Ruthenium-106	55.6	pCi/L	U	[NULL]	[NULL]	R	H0007J07	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	6/29/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007J07	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-42	6/29/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007J07	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	6/29/1988 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007J07F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	6/29/1988 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007J07	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	6/29/1988 0:00	N	7440-23-5	Sodium	6810	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J07	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	6/29/1988 0:00	Y	7440-23-5	Sodium	6840	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J07F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	6/29/1988 0:00	N	CONDUCT	Specific Conductance	164	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J09	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-42	6/29/1988 0:00	N	CONDUCT	Specific Conductance	160	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J08	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-42	6/29/1988 0:00	N	CONDUCT	Specific Conductance	170	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J10	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-42	6/29/1988 0:00	N	CONDUCT	Specific Conductance	164	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J07	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-42	6/29/1988 0:00	N	10098-97-2	Strontium-90	0.13	pCi/L	U	[NULL]	[NULL]	R	H0007J07	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	6/29/1988 0:00	N	14808-79-8	Sulfate	8860	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J07	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	6/29/1988 0:00	N	TEMPERATURE	Temperature	20	Deg C	[NULL]	[NULL]	[NULL]	R	H000GKZ2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-42	6/29/1988 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007J07	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	6/29/1988 0:00	N	TOC	Total organic carbon	396	ug/L	U	[NULL]	[NULL]	R	H0007J08	TOC	USTEST	9060_TOC	100-NR-2
199-N-42	6/29/1988 0:00	N	TOC	Total organic carbon	357	ug/L	U	[NULL]	[NULL]	R	H0007J07	TOC	USTEST	9060_TOC	100-NR-2
199-N-42	6/29/1988 0:00	N	TOC	Total organic carbon	164	ug/L	U	[NULL]	[NULL]	R	H0007J09	TOC	USTEST	9060_TOC	100-NR-2
199-N-42	6/29/1988 0:00	N	TOC	Total organic carbon	272	ug/L	U	[NULL]	[NULL]	R	H0007J10	TOC	USTEST	9060_TOC	100-NR-2
199-N-42	6/29/1988 0:00	N	59473-04-0	Total organic halides	2.3	ug/L	U	[NULL]	[NULL]	R	H0007J09	59473-04-0	USTEST	9020_TOX_M	100-NR-2
199-N-42	6/29/1988 0:00	N	59473-04-0	Total organic halides	13	ug/L	U	[NULL]	[NULL]	R	H0007J07	59473-04-0	USTEST	9020_TOX_M	100-NR-2
199-N-42	6/29/1988 0:00	N	59473-04-0	Total organic halides	-5.9	ug/L	U	[NULL]	[NULL]	R	H0007J10	59473-04-0	USTEST	9020_TOX_M	100-NR-2
199-N-42	6/29/1988 0:00	N	59473-04-0	Total organic halides	3.5	ug/L	U	[NULL]	[NULL]	R	H0007J08	59473-04-0	USTEST	9020_TOX_M	100-NR-2
199-N-42	6/29/1988 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007J07	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	6/29/1988 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007J07	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	6/29/1988 0:00	N	10028-17-8	Tritium	127000	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J07	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	6/29/1988 0:00	N	7440-61-1	Uranium	0.538	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J07	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	6/29/1988 0:00	Y	7440-62-2	Vanadium	28	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J07F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	6/29/1988 0:00	N	7440-62-2	Vanadium	29	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J07	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	6/29/1988 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007J07	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	6/29/1988 0:00	Y	7440-66-6	Zinc	7	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J07F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	6/29/1988 0:00	N	7440-66-6	Zinc	13	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J07	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	6/29/1988 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J07	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	6/29/1988 0:00	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	H0007J08	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-42	6/29/1988 0:00	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	R	H0007J10	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-42	6/29/1988 0:00	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	H0007J09	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-42	6/29/1988 0:00	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	H0007J07	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-42	9/19/1988 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007J11	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	9/19/1988 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J11	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	9/19/1988 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J11	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	9/19/1988 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007J11	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-42	9/19/1988 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007J11	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-42	9/19/1988 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007J11	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	9/19/1988 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007J11	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	9/19/1988 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J11	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	9/19/1988 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007J11	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/19/1988 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007J11F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/19/1988 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007J11	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-42	9/19/1988 0:00	N	7440-38-2	Arsenic	7	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J11	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-42	9/19/1988 0:00	N	H37	Arsenic, filtered	8	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J11	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	9/19/1988 0:00	N	7440-39-3	Barium	15	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J11	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/19/1988 0:00	Y	7440-39-3	Barium	18	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J11F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/19/1988 0:00	Y	7440-43-9	Cadmium	3	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J11F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/19/1988 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007J11	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/19/1988 0:00	N	7440-70-2	Calcium	23000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J11	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/19/1988 0:00	Y	7440-70-2	Calcium	25500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J11F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/19/1988 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007J11	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	9/19/1988 0:00	N	10045-97-3	Cesium-137	1.83	pCi/L	U	[NULL]	[NULL]	R	H0007J11	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	9/19/1988 0:00	N	16887-00-6	Chloride	1060	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J11	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	9/19/1988 0:00	N	67-66-3	Chloroform	5	ug/L	U	[NULL]	[NULL]	R	H0007J11	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	9/19/1988 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007J11F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/19/1988 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007J11	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/19/1988 0:00	N	10198-40-0	Cobalt-60	54.1	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J11	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	9/19/1988 0:00	N	COLIFORM	Coliform Bacteria	2.2	MPN	U	[NULL]	[NULL]	R	H0007J11	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-42	9/19/1988 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007J11F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/19/1988 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007J11	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/19/1988 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J11	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	9/19/1988 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J11	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	9/19/1988 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007J11	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	9/19/1988 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J11	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	9/19/1988 0:00	N	12587-46-1	Gross alpha	0.0396	pCi/L	U	[NULL]	[NULL]	R	H0007J11	12587-46-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	9/19/1988 0:00	N	12587-47-2	Gross beta	72.1	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J11	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	9/19/1988 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007J11	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-42	9/19/1988 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007J11F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/19/1988 0:00	N	7439-89-6	Iron	667	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J11	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/19/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007J11	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-42	9/19/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007J11	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	9/19/1988 0:00	N	7439-95-4	Magnesium	5680	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J11	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/19/1988 0:00	Y	7439-95-4	Magnesium	5850	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J11F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/19/1988 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007J11	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/19/1988 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007J11F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/19/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J11	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	9/19/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J11	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-42	9/19/1988 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007J11	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	9/19/1988 0:00	N	75-09-2	Methylene chloride	790	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J11	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	9/19/1988 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007J11	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/19/1988 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007J11F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/19/1988 0:00	N	14797-55-8	Nitrate	25600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J11	C72	USTEST	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-42	9/19/1988 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J11	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2
199-N-42	9/19/1988 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007J11	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	9/19/1988 0:00	Y	7440-09-7	Potassium	3430	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J11F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/19/1988 0:00	N	7440-09-7	Potassium	3690	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J11	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/19/1988 0:00	N	7440-14-4	Radium	0.106	pCi/L	U	[NULL]	[NULL]	R	H0007J11	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	9/19/1988 0:00	N	13967-48-1	Ruthenium-106	8.71	pCi/L	U	[NULL]	[NULL]	R	H0007J11	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	9/19/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007J11	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	9/19/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007J11	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-42	9/19/1988 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007J11F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/19/1988 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007J11	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/19/1988 0:00	Y	7440-23-5	Sodium	6420	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J11F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/19/1988 0:00	N	7440-23-5	Sodium	7090	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J11	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/19/1988 0:00	N	CONDUCT	Specific Conductance	198	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J11	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-42	9/19/1988 0:00	N	CONDUCT	Specific Conductance	198	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J12	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-42	9/19/1988 0:00	N	CONDUCT	Specific Conductance	198	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J14	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-42	9/19/1988 0:00	N	CONDUCT	Specific Conductance	198	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J13	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-42	9/19/1988 0:00	N	10098-97-2	Strontium-90	-0.192	pCi/L	U	[NULL]	[NULL]	R	H0007J11	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	9/19/1988 0:00	N	14808-79-8	Sulfate	9880	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J11	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	9/19/1988 0:00	N	TEMPERATURE	Temperature	21	Deg C	[NULL]	[NULL]	[NULL]	R	H000GM63	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-42	9/19/1988 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007J11	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	9/19/1988 0:00	N	TOC	Total organic carbon	600	ug/L	U	[NULL]	[NULL]	R	H0007J12	TOC	USTEST	9060_TOC	100-NR-2
199-N-42	9/19/1988 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007J13	TOC	USTEST	9060_TOC	100-NR-2
199-N-42	9/19/1988 0:00	N	TOC	Total organic carbon	600	ug/L	U	[NULL]	[NULL]	R	H0007J14	TOC	USTEST	9060_TOC	100-NR-2
199-N-42	9/19/1988 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007J11	TOC	USTEST	9060_TOC	100-NR-2
199-N-42	9/19/1988 0:00	N	59473-04-0	Total organic halides	234	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J11	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-42	9/19/1988 0:00	N	59473-04-0	Total organic halides	3	ug/L	U	[NULL]	[NULL]	R	H0007J12	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-42	9/19/1988 0:00	N	59473-04-0	Total organic halides	3	ug/L	U	[NULL]	[NULL]	R	H0007J14	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-42	9/19/1988 0:00	N	59473-04-0	Total organic halides	2	ug/L	U	[NULL]	[NULL]	R	H0007J13	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-42	9/19/1988 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007J11	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	9/19/1988 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007J11	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	9/19/1988 0:00	N	10028-17-8	Tritium	99900	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J11	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	9/19/1988 0:00	N	7440-61-1	Uranium	0.736	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J11	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	9/19/1988 0:00	Y	7440-62-2	Vanadium	32	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J11F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/19/1988 0:00	N	7440-62-2	Vanadium	33	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J11	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/19/1988 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007J11	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	9/19/1988 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007J11F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/19/1988 0:00	N	7440-66-6	Zinc	7	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J11	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/19/1988 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J11	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	9/19/1988 0:00	N	PH	pH Measurement	7.4	unitless	[NULL]	[NULL]	[NULL]	R	H0007J12	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-42	9/19/1988 0:00	N	PH	pH Measurement	7.4	unitless	[NULL]	[NULL]	[NULL]	R	H0007J11	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-42	9/19/1988 0:00	N	PH	pH Measurement	7.4	unitless	[NULL]	[NULL]	[NULL]	R	H0007J14	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-42	9/19/1988 0:00	N	PH	pH Measurement	7.4	unitless	[NULL]	[NULL]	[NULL]	R	H0007J13	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-42	12/19/1988 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007J15	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	12/19/1988 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J15	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	12/19/1988 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J15	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	12/19/1988 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007J15	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-42	12/19/1988 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007J15	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-42	12/19/1988 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007J15	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	12/19/1988 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007J15	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-42	12/19/1988 0:00	N	67-64-1	Acetone	24	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J15	67-64-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	12/19/1988 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J15	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	12/19/1988 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007J15	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	12/19/1988 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007J15F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	12/19/1988 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007J15	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-42	12/19/1988 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007J15F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	12/19/1988 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007J15	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	12/19/1988 0:00	N	7440-38-2	Arsenic	11	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J15	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-42	12/19/1988 0:00	N	H37	Arsenic, filtered	6	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J15	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	12/19/1988 0:00	Y	7440-39-3	Barium	11	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J15F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	12/19/1988 0:00	N	7440-39-3	Barium	21	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J15	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	12/19/1988 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007J15	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	12/19/1988 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007J15F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	12/19/1988 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007J15	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	12/19/1988 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007J15F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	12/19/1988 0:00	N	7440-70-2	Calcium	23200	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J15	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	12/19/1988 0:00	Y	7440-70-2	Calcium	23500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J15F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	12/19/1988 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007J15	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	12/19/1988 0:00	N	10045-97-3	Cesium-137	-4.93	pCi/L	U	[NULL]	[NULL]	R	H0007J15	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	12/19/1988 0:00	N	16887-00-6	Chloride	1200	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J15	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	12/19/1988 0:00	N	67-66-3	Chloroform	5	ug/L	U	[NULL]	[NULL]	R	H0007J15	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	12/19/1988 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007J15	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	12/19/1988 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007J15F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	12/19/1988 0:00	N	10198-40-0	Cobalt-60	27	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J15	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	12/19/1988 0:00	N	COLIFORM	Coliform Bacteria	2.2	MPN	U	[NULL]	[NULL]	R	H0007J15	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-42	12/19/1988 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007J15F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	12/19/1988 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007J15	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	12/19/1988 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J15	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	12/19/1988 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J15	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	12/19/1988 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007J15	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	12/19/1988 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J15	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	12/19/1988 0:00	N	12587-46-1	Gross alpha	0.771	pCi/L	U	[NULL]	[NULL]	R	H0007J15	12587-46-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	12/19/1988 0:00	N	12587-47-2	Gross beta	53.2	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J15	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	12/19/1988 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007J15	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-42	12/19/1988 0:00	Y	7439-89-6	Iron	64	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J15F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	12/19/1988 0:00	N	7439-89-6	Iron	7280	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J15	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	12/19/1988 0:00	N	7439-92-1	Lead	6	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J15	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	12/19/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007J15	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-42	12/19/1988 0:00	Y	7439-95-4	Magnesium	5670	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J15F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	12/19/1988 0:00	N	7439-95-4	Magnesium	5810	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J15	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	12/19/1988 0:00	N	7439-96-5	Manganese	83	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J15	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	12/19/1988 0:00	Y	7439-96-5	Manganese	7	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J15F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	12/19/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J15	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	12/19/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J15	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-42	12/19/1988 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007J15	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	12/19/1988 0:00	N	75-09-2	Methylene chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007J15	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	12/19/1988 0:00	N	7440-02-0	Nickel	268	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J15	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	12/19/1988 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007J15F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	12/19/1988 0:00	N	14797-55-8	Nitrate	21800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J15	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	12/19/1988 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J15	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2
199-N-42	12/19/1988 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007J15	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	12/19/1988 0:00	Y	7440-09-7	Potassium	3150	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J15F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	12/19/1988 0:00	N	7440-09-7	Potassium	3280	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J15	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	12/19/1988 0:00	N	7440-14-4	Radium	0.0741	pCi/L	U	[NULL]	[NULL]	R	H0007J15	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	12/19/1988 0:00	N	13967-48-1	Ruthenium-106	-12.2	pCi/L	U	[NULL]	[NULL]	R	H0007J15	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-42	12/19/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007J15	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-42	12/19/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007J15	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	12/19/1988 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007J15	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	12/19/1988 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007J15F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	12/19/1988 0:00	N	7440-23-5	Sodium	6060	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J15	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	12/19/1988 0:00	Y	7440-23-5	Sodium	6330	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J15F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	12/19/1988 0:00	N	CONDUCT	Specific Conductance	219	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J18	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-42	12/19/1988 0:00	N	CONDUCT	Specific Conductance	218	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J15	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-42	12/19/1988 0:00	N	CONDUCT	Specific Conductance	220	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J17	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-42	12/19/1988 0:00	N	CONDUCT	Specific Conductance	220	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J16	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-42	12/19/1988 0:00	Y	7440-24-6	Strontium	148	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J15F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	12/19/1988 0:00	N	7440-24-6	Strontium	153	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J15	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	12/19/1988 0:00	N	10098-97-2	Strontium-90	-0.505	pCi/L	U	[NULL]	[NULL]	R	H0007J15	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	12/19/1988 0:00	N	14808-79-8	Sulfate	11800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J15	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	12/19/1988 0:00	N	TEMPERATURE	Temperature	22	Deg C	[NULL]	[NULL]	[NULL]	R	H000GN21	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-42	12/19/1988 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007J15	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	12/19/1988 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007J18	TOC	USTEST	9060_TOC	100-NR-2
199-N-42	12/19/1988 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007J17	TOC	USTEST	9060_TOC	100-NR-2
199-N-42	12/19/1988 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007J15	TOC	USTEST	9060_TOC	100-NR-2
199-N-42	12/19/1988 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007J16	TOC	USTEST	9060_TOC	100-NR-2
199-N-42	12/19/1988 0:00	N	59473-04-0	Total organic halides	3	ug/L	U	[NULL]	[NULL]	R	H0007J15	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-42	12/19/1988 0:00	N	59473-04-0	Total organic halides	7	ug/L	U	[NULL]	[NULL]	R	H0007J16	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-42	12/19/1988 0:00	N	59473-04-0	Total organic halides	1	ug/L	U	[NULL]	[NULL]	R	H0007J18	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-42	12/19/1988 0:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	H0007J17	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-42	12/19/1988 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007J15	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	12/19/1988 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007J15	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	12/19/1988 0:00	N	10028-17-8	Tritium	65400	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J15	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	12/19/1988 0:00	N	7440-61-1	Uranium	0.921	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J15	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	12/19/1988 0:00	N	7440-62-2	Vanadium	41	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J15	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	12/19/1988 0:00	Y	7440-62-2	Vanadium	18	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J15F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	12/19/1988 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007J15	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	12/19/1988 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007J15F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	12/19/1988 0:00	N	7440-66-6	Zinc	63	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J15	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	12/19/1988 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J15	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	12/19/1988 0:00	N	PH	pH Measurement	8.4	unitless	[NULL]	[NULL]	[NULL]	R	H0007J18	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-42	12/19/1988 0:00	N	PH	pH Measurement	8.4	unitless	[NULL]	[NULL]	[NULL]	R	H0007J16	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-42	12/19/1988 0:00	N	PH	pH Measurement	8.5	unitless	[NULL]	[NULL]	[NULL]	R	H0007J15	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-42	12/19/1988 0:00	N	PH	pH Measurement	8.4	unitless	[NULL]	[NULL]	[NULL]	R	H0007J17	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-42	3/7/1989 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007J19	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	630-20-6	1,1,1,2-Tetrachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	630-20-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J19	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	79-34-5	1,1,2,2-Tetrachloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J19	79-34-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J19	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	75-34-3	1,1-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J19	75-34-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	75-35-4	1,1-Dichloroethene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	75-35-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	57-14-7	1,1-Dimethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	57-14-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	634-66-2	1,2,3,4-Tetrachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	634-66-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	634-90-2	1,2,3,5-Tetrachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	634-90-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	87-61-6	1,2,3-Trichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	87-61-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	96-18-4	1,2,3-Trichloropropane	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	96-18-4	USTEST	8240_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-42	3/7/1989 0:00	N	95-94-3	1,2,4,5-Tetrachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	95-94-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	120-82-1	1,2,4-Trichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	120-82-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	96-12-8	1,2-Dibromo-3-chloropropane	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	96-12-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	106-93-4	1,2-Dibromoethane	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	106-93-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	95-50-1	1,2-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	95-50-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	107-06-2	1,2-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J19	107-06-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	78-87-5	1,2-Dichloropropane	5	ug/L	U	[NULL]	[NULL]	R	H0007J19	78-87-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	540-73-8	1,2-Dimethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	540-73-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	122-66-7	1,2-Diphenylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	122-66-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	108-70-3	1,3,5-Trichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	108-70-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	541-73-1	1,3-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	541-73-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	542-75-6	1,3-Dichloropropene	5	ug/L	U	[NULL]	[NULL]	R	H0007J19	542-75-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	106-46-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007J19	106-46-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	123-91-1	1,4-Dioxane	500	ug/L	U	[NULL]	[NULL]	R	H0007J19	123-91-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	130-15-4	1,4-Naphthoquinone	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	130-15-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	5344-82-1	1-(o-Chlorophenyl)thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007J19	5344-82-1	USTEST	8330_THIOUREA_M	100-NR-2
199-N-42	3/7/1989 0:00	N	591-08-2	1-Acetyl-2-thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007J19	591-08-2	USTEST	8330_THIOUREA_M	100-NR-2
199-N-42	3/7/1989 0:00	N	71-36-3	1-Butanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007J19	71-36-3	USTEST	GC_DIRECT	100-NR-2
199-N-42	3/7/1989 0:00	N	L60	1-Butynol	10000	ug/L	U	[NULL]	[NULL]	R	H0007J19	L60	USTEST	GC_DIRECT	100-NR-2
199-N-42	3/7/1989 0:00	N	106-89-8	1-Chloro-2,3-epoxypropane	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	106-89-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	86-88-4	1-Naphthyl-2-thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007J19	86-88-4	USTEST	8330_THIOUREA_M	100-NR-2
199-N-42	3/7/1989 0:00	N	134-32-7	1-Naphthylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	134-32-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	71-23-8	1-Propanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007J19	71-23-8	USTEST	GC_DIRECT	100-NR-2
199-N-42	3/7/1989 0:00	N	58-90-2	2,3,4,6-Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	58-90-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	1746-01-6	2,3,7,8-Tetrachlorodibenzo-p-dioxin	0.01	ug/L	U	[NULL]	[NULL]	R	H0007J19	1746-01-6	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007J19	93-76-5	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-42	3/7/1989 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007J19	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-42	3/7/1989 0:00	N	95-95-4	2,4,5-Trichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	95-95-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	88-06-2	2,4,6-Trichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	88-06-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007J19	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-42	3/7/1989 0:00	N	120-83-2	2,4-Dichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	120-83-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	51-28-5	2,4-Dinitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	51-28-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	121-14-2	2,4-Dinitrotoluene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	121-14-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	87-65-0	2,6-Dichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	87-65-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	606-20-2	2,6-Dinitrotoluene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	606-20-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	53-96-3	2-Acetylaminofluorene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	53-96-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	110-75-8	2-Chloroethyl vinyl ether	5	ug/L	U	[NULL]	[NULL]	R	H0007J19	110-75-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	91-58-7	2-Chloronaphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	91-58-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	95-57-8	2-Chlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	95-57-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	131-89-5	2-Cyclohexyl-4,6-dinitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	131-89-5	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-42	3/7/1989 0:00	N	591-78-6	2-Hexanone	50	ug/L	U	[NULL]	[NULL]	R	H0007J19	591-78-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	116-06-3	2-Methyl-2-(methylthio)propionaldehyde-o-(methylcarbonyl) ox	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	116-06-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	75-55-8	2-Methylaziridine	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	75-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	75-86-5	2-Methyllactonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	75-86-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	91-57-6	2-Methylnaphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	91-57-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	91-59-8	2-Naphthylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	91-59-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	88-74-4	2-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	88-74-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	88-75-5	2-Nitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	88-75-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	109-06-8	2-Picoline	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	109-06-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	107-19-7	2-Propyn-1-ol	10000	ug/L	U	[NULL]	[NULL]	R	H0007J19	107-19-7	USTEST	GC_DIRECT	100-NR-2
199-N-42	3/7/1989 0:00	N	91-94-1	3,3'-Dichlorobenzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	91-94-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	119-90-4	3,3'-Dimethoxybenzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	119-90-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	119-93-7	3,3'-Dimethylbenzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	119-93-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	542-76-7	3-Chloropropionitrile	10000	ug/L	U	[NULL]	[NULL]	R	H0007J19	542-76-7	USTEST	GC_DIRECT	100-NR-2
199-N-42	3/7/1989 0:00	N	56-49-5	3-Methylcholanthrene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	56-49-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	99-09-2	3-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	99-09-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	72-54-8	4,4'-DDD (Dichlorodiphenyldichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J19	72-54-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	3/7/1989 0:00	N	72-55-9	4,4'-DDE (Dichlorodiphenyldichloroethylene)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J19	72-55-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	3/7/1989 0:00	N	50-29-3	4,4'-DDT (Dichlorodiphenyltrichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J19	50-29-3	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	3/7/1989 0:00	N	101-14-4	4,4'-Methylenebis(2-chloroaniline)	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	101-14-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	534-52-1	4,6-Dinitro-2-methylphenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	534-52-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	92-67-1	4-Aminobiphenyl	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	92-67-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	101-55-3	4-Bromophenylphenyl ether	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	101-55-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	59-50-7	4-Chloro-3-methylphenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	59-50-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	106-47-8	4-Chloroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	106-47-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	100-01-6	4-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	100-01-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	100-02-7	4-Nitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	100-02-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	56-57-5	4-Nitroquinoline-1-oxide	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	56-57-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	2763-96-4	5-(Aminomethyl)-3-isoxazolol	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	2763-96-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	99-55-8	5-Nitro-o-toluidine	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	99-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	57-97-6	7,12-Dimethylbenz[a]anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	57-97-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	194-59-2	7H-Dibenzo[c,g]carbazole	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	194-59-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	83-32-9	Acenaphthene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	83-32-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	208-96-8	Acenaphthylene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	208-96-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	67-64-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	67-64-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	75-05-8	Acetonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	75-05-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	98-86-2	Acetophenone	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	98-86-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	107-02-8	Acrolein	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	107-02-8	USTEST	8240_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-42	3/7/1989 0:00	N	79-06-1	Acrylamide	10000	ug/L	U	[NULL]	[NULL]	R	H0007J19	79-06-1	USTEST	GC_DIRECT	100-NR-2
199-N-42	3/7/1989 0:00	N	107-13-1	Acrylonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	107-13-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	309-00-2	Aldrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J19	309-00-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	3/7/1989 0:00	N	107-18-6	Allyl alcohol	10000	ug/L	U	[NULL]	[NULL]	R	H0007J19	107-18-6	USTEST	GC_DIRECT	100-NR-2
199-N-42	3/7/1989 0:00	N	107-05-1	Allyl chloride	100	ug/L	U	[NULL]	[NULL]	R	H0007J19	107-05-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	ALPHAHI	Alpha	0.838	pCi/L	U	[NULL]	[NULL]	R	H0007J19	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	3/7/1989 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J19	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	3/7/1989 0:00	N	7429-90-5	Aluminum	259	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J19	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007J19F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	N	61-82-5	Amitrole	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	61-82-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007J19	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-42	3/7/1989 0:00	N	62-53-3	Aniline	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	62-53-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	120-12-7	Anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	120-12-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007J19	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007J19F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	N	140-57-8	Aramite	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	140-57-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	12674-11-2	Aroclor-1016	1	ug/L	U	[NULL]	[NULL]	R	H0007J19	12674-11-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	3/7/1989 0:00	N	11104-28-2	Aroclor-1221	1	ug/L	U	[NULL]	[NULL]	R	H0007J19	11104-28-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	3/7/1989 0:00	N	11141-16-5	Aroclor-1232	1	ug/L	U	[NULL]	[NULL]	R	H0007J19	11141-16-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	3/7/1989 0:00	N	53469-21-9	Aroclor-1242	1	ug/L	U	[NULL]	[NULL]	R	H0007J19	53469-21-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	3/7/1989 0:00	N	12672-29-6	Aroclor-1248	1	ug/L	U	[NULL]	[NULL]	R	H0007J19	12672-29-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	3/7/1989 0:00	N	11097-69-1	Aroclor-1254	1	ug/L	U	[NULL]	[NULL]	R	H0007J19	11097-69-1	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	3/7/1989 0:00	N	11096-82-5	Aroclor-1260	1	ug/L	U	[NULL]	[NULL]	R	H0007J19	11096-82-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	3/7/1989 0:00	N	7440-38-2	Arsenic	8	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J19	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-42	3/7/1989 0:00	N	H37	Arsenic, filtered	5	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J19	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	3/7/1989 0:00	N	492-80-8	Auramine	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	492-80-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	7440-39-3	Barium	21	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J19	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	Y	7440-39-3	Barium	13	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J19F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	N	225-51-4	Benz[c]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	225-51-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	71-43-2	Benzene	5	ug/L	U	[NULL]	[NULL]	R	H0007J19	71-43-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	108-98-5	Benzenethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	108-98-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	92-87-5	Benzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	92-87-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	56-55-3	Benzo(a)anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	56-55-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	50-32-8	Benzo(a)pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	50-32-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	205-99-2	Benzo(b)fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	205-99-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	191-24-2	Benzo(ghi)perylene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	191-24-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	207-08-9	Benzo(k)fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	207-08-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	205-82-3	Benzo[j]fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	205-82-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	100-51-6	Benzyl alcohol	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	100-51-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	100-44-7	Benzyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	100-44-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007J19F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007J19	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	N	111-91-1	Bis(2-Chloroethoxy)methane	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	111-91-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	108-60-1	Bis(2-chloro-1-methylethyl)ether	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	108-60-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	111-44-4	Bis(2-chloroethyl) ether	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	111-44-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	117-81-7	Bis(2-ethylhexyl) phthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	117-81-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	542-88-1	Bis(chloromethyl) ether	5	ug/L	U	[NULL]	[NULL]	R	H0007J19	542-88-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	Y	7440-42-8	Boron	50	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J19F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	N	7440-42-8	Boron	22	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J19	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007J19	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	3/7/1989 0:00	N	598-31-2	Bromoacetone	5	ug/L	U	[NULL]	[NULL]	R	H0007J19	598-31-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	75-27-4	Bromodichloromethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J19	75-27-4	USTEST	8240_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-42	3/7/1989 0:00	N	75-25-2	Bromoform	5	ug/L	U	[NULL]	[NULL]	R	H0007J19	75-25-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	74-83-9	Bromomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	74-83-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	85-68-7	Butylbenzylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	85-68-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007J19	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007J19F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	Y	7440-70-2	Calcium	23100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J19F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	N	7440-70-2	Calcium	23500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J19	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	N	75-15-0	Carbon disulfide	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	75-15-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007J19	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	786-19-6	Carbophenothion	2	ug/L	U	[NULL]	[NULL]	R	H0007J19	786-19-6	USTEST	8140_PEST_GC	100-NR-2
199-N-42	3/7/1989 0:00	N	10045-97-3	Cesium-137	-4.41	pCi/L	U	[NULL]	[NULL]	R	H0007J19	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	3/7/1989 0:00	N	57-74-9	Chlordane	1	ug/L	U	[NULL]	[NULL]	R	H0007J19	57-74-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	3/7/1989 0:00	N	16887-00-6	Chloride	1000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J19	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	3/7/1989 0:00	N	494-03-1	Chlornaphazine	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	494-03-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	B44	Chloroalkyl ethers	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	B44	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	108-90-7	Chlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	108-90-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	108-90-7	Chlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007J19	108-90-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	510-15-6	Chlorobenzilate	300	ug/L	U	[NULL]	[NULL]	R	H0007J19	510-15-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	3/7/1989 0:00	N	75-00-3	Chloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	75-00-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	67-66-3	Chloroform	3	ug/L	U	[NULL]	[NULL]	R	H0007J19	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	74-87-3	Chloromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	74-87-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	107-30-2	Chloromethyl methyl ether	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	107-30-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007J19F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	N	218-01-9	Chrysene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	218-01-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	6358-53-8	Citrus red No. 2	1000	ug/L	U	[NULL]	[NULL]	R	H0007J19	6358-53-8	USTEST	CITRUS_RED	100-NR-2
199-N-42	3/7/1989 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007J19	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007J19F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	N	10198-40-0	Cobalt-60	51.5	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J19	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	3/7/1989 0:00	N	COLIFORM	Coliform Bacteria	2.2	MPN	U	[NULL]	[NULL]	R	H0007J19	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-42	3/7/1989 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007J19F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	N	4170-30-3	Crotonaldehyde	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	4170-30-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	57-12-5	Cyanide	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	57-12-5	USTEST	9010_CYANIDE	100-NR-2
199-N-42	3/7/1989 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J19	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	3/7/1989 0:00	N	84-74-2	Di-n-butylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	84-74-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	117-84-0	Di-n-octylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	117-84-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	2303-16-4	Diallate	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	2303-16-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	226-36-8	Dibenz[a,h]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	226-36-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	53-70-3	Dibenz[a,h]anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	53-70-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	224-42-0	Dibenz[a,j]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	224-42-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	192-65-4	Dibenzo[a,e]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	192-65-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	189-64-0	Dibenzo[a,h]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	189-64-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	189-55-9	Dibenzo[a,i]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	189-55-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	132-64-9	Dibenzofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	132-64-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	124-48-1	Dibromochloromethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J19	124-48-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	74-95-3	Dibromomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	74-95-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	107-66-4	Dibutylphosphate	10000	ug/L	U	[NULL]	[NULL]	R	H0007J19	107-66-4	USTEST	70-MDBP	100-NR-2
199-N-42	3/7/1989 0:00	N	75-71-8	Dichlorodifluoromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	75-71-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	98-87-3	Dichloromethyl-benzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	98-87-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	60-57-1	Dieldrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J19	60-57-1	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	3/7/1989 0:00	N	84-66-2	Diethylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	84-66-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	56-53-1	Diethylstilbesterol	200	ug/L	U	[NULL]	[NULL]	R	H0007J19	56-53-1	USTEST	8330_THIOUREA_M	100-NR-2
199-N-42	3/7/1989 0:00	N	94-58-6	Dihydrosafrole	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	94-58-6	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-42	3/7/1989 0:00	N	60-51-5	Dimethoate	2	ug/L	U	[NULL]	[NULL]	R	H0007J19	60-51-5	USTEST	8140_PEST_GC	100-NR-2
199-N-42	3/7/1989 0:00	N	131-11-3	Dimethyl phthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	131-11-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	88-85-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	122-39-4	Diphenylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	122-39-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	298-04-4	Disulfoton	2	ug/L	U	[NULL]	[NULL]	R	H0007J19	298-04-4	USTEST	8140_PEST_GC	100-NR-2
199-N-42	3/7/1989 0:00	N	959-98-8	Endosulfan I	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J19	959-98-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	3/7/1989 0:00	N	33213-65-9	Endosulfan II	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J19	33213-65-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	3/7/1989 0:00	N	1031-07-8	Endosulfan sulfate	0.5	ug/L	U	[NULL]	[NULL]	R	H0007J19	1031-07-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	3/7/1989 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J19	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	3/7/1989 0:00	N	64-17-5	Ethanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007J19	64-17-5	USTEST	GC_DIRECT	100-NR-2
199-N-42	3/7/1989 0:00	N	51-79-6	Ethyl carbamate (Urethane)	10000	ug/L	U	[NULL]	[NULL]	R	H0007J19	51-79-6	USTEST	GC_DIRECT	100-NR-2
199-N-42	3/7/1989 0:00	N	107-12-0	Ethyl cyanide	5	ug/L	U	[NULL]	[NULL]	R	H0007J19	107-12-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	107-12-0	Ethyl cyanide	10000	ug/L	U	[NULL]	[NULL]	R	H0007J19	107-12-0	USTEST	GC_DIRECT	100-NR-2
199-N-42	3/7/1989 0:00	N	97-63-2	Ethyl methacrylate	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	97-63-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	62-50-0	Ethyl methanesulfonate	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	62-50-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	100-41-4	Ethylbenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007J19	100-41-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	107-21-1	Ethylene glycol	10000	ug/L	U	[NULL]	[NULL]	R	H0007J19	107-21-1	USTEST	GC_DIRECT	100-NR-2
199-N-42	3/7/1989 0:00	N	75-21-8	Ethylene oxide	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	75-21-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	151-56-4	Ethyleneimine	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	151-56-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	96-45-7	Ethylenethiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007J19	96-45-7	USTEST	8330_THIOUREA_M	100-NR-2
199-N-42	3/7/1989 0:00	N	206-44-0	Fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	206-44-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	86-73-7	Fluorene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	86-73-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007J19	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	3/7/1989 0:00	N	50-00-0	Formaldehyde	500	ug/L	U	[NULL]	[NULL]	R	H0007J19	50-00-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J19	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	3/7/1989 0:00	N	12587-47-2	Gross beta	34.4	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J19	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	3/7/1989 0:00	N	76-44-8	Heptachlor	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J19	76-44-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	3/7/1989 0:00	N	1024-57-3	Heptachlor epoxide	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J19	1024-57-3	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	3/7/1989 0:00	N	118-74-1	Hexachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	118-74-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	87-68-3	Hexachlorobutadiene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	87-68-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	77-47-4	Hexachlorocyclopentadiene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	77-47-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	67-72-1	Hexachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	67-72-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	70-30-4	Hexachlorophene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	70-30-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	1888-71-7	Hexachloropropene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	1888-71-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	193-39-5	Indeno(1,2,3-cd)pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	193-39-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	74-88-4	Iodomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	74-88-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	7439-89-6	Iron	4490	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J19	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007J19F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	N	78-83-1	Isobutyl alcohol	10000	ug/L	U	[NULL]	[NULL]	R	H0007J19	78-83-1	USTEST	GC_DIRECT	100-NR-2
199-N-42	3/7/1989 0:00	N	465-73-6	Isodrin	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	465-73-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	78-59-1	Isophorone	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	78-59-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	120-58-1	Isosafrole	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	120-58-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	143-50-0	Kepone	1	ug/L	U	[NULL]	[NULL]	R	H0007J19	143-50-0	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	3/7/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007J19	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	3/7/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007J19	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-42	3/7/1989 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007J19F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	Y	7439-95-4	Magnesium	5800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J19F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	N	7439-95-4	Magnesium	5820	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J19	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	N	123-33-1	Maleic hydrazide	500	ug/L	U	[NULL]	[NULL]	R	H0007J19	123-33-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	109-77-3	Malononitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	109-77-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007J19F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-42	3/7/1989 0:00	N	7439-96-5	Manganese	21	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J19	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	N	148-82-3	Melphalan	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	148-82-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J19	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	3/7/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J19	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-42	3/7/1989 0:00	N	126-98-7	Methacrylonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	126-98-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	74-93-1	Methanethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	74-93-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	91-80-5	Methapyrilene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	91-80-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	16752-77-5	Metholonyl	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	16752-77-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007J19	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	3/7/1989 0:00	N	80-62-6	Methyl methacrylate	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	80-62-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	66-27-3	Methyl methanesulfonate	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	66-27-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	298-00-0	Methyl parathion	2	ug/L	U	[NULL]	[NULL]	R	H0007J19	298-00-0	USTEST	8140_PEST_GC	100-NR-2
199-N-42	3/7/1989 0:00	N	75-09-2	Methylene chloride	3	ug/L	U	[NULL]	[NULL]	R	H0007J19	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	56-04-2	Methylthiouracil	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	56-04-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007J19F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007J19	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	N	1623-15-0	Monobutyl phosphate	10000	ug/L	U	[NULL]	[NULL]	R	H0007J19	1623-15-0	USTEST	70-MDBP	100-NR-2
199-N-42	3/7/1989 0:00	N	91-20-3	Naphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	91-20-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007J19F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	N	59-67-6	Nicotinic acid	100	ug/L	U	[NULL]	[NULL]	R	H0007J19	59-67-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	14797-55-8	Nitrate	16000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J19	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	3/7/1989 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007J19	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-42	3/7/1989 0:00	N	98-95-3	Nitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	98-95-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	930-55-2	Nitrosopyrrolidine	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	930-55-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	126-68-1	O,O,O-Triethyl phosphorothioate	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	126-68-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	297-97-2	O,O-Diethyl O-2-pyrazinyl phosphorothioate	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	297-97-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	123-63-7	Paraldehyde	10000	ug/L	U	[NULL]	[NULL]	R	H0007J19	123-63-7	USTEST	GC_DIRECT	100-NR-2
199-N-42	3/7/1989 0:00	N	56-38-2	Parathion	2	ug/L	U	[NULL]	[NULL]	R	H0007J19	56-38-2	USTEST	8140_PEST_GC	100-NR-2
199-N-42	3/7/1989 0:00	N	608-93-5	Pentachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	608-93-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	76-01-7	Pentachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	76-01-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	82-68-8	Pentachloronitrobenzene (PCNB)	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	82-68-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	87-86-5	Pentachlorophenol	50	ug/L	U	[NULL]	[NULL]	R	H0007J19	87-86-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	62-44-2	Phenacetin	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	62-44-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	85-01-8	Phenanthrene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	85-01-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	108-95-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	25265-76-3	Phenylenediamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	25265-76-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	298-02-2	Phorate	2	ug/L	U	[NULL]	[NULL]	R	H0007J19	298-02-2	USTEST	8140_PEST_GC	100-NR-2
199-N-42	3/7/1989 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007J19	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	3/7/1989 0:00	N	C31	Phthalic acid esters	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	C31	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	136677-09-3	Polychlorinated dibenzo-p-dioxins	0.01	ug/L	U	[NULL]	[NULL]	R	H0007J19	136677-09-3	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	136677-10-6	Polychlorinated dibenzofurans	0.01	ug/L	U	[NULL]	[NULL]	R	H0007J19	136677-10-6	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	Y	7440-09-7	Potassium	3360	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J19F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	N	7440-09-7	Potassium	3320	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J19	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	N	23950-58-5	Pronamide	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	23950-58-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	129-00-0	Pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	129-00-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	110-86-1	Pyridine	500	ug/L	U	[NULL]	[NULL]	R	H0007J19	110-86-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	7440-14-4	Radium	0.0576	pCi/L	U	[NULL]	[NULL]	R	H0007J19	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	3/7/1989 0:00	N	50-55-5	Reserpine	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	50-55-5	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-42	3/7/1989 0:00	N	108-46-3	Resorcinol	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	108-46-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	13967-48-1	Ruthenium-106	8.44	pCi/L	U	[NULL]	[NULL]	R	H0007J19	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	3/7/1989 0:00	N	94-59-7	Safrol	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	94-59-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007J19	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	3/7/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007J19	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-42	3/7/1989 0:00	N	7440-21-3	Silicon	15300	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J19	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	Y	7440-21-3	Silicon	14400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J19F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007J19F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	N	7440-23-5	Sodium	6200	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J19	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	Y	7440-23-5	Sodium	6390	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J19F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	N	CONDUCT	Specific Conductance	242	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J19	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-42	3/7/1989 0:00	N	CONDUCT	Specific Conductance	172	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J19	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-42	3/7/1989 0:00	N	CONDUCT	Specific Conductance	175	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J22	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-42	3/7/1989 0:00	N	CONDUCT	Specific Conductance	172	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J21	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-42	3/7/1989 0:00	N	CONDUCT	Specific Conductance	173	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J20	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-42	3/7/1989 0:00	N	CONDUCT	Specific Conductance	242	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J21	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-42	3/7/1989 0:00	N	CONDUCT	Specific Conductance	242	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J22	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-42	3/7/1989 0:00	N	CONDUCT	Specific Conductance	242	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J20	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-42	3/7/1989 0:00	Y	7440-24-6	Strontium	174	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J19F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	N	7440-24-6	Strontium	171	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J19	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	N	10098-97-2	Strontium-90	0.125	pCi/L	U	[NULL]	[NULL]	R	H0007J19	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	3/7/1989 0:00	N	57-24-9	Strychnine	50	ug/L	U	[NULL]	[NULL]	R	H0007J19	57-24-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	100-42-5	Styrene	5	ug/L	U	[NULL]	[NULL]	R	H0007J19	100-42-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	14808-79-8	Sulfate	10000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J19	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	3/7/1989 0:00	N	18496-25-8	Sulfide	1000	ug/L	U	[NULL]	[NULL]	R	H0007J19	18496-25-8	USTEST	9030_SULFIDE	100-NR-2
199-N-42	3/7/1989 0:00	N	TEMPERATURE	Temperature	21	Deg C	[NULL]	[NULL]	[NULL]	R	H000G320	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-42	3/7/1989 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007J19	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	107-49-3	Tetraethylpyrophosphate	2	ug/L	U	[NULL]	[NULL]	R	H0007J19	107-49-3	USTEST	8140_PEST_GC	100-NR-2
199-N-42	3/7/1989 0:00	N	109-99-9	Tetrahydrofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	109-99-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	H0007J19	7440-28-0	USTEST	7841_TL_GFAA	100-NR-2
199-N-42	3/7/1989 0:00	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	H0007J19	7440-28-0	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	3/7/1989 0:00	N	39196-18-4	Thiofanox	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	39196-18-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	62-56-6	Thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007J19	62-56-6	USTEST	8330_THIOUREA_M	100-NR-2
199-N-42	3/7/1989 0:00	N	137-26-8	Thiuram	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	137-26-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007J19	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007J19F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007J19F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007J19	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	N	108-88-3	Toluene	5	ug/L	U	[NULL]	[NULL]	R	H0007J19	108-88-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	25376-45-8	Toluenediamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	25376-45-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	TC	Total carbon	11600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J19	TC	USTEST	D2579A_CARBON	100-NR-2
199-N-42	3/7/1989 0:00	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	1319-77-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007J22	TOC	USTEST	9060_TOC	100-NR-2
199-N-42	3/7/1989 0:00	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	H0007J19	TOC	USTEST	9060_TOC	100-NR-2
199-N-42	3/7/1989 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007J21	TOC	USTEST	9060_TOC	100-NR-2
199-N-42	3/7/1989 0:00	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	H0007J20	TOC	USTEST	9060_TOC	100-NR-2
199-N-42	3/7/1989 0:00	N	59473-04-0	Total organic halides	13	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J21	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-42	3/7/1989 0:00	N	59473-04-0	Total organic halides	15	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J19	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-42	3/7/1989 0:00	N	59473-04-0	Total organic halides	13	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J22	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-42	3/7/1989 0:00	N	59473-04-0	Total organic halides	14	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J20	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-42	3/7/1989 0:00	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	10000	ug/L	U	[NULL]	[NULL]	R	H0007J19	TPHKEROSENE	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007J19	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-42	3/7/1989 0:00	N	126-73-8	Tributyl phosphate	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	126-73-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007J19	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	75-70-7	Trichloromethanethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	75-70-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	75-69-4	Trichloromonofluoromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	75-69-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	126-72-7	Tris(2,3-dibromopropyl) phosphate	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	126-72-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	10028-17-8	Tritium	71900	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J19	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	3/7/1989 0:00	N	I99	Unknown	20	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J19	I99	USTEST	UNKNOWN	100-NR-2
199-N-42	3/7/1989 0:00	N	7440-61-1	Uranium	0.815	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J19	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	3/7/1989 0:00	N	7440-62-2	Vanadium	36	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J19	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	Y	7440-62-2	Vanadium	28	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J19F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	N	108-05-4	Vinyl acetate	5	ug/L	U	[NULL]	[NULL]	R	H0007J19	108-05-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	75-01-4	Vinyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	75-01-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	81-81-2	Warfarin	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	81-81-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007J19	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	7440-66-6	Zinc	85	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J19	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007J19F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007J19F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007J19	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	3/7/1989 0:00	N	122-09-8	alpha,alpha-Dimethylphenethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	122-09-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J19	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	3/7/1989 0:00	N	99-65-0	m-Dinitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	99-65-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	616-40-0	n,n-Diethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	616-40-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	615-53-2	n-Nitroso-N-methylurethane	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	615-53-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	924-16-3	n-Nitrosodi-n-butylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	924-16-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	621-64-7	n-Nitrosodi-n-dipropylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	621-64-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	1116-54-7	n-Nitrosodiethanolamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	1116-54-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	55-18-5	n-Nitrosodiethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	55-18-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	62-75-9	n-Nitrosodimethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	62-75-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	86-30-6	n-Nitrosodiphenylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	86-30-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	10595-95-6	n-Nitrosomethylethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	10595-95-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	4549-40-0	n-Nitrosomethylvinylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	4549-40-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	59-89-2	n-Nitrosomorpholine	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	59-89-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	16543-55-8	n-Nitrosonornicotine	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	16543-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	100-75-4	n-Nitrosopiperidine	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	100-75-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	103-85-5	n-Phenylthiourea	500	ug/L	U	[NULL]	[NULL]	R	H0007J19	103-85-5	USTEST	8330_THIOUREA_M	100-NR-2
199-N-42	3/7/1989 0:00	N	107-10-8	n-Propylamine	10000	ug/L	U	[NULL]	[NULL]	R	H0007J19	107-10-8	USTEST	GC_DIRECT	100-NR-2
199-N-42	3/7/1989 0:00	N	636-21-5	o-Toluidine hydrochloride	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	636-21-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	106-51-4	p-Benzoquinone	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	106-51-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	60-11-7	p-Dimethylaminoazobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	60-11-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	PH	pH Measurement	8.26	unitless	[NULL]	[NULL]	[NULL]	R	H0007J22	PH	USTEST	9040_PH	100-NR-2
199-N-42	3/7/1989 0:00	N	PH	pH Measurement	8.22	unitless	[NULL]	[NULL]	[NULL]	R	H0007J20	PH	USTEST	9040_PH	100-NR-2
199-N-42	3/7/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007J21	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-42	3/7/1989 0:00	N	PH	pH Measurement	8.25	unitless	[NULL]	[NULL]	[NULL]	R	H0007J21	PH	USTEST	9040_PH	100-NR-2
199-N-42	3/7/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007J22	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-42	3/7/1989 0:00	N	PH	pH Measurement	8.25	unitless	[NULL]	[NULL]	[NULL]	R	H0007J19	PH	USTEST	9040_PH	100-NR-2
199-N-42	3/7/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007J19	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-42	3/7/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007J20	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-42	3/7/1989 0:00	N	99-35-4	sym-Trinitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	99-35-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	156-60-5	trans-1,2-Dichloroethylene	5	ug/L	U	[NULL]	[NULL]	R	H0007J19	156-60-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	3/7/1989 0:00	N	110-57-6	trans-1,4-Dichloro-2-butene	10	ug/L	U	[NULL]	[NULL]	R	H0007J19	110-57-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	7/19/1989 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007J23	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	7/19/1989 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J23	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	7/19/1989 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J23	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	7/19/1989 0:00	N	75-34-3	1,1-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J23	75-34-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	7/19/1989 0:00	N	107-06-2	1,2-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J23	107-06-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	7/19/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007J23	106-46-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	7/19/1989 0:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007J23	93-76-5	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-42	7/19/1989 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007J23	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-42	7/19/1989 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007J23	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-42	7/19/1989 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007J23	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	7/19/1989 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007J23	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	7/19/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007J23	67-64-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	7/19/1989 0:00	N	ALPHAHI	Alpha	2.49	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J23	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	7/19/1989 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J23	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	7/19/1989 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007J23F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	N	7429-90-5	Aluminum	1000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J23	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007J23	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-42	7/19/1989 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007J23F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007J23	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	N	7440-38-2	Arsenic	7.2	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J23	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-42	7/19/1989 0:00	N	H37	Arsenic, filtered	5.7	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J23	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	7/19/1989 0:00	Y	7440-39-3	Barium	21	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J23F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	N	7440-39-3	Barium	31	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J23	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	N	71-43-2	Benzene	5	ug/L	U	[NULL]	[NULL]	R	H0007J23	71-43-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	7/19/1989 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007J23F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007J23	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	N	7440-42-8	Boron	23	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J23	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	Y	7440-42-8	Boron	41	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J23F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007J23	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	7/19/1989 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007J23F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007J23	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	Y	7440-70-2	Calcium	32600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J23F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	N	7440-70-2	Calcium	31800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J23	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007J23	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	7/19/1989 0:00	N	10045-97-3	Cesium-137	-1.88	pCi/L	U	[NULL]	[NULL]	R	H0007J23	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	7/19/1989 0:00	N	16887-00-6	Chloride	10300	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J23	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	7/19/1989 0:00	N	67-66-3	Chloroform	5	ug/L	U	[NULL]	[NULL]	R	H0007J23	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	7/19/1989 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007J23	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007J23F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007J23F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007J23	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-42	7/19/1989 0:00	N	10198-40-0	Cobalt-60	22.6	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J23	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	7/19/1989 0:00	N	COLIFORM	Coliform Bacteria	2.2	MPN	U	[NULL]	[NULL]	R	H0007J23	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-42	7/19/1989 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007J23F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007J23	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J23	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	7/19/1989 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J23	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	7/19/1989 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007J23	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	7/19/1989 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J23	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	7/19/1989 0:00	N	12587-47-2	Gross beta	21.8	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J23	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	7/19/1989 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007J23	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-42	7/19/1989 0:00	N	7439-89-6	Iron	2070	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J23	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007J23F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007J23	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-42	7/19/1989 0:00	N	7439-92-1	Lead	9	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J23	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	7/19/1989 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007J23F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007J23	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	N	7439-95-4	Magnesium	7050	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J23	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	Y	7439-95-4	Magnesium	6850	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J23F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007J23F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	N	7439-96-5	Manganese	57	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J23	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J23	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-42	7/19/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J23	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	7/19/1989 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007J23	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	7/19/1989 0:00	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	H0007J23	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	7/19/1989 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007J23F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007J23	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007J23F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007J23	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	N	14797-55-8	Nitrate	14500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J23	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	7/19/1989 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007J23	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-42	7/19/1989 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J23	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2
199-N-42	7/19/1989 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007J23	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	7/19/1989 0:00	N	7440-09-7	Potassium	3790	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J23	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	Y	7440-09-7	Potassium	3920	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J23F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	N	7440-14-4	Radium	0.0238	pCi/L	U	[NULL]	[NULL]	R	H0007J23	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	7/19/1989 0:00	N	13967-48-1	Ruthenium-106	34.4	pCi/L	U	[NULL]	[NULL]	R	H0007J23	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	7/19/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007J23	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	7/19/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007J23	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-42	7/19/1989 0:00	N	7440-21-3	Silicon	16900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J23	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	Y	7440-21-3	Silicon	15500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J23F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007J23F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007J23	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	N	7440-23-5	Sodium	8050	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J23	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	Y	7440-23-5	Sodium	8320	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J23F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	N	CONDUCT	Specific Conductance	271	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J23	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-42	7/19/1989 0:00	N	CONDUCT	Specific Conductance	270	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J24	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-42	7/19/1989 0:00	N	CONDUCT	Specific Conductance	272	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J26	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-42	7/19/1989 0:00	N	CONDUCT	Specific Conductance	271	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J25	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-42	7/19/1989 0:00	N	CONDUCT	Specific Conductance	253	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J26	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-42	7/19/1989 0:00	N	CONDUCT	Specific Conductance	255	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J25	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-42	7/19/1989 0:00	N	CONDUCT	Specific Conductance	253	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J24	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-42	7/19/1989 0:00	N	CONDUCT	Specific Conductance	255	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J23	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-42	7/19/1989 0:00	Y	7440-24-6	Strontium	194	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J23F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	N	7440-24-6	Strontium	189	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J23	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	N	10098-97-2	Strontium-90	-0.265	pCi/L	U	[NULL]	[NULL]	R	H0007J23	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-42	7/19/1989 0:00	N	14808-79-8	Sulfate	37600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J23	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	7/19/1989 0:00	N	TEMPERATURE	Temperature	23.1	Deg C	[NULL]	[NULL]	[NULL]	R	H000GNJ4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-42	7/19/1989 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007J23	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	7/19/1989 0:00	N	109-99-9	Tetrahydrofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007J23	109-99-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	7/19/1989 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007J23F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007J23	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007J23F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	N	7440-32-6	Titanium	67	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J23	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	N	108-88-3	Toluene	5	ug/L	U	[NULL]	[NULL]	R	H0007J23	108-88-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	7/19/1989 0:00	N	TOC	Total organic carbon	600	ug/L	U	[NULL]	[NULL]	R	H0007J26	TOC	USTEST	9060_TOC	100-NR-2
199-N-42	7/19/1989 0:00	N	TOC	Total organic carbon	800	ug/L	U	[NULL]	[NULL]	R	H0007J24	TOC	USTEST	9060_TOC	100-NR-2
199-N-42	7/19/1989 0:00	N	TOC	Total organic carbon	700	ug/L	U	[NULL]	[NULL]	R	H0007J25	TOC	USTEST	9060_TOC	100-NR-2
199-N-42	7/19/1989 0:00	N	TOC	Total organic carbon	700	ug/L	U	[NULL]	[NULL]	R	H0007J23	TOC	USTEST	9060_TOC	100-NR-2
199-N-42	7/19/1989 0:00	N	59473-04-0	Total organic halides	16	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J26	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-42	7/19/1989 0:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	H0007J25	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-42	7/19/1989 0:00	N	59473-04-0	Total organic halides	7	ug/L	U	[NULL]	[NULL]	R	H0007J23	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-42	7/19/1989 0:00	N	59473-04-0	Total organic halides	1	ug/L	U	[NULL]	[NULL]	R	H0007J24	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-42	7/19/1989 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007J23	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	7/19/1989 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007J23	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	7/19/1989 0:00	N	10028-17-8	Tritium	25900	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J23	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	7/19/1989 0:00	N	TURBIDITY	Turbidity	200	NTU	[NULL]	[NULL]	[NULL]	R	H0007J23	TURBIDITY	USTEST	214A_TURBIDITY	100-NR-2
199-N-42	7/19/1989 0:00	N	7440-61-1	Uranium	0.988	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J23	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	7/19/1989 0:00	N	7440-62-2	Vanadium	33	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J23	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	Y	7440-62-2	Vanadium	26	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J23F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	N	75-01-4	Vinyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007J23	75-01-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	7/19/1989 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007J23	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	7/19/1989 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007J23F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	N	7440-66-6	Zinc	8	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J23	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007J23	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007J23F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	7/19/1989 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J23	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	7/19/1989 0:00	N	PH	pH Measurement	7.72	unitless	[NULL]	[NULL]	[NULL]	R	H0007J24	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-42	7/19/1989 0:00	N	PH	pH Measurement	7.69	unitless	[NULL]	[NULL]	[NULL]	R	H0007J23	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-42	7/19/1989 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007J23	PH	USTEST	9040_PH	100-NR-2
199-N-42	7/19/1989 0:00	N	PH	pH Measurement	7.71	unitless	[NULL]	[NULL]	[NULL]	R	H0007J26	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-42	7/19/1989 0:00	N	PH	pH Measurement	7.72	unitless	[NULL]	[NULL]	[NULL]	R	H0007J25	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-42	7/19/1989 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007J24	PH	USTEST	9040_PH	100-NR-2
199-N-42	7/19/1989 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007J26	PH	USTEST	9040_PH	100-NR-2
199-N-42	7/19/1989 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007J25	PH	USTEST	9040_PH	100-NR-2
199-N-42	7/19/1989 0:00	N	156-60-5	trans-1,2-Dichloroethylene	5	ug/L	U	[NULL]	[NULL]	R	H0007J23	156-60-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	9/20/1989 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007J27	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	9/20/1989 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J27	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	9/20/1989 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J27	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	9/20/1989 0:00	N	75-34-3	1,1-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J27	75-34-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	9/20/1989 0:00	N	107-06-2	1,2-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J27	107-06-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	9/20/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007J27	106-46-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	9/20/1989 0:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007J27	93-76-5	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-42	9/20/1989 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007J27	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-42	9/20/1989 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007J27	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-42	9/20/1989 0:00	N	78-93-3	2-Butanone	18	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J27	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	9/20/1989 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007J27	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	9/20/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007J27	67-64-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	9/20/1989 0:00	N	ALPHAHI	Alpha	1.65	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J27	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	9/20/1989 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J27	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	9/20/1989 0:00	N	7429-90-5	Aluminum	5550	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J27	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007J27F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007J27	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-42	9/20/1989 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007J27	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007J27F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	N	7440-38-2	Arsenic	14	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J27	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-42	9/20/1989 0:00	N	H37	Arsenic, filtered	6	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J27	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	9/20/1989 0:00	N	7440-39-3	Barium	71	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J27	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	Y	7440-39-3	Barium	14	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J27F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	N	71-43-2	Benzene	5	ug/L	U	[NULL]	[NULL]	R	H0007J27	71-43-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	9/20/1989 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007J27F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007J27	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	Y	7440-42-8	Boron	23	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J27F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	N	7440-42-8	Boron	22	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J27	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007J27	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	9/20/1989 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007J27F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007J27	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	Y	7440-70-2	Calcium	21600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J27F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	N	7440-70-2	Calcium	25900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J27	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007J27	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	9/20/1989 0:00	N	10045-97-3	Cesium-137	3.31	pCi/L	U	[NULL]	[NULL]	R	H0007J27	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	9/20/1989 0:00	N	16887-00-6	Chloride	3500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J27	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	9/20/1989 0:00	N	67-66-3	Chloroform	5	ug/L	U	[NULL]	[NULL]	R	H0007J27	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	9/20/1989 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007J27F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	N	7440-47-3	Chromium	16	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J27	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007J27F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007J27	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	N	10198-40-0	Cobalt-60	25.2	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J27	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	9/20/1989 0:00	N	COLIFORM	Coliform Bacteria	2.2	MPN	U	[NULL]	[NULL]	R	H0007J27	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-42	9/20/1989 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007J27F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	N	7440-50-8	Copper	17	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J27	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J27	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	9/20/1989 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J27	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	9/20/1989 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007J27	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	9/20/1989 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J27	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	9/20/1989 0:00	N	12587-47-2	Gross beta	11.5	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J27	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	9/20/1989 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007J27	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-42	9/20/1989 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007J27F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	N	7439-89-6	Iron	13500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J27	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007J27	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-42	9/20/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007J27	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	9/20/1989 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007J27	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007J27F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	N	7439-95-4	Magnesium	8430	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J27	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	Y	7439-95-4	Magnesium	5280	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J27F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007J27F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	N	7439-96-5	Manganese	240	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J27	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-42	9/20/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J27	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-42	9/20/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J27	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	9/20/1989 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007J27	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	9/20/1989 0:00	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	H0007J27	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	9/20/1989 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007J27	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007J27F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007J27F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007J27	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	N	14797-55-8	Nitrate	3300	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J27	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	9/20/1989 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007J27	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-42	9/20/1989 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J27	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2
199-N-42	9/20/1989 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007J27	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	9/20/1989 0:00	Y	7440-09-7	Potassium	3680	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J27F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	N	7440-09-7	Potassium	4650	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J27	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	N	7440-14-4	Radium	0.467	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J27	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	9/20/1989 0:00	N	13967-48-1	Ruthenium-106	-50.8	pCi/L	U	[NULL]	[NULL]	R	H0007J27	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	9/20/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007J27	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-42	9/20/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007J27	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	9/20/1989 0:00	Y	7440-21-3	Silicon	15100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J27F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	N	7440-21-3	Silicon	27300	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J27	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007J27F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007J27	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	N	7440-23-5	Sodium	6130	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J27	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	Y	7440-23-5	Sodium	5740	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J27F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	N	CONDUCT	Specific Conductance	175	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J27	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-42	9/20/1989 0:00	N	CONDUCT	Specific Conductance	176	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J30	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-42	9/20/1989 0:00	N	CONDUCT	Specific Conductance	176	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J28	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-42	9/20/1989 0:00	N	CONDUCT	Specific Conductance	175	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J29	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-42	9/20/1989 0:00	N	CONDUCT	Specific Conductance	172	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J30	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-42	9/20/1989 0:00	N	CONDUCT	Specific Conductance	173	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J28	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-42	9/20/1989 0:00	N	CONDUCT	Specific Conductance	173	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J29	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-42	9/20/1989 0:00	N	CONDUCT	Specific Conductance	175	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J27	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-42	9/20/1989 0:00	N	7440-24-6	Strontium	185	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J27	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	Y	7440-24-6	Strontium	153	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J27F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	N	10098-97-2	Strontium-90	0.077	pCi/L	U	[NULL]	[NULL]	R	H0007J27	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	9/20/1989 0:00	N	14808-79-8	Sulfate	19400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J27	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	9/20/1989 0:00	N	TEMPERATURE	Temperature	23.5	Deg C	[NULL]	[NULL]	[NULL]	R	H000GP76	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-42	9/20/1989 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007J27	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	9/20/1989 0:00	N	109-99-9	Tetrahydrofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007J27	109-99-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	9/20/1989 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007J27	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007J27F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007J27F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	N	7440-32-6	Titanium	420	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J27	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	N	108-88-3	Toluene	5	ug/L	U	[NULL]	[NULL]	R	H0007J27	108-88-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	9/20/1989 0:00	N	TOC	Total organic carbon	800	ug/L	U	[NULL]	[NULL]	R	H0007J27	TOC	USTEST	9060_TOC	100-NR-2
199-N-42	9/20/1989 0:00	N	TOC	Total organic carbon	800	ug/L	U	[NULL]	[NULL]	R	H0007J29	TOC	USTEST	9060_TOC	100-NR-2
199-N-42	9/20/1989 0:00	N	TOC	Total organic carbon	1100	ug/L	U	[NULL]	[NULL]	R	H0007J30	TOC	USTEST	9060_TOC	100-NR-2
199-N-42	9/20/1989 0:00	N	TOC	Total organic carbon	1200	ug/L	U	[NULL]	[NULL]	R	H0007J28	TOC	USTEST	9060_TOC	100-NR-2
199-N-42	9/20/1989 0:00	N	59473-04-0	Total organic halides	3	ug/L	U	[NULL]	[NULL]	R	H0007J29	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-42	9/20/1989 0:00	N	59473-04-0	Total organic halides	13	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J28	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-42	9/20/1989 0:00	N	59473-04-0	Total organic halides	12	ug/L	U	[NULL]	[NULL]	R	H0007J30	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-42	9/20/1989 0:00	N	59473-04-0	Total organic halides	19	ug/L	U	[NULL]	[NULL]	R	H0007J27	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-42	9/20/1989 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007J27	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	9/20/1989 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007J27	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	9/20/1989 0:00	N	10028-17-8	Tritium	9820	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J27	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-42	9/20/1989 0:00	N	TURBIDITY	Turbidity	64	NTU	[NULL]	[NULL]	[NULL]	R	H0007J27	TURBIDITY	USTEST	214A_TURBIDITY	100-NR-2
199-N-42	9/20/1989 0:00	N	7440-61-1	Uranium	1.08	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J27	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	9/20/1989 0:00	Y	7440-62-2	Vanadium	25	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J27F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	N	7440-62-2	Vanadium	58	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J27	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	N	75-01-4	Vinyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007J27	75-01-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	9/20/1989 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007J27	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	9/20/1989 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007J27F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	N	7440-66-6	Zinc	48	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J27	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007J27	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007J27F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	9/20/1989 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J27	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	9/20/1989 0:00	N	PH	pH Measurement	7.8	unitless	[NULL]	[NULL]	[NULL]	R	H0007J27	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-42	9/20/1989 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007J27	PH	USTEST	9040_PH	100-NR-2
199-N-42	9/20/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007J30	PH	USTEST	9040_PH	100-NR-2
199-N-42	9/20/1989 0:00	N	PH	pH Measurement	7.81	unitless	[NULL]	[NULL]	[NULL]	R	H0007J30	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-42	9/20/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007J28	PH	USTEST	9040_PH	100-NR-2
199-N-42	9/20/1989 0:00	N	PH	pH Measurement	7.82	unitless	[NULL]	[NULL]	[NULL]	R	H0007J28	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-42	9/20/1989 0:00	N	PH	pH Measurement	7.81	unitless	[NULL]	[NULL]	[NULL]	R	H0007J29	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-42	9/20/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007J29	PH	USTEST	9040_PH	100-NR-2
199-N-42	9/20/1989 0:00	N	156-60-5	trans-1,2-Dichloroethylene	5	ug/L	U	[NULL]	[NULL]	R	H0007J27	156-60-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	630-20-6	1,1,1,2-Tetrachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	630-20-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	79-34-5	1,1,2,2-Tetrachloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	79-34-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	75-34-3	1,1-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	75-34-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	75-35-4	1,1-Dichloroethene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	75-35-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	57-14-7	1,1-Dimethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	57-14-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	634-66-2	1,2,3,4-Tetrachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	634-66-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	634-90-2	1,2,3,5-Tetrachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	634-90-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	87-61-6	1,2,3-Trichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	87-61-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	96-18-4	1,2,3-Trichloropropane	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	96-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	95-94-3	1,2,4,5-Tetrachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	95-94-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	120-82-1	1,2,4-Trichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	120-82-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	96-12-8	1,2-Dibromo-3-chloropropane	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	96-12-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	106-93-4	1,2-Dibromoethane	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	106-93-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	95-50-1	1,2-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	95-50-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	107-06-2	1,2-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	107-06-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	78-87-5	1,2-Dichloropropane	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	78-87-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	540-73-8	1,2-Dimethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	540-73-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	122-66-7	1,2-Diphenylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	122-66-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	108-70-3	1,3,5-Trichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	108-70-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	541-73-1	1,3-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	541-73-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	542-75-6	1,3-Dichloropropene	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	542-75-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	106-46-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	106-46-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	123-91-1	1,4-Dioxane	500	ug/L	U	[NULL]	[NULL]	R	H0007J31	123-91-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	130-15-4	1,4-Naphthoquinone	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	130-15-4	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-42	11/29/1989 0:00	N	5344-82-1	1-(o-Chlorophenyl)thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007J31	5344-82-1	USTEST	8330_THIOUREA_M	100-NR-2
199-N-42	11/29/1989 0:00	N	591-08-2	1-Acetyl-2-thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007J31	591-08-2	USTEST	8330_THIOUREA_M	100-NR-2
199-N-42	11/29/1989 0:00	N	71-36-3	1-Butanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007J31	71-36-3	USTEST	GC_DIRECT	100-NR-2
199-N-42	11/29/1989 0:00	N	L60	1-Butynol	10000	ug/L	U	[NULL]	[NULL]	R	H0007J31	L60	USTEST	GC_DIRECT	100-NR-2
199-N-42	11/29/1989 0:00	N	106-89-8	1-Chloro-2,3-epoxypropane	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	106-89-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	86-88-4	1-Naphthyl-2-thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007J31	86-88-4	USTEST	8330_THIOUREA_M	100-NR-2
199-N-42	11/29/1989 0:00	N	134-32-7	1-Naphthylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	134-32-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	71-23-8	1-Propanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007J31	71-23-8	USTEST	GC_DIRECT	100-NR-2
199-N-42	11/29/1989 0:00	N	58-90-2	2,3,4,6-Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	58-90-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	1746-01-6	2,3,7,8-Tetrachlorodibenzo-p-dioxin	0.01	ug/L	U	[NULL]	[NULL]	R	H0007J31	1746-01-6	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007J31	93-76-5	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-42	11/29/1989 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007J31	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-42	11/29/1989 0:00	N	95-95-4	2,4,5-Trichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	95-95-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	88-06-2	2,4,6-Trichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	88-06-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007J31	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-42	11/29/1989 0:00	N	120-83-2	2,4-Dichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	120-83-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	51-28-5	2,4-Dinitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	51-28-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	121-14-2	2,4-Dinitrotoluene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	121-14-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	87-65-0	2,6-Dichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	87-65-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	606-20-2	2,6-Dinitrotoluene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	606-20-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	53-96-3	2-Acetylaminofluorene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	53-96-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	78-93-3	2-Butanone	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	110-75-8	2-Chloroethyl vinyl ether	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	110-75-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	91-58-7	2-Chloronaphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	91-58-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	95-57-8	2-Chlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	95-57-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	131-89-5	2-Cyclohexyl-4,6-dinitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	131-89-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	591-78-6	2-Hexanone	50	ug/L	U	[NULL]	[NULL]	R	H0007J31	591-78-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	116-06-3	2-Methyl-2-(methylthio)propionaldehyde-o-(methylcarbonyl) ox	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	116-06-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	75-55-8	2-Methylaziridine	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	75-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	75-86-5	2-Methyllactonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	75-86-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	91-57-6	2-Methylnaphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	91-57-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	91-59-8	2-Naphthylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	91-59-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	88-74-4	2-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	88-74-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	88-75-5	2-Nitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	88-75-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	109-06-8	2-Picoline	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	109-06-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	107-19-7	2-Propyn-1-ol	10000	ug/L	U	[NULL]	[NULL]	R	H0007J31	107-19-7	USTEST	GC_DIRECT	100-NR-2
199-N-42	11/29/1989 0:00	N	91-94-1	3,3'-Dichlorobenzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	91-94-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	119-90-4	3,3'-Dimethoxybenzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	119-90-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	119-93-7	3,3'-Dimethylbenzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	119-93-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	542-76-7	3-Chloropropionitrile	10000	ug/L	U	[NULL]	[NULL]	R	H0007J31	542-76-7	USTEST	GC_DIRECT	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-42	11/29/1989 0:00	N	56-49-5	3-Methylcholanthrene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	56-49-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	99-09-2	3-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	99-09-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	72-54-8	4,4'-DDD (Dichlorodiphenyldichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J31	72-54-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	11/29/1989 0:00	N	72-55-9	4,4'-DDE (Dichlorodiphenyldichloroethylene)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J31	72-55-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	11/29/1989 0:00	N	50-29-3	4,4'-DDT (Dichlorodiphenyltrichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J31	50-29-3	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	11/29/1989 0:00	N	101-14-4	4,4'-Methylenebis(2-chloroaniline)	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	101-14-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	534-52-1	4,6-Dinitro-2-methylphenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	534-52-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	92-67-1	4-Aminobiphenyl	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	92-67-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	101-55-3	4-Bromophenylphenyl ether	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	101-55-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	59-50-7	4-Chloro-3-methylphenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	59-50-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	106-47-8	4-Chloroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	106-47-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	100-01-6	4-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	100-01-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	100-02-7	4-Nitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	100-02-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	56-57-5	4-Nitroquinoline-1-oxide	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	56-57-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	2763-96-4	5-(Aminomethyl)-3-isoxazolol	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	2763-96-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	99-55-8	5-Nitro-o-toluidine	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	99-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	57-97-6	7,12-Dimethylbenz[a]anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	57-97-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	194-59-2	7H-Dibenzo[c,g]carbazole	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	194-59-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	83-32-9	Acenaphthene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	83-32-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	208-96-8	Acenaphthylene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	208-96-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	67-64-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	67-64-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	75-05-8	Acetonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	75-05-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	98-86-2	Acetophenone	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	98-86-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	107-02-8	Acrolein	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	107-02-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	79-06-1	Acrylamide	10000	ug/L	U	[NULL]	[NULL]	R	H0007J31	79-06-1	USTEST	GC_DIRECT	100-NR-2
199-N-42	11/29/1989 0:00	N	107-13-1	Acrylonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	107-13-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	309-00-2	Aldrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J31	309-00-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	11/29/1989 0:00	N	107-18-6	Allyl alcohol	10000	ug/L	U	[NULL]	[NULL]	R	H0007J31	107-18-6	USTEST	GC_DIRECT	100-NR-2
199-N-42	11/29/1989 0:00	N	107-05-1	Allyl chloride	100	ug/L	U	[NULL]	[NULL]	R	H0007J31	107-05-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	ALPHAHI	Alpha	0.258	pCi/L	U	[NULL]	[NULL]	R	H0007J31	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	11/29/1989 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J31	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	11/29/1989 0:00	N	7429-90-5	Aluminum	772	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J31	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007J31F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	N	61-82-5	Amitrole	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	61-82-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007J31	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-42	11/29/1989 0:00	N	62-53-3	Aniline	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	62-53-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	120-12-7	Anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	120-12-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007J31	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007J31F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	N	140-57-8	Aramite	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	140-57-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	12674-11-2	Aroclor-1016	1	ug/L	U	[NULL]	[NULL]	R	H0007J31	12674-11-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	11/29/1989 0:00	N	11104-28-2	Aroclor-1221	1	ug/L	U	[NULL]	[NULL]	R	H0007J31	11104-28-2	USTEST	8080_PESTPCB_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-42	11/29/1989 0:00	N	11141-16-5	Aroclor-1232	1	ug/L	U	[NULL]	[NULL]	R	H0007J31	11141-16-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	11/29/1989 0:00	N	53469-21-9	Aroclor-1242	1	ug/L	U	[NULL]	[NULL]	R	H0007J31	53469-21-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	11/29/1989 0:00	N	12672-29-6	Aroclor-1248	1	ug/L	U	[NULL]	[NULL]	R	H0007J31	12672-29-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	11/29/1989 0:00	N	11097-69-1	Aroclor-1254	1	ug/L	U	[NULL]	[NULL]	R	H0007J31	11097-69-1	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	11/29/1989 0:00	N	11096-82-5	Aroclor-1260	1	ug/L	U	[NULL]	[NULL]	R	H0007J31	11096-82-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	11/29/1989 0:00	N	7440-38-2	Arsenic	9	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J31	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-42	11/29/1989 0:00	N	H37	Arsenic, filtered	7	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J31	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	11/29/1989 0:00	N	492-80-8	Auramine	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	492-80-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	7440-39-3	Barium	21	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J31	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	Y	7440-39-3	Barium	13	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J31F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	N	225-51-4	Benz[c]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	225-51-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	71-43-2	Benzene	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	71-43-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	108-98-5	Benzenethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	108-98-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	92-87-5	Benzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	92-87-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	56-55-3	Benzo(a)anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	56-55-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	50-32-8	Benzo(a)pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	50-32-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	205-99-2	Benzo(b)fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	205-99-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	191-24-2	Benzo(ghi)perylene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	191-24-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	207-08-9	Benzo(k)fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	207-08-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	205-82-3	Benzo[j]fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	205-82-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	100-51-6	Benzyl alcohol	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	100-51-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	100-44-7	Benzyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	100-44-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007J31F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	N	111-91-1	Bis(2-Chloroethoxy)methane	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	111-91-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	108-60-1	Bis(2-chloro-1-methylethyl)ether	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	108-60-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	111-44-4	Bis(2-chloroethyl) ether	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	111-44-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	117-81-7	Bis(2-ethylhexyl) phthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	117-81-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	542-88-1	Bis(chloromethyl) ether	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	542-88-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	Y	7440-42-8	Boron	16	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J31F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	N	7440-42-8	Boron	18	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J31	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007J31	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	11/29/1989 0:00	N	598-31-2	Bromoacetone	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	598-31-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	75-27-4	Bromodichloromethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	75-27-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	75-25-2	Bromoform	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	75-25-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	74-83-9	Bromomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	74-83-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	85-68-7	Butylbenzylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	85-68-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007J31	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007J31F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	N	7440-70-2	Calcium	19700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J31	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	Y	7440-70-2	Calcium	20000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J31F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	N	75-15-0	Carbon disulfide	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	75-15-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	786-19-6	Carbophenothion	2	ug/L	U	[NULL]	[NULL]	R	H0007J31	786-19-6	USTEST	8140_PEST_GC	100-NR-2
199-N-42	11/29/1989 0:00	N	10045-97-3	Cesium-137	5.89	pCi/L	U	[NULL]	[NULL]	R	H0007J31	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	11/29/1989 0:00	N	57-74-9	Chlordane	1	ug/L	U	[NULL]	[NULL]	R	H0007J31	57-74-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	11/29/1989 0:00	N	16887-00-6	Chloride	1800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J31	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	11/29/1989 0:00	N	494-03-1	Chlornaphazine	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	494-03-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	B44	Chloroalkyl ethers	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	B44	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	108-90-7	Chlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	108-90-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	108-90-7	Chlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	108-90-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	510-15-6	Chlorobenzilate	300	ug/L	U	[NULL]	[NULL]	R	H0007J31	510-15-6	USTEST	8080_PESTPCB_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-42	11/29/1989 0:00	N	75-00-3	Chloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	75-00-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	67-66-3	Chloroform	3	ug/L	U	[NULL]	[NULL]	R	H0007J31	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	74-87-3	Chloromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	74-87-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	107-30-2	Chloromethyl methyl ether	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	107-30-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007J31F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	N	218-01-9	Chrysene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	218-01-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	6358-53-8	Citrus red No. 2	1000	ug/L	U	[NULL]	[NULL]	R	H0007J31	6358-53-8	USTEST	CITRUS_RED	100-NR-2
199-N-42	11/29/1989 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007J31	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007J31F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	N	10198-40-0	Cobalt-60	12.1	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J31	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	11/29/1989 0:00	N	COLIFORM	Coliform Bacteria	2.2	MPN	U	[NULL]	[NULL]	R	H0007J31	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-42	11/29/1989 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007J31F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	N	4170-30-3	Crotonaldehyde	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	4170-30-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	57-12-5	Cyanide	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	57-12-5	USTEST	9010_CYANIDE	100-NR-2
199-N-42	11/29/1989 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J31	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	11/29/1989 0:00	N	84-74-2	Di-n-butylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	84-74-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	117-84-0	Di-n-octylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	117-84-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	2303-16-4	Diallate	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	2303-16-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	226-36-8	Dibenz[a,h]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	226-36-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	53-70-3	Dibenz[a,h]anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	53-70-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	224-42-0	Dibenz[a,j]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	224-42-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	192-65-4	Dibenzo[a,e]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	192-65-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	189-64-0	Dibenzo[a,h]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	189-64-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	189-55-9	Dibenzo[a,i]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	189-55-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	132-64-9	Dibenzofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	132-64-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	124-48-1	Dibromochloromethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	124-48-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	74-95-3	Dibromomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	74-95-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	107-66-4	Dibutylphosphate	10000	ug/L	U	[NULL]	[NULL]	R	H0007J31	107-66-4	USTEST	70-MDBP	100-NR-2
199-N-42	11/29/1989 0:00	N	75-71-8	Dichlorodifluoromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	75-71-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	98-87-3	Dichloromethyl-benzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	98-87-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	60-57-1	Dieldrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J31	60-57-1	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	11/29/1989 0:00	N	84-66-2	Diethylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	84-66-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	56-53-1	Diethylstilbesterol	200	ug/L	U	[NULL]	[NULL]	R	H0007J31	56-53-1	USTEST	8330_THIOUREA_M	100-NR-2
199-N-42	11/29/1989 0:00	N	94-58-6	Dihydrosafrole	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	94-58-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	60-51-5	Dimethoate	2	ug/L	U	[NULL]	[NULL]	R	H0007J31	60-51-5	USTEST	8140_PEST_GC	100-NR-2
199-N-42	11/29/1989 0:00	N	131-11-3	Dimethyl phthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	131-11-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	88-85-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	122-39-4	Diphenylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	122-39-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	298-04-4	Disulfoton	2	ug/L	U	[NULL]	[NULL]	R	H0007J31	298-04-4	USTEST	8140_PEST_GC	100-NR-2
199-N-42	11/29/1989 0:00	N	959-98-8	Endosulfan I	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J31	959-98-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	11/29/1989 0:00	N	33213-65-9	Endosulfan II	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J31	33213-65-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	11/29/1989 0:00	N	1031-07-8	Endosulfan sulfate	0.5	ug/L	U	[NULL]	[NULL]	R	H0007J31	1031-07-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	11/29/1989 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J31	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	11/29/1989 0:00	N	64-17-5	Ethanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007J31	64-17-5	USTEST	GC_DIRECT	100-NR-2
199-N-42	11/29/1989 0:00	N	51-79-6	Ethyl carbamate (Urethane)	10000	ug/L	U	[NULL]	[NULL]	R	H0007J31	51-79-6	USTEST	GC_DIRECT	100-NR-2
199-N-42	11/29/1989 0:00	N	107-12-0	Ethyl cyanide	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	107-12-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	107-12-0	Ethyl cyanide	10000	ug/L	U	[NULL]	[NULL]	R	H0007J31	107-12-0	USTEST	GC_DIRECT	100-NR-2
199-N-42	11/29/1989 0:00	N	97-63-2	Ethyl methacrylate	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	97-63-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	62-50-0	Ethyl methanesulfonate	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	62-50-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	100-41-4	Ethylbenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	100-41-4	USTEST	8240_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-42	11/29/1989 0:00	N	107-21-1	Ethylene glycol	10000	ug/L	U	[NULL]	[NULL]	R	H0007J31	107-21-1	USTEST	GC_DIRECT	100-NR-2
199-N-42	11/29/1989 0:00	N	75-21-8	Ethylene oxide	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	75-21-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	151-56-4	Ethyleneimine	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	151-56-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	96-45-7	Ethylenethiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007J31	96-45-7	USTEST	8330_THIOUREA_M	100-NR-2
199-N-42	11/29/1989 0:00	N	206-44-0	Fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	206-44-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	86-73-7	Fluorene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	86-73-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007J31	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	11/29/1989 0:00	N	16984-48-8	Fluoride	280	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J31	16984-48-8	USTEST	D1179_FLUORIDE	100-NR-2
199-N-42	11/29/1989 0:00	N	50-00-0	Formaldehyde	500	ug/L	U	[NULL]	[NULL]	R	H0007J31	50-00-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J31	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	11/29/1989 0:00	N	12587-47-2	Gross beta	15.7	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J31	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	11/29/1989 0:00	N	76-44-8	Heptachlor	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J31	76-44-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	11/29/1989 0:00	N	1024-57-3	Heptachlor epoxide	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J31	1024-57-3	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	11/29/1989 0:00	N	118-74-1	Hexachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	118-74-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	87-68-3	Hexachlorobutadiene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	87-68-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	77-47-4	Hexachlorocyclopentadiene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	77-47-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	67-72-1	Hexachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	67-72-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	70-30-4	Hexachlorophene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	70-30-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	1888-71-7	Hexachloropropene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	1888-71-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007J31	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-42	11/29/1989 0:00	N	193-39-5	Indeno(1,2,3-cd)pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	193-39-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	74-88-4	Iodomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	74-88-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	7439-89-6	Iron	4790	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J31	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007J31F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	N	78-83-1	Isobutyl alcohol	10000	ug/L	U	[NULL]	[NULL]	R	H0007J31	78-83-1	USTEST	GC_DIRECT	100-NR-2
199-N-42	11/29/1989 0:00	N	465-73-6	Isodrin	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	465-73-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	78-59-1	Isophorone	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	78-59-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	120-58-1	Isosafrole	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	120-58-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	143-50-0	Kepone	1	ug/L	U	[NULL]	[NULL]	R	H0007J31	143-50-0	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	11/29/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	11/29/1989 0:00	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-42	11/29/1989 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007J31F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	N	7439-95-4	Magnesium	5060	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J31	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	Y	7439-95-4	Magnesium	4750	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J31	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	N	123-33-1	Maleic hydrazide	500	ug/L	U	[NULL]	[NULL]	R	H0007J31F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	N	109-77-3	Malononitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	123-33-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	109-77-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	7439-96-5	Manganese	48	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J31F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	N	148-82-3	Melphalan	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J31	148-82-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J31	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	11/29/1989 0:00	N	126-98-7	Methacrylonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-42	11/29/1989 0:00	N	74-93-1	Methanethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	126-98-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	91-80-5	Methapyrilene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	74-93-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	16752-77-5	Metholonyl	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	91-80-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007J31	16752-77-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	80-62-6	Methyl methacrylate	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	11/29/1989 0:00	N	66-27-3	Methyl methanesulfonate	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	80-62-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	298-00-0	Methyl parathion	2	ug/L	U	[NULL]	[NULL]	R	H0007J31	66-27-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	298-00-0	USTEST	8140_PEST_GC	100-NR-2
199-N-42	11/29/1989 0:00	N	56-04-2	Methylthiouracil	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007J31	56-04-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007J31	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
											H0007J31F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-42	11/29/1989 0:00	N	1623-15-0	Monobutyl phosphate	10000	ug/L	U	[NULL]	[NULL]	R	H0007J31	1623-15-0	USTEST	70-MDBP	100-NR-2
199-N-42	11/29/1989 0:00	N	91-20-3	Naphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	91-20-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007J31F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	N	59-67-6	Nicotinic acid	100	ug/L	U	[NULL]	[NULL]	R	H0007J31	59-67-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	14797-55-8	Nitrate	1100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J31	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	11/29/1989 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007J31	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-42	11/29/1989 0:00	N	98-95-3	Nitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	98-95-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	930-55-2	Nitrosopyrrolidine	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	930-55-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	126-68-1	O,O,O-Triethyl phosphorothioate	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	126-68-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	297-97-2	O,O-Diethyl O-2-pyrazinyl phosphorothioate	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	297-97-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	123-63-7	Paraldehyde	10000	ug/L	U	[NULL]	[NULL]	R	H0007J31	123-63-7	USTEST	GC_DIRECT	100-NR-2
199-N-42	11/29/1989 0:00	N	56-38-2	Parathion	2	ug/L	U	[NULL]	[NULL]	R	H0007J31	56-38-2	USTEST	8140_PEST_GC	100-NR-2
199-N-42	11/29/1989 0:00	N	608-93-5	Pentachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	608-93-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	76-01-7	Pentachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	76-01-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	82-68-8	Pentachloronitrobenzene (PCNB)	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	82-68-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	87-86-5	Pentachlorophenol	50	ug/L	U	[NULL]	[NULL]	R	H0007J31	87-86-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	14797-73-0	Perchlorate anion	500	ug/L	U	[NULL]	[NULL]	R	H0007J31	14797-73-0	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	11/29/1989 0:00	N	62-44-2	Phenacetin	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	62-44-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	85-01-8	Phenanthrene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	85-01-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	108-95-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	25265-76-3	Phenylenediamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	25265-76-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	298-02-2	Phorate	2	ug/L	U	[NULL]	[NULL]	R	H0007J31	298-02-2	USTEST	8140_PEST_GC	100-NR-2
199-N-42	11/29/1989 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007J31	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	11/29/1989 0:00	N	C31	Phthalic acid esters	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	C31	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	13981-16-3	Plutonium-238	0.00078	pCi/L	U	[NULL]	[NULL]	R	H0007J31	13981-16-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	11/29/1989 0:00	N	PU-239/240	Plutonium-239/240	0.00206	pCi/L	U	[NULL]	[NULL]	R	H0007J31	PU-239/240	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	11/29/1989 0:00	N	136677-09-3	Polychlorinated dibenzo-p-dioxins	0.01	ug/L	U	[NULL]	[NULL]	R	H0007J31	136677-09-3	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	136677-10-6	Polychlorinated dibenzofurans	0.01	ug/L	U	[NULL]	[NULL]	R	H0007J31	136677-10-6	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	Y	7440-09-7	Potassium	3280	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J31F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	N	7440-09-7	Potassium	3390	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J31	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	N	23950-58-5	Pronamide	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	23950-58-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	129-00-0	Pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	129-00-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	110-86-1	Pyridine	500	ug/L	U	[NULL]	[NULL]	R	H0007J31	110-86-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	7440-14-4	Radium	0.134	pCi/L	U	[NULL]	[NULL]	R	H0007J31	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	11/29/1989 0:00	N	50-55-5	Reserpine	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	50-55-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	108-46-3	Resorcinol	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	108-46-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	13967-48-1	Ruthenium-106	1.05	pCi/L	U	[NULL]	[NULL]	R	H0007J31	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	11/29/1989 0:00	N	94-59-7	Safrol	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	94-59-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	11/29/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-42	11/29/1989 0:00	Y	7440-21-3	Silicon	14800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J31F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	N	7440-21-3	Silicon	16300	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J31	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007J31F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	N	7440-23-5	Sodium	5140	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J31	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	Y	7440-23-5	Sodium	5170	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J31F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	N	CONDUCT	Specific Conductance	167	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J31	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-42	11/29/1989 0:00	N	CONDUCT	Specific Conductance	202	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J34	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-42	11/29/1989 0:00	N	CONDUCT	Specific Conductance	201	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J33	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-42	11/29/1989 0:00	N	CONDUCT	Specific Conductance	202	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J32	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-42	11/29/1989 0:00	N	CONDUCT	Specific Conductance	201	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J31	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-42	11/29/1989 0:00	N	7440-24-6	Strontium	133	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J31	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	Y	7440-24-6	Strontium	132	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J31F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	N	10098-97-2	Strontium-90	0.223	pCi/L	U	[NULL]	[NULL]	R	H0007J31	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	11/29/1989 0:00	N	57-24-9	Strychnine	50	ug/L	U	[NULL]	[NULL]	R	H0007J31	57-24-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	100-42-5	Styrene	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	100-42-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	14808-79-8	Sulfate	14800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J31	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	11/29/1989 0:00	N	18496-25-8	Sulfide	1000	ug/L	U	[NULL]	[NULL]	R	H0007J31	18496-25-8	USTEST	9030_SULFIDE	100-NR-2
199-N-42	11/29/1989 0:00	N	TEMPERATURE	Temperature	22.8	Deg C	[NULL]	[NULL]	[NULL]	R	H000GPK3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-42	11/29/1989 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	107-49-3	Tetraethylpyrophosphate	2	ug/L	U	[NULL]	[NULL]	R	H0007J31	107-49-3	USTEST	8140_PEST_GC	100-NR-2
199-N-42	11/29/1989 0:00	N	109-99-9	Tetrahydrofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	109-99-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	7440-28-0	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	11/29/1989 0:00	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	7440-28-0	USTEST	7841_TL_GFAA	100-NR-2
199-N-42	11/29/1989 0:00	N	39196-18-4	Thiofanox	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	39196-18-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	62-56-6	Thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007J31	62-56-6	USTEST	8330_THIOUREA_M	100-NR-2
199-N-42	11/29/1989 0:00	N	137-26-8	Thiuram	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	137-26-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007J31	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007J31F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007J31F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007J31	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	N	108-88-3	Toluene	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	108-88-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	25376-45-8	Toluenediamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	25376-45-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	TC	Total carbon	16000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J31	TC	USTEST	D2579A_CARBON	100-NR-2
199-N-42	11/29/1989 0:00	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	1319-77-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	TDS	Total dissolved solids	9.9E+07	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J31	TDS	USTEST	209B_TDS	100-NR-2
199-N-42	11/29/1989 0:00	N	TOC	Total organic carbon	700	ug/L	U	[NULL]	[NULL]	R	H0007J31	TOC	USTEST	9060_TOC	100-NR-2
199-N-42	11/29/1989 0:00	N	TOC	Total organic carbon	700	ug/L	U	[NULL]	[NULL]	R	H0007J33	TOC	USTEST	9060_TOC	100-NR-2
199-N-42	11/29/1989 0:00	N	TOC	Total organic carbon	600	ug/L	U	[NULL]	[NULL]	R	H0007J32	TOC	USTEST	9060_TOC	100-NR-2
199-N-42	11/29/1989 0:00	N	TOC	Total organic carbon	700	ug/L	U	[NULL]	[NULL]	R	H0007J34	TOC	USTEST	9060_TOC	100-NR-2
199-N-42	11/29/1989 0:00	N	59473-04-0	Total organic halides	8	ug/L	U	[NULL]	[NULL]	R	H0007J32	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-42	11/29/1989 0:00	N	59473-04-0	Total organic halides	11	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J33	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-42	11/29/1989 0:00	N	59473-04-0	Total organic halides	2	ug/L	U	[NULL]	[NULL]	R	H0007J34	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-42	11/29/1989 0:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-42	11/29/1989 0:00	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	10000	ug/L	U	[NULL]	[NULL]	R	H0007J31	TPHKEROSENE	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007J31	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	11/29/1989 0:00	N	126-73-8	Tributyl phosphate	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	126-73-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	75-70-7	Trichloromethanethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	75-70-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	75-69-4	Trichloromonofluoromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	75-69-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	126-72-7	Tris(2,3-dibromopropyl) phosphate	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	126-72-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	10028-17-8	Tritium	8880	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J31	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	11/29/1989 0:00	N	TURBIDITY	Turbidity	26	NTU	[NULL]	[NULL]	[NULL]	R	H0007J31	TURBIDITY	USTEST	214A_TURBIDITY	100-NR-2
199-N-42	11/29/1989 0:00	N	7440-61-1	Uranium	0.569	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J31	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	11/29/1989 0:00	N	7440-62-2	Vanadium	40	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J31	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	Y	7440-62-2	Vanadium	33	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J31F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	N	108-05-4	Vinyl acetate	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	108-05-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	75-01-4	Vinyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	75-01-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	81-81-2	Warfarin	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	81-81-2	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-42	11/29/1989 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	7440-66-6	Zinc	16	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J31	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007J31F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007J31F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007J31	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	11/29/1989 0:00	N	122-09-8	alpha,alpha-Dimethylphenethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	122-09-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J31	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	11/29/1989 0:00	N	99-65-0	m-Dinitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	99-65-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	616-40-0	n,n-Diethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	616-40-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	615-53-2	n-Nitroso-N-methylurethane	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	615-53-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	924-16-3	n-Nitrosodi-n-butylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	924-16-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	621-64-7	n-Nitrosodi-n-dipropylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	621-64-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	1116-54-7	n-Nitrosodiethanolamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	1116-54-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	55-18-5	n-Nitrosodiethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	55-18-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	62-75-9	n-Nitrosodimethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	62-75-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	86-30-6	n-Nitrosodiphenylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	86-30-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	10595-95-6	n-Nitrosomethylethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	10595-95-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	4549-40-0	n-Nitrosomethylvinylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	4549-40-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	59-89-2	n-Nitrosomorpholine	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	59-89-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	16543-55-8	n-Nitrosonornicotine	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	16543-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	100-75-4	n-Nitrosopiperidine	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	100-75-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	103-85-5	n-Phenylthiourea	500	ug/L	U	[NULL]	[NULL]	R	H0007J31	103-85-5	USTEST	8330_THIOUREA_M	100-NR-2
199-N-42	11/29/1989 0:00	N	107-10-8	n-Propylamine	10000	ug/L	U	[NULL]	[NULL]	R	H0007J31	107-10-8	USTEST	GC_DIRECT	100-NR-2
199-N-42	11/29/1989 0:00	N	636-21-5	o-Toluidine hydrochloride	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	636-21-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	106-51-4	p-Benzoquinone	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	106-51-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	60-11-7	p-Dimethylaminoazobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	60-11-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	PH	pH Measurement	8.02	unitless	[NULL]	[NULL]	[NULL]	R	H0007J31	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-42	11/29/1989 0:00	N	PH	pH Measurement	8.03	unitless	[NULL]	[NULL]	[NULL]	R	H0007J34	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-42	11/29/1989 0:00	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	H0007J32	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-42	11/29/1989 0:00	N	PH	pH Measurement	8.01	unitless	[NULL]	[NULL]	[NULL]	R	H0007J33	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-42	11/29/1989 0:00	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	H0007J31	PH	USTEST	9040_PH	100-NR-2
199-N-42	11/29/1989 0:00	N	99-35-4	sym-Trinitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	99-35-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	156-60-5	trans-1,2-Dichloroethylene	5	ug/L	U	[NULL]	[NULL]	R	H0007J31	156-60-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	11/29/1989 0:00	N	110-57-6	trans-1,4-Dichloro-2-butene	10	ug/L	U	[NULL]	[NULL]	R	H0007J31	110-57-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	2/7/1990 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007J35	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	2/7/1990 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J35	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	2/7/1990 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J35	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	2/7/1990 0:00	N	75-34-3	1,1-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J35	75-34-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	2/7/1990 0:00	N	107-06-2	1,2-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J35	107-06-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	2/7/1990 0:00	N	106-46-7	1,4-Dichlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007J35	106-46-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	2/7/1990 0:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007J35	93-76-5	USTEST	8150_HERBICIDE_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-42	2/7/1990 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007J35	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-42	2/7/1990 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007J35	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-42	2/7/1990 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007J35	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	2/7/1990 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007J35	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	2/7/1990 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007J35	67-64-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	2/7/1990 0:00	N	ALPHAHI	Alpha	0.661	pCi/L	U	[NULL]	[NULL]	R	H0007J35	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	2/7/1990 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J35	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	2/7/1990 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007J35	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007J35F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007J35	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-42	2/7/1990 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007J35	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007J35F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	N	7440-38-2	Arsenic	8	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J35	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-42	2/7/1990 0:00	N	H37	Arsenic, filtered	7	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J35	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	2/7/1990 0:00	Y	7440-39-3	Barium	14	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J35F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	N	7440-39-3	Barium	14	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J35	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	N	71-43-2	Benzene	5	ug/L	U	[NULL]	[NULL]	R	H0007J35	71-43-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	2/7/1990 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007J35	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007J35F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	Y	7440-42-8	Boron	22	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J35F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	N	7440-42-8	Boron	42	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J35	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007J35	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	2/7/1990 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007J35	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007J35F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	N	7440-70-2	Calcium	20400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J35	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	Y	7440-70-2	Calcium	19800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J35F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007J35	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	2/7/1990 0:00	N	10045-97-3	Cesium-137	-2.76	pCi/L	U	[NULL]	[NULL]	R	H0007J35	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	2/7/1990 0:00	N	16887-00-6	Chloride	1800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J35	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	2/7/1990 0:00	N	67-66-3	Chloroform	3	ug/L	U	[NULL]	[NULL]	R	H0007J35	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	2/7/1990 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007J35	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007J35F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007J35	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007J35F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	N	10198-40-0	Cobalt-60	3.45	pCi/L	U	[NULL]	[NULL]	R	H0007J35	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	2/7/1990 0:00	N	COLIFORM	Coliform Bacteria	2.2	MPN	U	[NULL]	[NULL]	R	H0007J35	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-42	2/7/1990 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007J35F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007J35	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J35	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	2/7/1990 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J35	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	2/7/1990 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007J35	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	2/7/1990 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J35	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	2/7/1990 0:00	N	12587-47-2	Gross beta	13.5	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J35	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	2/7/1990 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007J35	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-42	2/7/1990 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007J35F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	N	7439-89-6	Iron	740	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J35	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007J35	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-42	2/7/1990 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007J35	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	2/7/1990 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007J35	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007J35F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	N	7439-95-4	Magnesium	4730	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J35	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-42	2/7/1990 0:00	Y	7439-95-4	Magnesium	4540	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J35F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007J35	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007J35F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J35	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	2/7/1990 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J35	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-42	2/7/1990 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007J35	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	2/7/1990 0:00	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	H0007J35	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	2/7/1990 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007J35F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007J35	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007J35	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007J35F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	N	14797-55-8	Nitrate	1600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J35	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	2/7/1990 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007J35	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-42	2/7/1990 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J35	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2
199-N-42	2/7/1990 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007J35	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	2/7/1990 0:00	Y	7440-09-7	Potassium	2990	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J35F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	N	7440-09-7	Potassium	3090	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J35	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	N	7440-14-4	Radium	0.106	pCi/L	U	[NULL]	[NULL]	R	H0007J35	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	2/7/1990 0:00	N	13967-48-1	Ruthenium-106	8.11	pCi/L	U	[NULL]	[NULL]	R	H0007J35	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	2/7/1990 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007J35	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-42	2/7/1990 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007J35	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-42	2/7/1990 0:00	N	7440-21-3	Silicon	14900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J35	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	Y	7440-21-3	Silicon	14200	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J35F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007J35	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007J35F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	Y	7440-23-5	Sodium	4950	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J35F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	N	7440-23-5	Sodium	5180	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J35	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	N	CONDUCT	Specific Conductance	161	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J38	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-42	2/7/1990 0:00	N	CONDUCT	Specific Conductance	172	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J36	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-42	2/7/1990 0:00	N	CONDUCT	Specific Conductance	174	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J38	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-42	2/7/1990 0:00	N	CONDUCT	Specific Conductance	165	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J37	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-42	2/7/1990 0:00	N	CONDUCT	Specific Conductance	166	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J36	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-42	2/7/1990 0:00	N	CONDUCT	Specific Conductance	175	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J35	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-42	2/7/1990 0:00	N	CONDUCT	Specific Conductance	163	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J35	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-42	2/7/1990 0:00	N	CONDUCT	Specific Conductance	172	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J37	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-42	2/7/1990 0:00	N	7440-24-6	Strontium	135	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J35	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	Y	7440-24-6	Strontium	128	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J35F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	N	10098-97-2	Strontium-90	-0.146	pCi/L	U	[NULL]	[NULL]	R	H0007J35	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	2/7/1990 0:00	N	14808-79-8	Sulfate	17500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J35	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-42	2/7/1990 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007J35	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	2/7/1990 0:00	N	109-99-9	Tetrahydrofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007J35	109-99-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	2/7/1990 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007J35F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007J35	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007J35	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007J35F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	N	108-88-3	Toluene	5	ug/L	U	[NULL]	[NULL]	R	H0007J35	108-88-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	2/7/1990 0:00	N	TOC	Total organic carbon	600	ug/L	U	[NULL]	[NULL]	R	H0007J38	TOC	USTEST	9060_TOC	100-NR-2
199-N-42	2/7/1990 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007J35	TOC	USTEST	9060_TOC	100-NR-2
199-N-42	2/7/1990 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007J36	TOC	USTEST	9060_TOC	100-NR-2
199-N-42	2/7/1990 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007J37	TOC	USTEST	9060_TOC	100-NR-2
199-N-42	2/7/1990 0:00	N	59473-04-0	Total organic halides	4	ug/L	U	[NULL]	[NULL]	R	H0007J36	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-42	2/7/1990 0:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	H0007J38	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-42	2/7/1990 0:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	H0007J35	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-42	2/7/1990 0:00	N	59473-04-0	Total organic halides	4	ug/L	U	[NULL]	[NULL]	R	H0007J37	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-42	2/7/1990 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007J35	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-42	2/7/1990 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007J35	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	2/7/1990 0:00	N	10028-17-8	Tritium	9500	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J35	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	2/7/1990 0:00	N	TURBIDITY	Turbidity	10.8	NTU	[NULL]	[NULL]	[NULL]	R	H0007J35	TURBIDITY	USTEST	214A_TURBIDITY	100-NR-2
199-N-42	2/7/1990 0:00	N	7440-61-1	Uranium	0.985	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J35	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-42	2/7/1990 0:00	Y	7440-62-2	Vanadium	28	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J35F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	N	7440-62-2	Vanadium	27	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J35	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	N	75-01-4	Vinyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007J35	75-01-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	2/7/1990 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007J35	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	2/7/1990 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007J35F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	N	7440-66-6	Zinc	7	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J35	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007J35	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007J35F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-42	2/7/1990 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J35	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-42	2/7/1990 0:00	N	PH	pH Measurement	8.17	unitless	[NULL]	[NULL]	[NULL]	R	H0007J35	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-42	2/7/1990 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007J35	PH	USTEST	9040_PH	100-NR-2
199-N-42	2/7/1990 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007J36	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-42	2/7/1990 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007J36	PH	USTEST	9040_PH	100-NR-2
199-N-42	2/7/1990 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007J37	PH	USTEST	9040_PH	100-NR-2
199-N-42	2/7/1990 0:00	N	PH	pH Measurement	8.19	unitless	[NULL]	[NULL]	[NULL]	R	H0007J37	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-42	2/7/1990 0:00	N	PH	pH Measurement	8.18	unitless	[NULL]	[NULL]	[NULL]	R	H0007J38	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-42	2/7/1990 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007J38	PH	USTEST	9040_PH	100-NR-2
199-N-42	2/7/1990 0:00	N	156-60-5	trans-1,2-Dichloroethylene	5	ug/L	U	[NULL]	[NULL]	R	H0007J35	156-60-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-42	2/7/1990 9:00	N	TEMPERATURE	Temperature	22.2	Deg C	[NULL]	[NULL]	[NULL]	R	H000GQ45	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-43	3/12/1993 12:10	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NR2	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	3/12/1993 12:10	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NR2	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	3/12/1993 12:10	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B07NR2	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	3/12/1993 12:10	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B07NR2	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	3/12/1993 12:10	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NR2	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	3/12/1993 12:10	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NR2	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	3/12/1993 12:10	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NR2	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	3/12/1993 12:10	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B07NR2	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	3/12/1993 12:10	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B07NR2	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	3/12/1993 12:10	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B07NR2	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	3/12/1993 12:10	N	14798-03-9	Ammonium ion	300	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR2	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-43	3/12/1993 12:10	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B07NR2	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/12/1993 12:10	N	14234-35-6	Antimony-125	12.6	pCi/L	U	[NULL]	[NULL]	R	B07NR2	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-43	3/12/1993 12:10	N	7440-38-2	Arsenic	8	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR2	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-43	3/12/1993 12:10	N	7440-39-3	Barium	68	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR2	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/12/1993 12:10	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B07NR2	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/12/1993 12:10	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B07NR2	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-43	3/12/1993 12:10	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B07NR2	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/12/1993 12:10	N	7440-70-2	Calcium	34000	ug/L	[NULL]	Q	[NULL]	R	B07NR2	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/12/1993 12:10	N	10045-97-3	Cesium-137	-2.6	pCi/L	U	[NULL]	[NULL]	R	B07NR2	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-43	3/12/1993 12:10	N	16887-00-6	Chloride	5900	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR2	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-43	3/12/1993 12:10	N	7440-47-3	Chromium	30	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR2	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/12/1993 12:10	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B07NR2	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/12/1993 12:10	N	10198-40-0	Cobalt-60	-6.14	pCi/L	U	[NULL]	[NULL]	R	B07NR2	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-43	3/12/1993 12:10	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B07NR2	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-43	3/12/1993 12:10	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B07NR2	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-43	3/12/1993 12:10	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B07NR2	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	3/12/1993 12:10	N	16984-48-8	Fluoride	500	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR2	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-43	3/12/1993 12:10	N	12587-46-1	Gross alpha	2.79	pCi/L	[NULL]	[NULL]	[NULL]	R	B07NR2	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-43	3/12/1993 12:10	N	12587-47-2	Gross beta	10.9	pCi/L	[NULL]	[NULL]	[NULL]	R	B07NR2	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-43	3/12/1993 12:10	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B07NR2	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-43	3/12/1993 12:10	N	7439-89-6	Iron	3700	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR2	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/12/1993 12:10	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B07NR2	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-43	3/12/1993 12:10	N	7439-95-4	Magnesium	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR2	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/12/1993 12:10	N	7439-96-5	Manganese	350	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR2	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/12/1993 12:10	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B07NR2	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-43	3/12/1993 12:10	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B07NR2	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/12/1993 12:10	N	14797-55-8	Nitrate	19000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR2	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-43	3/12/1993 12:10	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B07NR2	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-43	3/12/1993 12:10	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B07NR2	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	3/12/1993 12:10	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B07NR2	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	3/12/1993 12:10	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B07NR2	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-43	3/12/1993 12:10	N	7440-09-7	Potassium	4100	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR2	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/12/1993 12:10	N	7440-14-4	Radium	0.585	pCi/L	[NULL]	[NULL]	[NULL]	R	B07NR2	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-43	3/12/1993 12:10	N	13967-48-1	Ruthenium-106	-11.8	pCi/L	U	[NULL]	[NULL]	R	B07NR2	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-43	3/12/1993 12:10	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B07NR2	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-43	3/12/1993 12:10	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B07NR2	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/12/1993 12:10	N	7440-23-5	Sodium	12000	ug/L	[NULL]	Q	[NULL]	R	B07NR2	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/12/1993 12:10	N	CONDUCT	Specific Conductance	310	uS/cm	[NULL]	[NULL]	[NULL]	R	B07NR2	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-43	3/12/1993 12:10	N	10098-97-2	Strontium-90	0.111	pCi/L	U	[NULL]	[NULL]	R	B07NR2	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-43	3/12/1993 12:10	N	14808-79-8	Sulfate	48000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR2	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-43	3/12/1993 12:10	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B07NR2	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	3/12/1993 12:10	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B07NR2	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-43	3/12/1993 12:10	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B07NR2	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/12/1993 12:10	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B07NR2	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	3/12/1993 12:10	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07NR2	TOC	DATACH	9060_TOC	100-NR-2
199-N-43	3/12/1993 12:10	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B07NR2	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-43	3/12/1993 12:10	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NR2	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	3/12/1993 12:10	N	10028-17-8	Tritium	33400	pCi/L	[NULL]	[NULL]	[NULL]	R	B07NR2	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-43	3/12/1993 12:10	N	TURBIDITY	Turbidity	11	NTU	[NULL]	[NULL]	[NULL]	R	B07NR2	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-43	3/12/1993 12:10	N	7440-62-2	Vanadium	32	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR2	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/12/1993 12:10	N	7440-66-6	Zinc	13	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR2	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/12/1993 12:10	N	PH	pH Measurement	7.8	unitless	[NULL]	[NULL]	[NULL]	R	B07NR2	PH	DATACH	D1293_PH	100-NR-2
199-N-43	10/31/1994 9:30	N	7429-90-5	Aluminum	140	ug/L	L	[NULL]	[NULL]	R	B0D613	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	Y	7429-90-5	Aluminum	26	ug/L	U	[NULL]	[NULL]	R	B0D617	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	N	7440-36-0	Antimony	62	ug/L	U	[NULL]	[NULL]	R	B0D613	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	Y	7440-36-0	Antimony	62	ug/L	U	[NULL]	[NULL]	R	B0D617	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	N	14234-35-6	Antimony-125	1.34	pCi/L	U	[NULL]	[NULL]	R	B0D613	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-43	10/31/1994 9:30	N	7440-38-2	Arsenic	2.9	ug/L	L	[NULL]	[NULL]	R	B0D613	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-43	10/31/1994 9:30	Y	7440-38-2	Arsenic	2.8	ug/L	U	[NULL]	[NULL]	R	B0D617	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-43	10/31/1994 9:30	Y	7440-39-3	Barium	27	ug/L	[NULL]	[NULL]	[NULL]	R	B0D617	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	N	7440-39-3	Barium	31	ug/L	[NULL]	[NULL]	[NULL]	R	B0D613	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	Y	7440-41-7	Beryllium	0.19	ug/L	LB	[NULL]	[NULL]	R	B0D617	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	N	7440-41-7	Beryllium	0.32	ug/L	LB	[NULL]	[NULL]	R	B0D613	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	N	24959-67-9	Bromide	37	ug/L	L	[NULL]	[NULL]	R	B0D613	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-43	10/31/1994 9:30	N	7440-43-9	Cadmium	3.3	ug/L	U	[NULL]	[NULL]	R	B0D613	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	Y	7440-43-9	Cadmium	3.3	ug/L	U	[NULL]	[NULL]	R	B0D617	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	N	7440-70-2	Calcium	37000	ug/L	[NULL]	[NULL]	[NULL]	R	B0D613	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	Y	7440-70-2	Calcium	35000	ug/L	[NULL]	[NULL]	[NULL]	R	B0D617	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	N	10045-97-3	Cesium-137	0.28	pCi/L	U	[NULL]	[NULL]	R	B0D613	10045-97-3	ITASRL	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-43	10/31/1994 9:30	N	16887-00-6	Chloride	6800	ug/L	[NULL]	[NULL]	[NULL]	R	B0D613	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-43	10/31/1994 9:30	N	7440-47-3	Chromium	43	ug/L	[NULL]	[NULL]	[NULL]	R	B0D613	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	Y	7440-47-3	Chromium	24	ug/L	[NULL]	[NULL]	[NULL]	R	B0D617	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	N	7440-48-4	Cobalt	5.9	ug/L	U	[NULL]	[NULL]	R	B0D613	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	Y	7440-48-4	Cobalt	5.9	ug/L	U	[NULL]	[NULL]	R	B0D617	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	N	10198-40-0	Cobalt-60	1.24	pCi/L	U	[NULL]	[NULL]	R	B0D613	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-43	10/31/1994 9:30	Y	7440-50-8	Copper	4.1	ug/L	U	[NULL]	[NULL]	R	B0D617	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	N	7440-50-8	Copper	22	ug/L	[NULL]	[NULL]	[NULL]	R	B0D613	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	N	16984-48-8	Fluoride	400	ug/L	[NULL]	[NULL]	[NULL]	R	B0D613	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-43	10/31/1994 9:30	N	12587-46-1	Gross alpha	1.63	pCi/L	[NULL]	[NULL]	[NULL]	R	B0D613	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-43	10/31/1994 9:30	N	12587-47-2	Gross beta	3.74	pCi/L	[NULL]	[NULL]	[NULL]	R	B0D613	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-43	10/31/1994 9:30	N	302-01-2	Hydrazine	1.6	ug/L	U	[NULL]	[NULL]	R	B0D613	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-43	10/31/1994 9:30	Y	7439-89-6	Iron	18	ug/L	L	Q	[NULL]	R	B0D617	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	N	7439-89-6	Iron	940	ug/L	[NULL]	Q	[NULL]	R	B0D613	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	N	7439-92-1	Lead	2.2	ug/L	L	[NULL]	[NULL]	R	B0D613	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-43	10/31/1994 9:30	Y	7439-92-1	Lead	1.5	ug/L	U	[NULL]	[NULL]	R	B0D617	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-43	10/31/1994 9:30	N	7439-95-4	Magnesium	11000	ug/L	[NULL]	[NULL]	[NULL]	R	B0D613	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	Y	7439-95-4	Magnesium	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B0D617	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	Y	7439-96-5	Manganese	3.3	ug/L	L	[NULL]	[NULL]	R	B0D617	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	N	7439-96-5	Manganese	48	ug/L	[NULL]	[NULL]	[NULL]	R	B0D613	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	Y	7440-02-0	Nickel	13	ug/L	U	[NULL]	[NULL]	R	B0D617	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	N	7440-02-0	Nickel	13	ug/L	U	[NULL]	[NULL]	R	B0D613	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	N	14797-55-8	Nitrate	19000	ug/L	D	[NULL]	[NULL]	R	B0D613	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-43	10/31/1994 9:30	N	14797-65-0	Nitrite	18	ug/L	U	[NULL]	[NULL]	R	B0D613	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-43	10/31/1994 9:30	N	14265-44-2	Phosphate	82	ug/L	U	[NULL]	[NULL]	R	B0D613	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-43	10/31/1994 9:30	N	7440-09-7	Potassium	3800	ug/L	[NULL]	[NULL]	[NULL]	R	B0D613	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	Y	7440-09-7	Potassium	3700	ug/L	[NULL]	[NULL]	[NULL]	R	B0D617	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	N	13967-48-1	Ruthenium-106	-18.5	pCi/L	U	[NULL]	[NULL]	R	B0D613	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-43	10/31/1994 9:30	N	7440-22-4	Silver	3.6	ug/L	U	[NULL]	[NULL]	R	B0D613	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	Y	7440-22-4	Silver	3.6	ug/L	U	[NULL]	[NULL]	R	B0D617	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	N	7440-23-5	Sodium	13000	ug/L	[NULL]	[NULL]	[NULL]	R	B0D613	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	Y	7440-23-5	Sodium	13000	ug/L	[NULL]	[NULL]	[NULL]	R	B0D617	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	N	CONDUCT	Specific Conductance	340	uS/cm	[NULL]	[NULL]	[NULL]	R	B0D613	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-43	10/31/1994 9:30	N	CONDUCT	Specific Conductance	283	uS/cm	[NULL]	[NULL]	[NULL]	R	B0D616	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-43	10/31/1994 9:30	N	CONDUCT	Specific Conductance	287	uS/cm	[NULL]	[NULL]	[NULL]	R	B0D613	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-43	10/31/1994 9:30	N	CONDUCT	Specific Conductance	284	uS/cm	[NULL]	[NULL]	[NULL]	R	B0D615	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-43	10/31/1994 9:30	N	CONDUCT	Specific Conductance	285	uS/cm	[NULL]	[NULL]	[NULL]	R	B0D614	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-43	10/31/1994 9:30	N	10098-97-2	Strontium-90	-0.06	pCi/L	U	[NULL]	[NULL]	R	B0D613	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-43	10/31/1994 9:30	N	14808-79-8	Sulfate	55000	ug/L	D	[NULL]	[NULL]	R	B0D613	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-43	10/31/1994 9:30	N	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0D614	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-43	10/31/1994 9:30	N	TEMPERATURE	Temperature	17.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0D616	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-43	10/31/1994 9:30	N	TEMPERATURE	Temperature	17.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0D615	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-43	10/31/1994 9:30	N	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	R	B0D613	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-43	10/31/1994 9:30	N	7440-31-5	Tin	69	ug/L	U	[NULL]	[NULL]	R	B0D613	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	Y	7440-31-5	Tin	69	ug/L	U	[NULL]	[NULL]	R	B0D617	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B0D613	TOC	DATACH	9060_TOC	100-NR-2
199-N-43	10/31/1994 9:30	N	TOC	Total organic carbon	200	ug/L	L	[NULL]	[NULL]	R	B0D615	TOC	DATACH	9060_TOC	100-NR-2
199-N-43	10/31/1994 9:30	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B0D616	TOC	DATACH	9060_TOC	100-NR-2
199-N-43	10/31/1994 9:30	N	TOC	Total organic carbon	200	ug/L	L	[NULL]	[NULL]	R	B0D614	TOC	DATACH	9060_TOC	100-NR-2
199-N-43	10/31/1994 9:30	N	59473-04-0	Total organic halides	6.3	ug/L	[NULL]	[NULL]	[NULL]	R	B0D614	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-43	10/31/1994 9:30	N	59473-04-0	Total organic halides	13.2	ug/L	[NULL]	[NULL]	[NULL]	R	B0D615	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-43	10/31/1994 9:30	N	59473-04-0	Total organic halides	6.1	ug/L	[NULL]	[NULL]	[NULL]	R	B0D616	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-43	10/31/1994 9:30	N	59473-04-0	Total organic halides	6.6	ug/L	[NULL]	[NULL]	[NULL]	R	B0D613	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-43	10/31/1994 9:30	N	10028-17-8	Tritium	29600	pCi/L	[NULL]	[NULL]	[NULL]	R	B0D613	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-43	10/31/1994 9:30	Y	7440-62-2	Vanadium	25	ug/L	L	[NULL]	[NULL]	R	B0D617	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-43	10/31/1994 9:30	N	7440-62-2	Vanadium	30	ug/L	L	[NULL]	[NULL]	R	B0D613	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	Y	7440-66-6	Zinc	12	ug/L	[NULL]	[NULL]	[NULL]	R	B0D617	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	N	7440-66-6	Zinc	56	ug/L	[NULL]	[NULL]	[NULL]	R	B0D613	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1994 9:30	N	PH	pH Measurement	7.52	unitless	[NULL]	F	[NULL]	R	B0D614	PH	FIELD	9040_PH	100-NR-2
199-N-43	10/31/1994 9:30	N	PH	pH Measurement	7.49	unitless	[NULL]	F	[NULL]	R	B0D613	PH	FIELD	9040_PH	100-NR-2
199-N-43	10/31/1994 9:30	N	PH	pH Measurement	7.56	unitless	[NULL]	F	[NULL]	R	B0D616	PH	FIELD	9040_PH	100-NR-2
199-N-43	10/31/1994 9:30	N	PH	pH Measurement	8.1	unitless	[NULL]	F	[NULL]	R	B0D613	PH	DATACH	D1293_PH	100-NR-2
199-N-43	10/31/1994 9:30	N	PH	pH Measurement	7.55	unitless	[NULL]	F	[NULL]	R	B0D615	PH	FIELD	9040_PH	100-NR-2
199-N-43	2/27/1995 11:00	N	88-06-2	2,4,6-Trichlorophenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DX06	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	2/27/1995 11:00	N	120-83-2	2,4-Dichlorophenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DX06	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	2/27/1995 11:00	N	105-67-9	2,4-Dimethylphenol	1.2	ug/L	U	[NULL]	[NULL]	R	B0DX06	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	2/27/1995 11:00	N	51-28-5	2,4-Dinitrophenol	3	ug/L	U	[NULL]	[NULL]	R	B0DX06	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	2/27/1995 11:00	N	87-65-0	2,6-Dichlorophenol	1.4	ug/L	U	[NULL]	[NULL]	R	B0DX06	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	2/27/1995 11:00	N	95-57-8	2-Chlorophenol	1.6	ug/L	U	[NULL]	[NULL]	R	B0DX06	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	2/27/1995 11:00	N	88-75-5	2-Nitrophenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DX06	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	2/27/1995 11:00	N	534-52-1	4,6-Dinitro-2-methylphenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DX06	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	2/27/1995 11:00	N	59-50-7	4-Chloro-3-methylphenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DX06	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	2/27/1995 11:00	N	100-02-7	4-Nitrophenol	3	ug/L	U	[NULL]	[NULL]	R	B0DX06	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	2/27/1995 11:00	N	ALKALINITY	Alkalinity	80000	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX06	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-43	2/27/1995 11:00	Y	7429-90-5	Aluminum	26	ug/L	U	[NULL]	[NULL]	R	B0DX10	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	2/27/1995 11:00	Y	7440-36-0	Antimony	62	ug/L	U	[NULL]	[NULL]	R	B0DX10	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	2/27/1995 11:00	Y	7440-39-3	Barium	26	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX10	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	2/27/1995 11:00	Y	7440-41-7	Beryllium	0.17	ug/L	U	[NULL]	[NULL]	R	B0DX10	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	2/27/1995 11:00	N	24959-67-9	Bromide	40	ug/L	L	[NULL]	[NULL]	R	B0DX06	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-43	2/27/1995 11:00	Y	7440-43-9	Cadmium	3.3	ug/L	U	[NULL]	[NULL]	R	B0DX10	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	2/27/1995 11:00	Y	7440-70-2	Calcium	33000	ug/L	B	[NULL]	[NULL]	R	B0DX10	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	2/27/1995 11:00	N	16887-00-6	Chloride	6800	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX06	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-43	2/27/1995 11:00	Y	7440-47-3	Chromium	19	ug/L	L	[NULL]	[NULL]	R	B0DX10	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	2/27/1995 11:00	Y	7440-48-4	Cobalt	5.9	ug/L	U	[NULL]	[NULL]	R	B0DX10	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	2/27/1995 11:00	Y	7440-50-8	Copper	4.1	ug/L	U	[NULL]	[NULL]	R	B0DX10	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	2/27/1995 11:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1.3	ug/L	U	[NULL]	[NULL]	R	B0DX06	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	2/27/1995 11:00	N	16984-48-8	Fluoride	300	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX06	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-43	2/27/1995 11:00	N	12587-46-1	Gross alpha	1.82	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DX06	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-43	2/27/1995 11:00	N	12587-47-2	Gross beta	5.24	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DX06	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-43	2/27/1995 11:00	Y	7439-89-6	Iron	14	ug/L	L	Q	[NULL]	R	B0DX10	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	2/27/1995 11:00	Y	7439-92-1	Lead	2	ug/L	L	[NULL]	[NULL]	R	B0DX10	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-43	2/27/1995 11:00	Y	7439-95-4	Magnesium	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX10	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	2/27/1995 11:00	Y	7439-96-5	Manganese	0.72	ug/L	U	[NULL]	[NULL]	R	B0DX10	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	2/27/1995 11:00	Y	7440-02-0	Nickel	13	ug/L	U	[NULL]	[NULL]	R	B0DX10	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	2/27/1995 11:00	N	14797-55-8	Nitrate	18000	ug/L	D	[NULL]	[NULL]	R	B0DX06	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-43	2/27/1995 11:00	N	14797-65-0	Nitrite	18	ug/L	U	[NULL]	[NULL]	R	B0DX06	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-43	2/27/1995 11:00	N	87-86-5	Pentachlorophenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DX06	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	2/27/1995 11:00	N	108-95-2	Phenol	0.31	ug/L	U	[NULL]	[NULL]	R	B0DX06	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	2/27/1995 11:00	N	14265-44-2	Phosphate	82	ug/L	U	[NULL]	[NULL]	R	B0DX06	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-43	2/27/1995 11:00	Y	7440-09-7	Potassium	3400	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX10	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	2/27/1995 11:00	Y	7440-22-4	Silver	3.6	ug/L	U	[NULL]	[NULL]	R	B0DX10	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	2/27/1995 11:00	Y	7440-23-5	Sodium	13000	ug/L	[NULL]	Q	[NULL]	R	B0DX10	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	2/27/1995 11:00	N	CONDUCT	Specific Conductance	318	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DX09	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-43	2/27/1995 11:00	N	CONDUCT	Specific Conductance	340	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DX06	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-43	2/27/1995 11:00	N	CONDUCT	Specific Conductance	319	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DX08	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-43	2/27/1995 11:00	N	CONDUCT	Specific Conductance	318	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DX07	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-43	2/27/1995 11:00	N	CONDUCT	Specific Conductance	318	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DX06	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-43	2/27/1995 11:00	N	14808-79-8	Sulfate	52000	ug/L	D	[NULL]	[NULL]	R	B0DX06	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-43	2/27/1995 11:00	N	TEMPERATURE	Temperature	16.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0DX06	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-43	2/27/1995 11:00	N	25167-83-3	Tetrachlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B0DX06	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	2/27/1995 11:00	Y	7440-31-5	Tin	69	ug/L	U	[NULL]	[NULL]	R	B0DX10	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	2/27/1995 11:00	N	1319-77-3	Total cresols	4.8	ug/L	U	[NULL]	[NULL]	R	B0DX06	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	2/27/1995 11:00	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B0DX09	TOC	DATACH	9060_TOC	100-NR-2
199-N-43	2/27/1995 11:00	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B0DX08	TOC	DATACH	9060_TOC	100-NR-2
199-N-43	2/27/1995 11:00	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B0DX07	TOC	DATACH	9060_TOC	100-NR-2
199-N-43	2/27/1995 11:00	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B0DX06	TOC	DATACH	9060_TOC	100-NR-2
199-N-43	2/27/1995 11:00	N	59473-04-0	Total organic halides	13.1	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX09	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-43	2/27/1995 11:00	N	59473-04-0	Total organic halides	13.1	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX08	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-43	2/27/1995 11:00	N	59473-04-0	Total organic halides	12.4	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX06	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-43	2/27/1995 11:00	N	59473-04-0	Total organic halides	11.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX07	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-43	2/27/1995 11:00	N	25167-82-2	Trichlorophenol	1.7	ug/L	U	[NULL]	[NULL]	R	B0DX06	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	2/27/1995 11:00	N	TURBIDITY	Turbidity	1.8	NTU	[NULL]	[NULL]	[NULL]	R	B0DX06	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-43	2/27/1995 11:00	Y	7440-62-2	Vanadium	23	ug/L	L	[NULL]	[NULL]	R	B0DX10	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	2/27/1995 11:00	Y	7440-66-6	Zinc	6.3	ug/L	U	[NULL]	[NULL]	R	B0DX10	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	2/27/1995 11:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B0DX06	PH	DATACH	D1293_PH	100-NR-2
199-N-43	2/27/1995 11:00	N	PH	pH Measurement	7.82	unitless	[NULL]	[NULL]	[NULL]	R	B0DX07	PH	FIELD	9040_PH	100-NR-2
199-N-43	2/27/1995 11:00	N	PH	pH Measurement	7.83	unitless	[NULL]	[NULL]	[NULL]	R	B0DX08	PH	FIELD	9040_PH	100-NR-2
199-N-43	2/27/1995 11:00	N	PH	pH Measurement	7.83	unitless	[NULL]	[NULL]	[NULL]	R	B0DX09	PH	FIELD	9040_PH	100-NR-2
199-N-43	2/27/1995 11:00	N	PH	pH Measurement	7.82	unitless	[NULL]	[NULL]	[NULL]	R	B0DX06	PH	FIELD	9040_PH	100-NR-2
199-N-43	8/28/1995 12:16	N	ALKALINITY	Alkalinity	80000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBY1	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-43	8/28/1995 12:16	Y	7429-90-5	Aluminum	31	ug/L	U	[NULL]	[NULL]	R	B0GBY5	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	8/28/1995 12:16	Y	7440-36-0	Antimony	24	ug/L	U	[NULL]	[NULL]	R	B0GBY5	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	8/28/1995 12:16	Y	7440-39-3	Barium	28	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBY5	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	8/28/1995 12:16	Y	7440-41-7	Beryllium	0.63	ug/L	U	[NULL]	[NULL]	R	B0GBY5	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	8/28/1995 12:16	N	24959-67-9	Bromide	72	ug/L	U	[NULL]	[NULL]	R	B0GBY1	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-43	8/28/1995 12:16	Y	7440-43-9	Cadmium	0.98	ug/L	U	[NULL]	[NULL]	R	B0GBY5	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	8/28/1995 12:16	Y	7440-70-2	Calcium	35000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBY5	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	8/28/1995 12:16	N	16887-00-6	Chloride	7100	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBY1	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-43	8/28/1995 12:16	Y	7440-47-3	Chromium	23	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBY5	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	8/28/1995 12:16	Y	7440-48-4	Cobalt	5.3	ug/L	U	[NULL]	[NULL]	R	B0GBY5	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	8/28/1995 12:16	Y	7440-50-8	Copper	2.1	ug/L	U	[NULL]	[NULL]	R	B0GBY5	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	8/28/1995 12:16	N	16984-48-8	Fluoride	500	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBY1	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-43	8/28/1995 12:16	N	12587-46-1	Gross alpha	1.59	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GBY1	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-43	8/28/1995 12:16	N	12587-47-2	Gross beta	5.21	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GBY1	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-43	8/28/1995 12:16	Y	7439-89-6	Iron	34	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBY5	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	8/28/1995 12:16	Y	7439-92-1	Lead	0.88	ug/L	U	H	[NULL]	R	B0GBY5	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-43	8/28/1995 12:16	Y	7439-95-4	Magnesium	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBY5	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	8/28/1995 12:16	Y	7439-96-5	Manganese	2.9	ug/L	L	[NULL]	[NULL]	R	B0GBY5	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	8/28/1995 12:16	Y	7440-02-0	Nickel	11	ug/L	U	[NULL]	[NULL]	R	B0GBY5	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	8/28/1995 12:16	N	14797-55-8	Nitrate	19000	ug/L	D	[NULL]	[NULL]	R	B0GBY1	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-43	8/28/1995 12:16	N	14797-65-0	Nitrite	140	ug/L	U	[NULL]	[NULL]	R	B0GBY1	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-43	8/28/1995 12:16	N	14265-44-2	Phosphate	340	ug/L	U	[NULL]	[NULL]	R	B0GBY1	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-43	8/28/1995 12:16	Y	7440-09-7	Potassium	4300	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBY5	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	8/28/1995 12:16	Y	7440-22-4	Silver	5.5	ug/L	U	[NULL]	[NULL]	R	B0GBY5	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	8/28/1995 12:16	Y	7440-23-5	Sodium	13000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBY5	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	8/28/1995 12:16	N	CONDUCT	Specific Conductance	347	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GBY2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-43	8/28/1995 12:16	N	CONDUCT	Specific Conductance	346	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GBY1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-43	8/28/1995 12:16	N	CONDUCT	Specific Conductance	346	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GBY4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-43	8/28/1995 12:16	N	CONDUCT	Specific Conductance	347	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GBY3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-43	8/28/1995 12:16	Y	7440-24-6	Strontium	270	ug/L	[NULL]	H	[NULL]	R	B0GBY5	7440-24-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	8/28/1995 12:16	N	14808-79-8	Sulfate	54000	ug/L	D	[NULL]	[NULL]	R	B0GBY1	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-43	8/28/1995 12:16	N	TEMPERATURE	Temperature	19.9	Deg C	[NULL]	[NULL]	[NULL]	R	B0GBY2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-43	8/28/1995 12:16	N	TEMPERATURE	Temperature	19.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0GBY1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-43	8/28/1995 12:16	N	TEMPERATURE	Temperature	19.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0GBY3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-43	8/28/1995 12:16	N	TEMPERATURE	Temperature	19.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0GBY4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-43	8/28/1995 12:16	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	B0GBY5	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	8/28/1995 12:16	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B0GBY3	TOC	DATACH	9060_TOC	100-NR-2
199-N-43	8/28/1995 12:16	N	TOC	Total organic carbon	200	ug/L	L	[NULL]	[NULL]	R	B0GBY2	TOC	DATACH	9060_TOC	100-NR-2
199-N-43	8/28/1995 12:16	N	TOC	Total organic carbon	200	ug/L	L	[NULL]	[NULL]	R	B0GBY4	TOC	DATACH	9060_TOC	100-NR-2
199-N-43	8/28/1995 12:16	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B0GBY1	TOC	DATACH	9060_TOC	100-NR-2
199-N-43	8/28/1995 12:16	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0GBY4	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-43	8/28/1995 12:16	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0GBY3	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-43	8/28/1995 12:16	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0GBY1	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-43	8/28/1995 12:16	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0GBY2	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-43	8/28/1995 12:16	N	TURBIDITY	Turbidity	1.67	NTU	[NULL]	[NULL]	[NULL]	R	B0GBY1	TURBIDITY	FIELD	180.1_TURBIDITY	100-NR-2
199-N-43	8/28/1995 12:16	Y	7440-62-2	Vanadium	26	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBY5	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	8/28/1995 12:16	Y	7440-66-6	Zinc	11	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBY5	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	8/28/1995 12:16	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B0GBY1	PH	DATACH	D1293_PH	100-NR-2
199-N-43	8/28/1995 12:16	N	PH	pH Measurement	8.03	unitless	[NULL]	[NULL]	[NULL]	R	B0GBY4	PH	FIELD	9040_PH	100-NR-2
199-N-43	8/28/1995 12:16	N	PH	pH Measurement	8.06	unitless	[NULL]	[NULL]	[NULL]	R	B0GBY1	PH	FIELD	9040_PH	100-NR-2
199-N-43	8/28/1995 12:16	N	PH	pH Measurement	8.06	unitless	[NULL]	[NULL]	[NULL]	R	B0GBY2	PH	FIELD	9040_PH	100-NR-2
199-N-43	8/28/1995 12:16	N	PH	pH Measurement	8.06	unitless	[NULL]	[NULL]	[NULL]	R	B0GBY3	PH	FIELD	9040_PH	100-NR-2
199-N-43	3/27/1996 13:13	N	88-06-2	2,4,6-Trichlorophenol	0.8	ug/L	U	[NULL]	[NULL]	R	B0HN99	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	3/27/1996 13:13	N	120-83-2	2,4-Dichlorophenol	0.43	ug/L	U	[NULL]	[NULL]	R	B0HN99	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	3/27/1996 13:13	N	105-67-9	2,4-Dimethylphenol	0.62	ug/L	U	[NULL]	[NULL]	R	B0HN99	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	3/27/1996 13:13	N	51-28-5	2,4-Dinitrophenol	6.8	ug/L	U	[NULL]	[NULL]	R	B0HN99	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	3/27/1996 13:13	N	87-65-0	2,6-Dichlorophenol	0.52	ug/L	U	[NULL]	[NULL]	R	B0HN99	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	3/27/1996 13:13	N	95-57-8	2-Chlorophenol	0.6	ug/L	U	[NULL]	[NULL]	R	B0HN99	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	3/27/1996 13:13	N	88-75-5	2-Nitrophenol	0.6	ug/L	U	[NULL]	[NULL]	R	B0HN99	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	3/27/1996 13:13	N	534-52-1	4,6-Dinitro-2-methylphenol	0.84	ug/L	U	[NULL]	[NULL]	R	B0HN99	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	3/27/1996 13:13	N	59-50-7	4-Chloro-3-methylphenol	0.52	ug/L	U	[NULL]	[NULL]	R	B0HN99	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	3/27/1996 13:13	N	100-02-7	4-Nitrophenol	0.49	ug/L	U	[NULL]	[NULL]	R	B0HN99	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	3/27/1996 13:13	N	ALKALINITY	Alkalinity	81000	ug/L	[NULL]	[NULL]	[NULL]	R	B0HN99	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-43	3/27/1996 13:13	Y	7429-90-5	Aluminum	31	ug/L	U	[NULL]	[NULL]	R	B0HNB3	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/27/1996 13:13	Y	7440-36-0	Antimony	24	ug/L	U	[NULL]	[NULL]	R	B0HNB3	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/27/1996 13:13	Y	7440-38-2	Arsenic	5.3	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNB3	7440-38-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/27/1996 13:13	Y	7440-39-3	Barium	25	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNB3	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/27/1996 13:13	Y	7440-41-7	Beryllium	0.63	ug/L	U	[NULL]	[NULL]	R	B0HNB3	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/27/1996 13:13	N	24959-67-9	Bromide	72	ug/L	U	[NULL]	[NULL]	R	B0HN99	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-43	3/27/1996 13:13	Y	7440-43-9	Cadmium	0.98	ug/L	U	[NULL]	[NULL]	R	B0HNB3	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/27/1996 13:13	Y	7440-70-2	Calcium	31000	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNB3	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/27/1996 13:13	N	16887-00-6	Chloride	6800	ug/L	[NULL]	[NULL]	[NULL]	R	B0HN99	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-43	3/27/1996 13:13	Y	7440-47-3	Chromium	14	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNB3	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/27/1996 13:13	Y	7440-48-4	Cobalt	5.3	ug/L	U	[NULL]	[NULL]	R	B0HNB3	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/27/1996 13:13	Y	7440-50-8	Copper	2.1	ug/L	U	[NULL]	[NULL]	R	B0HNB3	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/27/1996 13:13	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	0.41	ug/L	U	[NULL]	[NULL]	R	B0HN99	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	3/27/1996 13:13	N	16984-48-8	Fluoride	640	ug/L	[NULL]	[NULL]	[NULL]	R	B0HN99	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-43	3/27/1996 13:13	N	12587-46-1	Gross alpha	0.74	pCi/L	U	[NULL]	[NULL]	R	B0HN99	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-43	3/27/1996 13:13	N	12587-47-2	Gross beta	4.083	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HN99	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-43	3/27/1996 13:13	Y	7439-89-6	Iron	28	ug/L	L	[NULL]	[NULL]	R	B0HNB3	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/27/1996 13:13	Y	7439-92-1	Lead	1.7	ug/L	U	[NULL]	[NULL]	R	B0HNB3	7439-92-1	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/27/1996 13:13	Y	7439-95-4	Magnesium	10000	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNB3	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/27/1996 13:13	Y	7439-96-5	Manganese	0.55	ug/L	U	[NULL]	[NULL]	R	B0HNB3	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/27/1996 13:13	Y	7440-02-0	Nickel	11	ug/L	U	[NULL]	[NULL]	R	B0HNB3	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/27/1996 13:13	N	14797-55-8	Nitrate	16000	ug/L	D	[NULL]	[NULL]	R	B0HN99	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-43	3/27/1996 13:13	N	14797-65-0	Nitrite	140	ug/L	U	[NULL]	[NULL]	R	B0HN99	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-43	3/27/1996 13:13	N	87-86-5	Pentachlorophenol	0.48	ug/L	U	[NULL]	[NULL]	R	B0HN99	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	3/27/1996 13:13	N	108-95-2	Phenol	0.58	ug/L	U	[NULL]	[NULL]	R	B0HN99	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	3/27/1996 13:13	N	14265-44-2	Phosphate	340	ug/L	U	[NULL]	[NULL]	R	B0HN99	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-43	3/27/1996 13:13	Y	7440-09-7	Potassium	3400	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNB3	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/27/1996 13:13	Y	7782-49-2	Selenium	3.8	ug/L	U	[NULL]	[NULL]	R	B0HNB3	7782-49-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/27/1996 13:13	Y	7440-22-4	Silver	5.5	ug/L	U	[NULL]	[NULL]	R	B0HNB3	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/27/1996 13:13	Y	7440-23-5	Sodium	12000	ug/L	[NULL]	Q	[NULL]	R	B0HNB3	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/27/1996 13:13	N	CONDUCT	Specific Conductance	311	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HNB1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-43	3/27/1996 13:13	N	CONDUCT	Specific Conductance	311	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HNB2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-43	3/27/1996 13:13	N	CONDUCT	Specific Conductance	312	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HNB0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-43	3/27/1996 13:13	N	CONDUCT	Specific Conductance	313	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HN99	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-43	3/27/1996 13:13	Y	7440-24-6	Strontium	240	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNB3	7440-24-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/27/1996 13:13	N	14808-79-8	Sulfate	46000	ug/L	D	[NULL]	[NULL]	R	B0HN99	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-43	3/27/1996 13:13	N	TEMPERATURE	Temperature	18.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0HNB0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-43	3/27/1996 13:13	N	TEMPERATURE	Temperature	18.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0HNB1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-43	3/27/1996 13:13	N	TEMPERATURE	Temperature	18.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0HNB2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-43	3/27/1996 13:13	N	TEMPERATURE	Temperature	18.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0HN99	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-43	3/27/1996 13:13	N	25167-83-3	Tetrachlorophenol	0.52	ug/L	U	[NULL]	[NULL]	R	B0HN99	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	3/27/1996 13:13	Y	7440-28-0	Thallium	3.7	ug/L	U	[NULL]	[NULL]	R	B0HNB3	7440-28-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/27/1996 13:13	Y	7440-31-5	Tin	32	ug/L	BL	[NULL]	[NULL]	R	B0HNB3	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/27/1996 13:13	N	1319-77-3	Total cresols	1.7	ug/L	U	[NULL]	[NULL]	R	B0HN99	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	3/27/1996 13:13	N	TOC	Total organic carbon	140	ug/L	U	[NULL]	[NULL]	R	B0HN99	TOC	DATACH	9060_TOC	100-NR-2
199-N-43	3/27/1996 13:13	N	TOC	Total organic carbon	214	ug/L	L	[NULL]	[NULL]	R	B0HNB0	TOC	DATACH	9060_TOC	100-NR-2
199-N-43	3/27/1996 13:13	N	TOC	Total organic carbon	140	ug/L	U	[NULL]	[NULL]	R	B0HNB2	TOC	DATACH	9060_TOC	100-NR-2
199-N-43	3/27/1996 13:13	N	TOC	Total organic carbon	140	ug/L	U	[NULL]	[NULL]	R	B0HNB1	TOC	DATACH	9060_TOC	100-NR-2
199-N-43	3/27/1996 13:13	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0HNB2	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-43	3/27/1996 13:13	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0HN99	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-43	3/27/1996 13:13	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0HNB0	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-43	3/27/1996 13:13	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0HNB1	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-43	3/27/1996 13:13	N	25167-82-2	Trichlorophenol	0.56	ug/L	U	[NULL]	[NULL]	R	B0HN99	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-43	3/27/1996 13:13	N	10028-17-8	Tritium	24922	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HNH0	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-43	3/27/1996 13:13	N	TURBIDITY	Turbidity	1.64	NTU	[NULL]	[NULL]	[NULL]	R	B0HN99	TURBIDITY	FIELD	180.1_TURBIDITY	100-NR-2
199-N-43	3/27/1996 13:13	Y	7440-62-2	Vanadium	25	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNB3	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/27/1996 13:13	Y	7440-66-6	Zinc	3.7	ug/L	U	[NULL]	[NULL]	R	B0HNB3	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-43	3/27/1996 13:13	N	PH	pH Measurement	8.09	unitless	[NULL]	[NULL]	[NULL]	R	B0HNB2	PH	FIELD	9040_PH	100-NR-2
199-N-43	3/27/1996 13:13	N	PH	pH Measurement	8.08	unitless	[NULL]	[NULL]	[NULL]	R	B0HNB1	PH	FIELD	9040_PH	100-NR-2
199-N-43	3/27/1996 13:13	N	PH	pH Measurement	8.02	unitless	[NULL]	[NULL]	[NULL]	R	B0HN99	PH	FIELD	9040_PH	100-NR-2
199-N-43	3/27/1996 13:13	N	PH	pH Measurement	8.07	unitless	[NULL]	[NULL]	[NULL]	R	B0HNB0	PH	FIELD	9040_PH	100-NR-2
199-N-43	10/31/1996 9:54	N	ALKALINITY	Alkalinity	80900	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBM5	ALKALINITY	QTESSL	310.1_ALKALINITY	100-NR-2
199-N-43	10/31/1996 9:54	Y	7429-90-5	Aluminum	58.5	ug/L	U	[NULL]	[NULL]	R	B0JBM9	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1996 9:54	Y	7440-36-0	Antimony	27.2	ug/L	U	[NULL]	[NULL]	R	B0JBM9	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1996 9:54	Y	7440-39-3	Barium	32.1	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBM9	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1996 9:54	Y	7440-41-7	Beryllium	0.4	ug/L	U	[NULL]	[NULL]	R	B0JBM9	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1996 9:54	N	24959-67-9	Bromide	23	ug/L	U	[NULL]	[NULL]	R	B0JBM5	24959-67-9	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-43	10/31/1996 9:54	Y	7440-43-9	Cadmium	4.7	ug/L	B	[NULL]	[NULL]	R	B0JBM9	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1996 9:54	Y	7440-70-2	Calcium	33600	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBM9	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1996 9:54	N	16887-00-6	Chloride	7260	ug/L	D	[NULL]	[NULL]	R	B0JBM5	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-43	10/31/1996 9:54	Y	7440-47-3	Chromium	17.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBM9	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1996 9:54	Y	7440-48-4	Cobalt	3	ug/L	U	[NULL]	[NULL]	R	B0JBM9	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1996 9:54	Y	7440-50-8	Copper	8.1	ug/L	B	[NULL]	[NULL]	R	B0JBM9	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1996 9:54	N	16984-48-8	Fluoride	320	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBM5	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-43	10/31/1996 9:54	N	12587-46-1	Gross alpha	0.842	pCi/L	U	[NULL]	[NULL]	R	B0JBM5	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-43	10/31/1996 9:54	N	12587-47-2	Gross beta	6.19	pCi/L	[NULL]	[NULL]	[NULL]	R	B0JBM5	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-43	10/31/1996 9:54	Y	7439-89-6	Iron	98.3	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBM9	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1996 9:54	Y	7439-92-1	Lead	0.8	ug/L	U	[NULL]	[NULL]	R	B0JBM9	7439-92-1	QTESSL	7421_PB_GFAA	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-43	10/31/1996 9:54	Y	7439-95-4	Magnesium	11500	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBM9	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1996 9:54	Y	7439-96-5	Manganese	5.5	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBM9	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1996 9:54	Y	7440-02-0	Nickel	13.4	ug/L	U	[NULL]	[NULL]	R	B0JBM9	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1996 9:54	N	14797-55-8	Nitrate	20000	ug/L	D	[NULL]	[NULL]	R	B0JBM5	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-43	10/31/1996 9:54	N	14797-65-0	Nitrite	6.57	ug/L	U	[NULL]	[NULL]	R	B0JBM5	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-43	10/31/1996 9:54	N	14265-44-2	Phosphate	36	ug/L	U	[NULL]	[NULL]	R	B0JBM5	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-43	10/31/1996 9:54	Y	7440-09-7	Potassium	3940	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBM9	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1996 9:54	Y	7440-22-4	Silver	6.6	ug/L	U	[NULL]	[NULL]	R	B0JBM9	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1996 9:54	Y	7440-23-5	Sodium	12700	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBM9	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1996 9:54	N	CONDUCT	Specific Conductance	336	uS/cm	[NULL]	[NULL]	[NULL]	R	B0JBM8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-43	10/31/1996 9:54	N	CONDUCT	Specific Conductance	336	uS/cm	[NULL]	[NULL]	[NULL]	R	B0JBM7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-43	10/31/1996 9:54	N	CONDUCT	Specific Conductance	336	uS/cm	[NULL]	[NULL]	[NULL]	R	B0JBM5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-43	10/31/1996 9:54	N	CONDUCT	Specific Conductance	336	uS/cm	[NULL]	[NULL]	[NULL]	R	B0JBM6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-43	10/31/1996 9:54	Y	7440-24-6	Strontium	253	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBM9	7440-24-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1996 9:54	N	14808-79-8	Sulfate	57600	ug/L	D	[NULL]	[NULL]	R	B0JBM5	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-43	10/31/1996 9:54	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0JBM6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-43	10/31/1996 9:54	N	TEMPERATURE	Temperature	18.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0JBM5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-43	10/31/1996 9:54	N	TEMPERATURE	Temperature	19.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0JBM7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-43	10/31/1996 9:54	N	TEMPERATURE	Temperature	19.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0JBM8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-43	10/31/1996 9:54	Y	7440-31-5	Tin	33.5	ug/L	U	[NULL]	[NULL]	R	B0JBM9	7440-31-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1996 9:54	N	TOTHALOGEN	Total halogens (all)	2.65	ug/L	U	[NULL]	[NULL]	R	B0JBM6	TOTHALOGEN	QTESSL	9020_TOX	100-NR-2
199-N-43	10/31/1996 9:54	N	TOTHALOGEN	Total halogens (all)	2.65	ug/L	U	[NULL]	[NULL]	R	B0JBM8	TOTHALOGEN	QTESSL	9020_TOX	100-NR-2
199-N-43	10/31/1996 9:54	N	TOTHALOGEN	Total halogens (all)	2.65	ug/L	U	[NULL]	[NULL]	R	B0JBM5	TOTHALOGEN	QTESSL	9020_TOX	100-NR-2
199-N-43	10/31/1996 9:54	N	TOTHALOGEN	Total halogens (all)	2.65	ug/L	U	[NULL]	[NULL]	R	B0JBM7	TOTHALOGEN	QTESSL	9020_TOX	100-NR-2
199-N-43	10/31/1996 9:54	N	TOC	Total organic carbon	1970	ug/L	[NULL]	F	[NULL]	R	B0JBM6	TOC	QTESSL	9060_TOC	100-NR-2
199-N-43	10/31/1996 9:54	N	TOC	Total organic carbon	2080	ug/L	[NULL]	F	[NULL]	R	B0JBM8	TOC	QTESSL	9060_TOC	100-NR-2
199-N-43	10/31/1996 9:54	N	TOC	Total organic carbon	2300	ug/L	[NULL]	F	[NULL]	R	B0JBM7	TOC	QTESSL	9060_TOC	100-NR-2
199-N-43	10/31/1996 9:54	N	TOC	Total organic carbon	2430	ug/L	[NULL]	F	[NULL]	R	B0JBM5	TOC	QTESSL	9060_TOC	100-NR-2
199-N-43	10/31/1996 9:54	N	TURBIDITY	Turbidity	2.38	NTU	[NULL]	[NULL]	[NULL]	R	B0JBM8	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-43	10/31/1996 9:54	Y	7440-62-2	Vanadium	26.2	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBM9	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1996 9:54	Y	7440-66-6	Zinc	233	ug/L	EN	[NULL]	[NULL]	R	B0JBM9	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-43	10/31/1996 9:54	N	PH	pH Measurement	8.17	unitless	[NULL]	[NULL]	[NULL]	R	B0JBM7	PH	FIELD	9040_PH	100-NR-2
199-N-43	10/31/1996 9:54	N	PH	pH Measurement	8.17	unitless	[NULL]	[NULL]	[NULL]	R	B0JBM8	PH	FIELD	9040_PH	100-NR-2
199-N-43	10/31/1996 9:54	N	PH	pH Measurement	8.17	unitless	[NULL]	[NULL]	[NULL]	R	B0JBM5	PH	FIELD	9040_PH	100-NR-2
199-N-43	10/31/1996 9:54	N	PH	pH Measurement	8.17	unitless	[NULL]	[NULL]	[NULL]	R	B0JBM6	PH	FIELD	9040_PH	100-NR-2
199-N-45	3/8/1988 0:00	N	10045-97-3	Cesium-137	4.45	pCi/L	U	[NULL]	[NULL]	R	H0007J48	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	3/8/1988 0:00	N	10198-40-0	Cobalt-60	120	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J48	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	3/8/1988 0:00	N	12587-47-2	Gross beta	4500	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J48	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	3/8/1988 0:00	N	14797-55-8	Nitrate	13000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J48	14797-55-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-45	3/8/1988 0:00	N	13967-48-1	Ruthenium-106	20.5	pCi/L	U	[NULL]	[NULL]	R	H0007J48	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	3/8/1988 0:00	N	10098-97-2	Strontium-90	2790	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J48	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	3/8/1988 0:00	N	14133-76-7	Technetium-99	11.8	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J48	14133-76-7	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	3/8/1988 0:00	N	10028-17-8	Tritium	30900	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J48	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	3/8/1988 0:00	N	7440-61-1	Uranium	0.81	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J48	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	4/29/1988 0:00	N	10045-97-3	Cesium-137	-3.64	pCi/L	U	[NULL]	[NULL]	R	H0007J49	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	4/29/1988 0:00	N	10198-40-0	Cobalt-60	94	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J49	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	4/29/1988 0:00	N	12587-46-1	Gross alpha	0.664	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J49	12587-46-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	4/29/1988 0:00	N	12587-47-2	Gross beta	6200	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J49	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	4/29/1988 0:00	N	14797-55-8	Nitrate	25600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J49	14797-55-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-45	4/29/1988 0:00	N	13967-48-1	Ruthenium-106	67.1	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J49	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	4/29/1988 0:00	N	10098-97-2	Strontium-90	3460	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J49	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	4/29/1988 0:00	N	10028-17-8	Tritium	79400	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J49	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	4/29/1988 0:00	N	7440-61-1	Uranium	0.697	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J49	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	9/20/1988 0:00	N	14234-35-6	Antimony-125	172	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J51	14234-35-6	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	9/20/1988 0:00	N	10045-97-3	Cesium-137	1.18	pCi/L	U	[NULL]	[NULL]	R	H0007J51	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-45	9/20/1988 0:00	N	10045-97-3	Cesium-137	-1.37	pCi/L	U	[NULL]	[NULL]	R	H0007J50	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	9/20/1988 0:00	N	10198-40-0	Cobalt-60	76.5	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J51	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	9/20/1988 0:00	N	10198-40-0	Cobalt-60	83.4	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J50	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	9/20/1988 0:00	N	12587-46-1	Gross alpha	0.146	pCi/L	U	[NULL]	[NULL]	R	H0007J51	12587-46-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	9/20/1988 0:00	N	12587-46-1	Gross alpha	0.22	pCi/L	U	[NULL]	[NULL]	R	H0007J50	12587-46-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	9/20/1988 0:00	N	12587-47-2	Gross beta	5410	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J50	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	9/20/1988 0:00	N	12587-47-2	Gross beta	5640	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J51	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	9/20/1988 0:00	N	14797-55-8	Nitrate	17800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J50	14797-55-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-45	9/20/1988 0:00	N	13967-48-1	Ruthenium-106	102	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J51	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	9/20/1988 0:00	N	13967-48-1	Ruthenium-106	6.76	pCi/L	U	[NULL]	[NULL]	R	H0007J50	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	9/20/1988 0:00	N	10098-97-2	Strontium-90	3080	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J50	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	9/20/1988 0:00	N	10098-97-2	Strontium-90	2850	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J51	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	9/20/1988 0:00	N	14133-76-7	Technetium-99	29.4	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J50	14133-76-7	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	9/20/1988 0:00	N	10028-17-8	Tritium	257000	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J51	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	9/20/1988 0:00	N	10028-17-8	Tritium	263000	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J50	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	9/20/1988 0:00	N	7440-61-1	Uranium	0.693	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J50	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	9/20/1988 0:00	N	7440-61-1	Uranium	1.67	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J51	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	10/27/1988 0:00	N	10045-97-3	Cesium-137	-3.97	pCi/L	U	[NULL]	[NULL]	R	H0007J52	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	10/27/1988 0:00	N	10198-40-0	Cobalt-60	68.3	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J52	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	10/27/1988 0:00	N	12587-46-1	Gross alpha	0.429	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J52	12587-46-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	10/27/1988 0:00	N	12587-47-2	Gross beta	4620	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J52	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	10/27/1988 0:00	N	13967-48-1	Ruthenium-106	16.7	pCi/L	U	[NULL]	[NULL]	R	H0007J52	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	10/27/1988 0:00	N	10098-97-2	Strontium-90	2190	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J52	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	10/27/1988 0:00	N	10028-17-8	Tritium	98100	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J52	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	10/27/1988 0:00	N	7440-61-1	Uranium	1.2	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J52	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	12/1/1988 0:00	N	14234-35-6	Antimony-125	151	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J54	14234-35-6	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	12/1/1988 0:00	N	10045-97-3	Cesium-137	6.01	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J53	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	12/1/1988 0:00	N	10045-97-3	Cesium-137	-0.662	pCi/L	U	[NULL]	[NULL]	R	H0007J54	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	12/1/1988 0:00	N	10198-40-0	Cobalt-60	86.3	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J53	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	12/1/1988 0:00	N	10198-40-0	Cobalt-60	91.8	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J54	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	12/1/1988 0:00	N	12587-46-1	Gross alpha	0.285	pCi/L	U	[NULL]	[NULL]	R	H0007J54	12587-46-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	12/1/1988 0:00	N	12587-46-1	Gross alpha	0.297	pCi/L	U	[NULL]	[NULL]	R	H0007J53	12587-46-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	12/1/1988 0:00	N	12587-47-2	Gross beta	2480	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J54	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	12/1/1988 0:00	N	12587-47-2	Gross beta	2210	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J53	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	12/1/1988 0:00	N	14797-55-8	Nitrate	6700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J53	14797-55-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-45	12/1/1988 0:00	N	13967-48-1	Ruthenium-106	55.9	pCi/L	U	[NULL]	[NULL]	R	H0007J54	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	12/1/1988 0:00	N	13967-48-1	Ruthenium-106	26.9	pCi/L	U	[NULL]	[NULL]	R	H0007J53	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	12/1/1988 0:00	N	10098-97-2	Strontium-90	1210	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J53	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	12/1/1988 0:00	N	10098-97-2	Strontium-90	1130	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J54	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	12/1/1988 0:00	N	10028-17-8	Tritium	456000	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J54	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	12/1/1988 0:00	N	10028-17-8	Tritium	459000	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J53	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	12/1/1988 0:00	N	7440-61-1	Uranium	0.946	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J53	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-45	12/1/1988 0:00	N	7440-61-1	Uranium	0.673	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J54	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-46	4/16/1992 11:00	N	7440-36-0	Antimony	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B06CD9	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	4/16/1992 11:00	N	14234-35-6	Antimony-125	12.6	pCi/L	[NULL]	[NULL]	[NULL]	R	B06CD9	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-46	4/16/1992 11:00	N	7440-39-3	Barium	42	ug/L	[NULL]	[NULL]	[NULL]	R	B06CD9	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	4/16/1992 11:00	N	7440-41-7	Beryllium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B06CD9	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	4/16/1992 11:00	N	7440-43-9	Cadmium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B06CD9	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	4/16/1992 11:00	N	7440-70-2	Calcium	29000	ug/L	[NULL]	[NULL]	[NULL]	R	B06CD9	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	4/16/1992 11:00	N	10045-97-3	Cesium-137	9.19	pCi/L	[NULL]	[NULL]	[NULL]	R	B06CD9	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-46	4/16/1992 11:00	N	7440-47-3	Chromium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B06CD9	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	4/16/1992 11:00	N	7440-48-4	Cobalt	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B06CD9	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	4/16/1992 11:00	N	10198-40-0	Cobalt-60	0.652	pCi/L	[NULL]	[NULL]	[NULL]	R	B06CD9	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-46	4/16/1992 11:00	N	7440-50-8	Copper	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B06CD9	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	4/16/1992 11:00	N	7439-89-6	Iron	660	ug/L	[NULL]	[NULL]	[NULL]	R	B06CD9	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-46	4/16/1992 11:00	N	7439-95-4	Magnesium	4600	ug/L	[NULL]	[NULL]	[NULL]	R	B06CD9	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	4/16/1992 11:00	N	7439-96-5	Manganese	31	ug/L	[NULL]	[NULL]	[NULL]	R	B06CD9	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	4/16/1992 11:00	N	7440-02-0	Nickel	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B06CD9	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	4/16/1992 11:00	N	13981-16-3	Plutonium-238	-0.00192	pCi/L	U	[NULL]	[NULL]	R	B06CD9	13981-16-3	ITASRL	PUISO_IE_AEA	100-NR-2
199-N-46	4/16/1992 11:00	N	PU-239/240	Plutonium-239/240	-0.00017	pCi/L	U	[NULL]	[NULL]	R	B06CD9	PU-239/240	ITASRL	PUISO_IE_AEA	100-NR-2
199-N-46	4/16/1992 11:00	N	7440-09-7	Potassium	1500	ug/L	[NULL]	[NULL]	[NULL]	R	B06CD9	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	4/16/1992 11:00	N	13967-48-1	Ruthenium-106	56	pCi/L	[NULL]	[NULL]	[NULL]	R	B06CD9	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-46	4/16/1992 11:00	N	7440-22-4	Silver	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B06CD9	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	4/16/1992 11:00	N	7440-23-5	Sodium	3900	ug/L	[NULL]	[NULL]	[NULL]	R	B06CD9	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	4/16/1992 11:00	N	CONDUCT	Specific Conductance	215	uS/cm	[NULL]	[NULL]	[NULL]	R	B06CD9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-46	4/16/1992 11:00	N	10098-97-2	Strontium-90	6550	pCi/L	[NULL]	[NULL]	[NULL]	R	B06CD9	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	4/16/1992 11:00	N	TEMPERATURE	Temperature	19.4	Deg C	[NULL]	[NULL]	[NULL]	R	B06CD9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	4/16/1992 11:00	N	7440-31-5	Tin	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B06CD9	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	4/16/1992 11:00	N	7440-62-2	Vanadium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B06CD9	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	4/16/1992 11:00	N	7440-66-6	Zinc	19	ug/L	[NULL]	[NULL]	[NULL]	R	B06CD9	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	4/16/1992 11:00	N	PH	pH Measurement	7.85	unitless	[NULL]	[NULL]	[NULL]	R	B06CD9	PH	FIELD	9040_PH	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-36-0	Antimony	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MT1	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-36-0	Antimony	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MS7	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	Y	7440-36-0	Antimony	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MT0	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-36-0	Antimony	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MS9	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	Y	7440-36-0	Antimony	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MS8	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	14234-35-6	Antimony-125	-1.54	pCi/L	U	[NULL]	[NULL]	R	B01MS7	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-46	6/23/1992 9:30	N	14234-35-6	Antimony-125	-1.41	pCi/L	U	[NULL]	[NULL]	R	B01MS9	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-46	6/23/1992 9:30	Y	7440-39-3	Barium	24	ug/L	[NULL]	[NULL]	[NULL]	R	B01MS8	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	Y	7440-39-3	Barium	21	ug/L	[NULL]	[NULL]	[NULL]	R	B01MT0	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-39-3	Barium	22	ug/L	[NULL]	[NULL]	[NULL]	R	B01MS9	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-39-3	Barium	43	ug/L	[NULL]	[NULL]	[NULL]	R	B01MS7	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-39-3	Barium	35	ug/L	[NULL]	[NULL]	[NULL]	R	B01MT1	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	Y	7440-41-7	Beryllium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MS8	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-41-7	Beryllium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MS7	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-41-7	Beryllium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MT1	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-41-7	Beryllium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MS9	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	Y	7440-41-7	Beryllium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MT0	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MT1	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-46	6/23/1992 9:30	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MS7	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-46	6/23/1992 9:30	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MS9	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-46	6/23/1992 9:30	Y	7440-43-9	Cadmium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MS8	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-43-9	Cadmium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MS9	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	Y	7440-43-9	Cadmium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MT0	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-43-9	Cadmium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MS7	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-43-9	Cadmium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MT1	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	Y	7440-70-2	Calcium	21000	ug/L	[NULL]	[NULL]	[NULL]	R	B01MT0	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-70-2	Calcium	21000	ug/L	[NULL]	[NULL]	[NULL]	R	B01MT1	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-70-2	Calcium	22000	ug/L	[NULL]	[NULL]	[NULL]	R	B01MS9	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	Y	7440-70-2	Calcium	22000	ug/L	[NULL]	[NULL]	[NULL]	R	B01MS8	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-70-2	Calcium	23000	ug/L	[NULL]	[NULL]	[NULL]	R	B01MS7	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	10045-97-3	Cesium-137	-6.04	pCi/L	U	[NULL]	[NULL]	R	B01MS7	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-46	6/23/1992 9:30	N	10045-97-3	Cesium-137	-7.82	pCi/L	U	[NULL]	[NULL]	R	B01MS9	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-46	6/23/1992 9:30	N	16887-00-6	Chloride	900	ug/L	[NULL]	[NULL]	[NULL]	R	B01MS9	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-46	6/23/1992 9:30	N	16887-00-6	Chloride	900	ug/L	[NULL]	[NULL]	[NULL]	R	B01MT1	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-46	6/23/1992 9:30	N	16887-00-6	Chloride	1000	ug/L	[NULL]	[NULL]	[NULL]	R	B01MS7	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-47-3	Chromium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MS7	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	Y	7440-47-3	Chromium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MT0	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-47-3	Chromium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MS9	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-47-3	Chromium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MT1	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-46	6/23/1992 9:30	Y	7440-47-3	Chromium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MS8	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	Y	7440-48-4	Cobalt	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MS8	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-48-4	Cobalt	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MS7	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	Y	7440-48-4	Cobalt	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MT0	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-48-4	Cobalt	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MS9	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-48-4	Cobalt	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MT1	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	10198-40-0	Cobalt-60	4.07	pCi/L	[NULL]	[NULL]	[NULL]	R	B01MS7	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-46	6/23/1992 9:30	N	10198-40-0	Cobalt-60	2.06	pCi/L	[NULL]	[NULL]	[NULL]	R	B01MS9	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-50-8	Copper	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MS9	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-50-8	Copper	27	ug/L	[NULL]	[NULL]	[NULL]	R	B01MS7	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	Y	7440-50-8	Copper	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MS8	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	Y	7440-50-8	Copper	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MT0	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-50-8	Copper	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MT1	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	16984-48-8	Fluoride	200	ug/L	[NULL]	[NULL]	[NULL]	R	B01MS7	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-46	6/23/1992 9:30	N	16984-48-8	Fluoride	200	ug/L	[NULL]	[NULL]	[NULL]	R	B01MT1	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-46	6/23/1992 9:30	N	16984-48-8	Fluoride	200	ug/L	[NULL]	[NULL]	[NULL]	R	B01MS9	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-46	6/23/1992 9:30	N	7439-89-6	Iron	950	ug/L	[NULL]	[NULL]	[NULL]	R	B01MS7	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	Y	7439-89-6	Iron	20	ug/L	[NULL]	[NULL]	[NULL]	R	B01MT0	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7439-89-6	Iron	74	ug/L	[NULL]	[NULL]	[NULL]	R	B01MS9	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7439-89-6	Iron	720	ug/L	[NULL]	[NULL]	[NULL]	R	B01MT1	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	Y	7439-89-6	Iron	93	ug/L	[NULL]	[NULL]	[NULL]	R	B01MS8	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	Y	7439-95-4	Magnesium	3400	ug/L	[NULL]	[NULL]	[NULL]	R	B01MT0	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7439-95-4	Magnesium	4000	ug/L	[NULL]	[NULL]	[NULL]	R	B01MT1	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7439-95-4	Magnesium	4700	ug/L	[NULL]	[NULL]	[NULL]	R	B01MS7	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	Y	7439-95-4	Magnesium	4000	ug/L	[NULL]	[NULL]	[NULL]	R	B01MS8	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7439-95-4	Magnesium	3500	ug/L	[NULL]	[NULL]	[NULL]	R	B01MS9	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7439-96-5	Manganese	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MS9	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7439-96-5	Manganese	48	ug/L	[NULL]	[NULL]	[NULL]	R	B01MT1	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	Y	7439-96-5	Manganese	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MT0	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7439-96-5	Manganese	61	ug/L	[NULL]	[NULL]	[NULL]	R	B01MS7	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	Y	7439-96-5	Manganese	13	ug/L	[NULL]	[NULL]	[NULL]	R	B01MS8	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	Y	7440-02-0	Nickel	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MT0	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-02-0	Nickel	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MS9	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-02-0	Nickel	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MS7	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	Y	7440-02-0	Nickel	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MS8	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-02-0	Nickel	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MT1	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	14797-55-8	Nitrate	2400	ug/L	[NULL]	[NULL]	[NULL]	R	B01MT1	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-46	6/23/1992 9:30	N	14797-55-8	Nitrate	5500	ug/L	[NULL]	[NULL]	[NULL]	R	B01MS7	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-46	6/23/1992 9:30	N	14797-55-8	Nitrate	2000	ug/L	[NULL]	[NULL]	[NULL]	R	B01MS9	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-46	6/23/1992 9:30	N	14797-65-0	Nitrite	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MT1	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-46	6/23/1992 9:30	N	14797-65-0	Nitrite	1400	ug/L	[NULL]	[NULL]	[NULL]	R	B01MS7	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-46	6/23/1992 9:30	N	14797-65-0	Nitrite	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MS9	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-46	6/23/1992 9:30	N	14265-44-2	Phosphate	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MS7	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-46	6/23/1992 9:30	N	14265-44-2	Phosphate	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MT1	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-46	6/23/1992 9:30	N	14265-44-2	Phosphate	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MS9	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-09-7	Potassium	1400	ug/L	[NULL]	[NULL]	[NULL]	R	B01MT1	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	Y	7440-09-7	Potassium	1300	ug/L	[NULL]	[NULL]	[NULL]	R	B01MS8	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-09-7	Potassium	1300	ug/L	[NULL]	[NULL]	[NULL]	R	B01MS9	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-09-7	Potassium	1400	ug/L	[NULL]	[NULL]	[NULL]	R	B01MS7	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	Y	7440-09-7	Potassium	1200	ug/L	[NULL]	[NULL]	[NULL]	R	B01MT0	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	13967-48-1	Ruthenium-106	-78.8	pCi/L	U	[NULL]	[NULL]	R	B01MS9	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-46	6/23/1992 9:30	N	13967-48-1	Ruthenium-106	-1.43	pCi/L	U	[NULL]	[NULL]	R	B01MS7	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-46	6/23/1992 9:30	Y	7440-22-4	Silver	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MT0	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-22-4	Silver	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MT1	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-22-4	Silver	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MS7	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-46	6/23/1992 9:30	Y	7440-22-4	Silver	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MS8	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-22-4	Silver	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MS9	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-23-5	Sodium	2600	ug/L	[NULL]	[NULL]	[NULL]	R	B01MS9	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-23-5	Sodium	3400	ug/L	[NULL]	[NULL]	[NULL]	R	B01MT1	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-23-5	Sodium	4200	ug/L	[NULL]	[NULL]	[NULL]	R	B01MS7	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	Y	7440-23-5	Sodium	2400	ug/L	[NULL]	[NULL]	[NULL]	R	B01MT0	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	Y	7440-23-5	Sodium	3300	ug/L	[NULL]	[NULL]	[NULL]	R	B01MS8	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	CONDUCT	Specific Conductance	141	uS/cm	[NULL]	[NULL]	[NULL]	R	B01MS9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-46	6/23/1992 9:30	N	CONDUCT	Specific Conductance	140	uS/cm	[NULL]	[NULL]	[NULL]	R	B01MS7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-46	6/23/1992 9:30	N	CONDUCT	Specific Conductance	140	uS/cm	[NULL]	[NULL]	[NULL]	R	B01MT1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-46	6/23/1992 9:30	N	10098-97-2	Strontium-90	4630	pCi/L	[NULL]	[NULL]	[NULL]	R	B01MS9	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	6/23/1992 9:30	N	10098-97-2	Strontium-90	3400	pCi/L	[NULL]	[NULL]	[NULL]	R	B01MS7	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	6/23/1992 9:30	N	10098-97-2	Strontium-90	4400	pCi/L	[NULL]	[NULL]	[NULL]	R	B01MT1	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	6/23/1992 9:30	N	14808-79-8	Sulfate	9800	ug/L	[NULL]	[NULL]	[NULL]	R	B01MS9	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-46	6/23/1992 9:30	N	14808-79-8	Sulfate	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B01MS7	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-46	6/23/1992 9:30	N	14808-79-8	Sulfate	11000	ug/L	[NULL]	[NULL]	[NULL]	R	B01MT1	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-46	6/23/1992 9:30	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B01MS9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	6/23/1992 9:30	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B01MT1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	6/23/1992 9:30	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B01MS7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	6/23/1992 9:30	Y	7440-31-5	Tin	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MS8	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-31-5	Tin	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MT1	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-31-5	Tin	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MS9	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	Y	7440-31-5	Tin	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MT0	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-31-5	Tin	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MS7	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	10028-17-8	Tritium	2730	pCi/L	[NULL]	[NULL]	[NULL]	R	B01MS9	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-46	6/23/1992 9:30	N	10028-17-8	Tritium	2990	pCi/L	[NULL]	[NULL]	[NULL]	R	B01MS7	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-62-2	Vanadium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MS9	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-62-2	Vanadium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MS7	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	Y	7440-62-2	Vanadium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MS8	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-62-2	Vanadium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MT1	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	Y	7440-62-2	Vanadium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01MT0	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-66-6	Zinc	91	ug/L	[NULL]	[NULL]	[NULL]	R	B01MS9	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	Y	7440-66-6	Zinc	200	ug/L	[NULL]	[NULL]	[NULL]	R	B01MS8	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-66-6	Zinc	900	ug/L	[NULL]	[NULL]	[NULL]	R	B01MT1	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	7440-66-6	Zinc	1500	ug/L	[NULL]	[NULL]	[NULL]	R	B01MS7	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	Y	7440-66-6	Zinc	40	ug/L	[NULL]	[NULL]	[NULL]	R	B01MT0	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-46	6/23/1992 9:30	N	PH	pH Measurement	7.86	unitless	[NULL]	[NULL]	[NULL]	R	B01MS7	PH	FIELD	9040_PH	100-NR-2
199-N-46	6/23/1992 9:30	N	PH	pH Measurement	7.84	unitless	[NULL]	[NULL]	[NULL]	R	B01MS9	PH	FIELD	9040_PH	100-NR-2
199-N-46	6/23/1992 9:30	N	PH	pH Measurement	7.86	unitless	[NULL]	[NULL]	[NULL]	R	B01MT1	PH	FIELD	9040_PH	100-NR-2
199-N-46	8/11/1995 10:33	N	CONDUCT	Specific Conductance	194	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GB58	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-46	8/11/1995 10:33	N	10098-97-2	Strontium-90	5090	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GB58	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	8/11/1995 10:33	N	TEMPERATURE	Temperature	16.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0GB58	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	8/11/1995 10:33	N	TURBIDITY	Turbidity	1.69	NTU	[NULL]	[NULL]	[NULL]	R	B0GB58	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	8/11/1995 10:33	N	PH	pH Measurement	7.75	unitless	[NULL]	[NULL]	[NULL]	R	B0GB58	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	9/13/1995 10:00	N	14158-27-1	Strontium-89	16100	pCi/L	U	[NULL]	[NULL]	R	B0HCR4	14158-27-1	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	9/13/1995 10:00	N	10098-97-2	Strontium-90	5300	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HCR4	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-46	9/13/1995 13:15	N	10098-97-2	Strontium-90	5850	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GFT1	10098-97-2	ITASRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-46	9/20/1995 13:00	N	10028-17-8	Tritium	19200	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HCR6	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-46	9/27/1995 13:30	N	14158-27-1	Strontium-89	20700	pCi/L	U	[NULL]	[NULL]	R	B0HCR8	14158-27-1	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	9/27/1995 13:30	N	10098-97-2	Strontium-90	5740	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HCR8	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-46	10/3/1995 13:15	N	DO	Dissolved oxygen	6000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GP01	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	10/3/1995 13:15	N	CONDUCT	Specific Conductance	360	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GP01	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-46	10/3/1995 13:15	N	10098-97-2	Strontium-90	6180	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GP01	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	10/3/1995 13:15	N	TEMPERATURE	Temperature	16.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0GP01	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	10/3/1995 13:15	N	TURBIDITY	Turbidity	9.01	NTU	[NULL]	[NULL]	[NULL]	R	B0GP01	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-46	10/3/1995 13:15	N	PH	pH Measurement	7.39	unitless	[NULL]	[NULL]	[NULL]	R	B0GP01	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	10/4/1995 10:50	N	14158-27-1	Strontium-89	450	pCi/L	U	[NULL]	[NULL]	R	B0HCS0	14158-27-1	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	10/4/1995 10:50	N	10098-97-2	Strontium-90	7010	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HCS0	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-46	10/4/1995 10:50	N	10028-17-8	Tritium	19900	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HCS0	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-46	10/11/1995 13:30	N	14158-27-1	Strontium-89	22200	pCi/L	U	[NULL]	[NULL]	R	B0HCS2	14158-27-1	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	10/11/1995 13:30	N	10098-97-2	Strontium-90	6060	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HCS2	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-46	10/18/1995 12:45	N	14158-27-1	Strontium-89	1960	pCi/L	U	[NULL]	[NULL]	R	B0HCS4	14158-27-1	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	10/18/1995 12:45	N	10098-97-2	Strontium-90	3620	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HCS4	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-46	10/18/1995 12:45	N	10028-17-8	Tritium	16100	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HCS4	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-46	10/25/1995 9:00	N	14158-27-1	Strontium-89	6150	pCi/L	U	[NULL]	[NULL]	R	B0HCS6	14158-27-1	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	10/25/1995 9:00	N	10098-97-2	Strontium-90	5680	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HCS6	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-46	10/25/1995 9:00	N	10028-17-8	Tritium	10700	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HCS6	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-46	11/1/1995 13:30	N	10028-17-8	Tritium	8210	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HCV4	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-46	11/3/1995 9:25	N	DO	Dissolved oxygen	5200	ug/L	[NULL]	[NULL]	[NULL]	R	B0GRP5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	11/3/1995 9:25	N	CONDUCT	Specific Conductance	308	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GRP5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-46	11/3/1995 9:25	N	10098-97-2	Strontium-90	3390	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GRP5	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	11/3/1995 9:25	N	TEMPERATURE	Temperature	14.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0GRP5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	11/3/1995 9:25	N	PH	pH Measurement	7.62	unitless	[NULL]	[NULL]	[NULL]	R	B0GRP5	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	11/8/1995 9:00	N	14158-27-1	Strontium-89	8760	pCi/L	U	[NULL]	[NULL]	R	B0HCV6	14158-27-1	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	11/8/1995 9:00	N	10098-97-2	Strontium-90	3780	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HCV6	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-46	11/15/1995 9:50	N	10028-17-8	Tritium	1790	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HCV8	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-46	11/22/1995 13:45	N	14158-27-1	Strontium-89	5690	pCi/L	U	[NULL]	[NULL]	R	B0HCW0	14158-27-1	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	11/22/1995 13:45	N	10098-97-2	Strontium-90	3480	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HCW0	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-46	11/29/1995 13:00	N	10028-17-8	Tritium	71.8	pCi/L	U	[NULL]	[NULL]	R	B0HCW2	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-46	12/6/1995 9:41	N	DO	Dissolved oxygen	8000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GYT8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	12/6/1995 9:41	N	CONDUCT	Specific Conductance	306	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GYT8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-46	12/6/1995 9:41	N	10098-97-2	Strontium-90	2680	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GYT8	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	12/6/1995 9:41	N	TEMPERATURE	Temperature	12	Deg C	[NULL]	[NULL]	[NULL]	R	B0GYT8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	12/6/1995 9:41	N	TURBIDITY	Turbidity	2.87	NTU	[NULL]	[NULL]	[NULL]	R	B0GYT8	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	12/6/1995 9:41	N	PH	pH Measurement	7.96	unitless	[NULL]	[NULL]	[NULL]	R	B0GYT8	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	12/6/1995 13:50	N	14158-27-1	Strontium-89	-800	pCi/L	U	[NULL]	[NULL]	R	B0HCW4	14158-27-1	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	12/6/1995 13:50	N	10098-97-2	Strontium-90	6140	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HCW4	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-46	12/6/1995 13:50	N	10028-17-8	Tritium	133	pCi/L	U	[NULL]	[NULL]	R	B0HCW4	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-46	12/13/1995 11:00	N	10028-17-8	Tritium	108	pCi/L	U	[NULL]	[NULL]	R	B0HCW6	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-46	1/5/1996 9:33	N	DO	Dissolved oxygen	8800	ug/L	[NULL]	[NULL]	[NULL]	R	B0GZG4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	1/5/1996 9:33	N	CONDUCT	Specific Conductance	175	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GZG4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-46	1/5/1996 9:33	N	10098-97-2	Strontium-90	4210	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GZG4	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	1/5/1996 9:33	N	TEMPERATURE	Temperature	11.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0GZG4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	1/5/1996 9:33	N	TURBIDITY	Turbidity	2.01	NTU	[NULL]	[NULL]	[NULL]	R	B0GZG4	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	1/5/1996 9:33	N	PH	pH Measurement	8.11	unitless	[NULL]	[NULL]	[NULL]	R	B0GZG4	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	1/10/1996 10:50	N	14158-27-1	Strontium-89	3780	pCi/L	U	[NULL]	[NULL]	R	B0HCY4	14158-27-1	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	1/10/1996 10:50	N	10098-97-2	Strontium-90	4330	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HCY4	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-46	2/16/1996 14:17	N	DO	Dissolved oxygen	11000	ug/L	[NULL]	[NULL]	[NULL]	R	B0H6J0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	2/16/1996 14:17	N	CONDUCT	Specific Conductance	169	uS/cm	[NULL]	[NULL]	[NULL]	R	B0H6J0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-46	2/16/1996 14:17	N	10098-97-2	Strontium-90	3080	pCi/L	[NULL]	[NULL]	[NULL]	R	B0H6J0	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	2/16/1996 14:17	N	TEMPERATURE	Temperature	8.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0H6J0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	2/16/1996 14:17	N	TURBIDITY	Turbidity	4.56	NTU	[NULL]	[NULL]	[NULL]	R	B0H6J0	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	2/16/1996 14:17	N	PH	pH Measurement	8.01	unitless	[NULL]	[NULL]	[NULL]	R	B0H6J0	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	3/4/1996 10:32	N	DO	Dissolved oxygen	14000	ug/L	[NULL]	[NULL]	[NULL]	R	B0H768	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	3/4/1996 10:32	N	CONDUCT	Specific Conductance	225	uS/cm	[NULL]	[NULL]	[NULL]	R	B0H768	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-46	3/4/1996 10:32	N	10098-97-2	Strontium-90	4050	pCi/L	[NULL]	[NULL]	[NULL]	R	B0H768	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	3/4/1996 10:32	N	TEMPERATURE	Temperature	17.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0H768	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	3/4/1996 10:32	N	TURBIDITY	Turbidity	2.11	NTU	[NULL]	[NULL]	[NULL]	R	B0H768	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	3/4/1996 10:32	N	PH	pH Measurement	6.51	unitless	[NULL]	[NULL]	[NULL]	R	B0H768	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	4/5/1996 10:11	N	DO	Dissolved oxygen	10000	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8N0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-46	4/5/1996 10:11	N	CONDUCT	Specific Conductance	239	uS/cm	[NULL]	[NULL]	[NULL]	R	B0H8N0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-46	4/5/1996 10:11	N	10098-97-2	Strontium-90	5820	pCi/L	[NULL]	[NULL]	[NULL]	R	B0H8N0	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	4/5/1996 10:11	N	TEMPERATURE	Temperature	13.9	Deg C	[NULL]	[NULL]	[NULL]	R	B0H8N0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	4/5/1996 10:11	N	TURBIDITY	Turbidity	1.05	NTU	[NULL]	[NULL]	[NULL]	R	B0H8N0	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	4/5/1996 10:11	N	PH	pH Measurement	7.78	unitless	[NULL]	[NULL]	[NULL]	R	B0H8N0	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	5/10/1996 10:02	N	DO	Dissolved oxygen	10100	ug/L	[NULL]	[NULL]	[NULL]	R	B0HDW1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	5/10/1996 10:02	N	CONDUCT	Specific Conductance	223	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HDW1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-46	5/10/1996 10:02	N	10098-97-2	Strontium-90	4510	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HDW1	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	5/10/1996 10:02	N	TEMPERATURE	Temperature	11.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0HDW1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	5/10/1996 10:02	N	TURBIDITY	Turbidity	1.83	NTU	[NULL]	[NULL]	[NULL]	R	B0HDW1	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	5/10/1996 10:02	N	PH	pH Measurement	7.92	unitless	[NULL]	[NULL]	[NULL]	R	B0HDW1	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	6/7/1996 9:15	N	DO	Dissolved oxygen	8000	ug/L	[NULL]	[NULL]	[NULL]	R	B0HG72	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	6/7/1996 9:15	N	CONDUCT	Specific Conductance	265	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HG72	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-46	6/7/1996 9:15	N	10098-97-2	Strontium-90	3670	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HG72	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	6/7/1996 9:15	N	TEMPERATURE	Temperature	15	Deg C	[NULL]	[NULL]	[NULL]	R	B0HG72	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	6/7/1996 9:15	N	TURBIDITY	Turbidity	1.53	NTU	[NULL]	[NULL]	[NULL]	R	B0HG72	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	6/7/1996 9:15	N	PH	pH Measurement	7.71	unitless	[NULL]	[NULL]	[NULL]	R	B0HG72	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	7/22/1996 11:55	N	DO	Dissolved oxygen	69300	ug/L	[NULL]	[NULL]	[NULL]	R	B0HYF2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	7/22/1996 11:55	N	CONDUCT	Specific Conductance	212	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HYF2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-46	7/22/1996 11:55	N	10098-97-2	Strontium-90	4820	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HYF2	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	7/22/1996 11:55	N	TEMPERATURE	Temperature	16.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0HYF2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	7/22/1996 11:55	N	10028-17-8	Tritium	3160	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HYF2	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-46	7/22/1996 11:55	N	TURBIDITY	Turbidity	1.12	NTU	[NULL]	[NULL]	[NULL]	R	B0HYF2	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	7/22/1996 11:55	N	PH	pH Measurement	7.69	unitless	[NULL]	[NULL]	[NULL]	R	B0HYF2	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	8/7/1996 13:05	N	DO	Dissolved oxygen	68700	ug/L	[NULL]	[NULL]	[NULL]	R	B0HYF3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	8/7/1996 13:05	N	CONDUCT	Specific Conductance	235	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HYF3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-46	8/7/1996 13:05	N	10098-97-2	Strontium-90	5550	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HYF3	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	8/7/1996 13:05	N	TEMPERATURE	Temperature	16	Deg C	[NULL]	[NULL]	[NULL]	R	B0HYF3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	8/7/1996 13:05	N	10028-17-8	Tritium	6370	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HYF3	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-46	8/7/1996 13:05	N	TURBIDITY	Turbidity	0.99	NTU	[NULL]	[NULL]	[NULL]	R	B0HYF3	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	8/7/1996 13:05	N	PH	pH Measurement	7.55	unitless	[NULL]	[NULL]	[NULL]	R	B0HYF3	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	9/10/1996 11:40	N	DO	Dissolved oxygen	5320	ug/L	[NULL]	[NULL]	[NULL]	R	B0HYF4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	9/10/1996 11:40	N	CONDUCT	Specific Conductance	306	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HYF4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-46	9/10/1996 11:40	N	10098-97-2	Strontium-90	7030	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J0J9	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	9/10/1996 11:40	N	10098-97-2	Strontium-90	7640	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HYF4	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	9/10/1996 11:40	N	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0HYF4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	9/10/1996 11:40	N	10028-17-8	Tritium	16600	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HYF4	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-46	9/10/1996 11:40	N	TURBIDITY	Turbidity	2.81	NTU	[NULL]	[NULL]	[NULL]	R	B0HYF4	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	9/10/1996 11:40	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	B0HYF4	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	10/3/1996 9:56	N	DO	Dissolved oxygen	3200	ug/L	[NULL]	[NULL]	[NULL]	R	B0J2M0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	10/3/1996 9:56	N	CONDUCT	Specific Conductance	328	uS/cm	[NULL]	[NULL]	[NULL]	R	B0J2M0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-46	10/3/1996 9:56	N	10098-97-2	Strontium-90	13700	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J2N9	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	10/3/1996 9:56	N	10098-97-2	Strontium-90	9170	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J2M0	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	10/3/1996 9:56	N	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0J2M0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	10/3/1996 9:56	N	10028-17-8	Tritium	19600	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J2N9	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-46	10/3/1996 9:56	N	TURBIDITY	Turbidity	2.16	NTU	[NULL]	[NULL]	[NULL]	R	B0J2M0	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	10/3/1996 9:56	N	PH	pH Measurement	7.48	unitless	[NULL]	[NULL]	[NULL]	R	B0J2M0	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	11/8/1996 11:05	N	DO	Dissolved oxygen	4310	ug/L	[NULL]	[NULL]	[NULL]	R	B0J2M8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	11/8/1996 11:05	N	CONDUCT	Specific Conductance	182	uS/cm	[NULL]	[NULL]	[NULL]	R	B0J2M8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-46	11/8/1996 11:05	N	10098-97-2	Strontium-90	4880	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J2M8	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	11/8/1996 11:05	N	TEMPERATURE	Temperature	16.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0J2M8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	11/8/1996 11:05	N	TURBIDITY	Turbidity	1.3	NTU	[NULL]	[NULL]	[NULL]	R	B0J2M8	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	11/8/1996 11:05	N	PH	pH Measurement	7.71	unitless	[NULL]	[NULL]	[NULL]	R	B0J2M8	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	12/6/1996 10:20	N	DO	Dissolved oxygen	4420	ug/L	[NULL]	[NULL]	[NULL]	R	B0J2N7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	12/6/1996 10:20	N	OIL/GREASE	Oil and grease	57700	ug/L	[NULL]	[NULL]	[NULL]	R	B0JLF0	OIL/GREASE	QTESSL	413.1_OILGREASE	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-46	12/6/1996 10:20	N	CONDUCT	Specific Conductance	160	uS/cm	[NULL]	[NULL]	[NULL]	R	B0J2N7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-46	12/6/1996 10:20	N	10098-97-2	Strontium-90	3990	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J2P1	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	12/6/1996 10:20	N	10098-97-2	Strontium-90	4450	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J2N7	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	12/6/1996 10:20	N	TEMPERATURE	Temperature	14.9	Deg C	[NULL]	[NULL]	[NULL]	R	B0J2N7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	12/6/1996 10:20	N	10028-17-8	Tritium	2890	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J2P1	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-46	12/6/1996 10:20	N	TURBIDITY	Turbidity	1.59	NTU	[NULL]	[NULL]	[NULL]	R	B0J2N7	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	12/6/1996 10:20	N	PH	pH Measurement	7.48	unitless	[NULL]	[NULL]	[NULL]	R	B0J2N7	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	1/15/1997 9:57	N	10098-97-2	Strontium-90	2750	pCi/L	[NULL]	[NULL]	[NULL]	R	B0JR53	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	2/6/1997 13:00	N	DO	Dissolved oxygen	8580	ug/L	[NULL]	[NULL]	[NULL]	R	B0JY54	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	2/6/1997 13:00	N	CONDUCT	Specific Conductance	176	uS/cm	[NULL]	[NULL]	[NULL]	R	B0JY54	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-46	2/6/1997 13:00	N	10098-97-2	Strontium-90	3900	pCi/L	[NULL]	[NULL]	[NULL]	R	B0JY54	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	2/6/1997 13:00	N	TEMPERATURE	Temperature	10.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0JY54	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	2/6/1997 13:00	N	TURBIDITY	Turbidity	3.21	NTU	[NULL]	[NULL]	[NULL]	R	B0JY54	TURBIDITY	FIELD	180.1_TURBIDITY	100-NR-2
199-N-46	2/6/1997 13:00	N	PH	pH Measurement	7.92	unitless	[NULL]	[NULL]	[NULL]	R	B0JY54	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	2/19/1997 12:40	N	10098-97-2	Strontium-90	3980	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J2P2	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	2/19/1997 12:40	N	10028-17-8	Tritium	1700	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J2P2	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-46	3/10/1997 10:13	N	10098-97-2	Strontium-90	8160	pCi/L	[NULL]	[NULL]	[NULL]	R	B0K012	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	3/18/1997 11:08	N	10098-97-2	Strontium-90	9400	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J2P3	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	3/18/1997 11:08	N	10028-17-8	Tritium	14600	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J2P3	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-46	4/3/1997 11:05	N	CONDUCT	Specific Conductance	163	uS/cm	[NULL]	[NULL]	[NULL]	R	B0K035	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-46	4/3/1997 11:05	N	10098-97-2	Strontium-90	3800	pCi/L	[NULL]	[NULL]	[NULL]	R	B0K035	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	4/3/1997 11:05	N	10098-97-2	Strontium-90	3790	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J2P4	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	4/3/1997 11:05	N	TEMPERATURE	Temperature	9.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0K035	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	4/3/1997 11:05	N	10028-17-8	Tritium	851	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J2P4	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-46	4/3/1997 11:05	N	TURBIDITY	Turbidity	2.5	NTU	[NULL]	[NULL]	[NULL]	R	B0K035	TURBIDITY	FIELD	180.1_TURBIDITY	100-NR-2
199-N-46	4/3/1997 11:05	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	B0K035	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	5/9/1997 9:15	N	10098-97-2	Strontium-90	3120	pCi/L	[NULL]	[NULL]	[NULL]	IP	B0KB50	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	5/9/1997 9:15	N	10028-17-8	Tritium	326	pCi/L	J	[NULL]	[NULL]	IP	B0KB50	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-46	6/5/1997 13:27	N	10098-97-2	Strontium-90	2370	pCi/L	[NULL]	[NULL]	[NULL]	IP	B0KB53	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	6/5/1997 13:27	N	10028-17-8	Tritium	575	pCi/L	[NULL]	[NULL]	[NULL]	IP	B0KB53	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-46	7/10/1997 13:00	N	10098-97-2	Strontium-90	5180	pCi/L	[NULL]	[NULL]	[NULL]	IP	B0KB56	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	7/10/1997 13:00	N	10098-97-2	Strontium-90	4830	pCi/L	[NULL]	[NULL]	[NULL]	R	B0LFJ7	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	7/10/1997 13:00	N	10028-17-8	Tritium	2760	pCi/L	[NULL]	[NULL]	[NULL]	IP	B0KB56	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-46	8/11/1997 12:17	N	10098-97-2	Strontium-90	8270	pCi/L	[NULL]	[NULL]	[NULL]	IP	B0KB59	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	8/11/1997 12:17	N	10028-17-8	Tritium	8030	pCi/L	[NULL]	[NULL]	[NULL]	IP	B0KB59	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-46	9/11/1997 9:08	N	CONDUCT	Specific Conductance	415	uS/cm	[NULL]	[NULL]	[NULL]	R	B0LXX4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-46	9/11/1997 9:08	N	10098-97-2	Strontium-90	11300	pCi/L	[NULL]	[NULL]	[NULL]	R	B0LXX4	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	9/11/1997 9:08	N	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0LXX4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	9/11/1997 9:08	N	TURBIDITY	Turbidity	0.88	NTU	[NULL]	[NULL]	[NULL]	R	B0LXX4	TURBIDITY	FIELD	180.1_TURBIDITY	100-NR-2
199-N-46	9/11/1997 9:08	N	PH	pH Measurement	7.73	unitless	[NULL]	[NULL]	[NULL]	R	B0LXX4	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	9/17/1997 12:06	N	10045-97-3	Cesium-137	-2.89	pCi/L	U	[NULL]	[NULL]	IP	B0KB64	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-46	9/17/1997 12:06	N	10198-40-0	Cobalt-60	2.22	pCi/L	U	[NULL]	[NULL]	IP	B0KB64	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-46	9/17/1997 12:06	N	14683-23-9	Europium-152	-4.27	pCi/L	U	[NULL]	[NULL]	IP	B0KB64	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-46	9/17/1997 12:06	N	15585-10-1	Europium-154	0	pCi/L	U	[NULL]	[NULL]	IP	B0KB64	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-46	9/17/1997 12:06	N	14391-16-3	Europium-155	18.7	pCi/L	U	[NULL]	[NULL]	IP	B0KB64	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-46	9/17/1997 12:06	N	10028-17-8	Tritium	15800	pCi/L	[NULL]	[NULL]	[NULL]	IP	B0KB64	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-46	10/13/1997 9:05	N	10098-97-2	Strontium-90	9150	pCi/L	[NULL]	[NULL]	[NULL]	R	B0M627	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	10/13/1997 9:05	N	10028-17-8	Tritium	12300	pCi/L	[NULL]	[NULL]	[NULL]	R	B0M627	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-46	11/6/1997 10:27	N	10098-97-2	Strontium-90	8270	pCi/L	[NULL]	[NULL]	[NULL]	R	B0MD24	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	11/6/1997 10:27	N	10028-17-8	Tritium	9600	pCi/L	[NULL]	[NULL]	[NULL]	R	B0MD24	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-46	12/4/1997 11:18	N	10098-97-2	Strontium-90	6600	pCi/L	[NULL]	[NULL]	[NULL]	R	B0MK49	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	12/4/1997 11:18	N	10028-17-8	Tritium	6220	pCi/L	[NULL]	[NULL]	[NULL]	R	B0MK49	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-46	1/20/1998 9:58	N	10098-97-2	Strontium-90	13900	pCi/L	[NULL]	[NULL]	[NULL]	R	B0MX81	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	1/20/1998 9:58	N	10028-17-8	Tritium	17900	pCi/L	[NULL]	[NULL]	[NULL]	R	B0MX81	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-46	2/10/1998 10:00	N	10045-97-3	Cesium-137	1.39	pCi/L	U	[NULL]	[NULL]	R	B0N2V2	10045-97-3	QTESRL	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-46	2/10/1998 10:00	N	10198-40-0	Cobalt-60	-6.75	pCi/L	U	[NULL]	[NULL]	R	B0N2V2	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-46	2/10/1998 10:00	N	14683-23-9	Europium-152	-11.6	pCi/L	U	[NULL]	[NULL]	R	B0N2V2	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-46	2/10/1998 10:00	N	15585-10-1	Europium-154	2	pCi/L	U	[NULL]	[NULL]	R	B0N2V2	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-46	2/10/1998 10:00	N	14391-16-3	Europium-155	-0.269	pCi/L	U	[NULL]	[NULL]	R	B0N2V2	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-46	2/10/1998 10:00	N	10098-97-2	Strontium-90	2.97	pCi/L	[NULL]	F	[NULL]	R	B0N2V2	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	2/10/1998 10:00	N	10028-17-8	Tritium	5320	pCi/L	[NULL]	[NULL]	[NULL]	R	B0N2V2	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-46	3/16/1998 11:35	N	10098-97-2	Strontium-90	14800	pCi/L	[NULL]	[NULL]	[NULL]	R	B0N8M6	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	3/16/1998 11:35	N	10028-17-8	Tritium	18000	pCi/L	[NULL]	[NULL]	[NULL]	R	B0N8M6	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-46	4/16/1998 8:45	N	10098-97-2	Strontium-90	15700	pCi/L	[NULL]	[NULL]	[NULL]	R	B0NLT0	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	4/16/1998 8:45	N	10028-17-8	Tritium	19800	pCi/L	[NULL]	[NULL]	[NULL]	R	B0NLT0	10028-17-8	QTESRL	TRITIUM_ELECT_LSC	100-NR-2
199-N-46	5/21/1998 11:20	N	10098-97-2	Strontium-90	3550	pCi/L	[NULL]	[NULL]	[NULL]	R	B0NX19	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	5/21/1998 11:20	N	10028-17-8	Tritium	392	pCi/L	J	[NULL]	[NULL]	R	B0NX19	10028-17-8	QTESRL	TRITIUM_ELECT_LSC	100-NR-2
199-N-46	6/9/1998 11:55	N	10098-97-2	Strontium-90	3200	pCi/L	[NULL]	[NULL]	[NULL]	R	B0P0W7	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	6/9/1998 11:55	N	10028-17-8	Tritium	507	pCi/L	[NULL]	[NULL]	[NULL]	R	B0P0W7	10028-17-8	QTESRL	TRITIUM_ELECT_LSC	100-NR-2
199-N-46	7/22/1998 10:00	N	10098-97-2	Strontium-90	10800	pCi/L	[NULL]	[NULL]	[NULL]	R	B0PD10	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	7/22/1998 10:00	N	10028-17-8	Tritium	8230	pCi/L	[NULL]	[NULL]	[NULL]	R	B0PD10	10028-17-8	QTESRL	TRITIUM_ELECT_LSC	100-NR-2
199-N-46	3/22/1999 9:21	N	CONDUCT	Specific Conductance	203	uS/cm	[NULL]	[NULL]	[NULL]	R	B0TXY9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-46	3/22/1999 9:21	N	CONDUCT	Specific Conductance	192	uS/cm	C	[NULL]	[NULL]	R	B0TXY9	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-46	3/22/1999 9:21	N	10098-97-2	Strontium-90	4920	pCi/L	[NULL]	[NULL]	[NULL]	R	B0TXY8	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-46	3/22/1999 9:21	N	TEMPERATURE	Temperature	12.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0TXY9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	3/22/1999 9:21	N	10028-17-8	Tritium	1090	pCi/L	[NULL]	[NULL]	[NULL]	R	B0TXY8	10028-17-8	QTESRL	906.0_H3_LSC	100-NR-2
199-N-46	3/22/1999 9:21	N	TURBIDITY	Turbidity	1.15	NTU	[NULL]	[NULL]	[NULL]	R	B0TXY9	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	3/22/1999 9:21	N	PH	pH Measurement	7.71	unitless	[NULL]	[NULL]	[NULL]	R	B0TXY9	PH	FIELD	9040_PH	100-NR-2
199-N-46	9/9/1999 9:04	N	CONDUCT	Specific Conductance	535	uS/cm	C	[NULL]	[NULL]	R	B0W842	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-46	9/9/1999 9:04	N	CONDUCT	Specific Conductance	557	uS/cm	[NULL]	[NULL]	[NULL]	R	B0W842	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-46	9/9/1999 9:04	N	10098-97-2	Strontium-90	13100	pCi/L	[NULL]	[NULL]	[NULL]	R	B0W841	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-46	9/9/1999 9:04	N	TEMPERATURE	Temperature	15.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0W842	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	9/9/1999 9:04	N	10028-17-8	Tritium	9190	pCi/L	[NULL]	[NULL]	[NULL]	R	B0W841	10028-17-8	QTESRL	906.0_H3_LSC	100-NR-2
199-N-46	9/9/1999 9:04	N	TURBIDITY	Turbidity	1.37	NTU	[NULL]	[NULL]	[NULL]	R	B0W842	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	9/9/1999 9:04	N	PH	pH Measurement	7.61	unitless	[NULL]	[NULL]	[NULL]	R	B0W842	PH	FIELD	9040_PH	100-NR-2
199-N-46	3/28/2000 13:25	N	CONDUCT	Specific Conductance	483	uS/cm	[NULL]	[NULL]	[NULL]	R	B0XMF5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-46	3/28/2000 13:25	N	10098-97-2	Strontium-90	14700	pCi/L	[NULL]	[NULL]	[NULL]	R	B0XMF5	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-46	3/28/2000 13:25	N	TEMPERATURE	Temperature	14.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0XMF5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	3/28/2000 13:25	N	10028-17-8	Tritium	8570	pCi/L	[NULL]	[NULL]	[NULL]	R	B0XMF5	10028-17-8	QTESRL	906.0_H3_LSC	100-NR-2
199-N-46	3/28/2000 13:25	N	TURBIDITY	Turbidity	1.13	NTU	[NULL]	[NULL]	[NULL]	R	B0XMF5	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	3/28/2000 13:25	N	PH	pH Measurement	7.66	unitless	[NULL]	[NULL]	[NULL]	R	B0XMF5	PH	FIELD	9040_PH	100-NR-2
199-N-46	9/22/2000 12:30	N	CONDUCT	Specific Conductance	421	uS/cm	[NULL]	[NULL]	[NULL]	R	B104C7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-46	9/22/2000 12:30	N	10098-97-2	Strontium-90	10800	pCi/L	[NULL]	[NULL]	[NULL]	R	B104C7	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-46	9/22/2000 12:30	N	TEMPERATURE	Temperature	16.3	Deg C	[NULL]	[NULL]	[NULL]	R	B104C7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	9/22/2000 12:30	N	10028-17-8	Tritium	5490	pCi/L	[NULL]	[NULL]	[NULL]	R	B104C7	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-46	9/22/2000 12:30	N	TURBIDITY	Turbidity	0.33	NTU	[NULL]	[NULL]	[NULL]	R	B104C7	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	9/22/2000 12:30	N	PH	pH Measurement	7.52	unitless	[NULL]	[NULL]	[NULL]	R	B104C7	PH	FIELD	9040_PH	100-NR-2
199-N-46	3/23/2001 8:51	N	EH	Oxidation Reduction Potential	73.5	mV	[NULL]	[NULL]	[NULL]	R	B11HN0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-46	3/23/2001 8:51	N	CONDUCT	Specific Conductance	419	uS/cm	[NULL]	[NULL]	[NULL]	R	B11HN0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-46	3/23/2001 8:51	N	10098-97-2	Strontium-90	9690	pCi/L	[NULL]	[NULL]	[NULL]	R	B11HN0	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-46	3/23/2001 8:51	N	TEMPERATURE	Temperature	12.1	Deg C	[NULL]	[NULL]	[NULL]	R	B11HN0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	3/23/2001 8:51	N	10028-17-8	Tritium	5010	pCi/L	[NULL]	[NULL]	[NULL]	R	B11HN0	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-46	3/23/2001 8:51	N	TURBIDITY	Turbidity	3.74	NTU	[NULL]	[NULL]	[NULL]	R	B11HN0	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	3/23/2001 8:51	N	PH	pH Measurement	7.96	unitless	[NULL]	[NULL]	[NULL]	R	B11HN0	PH	FIELD	9040_PH	100-NR-2
199-N-46	9/23/2002 11:37	N	CONDUCT	Specific Conductance	234	uS/cm	[NULL]	[NULL]	[NULL]	R	B159J2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-46	9/23/2002 11:37	N	10098-97-2	Strontium-90	4810	pCi/L	[NULL]	[NULL]	[NULL]	R	B159J2	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-46	9/23/2002 11:37	N	TEMPERATURE	Temperature	15.8	Deg C	[NULL]	[NULL]	[NULL]	R	B159J2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	9/23/2002 11:37	N	10028-17-8	Tritium	681	pCi/L	[NULL]	[NULL]	[NULL]	R	B159J2	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-46	9/23/2002 11:37	N	TURBIDITY	Turbidity	1.08	NTU	[NULL]	[NULL]	[NULL]	R	B159J2	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-46	9/23/2002 11:37	N	PH	pH Measurement	7.61	unitless	[NULL]	[NULL]	[NULL]	R	B159J2	PH	FIELD	9040_PH	100-NR-2
199-N-46	12/17/2002 9:13	N	CONDUCT	Specific Conductance	142	uS/cm	[NULL]	[NULL]	[NULL]	R	B16435	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-46	12/17/2002 9:13	N	TEMPERATURE	Temperature	13.8	Deg C	[NULL]	[NULL]	[NULL]	R	B16435	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	12/17/2002 9:13	N	TURBIDITY	Turbidity	3.4	NTU	[NULL]	[NULL]	[NULL]	R	B16435	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	12/17/2002 9:13	N	PH	pH Measurement	7.74	unitless	[NULL]	[NULL]	[NULL]	R	B16435	PH	FIELD	9040_PH	100-NR-2
199-N-46	3/5/2003 10:22	N	CONDUCT	Specific Conductance	167	uS/cm	[NULL]	[NULL]	[NULL]	R	B16JT7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-46	3/5/2003 10:22	N	10098-97-2	Strontium-90	3250	pCi/L	[NULL]	[NULL]	[NULL]	R	B16JT7	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-46	3/5/2003 10:22	N	TEMPERATURE	Temperature	13.2	Deg C	[NULL]	[NULL]	[NULL]	R	B16JT7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	3/5/2003 10:22	N	10028-17-8	Tritium	383	pCi/L	[NULL]	[NULL]	[NULL]	R	B16JT7	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-46	3/5/2003 10:22	N	TURBIDITY	Turbidity	0.8	NTU	[NULL]	[NULL]	[NULL]	R	B16JT7	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	3/5/2003 10:22	N	PH	pH Measurement	8.02	unitless	[NULL]	[NULL]	[NULL]	R	B16JT7	PH	FIELD	9040_PH	100-NR-2
199-N-46	9/25/2003 9:19	N	CONDUCT	Specific Conductance	246	uS/cm	[NULL]	[NULL]	[NULL]	R	B17DD9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-46	9/25/2003 9:19	N	10098-97-2	Strontium-90	4890	pCi/L	[NULL]	[NULL]	[NULL]	R	B17DD9	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-46	9/25/2003 9:19	N	TEMPERATURE	Temperature	18.2	Deg C	[NULL]	[NULL]	[NULL]	R	B17DD9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	9/25/2003 9:19	N	10028-17-8	Tritium	1090	pCi/L	[NULL]	[NULL]	[NULL]	R	B17DD9	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-46	9/25/2003 9:19	N	TURBIDITY	Turbidity	7.76	NTU	[NULL]	[NULL]	[NULL]	R	B17DD9	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	9/25/2003 9:19	N	PH	pH Measurement	8.05	unitless	[NULL]	[NULL]	[NULL]	R	B17DD9	PH	FIELD	9040_PH	100-NR-2
199-N-46	2/4/2004 14:20	N	12587-47-2	Gross beta	4080	pCi/L	[NULL]	[NULL]	[NULL]	TS	B18F36	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	2/4/2004 19:20	N	12587-47-2	Gross beta	3990	pCi/L	[NULL]	[NULL]	[NULL]	TS	B18F41	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	2/5/2004 4:20	N	12587-47-2	Gross beta	4120	pCi/L	[NULL]	[NULL]	[NULL]	TS	B18F50	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	2/5/2004 11:20	N	12587-47-2	Gross beta	3520	pCi/L	[NULL]	[NULL]	[NULL]	TS	B18F57	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	2/10/2004 0:00	N	12587-47-2	Gross beta	4450	pCi/L	[NULL]	[NULL]	[NULL]	S	B18K97	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	2/12/2004 0:00	N	12587-47-2	Gross beta	3960	pCi/L	[NULL]	[NULL]	[NULL]	S	B18K96	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	4/21/2004 8:58	N	CONDUCT	Specific Conductance	152	uS/cm	[NULL]	[NULL]	[NULL]	R	B18MF4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-46	4/21/2004 8:58	N	10098-97-2	Strontium-90	1550	pCi/L	[NULL]	[NULL]	[NULL]	R	B18MF4	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-46	4/21/2004 8:58	N	TEMPERATURE	Temperature	12	Deg C	[NULL]	[NULL]	[NULL]	R	B18MF4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	4/21/2004 8:58	N	10028-17-8	Tritium	17.8	pCi/L	U	[NULL]	[NULL]	R	B18MF4	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-46	4/21/2004 8:58	N	TURBIDITY	Turbidity	1.19	NTU	[NULL]	[NULL]	[NULL]	R	B18MF4	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	4/21/2004 8:58	N	PH	pH Measurement	7.38	unitless	[NULL]	[NULL]	[NULL]	R	B18MF4	PH	FIELD	9040_PH	100-NR-2
199-N-46	6/16/2004 0:00	N	ALKALINITY	Alkalinity	62000	ug/L	[NULL]	[NULL]	[NULL]	S	B19H23	ALKALINITY	ENW	2320_ALKALINITY	100-NR-2
199-N-46	6/16/2004 0:00	Y	7429-90-5	Aluminum	3.43	ug/L	X	[NULL]	[NULL]	S	B19H21	7429-90-5	SEQUIM	1638_METALS_ICPMS	100-NR-2
199-N-46	6/16/2004 0:00	N	14234-35-6	Antimony-125	-1.27	pCi/L	U	[NULL]	[NULL]	S	B19H20	14234-35-6	STLRL	GAMMA_GS	100-NR-2
199-N-46	6/16/2004 0:00	Y	7440-38-2	Arsenic	0.45	ug/L	X	[NULL]	[NULL]	S	B19H21	7440-38-2	SEQUIM	1638_METALS_ICPMS	100-NR-2
199-N-46	6/16/2004 0:00	Y	7440-39-3	Barium	19	ug/L	X	[NULL]	[NULL]	S	B19H21	7440-39-3	SEQUIM	1638_METALS_ICPMS	100-NR-2
199-N-46	6/16/2004 0:00	N	13966-02-4	Beryllium-7	8.94	pCi/L	U	[NULL]	[NULL]	S	B19H20	13966-02-4	STLRL	GAMMA_GS	100-NR-2
199-N-46	6/16/2004 0:00	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	S	B19H22	24959-67-9	PNL1	300.0_ANIONS_IC	100-NR-2
199-N-46	6/16/2004 0:00	Y	7440-43-9	Cadmium	0.00701	ug/L	BX	[NULL]	[NULL]	S	B19H21	7440-43-9	SEQUIM	1638_METALS_ICPMS	100-NR-2
199-N-46	6/16/2004 0:00	Y	7440-70-2	Calcium	20771	ug/L	X	[NULL]	[NULL]	S	B19H21	7440-70-2	SEQUIM	200.7_METALS_ICP	100-NR-2
199-N-46	6/16/2004 0:00	N	3812-32-6	Carbonate ion	48100	ug/L	[NULL]	[NULL]	[NULL]	S	B19H22	3812-32-6	PNL1	300.0_ANIONS_IC	100-NR-2
199-N-46	6/16/2004 0:00	N	13967-70-9	Cesium-134	-1.7	pCi/L	U	[NULL]	[NULL]	S	B19H20	13967-70-9	STLRL	GAMMA_GS	100-NR-2
199-N-46	6/16/2004 0:00	N	10045-97-3	Cesium-137	1.65	pCi/L	U	[NULL]	[NULL]	S	B19H20	10045-97-3	STLRL	GAMMA_GS	100-NR-2
199-N-46	6/16/2004 0:00	N	16887-00-6	Chloride	960	ug/L	[NULL]	[NULL]	[NULL]	S	B19H22	16887-00-6	PNL1	300.0_ANIONS_IC	100-NR-2
199-N-46	6/16/2004 0:00	Y	7440-47-3	Chromium	1.45	ug/L	CX	[NULL]	[NULL]	S	B19H21	7440-47-3	SEQUIM	1638_METALS_ICPMS	100-NR-2
199-N-46	6/16/2004 0:00	N	10198-40-0	Cobalt-60	1.78	pCi/L	U	[NULL]	[NULL]	S	B19H20	10198-40-0	STLRL	GAMMA_GS	100-NR-2
199-N-46	6/16/2004 0:00	N	14683-23-9	Europium-152	0.0891	pCi/L	U	[NULL]	[NULL]	S	B19H20	14683-23-9	STLRL	GAMMA_GS	100-NR-2
199-N-46	6/16/2004 0:00	N	15585-10-1	Europium-154	-1.35	pCi/L	U	[NULL]	[NULL]	S	B19H20	15585-10-1	STLRL	GAMMA_GS	100-NR-2
199-N-46	6/16/2004 0:00	N	14391-16-3	Europium-155	0.516	pCi/L	U	[NULL]	[NULL]	S	B19H20	14391-16-3	STLRL	GAMMA_GS	100-NR-2
199-N-46	6/16/2004 0:00	N	16984-48-8	Fluoride	70	ug/L	[NULL]	[NULL]	[NULL]	S	B19H22	16984-48-8	PNL1	300.0_ANIONS_IC	100-NR-2
199-N-46	6/16/2004 0:00	N	12587-46-1	Gross alpha	0.174	pCi/L	U	[NULL]	[NULL]	S	B19H20	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	6/16/2004 0:00	N	12587-47-2	Gross beta	4050	pCi/L	[NULL]	[NULL]	[NULL]	S	B19H20	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	6/16/2004 0:00	Y	7439-92-1	Lead	0.00948	ug/L	BX	[NULL]	[NULL]	S	B19H21	7439-92-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
199-N-46	6/16/2004 0:00	Y	7439-95-4	Magnesium	4302	ug/L	X	[NULL]	[NULL]	S	B19H21	7439-95-4	SEQUIM	200.7_METALS_ICP	100-NR-2
199-N-46	6/16/2004 0:00	Y	7439-96-5	Manganese	3.94	ug/L	CX	[NULL]	[NULL]	S	B19H21	7439-96-5	SEQUIM	1638_METALS_ICPMS	100-NR-2
199-N-46	6/16/2004 0:00	Y	7440-02-0	Nickel	0.15	ug/L	X	[NULL]	[NULL]	S	B19H21	7440-02-0	SEQUIM	1638_METALS_ICPMS	100-NR-2
199-N-46	6/16/2004 0:00	N	14797-55-8	Nitrate	1720	ug/L	[NULL]	[NULL]	[NULL]	S	B19H22	14797-55-8	PNL1	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-46	6/16/2004 0:00	N	14265-44-2	Phosphate	60	ug/L	[NULL]	[NULL]	[NULL]	S	B19H22	14265-44-2	PNL1	300.0_ANIONS_IC	100-NR-2
199-N-46	6/16/2004 0:00	Y	7440-09-7	Potassium	859	ug/L	X	[NULL]	[NULL]	S	B19H21	7440-09-7	SEQUIM	200.7_METALS_ICP	100-NR-2
199-N-46	6/16/2004 0:00	N	13966-00-2	Potassium-40	18.4	pCi/L	U	[NULL]	[NULL]	S	B19H20	13966-00-2	STLRL	GAMMA_GS	100-NR-2
199-N-46	6/16/2004 0:00	N	13967-48-1	Ruthenium-106	-9.42	pCi/L	U	[NULL]	[NULL]	S	B19H20	13967-48-1	STLRL	GAMMA_GS	100-NR-2
199-N-46	6/16/2004 0:00	Y	7782-49-2	Selenium	0.117	ug/L	BCX	[NULL]	[NULL]	S	B19H21	7782-49-2	SEQUIM	1638_METALS_ICPMS	100-NR-2
199-N-46	6/16/2004 0:00	Y	7440-23-5	Sodium	2376	ug/L	CX	[NULL]	[NULL]	S	B19H21	7440-23-5	SEQUIM	200.7_METALS_ICP	100-NR-2
199-N-46	6/16/2004 0:00	Y	7440-24-6	Strontium	78.2	ug/L	X	[NULL]	[NULL]	S	B19H21	7440-24-6	SEQUIM	1638_METALS_ICPMS	100-NR-2
199-N-46	6/16/2004 0:00	N	10098-97-2	Strontium-90	2120	pCi/L	[NULL]	[NULL]	[NULL]	S	B19H20	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-46	6/16/2004 0:00	N	14808-79-8	Sulfate	8260	ug/L	[NULL]	[NULL]	[NULL]	S	B19H22	14808-79-8	PNL1	300.0_ANIONS_IC	100-NR-2
199-N-46	6/16/2004 0:00	Y	7440-29-1	Thorium	0.00362	ug/L	CX	[NULL]	[NULL]	S	B19H21	7440-29-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
199-N-46	6/16/2004 0:00	N	10028-17-8	Tritium	11.9	pCi/L	U	[NULL]	[NULL]	S	B19H20	10028-17-8	STLRL	TRITIUM_DIST_LSC	100-NR-2
199-N-46	6/16/2004 0:00	Y	7440-61-1	Uranium	0.279	ug/L	X	[NULL]	[NULL]	S	B19H21	7440-61-1	SEQUIM	1638_METALS_ICPMS	100-NR-2
199-N-46	6/16/2004 0:00	Y	7440-66-6	Zinc	1.47	ug/L	X	[NULL]	[NULL]	S	B19H21	7440-66-6	SEQUIM	1638_METALS_ICPMS	100-NR-2
199-N-46	7/9/2004 9:28	N	DO	Dissolved oxygen	8430	ug/L	[NULL]	[NULL]	[NULL]	R	B19LF4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	7/9/2004 9:28	N	12587-47-2	Gross beta	3590	pCi/L	[NULL]	[NULL]	[NULL]	R	B19LF4	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	7/9/2004 9:28	N	CONDUCT	Specific Conductance	138	uS/cm	[NULL]	[NULL]	[NULL]	R	B19LF4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-46	7/9/2004 9:28	N	TEMPERATURE	Temperature	15	Deg C	[NULL]	[NULL]	[NULL]	R	B19LF4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	7/9/2004 9:28	N	TURBIDITY	Turbidity	1.2	NTU	[NULL]	[NULL]	[NULL]	R	B19LF4	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	7/9/2004 9:28	N	PH	pH Measurement	7.95	unitless	[NULL]	[NULL]	[NULL]	R	B19LF4	PH	FIELD	9040_PH	100-NR-2
199-N-46	8/17/2004 11:18	N	DO	Dissolved oxygen	7180	ug/L	[NULL]	[NULL]	[NULL]	R	B19NP5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	8/17/2004 11:18	N	12587-47-2	Gross beta	5710	pCi/L	[NULL]	[NULL]	[NULL]	R	B19NP5	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	8/17/2004 11:18	N	CONDUCT	Specific Conductance	187	uS/cm	[NULL]	[NULL]	[NULL]	R	B19NP5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-46	8/17/2004 11:18	N	TEMPERATURE	Temperature	17.7	Deg C	[NULL]	[NULL]	[NULL]	R	B19NP5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	8/17/2004 11:18	N	TURBIDITY	Turbidity	0.92	NTU	[NULL]	[NULL]	[NULL]	R	B19NP5	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	8/17/2004 11:18	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	B19NP5	PH	FIELD	9040_PH	100-NR-2
199-N-46	9/22/2004 9:40	N	ALKALINITY	Alkalinity	74000	ug/L	[NULL]	[NULL]	[NULL]	R	B1B139	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-46	9/22/2004 9:40	Y	7429-90-5	Aluminum	45.5	ug/L	U	[NULL]	[NULL]	R	B1B138	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/22/2004 9:40	Y	7440-36-0	Antimony	21.3	ug/L	U	[NULL]	[NULL]	R	B1B138	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/22/2004 9:40	N	14234-35-6	Antimony-125	-2.98	pCi/L	U	[NULL]	[NULL]	R	B1B140	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
199-N-46	9/22/2004 9:40	Y	7440-39-3	Barium	33.8	ug/L	B	[NULL]	[NULL]	R	B1B138	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/22/2004 9:40	Y	7440-41-7	Beryllium	0.56	ug/L	BC	[NULL]	[NULL]	R	B1B138	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/22/2004 9:40	N	13966-02-4	Beryllium-7	7.74	pCi/L	U	[NULL]	[NULL]	R	B1B140	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
199-N-46	9/22/2004 9:40	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	B1B138	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/22/2004 9:40	Y	7440-70-2	Calcium	29000	ug/L	[NULL]	[NULL]	[NULL]	R	B1B138	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/22/2004 9:40	N	13967-70-9	Cesium-134	0.569	pCi/L	U	[NULL]	[NULL]	R	B1B140	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
199-N-46	9/22/2004 9:40	N	10045-97-3	Cesium-137	-1.09	pCi/L	U	[NULL]	[NULL]	R	B1B140	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
199-N-46	9/22/2004 9:40	N	16887-00-6	Chloride	3600	ug/L	C	[NULL]	[NULL]	R	B1B139	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	9/22/2004 9:40	Y	7440-47-3	Chromium	3.3	ug/L	U	[NULL]	[NULL]	R	B1B138	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/22/2004 9:40	Y	7440-48-4	Cobalt	3.3	ug/L	U	[NULL]	[NULL]	R	B1B138	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/22/2004 9:40	N	10198-40-0	Cobalt-60	-0.291	pCi/L	U	[NULL]	[NULL]	R	B1B140	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
199-N-46	9/22/2004 9:40	Y	7440-50-8	Copper	2.4	ug/L	U	[NULL]	[NULL]	R	B1B138	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/22/2004 9:40	N	DO	Dissolved oxygen	7820	ug/L	[NULL]	[NULL]	[NULL]	R	B1B139	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	9/22/2004 9:40	N	14683-23-9	Europium-152	-4.94	pCi/L	U	[NULL]	[NULL]	R	B1B140	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
199-N-46	9/22/2004 9:40	N	15585-10-1	Europium-154	-5.34	pCi/L	U	[NULL]	[NULL]	R	B1B140	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
199-N-46	9/22/2004 9:40	N	14391-16-3	Europium-155	-3.52	pCi/L	U	[NULL]	[NULL]	R	B1B140	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
199-N-46	9/22/2004 9:40	N	16984-48-8	Fluoride	15	ug/L	B	[NULL]	[NULL]	R	B1B139	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	9/22/2004 9:40	N	12587-46-1	Gross alpha	0.984	pCi/L	U	[NULL]	[NULL]	R	B1B140	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	9/22/2004 9:40	N	12587-47-2	Gross beta	6440	pCi/L	[NULL]	[NULL]	[NULL]	R	B1B140	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	9/22/2004 9:40	Y	7439-89-6	Iron	10.4	ug/L	B	[NULL]	[NULL]	R	B1B138	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/22/2004 9:40	Y	7439-95-4	Magnesium	6000	ug/L	[NULL]	[NULL]	[NULL]	R	B1B138	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/22/2004 9:40	Y	7439-96-5	Manganese	1.2	ug/L	B	[NULL]	[NULL]	R	B1B138	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/22/2004 9:40	Y	7440-02-0	Nickel	8.6	ug/L	U	[NULL]	[NULL]	R	B1B138	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/22/2004 9:40	N	14797-55-8	Nitrate	7530	ug/L	D	[NULL]	[NULL]	R	B1B139	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	9/22/2004 9:40	N	14797-65-0	Nitrite	13.1	ug/L	U	[NULL]	[NULL]	R	B1B139	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	9/22/2004 9:40	Y	7440-09-7	Potassium	1950	ug/L	U	[NULL]	[NULL]	R	B1B138	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-46	9/22/2004 9:40	N	13966-00-2	Potassium-40	-12.8	pCi/L	U	[NULL]	[NULL]	R	B1B140	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
199-N-46	9/22/2004 9:40	N	13967-48-1	Ruthenium-106	-4.24	pCi/L	U	[NULL]	[NULL]	R	B1B140	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
199-N-46	9/22/2004 9:40	Y	7440-22-4	Silver	4.1	ug/L	U	[NULL]	[NULL]	R	B1B138	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/22/2004 9:40	Y	7440-23-5	Sodium	3230	ug/L	BC	[NULL]	[NULL]	R	B1B138	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/22/2004 9:40	N	CONDUCT	Specific Conductance	208	uS/cm	[NULL]	[NULL]	[NULL]	R	B1B139	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-46	9/22/2004 9:40	Y	7440-24-6	Strontium	122	ug/L	C	[NULL]	[NULL]	R	B1B138	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/22/2004 9:40	N	10098-97-2	Strontium-90	3440	pCi/L	[NULL]	[NULL]	[NULL]	R	B1B140	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-46	9/22/2004 9:40	N	14808-79-8	Sulfate	22900	ug/L	D	[NULL]	[NULL]	R	B1B139	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	9/22/2004 9:40	N	TEMPERATURE	Temperature	16.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1B139	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	9/22/2004 9:40	N	10028-17-8	Tritium	816	pCi/L	[NULL]	[NULL]	[NULL]	R	B1B140	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-46	9/22/2004 9:40	N	TURBIDITY	Turbidity	2.08	NTU	[NULL]	[NULL]	[NULL]	R	B1B139	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	9/22/2004 9:40	Y	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	B1B138	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/22/2004 9:40	Y	7440-66-6	Zinc	2.4	ug/L	BC	[NULL]	[NULL]	R	B1B138	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/22/2004 9:40	N	PH	pH Measurement	7.52	unitless	[NULL]	[NULL]	[NULL]	R	B1B139	PH	FIELD	9040_PH	100-NR-2
199-N-46	10/18/2004 9:59	N	DO	Dissolved oxygen	12020	ug/L	[NULL]	[NULL]	[NULL]	R	B1BCL4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	10/18/2004 9:59	N	12587-47-2	Gross beta	8550	pCi/L	[NULL]	[NULL]	[NULL]	R	B1BCL4	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	10/18/2004 9:59	N	CONDUCT	Specific Conductance	249	uS/cm	[NULL]	[NULL]	[NULL]	R	B1BCL4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-46	10/18/2004 9:59	N	TEMPERATURE	Temperature	16.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1BCL4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	10/18/2004 9:59	N	TURBIDITY	Turbidity	4.5	NTU	[NULL]	[NULL]	[NULL]	R	B1BCL4	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	10/18/2004 9:59	N	PH	pH Measurement	7.76	unitless	[NULL]	[NULL]	[NULL]	R	B1BCL4	PH	FIELD	9040_PH	100-NR-2
199-N-46	11/16/2004 11:01	N	12587-47-2	Gross beta	3380	pCi/L	[NULL]	[NULL]	[NULL]	R	B1BNP6	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	11/16/2004 11:01	N	12587-47-2	Gross beta	3580	pCi/L	[NULL]	[NULL]	[NULL]	R	B1BNP5	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	11/16/2004 11:01	N	CONDUCT	Specific Conductance	138	uS/cm	[NULL]	[NULL]	[NULL]	R	B1BNP5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-46	11/16/2004 11:01	N	TEMPERATURE	Temperature	15.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1BNP5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	11/16/2004 11:01	N	TURBIDITY	Turbidity	1.17	NTU	[NULL]	[NULL]	[NULL]	R	B1BNP5	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	11/16/2004 11:01	N	PH	pH Measurement	7.55	unitless	[NULL]	[NULL]	[NULL]	R	B1BNP5	PH	FIELD	9040_PH	100-NR-2
199-N-46	12/15/2004 11:43	N	ALKALINITY	Alkalinity	56000	ug/L	[NULL]	[NULL]	[NULL]	R	B1BTD6	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-46	12/15/2004 11:43	Y	7429-90-5	Aluminum	88.3	ug/L	BC	Y	[NULL]	R	B1BTD5	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	12/15/2004 11:43	Y	7440-36-0	Antimony	21.3	ug/L	U	[NULL]	[NULL]	R	B1BTD5	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	12/15/2004 11:43	N	14234-35-6	Antimony-125	2.07	pCi/L	U	[NULL]	[NULL]	R	B1BTD7	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
199-N-46	12/15/2004 11:43	Y	7440-39-3	Barium	20.4	ug/L	B	[NULL]	[NULL]	R	B1BTD5	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	12/15/2004 11:43	Y	7440-41-7	Beryllium	0.61	ug/L	BC	[NULL]	[NULL]	R	B1BTD5	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	12/15/2004 11:43	N	13966-02-4	Beryllium-7	5.35	pCi/L	U	[NULL]	[NULL]	R	B1BTD7	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
199-N-46	12/15/2004 11:43	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	B1BTD5	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	12/15/2004 11:43	Y	7440-70-2	Calcium	19200	ug/L	[NULL]	[NULL]	[NULL]	R	B1BTD5	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	12/15/2004 11:43	N	13967-70-9	Cesium-134	-0.832	pCi/L	U	[NULL]	[NULL]	R	B1BTD7	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
199-N-46	12/15/2004 11:43	N	10045-97-3	Cesium-137	1.4	pCi/L	U	[NULL]	[NULL]	R	B1BTD7	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
199-N-46	12/15/2004 11:43	N	16887-00-6	Chloride	1100	ug/L	[NULL]	[NULL]	[NULL]	R	B1BTD6	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	12/15/2004 11:43	Y	7440-47-3	Chromium	3.3	ug/L	U	[NULL]	[NULL]	R	B1BTD5	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	12/15/2004 11:43	Y	7440-48-4	Cobalt	3.3	ug/L	U	[NULL]	[NULL]	R	B1BTD5	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	12/15/2004 11:43	N	10198-40-0	Cobalt-60	-0.3	pCi/L	U	[NULL]	[NULL]	R	B1BTD7	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
199-N-46	12/15/2004 11:43	Y	7440-50-8	Copper	2.4	ug/L	U	[NULL]	[NULL]	R	B1BTD5	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	12/15/2004 11:43	N	DO	Dissolved oxygen	8790	ug/L	[NULL]	[NULL]	[NULL]	R	B1BTD6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	12/15/2004 11:43	N	14683-23-9	Europium-152	-1.06	pCi/L	U	[NULL]	[NULL]	R	B1BTD7	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
199-N-46	12/15/2004 11:43	N	15585-10-1	Europium-154	-1.77	pCi/L	U	[NULL]	[NULL]	R	B1BTD7	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
199-N-46	12/15/2004 11:43	N	14391-16-3	Europium-155	-2.22	pCi/L	U	[NULL]	[NULL]	R	B1BTD7	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
199-N-46	12/15/2004 11:43	N	16984-48-8	Fluoride	41	ug/L	B	[NULL]	[NULL]	R	B1BTD6	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	12/15/2004 11:43	N	12587-46-1	Gross alpha	-0.279	pCi/L	U	[NULL]	[NULL]	R	B1BTD7	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	12/15/2004 11:43	N	12587-47-2	Gross beta	3450	pCi/L	[NULL]	[NULL]	[NULL]	R	B1BTD7	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	12/15/2004 11:43	Y	7439-89-6	Iron	15.7	ug/L	B	[NULL]	[NULL]	R	B1BTD5	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	12/15/2004 11:43	Y	7439-95-4	Magnesium	3860	ug/L	B	[NULL]	[NULL]	R	B1BTD5	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	12/15/2004 11:43	Y	7439-96-5	Manganese	1.3	ug/L	B	[NULL]	[NULL]	R	B1BTD5	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	12/15/2004 11:43	Y	7440-02-0	Nickel	8.6	ug/L	U	[NULL]	[NULL]	R	B1BTD5	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	12/15/2004 11:43	N	14797-55-8	Nitrate	930	ug/L	[NULL]	[NULL]	[NULL]	R	B1BTD6	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	12/15/2004 11:43	N	14797-65-0	Nitrite	13.1	ug/L	U	[NULL]	[NULL]	R	B1BTD6	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-46	12/15/2004 11:43	Y	7440-09-7	Potassium	1950	ug/L	U	[NULL]	[NULL]	R	B1BTD5	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	12/15/2004 11:43	N	13966-00-2	Potassium-40	-3.87	pCi/L	U	[NULL]	[NULL]	R	B1BTD7	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
199-N-46	12/15/2004 11:43	N	13967-48-1	Ruthenium-106	5.3	pCi/L	U	[NULL]	[NULL]	R	B1BTD7	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
199-N-46	12/15/2004 11:43	Y	7440-22-4	Silver	4.1	ug/L	U	[NULL]	[NULL]	R	B1BTD5	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	12/15/2004 11:43	Y	7440-23-5	Sodium	2440	ug/L	B	[NULL]	[NULL]	R	B1BTD5	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	12/15/2004 11:43	N	CONDUCT	Specific Conductance	142	uS/cm	[NULL]	[NULL]	[NULL]	R	B1BTD6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-46	12/15/2004 11:43	Y	7440-24-6	Strontium	81.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1BTD5	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	12/15/2004 11:43	N	10098-97-2	Strontium-90	1850	pCi/L	[NULL]	[NULL]	[NULL]	R	B1BTD7	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-46	12/15/2004 11:43	N	14808-79-8	Sulfate	9200	ug/L	N	[NULL]	[NULL]	R	B1BTD6	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	12/15/2004 11:43	N	TEMPERATURE	Temperature	14	Deg C	[NULL]	[NULL]	[NULL]	R	B1BTD6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	12/15/2004 11:43	N	10028-17-8	Tritium	146	pCi/L	U	[NULL]	[NULL]	R	B1BTD7	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-46	12/15/2004 11:43	N	TURBIDITY	Turbidity	0.91	NTU	[NULL]	[NULL]	[NULL]	R	B1BTD6	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	12/15/2004 11:43	Y	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	B1BTD5	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	12/15/2004 11:43	Y	7440-66-6	Zinc	3.4	ug/L	BC	[NULL]	[NULL]	R	B1BTD5	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	12/15/2004 11:43	N	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	R	B1BTD6	PH	FIELD	9040_PH	100-NR-2
199-N-46	1/20/2005 9:00	N	DO	Dissolved oxygen	8980	ug/L	[NULL]	[NULL]	[NULL]	R	B1BXL3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	1/20/2005 9:00	N	12587-47-2	Gross beta	3640	pCi/L	[NULL]	[NULL]	[NULL]	R	B1BXL3	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	1/20/2005 9:00	N	CONDUCT	Specific Conductance	150	uS/cm	[NULL]	[NULL]	[NULL]	R	B1BXL3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-46	1/20/2005 9:00	N	TEMPERATURE	Temperature	13	Deg C	[NULL]	[NULL]	[NULL]	R	B1BXL3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	1/20/2005 9:00	N	TURBIDITY	Turbidity	0.81	NTU	[NULL]	[NULL]	[NULL]	R	B1BXL3	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	1/20/2005 9:00	N	PH	pH Measurement	7.74	unitless	[NULL]	[NULL]	[NULL]	R	B1BXL3	PH	FIELD	9040_PH	100-NR-2
199-N-46	2/18/2005 11:13	N	DO	Dissolved oxygen	10660	ug/L	[NULL]	[NULL]	[NULL]	R	B1C5B7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	2/18/2005 11:13	N	12587-47-2	Gross beta	3270	pCi/L	[NULL]	[NULL]	[NULL]	R	B1C5B7	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	2/18/2005 11:13	N	CONDUCT	Specific Conductance	143	uS/cm	[NULL]	[NULL]	[NULL]	R	B1C5B7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-46	2/18/2005 11:13	N	TEMPERATURE	Temperature	11	Deg C	[NULL]	[NULL]	[NULL]	R	B1C5B7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	2/18/2005 11:13	N	TURBIDITY	Turbidity	1.03	NTU	[NULL]	[NULL]	[NULL]	R	B1C5B7	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	2/18/2005 11:13	N	PH	pH Measurement	7.4	unitless	[NULL]	[NULL]	[NULL]	R	B1C5B7	PH	FIELD	9040_PH	100-NR-2
199-N-46	3/14/2005 9:47	N	ALKALINITY	Alkalinity	60000	ug/L	[NULL]	[NULL]	[NULL]	R	B1C9Y3	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-46	3/14/2005 9:47	Y	7429-90-5	Aluminum	45.5	ug/L	U	[NULL]	[NULL]	R	B1C9Y2	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	3/14/2005 9:47	Y	7440-36-0	Antimony	21.3	ug/L	U	[NULL]	[NULL]	R	B1C9Y2	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	3/14/2005 9:47	N	14234-35-6	Antimony-125	-1.58	pCi/L	U	[NULL]	[NULL]	R	B1C9Y4	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
199-N-46	3/14/2005 9:47	Y	7440-39-3	Barium	22.1	ug/L	B	[NULL]	[NULL]	R	B1C9Y2	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	3/14/2005 9:47	Y	7440-41-7	Beryllium	0.29	ug/L	U	[NULL]	[NULL]	R	B1C9Y2	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	3/14/2005 9:47	N	13966-02-4	Beryllium-7	12.2	pCi/L	U	[NULL]	[NULL]	R	B1C9Y4	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
199-N-46	3/14/2005 9:47	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	B1C9Y2	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	3/14/2005 9:47	Y	7440-70-2	Calcium	22300	ug/L	[NULL]	[NULL]	[NULL]	R	B1C9Y2	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	3/14/2005 9:47	N	13967-70-9	Cesium-134	1.14	pCi/L	U	[NULL]	[NULL]	R	B1C9Y4	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
199-N-46	3/14/2005 9:47	N	10045-97-3	Cesium-137	0.508	pCi/L	U	[NULL]	[NULL]	R	B1C9Y4	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
199-N-46	3/14/2005 9:47	N	16887-00-6	Chloride	1500	ug/L	C	[NULL]	[NULL]	R	B1C9Y3	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	3/14/2005 9:47	Y	7440-47-3	Chromium	3.3	ug/L	U	[NULL]	[NULL]	R	B1C9Y2	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	3/14/2005 9:47	Y	7440-48-4	Cobalt	3.3	ug/L	U	[NULL]	[NULL]	R	B1C9Y2	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	3/14/2005 9:47	N	10198-40-0	Cobalt-60	0.0705	pCi/L	U	[NULL]	[NULL]	R	B1C9Y4	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
199-N-46	3/14/2005 9:47	Y	7440-50-8	Copper	2.4	ug/L	U	[NULL]	[NULL]	R	B1C9Y2	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	3/14/2005 9:47	N	DO	Dissolved oxygen	8590	ug/L	[NULL]	[NULL]	[NULL]	R	B1C9Y3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	3/14/2005 9:47	N	14683-23-9	Europium-152	-1.34	pCi/L	U	[NULL]	[NULL]	R	B1C9Y4	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
199-N-46	3/14/2005 9:47	N	15585-10-1	Europium-154	-4.34	pCi/L	U	[NULL]	[NULL]	R	B1C9Y4	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
199-N-46	3/14/2005 9:47	N	14391-16-3	Europium-155	-0.453	pCi/L	U	[NULL]	[NULL]	R	B1C9Y4	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
199-N-46	3/14/2005 9:47	N	16984-48-8	Fluoride	30	ug/L	B	[NULL]	[NULL]	R	B1C9Y3	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	3/14/2005 9:47	N	12587-46-1	Gross alpha	0.594	pCi/L	U	[NULL]	[NULL]	R	B1C9Y4	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	3/14/2005 9:47	N	12587-47-2	Gross beta	4440	pCi/L	[NULL]	[NULL]	[NULL]	R	B1C9Y4	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	3/14/2005 9:47	Y	7439-89-6	Iron	23.8	ug/L	B	[NULL]	[NULL]	R	B1C9Y2	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	3/14/2005 9:47	Y	7439-95-4	Magnesium	4570	ug/L	B	[NULL]	[NULL]	R	B1C9Y2	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	3/14/2005 9:47	Y	7439-96-5	Manganese	2.1	ug/L	B	[NULL]	[NULL]	R	B1C9Y2	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	3/14/2005 9:47	Y	7440-02-0	Nickel	8.6	ug/L	U	[NULL]	[NULL]	R	B1C9Y2	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	3/14/2005 9:47	N	14797-55-8	Nitrate	2260	ug/L	[NULL]	[NULL]	[NULL]	R	B1C9Y3	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-46	3/14/2005 9:47	N	14797-65-0	Nitrite	13.1	ug/L	U	[NULL]	[NULL]	R	B1C9Y3	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	3/14/2005 9:47	Y	7440-09-7	Potassium	1950	ug/L	U	[NULL]	[NULL]	R	B1C9Y2	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	3/14/2005 9:47	N	13966-00-2	Potassium-40	2.27	pCi/L	U	[NULL]	[NULL]	R	B1C9Y4	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
199-N-46	3/14/2005 9:47	N	13967-48-1	Ruthenium-106	-5.82	pCi/L	U	[NULL]	[NULL]	R	B1C9Y4	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
199-N-46	3/14/2005 9:47	Y	7440-22-4	Silver	4.1	ug/L	U	[NULL]	[NULL]	R	B1C9Y2	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	3/14/2005 9:47	Y	7440-23-5	Sodium	2530	ug/L	B	[NULL]	[NULL]	R	B1C9Y2	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	3/14/2005 9:47	N	CONDUCT	Specific Conductance	156	uS/cm	[NULL]	[NULL]	[NULL]	R	B1C9Y3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-46	3/14/2005 9:47	Y	7440-24-6	Strontium	95.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1C9Y2	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	3/14/2005 9:47	N	10098-97-2	Strontium-90	2410	pCi/L	[NULL]	[NULL]	[NULL]	R	B1C9Y4	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-46	3/14/2005 9:47	N	14808-79-8	Sulfate	12600	ug/L	[NULL]	[NULL]	[NULL]	R	B1C9Y3	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	3/14/2005 9:47	N	TEMPERATURE	Temperature	11.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1C9Y3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	3/14/2005 9:47	N	10028-17-8	Tritium	235	pCi/L	[NULL]	[NULL]	[NULL]	R	B1C9Y4	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-46	3/14/2005 9:47	N	TURBIDITY	Turbidity	1.09	NTU	[NULL]	[NULL]	[NULL]	R	B1C9Y3	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	3/14/2005 9:47	Y	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	B1C9Y2	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	3/14/2005 9:47	Y	7440-66-6	Zinc	2.6	ug/L	BC	[NULL]	[NULL]	R	B1C9Y2	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	3/14/2005 9:47	N	PH	pH Measurement	7.74	unitless	[NULL]	[NULL]	[NULL]	R	B1C9Y3	PH	FIELD	9040_PH	100-NR-2
199-N-46	4/19/2005 11:53	N	DO	Dissolved oxygen	11840	ug/L	[NULL]	[NULL]	[NULL]	R	B1CHY1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	4/19/2005 11:53	N	12587-47-2	Gross beta	6330	pCi/L	[NULL]	[NULL]	[NULL]	R	B1CHY1	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	4/19/2005 11:53	N	12587-47-2	Gross beta	6320	pCi/L	[NULL]	[NULL]	[NULL]	R	B1CHY2	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	4/19/2005 11:53	N	EH	Oxidation Reduction Potential	163.6	mV	[NULL]	[NULL]	[NULL]	R	B1CHY1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-46	4/19/2005 11:53	N	CONDUCT	Specific Conductance	192	uS/cm	[NULL]	[NULL]	[NULL]	R	B1CHY1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-46	4/19/2005 11:53	N	TEMPERATURE	Temperature	14	Deg C	[NULL]	[NULL]	[NULL]	R	B1CHY1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	4/19/2005 11:53	N	TURBIDITY	Turbidity	19.8	NTU	[NULL]	[NULL]	[NULL]	R	B1CHY1	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	4/19/2005 11:53	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	R	B1CHY1	PH	FIELD	9040_PH	100-NR-2
199-N-46	5/16/2005 10:43	N	DO	Dissolved oxygen	9500	ug/L	[NULL]	[NULL]	[NULL]	R	B1CRV0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	5/16/2005 10:43	N	12587-47-2	Gross beta	3690	pCi/L	[NULL]	[NULL]	[NULL]	R	B1CRV0	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	5/16/2005 10:43	N	CONDUCT	Specific Conductance	151	uS/cm	[NULL]	[NULL]	[NULL]	R	B1CRV0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-46	5/16/2005 10:43	N	TEMPERATURE	Temperature	12.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1CRV0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	5/16/2005 10:43	N	TURBIDITY	Turbidity	1.58	NTU	[NULL]	[NULL]	[NULL]	R	B1CRV0	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	5/16/2005 10:43	N	PH	pH Measurement	7.8	unitless	[NULL]	[NULL]	[NULL]	R	B1CRV0	PH	FIELD	9040_PH	100-NR-2
199-N-46	6/13/2005 10:02	N	ALKALINITY	Alkalinity	59000	ug/L	[NULL]	[NULL]	[NULL]	R	B1D136	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-46	6/13/2005 10:02	Y	7429-90-5	Aluminum	19.4	ug/L	B	[NULL]	[NULL]	R	B1D135	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/13/2005 10:02	Y	7440-36-0	Antimony	23	ug/L	U	[NULL]	[NULL]	R	B1D135	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/13/2005 10:02	N	14234-35-6	Antimony-125	-1.98	pCi/L	U	[NULL]	[NULL]	R	B1D137	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
199-N-46	6/13/2005 10:02	Y	7440-39-3	Barium	20.6	ug/L	B	[NULL]	[NULL]	R	B1D135	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/13/2005 10:02	Y	7440-41-7	Beryllium	0.18	ug/L	U	[NULL]	[NULL]	R	B1D135	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/13/2005 10:02	N	13966-02-4	Beryllium-7	-11.3	pCi/L	U	[NULL]	[NULL]	R	B1D137	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
199-N-46	6/13/2005 10:02	Y	7440-43-9	Cadmium	0.86	ug/L	U	[NULL]	[NULL]	R	B1D135	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/13/2005 10:02	Y	7440-70-2	Calcium	21500	ug/L	C	[NULL]	[NULL]	R	B1D135	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/13/2005 10:02	N	13967-70-9	Cesium-134	-1.16	pCi/L	U	[NULL]	[NULL]	R	B1D137	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
199-N-46	6/13/2005 10:02	N	10045-97-3	Cesium-137	0.571	pCi/L	U	[NULL]	[NULL]	R	B1D137	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
199-N-46	6/13/2005 10:02	N	16887-00-6	Chloride	1300	ug/L	[NULL]	Q	[NULL]	R	B1D136	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	6/13/2005 10:02	Y	7440-47-3	Chromium	1.9	ug/L	U	[NULL]	[NULL]	R	B1D135	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/13/2005 10:02	Y	7440-48-4	Cobalt	1.7	ug/L	U	[NULL]	[NULL]	R	B1D135	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/13/2005 10:02	N	10198-40-0	Cobalt-60	-1.09	pCi/L	U	[NULL]	[NULL]	R	B1D137	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
199-N-46	6/13/2005 10:02	Y	7440-50-8	Copper	4.3	ug/L	U	[NULL]	[NULL]	R	B1D135	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/13/2005 10:02	N	DO	Dissolved oxygen	9210	ug/L	[NULL]	[NULL]	[NULL]	R	B1D136	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	6/13/2005 10:02	N	14683-23-9	Europium-152	1.15	pCi/L	U	[NULL]	[NULL]	R	B1D137	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
199-N-46	6/13/2005 10:02	N	15585-10-1	Europium-154	-1.79	pCi/L	U	[NULL]	[NULL]	R	B1D137	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
199-N-46	6/13/2005 10:02	N	14391-16-3	Europium-155	-3.93	pCi/L	U	[NULL]	[NULL]	R	B1D137	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
199-N-46	6/13/2005 10:02	N	16984-48-8	Fluoride	33	ug/L	B	[NULL]	[NULL]	R	B1D136	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	6/13/2005 10:02	N	12587-46-1	Gross alpha	2.1	pCi/L	U	[NULL]	[NULL]	R	B1D137	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	6/13/2005 10:02	N	12587-47-2	Gross beta	3990	pCi/L	[NULL]	[NULL]	[NULL]	R	B1D137	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	6/13/2005 10:02	Y	7439-89-6	Iron	26.5	ug/L	B	[NULL]	[NULL]	R	B1D135	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-46	6/13/2005 10:02	Y	7439-95-4	Magnesium	4370	ug/L	B	[NULL]	[NULL]	R	B1D135	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/13/2005 10:02	Y	7439-96-5	Manganese	1.4	ug/L	B	[NULL]	[NULL]	R	B1D135	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/13/2005 10:02	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1D135	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/13/2005 10:02	N	14797-55-8	Nitrate	2740	ug/L	[NULL]	[NULL]	[NULL]	R	B1D136	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	6/13/2005 10:02	N	14797-65-0	Nitrite	20	ug/L	UN	[NULL]	[NULL]	R	B1D136	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	6/13/2005 10:02	Y	7440-09-7	Potassium	1610	ug/L	U	[NULL]	[NULL]	R	B1D135	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/13/2005 10:02	N	13966-00-2	Potassium-40	-9.29	pCi/L	U	[NULL]	[NULL]	R	B1D137	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
199-N-46	6/13/2005 10:02	N	13967-48-1	Ruthenium-106	2.21	pCi/L	U	[NULL]	[NULL]	R	B1D137	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
199-N-46	6/13/2005 10:02	Y	7440-22-4	Silver	2.2	ug/L	U	[NULL]	[NULL]	R	B1D135	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/13/2005 10:02	Y	7440-23-5	Sodium	2490	ug/L	B	[NULL]	[NULL]	R	B1D135	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/13/2005 10:02	N	CONDUCT	Specific Conductance	149	uS/cm	[NULL]	[NULL]	[NULL]	R	B1D136	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-46	6/13/2005 10:02	Y	7440-24-6	Strontium	92.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1D135	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/13/2005 10:02	N	10098-97-2	Strontium-90	2030	pCi/L	[NULL]	[NULL]	[NULL]	R	B1D137	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-46	6/13/2005 10:02	N	14808-79-8	Sulfate	9600	ug/L	[NULL]	[NULL]	[NULL]	R	B1D136	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	6/13/2005 10:02	N	TEMPERATURE	Temperature	13.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1D136	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	6/13/2005 10:02	N	10028-17-8	Tritium	-38.7	pCi/L	U	[NULL]	[NULL]	R	B1D137	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-46	6/13/2005 10:02	N	TURBIDITY	Turbidity	1.07	NTU	[NULL]	[NULL]	[NULL]	R	B1D136	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	6/13/2005 10:02	Y	7440-62-2	Vanadium	1.4	ug/L	U	[NULL]	[NULL]	R	B1D135	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/13/2005 10:02	Y	7440-66-6	Zinc	3.8	ug/L	BC	[NULL]	[NULL]	R	B1D135	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/13/2005 10:02	N	PH	pH Measurement	7.73	unitless	[NULL]	[NULL]	[NULL]	R	B1D136	PH	FIELD	9040_PH	100-NR-2
199-N-46	7/18/2005 9:46	N	DO	Dissolved oxygen	8350	ug/L	[NULL]	[NULL]	[NULL]	R	B1DBY7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	7/18/2005 9:46	N	12587-47-2	Gross beta	3850	pCi/L	[NULL]	[NULL]	[NULL]	R	B1DBY7	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	7/18/2005 9:46	N	CONDUCT	Specific Conductance	148	uS/cm	[NULL]	[NULL]	[NULL]	R	B1DBY7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-46	7/18/2005 9:46	N	TEMPERATURE	Temperature	16.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1DBY7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	7/18/2005 9:46	N	TURBIDITY	Turbidity	0.55	NTU	[NULL]	[NULL]	[NULL]	R	B1DBY7	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	7/18/2005 9:46	N	PH	pH Measurement	7.43	unitless	[NULL]	[NULL]	[NULL]	R	B1DBY7	PH	FIELD	9040_PH	100-NR-2
199-N-46	8/29/2005 9:39	N	DO	Dissolved oxygen	7630	ug/L	[NULL]	[NULL]	[NULL]	R	B1DK49	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	8/29/2005 9:39	N	12587-47-2	Gross beta	4420	pCi/L	[NULL]	[NULL]	[NULL]	R	B1DK49	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	8/29/2005 9:39	N	CONDUCT	Specific Conductance	160	uS/cm	[NULL]	[NULL]	[NULL]	R	B1DK49	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-46	8/29/2005 9:39	N	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	R	B1DK49	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	8/29/2005 9:39	N	TURBIDITY	Turbidity	1.1	NTU	[NULL]	[NULL]	[NULL]	R	B1DK49	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	8/29/2005 9:39	N	PH	pH Measurement	7.53	unitless	[NULL]	[NULL]	[NULL]	R	B1DK49	PH	FIELD	9040_PH	100-NR-2
199-N-46	9/7/2005 10:11	N	ALKALINITY	Alkalinity	64000	ug/L	[NULL]	[NULL]	[NULL]	R	B1DTL4	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-46	9/7/2005 10:11	Y	7429-90-5	Aluminum	35	ug/L	BC	[NULL]	[NULL]	R	B1DTL3	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/7/2005 10:11	Y	7440-36-0	Antimony	23	ug/L	U	[NULL]	[NULL]	R	B1DTL3	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/7/2005 10:11	N	14234-35-6	Antimony-125	-0.738	pCi/L	U	[NULL]	[NULL]	R	B1DTL6	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
199-N-46	9/7/2005 10:11	Y	7440-39-3	Barium	28.2	ug/L	B	[NULL]	[NULL]	R	B1DTL3	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/7/2005 10:11	Y	7440-41-7	Beryllium	0.18	ug/L	U	[NULL]	[NULL]	R	B1DTL3	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/7/2005 10:11	N	13966-02-4	Beryllium-7	9.57	pCi/L	U	[NULL]	[NULL]	R	B1DTL6	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
199-N-46	9/7/2005 10:11	Y	7440-43-9	Cadmium	0.86	ug/L	U	[NULL]	[NULL]	R	B1DTL3	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/7/2005 10:11	Y	7440-70-2	Calcium	24800	ug/L	C	[NULL]	[NULL]	R	B1DTL3	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/7/2005 10:11	N	13967-70-9	Cesium-134	0.941	pCi/L	U	[NULL]	[NULL]	R	B1DTL6	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
199-N-46	9/7/2005 10:11	N	10045-97-3	Cesium-137	0.166	pCi/L	U	[NULL]	[NULL]	R	B1DTL6	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
199-N-46	9/7/2005 10:11	N	16887-00-6	Chloride	1800	ug/L	C	[NULL]	[NULL]	R	B1DTL4	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	9/7/2005 10:11	Y	7440-47-3	Chromium	3	ug/L	B	[NULL]	[NULL]	R	B1DTL3	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/7/2005 10:11	Y	7440-48-4	Cobalt	1.7	ug/L	U	[NULL]	[NULL]	R	B1DTL3	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/7/2005 10:11	N	10198-40-0	Cobalt-60	-1.1	pCi/L	U	[NULL]	[NULL]	R	B1DTL6	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
199-N-46	9/7/2005 10:11	Y	7440-50-8	Copper	4.3	ug/L	U	[NULL]	[NULL]	R	B1DTL3	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/7/2005 10:11	N	DO	Dissolved oxygen	7490	ug/L	[NULL]	[NULL]	[NULL]	R	B1DTL4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	9/7/2005 10:11	N	14683-23-9	Europium-152	3.53	pCi/L	U	[NULL]	[NULL]	R	B1DTL6	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
199-N-46	9/7/2005 10:11	N	15585-10-1	Europium-154	-0.687	pCi/L	U	[NULL]	[NULL]	R	B1DTL6	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
199-N-46	9/7/2005 10:11	N	14391-16-3	Europium-155	-1.09	pCi/L	U	[NULL]	[NULL]	R	B1DTL6	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
199-N-46	9/7/2005 10:11	N	16984-48-8	Fluoride	23	ug/L	B	[NULL]	[NULL]	R	B1DTL4	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	9/7/2005 10:11	N	12587-46-1	Gross alpha	0.12	pCi/L	U	[NULL]	[NULL]	R	B1DTL6	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	9/7/2005 10:11	N	12587-47-2	Gross beta	4930	pCi/L	[NULL]	[NULL]	[NULL]	R	B1DTL6	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-46	9/7/2005 10:11	Y	7439-89-6	Iron	28.3	ug/L	B	[NULL]	[NULL]	R	B1DTL3	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/7/2005 10:11	Y	7439-95-4	Magnesium	5000	ug/L	[NULL]	[NULL]	[NULL]	R	B1DTL3	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/7/2005 10:11	Y	7439-96-5	Manganese	3.4	ug/L	B	[NULL]	[NULL]	R	B1DTL3	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/7/2005 10:11	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1DTL3	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/7/2005 10:11	N	14797-55-8	Nitrate	3850	ug/L	[NULL]	[NULL]	[NULL]	R	B1DTL4	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	9/7/2005 10:11	N	14797-65-0	Nitrite	20	ug/L	U	[NULL]	[NULL]	R	B1DTL4	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	9/7/2005 10:11	Y	7440-09-7	Potassium	1610	ug/L	U	[NULL]	[NULL]	R	B1DTL3	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/7/2005 10:11	N	13966-00-2	Potassium-40	2.38	pCi/L	U	[NULL]	[NULL]	R	B1DTL6	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
199-N-46	9/7/2005 10:11	N	13967-48-1	Ruthenium-106	-6.41	pCi/L	U	[NULL]	[NULL]	R	B1DTL6	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
199-N-46	9/7/2005 10:11	Y	7440-22-4	Silver	2.2	ug/L	U	[NULL]	[NULL]	R	B1DTL3	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/7/2005 10:11	Y	7440-23-5	Sodium	2850	ug/L	B	[NULL]	[NULL]	R	B1DTL3	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/7/2005 10:11	N	CONDUCT	Specific Conductance	173	uS/cm	[NULL]	[NULL]	[NULL]	R	B1DTL4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-46	9/7/2005 10:11	Y	7440-24-6	Strontium	112	ug/L	[NULL]	[NULL]	[NULL]	R	B1DTL3	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/7/2005 10:11	N	10098-97-2	Strontium-90	2690	pCi/L	[NULL]	[NULL]	[NULL]	R	B1DTL6	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-46	9/7/2005 10:11	N	14808-79-8	Sulfate	13600	ug/L	C	[NULL]	[NULL]	R	B1DTL4	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	9/7/2005 10:11	N	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1DTL4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	9/7/2005 10:11	N	10028-17-8	Tritium	449	pCi/L	[NULL]	[NULL]	[NULL]	R	B1DTL6	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-46	9/7/2005 10:11	N	TURBIDITY	Turbidity	0.78	NTU	[NULL]	[NULL]	[NULL]	R	B1DTL4	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-46	9/7/2005 10:11	Y	7440-62-2	Vanadium	1.4	ug/L	U	[NULL]	[NULL]	R	B1DTL3	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/7/2005 10:11	Y	7440-66-6	Zinc	3.9	ug/L	BC	[NULL]	[NULL]	R	B1DTL3	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/7/2005 10:11	N	PH	pH Measurement	7.48	unitless	[NULL]	[NULL]	[NULL]	R	B1DTL4	PH	FIELD	9040_PH	100-NR-2
199-N-46	10/10/2005 11:00	N	DO	Dissolved oxygen	10450	ug/L	[NULL]	[NULL]	[NULL]	R	B1F009	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	10/10/2005 11:00	Y	12587-47-2	Gross beta	5540	pCi/L	[NULL]	[NULL]	[NULL]	R	B1F010	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	10/10/2005 11:00	N	CONDUCT	Specific Conductance	151	uS/cm	[NULL]	[NULL]	[NULL]	R	B1F009	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-46	10/10/2005 11:00	N	TEMPERATURE	Temperature	16.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1F009	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-46	10/10/2005 11:00	N	TURBIDITY	Turbidity	1000	NTU	[NULL]	[NULL]	[NULL]	R	B1F009	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-46	10/10/2005 11:00	N	PH	pH Measurement	7.38	unitless	[NULL]	[NULL]	[NULL]	R	B1F009	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	11/2/2005 10:13	N	12587-47-2	Gross beta	4200	pCi/L	[NULL]	[NULL]	[NULL]	R	B1F8H5	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	11/2/2005 10:13	N	CONDUCT	Specific Conductance	116	uS/cm	[NULL]	[NULL]	[NULL]	R	B1F8H4	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-46	11/2/2005 10:13	N	TEMPERATURE	Temperature	16.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1F8H4	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-46	11/2/2005 10:13	N	TURBIDITY	Turbidity	65.9	NTU	[NULL]	[NULL]	[NULL]	R	B1F8H4	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-46	11/2/2005 10:13	N	PH	pH Measurement	7.64	unitless	[NULL]	[NULL]	[NULL]	R	B1F8H4	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	12/2/2005 11:40	N	ALKALINITY	Alkalinity	70000	ug/L	[NULL]	[NULL]	[NULL]	R	B1FVD2	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-46	12/2/2005 11:40	Y	7440-36-0	Antimony	23	ug/L	U	[NULL]	[NULL]	R	B1FVD1	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	12/2/2005 11:40	Y	14234-35-6	Antimony-125	-1.47	pCi/L	U	[NULL]	[NULL]	R	B19221	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
199-N-46	12/2/2005 11:40	Y	7440-39-3	Barium	21.6	ug/L	B	[NULL]	[NULL]	R	B1FVD1	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	12/2/2005 11:40	Y	7440-41-7	Beryllium	0.56	ug/L	BC	Q	[NULL]	R	B1FVD1	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	12/2/2005 11:40	Y	13966-02-4	Beryllium-7	-10.3	pCi/L	U	[NULL]	[NULL]	R	B19221	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
199-N-46	12/2/2005 11:40	Y	7440-43-9	Cadmium	0.86	ug/L	U	[NULL]	[NULL]	R	B1FVD1	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	12/2/2005 11:40	Y	7440-70-2	Calcium	18500	ug/L	C	Q	[NULL]	R	B1FVD1	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	12/2/2005 11:40	Y	13967-70-9	Cesium-134	0.221	pCi/L	U	[NULL]	[NULL]	R	B19221	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
199-N-46	12/2/2005 11:40	Y	10045-97-3	Cesium-137	2.78	pCi/L	U	[NULL]	[NULL]	R	B19221	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
199-N-46	12/2/2005 11:40	N	16887-00-6	Chloride	980	ug/L	N	Q	[NULL]	R	B1FVD2	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	12/2/2005 11:40	Y	7440-47-3	Chromium	2.6	ug/L	B	[NULL]	[NULL]	R	B1FVD1	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	12/2/2005 11:40	Y	7440-48-4	Cobalt	1.7	ug/L	U	[NULL]	[NULL]	R	B1FVD1	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	12/2/2005 11:40	Y	10198-40-0	Cobalt-60	-1.57	pCi/L	U	[NULL]	[NULL]	R	B19221	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
199-N-46	12/2/2005 11:40	Y	7440-50-8	Copper	4.3	ug/L	U	[NULL]	[NULL]	R	B1FVD1	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	12/2/2005 11:40	N	DO	Dissolved oxygen	9320	ug/L	[NULL]	[NULL]	[NULL]	R	B1FVD3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	12/2/2005 11:40	Y	14683-23-9	Europium-152	0.362	pCi/L	U	[NULL]	[NULL]	R	B19221	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
199-N-46	12/2/2005 11:40	Y	15585-10-1	Europium-154	1.57	pCi/L	U	[NULL]	[NULL]	R	B19221	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
199-N-46	12/2/2005 11:40	Y	14391-16-3	Europium-155	3.22	pCi/L	U	[NULL]	[NULL]	R	B19221	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
199-N-46	12/2/2005 11:40	N	16984-48-8	Fluoride	5.1	ug/L	U	[NULL]	[NULL]	R	B1FVD2	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	12/2/2005 11:40	Y	12587-46-1	Gross alpha	0.587	pCi/L	U	[NULL]	[NULL]	R	B19221	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	12/2/2005 11:40	Y	12587-47-2	Gross beta	3380	pCi/L	[NULL]	[NULL]	[NULL]	R	B19221	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	12/2/2005 11:40	Y	7439-89-6	Iron	81.1	ug/L	B	[NULL]	[NULL]	R	B1FVD1	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-46	12/2/2005 11:40	Y	7439-95-4	Magnesium	3910	ug/L	B	[NULL]	[NULL]	R	B1FVD1	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	12/2/2005 11:40	Y	7439-96-5	Manganese	9.7	ug/L	B	[NULL]	[NULL]	R	B1FVD1	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	12/2/2005 11:40	Y	7440-02-0	Nickel	12.6	ug/L	B	[NULL]	[NULL]	R	B1FVD1	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	12/2/2005 11:40	N	14797-55-8	Nitrate	841	ug/L	N	H	[NULL]	R	B1FVD2	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	12/2/2005 11:40	N	14797-65-0	Nitrite	20	ug/L	U	H	[NULL]	R	B1FVD2	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	12/2/2005 11:40	Y	7440-09-7	Potassium	1610	ug/L	U	[NULL]	[NULL]	R	B1FVD1	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	12/2/2005 11:40	Y	13966-00-2	Potassium-40	9.28	pCi/L	U	[NULL]	[NULL]	R	B19221	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
199-N-46	12/2/2005 11:40	Y	13967-48-1	Ruthenium-106	8.45	pCi/L	U	[NULL]	[NULL]	R	B19221	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
199-N-46	12/2/2005 11:40	Y	7440-22-4	Silver	2.2	ug/L	U	[NULL]	[NULL]	R	B1FVD1	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	12/2/2005 11:40	Y	7440-23-5	Sodium	1990	ug/L	B	[NULL]	[NULL]	R	B1FVD1	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	12/2/2005 11:40	N	CONDUCT	Specific Conductance	127	uS/cm	[NULL]	[NULL]	[NULL]	R	B1FVD3	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-46	12/2/2005 11:40	Y	7440-24-6	Strontium	74.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1FVD1	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	12/2/2005 11:40	Y	10098-97-2	Strontium-90	1710	pCi/L	[NULL]	[NULL]	[NULL]	R	B19221	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-46	12/2/2005 11:40	N	14808-79-8	Sulfate	9500	ug/L	N	[NULL]	[NULL]	R	B1FVD2	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	12/2/2005 11:40	N	TEMPERATURE	Temperature	14.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1FVD3	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-46	12/2/2005 11:40	N	10028-17-8	Tritium	91.9	pCi/L	U	[NULL]	[NULL]	R	B1FVD4	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-46	12/2/2005 11:40	N	TURBIDITY	Turbidity	60.2	NTU	[NULL]	[NULL]	[NULL]	R	B1FVD3	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-46	12/2/2005 11:40	Y	7440-62-2	Vanadium	1.4	ug/L	U	[NULL]	[NULL]	R	B1FVD1	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	12/2/2005 11:40	Y	7440-66-6	Zinc	3.3	ug/L	BC	Q	[NULL]	R	B1FVD1	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	12/2/2005 11:40	N	PH	pH Measurement	7.61	unitless	[NULL]	[NULL]	[NULL]	R	B1FVD3	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	1/16/2006 11:30	N	DO	Dissolved oxygen	11450	ug/L	[NULL]	[NULL]	[NULL]	R	B1H6D3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	1/16/2006 11:30	N	12587-47-2	Gross beta	3330	pCi/L	[NULL]	[NULL]	[NULL]	R	B1H6D4	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	1/16/2006 11:30	N	CONDUCT	Specific Conductance	138	uS/cm	[NULL]	[NULL]	[NULL]	R	B1H6D3	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-46	1/16/2006 11:30	N	TEMPERATURE	Temperature	13.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1H6D3	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-46	1/16/2006 11:30	N	TURBIDITY	Turbidity	41.2	NTU	[NULL]	[NULL]	[NULL]	R	B1H6D3	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-46	1/16/2006 11:30	N	PH	pH Measurement	7.75	unitless	[NULL]	[NULL]	[NULL]	R	B1H6D3	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	1/31/2006 11:39	N	DO	Dissolved oxygen	10210	ug/L	[NULL]	[NULL]	[NULL]	R	B1HJH3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	1/31/2006 11:39	N	12587-47-2	Gross beta	3600	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HJH4	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	1/31/2006 11:39	N	CONDUCT	Specific Conductance	147	uS/cm	[NULL]	[NULL]	[NULL]	R	B1HJH3	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-46	1/31/2006 11:39	N	TEMPERATURE	Temperature	13	Deg C	[NULL]	[NULL]	[NULL]	R	B1HJH3	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-46	1/31/2006 11:39	N	TURBIDITY	Turbidity	21.4	NTU	[NULL]	[NULL]	[NULL]	R	B1HJH3	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-46	1/31/2006 11:39	N	PH	pH Measurement	7.81	unitless	[NULL]	[NULL]	[NULL]	R	B1HJH3	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	3/6/2006 10:35	N	ALKALINITY	Alkalinity	60000	ug/L	[NULL]	[NULL]	[NULL]	R	B1HPH7	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-46	3/6/2006 10:35	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1HPH6	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	3/6/2006 10:35	N	14234-35-6	Antimony-125	-2.03	pCi/L	U	[NULL]	[NULL]	R	B1HPH9	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
199-N-46	3/6/2006 10:35	Y	7440-39-3	Barium	24.4	ug/L	B	[NULL]	[NULL]	R	B1HPH6	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	3/6/2006 10:35	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1HPH6	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	3/6/2006 10:35	N	13966-02-4	Beryllium-7	-9.99	pCi/L	U	[NULL]	[NULL]	R	B1HPH9	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
199-N-46	3/6/2006 10:35	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1HPH6	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	3/6/2006 10:35	Y	7440-70-2	Calcium	23000	ug/L	[NULL]	[NULL]	[NULL]	R	B1HPH6	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	3/6/2006 10:35	N	13967-70-9	Cesium-134	-1.1	pCi/L	U	[NULL]	[NULL]	R	B1HPH9	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
199-N-46	3/6/2006 10:35	N	10045-97-3	Cesium-137	0.271	pCi/L	U	[NULL]	[NULL]	R	B1HPH9	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
199-N-46	3/6/2006 10:35	N	16887-00-6	Chloride	1300	ug/L	C	[NULL]	[NULL]	R	B1HPH7	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	3/6/2006 10:35	Y	7440-47-3	Chromium	3.6	ug/L	B	[NULL]	[NULL]	R	B1HPH6	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	3/6/2006 10:35	Y	7440-48-4	Cobalt	2.6	ug/L	U	[NULL]	[NULL]	R	B1HPH6	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	3/6/2006 10:35	N	10198-40-0	Cobalt-60	-0.407	pCi/L	U	[NULL]	[NULL]	R	B1HPH9	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
199-N-46	3/6/2006 10:35	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1HPH6	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	3/6/2006 10:35	N	DO	Dissolved oxygen	11110	ug/L	[NULL]	[NULL]	[NULL]	R	B1HPH8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	3/6/2006 10:35	N	14683-23-9	Europium-152	2.54	pCi/L	U	[NULL]	[NULL]	R	B1HPH9	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
199-N-46	3/6/2006 10:35	N	15585-10-1	Europium-154	-1.99	pCi/L	U	[NULL]	[NULL]	R	B1HPH9	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
199-N-46	3/6/2006 10:35	N	14391-16-3	Europium-155	0.351	pCi/L	U	[NULL]	[NULL]	R	B1HPH9	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
199-N-46	3/6/2006 10:35	N	16984-48-8	Fluoride	19	ug/L	B	[NULL]	[NULL]	R	B1HPH7	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	3/6/2006 10:35	N	12587-46-1	Gross alpha	0.306	pCi/L	U	[NULL]	[NULL]	R	B1HPH9	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	3/6/2006 10:35	N	12587-47-2	Gross beta	3590	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HPH9	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	3/6/2006 10:35	Y	7439-89-6	Iron	91.8	ug/L	B	[NULL]	[NULL]	R	B1HPH6	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-46	3/6/2006 10:35	Y	7439-95-4	Magnesium	4810	ug/L	B	[NULL]	[NULL]	R	B1HPH6	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	3/6/2006 10:35	Y	7439-96-5	Manganese	10	ug/L	B	[NULL]	[NULL]	R	B1HPH6	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	3/6/2006 10:35	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1HPH6	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	3/6/2006 10:35	N	14797-55-8	Nitrate	1900	ug/L	[NULL]	[NULL]	[NULL]	R	B1HPH7	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	3/6/2006 10:35	N	14797-65-0	Nitrite	20	ug/L	UN	[NULL]	[NULL]	R	B1HPH7	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	3/6/2006 10:35	Y	7440-09-7	Potassium	1500	ug/L	U	[NULL]	[NULL]	R	B1HPH6	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	3/6/2006 10:35	N	13966-00-2	Potassium-40	-8.11	pCi/L	U	[NULL]	[NULL]	R	B1HPH9	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
199-N-46	3/6/2006 10:35	N	13967-48-1	Ruthenium-106	-1.84	pCi/L	U	[NULL]	[NULL]	R	B1HPH9	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
199-N-46	3/6/2006 10:35	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1HPH6	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	3/6/2006 10:35	Y	7440-23-5	Sodium	2300	ug/L	B	[NULL]	[NULL]	R	B1HPH6	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	3/6/2006 10:35	N	CONDUCT	Specific Conductance	141	uS/cm	[NULL]	[NULL]	[NULL]	R	B1HPH8	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-46	3/6/2006 10:35	Y	7440-24-6	Strontium	98.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1HPH6	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	3/6/2006 10:35	N	10098-97-2	Strontium-90	2050	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HPH9	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-46	3/6/2006 10:35	N	14808-79-8	Sulfate	10100	ug/L	[NULL]	[NULL]	[NULL]	R	B1HPH7	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	3/6/2006 10:35	N	TEMPERATURE	Temperature	12.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1HPH8	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-46	3/6/2006 10:35	N	10028-17-8	Tritium	-39.5	pCi/L	U	[NULL]	[NULL]	R	B1HPH9	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-46	3/6/2006 10:35	N	TURBIDITY	Turbidity	36.7	NTU	[NULL]	[NULL]	[NULL]	R	B1HPH8	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-46	3/6/2006 10:35	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1HPH6	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	3/6/2006 10:35	Y	7440-66-6	Zinc	6.1	ug/L	B	[NULL]	[NULL]	R	B1HPH6	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	3/6/2006 10:35	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	R	B1HPH8	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	4/14/2006 12:21	N	DO	Dissolved oxygen	8980	ug/L	[NULL]	[NULL]	[NULL]	R	B1HXF6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	4/14/2006 12:21	N	12587-47-2	Gross beta	3480	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HXF7	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	4/14/2006 12:21	N	CONDUCT	Specific Conductance	197	uS/cm	[NULL]	[NULL]	[NULL]	R	B1HXF6	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-46	4/14/2006 12:21	N	TEMPERATURE	Temperature	16.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1HXF6	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-46	4/14/2006 12:21	N	TURBIDITY	Turbidity	21.6	NTU	[NULL]	[NULL]	[NULL]	R	B1HXF6	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-46	4/14/2006 12:21	N	PH	pH Measurement	7.64	unitless	[NULL]	[NULL]	[NULL]	R	B1HXF6	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	5/18/2006 9:56	N	DO	Dissolved oxygen	10290	ug/L	[NULL]	[NULL]	[NULL]	R	B1J383	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	5/18/2006 9:56	N	12587-47-2	Gross beta	3610	pCi/L	[NULL]	[NULL]	[NULL]	R	B1J384	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	5/18/2006 9:56	N	CONDUCT	Specific Conductance	150	uS/cm	[NULL]	[NULL]	[NULL]	R	B1J383	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-46	5/18/2006 9:56	N	TEMPERATURE	Temperature	13.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1J383	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-46	5/18/2006 9:56	N	TURBIDITY	Turbidity	13.5	NTU	[NULL]	[NULL]	[NULL]	R	B1J383	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-46	5/18/2006 9:56	N	PH	pH Measurement	7.75	unitless	[NULL]	[NULL]	[NULL]	R	B1J383	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	6/13/2006 10:00	N	ALKALINITY	Alkalinity	50000	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDC0	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-46	6/13/2006 10:00	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1JDB9	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/13/2006 10:00	N	14234-35-6	Antimony-125	-4.44	pCi/L	U	[NULL]	[NULL]	R	B1JDC2	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
199-N-46	6/13/2006 10:00	Y	7440-39-3	Barium	23.3	ug/L	B	[NULL]	[NULL]	R	B1JDB9	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/13/2006 10:00	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1JDB9	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/13/2006 10:00	N	13966-02-4	Beryllium-7	-1.47	pCi/L	U	[NULL]	[NULL]	R	B1JDC2	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
199-N-46	6/13/2006 10:00	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1JDB9	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/13/2006 10:00	Y	7440-70-2	Calcium	21100	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDB9	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/13/2006 10:00	N	13967-70-9	Cesium-134	0.0766	pCi/L	U	[NULL]	[NULL]	R	B1JDC2	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
199-N-46	6/13/2006 10:00	N	10045-97-3	Cesium-137	-0.421	pCi/L	U	[NULL]	[NULL]	R	B1JDC2	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
199-N-46	6/13/2006 10:00	N	16887-00-6	Chloride	1100	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDC0	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	6/13/2006 10:00	Y	7440-47-3	Chromium	3.1	ug/L	B	[NULL]	[NULL]	R	B1JDB9	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/13/2006 10:00	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1JDB9	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/13/2006 10:00	N	10198-40-0	Cobalt-60	-1.07	pCi/L	U	[NULL]	[NULL]	R	B1JDC2	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
199-N-46	6/13/2006 10:00	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1JDB9	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/13/2006 10:00	N	DO	Dissolved oxygen	8870	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDC1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	6/13/2006 10:00	N	14683-23-9	Europium-152	-6.74	pCi/L	U	[NULL]	[NULL]	R	B1JDC2	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
199-N-46	6/13/2006 10:00	N	15585-10-1	Europium-154	-3.39	pCi/L	U	[NULL]	[NULL]	R	B1JDC2	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
199-N-46	6/13/2006 10:00	N	14391-16-3	Europium-155	2.97	pCi/L	U	[NULL]	[NULL]	R	B1JDC2	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
199-N-46	6/13/2006 10:00	N	16984-48-8	Fluoride	69	ug/L	B	[NULL]	[NULL]	R	B1JDC0	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	6/13/2006 10:00	N	12587-46-1	Gross alpha	1.2	pCi/L	U	[NULL]	[NULL]	R	B1JDC2	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	6/13/2006 10:00	N	12587-47-2	Gross beta	3410	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JDC2	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	6/13/2006 10:00	Y	7439-89-6	Iron	41.8	ug/L	B	[NULL]	[NULL]	R	B1JDB9	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-46	6/13/2006 10:00	Y	7439-95-4	Magnesium	4300	ug/L	B	[NULL]	[NULL]	R	B1JDB9	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/13/2006 10:00	Y	7439-96-5	Manganese	3.4	ug/L	B	[NULL]	[NULL]	R	B1JDB9	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/13/2006 10:00	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1JDB9	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/13/2006 10:00	N	14797-55-8	Nitrate	2260	ug/L	N	[NULL]	[NULL]	R	B1JDC0	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	6/13/2006 10:00	N	14797-65-0	Nitrite	13.1	ug/L	U	[NULL]	[NULL]	R	B1JDC0	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	6/13/2006 10:00	N	14265-44-2	Phosphate	330	ug/L	B	[NULL]	[NULL]	R	B1JDC0	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	6/13/2006 10:00	Y	7440-09-7	Potassium	2670	ug/L	BC	[NULL]	[NULL]	R	B1JDB9	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/13/2006 10:00	N	13966-00-2	Potassium-40	-11.8	pCi/L	U	[NULL]	[NULL]	R	B1JDC2	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
199-N-46	6/13/2006 10:00	N	13967-48-1	Ruthenium-106	-4.38	pCi/L	U	[NULL]	[NULL]	R	B1JDC2	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
199-N-46	6/13/2006 10:00	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1JDB9	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/13/2006 10:00	Y	7440-23-5	Sodium	2650	ug/L	BC	[NULL]	[NULL]	R	B1JDB9	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/13/2006 10:00	N	CONDUCT	Specific Conductance	131	uS/cm	[NULL]	[NULL]	[NULL]	R	B1JDC1	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-46	6/13/2006 10:00	Y	7440-24-6	Strontium	80	ug/L	C	[NULL]	[NULL]	R	B1JDB9	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/13/2006 10:00	N	10098-97-2	Strontium-90	1810	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JDC2	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-46	6/13/2006 10:00	N	14808-79-8	Sulfate	7600	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDC0	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	6/13/2006 10:00	N	TEMPERATURE	Temperature	13.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1JDC1	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-46	6/13/2006 10:00	N	10028-17-8	Tritium	185	pCi/L	U	[NULL]	[NULL]	R	B1JDC2	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-46	6/13/2006 10:00	N	TURBIDITY	Turbidity	5.3	NTU	[NULL]	[NULL]	[NULL]	R	B1JDC1	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-46	6/13/2006 10:00	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1JDB9	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/13/2006 10:00	Y	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1JDB9	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/13/2006 10:00	N	PH	pH Measurement	7.97	unitless	[NULL]	[NULL]	[NULL]	R	B1JDC1	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	7/19/2006 9:46	N	DO	Dissolved oxygen	8550	ug/L	[NULL]	[NULL]	[NULL]	R	B1JK71	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	7/19/2006 9:46	N	12587-47-2	Gross beta	7730	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JK72	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	7/19/2006 9:46	N	CONDUCT	Specific Conductance	245	uS/cm	[NULL]	[NULL]	[NULL]	R	B1JK71	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-46	7/19/2006 9:46	N	TEMPERATURE	Temperature	21.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1JK71	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-46	7/19/2006 9:46	N	TURBIDITY	Turbidity	28.8	NTU	[NULL]	[NULL]	[NULL]	R	B1JK71	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-46	7/19/2006 9:46	N	PH	pH Measurement	7.41	unitless	[NULL]	[NULL]	[NULL]	R	B1JK71	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	8/9/2006 9:25	N	DO	Dissolved oxygen	6440	ug/L	[NULL]	[NULL]	[NULL]	R	B1K4F1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	8/9/2006 9:25	N	12587-47-2	Gross beta	9180	pCi/L	[NULL]	[NULL]	[NULL]	R	B1K4F2	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	8/9/2006 9:25	N	CONDUCT	Specific Conductance	288	uS/cm	[NULL]	[NULL]	[NULL]	R	B1K4F1	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-46	8/9/2006 9:25	N	TEMPERATURE	Temperature	25.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1K4F1	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-46	8/9/2006 9:25	N	TURBIDITY	Turbidity	18	NTU	[NULL]	[NULL]	[NULL]	R	B1K4F1	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-46	8/9/2006 9:25	N	PH	pH Measurement	7.47	unitless	[NULL]	[NULL]	[NULL]	R	B1K4F1	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	9/14/2006 10:21	N	14234-35-6	Antimony-125	47.3	pCi/L	U	[NULL]	[NULL]	R	B1KBF8	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
199-N-46	9/14/2006 10:21	N	13966-02-4	Beryllium-7	526	pCi/L	U	[NULL]	[NULL]	R	B1KBF8	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
199-N-46	9/14/2006 10:21	N	13967-70-9	Cesium-134	-8.44	pCi/L	U	[NULL]	[NULL]	R	B1KBF8	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
199-N-46	9/14/2006 10:21	N	10045-97-3	Cesium-137	40.8	pCi/L	U	[NULL]	[NULL]	R	B1KBF8	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
199-N-46	9/14/2006 10:21	N	10198-40-0	Cobalt-60	16.1	pCi/L	U	[NULL]	[NULL]	R	B1KBF8	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
199-N-46	9/14/2006 10:21	N	14683-23-9	Europium-152	122	pCi/L	U	[NULL]	[NULL]	R	B1KBF8	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
199-N-46	9/14/2006 10:21	N	15585-10-1	Europium-154	-25.2	pCi/L	U	[NULL]	[NULL]	R	B1KBF8	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
199-N-46	9/14/2006 10:21	N	14391-16-3	Europium-155	-0.689	pCi/L	U	[NULL]	[NULL]	R	B1KBF8	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
199-N-46	9/14/2006 10:21	N	12587-46-1	Gross alpha	6.51	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBF8	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	9/14/2006 10:21	N	12587-47-2	Gross beta	11600	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBF8	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	9/14/2006 10:21	N	13966-00-2	Potassium-40	-546	pCi/L	U	[NULL]	[NULL]	R	B1KBF8	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
199-N-46	9/14/2006 10:21	N	13967-48-1	Ruthenium-106	-151	pCi/L	U	[NULL]	[NULL]	R	B1KBF8	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
199-N-46	9/14/2006 10:21	N	10098-97-2	Strontium-90	6040	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBF8	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-46	9/14/2006 10:21	N	10028-17-8	Tritium	1780	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBF8	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-46	9/15/2006 10:21	N	ALKALINITY	Alkalinity	95000	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBF6	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-46	9/15/2006 10:21	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1KBF5	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/15/2006 10:21	Y	7440-39-3	Barium	47.6	ug/L	B	[NULL]	[NULL]	R	B1KBF5	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/15/2006 10:21	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1KBF5	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/15/2006 10:21	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1KBF5	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/15/2006 10:21	Y	7440-70-2	Calcium	46100	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBF5	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/15/2006 10:21	N	16887-00-6	Chloride	12200	ug/L	CD	[NULL]	[NULL]	R	B1KBF6	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	9/15/2006 10:21	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1KBF5	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-46	9/15/2006 10:21	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1KBF5	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/15/2006 10:21	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1KBF5	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/15/2006 10:21	N	DO	Dissolved oxygen	7760	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBF7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	9/15/2006 10:21	N	16984-48-8	Fluoride	20	ug/L	UN	[NULL]	[NULL]	R	B1KBF6	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	9/15/2006 10:21	Y	7439-89-6	Iron	28.9	ug/L	B	[NULL]	[NULL]	R	B1KBF5	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/15/2006 10:21	Y	7439-95-4	Magnesium	9110	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBF5	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/15/2006 10:21	Y	7439-96-5	Manganese	9.6	ug/L	B	[NULL]	[NULL]	R	B1KBF5	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/15/2006 10:21	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1KBF5	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/15/2006 10:21	N	14797-55-8	Nitrate	14600	ug/L	DN	[NULL]	[NULL]	R	B1KBF6	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	9/15/2006 10:21	N	14797-65-0	Nitrite	1280	ug/L	N	R	[NULL]	R	B1KBF6	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	9/15/2006 10:21	N	14265-44-2	Phosphate	210	ug/L	BN	[NULL]	[NULL]	R	B1KBF6	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	9/15/2006 10:21	Y	7440-09-7	Potassium	1500	ug/L	U	[NULL]	[NULL]	R	B1KBF5	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/15/2006 10:21	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1KBF5	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/15/2006 10:21	Y	7440-23-5	Sodium	4470	ug/L	B	[NULL]	[NULL]	R	B1KBF5	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/15/2006 10:21	N	CONDUCT	Specific Conductance	324	uS/cm	[NULL]	[NULL]	[NULL]	R	B1KBF7	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-46	9/15/2006 10:21	Y	7440-24-6	Strontium	190	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBF5	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/15/2006 10:21	N	14808-79-8	Sulfate	31300	ug/L	D	[NULL]	[NULL]	R	B1KBF6	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	9/15/2006 10:21	N	TEMPERATURE	Temperature	16.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1KBF7	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-46	9/15/2006 10:21	N	TURBIDITY	Turbidity	4.55	NTU	[NULL]	[NULL]	[NULL]	R	B1KBF7	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-46	9/15/2006 10:21	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1KBF5	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/15/2006 10:21	Y	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1KBF5	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	9/15/2006 10:21	N	PH	pH Measurement	7.52	unitless	[NULL]	[NULL]	[NULL]	R	B1KBF7	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	10/17/2006 11:03	N	DO	Dissolved oxygen	7950	ug/L	[NULL]	[NULL]	[NULL]	R	B1KL62	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	10/17/2006 11:03	N	12587-47-2	Gross beta	12700	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KL63	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	10/17/2006 11:03	N	CONDUCT	Specific Conductance	347	uS/cm	[NULL]	[NULL]	[NULL]	R	B1KL62	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-46	10/17/2006 11:03	N	TEMPERATURE	Temperature	16.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1KL62	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-46	10/17/2006 11:03	N	TURBIDITY	Turbidity	49.6	NTU	[NULL]	[NULL]	[NULL]	R	B1KL62	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-46	10/17/2006 11:03	N	PH	pH Measurement	7.33	unitless	[NULL]	[NULL]	[NULL]	R	B1KL62	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	11/13/2006 11:27	N	DO	Dissolved oxygen	6460	ug/L	[NULL]	[NULL]	[NULL]	R	B1KYB9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	11/13/2006 11:27	N	12587-47-2	Gross beta	5080	pCi/L	[NULL]	Q	[NULL]	R	B1KYB7	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	11/13/2006 11:27	N	12587-47-2	Gross beta	3570	pCi/L	[NULL]	Q	[NULL]	R	B1KYB8	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	11/13/2006 11:27	N	CONDUCT	Specific Conductance	216	uS/cm	[NULL]	[NULL]	[NULL]	R	B1KYB9	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-46	11/13/2006 11:27	N	TEMPERATURE	Temperature	15.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1KYB9	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-46	11/13/2006 11:27	N	TURBIDITY	Turbidity	4.29	NTU	[NULL]	[NULL]	[NULL]	R	B1KYB9	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-46	11/13/2006 11:27	N	PH	pH Measurement	7.67	unitless	[NULL]	[NULL]	[NULL]	R	B1KYB9	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	1/16/2007 9:31	N	ALKALINITY	Alkalinity	65000	ug/L	[NULL]	[NULL]	[NULL]	R	B1LK18	ALKALINITY	WSCF	310.1_ALKALINITY	100-NR-2
199-N-46	1/16/2007 9:31	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1LK14	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	1/16/2007 9:31	N	14234-35-6	Antimony-125	-2.01	pCi/L	U	[NULL]	[NULL]	R	B1LK17	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
199-N-46	1/16/2007 9:31	Y	7440-39-3	Barium	21.6	ug/L	B	[NULL]	[NULL]	R	B1LK14	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	1/16/2007 9:31	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1LK14	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	1/16/2007 9:31	N	13966-02-4	Beryllium-7	9.53	pCi/L	U	[NULL]	[NULL]	R	B1LK17	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
199-N-46	1/16/2007 9:31	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1LK14	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	1/16/2007 9:31	Y	7440-70-2	Calcium	22400	ug/L	[NULL]	[NULL]	[NULL]	R	B1LK14	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	1/16/2007 9:31	N	13967-70-9	Cesium-134	-0.913	pCi/L	U	[NULL]	[NULL]	R	B1LK17	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
199-N-46	1/16/2007 9:31	N	10045-97-3	Cesium-137	1.89	pCi/L	U	[NULL]	[NULL]	R	B1LK17	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
199-N-46	1/16/2007 9:31	N	16887-00-6	Chloride	1900	ug/L	N	[NULL]	[NULL]	R	B1LK15	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	1/16/2007 9:31	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1LK14	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	1/16/2007 9:31	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1LK14	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	1/16/2007 9:31	N	10198-40-0	Cobalt-60	-1.62	pCi/L	U	[NULL]	[NULL]	R	B1LK17	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
199-N-46	1/16/2007 9:31	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1LK14	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	1/16/2007 9:31	N	DO	Dissolved oxygen	10560	ug/L	[NULL]	[NULL]	[NULL]	R	B1LK16	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	1/16/2007 9:31	N	14683-23-9	Europium-152	0.462	pCi/L	U	[NULL]	[NULL]	R	B1LK17	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
199-N-46	1/16/2007 9:31	N	15585-10-1	Europium-154	-5.82	pCi/L	U	[NULL]	[NULL]	R	B1LK17	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
199-N-46	1/16/2007 9:31	N	14391-16-3	Europium-155	2.16	pCi/L	U	[NULL]	[NULL]	R	B1LK17	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
199-N-46	1/16/2007 9:31	N	16984-48-8	Fluoride	62	ug/L	BN	[NULL]	[NULL]	R	B1LK15	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-46	1/16/2007 9:31	N	12587-46-1	Gross alpha	0.136	pCi/L	U	[NULL]	[NULL]	R	B1LK17	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	1/16/2007 9:31	N	12587-47-2	Gross beta	3560	pCi/L	[NULL]	[NULL]	[NULL]	R	B1LK17	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	1/16/2007 9:31	Y	7439-89-6	Iron	25	ug/L	UN	[NULL]	[NULL]	R	B1LK14	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	1/16/2007 9:31	Y	7439-95-4	Magnesium	4820	ug/L	B	[NULL]	[NULL]	R	B1LK14	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	1/16/2007 9:31	Y	7439-96-5	Manganese	7.4	ug/L	B	[NULL]	[NULL]	R	B1LK14	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	1/16/2007 9:31	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1LK14	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	1/16/2007 9:31	N	14797-55-8	Nitrate	1730	ug/L	N	[NULL]	[NULL]	R	B1LK15	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	1/16/2007 9:31	N	14797-65-0	Nitrite	13.1	ug/L	UN	[NULL]	[NULL]	R	B1LK15	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	1/16/2007 9:31	N	14265-44-2	Phosphate	100	ug/L	UN	[NULL]	[NULL]	R	B1LK15	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	1/16/2007 9:31	Y	7440-09-7	Potassium	1500	ug/L	U	[NULL]	[NULL]	R	B1LK14	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	1/16/2007 9:31	N	13966-00-2	Potassium-40	-15.9	pCi/L	U	[NULL]	[NULL]	R	B1LK17	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
199-N-46	1/16/2007 9:31	N	13967-48-1	Ruthenium-106	1.35	pCi/L	U	[NULL]	[NULL]	R	B1LK17	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
199-N-46	1/16/2007 9:31	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1LK14	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	1/16/2007 9:31	Y	7440-23-5	Sodium	2510	ug/L	B	[NULL]	[NULL]	R	B1LK14	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	1/16/2007 9:31	N	CONDUCT	Specific Conductance	149	uS/cm	[NULL]	[NULL]	[NULL]	R	B1LK16	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-46	1/16/2007 9:31	Y	7440-24-6	Strontium	91.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1LK14	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	1/16/2007 9:31	N	10098-97-2	Strontium-90	2000	pCi/L	[NULL]	[NULL]	[NULL]	R	B1LK17	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-46	1/16/2007 9:31	N	14808-79-8	Sulfate	9400	ug/L	N	[NULL]	[NULL]	R	B1LK15	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	1/16/2007 9:31	N	TEMPERATURE	Temperature	11.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1LK16	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-46	1/16/2007 9:31	N	10028-17-8	Tritium	34.6	pCi/L	U	[NULL]	[NULL]	R	B1LK17	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-46	1/16/2007 9:31	N	TURBIDITY	Turbidity	1.78	NTU	[NULL]	[NULL]	[NULL]	R	B1LK16	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-46	1/16/2007 9:31	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1LK14	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	1/16/2007 9:31	Y	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1LK14	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	1/16/2007 9:31	N	PH	pH Measurement	7.56	unitless	[NULL]	[NULL]	[NULL]	R	B1LK16	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	4/6/2007 10:35	N	ALKALINITY	Alkalinity	170000	ug/L	[NULL]	[NULL]	[NULL]	R	B1MD46	ALKALINITY	WSCF	310.1_ALKALINITY	100-NR-2
199-N-46	4/6/2007 10:35	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1MD42	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	4/6/2007 10:35	N	14234-35-6	Antimony-125	-4.14	pCi/L	U	[NULL]	[NULL]	R	B1MD45	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
199-N-46	4/6/2007 10:35	Y	7440-39-3	Barium	19.8	ug/L	B	[NULL]	[NULL]	R	B1MD42	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	4/6/2007 10:35	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1MD42	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	4/6/2007 10:35	N	13966-02-4	Beryllium-7	-4.04	pCi/L	U	[NULL]	[NULL]	R	B1MD45	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
199-N-46	4/6/2007 10:35	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1MD42	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	4/6/2007 10:35	Y	7440-70-2	Calcium	10100	ug/L	[NULL]	[NULL]	[NULL]	R	B1MD42	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	4/6/2007 10:35	N	13967-70-9	Cesium-134	-2.11	pCi/L	U	[NULL]	[NULL]	R	B1MD45	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
199-N-46	4/6/2007 10:35	N	10045-97-3	Cesium-137	0.285	pCi/L	U	[NULL]	[NULL]	R	B1MD45	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
199-N-46	4/6/2007 10:35	N	16887-00-6	Chloride	8000	ug/L	DN	[NULL]	[NULL]	R	B1MD43	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	4/6/2007 10:35	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1MD42	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	4/6/2007 10:35	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1MD42	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	4/6/2007 10:35	N	10198-40-0	Cobalt-60	0.323	pCi/L	U	[NULL]	[NULL]	R	B1MD45	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
199-N-46	4/6/2007 10:35	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1MD42	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	4/6/2007 10:35	N	DO	Dissolved oxygen	180	ug/L	[NULL]	[NULL]	[NULL]	R	B1MD44	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	4/6/2007 10:35	N	14683-23-9	Europium-152	0.543	pCi/L	U	[NULL]	[NULL]	R	B1MD45	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
199-N-46	4/6/2007 10:35	N	15585-10-1	Europium-154	4.75	pCi/L	U	[NULL]	[NULL]	R	B1MD45	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
199-N-46	4/6/2007 10:35	N	14391-16-3	Europium-155	-1.41	pCi/L	U	[NULL]	[NULL]	R	B1MD45	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
199-N-46	4/6/2007 10:35	N	16984-48-8	Fluoride	160	ug/L	[NULL]	[NULL]	[NULL]	R	B1MD43	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	4/6/2007 10:35	N	12587-46-1	Gross alpha	19	pCi/L	[NULL]	R	[NULL]	R	B1MD46	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-46	4/6/2007 10:35	N	12587-47-2	Gross beta	2200	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MD46	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-46	4/6/2007 10:35	Y	7439-89-6	Iron	121	ug/L	[NULL]	[NULL]	[NULL]	R	B1MD42	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	4/6/2007 10:35	Y	7439-95-4	Magnesium	2130	ug/L	B	[NULL]	[NULL]	R	B1MD42	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	4/6/2007 10:35	Y	7439-96-5	Manganese	152	ug/L	[NULL]	[NULL]	[NULL]	R	B1MD42	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	4/6/2007 10:35	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1MD42	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	4/6/2007 10:35	N	14797-55-8	Nitrate	531	ug/L	N	[NULL]	J	R	B1MD43	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	4/6/2007 10:35	N	14797-65-0	Nitrite	13.1	ug/L	UN	[NULL]	[NULL]	R	B1MD43	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	4/6/2007 10:35	N	14265-44-2	Phosphate	2250	ug/L	D	[NULL]	[NULL]	R	B1MD43	14265-44-2	STLSL	365.2_PHOSPHATE	100-NR-2
199-N-46	4/6/2007 10:35	Y	7440-09-7	Potassium	1500	ug/L	U	[NULL]	[NULL]	R	B1MD42	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	4/6/2007 10:35	N	13966-00-2	Potassium-40	-23.9	pCi/L	U	[NULL]	[NULL]	R	B1MD45	13966-00-2	STLRL	GAMMALL_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-46	4/6/2007 10:35	N	13967-48-1	Ruthenium-106	-18.6	pCi/L	U	[NULL]	[NULL]	R	B1MD45	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
199-N-46	4/6/2007 10:35	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1MD42	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	4/6/2007 10:35	Y	7440-23-5	Sodium	86100	ug/L	[NULL]	[NULL]	[NULL]	R	B1MD42	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	4/6/2007 10:35	N	CONDUCT	Specific Conductance	591	uS/cm	[NULL]	[NULL]	[NULL]	R	B1MD44	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-46	4/6/2007 10:35	Y	7440-24-6	Strontium	60.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1MD42	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	4/6/2007 10:35	N	10098-97-2	Strontium-90	1090	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MD45	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-46	4/6/2007 10:35	N	14808-79-8	Sulfate	10000	ug/L	[NULL]	[NULL]	[NULL]	R	B1MD43	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	4/6/2007 10:35	N	TEMPERATURE	Temperature	10.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1MD44	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-46	4/6/2007 10:35	N	10028-17-8	Tritium	-41	pCi/L	U	[NULL]	[NULL]	R	B1MD46	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-46	4/6/2007 10:35	N	TURBIDITY	Turbidity	3.31	NTU	[NULL]	[NULL]	[NULL]	R	B1MD44	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-46	4/6/2007 10:35	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1MD42	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	4/6/2007 10:35	Y	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1MD42	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	4/6/2007 10:35	N	PH	pH Measurement	7.87	unitless	[NULL]	[NULL]	[NULL]	R	B1MD44	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	6/4/2007 9:31	N	DO	Dissolved oxygen	950	ug/L	[NULL]	[NULL]	[NULL]	R	B1N232	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	6/4/2007 9:31	N	12587-47-2	Gross beta	4870	pCi/L	[NULL]	[NULL]	[NULL]	R	B1N230	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	6/4/2007 9:31	N	CONDUCT	Specific Conductance	376	uS/cm	[NULL]	[NULL]	[NULL]	R	B1N232	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-46	6/4/2007 9:31	N	TEMPERATURE	Temperature	13.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1N232	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	6/4/2007 9:31	N	TURBIDITY	Turbidity	4.59	NTU	[NULL]	[NULL]	[NULL]	R	B1N232	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-46	6/4/2007 9:31	N	PH	pH Measurement	7.65	unitless	[NULL]	[NULL]	[NULL]	R	B1N232	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	6/22/2007 10:30	N	ALKALINITY	Alkalinity	250000	ug/L	[NULL]	[NULL]	[NULL]	R	B1NJ62	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-46	6/22/2007 10:30	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1NJ58	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/22/2007 10:30	N	14234-35-6	Antimony-125	0.862	pCi/L	U	[NULL]	[NULL]	R	B1NJ61	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
199-N-46	6/22/2007 10:30	Y	7440-39-3	Barium	13.7	ug/L	B	[NULL]	[NULL]	R	B1NJ58	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/22/2007 10:30	Y	7440-41-7	Beryllium	0.57	ug/L	U	[NULL]	[NULL]	R	B1NJ58	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/22/2007 10:30	N	13966-02-4	Beryllium-7	-66.6	pCi/L	U	[NULL]	[NULL]	R	B1NJ61	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
199-N-46	6/22/2007 10:30	Y	7440-43-9	Cadmium	3.5	ug/L	U	[NULL]	[NULL]	R	B1NJ58	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/22/2007 10:30	Y	7440-70-2	Calcium	7360	ug/L	[NULL]	[NULL]	[NULL]	R	B1NJ58	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/22/2007 10:30	N	13967-70-9	Cesium-134	2.14	pCi/L	U	[NULL]	[NULL]	R	B1NJ61	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
199-N-46	6/22/2007 10:30	N	10045-97-3	Cesium-137	0.519	pCi/L	U	[NULL]	[NULL]	R	B1NJ61	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
199-N-46	6/22/2007 10:30	N	16887-00-6	Chloride	16200	ug/L	D	[NULL]	[NULL]	R	B1NJ59	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	6/22/2007 10:30	Y	7440-47-3	Chromium	2.5	ug/L	U	[NULL]	[NULL]	R	B1NJ58	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/22/2007 10:30	Y	7440-48-4	Cobalt	4	ug/L	B	[NULL]	[NULL]	R	B1NJ58	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/22/2007 10:30	N	10198-40-0	Cobalt-60	4.63	pCi/L	U	[NULL]	[NULL]	R	B1NJ61	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
199-N-46	6/22/2007 10:30	Y	7440-50-8	Copper	1.8	ug/L	U	[NULL]	[NULL]	R	B1NJ58	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/22/2007 10:30	N	DO	Dissolved oxygen	470	ug/L	[NULL]	[NULL]	[NULL]	R	B1NJ60	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	6/22/2007 10:30	N	14683-23-9	Europium-152	-0.98	pCi/L	U	[NULL]	[NULL]	R	B1NJ61	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
199-N-46	6/22/2007 10:30	N	15585-10-1	Europium-154	-3.86	pCi/L	U	[NULL]	[NULL]	R	B1NJ61	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
199-N-46	6/22/2007 10:30	N	14391-16-3	Europium-155	-3.15	pCi/L	U	[NULL]	[NULL]	R	B1NJ61	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
199-N-46	6/22/2007 10:30	N	16984-48-8	Fluoride	86	ug/L	B	[NULL]	[NULL]	R	B1NJ59	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	6/22/2007 10:30	N	12587-46-1	Gross alpha	-1.1	pCi/L	U	G	[NULL]	R	B1NJ62	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-46	6/22/2007 10:30	N	12587-47-2	Gross beta	3400	pCi/L	[NULL]	[NULL]	[NULL]	R	B1NJ62	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-46	6/22/2007 10:30	Y	7439-89-6	Iron	50.8	ug/L	B	[NULL]	[NULL]	R	B1NJ58	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/22/2007 10:30	Y	7439-95-4	Magnesium	1570	ug/L	B	[NULL]	[NULL]	R	B1NJ58	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/22/2007 10:30	Y	7439-96-5	Manganese	249	ug/L	[NULL]	[NULL]	[NULL]	R	B1NJ58	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/22/2007 10:30	Y	7440-02-0	Nickel	4.6	ug/L	U	[NULL]	[NULL]	R	B1NJ58	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/22/2007 10:30	N	14797-55-8	Nitrate	1550	ug/L	[NULL]	[NULL]	[NULL]	R	B1NJ59	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	6/22/2007 10:30	N	14797-65-0	Nitrite	821	ug/L	N	R	[NULL]	R	B1NJ59	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	6/22/2007 10:30	N	14265-44-2	Phosphate	78400	ug/L	CDN	[NULL]	[NULL]	R	B1NJ59	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	6/22/2007 10:30	Y	7440-09-7	Potassium	3270	ug/L	UD	[NULL]	[NULL]	R	B1NJ58	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/22/2007 10:30	N	13966-00-2	Potassium-40	-50.5	pCi/L	U	[NULL]	[NULL]	R	B1NJ61	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
199-N-46	6/22/2007 10:30	N	13967-48-1	Ruthenium-106	-20.5	pCi/L	U	[NULL]	[NULL]	R	B1NJ61	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
199-N-46	6/22/2007 10:30	Y	7440-22-4	Silver	1.7	ug/L	U	[NULL]	[NULL]	R	B1NJ58	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/22/2007 10:30	Y	7440-23-5	Sodium	128000	ug/L	D	[NULL]	[NULL]	R	B1NJ58	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/22/2007 10:30	N	CONDUCT	Specific Conductance	652	uS/cm	[NULL]	[NULL]	[NULL]	R	B1NJ60	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-46	6/22/2007 10:30	Y	7440-24-6	Strontium	39.2	ug/L	B	[NULL]	[NULL]	R	B1NJ58	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-46	6/22/2007 10:30	N	10098-97-2	Strontium-90	1840	pCi/L	[NULL]	[NULL]	[NULL]	R	B1NJ61	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-46	6/22/2007 10:30	N	14808-79-8	Sulfate	6700	ug/L	[NULL]	[NULL]	[NULL]	R	B1NJ59	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-46	6/22/2007 10:30	N	TEMPERATURE	Temperature	11.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1NJ60	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	6/22/2007 10:30	N	10028-17-8	Tritium	77	pCi/L	U	[NULL]	[NULL]	R	B1NJ61	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-46	6/22/2007 10:30	N	TURBIDITY	Turbidity	3.21	NTU	[NULL]	[NULL]	[NULL]	R	B1NJ60	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-46	6/22/2007 10:30	Y	7440-62-2	Vanadium	6.1	ug/L	U	[NULL]	[NULL]	R	B1NJ58	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/22/2007 10:30	Y	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1NJ58	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-46	6/22/2007 10:30	N	PH	pH Measurement	7.74	unitless	[NULL]	[NULL]	[NULL]	R	B1NJ60	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	7/6/2007 8:51	N	DO	Dissolved oxygen	540	ug/L	[NULL]	[NULL]	[NULL]	R	B1NWM0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	7/6/2007 8:51	N	12587-47-2	Gross beta	4010	pCi/L	[NULL]	[NULL]	[NULL]	R	B1NWM1	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	7/6/2007 8:51	N	CONDUCT	Specific Conductance	682	uS/cm	[NULL]	[NULL]	[NULL]	R	B1NWM0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-46	7/6/2007 8:51	N	TEMPERATURE	Temperature	23.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1NWM0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	7/6/2007 8:51	N	TURBIDITY	Turbidity	4.12	NTU	[NULL]	[NULL]	[NULL]	R	B1NWM0	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-46	7/6/2007 8:51	N	PH	pH Measurement	7.84	unitless	[NULL]	[NULL]	[NULL]	R	B1NWM0	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	8/30/2007 11:56	N	DO	Dissolved oxygen	8270	ug/L	[NULL]	[NULL]	[NULL]	R	B1P477	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	8/30/2007 11:56	N	12587-47-2	Gross beta	7700	pCi/L	[NULL]	[NULL]	[NULL]	R	B1P478	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	8/30/2007 11:56	N	CONDUCT	Specific Conductance	599	uS/cm	[NULL]	[NULL]	[NULL]	R	B1P477	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-46	8/30/2007 11:56	N	TEMPERATURE	Temperature	15.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1P477	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	8/30/2007 11:56	N	TURBIDITY	Turbidity	48.4	NTU	[NULL]	[NULL]	[NULL]	R	B1P477	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-46	8/30/2007 11:56	N	PH	pH Measurement	7.86	unitless	[NULL]	[NULL]	[NULL]	R	B1P477	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	9/16/2007 11:15	N	ALKALINITY	Alkalinity	230000	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDJ0	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-46	9/16/2007 11:15	N	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1PDJ0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	9/16/2007 11:15	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1PDH9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	9/16/2007 11:15	N	14234-35-6	Antimony-125	0.678	pCi/L	U	[NULL]	[NULL]	R	B1PDJ2	14234-35-6	TARL	GAMMALL_GS	100-NR-2
199-N-46	9/16/2007 11:15	Y	7440-39-3	Barium	36.8	ug/L	C	[NULL]	[NULL]	R	B1PDH9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	9/16/2007 11:15	N	7440-39-3	Barium	94.8	ug/L	C	[NULL]	[NULL]	R	B1PDJ0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	9/16/2007 11:15	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1PDJ0	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	9/16/2007 11:15	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1PDH9	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	9/16/2007 11:15	N	13966-02-4	Beryllium-7	-19	pCi/L	U	[NULL]	[NULL]	R	B1PDJ2	13966-02-4	TARL	GAMMALL_GS	100-NR-2
199-N-46	9/16/2007 11:15	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1PDJ0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	9/16/2007 11:15	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1PDH9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	9/16/2007 11:15	Y	7440-70-2	Calcium	30000	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDH9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	9/16/2007 11:15	N	7440-70-2	Calcium	31400	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDJ0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	9/16/2007 11:15	N	13967-70-9	Cesium-134	0.0718	pCi/L	U	[NULL]	[NULL]	R	B1PDJ2	13967-70-9	TARL	GAMMALL_GS	100-NR-2
199-N-46	9/16/2007 11:15	N	10045-97-3	Cesium-137	-1.49	pCi/L	U	[NULL]	[NULL]	R	B1PDJ2	10045-97-3	TARL	GAMMALL_GS	100-NR-2
199-N-46	9/16/2007 11:15	N	16887-00-6	Chloride	27000	ug/L	D	[NULL]	[NULL]	R	B1PDJ0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	9/16/2007 11:15	N	7440-47-3	Chromium	18.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDJ0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	9/16/2007 11:15	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	R	B1PDH9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	9/16/2007 11:15	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1PDJ0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	9/16/2007 11:15	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1PDH9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	9/16/2007 11:15	N	10198-40-0	Cobalt-60	0.331	pCi/L	U	[NULL]	[NULL]	R	B1PDJ2	10198-40-0	TARL	GAMMALL_GS	100-NR-2
199-N-46	9/16/2007 11:15	Y	7440-50-8	Copper	8.6	ug/L	C	[NULL]	[NULL]	R	B1PDH9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	9/16/2007 11:15	N	7440-50-8	Copper	10.5	ug/L	C	[NULL]	[NULL]	R	B1PDJ0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	9/16/2007 11:15	N	DO	Dissolved oxygen	880	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDJ1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	9/16/2007 11:15	N	14683-23-9	Europium-152	3.36	pCi/L	U	[NULL]	[NULL]	R	B1PDJ2	14683-23-9	TARL	GAMMALL_GS	100-NR-2
199-N-46	9/16/2007 11:15	N	15585-10-1	Europium-154	0.816	pCi/L	U	[NULL]	[NULL]	R	B1PDJ2	15585-10-1	TARL	GAMMALL_GS	100-NR-2
199-N-46	9/16/2007 11:15	N	14391-16-3	Europium-155	-0.421	pCi/L	U	[NULL]	[NULL]	R	B1PDJ2	14391-16-3	TARL	GAMMALL_GS	100-NR-2
199-N-46	9/16/2007 11:15	N	16984-48-8	Fluoride	112	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDJ0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	9/16/2007 11:15	N	12587-46-1	Gross alpha	2.53	pCi/L	[NULL]	[NULL]	[NULL]	R	B1PDJ2	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	9/16/2007 11:15	N	12587-47-2	Gross beta	7150	pCi/L	[NULL]	[NULL]	[NULL]	R	B1PDJ2	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	9/16/2007 11:15	Y	7439-89-6	Iron	44.6	ug/L	C	[NULL]	[NULL]	R	B1PDH9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	9/16/2007 11:15	N	7439-89-6	Iron	2120	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDJ0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	9/16/2007 11:15	Y	7439-95-4	Magnesium	5890	ug/L	[NULL]	Q	[NULL]	R	B1PDH9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	9/16/2007 11:15	N	7439-95-4	Magnesium	6130	ug/L	[NULL]	Q	[NULL]	R	B1PDJ0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	9/16/2007 11:15	N	7439-96-5	Manganese	802	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDJ0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-46	9/16/2007 11:15	Y	7439-96-5	Manganese	477	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDH9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	9/16/2007 11:15	N	7440-02-0	Nickel	20.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDJ0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	9/16/2007 11:15	Y	7440-02-0	Nickel	4.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDH9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	9/16/2007 11:15	N	14797-55-8	Nitrate	5220	ug/L	N	[NULL]	[NULL]	R	B1PDJ0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	9/16/2007 11:15	N	14797-65-0	Nitrite	230	ug/L	BN	[NULL]	[NULL]	R	B1PDJ0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	9/16/2007 11:15	N	14265-44-2	Phosphate	22200	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDJ0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	9/16/2007 11:15	Y	7440-09-7	Potassium	2200	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDH9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	9/16/2007 11:15	N	7440-09-7	Potassium	2270	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDJ0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	9/16/2007 11:15	N	13966-00-2	Potassium-40	-6.18	pCi/L	U	[NULL]	[NULL]	R	B1PDJ2	13966-00-2	TARL	GAMMALL_GS	100-NR-2
199-N-46	9/16/2007 11:15	N	13967-48-1	Ruthenium-106	-1.98	pCi/L	U	[NULL]	[NULL]	R	B1PDJ2	13967-48-1	TARL	GAMMALL_GS	100-NR-2
199-N-46	9/16/2007 11:15	Y	7440-22-4	Silver	7.8	ug/L	C	Q	[NULL]	R	B1PDH9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	9/16/2007 11:15	N	7440-22-4	Silver	9.1	ug/L	C	Q	[NULL]	R	B1PDJ0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	9/16/2007 11:15	Y	7440-23-5	Sodium	102000	ug/L	D	[NULL]	[NULL]	R	B1PDH9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	9/16/2007 11:15	N	7440-23-5	Sodium	100000	ug/L	D	[NULL]	[NULL]	R	B1PDJ0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	9/16/2007 11:15	N	CONDUCT	Specific Conductance	646	uS/cm	[NULL]	[NULL]	[NULL]	R	B1PDJ1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-46	9/16/2007 11:15	Y	7440-24-6	Strontium	132	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDH9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	9/16/2007 11:15	N	7440-24-6	Strontium	147	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDJ0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	9/16/2007 11:15	N	10098-97-2	Strontium-90	3840	pCi/L	[NULL]	[NULL]	[NULL]	R	B1PDJ2	10098-97-2	TARL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-46	9/16/2007 11:15	N	14808-79-8	Sulfate	25300	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDJ0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	9/16/2007 11:15	N	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1PDJ1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	9/16/2007 11:15	N	10028-17-8	Tritium	1500	pCi/L	[NULL]	[NULL]	[NULL]	R	B1PDJ0	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-46	9/16/2007 11:15	N	TURBIDITY	Turbidity	5.04	NTU	[NULL]	[NULL]	[NULL]	R	B1PDJ1	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-46	9/16/2007 11:15	N	7440-62-2	Vanadium	24.9	ug/L	C	Q	[NULL]	R	B1PDJ0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	9/16/2007 11:15	Y	7440-62-2	Vanadium	26.3	ug/L	C	Q	[NULL]	R	B1PDH9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	9/16/2007 11:15	Y	7440-66-6	Zinc	12.2	ug/L	C	Q	[NULL]	R	B1PDH9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	9/16/2007 11:15	N	7440-66-6	Zinc	17.5	ug/L	C	Q	[NULL]	R	B1PDJ0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	9/16/2007 11:15	N	PH	pH Measurement	7.81	unitless	[NULL]	[NULL]	[NULL]	R	B1PDJ1	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	10/23/2007 12:28	N	DO	Dissolved oxygen	7320	ug/L	[NULL]	[NULL]	[NULL]	R	B1PPN3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	10/23/2007 12:28	N	12587-47-2	Gross beta	5440	pCi/L	[NULL]	[NULL]	[NULL]	R	B1PPN4	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	10/23/2007 12:28	N	CONDUCT	Specific Conductance	633	uS/cm	[NULL]	[NULL]	[NULL]	R	B1PPN3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-46	10/23/2007 12:28	N	TEMPERATURE	Temperature	17.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1PPN3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	10/23/2007 12:28	N	TURBIDITY	Turbidity	17.6	NTU	[NULL]	[NULL]	[NULL]	R	B1PPN3	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-46	10/23/2007 12:28	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	R	B1PPN3	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	12/5/2007 11:31	N	DO	Dissolved oxygen	5530	ug/L	[NULL]	[NULL]	[NULL]	R	B1R139	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	12/5/2007 11:31	N	12587-47-2	Gross beta	2890	pCi/L	[NULL]	[NULL]	[NULL]	R	B1R140	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	12/5/2007 11:31	N	CONDUCT	Specific Conductance	241	uS/cm	[NULL]	[NULL]	[NULL]	R	B1R139	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-46	12/5/2007 11:31	N	TEMPERATURE	Temperature	13.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1R139	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	12/5/2007 11:31	N	TURBIDITY	Turbidity	3.48	NTU	[NULL]	[NULL]	[NULL]	R	B1R139	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-46	12/5/2007 11:31	N	PH	pH Measurement	7.51	unitless	[NULL]	[NULL]	[NULL]	R	B1R139	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	12/21/2007 12:10	N	ALKALINITY	Alkalinity	71000	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9M9	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-46	12/21/2007 12:10	N	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1R9M9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/21/2007 12:10	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1R9M8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/21/2007 12:10	N	14234-35-6	Antimony-125	1.59	pCi/L	U	[NULL]	[NULL]	R	B1R9N2	14234-35-6	TARL	GAMMALL_GS	100-NR-2
199-N-46	12/21/2007 12:10	Y	7440-39-3	Barium	16.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9M8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/21/2007 12:10	N	7440-39-3	Barium	18.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9M9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/21/2007 12:10	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1R9M9	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/21/2007 12:10	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1R9M8	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/21/2007 12:10	N	13966-02-4	Beryllium-7	-3.49	pCi/L	U	[NULL]	[NULL]	R	B1R9N2	13966-02-4	TARL	GAMMALL_GS	100-NR-2
199-N-46	12/21/2007 12:10	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1R9M9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/21/2007 12:10	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1R9M8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/21/2007 12:10	N	7440-70-2	Calcium	12500	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9M9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/21/2007 12:10	Y	7440-70-2	Calcium	12500	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9M8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/21/2007 12:10	N	13967-70-9	Cesium-134	-0.668	pCi/L	U	[NULL]	[NULL]	R	B1R9N2	13967-70-9	TARL	GAMMALL_GS	100-NR-2
199-N-46	12/21/2007 12:10	N	10045-97-3	Cesium-137	0.249	pCi/L	U	[NULL]	[NULL]	R	B1R9N2	10045-97-3	TARL	GAMMALL_GS	100-NR-2
199-N-46	12/21/2007 12:10	N	16887-00-6	Chloride	1420	ug/L	D	[NULL]	[NULL]	R	B1R9M9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-46	12/21/2007 12:10	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	R	B1R9M8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/21/2007 12:10	N	7440-47-3	Chromium	5.5	ug/L	C	[NULL]	[NULL]	R	B1R9M9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/21/2007 12:10	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1R9M9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/21/2007 12:10	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1R9M8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/21/2007 12:10	N	10198-40-0	Cobalt-60	-0.458	pCi/L	U	[NULL]	[NULL]	R	B1R9N2	10198-40-0	TARL	GAMMALL_GS	100-NR-2
199-N-46	12/21/2007 12:10	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1R9M9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/21/2007 12:10	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1R9M8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/21/2007 12:10	N	DO	Dissolved oxygen	11030	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9N0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	12/21/2007 12:10	N	14683-23-9	Europium-152	-0.0493	pCi/L	U	[NULL]	[NULL]	R	B1R9N2	14683-23-9	TARL	GAMMALL_GS	100-NR-2
199-N-46	12/21/2007 12:10	N	15585-10-1	Europium-154	1.21	pCi/L	U	[NULL]	[NULL]	R	B1R9N2	15585-10-1	TARL	GAMMALL_GS	100-NR-2
199-N-46	12/21/2007 12:10	N	14391-16-3	Europium-155	0.449	pCi/L	U	[NULL]	[NULL]	R	B1R9N2	14391-16-3	TARL	GAMMALL_GS	100-NR-2
199-N-46	12/21/2007 12:10	N	16984-48-8	Fluoride	35.7	ug/L	BD	[NULL]	[NULL]	R	B1R9M9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	12/21/2007 12:10	N	12587-46-1	Gross alpha	0.18	pCi/L	U	[NULL]	[NULL]	R	B1R9N2	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	12/21/2007 12:10	N	12587-47-2	Gross beta	2220	pCi/L	[NULL]	[NULL]	[NULL]	R	B1R9N2	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	12/21/2007 12:10	N	7439-89-6	Iron	88.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9M9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/21/2007 12:10	Y	7439-89-6	Iron	16.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9M8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/21/2007 12:10	Y	7439-95-4	Magnesium	2500	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9M8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/21/2007 12:10	N	7439-95-4	Magnesium	2510	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9M9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/21/2007 12:10	N	7439-96-5	Manganese	6.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9M9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/21/2007 12:10	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1R9M8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/21/2007 12:10	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1R9M8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/21/2007 12:10	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1R9M9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/21/2007 12:10	N	14797-55-8	Nitrate	7170	ug/L	D	[NULL]	[NULL]	R	B1R9M9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	12/21/2007 12:10	N	14797-65-0	Nitrite	65.7	ug/L	DU	[NULL]	[NULL]	R	B1R9M9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	12/21/2007 12:10	N	14265-44-2	Phosphate	13800	ug/L	D	[NULL]	[NULL]	R	B1R9M9	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	12/21/2007 12:10	Y	7440-09-7	Potassium	863	ug/L	C	[NULL]	[NULL]	R	B1R9M8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/21/2007 12:10	N	7440-09-7	Potassium	882	ug/L	C	[NULL]	[NULL]	R	B1R9M9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/21/2007 12:10	N	13966-00-2	Potassium-40	-19.3	pCi/L	U	[NULL]	[NULL]	R	B1R9N2	13966-00-2	TARL	GAMMALL_GS	100-NR-2
199-N-46	12/21/2007 12:10	N	13967-48-1	Ruthenium-106	-2.05	pCi/L	U	[NULL]	[NULL]	R	B1R9N2	13967-48-1	TARL	GAMMALL_GS	100-NR-2
199-N-46	12/21/2007 12:10	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1R9M9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/21/2007 12:10	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1R9M8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/21/2007 12:10	Y	7440-23-5	Sodium	21000	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9M8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/21/2007 12:10	N	7440-23-5	Sodium	21200	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9M9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/21/2007 12:10	N	CONDUCT	Specific Conductance	176	uS/cm	[NULL]	[NULL]	[NULL]	R	B1R9N0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-46	12/21/2007 12:10	Y	7440-24-6	Strontium	55.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9M8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/21/2007 12:10	N	7440-24-6	Strontium	56.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9M9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/21/2007 12:10	N	10098-97-2	Strontium-90	1260	pCi/L	[NULL]	[NULL]	[NULL]	R	B1R9N2	10098-97-2	TARL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-46	12/21/2007 12:10	N	14808-79-8	Sulfate	9950	ug/L	D	[NULL]	[NULL]	R	B1R9M9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	12/21/2007 12:10	N	TEMPERATURE	Temperature	12.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1R9N0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	12/21/2007 12:10	N	10028-17-8	Tritium	300	pCi/L	[NULL]	[NULL]	[NULL]	R	B1R9M9	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-46	12/21/2007 12:10	N	TURBIDITY	Turbidity	3.54	NTU	[NULL]	[NULL]	[NULL]	R	B1R9N0	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-46	12/21/2007 12:10	Y	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	R	B1R9M8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/21/2007 12:10	N	7440-62-2	Vanadium	8.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9M9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/21/2007 12:10	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1R9M8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/21/2007 12:10	N	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1R9M9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/21/2007 12:10	N	PH	pH Measurement	7.47	unitless	[NULL]	[NULL]	[NULL]	R	B1R9N0	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	1/23/2008 9:25	N	DO	Dissolved oxygen	12440	ug/L	[NULL]	[NULL]	[NULL]	R	B1RR10	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	1/23/2008 9:25	N	12587-47-2	Gross beta	2120	pCi/L	[NULL]	[NULL]	[NULL]	R	B1RR11	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	1/23/2008 9:25	N	CONDUCT	Specific Conductance	146.2	uS/cm	[NULL]	[NULL]	[NULL]	R	B1RR10	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-46	1/23/2008 9:25	N	TEMPERATURE	Temperature	10.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1RR10	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	1/23/2008 9:25	N	TURBIDITY	Turbidity	4.57	NTU	[NULL]	[NULL]	[NULL]	R	B1RR10	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-46	1/23/2008 9:25	N	PH	pH Measurement	7.28	unitless	[NULL]	[NULL]	[NULL]	R	B1RR10	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	2/17/2008 13:09	N	DO	Dissolved oxygen	7330	ug/L	[NULL]	[NULL]	[NULL]	R	B1T227	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	2/17/2008 13:09	N	12587-47-2	Gross beta	2740	pCi/L	[NULL]	[NULL]	[NULL]	R	B1T228	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	2/17/2008 13:09	N	CONDUCT	Specific Conductance	192.6	uS/cm	[NULL]	[NULL]	[NULL]	R	B1T227	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-46	2/17/2008 13:09	N	TEMPERATURE	Temperature	11.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1T227	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	2/17/2008 13:09	N	TURBIDITY	Turbidity	0.88	NTU	[NULL]	[NULL]	[NULL]	R	B1T227	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-46	2/17/2008 13:09	N	PH	pH Measurement	7.4	unitless	[NULL]	[NULL]	[NULL]	R	B1T227	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	4/10/2008 11:21	N	12587-47-2	Gross beta	4490	pCi/L	[NULL]	[NULL]	[NULL]	R	B1TVP1	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	4/10/2008 11:21	N	CONDUCT	Specific Conductance	272	uS/cm	[NULL]	[NULL]	[NULL]	R	B1TVP0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-46	4/10/2008 11:21	N	TEMPERATURE	Temperature	14.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1TVP0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	4/10/2008 11:21	N	TURBIDITY	Turbidity	2.58	NTU	[NULL]	[NULL]	[NULL]	R	B1TVP0	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-46	4/10/2008 11:21	N	PH	pH Measurement	7.36	unitless	[NULL]	[NULL]	[NULL]	R	B1TVP0	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	4/29/2008 10:49	N	ALKALINITY	Alkalinity	79000	ug/L	[NULL]	[NULL]	[NULL]	R	B1THC2	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-46	4/29/2008 10:49	N	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1THC2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	4/29/2008 10:49	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1THC1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	4/29/2008 10:49	N	14234-35-6	Antimony-125	-1.13	pCi/L	U	[NULL]	[NULL]	R	B1THC4	14234-35-6	TARL	GAMMALL_GS	100-NR-2
199-N-46	4/29/2008 10:49	Y	7440-39-3	Barium	18.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1THC1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	4/29/2008 10:49	N	7440-39-3	Barium	19.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1THC2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	4/29/2008 10:49	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1THC1	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	4/29/2008 10:49	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1THC2	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	4/29/2008 10:49	N	13966-02-4	Beryllium-7	1.93	pCi/L	U	[NULL]	[NULL]	R	B1THC4	13966-02-4	TARL	GAMMALL_GS	100-NR-2
199-N-46	4/29/2008 10:49	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1THC2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	4/29/2008 10:49	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1THC1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	4/29/2008 10:49	N	7440-70-2	Calcium	16300	ug/L	[NULL]	[NULL]	[NULL]	R	B1THC2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	4/29/2008 10:49	Y	7440-70-2	Calcium	16300	ug/L	[NULL]	[NULL]	[NULL]	R	B1THC1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	4/29/2008 10:49	N	13967-70-9	Cesium-134	0.219	pCi/L	U	[NULL]	[NULL]	R	B1THC4	13967-70-9	TARL	GAMMALL_GS	100-NR-2
199-N-46	4/29/2008 10:49	N	10045-97-3	Cesium-137	0.469	pCi/L	U	[NULL]	[NULL]	R	B1THC4	10045-97-3	TARL	GAMMALL_GS	100-NR-2
199-N-46	4/29/2008 10:49	N	16887-00-6	Chloride	2420	ug/L	D	[NULL]	[NULL]	R	B1THC2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	4/29/2008 10:49	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	R	B1THC1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	4/29/2008 10:49	N	7440-47-3	Chromium	5.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1THC2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	4/29/2008 10:49	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1THC2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	4/29/2008 10:49	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1THC1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	4/29/2008 10:49	N	10198-40-0	Cobalt-60	0.771	pCi/L	U	[NULL]	[NULL]	R	B1THC4	10198-40-0	TARL	GAMMALL_GS	100-NR-2
199-N-46	4/29/2008 10:49	Y	7440-50-8	Copper	8	ug/L	C	[NULL]	[NULL]	R	B1THC1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	4/29/2008 10:49	N	7440-50-8	Copper	5.4	ug/L	C	[NULL]	[NULL]	R	B1THC2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	4/29/2008 10:49	N	DO	Dissolved oxygen	7440	ug/L	[NULL]	[NULL]	[NULL]	R	B1THC3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	4/29/2008 10:49	N	14683-23-9	Europium-152	1.13	pCi/L	U	[NULL]	[NULL]	R	B1THC4	14683-23-9	TARL	GAMMALL_GS	100-NR-2
199-N-46	4/29/2008 10:49	N	15585-10-1	Europium-154	1.34	pCi/L	U	[NULL]	[NULL]	R	B1THC4	15585-10-1	TARL	GAMMALL_GS	100-NR-2
199-N-46	4/29/2008 10:49	N	14391-16-3	Europium-155	2.24	pCi/L	U	[NULL]	[NULL]	R	B1THC4	14391-16-3	TARL	GAMMALL_GS	100-NR-2
199-N-46	4/29/2008 10:49	N	16984-48-8	Fluoride	42	ug/L	DU	[NULL]	[NULL]	R	B1THC2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	4/29/2008 10:49	N	12587-46-1	Gross alpha	0.18	pCi/L	U	[NULL]	[NULL]	R	B1THC2	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-46	4/29/2008 10:49	N	12587-47-2	Gross beta	2100	pCi/L	[NULL]	[NULL]	[NULL]	R	B1THC2	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-46	4/29/2008 10:49	N	7439-89-6	Iron	34.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1THC2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	4/29/2008 10:49	Y	7439-89-6	Iron	15.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1THC1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	4/29/2008 10:49	N	7439-95-4	Magnesium	3240	ug/L	[NULL]	[NULL]	[NULL]	R	B1THC2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	4/29/2008 10:49	Y	7439-95-4	Magnesium	3270	ug/L	[NULL]	[NULL]	[NULL]	R	B1THC1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	4/29/2008 10:49	N	7439-96-5	Manganese	10.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1THC2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	4/29/2008 10:49	Y	7439-96-5	Manganese	5.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1THC1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	4/29/2008 10:49	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1THC1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	4/29/2008 10:49	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1THC2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	4/29/2008 10:49	N	14797-55-8	Nitrate	7080	ug/L	D	[NULL]	[NULL]	R	B1THC2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	4/29/2008 10:49	N	14797-65-0	Nitrite	65	ug/L	DU	[NULL]	[NULL]	R	B1THC2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	4/29/2008 10:49	N	14265-44-2	Phosphate	11600	ug/L	D	[NULL]	[NULL]	R	B1THC2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	4/29/2008 10:49	N	7440-09-7	Potassium	1030	ug/L	C	[NULL]	[NULL]	R	B1THC2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	4/29/2008 10:49	Y	7440-09-7	Potassium	1070	ug/L	C	[NULL]	[NULL]	R	B1THC1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	4/29/2008 10:49	N	13966-00-2	Potassium-40	12.2	pCi/L	U	[NULL]	[NULL]	R	B1THC4	13966-00-2	TARL	GAMMALL_GS	100-NR-2
199-N-46	4/29/2008 10:49	N	13967-48-1	Ruthenium-106	-0.141	pCi/L	U	[NULL]	[NULL]	R	B1THC4	13967-48-1	TARL	GAMMALL_GS	100-NR-2
199-N-46	4/29/2008 10:49	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1THC2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	4/29/2008 10:49	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1THC1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-46	4/29/2008 10:49	N	7440-23-5	Sodium	19600	ug/L	[NULL]	[NULL]	[NULL]	R	B1THC2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	4/29/2008 10:49	Y	7440-23-5	Sodium	19800	ug/L	[NULL]	[NULL]	[NULL]	R	B1THC1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	4/29/2008 10:49	N	CONDUCT	Specific Conductance	206	uS/cm	[NULL]	[NULL]	[NULL]	R	B1THC3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-46	4/29/2008 10:49	N	7440-24-6	Strontium	76.7	ug/L	[NULL]	[NULL]	[NULL]	R	B1THC2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	4/29/2008 10:49	Y	7440-24-6	Strontium	77.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1THC1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	4/29/2008 10:49	N	10098-97-2	Strontium-90	1730	pCi/L	[NULL]	[NULL]	[NULL]	R	B1THC4	10098-97-2	TARL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-46	4/29/2008 10:49	N	14808-79-8	Sulfate	12600	ug/L	D	[NULL]	[NULL]	R	B1THC2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	4/29/2008 10:49	N	TEMPERATURE	Temperature	13.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1THC3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	4/29/2008 10:49	N	10028-17-8	Tritium	-160	pCi/L	U	[NULL]	[NULL]	R	B1THC2	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-46	4/29/2008 10:49	N	TURBIDITY	Turbidity	1.48	NTU	[NULL]	[NULL]	[NULL]	R	B1THC3	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-46	4/29/2008 10:49	Y	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	R	B1THC1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	4/29/2008 10:49	N	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	R	B1THC2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	4/29/2008 10:49	N	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1THC2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	4/29/2008 10:49	Y	7440-66-6	Zinc	4.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1THC1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	4/29/2008 10:49	N	PH	pH Measurement	7.41	unitless	[NULL]	[NULL]	[NULL]	R	B1THC3	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	5/27/2008 11:40	N	DO	Dissolved oxygen	9100	ug/L	[NULL]	[NULL]	[NULL]	R	B1V592	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	5/27/2008 11:40	N	12587-47-2	Gross beta	1900	pCi/L	[NULL]	[NULL]	[NULL]	R	B1V593	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-46	5/27/2008 11:40	N	CONDUCT	Specific Conductance	143	uS/cm	[NULL]	[NULL]	[NULL]	R	B1V592	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-46	5/27/2008 11:40	N	TEMPERATURE	Temperature	12	Deg C	[NULL]	[NULL]	[NULL]	R	B1V592	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	5/27/2008 11:40	N	TURBIDITY	Turbidity	1.82	NTU	[NULL]	[NULL]	[NULL]	R	B1V592	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-46	5/27/2008 11:40	N	PH	pH Measurement	7.46	unitless	[NULL]	[NULL]	[NULL]	R	B1V592	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	6/23/2008 13:08	N	ALKALINITY	Alkalinity	130000	ug/L	[NULL]	[NULL]	[NULL]	R	B1VK00	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-46	6/23/2008 13:08	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	R	B1VK00	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/23/2008 13:08	Y	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	R	B1VJY9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/23/2008 13:08	N	14234-35-6	Antimony-125	-0.865	pCi/L	U	[NULL]	[NULL]	R	B1VK01	14234-35-6	TARL	GAMMALL_GS	100-NR-2
199-N-46	6/23/2008 13:08	N	7440-39-3	Barium	36.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1VK00	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/23/2008 13:08	Y	7440-39-3	Barium	36.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1VJY9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/23/2008 13:08	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1VJY9	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/23/2008 13:08	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1VK00	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/23/2008 13:08	N	13966-02-4	Beryllium-7	0.969	pCi/L	U	[NULL]	[NULL]	R	B1VK01	13966-02-4	TARL	GAMMALL_GS	100-NR-2
199-N-46	6/23/2008 13:08	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1VK00	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/23/2008 13:08	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1VJY9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/23/2008 13:08	N	7440-70-2	Calcium	25200	ug/L	[NULL]	[NULL]	[NULL]	R	B1VK00	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/23/2008 13:08	Y	7440-70-2	Calcium	25400	ug/L	[NULL]	[NULL]	[NULL]	R	B1VJY9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/23/2008 13:08	N	13967-70-9	Cesium-134	0.00777	pCi/L	U	[NULL]	[NULL]	R	B1VK01	13967-70-9	TARL	GAMMALL_GS	100-NR-2
199-N-46	6/23/2008 13:08	N	10045-97-3	Cesium-137	-0.15	pCi/L	U	[NULL]	[NULL]	R	B1VK01	10045-97-3	TARL	GAMMALL_GS	100-NR-2
199-N-46	6/23/2008 13:08	N	16887-00-6	Chloride	9020	ug/L	D	[NULL]	[NULL]	R	B1VK00	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	6/23/2008 13:08	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1VJY9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/23/2008 13:08	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1VK00	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/23/2008 13:08	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1VK00	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/23/2008 13:08	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1VJY9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/23/2008 13:08	N	10198-40-0	Cobalt-60	-1.24	pCi/L	U	[NULL]	[NULL]	R	B1VK01	10198-40-0	TARL	GAMMALL_GS	100-NR-2
199-N-46	6/23/2008 13:08	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	R	B1VK00	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/23/2008 13:08	Y	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	R	B1VJY9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/23/2008 13:08	N	14683-23-9	Europium-152	-0.794	pCi/L	U	[NULL]	[NULL]	R	B1VK01	14683-23-9	TARL	GAMMALL_GS	100-NR-2
199-N-46	6/23/2008 13:08	N	15585-10-1	Europium-154	1.13	pCi/L	U	[NULL]	[NULL]	R	B1VK01	15585-10-1	TARL	GAMMALL_GS	100-NR-2
199-N-46	6/23/2008 13:08	N	14391-16-3	Europium-155	3.14	pCi/L	U	[NULL]	[NULL]	R	B1VK01	14391-16-3	TARL	GAMMALL_GS	100-NR-2
199-N-46	6/23/2008 13:08	N	16984-48-8	Fluoride	42	ug/L	DU	[NULL]	[NULL]	R	B1VK00	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	6/23/2008 13:08	N	12587-46-1	Gross alpha	-0.099	pCi/L	U	[NULL]	[NULL]	R	B1VK00	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-46	6/23/2008 13:08	N	12587-47-2	Gross beta	4400	pCi/L	[NULL]	[NULL]	[NULL]	R	B1VK00	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-46	6/23/2008 13:08	N	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1VK00	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/23/2008 13:08	Y	7439-89-6	Iron	28.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1VJY9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/23/2008 13:08	Y	7439-95-4	Magnesium	4950	ug/L	[NULL]	[NULL]	[NULL]	R	B1VJY9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/23/2008 13:08	N	7439-95-4	Magnesium	4910	ug/L	[NULL]	[NULL]	[NULL]	R	B1VK00	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/23/2008 13:08	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1VK00	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-46	6/23/2008 13:08	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1VJY9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/23/2008 13:08	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1VK00	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/23/2008 13:08	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1VJY9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/23/2008 13:08	N	14797-55-8	Nitrate	3890	ug/L	D	[NULL]	[NULL]	R	B1VK00	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	6/23/2008 13:08	N	14797-65-0	Nitrite	355	ug/L	BD	[NULL]	[NULL]	R	B1VK00	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	6/23/2008 13:08	N	14265-44-2	Phosphate	23500	ug/L	D	[NULL]	[NULL]	R	B1VK00	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	6/23/2008 13:08	Y	7440-09-7	Potassium	1480	ug/L	[NULL]	[NULL]	[NULL]	R	B1VJY9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/23/2008 13:08	N	7440-09-7	Potassium	1500	ug/L	[NULL]	[NULL]	[NULL]	R	B1VK00	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/23/2008 13:08	N	13966-00-2	Potassium-40	-15.9	pCi/L	U	[NULL]	[NULL]	R	B1VK01	13966-00-2	TARL	GAMMALL_GS	100-NR-2
199-N-46	6/23/2008 13:08	N	13967-48-1	Ruthenium-106	4.25	pCi/L	U	[NULL]	[NULL]	R	B1VK01	13967-48-1	TARL	GAMMALL_GS	100-NR-2
199-N-46	6/23/2008 13:08	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1VJY9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/23/2008 13:08	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1VK00	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/23/2008 13:08	Y	7440-23-5	Sodium	39400	ug/L	[NULL]	[NULL]	[NULL]	R	B1VJY9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/23/2008 13:08	N	7440-23-5	Sodium	40400	ug/L	[NULL]	[NULL]	[NULL]	R	B1VK00	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/23/2008 13:08	N	CONDUCT	Specific Conductance	324	uS/cm	[NULL]	[NULL]	[NULL]	R	B1VK05	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-46	6/23/2008 13:08	Y	7440-24-6	Strontium	125	ug/L	[NULL]	[NULL]	[NULL]	R	B1VJY9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/23/2008 13:08	N	7440-24-6	Strontium	125	ug/L	[NULL]	[NULL]	[NULL]	R	B1VK00	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/23/2008 13:08	N	10098-97-2	Strontium-90	2100	pCi/L	[NULL]	Q	[NULL]	R	B1VK00	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	6/23/2008 13:08	N	14808-79-8	Sulfate	9790	ug/L	D	[NULL]	[NULL]	R	B1VK00	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	6/23/2008 13:08	N	TEMPERATURE	Temperature	14.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1VK05	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	6/23/2008 13:08	N	10028-17-8	Tritium	76	pCi/L	U	[NULL]	[NULL]	R	B1VK00	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-46	6/23/2008 13:08	N	TURBIDITY	Turbidity	0.58	NTU	[NULL]	[NULL]	[NULL]	R	B1VK05	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-46	6/23/2008 13:08	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1VK00	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/23/2008 13:08	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1VJY9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/23/2008 13:08	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	R	B1VK00	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/23/2008 13:08	Y	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	R	B1VJY9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/23/2008 13:08	N	PH	pH Measurement	7.29	unitless	[NULL]	[NULL]	[NULL]	R	B1VK05	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	9/22/2008 11:41	N	16887-00-6	Chloride	41600	ug/L	D	[NULL]	[NULL]	R	B1WRL2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	9/22/2008 11:41	N	16984-48-8	Fluoride	46.4	ug/L	DU	[NULL]	[NULL]	R	B1WRL2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	9/22/2008 11:41	N	12587-46-1	Gross alpha	2.6	pCi/L	U	[NULL]	[NULL]	R	B1WRL2	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-46	9/22/2008 11:41	N	12587-47-2	Gross beta	7000	pCi/L	[NULL]	[NULL]	[NULL]	R	B1WRL2	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-46	9/22/2008 11:41	N	14797-55-8	Nitrate	17600	ug/L	D	[NULL]	[NULL]	R	B1WRL2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	9/22/2008 11:41	N	14797-65-0	Nitrite	805	ug/L	D	[NULL]	[NULL]	R	B1WRL2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	9/22/2008 11:41	N	14265-44-2	Phosphate	322000	ug/L	D	[NULL]	[NULL]	R	B1WRL2	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	9/22/2008 11:41	N	CONDUCT	Specific Conductance	1471	uS/cm	[NULL]	[NULL]	[NULL]	R	B1WRL3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-46	9/22/2008 11:41	N	14808-79-8	Sulfate	21000	ug/L	D	[NULL]	[NULL]	R	B1WRL2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	9/22/2008 11:41	N	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1WRL3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	9/22/2008 11:41	N	TURBIDITY	Turbidity	1.81	NTU	[NULL]	[NULL]	[NULL]	R	B1WRL3	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-46	9/22/2008 11:41	N	PH	pH Measurement	7.47	unitless	[NULL]	[NULL]	[NULL]	R	B1WRL3	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	12/8/2008 12:10	N	ALKALINITY	Alkalinity	230000	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWL6	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-46	12/8/2008 12:10	Y	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	R	B1XWL5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/8/2008 12:10	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	R	B1XWL6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/8/2008 12:10	N	14234-35-6	Antimony-125	-0.165	pCi/L	U	[NULL]	[NULL]	R	B1XWL8	14234-35-6	TARL	GAMMALL_GS	100-NR-2
199-N-46	12/8/2008 12:10	Y	7440-39-3	Barium	6.1	ug/L	B	[NULL]	[NULL]	R	B1XWL5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/8/2008 12:10	N	7440-39-3	Barium	10.4	ug/L	B	[NULL]	[NULL]	R	B1XWL6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/8/2008 12:10	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1XWL6	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/8/2008 12:10	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1XWL5	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/8/2008 12:10	N	13966-02-4	Beryllium-7	-13	pCi/L	U	[NULL]	[NULL]	R	B1XWL8	13966-02-4	TARL	GAMMALL_GS	100-NR-2
199-N-46	12/8/2008 12:10	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1XWL5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/8/2008 12:10	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1XWL6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/8/2008 12:10	N	7440-70-2	Calcium	16500	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWL6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/8/2008 12:10	Y	7440-70-2	Calcium	16200	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWL5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/8/2008 12:10	N	13967-70-9	Cesium-134	0.293	pCi/L	U	[NULL]	[NULL]	R	B1XWL8	13967-70-9	TARL	GAMMALL_GS	100-NR-2
199-N-46	12/8/2008 12:10	N	10045-97-3	Cesium-137	-0.428	pCi/L	U	[NULL]	[NULL]	R	B1XWL8	10045-97-3	TARL	GAMMALL_GS	100-NR-2
199-N-46	12/8/2008 12:10	N	16887-00-6	Chloride	8390	ug/L	D	[NULL]	[NULL]	R	B1XWL6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-46	12/8/2008 12:10	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1XWL6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/8/2008 12:10	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1XWL5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/8/2008 12:10	Y	7440-48-4	Cobalt	5.2	ug/L	B	[NULL]	[NULL]	R	B1XWL5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/8/2008 12:10	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1XWL6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/8/2008 12:10	N	10198-40-0	Cobalt-60	-0.205	pCi/L	U	[NULL]	[NULL]	R	B1XWL8	10198-40-0	TARL	GAMMALL_GS	100-NR-2
199-N-46	12/8/2008 12:10	Y	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	R	B1XWL5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/8/2008 12:10	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	R	B1XWL6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/8/2008 12:10	N	DO	Dissolved oxygen	4510	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWL7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	12/8/2008 12:10	N	14683-23-9	Europium-152	-1.04	pCi/L	U	[NULL]	[NULL]	R	B1XWL8	14683-23-9	TARL	GAMMALL_GS	100-NR-2
199-N-46	12/8/2008 12:10	N	15585-10-1	Europium-154	-1.76	pCi/L	U	[NULL]	[NULL]	R	B1XWL8	15585-10-1	TARL	GAMMALL_GS	100-NR-2
199-N-46	12/8/2008 12:10	N	14391-16-3	Europium-155	-2.17	pCi/L	U	[NULL]	[NULL]	R	B1XWL8	14391-16-3	TARL	GAMMALL_GS	100-NR-2
199-N-46	12/8/2008 12:10	N	16984-48-8	Fluoride	46.4	ug/L	DU	[NULL]	[NULL]	R	B1XWL6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	12/8/2008 12:10	N	12587-46-1	Gross alpha	-0.197	pCi/L	U	[NULL]	[NULL]	R	B1XWL8	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	12/8/2008 12:10	N	12587-47-2	Gross beta	1410	pCi/L	[NULL]	[NULL]	[NULL]	R	B1XWL8	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-46	12/8/2008 12:10	N	7439-89-6	Iron	194	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWL6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/8/2008 12:10	Y	7439-89-6	Iron	46.7	ug/L	B	[NULL]	[NULL]	R	B1XWL5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/8/2008 12:10	N	7439-95-4	Magnesium	2880	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWL6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/8/2008 12:10	Y	7439-95-4	Magnesium	2840	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWL5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/8/2008 12:10	N	7439-96-5	Manganese	244	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWL6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/8/2008 12:10	Y	7439-96-5	Manganese	233	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWL5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/8/2008 12:10	Y	7440-02-0	Nickel	5.5	ug/L	B	[NULL]	[NULL]	R	B1XWL5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/8/2008 12:10	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1XWL6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/8/2008 12:10	N	14797-55-8	Nitrate	79200	ug/L	D	[NULL]	[NULL]	R	B1XWL6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	12/8/2008 12:10	N	14797-65-0	Nitrite	84.1	ug/L	DU	[NULL]	[NULL]	R	B1XWL6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	12/8/2008 12:10	N	14265-44-2	Phosphate	275000	ug/L	D	[NULL]	[NULL]	R	B1XWL6	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	12/8/2008 12:10	N	7440-09-7	Potassium	1870	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWL6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/8/2008 12:10	Y	7440-09-7	Potassium	1880	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWL5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/8/2008 12:10	N	13966-00-2	Potassium-40	0.78	pCi/L	U	[NULL]	[NULL]	R	B1XWL8	13966-00-2	TARL	GAMMALL_GS	100-NR-2
199-N-46	12/8/2008 12:10	N	13967-48-1	Ruthenium-106	3.7	pCi/L	U	[NULL]	[NULL]	R	B1XWL8	13967-48-1	TARL	GAMMALL_GS	100-NR-2
199-N-46	12/8/2008 12:10	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1XWL5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/8/2008 12:10	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1XWL6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/8/2008 12:10	N	7440-23-5	Sodium	194000	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWL6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/8/2008 12:10	Y	7440-23-5	Sodium	192000	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWL5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/8/2008 12:10	N	CONDUCT	Specific Conductance	1005	uS/cm	[NULL]	[NULL]	[NULL]	R	B1XWL7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-46	12/8/2008 12:10	Y	7440-24-6	Strontium	96.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWL5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/8/2008 12:10	N	7440-24-6	Strontium	98.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1XWL6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/8/2008 12:10	N	10098-97-2	Strontium-90	630	pCi/L	[NULL]	[NULL]	[NULL]	R	B1XWL6	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	12/8/2008 12:10	N	14808-79-8	Sulfate	19000	ug/L	D	[NULL]	[NULL]	R	B1XWL6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	12/8/2008 12:10	N	TEMPERATURE	Temperature	14	Deg C	[NULL]	[NULL]	[NULL]	R	B1XWL7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	12/8/2008 12:10	N	10028-17-8	Tritium	120	pCi/L	U	[NULL]	[NULL]	R	B1XWL6	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-46	12/8/2008 12:10	N	TURBIDITY	Turbidity	9.55	NTU	[NULL]	[NULL]	[NULL]	R	B1XWL7	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-46	12/8/2008 12:10	N	7440-62-2	Vanadium	39.8	ug/L	B	[NULL]	[NULL]	R	B1XWL6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/8/2008 12:10	Y	7440-62-2	Vanadium	44.9	ug/L	B	[NULL]	[NULL]	R	B1XWL5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/8/2008 12:10	Y	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	R	B1XWL5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/8/2008 12:10	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	R	B1XWL6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	12/8/2008 12:10	N	PH	pH Measurement	7.45	unitless	[NULL]	[NULL]	[NULL]	R	B1XWL7	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-46	3/26/2009 8:44	N	ALKALINITY	Alkalinity	250000	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPW1	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-46	3/26/2009 8:44	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1YPW1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	3/26/2009 8:44	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1YPW0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	3/26/2009 8:44	N	14234-35-6	Antimony-125	0.528	pCi/L	U	[NULL]	[NULL]	R	B1YPW3	14234-35-6	TARL	GAMMALL_GS	100-NR-2
199-N-46	3/26/2009 8:44	N	7440-39-3	Barium	23.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPW1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	3/26/2009 8:44	Y	7440-39-3	Barium	4	ug/L	U	[NULL]	[NULL]	R	B1YPW0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	3/26/2009 8:44	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1YPW1	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	3/26/2009 8:44	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1YPW0	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	3/26/2009 8:44	N	13966-02-4	Beryllium-7	3.18	pCi/L	U	[NULL]	[NULL]	R	B1YPW3	13966-02-4	TARL	GAMMALL_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-46	3/26/2009 8:44	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1YPW1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	3/26/2009 8:44	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1YPW0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	3/26/2009 8:44	N	7440-70-2	Calcium	16000	ug/L	[NULL]	Q	[NULL]	R	B1YPW1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	3/26/2009 8:44	Y	7440-70-2	Calcium	15100	ug/L	[NULL]	Q	[NULL]	R	B1YPW0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	3/26/2009 8:44	N	13967-70-9	Cesium-134	1.59	pCi/L	U	[NULL]	[NULL]	R	B1YPW3	13967-70-9	TARL	GAMMALL_GS	100-NR-2
199-N-46	3/26/2009 8:44	N	10045-97-3	Cesium-137	-0.378	pCi/L	U	[NULL]	[NULL]	R	B1YPW3	10045-97-3	TARL	GAMMALL_GS	100-NR-2
199-N-46	3/26/2009 8:44	N	16887-00-6	Chloride	12600	ug/L	D	[NULL]	[NULL]	R	B1YPW1	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	3/26/2009 8:44	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1YPW1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	3/26/2009 8:44	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1YPW0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	3/26/2009 8:44	Y	7440-48-4	Cobalt	5.9	ug/L	B	[NULL]	[NULL]	R	B1YPW0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	3/26/2009 8:44	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1YPW1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	3/26/2009 8:44	N	10198-40-0	Cobalt-60	0.133	pCi/L	U	[NULL]	[NULL]	R	B1YPW3	10198-40-0	TARL	GAMMALL_GS	100-NR-2
199-N-46	3/26/2009 8:44	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1YPW0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	3/26/2009 8:44	N	7440-50-8	Copper	4.3	ug/L	B	[NULL]	[NULL]	R	B1YPW1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	3/26/2009 8:44	N	14683-23-9	Europium-152	-0.384	pCi/L	U	[NULL]	[NULL]	R	B1YPW3	14683-23-9	TARL	GAMMALL_GS	100-NR-2
199-N-46	3/26/2009 8:44	N	15585-10-1	Europium-154	-0.284	pCi/L	U	[NULL]	[NULL]	R	B1YPW3	15585-10-1	TARL	GAMMALL_GS	100-NR-2
199-N-46	3/26/2009 8:44	N	14391-16-3	Europium-155	3.45	pCi/L	U	[NULL]	[NULL]	R	B1YPW3	14391-16-3	TARL	GAMMALL_GS	100-NR-2
199-N-46	3/26/2009 8:44	N	16984-48-8	Fluoride	46	ug/L	UD	[NULL]	[NULL]	R	B1YPW1	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	3/26/2009 8:44	N	12587-46-1	Gross alpha	0.68	pCi/L	U	[NULL]	[NULL]	R	B1YPW1	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-46	3/26/2009 8:44	N	12587-47-2	Gross beta	420	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YPW1	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-46	3/26/2009 8:44	N	7439-89-6	Iron	657	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPW1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	3/26/2009 8:44	Y	7439-89-6	Iron	43.5	ug/L	B	[NULL]	[NULL]	R	B1YPW0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	3/26/2009 8:44	Y	7439-95-4	Magnesium	2790	ug/L	[NULL]	Q	[NULL]	R	B1YPW0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	3/26/2009 8:44	N	7439-95-4	Magnesium	2800	ug/L	[NULL]	Q	[NULL]	R	B1YPW1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	3/26/2009 8:44	Y	7439-96-5	Manganese	108	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPW0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	3/26/2009 8:44	N	7439-96-5	Manganese	210	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPW1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	3/26/2009 8:44	N	7440-02-0	Nickel	4.5	ug/L	B	[NULL]	[NULL]	R	B1YPW1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	3/26/2009 8:44	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1YPW0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	3/26/2009 8:44	N	14797-55-8	Nitrate	18900	ug/L	D	[NULL]	[NULL]	R	B1YPW1	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	3/26/2009 8:44	N	14797-65-0	Nitrite	85.4	ug/L	UD	[NULL]	[NULL]	R	B1YPW1	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	3/26/2009 8:44	N	14265-44-2	Phosphate	192000	ug/L	D	[NULL]	[NULL]	R	B1YPW1	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	3/26/2009 8:44	Y	7440-09-7	Potassium	1530	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPW0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	3/26/2009 8:44	N	7440-09-7	Potassium	1560	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPW1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	3/26/2009 8:44	N	13966-00-2	Potassium-40	39.2	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YPW3	13966-00-2	TARL	GAMMALL_GS	100-NR-2
199-N-46	3/26/2009 8:44	N	13967-48-1	Ruthenium-106	-7.72	pCi/L	U	[NULL]	[NULL]	R	B1YPW3	13967-48-1	TARL	GAMMALL_GS	100-NR-2
199-N-46	3/26/2009 8:44	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1YPW0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	3/26/2009 8:44	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1YPW1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	3/26/2009 8:44	N	7440-23-5	Sodium	173000	ug/L	[NULL]	Q	[NULL]	R	B1YPW1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	3/26/2009 8:44	Y	7440-23-5	Sodium	172000	ug/L	[NULL]	Q	[NULL]	R	B1YPW0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	3/26/2009 8:44	Y	7440-24-6	Strontium	44.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPW0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	3/26/2009 8:44	N	7440-24-6	Strontium	55.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1YPW1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	3/26/2009 8:44	N	10098-97-2	Strontium-90	570	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YPW1	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	3/26/2009 8:44	N	14808-79-8	Sulfate	25500	ug/L	D	[NULL]	[NULL]	R	B1YPW1	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	3/26/2009 8:44	N	10028-17-8	Tritium	400	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YPW1	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-46	3/26/2009 8:44	Y	7440-62-2	Vanadium	32.1	ug/L	B	[NULL]	[NULL]	R	B1YPW0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	3/26/2009 8:44	N	7440-62-2	Vanadium	25.8	ug/L	B	[NULL]	[NULL]	R	B1YPW1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	3/26/2009 8:44	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1YPW0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	3/26/2009 8:44	N	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1YPW1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/18/2009 8:38	N	ALKALINITY	Alkalinity	150000	ug/L	[NULL]	[NULL]	[NULL]	R	B20M03	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-46	6/18/2009 8:38	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B20M02	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/18/2009 8:38	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B20M03	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/18/2009 8:38	N	14234-35-6	Antimony-125	1.71	pCi/L	U	[NULL]	[NULL]	R	B20M04	14234-35-6	TARL	GAMMALL_GS	100-NR-2
199-N-46	6/18/2009 8:38	Y	7440-39-3	Barium	8	ug/L	B	[NULL]	[NULL]	R	B20M02	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/18/2009 8:38	N	7440-39-3	Barium	8	ug/L	B	[NULL]	[NULL]	R	B20M03	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/18/2009 8:38	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B20M03	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-46	6/18/2009 8:38	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B20M02	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/18/2009 8:38	N	13966-02-4	Beryllium-7	-4.82	pCi/L	U	[NULL]	[NULL]	R	B20M04	13966-02-4	TARL	GAMMALL_GS	100-NR-2
199-N-46	6/18/2009 8:38	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B20M03	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/18/2009 8:38	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B20M02	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/18/2009 8:38	N	7440-70-2	Calcium	13500	ug/L	[NULL]	Q	[NULL]	R	B20M03	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/18/2009 8:38	Y	7440-70-2	Calcium	13900	ug/L	[NULL]	Q	[NULL]	R	B20M02	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/18/2009 8:38	N	13967-70-9	Cesium-134	-0.453	pCi/L	U	[NULL]	[NULL]	R	B20M04	13967-70-9	TARL	GAMMALL_GS	100-NR-2
199-N-46	6/18/2009 8:38	N	10045-97-3	Cesium-137	-1.05	pCi/L	U	[NULL]	[NULL]	R	B20M04	10045-97-3	TARL	GAMMALL_GS	100-NR-2
199-N-46	6/18/2009 8:38	N	16887-00-6	Chloride	10100	ug/L	D	[NULL]	[NULL]	R	B20M03	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	6/18/2009 8:38	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B20M03	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/18/2009 8:38	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B20M02	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/18/2009 8:38	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B20M02	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/18/2009 8:38	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B20M03	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/18/2009 8:38	N	10198-40-0	Cobalt-60	0.572	pCi/L	U	[NULL]	[NULL]	R	B20M04	10198-40-0	TARL	GAMMALL_GS	100-NR-2
199-N-46	6/18/2009 8:38	Y	7440-50-8	Copper	7	ug/L	B	[NULL]	[NULL]	R	B20M02	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/18/2009 8:38	N	7440-50-8	Copper	5.3	ug/L	B	[NULL]	[NULL]	R	B20M03	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/18/2009 8:38	N	DO	Dissolved oxygen	6700	ug/L	[NULL]	[NULL]	[NULL]	R	B20M06	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-46	6/18/2009 8:38	N	14683-23-9	Europium-152	2.72	pCi/L	U	[NULL]	[NULL]	R	B20M04	14683-23-9	TARL	GAMMALL_GS	100-NR-2
199-N-46	6/18/2009 8:38	N	15585-10-1	Europium-154	0.367	pCi/L	U	[NULL]	[NULL]	R	B20M04	15585-10-1	TARL	GAMMALL_GS	100-NR-2
199-N-46	6/18/2009 8:38	N	14391-16-3	Europium-155	0.786	pCi/L	U	[NULL]	[NULL]	R	B20M04	14391-16-3	TARL	GAMMALL_GS	100-NR-2
199-N-46	6/18/2009 8:38	N	16984-48-8	Fluoride	60	ug/L	UD	[NULL]	[NULL]	R	B20M03	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	6/18/2009 8:38	N	12587-46-1	Gross alpha	0.003	pCi/L	U	[NULL]	[NULL]	R	B20M03	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-46	6/18/2009 8:38	N	12587-47-2	Gross beta	460	pCi/L	[NULL]	[NULL]	[NULL]	R	B20M03	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-46	6/18/2009 8:38	Y	7439-89-6	Iron	53.6	ug/L	B	[NULL]	[NULL]	R	B20M02	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/18/2009 8:38	N	7439-89-6	Iron	69.1	ug/L	B	[NULL]	[NULL]	R	B20M03	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/18/2009 8:38	Y	7439-95-4	Magnesium	2290	ug/L	[NULL]	[NULL]	[NULL]	R	B20M02	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/18/2009 8:38	N	7439-95-4	Magnesium	2260	ug/L	[NULL]	[NULL]	[NULL]	R	B20M03	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/18/2009 8:38	N	7439-96-5	Manganese	5.7	ug/L	B	[NULL]	[NULL]	R	B20M03	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/18/2009 8:38	Y	7439-96-5	Manganese	4.5	ug/L	B	[NULL]	[NULL]	R	B20M02	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/18/2009 8:38	Y	7440-02-0	Nickel	4.3	ug/L	B	[NULL]	[NULL]	R	B20M02	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/18/2009 8:38	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B20M03	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/18/2009 8:38	N	14797-55-8	Nitrate	46900	ug/L	D	[NULL]	[NULL]	R	B20M03	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	6/18/2009 8:38	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	R	B20M03	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	6/18/2009 8:38	N	14265-44-2	Phosphate	156000	ug/L	D	[NULL]	[NULL]	R	B20M03	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	6/18/2009 8:38	Y	7440-09-7	Potassium	1350	ug/L	[NULL]	Q	[NULL]	R	B20M02	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/18/2009 8:38	N	7440-09-7	Potassium	1400	ug/L	[NULL]	Q	[NULL]	R	B20M03	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/18/2009 8:38	N	13966-00-2	Potassium-40	-1.88	pCi/L	U	[NULL]	[NULL]	R	B20M04	13966-00-2	TARL	GAMMALL_GS	100-NR-2
199-N-46	6/18/2009 8:38	N	13967-48-1	Ruthenium-106	6.43	pCi/L	U	[NULL]	[NULL]	R	B20M04	13967-48-1	TARL	GAMMALL_GS	100-NR-2
199-N-46	6/18/2009 8:38	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B20M02	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/18/2009 8:38	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B20M03	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/18/2009 8:38	Y	7440-23-5	Sodium	120000	ug/L	N	Q	[NULL]	R	B20M02	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/18/2009 8:38	N	7440-23-5	Sodium	120000	ug/L	N	Q	[NULL]	R	B20M03	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/18/2009 8:38	N	CONDUCT	Specific Conductance	724	uS/cm	[NULL]	[NULL]	[NULL]	R	B20M06	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-46	6/18/2009 8:38	Y	7440-24-6	Strontium	51.1	ug/L	[NULL]	[NULL]	[NULL]	R	B20M02	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/18/2009 8:38	N	7440-24-6	Strontium	49.5	ug/L	[NULL]	[NULL]	[NULL]	R	B20M03	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/18/2009 8:38	N	10098-97-2	Strontium-90	580	pCi/L	[NULL]	[NULL]	[NULL]	R	B20M03	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-46	6/18/2009 8:38	N	14808-79-8	Sulfate	13300	ug/L	D	[NULL]	[NULL]	R	B20M03	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-46	6/18/2009 8:38	N	TEMPERATURE	Temperature	20	Deg C	[NULL]	[NULL]	[NULL]	R	B20M06	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-46	6/18/2009 8:38	N	10028-17-8	Tritium	75	pCi/L	U	[NULL]	[NULL]	R	B20M03	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-46	6/18/2009 8:38	N	TURBIDITY	Turbidity	7.65	NTU	[NULL]	[NULL]	[NULL]	R	B20M06	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-46	6/18/2009 8:38	Y	7440-62-2	Vanadium	19.9	ug/L	B	[NULL]	[NULL]	R	B20M02	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/18/2009 8:38	N	7440-62-2	Vanadium	17.3	ug/L	B	[NULL]	[NULL]	R	B20M03	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/18/2009 8:38	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B20M03	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/18/2009 8:38	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B20M02	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-46	6/18/2009 8:38	N	PH	pH Measurement	7.43	unitless	[NULL]	[NULL]	[NULL]	R	B20M06	PH	FIELD	PH_ELECT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-47	8/21/1989 0:00	N	ALKALINITY	Alkalinity	530000	ug/L	[NULL]	G	[NULL]	R	H0007J55	ALKALINITY	USTEST	D1067B_ALKALINITY	100-NR-2
199-N-47	8/21/1989 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007J55	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	8/21/1989 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007J55	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	8/21/1989 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007J55	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-47	8/21/1989 0:00	N	7440-39-3	Barium	45	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J55	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	8/21/1989 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007J55	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	8/21/1989 0:00	N	7440-42-8	Boron	44	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J55	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	8/21/1989 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007J55	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-47	8/21/1989 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007J55	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	8/21/1989 0:00	N	7440-70-2	Calcium	167000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J55	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	8/21/1989 0:00	N	16887-00-6	Chloride	30000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J55	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-47	8/21/1989 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007J55	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	8/21/1989 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007J55	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	8/21/1989 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007J55	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	8/21/1989 0:00	N	16984-48-8	Fluoride	1300	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J55	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-47	8/21/1989 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007J55	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-47	8/21/1989 0:00	N	7439-89-6	Iron	42	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J55	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	8/21/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007J55	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-47	8/21/1989 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007J55	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	8/21/1989 0:00	N	7439-95-4	Magnesium	32800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J55	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	8/21/1989 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007J55	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	8/21/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J55	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-47	8/21/1989 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007J55	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	8/21/1989 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007J55	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	8/21/1989 0:00	N	14797-55-8	Nitrate	4200	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J55	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-47	8/21/1989 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007J55	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-47	8/21/1989 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007J55	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-47	8/21/1989 0:00	N	7440-09-7	Potassium	9510	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J55	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	8/21/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007J55	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-47	8/21/1989 0:00	N	7440-21-3	Silicon	14900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J55	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	8/21/1989 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007J55	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	8/21/1989 0:00	N	7440-23-5	Sodium	173000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J55	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	8/21/1989 0:00	N	CONDUCT	Specific Conductance	1410	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J58	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-47	8/21/1989 0:00	N	CONDUCT	Specific Conductance	1410	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J57	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-47	8/21/1989 0:00	N	CONDUCT	Specific Conductance	1545	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J57	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-47	8/21/1989 0:00	N	CONDUCT	Specific Conductance	1539	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J58	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-47	8/21/1989 0:00	N	CONDUCT	Specific Conductance	1541	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J55	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-47	8/21/1989 0:00	N	CONDUCT	Specific Conductance	1541	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J56	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-47	8/21/1989 0:00	N	CONDUCT	Specific Conductance	1410	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J56	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-47	8/21/1989 0:00	N	CONDUCT	Specific Conductance	1410	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J55	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-47	8/21/1989 0:00	N	7440-24-6	Strontium	521	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J55	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	8/21/1989 0:00	N	14808-79-8	Sulfate	276000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J55	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-47	8/21/1989 0:00	N	TEMPERATURE	Temperature	21.8	Deg C	[NULL]	[NULL]	[NULL]	R	H000GNV7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-47	8/21/1989 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007J55	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	8/21/1989 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007J55	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	8/21/1989 0:00	N	TURBIDITY	Turbidity	0.4	NTU	[NULL]	[NULL]	[NULL]	R	H0007J55	TURBIDITY	USTEST	214A_TURBIDITY	100-NR-2
199-N-47	8/21/1989 0:00	N	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007J55	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	8/21/1989 0:00	N	7440-66-6	Zinc	10	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J55	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	8/21/1989 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007J55	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	8/21/1989 0:00	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	H0007J58	PH	USTEST	9040_PH	100-NR-2
199-N-47	8/21/1989 0:00	N	PH	pH Measurement	7.45	unitless	[NULL]	[NULL]	[NULL]	R	H0007J58	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-47	8/21/1989 0:00	N	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	R	H0007J55	PH	USTEST	9040_PH	100-NR-2
199-N-47	8/21/1989 0:00	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	H0007J56	PH	USTEST	9040_PH	100-NR-2
199-N-47	8/21/1989 0:00	N	PH	pH Measurement	7.42	unitless	[NULL]	[NULL]	[NULL]	R	H0007J56	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-47	8/21/1989 0:00	N	PH	pH Measurement	7.43	unitless	[NULL]	[NULL]	[NULL]	R	H0007J55	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-47	8/21/1989 0:00	N	PH	pH Measurement	7.45	unitless	[NULL]	[NULL]	[NULL]	R	H0007J57	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-47	8/21/1989 0:00	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	H0007J57	PH	USTEST	9040_PH	100-NR-2
199-N-47	9/18/1989 0:00	N	ALKALINITY	Alkalinity	318000	ug/L	[NULL]	G	[NULL]	R	H0007J59	ALKALINITY	USTEST	D1067B_ALKALINITY	100-NR-2
199-N-47	9/18/1989 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007J59	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	9/18/1989 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007J59	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	9/18/1989 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007J59	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-47	9/18/1989 0:00	N	7440-39-3	Barium	46	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J59	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	9/18/1989 0:00	N	7440-41-7	Beryllium	7	ug/L	[NULL]	Y	[NULL]	R	H0007J59	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	9/18/1989 0:00	N	7440-42-8	Boron	37	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J59	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	9/18/1989 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007J59	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-47	9/18/1989 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007J59	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	9/18/1989 0:00	N	7440-70-2	Calcium	93500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J59	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	9/18/1989 0:00	N	16887-00-6	Chloride	26000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J59	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-47	9/18/1989 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007J59	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	9/18/1989 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007J59	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	9/18/1989 0:00	N	7440-50-8	Copper	74	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J59	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	9/18/1989 0:00	N	16984-48-8	Fluoride	1000	ug/L	U	[NULL]	[NULL]	R	H0007J59	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-47	9/18/1989 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007J59	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-47	9/18/1989 0:00	N	7439-89-6	Iron	2080	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J59	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	9/18/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007J59	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-47	9/18/1989 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007J59	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	9/18/1989 0:00	N	7439-95-4	Magnesium	17300	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J59	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	9/18/1989 0:00	N	7439-96-5	Manganese	12	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J59	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	9/18/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J59	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-47	9/18/1989 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007J59	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	9/18/1989 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007J59	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	9/18/1989 0:00	N	14797-55-8	Nitrate	6900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J59	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-47	9/18/1989 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007J59	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-47	9/18/1989 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007J59	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-47	9/18/1989 0:00	N	7440-09-7	Potassium	7280	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J59	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	9/18/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007J59	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-47	9/18/1989 0:00	N	7440-21-3	Silicon	13800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J59	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	9/18/1989 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007J59	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	9/18/1989 0:00	N	7440-23-5	Sodium	119000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J59	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	9/18/1989 0:00	N	CONDUCT	Specific Conductance	994	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J59	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-47	9/18/1989 0:00	N	CONDUCT	Specific Conductance	968	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J60	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-47	9/18/1989 0:00	N	CONDUCT	Specific Conductance	966	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J62	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-47	9/18/1989 0:00	N	CONDUCT	Specific Conductance	961	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J59	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-47	9/18/1989 0:00	N	CONDUCT	Specific Conductance	967	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J61	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-47	9/18/1989 0:00	N	7440-24-6	Strontium	314	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J59	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	9/18/1989 0:00	N	14808-79-8	Sulfate	164000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J59	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-47	9/18/1989 0:00	N	TEMPERATURE	Temperature	20.7	Deg C	[NULL]	[NULL]	[NULL]	R	H000GP46	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-47	9/18/1989 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007J59	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	9/18/1989 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007J59	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	9/18/1989 0:00	N	TURBIDITY	Turbidity	4.3	NTU	[NULL]	[NULL]	[NULL]	R	H0007J59	TURBIDITY	USTEST	214A_TURBIDITY	100-NR-2
199-N-47	9/18/1989 0:00	N	7440-62-2	Vanadium	7	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J59	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	9/18/1989 0:00	N	7440-66-6	Zinc	15	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J59	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	9/18/1989 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007J59	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	9/18/1989 0:00	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	H0007J59	PH	USTEST	9040_PH	100-NR-2
199-N-47	9/18/1989 0:00	N	PH	pH Measurement	7.63	unitless	[NULL]	[NULL]	[NULL]	R	H0007J59	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-47	9/18/1989 0:00	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	H0007J62	PH	USTEST	9040_PH	100-NR-2
199-N-47	9/18/1989 0:00	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	R	H0007J61	PH	USTEST	9040_PH	100-NR-2
199-N-47	9/18/1989 0:00	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	H0007J60	PH	USTEST	9040_PH	100-NR-2
199-N-47	12/11/1989 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007J63	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	630-20-6	1,1,1,2-Tetrachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	630-20-6	USTEST	8240_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-47	12/11/1989 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J63	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	79-34-5	1,1,2,2-Tetrachloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J63	79-34-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J63	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	75-34-3	1,1-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J63	75-34-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	75-35-4	1,1-Dichloroethene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	75-35-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	57-14-7	1,1-Dimethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	57-14-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	634-66-2	1,2,3,4-Tetrachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	634-66-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	634-90-2	1,2,3,5-Tetrachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	634-90-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	87-61-6	1,2,3-Trichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	87-61-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	96-18-4	1,2,3-Trichloropropane	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	96-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	95-94-3	1,2,4,5-Tetrachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	95-94-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	120-82-1	1,2,4-Trichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	120-82-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	96-12-8	1,2-Dibromo-3-chloropropane	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	96-12-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	106-93-4	1,2-Dibromoethane	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	106-93-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	95-50-1	1,2-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	95-50-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	107-06-2	1,2-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J63	107-06-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	78-87-5	1,2-Dichloropropane	5	ug/L	U	[NULL]	[NULL]	R	H0007J63	78-87-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	540-73-8	1,2-Dimethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	540-73-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	122-66-7	1,2-Diphenylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	122-66-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	108-70-3	1,3,5-Trichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	108-70-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	541-73-1	1,3-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	541-73-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	542-75-6	1,3-Dichloropropene	5	ug/L	U	[NULL]	[NULL]	R	H0007J63	542-75-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007J63	106-46-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	106-46-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	123-91-1	1,4-Dioxane	500	ug/L	U	[NULL]	[NULL]	R	H0007J63	123-91-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	130-15-4	1,4-Naphthoquinone	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	130-15-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	5344-82-1	1-(o-Chlorophenyl)thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007J63	5344-82-1	USTEST	8330_THIOUREA_M	100-NR-2
199-N-47	12/11/1989 0:00	N	591-08-2	1-Acetyl-2-thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007J63	591-08-2	USTEST	8330_THIOUREA_M	100-NR-2
199-N-47	12/11/1989 0:00	N	71-36-3	1-Butanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007J63	71-36-3	USTEST	GC_DIRECT	100-NR-2
199-N-47	12/11/1989 0:00	N	L60	1-Butynol	10000	ug/L	U	[NULL]	[NULL]	R	H0007J63	L60	USTEST	GC_DIRECT	100-NR-2
199-N-47	12/11/1989 0:00	N	106-89-8	1-Chloro-2,3-epoxypropane	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	106-89-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	86-88-4	1-Naphthyl-2-thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007J63	86-88-4	USTEST	8330_THIOUREA_M	100-NR-2
199-N-47	12/11/1989 0:00	N	134-32-7	1-Naphthylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	134-32-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	71-23-8	1-Propanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007J63	71-23-8	USTEST	GC_DIRECT	100-NR-2
199-N-47	12/11/1989 0:00	N	58-90-2	2,3,4,6-Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	58-90-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	1746-01-6	2,3,7,8-Tetrachlorodibenzo-p-dioxin	0.01	ug/L	U	[NULL]	[NULL]	R	H0007J63	1746-01-6	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007J63	93-76-5	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-47	12/11/1989 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007J63	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-47	12/11/1989 0:00	N	95-95-4	2,4,5-Trichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	95-95-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	88-06-2	2,4,6-Trichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	88-06-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007J63	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-47	12/11/1989 0:00	N	120-83-2	2,4-Dichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	120-83-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	51-28-5	2,4-Dinitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	51-28-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	121-14-2	2,4-Dinitrotoluene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	121-14-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	87-65-0	2,6-Dichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	87-65-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	606-20-2	2,6-Dinitrotoluene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	606-20-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	53-96-3	2-Acetylaminofluorene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	53-96-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	110-75-8	2-Chloroethyl vinyl ether	5	ug/L	U	[NULL]	[NULL]	R	H0007J63	110-75-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	91-58-7	2-Chloronaphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	91-58-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	95-57-8	2-Chlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	95-57-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	131-89-5	2-Cyclohexyl-4,6-dinitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	131-89-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	591-78-6	2-Hexanone	50	ug/L	U	[NULL]	[NULL]	R	H0007J63	591-78-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	116-06-3	2-Methyl-2-(methylthio)propionaldehyde-o-(methylcarbonyl) ox	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	116-06-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	75-55-8	2-Methylaziridine	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	75-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	75-86-5	2-Methyllactonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	75-86-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	91-57-6	2-Methylnaphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	91-57-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	91-59-8	2-Naphthylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	91-59-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	88-74-4	2-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	88-74-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	88-75-5	2-Nitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	88-75-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	109-06-8	2-Picoline	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	109-06-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	107-19-7	2-Propyn-1-ol	10000	ug/L	U	[NULL]	[NULL]	R	H0007J63	107-19-7	USTEST	GC_DIRECT	100-NR-2
199-N-47	12/11/1989 0:00	N	91-94-1	3,3'-Dichlorobenzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	91-94-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	119-90-4	3,3'-Dimethoxybenzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	119-90-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	119-93-7	3,3'-Dimethylbenzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	119-93-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	542-76-7	3-Chloropropionitrile	10000	ug/L	U	[NULL]	[NULL]	R	H0007J63	542-76-7	USTEST	GC_DIRECT	100-NR-2
199-N-47	12/11/1989 0:00	N	56-49-5	3-Methylcholanthrene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	56-49-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	99-09-2	3-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	99-09-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	72-54-8	4,4'-DDD (Dichlorodiphenyldichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J63	72-54-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-47	12/11/1989 0:00	N	72-55-9	4,4'-DDE (Dichlorodiphenyldichloroethylene)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J63	72-55-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-47	12/11/1989 0:00	N	50-29-3	4,4'-DDT (Dichlorodiphenyltrichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J63	50-29-3	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-47	12/11/1989 0:00	N	101-14-4	4,4'-Methylenebis(2-chloroaniline)	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	101-14-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	534-52-1	4,6-Dinitro-2-methylphenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	534-52-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	92-67-1	4-Aminobiphenyl	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	92-67-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	101-55-3	4-Bromophenylphenyl ether	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	101-55-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	59-50-7	4-Chloro-3-methylphenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	59-50-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	106-47-8	4-Chloroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	106-47-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	100-01-6	4-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	100-01-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	100-02-7	4-Nitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	100-02-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	56-57-5	4-Nitroquinoline-1-oxide	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	56-57-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	2763-96-4	5-(Aminomethyl)-3-isoxazolol	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	2763-96-4	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-47	12/11/1989 0:00	N	99-55-8	5-Nitro-o-toluidine	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	99-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	57-97-6	7,12-Dimethylbenz[a]anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	57-97-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	194-59-2	7H-Dibenzo[c,g]carbazole	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	194-59-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	83-32-9	Acenaphthene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	83-32-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	208-96-8	Acenaphthylene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	208-96-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	67-64-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	67-64-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	75-05-8	Acetonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	75-05-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	98-86-2	Acetophenone	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	98-86-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	107-02-8	Acrolein	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	107-02-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	79-06-1	Acrylamide	10000	ug/L	U	[NULL]	[NULL]	R	H0007J63	79-06-1	USTEST	GC_DIRECT	100-NR-2
199-N-47	12/11/1989 0:00	N	107-13-1	Acrylonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	107-13-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	309-00-2	Aldrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J63	309-00-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-47	12/11/1989 0:00	N	107-18-6	Allyl alcohol	10000	ug/L	U	[NULL]	[NULL]	R	H0007J63	107-18-6	USTEST	GC_DIRECT	100-NR-2
199-N-47	12/11/1989 0:00	N	107-05-1	Allyl chloride	100	ug/L	U	[NULL]	[NULL]	R	H0007J63	107-05-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	ALPHAHI	Alpha	6.4	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J63	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-47	12/11/1989 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J63	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-47	12/11/1989 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007J63	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	12/11/1989 0:00	N	61-82-5	Amitrole	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	61-82-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007J63	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-47	12/11/1989 0:00	N	62-53-3	Aniline	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	62-53-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	120-12-7	Anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	120-12-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007J63	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	12/11/1989 0:00	N	140-57-8	Aramite	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	140-57-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	12674-11-2	Aroclor-1016	1	ug/L	U	[NULL]	[NULL]	R	H0007J63	12674-11-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-47	12/11/1989 0:00	N	11104-28-2	Aroclor-1221	1	ug/L	U	[NULL]	[NULL]	R	H0007J63	11104-28-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-47	12/11/1989 0:00	N	11141-16-5	Aroclor-1232	1	ug/L	U	[NULL]	[NULL]	R	H0007J63	11141-16-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-47	12/11/1989 0:00	N	53469-21-9	Aroclor-1242	1	ug/L	U	[NULL]	[NULL]	R	H0007J63	53469-21-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-47	12/11/1989 0:00	N	12672-29-6	Aroclor-1248	1	ug/L	U	[NULL]	[NULL]	R	H0007J63	12672-29-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-47	12/11/1989 0:00	N	11097-69-1	Aroclor-1254	1	ug/L	U	[NULL]	[NULL]	R	H0007J63	11097-69-1	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-47	12/11/1989 0:00	N	11096-82-5	Aroclor-1260	1	ug/L	U	[NULL]	[NULL]	R	H0007J63	11096-82-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-47	12/11/1989 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007J63	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-47	12/11/1989 0:00	N	492-80-8	Auramine	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	492-80-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	7440-39-3	Barium	47	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J63	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	12/11/1989 0:00	N	225-51-4	Benz[c]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	225-51-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	71-43-2	Benzene	5	ug/L	U	[NULL]	[NULL]	R	H0007J63	71-43-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	108-98-5	Benzenethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	108-98-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	92-87-5	Benzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	92-87-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	56-55-3	Benzo(a)anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	56-55-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	50-32-8	Benzo(a)pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	50-32-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	205-99-2	Benzo(b)fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	205-99-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	191-24-2	Benzo(ghi)perylene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	191-24-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	207-08-9	Benzo(k)fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	207-08-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	205-82-3	Benzo[j]fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	205-82-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	100-51-6	Benzyl alcohol	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	100-51-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	100-44-7	Benzyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	100-44-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007J63	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	12/11/1989 0:00	N	111-91-1	Bis(2-Chloroethoxy)methane	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	111-91-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	108-60-1	Bis(2-chloro-1-methylethyl)ether	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	108-60-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	111-44-4	Bis(2-chloroethyl) ether	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	111-44-4	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-47	12/11/1989 0:00	N	117-81-7	Bis(2-ethylhexyl) phthalate	26	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J63	117-81-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	542-88-1	Bis(chloromethyl) ether	5	ug/L	U	[NULL]	[NULL]	R	H0007J63	542-88-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	7440-42-8	Boron	31	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J63	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	12/11/1989 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007J63	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-47	12/11/1989 0:00	N	598-31-2	Bromoacetone	5	ug/L	U	[NULL]	[NULL]	R	H0007J63	598-31-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	75-27-4	Bromodichloromethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J63	75-27-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	75-25-2	Bromoform	5	ug/L	U	[NULL]	[NULL]	R	H0007J63	75-25-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	74-83-9	Bromomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	74-83-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	85-68-7	Butylbenzylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	85-68-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007J63	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	12/11/1989 0:00	N	7440-70-2	Calcium	77700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J63	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	12/11/1989 0:00	N	75-15-0	Carbon disulfide	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	75-15-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007J63	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	786-19-6	Carbophenothion	2	ug/L	U	[NULL]	[NULL]	R	H0007J63	786-19-6	USTEST	8140_PEST_GC	100-NR-2
199-N-47	12/11/1989 0:00	N	10045-97-3	Cesium-137	-4.22	pCi/L	U	[NULL]	[NULL]	R	H0007J63	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-47	12/11/1989 0:00	N	57-74-9	Chlordane	1	ug/L	U	[NULL]	[NULL]	R	H0007J63	57-74-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-47	12/11/1989 0:00	N	16887-00-6	Chloride	17600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J63	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-47	12/11/1989 0:00	N	494-03-1	Chlornaphazine	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	494-03-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	B44	Chloroalkyl ethers	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	B44	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	108-90-7	Chlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	108-90-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	108-90-7	Chlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007J63	108-90-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	510-15-6	Chlorobenzilate	300	ug/L	U	[NULL]	[NULL]	R	H0007J63	510-15-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-47	12/11/1989 0:00	N	75-00-3	Chloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	75-00-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	67-66-3	Chloroform	5	ug/L	U	[NULL]	[NULL]	R	H0007J63	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	74-87-3	Chloromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	74-87-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	107-30-2	Chloromethyl methyl ether	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	107-30-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	12/11/1989 0:00	N	218-01-9	Chrysene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	218-01-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	6358-53-8	Citrus red No. 2	1000	ug/L	U	[NULL]	[NULL]	R	H0007J63	6358-53-8	USTEST	CITRUS_RED	100-NR-2
199-N-47	12/11/1989 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007J63	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	12/11/1989 0:00	N	10198-40-0	Cobalt-60	0.827	pCi/L	U	[NULL]	[NULL]	R	H0007J63	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-47	12/11/1989 0:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	H0007J63	COLIFORM	USTEST	9222B_COLIFORM	100-NR-2
199-N-47	12/11/1989 0:00	N	7440-50-8	Copper	29	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J63	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	12/11/1989 0:00	N	4170-30-3	Crotonaldehyde	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	4170-30-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	57-12-5	Cyanide	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	57-12-5	USTEST	9010_CYANIDE	100-NR-2
199-N-47	12/11/1989 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J63	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-47	12/11/1989 0:00	N	84-74-2	Di-n-butylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	84-74-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	117-84-0	Di-n-octylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	117-84-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	2303-16-4	Diallate	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	2303-16-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	226-36-8	Dibenz[a,h]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	226-36-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	53-70-3	Dibenz[a,h]anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	53-70-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	224-42-0	Dibenz[a,j]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	224-42-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	192-65-4	Dibenzo[a,e]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	192-65-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	189-64-0	Dibenzo[a,h]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	189-64-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	189-55-9	Dibenzo[a,i]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	189-55-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	132-64-9	Dibenzofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	132-64-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	124-48-1	Dibromochloromethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J63	124-48-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	74-95-3	Dibromomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	74-95-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	107-66-4	Dibutylphosphate	10000	ug/L	U	[NULL]	[NULL]	R	H0007J63	107-66-4	USTEST	70-MDBP	100-NR-2
199-N-47	12/11/1989 0:00	N	75-71-8	Dichlorodifluoromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	75-71-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	98-87-3	Dichloromethyl-benzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	98-87-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	60-57-1	Dieldrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J63	60-57-1	USTEST	8080_PESTPCB_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-47	12/11/1989 0:00	N	84-66-2	Diethylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	84-66-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	56-53-1	Diethylstilbesterol	200	ug/L	U	[NULL]	[NULL]	R	H0007J63	56-53-1	USTEST	8330_THIOUREA_M	100-NR-2
199-N-47	12/11/1989 0:00	N	94-58-6	Dihydrosafrole	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	94-58-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	60-51-5	Dimethoate	2	ug/L	U	[NULL]	[NULL]	R	H0007J63	60-51-5	USTEST	8140_PEST_GC	100-NR-2
199-N-47	12/11/1989 0:00	N	131-11-3	Dimethyl phthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	131-11-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	88-85-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	122-39-4	Diphenylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	122-39-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	298-04-4	Disulfoton	2	ug/L	U	[NULL]	[NULL]	R	H0007J63	298-04-4	USTEST	8140_PEST_GC	100-NR-2
199-N-47	12/11/1989 0:00	N	959-98-8	Endosulfan I	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J63	959-98-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-47	12/11/1989 0:00	N	33213-65-9	Endosulfan II	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J63	33213-65-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-47	12/11/1989 0:00	N	1031-07-8	Endosulfan sulfate	0.5	ug/L	U	[NULL]	[NULL]	R	H0007J63	1031-07-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-47	12/11/1989 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J63	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-47	12/11/1989 0:00	N	64-17-5	Ethanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007J63	64-17-5	USTEST	GC_DIRECT	100-NR-2
199-N-47	12/11/1989 0:00	N	51-79-6	Ethyl carbamate (Urethane)	10000	ug/L	U	[NULL]	[NULL]	R	H0007J63	51-79-6	USTEST	GC_DIRECT	100-NR-2
199-N-47	12/11/1989 0:00	N	107-12-0	Ethyl cyanide	5	ug/L	U	[NULL]	[NULL]	R	H0007J63	107-12-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	107-12-0	Ethyl cyanide	10000	ug/L	U	[NULL]	[NULL]	R	H0007J63	107-12-0	USTEST	GC_DIRECT	100-NR-2
199-N-47	12/11/1989 0:00	N	97-63-2	Ethyl methacrylate	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	97-63-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	62-50-0	Ethyl methanesulfonate	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	62-50-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	100-41-4	Ethylbenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007J63	100-41-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	107-21-1	Ethylene glycol	10000	ug/L	U	[NULL]	[NULL]	R	H0007J63	107-21-1	USTEST	GC_DIRECT	100-NR-2
199-N-47	12/11/1989 0:00	N	75-21-8	Ethylene oxide	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	75-21-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	151-56-4	Ethyleneimine	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	151-56-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	96-45-7	Ethylenethiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007J63	96-45-7	USTEST	8330_THIOUREA_M	100-NR-2
199-N-47	12/11/1989 0:00	N	206-44-0	Fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	206-44-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	86-73-7	Fluorene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	86-73-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007J63	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-47	12/11/1989 0:00	N	16984-48-8	Fluoride	290	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J63	16984-48-8	USTEST	D1179_FLUORIDE	100-NR-2
199-N-47	12/11/1989 0:00	N	50-00-0	Formaldehyde	500	ug/L	U	[NULL]	[NULL]	R	H0007J63	50-00-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J63	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-47	12/11/1989 0:00	N	12587-47-2	Gross beta	6.96	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J63	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-47	12/11/1989 0:00	N	76-44-8	Heptachlor	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J63	76-44-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-47	12/11/1989 0:00	N	1024-57-3	Heptachlor epoxide	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J63	1024-57-3	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-47	12/11/1989 0:00	N	118-74-1	Hexachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	118-74-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	87-68-3	Hexachlorobutadiene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	87-68-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	77-47-4	Hexachlorocyclopentadiene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	77-47-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	67-72-1	Hexachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	67-72-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	70-30-4	Hexachlorophene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	70-30-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	1888-71-7	Hexachloropropene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	1888-71-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007J63	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-47	12/11/1989 0:00	N	193-39-5	Indeno(1,2,3-cd)pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	193-39-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	74-88-4	Iodomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	74-88-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	7439-89-6	Iron	227	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J63	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	12/11/1989 0:00	N	78-83-1	Isobutyl alcohol	10000	ug/L	U	[NULL]	[NULL]	R	H0007J63	78-83-1	USTEST	GC_DIRECT	100-NR-2
199-N-47	12/11/1989 0:00	N	465-73-6	Isodrin	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	465-73-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	78-59-1	Isophorone	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	78-59-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	120-58-1	Isosafrole	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	120-58-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	143-50-0	Kepone	1	ug/L	U	[NULL]	[NULL]	R	H0007J63	143-50-0	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-47	12/11/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007J63	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-47	12/11/1989 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	12/11/1989 0:00	N	7439-95-4	Magnesium	15000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J63	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	12/11/1989 0:00	N	123-33-1	Maleic hydrazide	500	ug/L	U	[NULL]	[NULL]	R	H0007J63	123-33-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	109-77-3	Malononitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	109-77-3	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-47	12/11/1989 0:00	N	7439-96-5	Manganese	10	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J63	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	12/11/1989 0:00	N	148-82-3	Melphalan	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	148-82-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J63	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-47	12/11/1989 0:00	N	126-98-7	Methacrylonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	126-98-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	74-93-1	Methanethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	74-93-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	91-80-5	Methapyrilene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	91-80-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	16752-77-5	Metholonyl	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	16752-77-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007J63	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-47	12/11/1989 0:00	N	80-62-6	Methyl methacrylate	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	80-62-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	66-27-3	Methyl methanesulfonate	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	66-27-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	298-00-0	Methyl parathion	2	ug/L	U	[NULL]	[NULL]	R	H0007J63	298-00-0	USTEST	8140_PEST_GC	100-NR-2
199-N-47	12/11/1989 0:00	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	H0007J63	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	56-04-2	Methylthiouracil	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	56-04-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007J63	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	12/11/1989 0:00	N	1623-15-0	Monobutyl phosphate	10000	ug/L	U	[NULL]	[NULL]	R	H0007J63	1623-15-0	USTEST	70-MDBP	100-NR-2
199-N-47	12/11/1989 0:00	N	91-20-3	Naphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	91-20-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	12/11/1989 0:00	N	59-67-6	Nicotinic acid	100	ug/L	U	[NULL]	[NULL]	R	H0007J63	59-67-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	14797-55-8	Nitrate	3300	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J63	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-47	12/11/1989 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007J63	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-47	12/11/1989 0:00	N	98-95-3	Nitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	98-95-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	930-55-2	Nitrosopyrrolidine	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	930-55-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	126-68-1	O,O,O-Triethyl phosphorothioate	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	126-68-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	297-97-2	O,O-Diethyl O-2-pyrazinyl phosphorothioate	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	297-97-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	123-63-7	Paraldehyde	10000	ug/L	U	[NULL]	[NULL]	R	H0007J63	123-63-7	USTEST	GC_DIRECT	100-NR-2
199-N-47	12/11/1989 0:00	N	56-38-2	Parathion	2	ug/L	U	[NULL]	[NULL]	R	H0007J63	56-38-2	USTEST	8140_PEST_GC	100-NR-2
199-N-47	12/11/1989 0:00	N	608-93-5	Pentachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	608-93-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	76-01-7	Pentachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	76-01-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	82-68-8	Pentachloronitrobenzene (PCNB)	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	82-68-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	87-86-5	Pentachlorophenol	50	ug/L	U	[NULL]	[NULL]	R	H0007J63	87-86-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	14797-73-0	Perchlorate anion	500	ug/L	U	[NULL]	[NULL]	R	H0007J63	14797-73-0	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-47	12/11/1989 0:00	N	62-44-2	Phenacetin	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	62-44-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	85-01-8	Phenanthrene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	85-01-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	108-95-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	25265-76-3	Phenylenediamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	25265-76-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	298-02-2	Phorate	2	ug/L	U	[NULL]	[NULL]	R	H0007J63	298-02-2	USTEST	8140_PEST_GC	100-NR-2
199-N-47	12/11/1989 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007J63	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-47	12/11/1989 0:00	N	C31	Phthalic acid esters	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	C31	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	136677-09-3	Polychlorinated dibenzo-p-dioxins	0.01	ug/L	U	[NULL]	[NULL]	R	H0007J63	136677-09-3	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	136677-10-6	Polychlorinated dibenzofurans	0.01	ug/L	U	[NULL]	[NULL]	R	H0007J63	136677-10-6	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	7440-09-7	Potassium	6840	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J63	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	12/11/1989 0:00	N	23950-58-5	Pronamide	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	23950-58-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	129-00-0	Pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	129-00-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	110-86-1	Pyridine	500	ug/L	U	[NULL]	[NULL]	R	H0007J63	110-86-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	7440-14-4	Radium	0.0991	pCi/L	U	[NULL]	[NULL]	R	H0007J63	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-47	12/11/1989 0:00	N	50-55-5	Reserpine	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	50-55-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	108-46-3	Resorcinol	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	108-46-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	13967-48-1	Ruthenium-106	29.3	pCi/L	U	[NULL]	[NULL]	R	H0007J63	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-47	12/11/1989 0:00	N	94-59-7	Safrol	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	94-59-7	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-47	12/11/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007J63	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-47	12/11/1989 0:00	N	7440-21-3	Silicon	13400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J63	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	12/11/1989 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	12/11/1989 0:00	N	7440-23-5	Sodium	115000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J63	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	12/11/1989 0:00	N	CONDUCT	Specific Conductance	1027	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J63	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-47	12/11/1989 0:00	N	CONDUCT	Specific Conductance	926	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J63	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-47	12/11/1989 0:00	N	7440-24-6	Strontium	297	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J63	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	12/11/1989 0:00	N	10098-97-2	Strontium-90	-0.255	pCi/L	U	[NULL]	[NULL]	R	H0007J63	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-47	12/11/1989 0:00	N	57-24-9	Strychnine	50	ug/L	U	[NULL]	[NULL]	R	H0007J63	57-24-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	100-42-5	Styrene	5	ug/L	U	[NULL]	[NULL]	R	H0007J63	100-42-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	14808-79-8	Sulfate	191000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J63	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-47	12/11/1989 0:00	N	18496-25-8	Sulfide	1000	ug/L	U	[NULL]	[NULL]	R	H0007J63	18496-25-8	USTEST	9030_SULFIDE	100-NR-2
199-N-47	12/11/1989 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007J63	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	107-49-3	Tetraethylpyrophosphate	2	ug/L	U	[NULL]	[NULL]	R	H0007J63	107-49-3	USTEST	8140_PEST_GC	100-NR-2
199-N-47	12/11/1989 0:00	N	109-99-9	Tetrahydrofuran	60	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J63	109-99-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	H0007J63	7440-28-0	USTEST	UNKNOWN_METALS	100-NR-2
199-N-47	12/11/1989 0:00	N	39196-18-4	Thiofanox	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	39196-18-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	62-56-6	Thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007J63	62-56-6	USTEST	8330_THIOUREA_M	100-NR-2
199-N-47	12/11/1989 0:00	N	137-26-8	Thiuram	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	137-26-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007J63	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	12/11/1989 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007J63	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	12/11/1989 0:00	N	108-88-3	Toluene	5	ug/L	U	[NULL]	[NULL]	R	H0007J63	108-88-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	25376-45-8	Toluenediamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	25376-45-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	TC	Total carbon	64400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J63	TC	USTEST	D2579A_CARBON	100-NR-2
199-N-47	12/11/1989 0:00	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	1319-77-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	TDS	Total dissolved solids	6E+08	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J63	TDS	USTEST	209B_TDS	100-NR-2
199-N-47	12/11/1989 0:00	N	TOC	Total organic carbon	3900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J63	TOC	USTEST	9060_TOC	100-NR-2
199-N-47	12/11/1989 0:00	N	59473-04-0	Total organic halides	10	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J63	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-47	12/11/1989 0:00	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	10000	ug/L	U	[NULL]	[NULL]	R	H0007J63	TPHKEROSENE	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007J63	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-47	12/11/1989 0:00	N	126-73-8	Tributyl phosphate	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	126-73-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007J63	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	75-70-7	Trichloromethanethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	75-70-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	75-69-4	Trichloromonofluoromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	75-69-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	126-72-7	Tris(2,3-dibromopropyl) phosphate	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	126-72-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	10028-17-8	Tritium	15800	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J63	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-47	12/11/1989 0:00	N	TURBIDITY	Turbidity	1.5	NTU	[NULL]	[NULL]	[NULL]	R	H0007J63	TURBIDITY	USTEST	214A_TURBIDITY	100-NR-2
199-N-47	12/11/1989 0:00	N	7440-61-1	Uranium	6.81	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J63	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-47	12/11/1989 0:00	N	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007J63	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	12/11/1989 0:00	N	108-05-4	Vinyl acetate	5	ug/L	U	[NULL]	[NULL]	R	H0007J63	108-05-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	75-01-4	Vinyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	75-01-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	81-81-2	Warfarin	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	81-81-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007J63	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	7440-66-6	Zinc	12	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J63	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	12/11/1989 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007J63	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	12/11/1989 0:00	N	122-09-8	alpha,alpha-Dimethylphenethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	122-09-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J63	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-47	12/11/1989 0:00	N	99-65-0	m-Dinitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	99-65-0	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-47	12/11/1989 0:00	N	616-40-0	n,n-Diethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	616-40-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	615-53-2	n-Nitroso-N-methylurethane	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	615-53-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	924-16-3	n-Nitrosodi-n-butylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	924-16-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	621-64-7	n-Nitrosodi-n-dipropylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	621-64-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	1116-54-7	n-Nitrosodiethanolamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	1116-54-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	55-18-5	n-Nitrosodiethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	55-18-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	62-75-9	n-Nitrosodimethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	62-75-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	86-30-6	n-Nitrosodiphenylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	86-30-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	10595-95-6	n-Nitrosomethylethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	10595-95-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	4549-40-0	n-Nitrosomethylvinylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	4549-40-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	59-89-2	n-Nitrosomorpholine	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	59-89-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	16543-55-8	n-Nitrosonornicotine	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	16543-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	100-75-4	n-Nitrosopiperidine	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	100-75-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	103-85-5	n-Phenylthiourea	500	ug/L	U	[NULL]	[NULL]	R	H0007J63	103-85-5	USTEST	8330_THIOUREA_M	100-NR-2
199-N-47	12/11/1989 0:00	N	107-10-8	n-Propylamine	10000	ug/L	U	[NULL]	[NULL]	R	H0007J63	107-10-8	USTEST	GC_DIRECT	100-NR-2
199-N-47	12/11/1989 0:00	N	636-21-5	o-Toluidine hydrochloride	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	636-21-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	106-51-4	p-Benzoquinone	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	106-51-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	60-11-7	p-Dimethylaminoazobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	60-11-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	R	H0007J63	PH	USTEST	9040_PH	100-NR-2
199-N-47	12/11/1989 0:00	N	PH	pH Measurement	7.67	unitless	[NULL]	[NULL]	[NULL]	R	H0007J63	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-47	12/11/1989 0:00	N	99-35-4	sym-Trinitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	99-35-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	156-60-5	trans-1,2-Dichloroethylene	5	ug/L	U	[NULL]	[NULL]	R	H0007J63	156-60-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 0:00	N	110-57-6	trans-1,4-Dichloro-2-butene	10	ug/L	U	[NULL]	[NULL]	R	H0007J63	110-57-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-47	12/11/1989 9:00	N	TEMPERATURE	Temperature	20.6	Deg C	[NULL]	[NULL]	[NULL]	R	H000GPM7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-47	2/8/1990 0:00	N	ALKALINITY	Alkalinity	257000	ug/L	[NULL]	G	[NULL]	R	H0007J64	ALKALINITY	USTEST	D1067B_ALKALINITY	100-NR-2
199-N-47	2/8/1990 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007J64	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007J64F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007J64F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007J64	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007J64	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-47	2/8/1990 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007J64	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-47	2/8/1990 0:00	N	7440-39-3	Barium	47	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J64	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	Y	7440-39-3	Barium	48	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J64F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007J64F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007J64	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	N	7440-42-8	Boron	32	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J64	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	Y	7440-42-8	Boron	49	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J64F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007J64	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-47	2/8/1990 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007J64F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007J64	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	N	7440-70-2	Calcium	70100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J64	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	Y	7440-70-2	Calcium	71000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J64F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	N	16887-00-6	Chloride	18000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J64	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-47	2/8/1990 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007J64	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007J64F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007J64	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007J64F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-47	2/8/1990 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007J64F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007J64	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007J64	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-47	2/8/1990 0:00	N	7439-89-6	Iron	37	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J64	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007J64F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007J64	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-47	2/8/1990 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007J64	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-47	2/8/1990 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007J64F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007J64	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	N	7439-95-4	Magnesium	14400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J64	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	Y	7439-95-4	Magnesium	14600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J64F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	Y	7439-96-5	Manganese	14	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J64F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	N	7439-96-5	Manganese	15	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J64	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J64	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-47	2/8/1990 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J64	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-47	2/8/1990 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007J64F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007J64	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007J64	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007J64F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	N	14797-55-8	Nitrate	1100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J64	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-47	2/8/1990 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007J64	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-47	2/8/1990 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007J64	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-47	2/8/1990 0:00	Y	7440-09-7	Potassium	6750	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J64F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	N	7440-09-7	Potassium	6640	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J64	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007J64	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-47	2/8/1990 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007J64	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-47	2/8/1990 0:00	N	7440-21-3	Silicon	13600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J64	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	Y	7440-21-3	Silicon	13800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J64F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007J64F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007J64	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	N	7440-23-5	Sodium	118000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J64	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	Y	7440-23-5	Sodium	118000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J64F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	N	CONDUCT	Specific Conductance	924	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J66	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-47	2/8/1990 0:00	N	CONDUCT	Specific Conductance	968	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J64	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-47	2/8/1990 0:00	N	CONDUCT	Specific Conductance	925	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J65	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-47	2/8/1990 0:00	N	CONDUCT	Specific Conductance	923	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J67	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-47	2/8/1990 0:00	N	CONDUCT	Specific Conductance	971	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J65	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-47	2/8/1990 0:00	N	CONDUCT	Specific Conductance	975	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J67	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-47	2/8/1990 0:00	N	CONDUCT	Specific Conductance	919	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J64	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-47	2/8/1990 0:00	N	CONDUCT	Specific Conductance	960	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J66	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-47	2/8/1990 0:00	Y	7440-24-6	Strontium	284	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J64F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	N	7440-24-6	Strontium	283	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J64	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	N	14808-79-8	Sulfate	228000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J64	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-47	2/8/1990 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007J64F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007J64	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007J64	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007J64F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	N	TURBIDITY	Turbidity	0.3	NTU	[NULL]	[NULL]	[NULL]	R	H0007J64	TURBIDITY	USTEST	214A_TURBIDITY	100-NR-2
199-N-47	2/8/1990 0:00	Y	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007J64F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	N	7440-62-2	Vanadium	5	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J64	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007J64F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	N	7440-66-6	Zinc	8	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J64	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007J64	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007J64F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-47	2/8/1990 0:00	N	PH	pH Measurement	7.4	unitless	[NULL]	[NULL]	[NULL]	R	H0007J64	PH	USTEST	9040_PH	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-47	2/8/1990 0:00	N	PH	pH Measurement	7.57	unitless	[NULL]	[NULL]	[NULL]	R	H0007J64	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-47	2/8/1990 0:00	N	PH	pH Measurement	7.59	unitless	[NULL]	[NULL]	[NULL]	R	H0007J66	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-47	2/8/1990 0:00	N	PH	pH Measurement	7.4	unitless	[NULL]	[NULL]	[NULL]	R	H0007J65	PH	USTEST	9040_PH	100-NR-2
199-N-47	2/8/1990 0:00	N	PH	pH Measurement	7.62	unitless	[NULL]	[NULL]	[NULL]	R	H0007J65	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-47	2/8/1990 0:00	N	PH	pH Measurement	7.4	unitless	[NULL]	[NULL]	[NULL]	R	H0007J67	PH	USTEST	9040_PH	100-NR-2
199-N-47	2/8/1990 0:00	N	PH	pH Measurement	7.58	unitless	[NULL]	[NULL]	[NULL]	R	H0007J67	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-47	2/8/1990 0:00	N	PH	pH Measurement	7.4	unitless	[NULL]	[NULL]	[NULL]	R	H0007J66	PH	USTEST	9040_PH	100-NR-2
199-N-47	2/8/1990 11:01	N	TEMPERATURE	Temperature	22	Deg C	[NULL]	[NULL]	[NULL]	R	H000GPY6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-47	9/5/1991 11:50	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B00L91F	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	9/5/1991 11:50	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B00L91F	7440-38-2	ITASSJ	7060_AS_GFAA	100-NR-2
199-N-47	9/5/1991 11:50	Y	7440-39-3	Barium	40	ug/L	[NULL]	[NULL]	[NULL]	R	B00L91F	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	9/5/1991 11:50	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B00L91F	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	9/5/1991 11:50	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B00L91F	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	9/5/1991 11:50	Y	7440-70-2	Calcium	110000	ug/L	[NULL]	[NULL]	[NULL]	R	B00L91F	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	9/5/1991 11:50	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B00L91F	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	9/5/1991 11:50	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B00L91F	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	9/5/1991 11:50	Y	7440-50-8	Copper	20	ug/L	U	Q	[NULL]	R	B00L91F	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	9/5/1991 11:50	Y	7439-89-6	Iron	31	ug/L	[NULL]	Q	[NULL]	R	B00L91F	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	9/5/1991 11:50	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B00L91F	7439-92-1	ITASSJ	7421_PB_GFAA	100-NR-2
199-N-47	9/5/1991 11:50	Y	7439-95-4	Magnesium	22000	ug/L	[NULL]	[NULL]	[NULL]	R	B00L91F	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	9/5/1991 11:50	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B00L91F	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	9/5/1991 11:50	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B00L91F	7439-97-6	ITASSJ	7470_HG_CVAA	100-NR-2
199-N-47	9/5/1991 11:50	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B00L91F	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	9/5/1991 11:50	Y	7440-09-7	Potassium	7800	ug/L	[NULL]	[NULL]	[NULL]	R	B00L91F	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	9/5/1991 11:50	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B00L91F	7782-49-2	ITASSJ	7740_SE_GFAA	100-NR-2
199-N-47	9/5/1991 11:50	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B00L91F	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	9/5/1991 11:50	Y	7440-23-5	Sodium	130000	ug/L	[NULL]	[NULL]	[NULL]	R	B00L91F	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	9/5/1991 11:50	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B00L91F	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	9/5/1991 11:50	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B00L91F	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	9/5/1991 11:50	Y	7440-66-6	Zinc	20	ug/L	[NULL]	[NULL]	[NULL]	R	B00L91F	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	9/5/1991 11:55	N	ALKALINITY	Alkalinity	210000	ug/L	[NULL]	[NULL]	[NULL]	R	B00L91	ALKALINITY	ITASSJ	D1067A_ALKALINITY	100-NR-2
199-N-47	9/5/1991 11:55	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B00L91	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	9/5/1991 11:55	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B00L91	7440-38-2	ITASSJ	7060_AS_GFAA	100-NR-2
199-N-47	9/5/1991 11:55	N	7440-39-3	Barium	40	ug/L	[NULL]	[NULL]	[NULL]	R	B00L91	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	9/5/1991 11:55	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B00L91	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	9/5/1991 11:55	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B00L91	24959-67-9	ITASSJ	D4327_ANIONS_IC	100-NR-2
199-N-47	9/5/1991 11:55	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B00L91	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	9/5/1991 11:55	N	7440-70-2	Calcium	110000	ug/L	[NULL]	[NULL]	[NULL]	R	B00L91	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	9/5/1991 11:55	N	16887-00-6	Chloride	13000	ug/L	[NULL]	[NULL]	[NULL]	R	B00L91	16887-00-6	ITASSJ	D4327_ANIONS_IC	100-NR-2
199-N-47	9/5/1991 11:55	N	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B00L91	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	9/5/1991 11:55	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B00L91	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	9/5/1991 11:55	N	7440-50-8	Copper	32	ug/L	[NULL]	Q	[NULL]	R	B00L91	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	9/5/1991 11:55	N	16984-48-8	Fluoride	960	ug/L	[NULL]	[NULL]	[NULL]	R	B00L91	16984-48-8	ITASSJ	D4327_ANIONS_IC	100-NR-2
199-N-47	9/5/1991 11:55	N	7439-89-6	Iron	120	ug/L	[NULL]	Q	[NULL]	R	B00L91	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	9/5/1991 11:55	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B00L91	7439-92-1	ITASSJ	7421_PB_GFAA	100-NR-2
199-N-47	9/5/1991 11:55	N	7439-95-4	Magnesium	22000	ug/L	[NULL]	[NULL]	[NULL]	R	B00L91	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	9/5/1991 11:55	N	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B00L91	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	9/5/1991 11:55	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B00L91	7439-97-6	ITASSJ	7470_HG_CVAA	100-NR-2
199-N-47	9/5/1991 11:55	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B00L91	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	9/5/1991 11:55	N	14797-55-8	Nitrate	11600	ug/L	[NULL]	[NULL]	[NULL]	R	B00L91	14797-55-8	PNL2	300.0_ANIONS_IC	100-NR-2
199-N-47	9/5/1991 11:55	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B00L91	14265-44-2	ITASSJ	D4327_ANIONS_IC	100-NR-2
199-N-47	9/5/1991 11:55	N	7440-09-7	Potassium	7000	ug/L	[NULL]	[NULL]	[NULL]	R	B00L91	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	9/5/1991 11:55	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B00L91	7782-49-2	ITASSJ	7740_SE_GFAA	100-NR-2
199-N-47	9/5/1991 11:55	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B00L91	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	9/5/1991 11:55	N	7440-23-5	Sodium	130000	ug/L	[NULL]	[NULL]	[NULL]	R	B00L91	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-47	9/5/1991 11:55	N	CONDUCT	Specific Conductance	1270	uS/cm	[NULL]	[NULL]	[NULL]	R	B00L91	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-47	9/5/1991 11:55	N	14808-79-8	Sulfate	390000	ug/L	[NULL]	[NULL]	[NULL]	R	B00L91	14808-79-8	ITASSJ	D4327_ANIONS_IC	100-NR-2
199-N-47	9/5/1991 11:55	N	TEMPERATURE	Temperature	21.1	Deg C	[NULL]	[NULL]	[NULL]	R	B00L91	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-47	9/5/1991 11:55	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B00L91	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	9/5/1991 11:55	N	TURBIDITY	Turbidity	1.1	NTU	[NULL]	[NULL]	[NULL]	R	B00L91	TURBIDITY	ITASSJ	214A_TURBIDITY	100-NR-2
199-N-47	9/5/1991 11:55	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B00L91	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	9/5/1991 11:55	N	7440-66-6	Zinc	15	ug/L	[NULL]	[NULL]	[NULL]	R	B00L91	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	9/5/1991 11:55	N	PH	pH Measurement	7.45	unitless	[NULL]	[NULL]	[NULL]	R	B00L91	PH	FIELD	9040_PH	100-NR-2
199-N-47	11/5/1991 10:40	N	ALKALINITY	Alkalinity	190000	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB3	ALKALINITY	DATACH	D1067A_ALKALINITY	100-NR-2
199-N-47	11/5/1991 10:40	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B01BB3F	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	11/5/1991 10:40	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B01BB3	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	11/5/1991 10:40	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B01BB3F	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-47	11/5/1991 10:40	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B01BB3	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-47	11/5/1991 10:40	Y	7440-39-3	Barium	38	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB3F	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	11/5/1991 10:40	N	7440-39-3	Barium	36	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB3	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	11/5/1991 10:40	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B01BB3	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	11/5/1991 10:40	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B01BB3F	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	11/5/1991 10:40	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B01BB3	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	11/5/1991 10:40	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B01BB3F	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	11/5/1991 10:40	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B01BB3	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	11/5/1991 10:40	N	7440-70-2	Calcium	130000	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB3	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	11/5/1991 10:40	Y	7440-70-2	Calcium	130000	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB3F	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	11/5/1991 10:40	N	16887-00-6	Chloride	14000	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB3	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	11/5/1991 10:40	N	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B01BB3	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	11/5/1991 10:40	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B01BB3F	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	11/5/1991 10:40	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B01BB3	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	11/5/1991 10:40	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B01BB3F	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	11/5/1991 10:40	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B01BB3	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	11/5/1991 10:40	Y	7440-50-8	Copper	32	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB3F	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	11/5/1991 10:40	N	16984-48-8	Fluoride	1300	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB3	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	11/5/1991 10:40	N	7439-89-6	Iron	85	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB3	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	11/5/1991 10:40	Y	7439-89-6	Iron	64	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB3F	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	11/5/1991 10:40	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B01BB3F	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-47	11/5/1991 10:40	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B01BB3	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-47	11/5/1991 10:40	Y	7439-95-4	Magnesium	26000	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB3F	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	11/5/1991 10:40	N	7439-95-4	Magnesium	25000	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB3	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	11/5/1991 10:40	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B01BB3F	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	11/5/1991 10:40	N	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B01BB3	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	11/5/1991 10:40	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B01BB3F	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-47	11/5/1991 10:40	N	7439-97-6	Mercury	0.2	ug/L	U	P	[NULL]	R	B01BB3	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-47	11/5/1991 10:40	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B01BB3	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	11/5/1991 10:40	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B01BB3F	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	11/5/1991 10:40	N	14797-55-8	Nitrate	12800	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB3	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	11/5/1991 10:40	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B01BB3	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	11/5/1991 10:40	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B01BB3	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	11/5/1991 10:40	N	7440-09-7	Potassium	7900	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB3	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	11/5/1991 10:40	Y	7440-09-7	Potassium	8100	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB3F	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	11/5/1991 10:40	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B01BB3	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-47	11/5/1991 10:40	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B01BB3F	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-47	11/5/1991 10:40	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B01BB3	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	11/5/1991 10:40	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B01BB3F	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	11/5/1991 10:40	N	7440-23-5	Sodium	140000	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB3	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	11/5/1991 10:40	Y	7440-23-5	Sodium	140000	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB3F	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	11/5/1991 10:40	N	CONDUCT	Specific Conductance	1146	uS/cm	[NULL]	[NULL]	[NULL]	R	B01BB3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-47	11/5/1991 10:40	N	14808-79-8	Sulfate	490000	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB3	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-47	11/5/1991 10:40	N	TEMPERATURE	Temperature	20.5	Deg C	[NULL]	[NULL]	[NULL]	R	B01BB3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-47	11/5/1991 10:40	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B01BB3	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	11/5/1991 10:40	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B01BB3F	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	11/5/1991 10:40	N	TURBIDITY	Turbidity	0.2	NTU	[NULL]	[NULL]	[NULL]	R	B01BB3	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-47	11/5/1991 10:40	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B01BB3F	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	11/5/1991 10:40	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B01BB3	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	11/5/1991 10:40	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B01BB3F	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	11/5/1991 10:40	N	7440-66-6	Zinc	11	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB3	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	11/5/1991 10:40	N	PH	pH Measurement	7.92	unitless	[NULL]	[NULL]	[NULL]	R	B01BB3	PH	FIELD	9040_PH	100-NR-2
199-N-47	2/10/1992 8:50	N	ALKALINITY	Alkalinity	170000	ug/L	[NULL]	P	[NULL]	R	B01W14	ALKALINITY	DATACH	D1067A_ALKALINITY	100-NR-2
199-N-47	2/10/1992 8:50	N	7440-36-0	Antimony	200	ug/L	U	P	[NULL]	R	B01W14	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/10/1992 8:50	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B01W15	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/10/1992 8:50	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B01W14	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-47	2/10/1992 8:50	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B01W15	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-47	2/10/1992 8:50	N	7440-39-3	Barium	34	ug/L	[NULL]	P	[NULL]	R	B01W14	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/10/1992 8:50	Y	7440-39-3	Barium	35	ug/L	[NULL]	[NULL]	[NULL]	R	B01W15	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/10/1992 8:50	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B01W15	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/10/1992 8:50	N	7440-41-7	Beryllium	3	ug/L	U	P	[NULL]	R	B01W14	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/10/1992 8:50	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B01W14	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	2/10/1992 8:50	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B01W15	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/10/1992 8:50	N	7440-43-9	Cadmium	10	ug/L	U	P	[NULL]	R	B01W14	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/10/1992 8:50	N	7440-70-2	Calcium	140000	ug/L	[NULL]	P	[NULL]	R	B01W14	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/10/1992 8:50	Y	7440-70-2	Calcium	140000	ug/L	[NULL]	[NULL]	[NULL]	R	B01W15	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/10/1992 8:50	N	16887-00-6	Chloride	15000	ug/L	[NULL]	[NULL]	[NULL]	R	B01W14	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	2/10/1992 8:50	Y	7440-47-3	Chromium	81	ug/L	[NULL]	Y	[NULL]	R	B01W15	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/10/1992 8:50	N	7440-47-3	Chromium	24	ug/L	[NULL]	PY	[NULL]	R	B01W14	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/10/1992 8:50	N	7440-48-4	Cobalt	20	ug/L	U	P	[NULL]	R	B01W14	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/10/1992 8:50	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B01W15	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/10/1992 8:50	N	7440-50-8	Copper	26	ug/L	[NULL]	P	[NULL]	R	B01W14	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/10/1992 8:50	Y	7440-50-8	Copper	24	ug/L	[NULL]	[NULL]	[NULL]	R	B01W15	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/10/1992 8:50	N	16984-48-8	Fluoride	1100	ug/L	[NULL]	[NULL]	[NULL]	R	B01W14	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	2/10/1992 8:50	N	7439-89-6	Iron	320	ug/L	[NULL]	P	[NULL]	R	B01W14	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/10/1992 8:50	Y	7439-89-6	Iron	400	ug/L	[NULL]	[NULL]	[NULL]	R	B01W15	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/10/1992 8:50	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B01W14	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-47	2/10/1992 8:50	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B01W15	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-47	2/10/1992 8:50	N	7439-95-4	Magnesium	28000	ug/L	[NULL]	P	[NULL]	R	B01W14	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/10/1992 8:50	Y	7439-95-4	Magnesium	29000	ug/L	[NULL]	[NULL]	[NULL]	R	B01W15	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/10/1992 8:50	Y	7439-96-5	Manganese	10	ug/L	[NULL]	[NULL]	[NULL]	R	B01W15	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/10/1992 8:50	N	7439-96-5	Manganese	10	ug/L	U	P	[NULL]	R	B01W14	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/10/1992 8:50	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B01W14	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-47	2/10/1992 8:50	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B01W15	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-47	2/10/1992 8:50	Y	7440-02-0	Nickel	39	ug/L	[NULL]	[NULL]	[NULL]	R	B01W15	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/10/1992 8:50	N	7440-02-0	Nickel	30	ug/L	U	P	[NULL]	R	B01W14	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/10/1992 8:50	N	14797-55-8	Nitrate	15000	ug/L	[NULL]	[NULL]	[NULL]	R	B01W14	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	2/10/1992 8:50	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B01W14	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	2/10/1992 8:50	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B01W14	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	2/10/1992 8:50	Y	7440-09-7	Potassium	8900	ug/L	[NULL]	Q	[NULL]	R	B01W15	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/10/1992 8:50	N	7440-09-7	Potassium	8500	ug/L	[NULL]	PQ	[NULL]	R	B01W14	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/10/1992 8:50	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B01W14	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-47	2/10/1992 8:50	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B01W15	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-47	2/10/1992 8:50	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B01W15	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/10/1992 8:50	N	7440-22-4	Silver	20	ug/L	U	P	[NULL]	R	B01W14	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/10/1992 8:50	N	7440-23-5	Sodium	150000	ug/L	[NULL]	P	[NULL]	R	B01W14	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/10/1992 8:50	Y	7440-23-5	Sodium	150000	ug/L	[NULL]	[NULL]	[NULL]	R	B01W15	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/10/1992 8:50	N	CONDUCT	Specific Conductance	1432	uS/cm	[NULL]	[NULL]	[NULL]	R	B01W14	CONDUCT	FIELD	9050_CONDUCT	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-47	2/10/1992 8:50	N	14808-79-8	Sulfate	570000	ug/L	[NULL]	[NULL]	[NULL]	R	B01W14	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	2/10/1992 8:50	N	TEMPERATURE	Temperature	19.5	Deg C	[NULL]	[NULL]	[NULL]	R	B01W14	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-47	2/10/1992 8:50	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B01W15	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/10/1992 8:50	N	7440-31-5	Tin	100	ug/L	U	P	[NULL]	R	B01W14	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/10/1992 8:50	N	TURBIDITY	Turbidity	0.4	NTU	[NULL]	[NULL]	[NULL]	R	B01W14	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-47	2/10/1992 8:50	N	7440-62-2	Vanadium	30	ug/L	U	P	[NULL]	R	B01W14	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/10/1992 8:50	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B01W15	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/10/1992 8:50	N	7440-66-6	Zinc	10	ug/L	U	P	[NULL]	R	B01W14	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/10/1992 8:50	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B01W15	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/10/1992 8:50	N	PH	pH Measurement	7.09	unitless	[NULL]	[NULL]	[NULL]	R	B01W14	PH	FIELD	9040_PH	100-NR-2
199-N-47	4/30/1992 9:00	N	ALKALINITY	Alkalinity	150000	ug/L	[NULL]	[NULL]	[NULL]	R	B06F02	ALKALINITY	DATACH	D1067A_ALKALINITY	100-NR-2
199-N-47	4/30/1992 9:00	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B06F02	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	4/30/1992 9:00	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B06F03	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	4/30/1992 9:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B06F02	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-47	4/30/1992 9:00	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B06F03	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-47	4/30/1992 9:00	N	7440-39-3	Barium	30	ug/L	[NULL]	[NULL]	[NULL]	R	B06F02	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	4/30/1992 9:00	Y	7440-39-3	Barium	29	ug/L	[NULL]	[NULL]	[NULL]	R	B06F03	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	4/30/1992 9:00	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B06F03	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	4/30/1992 9:00	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B06F02	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	4/30/1992 9:00	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B06F02	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	4/30/1992 9:00	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B06F03	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	4/30/1992 9:00	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B06F02	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	4/30/1992 9:00	Y	7440-70-2	Calcium	160000	ug/L	[NULL]	[NULL]	[NULL]	R	B06F03	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	4/30/1992 9:00	N	7440-70-2	Calcium	160000	ug/L	[NULL]	[NULL]	[NULL]	R	B06F02	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	4/30/1992 9:00	N	16887-00-6	Chloride	11000	ug/L	[NULL]	[NULL]	[NULL]	R	B06F02	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	4/30/1992 9:00	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B06F03	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	4/30/1992 9:00	N	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B06F02	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	4/30/1992 9:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B06F02	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	4/30/1992 9:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B06F03	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	4/30/1992 9:00	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B06F02	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	4/30/1992 9:00	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B06F03	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	4/30/1992 9:00	N	16984-48-8	Fluoride	1500	ug/L	[NULL]	[NULL]	[NULL]	R	B06F02	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	4/30/1992 9:00	Y	7439-89-6	Iron	71	ug/L	[NULL]	[NULL]	[NULL]	R	B06F03	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	4/30/1992 9:00	N	7439-89-6	Iron	60	ug/L	[NULL]	[NULL]	[NULL]	R	B06F02	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	4/30/1992 9:00	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B06F03	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-47	4/30/1992 9:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B06F02	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-47	4/30/1992 9:00	N	7439-95-4	Magnesium	32000	ug/L	[NULL]	[NULL]	[NULL]	R	B06F02	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	4/30/1992 9:00	Y	7439-95-4	Magnesium	33000	ug/L	[NULL]	[NULL]	[NULL]	R	B06F03	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	4/30/1992 9:00	N	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B06F02	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	4/30/1992 9:00	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B06F03	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	4/30/1992 9:00	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B06F03	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-47	4/30/1992 9:00	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B06F02	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-47	4/30/1992 9:00	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B06F03	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	4/30/1992 9:00	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B06F02	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	4/30/1992 9:00	N	14797-55-8	Nitrate	9100	ug/L	[NULL]	[NULL]	[NULL]	R	B06F02	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	4/30/1992 9:00	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B06F02	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	4/30/1992 9:00	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B06F02	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	4/30/1992 9:00	Y	7440-09-7	Potassium	8500	ug/L	[NULL]	[NULL]	[NULL]	R	B06F03	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	4/30/1992 9:00	N	7440-09-7	Potassium	8500	ug/L	[NULL]	[NULL]	[NULL]	R	B06F02	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	4/30/1992 9:00	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B06F02	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-47	4/30/1992 9:00	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B06F03	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-47	4/30/1992 9:00	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B06F03	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	4/30/1992 9:00	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B06F02	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	4/30/1992 9:00	N	7440-23-5	Sodium	160000	ug/L	[NULL]	[NULL]	[NULL]	R	B06F02	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	4/30/1992 9:00	Y	7440-23-5	Sodium	160000	ug/L	[NULL]	[NULL]	[NULL]	R	B06F03	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-47	4/30/1992 9:00	N	14808-79-8	Sulfate	690000	ug/L	[NULL]	[NULL]	[NULL]	R	B06F02	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	4/30/1992 9:00	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B06F03	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	4/30/1992 9:00	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B06F02	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	4/30/1992 9:00	N	TURBIDITY	Turbidity	0.2	NTU	[NULL]	Y	[NULL]	R	B06F02	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-47	4/30/1992 9:00	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B06F02	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	4/30/1992 9:00	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B06F03	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	4/30/1992 9:00	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B06F03	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	4/30/1992 9:00	N	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B06F02	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	N	ALKALINITY	Alkalinity	150000	ug/L	[NULL]	[NULL]	[NULL]	R	B073X4	ALKALINITY	DATACH	D1067A_ALKALINITY	100-NR-2
199-N-47	8/3/1992 8:30	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B073X5	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B073X4	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B073X4	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-47	8/3/1992 8:30	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B073X5	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-47	8/3/1992 8:30	N	7440-39-3	Barium	26	ug/L	[NULL]	[NULL]	[NULL]	R	B073X4	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	Y	7440-39-3	Barium	26	ug/L	[NULL]	[NULL]	[NULL]	R	B073X5	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B073X5	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B073X4	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B073X4	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	8/3/1992 8:30	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B073X4	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B073X5	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	N	7440-70-2	Calcium	150000	ug/L	[NULL]	[NULL]	[NULL]	R	B073X4	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	Y	7440-70-2	Calcium	150000	ug/L	[NULL]	[NULL]	[NULL]	R	B073X5	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	N	16887-00-6	Chloride	14000	ug/L	[NULL]	[NULL]	[NULL]	R	B073X4	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	8/3/1992 8:30	N	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B073X4	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B073X5	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B073X5	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B073X4	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B073X4	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B073X5	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	N	16984-48-8	Fluoride	1300	ug/L	[NULL]	[NULL]	[NULL]	R	B073X4	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	8/3/1992 8:30	Y	7439-89-6	Iron	20	ug/L	U	[NULL]	[NULL]	R	B073X5	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	N	7439-89-6	Iron	53	ug/L	[NULL]	[NULL]	[NULL]	R	B073X4	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B073X4	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-47	8/3/1992 8:30	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B073X5	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-47	8/3/1992 8:30	Y	7439-95-4	Magnesium	29000	ug/L	[NULL]	[NULL]	[NULL]	R	B073X5	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	N	7439-95-4	Magnesium	29000	ug/L	[NULL]	[NULL]	[NULL]	R	B073X4	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B073X5	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	N	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B073X4	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B073X4	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-47	8/3/1992 8:30	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B073X5	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-47	8/3/1992 8:30	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B073X4	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B073X5	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	N	14797-55-8	Nitrate	16000	ug/L	[NULL]	[NULL]	[NULL]	R	B073X4	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	8/3/1992 8:30	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B073X4	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	8/3/1992 8:30	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B073X4	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	8/3/1992 8:30	Y	7440-09-7	Potassium	8300	ug/L	[NULL]	[NULL]	[NULL]	R	B073X5	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	N	7440-09-7	Potassium	8300	ug/L	[NULL]	[NULL]	[NULL]	R	B073X4	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B073X4	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-47	8/3/1992 8:30	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B073X5	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-47	8/3/1992 8:30	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B073X4	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B073X5	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	Y	7440-23-5	Sodium	140000	ug/L	[NULL]	[NULL]	[NULL]	R	B073X5	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	N	7440-23-5	Sodium	150000	ug/L	[NULL]	[NULL]	[NULL]	R	B073X4	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	N	CONDUCT	Specific Conductance	1490	uS/cm	[NULL]	[NULL]	[NULL]	R	B073X4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-47	8/3/1992 8:30	N	14808-79-8	Sulfate	660000	ug/L	[NULL]	[NULL]	[NULL]	R	B073X4	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-47	8/3/1992 8:30	N	TEMPERATURE	Temperature	19.9	Deg C	[NULL]	[NULL]	[NULL]	R	B073X4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-47	8/3/1992 8:30	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B073X4	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B073X5	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	N	TURBIDITY	Turbidity	0.5	NTU	[NULL]	[NULL]	[NULL]	R	B073X4	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-47	8/3/1992 8:30	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B073X5	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B073X4	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	N	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B073X4	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B073X5	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	8/3/1992 8:30	N	PH	pH Measurement	7.28	unitless	[NULL]	[NULL]	[NULL]	R	B073X4	PH	FIELD	9040_PH	100-NR-2
199-N-47	12/10/1992 9:30	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NW8	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	12/10/1992 9:30	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NW8	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	12/10/1992 9:30	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B07NW8	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	12/10/1992 9:30	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B07NW8	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	12/10/1992 9:30	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NW8	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	12/10/1992 9:30	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NW8	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	12/10/1992 9:30	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NW8	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	12/10/1992 9:30	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B07NW8	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	12/10/1992 9:30	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B07NW8	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	12/10/1992 9:30	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B07NW8	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	12/10/1992 9:30	N	14798-03-9	Ammonium ion	100	ug/L	U	[NULL]	[NULL]	R	B07NW8	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-47	12/10/1992 9:30	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B07NW8	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	12/10/1992 9:30	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B07NW9	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	12/10/1992 9:30	N	14234-35-6	Antimony-125	-4.22	pCi/L	U	[NULL]	[NULL]	R	B07NW8	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-47	12/10/1992 9:30	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B07NW8	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-47	12/10/1992 9:30	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B07NW9	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-47	12/10/1992 9:30	N	7440-39-3	Barium	30	ug/L	[NULL]	[NULL]	[NULL]	R	B07NW8	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	12/10/1992 9:30	Y	7440-39-3	Barium	30	ug/L	[NULL]	[NULL]	[NULL]	R	B07NW9	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	12/10/1992 9:30	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B07NW9	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	12/10/1992 9:30	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B07NW8	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	12/10/1992 9:30	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B07NW8	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	12/10/1992 9:30	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B07NW9	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	12/10/1992 9:30	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B07NW8	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	12/10/1992 9:30	Y	7440-70-2	Calcium	130000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NW9	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	12/10/1992 9:30	N	7440-70-2	Calcium	130000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NW8	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	12/10/1992 9:30	N	10045-97-3	Cesium-137	0.954	pCi/L	U	[NULL]	[NULL]	R	B07NW8	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-47	12/10/1992 9:30	N	16887-00-6	Chloride	11000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NW8	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	12/10/1992 9:30	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B07NW9	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	12/10/1992 9:30	N	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B07NW8	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	12/10/1992 9:30	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B07NW9	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	12/10/1992 9:30	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B07NW8	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	12/10/1992 9:30	N	10198-40-0	Cobalt-60	2.19	pCi/L	[NULL]	[NULL]	[NULL]	R	B07NW8	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-47	12/10/1992 9:30	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B07NW8	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-47	12/10/1992 9:30	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B07NW8	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	12/10/1992 9:30	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B07NW9	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	12/10/1992 9:30	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B07NW8	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	12/10/1992 9:30	N	16984-48-8	Fluoride	1100	ug/L	[NULL]	[NULL]	[NULL]	R	B07NW8	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	12/10/1992 9:30	N	12587-46-1	Gross alpha	2.13	pCi/L	U	[NULL]	[NULL]	R	B07NW8	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-47	12/10/1992 9:30	N	12587-47-2	Gross beta	5.69	pCi/L	[NULL]	[NULL]	[NULL]	R	B07NW8	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-47	12/10/1992 9:30	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B07NW8	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-47	12/10/1992 9:30	N	7439-89-6	Iron	210	ug/L	[NULL]	[NULL]	[NULL]	R	B07NW8	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	12/10/1992 9:30	Y	7439-89-6	Iron	270	ug/L	[NULL]	[NULL]	[NULL]	R	B07NW9	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	12/10/1992 9:30	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B07NW9	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-47	12/10/1992 9:30	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B07NW8	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-47	12/10/1992 9:30	Y	7439-95-4	Magnesium	26000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NW9	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	12/10/1992 9:30	N	7439-95-4	Magnesium	26000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NW8	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	12/10/1992 9:30	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B07NW9	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	12/10/1992 9:30	N	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B07NW8	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	12/10/1992 9:30	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B07NW8	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-47	12/10/1992 9:30	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B07NW9	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-47	12/10/1992 9:30	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B07NW9	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	12/10/1992 9:30	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B07NW8	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	12/10/1992 9:30	N	14797-55-8	Nitrate	9000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NW8	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	12/10/1992 9:30	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B07NW8	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	12/10/1992 9:30	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B07NW8	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	12/10/1992 9:30	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B07NW8	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	12/10/1992 9:30	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B07NW8	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	12/10/1992 9:30	Y	7440-09-7	Potassium	8100	ug/L	[NULL]	[NULL]	[NULL]	R	B07NW9	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	12/10/1992 9:30	N	7440-09-7	Potassium	8200	ug/L	[NULL]	[NULL]	[NULL]	R	B07NW8	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	12/10/1992 9:30	N	7440-14-4	Radium	-0.04	pCi/L	U	[NULL]	[NULL]	R	B07NW8	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-47	12/10/1992 9:30	N	13967-48-1	Ruthenium-106	20.7	pCi/L	[NULL]	[NULL]	[NULL]	R	B07NW8	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-47	12/10/1992 9:30	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B07NW8	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-47	12/10/1992 9:30	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B07NW9	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-47	12/10/1992 9:30	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B07NW8	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	12/10/1992 9:30	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B07NW9	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	12/10/1992 9:30	N	7440-23-5	Sodium	150000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NW8	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	12/10/1992 9:30	Y	7440-23-5	Sodium	150000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NW9	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	12/10/1992 9:30	N	CONDUCT	Specific Conductance	1400	uS/cm	[NULL]	[NULL]	[NULL]	R	B07NZ3	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-47	12/10/1992 9:30	N	CONDUCT	Specific Conductance	1392	uS/cm	[NULL]	[NULL]	[NULL]	R	B07PX6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-47	12/10/1992 9:30	N	10098-97-2	Strontium-90	-0.424	pCi/L	U	[NULL]	[NULL]	R	B07NW8	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-47	12/10/1992 9:30	N	14808-79-8	Sulfate	550000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NW8	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	12/10/1992 9:30	N	TEMPERATURE	Temperature	19.6	Deg C	[NULL]	[NULL]	[NULL]	R	B07PX6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-47	12/10/1992 9:30	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B07NW8	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	12/10/1992 9:30	Y	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B07NW9	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-47	12/10/1992 9:30	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B07NW8	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-47	12/10/1992 9:30	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B07NW8	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	12/10/1992 9:30	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B07NW9	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	12/10/1992 9:30	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B07NW8	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	12/10/1992 9:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07NW8	TOC	DATACH	9060_TOC	100-NR-2
199-N-47	12/10/1992 9:30	N	59473-04-0	Total organic halides	30	ug/L	[NULL]	Y	[NULL]	R	B07NW8	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-47	12/10/1992 9:30	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	100	ug/L	U	[NULL]	[NULL]	R	B07PX6	TPHDIESEL	DATACH	8015M_TPH_GC	100-NR-2
199-N-47	12/10/1992 9:30	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NW8	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	12/10/1992 9:30	N	10028-17-8	Tritium	1940	pCi/L	[NULL]	[NULL]	[NULL]	R	B07NW8	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-47	12/10/1992 9:30	N	TURBIDITY	Turbidity	3.2	NTU	[NULL]	[NULL]	[NULL]	R	B07NW8	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-47	12/10/1992 9:30	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B07NW9	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	12/10/1992 9:30	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B07NW8	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	12/10/1992 9:30	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B07NW9	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	12/10/1992 9:30	N	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B07NW8	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	12/10/1992 9:30	N	PH	pH Measurement	7.76	unitless	[NULL]	[NULL]	[NULL]	R	B07PX6	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-47	12/10/1992 9:30	N	PH	pH Measurement	7.8	unitless	[NULL]	[NULL]	[NULL]	R	B07NZ3	PH	DATACH	D1293_PH	100-NR-2
199-N-47	2/22/1993 10:00	N	88-06-2	2,4,6-Trichlorophenol	1.45	ug/L	U	[NULL]	[NULL]	R	B085M0	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	2/22/1993 10:00	N	120-83-2	2,4-Dichlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B085M0	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	2/22/1993 10:00	N	105-67-9	2,4-Dimethylphenol	1.01	ug/L	U	[NULL]	[NULL]	R	B085M0	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	2/22/1993 10:00	N	51-28-5	2,4-Dinitrophenol	0.96	ug/L	U	[NULL]	[NULL]	R	B085M0	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	2/22/1993 10:00	N	87-65-0	2,6-Dichlorophenol	1.59	ug/L	U	[NULL]	[NULL]	R	B085M0	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	2/22/1993 10:00	N	95-57-8	2-Chlorophenol	1.42	ug/L	U	[NULL]	[NULL]	R	B085M0	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-47	2/22/1993 10:00	N	88-75-5	2-Nitrophenol	1.56	ug/L	U	[NULL]	[NULL]	R	B085M0	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	2/22/1993 10:00	N	534-52-1	4,6-Dinitro-2-methylphenol	1.18	ug/L	U	[NULL]	[NULL]	R	B085M0	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	2/22/1993 10:00	N	59-50-7	4-Chloro-3-methylphenol	1.12	ug/L	U	[NULL]	[NULL]	R	B085M0	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	2/22/1993 10:00	N	100-02-7	4-Nitrophenol	0.65	ug/L	U	[NULL]	[NULL]	R	B085M0	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	2/22/1993 10:00	N	14798-03-9	Ammonium ion	100	ug/L	U	[NULL]	[NULL]	R	B085M0	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-47	2/22/1993 10:00	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B085M1	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/22/1993 10:00	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B085M0	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/22/1993 10:00	N	14234-35-6	Antimony-125	-7.34	pCi/L	U	[NULL]	[NULL]	R	B085M0	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-47	2/22/1993 10:00	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B085M1	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-47	2/22/1993 10:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B085M0	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-47	2/22/1993 10:00	Y	7440-39-3	Barium	30	ug/L	[NULL]	[NULL]	[NULL]	R	B085M1	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/22/1993 10:00	N	7440-39-3	Barium	30	ug/L	[NULL]	[NULL]	[NULL]	R	B085M0	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/22/1993 10:00	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B085M1	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/22/1993 10:00	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B085M0	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/22/1993 10:00	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B085M0	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	2/22/1993 10:00	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B085M0	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/22/1993 10:00	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B085M1	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/22/1993 10:00	N	7440-70-2	Calcium	110000	ug/L	[NULL]	[NULL]	[NULL]	R	B085M0	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/22/1993 10:00	Y	7440-70-2	Calcium	140000	ug/L	[NULL]	[NULL]	[NULL]	R	B085M1	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/22/1993 10:00	N	10045-97-3	Cesium-137	6.5	pCi/L	[NULL]	[NULL]	[NULL]	R	B085M0	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-47	2/22/1993 10:00	N	16887-00-6	Chloride	13000	ug/L	[NULL]	[NULL]	[NULL]	R	B085M0	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	2/22/1993 10:00	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B085M1	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/22/1993 10:00	N	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B085M0	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/22/1993 10:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B085M0	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/22/1993 10:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B085M1	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/22/1993 10:00	N	10198-40-0	Cobalt-60	4.37	pCi/L	[NULL]	[NULL]	[NULL]	R	B085M0	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-47	2/22/1993 10:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B085M0	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-47	2/22/1993 10:00	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B085M1	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/22/1993 10:00	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B085M0	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/22/1993 10:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1.35	ug/L	U	[NULL]	[NULL]	R	B085M0	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	2/22/1993 10:00	N	16984-48-8	Fluoride	1200	ug/L	[NULL]	[NULL]	[NULL]	R	B085M0	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	2/22/1993 10:00	N	12587-46-1	Gross alpha	0.523	pCi/L	U	[NULL]	[NULL]	R	B085M0	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-47	2/22/1993 10:00	N	12587-47-2	Gross beta	7.81	pCi/L	[NULL]	[NULL]	[NULL]	R	B085M0	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-47	2/22/1993 10:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B085M0	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-47	2/22/1993 10:00	N	7439-89-6	Iron	140	ug/L	[NULL]	[NULL]	[NULL]	R	B085M0	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/22/1993 10:00	Y	7439-89-6	Iron	20	ug/L	U	[NULL]	[NULL]	R	B085M1	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/22/1993 10:00	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B085M1	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-47	2/22/1993 10:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B085M0	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-47	2/22/1993 10:00	N	7439-95-4	Magnesium	23000	ug/L	[NULL]	[NULL]	[NULL]	R	B085M0	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/22/1993 10:00	Y	7439-95-4	Magnesium	30000	ug/L	[NULL]	[NULL]	[NULL]	R	B085M1	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/22/1993 10:00	N	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B085M0	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/22/1993 10:00	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B085M1	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/22/1993 10:00	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B085M1	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-47	2/22/1993 10:00	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B085M0	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-47	2/22/1993 10:00	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B085M1	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/22/1993 10:00	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B085M0	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/22/1993 10:00	N	14797-55-8	Nitrate	13000	ug/L	[NULL]	[NULL]	[NULL]	R	B085M0	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	2/22/1993 10:00	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B085M0	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	2/22/1993 10:00	N	87-86-5	Pentachlorophenol	0.87	ug/L	U	[NULL]	[NULL]	R	B085M0	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	2/22/1993 10:00	N	108-95-2	Phenol	0.31	ug/L	U	[NULL]	[NULL]	R	B085M0	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	2/22/1993 10:00	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B085M0	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	2/22/1993 10:00	N	7440-09-7	Potassium	7500	ug/L	[NULL]	[NULL]	[NULL]	R	B085M0	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-47	2/22/1993 10:00	Y	7440-09-7	Potassium	9200	ug/L	[NULL]	[NULL]	[NULL]	R	B085M1	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/22/1993 10:00	N	7440-14-4	Radium	0.035	pCi/L	U	[NULL]	[NULL]	R	B085M0	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-47	2/22/1993 10:00	N	13967-48-1	Ruthenium-106	16.7	pCi/L	[NULL]	[NULL]	[NULL]	R	B085M0	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-47	2/22/1993 10:00	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B085M0	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-47	2/22/1993 10:00	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B085M1	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-47	2/22/1993 10:00	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B085M0	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/22/1993 10:00	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B085M1	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/22/1993 10:00	Y	7440-23-5	Sodium	170000	ug/L	[NULL]	[NULL]	[NULL]	R	B085M1	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/22/1993 10:00	N	7440-23-5	Sodium	150000	ug/L	[NULL]	[NULL]	[NULL]	R	B085M0	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/22/1993 10:00	N	CONDUCT	Specific Conductance	1259	uS/cm	[NULL]	[NULL]	[NULL]	R	B085M0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-47	2/22/1993 10:00	N	CONDUCT	Specific Conductance	1300	uS/cm	[NULL]	[NULL]	[NULL]	R	B085W4	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-47	2/22/1993 10:00	N	10098-97-2	Strontium-90	-0.387	pCi/L	U	[NULL]	[NULL]	R	B085M0	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-47	2/22/1993 10:00	N	14808-79-8	Sulfate	480000	ug/L	[NULL]	[NULL]	[NULL]	R	B085M0	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	2/22/1993 10:00	N	TEMPERATURE	Temperature	19.4	Deg C	[NULL]	[NULL]	[NULL]	R	B085M0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-47	2/22/1993 10:00	N	25167-83-3	Tetrachlorophenol	1.05	ug/L	U	[NULL]	[NULL]	R	B085M0	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	2/22/1993 10:00	Y	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B085M1	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-47	2/22/1993 10:00	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B085M0	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-47	2/22/1993 10:00	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B085M0	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/22/1993 10:00	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B085M1	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/22/1993 10:00	N	1319-77-3	Total cresols	4.66	ug/L	U	[NULL]	[NULL]	R	B085M0	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	2/22/1993 10:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B085M0	TOC	DATACH	9060_TOC	100-NR-2
199-N-47	2/22/1993 10:00	N	59473-04-0	Total organic halides	20	ug/L	[NULL]	Y	[NULL]	R	B085M0	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-47	2/22/1993 10:00	N	25167-82-2	Trichlorophenol	1.11	ug/L	U	[NULL]	[NULL]	R	B085M0	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	2/22/1993 10:00	N	10028-17-8	Tritium	1800	pCi/L	[NULL]	[NULL]	[NULL]	R	B085M0	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-47	2/22/1993 10:00	N	TURBIDITY	Turbidity	0.4	NTU	[NULL]	[NULL]	[NULL]	R	B085M0	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-47	2/22/1993 10:00	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B085M0	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/22/1993 10:00	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B085M1	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/22/1993 10:00	N	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B085M0	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/22/1993 10:00	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B085M1	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	2/22/1993 10:00	N	PH	pH Measurement	8.04	unitless	[NULL]	[NULL]	[NULL]	R	B085M0	PH	FIELD	9040_PH	100-NR-2
199-N-47	2/22/1993 10:00	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	B085W4	PH	DATACH	D1293_PH	100-NR-2
199-N-47	5/7/1993 10:30	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08J71	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	5/7/1993 10:30	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08J71	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	5/7/1993 10:30	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B08J71	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	5/7/1993 10:30	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B08J71	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	5/7/1993 10:30	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08J71	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	5/7/1993 10:30	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08J71	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	5/7/1993 10:30	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B08J71	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	5/7/1993 10:30	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B08J71	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	5/7/1993 10:30	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B08J71	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	5/7/1993 10:30	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B08J71	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	5/7/1993 10:30	Y	7429-90-5	Aluminum	59	ug/L	L	[NULL]	[NULL]	R	B08J73	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	N	7429-90-5	Aluminum	170	ug/L	L	[NULL]	[NULL]	R	B08J71	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	N	14798-03-9	Ammonium ion	100	ug/L	[NULL]	[NULL]	[NULL]	R	B08J71	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-47	5/7/1993 10:30	Y	7440-36-0	Antimony	200	ug/L	U	Q	[NULL]	R	B08J73	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	N	7440-36-0	Antimony	200	ug/L	U	Q	[NULL]	R	B08J71	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	N	14234-35-6	Antimony-125	2.76	pCi/L	U	[NULL]	[NULL]	R	B08J71	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-47	5/7/1993 10:30	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B08J73	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-47	5/7/1993 10:30	N	7440-38-2	Arsenic	1	ug/L	U	[NULL]	[NULL]	R	B08J71	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-47	5/7/1993 10:30	N	7440-39-3	Barium	70	ug/L	[NULL]	[NULL]	[NULL]	R	B08J71	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	Y	7440-39-3	Barium	20	ug/L	[NULL]	[NULL]	[NULL]	R	B08J73	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	Y	7440-41-7	Beryllium	3	ug/L	U	Q	[NULL]	R	B08J73	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	N	7440-41-7	Beryllium	3	ug/L	U	Q	[NULL]	R	B08J71	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	N	24959-67-9	Bromide	52.8	ug/L	U	[NULL]	[NULL]	R	B08J71	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-47	5/7/1993 10:30	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B08J71	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B08J73	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	Y	7440-70-2	Calcium	90000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J73	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	N	7440-70-2	Calcium	92000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J71	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	N	10045-97-3	Cesium-137	1.19	pCi/L	U	[NULL]	[NULL]	R	B08J71	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-47	5/7/1993 10:30	N	16887-00-6	Chloride	9800	ug/L	[NULL]	[NULL]	[NULL]	R	B08J71	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	5/7/1993 10:30	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B08J73	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	N	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B08J71	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B08J71	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B08J73	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	N	10198-40-0	Cobalt-60	2.31	pCi/L	U	[NULL]	[NULL]	R	B08J71	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-47	5/7/1993 10:30	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B08J71	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-47	5/7/1993 10:30	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B08J73	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	N	7440-50-8	Copper	3.7	ug/L	L	[NULL]	[NULL]	R	B08J71	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B08J71	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	5/7/1993 10:30	N	16984-48-8	Fluoride	1000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J71	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	5/7/1993 10:30	N	12587-46-1	Gross alpha	-0.204	pCi/L	U	Y	[NULL]	R	B08J71	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-47	5/7/1993 10:30	N	12587-47-2	Gross beta	6.21	pCi/L	[NULL]	[NULL]	[NULL]	R	B08J71	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-47	5/7/1993 10:30	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B08J71	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-47	5/7/1993 10:30	Y	7439-89-6	Iron	80	ug/L	[NULL]	[NULL]	[NULL]	R	B08J73	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	N	7439-89-6	Iron	380	ug/L	[NULL]	[NULL]	[NULL]	R	B08J71	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	N	7439-92-1	Lead	1	ug/L	L	[NULL]	[NULL]	R	B08J71	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-47	5/7/1993 10:30	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B08J73	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-47	5/7/1993 10:30	Y	7439-95-4	Magnesium	17000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J73	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	N	7439-95-4	Magnesium	17000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J71	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	N	7439-96-5	Manganese	10	ug/L	[NULL]	[NULL]	[NULL]	R	B08J71	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	Y	7439-96-5	Manganese	8.9	ug/L	L	[NULL]	[NULL]	R	B08J73	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B08J73	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-47	5/7/1993 10:30	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B08J71	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-47	5/7/1993 10:30	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B08J71	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B08J73	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	N	14797-55-8	Nitrate	11000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J71	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	5/7/1993 10:30	N	14797-65-0	Nitrite	38.3	ug/L	U	[NULL]	[NULL]	R	B08J71	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	5/7/1993 10:30	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B08J71	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	5/7/1993 10:30	N	108-95-2	Phenol	0.8	ug/L	L	[NULL]	[NULL]	R	B08J71	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	5/7/1993 10:30	N	14265-44-2	Phosphate	147	ug/L	U	[NULL]	[NULL]	R	B08J71	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	5/7/1993 10:30	N	7440-09-7	Potassium	7000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J71	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	Y	7440-09-7	Potassium	7000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J73	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	N	7440-14-4	Radium	0.021	pCi/L	U	[NULL]	[NULL]	R	B08J71	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-47	5/7/1993 10:30	N	13967-48-1	Ruthenium-106	3.05	pCi/L	U	[NULL]	[NULL]	R	B08J71	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-47	5/7/1993 10:30	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B08J73	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-47	5/7/1993 10:30	N	7782-49-2	Selenium	1	ug/L	L	[NULL]	[NULL]	R	B08J71	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-47	5/7/1993 10:30	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B08J73	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B08J71	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	N	7440-23-5	Sodium	120000	ug/L	[NULL]	Q	[NULL]	R	B08J71	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	Y	7440-23-5	Sodium	120000	ug/L	[NULL]	Q	[NULL]	R	B08J73	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	N	CONDUCT	Specific Conductance	1100	uS/cm	[NULL]	[NULL]	[NULL]	R	B08J09	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-47	5/7/1993 10:30	N	CONDUCT	Specific Conductance	1096	uS/cm	[NULL]	[NULL]	[NULL]	R	B08J71	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-47	5/7/1993 10:30	N	10098-97-2	Strontium-90	-0.186	pCi/L	U	[NULL]	[NULL]	R	B08J71	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-47	5/7/1993 10:30	N	14808-79-8	Sulfate	400000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J71	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-47	5/7/1993 10:30	N	TEMPERATURE	Temperature	20.4	Deg C	[NULL]	[NULL]	[NULL]	R	B08J71	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-47	5/7/1993 10:30	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B08J71	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	5/7/1993 10:30	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B08J71	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-47	5/7/1993 10:30	Y	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B08J73	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-47	5/7/1993 10:30	N	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B08J71	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	Y	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B08J73	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B08J71	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	5/7/1993 10:30	N	TOC	Total organic carbon	500	ug/L	L	[NULL]	[NULL]	R	B08J71	TOC	DATACH	9060_TOC	100-NR-2
199-N-47	5/7/1993 10:30	N	59473-04-0	Total organic halides	20	ug/L	[NULL]	Y	[NULL]	R	B08J71	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-47	5/7/1993 10:30	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08J71	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-47	5/7/1993 10:30	N	10028-17-8	Tritium	1370	pCi/L	[NULL]	[NULL]	[NULL]	R	B08J71	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-47	5/7/1993 10:30	N	TURBIDITY	Turbidity	5.3	NTU	[NULL]	[NULL]	[NULL]	R	B08J71	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-47	5/7/1993 10:30	Y	7440-62-2	Vanadium	6.6	ug/L	L	[NULL]	[NULL]	R	B08J73	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	N	7440-62-2	Vanadium	12	ug/L	L	[NULL]	[NULL]	R	B08J71	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	Y	7440-66-6	Zinc	30	ug/L	[NULL]	[NULL]	[NULL]	R	B08J73	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	N	7440-66-6	Zinc	20	ug/L	[NULL]	[NULL]	[NULL]	R	B08J71	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-47	5/7/1993 10:30	N	PH	pH Measurement	7.8	unitless	[NULL]	[NULL]	[NULL]	R	B08J09	PH	DATACH	D1293_PH	100-NR-2
199-N-47	5/7/1993 10:30	N	PH	pH Measurement	7.81	unitless	[NULL]	[NULL]	[NULL]	R	B08J71	PH	FIELD	9040_PH	100-NR-2
199-N-47	9/13/1995 8:10	N	10045-97-3	Cesium-137	-0.627	pCi/L	U	[NULL]	[NULL]	R	B0HCX4	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	9/13/1995 8:10	N	13981-38-9	Cobalt-58	27.7	pCi/L	U	[NULL]	[NULL]	R	B0HCX4	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-47	9/13/1995 8:10	N	10198-40-0	Cobalt-60	-11	pCi/L	U	[NULL]	[NULL]	R	B0HCX4	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-47	9/13/1995 8:10	N	14683-23-9	Europium-152	-3.56	pCi/L	U	[NULL]	[NULL]	R	B0HCX4	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-47	9/13/1995 8:10	N	15585-10-1	Europium-154	10.8	pCi/L	U	[NULL]	[NULL]	R	B0HCX4	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-47	9/13/1995 8:10	N	14391-16-3	Europium-155	-12.9	pCi/L	U	[NULL]	[NULL]	R	B0HCX4	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	9/13/1995 8:10	N	14596-12-4	Iron-59	989	pCi/L	U	[NULL]	[NULL]	R	B0HCX4	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-47	10/11/1995 13:15	N	10045-97-3	Cesium-137	-14.2	pCi/L	U	[NULL]	[NULL]	R	B0HCX1	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	10/11/1995 13:15	N	13981-38-9	Cobalt-58	40.4	pCi/L	U	[NULL]	[NULL]	R	B0HCX1	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-47	10/11/1995 13:15	N	10198-40-0	Cobalt-60	0.576	pCi/L	U	[NULL]	[NULL]	R	B0HCX1	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-47	10/11/1995 13:15	N	14683-23-9	Europium-152	-4.83	pCi/L	U	[NULL]	[NULL]	R	B0HCX1	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-47	10/11/1995 13:15	N	15585-10-1	Europium-154	0	pCi/L	U	[NULL]	[NULL]	R	B0HCX1	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-47	10/11/1995 13:15	N	14391-16-3	Europium-155	9.55	pCi/L	U	[NULL]	[NULL]	R	B0HCX1	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	10/11/1995 13:15	N	14596-12-4	Iron-59	293	pCi/L	U	[NULL]	[NULL]	R	B0HCX1	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-47	11/8/1995 9:30	N	10045-97-3	Cesium-137	2.86	pCi/L	U	[NULL]	[NULL]	R	B0HCX2	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	11/8/1995 9:30	N	13981-38-9	Cobalt-58	3.73	pCi/L	U	[NULL]	[NULL]	R	B0HCX2	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-47	11/8/1995 9:30	N	10198-40-0	Cobalt-60	3.52	pCi/L	U	[NULL]	[NULL]	R	B0HCX2	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-47	11/8/1995 9:30	N	14683-23-9	Europium-152	13.1	pCi/L	U	[NULL]	[NULL]	R	B0HCX2	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-47	11/8/1995 9:30	N	15585-10-1	Europium-154	7.72	pCi/L	U	[NULL]	[NULL]	R	B0HCX2	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-47	11/8/1995 9:30	N	14391-16-3	Europium-155	16.3	pCi/L	U	[NULL]	[NULL]	R	B0HCX2	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	11/8/1995 9:30	N	14596-12-4	Iron-59	131	pCi/L	U	[NULL]	[NULL]	R	B0HCX2	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-47	12/13/1995 11:00	N	10045-97-3	Cesium-137	-2.37	pCi/L	U	[NULL]	[NULL]	R	B0HCX3	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	12/13/1995 11:00	N	13981-38-9	Cobalt-58	-4.64	pCi/L	U	[NULL]	[NULL]	R	B0HCX3	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-47	12/13/1995 11:00	N	10198-40-0	Cobalt-60	1.17	pCi/L	U	[NULL]	[NULL]	R	B0HCX3	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-47	12/13/1995 11:00	N	14683-23-9	Europium-152	-15.2	pCi/L	U	[NULL]	[NULL]	R	B0HCX3	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-47	12/13/1995 11:00	N	15585-10-1	Europium-154	-6.18	pCi/L	U	[NULL]	[NULL]	R	B0HCX3	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-47	12/13/1995 11:00	N	14391-16-3	Europium-155	2.2	pCi/L	U	[NULL]	[NULL]	R	B0HCX3	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	12/13/1995 11:00	N	14596-12-4	Iron-59	305	pCi/L	U	[NULL]	[NULL]	R	B0HCX3	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-47	5/23/1996 11:30	N	CONDUCT	Specific Conductance	963	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HTM2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-47	5/23/1996 11:30	N	10098-97-2	Strontium-90	-0.011	pCi/L	U	[NULL]	[NULL]	R	B0HTM2	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-47	5/23/1996 11:30	N	TEMPERATURE	Temperature	19.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0HTM2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-47	5/23/1996 11:30	N	TURBIDITY	Turbidity	1.47	NTU	[NULL]	[NULL]	[NULL]	R	B0HTM2	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-47	5/23/1996 11:30	N	PH	pH Measurement	8.25	unitless	[NULL]	[NULL]	[NULL]	R	B0HTM2	PH	FIELD	9040_PH	100-NR-2
199-N-47	7/23/1996 9:10	N	10045-97-3	Cesium-137	-3.97	pCi/L	U	[NULL]	[NULL]	R	B0HYF5	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	7/23/1996 9:10	N	13981-38-9	Cobalt-58	-1.3	pCi/L	U	[NULL]	[NULL]	R	B0HYF5	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-47	7/23/1996 9:10	N	10198-40-0	Cobalt-60	1.5	pCi/L	U	[NULL]	[NULL]	R	B0HYF5	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-47	7/23/1996 9:10	N	DO	Dissolved oxygen	43400	ug/L	[NULL]	[NULL]	[NULL]	R	B0HYF5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-47	7/23/1996 9:10	N	14683-23-9	Europium-152	-3.86	pCi/L	U	[NULL]	[NULL]	R	B0HYF5	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-47	7/23/1996 9:10	N	15585-10-1	Europium-154	5.96	pCi/L	U	[NULL]	[NULL]	R	B0HYF5	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-47	7/23/1996 9:10	N	14391-16-3	Europium-155	7.77	pCi/L	U	[NULL]	[NULL]	R	B0HYF5	14391-16-3	QTESRL	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-47	7/23/1996 9:10	N	14596-12-4	Iron-59	1.16	pCi/L	U	[NULL]	[NULL]	R	B0HYF5	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-47	7/23/1996 9:10	N	CONDUCT	Specific Conductance	953	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HYF5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-47	7/23/1996 9:10	N	TEMPERATURE	Temperature	20.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0HYF5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-47	7/23/1996 9:10	N	TURBIDITY	Turbidity	1.06	NTU	[NULL]	[NULL]	[NULL]	R	B0HYF5	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-47	7/23/1996 9:10	N	PH	pH Measurement	8.04	unitless	[NULL]	[NULL]	[NULL]	R	B0HYF5	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-47	8/6/1996 11:28	N	10045-97-3	Cesium-137	1.12	pCi/L	U	[NULL]	[NULL]	R	B0HYF6	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	8/6/1996 11:28	N	13981-38-9	Cobalt-58	2.31	pCi/L	U	[NULL]	[NULL]	R	B0HYF6	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-47	8/6/1996 11:28	N	10198-40-0	Cobalt-60	1.11	pCi/L	U	[NULL]	[NULL]	R	B0HYF6	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-47	8/6/1996 11:28	N	DO	Dissolved oxygen	64200	ug/L	[NULL]	[NULL]	[NULL]	R	B0HYF6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-47	8/6/1996 11:28	N	14683-23-9	Europium-152	0	pCi/L	U	[NULL]	[NULL]	R	B0HYF6	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-47	8/6/1996 11:28	N	15585-10-1	Europium-154	6.24	pCi/L	U	[NULL]	[NULL]	R	B0HYF6	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-47	8/6/1996 11:28	N	14391-16-3	Europium-155	-16.6	pCi/L	U	[NULL]	[NULL]	R	B0HYF6	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	8/6/1996 11:28	N	14596-12-4	Iron-59	2.76	pCi/L	U	[NULL]	[NULL]	R	B0HYF6	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-47	8/6/1996 11:28	N	CONDUCT	Specific Conductance	1027	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HYF6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-47	8/6/1996 11:28	N	TEMPERATURE	Temperature	19.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0HYF6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-47	8/6/1996 11:28	N	TURBIDITY	Turbidity	4.12	NTU	[NULL]	[NULL]	[NULL]	R	B0HYF6	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-47	8/6/1996 11:28	N	PH	pH Measurement	7.96	unitless	[NULL]	[NULL]	[NULL]	R	B0HYF6	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-47	9/9/1996 9:55	N	10045-97-3	Cesium-137	3.18	pCi/L	U	[NULL]	[NULL]	R	B0HYF7	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	9/9/1996 9:55	N	13981-38-9	Cobalt-58	-5.27	pCi/L	U	[NULL]	[NULL]	R	B0HYF7	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-47	9/9/1996 9:55	N	10198-40-0	Cobalt-60	3.1	pCi/L	U	[NULL]	[NULL]	R	B0HYF7	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-47	9/9/1996 9:55	N	DO	Dissolved oxygen	4300	ug/L	[NULL]	[NULL]	[NULL]	R	B0HYF7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-47	9/9/1996 9:55	N	14683-23-9	Europium-152	-6.25	pCi/L	U	[NULL]	[NULL]	R	B0HYF7	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-47	9/9/1996 9:55	N	15585-10-1	Europium-154	21.2	pCi/L	U	[NULL]	[NULL]	R	B0HYF7	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-47	9/9/1996 9:55	N	14391-16-3	Europium-155	0	pCi/L	U	[NULL]	[NULL]	R	B0HYF7	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	9/9/1996 9:55	N	14596-12-4	Iron-59	-7.9	pCi/L	U	[NULL]	[NULL]	R	B0HYF7	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-47	9/9/1996 9:55	N	CONDUCT	Specific Conductance	1024	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HYF7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-47	9/9/1996 9:55	N	TEMPERATURE	Temperature	19.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0HYF7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-47	9/9/1996 9:55	N	TURBIDITY	Turbidity	0.67	NTU	[NULL]	[NULL]	[NULL]	R	B0HYF7	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-47	9/9/1996 9:55	N	PH	pH Measurement	7.67	unitless	[NULL]	[NULL]	[NULL]	R	B0HYF7	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-47	10/3/1996 13:32	N	10045-97-3	Cesium-137	1.58	pCi/L	U	[NULL]	[NULL]	R	B0J2Q1	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	10/3/1996 13:32	N	13981-38-9	Cobalt-58	4.16	pCi/L	U	[NULL]	[NULL]	R	B0J2Q1	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-47	10/3/1996 13:32	N	10198-40-0	Cobalt-60	0.791	pCi/L	U	[NULL]	[NULL]	R	B0J2Q1	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-47	10/3/1996 13:32	N	DO	Dissolved oxygen	2000	ug/L	[NULL]	[NULL]	[NULL]	R	B0J2Q1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-47	10/3/1996 13:32	N	14683-23-9	Europium-152	-8.88	pCi/L	U	[NULL]	[NULL]	R	B0J2Q1	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-47	10/3/1996 13:32	N	15585-10-1	Europium-154	3.74	pCi/L	U	[NULL]	[NULL]	R	B0J2Q1	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-47	10/3/1996 13:32	N	14391-16-3	Europium-155	3.55	pCi/L	U	[NULL]	[NULL]	R	B0J2Q1	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	10/3/1996 13:32	N	14596-12-4	Iron-59	0.605	pCi/L	U	[NULL]	[NULL]	R	B0J2Q1	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-47	10/3/1996 13:32	N	CONDUCT	Specific Conductance	986	uS/cm	[NULL]	[NULL]	[NULL]	R	B0J2Q1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-47	10/3/1996 13:32	N	TEMPERATURE	Temperature	19.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0J2Q1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-47	10/3/1996 13:32	N	TURBIDITY	Turbidity	0.78	NTU	[NULL]	[NULL]	[NULL]	R	B0J2Q1	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-47	10/3/1996 13:32	N	PH	pH Measurement	7.69	unitless	[NULL]	[NULL]	[NULL]	R	B0J2Q1	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-47	11/11/1996 9:22	N	10045-97-3	Cesium-137	-1.1	pCi/L	U	[NULL]	[NULL]	R	B0J2Q2	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	11/11/1996 9:22	N	13981-38-9	Cobalt-58	-1.1	pCi/L	U	[NULL]	[NULL]	R	B0J2Q2	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-47	11/11/1996 9:22	N	10198-40-0	Cobalt-60	-4.17	pCi/L	U	[NULL]	[NULL]	R	B0J2Q2	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-47	11/11/1996 9:22	N	DO	Dissolved oxygen	2420	ug/L	[NULL]	[NULL]	[NULL]	R	B0J2Q2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-47	11/11/1996 9:22	N	14683-23-9	Europium-152	1.04	pCi/L	U	[NULL]	[NULL]	R	B0J2Q2	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-47	11/11/1996 9:22	N	15585-10-1	Europium-154	-13.7	pCi/L	U	[NULL]	[NULL]	R	B0J2Q2	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-47	11/11/1996 9:22	N	14391-16-3	Europium-155	-1.01	pCi/L	U	[NULL]	[NULL]	R	B0J2Q2	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	11/11/1996 9:22	N	14596-12-4	Iron-59	-2.98	pCi/L	U	[NULL]	[NULL]	R	B0J2Q2	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-47	11/11/1996 9:22	N	CONDUCT	Specific Conductance	1034	uS/cm	[NULL]	[NULL]	[NULL]	R	B0J2Q2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-47	11/11/1996 9:22	N	TEMPERATURE	Temperature	16.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0J2Q2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-47	11/11/1996 9:22	N	TURBIDITY	Turbidity	1.53	NTU	[NULL]	[NULL]	[NULL]	R	B0J2Q2	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-47	11/11/1996 9:22	N	PH	pH Measurement	7.38	unitless	[NULL]	[NULL]	[NULL]	R	B0J2Q2	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-47	12/4/1996 11:20	N	10045-97-3	Cesium-137	0.98	pCi/L	U	[NULL]	[NULL]	R	B0J2Q4	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	12/4/1996 11:20	N	13981-38-9	Cobalt-58	1.59	pCi/L	U	[NULL]	[NULL]	R	B0J2Q4	13981-38-9	QTESRL	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-47	12/4/1996 11:20	N	10198-40-0	Cobalt-60	-1.48	pCi/L	U	[NULL]	[NULL]	R	B0J2Q4	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-47	12/4/1996 11:20	N	DO	Dissolved oxygen	2840	ug/L	[NULL]	[NULL]	[NULL]	R	B0J2Q4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-47	12/4/1996 11:20	N	14683-23-9	Europium-152	-3.12	pCi/L	U	[NULL]	[NULL]	R	B0J2Q4	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-47	12/4/1996 11:20	N	15585-10-1	Europium-154	-4.55	pCi/L	U	[NULL]	[NULL]	R	B0J2Q4	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-47	12/4/1996 11:20	N	14391-16-3	Europium-155	-3.85	pCi/L	U	[NULL]	[NULL]	R	B0J2Q4	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	12/4/1996 11:20	N	14596-12-4	Iron-59	5.22	pCi/L	U	[NULL]	[NULL]	R	B0J2Q4	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-47	12/4/1996 11:20	N	CONDUCT	Specific Conductance	1028	uS/cm	[NULL]	[NULL]	[NULL]	R	B0J2Q4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-47	12/4/1996 11:20	N	TEMPERATURE	Temperature	18.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0J2Q4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-47	12/4/1996 11:20	N	TURBIDITY	Turbidity	2.85	NTU	[NULL]	[NULL]	[NULL]	R	B0J2Q4	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-47	12/4/1996 11:20	N	PH	pH Measurement	8.04	unitless	[NULL]	[NULL]	[NULL]	R	B0J2Q4	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-47	2/12/1997 12:10	N	10045-97-3	Cesium-137	4.6	pCi/L	U	[NULL]	[NULL]	R	B0J2Q6	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	2/12/1997 12:10	N	13981-38-9	Cobalt-58	-1.46	pCi/L	U	[NULL]	[NULL]	R	B0J2Q6	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-47	2/12/1997 12:10	N	10198-40-0	Cobalt-60	-0.876	pCi/L	U	[NULL]	[NULL]	R	B0J2Q6	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-47	2/12/1997 12:10	N	14683-23-9	Europium-152	10.6	pCi/L	U	[NULL]	[NULL]	R	B0J2Q6	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-47	2/12/1997 12:10	N	15585-10-1	Europium-154	6.31	pCi/L	U	[NULL]	[NULL]	R	B0J2Q6	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-47	2/12/1997 12:10	N	14391-16-3	Europium-155	2.01	pCi/L	U	[NULL]	[NULL]	R	B0J2Q6	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	2/12/1997 12:10	N	14596-12-4	Iron-59	-4.61	pCi/L	U	[NULL]	[NULL]	R	B0J2Q6	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-47	3/18/1997 12:25	N	10045-97-3	Cesium-137	-0.303	pCi/L	U	[NULL]	[NULL]	R	B0J2Q8	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	3/18/1997 12:25	N	13981-38-9	Cobalt-58	-0.517	pCi/L	U	[NULL]	[NULL]	R	B0J2Q8	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-47	3/18/1997 12:25	N	10198-40-0	Cobalt-60	0	pCi/L	U	[NULL]	[NULL]	R	B0J2Q8	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-47	3/18/1997 12:25	N	14683-23-9	Europium-152	-3.32	pCi/L	U	[NULL]	[NULL]	R	B0J2Q8	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-47	3/18/1997 12:25	N	15585-10-1	Europium-154	7.17	pCi/L	U	[NULL]	[NULL]	R	B0J2Q8	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-47	3/18/1997 12:25	N	14391-16-3	Europium-155	8.15	pCi/L	U	[NULL]	[NULL]	R	B0J2Q8	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	3/18/1997 12:25	N	14596-12-4	Iron-59	-8.58	pCi/L	U	[NULL]	[NULL]	R	B0J2Q8	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-47	4/2/1997 10:05	N	10045-97-3	Cesium-137	-2.36	pCi/L	U	[NULL]	[NULL]	R	B0J2R0	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	4/2/1997 10:05	N	13981-38-9	Cobalt-58	-2.4	pCi/L	U	[NULL]	[NULL]	R	B0J2R0	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-47	4/2/1997 10:05	N	10198-40-0	Cobalt-60	5.83	pCi/L	U	[NULL]	[NULL]	R	B0J2R0	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-47	4/2/1997 10:05	N	14683-23-9	Europium-152	-10.1	pCi/L	U	[NULL]	[NULL]	R	B0J2R0	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-47	4/2/1997 10:05	N	15585-10-1	Europium-154	-1.57	pCi/L	U	[NULL]	[NULL]	R	B0J2R0	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-47	4/2/1997 10:05	N	14391-16-3	Europium-155	7.28	pCi/L	U	[NULL]	[NULL]	R	B0J2R0	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	4/2/1997 10:05	N	14596-12-4	Iron-59	-7.14	pCi/L	U	[NULL]	[NULL]	R	B0J2R0	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-47	4/7/1997 11:18	N	CONDUCT	Specific Conductance	980	uS/cm	[NULL]	[NULL]	[NULL]	R	B0K4L2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-47	4/7/1997 11:18	N	10098-97-2	Strontium-90	0.703	pCi/L	J	[NULL]	[NULL]	R	B0K4L2	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-47	4/7/1997 11:18	N	TEMPERATURE	Temperature	19.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0K4L2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-47	4/7/1997 11:18	N	TURBIDITY	Turbidity	0.72	NTU	[NULL]	[NULL]	[NULL]	R	B0K4L2	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-47	4/7/1997 11:18	N	PH	pH Measurement	7.86	unitless	[NULL]	[NULL]	[NULL]	R	B0K4L2	PH	FIELD	9040_PH	100-NR-2
199-N-47	5/8/1997 12:30	N	10045-97-3	Cesium-137	-1.62	pCi/L	U	[NULL]	[NULL]	IP	B0KB48	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	5/8/1997 12:30	N	10198-40-0	Cobalt-60	0	pCi/L	U	[NULL]	[NULL]	IP	B0KB48	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-47	5/8/1997 12:30	N	14683-23-9	Europium-152	-3.91	pCi/L	U	[NULL]	[NULL]	IP	B0KB48	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-47	5/8/1997 12:30	N	15585-10-1	Europium-154	6.08	pCi/L	U	[NULL]	[NULL]	IP	B0KB48	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-47	5/8/1997 12:30	N	14391-16-3	Europium-155	-0.266	pCi/L	U	[NULL]	[NULL]	IP	B0KB48	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	6/5/1997 10:25	N	10045-97-3	Cesium-137	7.38	pCi/L	U	[NULL]	[NULL]	IP	B0KB51	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	6/5/1997 10:25	N	10198-40-0	Cobalt-60	-1.45	pCi/L	U	[NULL]	[NULL]	IP	B0KB51	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-47	6/5/1997 10:25	N	14683-23-9	Europium-152	-4.1	pCi/L	U	[NULL]	[NULL]	IP	B0KB51	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-47	6/5/1997 10:25	N	15585-10-1	Europium-154	6.26	pCi/L	U	[NULL]	[NULL]	IP	B0KB51	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-47	6/5/1997 10:25	N	14391-16-3	Europium-155	-1.63	pCi/L	U	[NULL]	[NULL]	IP	B0KB51	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	7/11/1997 11:05	N	10045-97-3	Cesium-137	3.22	pCi/L	U	[NULL]	[NULL]	IP	B0KB54	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	7/11/1997 11:05	N	10198-40-0	Cobalt-60	-3.26	pCi/L	U	[NULL]	[NULL]	IP	B0KB54	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-47	7/11/1997 11:05	N	14683-23-9	Europium-152	7.51	pCi/L	U	[NULL]	[NULL]	IP	B0KB54	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-47	7/11/1997 11:05	N	15585-10-1	Europium-154	-4.01	pCi/L	U	[NULL]	[NULL]	IP	B0KB54	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-47	7/11/1997 11:05	N	14391-16-3	Europium-155	-2.09	pCi/L	U	[NULL]	[NULL]	IP	B0KB54	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	8/4/1997 10:25	N	10045-97-3	Cesium-137	5.33	pCi/L	U	[NULL]	[NULL]	IP	B0KB60	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	8/4/1997 10:25	N	10198-40-0	Cobalt-60	0.906	pCi/L	U	[NULL]	[NULL]	IP	B0KB60	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-47	8/4/1997 10:25	N	14683-23-9	Europium-152	1.87	pCi/L	U	[NULL]	[NULL]	IP	B0KB60	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-47	8/4/1997 10:25	N	15585-10-1	Europium-154	0	pCi/L	U	[NULL]	[NULL]	IP	B0KB60	15585-10-1	QTESRL	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-47	8/4/1997 10:25	N	14391-16-3	Europium-155	-5.05	pCi/L	U	[NULL]	[NULL]	IP	B0KB60	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	9/17/1997 10:10	N	10045-97-3	Cesium-137	-3.24	pCi/L	U	[NULL]	[NULL]	IP	B0KB62	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	9/17/1997 10:10	N	10198-40-0	Cobalt-60	4.17	pCi/L	U	[NULL]	[NULL]	IP	B0KB62	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-47	9/17/1997 10:10	N	14683-23-9	Europium-152	-11.6	pCi/L	U	[NULL]	[NULL]	IP	B0KB62	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-47	9/17/1997 10:10	N	15585-10-1	Europium-154	-13.5	pCi/L	U	[NULL]	[NULL]	IP	B0KB62	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-47	9/17/1997 10:10	N	14391-16-3	Europium-155	4.72	pCi/L	U	[NULL]	[NULL]	IP	B0KB62	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	10/13/1997 10:25	N	10045-97-3	Cesium-137	1.28	pCi/L	U	[NULL]	[NULL]	R	B0M628	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	10/13/1997 10:25	N	10198-40-0	Cobalt-60	2.69	pCi/L	U	[NULL]	[NULL]	R	B0M628	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-47	10/13/1997 10:25	N	14683-23-9	Europium-152	0.231	pCi/L	U	[NULL]	[NULL]	R	B0M628	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-47	10/13/1997 10:25	N	15585-10-1	Europium-154	8.85	pCi/L	U	[NULL]	[NULL]	R	B0M628	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-47	10/13/1997 10:25	N	14391-16-3	Europium-155	-5.81	pCi/L	U	[NULL]	[NULL]	R	B0M628	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	11/6/1997 12:23	N	10045-97-3	Cesium-137	-1.85	pCi/L	U	[NULL]	[NULL]	R	B0MD25	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	11/6/1997 12:23	N	10198-40-0	Cobalt-60	1.5	pCi/L	U	[NULL]	[NULL]	R	B0MD25	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-47	11/6/1997 12:23	N	14683-23-9	Europium-152	-1.05	pCi/L	U	[NULL]	[NULL]	R	B0MD25	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-47	11/6/1997 12:23	N	15585-10-1	Europium-154	-1.62	pCi/L	U	[NULL]	[NULL]	R	B0MD25	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-47	11/6/1997 12:23	N	14391-16-3	Europium-155	6.46	pCi/L	U	[NULL]	[NULL]	R	B0MD25	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	12/4/1997 9:47	N	10045-97-3	Cesium-137	0.812	pCi/L	U	[NULL]	[NULL]	R	B0MK50	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	12/4/1997 9:47	N	10198-40-0	Cobalt-60	-1.6	pCi/L	U	[NULL]	[NULL]	R	B0MK50	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-47	12/4/1997 9:47	N	14683-23-9	Europium-152	3.13	pCi/L	U	[NULL]	[NULL]	R	B0MK50	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-47	12/4/1997 9:47	N	15585-10-1	Europium-154	5.16	pCi/L	U	[NULL]	[NULL]	R	B0MK50	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-47	12/4/1997 9:47	N	14391-16-3	Europium-155	-1.53	pCi/L	U	[NULL]	[NULL]	R	B0MK50	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	1/20/1998 12:10	N	10045-97-3	Cesium-137	-2.01	pCi/L	U	[NULL]	[NULL]	R	B0MX82	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	1/20/1998 12:10	N	10198-40-0	Cobalt-60	0.609	pCi/L	U	[NULL]	[NULL]	R	B0MX82	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-47	1/20/1998 12:10	N	14683-23-9	Europium-152	-4.97	pCi/L	U	[NULL]	[NULL]	R	B0MX82	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-47	1/20/1998 12:10	N	15585-10-1	Europium-154	11.5	pCi/L	U	[NULL]	[NULL]	R	B0MX82	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-47	1/20/1998 12:10	N	14391-16-3	Europium-155	4.67	pCi/L	U	[NULL]	[NULL]	R	B0MX82	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	2/10/1998 12:02	N	10045-97-3	Cesium-137	1.25	pCi/L	U	[NULL]	[NULL]	R	B0N2V3	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	2/10/1998 12:02	N	10198-40-0	Cobalt-60	-1.6	pCi/L	U	[NULL]	[NULL]	R	B0N2V3	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-47	2/10/1998 12:02	N	14683-23-9	Europium-152	6.94	pCi/L	U	[NULL]	[NULL]	R	B0N2V3	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-47	2/10/1998 12:02	N	15585-10-1	Europium-154	3.25	pCi/L	U	[NULL]	[NULL]	R	B0N2V3	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-47	2/10/1998 12:02	N	14391-16-3	Europium-155	-2.51	pCi/L	U	[NULL]	[NULL]	R	B0N2V3	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	3/16/1998 10:15	N	10045-97-3	Cesium-137	-2.38	pCi/L	U	[NULL]	[NULL]	R	B0N8M7	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	3/16/1998 10:15	N	10198-40-0	Cobalt-60	2.28	pCi/L	U	[NULL]	[NULL]	R	B0N8M7	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-47	3/16/1998 10:15	N	14683-23-9	Europium-152	-4.08	pCi/L	U	[NULL]	[NULL]	R	B0N8M7	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-47	3/16/1998 10:15	N	15585-10-1	Europium-154	14.4	pCi/L	U	[NULL]	[NULL]	R	B0N8M7	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-47	3/16/1998 10:15	N	14391-16-3	Europium-155	8.58	pCi/L	U	[NULL]	[NULL]	R	B0N8M7	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-47	4/1/1998 13:08	N	CONDUCT	Specific Conductance	919	uS/cm	[NULL]	[NULL]	[NULL]	R	B0NCM0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-47	4/1/1998 13:08	N	10098-97-2	Strontium-90	0.375	pCi/L	U	[NULL]	[NULL]	R	B0NCM0	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-47	4/1/1998 13:08	N	TEMPERATURE	Temperature	18.9	Deg C	[NULL]	[NULL]	[NULL]	R	B0NCM0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-47	4/1/1998 13:08	N	TURBIDITY	Turbidity	2.38	NTU	[NULL]	[NULL]	[NULL]	R	B0NCM0	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-47	4/1/1998 13:08	N	PH	pH Measurement	7.69	unitless	[NULL]	[NULL]	[NULL]	R	B0NCM0	PH	FIELD	9040_PH	100-NR-2
199-N-47	4/7/1999 8:48	N	ALKALINITY	Alkalinity	152000	ug/L	[NULL]	[NULL]	[NULL]	R	B0V411	ALKALINITY	QTESSL	310.1_ALKALINITY	100-NR-2
199-N-47	4/7/1999 8:48	Y	7429-90-5	Aluminum	33.5	ug/L	U	[NULL]	[NULL]	R	B0V410	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	4/7/1999 8:48	Y	7440-36-0	Antimony	36.4	ug/L	U	[NULL]	[NULL]	R	B0V410	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	4/7/1999 8:48	Y	7440-39-3	Barium	35	ug/L	[NULL]	[NULL]	[NULL]	R	B0V410	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	4/7/1999 8:48	Y	7440-41-7	Beryllium	0.49	ug/L	B	[NULL]	[NULL]	R	B0V410	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	4/7/1999 8:48	Y	7440-43-9	Cadmium	3.9	ug/L	U	[NULL]	[NULL]	R	B0V410	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	4/7/1999 8:48	Y	7440-70-2	Calcium	71300	ug/L	[NULL]	Q	[NULL]	R	B0V410	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	4/7/1999 8:48	N	16887-00-6	Chloride	31300	ug/L	D	Q	[NULL]	R	B0V411	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-47	4/7/1999 8:48	Y	7440-47-3	Chromium	4.8	ug/L	U	[NULL]	[NULL]	R	B0V410	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	4/7/1999 8:48	Y	7440-48-4	Cobalt	5.1	ug/L	U	[NULL]	[NULL]	R	B0V410	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	4/7/1999 8:48	Y	7440-50-8	Copper	3.9	ug/L	U	[NULL]	[NULL]	R	B0V410	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	4/7/1999 8:48	N	16984-48-8	Fluoride	229	ug/L	[NULL]	[NULL]	[NULL]	R	B0V411	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-47	4/7/1999 8:48	Y	7439-89-6	Iron	71.9	ug/L	C	[NULL]	[NULL]	R	B0V410	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	4/7/1999 8:48	Y	7439-95-4	Magnesium	14600	ug/L	C	Q	[NULL]	R	B0V410	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-47	4/7/1999 8:48	Y	7439-96-5	Manganese	5.2	ug/L	[NULL]	Q	[NULL]	R	B0V410	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	4/7/1999 8:48	Y	7440-02-0	Nickel	8.6	ug/L	U	[NULL]	[NULL]	R	B0V410	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	4/7/1999 8:48	N	14797-55-8	Nitrate	46900	ug/L	D	[NULL]	[NULL]	R	B0V411	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-47	4/7/1999 8:48	N	14797-65-0	Nitrite	23	ug/L	U	[NULL]	[NULL]	R	B0V411	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-47	4/7/1999 8:48	Y	7440-09-7	Potassium	6750	ug/L	[NULL]	[NULL]	[NULL]	R	B0V410	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	4/7/1999 8:48	Y	7440-22-4	Silver	5.9	ug/L	U	[NULL]	[NULL]	R	B0V410	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	4/7/1999 8:48	Y	7440-23-5	Sodium	120000	ug/L	[NULL]	Q	[NULL]	R	B0V410	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	4/7/1999 8:48	N	CONDUCT	Specific Conductance	989	uS/cm	C	Q	[NULL]	R	B0V411	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-47	4/7/1999 8:48	N	CONDUCT	Specific Conductance	1077	uS/cm	[NULL]	[NULL]	[NULL]	R	B0V411	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-47	4/7/1999 8:48	Y	7440-24-6	Strontium	256	ug/L	[NULL]	[NULL]	[NULL]	R	B0V410	7440-24-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	4/7/1999 8:48	N	14808-79-8	Sulfate	250000	ug/L	D	[NULL]	[NULL]	R	B0V411	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-47	4/7/1999 8:48	N	TEMPERATURE	Temperature	18.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0V411	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-47	4/7/1999 8:48	N	TURBIDITY	Turbidity	1.98	NTU	[NULL]	[NULL]	[NULL]	R	B0V411	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-47	4/7/1999 8:48	Y	TURBIDITY	Turbidity	0.66	NTU	[NULL]	[NULL]	[NULL]	R	B0V410	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-47	4/7/1999 8:48	Y	7440-62-2	Vanadium	29.4	ug/L	C	Q	[NULL]	R	B0V410	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	4/7/1999 8:48	Y	7440-66-6	Zinc	204	ug/L	[NULL]	[NULL]	[NULL]	R	B0V410	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	4/7/1999 8:48	N	PH	pH Measurement	7.92	unitless	[NULL]	[NULL]	[NULL]	R	B0V411	PH	FIELD	9040_PH	100-NR-2
199-N-47	3/27/2000 12:38	N	ALKALINITY	Alkalinity	177000	ug/L	[NULL]	[NULL]	[NULL]	R	B0XMJ7	ALKALINITY	QTESSL	310.1_ALKALINITY	100-NR-2
199-N-47	3/27/2000 12:38	Y	7429-90-5	Aluminum	41.8	ug/L	U	[NULL]	[NULL]	R	B0XMJ6	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	3/27/2000 12:38	Y	7440-36-0	Antimony	24.7	ug/L	U	[NULL]	[NULL]	R	B0XMJ6	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	3/27/2000 12:38	Y	7440-39-3	Barium	31.1	ug/L	B	[NULL]	[NULL]	R	B0XMJ6	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	3/27/2000 12:38	Y	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	R	B0XMJ6	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	3/27/2000 12:38	Y	7440-43-9	Cadmium	2.8	ug/L	U	[NULL]	[NULL]	R	B0XMJ6	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	3/27/2000 12:38	Y	7440-70-2	Calcium	66800	ug/L	[NULL]	[NULL]	[NULL]	R	B0XMJ6	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	3/27/2000 12:38	N	16887-00-6	Chloride	38200	ug/L	D	[NULL]	[NULL]	R	B0XMJ7	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-47	3/27/2000 12:38	Y	7440-47-3	Chromium	4.6	ug/L	U	[NULL]	[NULL]	R	B0XMJ6	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	3/27/2000 12:38	Y	7440-48-4	Cobalt	4.3	ug/L	U	[NULL]	[NULL]	R	B0XMJ6	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	3/27/2000 12:38	Y	7440-50-8	Copper	2.8	ug/L	UC	[NULL]	[NULL]	R	B0XMJ6	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	3/27/2000 12:38	N	16984-48-8	Fluoride	250	ug/L	[NULL]	[NULL]	[NULL]	R	B0XMJ7	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-47	3/27/2000 12:38	Y	7439-89-6	Iron	15.6	ug/L	U	[NULL]	[NULL]	R	B0XMJ6	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	3/27/2000 12:38	Y	7439-95-4	Magnesium	14300	ug/L	[NULL]	[NULL]	[NULL]	R	B0XMJ6	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	3/27/2000 12:38	Y	7439-96-5	Manganese	1.9	ug/L	B	[NULL]	[NULL]	R	B0XMJ6	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	3/27/2000 12:38	Y	7440-02-0	Nickel	15.4	ug/L	U	[NULL]	[NULL]	R	B0XMJ6	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	3/27/2000 12:38	N	14797-55-8	Nitrate	70800	ug/L	D	[NULL]	[NULL]	R	B0XMJ7	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-47	3/27/2000 12:38	N	14797-65-0	Nitrite	24.3	ug/L	U	[NULL]	[NULL]	R	B0XMJ7	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-47	3/27/2000 12:38	Y	7440-09-7	Potassium	5420	ug/L	[NULL]	[NULL]	[NULL]	R	B0XMJ6	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	3/27/2000 12:38	Y	7440-22-4	Silver	6.9	ug/L	U	[NULL]	[NULL]	R	B0XMJ6	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	3/27/2000 12:38	Y	7440-23-5	Sodium	124000	ug/L	[NULL]	[NULL]	[NULL]	R	B0XMJ6	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	3/27/2000 12:38	N	CONDUCT	Specific Conductance	994	uS/cm	[NULL]	[NULL]	[NULL]	R	B0XMJ7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-47	3/27/2000 12:38	Y	7440-24-6	Strontium	260	ug/L	[NULL]	[NULL]	[NULL]	R	B0XMJ6	7440-24-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	3/27/2000 12:38	N	14808-79-8	Sulfate	188000	ug/L	D	[NULL]	[NULL]	R	B0XMJ7	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-47	3/27/2000 12:38	N	TEMPERATURE	Temperature	18.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0XMJ7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-47	3/27/2000 12:38	N	TURBIDITY	Turbidity	2.88	NTU	[NULL]	[NULL]	[NULL]	R	B0XMJ7	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-47	3/27/2000 12:38	Y	7440-62-2	Vanadium	7.8	ug/L	B	[NULL]	[NULL]	R	B0XMJ6	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	3/27/2000 12:38	Y	7440-66-6	Zinc	203	ug/L	[NULL]	[NULL]	[NULL]	R	B0XMJ6	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-47	3/27/2000 12:38	N	PH	pH Measurement	7.61	unitless	[NULL]	[NULL]	[NULL]	R	B0XMJ7	PH	FIELD	9040_PH	100-NR-2
199-N-48	9/13/1995 8:10	N	10045-97-3	Cesium-137	1.86	pCi/L	U	[NULL]	[NULL]	R	B0HCW7	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	9/13/1995 8:10	N	13981-38-9	Cobalt-58	21.5	pCi/L	U	[NULL]	[NULL]	R	B0HCW7	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-48	9/13/1995 8:10	N	10198-40-0	Cobalt-60	14.9	pCi/L	U	[NULL]	[NULL]	R	B0HCW7	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-48	9/13/1995 8:10	N	14683-23-9	Europium-152	-5.46	pCi/L	U	[NULL]	[NULL]	R	B0HCW7	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-48	9/13/1995 8:10	N	15585-10-1	Europium-154	16.1	pCi/L	U	[NULL]	[NULL]	R	B0HCW7	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-48	9/13/1995 8:10	N	14391-16-3	Europium-155	4.27	pCi/L	U	[NULL]	[NULL]	R	B0HCW7	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	9/13/1995 8:10	N	14596-12-4	Iron-59	430	pCi/L	U	[NULL]	[NULL]	R	B0HCW7	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-48	10/11/1995 13:15	N	10045-97-3	Cesium-137	-3.45	pCi/L	U	[NULL]	[NULL]	R	B0HCW8	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	10/11/1995 13:15	N	13981-38-9	Cobalt-58	-49.3	pCi/L	U	[NULL]	[NULL]	R	B0HCW8	13981-38-9	QTESRL	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-48	10/11/1995 13:15	N	10198-40-0	Cobalt-60	4.55	pCi/L	U	[NULL]	[NULL]	R	B0HCW8	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-48	10/11/1995 13:15	N	14683-23-9	Europium-152	-4.18	pCi/L	U	[NULL]	[NULL]	R	B0HCW8	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-48	10/11/1995 13:15	N	15585-10-1	Europium-154	0	pCi/L	U	[NULL]	[NULL]	R	B0HCW8	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-48	10/11/1995 13:15	N	14391-16-3	Europium-155	-16.9	pCi/L	U	[NULL]	[NULL]	R	B0HCW8	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	10/11/1995 13:15	N	14596-12-4	Iron-59	-124	pCi/L	U	[NULL]	[NULL]	R	B0HCW8	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-48	11/8/1995 9:30	N	10045-97-3	Cesium-137	4.41	pCi/L	U	[NULL]	[NULL]	R	B0HCX0	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	11/8/1995 9:30	N	13981-38-9	Cobalt-58	-4.82	pCi/L	U	[NULL]	[NULL]	R	B0HCX0	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-48	11/8/1995 9:30	N	10198-40-0	Cobalt-60	-11.5	pCi/L	U	[NULL]	[NULL]	R	B0HCX0	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-48	11/8/1995 9:30	N	14683-23-9	Europium-152	6.05	pCi/L	U	[NULL]	[NULL]	R	B0HCX0	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-48	11/8/1995 9:30	N	15585-10-1	Europium-154	7.46	pCi/L	U	[NULL]	[NULL]	R	B0HCX0	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-48	11/8/1995 9:30	N	14391-16-3	Europium-155	-12.7	pCi/L	U	[NULL]	[NULL]	R	B0HCX0	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	11/8/1995 9:30	N	14596-12-4	Iron-59	-182	pCi/L	U	[NULL]	[NULL]	R	B0HCX0	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-48	12/13/1995 11:00	N	10045-97-3	Cesium-137	-9.05	pCi/L	U	[NULL]	[NULL]	R	B0HCW9	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	12/13/1995 11:00	N	13981-38-9	Cobalt-58	23.3	pCi/L	U	[NULL]	[NULL]	R	B0HCW9	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-48	12/13/1995 11:00	N	10198-40-0	Cobalt-60	0	pCi/L	U	[NULL]	[NULL]	R	B0HCW9	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-48	12/13/1995 11:00	N	14683-23-9	Europium-152	2.55	pCi/L	U	[NULL]	[NULL]	R	B0HCW9	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-48	12/13/1995 11:00	N	15585-10-1	Europium-154	16.5	pCi/L	U	[NULL]	[NULL]	R	B0HCW9	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-48	12/13/1995 11:00	N	14391-16-3	Europium-155	3.76	pCi/L	U	[NULL]	[NULL]	R	B0HCW9	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	12/13/1995 11:00	N	14596-12-4	Iron-59	-8.26	pCi/L	U	[NULL]	[NULL]	R	B0HCW9	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-48	11/11/1996 10:07	N	10045-97-3	Cesium-137	0	pCi/L	U	[NULL]	[NULL]	R	B0J2Q3	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	11/11/1996 10:07	N	13981-38-9	Cobalt-58	3.03	pCi/L	U	[NULL]	[NULL]	R	B0J2Q3	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-48	11/11/1996 10:07	N	10198-40-0	Cobalt-60	3.41	pCi/L	U	[NULL]	[NULL]	R	B0J2Q3	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-48	11/11/1996 10:07	N	DO	Dissolved oxygen	2200	ug/L	[NULL]	[NULL]	[NULL]	R	B0J2Q3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-48	11/11/1996 10:07	N	14683-23-9	Europium-152	1.21	pCi/L	U	[NULL]	[NULL]	R	B0J2Q3	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-48	11/11/1996 10:07	N	15585-10-1	Europium-154	8.2	pCi/L	U	[NULL]	[NULL]	R	B0J2Q3	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-48	11/11/1996 10:07	N	14391-16-3	Europium-155	-4.22	pCi/L	U	[NULL]	[NULL]	R	B0J2Q3	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	11/11/1996 10:07	N	14596-12-4	Iron-59	13.9	pCi/L	U	[NULL]	[NULL]	R	B0J2Q3	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-48	11/11/1996 10:07	N	CONDUCT	Specific Conductance	544	uS/cm	[NULL]	[NULL]	[NULL]	R	B0J2Q3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-48	11/11/1996 10:07	N	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	R	B0J2Q3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-48	11/11/1996 10:07	N	TURBIDITY	Turbidity	90.9	NTU	[NULL]	[NULL]	[NULL]	R	B0J2Q3	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-48	11/11/1996 10:07	N	PH	pH Measurement	7.88	unitless	[NULL]	[NULL]	[NULL]	R	B0J2Q3	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-48	12/4/1996 11:56	N	10045-97-3	Cesium-137	-3.87	pCi/L	U	[NULL]	[NULL]	R	B0J2Q5	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	12/4/1996 11:56	N	13981-38-9	Cobalt-58	-1.46	pCi/L	U	[NULL]	[NULL]	R	B0J2Q5	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-48	12/4/1996 11:56	N	10198-40-0	Cobalt-60	9.62	pCi/L	U	[NULL]	[NULL]	R	B0J2Q5	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-48	12/4/1996 11:56	N	DO	Dissolved oxygen	3480	ug/L	[NULL]	[NULL]	[NULL]	R	B0J2Q5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-48	12/4/1996 11:56	N	14683-23-9	Europium-152	-4.52	pCi/L	U	[NULL]	[NULL]	R	B0J2Q5	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-48	12/4/1996 11:56	N	15585-10-1	Europium-154	-8.96	pCi/L	U	[NULL]	[NULL]	R	B0J2Q5	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-48	12/4/1996 11:56	N	14391-16-3	Europium-155	-4.73	pCi/L	U	[NULL]	[NULL]	R	B0J2Q5	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	12/4/1996 11:56	N	14596-12-4	Iron-59	-3.19	pCi/L	U	[NULL]	[NULL]	R	B0J2Q5	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-48	12/4/1996 11:56	N	CONDUCT	Specific Conductance	596	uS/cm	[NULL]	[NULL]	[NULL]	R	B0J2Q5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-48	12/4/1996 11:56	N	TEMPERATURE	Temperature	18.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0J2Q5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-48	12/4/1996 11:56	N	TURBIDITY	Turbidity	31.2	NTU	[NULL]	[NULL]	[NULL]	R	B0J2Q5	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-48	12/4/1996 11:56	N	PH	pH Measurement	8.3	unitless	[NULL]	[NULL]	[NULL]	R	B0J2Q5	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-48	2/12/1997 13:35	N	10045-97-3	Cesium-137	-1.47	pCi/L	U	[NULL]	[NULL]	R	B0J2Q7	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	2/12/1997 13:35	N	13981-38-9	Cobalt-58	0.0809	pCi/L	U	[NULL]	[NULL]	R	B0J2Q7	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-48	2/12/1997 13:35	N	10198-40-0	Cobalt-60	-6.13	pCi/L	U	[NULL]	[NULL]	R	B0J2Q7	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-48	2/12/1997 13:35	N	14683-23-9	Europium-152	6.62	pCi/L	U	[NULL]	[NULL]	R	B0J2Q7	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-48	2/12/1997 13:35	N	15585-10-1	Europium-154	10.3	pCi/L	U	[NULL]	[NULL]	R	B0J2Q7	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-48	2/12/1997 13:35	N	14391-16-3	Europium-155	1.64	pCi/L	U	[NULL]	[NULL]	R	B0J2Q7	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	2/12/1997 13:35	N	14596-12-4	Iron-59	-5.27	pCi/L	U	[NULL]	[NULL]	R	B0J2Q7	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-48	3/18/1997 13:24	N	10045-97-3	Cesium-137	0.573	pCi/L	U	[NULL]	[NULL]	R	B0J2Q9	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	3/18/1997 13:24	N	13981-38-9	Cobalt-58	-2.42	pCi/L	U	[NULL]	[NULL]	R	B0J2Q9	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-48	3/18/1997 13:24	N	10198-40-0	Cobalt-60	-1.93	pCi/L	U	[NULL]	[NULL]	R	B0J2Q9	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-48	3/18/1997 13:24	N	14683-23-9	Europium-152	7.89	pCi/L	U	[NULL]	[NULL]	R	B0J2Q9	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-48	3/18/1997 13:24	N	15585-10-1	Europium-154	4.47	pCi/L	U	[NULL]	[NULL]	R	B0J2Q9	15585-10-1	QTESRL	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-48	3/18/1997 13:24	N	14391-16-3	Europium-155	3.62	pCi/L	U	[NULL]	[NULL]	R	B0J2Q9	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	3/18/1997 13:24	N	14596-12-4	Iron-59	-5.37	pCi/L	U	[NULL]	[NULL]	R	B0J2Q9	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-48	4/2/1997 10:55	N	10045-97-3	Cesium-137	0.436	pCi/L	U	[NULL]	[NULL]	R	B0J2R1	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	4/2/1997 10:55	N	13981-38-9	Cobalt-58	1.85	pCi/L	U	[NULL]	[NULL]	R	B0J2R1	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-48	4/2/1997 10:55	N	10198-40-0	Cobalt-60	6.6	pCi/L	U	[NULL]	[NULL]	R	B0J2R1	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-48	4/2/1997 10:55	N	14683-23-9	Europium-152	9.7	pCi/L	U	[NULL]	[NULL]	R	B0J2R1	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-48	4/2/1997 10:55	N	15585-10-1	Europium-154	13.3	pCi/L	U	[NULL]	[NULL]	R	B0J2R1	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-48	4/2/1997 10:55	N	14391-16-3	Europium-155	2.29	pCi/L	U	[NULL]	[NULL]	R	B0J2R1	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	4/2/1997 10:55	N	14596-12-4	Iron-59	5.4	pCi/L	U	[NULL]	[NULL]	R	B0J2R1	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-48	5/8/1997 13:05	N	10045-97-3	Cesium-137	-1.48	pCi/L	U	[NULL]	[NULL]	IP	B0KB49	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	5/8/1997 13:05	N	10198-40-0	Cobalt-60	-2.64	pCi/L	U	[NULL]	[NULL]	IP	B0KB49	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-48	5/8/1997 13:05	N	14683-23-9	Europium-152	-18.2	pCi/L	U	[NULL]	[NULL]	IP	B0KB49	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-48	5/8/1997 13:05	N	15585-10-1	Europium-154	5.01	pCi/L	U	[NULL]	[NULL]	IP	B0KB49	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-48	5/8/1997 13:05	N	14391-16-3	Europium-155	9.35	pCi/L	U	[NULL]	[NULL]	IP	B0KB49	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	6/5/1997 11:30	N	10045-97-3	Cesium-137	3.4	pCi/L	U	[NULL]	[NULL]	IP	B0KB52	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	6/5/1997 11:30	N	10198-40-0	Cobalt-60	3.3	pCi/L	U	[NULL]	[NULL]	IP	B0KB52	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-48	6/5/1997 11:30	N	14683-23-9	Europium-152	5.8	pCi/L	U	[NULL]	[NULL]	IP	B0KB52	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-48	6/5/1997 11:30	N	15585-10-1	Europium-154	8.92	pCi/L	U	[NULL]	[NULL]	IP	B0KB52	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-48	6/5/1997 11:30	N	14391-16-3	Europium-155	2.81	pCi/L	U	[NULL]	[NULL]	IP	B0KB52	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	7/11/1997 13:43	N	10045-97-3	Cesium-137	1.13	pCi/L	U	[NULL]	[NULL]	IP	B0KB55	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	7/11/1997 13:43	N	10198-40-0	Cobalt-60	0.805	pCi/L	U	[NULL]	[NULL]	IP	B0KB55	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-48	7/11/1997 13:43	N	14683-23-9	Europium-152	10.8	pCi/L	U	[NULL]	[NULL]	IP	B0KB55	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-48	7/11/1997 13:43	N	15585-10-1	Europium-154	-5.99	pCi/L	U	[NULL]	[NULL]	IP	B0KB55	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-48	7/11/1997 13:43	N	14391-16-3	Europium-155	-2.68	pCi/L	U	[NULL]	[NULL]	IP	B0KB55	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	8/11/1997 9:32	N	10045-97-3	Cesium-137	-2.17	pCi/L	U	[NULL]	[NULL]	IP	B0KB61	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	8/11/1997 9:32	N	10198-40-0	Cobalt-60	-4.05	pCi/L	U	[NULL]	[NULL]	IP	B0KB61	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-48	8/11/1997 9:32	N	14683-23-9	Europium-152	-0.908	pCi/L	U	[NULL]	[NULL]	IP	B0KB61	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-48	8/11/1997 9:32	N	15585-10-1	Europium-154	12.2	pCi/L	U	[NULL]	[NULL]	IP	B0KB61	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-48	8/11/1997 9:32	N	14391-16-3	Europium-155	-2.34	pCi/L	U	[NULL]	[NULL]	IP	B0KB61	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	9/17/1997 8:55	N	10045-97-3	Cesium-137	0	pCi/L	U	[NULL]	[NULL]	IP	B0KB63	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	9/17/1997 8:55	N	10198-40-0	Cobalt-60	-2.72	pCi/L	U	[NULL]	[NULL]	IP	B0KB63	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-48	9/17/1997 8:55	N	14683-23-9	Europium-152	-17.7	pCi/L	U	[NULL]	[NULL]	IP	B0KB63	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-48	9/17/1997 8:55	N	15585-10-1	Europium-154	-8.99	pCi/L	U	[NULL]	[NULL]	IP	B0KB63	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-48	9/17/1997 8:55	N	14391-16-3	Europium-155	-1.54	pCi/L	U	[NULL]	[NULL]	IP	B0KB63	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	10/13/1997 11:45	N	10045-97-3	Cesium-137	-1.26	pCi/L	U	[NULL]	[NULL]	R	B0M629	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	10/13/1997 11:45	N	10198-40-0	Cobalt-60	-1.12	pCi/L	U	[NULL]	[NULL]	R	B0M629	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-48	10/13/1997 11:45	N	14683-23-9	Europium-152	-1.29	pCi/L	U	[NULL]	[NULL]	R	B0M629	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-48	10/13/1997 11:45	N	15585-10-1	Europium-154	-4.52	pCi/L	U	[NULL]	[NULL]	R	B0M629	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-48	10/13/1997 11:45	N	14391-16-3	Europium-155	2.64	pCi/L	U	[NULL]	[NULL]	R	B0M629	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	11/6/1997 11:35	N	10045-97-3	Cesium-137	-0.559	pCi/L	U	[NULL]	[NULL]	R	B0MD26	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	11/6/1997 11:35	N	10198-40-0	Cobalt-60	-1.6	pCi/L	U	[NULL]	[NULL]	R	B0MD26	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-48	11/6/1997 11:35	N	14683-23-9	Europium-152	-0.692	pCi/L	U	[NULL]	[NULL]	R	B0MD26	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-48	11/6/1997 11:35	N	15585-10-1	Europium-154	3.51	pCi/L	U	[NULL]	[NULL]	R	B0MD26	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-48	11/6/1997 11:35	N	14391-16-3	Europium-155	0.838	pCi/L	U	[NULL]	[NULL]	R	B0MD26	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	12/4/1997 8:53	N	10045-97-3	Cesium-137	0.49	pCi/L	U	[NULL]	[NULL]	R	B0MK51	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	12/4/1997 8:53	N	10198-40-0	Cobalt-60	-2.68	pCi/L	U	[NULL]	[NULL]	R	B0MK51	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-48	12/4/1997 8:53	N	14683-23-9	Europium-152	-13.9	pCi/L	U	[NULL]	[NULL]	R	B0MK51	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-48	12/4/1997 8:53	N	15585-10-1	Europium-154	1.61	pCi/L	U	[NULL]	[NULL]	R	B0MK51	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-48	12/4/1997 8:53	N	14391-16-3	Europium-155	-8.22	pCi/L	U	[NULL]	[NULL]	R	B0MK51	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	1/20/1998 11:10	N	10045-97-3	Cesium-137	5.15	pCi/L	U	[NULL]	[NULL]	R	B0MX83	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	1/20/1998 11:10	N	10198-40-0	Cobalt-60	6.4	pCi/L	U	[NULL]	[NULL]	R	B0MX83	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-48	1/20/1998 11:10	N	14683-23-9	Europium-152	4.42	pCi/L	U	[NULL]	[NULL]	R	B0MX83	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-48	1/20/1998 11:10	N	15585-10-1	Europium-154	7.18	pCi/L	U	[NULL]	[NULL]	R	B0MX83	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-48	1/20/1998 11:10	N	14391-16-3	Europium-155	-7.7	pCi/L	U	[NULL]	[NULL]	R	B0MX83	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	2/10/1998 11:15	N	10045-97-3	Cesium-137	-7.78	pCi/L	U	[NULL]	[NULL]	R	B0N2V4	10045-97-3	QTESRL	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-48	2/10/1998 11:15	N	10198-40-0	Cobalt-60	2.4	pCi/L	U	[NULL]	[NULL]	R	B0N2V4	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-48	2/10/1998 11:15	N	14683-23-9	Europium-152	-2.77	pCi/L	U	[NULL]	[NULL]	R	B0N2V4	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-48	2/10/1998 11:15	N	15585-10-1	Europium-154	-4.06	pCi/L	U	[NULL]	[NULL]	R	B0N2V4	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-48	2/10/1998 11:15	N	14391-16-3	Europium-155	-0.532	pCi/L	U	[NULL]	[NULL]	R	B0N2V4	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	3/16/1998 9:12	N	10045-97-3	Cesium-137	0	pCi/L	U	[NULL]	[NULL]	R	B0N8M8	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-48	3/16/1998 9:12	N	10198-40-0	Cobalt-60	3.32	pCi/L	U	[NULL]	[NULL]	R	B0N8M8	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-48	3/16/1998 9:12	N	14683-23-9	Europium-152	1.82	pCi/L	U	[NULL]	[NULL]	R	B0N8M8	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-48	3/16/1998 9:12	N	15585-10-1	Europium-154	-16.4	pCi/L	U	[NULL]	[NULL]	R	B0N8M8	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-48	3/16/1998 9:12	N	14391-16-3	Europium-155	6.85	pCi/L	U	[NULL]	[NULL]	R	B0N8M8	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-49	1/29/1988 0:00	N	12587-47-2	Gross beta	104	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J72	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-49	1/29/1988 0:00	N	14797-55-8	Nitrate	53900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J72	14797-55-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-49	1/29/1988 0:00	N	10098-97-2	Strontium-90	0.695	pCi/L	U	[NULL]	[NULL]	R	H0007J72	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-49	1/29/1988 0:00	N	14133-76-7	Technetium-99	6.49	pCi/L	U	[NULL]	[NULL]	R	H0007J72	14133-76-7	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-49	1/29/1988 0:00	N	10028-17-8	Tritium	126000	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J72	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-49	1/29/1988 0:00	N	7440-61-1	Uranium	0.973	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J72	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-49	3/15/1988 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007J73	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-49	3/15/1988 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J73	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-49	3/15/1988 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J73	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-49	3/15/1988 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007J73	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-49	3/15/1988 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007J73	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-49	3/15/1988 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007J73	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-49	3/15/1988 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007J73	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-49	3/15/1988 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J73	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-49	3/15/1988 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007J73	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	3/15/1988 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007J73F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	3/15/1988 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007J73	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-49	3/15/1988 0:00	N	H37	Arsenic, filtered	6	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J73	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-49	3/15/1988 0:00	N	7440-39-3	Barium	23	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J73	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	3/15/1988 0:00	Y	7440-39-3	Barium	20	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J73F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	3/15/1988 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007J73	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	3/15/1988 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007J73F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	3/15/1988 0:00	Y	7440-70-2	Calcium	30700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J73F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	3/15/1988 0:00	N	7440-70-2	Calcium	30800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J73	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	3/15/1988 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007J73	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-49	3/15/1988 0:00	N	16887-00-6	Chloride	1000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J73	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-49	3/15/1988 0:00	N	67-66-3	Chloroform	5	ug/L	U	[NULL]	[NULL]	R	H0007J73	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-49	3/15/1988 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007J73F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	3/15/1988 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007J73	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	3/15/1988 0:00	N	COLIFORM	Coliform Bacteria	2.2	MPN	U	[NULL]	[NULL]	R	H0007J73	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-49	3/15/1988 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007J73F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	3/15/1988 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007J73	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	3/15/1988 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J73	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-49	3/15/1988 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J73	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-49	3/15/1988 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007J73	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-49	3/15/1988 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J73	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-49	3/15/1988 0:00	N	12587-46-1	Gross alpha	-0.468	pCi/L	U	[NULL]	[NULL]	R	H0007J73	12587-46-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-49	3/15/1988 0:00	N	12587-47-2	Gross beta	150	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J73	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-49	3/15/1988 0:00	N	7439-89-6	Iron	1160	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J73	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	3/15/1988 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007J73F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	3/15/1988 0:00	N	7439-92-1	Lead	8	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J73	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-49	3/15/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007J73	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-49	3/15/1988 0:00	N	7439-95-4	Magnesium	5950	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J73	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	3/15/1988 0:00	Y	7439-95-4	Magnesium	6140	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J73F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	3/15/1988 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007J73F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	3/15/1988 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007J73	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	3/15/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J73	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-49	3/15/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J73	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-49	3/15/1988 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007J73	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-49	3/15/1988 0:00	N	75-09-2	Methylene chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007J73	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-49	3/15/1988 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007J73F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	3/15/1988 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007J73	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	3/15/1988 0:00	N	14797-55-8	Nitrate	55400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J73	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-49	3/15/1988 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007J73	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-49	3/15/1988 0:00	Y	7440-09-7	Potassium	2910	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J73F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	3/15/1988 0:00	N	7440-09-7	Potassium	2870	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J73	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	3/15/1988 0:00	N	7440-14-4	Radium	0.0224	pCi/L	U	[NULL]	[NULL]	R	H0007J73	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-49	3/15/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007J73	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-49	3/15/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007J73	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-49	3/15/1988 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007J73F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	3/15/1988 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007J73	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	3/15/1988 0:00	Y	7440-23-5	Sodium	4320	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J73F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	3/15/1988 0:00	N	7440-23-5	Sodium	4360	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J73	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	3/15/1988 0:00	N	CONDUCT	Specific Conductance	204	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J73	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-49	3/15/1988 0:00	N	14808-79-8	Sulfate	9580	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J73	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-49	3/15/1988 0:00	N	TEMPERATURE	Temperature	20	Deg C	[NULL]	[NULL]	[NULL]	R	H000GK86	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-49	3/15/1988 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007J73	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-49	3/15/1988 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007J73	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-49	3/15/1988 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007J73	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-49	3/15/1988 0:00	N	7440-62-2	Vanadium	16	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J73	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	3/15/1988 0:00	Y	7440-62-2	Vanadium	15	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J73F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	3/15/1988 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007J73	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-49	3/15/1988 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007J73F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	3/15/1988 0:00	N	7440-66-6	Zinc	17	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J73	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	3/15/1988 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J73	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-49	3/15/1988 0:00	N	PH	pH Measurement	8.3	unitless	[NULL]	[NULL]	[NULL]	R	H0007J73	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-49	4/26/1988 0:00	N	12587-47-2	Gross beta	116	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J74	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-49	4/26/1988 0:00	N	14797-55-8	Nitrate	47900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J74	14797-55-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-49	4/26/1988 0:00	N	10098-97-2	Strontium-90	0.722	pCi/L	U	[NULL]	[NULL]	R	H0007J74	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-49	4/26/1988 0:00	N	10028-17-8	Tritium	152000	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J74	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-49	4/26/1988 0:00	N	7440-61-1	Uranium	0.412	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J74	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-49	6/29/1988 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007J75	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-49	6/29/1988 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J75	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-49	6/29/1988 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007J75	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-49	6/29/1988 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007J75	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-49	6/29/1988 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007J75	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-49	6/29/1988 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007J75	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-49	6/29/1988 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007J75	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-49	6/29/1988 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J75	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-49	6/29/1988 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007J75	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	6/29/1988 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007J75F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-49	6/29/1988 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007J75	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-49	6/29/1988 0:00	N	12674-11-2	Aroclor-1016	1	ug/L	U	[NULL]	[NULL]	R	H0007J75	12674-11-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-49	6/29/1988 0:00	N	11104-28-2	Aroclor-1221	1	ug/L	U	[NULL]	[NULL]	R	H0007J75	11104-28-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-49	6/29/1988 0:00	N	11141-16-5	Aroclor-1232	1	ug/L	U	[NULL]	[NULL]	R	H0007J75	11141-16-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-49	6/29/1988 0:00	N	53469-21-9	Aroclor-1242	1	ug/L	U	[NULL]	[NULL]	R	H0007J75	53469-21-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-49	6/29/1988 0:00	N	12672-29-6	Aroclor-1248	1	ug/L	U	[NULL]	[NULL]	R	H0007J75	12672-29-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-49	6/29/1988 0:00	N	11097-69-1	Aroclor-1254	1	ug/L	U	[NULL]	[NULL]	R	H0007J75	11097-69-1	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-49	6/29/1988 0:00	N	11096-82-5	Aroclor-1260	1	ug/L	U	[NULL]	[NULL]	R	H0007J75	11096-82-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-49	6/29/1988 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007J75	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-49	6/29/1988 0:00	N	H37	Arsenic, filtered	5	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J75	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-49	6/29/1988 0:00	N	7440-39-3	Barium	17	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J75	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	6/29/1988 0:00	Y	7440-39-3	Barium	22	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J75F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	6/29/1988 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007J75	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	6/29/1988 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007J75F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	6/29/1988 0:00	Y	7440-70-2	Calcium	30900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J75F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	6/29/1988 0:00	N	7440-70-2	Calcium	27500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J75	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	6/29/1988 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007J75	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-49	6/29/1988 0:00	N	10045-97-3	Cesium-137	0.373	pCi/L	U	[NULL]	[NULL]	R	H0007J75	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-49	6/29/1988 0:00	N	16887-00-6	Chloride	885	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J75	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-49	6/29/1988 0:00	N	67-66-3	Chloroform	5	ug/L	U	[NULL]	[NULL]	R	H0007J75	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-49	6/29/1988 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007J75F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	6/29/1988 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007J75	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	6/29/1988 0:00	N	10198-40-0	Cobalt-60	124	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J75	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-49	6/29/1988 0:00	N	COLIFORM	Coliform Bacteria	2.2	MPN	U	[NULL]	[NULL]	R	H0007J75	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-49	6/29/1988 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007J75	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	6/29/1988 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007J75F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	6/29/1988 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J75	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-49	6/29/1988 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J75	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-49	6/29/1988 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007J75	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-49	6/29/1988 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J75	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-49	6/29/1988 0:00	N	12587-46-1	Gross alpha	0.545	pCi/L	U	[NULL]	[NULL]	R	H0007J75	12587-46-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-49	6/29/1988 0:00	N	12587-47-2	Gross beta	99.5	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J75	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-49	6/29/1988 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007J75	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-49	6/29/1988 0:00	N	7439-89-6	Iron	65	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J75	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	6/29/1988 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007J75F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	6/29/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007J75	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-49	6/29/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007J75	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-49	6/29/1988 0:00	Y	7439-95-4	Magnesium	6280	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J75F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	6/29/1988 0:00	N	7439-95-4	Magnesium	5680	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J75	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	6/29/1988 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007J75F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	6/29/1988 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007J75	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	6/29/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J75	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-49	6/29/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J75	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-49	6/29/1988 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007J75	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-49	6/29/1988 0:00	N	75-09-2	Methylene chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007J75	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-49	6/29/1988 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007J75F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	6/29/1988 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007J75	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	6/29/1988 0:00	N	14797-55-8	Nitrate	44800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J75	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-49	6/29/1988 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007J75	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2
199-N-49	6/29/1988 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007J75	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-49	6/29/1988 0:00	Y	7440-09-7	Potassium	3180	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J75F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	6/29/1988 0:00	N	7440-09-7	Potassium	3070	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J75	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	6/29/1988 0:00	N	7440-14-4	Radium	0.064	pCi/L	U	[NULL]	[NULL]	R	H0007J75	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-49	6/29/1988 0:00	N	13967-48-1	Ruthenium-106	37.8	pCi/L	U	[NULL]	[NULL]	R	H0007J75	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-49	6/29/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007J75	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-49	6/29/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007J75	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-49	6/29/1988 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007J75F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	6/29/1988 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007J75	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	6/29/1988 0:00	Y	7440-23-5	Sodium	4460	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J75F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	6/29/1988 0:00	N	7440-23-5	Sodium	4220	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J75	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	6/29/1988 0:00	N	CONDUCT	Specific Conductance	174	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J77	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-49	6/29/1988 0:00	N	CONDUCT	Specific Conductance	174	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J78	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-49	6/29/1988 0:00	N	CONDUCT	Specific Conductance	174	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J76	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-49	6/29/1988 0:00	N	CONDUCT	Specific Conductance	174	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007J75	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-49	6/29/1988 0:00	N	10098-97-2	Strontium-90	10.2	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J75	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-49	6/29/1988 0:00	N	14808-79-8	Sulfate	8270	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J75	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-49	6/29/1988 0:00	N	TEMPERATURE	Temperature	23	Deg C	[NULL]	[NULL]	[NULL]	R	H000GKZ3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-49	6/29/1988 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007J75	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-49	6/29/1988 0:00	N	TOC	Total organic carbon	362	ug/L	U	[NULL]	[NULL]	R	H0007J76	TOC	USTEST	9060_TOC	100-NR-2
199-N-49	6/29/1988 0:00	N	TOC	Total organic carbon	58	ug/L	U	[NULL]	[NULL]	R	H0007J78	TOC	USTEST	9060_TOC	100-NR-2
199-N-49	6/29/1988 0:00	N	TOC	Total organic carbon	386	ug/L	U	[NULL]	[NULL]	R	H0007J77	TOC	USTEST	9060_TOC	100-NR-2
199-N-49	6/29/1988 0:00	N	TOC	Total organic carbon	70	ug/L	U	[NULL]	[NULL]	R	H0007J75	TOC	USTEST	9060_TOC	100-NR-2
199-N-49	6/29/1988 0:00	N	59473-04-0	Total organic halides	4.8	ug/L	U	[NULL]	[NULL]	R	H0007J76	59473-04-0	USTEST	9020_TOX_M	100-NR-2
199-N-49	6/29/1988 0:00	N	59473-04-0	Total organic halides	2.2	ug/L	U	[NULL]	[NULL]	R	H0007J77	59473-04-0	USTEST	9020_TOX_M	100-NR-2
199-N-49	6/29/1988 0:00	N	59473-04-0	Total organic halides	3.1	ug/L	U	[NULL]	[NULL]	R	H0007J78	59473-04-0	USTEST	9020_TOX_M	100-NR-2
199-N-49	6/29/1988 0:00	N	59473-04-0	Total organic halides	6.4	ug/L	U	[NULL]	[NULL]	R	H0007J75	59473-04-0	USTEST	9020_TOX_M	100-NR-2
199-N-49	6/29/1988 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007J75	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-49	6/29/1988 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007J75	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-49	6/29/1988 0:00	N	10028-17-8	Tritium	113000	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007J75	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-49	6/29/1988 0:00	N	7440-61-1	Uranium	0.369	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J75	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-49	6/29/1988 0:00	Y	7440-62-2	Vanadium	16	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J75F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	6/29/1988 0:00	N	7440-62-2	Vanadium	10	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J75	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	6/29/1988 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007J75	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-49	6/29/1988 0:00	N	7440-66-6	Zinc	6	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J75	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	6/29/1988 0:00	Y	7440-66-6	Zinc	10	ug/L	[NULL]	[NULL]	[NULL]	R	H0007J75F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-49	6/29/1988 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007J75	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-49	6/29/1988 0:00	N	PH	pH Measurement	7.8	unitless	[NULL]	[NULL]	[NULL]	R	H0007J77	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-49	6/29/1988 0:00	N	PH	pH Measurement	7.8	unitless	[NULL]	[NULL]	[NULL]	R	H0007J75	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-49	6/29/1988 0:00	N	PH	pH Measurement	7.8	unitless	[NULL]	[NULL]	[NULL]	R	H0007J76	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-49	6/29/1988 0:00	N	PH	pH Measurement	7.8	unitless	[NULL]	[NULL]	[NULL]	R	H0007J78	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-49	8/17/1993 12:00	N	7429-90-5	Aluminum	29000	ug/L	[NULL]	R	[NULL]	R	B090Y4	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-49	8/17/1993 12:00	N	7440-36-0	Antimony	79	ug/L	L	R	[NULL]	R	B090Y4	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-49	8/17/1993 12:00	N	14234-35-6	Antimony-125	70.6	pCi/L	[NULL]	R	[NULL]	R	B090Y4	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-49	8/17/1993 12:00	N	7440-39-3	Barium	840	ug/L	[NULL]	R	[NULL]	R	B090Y4	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-49	8/17/1993 12:00	N	7440-41-7	Beryllium	4.1	ug/L	[NULL]	R	[NULL]	R	B090Y4	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-49	8/17/1993 12:00	N	24959-67-9	Bromide	52.8	ug/L	U	R	[NULL]	R	B090Y4	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-49	8/17/1993 12:00	N	7440-43-9	Cadmium	68	ug/L	[NULL]	R	[NULL]	R	B090Y4	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-49	8/17/1993 12:00	N	7440-70-2	Calcium	88000	ug/L	[NULL]	QR	[NULL]	R	B090Y4	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-49	8/17/1993 12:00	N	10045-97-3	Cesium-137	8.56	pCi/L	U	R	[NULL]	R	B090Y4	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-49	8/17/1993 12:00	N	16887-00-6	Chloride	1800	ug/L	[NULL]	R	[NULL]	R	B090Y4	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-49	8/17/1993 12:00	N	7440-47-3	Chromium	120	ug/L	[NULL]	R	[NULL]	R	B090Y4	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-49	8/17/1993 12:00	N	7440-48-4	Cobalt	52	ug/L	[NULL]	R	[NULL]	R	B090Y4	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-49	8/17/1993 12:00	N	10198-40-0	Cobalt-60	1310	pCi/L	[NULL]	R	[NULL]	R	B090Y4	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-49	8/17/1993 12:00	N	7440-50-8	Copper	230	ug/L	[NULL]	R	[NULL]	R	B090Y4	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-49	8/17/1993 12:00	N	16984-48-8	Fluoride	400	ug/L	[NULL]	R	[NULL]	R	B090Y4	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-49	8/17/1993 12:00	N	12587-46-1	Gross alpha	52.6	pCi/L	[NULL]	R	[NULL]	R	B090Y4	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-49	8/17/1993 12:00	N	12587-47-2	Gross beta	156	pCi/L	[NULL]	R	[NULL]	R	B090Y4	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-49	8/17/1993 12:00	N	7439-89-6	Iron	370000	ug/L	[NULL]	R	[NULL]	R	B090Y4	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-49	8/17/1993 12:00	N	7439-95-4	Magnesium	23000	ug/L	[NULL]	R	[NULL]	R	B090Y4	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-49	8/17/1993 12:00	N	7439-96-5	Manganese	5100	ug/L	[NULL]	R	[NULL]	R	B090Y4	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-49	8/17/1993 12:00	N	7440-02-0	Nickel	210	ug/L	[NULL]	R	[NULL]	R	B090Y4	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-49	8/17/1993 12:00	N	14797-55-8	Nitrate	16000	ug/L	[NULL]	R	[NULL]	R	B090Y4	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-49	8/17/1993 12:00	N	14797-65-0	Nitrite	38.3	ug/L	U	R	[NULL]	R	B090Y4	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-49	8/17/1993 12:00	N	14265-44-2	Phosphate	147	ug/L	U	R	[NULL]	R	B090Y4	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-49	8/17/1993 12:00	N	7440-09-7	Potassium	7000	ug/L	[NULL]	R	[NULL]	R	B090Y4	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-49	8/17/1993 12:00	N	13967-48-1	Ruthenium-106	-68.9	pCi/L	U	R	[NULL]	R	B090Y4	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-49	8/17/1993 12:00	N	7440-22-4	Silver	18	ug/L	L	R	[NULL]	R	B090Y4	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-49	8/17/1993 12:00	N	7440-23-5	Sodium	6100	ug/L	[NULL]	R	[NULL]	R	B090Y4	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-49	8/17/1993 12:00	N	CONDUCT	Specific Conductance	190	uS/cm	[NULL]	Y	[NULL]	R	B090Y4	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-49	8/17/1993 12:00	N	10098-97-2	Strontium-90	0.081	pCi/L	U	R	[NULL]	R	B090Y4	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-49	8/17/1993 12:00	N	14808-79-8	Sulfate	16000	ug/L	[NULL]	R	[NULL]	R	B090Y4	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-49	8/17/1993 12:00	N	7440-31-5	Tin	51.1	ug/L	U	R	[NULL]	R	B090Y4	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-49	8/17/1993 12:00	N	10028-17-8	Tritium	73400	pCi/L	[NULL]	R	[NULL]	R	B090Y4	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-49	8/17/1993 12:00	N	TURBIDITY	Turbidity	3300	NTU	[NULL]	R	[NULL]	R	B090Y4	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-49	8/17/1993 12:00	N	7440-62-2	Vanadium	690	ug/L	[NULL]	R	[NULL]	R	B090Y4	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-49	8/17/1993 12:00	N	7440-66-6	Zinc	2100	ug/L	[NULL]	R	[NULL]	R	B090Y4	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-49	8/17/1993 12:00	N	PH	pH Measurement	8.1	unitless	[NULL]	R	[NULL]	R	B090Y4	PH	DATACH	D1293_PH	100-NR-2
199-N-5	3/22/1988 0:00	N	10045-97-3	Cesium-137	0.761	pCi/L	U	[NULL]	[NULL]	R	H0007JC5	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-5	3/22/1988 0:00	N	10198-40-0	Cobalt-60	17	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JC5	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-5	3/22/1988 0:00	N	12587-47-2	Gross beta	2460	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JC5	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-5	3/22/1988 0:00	N	14797-55-8	Nitrate	21500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JC5	14797-55-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-5	3/22/1988 0:00	N	13967-48-1	Ruthenium-106	-1.63	pCi/L	U	[NULL]	[NULL]	R	H0007JC5	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-5	3/22/1988 0:00	N	10098-97-2	Strontium-90	1480	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JC5	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-5	3/22/1988 0:00	N	14133-76-7	Technetium-99	7.86	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JC5	14133-76-7	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-5	3/22/1988 0:00	N	10028-17-8	Tritium	33200	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JC5	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-5	3/22/1988 0:00	N	7440-61-1	Uranium	0.943	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JC5	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-5	9/20/1988 0:00	N	10045-97-3	Cesium-137	1.99	pCi/L	U	[NULL]	[NULL]	R	H0007JC6	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-5	9/20/1988 0:00	N	10198-40-0	Cobalt-60	13.4	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JC6	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-5	9/20/1988 0:00	N	12587-47-2	Gross beta	4340	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JC6	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-5	9/20/1988 0:00	N	14797-55-8	Nitrate	20600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JC6	14797-55-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-5	9/20/1988 0:00	N	13967-48-1	Ruthenium-106	16.7	pCi/L	U	[NULL]	[NULL]	R	H0007JC6	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-5	9/20/1988 0:00	N	10098-97-2	Strontium-90	5380	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JC6	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-5	9/20/1988 0:00	N	14133-76-7	Technetium-99	7.46	pCi/L	U	[NULL]	[NULL]	R	H0007JC6	14133-76-7	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-5	9/20/1988 0:00	N	10028-17-8	Tritium	25900	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JC6	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-5	9/20/1988 0:00	N	7440-61-1	Uranium	1.55	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JC6	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-5	11/30/1988 0:00	N	10045-97-3	Cesium-137	2.05	pCi/L	U	[NULL]	[NULL]	R	H0007JC7	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-5	11/30/1988 0:00	N	10198-40-0	Cobalt-60	11.4	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JC7	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-5	11/30/1988 0:00	N	12587-47-2	Gross beta	2520	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JC7	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-5	11/30/1988 0:00	N	14797-55-8	Nitrate	20600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JC7	14797-55-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-5	11/30/1988 0:00	N	13967-48-1	Ruthenium-106	-1.02	pCi/L	U	[NULL]	[NULL]	R	H0007JC7	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-5	11/30/1988 0:00	N	10098-97-2	Strontium-90	1680	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JC7	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-5	11/30/1988 0:00	N	10028-17-8	Tritium	27600	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JC7	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-5	11/30/1988 0:00	N	7440-61-1	Uranium	0.742	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JC7	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-5	6/15/1989 0:00	N	10045-97-3	Cesium-137	2.71	pCi/L	U	[NULL]	[NULL]	R	H0007JC8	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-5	6/15/1989 0:00	N	10198-40-0	Cobalt-60	18.9	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JC8	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-5	6/15/1989 0:00	N	12587-47-2	Gross beta	665	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JC8	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-5	6/15/1989 0:00	N	14797-55-8	Nitrate	16900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JC8	14797-55-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-5	6/15/1989 0:00	N	13967-48-1	Ruthenium-106	-36.6	pCi/L	U	[NULL]	[NULL]	R	H0007JC8	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-5	6/15/1989 0:00	N	10098-97-2	Strontium-90	492	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JC8	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-5	6/15/1989 0:00	N	14133-76-7	Technetium-99	10.2	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JC8	14133-76-7	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-5	6/15/1989 0:00	N	10028-17-8	Tritium	51200	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JC8	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-5	6/15/1989 0:00	N	7440-61-1	Uranium	0.678	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JC8	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-5	10/8/1991 10:30	N	CONDUCT	Specific Conductance	460	uS/cm	[NULL]	[NULL]	[NULL]	R	B00M80	CONDUCT	FIELD	9050_CONDUCT	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-5	10/8/1991 10:30	N	TEMPERATURE	Temperature	20	Deg C	[NULL]	[NULL]	[NULL]	R	B00M80	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-5	10/8/1991 10:30	N	10028-17-8	Tritium	24700	pCi/L	[NULL]	[NULL]	[NULL]	R	B00M80	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-5	10/8/1991 10:30	N	PH	pH Measurement	7.68	unitless	[NULL]	[NULL]	[NULL]	R	B00M80	PH	FIELD	9040_PH	100-NR-2
199-N-5	1/30/1992 11:00	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01VF9	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	1/30/1992 11:00	N	16887-00-6	Chloride	5900	ug/L	[NULL]	[NULL]	[NULL]	R	B01VF9	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	1/30/1992 11:00	N	16984-48-8	Fluoride	200	ug/L	[NULL]	[NULL]	[NULL]	R	B01VF9	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	1/30/1992 11:00	N	14797-55-8	Nitrate	13000	ug/L	[NULL]	[NULL]	[NULL]	R	B01VF9	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	1/30/1992 11:00	N	14797-65-0	Nitrite	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01VF9	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	1/30/1992 11:00	N	14265-44-2	Phosphate	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B01VF9	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	1/30/1992 11:00	N	CONDUCT	Specific Conductance	593	uS/cm	[NULL]	[NULL]	[NULL]	R	B01VF9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-5	1/30/1992 11:00	N	10098-97-2	Strontium-90	961	pCi/L	[NULL]	[NULL]	[NULL]	R	B01VF9	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-5	1/30/1992 11:00	N	14808-79-8	Sulfate	190000	ug/L	[NULL]	[NULL]	[NULL]	R	B01VF9	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	1/30/1992 11:00	N	TEMPERATURE	Temperature	18.8	Deg C	[NULL]	[NULL]	[NULL]	R	B01VF9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-5	1/30/1992 11:00	N	10028-17-8	Tritium	22700	pCi/L	[NULL]	[NULL]	[NULL]	R	B01VF9	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-5	1/30/1992 11:00	N	PH	pH Measurement	6.28	unitless	[NULL]	[NULL]	[NULL]	R	B01VF9	PH	FIELD	9040_PH	100-NR-2
199-N-5	2/7/1992 9:45	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B05WK4	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	2/7/1992 9:45	N	16887-00-6	Chloride	6300	ug/L	[NULL]	[NULL]	[NULL]	R	B05WK4	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	2/7/1992 9:45	N	16984-48-8	Fluoride	200	ug/L	[NULL]	[NULL]	[NULL]	R	B05WK4	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	2/7/1992 9:45	N	14797-55-8	Nitrate	13000	ug/L	[NULL]	[NULL]	[NULL]	R	B05WK4	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	2/7/1992 9:45	N	14797-65-0	Nitrite	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B05WK4	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	2/7/1992 9:45	N	14265-44-2	Phosphate	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B05WK4	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	2/7/1992 9:45	N	CONDUCT	Specific Conductance	626	uS/cm	[NULL]	[NULL]	[NULL]	R	B05WK4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-5	2/7/1992 9:45	N	10098-97-2	Strontium-90	992	pCi/L	[NULL]	[NULL]	[NULL]	R	B05WK4	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-5	2/7/1992 9:45	N	14808-79-8	Sulfate	200000	ug/L	[NULL]	[NULL]	[NULL]	R	B05WK4	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	2/7/1992 9:45	N	TEMPERATURE	Temperature	18.6	Deg C	[NULL]	[NULL]	[NULL]	R	B05WK4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-5	2/7/1992 9:45	N	10028-17-8	Tritium	21100	pCi/L	[NULL]	[NULL]	[NULL]	R	B05WK4	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-5	2/7/1992 9:45	N	PH	pH Measurement	7.94	unitless	[NULL]	[NULL]	[NULL]	R	B05WK4	PH	FIELD	9040_PH	100-NR-2
199-N-5	1/28/1994 12:00	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B09RG5	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	1/28/1994 12:00	N	16887-00-6	Chloride	9840	ug/L	[NULL]	[NULL]	[NULL]	R	B09RG5	16887-00-6	PNL1	ANIONS_IC	100-NR-2
199-N-5	1/28/1994 12:00	N	16887-00-6	Chloride	9200	ug/L	[NULL]	[NULL]	[NULL]	R	B09RG5	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	1/28/1994 12:00	N	16984-48-8	Fluoride	387	ug/L	[NULL]	[NULL]	[NULL]	R	B09RG5	16984-48-8	PNL1	ANIONS_IC	100-NR-2
199-N-5	1/28/1994 12:00	N	16984-48-8	Fluoride	600	ug/L	[NULL]	[NULL]	[NULL]	R	B09RG5	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	1/28/1994 12:00	N	14797-55-8	Nitrate	10000	ug/L	BD	[NULL]	[NULL]	R	B09RG5	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	1/28/1994 12:00	N	14797-55-8	Nitrate	10200	ug/L	[NULL]	[NULL]	[NULL]	R	B09RG5	14797-55-8	PNL1	ANIONS_IC	100-NR-2
199-N-5	1/28/1994 12:00	N	14797-65-0	Nitrite	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B09RG5	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	1/28/1994 12:00	N	14265-44-2	Phosphate	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B09RG5	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	1/28/1994 12:00	N	14265-44-2	Phosphate	200	ug/L	U	[NULL]	[NULL]	R	B09RG5	14265-44-2	PNL1	ANIONS_IC	100-NR-2
199-N-5	1/28/1994 12:00	N	CONDUCT	Specific Conductance	1178	uS/cm	[NULL]	[NULL]	[NULL]	R	B09RG5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-5	1/28/1994 12:00	N	10098-97-2	Strontium-90	1240	pCi/L	[NULL]	[NULL]	[NULL]	R	B09RG5	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-5	1/28/1994 12:00	N	14808-79-8	Sulfate	237000	ug/L	[NULL]	[NULL]	[NULL]	R	B09RG5	14808-79-8	PNL1	ANIONS_IC	100-NR-2
199-N-5	1/28/1994 12:00	N	14808-79-8	Sulfate	270000	ug/L	BD	[NULL]	[NULL]	R	B09RG5	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	1/28/1994 12:00	N	TEMPERATURE	Temperature	16.8	Deg C	[NULL]	[NULL]	[NULL]	R	B09RG5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-5	1/28/1994 12:00	N	10028-17-8	Tritium	16600	pCi/L	[NULL]	[NULL]	[NULL]	R	B09RG5	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-5	1/28/1994 12:00	N	PH	pH Measurement	7.85	unitless	[NULL]	[NULL]	[NULL]	R	B09RG5	PH	FIELD	9040_PH	100-NR-2
199-N-5	12/19/1995 12:30	N	24959-67-9	Bromide	72	ug/L	U	[NULL]	[NULL]	R	B0H2F7	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	12/19/1995 12:30	N	24959-67-9	Bromide	130	ug/L	L	[NULL]	[NULL]	R	B0H2F6	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	12/19/1995 12:30	N	16887-00-6	Chloride	13000	ug/L	D	[NULL]	[NULL]	R	B0H2F7	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	12/19/1995 12:30	N	16887-00-6	Chloride	12000	ug/L	D	[NULL]	[NULL]	R	B0H2F6	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	12/19/1995 12:30	N	16984-48-8	Fluoride	810	ug/L	[NULL]	[NULL]	[NULL]	R	B0H2F7	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	12/19/1995 12:30	N	16984-48-8	Fluoride	770	ug/L	[NULL]	[NULL]	[NULL]	R	B0H2F6	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	12/19/1995 12:30	N	14797-55-8	Nitrate	650	ug/L	[NULL]	[NULL]	[NULL]	R	B0H2F7	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	12/19/1995 12:30	N	14797-55-8	Nitrate	670	ug/L	[NULL]	[NULL]	[NULL]	R	B0H2F6	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	12/19/1995 12:30	N	14797-65-0	Nitrite	140	ug/L	U	[NULL]	[NULL]	R	B0H2F7	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	12/19/1995 12:30	N	14797-65-0	Nitrite	140	ug/L	U	[NULL]	[NULL]	R	B0H2F6	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	12/19/1995 12:30	N	14265-44-2	Phosphate	340	ug/L	U	[NULL]	[NULL]	R	B0H2F6	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-5	12/19/1995 12:30	N	14265-44-2	Phosphate	340	ug/L	U	[NULL]	[NULL]	R	B0H2F7	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	12/19/1995 12:30	N	CONDUCT	Specific Conductance	731	uS/cm	[NULL]	[NULL]	[NULL]	R	B0H2F7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-5	12/19/1995 12:30	N	CONDUCT	Specific Conductance	731	uS/cm	[NULL]	[NULL]	[NULL]	R	B0H2F6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-5	12/19/1995 12:30	N	10098-97-2	Strontium-90	1128.5	pCi/L	[NULL]	[NULL]	[NULL]	R	B0H2F6	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-5	12/19/1995 12:30	N	10098-97-2	Strontium-90	1184.8	pCi/L	[NULL]	[NULL]	[NULL]	R	B0H2F7	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-5	12/19/1995 12:30	N	14808-79-8	Sulfate	190000	ug/L	D	[NULL]	[NULL]	R	B0H2F7	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	12/19/1995 12:30	N	14808-79-8	Sulfate	190000	ug/L	D	[NULL]	[NULL]	R	B0H2F6	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	12/19/1995 12:30	N	TEMPERATURE	Temperature	17.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0H2F6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-5	12/19/1995 12:30	N	TEMPERATURE	Temperature	17.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0H2F7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-5	12/19/1995 12:30	N	10028-17-8	Tritium	10941	pCi/L	[NULL]	[NULL]	[NULL]	R	B0H2F7	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-5	12/19/1995 12:30	N	10028-17-8	Tritium	11429	pCi/L	[NULL]	[NULL]	[NULL]	R	B0H2F6	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-5	12/19/1995 12:30	N	TURBIDITY	Turbidity	95	NTU	[NULL]	[NULL]	[NULL]	R	B0H2F7	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-5	12/19/1995 12:30	N	TURBIDITY	Turbidity	95	NTU	[NULL]	[NULL]	[NULL]	R	B0H2F6	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-5	12/19/1995 12:30	N	PH	pH Measurement	6.55	unitless	[NULL]	[NULL]	[NULL]	R	B0H2F6	PH	FIELD	9040_PH	100-NR-2
199-N-5	12/19/1995 12:30	N	PH	pH Measurement	6.55	unitless	[NULL]	[NULL]	[NULL]	R	B0H2F7	PH	FIELD	9040_PH	100-NR-2
199-N-5	3/26/1996 13:55	N	24959-67-9	Bromide	80	ug/L	L	[NULL]	[NULL]	R	B0HNG6	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	3/26/1996 13:55	N	16887-00-6	Chloride	19000	ug/L	D	[NULL]	[NULL]	R	B0HNG6	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	3/26/1996 13:55	N	16984-48-8	Fluoride	680	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNG6	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	3/26/1996 13:55	N	14797-55-8	Nitrate	13000	ug/L	D	[NULL]	[NULL]	R	B0HNG6	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	3/26/1996 13:55	N	14797-65-0	Nitrite	140	ug/L	U	[NULL]	[NULL]	R	B0HNG6	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	3/26/1996 13:55	N	14265-44-2	Phosphate	340	ug/L	U	[NULL]	[NULL]	R	B0HNG6	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	3/26/1996 13:55	N	10098-97-2	Strontium-90	919.89	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HNG6	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-5	3/26/1996 13:55	N	14808-79-8	Sulfate	260000	ug/L	D	[NULL]	[NULL]	R	B0HNG6	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-5	3/26/1996 13:55	N	10028-17-8	Tritium	10378	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HNG6	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-5	3/17/1997 13:30	N	24959-67-9	Bromide	23	ug/L	U	[NULL]	[NULL]	R	B0JX66	24959-67-9	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-5	3/17/1997 13:30	N	16887-00-6	Chloride	17700	ug/L	D	[NULL]	[NULL]	R	B0JX66	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-5	3/17/1997 13:30	N	16984-48-8	Fluoride	140	ug/L	[NULL]	[NULL]	[NULL]	R	B0JX66	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-5	3/17/1997 13:30	N	14797-55-8	Nitrate	4290	ug/L	[NULL]	[NULL]	[NULL]	R	B0JX66	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-5	3/17/1997 13:30	N	14797-65-0	Nitrite	6.57	ug/L	U	[NULL]	[NULL]	R	B0JX66	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-5	3/17/1997 13:30	N	14265-44-2	Phosphate	86	ug/L	U	[NULL]	[NULL]	R	B0JX66	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-5	3/17/1997 13:30	N	CONDUCT	Specific Conductance	813	uS/cm	[NULL]	[NULL]	[NULL]	R	B0JX66	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-5	3/17/1997 13:30	N	10098-97-2	Strontium-90	940	pCi/L	[NULL]	[NULL]	[NULL]	R	B0JX66	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-5	3/17/1997 13:30	N	14808-79-8	Sulfate	182000	ug/L	D	[NULL]	[NULL]	R	B0JX66	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-5	3/17/1997 13:30	N	TEMPERATURE	Temperature	18	Deg C	[NULL]	[NULL]	[NULL]	R	B0JX66	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-5	3/17/1997 13:30	N	10028-17-8	Tritium	8270	pCi/L	[NULL]	[NULL]	[NULL]	R	B0JX66	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-5	3/17/1997 13:30	N	TURBIDITY	Turbidity	90.6	NTU	[NULL]	[NULL]	[NULL]	R	B0JX66	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-5	3/17/1997 13:30	N	PH	pH Measurement	7.39	unitless	[NULL]	[NULL]	[NULL]	R	B0JX66	PH	FIELD	9040_PH	100-NR-2
199-N-5	3/5/1998 11:38	N	16887-00-6	Chloride	27900	ug/L	D	[NULL]	[NULL]	R	B0N452	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-5	3/5/1998 11:38	N	16984-48-8	Fluoride	156	ug/L	[NULL]	[NULL]	[NULL]	R	B0N452	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-5	3/5/1998 11:38	N	14797-55-8	Nitrate	252	ug/L	[NULL]	Y	[NULL]	R	B0N452	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-5	3/5/1998 11:38	N	14797-65-0	Nitrite	6.57	ug/L	UD	[NULL]	[NULL]	R	B0N452	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-5	3/5/1998 11:38	N	CONDUCT	Specific Conductance	737	uS/cm	[NULL]	[NULL]	[NULL]	R	B0N452	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-5	3/5/1998 11:38	N	10098-97-2	Strontium-90	829	pCi/L	[NULL]	[NULL]	[NULL]	R	B0N452	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-5	3/5/1998 11:38	N	14808-79-8	Sulfate	190000	ug/L	D	[NULL]	[NULL]	R	B0N452	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-5	3/5/1998 11:38	N	TEMPERATURE	Temperature	18.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0N452	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-5	3/5/1998 11:38	N	10028-17-8	Tritium	6870	pCi/L	[NULL]	[NULL]	[NULL]	R	B0N452	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-5	3/5/1998 11:38	N	TURBIDITY	Turbidity	190	NTU	[NULL]	[NULL]	[NULL]	R	B0N452	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-5	3/5/1998 11:38	N	PH	pH Measurement	7.38	unitless	[NULL]	[NULL]	[NULL]	R	B0N452	PH	FIELD	9040_PH	100-NR-2
199-N-5	3/23/1999 10:31	N	CONDUCT	Specific Conductance	778	uS/cm	[NULL]	[NULL]	[NULL]	R	B0TY01	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-5	3/23/1999 10:31	N	CONDUCT	Specific Conductance	742	uS/cm	C	Q	[NULL]	R	B0TY01	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-5	3/23/1999 10:31	N	10098-97-2	Strontium-90	750	pCi/L	[NULL]	[NULL]	[NULL]	R	B0TY00	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-5	3/23/1999 10:31	N	TEMPERATURE	Temperature	18.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0TY01	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-5	3/23/1999 10:31	N	10028-17-8	Tritium	6040	pCi/L	[NULL]	[NULL]	[NULL]	R	B0TY00	10028-17-8	QTESRL	906.0_H3_LSC	100-NR-2
199-N-5	3/23/1999 10:31	N	TURBIDITY	Turbidity	107	NTU	[NULL]	[NULL]	[NULL]	R	B0TY01	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-5	3/23/1999 10:31	N	PH	pH Measurement	7.31	unitless	[NULL]	[NULL]	[NULL]	R	B0TY01	PH	FIELD	9040_PH	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-50	1/29/1988 0:00	N	12587-47-2	Gross beta	66.9	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JD2	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-50	1/29/1988 0:00	N	14797-55-8	Nitrate	44800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JD2	14797-55-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-50	1/29/1988 0:00	N	10098-97-2	Strontium-90	0.0108	pCi/L	U	[NULL]	[NULL]	R	H0007JD2	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-50	1/29/1988 0:00	N	14133-76-7	Technetium-99	7.9	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JD2	14133-76-7	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-50	1/29/1988 0:00	N	10028-17-8	Tritium	133000	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JD2	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-50	1/29/1988 0:00	N	7440-61-1	Uranium	1.01	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JD2	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-50	4/29/1988 0:00	N	12587-47-2	Gross beta	68	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JD3	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-50	4/29/1988 0:00	N	14797-55-8	Nitrate	39500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JD3	14797-55-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-50	4/29/1988 0:00	N	10098-97-2	Strontium-90	-0.00717	pCi/L	U	[NULL]	[NULL]	R	H0007JD3	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-50	4/29/1988 0:00	N	10028-17-8	Tritium	124000	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JD3	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-50	4/29/1988 0:00	N	7440-61-1	Uranium	0.684	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JD3	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-50	6/8/1989 0:00	N	10045-97-3	Cesium-137	3.53	pCi/L	U	[NULL]	[NULL]	R	H0007JD4	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-50	6/8/1989 0:00	N	10198-40-0	Cobalt-60	21.7	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JD4	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-50	6/8/1989 0:00	N	12587-47-2	Gross beta	27.1	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JD4	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-50	6/8/1989 0:00	N	14797-55-8	Nitrate	38800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JD4	14797-55-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-50	6/8/1989 0:00	N	13967-48-1	Ruthenium-106	-14.8	pCi/L	U	[NULL]	[NULL]	R	H0007JD4	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-50	6/8/1989 0:00	N	10098-97-2	Strontium-90	0.172	pCi/L	U	[NULL]	[NULL]	R	H0007JD4	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-50	6/8/1989 0:00	N	14133-76-7	Technetium-99	11.1	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JD4	14133-76-7	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-50	6/8/1989 0:00	N	10028-17-8	Tritium	92600	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JD4	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-50	6/8/1989 0:00	N	7440-61-1	Uranium	0.56	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JD4	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-50	10/30/1991 12:15	N	14234-35-6	Antimony-125	0.97	pCi/L	[NULL]	[NULL]	[NULL]	R	B00M92	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-50	10/30/1991 12:15	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B00M92	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	10/30/1991 12:15	N	10045-97-3	Cesium-137	-0.343	pCi/L	U	[NULL]	[NULL]	R	B00M92	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-50	10/30/1991 12:15	N	16887-00-6	Chloride	2000	ug/L	[NULL]	[NULL]	[NULL]	R	B00M92	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	10/30/1991 12:15	N	10198-40-0	Cobalt-60	7.54	pCi/L	[NULL]	[NULL]	[NULL]	R	B00M92	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-50	10/30/1991 12:15	N	16984-48-8	Fluoride	200	ug/L	[NULL]	[NULL]	[NULL]	R	B00M92	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	10/30/1991 12:15	N	14797-55-8	Nitrate	6200	ug/L	[NULL]	[NULL]	[NULL]	R	B00M92	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	10/30/1991 12:15	N	14797-65-0	Nitrite	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B00M92	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	10/30/1991 12:15	N	14265-44-2	Phosphate	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B00M92	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	10/30/1991 12:15	N	13967-48-1	Ruthenium-106	4.63	pCi/L	[NULL]	[NULL]	[NULL]	R	B00M92	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-50	10/30/1991 12:15	N	CONDUCT	Specific Conductance	192	uS/cm	[NULL]	[NULL]	[NULL]	R	B00M92	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-50	10/30/1991 12:15	N	14808-79-8	Sulfate	15000	ug/L	[NULL]	[NULL]	[NULL]	R	B00M92	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	10/30/1991 12:15	N	TEMPERATURE	Temperature	19.9	Deg C	[NULL]	[NULL]	[NULL]	R	B00M92	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-50	10/30/1991 12:15	N	10028-17-8	Tritium	22300	pCi/L	[NULL]	[NULL]	[NULL]	R	B00M92	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-50	10/30/1991 12:15	N	PH	pH Measurement	8.08	unitless	[NULL]	[NULL]	[NULL]	R	B00M92	PH	FIELD	9040_PH	100-NR-2
199-N-50	2/14/1992 9:00	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B05WK5	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	2/14/1992 9:00	N	16887-00-6	Chloride	2300	ug/L	[NULL]	[NULL]	[NULL]	R	B05WK5	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	2/14/1992 9:00	N	16984-48-8	Fluoride	300	ug/L	[NULL]	[NULL]	[NULL]	R	B05WK5	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	2/14/1992 9:00	N	14797-55-8	Nitrate	7400	ug/L	[NULL]	[NULL]	[NULL]	R	B05WK5	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	2/14/1992 9:00	N	14797-65-0	Nitrite	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B05WK5	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	2/14/1992 9:00	N	14265-44-2	Phosphate	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B05WK5	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	2/14/1992 9:00	N	CONDUCT	Specific Conductance	212	uS/cm	[NULL]	[NULL]	[NULL]	R	B05WK5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-50	2/14/1992 9:00	N	10098-97-2	Strontium-90	0.00395	pCi/L	[NULL]	[NULL]	[NULL]	R	B05WK5	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-50	2/14/1992 9:00	N	14808-79-8	Sulfate	16000	ug/L	[NULL]	[NULL]	[NULL]	R	B05WK5	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	2/14/1992 9:00	N	TEMPERATURE	Temperature	19.8	Deg C	[NULL]	[NULL]	[NULL]	R	B05WK5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-50	2/14/1992 9:00	N	10028-17-8	Tritium	25000	pCi/L	[NULL]	[NULL]	[NULL]	R	B05WK5	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-50	2/14/1992 9:00	N	PH	pH Measurement	6.55	unitless	[NULL]	[NULL]	[NULL]	R	B05WK5	PH	FIELD	9040_PH	100-NR-2
199-N-50	2/17/1993 10:13	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NR6	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-50	2/17/1993 10:13	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NR6	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-50	2/17/1993 10:13	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B07NR6	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-50	2/17/1993 10:13	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B07NR6	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-50	2/17/1993 10:13	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NR6	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-50	2/17/1993 10:13	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NR6	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-50	2/17/1993 10:13	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NR6	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-50	2/17/1993 10:13	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B07NR6	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-50	2/17/1993 10:13	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B07NR6	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-50	2/17/1993 10:13	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B07NR6	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-50	2/17/1993 10:13	N	14798-03-9	Ammonium ion	100	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR6	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-50	2/17/1993 10:13	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B07NR6	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	2/17/1993 10:13	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B07NR7	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	2/17/1993 10:13	N	14234-35-6	Antimony-125	-18.3	pCi/L	U	[NULL]	[NULL]	R	B07NR6	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-50	2/17/1993 10:13	N	7440-38-2	Arsenic	6.2	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR6	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-50	2/17/1993 10:13	Y	7440-38-2	Arsenic	5.7	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR7	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-50	2/17/1993 10:13	N	7440-39-3	Barium	20	ug/L	U	[NULL]	[NULL]	R	B07NR6	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	2/17/1993 10:13	Y	7440-39-3	Barium	20	ug/L	U	[NULL]	[NULL]	R	B07NR7	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	2/17/1993 10:13	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B07NR6	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	2/17/1993 10:13	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B07NR7	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	2/17/1993 10:13	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B07NR6	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	2/17/1993 10:13	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B07NR6	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	2/17/1993 10:13	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B07NR7	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	2/17/1993 10:13	Y	7440-70-2	Calcium	24000	ug/L	[NULL]	Q	[NULL]	R	B07NR7	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	2/17/1993 10:13	N	7440-70-2	Calcium	24000	ug/L	[NULL]	Q	[NULL]	R	B07NR6	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	2/17/1993 10:13	N	10045-97-3	Cesium-137	0	pCi/L	U	[NULL]	[NULL]	R	B07NR6	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-50	2/17/1993 10:13	N	16887-00-6	Chloride	2500	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR6	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	2/17/1993 10:13	N	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B07NR6	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	2/17/1993 10:13	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B07NR7	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	2/17/1993 10:13	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B07NR7	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	2/17/1993 10:13	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B07NR6	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	2/17/1993 10:13	N	10198-40-0	Cobalt-60	-7.61	pCi/L	U	[NULL]	[NULL]	R	B07NR6	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-50	2/17/1993 10:13	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B07NR6	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-50	2/17/1993 10:13	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B07NR7	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	2/17/1993 10:13	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B07NR6	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	2/17/1993 10:13	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B07NR6	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-50	2/17/1993 10:13	N	16984-48-8	Fluoride	300	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR6	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	2/17/1993 10:13	N	12587-46-1	Gross alpha	0.948	pCi/L	U	[NULL]	[NULL]	R	B07NR6	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-50	2/17/1993 10:13	N	12587-47-2	Gross beta	4.2	pCi/L	[NULL]	[NULL]	[NULL]	R	B07NR6	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-50	2/17/1993 10:13	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B07NR6	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-50	2/17/1993 10:13	Y	7439-89-6	Iron	20	ug/L	U	[NULL]	[NULL]	R	B07NR7	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	2/17/1993 10:13	N	7439-89-6	Iron	80	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR6	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	2/17/1993 10:13	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B07NR7	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-50	2/17/1993 10:13	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B07NR6	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-50	2/17/1993 10:13	N	7439-95-4	Magnesium	6900	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR6	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	2/17/1993 10:13	Y	7439-95-4	Magnesium	7000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR7	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	2/17/1993 10:13	N	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B07NR6	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	2/17/1993 10:13	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B07NR7	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	2/17/1993 10:13	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B07NR7	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-50	2/17/1993 10:13	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B07NR6	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-50	2/17/1993 10:13	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B07NR7	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	2/17/1993 10:13	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B07NR6	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	2/17/1993 10:13	N	14797-55-8	Nitrate	9500	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR6	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	2/17/1993 10:13	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B07NR6	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	2/17/1993 10:13	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B07NR6	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-50	2/17/1993 10:13	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B07NR6	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-50	2/17/1993 10:13	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B07NR6	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	2/17/1993 10:13	N	7440-09-7	Potassium	3600	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR6	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	2/17/1993 10:13	Y	7440-09-7	Potassium	3200	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR7	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-50	2/17/1993 10:13	N	7440-14-4	Radium	0.002	pCi/L	U	[NULL]	[NULL]	R	B07NR6	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-50	2/17/1993 10:13	N	13967-48-1	Ruthenium-106	24.8	pCi/L	U	[NULL]	[NULL]	R	B07NR6	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-50	2/17/1993 10:13	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B07NR7	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-50	2/17/1993 10:13	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B07NR6	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-50	2/17/1993 10:13	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B07NR6	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	2/17/1993 10:13	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B07NR7	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	2/17/1993 10:13	N	7440-23-5	Sodium	6500	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR6	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	2/17/1993 10:13	Y	7440-23-5	Sodium	6700	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR7	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	2/17/1993 10:13	N	CONDUCT	Specific Conductance	200	uS/cm	[NULL]	[NULL]	[NULL]	R	B07NR6	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-50	2/17/1993 10:13	N	10098-97-2	Strontium-90	-0.391	pCi/L	U	[NULL]	[NULL]	R	B07NR6	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-50	2/17/1993 10:13	N	14808-79-8	Sulfate	19000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR6	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	2/17/1993 10:13	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B07NR6	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-50	2/17/1993 10:13	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B07NR6	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-50	2/17/1993 10:13	Y	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B07NR7	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-50	2/17/1993 10:13	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B07NR7	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	2/17/1993 10:13	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B07NR6	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	2/17/1993 10:13	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B07NR6	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-50	2/17/1993 10:13	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07NR6	TOC	DATACH	9060_TOC	100-NR-2
199-N-50	2/17/1993 10:13	N	59473-04-0	Total organic halides	10	ug/L	U	HY	[NULL]	R	B07NR6	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-50	2/17/1993 10:13	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NR6	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-50	2/17/1993 10:13	N	10028-17-8	Tritium	24800	pCi/L	[NULL]	[NULL]	[NULL]	R	B07NR6	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-50	2/17/1993 10:13	N	TURBIDITY	Turbidity	0.2	NTU	[NULL]	[NULL]	[NULL]	R	B07NR6	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-50	2/17/1993 10:13	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B07NR7	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	2/17/1993 10:13	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B07NR6	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	2/17/1993 10:13	N	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B07NR6	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	2/17/1993 10:13	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B07NR7	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	2/17/1993 10:13	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	B07NR6	PH	DATACH	D1293_PH	100-NR-2
199-N-50	5/21/1993 11:07	N	7429-90-5	Aluminum	120	ug/L	L	Q	[NULL]	R	B08KM6	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	Y	7429-90-5	Aluminum	120	ug/L	L	Q	[NULL]	R	B08KM7	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B08KM6	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B08KM7	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	N	14234-35-6	Antimony-125	9.16	pCi/L	U	[NULL]	[NULL]	R	B08KM6	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-50	5/21/1993 11:07	Y	7440-39-3	Barium	17	ug/L	L	[NULL]	[NULL]	R	B08KM7	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	N	7440-39-3	Barium	18	ug/L	L	[NULL]	[NULL]	R	B08KM6	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B08KM6	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B08KM7	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	N	24959-67-9	Bromide	52.8	ug/L	U	[NULL]	[NULL]	R	B08KM6	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	5/21/1993 11:07	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B08KM6	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B08KM7	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	N	7440-70-2	Calcium	25000	ug/L	[NULL]	Q	[NULL]	R	B08KM6	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	Y	7440-70-2	Calcium	25000	ug/L	[NULL]	Q	[NULL]	R	B08KM7	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	N	10045-97-3	Cesium-137	6.95	pCi/L	[NULL]	[NULL]	[NULL]	R	B08KM6	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-50	5/21/1993 11:07	N	16887-00-6	Chloride	3000	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM6	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	5/21/1993 11:07	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B08KM7	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	N	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B08KM6	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B08KM7	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B08KM6	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	N	10198-40-0	Cobalt-60	3.67	pCi/L	U	[NULL]	[NULL]	R	B08KM6	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-50	5/21/1993 11:07	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B08KM7	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B08KM6	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	N	16984-48-8	Fluoride	200	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM6	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	5/21/1993 11:07	N	12587-46-1	Gross alpha	1.37	pCi/L	[NULL]	[NULL]	[NULL]	R	B08KM6	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-50	5/21/1993 11:07	N	12587-47-2	Gross beta	5.22	pCi/L	[NULL]	[NULL]	[NULL]	R	B08KM6	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-50	5/21/1993 11:07	Y	7439-89-6	Iron	20	ug/L	U	[NULL]	[NULL]	R	B08KM7	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	N	7439-89-6	Iron	30	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM6	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-50	5/21/1993 11:07	Y	7439-95-4	Magnesium	7100	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM7	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	N	7439-95-4	Magnesium	7200	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM6	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	N	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B08KM6	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B08KM7	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B08KM7	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B08KM6	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	N	14797-55-8	Nitrate	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM6	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	5/21/1993 11:07	N	14797-65-0	Nitrite	38.3	ug/L	U	[NULL]	[NULL]	R	B08KM6	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	5/21/1993 11:07	N	14265-44-2	Phosphate	147	ug/L	U	[NULL]	[NULL]	R	B08KM6	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	5/21/1993 11:07	N	7440-09-7	Potassium	2400	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM6	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	Y	7440-09-7	Potassium	2500	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM7	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	N	13967-48-1	Ruthenium-106	-53.8	pCi/L	U	[NULL]	[NULL]	R	B08KM6	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-50	5/21/1993 11:07	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B08KM6	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B08KM7	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	N	7440-23-5	Sodium	6700	ug/L	[NULL]	Q	[NULL]	R	B08KM6	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	Y	7440-23-5	Sodium	6400	ug/L	[NULL]	Q	[NULL]	R	B08KM7	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	N	CONDUCT	Specific Conductance	220	uS/cm	[NULL]	[NULL]	[NULL]	R	B08KM6	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-50	5/21/1993 11:07	N	10098-97-2	Strontium-90	-0.222	pCi/L	U	[NULL]	[NULL]	R	B08KM6	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-50	5/21/1993 11:07	N	14808-79-8	Sulfate	24000	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM6	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	5/21/1993 11:07	Y	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B08KM7	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	N	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B08KM6	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	N	10028-17-8	Tritium	19900	pCi/L	[NULL]	Q	[NULL]	R	B08KM6	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-50	5/21/1993 11:07	N	TURBIDITY	Turbidity	0.7	NTU	[NULL]	[NULL]	[NULL]	R	B08KM6	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-50	5/21/1993 11:07	Y	7440-62-2	Vanadium	23	ug/L	L	[NULL]	[NULL]	R	B08KM7	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	N	7440-62-2	Vanadium	20	ug/L	L	[NULL]	[NULL]	R	B08KM6	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	Y	7440-66-6	Zinc	8.1	ug/L	L	[NULL]	[NULL]	R	B08KM7	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	N	7440-66-6	Zinc	8	ug/L	L	[NULL]	[NULL]	R	B08KM6	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	5/21/1993 11:07	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	B08KM6	PH	DATACH	D1293_PH	100-NR-2
199-N-50	8/10/1993 12:23	N	7429-90-5	Aluminum	36	ug/L	L	[NULL]	[NULL]	R	B090Y6	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	Y	7429-90-5	Aluminum	39	ug/L	L	[NULL]	[NULL]	R	B090Y7	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	N	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B090Y6	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	Y	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B090Y7	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	N	14234-35-6	Antimony-125	0.525	pCi/L	U	[NULL]	[NULL]	R	B090Y6	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-50	8/10/1993 12:23	Y	7440-39-3	Barium	18	ug/L	L	[NULL]	[NULL]	R	B090Y7	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	N	7440-39-3	Barium	18	ug/L	L	[NULL]	[NULL]	R	B090Y6	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	Y	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B090Y7	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	N	7440-41-7	Beryllium	1.1	ug/L	L	[NULL]	[NULL]	R	B090Y6	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	N	24959-67-9	Bromide	52.8	ug/L	U	[NULL]	[NULL]	R	B090Y6	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	8/10/1993 12:23	Y	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B090Y7	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	N	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B090Y6	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	Y	7440-70-2	Calcium	22000	ug/L	[NULL]	[NULL]	[NULL]	R	B090Y7	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	N	7440-70-2	Calcium	23000	ug/L	[NULL]	[NULL]	[NULL]	R	B090Y6	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	N	10045-97-3	Cesium-137	5.98	pCi/L	[NULL]	[NULL]	[NULL]	R	B090Y6	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-50	8/10/1993 12:23	N	16887-00-6	Chloride	2900	ug/L	[NULL]	[NULL]	[NULL]	R	B090Y6	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	8/10/1993 12:23	Y	7440-47-3	Chromium	5.42	ug/L	U	[NULL]	[NULL]	R	B090Y7	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	N	7440-47-3	Chromium	5.42	ug/L	U	[NULL]	[NULL]	R	B090Y6	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	Y	7440-48-4	Cobalt	4.05	ug/L	U	[NULL]	[NULL]	R	B090Y7	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	N	7440-48-4	Cobalt	4.05	ug/L	U	[NULL]	[NULL]	R	B090Y6	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	N	10198-40-0	Cobalt-60	-3.94	pCi/L	U	[NULL]	[NULL]	R	B090Y6	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-50	8/10/1993 12:23	N	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B090Y6	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	Y	7440-50-8	Copper	11	ug/L	L	[NULL]	[NULL]	R	B090Y7	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	N	16984-48-8	Fluoride	400	ug/L	[NULL]	[NULL]	[NULL]	R	B090Y6	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	8/10/1993 12:23	N	12587-46-1	Gross alpha	0.293	pCi/L	U	[NULL]	[NULL]	R	B090Y6	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-50	8/10/1993 12:23	N	12587-47-2	Gross beta	4.35	pCi/L	[NULL]	[NULL]	[NULL]	R	B090Y6	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-50	8/10/1993 12:23	N	7439-89-6	Iron	39	ug/L	[NULL]	Q	[NULL]	R	B090Y6	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-50	8/10/1993 12:23	Y	7439-89-6	Iron	38	ug/L	[NULL]	Q	[NULL]	R	B090Y7	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	Y	7439-95-4	Magnesium	6600	ug/L	[NULL]	[NULL]	[NULL]	R	B090Y7	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	N	7439-95-4	Magnesium	6800	ug/L	[NULL]	[NULL]	[NULL]	R	B090Y6	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	Y	7439-96-5	Manganese	1.5	ug/L	L	Q	[NULL]	R	B090Y7	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	N	7439-96-5	Manganese	1.35	ug/L	U	Q	[NULL]	R	B090Y6	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	N	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B090Y6	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	Y	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B090Y7	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	N	14797-55-8	Nitrate	10000	ug/L	[NULL]	Q	[NULL]	R	B090Y6	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	8/10/1993 12:23	N	14797-65-0	Nitrite	38.3	ug/L	U	[NULL]	[NULL]	R	B090Y6	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	8/10/1993 12:23	N	14265-44-2	Phosphate	147	ug/L	U	[NULL]	[NULL]	R	B090Y6	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	8/10/1993 12:23	Y	7440-09-7	Potassium	2500	ug/L	[NULL]	[NULL]	[NULL]	R	B090Y7	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	N	7440-09-7	Potassium	2800	ug/L	[NULL]	[NULL]	[NULL]	R	B090Y6	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	N	13967-48-1	Ruthenium-106	13.8	pCi/L	U	[NULL]	[NULL]	R	B090Y6	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-50	8/10/1993 12:23	Y	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B090Y7	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	N	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B090Y6	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	N	7440-23-5	Sodium	6200	ug/L	[NULL]	Q	[NULL]	R	B090Y6	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	Y	7440-23-5	Sodium	6000	ug/L	[NULL]	Q	[NULL]	R	B090Y7	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	N	CONDUCT	Specific Conductance	290	uS/cm	[NULL]	[NULL]	[NULL]	R	B090Y6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-50	8/10/1993 12:23	N	CONDUCT	Specific Conductance	210	uS/cm	[NULL]	[NULL]	[NULL]	R	B090Y6	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-50	8/10/1993 12:23	N	10098-97-2	Strontium-90	-0.121	pCi/L	U	[NULL]	[NULL]	R	B090Y6	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-50	8/10/1993 12:23	N	14808-79-8	Sulfate	20000	ug/L	[NULL]	[NULL]	[NULL]	R	B090Y6	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	8/10/1993 12:23	N	TEMPERATURE	Temperature	20.6	Deg C	[NULL]	[NULL]	[NULL]	R	B090Y6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-50	8/10/1993 12:23	Y	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B090Y7	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	N	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B090Y6	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	N	10028-17-8	Tritium	25900	pCi/L	[NULL]	[NULL]	[NULL]	R	B090Y6	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-50	8/10/1993 12:23	N	TURBIDITY	Turbidity	0.3	NTU	[NULL]	Q	[NULL]	R	B090Y6	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-50	8/10/1993 12:23	N	7440-62-2	Vanadium	14	ug/L	L	[NULL]	[NULL]	R	B090Y6	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	Y	7440-62-2	Vanadium	13	ug/L	L	[NULL]	[NULL]	R	B090Y7	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	N	7440-66-6	Zinc	7.7	ug/L	L	Q	[NULL]	R	B090Y6	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	Y	7440-66-6	Zinc	18	ug/L	[NULL]	Q	[NULL]	R	B090Y7	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	8/10/1993 12:23	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	B090Y6	PH	DATACH	D1293_PH	100-NR-2
199-N-50	8/10/1993 12:23	N	PH	pH Measurement	7.99	unitless	[NULL]	[NULL]	[NULL]	R	B090Y6	PH	FIELD	9040_PH	100-NR-2
199-N-50	3/2/1994 11:16	Y	7429-90-5	Aluminum	64	ug/L	L	[NULL]	[NULL]	R	B09ZR3	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	N	7429-90-5	Aluminum	50	ug/L	L	[NULL]	[NULL]	R	B09ZR2	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	Y	7440-36-0	Antimony	91	ug/L	BL	[NULL]	[NULL]	R	B09ZR3	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	N	7440-36-0	Antimony	54	ug/L	BL	[NULL]	[NULL]	R	B09ZR2	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	N	14234-35-6	Antimony-125	4.84	pCi/L	U	[NULL]	[NULL]	R	B09ZR2	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-50	3/2/1994 11:16	Y	7440-39-3	Barium	21	ug/L	[NULL]	[NULL]	[NULL]	R	B09ZR3	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	N	7440-39-3	Barium	27	ug/L	[NULL]	[NULL]	[NULL]	R	B09ZR2	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	Y	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B09ZR3	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	N	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B09ZR2	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	N	24959-67-9	Bromide	52.8	ug/L	U	[NULL]	[NULL]	R	B09ZR2	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	3/2/1994 11:16	N	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B09ZR2	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	Y	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B09ZR3	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	Y	7440-70-2	Calcium	24000	ug/L	[NULL]	[NULL]	[NULL]	R	B09ZR3	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	N	7440-70-2	Calcium	26000	ug/L	[NULL]	[NULL]	[NULL]	R	B09ZR2	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	N	10045-97-3	Cesium-137	0.04	pCi/L	U	[NULL]	[NULL]	R	B09ZR2	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-50	3/2/1994 11:16	N	16887-00-6	Chloride	3300	ug/L	[NULL]	[NULL]	[NULL]	R	B09ZR2	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	3/2/1994 11:16	Y	7440-47-3	Chromium	16	ug/L	L	[NULL]	[NULL]	R	B09ZR3	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	N	7440-47-3	Chromium	5.42	ug/L	U	[NULL]	[NULL]	R	B09ZR2	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	N	7440-48-4	Cobalt	4.05	ug/L	U	[NULL]	[NULL]	R	B09ZR2	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	Y	7440-48-4	Cobalt	14	ug/L	L	[NULL]	[NULL]	R	B09ZR3	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	N	10198-40-0	Cobalt-60	4.29	pCi/L	U	[NULL]	[NULL]	R	B09ZR2	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-50	3/2/1994 11:16	N	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B09ZR2	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	Y	7440-50-8	Copper	8.2	ug/L	L	[NULL]	[NULL]	R	B09ZR3	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-50	3/2/1994 11:16	N	16984-48-8	Fluoride	500	ug/L	[NULL]	[NULL]	[NULL]	R	B09ZR2	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	3/2/1994 11:16	N	12587-46-1	Gross alpha	1.25	pCi/L	[NULL]	[NULL]	[NULL]	R	B09ZR2	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-50	3/2/1994 11:16	N	12587-47-2	Gross beta	6.59	pCi/L	[NULL]	[NULL]	[NULL]	R	B09ZR2	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-50	3/2/1994 11:16	Y	7439-89-6	Iron	44	ug/L	[NULL]	[NULL]	[NULL]	R	B09ZR3	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	N	7439-89-6	Iron	190	ug/L	[NULL]	[NULL]	[NULL]	R	B09ZR2	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	Y	7439-95-4	Magnesium	6700	ug/L	[NULL]	[NULL]	[NULL]	R	B09ZR3	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	N	7439-95-4	Magnesium	7600	ug/L	[NULL]	[NULL]	[NULL]	R	B09ZR2	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	N	7439-96-5	Manganese	2.9	ug/L	L	[NULL]	[NULL]	R	B09ZR2	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	Y	7439-96-5	Manganese	2.5	ug/L	L	[NULL]	[NULL]	R	B09ZR3	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	Y	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B09ZR3	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	N	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B09ZR2	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	N	14797-55-8	Nitrate	12000	ug/L	D	[NULL]	[NULL]	R	B09ZR2	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	3/2/1994 11:16	N	14797-65-0	Nitrite	38.3	ug/L	U	[NULL]	[NULL]	R	B09ZR2	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	3/2/1994 11:16	N	14265-44-2	Phosphate	147	ug/L	U	[NULL]	[NULL]	R	B09ZR2	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	3/2/1994 11:16	N	7440-09-7	Potassium	3300	ug/L	[NULL]	[NULL]	[NULL]	R	B09ZR2	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	Y	7440-09-7	Potassium	4700	ug/L	[NULL]	[NULL]	[NULL]	R	B09ZR3	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	N	13967-48-1	Ruthenium-106	-14.5	pCi/L	U	[NULL]	[NULL]	R	B09ZR2	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-50	3/2/1994 11:16	Y	7440-22-4	Silver	15	ug/L	L	[NULL]	[NULL]	R	B09ZR3	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	N	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B09ZR2	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	Y	7440-23-5	Sodium	5800	ug/L	[NULL]	[NULL]	[NULL]	R	B09ZR3	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	N	7440-23-5	Sodium	6800	ug/L	[NULL]	[NULL]	[NULL]	R	B09ZR2	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	N	CONDUCT	Specific Conductance	327	uS/cm	[NULL]	[NULL]	[NULL]	R	B09ZR2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-50	3/2/1994 11:16	N	10098-97-2	Strontium-90	-0.05	pCi/L	U	[NULL]	[NULL]	R	B09ZR2	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-50	3/2/1994 11:16	N	14808-79-8	Sulfate	23000	ug/L	BD	[NULL]	[NULL]	R	B09ZR2	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	3/2/1994 11:16	N	TEMPERATURE	Temperature	18.4	Deg C	[NULL]	[NULL]	[NULL]	R	B09ZR2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-50	3/2/1994 11:16	N	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B09ZR2	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	Y	7440-31-5	Tin	44	ug/L	L	[NULL]	[NULL]	R	B09ZR3	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	N	10028-17-8	Tritium	26900	pCi/L	[NULL]	[NULL]	[NULL]	R	B09ZR2	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-50	3/2/1994 11:16	N	TURBIDITY	Turbidity	0.55	NTU	[NULL]	[NULL]	[NULL]	R	B09ZR2	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-50	3/2/1994 11:16	Y	7440-62-2	Vanadium	44	ug/L	B	[NULL]	[NULL]	R	B09ZR3	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	N	7440-62-2	Vanadium	41	ug/L	B	[NULL]	[NULL]	R	B09ZR2	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	Y	7440-66-6	Zinc	5.7	ug/L	L	[NULL]	[NULL]	R	B09ZR3	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	N	7440-66-6	Zinc	4.7	ug/L	L	[NULL]	[NULL]	R	B09ZR2	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	3/2/1994 11:16	N	PH	pH Measurement	8.18	unitless	[NULL]	[NULL]	[NULL]	R	B09ZR2	PH	FIELD	9040_PH	100-NR-2
199-N-50	9/7/1994 19:00	Y	7429-90-5	Aluminum	23	ug/L	L	[NULL]	[NULL]	R	B0CJ37	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	N	7429-90-5	Aluminum	19	ug/L	U	[NULL]	[NULL]	R	B0CJ36	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	Y	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0CJ37	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	N	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0CJ36	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	N	14234-35-6	Antimony-125	6.93	pCi/L	U	[NULL]	[NULL]	R	B0CJ36	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-50	9/7/1994 19:00	N	7440-39-3	Barium	16	ug/L	L	[NULL]	[NULL]	R	B0CJ36	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	Y	7440-39-3	Barium	16	ug/L	L	[NULL]	[NULL]	R	B0CJ37	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	Y	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0CJ37	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	N	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0CJ36	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0CCF7	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	9/7/1994 19:00	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0CJ37	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0CJ36	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	N	7440-70-2	Calcium	26000	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ36	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	Y	7440-70-2	Calcium	26000	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ37	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	N	10045-97-3	Cesium-137	6.44	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CJ36	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-50	9/7/1994 19:00	N	16887-00-6	Chloride	4000	ug/L	[NULL]	[NULL]	[NULL]	R	B0CCF7	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	9/7/1994 19:00	N	7440-47-3	Chromium	11	ug/L	U	[NULL]	[NULL]	R	B0CJ36	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	Y	7440-47-3	Chromium	11	ug/L	U	[NULL]	[NULL]	R	B0CJ37	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	N	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0CJ36	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	Y	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0CJ37	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	N	10198-40-0	Cobalt-60	-0.955	pCi/L	U	[NULL]	[NULL]	R	B0CJ36	10198-40-0	ITASRL	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-50	9/7/1994 19:00	N	7440-50-8	Copper	2.6	ug/L	U	[NULL]	[NULL]	R	B0CJ36	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	Y	7440-50-8	Copper	2.6	ug/L	U	[NULL]	[NULL]	R	B0CJ37	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	N	16984-48-8	Fluoride	600	ug/L	[NULL]	[NULL]	[NULL]	R	B0CCF7	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	9/7/1994 19:00	N	12587-46-1	Gross alpha	0.284	pCi/L	U	[NULL]	[NULL]	R	B0CJ36	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-50	9/7/1994 19:00	N	12587-47-2	Gross beta	2.25	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CJ36	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-50	9/7/1994 19:00	Y	7439-89-6	Iron	44	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ37	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	N	7439-89-6	Iron	56	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ36	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	Y	7439-95-4	Magnesium	7500	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ37	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	N	7439-95-4	Magnesium	7500	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ36	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	N	7439-96-5	Manganese	2.2	ug/L	L	[NULL]	[NULL]	R	B0CJ36	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	Y	7439-96-5	Manganese	1.2	ug/L	L	[NULL]	[NULL]	R	B0CJ37	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	Y	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0CJ37	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	N	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0CJ36	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	N	14797-55-8	Nitrate	13000	ug/L	D	[NULL]	[NULL]	R	B0CCF7	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	9/7/1994 19:00	N	14797-65-0	Nitrite	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0CCF7	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	9/7/1994 19:00	N	14265-44-2	Phosphate	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0CCF7	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	9/7/1994 19:00	Y	7440-09-7	Potassium	3100	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ37	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	N	7440-09-7	Potassium	3000	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ36	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	N	13967-48-1	Ruthenium-106	-10.3	pCi/L	U	[NULL]	[NULL]	R	B0CJ36	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-50	9/7/1994 19:00	Y	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0CJ37	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	N	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0CJ36	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	Y	7440-23-5	Sodium	6600	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ37	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	N	7440-23-5	Sodium	6400	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ36	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	N	CONDUCT	Specific Conductance	230	uS/cm	[NULL]	[NULL]	[NULL]	R	B0CJ36	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-50	9/7/1994 19:00	N	CONDUCT	Specific Conductance	223	uS/cm	[NULL]	[NULL]	[NULL]	R	B0CJ36	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-50	9/7/1994 19:00	N	10098-97-2	Strontium-90	-0.0195	pCi/L	U	[NULL]	[NULL]	R	B0CCF7	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-50	9/7/1994 19:00	N	14808-79-8	Sulfate	27000	ug/L	D	[NULL]	[NULL]	R	B0CCF7	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-50	9/7/1994 19:00	N	TEMPERATURE	Temperature	20.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0CJ36	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-50	9/7/1994 19:00	N	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0CJ36	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	Y	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0CJ37	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	N	10028-17-8	Tritium	26700	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCF7	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-50	9/7/1994 19:00	N	TURBIDITY	Turbidity	0.38	NTU	[NULL]	Q	[NULL]	R	B0CJ36	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-50	9/7/1994 19:00	Y	7440-62-2	Vanadium	24	ug/L	L	[NULL]	[NULL]	R	B0CJ37	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	N	7440-62-2	Vanadium	23	ug/L	L	[NULL]	[NULL]	R	B0CJ36	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	N	7440-66-6	Zinc	9.3	ug/L	L	[NULL]	[NULL]	R	B0CJ36	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	Y	7440-66-6	Zinc	5.1	ug/L	L	[NULL]	[NULL]	R	B0CJ37	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1994 19:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	B0CJ36	PH	DATACH	D1293_PH	100-NR-2
199-N-50	9/7/1994 19:00	N	PH	pH Measurement	8.19	unitless	[NULL]	[NULL]	[NULL]	R	B0CJ36	PH	FIELD	9040_PH	100-NR-2
199-N-50	2/27/1995 10:40	N	7429-90-5	Aluminum	23.5	ug/L	U	[NULL]	[NULL]	R	B0DX61	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	2/27/1995 10:40	Y	7429-90-5	Aluminum	23.6	ug/L	U	[NULL]	[NULL]	R	B0DX62	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	2/27/1995 10:40	N	7440-36-0	Antimony	32.8	ug/L	U	[NULL]	[NULL]	R	B0DX61	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	2/27/1995 10:40	Y	7440-36-0	Antimony	32.8	ug/L	U	[NULL]	[NULL]	R	B0DX62	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	2/27/1995 10:40	N	7440-39-3	Barium	38.3	ug/L	B	[NULL]	[NULL]	R	B0DX61	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	2/27/1995 10:40	Y	7440-39-3	Barium	31.2	ug/L	B	[NULL]	[NULL]	R	B0DX62	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	2/27/1995 10:40	Y	7440-41-7	Beryllium	0.72	ug/L	U	[NULL]	[NULL]	R	B0DX62	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	2/27/1995 10:40	N	7440-41-7	Beryllium	0.88	ug/L	U	[NULL]	[NULL]	R	B0DX61	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	2/27/1995 10:40	N	7440-43-9	Cadmium	3.8	ug/L	U	[NULL]	[NULL]	R	B0DX61	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	2/27/1995 10:40	Y	7440-43-9	Cadmium	3.8	ug/L	U	[NULL]	[NULL]	R	B0DX62	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	2/27/1995 10:40	N	7440-70-2	Calcium	38700	ug/L	J	[NULL]	[NULL]	R	B0DX61	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	2/27/1995 10:40	Y	7440-70-2	Calcium	30200	ug/L	J	[NULL]	[NULL]	R	B0DX62	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	2/27/1995 10:40	N	10045-97-3	Cesium-137	2.51	pCi/L	U	[NULL]	[NULL]	R	B0DX61	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-50	2/27/1995 10:40	N	16887-00-6	Chloride	4410	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX61	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-50	2/27/1995 10:40	Y	16887-00-6	Chloride	4640	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX62	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-50	2/27/1995 10:40	Y	7440-47-3	Chromium	3.4	ug/L	B	[NULL]	[NULL]	R	B0DX62	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	2/27/1995 10:40	N	7440-47-3	Chromium	21.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX61	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-50	2/27/1995 10:40	Y	7440-48-4	Cobalt	4.1	ug/L	U	[NULL]	[NULL]	R	B0DX62	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	2/27/1995 10:40	N	7440-48-4	Cobalt	4.1	ug/L	U	[NULL]	[NULL]	R	B0DX61	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	2/27/1995 10:40	N	13981-38-9	Cobalt-58	3.07	pCi/L	U	[NULL]	[NULL]	R	B0DX61	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-50	2/27/1995 10:40	N	10198-40-0	Cobalt-60	-1.79	pCi/L	U	[NULL]	[NULL]	R	B0DX61	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-50	2/27/1995 10:40	N	7440-50-8	Copper	23.7	ug/L	B	[NULL]	[NULL]	R	B0DX61	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	2/27/1995 10:40	Y	7440-50-8	Copper	20.6	ug/L	B	[NULL]	[NULL]	R	B0DX62	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	2/27/1995 10:40	N	14683-23-9	Europium-152	-5.56	pCi/L	U	[NULL]	[NULL]	R	B0DX61	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-50	2/27/1995 10:40	N	15585-10-1	Europium-154	2.15	pCi/L	U	[NULL]	[NULL]	R	B0DX61	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-50	2/27/1995 10:40	N	14391-16-3	Europium-155	-3.77	pCi/L	U	[NULL]	[NULL]	R	B0DX61	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-50	2/27/1995 10:40	N	16984-48-8	Fluoride	210	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX61	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-50	2/27/1995 10:40	Y	16984-48-8	Fluoride	210	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX62	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-50	2/27/1995 10:40	N	12587-46-1	Gross alpha	0.0496	pCi/L	U	[NULL]	[NULL]	R	B0DX61	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-50	2/27/1995 10:40	N	12587-47-2	Gross beta	6.55	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DX61	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-50	2/27/1995 10:40	N	7439-89-6	Iron	127	ug/L	U	[NULL]	[NULL]	R	B0DX61	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	2/27/1995 10:40	Y	7439-89-6	Iron	120	ug/L	U	[NULL]	[NULL]	R	B0DX62	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	2/27/1995 10:40	N	14596-12-4	Iron-59	7.49	pCi/L	U	[NULL]	[NULL]	R	B0DX61	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-50	2/27/1995 10:40	Y	7439-95-4	Magnesium	8810	ug/L	J	[NULL]	[NULL]	R	B0DX62	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	2/27/1995 10:40	N	7439-95-4	Magnesium	10900	ug/L	J	[NULL]	[NULL]	R	B0DX61	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	2/27/1995 10:40	N	7439-96-5	Manganese	5.8	ug/L	U	[NULL]	[NULL]	R	B0DX61	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	2/27/1995 10:40	Y	7439-96-5	Manganese	4.5	ug/L	U	[NULL]	[NULL]	R	B0DX62	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	2/27/1995 10:40	Y	7778-77-0	Monopotassium phosphate	1000	ug/L	U	R	R	R	B0DX62	7778-77-0	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-50	2/27/1995 10:40	N	7778-77-0	Monopotassium phosphate	1000	ug/L	U	R	R	R	B0DX61	7778-77-0	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-50	2/27/1995 10:40	Y	7440-02-0	Nickel	15.2	ug/L	U	[NULL]	[NULL]	R	B0DX62	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	2/27/1995 10:40	N	7440-02-0	Nickel	15.2	ug/L	U	[NULL]	[NULL]	R	B0DX61	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	2/27/1995 10:40	N	14797-55-8	Nitrate	15100	ug/L	J	[NULL]	[NULL]	R	B0DX61	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-50	2/27/1995 10:40	Y	14797-55-8	Nitrate	15200	ug/L	J	[NULL]	[NULL]	R	B0DX62	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-50	2/27/1995 10:40	Y	14797-65-0	Nitrite	65.7	ug/L	U	R	R	R	B0DX62	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-50	2/27/1995 10:40	N	14797-65-0	Nitrite	65.7	ug/L	U	R	R	R	B0DX61	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-50	2/27/1995 10:40	Y	7440-09-7	Potassium	3370	ug/L	BJ	[NULL]	[NULL]	R	B0DX62	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	2/27/1995 10:40	N	7440-09-7	Potassium	3850	ug/L	BJ	[NULL]	[NULL]	R	B0DX61	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	2/27/1995 10:40	Y	7440-22-4	Silver	3.8	ug/L	U	[NULL]	[NULL]	R	B0DX62	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	2/27/1995 10:40	N	7440-22-4	Silver	3.8	ug/L	U	[NULL]	[NULL]	R	B0DX61	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	2/27/1995 10:40	N	7440-23-5	Sodium	7240	ug/L	J	[NULL]	[NULL]	R	B0DX61	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	2/27/1995 10:40	Y	7440-23-5	Sodium	7520	ug/L	J	[NULL]	[NULL]	R	B0DX62	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	2/27/1995 10:40	N	CONDUCT	Specific Conductance	273	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DX61	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-50	2/27/1995 10:40	N	CONDUCT	Specific Conductance	260	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DX61	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-50	2/27/1995 10:40	N	10098-97-2	Strontium-90	0.228	pCi/L	U	[NULL]	[NULL]	R	B0DX61	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-50	2/27/1995 10:40	Y	14808-79-8	Sulfate	30600	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX62	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-50	2/27/1995 10:40	N	14808-79-8	Sulfate	30900	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX61	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-50	2/27/1995 10:40	N	TEMPERATURE	Temperature	12.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0DX61	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-50	2/27/1995 10:40	N	10028-17-8	Tritium	27800	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DX61	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-50	2/27/1995 10:40	N	TURBIDITY	Turbidity	1.08	NTU	J	[NULL]	[NULL]	R	B0DX61	TURBIDITY	QTESSL	180.1_TURBIDITY	100-NR-2
199-N-50	2/27/1995 10:40	N	7440-62-2	Vanadium	29.2	ug/L	U	[NULL]	[NULL]	R	B0DX61	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	2/27/1995 10:40	Y	7440-62-2	Vanadium	33.9	ug/L	U	[NULL]	[NULL]	R	B0DX62	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	2/27/1995 10:40	Y	7440-66-6	Zinc	74	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX62	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	2/27/1995 10:40	N	7440-66-6	Zinc	57.2	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX61	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	2/27/1995 10:40	N	PH	pH Measurement	8.06	unitless	J	[NULL]	[NULL]	R	B0DX61	PH	QTESSL	9040_PH	100-NR-2
199-N-50	2/27/1995 10:40	N	PH	pH Measurement	8.01	unitless	[NULL]	[NULL]	[NULL]	R	B0DX61	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-50	9/7/1995 10:40	Y	7429-90-5	Aluminum	24.6	ug/L	U	[NULL]	[NULL]	R	B0GJT7	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1995 10:40	N	7429-90-5	Aluminum	24.6	ug/L	U	[NULL]	[NULL]	R	B0GJT6	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1995 10:40	Y	7440-36-0	Antimony	45.9	ug/L	U	[NULL]	[NULL]	R	B0GJT7	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1995 10:40	N	7440-36-0	Antimony	45.9	ug/L	U	[NULL]	[NULL]	R	B0GJT6	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1995 10:40	Y	7440-39-3	Barium	23.5	ug/L	B	[NULL]	[NULL]	R	B0GJT7	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-50	9/7/1995 10:40	N	7440-39-3	Barium	29.1	ug/L	B	[NULL]	[NULL]	R	B0GJT6	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1995 10:40	N	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	R	B0GJT6	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1995 10:40	Y	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	R	B0GJT7	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1995 10:40	N	7440-43-9	Cadmium	3.1	ug/L	U	[NULL]	[NULL]	R	B0GJT6	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1995 10:40	Y	7440-43-9	Cadmium	3.1	ug/L	U	[NULL]	[NULL]	R	B0GJT7	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1995 10:40	Y	7440-70-2	Calcium	30000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT7	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1995 10:40	N	7440-70-2	Calcium	29600	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT6	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1995 10:40	N	10045-97-3	Cesium-137	-0.891	pCi/L	U	[NULL]	[NULL]	R	B0GJT6	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-50	9/7/1995 10:40	Y	16887-00-6	Chloride	4760	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT7	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-50	9/7/1995 10:40	N	16887-00-6	Chloride	4880	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT6	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-50	9/7/1995 10:40	N	7440-47-3	Chromium	6.3	ug/L	B	[NULL]	[NULL]	R	B0GJT6	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1995 10:40	Y	7440-47-3	Chromium	6.1	ug/L	B	[NULL]	[NULL]	R	B0GJT7	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1995 10:40	N	7440-48-4	Cobalt	4.3	ug/L	U	[NULL]	[NULL]	R	B0GJT6	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1995 10:40	Y	7440-48-4	Cobalt	4.3	ug/L	U	[NULL]	[NULL]	R	B0GJT7	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1995 10:40	N	13981-38-9	Cobalt-58	3.19	pCi/L	U	[NULL]	[NULL]	R	B0GJT6	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-50	9/7/1995 10:40	N	10198-40-0	Cobalt-60	3.16	pCi/L	U	[NULL]	[NULL]	R	B0GJT6	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-50	9/7/1995 10:40	Y	7440-50-8	Copper	7.2	ug/L	B	[NULL]	[NULL]	R	B0GJT7	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1995 10:40	N	7440-50-8	Copper	4.7	ug/L	U	[NULL]	[NULL]	R	B0GJT6	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1995 10:40	N	DO	Dissolved oxygen	4700	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-50	9/7/1995 10:40	N	14683-23-9	Europium-152	4.6	pCi/L	U	[NULL]	[NULL]	R	B0GJT6	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-50	9/7/1995 10:40	N	15585-10-1	Europium-154	18.3	pCi/L	U	[NULL]	[NULL]	R	B0GJT6	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-50	9/7/1995 10:40	N	14391-16-3	Europium-155	9.16	pCi/L	U	[NULL]	[NULL]	R	B0GJT6	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-50	9/7/1995 10:40	N	16984-48-8	Fluoride	200	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT6	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-50	9/7/1995 10:40	Y	16984-48-8	Fluoride	210	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT7	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-50	9/7/1995 10:40	N	12587-46-1	Gross alpha	0.244	pCi/L	U	[NULL]	[NULL]	R	B0GJT6	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-50	9/7/1995 10:40	N	12587-47-2	Gross beta	5.22	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GJT6	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-50	9/7/1995 10:40	N	7439-89-6	Iron	60.5	ug/L	B	[NULL]	[NULL]	R	B0GJT6	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1995 10:40	Y	7439-89-6	Iron	26.4	ug/L	B	[NULL]	[NULL]	R	B0GJT7	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1995 10:40	N	14596-12-4	Iron-59	0.59	pCi/L	U	[NULL]	[NULL]	R	B0GJT6	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-50	9/7/1995 10:40	Y	7439-95-4	Magnesium	8630	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT7	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1995 10:40	N	7439-95-4	Magnesium	8550	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT6	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1995 10:40	Y	7439-96-5	Manganese	2.5	ug/L	B	[NULL]	[NULL]	R	B0GJT7	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1995 10:40	N	7439-96-5	Manganese	2.9	ug/L	B	[NULL]	[NULL]	R	B0GJT6	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1995 10:40	N	7440-02-0	Nickel	14.2	ug/L	U	[NULL]	[NULL]	R	B0GJT6	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1995 10:40	Y	7440-02-0	Nickel	14.2	ug/L	U	[NULL]	[NULL]	R	B0GJT7	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1995 10:40	Y	14797-55-8	Nitrate	14900	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT7	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-50	9/7/1995 10:40	N	14797-55-8	Nitrate	15700	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT6	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-50	9/7/1995 10:40	Y	14797-65-0	Nitrite	65.7	ug/L	U	G	[NULL]	R	B0GJT7	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-50	9/7/1995 10:40	N	14797-65-0	Nitrite	65.7	ug/L	U	G	[NULL]	R	B0GJT6	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-50	9/7/1995 10:40	Y	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B0GJT7	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-50	9/7/1995 10:40	N	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B0GJT6	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-50	9/7/1995 10:40	N	7440-09-7	Potassium	2850	ug/L	B	[NULL]	[NULL]	R	B0GJT6	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1995 10:40	Y	7440-09-7	Potassium	3270	ug/L	B	[NULL]	[NULL]	R	B0GJT7	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1995 10:40	Y	7440-22-4	Silver	2.2	ug/L	U	[NULL]	[NULL]	R	B0GJT7	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1995 10:40	N	7440-22-4	Silver	2.2	ug/L	U	[NULL]	[NULL]	R	B0GJT6	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1995 10:40	N	7440-23-5	Sodium	7010	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT6	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1995 10:40	Y	7440-23-5	Sodium	7150	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT7	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1995 10:40	N	CONDUCT	Specific Conductance	260	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GJT6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-50	9/7/1995 10:40	N	CONDUCT	Specific Conductance	249	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GJT6	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-50	9/7/1995 10:40	N	10098-97-2	Strontium-90	-0.0814	pCi/L	U	[NULL]	[NULL]	R	B0GJT6	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-50	9/7/1995 10:40	N	14808-79-8	Sulfate	36000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT6	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-50	9/7/1995 10:40	Y	14808-79-8	Sulfate	32200	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT7	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-50	9/7/1995 10:40	N	TEMPERATURE	Temperature	19.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0GJT6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-50	9/7/1995 10:40	N	10028-17-8	Tritium	26900	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GJT6	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-50	9/7/1995 10:40	N	TURBIDITY	Turbidity	0.11	NTU	[NULL]	[NULL]	[NULL]	R	B0GJT6	TURBIDITY	QTESSL	180.1_TURBIDITY	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-50	9/7/1995 10:40	N	TURBIDITY	Turbidity	4.7	NTU	[NULL]	[NULL]	[NULL]	R	B0GJT6	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-50	9/7/1995 10:40	Y	7440-62-2	Vanadium	23.1	ug/L	B	[NULL]	[NULL]	R	B0GJT7	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1995 10:40	N	7440-62-2	Vanadium	24.4	ug/L	B	[NULL]	[NULL]	R	B0GJT6	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1995 10:40	Y	7440-66-6	Zinc	43.9	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT7	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1995 10:40	N	7440-66-6	Zinc	28.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT6	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	9/7/1995 10:40	N	PH	pH Measurement	8.5	unitless	[NULL]	[NULL]	[NULL]	R	B0GJT6	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-50	9/7/1995 10:40	N	PH	pH Measurement	8.18	unitless	[NULL]	[NULL]	[NULL]	R	B0GJT6	PH	QTESSL	9040_PH	100-NR-2
199-N-50	3/22/1996 11:20	Y	7429-90-5	Aluminum	27.3	ug/L	U	[NULL]	[NULL]	R	B0H8F3	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	3/22/1996 11:20	N	7429-90-5	Aluminum	27.3	ug/L	U	[NULL]	[NULL]	R	B0H8F2	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	3/22/1996 11:20	N	7440-36-0	Antimony	31.7	ug/L	U	[NULL]	[NULL]	R	B0H8F2	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	3/22/1996 11:20	Y	7440-36-0	Antimony	31.7	ug/L	U	[NULL]	[NULL]	R	B0H8F3	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	3/22/1996 11:20	Y	7440-39-3	Barium	19.7	ug/L	B	[NULL]	[NULL]	R	B0H8F3	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	3/22/1996 11:20	N	7440-39-3	Barium	19.2	ug/L	B	[NULL]	[NULL]	R	B0H8F2	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	3/22/1996 11:20	N	7440-41-7	Beryllium	0.6	ug/L	U	[NULL]	[NULL]	R	B0H8F2	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	3/22/1996 11:20	Y	7440-41-7	Beryllium	0.6	ug/L	U	[NULL]	[NULL]	R	B0H8F3	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	3/22/1996 11:20	Y	7440-43-9	Cadmium	3.4	ug/L	U	[NULL]	[NULL]	R	B0H8F3	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	3/22/1996 11:20	N	7440-43-9	Cadmium	3.4	ug/L	U	[NULL]	[NULL]	R	B0H8F2	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	3/22/1996 11:20	N	7440-70-2	Calcium	24000	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8F2	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	3/22/1996 11:20	Y	7440-70-2	Calcium	24600	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8F3	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	3/22/1996 11:20	N	10045-97-3	Cesium-137	0.122	pCi/L	U	[NULL]	[NULL]	R	B0H8F2	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-50	3/22/1996 11:20	Y	16887-00-6	Chloride	2700	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8F3	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-50	3/22/1996 11:20	N	16887-00-6	Chloride	2860	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8F2	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-50	3/22/1996 11:20	N	7440-47-3	Chromium	4.4	ug/L	U	[NULL]	[NULL]	R	B0H8F2	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	3/22/1996 11:20	Y	7440-47-3	Chromium	4.4	ug/L	U	[NULL]	[NULL]	R	B0H8F3	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	3/22/1996 11:20	Y	7440-48-4	Cobalt	3.6	ug/L	U	[NULL]	[NULL]	R	B0H8F3	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	3/22/1996 11:20	N	7440-48-4	Cobalt	3.6	ug/L	U	[NULL]	[NULL]	R	B0H8F2	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	3/22/1996 11:20	N	13981-38-9	Cobalt-58	-1.95	pCi/L	U	[NULL]	[NULL]	R	B0H8F2	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-50	3/22/1996 11:20	N	10198-40-0	Cobalt-60	1.28	pCi/L	U	[NULL]	[NULL]	R	B0H8F2	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-50	3/22/1996 11:20	Y	7440-50-8	Copper	6.2	ug/L	U	[NULL]	[NULL]	R	B0H8F3	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	3/22/1996 11:20	N	7440-50-8	Copper	6.2	ug/L	U	[NULL]	[NULL]	R	B0H8F2	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	3/22/1996 11:20	N	14683-23-9	Europium-152	-2.42	pCi/L	U	[NULL]	[NULL]	R	B0H8F2	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-50	3/22/1996 11:20	N	15585-10-1	Europium-154	-13.4	pCi/L	U	[NULL]	[NULL]	R	B0H8F2	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-50	3/22/1996 11:20	N	14391-16-3	Europium-155	-5.75	pCi/L	U	[NULL]	[NULL]	R	B0H8F2	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-50	3/22/1996 11:20	Y	16984-48-8	Fluoride	250	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8F3	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-50	3/22/1996 11:20	N	16984-48-8	Fluoride	250	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8F2	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-50	3/22/1996 11:20	N	12587-46-1	Gross alpha	0.67	pCi/L	U	[NULL]	[NULL]	R	B0H8F2	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-50	3/22/1996 11:20	N	12587-47-2	Gross beta	4.52	pCi/L	[NULL]	[NULL]	[NULL]	R	B0H8F2	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-50	3/22/1996 11:20	N	7439-89-6	Iron	42	ug/L	B	[NULL]	[NULL]	R	B0H8F2	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	3/22/1996 11:20	Y	7439-89-6	Iron	152	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8F3	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	3/22/1996 11:20	N	14596-12-4	Iron-59	1.08	pCi/L	U	[NULL]	[NULL]	R	B0H8F2	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-50	3/22/1996 11:20	N	7439-95-4	Magnesium	7020	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8F2	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	3/22/1996 11:20	Y	7439-95-4	Magnesium	7220	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8F3	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	3/22/1996 11:20	Y	7439-96-5	Manganese	1.6	ug/L	B	[NULL]	[NULL]	R	B0H8F3	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	3/22/1996 11:20	N	7439-96-5	Manganese	1.1	ug/L	U	[NULL]	[NULL]	R	B0H8F2	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	3/22/1996 11:20	Y	7440-02-0	Nickel	16.1	ug/L	U	[NULL]	[NULL]	R	B0H8F3	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	3/22/1996 11:20	N	7440-02-0	Nickel	16.1	ug/L	U	[NULL]	[NULL]	R	B0H8F2	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	3/22/1996 11:20	Y	14797-55-8	Nitrate	7610	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8F3	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-50	3/22/1996 11:20	N	14797-55-8	Nitrate	7920	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8F2	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-50	3/22/1996 11:20	N	14797-65-0	Nitrite	65.7	ug/L	U	[NULL]	[NULL]	R	B0H8F2	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-50	3/22/1996 11:20	Y	14797-65-0	Nitrite	65.7	ug/L	U	[NULL]	[NULL]	R	B0H8F3	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-50	3/22/1996 11:20	N	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B0H8F2	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-50	3/22/1996 11:20	Y	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B0H8F3	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-50	3/22/1996 11:20	N	7440-09-7	Potassium	2010	ug/L	U	[NULL]	[NULL]	R	B0H8F2	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	3/22/1996 11:20	Y	7440-09-7	Potassium	2130	ug/L	B	[NULL]	[NULL]	R	B0H8F3	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	3/22/1996 11:20	Y	7440-22-4	Silver	5	ug/L	UN	[NULL]	[NULL]	R	B0H8F3	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-50	3/22/1996 11:20	N	7440-22-4	Silver	5	ug/L	UN	[NULL]	[NULL]	R	B0H8F2	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	3/22/1996 11:20	N	7440-23-5	Sodium	6840	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8F2	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	3/22/1996 11:20	Y	7440-23-5	Sodium	6970	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8F3	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	3/22/1996 11:20	N	CONDUCT	Specific Conductance	204	uS/cm	[NULL]	[NULL]	[NULL]	R	B0H8F2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-50	3/22/1996 11:20	N	CONDUCT	Specific Conductance	202	uS/cm	[NULL]	[NULL]	[NULL]	R	B0H8F2	CONDUCT	QTESSL	9050_CONDUCT	100-NR-2
199-N-50	3/22/1996 11:20	N	14158-27-1	Strontium-89	0.117	pCi/L	U	[NULL]	[NULL]	R	B0H8F2	14158-27-1	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-50	3/22/1996 11:20	N	10098-97-2	Strontium-90	0.014	pCi/L	U	[NULL]	[NULL]	R	B0H8F2	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-50	3/22/1996 11:20	N	14808-79-8	Sulfate	21700	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8F2	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-50	3/22/1996 11:20	Y	14808-79-8	Sulfate	19900	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8F3	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-50	3/22/1996 11:20	N	TEMPERATURE	Temperature	18.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0H8F2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-50	3/22/1996 11:20	N	10028-17-8	Tritium	14600	pCi/L	[NULL]	[NULL]	[NULL]	R	B0H8F2	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-50	3/22/1996 11:20	N	TURBIDITY	Turbidity	0.51	NTU	[NULL]	[NULL]	[NULL]	R	B0H8F2	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-50	3/22/1996 11:20	Y	7440-62-2	Vanadium	22.2	ug/L	B	[NULL]	[NULL]	R	B0H8F3	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	3/22/1996 11:20	N	7440-62-2	Vanadium	21.8	ug/L	B	[NULL]	[NULL]	R	B0H8F2	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	3/22/1996 11:20	N	7440-66-6	Zinc	4.5	ug/L	B	[NULL]	[NULL]	R	B0H8F2	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	3/22/1996 11:20	Y	7440-66-6	Zinc	8.7	ug/L	B	[NULL]	[NULL]	R	B0H8F3	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-50	3/22/1996 11:20	N	PH	pH Measurement	7.1	unitless	[NULL]	[NULL]	[NULL]	R	B0H8F2	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-50	9/24/1996 10:20	N	DO	Dissolved oxygen	2300	ug/L	[NULL]	[NULL]	[NULL]	R	B0J1L1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-50	9/24/1996 10:20	N	12587-47-2	Gross beta	3.88	pCi/L	J	[NULL]	[NULL]	R	B0J1L1	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-50	9/24/1996 10:20	N	CONDUCT	Specific Conductance	259	uS/cm	[NULL]	[NULL]	[NULL]	R	B0J1L1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-50	9/24/1996 10:20	N	TEMPERATURE	Temperature	18.9	Deg C	[NULL]	[NULL]	[NULL]	R	B0J1L1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-50	9/24/1996 10:20	N	10028-17-8	Tritium	22800	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J1L1	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-50	9/24/1996 10:20	N	TURBIDITY	Turbidity	2.63	NTU	[NULL]	[NULL]	[NULL]	R	B0J1L1	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-50	9/24/1996 10:20	N	PH	pH Measurement	8.06	unitless	[NULL]	[NULL]	[NULL]	R	B0J1L1	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-50	9/22/1997 10:42	N	12587-47-2	Gross beta	3.81	pCi/L	J	[NULL]	[NULL]	R	B0LY74	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-50	9/22/1997 10:42	N	10028-17-8	Tritium	22500	pCi/L	[NULL]	[NULL]	[NULL]	R	B0LY74	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-50	9/2/1998 10:20	N	12587-47-2	Gross beta	7.44	pCi/L	[NULL]	[NULL]	[NULL]	R	B0PPX1	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-50	9/2/1998 10:20	N	CONDUCT	Specific Conductance	1082	uS/cm	[NULL]	[NULL]	[NULL]	R	B0PPX1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-50	9/2/1998 10:20	N	TEMPERATURE	Temperature	20.9	Deg C	[NULL]	[NULL]	[NULL]	R	B0PPX1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-50	9/2/1998 10:20	N	10028-17-8	Tritium	22600	pCi/L	[NULL]	[NULL]	[NULL]	R	B0PPX1	10028-17-8	QTESRL	TRITIUM_ELECT_LSC	100-NR-2
199-N-50	9/2/1998 10:20	N	TURBIDITY	Turbidity	3.33	NTU	[NULL]	[NULL]	[NULL]	R	B0PPX1	TURBIDITY	FIELD	180.1_TURBIDITY	100-NR-2
199-N-50	9/2/1998 10:20	N	PH	pH Measurement	7.63	unitless	[NULL]	[NULL]	[NULL]	R	B0PPX1	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-50	9/10/1999 9:25	N	12587-47-2	Gross beta	5.88	pCi/L	[NULL]	[NULL]	[NULL]	R	B0W7M8	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-50	9/10/1999 9:25	N	CONDUCT	Specific Conductance	338	uS/cm	C	[NULL]	[NULL]	R	B0W840	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-50	9/10/1999 9:25	N	CONDUCT	Specific Conductance	348	uS/cm	[NULL]	[NULL]	[NULL]	R	B0W840	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-50	9/10/1999 9:25	N	TEMPERATURE	Temperature	19.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0W840	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-50	9/10/1999 9:25	N	10028-17-8	Tritium	19900	pCi/L	[NULL]	[NULL]	[NULL]	R	B0W7M8	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-50	9/10/1999 9:25	N	TURBIDITY	Turbidity	0.99	NTU	[NULL]	[NULL]	[NULL]	R	B0W840	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-50	9/10/1999 9:25	N	PH	pH Measurement	8.15	unitless	[NULL]	[NULL]	[NULL]	R	B0W840	PH	FIELD	9040_PH	100-NR-2
199-N-50	9/26/2000 11:47	N	ALKALINITY	Alkalinity	70000	ug/L	[NULL]	[NULL]	[NULL]	R	B104D1	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-50	9/26/2000 11:47	Y	7429-90-5	Aluminum	89.9	ug/L	U	[NULL]	[NULL]	R	B104D0	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/26/2000 11:47	Y	7440-36-0	Antimony	2.8	ug/L	U	[NULL]	[NULL]	R	B104D0	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/26/2000 11:47	Y	7440-39-3	Barium	32.5	ug/L	B	[NULL]	[NULL]	R	B104D0	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/26/2000 11:47	Y	7440-41-7	Beryllium	0.3	ug/L	U	[NULL]	[NULL]	R	B104D0	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/26/2000 11:47	Y	7440-43-9	Cadmium	4.3	ug/L	U	[NULL]	[NULL]	R	B104D0	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/26/2000 11:47	Y	7440-70-2	Calcium	44300	ug/L	[NULL]	[NULL]	[NULL]	R	B104D0	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/26/2000 11:47	N	16887-00-6	Chloride	13900	ug/L	D	[NULL]	[NULL]	R	B104D1	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-50	9/26/2000 11:47	Y	7440-47-3	Chromium	9.8	ug/L	B	[NULL]	[NULL]	R	B104D0	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/26/2000 11:47	Y	7440-48-4	Cobalt	4.3	ug/L	U	[NULL]	[NULL]	R	B104D0	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/26/2000 11:47	Y	7440-50-8	Copper	4.1	ug/L	U	[NULL]	[NULL]	R	B104D0	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/26/2000 11:47	N	16984-48-8	Fluoride	210	ug/L	[NULL]	[NULL]	[NULL]	R	B104D1	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-50	9/26/2000 11:47	N	12587-47-2	Gross beta	5.13	pCi/L	[NULL]	[NULL]	[NULL]	R	B10438	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-50	9/26/2000 11:47	Y	7439-89-6	Iron	34.9	ug/L	U	[NULL]	[NULL]	R	B104D0	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/26/2000 11:47	Y	7439-95-4	Magnesium	13100	ug/L	[NULL]	[NULL]	[NULL]	R	B104D0	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/26/2000 11:47	Y	7439-96-5	Manganese	1.2	ug/L	U	[NULL]	[NULL]	R	B104D0	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-50	9/26/2000 11:47	Y	7440-02-0	Nickel	19.9	ug/L	U	[NULL]	[NULL]	R	B104D0	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/26/2000 11:47	N	14797-55-8	Nitrate	23900	ug/L	D	[NULL]	[NULL]	R	B104D1	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-50	9/26/2000 11:47	N	14797-65-0	Nitrite	24.3	ug/L	U	[NULL]	[NULL]	R	B104D1	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-50	9/26/2000 11:47	Y	7440-09-7	Potassium	2800	ug/L	B	[NULL]	[NULL]	R	B104D0	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/26/2000 11:47	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B104D0	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/26/2000 11:47	Y	7440-23-5	Sodium	8320	ug/L	[NULL]	[NULL]	[NULL]	R	B104D0	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/26/2000 11:47	N	CONDUCT	Specific Conductance	381	uS/cm	[NULL]	[NULL]	[NULL]	R	B104D1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-50	9/26/2000 11:47	Y	7440-24-6	Strontium	315	ug/L	[NULL]	[NULL]	[NULL]	R	B104D0	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/26/2000 11:47	N	14808-79-8	Sulfate	70900	ug/L	D	[NULL]	[NULL]	R	B104D1	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-50	9/26/2000 11:47	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B104D1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-50	9/26/2000 11:47	N	10028-17-8	Tritium	18000	pCi/L	[NULL]	[NULL]	[NULL]	R	B10438	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-50	9/26/2000 11:47	N	TURBIDITY	Turbidity	0.44	NTU	[NULL]	[NULL]	[NULL]	R	B104D1	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-50	9/26/2000 11:47	Y	7440-62-2	Vanadium	18	ug/L	B	[NULL]	[NULL]	R	B104D0	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/26/2000 11:47	Y	7440-66-6	Zinc	14.3	ug/L	U	[NULL]	[NULL]	R	B104D0	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/26/2000 11:47	N	PH	pH Measurement	8.17	unitless	[NULL]	[NULL]	[NULL]	R	B104D1	PH	FIELD	9040_PH	100-NR-2
199-N-50	9/7/2001 8:35	N	12587-47-2	Gross beta	4.79	pCi/L	[NULL]	[NULL]	[NULL]	R	B12MV6	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-50	9/7/2001 8:35	N	CONDUCT	Specific Conductance	401	uS/cm	[NULL]	[NULL]	[NULL]	R	B12MV6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-50	9/7/2001 8:35	N	TEMPERATURE	Temperature	18.6	Deg C	[NULL]	[NULL]	[NULL]	R	B12MV6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-50	9/7/2001 8:35	N	10028-17-8	Tritium	15600	pCi/L	[NULL]	[NULL]	[NULL]	R	B12MV6	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-50	9/7/2001 8:35	N	TURBIDITY	Turbidity	2.05	NTU	[NULL]	[NULL]	[NULL]	R	B12MV6	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-50	9/7/2001 8:35	N	PH	pH Measurement	8.02	unitless	[NULL]	[NULL]	[NULL]	R	B12MV6	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-50	9/5/2002 12:02	N	ALKALINITY	Alkalinity	80000	ug/L	[NULL]	[NULL]	[NULL]	R	B159H1	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-50	9/5/2002 12:02	Y	7429-90-5	Aluminum	17	ug/L	U	[NULL]	[NULL]	R	B159H0	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/5/2002 12:02	Y	7440-36-0	Antimony	29.5	ug/L	U	[NULL]	[NULL]	R	B159H0	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/5/2002 12:02	Y	7440-39-3	Barium	29.6	ug/L	B	[NULL]	[NULL]	R	B159H0	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/5/2002 12:02	Y	7440-41-7	Beryllium	0.68	ug/L	U	[NULL]	[NULL]	R	B159H0	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/5/2002 12:02	Y	7440-43-9	Cadmium	2.5	ug/L	U	[NULL]	[NULL]	R	B159H0	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/5/2002 12:02	Y	7440-70-2	Calcium	40800	ug/L	[NULL]	[NULL]	[NULL]	R	B159H0	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/5/2002 12:02	N	16887-00-6	Chloride	11700	ug/L	D	[NULL]	[NULL]	R	B159H1	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-50	9/5/2002 12:02	Y	7440-47-3	Chromium	12	ug/L	[NULL]	[NULL]	[NULL]	R	B159H0	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/5/2002 12:02	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B159H0	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/5/2002 12:02	Y	7440-50-8	Copper	0.86	ug/L	U	[NULL]	[NULL]	R	B159H0	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/5/2002 12:02	N	16984-48-8	Fluoride	250	ug/L	[NULL]	[NULL]	[NULL]	R	B159H1	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-50	9/5/2002 12:02	N	12587-47-2	Gross beta	4.22	pCi/L	[NULL]	[NULL]	[NULL]	R	B15712	12587-47-2	EBRLNE	900.0_ALPHABETA_GPC	100-NR-2
199-N-50	9/5/2002 12:02	Y	7439-89-6	Iron	34.8	ug/L	B	[NULL]	[NULL]	R	B159H0	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/5/2002 12:02	Y	7439-95-4	Magnesium	12300	ug/L	[NULL]	[NULL]	[NULL]	R	B159H0	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/5/2002 12:02	Y	7439-96-5	Manganese	2.6	ug/L	B	[NULL]	[NULL]	R	B159H0	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/5/2002 12:02	Y	7440-02-0	Nickel	15.8	ug/L	U	[NULL]	[NULL]	R	B159H0	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/5/2002 12:02	N	14797-55-8	Nitrate	21200	ug/L	D	[NULL]	[NULL]	R	B159H1	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-50	9/5/2002 12:02	N	14797-65-0	Nitrite	36.1	ug/L	U	[NULL]	[NULL]	R	B159H1	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-50	9/5/2002 12:02	Y	7440-09-7	Potassium	4350	ug/L	B	[NULL]	[NULL]	R	B159H0	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/5/2002 12:02	Y	7440-22-4	Silver	1.7	ug/L	U	[NULL]	[NULL]	R	B159H0	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/5/2002 12:02	Y	7440-23-5	Sodium	8810	ug/L	[NULL]	[NULL]	[NULL]	R	B159H0	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/5/2002 12:02	N	CONDUCT	Specific Conductance	360	uS/cm	[NULL]	[NULL]	[NULL]	R	B159H1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-50	9/5/2002 12:02	Y	7440-24-6	Strontium	288	ug/L	[NULL]	[NULL]	[NULL]	R	B159H0	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/5/2002 12:02	N	14808-79-8	Sulfate	62900	ug/L	D	[NULL]	[NULL]	R	B159H1	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-50	9/5/2002 12:02	N	TEMPERATURE	Temperature	18.9	Deg C	[NULL]	[NULL]	[NULL]	R	B159H1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-50	9/5/2002 12:02	N	10028-17-8	Tritium	12500	pCi/L	[NULL]	[NULL]	[NULL]	R	B15712	10028-17-8	EBRLNE	906.0_H3_LSC	100-NR-2
199-N-50	9/5/2002 12:02	N	TURBIDITY	Turbidity	0.59	NTU	[NULL]	[NULL]	[NULL]	R	B159H1	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-50	9/5/2002 12:02	Y	7440-62-2	Vanadium	25	ug/L	[NULL]	[NULL]	[NULL]	R	B159H0	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/5/2002 12:02	Y	7440-66-6	Zinc	4.1	ug/L	B	[NULL]	[NULL]	R	B159H0	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/5/2002 12:02	N	PH	pH Measurement	8.09	unitless	[NULL]	[NULL]	[NULL]	R	B159H1	PH	FIELD	9040_PH	100-NR-2
199-N-50	9/30/2003 10:48	N	12587-47-2	Gross beta	5.19	pCi/L	[NULL]	[NULL]	[NULL]	R	B17N40	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-50	9/30/2003 10:48	N	CONDUCT	Specific Conductance	410	uS/cm	[NULL]	[NULL]	[NULL]	R	B17N40	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-50	9/30/2003 10:48	N	TEMPERATURE	Temperature	19.5	Deg C	[NULL]	[NULL]	[NULL]	R	B17N40	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-50	9/30/2003 10:48	N	10028-17-8	Tritium	12600	pCi/L	[NULL]	[NULL]	[NULL]	R	B17N40	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-50	9/30/2003 10:48	N	TURBIDITY	Turbidity	0.29	NTU	[NULL]	[NULL]	[NULL]	R	B17N40	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-50	9/30/2003 10:48	N	PH	pH Measurement	8.03	unitless	[NULL]	[NULL]	[NULL]	R	B17N40	PH	FIELD	9040_PH	100-NR-2
199-N-50	9/21/2004 11:58	N	12587-47-2	Gross beta	3.96	pCi/L	[NULL]	[NULL]	[NULL]	R	B1B142	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-50	9/21/2004 11:58	N	CONDUCT	Specific Conductance	408	uS/cm	[NULL]	[NULL]	[NULL]	R	B1B142	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-50	9/21/2004 11:58	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B1B142	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-50	9/21/2004 11:58	N	10028-17-8	Tritium	9700	pCi/L	[NULL]	[NULL]	[NULL]	R	B1B142	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-50	9/21/2004 11:58	N	TURBIDITY	Turbidity	0.4	NTU	[NULL]	[NULL]	[NULL]	R	B1B142	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-50	9/21/2004 11:58	N	PH	pH Measurement	8.02	unitless	[NULL]	[NULL]	[NULL]	R	B1B142	PH	FIELD	9040_PH	100-NR-2
199-N-50	9/20/2005 11:15	N	ALKALINITY	Alkalinity	78000	ug/L	[NULL]	[NULL]	[NULL]	R	B1DPW6	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-50	9/20/2005 11:15	Y	7429-90-5	Aluminum	36.7	ug/L	BC	[NULL]	[NULL]	R	B1DPW5	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/20/2005 11:15	Y	7440-36-0	Antimony	23	ug/L	U	[NULL]	[NULL]	R	B1DPW5	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/20/2005 11:15	Y	7440-39-3	Barium	41.5	ug/L	B	[NULL]	[NULL]	R	B1DPW5	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/20/2005 11:15	Y	7440-41-7	Beryllium	0.18	ug/L	U	[NULL]	[NULL]	R	B1DPW5	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/20/2005 11:15	Y	7440-43-9	Cadmium	0.86	ug/L	U	[NULL]	[NULL]	R	B1DPW5	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/20/2005 11:15	Y	7440-70-2	Calcium	50600	ug/L	[NULL]	[NULL]	[NULL]	R	B1DPW5	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/20/2005 11:15	N	16887-00-6	Chloride	14400	ug/L	CD	[NULL]	[NULL]	R	B1DPW6	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-50	9/20/2005 11:15	Y	7440-47-3	Chromium	12.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1DPW5	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/20/2005 11:15	Y	7440-48-4	Cobalt	1.7	ug/L	U	[NULL]	[NULL]	R	B1DPW5	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/20/2005 11:15	Y	7440-50-8	Copper	4.3	ug/L	U	[NULL]	[NULL]	R	B1DPW5	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/20/2005 11:15	N	16984-48-8	Fluoride	130	ug/L	[NULL]	[NULL]	[NULL]	R	B1DPW6	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-50	9/20/2005 11:15	N	12587-47-2	Gross beta	6.97	pCi/L	[NULL]	[NULL]	[NULL]	R	B1DP66	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-50	9/20/2005 11:15	Y	7439-89-6	Iron	113	ug/L	[NULL]	[NULL]	[NULL]	R	B1DPW5	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/20/2005 11:15	Y	7439-95-4	Magnesium	14600	ug/L	[NULL]	[NULL]	[NULL]	R	B1DPW5	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/20/2005 11:15	Y	7439-96-5	Manganese	1.3	ug/L	B	[NULL]	[NULL]	R	B1DPW5	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/20/2005 11:15	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1DPW5	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/20/2005 11:15	N	14797-55-8	Nitrate	25700	ug/L	D	[NULL]	[NULL]	R	B1DPW6	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-50	9/20/2005 11:15	N	14797-65-0	Nitrite	20	ug/L	UN	[NULL]	[NULL]	R	B1DPW6	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-50	9/20/2005 11:15	Y	7440-09-7	Potassium	3090	ug/L	B	[NULL]	[NULL]	R	B1DPW5	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/20/2005 11:15	Y	7440-22-4	Silver	2.2	ug/L	U	[NULL]	[NULL]	R	B1DPW5	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/20/2005 11:15	Y	7440-23-5	Sodium	9400	ug/L	[NULL]	[NULL]	[NULL]	R	B1DPW5	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/20/2005 11:15	N	CONDUCT	Specific Conductance	409	uS/cm	[NULL]	[NULL]	[NULL]	R	B1DP65	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-50	9/20/2005 11:15	Y	7440-24-6	Strontium	398	ug/L	[NULL]	[NULL]	[NULL]	R	B1DPW5	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/20/2005 11:15	N	14808-79-8	Sulfate	73000	ug/L	D	[NULL]	[NULL]	R	B1DPW6	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-50	9/20/2005 11:15	N	TEMPERATURE	Temperature	18.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1DP65	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-50	9/20/2005 11:15	N	10028-17-8	Tritium	9920	pCi/L	[NULL]	[NULL]	[NULL]	R	B1DP66	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-50	9/20/2005 11:15	N	TURBIDITY	Turbidity	1.02	NTU	[NULL]	[NULL]	[NULL]	R	B1DP65	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-50	9/20/2005 11:15	Y	7440-62-2	Vanadium	18.5	ug/L	B	[NULL]	[NULL]	R	B1DPW5	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/20/2005 11:15	Y	7440-66-6	Zinc	2.7	ug/L	BC	[NULL]	[NULL]	R	B1DPW5	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-50	9/20/2005 11:15	N	PH	pH Measurement	7.94	unitless	[NULL]	[NULL]	[NULL]	R	B1DP65	PH	FIELD	9040_PH	100-NR-2
199-N-50	9/25/2006 10:06	N	12587-47-2	Gross beta	8.01	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KC46	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-50	9/25/2006 10:06	N	12587-47-2	Gross beta	3.44	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KC45	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-50	9/25/2006 10:06	N	CONDUCT	Specific Conductance	415	uS/cm	[NULL]	[NULL]	[NULL]	R	B1KC47	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-50	9/25/2006 10:06	N	TEMPERATURE	Temperature	19.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1KC47	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-50	9/25/2006 10:06	N	10028-17-8	Tritium	9470	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KC46	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-50	9/25/2006 10:06	N	10028-17-8	Tritium	10000	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KC45	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-50	9/25/2006 10:06	N	TURBIDITY	Turbidity	0.66	NTU	[NULL]	[NULL]	[NULL]	R	B1KC47	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-50	9/25/2006 10:06	N	PH	pH Measurement	8.12	unitless	[NULL]	[NULL]	[NULL]	R	B1KC47	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-50	9/23/2007 10:54	N	12587-46-1	Gross alpha	2.28	pCi/L	[NULL]	[NULL]	[NULL]	R	B1PF04	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-50	9/23/2007 10:54	N	12587-47-2	Gross beta	6.42	pCi/L	[NULL]	[NULL]	[NULL]	R	B1PF04	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-50	9/23/2007 10:54	N	CONDUCT	Specific Conductance	410	uS/cm	[NULL]	[NULL]	[NULL]	R	B1PF06	CONDUCT	MOBILE	CONDUCT_FLD	100-NR-2
199-N-50	9/23/2007 10:54	N	TEMPERATURE	Temperature	20.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1PF06	TEMPERATURE	MOBILE	TEMP_FLD	100-NR-2
199-N-50	9/23/2007 10:54	N	10028-17-8	Tritium	9570	pCi/L	[NULL]	[NULL]	[NULL]	R	B1PF04	10028-17-8	TARL	906.0_H3_LSC	100-NR-2
199-N-50	9/23/2007 10:54	N	10028-17-8	Tritium	8900	pCi/L	[NULL]	[NULL]	[NULL]	R	B1PF05	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-50	9/23/2007 10:54	N	TURBIDITY	Turbidity	3.78	NTU	[NULL]	[NULL]	[NULL]	R	B1PF06	TURBIDITY	MOBILE	TURBIDITY_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-50	9/23/2007 10:54	N	PH	pH Measurement	7.97	unitless	[NULL]	[NULL]	[NULL]	R	B1PF06	PH	MOBILE	PH_ELECT_FLD	100-NR-2
199-N-50	9/24/2008 11:22	N	12587-47-2	Gross beta	4.9	pCi/L	[NULL]	[NULL]	[NULL]	R	B1WTL6	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-50	9/24/2008 11:22	N	CONDUCT	Specific Conductance	412	uS/cm	[NULL]	[NULL]	[NULL]	R	B1WTL5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-50	9/24/2008 11:22	N	TEMPERATURE	Temperature	18.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1WTL5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-50	9/24/2008 11:22	N	10028-17-8	Tritium	8200	pCi/L	[NULL]	[NULL]	[NULL]	R	B1WTL6	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-50	9/24/2008 11:22	N	TURBIDITY	Turbidity	1.33	NTU	[NULL]	[NULL]	[NULL]	R	B1WTL5	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-50	9/24/2008 11:22	N	PH	pH Measurement	7.89	unitless	[NULL]	[NULL]	[NULL]	R	B1WTL5	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-50	9/9/2009 12:14	N	12587-47-2	Gross beta	6.6	pCi/L	[NULL]	[NULL]	[NULL]	R	B21JD9	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-50	9/9/2009 12:14	N	CONDUCT	Specific Conductance	421	uS/cm	[NULL]	[NULL]	[NULL]	R	B21JD8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-50	9/9/2009 12:14	N	TEMPERATURE	Temperature	18.5	Deg C	[NULL]	[NULL]	[NULL]	R	B21JD8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-50	9/9/2009 12:14	N	10028-17-8	Tritium	8200	pCi/L	[NULL]	[NULL]	[NULL]	R	B21JD9	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-50	9/9/2009 12:14	N	TURBIDITY	Turbidity	0.4	NTU	[NULL]	[NULL]	[NULL]	R	B21JD8	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-50	9/9/2009 12:14	N	PH	pH Measurement	8.09	unitless	[NULL]	[NULL]	[NULL]	R	B21JD8	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-51	1/29/1988 0:00	N	12587-47-2	Gross beta	50.4	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JD8	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-51	1/29/1988 0:00	N	14797-55-8	Nitrate	33900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JD8	14797-55-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-51	1/29/1988 0:00	N	10098-97-2	Strontium-90	-0.119	pCi/L	U	[NULL]	[NULL]	R	H0007JD8	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-51	1/29/1988 0:00	N	14133-76-7	Technetium-99	8.65	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JD8	14133-76-7	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-51	1/29/1988 0:00	N	10028-17-8	Tritium	96600	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JD8	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-51	1/29/1988 0:00	N	7440-61-1	Uranium	0.961	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JD8	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-51	4/26/1988 0:00	N	12587-47-2	Gross beta	41.1	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JD9	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-51	4/26/1988 0:00	N	14797-55-8	Nitrate	30900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JD9	14797-55-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-51	4/26/1988 0:00	N	10098-97-2	Strontium-90	-0.0861	pCi/L	U	[NULL]	[NULL]	R	H0007JD9	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-51	4/26/1988 0:00	N	10028-17-8	Tritium	92900	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JD9	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-51	4/26/1988 0:00	N	7440-61-1	Uranium	0.8	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JD9	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-51	6/8/1989 0:00	N	10045-97-3	Cesium-137	3.89	pCi/L	U	[NULL]	[NULL]	R	H0007JF0	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-51	6/8/1989 0:00	N	10198-40-0	Cobalt-60	33.3	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JF0	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-51	6/8/1989 0:00	N	12587-47-2	Gross beta	22.4	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JF0	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-51	6/8/1989 0:00	N	14797-55-8	Nitrate	35400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF0	14797-55-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-51	6/8/1989 0:00	N	13967-48-1	Ruthenium-106	-8.9	pCi/L	U	[NULL]	[NULL]	R	H0007JF0	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-51	6/8/1989 0:00	N	10098-97-2	Strontium-90	0.134	pCi/L	U	[NULL]	[NULL]	R	H0007JF0	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-51	6/8/1989 0:00	N	14133-76-7	Technetium-99	10.9	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JF0	14133-76-7	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-51	6/8/1989 0:00	N	10028-17-8	Tritium	95800	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JF0	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-51	6/8/1989 0:00	N	7440-61-1	Uranium	0.669	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF0	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-51	10/30/1991 12:10	N	14234-35-6	Antimony-125	3.05	pCi/L	[NULL]	[NULL]	[NULL]	R	B00M93	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-51	10/30/1991 12:10	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B00M93	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	10/30/1991 12:10	N	10045-97-3	Cesium-137	-1.46	pCi/L	U	[NULL]	[NULL]	R	B00M93	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-51	10/30/1991 12:10	N	16887-00-6	Chloride	2900	ug/L	[NULL]	[NULL]	[NULL]	R	B00M93	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	10/30/1991 12:10	N	10198-40-0	Cobalt-60	-0.0736	pCi/L	U	[NULL]	[NULL]	R	B00M93	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-51	10/30/1991 12:10	N	16984-48-8	Fluoride	300	ug/L	[NULL]	[NULL]	[NULL]	R	B00M93	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	10/30/1991 12:10	N	14797-55-8	Nitrate	15000	ug/L	[NULL]	[NULL]	[NULL]	R	B00M93	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	10/30/1991 12:10	N	14797-65-0	Nitrite	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B00M93	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	10/30/1991 12:10	N	14265-44-2	Phosphate	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B00M93	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	10/30/1991 12:10	N	13967-48-1	Ruthenium-106	0.368	pCi/L	[NULL]	[NULL]	[NULL]	R	B00M93	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-51	10/30/1991 12:10	N	CONDUCT	Specific Conductance	293	uS/cm	[NULL]	[NULL]	[NULL]	R	B00M93	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-51	10/30/1991 12:10	N	14808-79-8	Sulfate	25000	ug/L	[NULL]	[NULL]	[NULL]	R	B00M93	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	10/30/1991 12:10	N	TEMPERATURE	Temperature	19.6	Deg C	[NULL]	[NULL]	[NULL]	R	B00M93	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-51	10/30/1991 12:10	N	10028-17-8	Tritium	32900	pCi/L	[NULL]	[NULL]	[NULL]	R	B00M93	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-51	10/30/1991 12:10	N	PH	pH Measurement	8.21	unitless	[NULL]	[NULL]	[NULL]	R	B00M93	PH	FIELD	9040_PH	100-NR-2
199-N-51	2/14/1992 8:30	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B05WK6	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	2/14/1992 8:30	N	16887-00-6	Chloride	3400	ug/L	[NULL]	[NULL]	[NULL]	R	B05WK6	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	2/14/1992 8:30	N	16984-48-8	Fluoride	300	ug/L	[NULL]	[NULL]	[NULL]	R	B05WK6	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	2/14/1992 8:30	N	14797-55-8	Nitrate	14000	ug/L	[NULL]	[NULL]	[NULL]	R	B05WK6	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	2/14/1992 8:30	N	14797-65-0	Nitrite	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B05WK6	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	2/14/1992 8:30	N	14265-44-2	Phosphate	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B05WK6	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	2/14/1992 8:30	N	CONDUCT	Specific Conductance	265	uS/cm	[NULL]	[NULL]	[NULL]	R	B05WK6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-51	2/14/1992 8:30	N	10098-97-2	Strontium-90	-0.0468	pCi/L	U	[NULL]	[NULL]	R	B05WK6	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-51	2/14/1992 8:30	N	14808-79-8	Sulfate	28000	ug/L	[NULL]	[NULL]	[NULL]	R	B05WK6	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	2/14/1992 8:30	N	TEMPERATURE	Temperature	18.6	Deg C	[NULL]	[NULL]	[NULL]	R	B05WK6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-51	2/14/1992 8:30	N	10028-17-8	Tritium	33900	pCi/L	[NULL]	[NULL]	[NULL]	R	B05WK6	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-51	2/14/1992 8:30	N	PH	pH Measurement	6.15	unitless	[NULL]	[NULL]	[NULL]	R	B05WK6	PH	FIELD	9040_PH	100-NR-2
199-N-51	3/15/1993 9:18	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NR8	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-51	3/15/1993 9:18	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NR8	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-51	3/15/1993 9:18	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B07NR8	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-51	3/15/1993 9:18	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B07NR8	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-51	3/15/1993 9:18	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NR8	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-51	3/15/1993 9:18	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NR8	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-51	3/15/1993 9:18	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NR8	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-51	3/15/1993 9:18	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B07NR8	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-51	3/15/1993 9:18	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B07NR8	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-51	3/15/1993 9:18	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B07NR8	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-51	3/15/1993 9:18	N	14798-03-9	Ammonium ion	100	ug/L	U	[NULL]	[NULL]	R	B07NR8	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-51	3/15/1993 9:18	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B07NR9	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B07NR8	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	N	14234-35-6	Antimony-125	-13.9	pCi/L	U	[NULL]	[NULL]	R	B07NR8	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-51	3/15/1993 9:18	N	7440-38-2	Arsenic	7	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR8	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-51	3/15/1993 9:18	Y	7440-38-2	Arsenic	8	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR9	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-51	3/15/1993 9:18	N	7440-39-3	Barium	30	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR8	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	Y	7440-39-3	Barium	30	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR9	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B07NR9	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B07NR8	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B07NR8	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	3/15/1993 9:18	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B07NR9	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B07NR8	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	N	7440-70-2	Calcium	29000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR8	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	Y	7440-70-2	Calcium	30000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR9	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	N	13967-70-9	Cesium-134	-1.57	pCi/L	U	[NULL]	[NULL]	R	B07NR8	13967-70-9	ITASRL	GAMMA_GS	100-NR-2
199-N-51	3/15/1993 9:18	N	16887-00-6	Chloride	4100	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR8	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	3/15/1993 9:18	N	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B07NR8	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B07NR9	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B07NR9	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B07NR8	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	N	10198-40-0	Cobalt-60	2.32	pCi/L	U	[NULL]	[NULL]	R	B07NR8	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-51	3/15/1993 9:18	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B07NR8	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-51	3/15/1993 9:18	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B07NR8	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B07NR9	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B07NR8	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-51	3/15/1993 9:18	N	16984-48-8	Fluoride	300	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR8	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	3/15/1993 9:18	N	12587-46-1	Gross alpha	1.05	pCi/L	[NULL]	[NULL]	[NULL]	R	B07NR8	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-51	3/15/1993 9:18	N	12587-47-2	Gross beta	5.23	pCi/L	[NULL]	[NULL]	[NULL]	R	B07NR8	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-51	3/15/1993 9:18	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B07NR8	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-51	3/15/1993 9:18	N	7439-89-6	Iron	20	ug/L	U	[NULL]	[NULL]	R	B07NR8	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	Y	7439-89-6	Iron	20	ug/L	U	[NULL]	[NULL]	R	B07NR9	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B07NR9	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-51	3/15/1993 9:18	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B07NR8	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-51	3/15/1993 9:18	N	7439-95-4	Magnesium	8700	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR8	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	Y	7439-95-4	Magnesium	8800	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR9	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B07NR9	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-51	3/15/1993 9:18	N	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B07NR8	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B07NR8	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-51	3/15/1993 9:18	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B07NR9	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-51	3/15/1993 9:18	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B07NR9	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B07NR8	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	N	14797-55-8	Nitrate	16000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR8	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	3/15/1993 9:18	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B07NR8	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	3/15/1993 9:18	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B07NR8	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-51	3/15/1993 9:18	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B07NR8	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-51	3/15/1993 9:18	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B07NR8	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	3/15/1993 9:18	Y	7440-09-7	Potassium	2800	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR9	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	N	7440-09-7	Potassium	2900	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR8	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	N	7440-14-4	Radium	0.104	pCi/L	U	[NULL]	[NULL]	R	B07NR8	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-51	3/15/1993 9:18	N	13967-48-1	Ruthenium-106	20	pCi/L	U	[NULL]	[NULL]	R	B07NR8	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-51	3/15/1993 9:18	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B07NR8	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-51	3/15/1993 9:18	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B07NR9	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-51	3/15/1993 9:18	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B07NR8	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B07NR9	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	N	7440-23-5	Sodium	8800	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR8	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	Y	7440-23-5	Sodium	8900	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR9	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	N	CONDUCT	Specific Conductance	260	uS/cm	[NULL]	[NULL]	[NULL]	R	B07NR8	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-51	3/15/1993 9:18	N	10098-97-2	Strontium-90	0.48	pCi/L	U	[NULL]	[NULL]	R	B07NR8	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-51	3/15/1993 9:18	N	14808-79-8	Sulfate	35000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NR8	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	3/15/1993 9:18	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B07NR8	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-51	3/15/1993 9:18	Y	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B07NR9	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-51	3/15/1993 9:18	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B07NR8	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-51	3/15/1993 9:18	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B07NR8	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B07NR9	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B07NR8	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B07NR9	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	N	1319-77-3.	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B07NR8	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-51	3/15/1993 9:18	N	TOC	Total organic carbon	200	ug/L	UX	[NULL]	[NULL]	R	B07NR8	TOC	DATACH	9060_TOC	100-NR-2
199-N-51	3/15/1993 9:18	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B07NR8	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-51	3/15/1993 9:18	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NR8	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-51	3/15/1993 9:18	N	10028-17-8	Tritium	32100	pCi/L	[NULL]	[NULL]	[NULL]	R	B07NR8	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-51	3/15/1993 9:18	N	TURBIDITY	Turbidity	0.1	NTU	U	[NULL]	[NULL]	R	B07NR8	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-51	3/15/1993 9:18	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B07NR8	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B07NR9	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	N	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B07NR8	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B07NR9	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	3/15/1993 9:18	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B07NR8	PH	DATACH	D1293_PH	100-NR-2
199-N-51	5/14/1993 9:15	N	7429-90-5	Aluminum	46	ug/L	L	[NULL]	[NULL]	R	B08KM8	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:15	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B08KM8	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:15	N	14234-35-6	Antimony-125	8.46	pCi/L	U	[NULL]	[NULL]	R	B08KM8	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-51	5/14/1993 9:15	N	7440-39-3	Barium	20	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM8	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:15	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B08KM8	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:15	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B08KM8	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	5/14/1993 9:15	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B08KM8	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:15	N	7440-70-2	Calcium	23000	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM8	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:15	N	10045-97-3	Cesium-137	1.74	pCi/L	U	[NULL]	[NULL]	R	B08KM8	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-51	5/14/1993 9:15	N	16887-00-6	Chloride	2300	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM8	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	5/14/1993 9:15	N	7440-47-3	Chromium	6.5	ug/L	L	[NULL]	[NULL]	R	B08KM8	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:15	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B08KM8	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:15	N	10198-40-0	Cobalt-60	13.2	pCi/L	[NULL]	[NULL]	[NULL]	R	B08KM8	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-51	5/14/1993 9:15	N	7440-50-8	Copper	30	ug/L	[NULL]	Q	[NULL]	R	B08KM8	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:15	N	16984-48-8	Fluoride	300	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM8	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	5/14/1993 9:15	N	12587-46-1	Gross alpha	0.855	pCi/L	U	[NULL]	[NULL]	R	B08KM8	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-51	5/14/1993 9:15	N	12587-47-2	Gross beta	1.67	pCi/L	U	[NULL]	[NULL]	R	B08KM8	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-51	5/14/1993 9:15	N	7439-89-6	Iron	11	ug/L	L	[NULL]	[NULL]	R	B08KM8	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:15	N	7439-95-4	Magnesium	6600	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM8	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:15	N	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B08KM8	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:15	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B08KM8	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:15	N	14797-55-8	Nitrate	6900	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM8	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	5/14/1993 9:15	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B08KM8	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	5/14/1993 9:15	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B08KM8	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	5/14/1993 9:15	N	7440-09-7	Potassium	3000	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM8	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:15	N	13967-48-1	Ruthenium-106	-79.3	pCi/L	U	[NULL]	[NULL]	R	B08KM8	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-51	5/14/1993 9:15	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B08KM8	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:15	N	7440-23-5	Sodium	6900	ug/L	[NULL]	Q	[NULL]	R	B08KM8	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:15	N	CONDUCT	Specific Conductance	210	uS/cm	[NULL]	[NULL]	[NULL]	R	B08KM8	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-51	5/14/1993 9:15	N	CONDUCT	Specific Conductance	216	uS/cm	[NULL]	[NULL]	[NULL]	R	B08KM8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-51	5/14/1993 9:15	N	10098-97-2	Strontium-90	0.569	pCi/L	[NULL]	[NULL]	[NULL]	R	B08KM8	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-51	5/14/1993 9:15	N	14808-79-8	Sulfate	21000	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM8	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	5/14/1993 9:15	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B08KM8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-51	5/14/1993 9:15	N	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B08KM8	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:15	N	10028-17-8	Tritium	14600	pCi/L	[NULL]	[NULL]	[NULL]	R	B08KM8	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-51	5/14/1993 9:15	N	TURBIDITY	Turbidity	0.2	NTU	[NULL]	[NULL]	[NULL]	R	B08KM8	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-51	5/14/1993 9:15	N	7440-62-2	Vanadium	20	ug/L	L	[NULL]	[NULL]	R	B08KM8	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:15	N	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B08KM8	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:15	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	B08KM8	PH	DATACH	D1293_PH	100-NR-2
199-N-51	5/14/1993 9:15	N	PH	pH Measurement	8.21	unitless	[NULL]	[NULL]	[NULL]	R	B08KM8	PH	FIELD	9040_PH	100-NR-2
199-N-51	5/14/1993 9:21	Y	7429-90-5	Aluminum	40	ug/L	L	[NULL]	[NULL]	R	B08KM9	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:21	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B08KM9	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:21	Y	7440-39-3	Barium	19	ug/L	L	[NULL]	[NULL]	R	B08KM9	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:21	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B08KM9	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:21	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B08KM9	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:21	Y	7440-70-2	Calcium	22000	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM9	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:21	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B08KM9	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:21	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B08KM9	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:21	Y	7440-50-8	Copper	40	ug/L	[NULL]	Q	[NULL]	R	B08KM9	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:21	Y	7439-89-6	Iron	20	ug/L	U	[NULL]	[NULL]	R	B08KM9	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:21	Y	7439-95-4	Magnesium	6500	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM9	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:21	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B08KM9	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:21	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B08KM9	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:21	Y	7440-09-7	Potassium	3000	ug/L	[NULL]	[NULL]	[NULL]	R	B08KM9	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:21	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B08KM9	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:21	Y	7440-23-5	Sodium	6500	ug/L	[NULL]	Q	[NULL]	R	B08KM9	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:21	Y	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B08KM9	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:21	Y	7440-62-2	Vanadium	21	ug/L	L	[NULL]	[NULL]	R	B08KM9	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	5/14/1993 9:21	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B08KM9	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	N	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B090Y8	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	Y	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B090Y9	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	N	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B090Y8	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	Y	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B090Y9	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	N	14234-35-6	Antimony-125	-4.86	pCi/L	U	[NULL]	[NULL]	R	B090Y8	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-51	8/17/1993 10:40	N	7440-39-3	Barium	25	ug/L	[NULL]	[NULL]	[NULL]	R	B090Y8	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	Y	7440-39-3	Barium	24	ug/L	[NULL]	[NULL]	[NULL]	R	B090Y9	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	Y	7440-41-7	Beryllium	0.96	ug/L	L	[NULL]	[NULL]	R	B090Y9	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	N	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B090Y8	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	N	24959-67-9	Bromide	52.8	ug/L	U	[NULL]	[NULL]	R	B090Y8	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	8/17/1993 10:40	N	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B090Y8	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	Y	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B090Y9	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-51	8/17/1993 10:40	N	7440-70-2	Calcium	28000	ug/L	[NULL]	Q	[NULL]	R	B090Y8	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	Y	7440-70-2	Calcium	27000	ug/L	[NULL]	Q	[NULL]	R	B090Y9	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	N	10045-97-3	Cesium-137	-0.232	pCi/L	U	[NULL]	[NULL]	R	B090Y8	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-51	8/17/1993 10:40	N	16887-00-6	Chloride	4000	ug/L	[NULL]	[NULL]	[NULL]	R	B090Y8	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	8/17/1993 10:40	Y	7440-47-3	Chromium	16	ug/L	L	[NULL]	[NULL]	R	B090Y9	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	N	7440-47-3	Chromium	14	ug/L	L	[NULL]	[NULL]	R	B090Y8	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	N	7440-48-4	Cobalt	7.5	ug/L	L	[NULL]	[NULL]	R	B090Y8	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	Y	7440-48-4	Cobalt	4.05	ug/L	U	[NULL]	[NULL]	R	B090Y9	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	N	10198-40-0	Cobalt-60	-4.38	pCi/L	U	[NULL]	[NULL]	R	B090Y8	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-51	8/17/1993 10:40	Y	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B090Y9	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	N	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B090Y8	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	N	16984-48-8	Fluoride	400	ug/L	[NULL]	[NULL]	[NULL]	R	B090Y8	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	8/17/1993 10:40	N	12587-46-1	Gross alpha	1.15	pCi/L	[NULL]	[NULL]	[NULL]	R	B090Y8	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-51	8/17/1993 10:40	N	12587-47-2	Gross beta	4.12	pCi/L	[NULL]	[NULL]	[NULL]	R	B090Y8	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-51	8/17/1993 10:40	Y	7439-89-6	Iron	33	ug/L	[NULL]	[NULL]	[NULL]	R	B090Y9	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	N	7439-89-6	Iron	57	ug/L	[NULL]	[NULL]	[NULL]	R	B090Y8	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	Y	7439-95-4	Magnesium	7700	ug/L	[NULL]	[NULL]	[NULL]	R	B090Y9	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	N	7439-95-4	Magnesium	7900	ug/L	[NULL]	[NULL]	[NULL]	R	B090Y8	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	Y	7439-96-5	Manganese	2.8	ug/L	L	[NULL]	[NULL]	R	B090Y9	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	N	7439-96-5	Manganese	1.6	ug/L	L	[NULL]	[NULL]	R	B090Y8	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	N	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B090Y8	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	Y	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B090Y9	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	N	14797-55-8	Nitrate	13000	ug/L	[NULL]	[NULL]	[NULL]	R	B090Y8	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	8/17/1993 10:40	N	14797-65-0	Nitrite	38.3	ug/L	U	[NULL]	[NULL]	R	B090Y8	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	8/17/1993 10:40	N	14265-44-2	Phosphate	147	ug/L	U	[NULL]	[NULL]	R	B090Y8	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	8/17/1993 10:40	Y	7440-09-7	Potassium	2800	ug/L	[NULL]	[NULL]	[NULL]	R	B090Y9	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	N	7440-09-7	Potassium	2700	ug/L	[NULL]	[NULL]	[NULL]	R	B090Y8	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	N	13967-48-1	Ruthenium-106	-23.9	pCi/L	U	[NULL]	[NULL]	R	B090Y8	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-51	8/17/1993 10:40	N	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B090Y8	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	Y	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B090Y9	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	Y	7440-23-5	Sodium	7800	ug/L	[NULL]	[NULL]	[NULL]	R	B090Y9	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	N	7440-23-5	Sodium	7900	ug/L	[NULL]	[NULL]	[NULL]	R	B090Y8	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	N	CONDUCT	Specific Conductance	369	uS/cm	[NULL]	F	[NULL]	R	B090Y8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-51	8/17/1993 10:40	N	CONDUCT	Specific Conductance	250	uS/cm	[NULL]	[NULL]	[NULL]	R	B090Y8	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-51	8/17/1993 10:40	N	10098-97-2	Strontium-90	0.002	pCi/L	U	[NULL]	[NULL]	R	B090Y8	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-51	8/17/1993 10:40	N	14808-79-8	Sulfate	31000	ug/L	[NULL]	[NULL]	[NULL]	R	B090Y8	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	8/17/1993 10:40	N	TEMPERATURE	Temperature	19.3	Deg C	[NULL]	[NULL]	[NULL]	R	B090Y8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-51	8/17/1993 10:40	N	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B090Y8	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	Y	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B090Y9	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	N	10028-17-8	Tritium	94.5	pCi/L	U	F	[NULL]	R	B090Y8	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-51	8/17/1993 10:40	N	TURBIDITY	Turbidity	0.7	NTU	[NULL]	[NULL]	[NULL]	R	B090Y8	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-51	8/17/1993 10:40	Y	7440-62-2	Vanadium	24	ug/L	L	[NULL]	[NULL]	R	B090Y9	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	N	7440-62-2	Vanadium	25	ug/L	L	[NULL]	[NULL]	R	B090Y8	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	Y	7440-66-6	Zinc	9.2	ug/L	L	[NULL]	[NULL]	R	B090Y9	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	N	7440-66-6	Zinc	14	ug/L	[NULL]	[NULL]	[NULL]	R	B090Y8	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/17/1993 10:40	N	PH	pH Measurement	7.62	unitless	[NULL]	[NULL]	[NULL]	R	B090Y8	PH	FIELD	9040_PH	100-NR-2
199-N-51	8/17/1993 10:40	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	B090Y8	PH	DATACH	D1293_PH	100-NR-2
199-N-51	2/22/1994 10:20	Y	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B09ZR5	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	N	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B09ZR4	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	Y	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B09ZR5	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	N	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B09ZR4	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	N	14234-35-6	Antimony-125	-10.8	pCi/L	U	[NULL]	[NULL]	R	B09ZR4	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-51	2/22/1994 10:20	Y	7440-39-3	Barium	26	ug/L	[NULL]	Q	[NULL]	R	B09ZR5	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	N	7440-39-3	Barium	25	ug/L	[NULL]	Q	[NULL]	R	B09ZR4	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	Y	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B09ZR5	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-51	2/22/1994 10:20	N	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B09ZR4	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	N	24959-67-9	Bromide	52.8	ug/L	U	[NULL]	[NULL]	R	B09ZR4	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	2/22/1994 10:20	Y	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B09ZR5	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	N	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B09ZR4	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	N	7440-70-2	Calcium	27000	ug/L	[NULL]	[NULL]	[NULL]	R	B09ZR4	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	Y	7440-70-2	Calcium	28000	ug/L	[NULL]	[NULL]	[NULL]	R	B09ZR5	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	N	10045-97-3	Cesium-137	-2.48	pCi/L	U	[NULL]	[NULL]	R	B09ZR4	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-51	2/22/1994 10:20	N	16887-00-6	Chloride	3600	ug/L	[NULL]	[NULL]	[NULL]	R	B09ZR4	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	2/22/1994 10:20	N	7440-47-3	Chromium	13	ug/L	L	[NULL]	[NULL]	R	B09ZR4	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	Y	7440-47-3	Chromium	12	ug/L	L	[NULL]	[NULL]	R	B09ZR5	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	Y	7440-48-4	Cobalt	4.05	ug/L	U	[NULL]	[NULL]	R	B09ZR5	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	N	7440-48-4	Cobalt	4.05	ug/L	U	[NULL]	[NULL]	R	B09ZR4	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	N	10198-40-0	Cobalt-60	5.41	pCi/L	[NULL]	[NULL]	[NULL]	R	B09ZR4	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-51	2/22/1994 10:20	N	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B09ZR4	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	Y	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B09ZR5	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	N	16984-48-8	Fluoride	400	ug/L	[NULL]	[NULL]	[NULL]	R	B09ZR4	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	2/22/1994 10:20	N	12587-46-1	Gross alpha	0.614	pCi/L	U	[NULL]	[NULL]	R	B09ZR4	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-51	2/22/1994 10:20	N	12587-47-2	Gross beta	4.68	pCi/L	[NULL]	[NULL]	[NULL]	R	B09ZR4	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-51	2/22/1994 10:20	N	7439-89-6	Iron	10.3	ug/L	U	Q	[NULL]	R	B09ZR4	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	Y	7439-89-6	Iron	10.3	ug/L	U	Q	[NULL]	R	B09ZR5	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	Y	7439-95-4	Magnesium	8300	ug/L	[NULL]	[NULL]	[NULL]	R	B09ZR5	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	N	7439-95-4	Magnesium	8200	ug/L	[NULL]	[NULL]	[NULL]	R	B09ZR4	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	N	7439-96-5	Manganese	1.35	ug/L	U	[NULL]	[NULL]	R	B09ZR4	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	Y	7439-96-5	Manganese	1.35	ug/L	U	[NULL]	[NULL]	R	B09ZR5	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	Y	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B09ZR5	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	N	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B09ZR4	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	N	14797-55-8	Nitrate	12000	ug/L	D	[NULL]	[NULL]	R	B09ZR4	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	2/22/1994 10:20	N	14797-65-0	Nitrite	38.3	ug/L	U	[NULL]	[NULL]	R	B09ZR4	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	2/22/1994 10:20	N	14265-44-2	Phosphate	147	ug/L	U	[NULL]	[NULL]	R	B09ZR4	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	2/22/1994 10:20	N	7440-09-7	Potassium	3400	ug/L	[NULL]	[NULL]	[NULL]	R	B09ZR4	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	Y	7440-09-7	Potassium	3100	ug/L	[NULL]	[NULL]	[NULL]	R	B09ZR5	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	N	13967-48-1	Ruthenium-106	40.3	pCi/L	U	[NULL]	[NULL]	R	B09ZR4	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-51	2/22/1994 10:20	N	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B09ZR4	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	Y	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B09ZR5	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	N	7440-23-5	Sodium	8400	ug/L	[NULL]	[NULL]	[NULL]	R	B09ZR4	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	Y	7440-23-5	Sodium	8500	ug/L	[NULL]	[NULL]	[NULL]	R	B09ZR5	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	N	CONDUCT	Specific Conductance	257	uS/cm	[NULL]	[NULL]	[NULL]	R	B09ZR4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-51	2/22/1994 10:20	N	10098-97-2	Strontium-90	0.002	pCi/L	U	[NULL]	[NULL]	R	B09ZR4	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-51	2/22/1994 10:20	N	14808-79-8	Sulfate	30000	ug/L	D	Q	[NULL]	R	B09ZR4	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	2/22/1994 10:20	N	TEMPERATURE	Temperature	18.4	Deg C	[NULL]	[NULL]	[NULL]	R	B09ZR4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-51	2/22/1994 10:20	N	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B09ZR4	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	Y	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B09ZR5	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	N	10028-17-8	Tritium	25200	pCi/L	[NULL]	[NULL]	[NULL]	R	B09ZR4	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-51	2/22/1994 10:20	N	TURBIDITY	Turbidity	0.28	NTU	[NULL]	Q	[NULL]	R	B09ZR4	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-51	2/22/1994 10:20	Y	7440-62-2	Vanadium	27	ug/L	L	[NULL]	[NULL]	R	B09ZR5	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	N	7440-62-2	Vanadium	26	ug/L	L	[NULL]	[NULL]	R	B09ZR4	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	Y	7440-66-6	Zinc	3.44	ug/L	U	[NULL]	[NULL]	R	B09ZR5	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	N	7440-66-6	Zinc	3.44	ug/L	U	[NULL]	[NULL]	R	B09ZR4	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	2/22/1994 10:20	N	PH	pH Measurement	8.09	unitless	[NULL]	[NULL]	[NULL]	R	B09ZR4	PH	FIELD	9040_PH	100-NR-2
199-N-51	8/15/1994 13:00	Y	7429-90-5	Aluminum	19	ug/L	U	[NULL]	[NULL]	R	B0CJ46	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	Y	7429-90-5	Aluminum	19	ug/L	U	[NULL]	[NULL]	R	B0CJ47	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	7429-90-5	Aluminum	19	ug/L	U	[NULL]	[NULL]	R	B0CJ44	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	7429-90-5	Aluminum	19	ug/L	U	[NULL]	[NULL]	R	B0CJ45	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	Y	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0CJ47	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0CJ45	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-51	8/15/1994 13:00	Y	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0CJ46	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0CJ44	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	14234-35-6	Antimony-125	-7.34	pCi/L	U	[NULL]	[NULL]	R	B0CJ44	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-51	8/15/1994 13:00	N	14234-35-6	Antimony-125	-6.49	pCi/L	U	[NULL]	[NULL]	R	B0CJ45	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-51	8/15/1994 13:00	Y	7440-39-3	Barium	25	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ47	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	7440-39-3	Barium	27	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ44	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	7440-39-3	Barium	27	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ45	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	Y	7440-39-3	Barium	26	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ46	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	Y	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0CJ47	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0CJ45	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0CJ44	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	Y	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0CJ46	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	24959-67-9	Bromide	110	ug/L	U	[NULL]	[NULL]	R	B0CJ45	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	8/15/1994 13:00	N	24959-67-9	Bromide	110	ug/L	U	[NULL]	[NULL]	R	B0CJ44	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	8/15/1994 13:00	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0CJ46	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0CJ47	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0CJ45	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0CJ44	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	7440-70-2	Calcium	30000	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ45	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	Y	7440-70-2	Calcium	29000	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ46	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	7440-70-2	Calcium	29000	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ44	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	Y	7440-70-2	Calcium	29000	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ47	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	10045-97-3	Cesium-137	-0.725	pCi/L	U	[NULL]	[NULL]	R	B0CJ45	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-51	8/15/1994 13:00	N	10045-97-3	Cesium-137	-6.86	pCi/L	U	[NULL]	[NULL]	R	B0CJ44	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-51	8/15/1994 13:00	N	16887-00-6	Chloride	4700	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ44	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	8/15/1994 13:00	N	16887-00-6	Chloride	4700	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ45	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	8/15/1994 13:00	Y	7440-47-3	Chromium	14	ug/L	L	[NULL]	[NULL]	R	B0CJ47	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	7440-47-3	Chromium	16	ug/L	L	[NULL]	[NULL]	R	B0CJ44	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	Y	7440-47-3	Chromium	12	ug/L	L	[NULL]	[NULL]	R	B0CJ46	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	7440-47-3	Chromium	14	ug/L	L	[NULL]	[NULL]	R	B0CJ45	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0CJ44	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	Y	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0CJ47	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0CJ45	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	Y	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0CJ46	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	10198-40-0	Cobalt-60	5.35	pCi/L	U	[NULL]	[NULL]	R	B0CJ45	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-51	8/15/1994 13:00	N	10198-40-0	Cobalt-60	-1.42	pCi/L	U	[NULL]	[NULL]	R	B0CJ44	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-51	8/15/1994 13:00	N	7440-50-8	Copper	2.6	ug/L	U	[NULL]	[NULL]	R	B0CJ45	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	Y	7440-50-8	Copper	2.6	ug/L	U	[NULL]	[NULL]	R	B0CJ47	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	Y	7440-50-8	Copper	2.6	ug/L	U	[NULL]	[NULL]	R	B0CJ46	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	7440-50-8	Copper	2.6	ug/L	U	[NULL]	[NULL]	R	B0CJ44	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	16984-48-8	Fluoride	500	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ44	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	8/15/1994 13:00	N	16984-48-8	Fluoride	500	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ45	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	8/15/1994 13:00	N	12587-46-1	Gross alpha	-0.071	pCi/L	U	Q	[NULL]	R	B0CJ45	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-51	8/15/1994 13:00	N	12587-46-1	Gross alpha	1.63	pCi/L	[NULL]	Q	[NULL]	R	B0CJ44	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-51	8/15/1994 13:00	N	12587-47-2	Gross beta	3.73	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CJ45	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-51	8/15/1994 13:00	N	12587-47-2	Gross beta	4.26	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CJ44	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-51	8/15/1994 13:00	N	7439-89-6	Iron	27	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ45	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	7439-89-6	Iron	34	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ44	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	Y	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B0CJ47	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	Y	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B0CJ46	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	Y	7439-95-4	Magnesium	8500	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ47	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	7439-95-4	Magnesium	8800	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ45	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	7439-95-4	Magnesium	8700	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ44	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	Y	7439-95-4	Magnesium	8600	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ46	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	7439-96-5	Manganese	1	ug/L	U	[NULL]	[NULL]	R	B0CJ45	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-51	8/15/1994 13:00	Y	7439-96-5	Manganese	1	ug/L	U	[NULL]	[NULL]	R	B0CJ47	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	7439-96-5	Manganese	1	ug/L	U	[NULL]	[NULL]	R	B0CJ44	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	Y	7439-96-5	Manganese	1	ug/L	U	[NULL]	[NULL]	R	B0CJ46	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0CJ45	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	Y	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0CJ46	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0CJ44	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	Y	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0CJ47	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	14797-55-8	Nitrate	16000	ug/L	D	[NULL]	[NULL]	R	B0CJ44	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	8/15/1994 13:00	N	14797-55-8	Nitrate	16000	ug/L	D	[NULL]	[NULL]	R	B0CJ45	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	8/15/1994 13:00	N	14797-65-0	Nitrite	110	ug/L	U	[NULL]	[NULL]	R	B0CJ44	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	8/15/1994 13:00	N	14797-65-0	Nitrite	110	ug/L	U	[NULL]	[NULL]	R	B0CJ45	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	8/15/1994 13:00	N	14265-44-2	Phosphate	470	ug/L	U	[NULL]	[NULL]	R	B0CJ45	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	8/15/1994 13:00	N	14265-44-2	Phosphate	470	ug/L	U	[NULL]	[NULL]	R	B0CJ44	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	8/15/1994 13:00	N	7440-09-7	Potassium	3300	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ45	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	Y	7440-09-7	Potassium	3200	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ46	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	7440-09-7	Potassium	2900	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ44	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	Y	7440-09-7	Potassium	3100	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ47	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	13967-48-1	Ruthenium-106	-8.14	pCi/L	U	Q	[NULL]	R	B0CJ44	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-51	8/15/1994 13:00	N	13967-48-1	Ruthenium-106	65.9	pCi/L	[NULL]	Q	[NULL]	R	B0CJ45	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-51	8/15/1994 13:00	Y	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0CJ46	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	Y	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0CJ47	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0CJ44	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0CJ45	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	7440-23-5	Sodium	8700	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ45	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	7440-23-5	Sodium	8700	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ44	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	Y	7440-23-5	Sodium	8500	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ46	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	7440-23-5	Sodium	8700	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ44	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	Y	7440-23-5	Sodium	8500	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ46	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	Y	7440-23-5	Sodium	8300	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJ47	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	CONDUCT	Specific Conductance	270	uS/cm	[NULL]	[NULL]	[NULL]	R	B0CJ45	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-51	8/15/1994 13:00	N	CONDUCT	Specific Conductance	270	uS/cm	[NULL]	[NULL]	[NULL]	R	B0CJ44	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-51	8/15/1994 13:00	N	10098-97-2	Strontium-90	0.126	pCi/L	U	[NULL]	[NULL]	R	B0CJ44	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-51	8/15/1994 13:00	N	10098-97-2	Strontium-90	0.254	pCi/L	U	[NULL]	[NULL]	R	B0CJ45	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-51	8/15/1994 13:00	N	14808-79-8	Sulfate	37000	ug/L	D	[NULL]	[NULL]	R	B0CJ44	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	8/15/1994 13:00	N	14808-79-8	Sulfate	37000	ug/L	D	[NULL]	[NULL]	R	B0CJ45	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	8/15/1994 13:00	Y	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0CJ46	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0CJ44	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0CJ45	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	Y	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0CJ47	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	10028-17-8	Tritium	26800	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CJ44	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-51	8/15/1994 13:00	N	10028-17-8	Tritium	27200	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CJ45	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-51	8/15/1994 13:00	N	TURBIDITY	Turbidity	0.61	NTU	[NULL]	[NULL]	[NULL]	R	B0CJ45	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-51	8/15/1994 13:00	N	TURBIDITY	Turbidity	0.64	NTU	[NULL]	[NULL]	[NULL]	R	B0CJ44	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-51	8/15/1994 13:00	N	7440-62-2	Vanadium	20	ug/L	L	[NULL]	[NULL]	R	B0CJ44	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	7440-62-2	Vanadium	21	ug/L	L	[NULL]	[NULL]	R	B0CJ45	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	Y	7440-62-2	Vanadium	21	ug/L	L	[NULL]	[NULL]	R	B0CJ46	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	Y	7440-62-2	Vanadium	22	ug/L	L	[NULL]	[NULL]	R	B0CJ47	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	7440-66-6	Zinc	6.6	ug/L	LB	Q	[NULL]	R	B0CJ44	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	Y	7440-66-6	Zinc	5.1	ug/L	LB	[NULL]	[NULL]	R	B0CJ46	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	7440-66-6	Zinc	9.9	ug/L	LB	Q	[NULL]	R	B0CJ45	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	Y	7440-66-6	Zinc	4.4	ug/L	U	[NULL]	[NULL]	R	B0CJ47	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-51	8/15/1994 13:00	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	B0CJ44	PH	DATACH	D1293_PH	100-NR-2
199-N-51	8/15/1994 13:00	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	B0CJ45	PH	DATACH	D1293_PH	100-NR-2
199-N-51	12/15/1994 10:00	N	24959-67-9	Bromide	30	ug/L	L	[NULL]	[NULL]	R	B0DD81	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	12/15/1994 10:00	N	16887-00-6	Chloride	4300	ug/L	[NULL]	[NULL]	[NULL]	R	B0DD81	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	12/15/1994 10:00	N	16984-48-8	Fluoride	300	ug/L	[NULL]	[NULL]	[NULL]	R	B0DD81	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	12/15/1994 10:00	N	14797-55-8	Nitrate	14000	ug/L	D	[NULL]	[NULL]	R	B0DD81	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-51	12/15/1994 10:00	N	14797-65-0	Nitrite	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DD81	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	12/15/1994 10:00	N	14265-44-2	Phosphate	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DD81	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	12/15/1994 10:00	N	CONDUCT	Specific Conductance	246	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DD81	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-51	12/15/1994 10:00	N	10098-97-2	Strontium-90	-0.129	pCi/L	U	[NULL]	[NULL]	R	B0DD81	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-51	12/15/1994 10:00	N	14808-79-8	Sulfate	35000	ug/L	D	[NULL]	[NULL]	R	B0DD81	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-51	12/15/1994 10:00	N	TEMPERATURE	Temperature	18.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0DD81	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-51	12/15/1994 10:00	N	10028-17-8	Tritium	26200	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DD81	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-51	12/15/1994 10:00	N	PH	pH Measurement	7.42	unitless	[NULL]	[NULL]	[NULL]	R	B0DD81	PH	FIELD	9040_PH	100-NR-2
199-N-51	2/27/1995 9:32	Y	7429-90-5	Aluminum	23.5	ug/L	U	[NULL]	[NULL]	R	B0DX64	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	2/27/1995 9:32	N	7429-90-5	Aluminum	23.5	ug/L	U	[NULL]	[NULL]	R	B0DX63	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	2/27/1995 9:32	Y	7440-36-0	Antimony	32.8	ug/L	U	[NULL]	[NULL]	R	B0DX64	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	2/27/1995 9:32	N	7440-36-0	Antimony	32.8	ug/L	U	[NULL]	[NULL]	R	B0DX63	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	2/27/1995 9:32	N	7440-39-3	Barium	50.2	ug/L	B	[NULL]	[NULL]	R	B0DX63	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	2/27/1995 9:32	Y	7440-39-3	Barium	49	ug/L	B	[NULL]	[NULL]	R	B0DX64	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	2/27/1995 9:32	Y	7440-41-7	Beryllium	0.87	ug/L	U	[NULL]	[NULL]	R	B0DX64	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	2/27/1995 9:32	N	7440-41-7	Beryllium	1.8	ug/L	U	[NULL]	[NULL]	R	B0DX63	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	2/27/1995 9:32	Y	7440-43-9	Cadmium	3.8	ug/L	U	[NULL]	[NULL]	R	B0DX64	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	2/27/1995 9:32	N	7440-43-9	Cadmium	3.8	ug/L	U	[NULL]	[NULL]	R	B0DX63	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	2/27/1995 9:32	N	7440-70-2	Calcium	31200	ug/L	J	[NULL]	[NULL]	R	B0DX63	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	2/27/1995 9:32	Y	7440-70-2	Calcium	31600	ug/L	J	[NULL]	[NULL]	R	B0DX64	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	2/27/1995 9:32	N	10045-97-3	Cesium-137	0.915	pCi/L	U	[NULL]	[NULL]	R	B0DX63	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-51	2/27/1995 9:32	N	16887-00-6	Chloride	4380	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX63	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-51	2/27/1995 9:32	Y	16887-00-6	Chloride	4500	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX64	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-51	2/27/1995 9:32	N	7440-47-3	Chromium	11.8	ug/L	B	[NULL]	[NULL]	R	B0DX63	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	2/27/1995 9:32	Y	7440-47-3	Chromium	15	ug/L	B	[NULL]	[NULL]	R	B0DX64	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	2/27/1995 9:32	N	7440-48-4	Cobalt	4.1	ug/L	U	[NULL]	[NULL]	R	B0DX63	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	2/27/1995 9:32	Y	7440-48-4	Cobalt	4.1	ug/L	U	[NULL]	[NULL]	R	B0DX64	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	2/27/1995 9:32	N	13981-38-9	Cobalt-58	0.259	pCi/L	U	[NULL]	[NULL]	R	B0DX63	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-51	2/27/1995 9:32	N	10198-40-0	Cobalt-60	-1.39	pCi/L	U	[NULL]	[NULL]	R	B0DX63	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-51	2/27/1995 9:32	N	7440-50-8	Copper	20.2	ug/L	B	[NULL]	[NULL]	R	B0DX63	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	2/27/1995 9:32	Y	7440-50-8	Copper	22.5	ug/L	B	[NULL]	[NULL]	R	B0DX64	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	2/27/1995 9:32	N	14683-23-9	Europium-152	2.9	pCi/L	U	[NULL]	[NULL]	R	B0DX63	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-51	2/27/1995 9:32	N	15585-10-1	Europium-154	-25.3	pCi/L	U	[NULL]	[NULL]	R	B0DX63	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-51	2/27/1995 9:32	N	14391-16-3	Europium-155	2.19	pCi/L	U	[NULL]	[NULL]	R	B0DX63	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-51	2/27/1995 9:32	Y	16984-48-8	Fluoride	240	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX64	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-51	2/27/1995 9:32	N	16984-48-8	Fluoride	240	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX63	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-51	2/27/1995 9:32	N	12587-46-1	Gross alpha	2.41	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DX63	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-51	2/27/1995 9:32	N	12587-47-2	Gross beta	6.39	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DX63	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-51	2/27/1995 9:32	N	7439-89-6	Iron	99.5	ug/L	U	[NULL]	[NULL]	R	B0DX63	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	2/27/1995 9:32	Y	7439-89-6	Iron	74.1	ug/L	U	[NULL]	[NULL]	R	B0DX64	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	2/27/1995 9:32	N	14596-12-4	Iron-59	-7.97	pCi/L	U	[NULL]	[NULL]	R	B0DX63	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-51	2/27/1995 9:32	N	7439-95-4	Magnesium	9370	ug/L	J	[NULL]	[NULL]	R	B0DX63	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	2/27/1995 9:32	Y	7439-95-4	Magnesium	9470	ug/L	J	[NULL]	[NULL]	R	B0DX64	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	2/27/1995 9:32	Y	7439-96-5	Manganese	3.8	ug/L	U	[NULL]	[NULL]	R	B0DX64	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	2/27/1995 9:32	N	7439-96-5	Manganese	5.2	ug/L	U	[NULL]	[NULL]	R	B0DX63	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	2/27/1995 9:32	Y	7778-77-0	Monopotassium phosphate	1000	ug/L	U	R	R	R	B0DX64	7778-77-0	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-51	2/27/1995 9:32	N	7778-77-0	Monopotassium phosphate	1000	ug/L	U	R	R	R	B0DX63	7778-77-0	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-51	2/27/1995 9:32	Y	7440-02-0	Nickel	15.2	ug/L	U	[NULL]	[NULL]	R	B0DX64	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	2/27/1995 9:32	N	7440-02-0	Nickel	15.2	ug/L	U	[NULL]	[NULL]	R	B0DX63	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	2/27/1995 9:32	N	14797-55-8	Nitrate	14500	ug/L	J	[NULL]	[NULL]	R	B0DX63	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-51	2/27/1995 9:32	Y	14797-55-8	Nitrate	14500	ug/L	J	[NULL]	[NULL]	R	B0DX64	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-51	2/27/1995 9:32	Y	14797-65-0	Nitrite	65.7	ug/L	U	R	R	R	B0DX64	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-51	2/27/1995 9:32	N	14797-65-0	Nitrite	65.7	ug/L	U	R	R	R	B0DX63	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-51	2/27/1995 9:32	Y	7440-09-7	Potassium	3750	ug/L	BJ	[NULL]	[NULL]	R	B0DX64	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	2/27/1995 9:32	N	7440-09-7	Potassium	3950	ug/L	BJ	[NULL]	[NULL]	R	B0DX63	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	2/27/1995 9:32	N	7440-22-4	Silver	3.8	ug/L	U	[NULL]	[NULL]	R	B0DX63	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	2/27/1995 9:32	Y	7440-22-4	Silver	3.8	ug/L	U	[NULL]	[NULL]	R	B0DX64	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	2/27/1995 9:32	N	7440-23-5	Sodium	9230	ug/L	J	[NULL]	[NULL]	R	B0DX63	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	2/27/1995 9:32	Y	7440-23-5	Sodium	9310	ug/L	J	[NULL]	[NULL]	R	B0DX64	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	2/27/1995 9:32	N	CONDUCT	Specific Conductance	312	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DX63	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-51	2/27/1995 9:32	N	CONDUCT	Specific Conductance	274	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DX63	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-51	2/27/1995 9:32	N	10098-97-2	Strontium-90	-0.0451	pCi/L	U	[NULL]	[NULL]	R	B0DX63	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-51	2/27/1995 9:32	N	14808-79-8	Sulfate	32800	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX63	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-51	2/27/1995 9:32	Y	14808-79-8	Sulfate	32500	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX64	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-51	2/27/1995 9:32	N	TEMPERATURE	Temperature	15.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0DX63	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-51	2/27/1995 9:32	N	10028-17-8	Tritium	25000	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DX63	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-51	2/27/1995 9:32	N	TURBIDITY	Turbidity	0.73	NTU	J	[NULL]	[NULL]	R	B0DX63	TURBIDITY	QTESSL	180.1_TURBIDITY	100-NR-2
199-N-51	2/27/1995 9:32	Y	7440-62-2	Vanadium	37.2	ug/L	U	[NULL]	[NULL]	R	B0DX64	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	2/27/1995 9:32	N	7440-62-2	Vanadium	37.9	ug/L	U	[NULL]	[NULL]	R	B0DX63	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	2/27/1995 9:32	N	7440-66-6	Zinc	122	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX63	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	2/27/1995 9:32	Y	7440-66-6	Zinc	37.5	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX64	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	2/27/1995 9:32	N	PH	pH Measurement	8.03	unitless	J	[NULL]	[NULL]	R	B0DX63	PH	QTESSL	9040_PH	100-NR-2
199-N-51	2/27/1995 9:32	N	PH	pH Measurement	8.34	unitless	[NULL]	[NULL]	[NULL]	R	B0DX63	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-51	9/7/1995 11:51	N	7429-90-5	Aluminum	24.6	ug/L	U	[NULL]	[NULL]	R	B0GJT8	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	9/7/1995 11:51	Y	7429-90-5	Aluminum	34.9	ug/L	B	[NULL]	[NULL]	R	B0GJT9	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	9/7/1995 11:51	N	7440-36-0	Antimony	45.9	ug/L	U	[NULL]	[NULL]	R	B0GJT8	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	9/7/1995 11:51	Y	7440-36-0	Antimony	45.9	ug/L	U	[NULL]	[NULL]	R	B0GJT9	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	9/7/1995 11:51	Y	7440-39-3	Barium	30.2	ug/L	B	[NULL]	[NULL]	R	B0GJT9	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	9/7/1995 11:51	N	7440-39-3	Barium	30	ug/L	B	[NULL]	[NULL]	R	B0GJT8	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	9/7/1995 11:51	N	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	R	B0GJT8	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	9/7/1995 11:51	Y	7440-41-7	Beryllium	0.56	ug/L	B	[NULL]	[NULL]	R	B0GJT9	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	9/7/1995 11:51	Y	7440-43-9	Cadmium	3.1	ug/L	U	[NULL]	[NULL]	R	B0GJT9	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	9/7/1995 11:51	N	7440-43-9	Cadmium	3.1	ug/L	U	[NULL]	[NULL]	R	B0GJT8	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	9/7/1995 11:51	Y	7440-70-2	Calcium	32000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT9	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	9/7/1995 11:51	N	7440-70-2	Calcium	31600	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT8	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	9/7/1995 11:51	N	10045-97-3	Cesium-137	1.66	pCi/L	U	[NULL]	[NULL]	R	B0GJT8	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-51	9/7/1995 11:51	Y	16887-00-6	Chloride	5610	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT9	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-51	9/7/1995 11:51	N	16887-00-6	Chloride	5060	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT8	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-51	9/7/1995 11:51	Y	7440-47-3	Chromium	13	ug/L	B	[NULL]	[NULL]	R	B0GJT9	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	9/7/1995 11:51	N	7440-47-3	Chromium	12.8	ug/L	B	[NULL]	[NULL]	R	B0GJT8	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	9/7/1995 11:51	Y	7440-48-4	Cobalt	4.3	ug/L	U	[NULL]	[NULL]	R	B0GJT9	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	9/7/1995 11:51	N	7440-48-4	Cobalt	4.3	ug/L	U	[NULL]	[NULL]	R	B0GJT8	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	9/7/1995 11:51	N	13981-38-9	Cobalt-58	-4.04	pCi/L	U	[NULL]	[NULL]	R	B0GJT8	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-51	9/7/1995 11:51	N	10198-40-0	Cobalt-60	4.9	pCi/L	U	[NULL]	[NULL]	R	B0GJT8	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-51	9/7/1995 11:51	Y	7440-50-8	Copper	15.6	ug/L	B	[NULL]	[NULL]	R	B0GJT9	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	9/7/1995 11:51	N	7440-50-8	Copper	8.7	ug/L	B	[NULL]	[NULL]	R	B0GJT8	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	9/7/1995 11:51	N	DO	Dissolved oxygen	4900	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-51	9/7/1995 11:51	N	14683-23-9	Europium-152	-5.88	pCi/L	U	[NULL]	[NULL]	R	B0GJT8	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-51	9/7/1995 11:51	N	15585-10-1	Europium-154	1.89	pCi/L	U	[NULL]	[NULL]	R	B0GJT8	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-51	9/7/1995 11:51	N	14391-16-3	Europium-155	-3.77	pCi/L	U	[NULL]	[NULL]	R	B0GJT8	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-51	9/7/1995 11:51	Y	16984-48-8	Fluoride	14400	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT9	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-51	9/7/1995 11:51	N	16984-48-8	Fluoride	240	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT8	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-51	9/7/1995 11:51	N	12587-46-1	Gross alpha	1.31	pCi/L	J	[NULL]	[NULL]	R	B0GJT8	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-51	9/7/1995 11:51	N	12587-47-2	Gross beta	5.04	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GJT8	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-51	9/7/1995 11:51	N	7439-89-6	Iron	35	ug/L	B	[NULL]	[NULL]	R	B0GJT8	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	9/7/1995 11:51	Y	7439-89-6	Iron	31.3	ug/L	B	[NULL]	[NULL]	R	B0GJT9	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	9/7/1995 11:51	N	14596-12-4	Iron-59	2.29	pCi/L	U	[NULL]	[NULL]	R	B0GJT8	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-51	9/7/1995 11:51	Y	7439-95-4	Magnesium	9330	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT9	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-51	9/7/1995 11:51	N	7439-95-4	Magnesium	9230	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT8	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	9/7/1995 11:51	N	7439-96-5	Manganese	2.6	ug/L	B	[NULL]	[NULL]	R	B0GJT8	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	9/7/1995 11:51	Y	7439-96-5	Manganese	3	ug/L	B	[NULL]	[NULL]	R	B0GJT9	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	9/7/1995 11:51	N	7440-02-0	Nickel	14.2	ug/L	U	[NULL]	[NULL]	R	B0GJT8	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	9/7/1995 11:51	Y	7440-02-0	Nickel	14.2	ug/L	U	[NULL]	[NULL]	R	B0GJT9	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	9/7/1995 11:51	N	14797-55-8	Nitrate	15900	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT8	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-51	9/7/1995 11:51	Y	14797-55-8	Nitrate	894000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT9	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-51	9/7/1995 11:51	Y	14797-65-0	Nitrite	328	ug/L	U	G	[NULL]	R	B0GJT9	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-51	9/7/1995 11:51	N	14797-65-0	Nitrite	65.7	ug/L	U	G	[NULL]	R	B0GJT8	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-51	9/7/1995 11:51	N	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B0GJT8	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-51	9/7/1995 11:51	Y	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B0GJT9	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-51	9/7/1995 11:51	N	7440-09-7	Potassium	4040	ug/L	B	[NULL]	[NULL]	R	B0GJT8	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	9/7/1995 11:51	Y	7440-09-7	Potassium	4860	ug/L	B	[NULL]	[NULL]	R	B0GJT9	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	9/7/1995 11:51	Y	7440-22-4	Silver	2.2	ug/L	U	[NULL]	[NULL]	R	B0GJT9	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	9/7/1995 11:51	N	7440-22-4	Silver	9.2	ug/L	B	[NULL]	[NULL]	R	B0GJT8	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	9/7/1995 11:51	N	7440-23-5	Sodium	8650	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT8	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	9/7/1995 11:51	Y	7440-23-5	Sodium	8840	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT9	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	9/7/1995 11:51	N	CONDUCT	Specific Conductance	273	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GJT8	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-51	9/7/1995 11:51	N	CONDUCT	Specific Conductance	265	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GJT8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-51	9/7/1995 11:51	N	10098-97-2	Strontium-90	0.111	pCi/L	U	[NULL]	[NULL]	R	B0GJT8	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-51	9/7/1995 11:51	N	14808-79-8	Sulfate	38600	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT8	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-51	9/7/1995 11:51	Y	14808-79-8	Sulfate	90300	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT9	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-51	9/7/1995 11:51	N	TEMPERATURE	Temperature	18.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0GJT8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-51	9/7/1995 11:51	N	10028-17-8	Tritium	25600	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GJT8	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-51	9/7/1995 11:51	N	TURBIDITY	Turbidity	0.1	NTU	[NULL]	[NULL]	[NULL]	R	B0GJT8	TURBIDITY	QTESSL	180.1_TURBIDITY	100-NR-2
199-N-51	9/7/1995 11:51	N	TURBIDITY	Turbidity	1.33	NTU	[NULL]	[NULL]	[NULL]	R	B0GJT8	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-51	9/7/1995 11:51	Y	7440-62-2	Vanadium	27.6	ug/L	B	[NULL]	[NULL]	R	B0GJT9	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	9/7/1995 11:51	N	7440-62-2	Vanadium	28.4	ug/L	B	[NULL]	[NULL]	R	B0GJT8	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	9/7/1995 11:51	N	7440-66-6	Zinc	27.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT8	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	9/7/1995 11:51	Y	7440-66-6	Zinc	26.6	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJT9	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	9/7/1995 11:51	N	PH	pH Measurement	8.24	unitless	[NULL]	[NULL]	[NULL]	R	B0GJT8	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-51	9/7/1995 11:51	N	PH	pH Measurement	8.11	unitless	[NULL]	[NULL]	[NULL]	R	B0GJT8	PH	QTESSL	9040_PH	100-NR-2
199-N-51	3/22/1996 12:45	N	7429-90-5	Aluminum	27.3	ug/L	U	[NULL]	[NULL]	R	B0H8H2	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	3/22/1996 12:45	Y	7429-90-5	Aluminum	27.3	ug/L	U	[NULL]	[NULL]	R	B0H8H3	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	3/22/1996 12:45	Y	7440-36-0	Antimony	31.7	ug/L	U	[NULL]	[NULL]	R	B0H8H3	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	3/22/1996 12:45	N	7440-36-0	Antimony	31.7	ug/L	U	[NULL]	[NULL]	R	B0H8H2	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	3/22/1996 12:45	Y	7440-39-3	Barium	19.7	ug/L	B	[NULL]	[NULL]	R	B0H8H3	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	3/22/1996 12:45	N	7440-39-3	Barium	19.7	ug/L	B	[NULL]	[NULL]	R	B0H8H2	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	3/22/1996 12:45	Y	7440-41-7	Beryllium	0.6	ug/L	U	[NULL]	[NULL]	R	B0H8H3	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	3/22/1996 12:45	N	7440-41-7	Beryllium	0.6	ug/L	U	[NULL]	[NULL]	R	B0H8H2	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	3/22/1996 12:45	Y	7440-43-9	Cadmium	3.4	ug/L	U	[NULL]	[NULL]	R	B0H8H3	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	3/22/1996 12:45	N	7440-43-9	Cadmium	3.4	ug/L	U	[NULL]	[NULL]	R	B0H8H2	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	3/22/1996 12:45	Y	7440-70-2	Calcium	21600	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8H3	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	3/22/1996 12:45	N	7440-70-2	Calcium	21600	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8H2	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	3/22/1996 12:45	N	10045-97-3	Cesium-137	-2.89	pCi/L	U	[NULL]	[NULL]	R	B0H8H2	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-51	3/22/1996 12:45	Y	16887-00-6	Chloride	2020	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8H3	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-51	3/22/1996 12:45	N	16887-00-6	Chloride	2030	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8H2	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-51	3/22/1996 12:45	N	7440-47-3	Chromium	4.4	ug/L	U	[NULL]	[NULL]	R	B0H8H2	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	3/22/1996 12:45	Y	7440-47-3	Chromium	4.4	ug/L	U	[NULL]	[NULL]	R	B0H8H3	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	3/22/1996 12:45	Y	7440-48-4	Cobalt	3.6	ug/L	U	[NULL]	[NULL]	R	B0H8H3	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	3/22/1996 12:45	N	7440-48-4	Cobalt	3.6	ug/L	U	[NULL]	[NULL]	R	B0H8H2	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	3/22/1996 12:45	N	13981-38-9	Cobalt-58	-4.62	pCi/L	U	[NULL]	[NULL]	R	B0H8H2	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-51	3/22/1996 12:45	N	10198-40-0	Cobalt-60	1.94	pCi/L	U	[NULL]	[NULL]	R	B0H8H2	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-51	3/22/1996 12:45	N	7440-50-8	Copper	6.8	ug/L	B	[NULL]	[NULL]	R	B0H8H2	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	3/22/1996 12:45	Y	7440-50-8	Copper	6.3	ug/L	B	[NULL]	[NULL]	R	B0H8H3	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-51	3/22/1996 12:45	N	DO	Dissolved oxygen	11700	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8H2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-51	3/22/1996 12:45	N	14683-23-9	Europium-152	-9.75	pCi/L	U	[NULL]	[NULL]	R	B0H8H2	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-51	3/22/1996 12:45	N	15585-10-1	Europium-154	3.93	pCi/L	U	[NULL]	[NULL]	R	B0H8H2	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-51	3/22/1996 12:45	N	14391-16-3	Europium-155	0.846	pCi/L	U	[NULL]	[NULL]	R	B0H8H2	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-51	3/22/1996 12:45	N	16984-48-8	Fluoride	200	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8H2	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-51	3/22/1996 12:45	Y	16984-48-8	Fluoride	210	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8H3	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-51	3/22/1996 12:45	N	12587-46-1	Gross alpha	0.471	pCi/L	U	[NULL]	[NULL]	R	B0H8H2	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-51	3/22/1996 12:45	N	12587-47-2	Gross beta	3.08	pCi/L	J	[NULL]	[NULL]	R	B0H8H2	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-51	3/22/1996 12:45	Y	7439-89-6	Iron	58.3	ug/L	B	[NULL]	[NULL]	R	B0H8H3	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	3/22/1996 12:45	N	7439-89-6	Iron	64.6	ug/L	B	[NULL]	[NULL]	R	B0H8H2	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	3/22/1996 12:45	N	14596-12-4	Iron-59	-3.14	pCi/L	U	[NULL]	[NULL]	R	B0H8H2	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-51	3/22/1996 12:45	N	7439-95-4	Magnesium	6390	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8H2	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	3/22/1996 12:45	Y	7439-95-4	Magnesium	6390	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8H3	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	3/22/1996 12:45	N	7439-96-5	Manganese	2.1	ug/L	B	[NULL]	[NULL]	R	B0H8H2	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	3/22/1996 12:45	Y	7439-96-5	Manganese	1.5	ug/L	B	[NULL]	[NULL]	R	B0H8H3	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	3/22/1996 12:45	N	7440-02-0	Nickel	16.1	ug/L	U	[NULL]	[NULL]	R	B0H8H2	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	3/22/1996 12:45	Y	7440-02-0	Nickel	16.1	ug/L	U	[NULL]	[NULL]	R	B0H8H3	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	3/22/1996 12:45	N	14797-55-8	Nitrate	4690	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8H2	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-51	3/22/1996 12:45	Y	14797-55-8	Nitrate	4690	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8H3	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-51	3/22/1996 12:45	N	14797-65-0	Nitrite	65.7	ug/L	U	[NULL]	[NULL]	R	B0H8H2	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-51	3/22/1996 12:45	Y	14797-65-0	Nitrite	65.7	ug/L	U	[NULL]	[NULL]	R	B0H8H3	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-51	3/22/1996 12:45	Y	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B0H8H3	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-51	3/22/1996 12:45	N	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B0H8H2	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-51	3/22/1996 12:45	Y	7440-09-7	Potassium	2010	ug/L	U	[NULL]	[NULL]	R	B0H8H3	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	3/22/1996 12:45	N	7440-09-7	Potassium	2010	ug/L	U	[NULL]	[NULL]	R	B0H8H2	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	3/22/1996 12:45	N	7440-22-4	Silver	5	ug/L	UN	[NULL]	[NULL]	R	B0H8H2	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	3/22/1996 12:45	Y	7440-22-4	Silver	5	ug/L	UN	[NULL]	[NULL]	R	B0H8H3	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	3/22/1996 12:45	N	7440-23-5	Sodium	4790	ug/L	B	[NULL]	[NULL]	R	B0H8H2	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	3/22/1996 12:45	Y	7440-23-5	Sodium	4810	ug/L	B	[NULL]	[NULL]	R	B0H8H3	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	3/22/1996 12:45	N	CONDUCT	Specific Conductance	170	uS/cm	[NULL]	[NULL]	[NULL]	R	B0H8H2	CONDUCT	QTESSL	9050_CONDUCT	100-NR-2
199-N-51	3/22/1996 12:45	N	CONDUCT	Specific Conductance	171	uS/cm	[NULL]	[NULL]	[NULL]	R	B0H8H2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-51	3/22/1996 12:45	N	10098-97-2	Strontium-90	-0.107	pCi/L	U	[NULL]	[NULL]	R	B0G169	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-51	3/22/1996 12:45	N	14808-79-8	Sulfate	16600	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8H2	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-51	3/22/1996 12:45	Y	14808-79-8	Sulfate	16500	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8H3	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-51	3/22/1996 12:45	N	TEMPERATURE	Temperature	13.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0H8H2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-51	3/22/1996 12:45	N	10028-17-8	Tritium	2595.5	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HNH1	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-51	3/22/1996 12:45	N	TURBIDITY	Turbidity	0.4	NTU	[NULL]	[NULL]	[NULL]	R	B0H8H2	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-51	3/22/1996 12:45	Y	7440-62-2	Vanadium	12.7	ug/L	B	[NULL]	[NULL]	R	B0H8H3	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	3/22/1996 12:45	N	7440-62-2	Vanadium	14.1	ug/L	B	[NULL]	[NULL]	R	B0H8H2	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	3/22/1996 12:45	N	7440-66-6	Zinc	6.8	ug/L	B	[NULL]	[NULL]	R	B0H8H2	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	3/22/1996 12:45	Y	7440-66-6	Zinc	5.8	ug/L	B	[NULL]	[NULL]	R	B0H8H3	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-51	3/22/1996 12:45	N	PH	pH Measurement	7.08	unitless	[NULL]	[NULL]	[NULL]	R	B0H8H2	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-51	9/24/1996 11:04	N	10045-97-3	Cesium-137	-2.33	pCi/L	U	[NULL]	[NULL]	R	B0J1L2	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-51	9/24/1996 11:04	N	13981-38-9	Cobalt-58	2.01	pCi/L	U	[NULL]	[NULL]	R	B0J1L2	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-51	9/24/1996 11:04	N	10198-40-0	Cobalt-60	3.27	pCi/L	U	[NULL]	[NULL]	R	B0J1L2	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-51	9/24/1996 11:04	N	DO	Dissolved oxygen	2600	ug/L	[NULL]	[NULL]	[NULL]	R	B0J1L2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-51	9/24/1996 11:04	N	14683-23-9	Europium-152	0	pCi/L	U	[NULL]	[NULL]	R	B0J1L2	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-51	9/24/1996 11:04	N	15585-10-1	Europium-154	1.61	pCi/L	U	[NULL]	[NULL]	R	B0J1L2	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-51	9/24/1996 11:04	N	14391-16-3	Europium-155	1.82	pCi/L	U	[NULL]	[NULL]	R	B0J1L2	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-51	9/24/1996 11:04	N	12587-47-2	Gross beta	6.33	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J1L2	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-51	9/24/1996 11:04	N	14596-12-4	Iron-59	1.69	pCi/L	U	[NULL]	[NULL]	R	B0J1L2	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-51	9/24/1996 11:04	N	CONDUCT	Specific Conductance	240	uS/cm	[NULL]	[NULL]	[NULL]	R	B0J1L2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-51	9/24/1996 11:04	N	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	R	B0J1L2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-51	9/24/1996 11:04	N	10028-17-8	Tritium	14500	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J1L2	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-51	9/24/1996 11:04	N	TURBIDITY	Turbidity	1.28	NTU	[NULL]	[NULL]	[NULL]	R	B0J1L2	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-51	9/24/1996 11:04	N	PH	pH Measurement	8.03	unitless	[NULL]	[NULL]	[NULL]	R	B0J1L2	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-51	7/11/1997 12:25	N	10098-97-2	Strontium-90	0.707	pCi/L	J	[NULL]	[NULL]	R	B0LFJ8	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-51	9/17/1997 11:33	N	12587-47-2	Gross beta	5.18	pCi/L	[NULL]	[NULL]	[NULL]	R	B0LY75	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-51	9/17/1997 11:33	N	CONDUCT	Specific Conductance	243	uS/cm	[NULL]	[NULL]	[NULL]	R	B0LY94	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-51	9/17/1997 11:33	N	10098-97-2	Strontium-90	0.073	pCi/L	U	[NULL]	[NULL]	R	B0LY94	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-51	9/17/1997 11:33	Y	10098-97-2	Strontium-90	0.111	pCi/L	U	[NULL]	[NULL]	R	B0LY95	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-51	9/17/1997 11:33	N	TEMPERATURE	Temperature	16.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0LY94	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-51	9/17/1997 11:33	N	10028-17-8	Tritium	14900	pCi/L	[NULL]	[NULL]	[NULL]	R	B0LY75	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-51	9/17/1997 11:33	N	TURBIDITY	Turbidity	0.78	NTU	[NULL]	[NULL]	[NULL]	R	B0LY94	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-51	9/17/1997 11:33	N	PH	pH Measurement	8.41	unitless	[NULL]	[NULL]	[NULL]	R	B0LY94	PH	FIELD	9040_PH	100-NR-2
199-N-51	9/10/1998 9:41	N	12587-47-2	Gross beta	8.06	pCi/L	[NULL]	[NULL]	[NULL]	R	B0PPX2	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-51	9/10/1998 9:41	N	CONDUCT	Specific Conductance	329	uS/cm	[NULL]	[NULL]	[NULL]	R	B0PT49	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-51	9/10/1998 9:41	N	10098-97-2	Strontium-90	0.0116	pCi/L	U	[NULL]	[NULL]	R	B0PT49	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-51	9/10/1998 9:41	Y	10098-97-2	Strontium-90	0.0839	pCi/L	U	[NULL]	[NULL]	R	B0PT48	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-51	9/10/1998 9:41	N	TEMPERATURE	Temperature	17.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0PT49	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-51	9/10/1998 9:41	N	10028-17-8	Tritium	21500	pCi/L	[NULL]	[NULL]	[NULL]	R	B0PPX2	10028-17-8	QTESRL	TRITIUM_ELECT_LSC	100-NR-2
199-N-51	9/10/1998 9:41	N	TURBIDITY	Turbidity	1.52	NTU	[NULL]	[NULL]	[NULL]	R	B0PT49	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-51	9/10/1998 9:41	N	PH	pH Measurement	8.13	unitless	[NULL]	[NULL]	[NULL]	R	B0PT49	PH	FIELD	9040_PH	100-NR-2
199-N-51	9/10/1999 10:08	N	12587-47-2	Gross beta	3.69	pCi/L	[NULL]	[NULL]	[NULL]	R	B0W7M6	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-51	9/10/1999 10:08	N	12587-47-2	Gross beta	4.1	pCi/L	[NULL]	[NULL]	[NULL]	R	B0W7M7	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-51	9/10/1999 10:08	N	CONDUCT	Specific Conductance	266	uS/cm	C	[NULL]	[NULL]	R	B0W818	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-51	9/10/1999 10:08	N	CONDUCT	Specific Conductance	276	uS/cm	[NULL]	[NULL]	[NULL]	R	B0W818	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-51	9/10/1999 10:08	N	10098-97-2	Strontium-90	0.215	pCi/L	U	[NULL]	[NULL]	R	B0W817	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-51	9/10/1999 10:08	N	TEMPERATURE	Temperature	17.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0W818	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-51	9/10/1999 10:08	N	10028-17-8	Tritium	14200	pCi/L	[NULL]	[NULL]	[NULL]	R	B0W7M6	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-51	9/10/1999 10:08	N	10028-17-8	Tritium	13900	pCi/L	[NULL]	[NULL]	[NULL]	R	B0W7M7	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-51	9/10/1999 10:08	N	TURBIDITY	Turbidity	2.03	NTU	[NULL]	[NULL]	[NULL]	R	B0W818	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-51	9/10/1999 10:08	N	PH	pH Measurement	8.07	unitless	[NULL]	[NULL]	[NULL]	R	B0W818	PH	FIELD	9040_PH	100-NR-2
199-N-51	9/25/2000 10:22	N	12587-47-2	Gross beta	6.98	pCi/L	[NULL]	[NULL]	[NULL]	R	B10441	12587-47-2	STLRL	BETA_GPC	100-NR-2
199-N-51	9/25/2000 10:22	N	12587-47-2	Gross beta	4.39	pCi/L	[NULL]	[NULL]	[NULL]	R	B10442	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-51	9/25/2000 10:22	N	10028-17-8	Tritium	16100	pCi/L	[NULL]	[NULL]	[NULL]	R	B10441	10028-17-8	STLRL	TRITIUM_ELECT_LSC	100-NR-2
199-N-51	9/25/2000 10:22	N	10028-17-8	Tritium	17000	pCi/L	[NULL]	[NULL]	[NULL]	R	B10442	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-51	9/6/2001 12:28	N	DO	Dissolved oxygen	7880	ug/L	[NULL]	[NULL]	[NULL]	R	B13NK3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-51	9/6/2001 12:28	N	12587-47-2	Gross beta	-2.13	pCi/L	U	[NULL]	[NULL]	R	B12MV5	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-51	9/6/2001 12:28	N	12587-47-2	Gross beta	5.28	pCi/L	[NULL]	[NULL]	[NULL]	R	B12MV4	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-51	9/6/2001 12:28	N	EH	Oxidation Reduction Potential	100	mV	[NULL]	[NULL]	[NULL]	R	B13NK3	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-51	9/6/2001 12:28	N	CONDUCT	Specific Conductance	374	uS/cm	[NULL]	[NULL]	[NULL]	R	B13NK3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-51	9/6/2001 12:28	N	TEMPERATURE	Temperature	18.3	Deg C	[NULL]	[NULL]	[NULL]	R	B13NK3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-51	9/6/2001 12:28	N	10028-17-8	Tritium	15500	pCi/L	[NULL]	[NULL]	[NULL]	R	B12MV5	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-51	9/6/2001 12:28	N	10028-17-8	Tritium	14400	pCi/L	[NULL]	[NULL]	[NULL]	R	B12MV4	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-51	9/6/2001 12:28	N	TURBIDITY	Turbidity	1.36	NTU	[NULL]	[NULL]	[NULL]	R	B13NK3	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-51	9/6/2001 12:28	N	PH	pH Measurement	8.08	unitless	[NULL]	[NULL]	[NULL]	R	B13NK3	PH	FIELD	9040_PH	100-NR-2
199-N-51	9/23/2002 10:01	N	12587-47-2	Gross beta	4.04	pCi/L	[NULL]	[NULL]	[NULL]	R	B15744	12587-47-2	EBRLNE	900.0_ALPHABETA_GPC	100-NR-2
199-N-51	9/23/2002 10:01	N	CONDUCT	Specific Conductance	302	uS/cm	[NULL]	[NULL]	[NULL]	R	B173N0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-51	9/23/2002 10:01	N	TEMPERATURE	Temperature	16.8	Deg C	[NULL]	[NULL]	[NULL]	R	B173N0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-51	9/23/2002 10:01	N	10028-17-8	Tritium	8800	pCi/L	[NULL]	[NULL]	[NULL]	R	B15744	10028-17-8	EBRLNE	906.0_H3_LSC	100-NR-2
199-N-51	9/23/2002 10:01	N	TURBIDITY	Turbidity	0.81	NTU	[NULL]	[NULL]	[NULL]	R	B173N0	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-51	9/23/2002 10:01	N	PH	pH Measurement	8.04	unitless	[NULL]	[NULL]	[NULL]	R	B173N0	PH	FIELD	9040_PH	100-NR-2
199-N-51	9/29/2003 10:44	N	12587-47-2	Gross beta	6.35	pCi/L	[NULL]	[NULL]	[NULL]	R	B17D68	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-51	9/29/2003 10:44	N	12587-47-2	Gross beta	4.45	pCi/L	[NULL]	[NULL]	[NULL]	R	B17D69	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-51	9/29/2003 10:44	N	CONDUCT	Specific Conductance	369	uS/cm	[NULL]	[NULL]	[NULL]	R	B17D68	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-51	9/29/2003 10:44	N	TEMPERATURE	Temperature	17.7	Deg C	[NULL]	[NULL]	[NULL]	R	B17D68	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-51	9/29/2003 10:44	N	10028-17-8	Tritium	11300	pCi/L	[NULL]	[NULL]	[NULL]	R	B17D69	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-51	9/29/2003 10:44	N	10028-17-8	Tritium	11300	pCi/L	[NULL]	[NULL]	[NULL]	R	B17D68	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-51	9/29/2003 10:44	N	TURBIDITY	Turbidity	1.51	NTU	[NULL]	[NULL]	[NULL]	R	B17D68	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-51	9/29/2003 10:44	N	PH	pH Measurement	7.96	unitless	[NULL]	[NULL]	[NULL]	R	B17D68	PH	FIELD	9040_PH	100-NR-2
199-N-51	3/15/2004 12:21	N	CONDUCT	Specific Conductance	377	uS/cm	[NULL]	[NULL]	[NULL]	R	B18MF5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-51	3/15/2004 12:21	N	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	R	B18MF5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-51	3/15/2004 12:21	N	10028-17-8	Tritium	10300	pCi/L	[NULL]	[NULL]	[NULL]	R	B18MF5	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-51	3/15/2004 12:21	N	TURBIDITY	Turbidity	0.39	NTU	[NULL]	[NULL]	[NULL]	R	B18MF5	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-51	3/15/2004 12:21	N	PH	pH Measurement	7.92	unitless	[NULL]	[NULL]	[NULL]	R	B18MF5	PH	FIELD	9040_PH	100-NR-2
199-N-51	9/20/2004 10:10	N	12587-47-2	Gross beta	7.66	pCi/L	[NULL]	[NULL]	[NULL]	R	B1B144	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-51	9/20/2004 10:10	N	12587-47-2	Gross beta	4.12	pCi/L	[NULL]	[NULL]	[NULL]	R	B1B146	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-51	9/20/2004 10:10	N	CONDUCT	Specific Conductance	370	uS/cm	[NULL]	[NULL]	[NULL]	R	B1B144	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-51	9/20/2004 10:10	N	TEMPERATURE	Temperature	18	Deg C	[NULL]	[NULL]	[NULL]	R	B1B144	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-51	9/20/2004 10:10	N	10028-17-8	Tritium	9130	pCi/L	[NULL]	[NULL]	[NULL]	R	B1B146	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-51	9/20/2004 10:10	N	10028-17-8	Tritium	9130	pCi/L	[NULL]	[NULL]	[NULL]	R	B1B144	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-51	9/20/2004 10:10	N	TURBIDITY	Turbidity	0.73	NTU	[NULL]	[NULL]	[NULL]	R	B1B144	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-51	9/20/2004 10:10	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	R	B1B144	PH	FIELD	9040_PH	100-NR-2
199-N-51	3/10/2005 11:23	N	CONDUCT	Specific Conductance	373	uS/cm	[NULL]	[NULL]	[NULL]	R	B1CCJ2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-51	3/10/2005 11:23	N	10098-97-2	Strontium-90	0.11	pCi/L	U	[NULL]	[NULL]	R	B1CCJ2	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-51	3/10/2005 11:23	N	TEMPERATURE	Temperature	18	Deg C	[NULL]	[NULL]	[NULL]	R	B1CCJ2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-51	3/10/2005 11:23	N	10028-17-8	Tritium	8100	pCi/L	[NULL]	[NULL]	[NULL]	R	B1CCJ2	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-51	3/10/2005 11:23	N	TURBIDITY	Turbidity	0.43	NTU	[NULL]	[NULL]	[NULL]	R	B1CCJ2	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-51	3/10/2005 11:23	N	PH	pH Measurement	7.74	unitless	[NULL]	[NULL]	[NULL]	R	B1CCJ2	PH	FIELD	9040_PH	100-NR-2
199-N-51	9/16/2005 8:56	N	12587-47-2	Gross beta	4.18	pCi/L	[NULL]	[NULL]	[NULL]	R	B1DP69	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-51	9/16/2005 8:56	N	CONDUCT	Specific Conductance	372	uS/cm	[NULL]	[NULL]	[NULL]	R	B1DP68	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-51	9/16/2005 8:56	N	TEMPERATURE	Temperature	17.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1DP68	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-51	9/16/2005 8:56	N	10028-17-8	Tritium	10100	pCi/L	[NULL]	[NULL]	[NULL]	R	B1DP69	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-51	9/16/2005 8:56	N	TURBIDITY	Turbidity	0.74	NTU	[NULL]	[NULL]	[NULL]	R	B1DP68	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-51	9/16/2005 8:56	N	PH	pH Measurement	7.84	unitless	[NULL]	[NULL]	[NULL]	R	B1DP68	PH	FIELD	9040_PH	100-NR-2
199-N-51	3/20/2006 12:41	N	DO	Dissolved oxygen	6720	ug/L	[NULL]	[NULL]	[NULL]	R	B1HMH7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-51	3/20/2006 12:41	N	EH	Oxidation Reduction Potential	395	mV	[NULL]	[NULL]	[NULL]	R	B1HMH7	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-51	3/20/2006 12:41	N	CONDUCT	Specific Conductance	385	uS/cm	[NULL]	[NULL]	[NULL]	R	B1HMH7	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-51	3/20/2006 12:41	N	10098-97-2	Strontium-90	-0.0852	pCi/L	U	[NULL]	[NULL]	R	B1HMH8	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-51	3/20/2006 12:41	N	TEMPERATURE	Temperature	17.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1HMH7	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-51	3/20/2006 12:41	N	10028-17-8	Tritium	10000	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HMH8	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-51	3/20/2006 12:41	N	TURBIDITY	Turbidity	2.43	NTU	[NULL]	[NULL]	[NULL]	R	B1HMH7	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-51	3/20/2006 12:41	N	PH	pH Measurement	8.15	unitless	[NULL]	[NULL]	[NULL]	R	B1HMH7	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-51	10/23/2006 12:30	N	12587-47-2	Gross beta	3.36	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KC48	12587-47-2	EBRLNE	BETA_GPC	100-NR-2
199-N-51	10/23/2006 12:30	N	12587-47-2	Gross beta	5.79	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KC49	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-51	10/23/2006 12:30	N	CONDUCT	Specific Conductance	366	uS/cm	[NULL]	[NULL]	[NULL]	R	B1KC50	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-51	10/23/2006 12:30	N	TEMPERATURE	Temperature	17.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1KC50	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-51	10/23/2006 12:30	N	10028-17-8	Tritium	8220	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KC49	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-51	10/23/2006 12:30	N	10028-17-8	Tritium	8120	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KC48	10028-17-8	EBRLNE	TRITIUM_DIST_LSC	100-NR-2
199-N-51	10/23/2006 12:30	N	TURBIDITY	Turbidity	1.08	NTU	[NULL]	[NULL]	[NULL]	R	B1KC50	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-51	10/23/2006 12:30	N	PH	pH Measurement	7.99	unitless	[NULL]	[NULL]	[NULL]	R	B1KC50	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-51	9/21/2007 9:18	N	12587-46-1	Gross alpha	1.2	pCi/L	U	[NULL]	[NULL]	R	B1PF07	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-51	9/21/2007 9:18	N	12587-47-2	Gross beta	6.6	pCi/L	[NULL]	[NULL]	[NULL]	R	B1PF07	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-51	9/21/2007 9:18	N	CONDUCT	Specific Conductance	335	uS/cm	[NULL]	[NULL]	[NULL]	R	B1PF11	CONDUCT	MOBILE	CONDUCT_FLD	100-NR-2
199-N-51	9/21/2007 9:18	N	10098-97-2	Strontium-90	0.0541	pCi/L	U	[NULL]	[NULL]	R	B1PFR4	10098-97-2	TARL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-51	9/21/2007 9:18	N	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1PF11	TEMPERATURE	MOBILE	TEMP_FLD	100-NR-2
199-N-51	9/21/2007 9:18	N	10028-17-8	Tritium	6400	pCi/L	[NULL]	[NULL]	[NULL]	R	B1PF09	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-51	9/21/2007 9:18	N	TURBIDITY	Turbidity	0.24	NTU	[NULL]	[NULL]	[NULL]	R	B1PF11	TURBIDITY	MOBILE	TURBIDITY_FLD	100-NR-2
199-N-51	9/21/2007 9:18	N	PH	pH Measurement	7.93	unitless	[NULL]	[NULL]	[NULL]	R	B1PF11	PH	MOBILE	PH_ELECT_FLD	100-NR-2
199-N-51	9/24/2008 10:49	N	12587-47-2	Gross beta	3.95	pCi/L	[NULL]	[NULL]	[NULL]	R	B1WTL7	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-51	9/24/2008 10:49	N	12587-47-2	Gross beta	4.1	pCi/L	[NULL]	[NULL]	[NULL]	R	B1WTL8	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-51	9/24/2008 10:49	N	CONDUCT	Specific Conductance	334	uS/cm	[NULL]	[NULL]	[NULL]	R	B1WTL9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-51	9/24/2008 10:49	N	TEMPERATURE	Temperature	16.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1WTL9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-51	9/24/2008 10:49	N	10028-17-8	Tritium	4980	pCi/L	[NULL]	[NULL]	[NULL]	R	B1WTL7	10028-17-8	TARL	906.0_H3_LSC	100-NR-2
199-N-51	9/24/2008 10:49	N	10028-17-8	Tritium	5600	pCi/L	[NULL]	[NULL]	[NULL]	R	B1WTL8	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-51	9/24/2008 10:49	N	TURBIDITY	Turbidity	0.49	NTU	[NULL]	[NULL]	[NULL]	R	B1WTL9	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-51	9/24/2008 10:49	N	PH	pH Measurement	7.79	unitless	[NULL]	[NULL]	[NULL]	R	B1WTL9	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-51	9/21/2009 8:55	N	12587-47-2	Gross beta	3.4	pCi/L	U	[NULL]	[NULL]	R	B21JF1	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-51	9/21/2009 8:55	N	CONDUCT	Specific Conductance	389	uS/cm	[NULL]	[NULL]	[NULL]	R	B21JF0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-51	9/21/2009 8:55	N	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	R	B21JF0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-51	9/21/2009 8:55	N	10028-17-8	Tritium	6400	pCi/L	[NULL]	[NULL]	[NULL]	R	B21JF1	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-51	9/21/2009 8:55	N	TURBIDITY	Turbidity	1.05	NTU	[NULL]	[NULL]	[NULL]	R	B21JF0	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-51	9/21/2009 8:55	N	PH	pH Measurement	7.95	unitless	[NULL]	[NULL]	[NULL]	R	B21JF0	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-52	1/22/1988 0:00	N	12587-47-2	Gross beta	102	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JF5	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	1/22/1988 0:00	N	14797-55-8	Nitrate	24500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF5	14797-55-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	1/22/1988 0:00	N	10098-97-2	Strontium-90	-0.0281	pCi/L	U	[NULL]	[NULL]	R	H0007JF5	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	1/22/1988 0:00	N	14133-76-7	Technetium-99	13.7	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JF5	14133-76-7	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	1/22/1988 0:00	N	10028-17-8	Tritium	96800	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JF5	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	1/22/1988 0:00	N	7440-61-1	Uranium	0.845	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF5	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	3/15/1988 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007JF6	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/15/1988 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JF6	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/15/1988 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JF6	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/15/1988 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007JF6	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-52	3/15/1988 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007JF6	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-52	3/15/1988 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007JF6	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/15/1988 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007JF6	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/15/1988 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JF6	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	3/15/1988 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007JF6	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/15/1988 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007JF6F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/15/1988 0:00	N	7440-38-2	Arsenic	6	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF6	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-52	3/15/1988 0:00	N	H37	Arsenic, filtered	8	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF6	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	3/15/1988 0:00	N	7440-39-3	Barium	24	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF6	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/15/1988 0:00	Y	7440-39-3	Barium	21	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF6F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/15/1988 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007JF6F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/15/1988 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007JF6	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/15/1988 0:00	N	7440-70-2	Calcium	22700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF6	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/15/1988 0:00	Y	7440-70-2	Calcium	21600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF6F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/15/1988 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007JF6	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/15/1988 0:00	N	16887-00-6	Chloride	1250	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF6	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	3/15/1988 0:00	N	67-66-3	Chloroform	3	ug/L	U	[NULL]	[NULL]	R	H0007JF6	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/15/1988 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007JF6	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/15/1988 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007JF6F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/15/1988 0:00	N	COLIFORM	Coliform Bacteria	2.2	MPN	U	[NULL]	[NULL]	R	H0007JF6	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-52	3/15/1988 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007JF6F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/15/1988 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007JF6	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/15/1988 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JF6	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	3/15/1988 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JF6	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	3/15/1988 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007JF6	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	3/15/1988 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JF6	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	3/15/1988 0:00	N	12587-46-1	Gross alpha	0.339	pCi/L	U	[NULL]	[NULL]	R	H0007JF6	12587-46-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	3/15/1988 0:00	N	12587-47-2	Gross beta	89.4	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JF6	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	3/15/1988 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007JF6F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/15/1988 0:00	N	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007JF6	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-52	3/15/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007JF6	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	3/15/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007JF6	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-52	3/15/1988 0:00	Y	7439-95-4	Magnesium	5920	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF6F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/15/1988 0:00	N	7439-95-4	Magnesium	6020	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF6	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/15/1988 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007JF6	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/15/1988 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007JF6F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/15/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JF6	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	3/15/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JF6	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-52	3/15/1988 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007JF6	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	3/15/1988 0:00	N	75-09-2	Methylene chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007JF6	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/15/1988 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007JF6	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/15/1988 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007JF6F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/15/1988 0:00	N	14797-55-8	Nitrate	23700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF6	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	3/15/1988 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007JF6	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	3/15/1988 0:00	N	7440-09-7	Potassium	3280	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF6	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/15/1988 0:00	Y	7440-09-7	Potassium	3290	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF6F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/15/1988 0:00	N	7440-14-4	Radium	0.024	pCi/L	U	[NULL]	[NULL]	R	H0007JF6	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	3/15/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007JF6	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	3/15/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007JF6	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-52	3/15/1988 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007JF6	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/15/1988 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007JF6F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/15/1988 0:00	N	7440-23-5	Sodium	5850	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF6	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/15/1988 0:00	Y	7440-23-5	Sodium	5820	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF6F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/15/1988 0:00	N	CONDUCT	Specific Conductance	171	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JF6	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-52	3/15/1988 0:00	N	14808-79-8	Sulfate	11200	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF6	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	3/15/1988 0:00	N	TEMPERATURE	Temperature	20	Deg C	[NULL]	[NULL]	[NULL]	R	H000GK84	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-52	3/15/1988 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007JF6	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/15/1988 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007JF6	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	3/15/1988 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007JF6	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/15/1988 0:00	Y	7440-62-2	Vanadium	26	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF6F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/15/1988 0:00	N	7440-62-2	Vanadium	29	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF6	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/15/1988 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007JF6	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/15/1988 0:00	N	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007JF6	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/15/1988 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007JF6F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/15/1988 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JF6	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	3/15/1988 0:00	N	PH	pH Measurement	8.4	unitless	[NULL]	[NULL]	[NULL]	R	H0007JF6	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	4/26/1988 0:00	N	12587-47-2	Gross beta	81.2	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JF7	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	4/26/1988 0:00	N	14797-55-8	Nitrate	21700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF7	14797-55-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	4/26/1988 0:00	N	10098-97-2	Strontium-90	0.00274	pCi/L	U	[NULL]	[NULL]	R	H0007JF7	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	4/26/1988 0:00	N	10028-17-8	Tritium	80000	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JF7	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	4/26/1988 0:00	N	7440-61-1	Uranium	0.776	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF7	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	6/30/1988 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007JF8	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	6/30/1988 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JF8	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	6/30/1988 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JF8	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	6/30/1988 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007JF8	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-52	6/30/1988 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007JF8	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-52	6/30/1988 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007JF8	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	6/30/1988 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007JF8	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	6/30/1988 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JF8	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-52	6/30/1988 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007JF8F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/30/1988 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007JF8	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/30/1988 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007JF8	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-52	6/30/1988 0:00	N	12674-11-2	Aroclor-1016	1	ug/L	U	[NULL]	[NULL]	R	H0007JF8	12674-11-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	6/30/1988 0:00	N	11104-28-2	Aroclor-1221	1	ug/L	U	[NULL]	[NULL]	R	H0007JF8	11104-28-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	6/30/1988 0:00	N	11141-16-5	Aroclor-1232	1	ug/L	U	[NULL]	[NULL]	R	H0007JF8	11141-16-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	6/30/1988 0:00	N	53469-21-9	Aroclor-1242	1	ug/L	U	[NULL]	[NULL]	R	H0007JF8	53469-21-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	6/30/1988 0:00	N	12672-29-6	Aroclor-1248	1	ug/L	U	[NULL]	[NULL]	R	H0007JF8	12672-29-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	6/30/1988 0:00	N	11097-69-1	Aroclor-1254	1	ug/L	U	[NULL]	[NULL]	R	H0007JF8	11097-69-1	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	6/30/1988 0:00	N	11096-82-5	Aroclor-1260	1	ug/L	U	[NULL]	[NULL]	R	H0007JF8	11096-82-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	6/30/1988 0:00	N	7440-38-2	Arsenic	8	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF8	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-52	6/30/1988 0:00	N	H37	Arsenic, filtered	9	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF8	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	6/30/1988 0:00	Y	7440-39-3	Barium	26	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF8F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/30/1988 0:00	N	7440-39-3	Barium	18	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF8	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/30/1988 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007JF8	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/30/1988 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007JF8F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/30/1988 0:00	Y	7440-70-2	Calcium	25400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF8F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/30/1988 0:00	N	7440-70-2	Calcium	22100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF8	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/30/1988 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007JF8	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	6/30/1988 0:00	N	10045-97-3	Cesium-137	4.57	pCi/L	U	[NULL]	[NULL]	R	H0007JF8	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	6/30/1988 0:00	N	16887-00-6	Chloride	1280	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF8	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	6/30/1988 0:00	N	67-66-3	Chloroform	5	ug/L	U	[NULL]	[NULL]	R	H0007JF8	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	6/30/1988 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007JF8	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/30/1988 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007JF8F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/30/1988 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007JF8	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/30/1988 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007JF8F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/30/1988 0:00	N	10198-40-0	Cobalt-60	58.6	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JF8	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	6/30/1988 0:00	N	COLIFORM	Coliform Bacteria	2.2	MPN	U	[NULL]	[NULL]	R	H0007JF8	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-52	6/30/1988 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007JF8F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/30/1988 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007JF8	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/30/1988 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JF8	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	6/30/1988 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JF8	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	6/30/1988 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007JF8	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	6/30/1988 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JF8	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	6/30/1988 0:00	N	12587-46-1	Gross alpha	0.0143	pCi/L	U	[NULL]	[NULL]	R	H0007JF8	12587-46-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	6/30/1988 0:00	N	12587-47-2	Gross beta	64.3	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JF8	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	6/30/1988 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007JF8	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-52	6/30/1988 0:00	N	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007JF8	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/30/1988 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007JF8F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/30/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007JF8	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	6/30/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007JF8	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-52	6/30/1988 0:00	Y	7439-95-4	Magnesium	7250	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF8F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/30/1988 0:00	N	7439-95-4	Magnesium	6400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF8	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/30/1988 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007JF8F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/30/1988 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007JF8	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/30/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JF8	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-52	6/30/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JF8	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	6/30/1988 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007JF8	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	6/30/1988 0:00	N	75-09-2	Methylene chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007JF8	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	6/30/1988 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007JF8	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/30/1988 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007JF8F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/30/1988 0:00	N	14797-55-8	Nitrate	25800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF8	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	6/30/1988 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JF8	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2
199-N-52	6/30/1988 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007JF8	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	6/30/1988 0:00	N	7440-09-7	Potassium	3420	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF8	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/30/1988 0:00	Y	7440-09-7	Potassium	4140	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF8F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/30/1988 0:00	N	7440-14-4	Radium	0.164	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JF8	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-52	6/30/1988 0:00	N	13967-48-1	Ruthenium-106	6.99	pCi/L	U	[NULL]	[NULL]	R	H0007JF8	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	6/30/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007JF8	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	6/30/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007JF8	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-52	6/30/1988 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007JF8	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/30/1988 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007JF8F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/30/1988 0:00	N	7440-23-5	Sodium	6000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF8	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/30/1988 0:00	Y	7440-23-5	Sodium	7100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF8F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/30/1988 0:00	N	CONDUCT	Specific Conductance	170	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JG1	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-52	6/30/1988 0:00	N	CONDUCT	Specific Conductance	170	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JG0	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-52	6/30/1988 0:00	N	CONDUCT	Specific Conductance	171	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JF8	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-52	6/30/1988 0:00	N	CONDUCT	Specific Conductance	170	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JF9	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-52	6/30/1988 0:00	N	10098-97-2	Strontium-90	-0.276	pCi/L	U	[NULL]	[NULL]	R	H0007JF8	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	6/30/1988 0:00	N	14808-79-8	Sulfate	11600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF8	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	6/30/1988 0:00	N	TEMPERATURE	Temperature	20	Deg C	[NULL]	[NULL]	[NULL]	R	H000GKZ9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-52	6/30/1988 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007JF8	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	6/30/1988 0:00	N	TOC	Total organic carbon	258	ug/L	U	[NULL]	[NULL]	R	H0007JF8	TOC	USTEST	9060_TOC	100-NR-2
199-N-52	6/30/1988 0:00	N	TOC	Total organic carbon	282	ug/L	U	[NULL]	[NULL]	R	H0007JF9	TOC	USTEST	9060_TOC	100-NR-2
199-N-52	6/30/1988 0:00	N	TOC	Total organic carbon	238	ug/L	U	[NULL]	[NULL]	R	H0007JG1	TOC	USTEST	9060_TOC	100-NR-2
199-N-52	6/30/1988 0:00	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	H0007JG0	TOC	USTEST	9060_TOC	100-NR-2
199-N-52	6/30/1988 0:00	N	59473-04-0	Total organic halides	19.5	ug/L	U	[NULL]	[NULL]	R	H0007JF8	59473-04-0	USTEST	9020_TOX_M	100-NR-2
199-N-52	6/30/1988 0:00	N	59473-04-0	Total organic halides	18.6	ug/L	U	[NULL]	[NULL]	R	H0007JG0	59473-04-0	USTEST	9020_TOX_M	100-NR-2
199-N-52	6/30/1988 0:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	H0007JF9	59473-04-0	USTEST	9020_TOX_M	100-NR-2
199-N-52	6/30/1988 0:00	N	59473-04-0	Total organic halides	2.8	ug/L	U	[NULL]	[NULL]	R	H0007JG1	59473-04-0	USTEST	9020_TOX_M	100-NR-2
199-N-52	6/30/1988 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007JF8	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	6/30/1988 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007JF8	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	6/30/1988 0:00	N	10028-17-8	Tritium	62600	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JF8	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	6/30/1988 0:00	N	7440-61-1	Uranium	0.779	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF8	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	6/30/1988 0:00	N	7440-62-2	Vanadium	26	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF8	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/30/1988 0:00	Y	7440-62-2	Vanadium	30	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF8F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/30/1988 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007JF8	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	6/30/1988 0:00	N	7440-66-6	Zinc	7	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF8	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/30/1988 0:00	Y	7440-66-6	Zinc	6	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JF8F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/30/1988 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JF8	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	6/30/1988 0:00	N	PH	pH Measurement	7.8	unitless	[NULL]	[NULL]	[NULL]	R	H0007JF8	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	6/30/1988 0:00	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	R	H0007JF9	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	6/30/1988 0:00	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	R	H0007JG1	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	6/30/1988 0:00	N	PH	pH Measurement	7.8	unitless	[NULL]	[NULL]	[NULL]	R	H0007JG0	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	9/18/1988 0:00	N	TEMPERATURE	Temperature	20	Deg C	[NULL]	[NULL]	[NULL]	R	H000GM62	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-52	9/18/1988 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007JG3	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	9/18/1988 0:00	N	PH	pH Measurement	8.3	unitless	[NULL]	[NULL]	[NULL]	R	H0007JG4	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	9/18/1988 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007JG5	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	9/18/1988 0:00	N	PH	pH Measurement	8.3	unitless	[NULL]	[NULL]	[NULL]	R	H0007JG2	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	9/19/1988 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007JG6	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	9/19/1988 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JG6	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	9/19/1988 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JG6	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	9/19/1988 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007JG6	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-52	9/19/1988 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007JG6	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-52	9/19/1988 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007JG6	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	9/19/1988 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007JG6	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-52	9/19/1988 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JG6	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	9/19/1988 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007JG6F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/19/1988 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007JG6	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/19/1988 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007JG6	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-52	9/19/1988 0:00	N	7440-38-2	Arsenic	8	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JG6	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-52	9/19/1988 0:00	N	H37	Arsenic, filtered	7	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JG6	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	9/19/1988 0:00	N	7440-39-3	Barium	26	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JG6	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/19/1988 0:00	Y	7440-39-3	Barium	26	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JG6F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/19/1988 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007JG6F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/19/1988 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007JG6	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/19/1988 0:00	Y	7440-70-2	Calcium	25600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JG6F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/19/1988 0:00	N	7440-70-2	Calcium	25400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JG6	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/19/1988 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007JG6	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	9/19/1988 0:00	N	10045-97-3	Cesium-137	-1.77	pCi/L	U	[NULL]	[NULL]	R	H0007JG6	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	9/19/1988 0:00	N	16887-00-6	Chloride	1350	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JG6	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	9/19/1988 0:00	N	67-66-3	Chloroform	3	ug/L	U	[NULL]	[NULL]	R	H0007JG6	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	9/19/1988 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007JG6	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/19/1988 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007JG6F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/19/1988 0:00	N	10198-40-0	Cobalt-60	21.8	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JG6	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	9/19/1988 0:00	N	COLIFORM	Coliform Bacteria	16	MPN	[NULL]	[NULL]	[NULL]	R	H0007JG6	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-52	9/19/1988 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007JG6	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/19/1988 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007JG6F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/19/1988 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JG6	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	9/19/1988 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JG6	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	9/19/1988 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007JG6	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	9/19/1988 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JG6	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	9/19/1988 0:00	N	12587-46-1	Gross alpha	0.571	pCi/L	U	[NULL]	[NULL]	R	H0007JG6	12587-46-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	9/19/1988 0:00	N	12587-47-2	Gross beta	44	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JG6	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	9/19/1988 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007JG6	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-52	9/19/1988 0:00	N	7439-89-6	Iron	38	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JG6	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/19/1988 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007JG6F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/19/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007JG6	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-52	9/19/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007JG6	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	9/19/1988 0:00	N	7439-95-4	Magnesium	7540	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JG6	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/19/1988 0:00	Y	7439-95-4	Magnesium	7110	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JG6F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/19/1988 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007JG6	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/19/1988 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007JG6F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/19/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JG6	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	9/19/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JG6	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-52	9/19/1988 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007JG6	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	9/19/1988 0:00	N	75-09-2	Methylene chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007JG6	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	9/19/1988 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007JG6F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/19/1988 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007JG6	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/19/1988 0:00	N	14797-55-8	Nitrate	26300	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JG6	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	9/19/1988 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JG6	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2
199-N-52	9/19/1988 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007JG6	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	9/19/1988 0:00	Y	7440-09-7	Potassium	3510	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JG6F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/19/1988 0:00	N	7440-09-7	Potassium	3970	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JG6	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/19/1988 0:00	N	7440-14-4	Radium	0.0397	pCi/L	U	[NULL]	[NULL]	R	H0007JG6	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	9/19/1988 0:00	N	13967-48-1	Ruthenium-106	-0.997	pCi/L	U	[NULL]	[NULL]	R	H0007JG6	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	9/19/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007JG6	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	9/19/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007JG6	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-52	9/19/1988 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007JG6F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/19/1988 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007JG6	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/19/1988 0:00	N	7440-23-5	Sodium	7660	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JG6	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-52	9/19/1988 0:00	Y	7440-23-5	Sodium	6900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JG6F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/19/1988 0:00	N	CONDUCT	Specific Conductance	216	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JG8	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-52	9/19/1988 0:00	N	CONDUCT	Specific Conductance	215	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JG9	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-52	9/19/1988 0:00	N	CONDUCT	Specific Conductance	215	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JG6	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-52	9/19/1988 0:00	N	CONDUCT	Specific Conductance	216	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JG7	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-52	9/19/1988 0:00	N	10098-97-2	Strontium-90	-0.0508	pCi/L	U	[NULL]	[NULL]	R	H0007JG6	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	9/19/1988 0:00	N	14808-79-8	Sulfate	13700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JG6	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	9/19/1988 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007JG6	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	9/19/1988 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007JG7	TOC	USTEST	9060_TOC	100-NR-2
199-N-52	9/19/1988 0:00	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	H0007JG6	TOC	USTEST	9060_TOC	100-NR-2
199-N-52	9/19/1988 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007JG8	TOC	USTEST	9060_TOC	100-NR-2
199-N-52	9/19/1988 0:00	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	H0007JG9	TOC	USTEST	9060_TOC	100-NR-2
199-N-52	9/19/1988 0:00	N	59473-04-0	Total organic halides	1	ug/L	U	[NULL]	[NULL]	R	H0007JG7	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	9/19/1988 0:00	N	59473-04-0	Total organic halides	13	ug/L	U	[NULL]	[NULL]	R	H0007JG8	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	9/19/1988 0:00	N	59473-04-0	Total organic halides	-2	ug/L	U	[NULL]	[NULL]	R	H0007JG6	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	9/19/1988 0:00	N	59473-04-0	Total organic halides	2	ug/L	U	[NULL]	[NULL]	R	H0007JG9	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	9/19/1988 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007JG6	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	9/19/1988 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007JG6	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	9/19/1988 0:00	N	10028-17-8	Tritium	70900	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JG6	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	9/19/1988 0:00	N	7440-61-1	Uranium	2.38	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JG6	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	9/19/1988 0:00	Y	7440-62-2	Vanadium	34	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JG6F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/19/1988 0:00	N	7440-62-2	Vanadium	37	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JG6	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/19/1988 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007JG6	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	9/19/1988 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007JG6F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/19/1988 0:00	N	7440-66-6	Zinc	10	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JG6	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/19/1988 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JG6	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	12/19/1988 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007JH3	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/19/1988 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007JH0	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/19/1988 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JH3	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/19/1988 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JH0	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/19/1988 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JH3	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/19/1988 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JH0	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/19/1988 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007JH0	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-52	12/19/1988 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007JH0	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-52	12/19/1988 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007JH0	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/19/1988 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007JH3	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/19/1988 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007JH3	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/19/1988 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007JH0	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/19/1988 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JH0	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	12/19/1988 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007JH0F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007JH3F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007JH3	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007JH0	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007JH0	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-52	12/19/1988 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007JH0F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007JH3	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007JH3F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007JH0	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	7440-38-2	Arsenic	7	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH3	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-52	12/19/1988 0:00	N	7440-38-2	Arsenic	7	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH0	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-52	12/19/1988 0:00	N	H37	Arsenic, filtered	6	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH0	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	12/19/1988 0:00	N	H37	Arsenic, filtered	6	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH3	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	12/19/1988 0:00	Y	7440-39-3	Barium	21	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH3F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	7440-39-3	Barium	22	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH0	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	7440-39-3	Barium	23	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH3	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	Y	7440-39-3	Barium	21	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH0F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007JH3	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007JH0	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007JH3F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007JH0F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007JH3	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007JH0F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007JH0	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007JH3F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	Y	7440-70-2	Calcium	28000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH0F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	7440-70-2	Calcium	26200	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH3	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	Y	7440-70-2	Calcium	25100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH3F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	7440-70-2	Calcium	24500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH0	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007JH3	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/19/1988 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007JH0	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/19/1988 0:00	N	10045-97-3	Cesium-137	2.61	pCi/L	U	[NULL]	[NULL]	R	H0007JH0	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	12/19/1988 0:00	N	10045-97-3	Cesium-137	3.31	pCi/L	U	[NULL]	[NULL]	R	H0007JH3	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	12/19/1988 0:00	N	16887-00-6	Chloride	1500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH0	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	12/19/1988 0:00	N	16887-00-6	Chloride	1500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH3	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	12/19/1988 0:00	N	67-66-3	Chloroform	4	ug/L	U	[NULL]	[NULL]	R	H0007JH0	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/19/1988 0:00	N	67-66-3	Chloroform	3	ug/L	U	[NULL]	[NULL]	R	H0007JH3	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/19/1988 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007JH0	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007JH3	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007JH0F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007JH3F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	10198-40-0	Cobalt-60	37.4	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JH3	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	12/19/1988 0:00	N	10198-40-0	Cobalt-60	30.4	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JH0	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	12/19/1988 0:00	N	COLIFORM	Coliform Bacteria	16	MPN	[NULL]	[NULL]	[NULL]	R	H0007JH0	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-52	12/19/1988 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007JH0	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007JH3F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007JH0F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007JH3	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JH0	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	12/19/1988 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JH0	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	12/19/1988 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007JH3	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	12/19/1988 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007JH0	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	12/19/1988 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JH0	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	12/19/1988 0:00	N	12587-46-1	Gross alpha	1.5	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JH0	12587-46-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	12/19/1988 0:00	N	12587-46-1	Gross alpha	0.813	pCi/L	U	[NULL]	[NULL]	R	H0007JH3	12587-46-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	12/19/1988 0:00	N	12587-47-2	Gross beta	36.3	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JH3	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	12/19/1988 0:00	N	12587-47-2	Gross beta	55.4	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JH0	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	12/19/1988 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007JH0	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-52	12/19/1988 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007JH0F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	7439-89-6	Iron	30	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH3	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007JH3F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007JH0	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007JH0	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	12/19/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007JH3	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	12/19/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007JH0	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-52	12/19/1988 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007JH3	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-52	12/19/1988 0:00	Y	7439-95-4	Magnesium	7720	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH0F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	7439-95-4	Magnesium	7550	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH0	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	Y	7439-95-4	Magnesium	7640	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH3F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	7439-95-4	Magnesium	7810	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH3	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007JH0F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007JH3F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007JH3	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007JH0	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JH0	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-52	12/19/1988 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JH0	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	12/19/1988 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007JH0	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	12/19/1988 0:00	N	75-09-2	Methylene chloride	6	ug/L	U	[NULL]	[NULL]	R	H0007JH3	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/19/1988 0:00	N	75-09-2	Methylene chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007JH0	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/19/1988 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007JH0F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007JH3F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007JH3	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007JH0	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	14797-55-8	Nitrate	25000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH3	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	12/19/1988 0:00	N	14797-55-8	Nitrate	25200	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH0	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	12/19/1988 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JH0	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2
199-N-52	12/19/1988 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007JH3	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	12/19/1988 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007JH0	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	12/19/1988 0:00	Y	7440-09-7	Potassium	3700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH3F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	7440-09-7	Potassium	3680	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH3	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	Y	7440-09-7	Potassium	3530	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH0F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	7440-09-7	Potassium	3640	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH0	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	7440-14-4	Radium	-0.0671	pCi/L	U	[NULL]	[NULL]	R	H0007JH0	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	12/19/1988 0:00	N	13967-48-1	Ruthenium-106	29.8	pCi/L	U	[NULL]	[NULL]	R	H0007JH3	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	12/19/1988 0:00	N	13967-48-1	Ruthenium-106	50.3	pCi/L	U	[NULL]	[NULL]	R	H0007JH0	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	12/19/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007JH0	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	12/19/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007JH3	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-52	12/19/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007JH0	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-52	12/19/1988 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007JH3	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	12/19/1988 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007JH0F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007JH3F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007JH3	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007JH0	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	7440-23-5	Sodium	6930	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH3	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	Y	7440-23-5	Sodium	7090	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH3F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	7440-23-5	Sodium	6900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH0	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	Y	7440-23-5	Sodium	6660	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH0F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	CONDUCT	Specific Conductance	206	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JH1	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-52	12/19/1988 0:00	N	CONDUCT	Specific Conductance	206	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JH0	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-52	12/19/1988 0:00	N	CONDUCT	Specific Conductance	207	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JH2	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-52	12/19/1988 0:00	N	CONDUCT	Specific Conductance	207	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JH3	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-52	12/19/1988 0:00	N	7440-24-6	Strontium	168	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH3	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	7440-24-6	Strontium	162	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH0	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	Y	7440-24-6	Strontium	163	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH0F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	Y	7440-24-6	Strontium	161	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH3F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	10098-97-2	Strontium-90	-0.097	pCi/L	U	[NULL]	[NULL]	R	H0007JH3	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	12/19/1988 0:00	N	10098-97-2	Strontium-90	0.0142	pCi/L	U	[NULL]	[NULL]	R	H0007JH0	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	12/19/1988 0:00	N	14808-79-8	Sulfate	15200	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH0	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	12/19/1988 0:00	N	14808-79-8	Sulfate	15000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH3	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	12/19/1988 0:00	N	TEMPERATURE	Temperature	21	Deg C	[NULL]	[NULL]	[NULL]	R	H000GN25	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-52	12/19/1988 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007JH3	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/19/1988 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007JH0	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/19/1988 0:00	N	TOC	Total organic carbon	200	ug/L	U	[NULL]	[NULL]	R	H0007JH0	TOC	USTEST	9060_TOC	100-NR-2
199-N-52	12/19/1988 0:00	N	TOC	Total organic carbon	200	ug/L	U	[NULL]	[NULL]	R	H0007JH3	TOC	USTEST	9060_TOC	100-NR-2
199-N-52	12/19/1988 0:00	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	H0007JH2	TOC	USTEST	9060_TOC	100-NR-2
199-N-52	12/19/1988 0:00	N	TOC	Total organic carbon	200	ug/L	U	[NULL]	[NULL]	R	H0007JH1	TOC	USTEST	9060_TOC	100-NR-2
199-N-52	12/19/1988 0:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	H0007JH1	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	12/19/1988 0:00	N	59473-04-0	Total organic halides	6	ug/L	U	[NULL]	[NULL]	R	H0007JH3	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	12/19/1988 0:00	N	59473-04-0	Total organic halides	8	ug/L	U	[NULL]	[NULL]	R	H0007JH2	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	12/19/1988 0:00	N	59473-04-0	Total organic halides	7	ug/L	U	[NULL]	[NULL]	R	H0007JH0	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	12/19/1988 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007JH0	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	12/19/1988 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007JH0	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/19/1988 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007JH3	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/19/1988 0:00	N	10028-17-8	Tritium	73800	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JH0	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	12/19/1988 0:00	N	10028-17-8	Tritium	70000	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JH3	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	12/19/1988 0:00	N	7440-61-1	Uranium	1.39	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH3	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	12/19/1988 0:00	N	7440-61-1	Uranium	1.24	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH0	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	12/19/1988 0:00	Y	7440-62-2	Vanadium	27	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH0F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	7440-62-2	Vanadium	26	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH3	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	Y	7440-62-2	Vanadium	27	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH3F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	7440-62-2	Vanadium	29	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH0	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007JH3	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/19/1988 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007JH0	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/19/1988 0:00	N	7440-66-6	Zinc	11	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH0	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	7440-66-6	Zinc	8	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH3	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007JH3F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007JH0F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/19/1988 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JH0	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	12/19/1988 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007JH0	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	12/19/1988 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007JH2	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	12/19/1988 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007JH1	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	12/19/1988 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007JH3	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	3/8/1989 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	630-20-6	1,1,1,2-Tetrachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	630-20-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	79-34-5	1,1,2,2-Tetrachloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4	79-34-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	75-34-3	1,1-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4	75-34-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	75-35-4	1,1-Dichloroethene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	75-35-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	57-14-7	1,1-Dimethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	57-14-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	634-66-2	1,2,3,4-Tetrachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	634-66-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	634-90-2	1,2,3,5-Tetrachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	634-90-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	87-61-6	1,2,3-Trichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	87-61-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	96-18-4	1,2,3-Trichloropropane	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	96-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	95-94-3	1,2,4,5-Tetrachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	95-94-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	120-82-1	1,2,4-Trichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	120-82-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	96-12-8	1,2-Dibromo-3-chloropropane	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	96-12-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	106-93-4	1,2-Dibromoethane	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	106-93-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	95-50-1	1,2-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	95-50-1	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-52	3/8/1989 0:00	N	107-06-2	1,2-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4	107-06-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	78-87-5	1,2-Dichloropropane	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4	78-87-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	540-73-8	1,2-Dimethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	540-73-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	122-66-7	1,2-Diphenylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	122-66-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	108-70-3	1,3,5-Trichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	108-70-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	541-73-1	1,3-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	541-73-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	542-75-6	1,3-Dichloropropene	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4	542-75-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4	106-46-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	106-46-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	123-91-1	1,4-Dioxane	500	ug/L	U	[NULL]	[NULL]	R	H0007JH4	123-91-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	130-15-4	1,4-Naphthoquinone	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	130-15-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	5344-82-1	1-(o-Chlorophenyl)thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007JH4	5344-82-1	USTEST	8330_THIOUREA_M	100-NR-2
199-N-52	3/8/1989 0:00	N	591-08-2	1-Acetyl-2-thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007JH4	591-08-2	USTEST	8330_THIOUREA_M	100-NR-2
199-N-52	3/8/1989 0:00	N	71-36-3	1-Butanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007JH4	71-36-3	USTEST	GC_DIRECT	100-NR-2
199-N-52	3/8/1989 0:00	N	L60	1-Butynol	10000	ug/L	U	[NULL]	[NULL]	R	H0007JH4	L60	USTEST	GC_DIRECT	100-NR-2
199-N-52	3/8/1989 0:00	N	106-89-8	1-Chloro-2,3-epoxypropane	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	106-89-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	86-88-4	1-Naphthyl-2-thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007JH4	86-88-4	USTEST	8330_THIOUREA_M	100-NR-2
199-N-52	3/8/1989 0:00	N	134-32-7	1-Naphthylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	134-32-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	71-23-8	1-Propanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007JH4	71-23-8	USTEST	GC_DIRECT	100-NR-2
199-N-52	3/8/1989 0:00	N	58-90-2	2,3,4,6-Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	58-90-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	1746-01-6	2,3,7,8-Tetrachlorodibenzo-p-dioxin	0.01	ug/L	U	[NULL]	[NULL]	R	H0007JH4	1746-01-6	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007JH4	93-76-5	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-52	3/8/1989 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007JH4	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-52	3/8/1989 0:00	N	95-95-4	2,4,5-Trichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	95-95-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	88-06-2	2,4,6-Trichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	88-06-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007JH4	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-52	3/8/1989 0:00	N	120-83-2	2,4-Dichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	120-83-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	51-28-5	2,4-Dinitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	51-28-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	121-14-2	2,4-Dinitrotoluene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	121-14-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	87-65-0	2,6-Dichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	87-65-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	606-20-2	2,6-Dinitrotoluene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	606-20-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	53-96-3	2-Acetylaminofluorene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	53-96-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	78-93-3	2-Butanone	3	ug/L	U	[NULL]	[NULL]	R	H0007JH4	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	110-75-8	2-Chloroethyl vinyl ether	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4	110-75-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	91-58-7	2-Chloronaphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	91-58-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	95-57-8	2-Chlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	95-57-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	131-89-5	2-Cyclohexyl-4,6-dinitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	131-89-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	591-78-6	2-Hexanone	50	ug/L	U	[NULL]	[NULL]	R	H0007JH4	591-78-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	116-06-3	2-Methyl-2-(methylthio)propionaldehyde-o-(methylcarbonyl) ox	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	116-06-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	75-55-8	2-Methylaziridine	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	75-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	75-86-5	2-Methyllactonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	75-86-5	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-52	3/8/1989 0:00	N	91-57-6	2-Methylnaphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	91-57-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	91-59-8	2-Naphthylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	91-59-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	88-74-4	2-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	88-74-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	88-75-5	2-Nitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	88-75-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	109-06-8	2-Picoline	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	109-06-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	107-19-7	2-Propyn-1-ol	10000	ug/L	U	[NULL]	[NULL]	R	H0007JH4	107-19-7	USTEST	GC_DIRECT	100-NR-2
199-N-52	3/8/1989 0:00	N	91-94-1	3,3'-Dichlorobenzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	91-94-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	119-90-4	3,3'-Dimethoxybenzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	119-90-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	119-93-7	3,3'-Dimethylbenzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	119-93-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	542-76-7	3-Chloropropionitrile	10000	ug/L	U	[NULL]	[NULL]	R	H0007JH4	542-76-7	USTEST	GC_DIRECT	100-NR-2
199-N-52	3/8/1989 0:00	N	56-49-5	3-Methylcholanthrene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	56-49-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	99-09-2	3-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	99-09-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	72-54-8	4,4'-DDD (Dichlorodiphenyldichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JH4	72-54-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	3/8/1989 0:00	N	72-55-9	4,4'-DDE (Dichlorodiphenyldichloroethylene)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JH4	72-55-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	3/8/1989 0:00	N	50-29-3	4,4'-DDT (Dichlorodiphenyltrichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JH4	50-29-3	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	3/8/1989 0:00	N	101-14-4	4,4'-Methylenebis(2-chloroaniline)	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	101-14-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	534-52-1	4,6-Dinitro-2-methylphenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	534-52-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	92-67-1	4-Aminobiphenyl	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	92-67-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	101-55-3	4-Bromophenylphenyl ether	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	101-55-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	59-50-7	4-Chloro-3-methylphenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	59-50-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	106-47-8	4-Chloroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	106-47-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	100-01-6	4-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	100-01-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	100-02-7	4-Nitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	100-02-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	56-57-5	4-Nitroquinoline-1-oxide	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	56-57-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	2763-96-4	5-(Aminomethyl)-3-isoxazolol	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	2763-96-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	99-55-8	5-Nitro-o-toluidine	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	99-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	57-97-6	7,12-Dimethylbenz[a]anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	57-97-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	194-59-2	7H-Dibenzo[c,g]carbazole	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	194-59-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	83-32-9	Acenaphthene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	83-32-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	208-96-8	Acenaphthylene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	208-96-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	67-64-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	67-64-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	75-05-8	Acetonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	75-05-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	98-86-2	Acetophenone	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	98-86-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	107-02-8	Acrolein	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	107-02-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	79-06-1	Acrylamide	10000	ug/L	U	[NULL]	[NULL]	R	H0007JH4	79-06-1	USTEST	GC_DIRECT	100-NR-2
199-N-52	3/8/1989 0:00	N	107-13-1	Acrylonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	107-13-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	309-00-2	Aldrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JH4	309-00-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	3/8/1989 0:00	N	107-18-6	Allyl alcohol	10000	ug/L	U	[NULL]	[NULL]	R	H0007JH4	107-18-6	USTEST	GC_DIRECT	100-NR-2
199-N-52	3/8/1989 0:00	N	107-05-1	Allyl chloride	100	ug/L	U	[NULL]	[NULL]	R	H0007JH4	107-05-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	ALPHAHI	Alpha	0.867	pCi/L	U	[NULL]	[NULL]	R	H0007JH4	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	3/8/1989 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JH4	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-52	3/8/1989 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007JH4	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007JH4F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	61-82-5	Amitrole	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	61-82-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007JH4	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-52	3/8/1989 0:00	N	62-53-3	Aniline	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	62-53-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	120-12-7	Anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	120-12-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007JH4	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007JH4F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	140-57-8	Aramite	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	140-57-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	12674-11-2	Aroclor-1016	1	ug/L	U	[NULL]	[NULL]	R	H0007JH4	12674-11-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	3/8/1989 0:00	N	11104-28-2	Aroclor-1221	1	ug/L	U	[NULL]	[NULL]	R	H0007JH4	11104-28-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	3/8/1989 0:00	N	11141-16-5	Aroclor-1232	1	ug/L	U	[NULL]	[NULL]	R	H0007JH4	11141-16-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	3/8/1989 0:00	N	53469-21-9	Aroclor-1242	1	ug/L	U	[NULL]	[NULL]	R	H0007JH4	53469-21-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	3/8/1989 0:00	N	12672-29-6	Aroclor-1248	1	ug/L	U	[NULL]	[NULL]	R	H0007JH4	12672-29-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	3/8/1989 0:00	N	11097-69-1	Aroclor-1254	1	ug/L	U	[NULL]	[NULL]	R	H0007JH4	11097-69-1	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	3/8/1989 0:00	N	11096-82-5	Aroclor-1260	1	ug/L	U	[NULL]	[NULL]	R	H0007JH4	11096-82-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	3/8/1989 0:00	N	7440-38-2	Arsenic	5	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH4	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-52	3/8/1989 0:00	N	H37	Arsenic, filtered	5	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH4	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	3/8/1989 0:00	N	492-80-8	Auramine	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	492-80-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	7440-39-3	Barium	15	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH4	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	Y	7440-39-3	Barium	19	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH4F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	225-51-4	Benz[c]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	225-51-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	71-43-2	Benzene	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4	71-43-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	108-98-5	Benzenethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	108-98-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	92-87-5	Benzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	92-87-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	56-55-3	Benzo(a)anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	56-55-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	50-32-8	Benzo(a)pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	50-32-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	205-99-2	Benzo(b)fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	205-99-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	191-24-2	Benzo(ghi)perylene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	191-24-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	207-08-9	Benzo(k)fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	207-08-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	205-82-3	Benzo[j]fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	205-82-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	100-51-6	Benzyl alcohol	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	100-51-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	100-44-7	Benzyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	100-44-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	111-91-1	Bis(2-Chloroethoxy)methane	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	111-91-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	108-60-1	Bis(2-chloro-1-methylethyl)ether	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	108-60-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	111-44-4	Bis(2-chloroethyl) ether	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	111-44-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	117-81-7	Bis(2-ethylhexyl) phthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	117-81-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	542-88-1	Bis(chloromethyl) ether	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4	542-88-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	Y	7440-42-8	Boron	22	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH4F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	7440-42-8	Boron	25	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH4	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007JH4	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	3/8/1989 0:00	N	598-31-2	Bromoacetone	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4	598-31-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	75-27-4	Bromodichloromethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4	75-27-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	75-25-2	Bromoform	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4	75-25-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	74-83-9	Bromomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	74-83-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	85-68-7	Butylbenzylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	85-68-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007JH4F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007JH4	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	Y	7440-70-2	Calcium	20300	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH4F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	7440-70-2	Calcium	20100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH4	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-52	3/8/1989 0:00	N	75-15-0	Carbon disulfide	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	75-15-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	786-19-6	Carbophenothion	2	ug/L	U	[NULL]	[NULL]	R	H0007JH4	786-19-6	USTEST	8140_PEST_GC	100-NR-2
199-N-52	3/8/1989 0:00	N	10045-97-3	Cesium-137	1.99	pCi/L	U	[NULL]	[NULL]	R	H0007JH4	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	3/8/1989 0:00	N	57-74-9	Chlordane	1	ug/L	U	[NULL]	[NULL]	R	H0007JH4	57-74-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	3/8/1989 0:00	N	16887-00-6	Chloride	900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH4	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	3/8/1989 0:00	N	494-03-1	Chlornaphazine	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	494-03-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	B44	Chloroalkyl ethers	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	B44	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	108-90-7	Chlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4	108-90-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	108-90-7	Chlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	108-90-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	510-15-6	Chlorobenzilate	300	ug/L	U	[NULL]	[NULL]	R	H0007JH4	510-15-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	3/8/1989 0:00	N	75-00-3	Chloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	75-00-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	67-66-3	Chloroform	3	ug/L	U	[NULL]	[NULL]	R	H0007JH4	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	74-87-3	Chloromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	74-87-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	107-30-2	Chloromethyl methyl ether	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	107-30-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	218-01-9	Chrysene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	218-01-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	6358-53-8	Citrus red No. 2	1000	ug/L	U	[NULL]	[NULL]	R	H0007JH4	6358-53-8	USTEST	CITRUS_RED	100-NR-2
199-N-52	3/8/1989 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007JH4F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007JH4	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	10198-40-0	Cobalt-60	34.7	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JH4	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	3/8/1989 0:00	N	COLIFORM	Coliform Bacteria	2.2	MPN	U	[NULL]	[NULL]	R	H0007JH4	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-52	3/8/1989 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	4170-30-3	Crotonaldehyde	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	4170-30-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	57-12-5	Cyanide	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	57-12-5	USTEST	9010_CYANIDE	100-NR-2
199-N-52	3/8/1989 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JH4	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	3/8/1989 0:00	N	84-74-2	Di-n-butylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	84-74-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	117-84-0	Di-n-octylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	117-84-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	2303-16-4	Diallate	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	2303-16-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	226-36-8	Dibenz[a,h]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	226-36-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	53-70-3	Dibenz[a,h]anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	53-70-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	224-42-0	Dibenz[a,j]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	224-42-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	192-65-4	Dibenzo[a,e]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	192-65-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	189-64-0	Dibenzo[a,h]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	189-64-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	189-55-9	Dibenzo[a,i]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	189-55-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	132-64-9	Dibenzofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	132-64-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	124-48-1	Dibromochloromethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4	124-48-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	74-95-3	Dibromomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	74-95-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	107-66-4	Dibutylphosphate	10000	ug/L	U	[NULL]	[NULL]	R	H0007JH4	107-66-4	USTEST	70-MDBP	100-NR-2
199-N-52	3/8/1989 0:00	N	75-71-8	Dichlorodifluoromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	75-71-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	98-87-3	Dichloromethyl-benzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	98-87-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	60-57-1	Dieldrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JH4	60-57-1	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	3/8/1989 0:00	N	84-66-2	Diethylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	84-66-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	56-53-1	Diethylstilbesterol	200	ug/L	U	[NULL]	[NULL]	R	H0007JH4	56-53-1	USTEST	8330_THIOUREA_M	100-NR-2
199-N-52	3/8/1989 0:00	N	94-58-6	Dihydrosafrole	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	94-58-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	60-51-5	Dimethoate	2	ug/L	U	[NULL]	[NULL]	R	H0007JH4	60-51-5	USTEST	8140_PEST_GC	100-NR-2
199-N-52	3/8/1989 0:00	N	131-11-3	Dimethyl phthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	131-11-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	88-85-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	122-39-4	Diphenylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	122-39-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	298-04-4	Disulfoton	2	ug/L	U	[NULL]	[NULL]	R	H0007JH4	298-04-4	USTEST	8140_PEST_GC	100-NR-2
199-N-52	3/8/1989 0:00	N	959-98-8	Endosulfan I	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JH4	959-98-8	USTEST	8080_PESTPCB_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-52	3/8/1989 0:00	N	33213-65-9	Endosulfan II	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JH4	33213-65-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	3/8/1989 0:00	N	1031-07-8	Endosulfan sulfate	0.5	ug/L	U	[NULL]	[NULL]	R	H0007JH4	1031-07-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	3/8/1989 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JH4	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	3/8/1989 0:00	N	64-17-5	Ethanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007JH4	64-17-5	USTEST	GC_DIRECT	100-NR-2
199-N-52	3/8/1989 0:00	N	51-79-6	Ethyl carbamate (Urethane)	10000	ug/L	U	[NULL]	[NULL]	R	H0007JH4	51-79-6	USTEST	GC_DIRECT	100-NR-2
199-N-52	3/8/1989 0:00	N	107-12-0	Ethyl cyanide	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4	107-12-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	107-12-0	Ethyl cyanide	10000	ug/L	U	[NULL]	[NULL]	R	H0007JH4	107-12-0	USTEST	GC_DIRECT	100-NR-2
199-N-52	3/8/1989 0:00	N	97-63-2	Ethyl methacrylate	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	97-63-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	62-50-0	Ethyl methanesulfonate	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	62-50-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	100-41-4	Ethylbenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4	100-41-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	107-21-1	Ethylene glycol	10000	ug/L	U	[NULL]	[NULL]	R	H0007JH4	107-21-1	USTEST	GC_DIRECT	100-NR-2
199-N-52	3/8/1989 0:00	N	75-21-8	Ethylene oxide	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	75-21-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	151-56-4	Ethyleneimine	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	151-56-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	96-45-7	Ethylenethiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007JH4	96-45-7	USTEST	8330_THIOUREA_M	100-NR-2
199-N-52	3/8/1989 0:00	N	206-44-0	Fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	206-44-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	86-73-7	Fluorene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	86-73-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007JH4	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	3/8/1989 0:00	N	50-00-0	Formaldehyde	500	ug/L	U	[NULL]	[NULL]	R	H0007JH4	50-00-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JH4	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	3/8/1989 0:00	N	12587-47-2	Gross beta	26.3	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JH4	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	3/8/1989 0:00	N	76-44-8	Heptachlor	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JH4	76-44-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	3/8/1989 0:00	N	1024-57-3	Heptachlor epoxide	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JH4	1024-57-3	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	3/8/1989 0:00	N	118-74-1	Hexachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	118-74-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	87-68-3	Hexachlorobutadiene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	87-68-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	77-47-4	Hexachlorocyclopentadiene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	77-47-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	67-72-1	Hexachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	67-72-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	70-30-4	Hexachlorophene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	70-30-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	1888-71-7	Hexachloropropene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	1888-71-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	193-39-5	Indeno(1,2,3-cd)pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	193-39-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	74-88-4	Iodomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	74-88-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007JH4F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	7439-89-6	Iron	68	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH4	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	78-83-1	Isobutyl alcohol	10000	ug/L	U	[NULL]	[NULL]	R	H0007JH4	78-83-1	USTEST	GC_DIRECT	100-NR-2
199-N-52	3/8/1989 0:00	N	465-73-6	Isodrin	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	465-73-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	78-59-1	Isophorone	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	78-59-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	120-58-1	Isosafrole	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	120-58-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	143-50-0	Kepone	1	ug/L	U	[NULL]	[NULL]	R	H0007JH4	143-50-0	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	3/8/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	3/8/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-52	3/8/1989 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	7439-95-4	Magnesium	5710	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH4	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	Y	7439-95-4	Magnesium	6010	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH4F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	123-33-1	Maleic hydrazide	500	ug/L	U	[NULL]	[NULL]	R	H0007JH4	123-33-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	109-77-3	Malononitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	109-77-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	148-82-3	Melphalan	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	148-82-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JH4	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-52	3/8/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JH4	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	3/8/1989 0:00	N	126-98-7	Methacrylonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	126-98-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	74-93-1	Methanethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	74-93-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	91-80-5	Methapyrilene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	91-80-5	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-52	3/8/1989 0:00	N	16752-77-5	Metholonyl	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	16752-77-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007JH4	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	3/8/1989 0:00	N	80-62-6	Methyl methacrylate	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	80-62-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	66-27-3	Methyl methanesulfonate	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	66-27-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	298-00-0	Methyl parathion	2	ug/L	U	[NULL]	[NULL]	R	H0007JH4	298-00-0	USTEST	8140_PEST_GC	100-NR-2
199-N-52	3/8/1989 0:00	N	75-09-2	Methylene chloride	3	ug/L	U	[NULL]	[NULL]	R	H0007JH4	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	56-04-2	Methylthiouracil	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	56-04-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007JH4F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007JH4	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	1623-15-0	Monobutyl phosphate	10000	ug/L	U	[NULL]	[NULL]	R	H0007JH4	1623-15-0	USTEST	70-MDBP	100-NR-2
199-N-52	3/8/1989 0:00	N	91-20-3	Naphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	91-20-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	59-67-6	Nicotinic acid	100	ug/L	U	[NULL]	[NULL]	R	H0007JH4	59-67-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	14797-55-8	Nitrate	17200	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH4	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	3/8/1989 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007JH4	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-52	3/8/1989 0:00	N	98-95-3	Nitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	98-95-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	930-55-2	Nitrosopyrrolidine	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	930-55-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	126-68-1	O,O,O-Triethyl phosphorothioate	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	126-68-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	297-97-2	O,O-Diethyl O-2-pyrazinyl phosphorothioate	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	297-97-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	123-63-7	Paraldehyde	10000	ug/L	U	[NULL]	[NULL]	R	H0007JH4	123-63-7	USTEST	GC_DIRECT	100-NR-2
199-N-52	3/8/1989 0:00	N	56-38-2	Parathion	2	ug/L	U	[NULL]	[NULL]	R	H0007JH4	56-38-2	USTEST	8140_PEST_GC	100-NR-2
199-N-52	3/8/1989 0:00	N	608-93-5	Pentachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	608-93-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	76-01-7	Pentachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	76-01-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	82-68-8	Pentachloronitrobenzene (PCNB)	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	82-68-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	87-86-5	Pentachlorophenol	50	ug/L	U	[NULL]	[NULL]	R	H0007JH4	87-86-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	62-44-2	Phenacetin	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	62-44-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	85-01-8	Phenanthrene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	85-01-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	108-95-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	25265-76-3	Phenylenediamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	25265-76-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	298-02-2	Phorate	2	ug/L	U	[NULL]	[NULL]	R	H0007JH4	298-02-2	USTEST	8140_PEST_GC	100-NR-2
199-N-52	3/8/1989 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007JH4	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	3/8/1989 0:00	N	C31	Phthalic acid esters	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	C31	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	136677-09-3	Polychlorinated dibenzo-p-dioxins	0.01	ug/L	U	[NULL]	[NULL]	R	H0007JH4	136677-09-3	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	136677-10-6	Polychlorinated dibenzofurans	0.01	ug/L	U	[NULL]	[NULL]	R	H0007JH4	136677-10-6	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	7440-09-7	Potassium	3160	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH4	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	Y	7440-09-7	Potassium	3400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH4F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	23950-58-5	Pronamide	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	23950-58-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	129-00-0	Pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	129-00-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	110-86-1	Pyridine	500	ug/L	U	[NULL]	[NULL]	R	H0007JH4	110-86-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	7440-14-4	Radium	-0.0086	pCi/L	U	[NULL]	[NULL]	R	H0007JH4	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	3/8/1989 0:00	N	50-55-5	Reserpine	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	50-55-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	108-46-3	Resorcinol	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	108-46-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	13967-48-1	Ruthenium-106	24	pCi/L	U	[NULL]	[NULL]	R	H0007JH4	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	3/8/1989 0:00	N	94-59-7	Safrol	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	94-59-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-52	3/8/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	3/8/1989 0:00	Y	7440-21-3	Silicon	14200	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH4F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	7440-21-3	Silicon	13800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH4	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-52	3/8/1989 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	7440-23-5	Sodium	5710	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH4	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	Y	7440-23-5	Sodium	6180	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH4F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	CONDUCT	Specific Conductance	170	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JH6	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-52	3/8/1989 0:00	N	CONDUCT	Specific Conductance	173	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JH7	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-52	3/8/1989 0:00	N	CONDUCT	Specific Conductance	168	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JH6	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-52	3/8/1989 0:00	N	CONDUCT	Specific Conductance	169	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JH5	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-52	3/8/1989 0:00	N	CONDUCT	Specific Conductance	171	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JH4	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-52	3/8/1989 0:00	N	CONDUCT	Specific Conductance	168	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JH7	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-52	3/8/1989 0:00	N	CONDUCT	Specific Conductance	168	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JH5	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-52	3/8/1989 0:00	N	CONDUCT	Specific Conductance	167	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JH4	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-52	3/8/1989 0:00	N	7440-24-6	Strontium	136	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH4	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	Y	7440-24-6	Strontium	146	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH4F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	10098-97-2	Strontium-90	0.106	pCi/L	U	[NULL]	[NULL]	R	H0007JH4	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	3/8/1989 0:00	N	57-24-9	Strychnine	50	ug/L	U	[NULL]	[NULL]	R	H0007JH4	57-24-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	100-42-5	Styrene	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4	100-42-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	14808-79-8	Sulfate	10500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH4	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	3/8/1989 0:00	N	18496-25-8	Sulfide	1000	ug/L	U	[NULL]	[NULL]	R	H0007JH4	18496-25-8	USTEST	9030_SULFIDE	100-NR-2
199-N-52	3/8/1989 0:00	N	TEMPERATURE	Temperature	21	Deg C	[NULL]	[NULL]	[NULL]	R	H000G325	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-52	3/8/1989 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	107-49-3	Tetraethylpyrophosphate	2	ug/L	U	[NULL]	[NULL]	R	H0007JH4	107-49-3	USTEST	8140_PEST_GC	100-NR-2
199-N-52	3/8/1989 0:00	N	109-99-9	Tetrahydrofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	109-99-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4	7440-28-0	USTEST	7841_TL_GFAA	100-NR-2
199-N-52	3/8/1989 0:00	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4	7440-28-0	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	3/8/1989 0:00	N	39196-18-4	Thiofanox	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	39196-18-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	62-56-6	Thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007JH4	62-56-6	USTEST	8330_THIOUREA_M	100-NR-2
199-N-52	3/8/1989 0:00	N	137-26-8	Thiuram	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	137-26-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007JH4	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007JH4F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007JH4	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007JH4F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	108-88-3	Toluene	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4	108-88-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	25376-45-8	Toluenediamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	25376-45-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	TC	Total carbon	15900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH4	TC	USTEST	D2579A_CARBON	100-NR-2
199-N-52	3/8/1989 0:00	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	1319-77-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007JH4	TOC	USTEST	9060_TOC	100-NR-2
199-N-52	3/8/1989 0:00	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	H0007JH7	TOC	USTEST	9060_TOC	100-NR-2
199-N-52	3/8/1989 0:00	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	H0007JH6	TOC	USTEST	9060_TOC	100-NR-2
199-N-52	3/8/1989 0:00	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	H0007JH5	TOC	USTEST	9060_TOC	100-NR-2
199-N-52	3/8/1989 0:00	N	59473-04-0	Total organic halides	496	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH4	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	3/8/1989 0:00	N	59473-04-0	Total organic halides	455	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH5	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	3/8/1989 0:00	N	59473-04-0	Total organic halides	477	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH7	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	3/8/1989 0:00	N	59473-04-0	Total organic halides	498	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH6	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	3/8/1989 0:00	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	10000	ug/L	U	[NULL]	[NULL]	R	H0007JH4	TPHKEROSENE	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007JH4	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	3/8/1989 0:00	N	126-73-8	Tributyl phosphate	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	126-73-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	75-70-7	Trichloromethanethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	75-70-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	75-69-4	Trichloromonofluoromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	75-69-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	126-72-7	Tris(2,3-dibromopropyl) phosphate	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	126-72-7	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-52	3/8/1989 0:00	N	10028-17-8	Tritium	80800	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JH4	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	3/8/1989 0:00	N	7440-61-1	Uranium	0.79	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH4	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	3/8/1989 0:00	Y	7440-62-2	Vanadium	26	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH4F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	7440-62-2	Vanadium	23	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH4	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	108-05-4	Vinyl acetate	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4	108-05-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	75-01-4	Vinyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	75-01-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	81-81-2	Warfarin	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	81-81-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	7440-66-6	Zinc	7	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH4	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007JH4	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007JH4F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	3/8/1989 0:00	N	122-09-8	alpha,alpha-Dimethylphenethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	122-09-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JH4	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	3/8/1989 0:00	N	99-65-0	m-Dinitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	99-65-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	616-40-0	n,n-Diethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	616-40-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	615-53-2	n-Nitroso-N-methylurethane	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	615-53-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	924-16-3	n-Nitrosodi-n-butylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	924-16-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	621-64-7	n-Nitrosodi-n-dipropylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	621-64-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	1116-54-7	n-Nitrosodiethanolamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	1116-54-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	55-18-5	n-Nitrosodiethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	55-18-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	62-75-9	n-Nitrosodimethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	62-75-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	86-30-6	n-Nitrosodiphenylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	86-30-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	10595-95-6	n-Nitrosomethylethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	10595-95-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	4549-40-0	n-Nitrosomethylvinylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	4549-40-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	59-89-2	n-Nitrosomorpholine	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	59-89-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	16543-55-8	n-Nitrosonornicotine	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	16543-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	100-75-4	n-Nitrosopiperidine	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	100-75-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	103-85-5	n-Phenylthiourea	500	ug/L	U	[NULL]	[NULL]	R	H0007JH4	103-85-5	USTEST	8330_THIOUREA_M	100-NR-2
199-N-52	3/8/1989 0:00	N	107-10-8	n-Propylamine	10000	ug/L	U	[NULL]	[NULL]	R	H0007JH4	107-10-8	USTEST	GC_DIRECT	100-NR-2
199-N-52	3/8/1989 0:00	N	636-21-5	o-Toluidine hydrochloride	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	636-21-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	106-51-4	p-Benzoquinone	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	106-51-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	60-11-7	p-Dimethylaminoazobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	60-11-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	R	H0007JH7	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	3/8/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007JH5	PH	USTEST	9040_PH	100-NR-2
199-N-52	3/8/1989 0:00	N	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	R	H0007JH5	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	3/8/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007JH6	PH	USTEST	9040_PH	100-NR-2
199-N-52	3/8/1989 0:00	N	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	R	H0007JH6	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	3/8/1989 0:00	N	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	R	H0007JH4	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	3/8/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007JH4	PH	USTEST	9040_PH	100-NR-2
199-N-52	3/8/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007JH7	PH	USTEST	9040_PH	100-NR-2
199-N-52	3/8/1989 0:00	N	99-35-4	sym-Trinitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	99-35-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	156-60-5	trans-1,2-Dichloroethylene	5	ug/L	U	[NULL]	[NULL]	R	H0007JH4	156-60-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	3/8/1989 0:00	N	110-57-6	trans-1,4-Dichloro-2-butene	10	ug/L	U	[NULL]	[NULL]	R	H0007JH4	110-57-6	USTEST	8240_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-52	5/8/1989 0:00	N	CONDUCT	Specific Conductance	145	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JJ3	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-52	5/8/1989 0:00	N	CONDUCT	Specific Conductance	145	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JJ4	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-52	5/8/1989 0:00	N	CONDUCT	Specific Conductance	145	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JJ5	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-52	5/8/1989 0:00	N	CONDUCT	Specific Conductance	145	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JH8	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-52	5/8/1989 0:00	N	TEMPERATURE	Temperature	21	Deg C	[NULL]	[NULL]	[NULL]	R	H000GKL4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-52	5/8/1989 0:00	N	59473-04-0	Total organic halides	8.1	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JJ2	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	5/8/1989 0:00	N	59473-04-0	Total organic halides	8	ug/L	U	[NULL]	[NULL]	R	H0007JH8	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	5/8/1989 0:00	N	59473-04-0	Total organic halides	13	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JJ3	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	5/8/1989 0:00	N	59473-04-0	Total organic halides	8.9	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JH9	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	5/8/1989 0:00	N	59473-04-0	Total organic halides	6.2	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JJ0	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	5/8/1989 0:00	N	59473-04-0	Total organic halides	11	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JJ4	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	5/8/1989 0:00	N	59473-04-0	Total organic halides	9.4	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JJ1	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	5/8/1989 0:00	N	59473-04-0	Total organic halides	16	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JJ5	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	5/8/1989 0:00	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	R	H0007JH8	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	5/8/1989 0:00	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	R	H0007JJ4	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	5/8/1989 0:00	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	R	H0007JJ3	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	5/8/1989 0:00	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	R	H0007JJ5	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	6/29/1989 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	6/29/1989 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	6/29/1989 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	6/29/1989 0:00	N	75-34-3	1,1-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	75-34-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	6/29/1989 0:00	N	107-06-2	1,2-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	107-06-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	6/29/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	106-46-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	6/29/1989 0:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	93-76-5	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-52	6/29/1989 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-52	6/29/1989 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-52	6/29/1989 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	6/29/1989 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	6/29/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	67-64-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	6/29/1989 0:00	N	ALPHAHI	Alpha	0.794	pCi/L	U	[NULL]	[NULL]	R	H0007JJ7	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	6/29/1989 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	6/29/1989 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007JJ7F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-52	6/29/1989 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007JJ7F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	N	7440-38-2	Arsenic	6	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JJ7	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-52	6/29/1989 0:00	N	H37	Arsenic, filtered	6	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JJ7	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	6/29/1989 0:00	N	7440-39-3	Barium	25	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JJ7	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	Y	7440-39-3	Barium	27	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JJ7F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	N	71-43-2	Benzene	5	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	71-43-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	6/29/1989 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007JJ7F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	N	7440-42-8	Boron	28	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JJ7	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	Y	7440-42-8	Boron	17	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JJ7F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	6/29/1989 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007JJ7F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	N	7440-70-2	Calcium	25000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JJ7	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-52	6/29/1989 0:00	Y	7440-70-2	Calcium	24700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JJ7F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	6/29/1989 0:00	N	10045-97-3	Cesium-137	-2.12	pCi/L	U	[NULL]	[NULL]	R	H0007JJ7	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	6/29/1989 0:00	N	16887-00-6	Chloride	3900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JJ7	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	6/29/1989 0:00	N	67-66-3	Chloroform	5	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	6/29/1989 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007JJ7F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007JJ7F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	N	10198-40-0	Cobalt-60	15.5	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JJ7	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	6/29/1989 0:00	N	COLIFORM	Coliform Bacteria	2.2	MPN	U	[NULL]	[NULL]	R	H0007JJ7	COLIFORM	USTEST	9131_COLIFORM	100-NR-2
199-N-52	6/29/1989 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007JJ7F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	6/29/1989 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	6/29/1989 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	6/29/1989 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	6/29/1989 0:00	N	12587-47-2	Gross beta	16.2	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JJ7	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	6/29/1989 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-52	6/29/1989 0:00	N	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007JJ7F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-52	6/29/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	6/29/1989 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007JJ7F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	N	7439-95-4	Magnesium	6060	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JJ7	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	Y	7439-95-4	Magnesium	6050	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JJ7F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007JJ7F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-52	6/29/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	6/29/1989 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	6/29/1989 0:00	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	6/29/1989 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007JJ7F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007JJ7F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	N	14797-55-8	Nitrate	8800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JJ6	14797-55-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	6/29/1989 0:00	N	14797-55-8	Nitrate	9100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JJ7	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	6/29/1989 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-52	6/29/1989 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2
199-N-52	6/29/1989 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	6/29/1989 0:00	N	7440-09-7	Potassium	3950	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JJ7	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	Y	7440-09-7	Potassium	3920	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JJ7F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	N	7440-14-4	Radium	0.0691	pCi/L	U	[NULL]	[NULL]	R	H0007JJ7	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	6/29/1989 0:00	N	13967-48-1	Ruthenium-106	-18	pCi/L	U	[NULL]	[NULL]	R	H0007JJ7	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	6/29/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	6/29/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-52	6/29/1989 0:00	N	7440-21-3	Silicon	15200	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JJ7	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	Y	7440-21-3	Silicon	15000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JJ7F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007JJ7F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	N	7440-23-5	Sodium	9980	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JJ7	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	Y	7440-23-5	Sodium	9910	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JJ7F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	N	CONDUCT	Specific Conductance	203	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JJ7	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-52	6/29/1989 0:00	N	CONDUCT	Specific Conductance	215	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JJ9	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-52	6/29/1989 0:00	N	CONDUCT	Specific Conductance	204	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JK0	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-52	6/29/1989 0:00	N	CONDUCT	Specific Conductance	204	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JJ9	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-52	6/29/1989 0:00	N	CONDUCT	Specific Conductance	204	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JJ8	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-52	6/29/1989 0:00	N	CONDUCT	Specific Conductance	214	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JK0	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-52	6/29/1989 0:00	N	CONDUCT	Specific Conductance	214	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JJ7	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-52	6/29/1989 0:00	N	CONDUCT	Specific Conductance	215	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JJ8	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-52	6/29/1989 0:00	Y	7440-24-6	Strontium	143	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JJ7F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	N	7440-24-6	Strontium	144	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JJ7	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	N	10098-97-2	Strontium-90	0.0707	pCi/L	U	[NULL]	[NULL]	R	H0007JJ7	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	6/29/1989 0:00	N	14808-79-8	Sulfate	32000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JJ7	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	6/29/1989 0:00	N	14133-76-7	Technetium-99	4.72	pCi/L	U	[NULL]	[NULL]	R	H0007JJ6	14133-76-7	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	6/29/1989 0:00	N	TEMPERATURE	Temperature	20.9	Deg C	[NULL]	[NULL]	[NULL]	R	H000GNL9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-52	6/29/1989 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	6/29/1989 0:00	N	109-99-9	Tetrahydrofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	109-99-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	6/29/1989 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007JJ7F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007JJ7F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	N	108-88-3	Toluene	5	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	108-88-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	6/29/1989 0:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	TOC	USTEST	9060_TOC	100-NR-2
199-N-52	6/29/1989 0:00	N	TOC	Total organic carbon	900	ug/L	U	[NULL]	[NULL]	R	H0007JJ8	TOC	USTEST	9060_TOC	100-NR-2
199-N-52	6/29/1989 0:00	N	TOC	Total organic carbon	800	ug/L	U	[NULL]	[NULL]	R	H0007JK0	TOC	USTEST	9060_TOC	100-NR-2
199-N-52	6/29/1989 0:00	N	TOC	Total organic carbon	1100	ug/L	U	[NULL]	[NULL]	R	H0007JJ9	TOC	USTEST	9060_TOC	100-NR-2
199-N-52	6/29/1989 0:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	6/29/1989 0:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	H0007JJ8	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	6/29/1989 0:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	6/29/1989 0:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	H0007JK0	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	6/29/1989 0:00	N	59473-04-0	Total organic halides	3	ug/L	U	[NULL]	[NULL]	R	H0007JJ9	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	6/29/1989 0:00	N	59473-04-0	Total organic halides	2	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	6/29/1989 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	6/29/1989 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	6/29/1989 0:00	N	10028-17-8	Tritium	17300	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JJ7	TURBIDITY	USTEST	214A_TURBIDITY	100-NR-2
199-N-52	6/29/1989 0:00	N	TURBIDITY	Turbidity	0.2	NTU	[NULL]	[NULL]	[NULL]	R	H0007JJ7	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	6/29/1989 0:00	N	7440-61-1	Uranium	1.28	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JJ7	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	N	7440-62-2	Vanadium	26	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JJ7F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	Y	7440-62-2	Vanadium	29	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JJ7	75-01-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	6/29/1989 0:00	N	75-01-4	Vinyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	6/29/1989 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007JJ7F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	N	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007JJ7F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	6/29/1989 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	6/29/1989 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JJ8	PH	USTEST	9040_PH	100-NR-2
199-N-52	6/29/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007JJ8	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	6/29/1989 0:00	N	PH	pH Measurement	7.81	unitless	[NULL]	[NULL]	[NULL]	R	H0007JJ9	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	6/29/1989 0:00	N	PH	pH Measurement	7.81	unitless	[NULL]	[NULL]	[NULL]	R	H0007JJ7	PH	USTEST	9040_PH	100-NR-2
199-N-52	6/29/1989 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007JK0	PH	USTEST	9040_PH	100-NR-2
199-N-52	6/29/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007JK0	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	6/29/1989 0:00	N	PH	pH Measurement	7.82	unitless	[NULL]	[NULL]	[NULL]	R	H0007JJ7	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	6/29/1989 0:00	N	PH	pH Measurement	7.84	unitless	[NULL]	[NULL]	[NULL]	R	H0007JJ9	PH	USTEST	9040_PH	100-NR-2
199-N-52	6/29/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007JJ7	156-60-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	6/29/1989 0:00	N	156-60-5	trans-1,2-Dichloroethylene	5	ug/L	U	[NULL]	[NULL]	R	H0007JJ7	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	9/20/1989 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007JK1				

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-52	9/20/1989 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JK1	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	9/20/1989 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JK1	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	9/20/1989 0:00	N	75-34-3	1,1-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JK1	75-34-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	9/20/1989 0:00	N	107-06-2	1,2-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JK1	107-06-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	9/20/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007JK1	106-46-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	9/20/1989 0:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007JK1	93-76-5	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-52	9/20/1989 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007JK1	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-52	9/20/1989 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007JK1	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-52	9/20/1989 0:00	N	78-93-3	2-Butanone	7	ug/L	U	[NULL]	[NULL]	R	H0007JK1	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	9/20/1989 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007JK1	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	9/20/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007JK1	67-64-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	9/20/1989 0:00	N	ALPHAHI	Alpha	2.19	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JK1	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	9/20/1989 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JK1	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	9/20/1989 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007JK1	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007JK1F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007JK1	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-52	9/20/1989 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007JK1	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007JK1F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	N	7440-38-2	Arsenic	7	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK1	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-52	9/20/1989 0:00	N	H37	Arsenic, filtered	7	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK1	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	9/20/1989 0:00	Y	7440-39-3	Barium	20	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK1F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	N	7440-39-3	Barium	20	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK1	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	N	71-43-2	Benzene	5	ug/L	U	[NULL]	[NULL]	R	H0007JK1	71-43-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	9/20/1989 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007JK1F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007JK1	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	N	7440-42-8	Boron	14	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK1	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	Y	7440-42-8	Boron	23	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK1F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007JK1	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	9/20/1989 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007JK1	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007JK1F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	N	7440-70-2	Calcium	19800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK1	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	Y	7440-70-2	Calcium	21100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK1F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007JK1	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	9/20/1989 0:00	N	10045-97-3	Cesium-137	5.01	pCi/L	U	[NULL]	[NULL]	R	H0007JK1	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	9/20/1989 0:00	N	16887-00-6	Chloride	1800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK1	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	9/20/1989 0:00	N	67-66-3	Chloroform	3	ug/L	U	[NULL]	[NULL]	R	H0007JK1	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	9/20/1989 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007JK1	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007JK1F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007JK1F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007JK1	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	N	10198-40-0	Cobalt-60	9.7	pCi/L	U	[NULL]	[NULL]	R	H0007JK1	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	9/20/1989 0:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	H0007JK1	COLIFORM	USTEST	9222B_COLIFORM	100-NR-2
199-N-52	9/20/1989 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007JK1F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007JK1	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JK1	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	9/20/1989 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JK1	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	9/20/1989 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007JK1	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	9/20/1989 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JK1	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-52	9/20/1989 0:00	N	12587-47-2	Gross beta	15.9	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JK1	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	9/20/1989 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007JK1	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-52	9/20/1989 0:00	N	7439-89-6	Iron	99	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK1	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007JK1F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007JK1	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-52	9/20/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007JK1	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	9/20/1989 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007JK1F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007JK1	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	Y	7439-95-4	Magnesium	5360	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK1F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	N	7439-95-4	Magnesium	4990	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK1	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007JK1	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007JK1F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JK1	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	9/20/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JK1	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-52	9/20/1989 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007JK1	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	9/20/1989 0:00	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	H0007JK1	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	9/20/1989 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007JK1F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007JK1	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007JK1	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007JK1F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	N	14797-55-8	Nitrate	7700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK1	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	9/20/1989 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007JK1	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-52	9/20/1989 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JK1	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2
199-N-52	9/20/1989 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007JK1	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	9/20/1989 0:00	N	7440-09-7	Potassium	3520	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK1	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	Y	7440-09-7	Potassium	3780	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK1F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	N	7440-14-4	Radium	0.0226	pCi/L	U	[NULL]	[NULL]	R	H0007JK1	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	9/20/1989 0:00	N	13967-48-1	Ruthenium-106	48	pCi/L	U	[NULL]	[NULL]	R	H0007JK1	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	9/20/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007JK1	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-52	9/20/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007JK1	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	9/20/1989 0:00	N	7440-21-3	Silicon	13700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK1	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	Y	7440-21-3	Silicon	14600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK1F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007JK1F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007JK1	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	Y	7440-23-5	Sodium	7380	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK1F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	N	7440-23-5	Sodium	6910	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK1	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	N	CONDUCT	Specific Conductance	171	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JK2	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-52	9/20/1989 0:00	N	CONDUCT	Specific Conductance	170	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JK2	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-52	9/20/1989 0:00	N	CONDUCT	Specific Conductance	172	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JK1	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-52	9/20/1989 0:00	N	CONDUCT	Specific Conductance	170	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JK3	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-52	9/20/1989 0:00	N	CONDUCT	Specific Conductance	169	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JK4	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-52	9/20/1989 0:00	N	CONDUCT	Specific Conductance	169	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JK4	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-52	9/20/1989 0:00	N	CONDUCT	Specific Conductance	169	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JK3	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-52	9/20/1989 0:00	N	CONDUCT	Specific Conductance	175	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JK1	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-52	9/20/1989 0:00	N	7440-24-6	Strontium	115	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK1	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	Y	7440-24-6	Strontium	121	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK1F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	N	10098-97-2	Strontium-90	0.177	pCi/L	U	[NULL]	[NULL]	R	H0007JK1	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	9/20/1989 0:00	N	14808-79-8	Sulfate	14500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK1	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	9/20/1989 0:00	N	TEMPERATURE	Temperature	19.4	Deg C	[NULL]	[NULL]	[NULL]	R	H000GP48	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-52	9/20/1989 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007JK1	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	9/20/1989 0:00	N	109-99-9	Tetrahydrofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007JK1	109-99-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	9/20/1989 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007JK1	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007JK1F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007JK1	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007JK1F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-52	9/20/1989 0:00	N	108-88-3	Toluene	5	ug/L	U	[NULL]	[NULL]	R	H0007JK1	108-88-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	9/20/1989 0:00	N	TOC	Total organic carbon	800	ug/L	U	[NULL]	[NULL]	R	H0007JK2	TOC	USTEST	9060_TOC	100-NR-2
199-N-52	9/20/1989 0:00	N	TOC	Total organic carbon	1100	ug/L	U	[NULL]	[NULL]	R	H0007JK1	TOC	USTEST	9060_TOC	100-NR-2
199-N-52	9/20/1989 0:00	N	TOC	Total organic carbon	800	ug/L	U	[NULL]	[NULL]	R	H0007JK3	TOC	USTEST	9060_TOC	100-NR-2
199-N-52	9/20/1989 0:00	N	TOC	Total organic carbon	800	ug/L	U	[NULL]	[NULL]	R	H0007JK4	TOC	USTEST	9060_TOC	100-NR-2
199-N-52	9/20/1989 0:00	N	59473-04-0	Total organic halides	7	ug/L	U	[NULL]	[NULL]	R	H0007JK2	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	9/20/1989 0:00	N	59473-04-0	Total organic halides	9	ug/L	U	[NULL]	[NULL]	R	H0007JK1	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	9/20/1989 0:00	N	59473-04-0	Total organic halides	15	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK4	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	9/20/1989 0:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	H0007JK3	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	9/20/1989 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007JK1	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	9/20/1989 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007JK1	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	9/20/1989 0:00	N	10028-17-8	Tritium	16000	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JK1	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	9/20/1989 0:00	N	TURBIDITY	Turbidity	4.8	NTU	[NULL]	[NULL]	[NULL]	R	H0007JK1	TURBIDITY	USTEST	214A_TURBIDITY	100-NR-2
199-N-52	9/20/1989 0:00	N	7440-61-1	Uranium	1.15	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK1	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	9/20/1989 0:00	Y	7440-62-2	Vanadium	27	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK1F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	N	7440-62-2	Vanadium	25	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK1	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	N	75-01-4	Vinyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007JK1	75-01-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	9/20/1989 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007JK1	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	9/20/1989 0:00	N	7440-66-6	Zinc	9	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK1	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	Y	7440-66-6	Zinc	40	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK1F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007JK1	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007JK1F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	9/20/1989 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JK1	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	9/20/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007JK3	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	9/20/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007JK2	PH	USTEST	9040_PH	100-NR-2
199-N-52	9/20/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007JK2	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	9/20/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007JK4	PH	USTEST	9040_PH	100-NR-2
199-N-52	9/20/1989 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007JK3	PH	USTEST	9040_PH	100-NR-2
199-N-52	9/20/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007JK1	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	9/20/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007JK1	PH	USTEST	9040_PH	100-NR-2
199-N-52	9/20/1989 0:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	H0007JK4	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	9/20/1989 0:00	N	156-60-5	trans-1,2-Dichloroethylene	5	ug/L	U	[NULL]	[NULL]	R	H0007JK1	156-60-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	630-20-6	1,1,1,2-Tetrachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	630-20-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	79-34-5	1,1,2,2-Tetrachloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	79-34-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	75-34-3	1,1-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	75-34-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	75-35-4	1,1-Dichloroethene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	75-35-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	57-14-7	1,1-Dimethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	57-14-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	634-66-2	1,2,3,4-Tetrachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	634-66-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	634-90-2	1,2,3,5-Tetrachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	634-90-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	87-61-6	1,2,3-Trichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	87-61-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	96-18-4	1,2,3-Trichloropropane	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	96-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	95-94-3	1,2,4,5-Tetrachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	95-94-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	120-82-1	1,2,4-Trichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	120-82-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	96-12-8	1,2-Dibromo-3-chloropropane	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	96-12-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	106-93-4	1,2-Dibromoethane	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	106-93-4	USTEST	8240_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-52	12/1/1989 0:00	N	95-50-1	1,2-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	95-50-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	107-06-2	1,2-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	107-06-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	78-87-5	1,2-Dichloropropane	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	78-87-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	540-73-8	1,2-Dimethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	540-73-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	122-66-7	1,2-Diphenylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	122-66-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	108-70-3	1,3,5-Trichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	108-70-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	541-73-1	1,3-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	541-73-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	542-75-6	1,3-Dichloropropene	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	542-75-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	106-46-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	106-46-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	123-91-1	1,4-Dioxane	500	ug/L	U	[NULL]	[NULL]	R	H0007JK5	123-91-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	130-15-4	1,4-Naphthoquinone	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	130-15-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	5344-82-1	1-(o-Chlorophenyl)thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007JK5	5344-82-1	USTEST	8330_THIOUREA_M	100-NR-2
199-N-52	12/1/1989 0:00	N	591-08-2	1-Acetyl-2-thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007JK5	591-08-2	USTEST	8330_THIOUREA_M	100-NR-2
199-N-52	12/1/1989 0:00	N	71-36-3	1-Butanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007JK5	71-36-3	USTEST	GC_DIRECT	100-NR-2
199-N-52	12/1/1989 0:00	N	L60	1-Butynol	10000	ug/L	U	[NULL]	[NULL]	R	H0007JK5	L60	USTEST	GC_DIRECT	100-NR-2
199-N-52	12/1/1989 0:00	N	106-89-8	1-Chloro-2,3-epoxypropane	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	106-89-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	86-88-4	1-Naphthyl-2-thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007JK5	86-88-4	USTEST	8330_THIOUREA_M	100-NR-2
199-N-52	12/1/1989 0:00	N	134-32-7	1-Naphthylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	134-32-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	71-23-8	1-Propanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007JK5	71-23-8	USTEST	GC_DIRECT	100-NR-2
199-N-52	12/1/1989 0:00	N	58-90-2	2,3,4,6-Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	58-90-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	1746-01-6	2,3,7,8-Tetrachlorodibenzo-p-dioxin	0.01	ug/L	U	[NULL]	[NULL]	R	H0007JK5	1746-01-6	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007JK5	93-76-5	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-52	12/1/1989 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007JK5	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-52	12/1/1989 0:00	N	95-95-4	2,4,5-Trichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	95-95-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	88-06-2	2,4,6-Trichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	88-06-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007JK5	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-52	12/1/1989 0:00	N	120-83-2	2,4-Dichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	120-83-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	51-28-5	2,4-Dinitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	51-28-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	121-14-2	2,4-Dinitrotoluene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	121-14-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	87-65-0	2,6-Dichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	87-65-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	606-20-2	2,6-Dinitrotoluene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	606-20-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	53-96-3	2-Acetylaminofluorene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	53-96-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	110-75-8	2-Chloroethyl vinyl ether	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	110-75-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	91-58-7	2-Chloronaphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	91-58-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	95-57-8	2-Chlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	95-57-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	131-89-5	2-Cyclohexyl-4,6-dinitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	131-89-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	591-78-6	2-Hexanone	50	ug/L	U	[NULL]	[NULL]	R	H0007JK5	591-78-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	116-06-3	2-Methyl-2-(methylthio)propionaldehyde-o-(methylcarbonyl) ox	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	116-06-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	75-55-8	2-Methylaziridine	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	75-55-8	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-52	12/1/1989 0:00	N	75-86-5	2-Methyllactonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	75-86-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	91-57-6	2-Methylnaphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	91-57-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	91-59-8	2-Naphthylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	91-59-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	88-74-4	2-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	88-74-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	88-75-5	2-Nitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	88-75-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	109-06-8	2-Picoline	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	109-06-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	107-19-7	2-Propyn-1-ol	10000	ug/L	U	[NULL]	[NULL]	R	H0007JK5	107-19-7	USTEST	GC_DIRECT	100-NR-2
199-N-52	12/1/1989 0:00	N	91-94-1	3,3'-Dichlorobenzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	91-94-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	119-90-4	3,3'-Dimethoxybenzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	119-90-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	119-93-7	3,3'-Dimethylbenzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	119-93-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	542-76-7	3-Chloropropionitrile	10000	ug/L	U	[NULL]	[NULL]	R	H0007JK5	542-76-7	USTEST	GC_DIRECT	100-NR-2
199-N-52	12/1/1989 0:00	N	56-49-5	3-Methylcholanthrene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	56-49-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	99-09-2	3-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	99-09-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	72-54-8	4,4'-DDD (Dichlorodiphenyldichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JK5	72-54-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	12/1/1989 0:00	N	72-55-9	4,4'-DDE (Dichlorodiphenyldichloroethylene)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JK5	72-55-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	12/1/1989 0:00	N	50-29-3	4,4'-DDT (Dichlorodiphenyltrichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JK5	50-29-3	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	12/1/1989 0:00	N	101-14-4	4,4'-Methylenebis(2-chloroaniline)	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	101-14-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	534-52-1	4,6-Dinitro-2-methylphenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	534-52-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	92-67-1	4-Aminobiphenyl	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	92-67-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	101-55-3	4-Bromophenylphenyl ether	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	101-55-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	59-50-7	4-Chloro-3-methylphenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	59-50-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	106-47-8	4-Chloroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	106-47-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	100-01-6	4-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	100-01-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	100-02-7	4-Nitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	100-02-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	56-57-5	4-Nitroquinoline-1-oxide	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	56-57-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	2763-96-4	5-(Aminomethyl)-3-isoxazolol	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	2763-96-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	99-55-8	5-Nitro-o-toluidine	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	99-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	57-97-6	7,12-Dimethylbenz[a]anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	57-97-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	194-59-2	7H-Dibenzo[c,g]carbazole	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	194-59-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	83-32-9	Acenaphthene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	83-32-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	208-96-8	Acenaphthylene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	208-96-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	67-64-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	67-64-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	75-05-8	Acetonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	75-05-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	98-86-2	Acetophenone	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	98-86-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	107-02-8	Acrolein	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	107-02-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	79-06-1	Acrylamide	10000	ug/L	U	[NULL]	[NULL]	R	H0007JK5	79-06-1	USTEST	GC_DIRECT	100-NR-2
199-N-52	12/1/1989 0:00	N	107-13-1	Acrylonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	107-13-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	309-00-2	Aldrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JK5	309-00-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	12/1/1989 0:00	N	107-18-6	Allyl alcohol	10000	ug/L	U	[NULL]	[NULL]	R	H0007JK5	107-18-6	USTEST	GC_DIRECT	100-NR-2
199-N-52	12/1/1989 0:00	N	107-05-1	Allyl chloride	100	ug/L	U	[NULL]	[NULL]	R	H0007JK5	107-05-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	ALPHAHI	Alpha	1.12	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JK5	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-52	12/1/1989 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JK5	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	12/1/1989 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007JK5F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007JK5	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	N	61-82-5	Amitrole	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	61-82-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007JK5	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-52	12/1/1989 0:00	N	62-53-3	Aniline	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	62-53-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	120-12-7	Anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	120-12-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007JK5	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007JK5F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	N	140-57-8	Aramite	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	140-57-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	12674-11-2	Aroclor-1016	1	ug/L	U	[NULL]	[NULL]	R	H0007JK5	12674-11-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	12/1/1989 0:00	N	11104-28-2	Aroclor-1221	1	ug/L	U	[NULL]	[NULL]	R	H0007JK5	11104-28-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	12/1/1989 0:00	N	11141-16-5	Aroclor-1232	1	ug/L	U	[NULL]	[NULL]	R	H0007JK5	11141-16-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	12/1/1989 0:00	N	53469-21-9	Aroclor-1242	1	ug/L	U	[NULL]	[NULL]	R	H0007JK5	53469-21-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	12/1/1989 0:00	N	12672-29-6	Aroclor-1248	1	ug/L	U	[NULL]	[NULL]	R	H0007JK5	12672-29-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	12/1/1989 0:00	N	11097-69-1	Aroclor-1254	1	ug/L	U	[NULL]	[NULL]	R	H0007JK5	11097-69-1	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	12/1/1989 0:00	N	11096-82-5	Aroclor-1260	1	ug/L	U	[NULL]	[NULL]	R	H0007JK5	11096-82-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	12/1/1989 0:00	N	7440-38-2	Arsenic	6	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK5	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-52	12/1/1989 0:00	N	H37	Arsenic, filtered	6	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK5	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	12/1/1989 0:00	N	492-80-8	Auramine	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	492-80-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	Y	7440-39-3	Barium	20	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK5F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	N	7440-39-3	Barium	21	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK5	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	N	225-51-4	Benz[c]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	225-51-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	71-43-2	Benzene	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	71-43-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	108-98-5	Benzenethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	108-98-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	92-87-5	Benzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	92-87-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	56-55-3	Benzo(a)anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	56-55-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	50-32-8	Benzo(a)pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	50-32-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	205-99-2	Benzo(b)fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	205-99-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	191-24-2	Benzo(ghi)perylene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	191-24-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	207-08-9	Benzo(k)fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	207-08-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	205-82-3	Benzo[j]fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	205-82-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	100-51-6	Benzyl alcohol	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	100-51-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	100-44-7	Benzyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	100-44-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	N	111-91-1	Bis(2-Chloroethoxy)methane	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	111-91-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	108-60-1	Bis(2-chloro-1-methylethyl)ether	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	108-60-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	111-44-4	Bis(2-chloroethyl) ether	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	111-44-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	117-81-7	Bis(2-ethylhexyl) phthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	117-81-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	542-88-1	Bis(chloromethyl) ether	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	542-88-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	7440-42-8	Boron	18	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK5	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	Y	7440-42-8	Boron	19	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK5F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007JK5	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	12/1/1989 0:00	N	598-31-2	Bromoacetone	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	598-31-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	75-27-4	Bromodichloromethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	75-27-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	75-25-2	Bromoform	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	75-25-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	74-83-9	Bromomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	74-83-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	85-68-7	Butylbenzylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	85-68-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007JK5	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007JK5F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	Y	7440-70-2	Calcium	22100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK5F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-52	12/1/1989 0:00	N	7440-70-2	Calcium	21900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK5	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	N	75-15-0	Carbon disulfide	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	75-15-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	786-19-6	Carbophenothion	2	ug/L	U	[NULL]	[NULL]	R	H0007JK5	786-19-6	USTEST	8140_PEST_GC	100-NR-2
199-N-52	12/1/1989 0:00	N	10045-97-3	Cesium-137	-3.38	pCi/L	U	[NULL]	[NULL]	R	H0007JK5	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	12/1/1989 0:00	N	57-74-9	Chlordane	1	ug/L	U	[NULL]	[NULL]	R	H0007JK5	57-74-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	12/1/1989 0:00	N	16887-00-6	Chloride	2100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK5	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	12/1/1989 0:00	N	494-03-1	Chlornaphazine	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	494-03-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	B44	Chloroalkyl ethers	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	B44	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	108-90-7	Chlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	108-90-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	108-90-7	Chlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	108-90-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	510-15-6	Chlorobenzilate	300	ug/L	U	[NULL]	[NULL]	R	H0007JK5	510-15-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	12/1/1989 0:00	N	75-00-3	Chloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	75-00-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	67-66-3	Chloroform	4	ug/L	U	[NULL]	[NULL]	R	H0007JK5	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	74-87-3	Chloromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	74-87-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	107-30-2	Chloromethyl methyl ether	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	107-30-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	N	218-01-9	Chrysene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	218-01-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	6358-53-8	Citrus red No. 2	1000	ug/L	U	[NULL]	[NULL]	R	H0007JK5	6358-53-8	USTEST	CITRUS_RED	100-NR-2
199-N-52	12/1/1989 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007JK5F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007JK5	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	N	10198-40-0	Cobalt-60	12.9	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JK5	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	12/1/1989 0:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	H0007JK5	COLIFORM	USTEST	9222B_COLIFORM	100-NR-2
199-N-52	12/1/1989 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	N	4170-30-3	Crotonaldehyde	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	4170-30-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	57-12-5	Cyanide	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	57-12-5	USTEST	9010_CYANIDE	100-NR-2
199-N-52	12/1/1989 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JK5	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	12/1/1989 0:00	N	84-74-2	Di-n-butylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	84-74-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	117-84-0	Di-n-octylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	117-84-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	2303-16-4	Diallate	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	2303-16-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	226-36-8	Dibenz[a,h]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	226-36-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	53-70-3	Dibenz[a,h]anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	53-70-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	224-42-0	Dibenz[a,j]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	224-42-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	192-65-4	Dibenzo[a,e]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	192-65-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	189-64-0	Dibenzo[a,h]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	189-64-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	189-55-9	Dibenzo[a,i]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	189-55-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	132-64-9	Dibenzofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	132-64-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	124-48-1	Dibromochloromethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	124-48-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	74-95-3	Dibromomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	74-95-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	107-66-4	Dibutylphosphate	10000	ug/L	U	[NULL]	[NULL]	R	H0007JK5	107-66-4	USTEST	70-MDBP	100-NR-2
199-N-52	12/1/1989 0:00	N	75-71-8	Dichlorodifluoromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	75-71-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	98-87-3	Dichloromethyl-benzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	98-87-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	60-57-1	Dieldrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JK5	60-57-1	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	12/1/1989 0:00	N	84-66-2	Diethylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	84-66-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	56-53-1	Diethylstilbesterol	200	ug/L	U	[NULL]	[NULL]	R	H0007JK5	56-53-1	USTEST	8330_THIOUREA_M	100-NR-2
199-N-52	12/1/1989 0:00	N	94-58-6	Dihydrosafrole	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	94-58-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	60-51-5	Dimethoate	2	ug/L	U	[NULL]	[NULL]	R	H0007JK5	60-51-5	USTEST	8140_PEST_GC	100-NR-2
199-N-52	12/1/1989 0:00	N	131-11-3	Dimethyl phthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	131-11-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	88-85-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	122-39-4	Diphenylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	122-39-4	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-52	12/1/1989 0:00	N	298-04-4	Disulfoton	2	ug/L	U	[NULL]	[NULL]	R	H0007JK5	298-04-4	USTEST	8140_PEST_GC	100-NR-2
199-N-52	12/1/1989 0:00	N	959-98-8	Endosulfan I	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JK5	959-98-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	12/1/1989 0:00	N	33213-65-9	Endosulfan II	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JK5	33213-65-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	12/1/1989 0:00	N	1031-07-8	Endosulfan sulfate	0.5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	1031-07-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	12/1/1989 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JK5	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	12/1/1989 0:00	N	64-17-5	Ethanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007JK5	64-17-5	USTEST	GC_DIRECT	100-NR-2
199-N-52	12/1/1989 0:00	N	51-79-6	Ethyl carbamate (Urethane)	10000	ug/L	U	[NULL]	[NULL]	R	H0007JK5	51-79-6	USTEST	GC_DIRECT	100-NR-2
199-N-52	12/1/1989 0:00	N	107-12-0	Ethyl cyanide	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	107-12-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	107-12-0	Ethyl cyanide	10000	ug/L	U	[NULL]	[NULL]	R	H0007JK5	107-12-0	USTEST	GC_DIRECT	100-NR-2
199-N-52	12/1/1989 0:00	N	97-63-2	Ethyl methacrylate	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	97-63-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	62-50-0	Ethyl methanesulfonate	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	62-50-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	100-41-4	Ethylbenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	100-41-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	107-21-1	Ethylene glycol	10000	ug/L	U	[NULL]	[NULL]	R	H0007JK5	107-21-1	USTEST	GC_DIRECT	100-NR-2
199-N-52	12/1/1989 0:00	N	75-21-8	Ethylene oxide	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	75-21-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	151-56-4	Ethyleneimine	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	151-56-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	96-45-7	Ethylenethiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007JK5	96-45-7	USTEST	8330_THIOUREA_M	100-NR-2
199-N-52	12/1/1989 0:00	N	206-44-0	Fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	206-44-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	86-73-7	Fluorene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	86-73-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	16984-48-8	Fluoride	259	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK5	16984-48-8	USTEST	D1179_FLUORIDE	100-NR-2
199-N-52	12/1/1989 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007JK5	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	12/1/1989 0:00	N	50-00-0	Formaldehyde	500	ug/L	U	[NULL]	[NULL]	R	H0007JK5	50-00-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JK5	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	12/1/1989 0:00	N	12587-47-2	Gross beta	17.4	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JK5	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	12/1/1989 0:00	N	76-44-8	Heptachlor	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JK5	76-44-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	12/1/1989 0:00	N	1024-57-3	Heptachlor epoxide	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JK5	1024-57-3	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	12/1/1989 0:00	N	118-74-1	Hexachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	118-74-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	87-68-3	Hexachlorobutadiene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	87-68-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	77-47-4	Hexachlorocyclopentadiene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	77-47-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	67-72-1	Hexachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	67-72-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	70-30-4	Hexachlorophene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	70-30-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	1888-71-7	Hexachloropropene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	1888-71-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007JK5	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-52	12/1/1989 0:00	N	193-39-5	Indeno(1,2,3-cd)pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	193-39-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	74-88-4	Iodomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	74-88-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007JK5F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	N	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007JK5	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	N	78-83-1	Isobutyl alcohol	10000	ug/L	U	[NULL]	[NULL]	R	H0007JK5	78-83-1	USTEST	GC_DIRECT	100-NR-2
199-N-52	12/1/1989 0:00	N	465-73-6	Isodrin	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	465-73-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	78-59-1	Isophorone	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	78-59-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	120-58-1	Isosafrole	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	120-58-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	143-50-0	Kepone	1	ug/L	U	[NULL]	[NULL]	R	H0007JK5	143-50-0	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	12/1/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	12/1/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-52	12/1/1989 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	Y	7439-95-4	Magnesium	5950	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK5F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	N	7439-95-4	Magnesium	5980	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK5	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	N	123-33-1	Maleic hydrazide	500	ug/L	U	[NULL]	[NULL]	R	H0007JK5	123-33-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	109-77-3	Malononitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	109-77-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	N	148-82-3	Melphalan	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	148-82-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JK5	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-52	12/1/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JK5	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	12/1/1989 0:00	N	126-98-7	Methacrylonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	126-98-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	74-93-1	Methanethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	74-93-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	91-80-5	Methapyrilene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	91-80-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	16752-77-5	Metholonyl	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	16752-77-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007JK5	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	12/1/1989 0:00	N	80-62-6	Methyl methacrylate	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	80-62-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	66-27-3	Methyl methanesulfonate	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	66-27-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	298-00-0	Methyl parathion	2	ug/L	U	[NULL]	[NULL]	R	H0007JK5	298-00-0	USTEST	8140_PEST_GC	100-NR-2
199-N-52	12/1/1989 0:00	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	56-04-2	Methylthiouracil	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	56-04-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007JK5	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007JK5F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	N	1623-15-0	Monobutyl phosphate	10000	ug/L	U	[NULL]	[NULL]	R	H0007JK5	1623-15-0	USTEST	70-MDBP	100-NR-2
199-N-52	12/1/1989 0:00	N	91-20-3	Naphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	91-20-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	N	59-67-6	Nicotinic acid	100	ug/L	U	[NULL]	[NULL]	R	H0007JK5	59-67-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	14797-55-8	Nitrate	9800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK5	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	12/1/1989 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007JK5	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-52	12/1/1989 0:00	N	98-95-3	Nitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	98-95-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	930-55-2	Nitrosopyrrolidine	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	930-55-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	126-68-1	O,O,O-Triethyl phosphorothioate	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	126-68-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	297-97-2	O,O-Diethyl O-2-pyrazinyl phosphorothioate	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	297-97-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	123-63-7	Paraldehyde	10000	ug/L	U	[NULL]	[NULL]	R	H0007JK5	123-63-7	USTEST	GC_DIRECT	100-NR-2
199-N-52	12/1/1989 0:00	N	56-38-2	Parathion	2	ug/L	U	[NULL]	[NULL]	R	H0007JK5	56-38-2	USTEST	8140_PEST_GC	100-NR-2
199-N-52	12/1/1989 0:00	N	608-93-5	Pentachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	608-93-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	76-01-7	Pentachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	76-01-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	82-68-8	Pentachloronitrobenzene (PCNB)	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	82-68-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	87-86-5	Pentachlorophenol	50	ug/L	U	[NULL]	[NULL]	R	H0007JK5	87-86-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	14797-73-0	Perchlorate anion	500	ug/L	U	[NULL]	[NULL]	R	H0007JK5	14797-73-0	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	12/1/1989 0:00	N	62-44-2	Phenacetin	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	62-44-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	85-01-8	Phenanthrene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	85-01-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	108-95-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	25265-76-3	Phenylenediamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	25265-76-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	298-02-2	Phorate	2	ug/L	U	[NULL]	[NULL]	R	H0007JK5	298-02-2	USTEST	8140_PEST_GC	100-NR-2
199-N-52	12/1/1989 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007JK5	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	12/1/1989 0:00	N	C31	Phthalic acid esters	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	C31	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	136677-09-3	Polychlorinated dibenzo-p-dioxins	0.01	ug/L	U	[NULL]	[NULL]	R	H0007JK5	136677-09-3	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	136677-10-6	Polychlorinated dibenzofurans	0.01	ug/L	U	[NULL]	[NULL]	R	H0007JK5	136677-10-6	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	Y	7440-09-7	Potassium	3310	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK5F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	N	7440-09-7	Potassium	3300	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK5	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	N	23950-58-5	Pronamide	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	23950-58-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	129-00-0	Pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	129-00-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	110-86-1	Pyridine	500	ug/L	U	[NULL]	[NULL]	R	H0007JK5	110-86-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	7440-14-4	Radium	-0.00652	pCi/L	U	[NULL]	[NULL]	R	H0007JK5	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	12/1/1989 0:00	N	50-55-5	Reserpine	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	50-55-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	108-46-3	Resorcinol	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	108-46-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	13967-48-1	Ruthenium-106	-86.8	pCi/L	U	[NULL]	[NULL]	R	H0007JK5	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-52	12/1/1989 0:00	N	94-59-7	Safrol	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	94-59-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-52	12/1/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	12/1/1989 0:00	N	7440-21-3	Silicon	13000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK5	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	Y	7440-21-3	Silicon	13300	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK5F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	Y	7440-23-5	Sodium	6030	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK5F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	N	7440-23-5	Sodium	6010	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK5	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	N	CONDUCT	Specific Conductance	212	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JK6	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-52	12/1/1989 0:00	N	CONDUCT	Specific Conductance	215	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JK5	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-52	12/1/1989 0:00	N	CONDUCT	Specific Conductance	212	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JK7	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-52	12/1/1989 0:00	N	CONDUCT	Specific Conductance	210	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JK5	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-52	12/1/1989 0:00	N	CONDUCT	Specific Conductance	210	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JK8	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-52	12/1/1989 0:00	N	CONDUCT	Specific Conductance	209	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JK7	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-52	12/1/1989 0:00	N	CONDUCT	Specific Conductance	208	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JK6	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-52	12/1/1989 0:00	N	CONDUCT	Specific Conductance	211	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JK8	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-52	12/1/1989 0:00	Y	7440-24-6	Strontium	136	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK5F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	N	7440-24-6	Strontium	137	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK5	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	N	10098-97-2	Strontium-90	-0.184	pCi/L	U	[NULL]	[NULL]	R	H0007JK5	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	12/1/1989 0:00	N	57-24-9	Strychnine	50	ug/L	U	[NULL]	[NULL]	R	H0007JK5	57-24-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	100-42-5	Styrene	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	100-42-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	14808-79-8	Sulfate	17900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK5	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	12/1/1989 0:00	N	18496-25-8	Sulfide	1000	ug/L	U	[NULL]	[NULL]	R	H0007JK5	18496-25-8	USTEST	9030_SULFIDE	100-NR-2
199-N-52	12/1/1989 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	107-49-3	Tetraethylpyrophosphate	2	ug/L	U	[NULL]	[NULL]	R	H0007JK5	107-49-3	USTEST	8140_PEST_GC	100-NR-2
199-N-52	12/1/1989 0:00	N	109-99-9	Tetrahydrofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	109-99-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	7440-28-0	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	12/1/1989 0:00	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	7440-28-0	USTEST	7841_TL_GFAA	100-NR-2
199-N-52	12/1/1989 0:00	N	39196-18-4	Thiofanox	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	39196-18-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	62-56-6	Thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007JK5	62-56-6	USTEST	8330_THIOUREA_M	100-NR-2
199-N-52	12/1/1989 0:00	N	137-26-8	Thiuram	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	137-26-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007JK5F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007JK5	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007JK5F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007JK5	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	N	108-88-3	Toluene	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	108-88-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	25376-45-8	Toluenediamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	25376-45-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	TC	Total carbon	16600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK5	TC	USTEST	D2579A_CARBON	100-NR-2
199-N-52	12/1/1989 0:00	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	1319-77-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	TDS	Total dissolved solids	1.4E+08	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK5	TDS	USTEST	209B_TDS	100-NR-2
199-N-52	12/1/1989 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007JK6	TOC	USTEST	9060_TOC	100-NR-2
199-N-52	12/1/1989 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007JK7	TOC	USTEST	9060_TOC	100-NR-2
199-N-52	12/1/1989 0:00	N	TOC	Total organic carbon	500	ug/L	U	[NULL]	[NULL]	R	H0007JK5	TOC	USTEST	9060_TOC	100-NR-2
199-N-52	12/1/1989 0:00	N	TOC	Total organic carbon	700	ug/L	U	[NULL]	[NULL]	R	H0007JK8	TOC	USTEST	9060_TOC	100-NR-2
199-N-52	12/1/1989 0:00	N	59473-04-0	Total organic halides	13	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK7	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	12/1/1989 0:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	H0007JK8	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	12/1/1989 0:00	N	59473-04-0	Total organic halides	13	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK5	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	12/1/1989 0:00	N	59473-04-0	Total organic halides	10	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK6	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	12/1/1989 0:00	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	10000	ug/L	U	[NULL]	[NULL]	R	H0007JK5	TPHKEROSENE	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007JK5	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	12/1/1989 0:00	N	126-73-8	Tributyl phosphate	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	126-73-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-52	12/1/1989 0:00	N	75-70-7	Trichloromethanethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	75-70-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	75-69-4	Trichloromonofluoromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	75-69-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	126-72-7	Tris(2,3-dibromopropyl) phosphate	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	126-72-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	10028-17-8	Tritium	24400	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JK5	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	12/1/1989 0:00	N	TURBIDITY	Turbidity	0.1	NTU	[NULL]	[NULL]	[NULL]	R	H0007JK5	TURBIDITY	USTEST	214A_TURBIDITY	100-NR-2
199-N-52	12/1/1989 0:00	N	7440-61-1	Uranium	1.01	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK5	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	12/1/1989 0:00	N	7440-62-2	Vanadium	26	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK5	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	Y	7440-62-2	Vanadium	27	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK5F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	N	108-05-4	Vinyl acetate	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	108-05-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	75-01-4	Vinyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	75-01-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	81-81-2	Warfarin	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	81-81-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	N	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007JK5F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007JK5	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	12/1/1989 0:00	N	122-09-8	alpha,alpha-Dimethylphenethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	122-09-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JK5	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	12/1/1989 0:00	N	99-65-0	m-Dinitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	99-65-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	616-40-0	n,n-Diethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	616-40-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	615-53-2	n-Nitroso-N-methylurethane	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	615-53-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	924-16-3	n-Nitrosodi-n-butylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	924-16-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	621-64-7	n-Nitrosodi-n-dipropylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	621-64-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	1116-54-7	n-Nitrosodiethanolamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	1116-54-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	55-18-5	n-Nitrosodiethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	55-18-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	62-75-9	n-Nitrosodimethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	62-75-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	86-30-6	n-Nitrosodiphenylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	86-30-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	10595-95-6	n-Nitrosomethylethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	10595-95-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	4549-40-0	n-Nitrosomethylvinylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	4549-40-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	59-89-2	n-Nitrosomorpholine	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	59-89-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	16543-55-8	n-Nitrosonornicotine	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	16543-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	100-75-4	n-Nitrosopiperidine	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	100-75-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	103-85-5	n-Phenylthiourea	500	ug/L	U	[NULL]	[NULL]	R	H0007JK5	103-85-5	USTEST	8330_THIOUREA_M	100-NR-2
199-N-52	12/1/1989 0:00	N	107-10-8	n-Propylamine	10000	ug/L	U	[NULL]	[NULL]	R	H0007JK5	107-10-8	USTEST	GC_DIRECT	100-NR-2
199-N-52	12/1/1989 0:00	N	636-21-5	o-Toluidine hydrochloride	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	636-21-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	106-51-4	p-Benzoquinone	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	106-51-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	60-11-7	p-Dimethylaminoazobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	60-11-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	PH	pH Measurement	7.99	unitless	[NULL]	[NULL]	[NULL]	R	H0007JK7	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	12/1/1989 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007JK6	PH	USTEST	9040_PH	100-NR-2
199-N-52	12/1/1989 0:00	N	PH	pH Measurement	7.97	unitless	[NULL]	[NULL]	[NULL]	R	H0007JK6	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	12/1/1989 0:00	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	H0007JK8	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	12/1/1989 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007JK8	PH	USTEST	9040_PH	100-NR-2
199-N-52	12/1/1989 0:00	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	H0007JK5	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	12/1/1989 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007JK5	PH	USTEST	9040_PH	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-52	12/1/1989 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007JK7	PH	USTEST	9040_PH	100-NR-2
199-N-52	12/1/1989 0:00	N	99-35-4	sym-Trinitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	99-35-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	156-60-5	trans-1,2-Dichloroethylene	5	ug/L	U	[NULL]	[NULL]	R	H0007JK5	156-60-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 0:00	N	110-57-6	trans-1,4-Dichloro-2-butene	10	ug/L	U	[NULL]	[NULL]	R	H0007JK5	110-57-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	12/1/1989 10:30	N	TEMPERATURE	Temperature	18.8	Deg C	[NULL]	[NULL]	[NULL]	R	H000GPL7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-52	2/5/1990 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007JK9	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	2/5/1990 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JK9	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	2/5/1990 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JK9	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	2/5/1990 0:00	N	75-34-3	1,1-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JK9	75-34-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	2/5/1990 0:00	N	107-06-2	1,2-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JK9	107-06-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	2/5/1990 0:00	N	106-46-7	1,4-Dichlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007JK9	106-46-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	2/5/1990 0:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007JK9	93-76-5	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-52	2/5/1990 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007JK9	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-52	2/5/1990 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007JK9	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-52	2/5/1990 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007JK9	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	2/5/1990 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007JK9	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	2/5/1990 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007JK9	67-64-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	2/5/1990 0:00	N	ALPHAHI	Alpha	0.465	pCi/L	U	[NULL]	[NULL]	R	H0007JK9	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	2/5/1990 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JK9	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	2/5/1990 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007JK9	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007JK9F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007JK9	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-52	2/5/1990 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007JK9F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007JK9	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	7440-38-2	Arsenic	8	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK9	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-52	2/5/1990 0:00	N	H37	Arsenic, filtered	7	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK9	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	2/5/1990 0:00	Y	7440-39-3	Barium	22	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK9F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	7440-39-3	Barium	22	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK9	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	71-43-2	Benzene	5	ug/L	U	[NULL]	[NULL]	R	H0007JK9	71-43-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	2/5/1990 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007JK9F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007JK9	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	Y	7440-42-8	Boron	18	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK9F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	7440-42-8	Boron	27	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK9	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007JK9	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	2/5/1990 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007JK9F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007JK9	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	Y	7440-70-2	Calcium	22700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK9F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	7440-70-2	Calcium	21800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK9	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007JK9	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	2/5/1990 0:00	N	10045-97-3	Cesium-137	2.02	pCi/L	U	[NULL]	[NULL]	R	H0007JK9	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	2/5/1990 0:00	N	16887-00-6	Chloride	2100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK9	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	2/5/1990 0:00	N	67-66-3	Chloroform	3	ug/L	U	[NULL]	[NULL]	R	H0007JK9	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	2/5/1990 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007JK9F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007JK9	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007JK9F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007JK9	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	10198-40-0	Cobalt-60	12.9	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JK9	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-52	2/5/1990 0:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	H0007JK9	COLIFORM	USTEST	9222B_COLIFORM	100-NR-2
199-N-52	2/5/1990 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007JK9	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007JK9F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JK9	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	2/5/1990 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JK9	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	2/5/1990 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007JK9	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	2/5/1990 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JK9	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	2/5/1990 0:00	N	12587-47-2	Gross beta	7.23	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JK9	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	2/5/1990 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007JK9	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-52	2/5/1990 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007JK9F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	7439-89-6	Iron	213	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK9	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007JK9	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-52	2/5/1990 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007JK9	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	2/5/1990 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007JK9F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007JK9	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	7439-95-4	Magnesium	6390	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK9	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	Y	7439-95-4	Magnesium	6590	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK9F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007JK9F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	7439-96-5	Manganese	8	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK9	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JK9	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-52	2/5/1990 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JK9	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	2/5/1990 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007JK9	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	2/5/1990 0:00	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	H0007JK9	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	2/5/1990 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007JK9	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007JK9F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007JK9	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007JK9F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007JK9	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007JK9F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	14797-55-8	Nitrate	13000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK9	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	2/5/1990 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007JK9	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-52	2/5/1990 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JK9	108-95-2	USTEST	8040_PHENOLIC_GC	100-NR-2
199-N-52	2/5/1990 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007JK9	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	2/5/1990 0:00	Y	7440-09-7	Potassium	3380	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK9F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	7440-09-7	Potassium	3240	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK9	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	7440-14-4	Radium	0.00265	pCi/L	U	[NULL]	[NULL]	R	H0007JK9	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	2/5/1990 0:00	N	13967-48-1	Ruthenium-106	-18.5	pCi/L	U	[NULL]	[NULL]	R	H0007JK9	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	2/5/1990 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007JK9	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-52	2/5/1990 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007JK9	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-52	2/5/1990 0:00	N	7440-21-3	Silicon	14400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK9	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	Y	7440-21-3	Silicon	14800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK9F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007JK9	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007JK9F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	Y	7440-23-5	Sodium	7430	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK9F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	7440-23-5	Sodium	7480	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK9	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	CONDUCT	Specific Conductance	211	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JL0	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-52	2/5/1990 0:00	N	CONDUCT	Specific Conductance	212	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JL1	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-52	2/5/1990 0:00	N	CONDUCT	Specific Conductance	210	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JK9	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-52	2/5/1990 0:00	N	CONDUCT	Specific Conductance	207	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JL0	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-52	2/5/1990 0:00	N	CONDUCT	Specific Conductance	209	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JL2	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-52	2/5/1990 0:00	N	CONDUCT	Specific Conductance	207	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JL1	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-52	2/5/1990 0:00	N	CONDUCT	Specific Conductance	212	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JL2	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-52	2/5/1990 0:00	N	CONDUCT	Specific Conductance	211	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JK9	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-52	2/5/1990 0:00	Y	7440-24-6	Strontium	153	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK9F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	7440-24-6	Strontium	148	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK9	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	10098-97-2	Strontium-90	0.00174	pCi/L	U	[NULL]	[NULL]	R	H0007JK9	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-52	2/5/1990 0:00	N	14808-79-8	Sulfate	18300	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK9	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-52	2/5/1990 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007JK9	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	2/5/1990 0:00	N	109-99-9	Tetrahydrofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007JK9	109-99-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	2/5/1990 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007JK9F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007JK9	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007JK9F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007JK9	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	108-88-3	Toluene	5	ug/L	U	[NULL]	[NULL]	R	H0007JK9	108-88-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	2/5/1990 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007JL2	TOC	USTEST	9060_TOC	100-NR-2
199-N-52	2/5/1990 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007JL1	TOC	USTEST	9060_TOC	100-NR-2
199-N-52	2/5/1990 0:00	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	H0007JK9	TOC	USTEST	9060_TOC	100-NR-2
199-N-52	2/5/1990 0:00	N	TOC	Total organic carbon	400	ug/L	U	[NULL]	[NULL]	R	H0007JL0	TOC	USTEST	9060_TOC	100-NR-2
199-N-52	2/5/1990 0:00	N	59473-04-0	Total organic halides	2	ug/L	U	[NULL]	[NULL]	R	H0007JL1	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	2/5/1990 0:00	N	59473-04-0	Total organic halides	6	ug/L	U	[NULL]	[NULL]	R	H0007JK9	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	2/5/1990 0:00	N	59473-04-0	Total organic halides	6	ug/L	U	[NULL]	[NULL]	R	H0007JL0	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	2/5/1990 0:00	N	59473-04-0	Total organic halides	4	ug/L	U	[NULL]	[NULL]	R	H0007JL2	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-52	2/5/1990 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007JK9	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	2/5/1990 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007JK9	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	2/5/1990 0:00	N	10028-17-8	Tritium	41500	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JK9	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	2/5/1990 0:00	N	TURBIDITY	Turbidity	0.4	NTU	[NULL]	[NULL]	[NULL]	R	H0007JK9	TURBIDITY	USTEST	214A_TURBIDITY	100-NR-2
199-N-52	2/5/1990 0:00	N	7440-61-1	Uranium	1.07	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK9	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-52	2/5/1990 0:00	N	7440-62-2	Vanadium	27	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK9	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	Y	7440-62-2	Vanadium	28	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK9F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	75-01-4	Vinyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007JK9	75-01-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	2/5/1990 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007JK9	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	2/5/1990 0:00	N	7440-66-6	Zinc	10	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JK9	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007JK9F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007JK9	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007JK9F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-52	2/5/1990 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JK9	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-52	2/5/1990 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007JL0	PH	USTEST	9040_PH	100-NR-2
199-N-52	2/5/1990 0:00	N	PH	pH Measurement	8.32	unitless	[NULL]	[NULL]	[NULL]	R	H0007JK9	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	2/5/1990 0:00	N	PH	pH Measurement	8.34	unitless	[NULL]	[NULL]	[NULL]	R	H0007JL0	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	2/5/1990 0:00	N	PH	pH Measurement	8.35	unitless	[NULL]	[NULL]	[NULL]	R	H0007JL2	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	2/5/1990 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007JL1	PH	USTEST	9040_PH	100-NR-2
199-N-52	2/5/1990 0:00	N	PH	pH Measurement	8.35	unitless	[NULL]	[NULL]	[NULL]	R	H0007JL1	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-52	2/5/1990 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007JK9	PH	USTEST	9040_PH	100-NR-2
199-N-52	2/5/1990 0:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	H0007JL2	PH	USTEST	9040_PH	100-NR-2
199-N-52	2/5/1990 0:00	N	156-60-5	trans-1,2-Dichloroethylene	5	ug/L	U	[NULL]	[NULL]	R	H0007JK9	156-60-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-52	2/5/1990 8:51	N	TEMPERATURE	Temperature	20	Deg C	[NULL]	[NULL]	[NULL]	R	H000GQ36	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-52	9/7/1994 19:30	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0CCF9	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-52	9/7/1994 19:30	N	16887-00-6	Chloride	11000	ug/L	D	[NULL]	[NULL]	R	B0CCF9	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-52	9/7/1994 19:30	N	16984-48-8	Fluoride	700	ug/L	[NULL]	[NULL]	[NULL]	R	B0CCF9	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-52	9/7/1994 19:30	N	14797-55-8	Nitrate	23000	ug/L	D	[NULL]	[NULL]	R	B0CCF9	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-52	9/7/1994 19:30	N	14797-65-0	Nitrite	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0CCF9	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-52	9/7/1994 19:30	N	14265-44-2	Phosphate	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0CCF9	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-52	9/7/1994 19:30	N	CONDUCT	Specific Conductance	354	uS/cm	[NULL]	[NULL]	[NULL]	R	B0CCF9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-52	9/7/1994 19:30	N	10098-97-2	Strontium-90	0.0452	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCF9	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-52	9/7/1994 19:30	N	14808-79-8	Sulfate	54000	ug/L	D	[NULL]	[NULL]	R	B0CCF9	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-52	9/7/1994 19:30	N	TEMPERATURE	Temperature	19.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0CCF9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-52	9/7/1994 19:30	N	10028-17-8	Tritium	17700	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCF9	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-52	9/7/1994 19:30	N	PH	pH Measurement	8.07	unitless	[NULL]	[NULL]	[NULL]	R	B0CCF9	PH	FIELD	9040_PH	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-52	7/15/1995 9:40	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0FZ84	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-52	7/15/1995 9:40	N	16887-00-6	Chloride	12000	ug/L	D	[NULL]	[NULL]	R	B0FZ84	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-52	7/15/1995 9:40	N	16984-48-8	Fluoride	500	ug/L	[NULL]	[NULL]	[NULL]	R	B0FZ84	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-52	7/15/1995 9:40	N	14797-55-8	Nitrate	25000	ug/L	D	[NULL]	[NULL]	R	B0FZ84	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-52	7/15/1995 9:40	N	14797-65-0	Nitrite	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0FZ84	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-52	7/15/1995 9:40	N	14265-44-2	Phosphate	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0FZ84	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-52	7/15/1995 9:40	N	CONDUCT	Specific Conductance	354	uS/cm	[NULL]	[NULL]	[NULL]	R	B0FZ84	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-52	7/15/1995 9:40	N	10098-97-2	Strontium-90	-0.053	pCi/L	U	[NULL]	[NULL]	R	B0FZ84	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-52	7/15/1995 9:40	N	14808-79-8	Sulfate	48000	ug/L	D	[NULL]	[NULL]	R	B0FZ84	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-52	7/15/1995 9:40	N	TEMPERATURE	Temperature	17.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0FZ84	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-52	7/15/1995 9:40	N	10028-17-8	Tritium	15300	pCi/L	[NULL]	[NULL]	[NULL]	R	B0FZ84	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-52	7/15/1995 9:40	N	PH	pH Measurement	8.48	unitless	[NULL]	[NULL]	[NULL]	R	B0FZ84	PH	FIELD	9040_PH	100-NR-2
199-N-52	5/23/1996 10:00	N	CONDUCT	Specific Conductance	403	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HTP4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-52	5/23/1996 10:00	N	10098-97-2	Strontium-90	0.048	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HTP4	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-52	5/23/1996 10:00	N	TEMPERATURE	Temperature	18.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0HTP4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-52	5/23/1996 10:00	N	10028-17-8	Tritium	10904	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HTP4	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-52	5/23/1996 10:00	N	TURBIDITY	Turbidity	79.3	NTU	[NULL]	[NULL]	[NULL]	R	B0HTP4	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-52	5/23/1996 10:00	N	PH	pH Measurement	8.36	unitless	[NULL]	[NULL]	[NULL]	R	B0HTP4	PH	FIELD	9040_PH	100-NR-2
199-N-52	3/28/1997 10:04	N	CONDUCT	Specific Conductance	407	uS/cm	[NULL]	[NULL]	[NULL]	R	B0JX68	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-52	3/28/1997 10:04	N	10098-97-2	Strontium-90	0.0986	pCi/L	U	[NULL]	[NULL]	R	B0JX68	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-52	3/28/1997 10:04	N	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	R	B0JX68	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-52	3/28/1997 10:04	N	10028-17-8	Tritium	9280	pCi/L	[NULL]	[NULL]	[NULL]	R	B0JX68	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-52	3/28/1997 10:04	N	TURBIDITY	Turbidity	2.33	NTU	[NULL]	[NULL]	[NULL]	R	B0JX68	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-52	3/28/1997 10:04	N	PH	pH Measurement	7.99	unitless	[NULL]	[NULL]	[NULL]	R	B0JX68	PH	FIELD	9040_PH	100-NR-2
199-N-52	3/5/1998 10:04	N	CONDUCT	Specific Conductance	413	uS/cm	[NULL]	[NULL]	[NULL]	R	B0N439	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-52	3/5/1998 10:04	N	10098-97-2	Strontium-90	0.137	pCi/L	U	[NULL]	[NULL]	R	B0N439	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-52	3/5/1998 10:04	N	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0N439	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-52	3/5/1998 10:04	N	10028-17-8	Tritium	11000	pCi/L	[NULL]	[NULL]	[NULL]	R	B0N439	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-52	3/5/1998 10:04	N	TURBIDITY	Turbidity	1.68	NTU	[NULL]	[NULL]	[NULL]	R	B0N439	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-52	3/5/1998 10:04	N	PH	pH Measurement	8.25	unitless	[NULL]	[NULL]	[NULL]	R	B0N439	PH	FIELD	9040_PH	100-NR-2
199-N-52	3/22/1999 10:12	N	ALKALINITY	Alkalinity	100000	ug/L	[NULL]	[NULL]	[NULL]	R	B0TY03	ALKALINITY	QTESSL	310.1_ALKALINITY	100-NR-2
199-N-52	3/22/1999 10:12	Y	7429-90-5	Aluminum	33.5	ug/L	U	[NULL]	[NULL]	R	B0TY02	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/22/1999 10:12	Y	7440-36-0	Antimony	36.4	ug/L	U	[NULL]	[NULL]	R	B0TY02	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/22/1999 10:12	Y	7440-39-3	Barium	33.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0TY02	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/22/1999 10:12	Y	7440-41-7	Beryllium	0.8	ug/L	B	[NULL]	[NULL]	R	B0TY02	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/22/1999 10:12	Y	7440-43-9	Cadmium	3.9	ug/L	U	[NULL]	[NULL]	R	B0TY02	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/22/1999 10:12	Y	7440-70-2	Calcium	46300	ug/L	[NULL]	[NULL]	[NULL]	R	B0TY02	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/22/1999 10:12	N	16887-00-6	Chloride	16300	ug/L	D	[NULL]	[NULL]	R	B0TY03	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-52	3/22/1999 10:12	Y	7440-47-3	Chromium	9.6	ug/L	B	[NULL]	[NULL]	R	B0TY02	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/22/1999 10:12	Y	7440-48-4	Cobalt	5.1	ug/L	U	[NULL]	[NULL]	R	B0TY02	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/22/1999 10:12	Y	7440-50-8	Copper	4.1	ug/L	B	[NULL]	[NULL]	R	B0TY02	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/22/1999 10:12	N	16984-48-8	Fluoride	164	ug/L	[NULL]	[NULL]	[NULL]	R	B0TY03	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-52	3/22/1999 10:12	Y	7439-89-6	Iron	65.7	ug/L	[NULL]	[NULL]	[NULL]	R	B0TY02	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/22/1999 10:12	Y	7439-95-4	Magnesium	15400	ug/L	[NULL]	[NULL]	[NULL]	R	B0TY02	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/22/1999 10:12	Y	7439-96-5	Manganese	5.2	ug/L	[NULL]	[NULL]	[NULL]	R	B0TY02	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/22/1999 10:12	Y	7440-02-0	Nickel	8.6	ug/L	U	[NULL]	[NULL]	R	B0TY02	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/22/1999 10:12	N	14797-55-8	Nitrate	30400	ug/L	D	[NULL]	[NULL]	R	B0TY03	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-52	3/22/1999 10:12	N	14797-65-0	Nitrite	23	ug/L	U	[NULL]	[NULL]	R	B0TY03	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-52	3/22/1999 10:12	Y	7440-09-7	Potassium	4700	ug/L	[NULL]	[NULL]	[NULL]	R	B0TY02	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/22/1999 10:12	Y	7440-22-4	Silver	5.9	ug/L	U	[NULL]	[NULL]	R	B0TY02	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/22/1999 10:12	Y	7440-23-5	Sodium	10700	ug/L	[NULL]	[NULL]	[NULL]	R	B0TY02	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/22/1999 10:12	N	CONDUCT	Specific Conductance	398	uS/cm	C	[NULL]	[NULL]	R	B0TY03	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-52	3/22/1999 10:12	N	CONDUCT	Specific Conductance	418	uS/cm	[NULL]	[NULL]	[NULL]	R	B0TY03	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-52	3/22/1999 10:12	Y	7440-24-6	Strontium	304	ug/L	[NULL]	[NULL]	[NULL]	R	B0TY02	7440-24-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/22/1999 10:12	N	10098-97-2	Strontium-90	0.00669	pCi/L	U	[NULL]	[NULL]	R	B0TY04	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-52	3/22/1999 10:12	N	14808-79-8	Sulfate	53600	ug/L	D	[NULL]	[NULL]	R	B0TY03	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-52	3/22/1999 10:12	N	TEMPERATURE	Temperature	17.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0TY03	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-52	3/22/1999 10:12	N	10028-17-8	Tritium	9450	pCi/L	[NULL]	[NULL]	[NULL]	R	B0TY04	10028-17-8	QTESRL	906.0_H3_LSC	100-NR-2
199-N-52	3/22/1999 10:12	N	TURBIDITY	Turbidity	1.13	NTU	[NULL]	[NULL]	[NULL]	R	B0TY03	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-52	3/22/1999 10:12	Y	TURBIDITY	Turbidity	0.29	NTU	[NULL]	[NULL]	[NULL]	R	B0TY02	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-52	3/22/1999 10:12	Y	7440-62-2	Vanadium	42.4	ug/L	[NULL]	[NULL]	[NULL]	R	B0TY02	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/22/1999 10:12	Y	7440-66-6	Zinc	6.1	ug/L	B	[NULL]	[NULL]	R	B0TY02	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/22/1999 10:12	N	PH	pH Measurement	8.16	unitless	[NULL]	[NULL]	[NULL]	R	B0TY03	PH	FIELD	9040_PH	100-NR-2
199-N-52	3/30/2000 9:40	N	ALKALINITY	Alkalinity	112000	ug/L	[NULL]	[NULL]	[NULL]	R	B0XMJ4	ALKALINITY	QTESSL	310.1_ALKALINITY	100-NR-2
199-N-52	3/30/2000 9:40	Y	7429-90-5	Aluminum	41.8	ug/L	U	[NULL]	[NULL]	R	B0XMJ3	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/30/2000 9:40	Y	7440-36-0	Antimony	24.7	ug/L	U	[NULL]	[NULL]	R	B0XMJ3	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/30/2000 9:40	Y	7440-39-3	Barium	34	ug/L	B	[NULL]	[NULL]	R	B0XMJ3	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/30/2000 9:40	Y	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	R	B0XMJ3	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/30/2000 9:40	Y	7440-43-9	Cadmium	2.8	ug/L	U	[NULL]	[NULL]	R	B0XMJ3	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/30/2000 9:40	Y	7440-70-2	Calcium	46300	ug/L	[NULL]	[NULL]	[NULL]	R	B0XMJ3	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/30/2000 9:40	N	16887-00-6	Chloride	16200	ug/L	DC	[NULL]	[NULL]	R	B0XMJ4	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-52	3/30/2000 9:40	Y	7440-47-3	Chromium	6.4	ug/L	B	[NULL]	[NULL]	R	B0XMJ3	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/30/2000 9:40	Y	7440-48-4	Cobalt	4.3	ug/L	U	[NULL]	[NULL]	R	B0XMJ3	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/30/2000 9:40	Y	7440-50-8	Copper	2.8	ug/L	UC	[NULL]	[NULL]	R	B0XMJ3	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/30/2000 9:40	N	16984-48-8	Fluoride	260	ug/L	[NULL]	[NULL]	[NULL]	R	B0XMJ4	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-52	3/30/2000 9:40	Y	7439-89-6	Iron	15.6	ug/L	U	[NULL]	[NULL]	R	B0XMJ3	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/30/2000 9:40	Y	7439-95-4	Magnesium	15800	ug/L	[NULL]	[NULL]	[NULL]	R	B0XMJ3	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/30/2000 9:40	Y	7439-96-5	Manganese	2.4	ug/L	B	[NULL]	[NULL]	R	B0XMJ3	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/30/2000 9:40	Y	7440-02-0	Nickel	15.4	ug/L	U	[NULL]	[NULL]	R	B0XMJ3	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/30/2000 9:40	N	14797-55-8	Nitrate	33200	ug/L	DC	[NULL]	[NULL]	R	B0XMJ4	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-52	3/30/2000 9:40	N	14797-65-0	Nitrite	24.3	ug/L	U	[NULL]	[NULL]	R	B0XMJ4	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-52	3/30/2000 9:40	Y	7440-09-7	Potassium	3370	ug/L	B	[NULL]	[NULL]	R	B0XMJ3	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/30/2000 9:40	Y	7440-22-4	Silver	6.9	ug/L	U	[NULL]	[NULL]	R	B0XMJ3	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/30/2000 9:40	Y	7440-23-5	Sodium	11100	ug/L	[NULL]	[NULL]	[NULL]	R	B0XMJ3	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/30/2000 9:40	N	CONDUCT	Specific Conductance	410	uS/cm	[NULL]	[NULL]	[NULL]	R	B0XMJ4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-52	3/30/2000 9:40	Y	7440-24-6	Strontium	342	ug/L	[NULL]	[NULL]	[NULL]	R	B0XMJ3	7440-24-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/30/2000 9:40	N	14808-79-8	Sulfate	47300	ug/L	DC	[NULL]	[NULL]	R	B0XMJ4	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-52	3/30/2000 9:40	N	TEMPERATURE	Temperature	17.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0XMJ4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-52	3/30/2000 9:40	N	10028-17-8	Tritium	9070	pCi/L	[NULL]	[NULL]	[NULL]	R	B0XMJ5	10028-17-8	QTESRL	906.0_H3_LSC	100-NR-2
199-N-52	3/30/2000 9:40	N	TURBIDITY	Turbidity	1.83	NTU	[NULL]	[NULL]	[NULL]	R	B0XMJ4	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-52	3/30/2000 9:40	Y	7440-62-2	Vanadium	20.9	ug/L	B	[NULL]	[NULL]	R	B0XMJ3	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/30/2000 9:40	Y	7440-66-6	Zinc	4.7	ug/L	B	[NULL]	[NULL]	R	B0XMJ3	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-52	3/30/2000 9:40	N	PH	pH Measurement	8.09	unitless	[NULL]	[NULL]	[NULL]	R	B0XMJ4	PH	FIELD	9040_PH	100-NR-2
199-N-52	11/13/2001 10:15	N	CONDUCT	Specific Conductance	432	uS/cm	[NULL]	[NULL]	[NULL]	R	B13691	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-52	11/13/2001 10:15	N	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	R	B13691	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-52	11/13/2001 10:15	N	TURBIDITY	Turbidity	3.86	NTU	[NULL]	[NULL]	[NULL]	R	B13691	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-52	11/13/2001 10:15	N	PH	pH Measurement	8.07	unitless	[NULL]	[NULL]	[NULL]	R	B13691	PH	FIELD	9040_PH	100-NR-2
199-N-52	3/7/2002 12:01	N	ALKALINITY	Alkalinity	102000	ug/L	[NULL]	[NULL]	[NULL]	R	B14439	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-52	3/7/2002 12:01	Y	7429-90-5	Aluminum	54.5	ug/L	B	[NULL]	[NULL]	R	B14438	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/7/2002 12:01	Y	7440-36-0	Antimony	3.3	ug/L	U	[NULL]	[NULL]	R	B14438	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/7/2002 12:01	Y	7440-39-3	Barium	42.5	ug/L	B	[NULL]	[NULL]	R	B14438	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/7/2002 12:01	Y	7440-41-7	Beryllium	0.65	ug/L	B	[NULL]	[NULL]	R	B14438	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/7/2002 12:01	Y	7440-43-9	Cadmium	0.31	ug/L	U	[NULL]	[NULL]	R	B14438	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/7/2002 12:01	Y	7440-70-2	Calcium	49200	ug/L	[NULL]	[NULL]	[NULL]	R	B14438	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/7/2002 12:01	N	16887-00-6	Chloride	18600	ug/L	D	[NULL]	[NULL]	R	B14439	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-52	3/7/2002 12:01	Y	7440-47-3	Chromium	8.5	ug/L	B	[NULL]	[NULL]	R	B14438	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/7/2002 12:01	Y	7440-48-4	Cobalt	1.6	ug/L	U	[NULL]	[NULL]	R	B14438	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/7/2002 12:01	Y	7440-50-8	Copper	1.4	ug/L	U	[NULL]	[NULL]	R	B14438	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/7/2002 12:01	N	16984-48-8	Fluoride	210	ug/L	[NULL]	[NULL]	[NULL]	R	B14439	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-52	3/7/2002 12:01	Y	7439-89-6	Iron	21	ug/L	B	[NULL]	[NULL]	R	B14438	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-52	3/7/2002 12:01	Y	7439-95-4	Magnesium	17200	ug/L	[NULL]	[NULL]	[NULL]	R	B14438	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/7/2002 12:01	Y	7439-96-5	Manganese	1.6	ug/L	B	[NULL]	[NULL]	R	B14438	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/7/2002 12:01	Y	7440-02-0	Nickel	2.5	ug/L	B	[NULL]	[NULL]	R	B14438	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/7/2002 12:01	N	14797-55-8	Nitrate	35900	ug/L	D	[NULL]	[NULL]	R	B14439	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-52	3/7/2002 12:01	N	14797-65-0	Nitrite	36.1	ug/L	U	[NULL]	[NULL]	R	B14439	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-52	3/7/2002 12:01	Y	7440-09-7	Potassium	4690	ug/L	B	[NULL]	[NULL]	R	B14438	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/7/2002 12:01	Y	7440-22-4	Silver	1.7	ug/L	U	[NULL]	[NULL]	R	B14438	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/7/2002 12:01	Y	7440-23-5	Sodium	13400	ug/L	[NULL]	[NULL]	[NULL]	R	B14438	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/7/2002 12:01	N	CONDUCT	Specific Conductance	438	uS/cm	[NULL]	[NULL]	[NULL]	R	B14439	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-52	3/7/2002 12:01	Y	7440-24-6	Strontium	405	ug/L	[NULL]	[NULL]	[NULL]	R	B14438	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/7/2002 12:01	N	14808-79-8	Sulfate	50300	ug/L	D	[NULL]	[NULL]	R	B14439	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-52	3/7/2002 12:01	N	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	R	B14439	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-52	3/7/2002 12:01	N	10028-17-8	Tritium	7260	pCi/L	[NULL]	[NULL]	[NULL]	R	B14440	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-52	3/7/2002 12:01	N	TURBIDITY	Turbidity	1.44	NTU	[NULL]	[NULL]	[NULL]	R	B14439	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-52	3/7/2002 12:01	Y	7440-62-2	Vanadium	20.6	ug/L	B	[NULL]	[NULL]	R	B14438	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/7/2002 12:01	Y	7440-66-6	Zinc	4	ug/L	B	[NULL]	[NULL]	R	B14438	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/7/2002 12:01	N	PH	pH Measurement	8.08	unitless	[NULL]	[NULL]	[NULL]	R	B14439	PH	FIELD	9040_PH	100-NR-2
199-N-52	3/14/2005 12:05	N	ALKALINITY	Alkalinity	103000	ug/L	[NULL]	[NULL]	[NULL]	R	B1CCJ4	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-52	3/14/2005 12:05	Y	7429-90-5	Aluminum	45.5	ug/L	U	[NULL]	[NULL]	R	B1CCJ3	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/14/2005 12:05	Y	7440-36-0	Antimony	21.3	ug/L	U	[NULL]	[NULL]	R	B1CCJ3	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/14/2005 12:05	Y	7440-39-3	Barium	39.2	ug/L	B	[NULL]	[NULL]	R	B1CCJ3	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/14/2005 12:05	Y	7440-41-7	Beryllium	0.29	ug/L	U	[NULL]	[NULL]	R	B1CCJ3	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/14/2005 12:05	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	B1CCJ3	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/14/2005 12:05	Y	7440-70-2	Calcium	47900	ug/L	[NULL]	[NULL]	[NULL]	R	B1CCJ3	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/14/2005 12:05	N	16887-00-6	Chloride	20300	ug/L	CD	[NULL]	[NULL]	R	B1CCJ4	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-52	3/14/2005 12:05	Y	7440-47-3	Chromium	9	ug/L	B	[NULL]	[NULL]	R	B1CCJ3	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/14/2005 12:05	Y	7440-48-4	Cobalt	4.7	ug/L	B	[NULL]	[NULL]	R	B1CCJ3	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/14/2005 12:05	Y	7440-50-8	Copper	2.4	ug/L	U	[NULL]	[NULL]	R	B1CCJ3	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/14/2005 12:05	N	16984-48-8	Fluoride	140	ug/L	[NULL]	[NULL]	[NULL]	R	B1CCJ4	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-52	3/14/2005 12:05	Y	7439-89-6	Iron	47.4	ug/L	B	[NULL]	[NULL]	R	B1CCJ3	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/14/2005 12:05	Y	7439-95-4	Magnesium	16200	ug/L	[NULL]	[NULL]	[NULL]	R	B1CCJ3	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/14/2005 12:05	Y	7439-96-5	Manganese	8.3	ug/L	B	[NULL]	[NULL]	R	B1CCJ3	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/14/2005 12:05	Y	7440-02-0	Nickel	8.6	ug/L	U	[NULL]	[NULL]	R	B1CCJ3	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/14/2005 12:05	N	14797-55-8	Nitrate	35000	ug/L	D	[NULL]	[NULL]	R	B1CCJ4	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-52	3/14/2005 12:05	N	14797-65-0	Nitrite	13.1	ug/L	U	[NULL]	[NULL]	R	B1CCJ4	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-52	3/14/2005 12:05	Y	7440-09-7	Potassium	4650	ug/L	B	[NULL]	[NULL]	R	B1CCJ3	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/14/2005 12:05	Y	7440-22-4	Silver	4.1	ug/L	U	[NULL]	[NULL]	R	B1CCJ3	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/14/2005 12:05	Y	7440-23-5	Sodium	13500	ug/L	[NULL]	[NULL]	[NULL]	R	B1CCJ3	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/14/2005 12:05	N	CONDUCT	Specific Conductance	428	uS/cm	[NULL]	[NULL]	[NULL]	R	B1CCJ4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-52	3/14/2005 12:05	Y	7440-24-6	Strontium	379	ug/L	[NULL]	[NULL]	[NULL]	R	B1CCJ3	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/14/2005 12:05	N	14808-79-8	Sulfate	51300	ug/L	D	[NULL]	[NULL]	R	B1CCJ4	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-52	3/14/2005 12:05	N	TEMPERATURE	Temperature	17.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1CCJ4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-52	3/14/2005 12:05	N	10028-17-8	Tritium	4600	pCi/L	[NULL]	[NULL]	[NULL]	R	B1CCJ5	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-52	3/14/2005 12:05	N	TURBIDITY	Turbidity	1.62	NTU	[NULL]	[NULL]	[NULL]	R	B1CCJ4	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-52	3/14/2005 12:05	Y	7440-62-2	Vanadium	18.5	ug/L	B	[NULL]	[NULL]	R	B1CCJ3	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/14/2005 12:05	Y	7440-66-6	Zinc	4.5	ug/L	BC	[NULL]	[NULL]	R	B1CCJ3	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-52	3/14/2005 12:05	N	PH	pH Measurement	8.41	unitless	[NULL]	[NULL]	[NULL]	R	B1CCJ4	PH	FIELD	9040_PH	100-NR-2
199-N-54	6/21/1989 0:00	N	ALKALINITY	Alkalinity	101000	ug/L	[NULL]	G	[NULL]	R	H0007JL3	ALKALINITY	USTEST	D1067B_ALKALINITY	100-NR-2
199-N-54	6/21/1989 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007JL3F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	N	7429-90-5	Aluminum	162	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL3	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007JL3	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007JL3F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007JL3	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-54	6/21/1989 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007JL3	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-54	6/21/1989 0:00	N	7440-39-3	Barium	55	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL3	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-54	6/21/1989 0:00	Y	7440-39-3	Barium	42	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL3F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007JL3F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007JL3	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	Y	7440-42-8	Boron	16	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL3F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	N	7440-42-8	Boron	23	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL3	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007JL3	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-54	6/21/1989 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007JL3	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	Y	7440-43-9	Cadmium	5	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL3F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	Y	7440-70-2	Calcium	55100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL3F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	N	7440-70-2	Calcium	57800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL3	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	N	16887-00-6	Chloride	5900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL3	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-54	6/21/1989 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007JL3	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007JL3F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007JL3F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007JL3	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007JL3	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007JL3F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007JL3	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-54	6/21/1989 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007JL3	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-54	6/21/1989 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007JL3F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	N	7439-89-6	Iron	309	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL3	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007JL3	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-54	6/21/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007JL3	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-54	6/21/1989 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007JL3F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007JL3	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	Y	7439-95-4	Magnesium	8260	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL3F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	N	7439-95-4	Magnesium	8950	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL3	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	N	7439-96-5	Manganese	32	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL3	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007JL3F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JL3	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-54	6/21/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JL3	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-54	6/21/1989 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007JL3F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007JL3	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007JL3F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007JL3	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	N	14797-55-8	Nitrate	22600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL3	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-54	6/21/1989 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007JL3	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-54	6/21/1989 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007JL3	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-54	6/21/1989 0:00	N	7440-09-7	Potassium	3950	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL3	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	Y	7440-09-7	Potassium	3460	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL3F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007JL3	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-54	6/21/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007JL3	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-54	6/21/1989 0:00	Y	7440-21-3	Silicon	10500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL3F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	N	7440-21-3	Silicon	11500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL3	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007JL3F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007JL3	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	Y	7440-23-5	Sodium	17400	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL3F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	N	7440-23-5	Sodium	19800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL3	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	N	CONDUCT	Specific Conductance	347	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JL4	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-54	6/21/1989 0:00	N	CONDUCT	Specific Conductance	325	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JL5	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-54	6/21/1989 0:00	N	CONDUCT	Specific Conductance	330	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JL3	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-54	6/21/1989 0:00	N	CONDUCT	Specific Conductance	316	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JL3	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-54	6/21/1989 0:00	N	CONDUCT	Specific Conductance	326	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JL6	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-54	6/21/1989 0:00	N	CONDUCT	Specific Conductance	317	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JL4	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-54	6/21/1989 0:00	N	CONDUCT	Specific Conductance	316	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JL6	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-54	6/21/1989 0:00	N	CONDUCT	Specific Conductance	317	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JL5	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-54	6/21/1989 0:00	Y	7440-24-6	Strontium	210	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL3F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	N	7440-24-6	Strontium	234	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL3	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	N	14808-79-8	Sulfate	99900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL3	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-54	6/21/1989 0:00	N	TEMPERATURE	Temperature	20.3	Deg C	[NULL]	[NULL]	[NULL]	R	H000GKT8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-54	6/21/1989 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007JL3F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007JL3	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007JL3	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007JL3F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	N	TURBIDITY	Turbidity	5.3	NTU	[NULL]	[NULL]	[NULL]	R	H0007JL3	TURBIDITY	USTEST	214A_TURBIDITY	100-NR-2
199-N-54	6/21/1989 0:00	Y	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007JL3F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	N	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007JL3	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	N	7440-66-6	Zinc	10	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL3	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007JL3F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007JL3	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007JL3F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	6/21/1989 0:00	N	PH	pH Measurement	7.4	unitless	[NULL]	[NULL]	[NULL]	R	H0007JL3	PH	USTEST	9040_PH	100-NR-2
199-N-54	6/21/1989 0:00	N	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	R	H0007JL5	PH	USTEST	9040_PH	100-NR-2
199-N-54	6/21/1989 0:00	N	PH	pH Measurement	6.82	unitless	[NULL]	[NULL]	[NULL]	R	H0007JL4	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-54	6/21/1989 0:00	N	PH	pH Measurement	6.82	unitless	[NULL]	[NULL]	[NULL]	R	H0007JL3	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-54	6/21/1989 0:00	N	PH	pH Measurement	6.82	unitless	[NULL]	[NULL]	[NULL]	R	H0007JL6	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-54	6/21/1989 0:00	N	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	R	H0007JL6	PH	USTEST	9040_PH	100-NR-2
199-N-54	6/21/1989 0:00	N	PH	pH Measurement	6.82	unitless	[NULL]	[NULL]	[NULL]	R	H0007JL5	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-54	6/21/1989 0:00	N	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	R	H0007JL4	PH	USTEST	9040_PH	100-NR-2
199-N-54	8/15/1989 0:00	N	ALKALINITY	Alkalinity	82000	ug/L	[NULL]	G	[NULL]	R	H0007JL7	ALKALINITY	USTEST	D1067B_ALKALINITY	100-NR-2
199-N-54	8/15/1989 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007JL7	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007JL7F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007JL7F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007JL7	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007JL7	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-54	8/15/1989 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007JL7	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-54	8/15/1989 0:00	N	7440-39-3	Barium	48	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL7	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	Y	7440-39-3	Barium	38	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL7F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007JL7	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007JL7F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	N	7440-42-8	Boron	21	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL7	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	Y	7440-42-8	Boron	25	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL7F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007JL7	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-54	8/15/1989 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007JL7F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007JL7	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	Y	7440-70-2	Calcium	36200	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL7F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	N	7440-70-2	Calcium	43600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL7	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	N	16887-00-6	Chloride	6300	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL7	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-54	8/15/1989 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007JL7	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007JL7F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007JL7F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007JL7	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007JL7	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007JL7F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007JL7	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-54	8/15/1989 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007JL7	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-54	8/15/1989 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007JL7F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	N	7439-89-6	Iron	189	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL7	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007JL7	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-54	8/15/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007JL7	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-54	8/15/1989 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007JL7F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007JL7	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	Y	7439-95-4	Magnesium	5470	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL7F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	N	7439-95-4	Magnesium	6740	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL7	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007JL7F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	N	7439-96-5	Manganese	12	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL7	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JL7	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-54	8/15/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JL7	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-54	8/15/1989 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007JL7	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007JL7F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007JL7F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007JL7	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	N	14797-55-8	Nitrate	15200	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL7	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-54	8/15/1989 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007JL7	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-54	8/15/1989 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007JL7	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-54	8/15/1989 0:00	Y	7440-09-7	Potassium	2820	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL7F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	N	7440-09-7	Potassium	3270	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL7	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007JL7	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-54	8/15/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007JL7	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-54	8/15/1989 0:00	N	7440-21-3	Silicon	12100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL7	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	Y	7440-21-3	Silicon	9920	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL7F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007JL7	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007JL7F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	N	7440-23-5	Sodium	14000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL7	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	Y	7440-23-5	Sodium	12100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL7F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	N	CONDUCT	Specific Conductance	312	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JM0	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-54	8/15/1989 0:00	N	CONDUCT	Specific Conductance	276	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JL7	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-54	8/15/1989 0:00	N	CONDUCT	Specific Conductance	312	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JL7	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-54	8/15/1989 0:00	N	CONDUCT	Specific Conductance	265	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JM0	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-54	8/15/1989 0:00	N	CONDUCT	Specific Conductance	266	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JL8	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-54	8/15/1989 0:00	N	CONDUCT	Specific Conductance	269	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JL9	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-54	8/15/1989 0:00	N	CONDUCT	Specific Conductance	316	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JL8	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-54	8/15/1989 0:00	N	CONDUCT	Specific Conductance	313	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JL9	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-54	8/15/1989 0:00	Y	7440-24-6	Strontium	142	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL7F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	N	7440-24-6	Strontium	175	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL7	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	N	14808-79-8	Sulfate	56000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL7	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-54	8/15/1989 0:00	N	TEMPERATURE	Temperature	19.9	Deg C	[NULL]	[NULL]	[NULL]	R	H000GNV1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-54	8/15/1989 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007JL7	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007JL7F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007JL7	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007JL7F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	N	TURBIDITY	Turbidity	2.3	NTU	[NULL]	[NULL]	[NULL]	R	H0007JL7	TURBIDITY	USTEST	214A_TURBIDITY	100-NR-2
199-N-54	8/15/1989 0:00	N	7440-62-2	Vanadium	7	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL7	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	Y	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007JL7F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	N	7440-66-6	Zinc	7	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JL7	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007JL7F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007JL7F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007JL7	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	8/15/1989 0:00	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	H0007JM0	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-54	8/15/1989 0:00	N	PH	pH Measurement	7.65	unitless	[NULL]	[NULL]	[NULL]	R	H0007JL7	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-54	8/15/1989 0:00	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	R	H0007JL7	PH	USTEST	9040_PH	100-NR-2
199-N-54	8/15/1989 0:00	N	PH	pH Measurement	7.59	unitless	[NULL]	[NULL]	[NULL]	R	H0007JL9	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-54	8/15/1989 0:00	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	H0007JL8	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-54	8/15/1989 0:00	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	R	H0007JL8	PH	USTEST	9040_PH	100-NR-2
199-N-54	8/15/1989 0:00	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	R	H0007JL9	PH	USTEST	9040_PH	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-54	8/15/1989 0:00	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	R	H0007JM0	PH	USTEST	9040_PH	100-NR-2
199-N-54	10/2/1989 0:00	N	ALKALINITY	Alkalinity	108000	ug/L	[NULL]	G	[NULL]	R	H0007JM1	ALKALINITY	USTEST	D1067B_ALKALINITY	100-NR-2
199-N-54	10/2/1989 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007JM1	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007JM1F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007JM1	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007JM1F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007JM1	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-54	10/2/1989 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007JM1	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-54	10/2/1989 0:00	N	7440-39-3	Barium	59	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM1	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	Y	7440-39-3	Barium	57	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM1F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007JM1F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007JM1	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	N	7440-42-8	Boron	40	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM1	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	Y	7440-42-8	Boron	17	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM1F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007JM1	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-54	10/2/1989 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007JM1F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007JM1	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	N	7440-70-2	Calcium	42500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM1	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	Y	7440-70-2	Calcium	42600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM1F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	N	16887-00-6	Chloride	4800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM1	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-54	10/2/1989 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007JM1F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007JM1	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007JM1F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007JM1	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007JM1F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007JM1	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007JM1	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-54	10/2/1989 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007JM1	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-54	10/2/1989 0:00	N	7439-89-6	Iron	94	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM1	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007JM1F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007JM1	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-54	10/2/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007JM1	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-54	10/2/1989 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007JM1F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007JM1	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	N	7439-95-4	Magnesium	6280	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM1	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	Y	7439-95-4	Magnesium	6250	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM1F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007JM1F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	N	7439-96-5	Manganese	9	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM1	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JM1	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-54	10/2/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JM1	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-54	10/2/1989 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007JM1	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-54	10/2/1989 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007JM1F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007JM1F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007JM1	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	N	14797-55-8	Nitrate	11900	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM1	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-54	10/2/1989 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007JM1	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-54	10/2/1989 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007JM1	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-54	10/2/1989 0:00	N	7440-09-7	Potassium	3260	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM1	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	Y	7440-09-7	Potassium	3170	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM1F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007JM1	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-54	10/2/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007JM1	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-54	10/2/1989 0:00	Y	7440-21-3	Silicon	11000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM1F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	N	7440-21-3	Silicon	10800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM1	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007JM1F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007JM1	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	N	7440-23-5	Sodium	17100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM1	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	Y	7440-23-5	Sodium	17500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM1F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	N	CONDUCT	Specific Conductance	363	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JM1	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-54	10/2/1989 0:00	N	CONDUCT	Specific Conductance	383	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JM2	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-54	10/2/1989 0:00	N	CONDUCT	Specific Conductance	364	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JM3	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-54	10/2/1989 0:00	N	CONDUCT	Specific Conductance	345	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JM1	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-54	10/2/1989 0:00	N	CONDUCT	Specific Conductance	348	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JM2	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-54	10/2/1989 0:00	N	CONDUCT	Specific Conductance	328	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JM4	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-54	10/2/1989 0:00	N	CONDUCT	Specific Conductance	340	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JM3	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-54	10/2/1989 0:00	N	CONDUCT	Specific Conductance	363	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JM4	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-54	10/2/1989 0:00	Y	7440-24-6	Strontium	189	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM1F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	N	7440-24-6	Strontium	188	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM1	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	N	14808-79-8	Sulfate	51000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM1	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-54	10/2/1989 0:00	N	TEMPERATURE	Temperature	19.5	Deg C	[NULL]	[NULL]	[NULL]	R	H000GP61	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-54	10/2/1989 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007JM1F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007JM1	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007JM1	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007JM1F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	N	TURBIDITY	Turbidity	1.8	NTU	[NULL]	[NULL]	[NULL]	R	H0007JM1	TURBIDITY	USTEST	214A_TURBIDITY	100-NR-2
199-N-54	10/2/1989 0:00	Y	7440-62-2	Vanadium	7	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM1F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	N	7440-62-2	Vanadium	10	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM1	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	N	7440-66-6	Zinc	5	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM1	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	Y	7440-66-6	Zinc	7	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM1F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007JM1F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007JM1	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	10/2/1989 0:00	N	PH	pH Measurement	7.58	unitless	[NULL]	[NULL]	[NULL]	R	H0007JM3	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-54	10/2/1989 0:00	N	PH	pH Measurement	7.57	unitless	[NULL]	[NULL]	[NULL]	R	H0007JM2	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-54	10/2/1989 0:00	N	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	R	H0007JM2	PH	USTEST	9040_PH	100-NR-2
199-N-54	10/2/1989 0:00	N	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	R	H0007JM1	PH	USTEST	9040_PH	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-54	10/2/1989 0:00	N	PH	pH Measurement	7.58	unitless	[NULL]	[NULL]	[NULL]	R	H0007JM1	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-54	10/2/1989 0:00	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	H0007JM4	PH	USTEST	9040_PH	100-NR-2
199-N-54	10/2/1989 0:00	N	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	R	H0007JM3	PH	USTEST	9040_PH	100-NR-2
199-N-54	10/2/1989 0:00	N	PH	pH Measurement	7.56	unitless	[NULL]	[NULL]	[NULL]	R	H0007JM4	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-54	11/1/1989 0:00	N	136777-61-2	(o+p)-Xylene	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	136777-61-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	630-20-6	1,1,1,2-Tetrachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	630-20-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	71-55-6	1,1,1-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	71-55-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	79-34-5	1,1,2,2-Tetrachloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	79-34-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	79-00-5	1,1,2-Trichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	79-00-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	75-34-3	1,1-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	75-34-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	75-35-4	1,1-Dichloroethene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	75-35-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	57-14-7	1,1-Dimethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	57-14-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	634-66-2	1,2,3,4-Tetrachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	634-66-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	634-90-2	1,2,3,5-Tetrachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	634-90-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	87-61-6	1,2,3-Trichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	87-61-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	96-18-4	1,2,3-Trichloropropane	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	96-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	95-94-3	1,2,4,5-Tetrachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	95-94-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	120-82-1	1,2,4-Trichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	120-82-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	96-12-8	1,2-Dibromo-3-chloropropane	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	96-12-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	106-93-4	1,2-Dibromoethane	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	106-93-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	95-50-1	1,2-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	95-50-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	107-06-2	1,2-Dichloroethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	107-06-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	78-87-5	1,2-Dichloropropane	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	78-87-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	540-73-8	1,2-Dimethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	540-73-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	122-66-7	1,2-Diphenylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	122-66-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	108-70-3	1,3,5-Trichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	108-70-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	541-73-1	1,3-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	541-73-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	542-75-6	1,3-Dichloropropene	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	542-75-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	106-46-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	106-46-7	1,4-Dichlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	106-46-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	123-91-1	1,4-Dioxane	500	ug/L	U	[NULL]	[NULL]	R	H0007JM5	123-91-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	130-15-4	1,4-Naphthoquinone	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	130-15-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	5344-82-1	1-(o-Chlorophenyl)thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007JM5	5344-82-1	USTEST	8330_THIOUREA_M	100-NR-2
199-N-54	11/1/1989 0:00	N	591-08-2	1-Acetyl-2-thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007JM5	591-08-2	USTEST	8330_THIOUREA_M	100-NR-2
199-N-54	11/1/1989 0:00	N	71-36-3	1-Butanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007JM5	71-36-3	USTEST	GC_DIRECT	100-NR-2
199-N-54	11/1/1989 0:00	N	L60	1-Butynol	10000	ug/L	U	[NULL]	[NULL]	R	H0007JM5	L60	USTEST	GC_DIRECT	100-NR-2
199-N-54	11/1/1989 0:00	N	106-89-8	1-Chloro-2,3-epoxypropane	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	106-89-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	86-88-4	1-Naphthyl-2-thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007JM5	86-88-4	USTEST	8330_THIOUREA_M	100-NR-2
199-N-54	11/1/1989 0:00	N	134-32-7	1-Naphthylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	134-32-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	71-23-8	1-Propanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007JM5	71-23-8	USTEST	GC_DIRECT	100-NR-2
199-N-54	11/1/1989 0:00	N	58-90-2	2,3,4,6-Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	58-90-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	1746-01-6	2,3,7,8-Tetrachlorodibenzo-p-dioxin	0.01	ug/L	U	[NULL]	[NULL]	R	H0007JM5	1746-01-6	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007JM5	93-76-5	USTEST	8150_HERBICIDE_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-54	11/1/1989 0:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	H0007JM5	93-72-1	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-54	11/1/1989 0:00	N	95-95-4	2,4,5-Trichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	95-95-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	88-06-2	2,4,6-Trichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	88-06-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	H0007JM5	94-75-7	USTEST	8150_HERBICIDE_GC	100-NR-2
199-N-54	11/1/1989 0:00	N	120-83-2	2,4-Dichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	120-83-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	51-28-5	2,4-Dinitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	51-28-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	121-14-2	2,4-Dinitrotoluene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	121-14-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	87-65-0	2,6-Dichlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	87-65-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	606-20-2	2,6-Dinitrotoluene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	606-20-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	53-96-3	2-Acetylaminofluorene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	53-96-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	78-93-3	2-Butanone	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	78-93-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	110-75-8	2-Chloroethyl vinyl ether	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	110-75-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	91-58-7	2-Chloronaphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	91-58-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	95-57-8	2-Chlorophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	95-57-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	131-89-5	2-Cyclohexyl-4,6-dinitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	131-89-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	591-78-6	2-Hexanone	50	ug/L	U	[NULL]	[NULL]	R	H0007JM5	591-78-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	116-06-3	2-Methyl-2-(methylthio)propionaldehyde-o-(methylcarbonyl) ox	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	116-06-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	75-55-8	2-Methylaziridine	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	75-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	75-86-5	2-Methyllactonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	75-86-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	91-57-6	2-Methylnaphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	91-57-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	91-59-8	2-Naphthylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	91-59-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	88-74-4	2-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	88-74-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	88-75-5	2-Nitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	88-75-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	108-10-1	2-Pentanone, 4-Methyl	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	108-10-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	109-06-8	2-Picoline	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	109-06-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	107-19-7	2-Propyn-1-ol	10000	ug/L	U	[NULL]	[NULL]	R	H0007JM5	107-19-7	USTEST	GC_DIRECT	100-NR-2
199-N-54	11/1/1989 0:00	N	91-94-1	3,3'-Dichlorobenzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	91-94-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	119-90-4	3,3'-Dimethoxybenzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	119-90-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	119-93-7	3,3'-Dimethylbenzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	119-93-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	542-76-7	3-Chloropropionitrile	10000	ug/L	U	[NULL]	[NULL]	R	H0007JM5	542-76-7	USTEST	GC_DIRECT	100-NR-2
199-N-54	11/1/1989 0:00	N	56-49-5	3-Methylcholanthrene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	56-49-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	99-09-2	3-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	99-09-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	72-54-8	4,4'-DDD (Dichlorodiphenyldichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JM5	72-54-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-54	11/1/1989 0:00	N	72-55-9	4,4'-DDE (Dichlorodiphenyldichloroethylene)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JM5	72-55-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-54	11/1/1989 0:00	N	50-29-3	4,4'-DDT (Dichlorodiphenyltrichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JM5	50-29-3	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-54	11/1/1989 0:00	N	101-14-4	4,4'-Methylenebis(2-chloroaniline)	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	101-14-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	534-52-1	4,6-Dinitro-2-methylphenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	534-52-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	92-67-1	4-Aminobiphenyl	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	92-67-1	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-54	11/1/1989 0:00	N	101-55-3	4-Bromophenylphenyl ether	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	101-55-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	59-50-7	4-Chloro-3-methylphenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	59-50-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	106-47-8	4-Chloroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	106-47-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	100-01-6	4-Nitroaniline	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	100-01-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	100-02-7	4-Nitrophenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	100-02-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	56-57-5	4-Nitroquinoline-1-oxide	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	56-57-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	2763-96-4	5-(Aminomethyl)-3-isoxazolol	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	2763-96-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	99-55-8	5-Nitro-o-toluidine	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	99-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	57-97-6	7,12-Dimethylbenz[a]anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	57-97-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	194-59-2	7H-Dibenzo[c,g]carbazole	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	194-59-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	83-32-9	Acenaphthene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	83-32-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	208-96-8	Acenaphthylene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	208-96-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	67-64-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	67-64-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	75-05-8	Acetonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	75-05-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	98-86-2	Acetophenone	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	98-86-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	107-02-8	Acrolein	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	107-02-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	79-06-1	Acrylamide	10000	ug/L	U	[NULL]	[NULL]	R	H0007JM5	79-06-1	USTEST	GC_DIRECT	100-NR-2
199-N-54	11/1/1989 0:00	N	107-13-1	Acrylonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	107-13-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	309-00-2	Aldrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JM5	309-00-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-54	11/1/1989 0:00	N	107-18-6	Allyl alcohol	10000	ug/L	U	[NULL]	[NULL]	R	H0007JM5	107-18-6	USTEST	GC_DIRECT	100-NR-2
199-N-54	11/1/1989 0:00	N	107-05-1	Allyl chloride	100	ug/L	U	[NULL]	[NULL]	R	H0007JM5	107-05-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	ALPHAHI	Alpha	0.527	pCi/L	U	[NULL]	[NULL]	R	H0007JM5	ALPHAHI	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-54	11/1/1989 0:00	N	319-84-6	Alpha-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JM5	319-84-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-54	11/1/1989 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007JM5F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007JM5	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	N	61-82-5	Amitrole	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	61-82-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	14798-03-9	Ammonium ion	50	ug/L	U	[NULL]	[NULL]	R	H0007JM5	14798-03-9	USTEST	D1426D_AMMONIUM	100-NR-2
199-N-54	11/1/1989 0:00	N	62-53-3	Aniline	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	62-53-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	120-12-7	Anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	120-12-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007JM5	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007JM5F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	N	140-57-8	Aramite	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	140-57-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	12674-11-2	Aroclor-1016	1	ug/L	U	[NULL]	[NULL]	R	H0007JM5	12674-11-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-54	11/1/1989 0:00	N	11104-28-2	Aroclor-1221	1	ug/L	U	[NULL]	[NULL]	R	H0007JM5	11104-28-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-54	11/1/1989 0:00	N	11141-16-5	Aroclor-1232	1	ug/L	U	[NULL]	[NULL]	R	H0007JM5	11141-16-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-54	11/1/1989 0:00	N	53469-21-9	Aroclor-1242	1	ug/L	U	[NULL]	[NULL]	R	H0007JM5	53469-21-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-54	11/1/1989 0:00	N	12672-29-6	Aroclor-1248	1	ug/L	U	[NULL]	[NULL]	R	H0007JM5	12672-29-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-54	11/1/1989 0:00	N	11097-69-1	Aroclor-1254	1	ug/L	U	[NULL]	[NULL]	R	H0007JM5	11097-69-1	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-54	11/1/1989 0:00	N	11096-82-5	Aroclor-1260	1	ug/L	U	[NULL]	[NULL]	R	H0007JM5	11096-82-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-54	11/1/1989 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-54	11/1/1989 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	H37	USTEST	UNKNOWN_METALS	100-NR-2
199-N-54	11/1/1989 0:00	N	492-80-8	Auramine	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	492-80-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	7440-39-3	Barium	57	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM5	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	Y	7440-39-3	Barium	56	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM5F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	N	225-51-4	Benz[c]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	225-51-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	71-43-2	Benzene	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	71-43-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	108-98-5	Benzenethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	108-98-5	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-54	11/1/1989 0:00	N	92-87-5	Benzidine	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	92-87-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	56-55-3	Benzo(a)anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	56-55-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	50-32-8	Benzo(a)pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	50-32-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	205-99-2	Benzo(b)fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	205-99-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	191-24-2	Benzo(ghi)perylene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	191-24-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	207-08-9	Benzo(k)fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	207-08-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	205-82-3	Benzo[j]fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	205-82-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	100-51-6	Benzyl alcohol	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	100-51-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	100-44-7	Benzyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	100-44-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	N	111-91-1	Bis(2-Chloroethoxy)methane	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	111-91-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	108-60-1	Bis(2-chloro-1-methylethyl)ether	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	108-60-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	111-44-4	Bis(2-chloroethyl) ether	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	111-44-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	117-81-7	Bis(2-ethylhexyl) phthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	117-81-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	542-88-1	Bis(chloromethyl) ether	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	542-88-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	7440-42-8	Boron	27	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM5	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	Y	7440-42-8	Boron	20	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM5F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007JM5	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-54	11/1/1989 0:00	N	598-31-2	Bromoacetone	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	598-31-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	75-27-4	Bromodichloromethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	75-27-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	75-25-2	Bromoform	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	75-25-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	74-83-9	Bromomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	74-83-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	85-68-7	Butylbenzylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	85-68-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007JM5F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007JM5	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	N	7440-70-2	Calcium	33000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM5	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	Y	7440-70-2	Calcium	32800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM5F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	N	75-15-0	Carbon disulfide	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	75-15-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	56-23-5	Carbon tetrachloride	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	56-23-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	786-19-6	Carbophenothion	2	ug/L	U	[NULL]	[NULL]	R	H0007JM5	786-19-6	USTEST	8140_PEST_GC	100-NR-2
199-N-54	11/1/1989 0:00	N	10045-97-3	Cesium-137	1.88	pCi/L	U	[NULL]	[NULL]	R	H0007JM5	10045-97-3	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-54	11/1/1989 0:00	N	57-74-9	Chlordane	1	ug/L	U	[NULL]	[NULL]	R	H0007JM5	57-74-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-54	11/1/1989 0:00	N	16887-00-6	Chloride	3700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM5	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-54	11/1/1989 0:00	N	494-03-1	Chlornaphazine	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	494-03-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	B44	Chloroalkyl ethers	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	B44	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	108-90-7	Chlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	108-90-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	108-90-7	Chlorobenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	108-90-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	510-15-6	Chlorobenzilate	300	ug/L	U	[NULL]	[NULL]	R	H0007JM5	510-15-6	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-54	11/1/1989 0:00	N	75-00-3	Chloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	75-00-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	67-66-3	Chloroform	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	67-66-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	74-87-3	Chloromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	74-87-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	107-30-2	Chloromethyl methyl ether	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	107-30-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	N	218-01-9	Chrysene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	218-01-9	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-54	11/1/1989 0:00	N	6358-53-8	Citrus red No. 2	1000	ug/L	U	[NULL]	[NULL]	R	H0007JM5	6358-53-8	USTEST	CITRUS_RED	100-NR-2
199-N-54	11/1/1989 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007JM5F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007JM5	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	N	10198-40-0	Cobalt-60	15.9	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JM5	10198-40-0	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-54	11/1/1989 0:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	H0007JM5	COLIFORM	USTEST	9222B_COLIFORM	100-NR-2
199-N-54	11/1/1989 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	N	4170-30-3	Crotonaldehyde	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	4170-30-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	57-12-5	Cyanide	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	57-12-5	USTEST	9010_CYANIDE	100-NR-2
199-N-54	11/1/1989 0:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JM5	319-86-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-54	11/1/1989 0:00	N	84-74-2	Di-n-butylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	84-74-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	117-84-0	Di-n-octylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	117-84-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	2303-16-4	Diallate	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	2303-16-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	226-36-8	Dibenz[a,h]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	226-36-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	53-70-3	Dibenz[a,h]anthracene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	53-70-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	224-42-0	Dibenz[a,j]acridine	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	224-42-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	192-65-4	Dibenzo[a,e]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	192-65-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	189-64-0	Dibenzo[a,h]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	189-64-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	189-55-9	Dibenzo[a,i]pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	189-55-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	132-64-9	Dibenzofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	132-64-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	124-48-1	Dibromochloromethane	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	124-48-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	74-95-3	Dibromomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	74-95-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	107-66-4	Dibutylphosphate	10000	ug/L	U	[NULL]	[NULL]	R	H0007JM5	107-66-4	USTEST	70-MDBP	100-NR-2
199-N-54	11/1/1989 0:00	N	75-71-8	Dichlorodifluoromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	75-71-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	98-87-3	Dichloromethyl-benzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	98-87-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	60-57-1	Dieldrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JM5	60-57-1	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-54	11/1/1989 0:00	N	84-66-2	Diethylphthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	84-66-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	56-53-1	Diethylstilbesterol	200	ug/L	U	[NULL]	[NULL]	R	H0007JM5	56-53-1	USTEST	8330_THIOUREA_M	100-NR-2
199-N-54	11/1/1989 0:00	N	94-58-6	Dihydrosafrole	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	94-58-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	60-51-5	Dimethoate	2	ug/L	U	[NULL]	[NULL]	R	H0007JM5	60-51-5	USTEST	8140_PEST_GC	100-NR-2
199-N-54	11/1/1989 0:00	N	131-11-3	Dimethyl phthalate	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	131-11-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	88-85-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	122-39-4	Diphenylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	122-39-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	298-04-4	Disulfoton	2	ug/L	U	[NULL]	[NULL]	R	H0007JM5	298-04-4	USTEST	8140_PEST_GC	100-NR-2
199-N-54	11/1/1989 0:00	N	959-98-8	Endosulfan I	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JM5	959-98-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-54	11/1/1989 0:00	N	33213-65-9	Endosulfan II	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JM5	33213-65-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-54	11/1/1989 0:00	N	1031-07-8	Endosulfan sulfate	0.5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	1031-07-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-54	11/1/1989 0:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JM5	72-20-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-54	11/1/1989 0:00	N	64-17-5	Ethanol	10000	ug/L	U	[NULL]	[NULL]	R	H0007JM5	64-17-5	USTEST	GC_DIRECT	100-NR-2
199-N-54	11/1/1989 0:00	N	51-79-6	Ethyl carbamate (Urethane)	10000	ug/L	U	[NULL]	[NULL]	R	H0007JM5	51-79-6	USTEST	GC_DIRECT	100-NR-2
199-N-54	11/1/1989 0:00	N	107-12-0	Ethyl cyanide	10000	ug/L	U	[NULL]	[NULL]	R	H0007JM5	107-12-0	USTEST	GC_DIRECT	100-NR-2
199-N-54	11/1/1989 0:00	N	107-12-0	Ethyl cyanide	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	107-12-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	97-63-2	Ethyl methacrylate	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	97-63-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	62-50-0	Ethyl methanesulfonate	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	62-50-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	100-41-4	Ethylbenzene	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	100-41-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	107-21-1	Ethylene glycol	10000	ug/L	U	[NULL]	[NULL]	R	H0007JM5	107-21-1	USTEST	GC_DIRECT	100-NR-2
199-N-54	11/1/1989 0:00	N	75-21-8	Ethylene oxide	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	75-21-8	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	151-56-4	Ethyleneimine	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	151-56-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	96-45-7	Ethylenethiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007JM5	96-45-7	USTEST	8330_THIOUREA_M	100-NR-2
199-N-54	11/1/1989 0:00	N	206-44-0	Fluoranthene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	206-44-0	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-54	11/1/1989 0:00	N	86-73-7	Fluorene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	86-73-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	16984-48-8	Fluoride	235	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM5	16984-48-8	USTEST	D1179_FLUORIDE	100-NR-2
199-N-54	11/1/1989 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007JM5	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-54	11/1/1989 0:00	N	50-00-0	Formaldehyde	500	ug/L	U	[NULL]	[NULL]	R	H0007JM5	50-00-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	58-89-9	Gamma-BHC (Lindane)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JM5	58-89-9	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-54	11/1/1989 0:00	N	12587-47-2	Gross beta	314	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JM5	12587-47-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-54	11/1/1989 0:00	N	76-44-8	Heptachlor	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JM5	76-44-8	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-54	11/1/1989 0:00	N	1024-57-3	Heptachlor epoxide	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JM5	1024-57-3	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-54	11/1/1989 0:00	N	118-74-1	Hexachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	118-74-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	87-68-3	Hexachlorobutadiene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	87-68-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	77-47-4	Hexachlorocyclopentadiene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	77-47-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	67-72-1	Hexachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	67-72-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	70-30-4	Hexachlorophene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	70-30-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	1888-71-7	Hexachloropropene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	1888-71-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	H0007JM5	302-01-2	USTEST	D1385_HYDRAZINE	100-NR-2
199-N-54	11/1/1989 0:00	N	193-39-5	Indeno(1,2,3-cd)pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	193-39-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	74-88-4	Iodomethane	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	74-88-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007JM5F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	N	7439-89-6	Iron	38	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM5	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	N	78-83-1	Isobutyl alcohol	10000	ug/L	U	[NULL]	[NULL]	R	H0007JM5	78-83-1	USTEST	GC_DIRECT	100-NR-2
199-N-54	11/1/1989 0:00	N	465-73-6	Isodrin	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	465-73-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	78-59-1	Isophorone	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	78-59-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	120-58-1	Isosafrole	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	120-58-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	143-50-0	Kepone	1	ug/L	U	[NULL]	[NULL]	R	H0007JM5	143-50-0	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-54	11/1/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-54	11/1/1989 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-54	11/1/1989 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	N	7439-95-4	Magnesium	4830	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM5	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	Y	7439-95-4	Magnesium	4830	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM5F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	N	123-33-1	Maleic hydrazide	500	ug/L	U	[NULL]	[NULL]	R	H0007JM5	123-33-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	109-77-3	Malononitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	109-77-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	N	148-82-3	Melphalan	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	148-82-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JM5	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-54	11/1/1989 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JM5	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-54	11/1/1989 0:00	N	126-98-7	Methacrylonitrile	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	126-98-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	74-93-1	Methanethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	74-93-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	91-80-5	Methapyrilene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	91-80-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	16752-77-5	Metholonyl	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	16752-77-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	72-43-5	Methoxychlor	3	ug/L	U	[NULL]	[NULL]	R	H0007JM5	72-43-5	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-54	11/1/1989 0:00	N	80-62-6	Methyl methacrylate	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	80-62-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	66-27-3	Methyl methanesulfonate	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	66-27-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	298-00-0	Methyl parathion	2	ug/L	U	[NULL]	[NULL]	R	H0007JM5	298-00-0	USTEST	8140_PEST_GC	100-NR-2
199-N-54	11/1/1989 0:00	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	75-09-2	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	56-04-2	Methylthiouracil	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	56-04-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007JM5F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007JM5	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-54	11/1/1989 0:00	N	1623-15-0	Monobutyl phosphate	10000	ug/L	U	[NULL]	[NULL]	R	H0007JM5	1623-15-0	USTEST	70-MDBP	100-NR-2
199-N-54	11/1/1989 0:00	N	91-20-3	Naphthalene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	91-20-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	N	59-67-6	Nicotinic acid	100	ug/L	U	[NULL]	[NULL]	R	H0007JM5	59-67-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	14797-55-8	Nitrate	9500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM5	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-54	11/1/1989 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007JM5	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-54	11/1/1989 0:00	N	98-95-3	Nitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	98-95-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	930-55-2	Nitrosopyrrolidine	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	930-55-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	126-68-1	O,O,O-Triethyl phosphorothioate	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	126-68-1	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	297-97-2	O,O-Diethyl O-2-pyrazinyl phosphorothioate	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	297-97-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	123-63-7	Paraldehyde	10000	ug/L	U	[NULL]	[NULL]	R	H0007JM5	123-63-7	USTEST	GC_DIRECT	100-NR-2
199-N-54	11/1/1989 0:00	N	56-38-2	Parathion	2	ug/L	U	[NULL]	[NULL]	R	H0007JM5	56-38-2	USTEST	8140_PEST_GC	100-NR-2
199-N-54	11/1/1989 0:00	N	608-93-5	Pentachlorobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	608-93-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	76-01-7	Pentachloroethane	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	76-01-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	82-68-8	Pentachloronitrobenzene (PCNB)	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	82-68-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	87-86-5	Pentachlorophenol	50	ug/L	U	[NULL]	[NULL]	R	H0007JM5	87-86-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	14797-73-0	Perchlorate anion	500	ug/L	U	[NULL]	[NULL]	R	H0007JM5	14797-73-0	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-54	11/1/1989 0:00	N	62-44-2	Phenacetin	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	62-44-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	85-01-8	Phenanthrene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	85-01-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	108-95-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	25265-76-3	Phenylenediamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	25265-76-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	298-02-2	Phorate	2	ug/L	U	[NULL]	[NULL]	R	H0007JM5	298-02-2	USTEST	8140_PEST_GC	100-NR-2
199-N-54	11/1/1989 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007JM5	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-54	11/1/1989 0:00	N	C31	Phthalic acid esters	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	C31	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	136677-09-3	Polychlorinated dibenzo-p-dioxins	0.01	ug/L	U	[NULL]	[NULL]	R	H0007JM5	136677-09-3	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	136677-10-6	Polychlorinated dibenzofurans	0.01	ug/L	U	[NULL]	[NULL]	R	H0007JM5	136677-10-6	USTEST	8280_DIOXINS_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	7440-09-7	Potassium	2920	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM5	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	Y	7440-09-7	Potassium	3010	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM5F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	N	23950-58-5	Pronamide	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	23950-58-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	129-00-0	Pyrene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	129-00-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	110-86-1	Pyridine	500	ug/L	U	[NULL]	[NULL]	R	H0007JM5	110-86-1	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	7440-14-4	Radium	0.247	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JM5	7440-14-4	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-54	11/1/1989 0:00	N	50-55-5	Reserpine	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	50-55-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	108-46-3	Resorcinol	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	108-46-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	13967-48-1	Ruthenium-106	5.64	pCi/L	U	[NULL]	[NULL]	R	H0007JM5	13967-48-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-54	11/1/1989 0:00	N	94-59-7	Safrol	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	94-59-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-54	11/1/1989 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-54	11/1/1989 0:00	N	7440-21-3	Silicon	10800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM5	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	Y	7440-21-3	Silicon	10600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM5F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	Y	7440-23-5	Sodium	19700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM5F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-54	11/1/1989 0:00	N	7440-23-5	Sodium	19700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM5	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	N	CONDUCT	Specific Conductance	302	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JM6	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-54	11/1/1989 0:00	N	CONDUCT	Specific Conductance	302	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JM5	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-54	11/1/1989 0:00	N	CONDUCT	Specific Conductance	300	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JM8	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-54	11/1/1989 0:00	N	CONDUCT	Specific Conductance	301	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JM7	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-54	11/1/1989 0:00	N	7440-24-6	Strontium	156	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM5	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	Y	7440-24-6	Strontium	154	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM5F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	N	10098-97-2	Strontium-90	171	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JM5	10098-97-2	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-54	11/1/1989 0:00	N	57-24-9	Strychnine	50	ug/L	U	[NULL]	[NULL]	R	H0007JM5	57-24-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	100-42-5	Styrene	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	100-42-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	14808-79-8	Sulfate	42100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM5	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-54	11/1/1989 0:00	N	18496-25-8	Sulfide	1000	ug/L	U	[NULL]	[NULL]	R	H0007JM5	18496-25-8	USTEST	9030_SULFIDE	100-NR-2
199-N-54	11/1/1989 0:00	N	TEMPERATURE	Temperature	19.4	Deg C	[NULL]	[NULL]	[NULL]	R	H000GPC5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-54	11/1/1989 0:00	N	127-18-4	Tetrachloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	127-18-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	107-49-3	Tetraethylpyrophosphate	2	ug/L	U	[NULL]	[NULL]	R	H0007JM5	107-49-3	USTEST	8140_PEST_GC	100-NR-2
199-N-54	11/1/1989 0:00	N	109-99-9	Tetrahydrofuran	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	109-99-9	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	7440-28-0	USTEST	7841_TL_GFAA	100-NR-2
199-N-54	11/1/1989 0:00	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	7440-28-0	USTEST	UNKNOWN_METALS	100-NR-2
199-N-54	11/1/1989 0:00	N	39196-18-4	Thiofanox	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	39196-18-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	62-56-6	Thiourea	200	ug/L	U	[NULL]	[NULL]	R	H0007JM5	62-56-6	USTEST	8330_THIOUREA_M	100-NR-2
199-N-54	11/1/1989 0:00	N	137-26-8	Thiuram	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	137-26-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007JM5	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007JM5F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007JM5	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007JM5F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	N	108-88-3	Toluene	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	108-88-3	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	25376-45-8	Toluenediamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	25376-45-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	TC	Total carbon	23600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM5	TC	USTEST	D2579A_CARBON	100-NR-2
199-N-54	11/1/1989 0:00	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	1319-77-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	TDS	Total dissolved solids	1.6E+08	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM5	TDS	USTEST	209B_TDS	100-NR-2
199-N-54	11/1/1989 0:00	N	TOC	Total organic carbon	600	ug/L	U	[NULL]	[NULL]	R	H0007JM5	TOC	USTEST	9060_TOC	100-NR-2
199-N-54	11/1/1989 0:00	N	59473-04-0	Total organic halides	13	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM5	59473-04-0	USTEST	9020_TOX	100-NR-2
199-N-54	11/1/1989 0:00	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	10000	ug/L	U	[NULL]	[NULL]	R	H0007JM5	TPHKEROSENE	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	8001-35-2	Toxaphene	1	ug/L	U	[NULL]	[NULL]	R	H0007JM5	8001-35-2	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-54	11/1/1989 0:00	N	126-73-8	Tributyl phosphate	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	126-73-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	79-01-6	Trichloroethene	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	79-01-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	75-70-7	Trichloromethanethiol	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	75-70-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	75-69-4	Trichloromonofluoromethane	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	75-69-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	126-72-7	Tris(2,3-dibromopropyl) phosphate	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	126-72-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	10028-17-8	Tritium	19700	pCi/L	[NULL]	[NULL]	[NULL]	R	H0007JM5	10028-17-8	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-54	11/1/1989 0:00	N	TURBIDITY	Turbidity	0.6	NTU	[NULL]	[NULL]	[NULL]	R	H0007JM5	TURBIDITY	USTEST	214A_TURBIDITY	100-NR-2
199-N-54	11/1/1989 0:00	N	7440-61-1	Uranium	0.667	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM5	7440-61-1	USTEST	UST_RAD_CNT_LSC	100-NR-2
199-N-54	11/1/1989 0:00	Y	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	N	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	N	108-05-4	Vinyl acetate	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	108-05-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	75-01-4	Vinyl chloride	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	75-01-4	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	81-81-2	Warfarin	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	81-81-2	USTEST	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-54	11/1/1989 0:00	N	1330-20-7	Xylenes (total)	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	1330-20-7	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	N	7440-66-6	Zinc	7	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM5	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007JM5F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007JM5	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	11/1/1989 0:00	N	122-09-8	alpha,alpha-Dimethylphenethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	122-09-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JM5	319-85-7	USTEST	8080_PESTPCB_GC	100-NR-2
199-N-54	11/1/1989 0:00	N	99-65-0	m-Dinitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	99-65-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	616-40-0	n,n-Diethylhydrazine	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	616-40-0	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	615-53-2	n-Nitroso-N-methylurethane	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	615-53-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	924-16-3	n-Nitrosodi-n-butylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	924-16-3	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	621-64-7	n-Nitrosodi-n-dipropylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	621-64-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	1116-54-7	n-Nitrosodiethanolamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	1116-54-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	55-18-5	n-Nitrosodiethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	55-18-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	62-75-9	n-Nitrosodimethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	62-75-9	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	86-30-6	n-Nitrosodiphenylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	86-30-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	10595-95-6	n-Nitrosomethylethylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	10595-95-6	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	4549-40-0	n-Nitrosomethylvinylamine	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	4549-40-0	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	59-89-2	n-Nitrosomorpholine	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	59-89-2	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	16543-55-8	n-Nitrosonornicotine	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	16543-55-8	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	100-75-4	n-Nitrosopiperidine	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	100-75-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	103-85-5	n-Phenylthiourea	500	ug/L	U	[NULL]	[NULL]	R	H0007JM5	103-85-5	USTEST	8330_THIOUREA_M	100-NR-2
199-N-54	11/1/1989 0:00	N	107-10-8	n-Propylamine	10000	ug/L	U	[NULL]	[NULL]	R	H0007JM5	107-10-8	USTEST	GC_DIRECT	100-NR-2
199-N-54	11/1/1989 0:00	N	636-21-5	o-Toluidine hydrochloride	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	636-21-5	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	106-51-4	p-Benzoquinone	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	106-51-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	60-11-7	p-Dimethylaminoazobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	60-11-7	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	PH	pH Measurement	7.69	unitless	[NULL]	[NULL]	[NULL]	R	H0007JM5	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-54	11/1/1989 0:00	N	PH	pH Measurement	7.68	unitless	[NULL]	[NULL]	[NULL]	R	H0007JM7	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-54	11/1/1989 0:00	N	PH	pH Measurement	7.67	unitless	[NULL]	[NULL]	[NULL]	R	H0007JM6	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-54	11/1/1989 0:00	N	PH	pH Measurement	7.69	unitless	[NULL]	[NULL]	[NULL]	R	H0007JM8	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-54	11/1/1989 0:00	N	99-35-4	sym-Trinitrobenzene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	99-35-4	USTEST	8270_SVOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	156-60-5	trans-1,2-Dichloroethylene	5	ug/L	U	[NULL]	[NULL]	R	H0007JM5	156-60-5	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	11/1/1989 0:00	N	110-57-6	trans-1,4-Dichloro-2-butene	10	ug/L	U	[NULL]	[NULL]	R	H0007JM5	110-57-6	USTEST	8240_VOA_GCMS	100-NR-2
199-N-54	2/1/1990 0:00	N	ALKALINITY	Alkalinity	94000	ug/L	[NULL]	G	[NULL]	R	H0007JM9	ALKALINITY	USTEST	D1067B_ALKALINITY	100-NR-2
199-N-54	2/1/1990 0:00	N	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007JM9	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	Y	7429-90-5	Aluminum	150	ug/L	U	[NULL]	[NULL]	R	H0007JM9F	7429-90-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	N	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007JM9	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	Y	7440-36-0	Antimony	100	ug/L	U	[NULL]	[NULL]	R	H0007JM9F	7440-36-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	H0007JM9	7440-38-2	USTEST	7060_AS_GFAA	100-NR-2
199-N-54	2/1/1990 0:00	N	H37	Arsenic, filtered	5	ug/L	U	[NULL]	[NULL]	R	H0007JM9	H37	USTEST	UNKNOWN_METALS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-54	2/1/1990 0:00	N	7440-39-3	Barium	70	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM9	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	Y	7440-39-3	Barium	71	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM9F	7440-39-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	N	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007JM9	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	Y	7440-41-7	Beryllium	5	ug/L	U	[NULL]	[NULL]	R	H0007JM9F	7440-41-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	N	7440-42-8	Boron	16	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM9	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	Y	7440-42-8	Boron	19	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM9F	7440-42-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	N	24959-67-9	Bromide	1000	ug/L	U	[NULL]	[NULL]	R	H0007JM9	24959-67-9	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-54	2/1/1990 0:00	N	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007JM9	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	H0007JM9F	7440-43-9	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	N	7440-70-2	Calcium	45600	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM9	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	Y	7440-70-2	Calcium	45500	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM9F	7440-70-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	N	16887-00-6	Chloride	3700	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM9	16887-00-6	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-54	2/1/1990 0:00	N	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007JM9	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	Y	7440-47-3	Chromium	10	ug/L	U	[NULL]	[NULL]	R	H0007JM9F	7440-47-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007JM9	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	H0007JM9F	7440-48-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	N	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007JM9	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	Y	7440-50-8	Copper	10	ug/L	U	[NULL]	[NULL]	R	H0007JM9F	7440-50-8	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	H0007JM9	16984-48-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-54	2/1/1990 0:00	Y	7439-89-6	Iron	30	ug/L	U	[NULL]	[NULL]	R	H0007JM9F	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	N	7439-89-6	Iron	102	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM9	7439-89-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007JM9	7439-92-1	USTEST	7421_PB_GFAA	100-NR-2
199-N-54	2/1/1990 0:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	H0007JM9	7439-92-1	USTEST	UNKNOWN_METALS	100-NR-2
199-N-54	2/1/1990 0:00	N	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007JM9	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	Y	7439-93-2	Lithium	10	ug/L	U	[NULL]	[NULL]	R	H0007JM9F	7439-93-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	Y	7439-95-4	Magnesium	7210	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM9F	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	N	7439-95-4	Magnesium	7120	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM9	7439-95-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	Y	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007JM9F	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	N	7439-96-5	Manganese	5	ug/L	U	[NULL]	[NULL]	R	H0007JM9	7439-96-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JM9	7439-97-6	USTEST	UNKNOWN_METALS	100-NR-2
199-N-54	2/1/1990 0:00	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	R	H0007JM9	7439-97-6	USTEST	7470_HG_CVAA	100-NR-2
199-N-54	2/1/1990 0:00	Y	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007JM9F	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	N	7439-98-7	Molybdenum	40	ug/L	U	[NULL]	[NULL]	R	H0007JM9	7439-98-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	N	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007JM9	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	H0007JM9F	7440-02-0	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	N	14797-55-8	Nitrate	10100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM9	C72	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-54	2/1/1990 0:00	N	14797-65-0	Nitrite	1000	ug/L	U	[NULL]	[NULL]	R	H0007JM9	14797-65-0	USTEST	ANIONS_IC	100-NR-2
199-N-54	2/1/1990 0:00	N	14265-44-2	Phosphate	1000	ug/L	U	[NULL]	[NULL]	R	H0007JM9	14265-44-2	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-54	2/1/1990 0:00	N	7440-09-7	Potassium	3200	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM9	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	Y	7440-09-7	Potassium	3200	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM9F	7440-09-7	USTEST	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-54	2/1/1990 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007JM9	7782-49-2	USTEST	7740_SE_GFAA	100-NR-2
199-N-54	2/1/1990 0:00	N	7782-49-2	Selenium	5	ug/L	U	[NULL]	[NULL]	R	H0007JM9	7782-49-2	USTEST	UNKNOWN_METALS	100-NR-2
199-N-54	2/1/1990 0:00	Y	7440-21-3	Silicon	11100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM9F	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	N	7440-21-3	Silicon	11100	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM9	7440-21-3	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	Y	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007JM9F	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	N	7440-22-4	Silver	10	ug/L	U	[NULL]	[NULL]	R	H0007JM9	7440-22-4	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	N	7440-23-5	Sodium	18800	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM9	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	Y	7440-23-5	Sodium	19300	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM9F	7440-23-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	N	CONDUCT	Specific Conductance	374	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JN0	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-54	2/1/1990 0:00	N	CONDUCT	Specific Conductance	375	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JN1	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-54	2/1/1990 0:00	N	CONDUCT	Specific Conductance	369	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JN2	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-54	2/1/1990 0:00	N	CONDUCT	Specific Conductance	370	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JN0	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-54	2/1/1990 0:00	N	CONDUCT	Specific Conductance	370	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JN1	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-54	2/1/1990 0:00	N	CONDUCT	Specific Conductance	379	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JN2	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-54	2/1/1990 0:00	N	CONDUCT	Specific Conductance	373	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JM9	CONDUCT	USTEST	D1125A_CONDUCT	100-NR-2
199-N-54	2/1/1990 0:00	N	CONDUCT	Specific Conductance	372	uS/cm	[NULL]	[NULL]	[NULL]	R	H0007JM9	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-54	2/1/1990 0:00	Y	7440-24-6	Strontium	229	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM9F	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	N	7440-24-6	Strontium	222	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM9	7440-24-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	N	14808-79-8	Sulfate	79000	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM9	14808-79-8	USTEST	300.0_ANIONS_IC	100-NR-2
199-N-54	2/1/1990 0:00	N	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007JM9	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	H0007JM9F	7440-31-5	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	N	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007JM9	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	Y	7440-32-6	Titanium	60	ug/L	U	[NULL]	[NULL]	R	H0007JM9F	7440-32-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	N	TURBIDITY	Turbidity	1	NTU	[NULL]	[NULL]	[NULL]	R	H0007JM9	TURBIDITY	USTEST	214A_TURBIDITY	100-NR-2
199-N-54	2/1/1990 0:00	Y	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	H0007JM9F	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	N	7440-62-2	Vanadium	5	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM9	7440-62-2	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	N	7440-66-6	Zinc	5	ug/L	[NULL]	[NULL]	[NULL]	R	H0007JM9	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	Y	7440-66-6	Zinc	5	ug/L	U	[NULL]	[NULL]	R	H0007JM9F	7440-66-6	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	N	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007JM9	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	Y	7440-67-7	Zirconium	50	ug/L	U	[NULL]	[NULL]	R	H0007JM9F	7440-67-7	USTEST	6010_METALS_ICP	100-NR-2
199-N-54	2/1/1990 0:00	N	PH	pH Measurement	7.45	unitless	[NULL]	[NULL]	[NULL]	R	H0007JN0	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-54	2/1/1990 0:00	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	H0007JN0	PH	USTEST	9040_PH	100-NR-2
199-N-54	2/1/1990 0:00	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	H0007JN2	PH	USTEST	9040_PH	100-NR-2
199-N-54	2/1/1990 0:00	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	H0007JM9	PH	USTEST	9040_PH	100-NR-2
199-N-54	2/1/1990 0:00	N	PH	pH Measurement	7.49	unitless	[NULL]	[NULL]	[NULL]	R	H0007JN2	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-54	2/1/1990 0:00	N	PH	pH Measurement	7.51	unitless	[NULL]	[NULL]	[NULL]	R	H0007JM9	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-54	2/1/1990 0:00	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	H0007JN1	PH	USTEST	9040_PH	100-NR-2
199-N-54	2/1/1990 0:00	N	PH	pH Measurement	7.45	unitless	[NULL]	[NULL]	[NULL]	R	H0007JN1	PH	FIELD	UNKNOWN_PHYSICAL	100-NR-2
199-N-54	2/1/1990 10:06	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	H000GQ26	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-54	9/5/1991 9:50	N	ALKALINITY	Alkalinity	180000	ug/L	[NULL]	[NULL]	[NULL]	R	B00L92	ALKALINITY	ITASSJ	D1067A_ALKALINITY	100-NR-2
199-N-54	9/5/1991 9:50	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B00L92F	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	9/5/1991 9:50	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B00L92	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	9/5/1991 9:50	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B00L92	7440-38-2	ITASSJ	7060_AS_GFAA	100-NR-2
199-N-54	9/5/1991 9:50	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B00L92F	7440-38-2	ITASSJ	7060_AS_GFAA	100-NR-2
199-N-54	9/5/1991 9:50	N	7440-39-3	Barium	130	ug/L	[NULL]	[NULL]	[NULL]	R	B00L92	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	9/5/1991 9:50	Y	7440-39-3	Barium	79	ug/L	[NULL]	[NULL]	[NULL]	R	B00L92F	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-54	9/5/1991 9:50	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B00L92F	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	9/5/1991 9:50	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B00L92	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	9/5/1991 9:50	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B00L92	24959-67-9	ITASSJ	D4327_ANIONS_IC	100-NR-2
199-N-54	9/5/1991 9:50	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B00L92	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	9/5/1991 9:50	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B00L92F	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	9/5/1991 9:50	N	7440-70-2	Calcium	110000	ug/L	[NULL]	[NULL]	[NULL]	R	B00L92	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	9/5/1991 9:50	Y	7440-70-2	Calcium	110000	ug/L	[NULL]	[NULL]	[NULL]	R	B00L92F	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	9/5/1991 9:50	N	16887-00-6	Chloride	8100	ug/L	[NULL]	[NULL]	[NULL]	R	B00L92	16887-00-6	ITASSJ	D4327_ANIONS_IC	100-NR-2
199-N-54	9/5/1991 9:50	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B00L92F	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	9/5/1991 9:50	N	7440-47-3	Chromium	72	ug/L	[NULL]	[NULL]	[NULL]	R	B00L92	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	9/5/1991 9:50	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B00L92F	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	9/5/1991 9:50	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B00L92	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	9/5/1991 9:50	Y	7440-50-8	Copper	35	ug/L	[NULL]	Q	[NULL]	R	B00L92F	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	9/5/1991 9:50	N	7440-50-8	Copper	20	ug/L	U	Q	[NULL]	R	B00L92	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	9/5/1991 9:50	N	16984-48-8	Fluoride	490	ug/L	[NULL]	[NULL]	[NULL]	R	B00L92	16984-48-8	ITASSJ	D4327_ANIONS_IC	100-NR-2
199-N-54	9/5/1991 9:50	N	7439-89-6	Iron	5400	ug/L	[NULL]	Q	[NULL]	R	B00L92	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	9/5/1991 9:50	Y	7439-89-6	Iron	250	ug/L	[NULL]	Q	[NULL]	R	B00L92F	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	9/5/1991 9:50	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B00L92	7439-92-1	ITASSJ	7421_PB_GFAA	100-NR-2
199-N-54	9/5/1991 9:50	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B00L92F	7439-92-1	ITASSJ	7421_PB_GFAA	100-NR-2
199-N-54	9/5/1991 9:50	Y	7439-95-4	Magnesium	17000	ug/L	[NULL]	[NULL]	[NULL]	R	B00L92F	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	9/5/1991 9:50	N	7439-95-4	Magnesium	18000	ug/L	[NULL]	[NULL]	[NULL]	R	B00L92	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	9/5/1991 9:50	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B00L92F	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	9/5/1991 9:50	N	7439-96-5	Manganese	110	ug/L	[NULL]	[NULL]	[NULL]	R	B00L92	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	9/5/1991 9:50	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B00L92	7439-97-6	ITASSJ	7470_HG_CVAA	100-NR-2
199-N-54	9/5/1991 9:50	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B00L92F	7439-97-6	ITASSJ	7470_HG_CVAA	100-NR-2
199-N-54	9/5/1991 9:50	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B00L92F	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	9/5/1991 9:50	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B00L92	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	9/5/1991 9:50	N	14797-55-8	Nitrate	17700	ug/L	[NULL]	[NULL]	[NULL]	R	B00L92	14797-55-8	PNL2	300.0_ANIONS_IC	100-NR-2
199-N-54	9/5/1991 9:50	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B00L92	14265-44-2	ITASSJ	D4327_ANIONS_IC	100-NR-2
199-N-54	9/5/1991 9:50	N	7440-09-7	Potassium	5300	ug/L	[NULL]	[NULL]	[NULL]	R	B00L92	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	9/5/1991 9:50	Y	7440-09-7	Potassium	3500	ug/L	[NULL]	[NULL]	[NULL]	R	B00L92F	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	9/5/1991 9:50	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B00L92F	7782-49-2	ITASSJ	7740_SE_GFAA	100-NR-2
199-N-54	9/5/1991 9:50	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B00L92	7782-49-2	ITASSJ	7740_SE_GFAA	100-NR-2
199-N-54	9/5/1991 9:50	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B00L92	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	9/5/1991 9:50	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B00L92F	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	9/5/1991 9:50	Y	7440-23-5	Sodium	36000	ug/L	[NULL]	[NULL]	[NULL]	R	B00L92F	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	9/5/1991 9:50	N	7440-23-5	Sodium	37000	ug/L	[NULL]	[NULL]	[NULL]	R	B00L92	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	9/5/1991 9:50	N	CONDUCT	Specific Conductance	813	uS/cm	[NULL]	[NULL]	[NULL]	R	B00L92	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-54	9/5/1991 9:50	N	14808-79-8	Sulfate	160000	ug/L	[NULL]	[NULL]	[NULL]	R	B00L92	14808-79-8	ITASSJ	D4327_ANIONS_IC	100-NR-2
199-N-54	9/5/1991 9:50	N	TEMPERATURE	Temperature	20.3	Deg C	[NULL]	[NULL]	[NULL]	R	B00L92	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-54	9/5/1991 9:50	Y	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B00L92F	7440-28-0	ITASSJ	7841_TL_GFAA	100-NR-2
199-N-54	9/5/1991 9:50	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B00L92	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	9/5/1991 9:50	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B00L92F	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	9/5/1991 9:50	N	TURBIDITY	Turbidity	33	NTU	[NULL]	[NULL]	[NULL]	R	B00L92	TURBIDITY	ITASSJ	214A_TURBIDITY	100-NR-2
199-N-54	9/5/1991 9:50	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B00L92F	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	9/5/1991 9:50	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B00L92	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	9/5/1991 9:50	Y	7440-66-6	Zinc	22	ug/L	[NULL]	[NULL]	[NULL]	R	B00L92F	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	9/5/1991 9:50	N	7440-66-6	Zinc	31	ug/L	[NULL]	[NULL]	[NULL]	R	B00L92	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	9/5/1991 9:50	N	PH	pH Measurement	7.17	unitless	[NULL]	[NULL]	[NULL]	R	B00L92	PH	FIELD	9040_PH	100-NR-2
199-N-54	10/2/1991 9:45	N	CONDUCT	Specific Conductance	838	uS/cm	[NULL]	[NULL]	[NULL]	R	B00K12	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-54	10/2/1991 9:45	N	10098-97-2	Strontium-90	233	pCi/L	[NULL]	[NULL]	[NULL]	R	B00K12	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-54	10/2/1991 9:45	N	TEMPERATURE	Temperature	19.6	Deg C	[NULL]	[NULL]	[NULL]	R	B00K12	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-54	10/2/1991 9:45	N	10028-17-8	Tritium	15900	pCi/L	[NULL]	[NULL]	[NULL]	R	B00K12	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-54	10/2/1991 9:45	N	PH	pH Measurement	7.45	unitless	[NULL]	[NULL]	[NULL]	R	B00K12	PH	FIELD	9040_PH	100-NR-2
199-N-54	10/11/1991 8:30	N	CONDUCT	Specific Conductance	827	uS/cm	[NULL]	[NULL]	[NULL]	R	B00M95	CONDUCT	FIELD	9050_CONDUCT	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-54	10/11/1991 8:30	N	10098-97-2	Strontium-90	159	pCi/L	[NULL]	[NULL]	[NULL]	R	B00M95	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-54	10/11/1991 8:30	N	TEMPERATURE	Temperature	19.8	Deg C	[NULL]	[NULL]	[NULL]	R	B00M95	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-54	10/11/1991 8:30	N	10028-17-8	Tritium	15900	pCi/L	[NULL]	[NULL]	[NULL]	R	B00M95	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-54	10/11/1991 8:30	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	R	B00M95	PH	FIELD	9040_PH	100-NR-2
199-N-54	11/5/1991 9:15	N	ALKALINITY	Alkalinity	160000	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB4	ALKALINITY	DATACH	D1067A_ALKALINITY	100-NR-2
199-N-54	11/5/1991 9:15	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B01BB4F	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	11/5/1991 9:15	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B01BB4	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	11/5/1991 9:15	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B01BB4	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-54	11/5/1991 9:15	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B01BB4F	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-54	11/5/1991 9:15	N	7440-39-3	Barium	140	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB4	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	11/5/1991 9:15	Y	7440-39-3	Barium	86	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB4F	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	11/5/1991 9:15	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B01BB4	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	11/5/1991 9:15	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B01BB4F	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	11/5/1991 9:15	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B01BB4	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	11/5/1991 9:15	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B01BB4	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	11/5/1991 9:15	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B01BB4F	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	11/5/1991 9:15	N	7440-70-2	Calcium	120000	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB4	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	11/5/1991 9:15	Y	7440-70-2	Calcium	120000	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB4F	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	11/5/1991 9:15	N	16887-00-6	Chloride	9300	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB4	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	11/5/1991 9:15	N	7440-47-3	Chromium	61	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB4	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	11/5/1991 9:15	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B01BB4F	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	11/5/1991 9:15	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B01BB4	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	11/5/1991 9:15	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B01BB4F	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	11/5/1991 9:15	N	7440-50-8	Copper	68	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB4	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	11/5/1991 9:15	Y	7440-50-8	Copper	43	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB4F	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	11/5/1991 9:15	N	16984-48-8	Fluoride	900	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB4	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	11/5/1991 9:15	Y	7439-89-6	Iron	100	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB4F	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	11/5/1991 9:15	N	7439-89-6	Iron	7300	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB4	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	11/5/1991 9:15	N	7439-92-1	Lead	11	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB4	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-54	11/5/1991 9:15	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B01BB4F	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-54	11/5/1991 9:15	Y	7439-95-4	Magnesium	18000	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB4F	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	11/5/1991 9:15	N	7439-95-4	Magnesium	21000	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB4	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	11/5/1991 9:15	N	7439-96-5	Manganese	140	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB4	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	11/5/1991 9:15	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B01BB4F	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	11/5/1991 9:15	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B01BB4F	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-54	11/5/1991 9:15	N	7439-97-6	Mercury	0.2	ug/L	U	P	[NULL]	R	B01BB4	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-54	11/5/1991 9:15	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B01BB4F	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	11/5/1991 9:15	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B01BB4	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	11/5/1991 9:15	N	14797-55-8	Nitrate	17300	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB4	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	11/5/1991 9:15	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B01BB4	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	11/5/1991 9:15	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B01BB4	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	11/5/1991 9:15	N	7440-09-7	Potassium	5400	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB4	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	11/5/1991 9:15	Y	7440-09-7	Potassium	4600	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB4F	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	11/5/1991 9:15	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B01BB4F	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-54	11/5/1991 9:15	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B01BB4	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-54	11/5/1991 9:15	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B01BB4F	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	11/5/1991 9:15	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B01BB4	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	11/5/1991 9:15	Y	7440-23-5	Sodium	41000	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB4F	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	11/5/1991 9:15	N	7440-23-5	Sodium	43000	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB4	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	11/5/1991 9:15	N	CONDUCT	Specific Conductance	785	uS/cm	[NULL]	[NULL]	[NULL]	R	B01BB4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-54	11/5/1991 9:15	N	14808-79-8	Sulfate	260000	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB4	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	11/5/1991 9:15	N	TEMPERATURE	Temperature	19.7	Deg C	[NULL]	[NULL]	[NULL]	R	B01BB4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-54	11/5/1991 9:15	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B01BB4F	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	11/5/1991 9:15	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B01BB4	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	11/5/1991 9:15	N	TURBIDITY	Turbidity	47	NTU	[NULL]	[NULL]	[NULL]	R	B01BB4	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-54	11/5/1991 9:15	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B01BB4F	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	11/5/1991 9:15	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B01BB4	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	11/5/1991 9:15	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B01BB4F	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	11/5/1991 9:15	N	7440-66-6	Zinc	27	ug/L	[NULL]	[NULL]	[NULL]	R	B01BB4	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	11/5/1991 9:15	N	PH	pH Measurement	7.76	unitless	[NULL]	[NULL]	[NULL]	R	B01BB4	PH	FIELD	9040_PH	100-NR-2
199-N-54	2/11/1992 8:30	N	ALKALINITY	Alkalinity	170000	ug/L	[NULL]	[NULL]	[NULL]	R	B01W16	ALKALINITY	DATACH	D1067A_ALKALINITY	100-NR-2
199-N-54	2/11/1992 8:30	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B01W17	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B01W16	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B01W16	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-54	2/11/1992 8:30	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B01W17	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-54	2/11/1992 8:30	N	7440-39-3	Barium	100	ug/L	[NULL]	[NULL]	[NULL]	R	B01W16	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	Y	7440-39-3	Barium	75	ug/L	[NULL]	[NULL]	[NULL]	R	B01W17	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B01W16	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B01W17	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B01W16	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	2/11/1992 8:30	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B01W17	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B01W16	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	N	7440-70-2	Calcium	160000	ug/L	[NULL]	[NULL]	[NULL]	R	B01W16	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	Y	7440-70-2	Calcium	120000	ug/L	[NULL]	[NULL]	[NULL]	R	B01W17	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	N	16887-00-6	Chloride	11000	ug/L	[NULL]	[NULL]	[NULL]	R	B01W16	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	2/11/1992 8:30	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B01W17	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	N	7440-47-3	Chromium	60	ug/L	[NULL]	[NULL]	[NULL]	R	B01W16	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B01W17	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B01W16	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B01W16	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B01W17	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B01W16	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B01W17	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	N	16984-48-8	Fluoride	700	ug/L	[NULL]	[NULL]	[NULL]	R	B01W16	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	2/11/1992 8:30	N	7439-89-6	Iron	360	ug/L	[NULL]	[NULL]	[NULL]	R	B01W16	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	Y	7439-89-6	Iron	20	ug/L	U	[NULL]	[NULL]	R	B01W17	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B01W17	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-54	2/11/1992 8:30	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B01W16	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-54	2/11/1992 8:30	N	7439-95-4	Magnesium	25000	ug/L	[NULL]	[NULL]	[NULL]	R	B01W16	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	Y	7439-95-4	Magnesium	19000	ug/L	[NULL]	[NULL]	[NULL]	R	B01W17	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B01W17	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	N	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B01W16	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B01W17	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-54	2/11/1992 8:30	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B01W16	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-54	2/11/1992 8:30	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B01W16	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B01W17	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	N	14797-55-8	Nitrate	17000	ug/L	[NULL]	[NULL]	[NULL]	R	B01W16	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	2/11/1992 8:30	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B01W16	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	2/11/1992 8:30	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B01W16	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	2/11/1992 8:30	N	7440-09-7	Potassium	5400	ug/L	[NULL]	Q	[NULL]	R	B01W16	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	Y	7440-09-7	Potassium	4200	ug/L	[NULL]	Q	[NULL]	R	B01W17	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B01W16	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-54	2/11/1992 8:30	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B01W17	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-54	2/11/1992 8:30	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B01W16	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B01W17	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	N	7440-23-5	Sodium	48000	ug/L	[NULL]	[NULL]	[NULL]	R	B01W16	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	Y	7440-23-5	Sodium	40000	ug/L	[NULL]	[NULL]	[NULL]	R	B01W17	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	N	CONDUCT	Specific Conductance	874	uS/cm	[NULL]	[NULL]	[NULL]	R	B01W16	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-54	2/11/1992 8:30	N	10098-97-2	Strontium-90	509	pCi/L	[NULL]	[NULL]	[NULL]	R	B01VB6	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-54	2/11/1992 8:30	N	14808-79-8	Sulfate	280000	ug/L	[NULL]	[NULL]	[NULL]	R	B01W16	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	2/11/1992 8:30	N	TEMPERATURE	Temperature	18.2	Deg C	[NULL]	[NULL]	[NULL]	R	B01W16	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-54	2/11/1992 8:30	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B01W17	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-54	2/11/1992 8:30	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B01W16	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	N	10028-17-8	Tritium	14200	pCi/L	[NULL]	[NULL]	[NULL]	R	B01VB6	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-54	2/11/1992 8:30	N	TURBIDITY	Turbidity	1.2	NTU	[NULL]	[NULL]	[NULL]	R	B01W16	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-54	2/11/1992 8:30	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B01W16	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B01W17	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B01W17	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	N	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B01W16	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	2/11/1992 8:30	N	PH	pH Measurement	7.13	unitless	[NULL]	[NULL]	[NULL]	R	B01W16	PH	FIELD	9040_PH	100-NR-2
199-N-54	5/4/1992 10:30	N	ALKALINITY	Alkalinity	170000	ug/L	[NULL]	[NULL]	[NULL]	R	B06F04	ALKALINITY	DATACH	D1067A_ALKALINITY	100-NR-2
199-N-54	5/4/1992 10:30	N	ALKALINITY	Alkalinity	170000	ug/L	[NULL]	[NULL]	[NULL]	R	B06F05	ALKALINITY	DATACH	D1067A_ALKALINITY	100-NR-2
199-N-54	5/4/1992 10:30	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B06F07	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B06F05	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B06F04	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B06F06	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B06F06	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-54	5/4/1992 10:30	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B06F04	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-54	5/4/1992 10:30	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B06F07	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-54	5/4/1992 10:30	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B06F05	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-54	5/4/1992 10:30	Y	7440-39-3	Barium	72	ug/L	[NULL]	[NULL]	[NULL]	R	B06F06	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	7440-39-3	Barium	84	ug/L	[NULL]	[NULL]	[NULL]	R	B06F05	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	Y	7440-39-3	Barium	73	ug/L	[NULL]	[NULL]	[NULL]	R	B06F07	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	7440-39-3	Barium	89	ug/L	[NULL]	[NULL]	[NULL]	R	B06F04	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B06F07	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B06F04	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B06F06	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B06F05	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B06F06	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B06F05	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B06F05	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	5/4/1992 10:30	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B06F04	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	5/4/1992 10:30	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B06F04	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B06F06	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B06F05	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B06F07	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	Y	7440-70-2	Calcium	120000	ug/L	[NULL]	[NULL]	[NULL]	R	B06F07	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	Y	7440-70-2	Calcium	120000	ug/L	[NULL]	[NULL]	[NULL]	R	B06F06	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	7440-70-2	Calcium	120000	ug/L	[NULL]	[NULL]	[NULL]	R	B06F05	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	7440-70-2	Calcium	120000	ug/L	[NULL]	[NULL]	[NULL]	R	B06F04	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	16887-00-6	Chloride	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B06F04	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	5/4/1992 10:30	N	16887-00-6	Chloride	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B06F05	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	5/4/1992 10:30	N	7440-47-3	Chromium	31	ug/L	[NULL]	[NULL]	[NULL]	R	B06F04	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B06F06	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	7440-47-3	Chromium	36	ug/L	[NULL]	[NULL]	[NULL]	R	B06F05	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B06F07	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B06F06	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B06F07	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B06F05	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B06F04	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B06F07	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B06F05	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B06F06	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B06F04	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	16984-48-8	Fluoride	700	ug/L	[NULL]	[NULL]	[NULL]	R	B06F04	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	5/4/1992 10:30	N	16984-48-8	Fluoride	700	ug/L	[NULL]	[NULL]	[NULL]	R	B06F05	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	5/4/1992 10:30	N	7439-89-6	Iron	1700	ug/L	[NULL]	[NULL]	[NULL]	R	B06F04	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	Y	7439-89-6	Iron	61	ug/L	[NULL]	[NULL]	[NULL]	R	B06F06	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	Y	7439-89-6	Iron	53	ug/L	[NULL]	[NULL]	[NULL]	R	B06F07	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-54	5/4/1992 10:30	N	7439-89-6	Iron	1600	ug/L	[NULL]	[NULL]	[NULL]	R	B06F05	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B06F06	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-54	5/4/1992 10:30	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B06F07	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-54	5/4/1992 10:30	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B06F04	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-54	5/4/1992 10:30	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B06F05	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-54	5/4/1992 10:30	Y	7439-95-4	Magnesium	19000	ug/L	[NULL]	[NULL]	[NULL]	R	B06F07	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	7439-95-4	Magnesium	19000	ug/L	[NULL]	[NULL]	[NULL]	R	B06F05	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	7439-95-4	Magnesium	19000	ug/L	[NULL]	[NULL]	[NULL]	R	B06F04	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	Y	7439-95-4	Magnesium	19000	ug/L	[NULL]	[NULL]	[NULL]	R	B06F06	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B06F07	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	7439-96-5	Manganese	35	ug/L	[NULL]	[NULL]	[NULL]	R	B06F04	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B06F06	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	7439-96-5	Manganese	33	ug/L	[NULL]	[NULL]	[NULL]	R	B06F05	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B06F05	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-54	5/4/1992 10:30	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B06F06	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-54	5/4/1992 10:30	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B06F07	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-54	5/4/1992 10:30	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B06F04	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-54	5/4/1992 10:30	N	7440-02-0	Nickel	36	ug/L	[NULL]	[NULL]	[NULL]	R	B06F05	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B06F07	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	7440-02-0	Nickel	30	ug/L	[NULL]	[NULL]	[NULL]	R	B06F04	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B06F06	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	14797-55-8	Nitrate	17000	ug/L	[NULL]	[NULL]	[NULL]	R	B06F04	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	5/4/1992 10:30	N	14797-55-8	Nitrate	17000	ug/L	[NULL]	[NULL]	[NULL]	R	B06F05	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	5/4/1992 10:30	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B06F04	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	5/4/1992 10:30	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B06F05	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	5/4/1992 10:30	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B06F04	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	5/4/1992 10:30	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B06F05	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	5/4/1992 10:30	N	7440-09-7	Potassium	4900	ug/L	[NULL]	[NULL]	[NULL]	R	B06F04	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	Y	7440-09-7	Potassium	4800	ug/L	[NULL]	[NULL]	[NULL]	R	B06F07	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	Y	7440-09-7	Potassium	4900	ug/L	[NULL]	[NULL]	[NULL]	R	B06F06	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	7440-09-7	Potassium	4800	ug/L	[NULL]	[NULL]	[NULL]	R	B06F05	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B06F05	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-54	5/4/1992 10:30	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B06F07	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-54	5/4/1992 10:30	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B06F06	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-54	5/4/1992 10:30	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B06F04	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-54	5/4/1992 10:30	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B06F04	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B06F06	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B06F05	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B06F07	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	Y	7440-23-5	Sodium	44000	ug/L	[NULL]	[NULL]	[NULL]	R	B06F06	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	7440-23-5	Sodium	45000	ug/L	[NULL]	[NULL]	[NULL]	R	B06F04	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	7440-23-5	Sodium	44000	ug/L	[NULL]	[NULL]	[NULL]	R	B06F05	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	Y	7440-23-5	Sodium	44000	ug/L	[NULL]	[NULL]	[NULL]	R	B06F07	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	CONDUCT	Specific Conductance	854	uS/cm	[NULL]	[NULL]	[NULL]	R	B06F04	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-54	5/4/1992 10:30	N	14808-79-8	Sulfate	280000	ug/L	[NULL]	[NULL]	[NULL]	R	B06F04	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	5/4/1992 10:30	N	14808-79-8	Sulfate	270000	ug/L	[NULL]	[NULL]	[NULL]	R	B06F05	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	5/4/1992 10:30	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B06F04	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-54	5/4/1992 10:30	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B06F06	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B06F04	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B06F07	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B06F05	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	TURBIDITY	Turbidity	14	NTU	[NULL]	[NULL]	[NULL]	R	B06F05	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-54	5/4/1992 10:30	N	TURBIDITY	Turbidity	14	NTU	[NULL]	[NULL]	[NULL]	R	B06F04	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-54	5/4/1992 10:30	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B06F06	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B06F05	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-54	5/4/1992 10:30	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B06F07	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B06F04	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B06F05	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B06F07	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	N	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B06F04	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/4/1992 10:30	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B06F06	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	N	ALKALINITY	Alkalinity	150000	ug/L	[NULL]	[NULL]	[NULL]	R	B073X6	ALKALINITY	DATACH	D1067A_ALKALINITY	100-NR-2
199-N-54	8/3/1992 9:20	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B073X6	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B073X7	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B073X7	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-54	8/3/1992 9:20	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B073X6	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-54	8/3/1992 9:20	Y	7440-39-3	Barium	58	ug/L	[NULL]	[NULL]	[NULL]	R	B073X7	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	N	7440-39-3	Barium	64	ug/L	[NULL]	[NULL]	[NULL]	R	B073X6	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B073X6	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B073X7	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B073X6	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	8/3/1992 9:20	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B073X7	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B073X6	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	N	7440-70-2	Calcium	98000	ug/L	[NULL]	[NULL]	[NULL]	R	B073X6	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	Y	7440-70-2	Calcium	98000	ug/L	[NULL]	[NULL]	[NULL]	R	B073X7	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	N	16887-00-6	Chloride	11000	ug/L	[NULL]	[NULL]	[NULL]	R	B073X6	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	8/3/1992 9:20	N	7440-47-3	Chromium	27	ug/L	[NULL]	[NULL]	[NULL]	R	B073X6	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B073X7	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B073X7	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B073X6	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B073X7	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B073X6	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B073X6	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B073X7	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	N	16984-48-8	Fluoride	500	ug/L	[NULL]	[NULL]	[NULL]	R	B073X6	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	8/3/1992 9:20	N	7439-89-6	Iron	760	ug/L	[NULL]	[NULL]	[NULL]	R	B073X6	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	Y	7439-89-6	Iron	26	ug/L	[NULL]	[NULL]	[NULL]	R	B073X7	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B073X7	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-54	8/3/1992 9:20	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B073X6	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-54	8/3/1992 9:20	N	7439-95-4	Magnesium	15000	ug/L	[NULL]	[NULL]	[NULL]	R	B073X6	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	Y	7439-95-4	Magnesium	15000	ug/L	[NULL]	[NULL]	[NULL]	R	B073X7	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	N	7439-96-5	Manganese	23	ug/L	[NULL]	[NULL]	[NULL]	R	B073X6	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B073X7	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B073X6	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-54	8/3/1992 9:20	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B073X7	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-54	8/3/1992 9:20	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B073X7	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B073X6	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	N	14797-55-8	Nitrate	13000	ug/L	[NULL]	[NULL]	[NULL]	R	B073X6	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	8/3/1992 9:20	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B073X6	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	8/3/1992 9:20	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B073X6	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	8/3/1992 9:20	Y	7440-09-7	Potassium	4300	ug/L	[NULL]	[NULL]	[NULL]	R	B073X7	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	N	7440-09-7	Potassium	4300	ug/L	[NULL]	[NULL]	[NULL]	R	B073X6	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B073X7	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-54	8/3/1992 9:20	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B073X6	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-54	8/3/1992 9:20	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B073X7	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B073X6	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	N	7440-23-5	Sodium	38000	ug/L	[NULL]	[NULL]	[NULL]	R	B073X6	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	Y	7440-23-5	Sodium	38000	ug/L	[NULL]	[NULL]	[NULL]	R	B073X7	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	N	CONDUCT	Specific Conductance	705	uS/cm	[NULL]	[NULL]	[NULL]	R	B073X6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-54	8/3/1992 9:20	N	14808-79-8	Sulfate	220000	ug/L	[NULL]	[NULL]	[NULL]	R	B073X6	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	8/3/1992 9:20	N	TEMPERATURE	Temperature	18.6	Deg C	[NULL]	[NULL]	[NULL]	R	B073X6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-54	8/3/1992 9:20	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B073X7	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-54	8/3/1992 9:20	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B073X6	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	N	TURBIDITY	Turbidity	15	NTU	[NULL]	[NULL]	[NULL]	R	B073X6	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-54	8/3/1992 9:20	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B073X7	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B073X6	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	N	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B073X6	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B073X7	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/3/1992 9:20	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	B073X6	PH	FIELD	9040_PH	100-NR-2
199-N-54	12/14/1992 11:00	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NX0	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	12/14/1992 11:00	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NX1	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	12/14/1992 11:00	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NX0	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	12/14/1992 11:00	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NX1	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	12/14/1992 11:00	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B07NX0	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	12/14/1992 11:00	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B07NX1	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	12/14/1992 11:00	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B07NX1	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	12/14/1992 11:00	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B07NX0	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	12/14/1992 11:00	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NX0	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	12/14/1992 11:00	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NX1	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	12/14/1992 11:00	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NX0	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	12/14/1992 11:00	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NX1	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	12/14/1992 11:00	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NX1	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	12/14/1992 11:00	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NX0	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	12/14/1992 11:00	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B07NX1	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	12/14/1992 11:00	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B07NX0	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	12/14/1992 11:00	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B07NX0	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	12/14/1992 11:00	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B07NX1	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	12/14/1992 11:00	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B07NX0	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	12/14/1992 11:00	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B07NX1	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	12/14/1992 11:00	N	14798-03-9	Ammonium ion	100	ug/L	U	[NULL]	[NULL]	R	B07NX0	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-54	12/14/1992 11:00	N	14798-03-9	Ammonium ion	100	ug/L	U	[NULL]	[NULL]	R	B07NX1	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-54	12/14/1992 11:00	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B07NX1	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B07NX3	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B07NX0	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B07NX2	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	14234-35-6	Antimony-125	-13.1	pCi/L	U	[NULL]	[NULL]	R	B07NX0	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-54	12/14/1992 11:00	N	14234-35-6	Antimony-125	-1.05	pCi/L	U	[NULL]	[NULL]	R	B07NX1	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-54	12/14/1992 11:00	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B07NX2	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-54	12/14/1992 11:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B07NX1	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-54	12/14/1992 11:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B07NX0	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-54	12/14/1992 11:00	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B07NX3	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-54	12/14/1992 11:00	N	7440-39-3	Barium	70	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX1	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	Y	7440-39-3	Barium	70	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX2	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	7440-39-3	Barium	70	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX0	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	Y	7440-39-3	Barium	70	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX3	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B07NX0	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B07NX2	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B07NX3	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B07NX1	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B07NX0	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	12/14/1992 11:00	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B07NX1	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	12/14/1992 11:00	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B07NX3	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B07NX1	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B07NX2	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B07NX0	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-54	12/14/1992 11:00	N	7440-70-2	Calcium	100000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX1	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	7440-70-2	Calcium	100000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX0	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	Y	7440-70-2	Calcium	100000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX3	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	Y	7440-70-2	Calcium	100000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX2	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	10045-97-3	Cesium-137	2.43	pCi/L	U	[NULL]	[NULL]	R	B07NX1	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-54	12/14/1992 11:00	N	10045-97-3	Cesium-137	1.46	pCi/L	U	[NULL]	[NULL]	R	B07NX0	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-54	12/14/1992 11:00	N	16887-00-6	Chloride	11000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX1	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	12/14/1992 11:00	N	16887-00-6	Chloride	11000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX0	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	12/14/1992 11:00	Y	7440-47-3	Chromium	90	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX2	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	7440-47-3	Chromium	80	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX0	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	Y	7440-47-3	Chromium	80	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX3	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	7440-47-3	Chromium	70	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX1	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B07NX1	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B07NX0	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B07NX3	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B07NX2	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	10198-40-0	Cobalt-60	-4.82	pCi/L	U	Q	[NULL]	R	B07NX1	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-54	12/14/1992 11:00	N	10198-40-0	Cobalt-60	8.81	pCi/L	[NULL]	Q	[NULL]	R	B07NX0	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-54	12/14/1992 11:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B07NX0	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-54	12/14/1992 11:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B07NX1	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-54	12/14/1992 11:00	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B07NX2	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B07NX3	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B07NX1	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B07NX0	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B07NX0	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	12/14/1992 11:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B07NX1	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	12/14/1992 11:00	N	16984-48-8	Fluoride	500	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX1	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	12/14/1992 11:00	N	16984-48-8	Fluoride	500	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX0	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	12/14/1992 11:00	N	12587-46-1	Gross alpha	0.302	pCi/L	U	[NULL]	[NULL]	R	B07NX0	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-54	12/14/1992 11:00	N	12587-46-1	Gross alpha	0.165	pCi/L	U	[NULL]	[NULL]	R	B07NX1	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-54	12/14/1992 11:00	N	12587-47-2	Gross beta	538	pCi/L	[NULL]	[NULL]	[NULL]	R	B07NX0	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-54	12/14/1992 11:00	N	12587-47-2	Gross beta	560	pCi/L	[NULL]	[NULL]	[NULL]	R	B07NX1	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-54	12/14/1992 11:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B07NX1	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-54	12/14/1992 11:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B07NX0	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-54	12/14/1992 11:00	Y	7439-89-6	Iron	370	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX3	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	7439-89-6	Iron	350	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX1	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	Y	7439-89-6	Iron	410	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX2	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	7439-89-6	Iron	380	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX0	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B07NX0	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-54	12/14/1992 11:00	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B07NX3	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-54	12/14/1992 11:00	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B07NX2	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-54	12/14/1992 11:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B07NX1	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-54	12/14/1992 11:00	N	7439-95-4	Magnesium	16000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX1	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	Y	7439-95-4	Magnesium	16000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX2	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	Y	7439-95-4	Magnesium	16000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX3	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	7439-95-4	Magnesium	16000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX0	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	Y	7439-96-5	Manganese	10	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX2	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	Y	7439-96-5	Manganese	10	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX3	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	7439-96-5	Manganese	10	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX1	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	7439-96-5	Manganese	10	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX0	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B07NX2	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-54	12/14/1992 11:00	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B07NX1	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-54	12/14/1992 11:00	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B07NX0	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-54	12/14/1992 11:00	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B07NX3	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-54	12/14/1992 11:00	N	7440-02-0	Nickel	40	ug/L	[NULL]	Q	[NULL]	R	B07NX0	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	7440-02-0	Nickel	30	ug/L	U	Q	[NULL]	R	B07NX1	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	Y	7440-02-0	Nickel	30	ug/L	[NULL]	Q	[NULL]	R	B07NX2	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	Y	7440-02-0	Nickel	40	ug/L	[NULL]	Q	[NULL]	R	B07NX3	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	14797-55-8	Nitrate	15000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX0	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	12/14/1992 11:00	N	14797-55-8	Nitrate	15000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX1	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	12/14/1992 11:00	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B07NX0	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	12/14/1992 11:00	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B07NX1	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	12/14/1992 11:00	N	OIL/GREASE	Oil and grease	5000	ug/L	U	[NULL]	[NULL]	R	B07PX7	OIL/GREASE	DATACH	9070_OILGREASE	100-NR-2
199-N-54	12/14/1992 11:00	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B07NX0	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	12/14/1992 11:00	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B07NX1	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	12/14/1992 11:00	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B07NX0	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	12/14/1992 11:00	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B07NX1	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	12/14/1992 11:00	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B07NX0	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	12/14/1992 11:00	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B07NX1	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	12/14/1992 11:00	N	7440-09-7	Potassium	4600	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX1	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	Y	7440-09-7	Potassium	4600	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX3	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	7440-09-7	Potassium	4500	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX0	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	Y	7440-09-7	Potassium	4600	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX2	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	7440-14-4	Radium	-0.051	pCi/L	U	[NULL]	[NULL]	R	B07NX0	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-54	12/14/1992 11:00	N	7440-14-4	Radium	0.082	pCi/L	U	[NULL]	[NULL]	R	B07NX1	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-54	12/14/1992 11:00	N	13967-48-1	Ruthenium-106	-23.9	pCi/L	U	[NULL]	[NULL]	R	B07NX0	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-54	12/14/1992 11:00	N	13967-48-1	Ruthenium-106	-41.7	pCi/L	U	[NULL]	[NULL]	R	B07NX1	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-54	12/14/1992 11:00	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B07NX0	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-54	12/14/1992 11:00	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B07NX1	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-54	12/14/1992 11:00	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B07NX2	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-54	12/14/1992 11:00	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B07NX3	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-54	12/14/1992 11:00	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B07NX3	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B07NX2	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B07NX1	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B07NX0	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	7440-23-5	Sodium	39000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX0	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	Y	7440-23-5	Sodium	40000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX2	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	Y	7440-23-5	Sodium	40000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX3	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	7440-23-5	Sodium	39000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX1	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	CONDUCT	Specific Conductance	760	uS/cm	[NULL]	[NULL]	[NULL]	R	B07NZ4	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-54	12/14/1992 11:00	N	CONDUCT	Specific Conductance	760	uS/cm	[NULL]	[NULL]	[NULL]	R	B07NZ5	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-54	12/14/1992 11:00	N	CONDUCT	Specific Conductance	761	uS/cm	[NULL]	[NULL]	[NULL]	R	B07NX0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-54	12/14/1992 11:00	N	10098-97-2	Strontium-90	258	pCi/L	[NULL]	[NULL]	[NULL]	R	B07NX0	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-54	12/14/1992 11:00	N	10098-97-2	Strontium-90	317	pCi/L	[NULL]	[NULL]	[NULL]	R	B07NX1	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-54	12/14/1992 11:00	N	14808-79-8	Sulfate	240000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX0	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	12/14/1992 11:00	N	14808-79-8	Sulfate	240000	ug/L	[NULL]	[NULL]	[NULL]	R	B07NX1	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	12/14/1992 11:00	N	TEMPERATURE	Temperature	18.1	Deg C	[NULL]	[NULL]	[NULL]	R	B07NX0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-54	12/14/1992 11:00	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B07NX0	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	12/14/1992 11:00	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B07NX1	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	12/14/1992 11:00	Y	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B07NX3	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-54	12/14/1992 11:00	Y	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B07NX2	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-54	12/14/1992 11:00	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B07NX1	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-54	12/14/1992 11:00	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B07NX0	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-54	12/14/1992 11:00	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B07NX3	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B07NX2	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B07NX1	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-54	12/14/1992 11:00	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B07NX0	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B07NX1	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	12/14/1992 11:00	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B07NX0	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	12/14/1992 11:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07NX0	TOC	DATACH	9060_TOC	100-NR-2
199-N-54	12/14/1992 11:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07NX1	TOC	DATACH	9060_TOC	100-NR-2
199-N-54	12/14/1992 11:00	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B07NX0	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-54	12/14/1992 11:00	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B07NX1	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-54	12/14/1992 11:00	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	100	ug/L	U	[NULL]	[NULL]	R	B07PX7	TPHDIESEL	DATACH	8015M_TPH_GC	100-NR-2
199-N-54	12/14/1992 11:00	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NX0	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	12/14/1992 11:00	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07NX1	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	12/14/1992 11:00	N	10028-17-8	Tritium	10000	pCi/L	[NULL]	[NULL]	[NULL]	R	B07NX0	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-54	12/14/1992 11:00	N	10028-17-8	Tritium	10100	pCi/L	[NULL]	[NULL]	[NULL]	R	B07NX1	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-54	12/14/1992 11:00	N	TURBIDITY	Turbidity	0.5	NTU	[NULL]	[NULL]	[NULL]	R	B07NX0	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-54	12/14/1992 11:00	N	TURBIDITY	Turbidity	0.4	NTU	[NULL]	[NULL]	[NULL]	R	B07NX1	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-54	12/14/1992 11:00	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B07NX1	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B07NX2	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B07NX0	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B07NX3	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B07NX1	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B07NX0	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B07NX2	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B07NX3	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	12/14/1992 11:00	N	PH	pH Measurement	7.28	unitless	[NULL]	[NULL]	[NULL]	R	B07NX0	PH	FIELD	9040_PH	100-NR-2
199-N-54	12/14/1992 11:00	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	R	B07NZ5	PH	DATACH	D1293_PH	100-NR-2
199-N-54	12/14/1992 11:00	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	R	B07NZ4	PH	DATACH	D1293_PH	100-NR-2
199-N-54	3/4/1993 10:57	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085M7	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	3/4/1993 10:57	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085M7	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	3/4/1993 10:57	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B085M7	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	3/4/1993 10:57	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B085M7	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	3/4/1993 10:57	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085M7	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	3/4/1993 10:57	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085M7	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	3/4/1993 10:57	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B085M7	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	3/4/1993 10:57	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B085M7	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	3/4/1993 10:57	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B085M7	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	3/4/1993 10:57	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B085M7	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	3/4/1993 10:57	N	14798-03-9	Ammonium ion	100	ug/L	U	[NULL]	[NULL]	R	B085M7	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-54	3/4/1993 10:57	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B085M7	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	3/4/1993 10:57	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B085M8	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	3/4/1993 10:57	N	14234-35-6	Antimony-125	6.54	pCi/L	[NULL]	[NULL]	[NULL]	R	B085M7	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-54	3/4/1993 10:57	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B085M8	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-54	3/4/1993 10:57	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B085M7	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-54	3/4/1993 10:57	N	7440-39-3	Barium	70	ug/L	[NULL]	[NULL]	[NULL]	R	B085M7	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	3/4/1993 10:57	Y	7440-39-3	Barium	70	ug/L	[NULL]	[NULL]	[NULL]	R	B085M8	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	3/4/1993 10:57	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B085M8	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	3/4/1993 10:57	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B085M7	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	3/4/1993 10:57	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B085M7	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	3/4/1993 10:57	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B085M8	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	3/4/1993 10:57	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B085M7	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	3/4/1993 10:57	Y	7440-70-2	Calcium	110000	ug/L	[NULL]	[NULL]	[NULL]	R	B085M8	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	3/4/1993 10:57	N	7440-70-2	Calcium	110000	ug/L	[NULL]	[NULL]	[NULL]	R	B085M7	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	3/4/1993 10:57	N	10045-97-3	Cesium-137	-1.99	pCi/L	U	[NULL]	[NULL]	R	B085M7	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-54	3/4/1993 10:57	N	16887-00-6	Chloride	13000	ug/L	[NULL]	[NULL]	[NULL]	R	B085M7	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-54	3/4/1993 10:57	N	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B085M7	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	3/4/1993 10:57	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B085M8	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	3/4/1993 10:57	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B085M8	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	3/4/1993 10:57	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B085M7	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	3/4/1993 10:57	N	10198-40-0	Cobalt-60	-2.77	pCi/L	U	[NULL]	[NULL]	R	B085M7	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-54	3/4/1993 10:57	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	H	[NULL]	R	B085M7	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-54	3/4/1993 10:57	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B085M7	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	3/4/1993 10:57	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B085M8	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	3/4/1993 10:57	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B085M7	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	3/4/1993 10:57	N	16984-48-8	Fluoride	600	ug/L	[NULL]	[NULL]	[NULL]	R	B085M7	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	3/4/1993 10:57	N	12587-46-1	Gross alpha	1.95	pCi/L	U	[NULL]	[NULL]	R	B085M7	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-54	3/4/1993 10:57	N	12587-47-2	Gross beta	505	pCi/L	[NULL]	[NULL]	[NULL]	R	B085M7	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-54	3/4/1993 10:57	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B085M7	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-54	3/4/1993 10:57	N	7439-89-6	Iron	70	ug/L	[NULL]	[NULL]	[NULL]	R	B085M7	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	3/4/1993 10:57	Y	7439-89-6	Iron	30	ug/L	[NULL]	[NULL]	[NULL]	R	B085M8	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	3/4/1993 10:57	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B085M7	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-54	3/4/1993 10:57	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B085M8	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-54	3/4/1993 10:57	N	7439-95-4	Magnesium	16000	ug/L	[NULL]	[NULL]	[NULL]	R	B085M7	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	3/4/1993 10:57	Y	7439-95-4	Magnesium	17000	ug/L	[NULL]	[NULL]	[NULL]	R	B085M8	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	3/4/1993 10:57	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B085M8	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	3/4/1993 10:57	N	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B085M7	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	3/4/1993 10:57	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B085M7	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-54	3/4/1993 10:57	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B085M8	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-54	3/4/1993 10:57	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B085M8	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	3/4/1993 10:57	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B085M7	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	3/4/1993 10:57	N	14797-55-8	Nitrate	15000	ug/L	[NULL]	[NULL]	[NULL]	R	B085M7	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	3/4/1993 10:57	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B085M7	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	3/4/1993 10:57	N	OIL/GREASE	Oil and grease	5000	ug/L	U	[NULL]	[NULL]	R	B086L8	OIL/GREASE	WESTON	9070_OILGREASE	100-NR-2
199-N-54	3/4/1993 10:57	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B085M7	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	3/4/1993 10:57	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B085M7	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	3/4/1993 10:57	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B085M7	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	3/4/1993 10:57	Y	7440-09-7	Potassium	4900	ug/L	[NULL]	[NULL]	[NULL]	R	B085M8	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	3/4/1993 10:57	N	7440-09-7	Potassium	5000	ug/L	[NULL]	[NULL]	[NULL]	R	B085M7	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	3/4/1993 10:57	N	7440-14-4	Radium	0.06	pCi/L	U	[NULL]	[NULL]	R	B085M7	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-54	3/4/1993 10:57	N	13967-48-1	Ruthenium-106	67.9	pCi/L	[NULL]	[NULL]	[NULL]	R	B085M7	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-54	3/4/1993 10:57	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B085M8	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-54	3/4/1993 10:57	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B085M7	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-54	3/4/1993 10:57	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B085M8	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	3/4/1993 10:57	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B085M7	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	3/4/1993 10:57	N	7440-23-5	Sodium	40000	ug/L	[NULL]	[NULL]	[NULL]	R	B085M7	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	3/4/1993 10:57	Y	7440-23-5	Sodium	41000	ug/L	[NULL]	[NULL]	[NULL]	R	B085M8	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	3/4/1993 10:57	N	CONDUCT	Specific Conductance	820	uS/cm	[NULL]	[NULL]	[NULL]	R	B085W5	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-54	3/4/1993 10:57	N	CONDUCT	Specific Conductance	904	uS/cm	[NULL]	[NULL]	[NULL]	R	B085M7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-54	3/4/1993 10:57	N	10098-97-2	Strontium-90	290	pCi/L	[NULL]	[NULL]	[NULL]	R	B085M7	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-54	3/4/1993 10:57	N	14808-79-8	Sulfate	250000	ug/L	[NULL]	[NULL]	[NULL]	R	B085M7	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	3/4/1993 10:57	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B085M7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-54	3/4/1993 10:57	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B085M7	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	3/4/1993 10:57	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B085M7	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-54	3/4/1993 10:57	Y	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B085M8	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-54	3/4/1993 10:57	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B085M8	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	3/4/1993 10:57	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B085M7	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	3/4/1993 10:57	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B085M7	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	3/4/1993 10:57	N	TOC	Total organic carbon	200	ug/L	UX	[NULL]	[NULL]	R	B085M7	TOC	DATACH	9060_TOC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-54	3/4/1993 10:57	N	59473-04-0	Total organic halides	10	ug/L	U	HY	[NULL]	R	B085M7	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-54	3/4/1993 10:57	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	100	ug/L	U	[NULL]	[NULL]	R	B086L8	TPHDIESEL	WESTON	8015M_TPH_GC	100-NR-2
199-N-54	3/4/1993 10:57	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085M7	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	3/4/1993 10:57	N	10028-17-8	Tritium	10800	pCi/L	[NULL]	[NULL]	[NULL]	R	B085M7	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-54	3/4/1993 10:57	N	TURBIDITY	Turbidity	0.2	NTU	[NULL]	[NULL]	[NULL]	R	B085M7	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-54	3/4/1993 10:57	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B085M7	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	3/4/1993 10:57	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B085M8	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	3/4/1993 10:57	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B085M8	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	3/4/1993 10:57	N	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B085M7	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	3/4/1993 10:57	N	PH	pH Measurement	7.23	unitless	[NULL]	[NULL]	[NULL]	R	B085M7	PH	FIELD	9040_PH	100-NR-2
199-N-54	3/4/1993 10:57	N	PH	pH Measurement	7.8	unitless	[NULL]	H	[NULL]	R	B085W5	PH	DATACH	D1293_PH	100-NR-2
199-N-54	5/12/1993 8:50	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08J74	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	5/12/1993 8:50	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08J74	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	5/12/1993 8:50	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B08J74	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	5/12/1993 8:50	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B08J74	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	5/12/1993 8:50	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08J74	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	5/12/1993 8:50	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08J74	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	5/12/1993 8:50	N	88-75-5	2-Nitrophenol	1.56	ug/L	U	[NULL]	[NULL]	R	B08J74	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	5/12/1993 8:50	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B08J74	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	5/12/1993 8:50	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B08J74	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	5/12/1993 8:50	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B08J74	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	5/12/1993 8:50	N	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B08J74	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	Y	7429-90-5	Aluminum	37	ug/L	L	[NULL]	[NULL]	R	B08J75	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	N	14798-03-9	Ammonium ion	100	ug/L	[NULL]	[NULL]	[NULL]	R	B08J74	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-54	5/12/1993 8:50	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B08J75	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B08J74	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	N	14234-35-6	Antimony-125	-10.5	pCi/L	U	[NULL]	[NULL]	R	B08J74	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-54	5/12/1993 8:50	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B08J75	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-54	5/12/1993 8:50	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B08J74	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-54	5/12/1993 8:50	N	7440-39-3	Barium	70	ug/L	[NULL]	[NULL]	[NULL]	R	B08J74	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	Y	7440-39-3	Barium	80	ug/L	[NULL]	[NULL]	[NULL]	R	B08J75	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B08J75	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B08J74	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	N	24959-67-9	Bromide	53	ug/L	L	[NULL]	[NULL]	R	B08J74	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	5/12/1993 8:50	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B08J75	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B08J74	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	Y	7440-70-2	Calcium	130000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J75	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	N	7440-70-2	Calcium	120000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J74	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	N	10045-97-3	Cesium-137	-0.077	pCi/L	U	[NULL]	[NULL]	R	B08J74	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-54	5/12/1993 8:50	N	16887-00-6	Chloride	13000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J74	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	5/12/1993 8:50	N	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B08J74	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	Y	7440-47-3	Chromium	5.6	ug/L	L	[NULL]	[NULL]	R	B08J75	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B08J75	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B08J74	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	N	10198-40-0	Cobalt-60	4.38	pCi/L	U	[NULL]	[NULL]	R	B08J74	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-54	5/12/1993 8:50	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B08J74	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-54	5/12/1993 8:50	Y	7440-50-8	Copper	20	ug/L	U	Q	[NULL]	R	B08J75	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	N	7440-50-8	Copper	20	ug/L	U	Q	[NULL]	R	B08J74	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B08J74	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	5/12/1993 8:50	N	16984-48-8	Fluoride	700	ug/L	[NULL]	[NULL]	[NULL]	R	B08J74	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-54	5/12/1993 8:50	N	12587-46-1	Gross alpha	2.43	pCi/L	[NULL]	[NULL]	[NULL]	R	B08J74	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-54	5/12/1993 8:50	N	12587-47-2	Gross beta	553	pCi/L	[NULL]	[NULL]	[NULL]	R	B08J74	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-54	5/12/1993 8:50	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B08J74	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-54	5/12/1993 8:50	N	7439-89-6	Iron	20	ug/L	U	[NULL]	[NULL]	R	B08J74	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	Y	7439-89-6	Iron	16	ug/L	L	[NULL]	[NULL]	R	B08J75	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	N	7439-92-1	Lead	5	ug/L	U	Q	[NULL]	R	B08J74	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-54	5/12/1993 8:50	Y	7439-92-1	Lead	5	ug/L	U	Q	[NULL]	R	B08J75	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-54	5/12/1993 8:50	Y	7439-95-4	Magnesium	20000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J75	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	N	7439-95-4	Magnesium	19000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J74	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B08J75	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	N	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B08J74	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B08J74	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-54	5/12/1993 8:50	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B08J75	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-54	5/12/1993 8:50	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B08J75	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B08J74	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	N	14797-55-8	Nitrate	15000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J74	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	5/12/1993 8:50	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B08J74	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	5/12/1993 8:50	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B08J74	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	5/12/1993 8:50	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B08J74	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	5/12/1993 8:50	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B08J74	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	5/12/1993 8:50	Y	7440-09-7	Potassium	6000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J75	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	N	7440-09-7	Potassium	5000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J74	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	N	7440-14-4	Radium	0.01	pCi/L	U	[NULL]	[NULL]	R	B08J74	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-54	5/12/1993 8:50	N	13967-48-1	Ruthenium-106	-16.1	pCi/L	U	[NULL]	[NULL]	R	B08J74	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-54	5/12/1993 8:50	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B08J74	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-54	5/12/1993 8:50	Y	7782-49-2	Selenium	1	ug/L	L	[NULL]	[NULL]	R	B08J75	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-54	5/12/1993 8:50	Y	7440-22-4	Silver	3.1	ug/L	L	[NULL]	[NULL]	R	B08J75	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B08J74	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	N	7440-23-5	Sodium	44000	ug/L	[NULL]	Q	[NULL]	R	B08J74	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	Y	7440-23-5	Sodium	48000	ug/L	[NULL]	Q	[NULL]	R	B08J75	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	N	CONDUCT	Specific Conductance	888	uS/cm	[NULL]	[NULL]	[NULL]	R	B08J74	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-54	5/12/1993 8:50	N	CONDUCT	Specific Conductance	870	uS/cm	[NULL]	[NULL]	[NULL]	R	B08J10	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-54	5/12/1993 8:50	N	10098-97-2	Strontium-90	344	pCi/L	[NULL]	[NULL]	[NULL]	R	B08J74	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-54	5/12/1993 8:50	N	14808-79-8	Sulfate	290000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J74	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	5/12/1993 8:50	N	TEMPERATURE	Temperature	19.7	Deg C	[NULL]	[NULL]	[NULL]	R	B08J74	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-54	5/12/1993 8:50	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B08J74	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	5/12/1993 8:50	Y	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B08J75	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-54	5/12/1993 8:50	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B08J74	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-54	5/12/1993 8:50	N	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B08J74	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	Y	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B08J75	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B08J74	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	5/12/1993 8:50	N	TOC	Total organic carbon	500	ug/L	L	[NULL]	[NULL]	R	B08J74	TOC	DATACH	9060_TOC	100-NR-2
199-N-54	5/12/1993 8:50	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B08J74	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-54	5/12/1993 8:50	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08J74	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-54	5/12/1993 8:50	N	10028-17-8	Tritium	9840	pCi/L	[NULL]	[NULL]	[NULL]	R	B08J74	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-54	5/12/1993 8:50	N	TURBIDITY	Turbidity	0.3	NTU	[NULL]	[NULL]	[NULL]	R	B08J74	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-54	5/12/1993 8:50	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B08J75	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B08J74	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	N	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B08J74	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B08J75	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	5/12/1993 8:50	N	PH	pH Measurement	7.6	unitless	[NULL]	[NULL]	[NULL]	R	B08J10	PH	DATACH	D1293_PH	100-NR-2
199-N-54	5/12/1993 8:50	N	PH	pH Measurement	7.21	unitless	[NULL]	[NULL]	[NULL]	R	B08J74	PH	FIELD	9040_PH	100-NR-2
199-N-54	5/12/1993 9:47	N	OIL/GREASE	Oil and grease	6000	ug/L	[NULL]	[NULL]	[NULL]	R	B08L04	OIL/GREASE	TMANC	9070_OILGREASE	100-NR-2
199-N-54	5/12/1993 9:47	N	CONDUCT	Specific Conductance	888	uS/cm	[NULL]	[NULL]	[NULL]	R	B08L04	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-54	5/12/1993 9:47	N	TEMPERATURE	Temperature	19.7	Deg C	[NULL]	[NULL]	[NULL]	R	B08L04	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-54	5/12/1993 9:47	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	5000	ug/L	U	[NULL]	[NULL]	R	B08L04	TPHDIESEL	TMANC	8015M_TPH_GC	100-NR-2
199-N-54	5/12/1993 9:47	N	PH	pH Measurement	7.21	unitless	[NULL]	[NULL]	[NULL]	R	B08L04	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-54	8/11/1993 9:10	N	OIL/GREASE	Oil and grease	5000	ug/L	U	[NULL]	[NULL]	R	B091F6	OIL/GREASE	TMANC	9070_OILGREASE	100-NR-2
199-N-54	8/11/1993 9:10	N	CONDUCT	Specific Conductance	910	uS/cm	[NULL]	[NULL]	[NULL]	R	B091F6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-54	8/11/1993 9:10	N	TEMPERATURE	Temperature	19.4	Deg C	[NULL]	[NULL]	[NULL]	R	B091F6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-54	8/11/1993 9:10	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	2000	ug/L	U	[NULL]	[NULL]	R	B091F6	TPHDIESEL	TMANC	8015M_TPH_GC	100-NR-2
199-N-54	8/11/1993 9:10	N	TURBIDITY	Turbidity	2	NTU	[NULL]	[NULL]	[NULL]	R	B091F6	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-54	8/11/1993 9:10	N	PH	pH Measurement	7.33	unitless	[NULL]	[NULL]	[NULL]	R	B091F6	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-54	2/23/1994 9:35	N	14234-35-6	Antimony-125	-4.24	pCi/L	U	[NULL]	[NULL]	R	B09ZS8	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-54	2/23/1994 9:35	N	10045-97-3	Cesium-137	8.41	pCi/L	[NULL]	[NULL]	[NULL]	R	B09ZS8	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-54	2/23/1994 9:35	N	10198-40-0	Cobalt-60	-1.85	pCi/L	U	[NULL]	[NULL]	R	B09ZS8	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-54	2/23/1994 9:35	N	12587-46-1	Gross alpha	1.91	pCi/L	U	[NULL]	[NULL]	R	B09ZS8	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-54	2/23/1994 9:35	N	12587-47-2	Gross beta	805	pCi/L	[NULL]	[NULL]	[NULL]	R	B09ZS8	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-54	2/23/1994 9:35	N	OIL/GREASE	Oil and grease	6000	ug/L	[NULL]	[NULL]	[NULL]	R	B0BFK0	OIL/GREASE	TMANC	9070_OILGREASE	100-NR-2
199-N-54	2/23/1994 9:35	N	13967-48-1	Ruthenium-106	-12.3	pCi/L	U	[NULL]	[NULL]	R	B09ZS8	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-54	2/23/1994 9:35	N	CONDUCT	Specific Conductance	938	uS/cm	[NULL]	[NULL]	[NULL]	R	B09ZS8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-54	2/23/1994 9:35	N	10098-97-2	Strontium-90	396	pCi/L	[NULL]	[NULL]	[NULL]	R	B09ZS8	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-54	2/23/1994 9:35	N	TEMPERATURE	Temperature	18.3	Deg C	[NULL]	[NULL]	[NULL]	R	B09ZS8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-54	2/23/1994 9:35	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	1000	ug/L	[NULL]	[NULL]	[NULL]	R	B0BFK0	TPHDIESEL	TMANC	8015M_TPH_GC	100-NR-2
199-N-54	2/23/1994 9:35	N	10028-17-8	Tritium	8520	pCi/L	[NULL]	[NULL]	[NULL]	R	B09ZS8	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-54	2/23/1994 9:35	N	PH	pH Measurement	7.2	unitless	[NULL]	[NULL]	[NULL]	R	B09ZS8	PH	FIELD	9040_PH	100-NR-2
199-N-54	8/23/1994 11:43	Y	7429-90-5	Aluminum	19	ug/L	U	[NULL]	[NULL]	R	B0CJD7	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	N	7429-90-5	Aluminum	19	ug/L	U	[NULL]	[NULL]	R	B0CJD6	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	Y	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0CJD7	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	N	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0CJD6	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	N	14234-35-6	Antimony-125	1.58	pCi/L	U	[NULL]	[NULL]	R	B0CJD6	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-54	8/23/1994 11:43	N	7440-39-3	Barium	65	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJD6	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	Y	7440-39-3	Barium	65	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJD7	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	N	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0CJD6	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	Y	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0CJD7	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	N	24959-67-9	Bromide	110	ug/L	U	[NULL]	[NULL]	R	B0CJD6	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	8/23/1994 11:43	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0CJD7	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0CJD6	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	N	7440-70-2	Calcium	130000	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJD6	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	Y	7440-70-2	Calcium	130000	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJD7	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	N	10045-97-3	Cesium-137	0.087	pCi/L	U	[NULL]	[NULL]	R	B0CJD6	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-54	8/23/1994 11:43	N	16887-00-6	Chloride	16000	ug/L	D	[NULL]	[NULL]	R	B0CJD6	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	8/23/1994 11:43	N	7440-47-3	Chromium	18	ug/L	L	[NULL]	[NULL]	R	B0CJD6	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	Y	7440-47-3	Chromium	11	ug/L	U	[NULL]	[NULL]	R	B0CJD7	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	Y	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0CJD7	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	N	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0CJD6	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	N	10198-40-0	Cobalt-60	4.67	pCi/L	U	[NULL]	[NULL]	R	B0CJD6	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-54	8/23/1994 11:43	Y	7440-50-8	Copper	2.6	ug/L	U	[NULL]	[NULL]	R	B0CJD7	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	N	7440-50-8	Copper	2.6	ug/L	U	[NULL]	[NULL]	R	B0CJD6	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	N	16984-48-8	Fluoride	1000	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJD6	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	8/23/1994 11:43	N	12587-46-1	Gross alpha	2.51	pCi/L	U	[NULL]	[NULL]	R	B0CJD6	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-54	8/23/1994 11:43	N	12587-47-2	Gross beta	748	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CJD6	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-54	8/23/1994 11:43	N	7439-89-6	Iron	79	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJD6	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	Y	7439-89-6	Iron	23	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJD7	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-54	8/23/1994 11:43	Y	7439-95-4	Magnesium	20000	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJD7	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	N	7439-95-4	Magnesium	20000	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJD6	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	Y	7439-96-5	Manganese	1	ug/L	U	[NULL]	[NULL]	R	B0CJD7	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	N	7439-96-5	Manganese	1	ug/L	U	[NULL]	[NULL]	R	B0CJD6	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	Y	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0CJD7	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	N	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0CJD6	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	N	14797-55-8	Nitrate	18000	ug/L	D	[NULL]	[NULL]	R	B0CJD6	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	8/23/1994 11:43	N	14797-65-0	Nitrite	110	ug/L	U	[NULL]	[NULL]	R	B0CJD6	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	8/23/1994 11:43	N	OIL/GREASE	Oil and grease	2800	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJD6	OIL/GREASE	QTESSL	9070_OILGREASE	100-NR-2
199-N-54	8/23/1994 11:43	N	OIL/GREASE	Oil and grease	2300	ug/L	[NULL]	[NULL]	[NULL]	R	B0CSJ0	OIL/GREASE	QTESSL	9070_OILGREASE	100-NR-2
199-N-54	8/23/1994 11:43	N	14265-44-2	Phosphate	470	ug/L	UD	[NULL]	[NULL]	R	B0CJD6	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	8/23/1994 11:43	N	7440-09-7	Potassium	4700	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJD6	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	Y	7440-09-7	Potassium	4900	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJD7	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	N	13967-48-1	Ruthenium-106	-24.8	pCi/L	U	[NULL]	[NULL]	R	B0CJD6	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-54	8/23/1994 11:43	N	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0CJD6	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	Y	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0CJD7	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	N	7440-23-5	Sodium	46000	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJD6	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	Y	7440-23-5	Sodium	45000	ug/L	[NULL]	[NULL]	[NULL]	R	B0CJD7	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	N	CONDUCT	Specific Conductance	995	uS/cm	[NULL]	[NULL]	[NULL]	R	B0CJD6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-54	8/23/1994 11:43	N	CONDUCT	Specific Conductance	960	uS/cm	[NULL]	[NULL]	[NULL]	R	B0CJD6	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-54	8/23/1994 11:43	N	10098-97-2	Strontium-90	460	pCi/L	[NULL]	Q	[NULL]	R	B0CJD6	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-54	8/23/1994 11:43	N	14808-79-8	Sulfate	300000	ug/L	D	[NULL]	[NULL]	R	B0CJD6	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-54	8/23/1994 11:43	N	TEMPERATURE	Temperature	22.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0CJD6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-54	8/23/1994 11:43	Y	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0CJD7	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	N	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0CJD6	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	500	ug/L	U	[NULL]	[NULL]	R	B0CSJ0	TPHDIESEL	QTESSL	8015M_TPH_GC	100-NR-2
199-N-54	8/23/1994 11:43	N	TPHDIESEL	Total petroleum hydrocarbons - diesel range	500	ug/L	U	[NULL]	[NULL]	R	B0CJD6	TPHDIESEL	QTESSL	8015M_TPH_GC	100-NR-2
199-N-54	8/23/1994 11:43	N	10028-17-8	Tritium	7520	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CJD6	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-54	8/23/1994 11:43	N	TURBIDITY	Turbidity	0.35	NTU	[NULL]	Q	[NULL]	R	B0CJD6	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-54	8/23/1994 11:43	N	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0CJD6	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	Y	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0CJD7	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	Y	7440-66-6	Zinc	10	ug/L	B	[NULL]	[NULL]	R	B0CJD7	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	N	7440-66-6	Zinc	7.7	ug/L	LB	[NULL]	[NULL]	R	B0CJD6	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-54	8/23/1994 11:43	N	PH	pH Measurement	7.5	unitless	[NULL]	[NULL]	[NULL]	R	B0CJD6	PH	DATACH	D1293_PH	100-NR-2
199-N-54	8/23/1994 11:43	N	PH	pH Measurement	7.49	unitless	[NULL]	[NULL]	[NULL]	R	B0CJD6	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-54	9/13/1994 10:31	N	14234-35-6	Antimony-125	-9.41	pCi/L	U	[NULL]	[NULL]	R	B0CT45	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-54	9/13/1994 10:31	N	10045-97-3	Cesium-137	-1.03	pCi/L	U	[NULL]	[NULL]	R	B0CT45	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-54	9/13/1994 10:31	N	10198-40-0	Cobalt-60	-4.24	pCi/L	U	[NULL]	[NULL]	R	B0CT45	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-54	9/13/1994 10:31	N	13967-48-1	Ruthenium-106	-21.6	pCi/L	U	[NULL]	[NULL]	R	B0CT45	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-54	9/13/1994 10:31	N	CONDUCT	Specific Conductance	955	uS/cm	[NULL]	[NULL]	[NULL]	R	B0CT45	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-54	9/13/1994 10:31	N	10098-97-2	Strontium-90	485	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CT45	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-54	9/13/1994 10:31	N	TEMPERATURE	Temperature	19.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0CT45	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-54	9/13/1994 10:31	N	10028-17-8	Tritium	7790	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CT45	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-54	9/13/1994 10:31	N	PH	pH Measurement	6.52	unitless	[NULL]	[NULL]	[NULL]	R	B0CT45	PH	FIELD	9040_PH	100-NR-2
199-N-54	3/6/1995 11:15	N	7429-90-5	Aluminum	23.5	ug/L	U	[NULL]	[NULL]	R	B0DX92	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	Y	7429-90-5	Aluminum	35.7	ug/L	U	[NULL]	[NULL]	R	B0DX55	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	Y	7429-90-5	Aluminum	29.7	ug/L	U	[NULL]	[NULL]	R	B0DX93	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	7429-90-5	Aluminum	24.6	ug/L	U	[NULL]	[NULL]	R	B0DX54	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	Y	7440-36-0	Antimony	32.8	ug/L	U	[NULL]	[NULL]	R	B0DX55	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	7440-36-0	Antimony	32.8	ug/L	U	[NULL]	[NULL]	R	B0DX92	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	Y	7440-36-0	Antimony	32.8	ug/L	U	[NULL]	[NULL]	R	B0DX93	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-54	3/6/1995 11:15	N	7440-36-0	Antimony	34.2	ug/L	B	[NULL]	[NULL]	R	B0DX54	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	7440-39-3	Barium	68.7	ug/L	B	[NULL]	[NULL]	R	B0DX92	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	Y	7440-39-3	Barium	74.7	ug/L	B	[NULL]	[NULL]	R	B0DX55	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	Y	7440-39-3	Barium	74.7	ug/L	B	[NULL]	[NULL]	R	B0DX93	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	7440-39-3	Barium	72.2	ug/L	B	[NULL]	[NULL]	R	B0DX54	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	Y	7440-41-7	Beryllium	0.96	ug/L	U	[NULL]	[NULL]	R	B0DX55	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	7440-41-7	Beryllium	0.96	ug/L	U	[NULL]	[NULL]	R	B0DX92	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	Y	7440-41-7	Beryllium	0.8	ug/L	U	[NULL]	[NULL]	R	B0DX93	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	7440-41-7	Beryllium	0.96	ug/L	U	[NULL]	[NULL]	R	B0DX54	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	Y	7440-43-9	Cadmium	3.8	ug/L	U	[NULL]	[NULL]	R	B0DX93	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	7440-43-9	Cadmium	3.8	ug/L	U	[NULL]	[NULL]	R	B0DX92	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	7440-43-9	Cadmium	3.8	ug/L	U	[NULL]	[NULL]	R	B0DX54	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	Y	7440-43-9	Cadmium	3.8	ug/L	U	[NULL]	[NULL]	R	B0DX55	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	Y	7440-70-2	Calcium	126000	ug/L	J	[NULL]	[NULL]	R	B0DX93	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	7440-70-2	Calcium	128000	ug/L	J	[NULL]	[NULL]	R	B0DX92	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	Y	7440-70-2	Calcium	132000	ug/L	J	[NULL]	[NULL]	R	B0DX55	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	7440-70-2	Calcium	130000	ug/L	J	[NULL]	[NULL]	R	B0DX54	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	10045-97-3	Cesium-137	-0.72	pCi/L	U	[NULL]	[NULL]	R	B0DX54	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-54	3/6/1995 11:15	N	10045-97-3	Cesium-137	-0.437	pCi/L	U	[NULL]	[NULL]	R	B0DX92	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-54	3/6/1995 11:15	Y	16887-00-6	Chloride	19200	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX93	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	3/6/1995 11:15	Y	16887-00-6	Chloride	19400	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX55	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	3/6/1995 11:15	N	16887-00-6	Chloride	19500	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX54	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	3/6/1995 11:15	N	16887-00-6	Chloride	19400	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX92	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	3/6/1995 11:15	Y	7440-47-3	Chromium	2.9	ug/L	U	[NULL]	[NULL]	R	B0DX93	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	7440-47-3	Chromium	6	ug/L	B	[NULL]	[NULL]	R	B0DX92	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	7440-47-3	Chromium	5.1	ug/L	B	[NULL]	[NULL]	R	B0DX54	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	Y	7440-47-3	Chromium	4.9	ug/L	B	[NULL]	[NULL]	R	B0DX55	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	Y	7440-48-4	Cobalt	4.1	ug/L	U	[NULL]	[NULL]	R	B0DX93	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	Y	7440-48-4	Cobalt	4.1	ug/L	U	[NULL]	[NULL]	R	B0DX55	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	7440-48-4	Cobalt	4.1	ug/L	U	[NULL]	[NULL]	R	B0DX92	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	7440-48-4	Cobalt	4.1	ug/L	U	[NULL]	[NULL]	R	B0DX54	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	13981-38-9	Cobalt-58	7.88	pCi/L	U	[NULL]	[NULL]	R	B0DX92	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-54	3/6/1995 11:15	N	13981-38-9	Cobalt-58	-4.82	pCi/L	U	[NULL]	[NULL]	R	B0DX54	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-54	3/6/1995 11:15	N	10198-40-0	Cobalt-60	2.84	pCi/L	U	[NULL]	[NULL]	R	B0DX54	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-54	3/6/1995 11:15	N	10198-40-0	Cobalt-60	-1.61	pCi/L	U	[NULL]	[NULL]	R	B0DX92	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-54	3/6/1995 11:15	Y	7440-50-8	Copper	33.2	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX55	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	Y	7440-50-8	Copper	22.7	ug/L	B	[NULL]	[NULL]	R	B0DX93	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	7440-50-8	Copper	30.4	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX92	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	7440-50-8	Copper	25.9	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX54	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	14683-23-9	Europium-152	-5.11	pCi/L	U	[NULL]	[NULL]	R	B0DX54	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-54	3/6/1995 11:15	N	14683-23-9	Europium-152	1.74	pCi/L	U	[NULL]	[NULL]	R	B0DX92	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-54	3/6/1995 11:15	N	15585-10-1	Europium-154	-3.71	pCi/L	U	[NULL]	[NULL]	R	B0DX54	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-54	3/6/1995 11:15	N	15585-10-1	Europium-154	-11.4	pCi/L	U	[NULL]	[NULL]	R	B0DX92	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-54	3/6/1995 11:15	N	14391-16-3	Europium-155	-0.899	pCi/L	U	[NULL]	[NULL]	R	B0DX54	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-54	3/6/1995 11:15	N	14391-16-3	Europium-155	8.27	pCi/L	U	[NULL]	[NULL]	R	B0DX92	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-54	3/6/1995 11:15	N	16984-48-8	Fluoride	100	ug/L	U	[NULL]	[NULL]	R	B0DX54	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	3/6/1995 11:15	N	16984-48-8	Fluoride	100	ug/L	U	[NULL]	[NULL]	R	B0DX92	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	3/6/1995 11:15	Y	16984-48-8	Fluoride	100	ug/L	U	[NULL]	[NULL]	R	B0DX55	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	3/6/1995 11:15	Y	16984-48-8	Fluoride	100	ug/L	U	[NULL]	[NULL]	R	B0DX93	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	3/6/1995 11:15	N	12587-46-1	Gross alpha	1.95	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DX92	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-54	3/6/1995 11:15	N	12587-46-1	Gross alpha	2.43	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DX54	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-54	3/6/1995 11:15	N	12587-47-2	Gross beta	815	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DX92	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-54	3/6/1995 11:15	N	12587-47-2	Gross beta	785	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DX54	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-54	3/6/1995 11:15	Y	7439-89-6	Iron	145	ug/L	U	[NULL]	[NULL]	R	B0DX55	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	7439-89-6	Iron	132	ug/L	U	[NULL]	[NULL]	R	B0DX92	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-54	3/6/1995 11:15	N	7439-89-6	Iron	100	ug/L	U	[NULL]	[NULL]	R	B0DX54	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	Y	7439-89-6	Iron	82.3	ug/L	U	[NULL]	[NULL]	R	B0DX93	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	14596-12-4	Iron-59	-15.2	pCi/L	U	[NULL]	[NULL]	R	B0DX54	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-54	3/6/1995 11:15	N	14596-12-4	Iron-59	-2.19	pCi/L	U	[NULL]	[NULL]	R	B0DX92	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-54	3/6/1995 11:15	Y	7439-95-4	Magnesium	20900	ug/L	J	[NULL]	[NULL]	R	B0DX93	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	7439-95-4	Magnesium	21100	ug/L	J	[NULL]	[NULL]	R	B0DX92	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	7439-95-4	Magnesium	21300	ug/L	J	[NULL]	[NULL]	R	B0DX54	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	Y	7439-95-4	Magnesium	21700	ug/L	J	[NULL]	[NULL]	R	B0DX55	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	7439-96-5	Manganese	7	ug/L	U	[NULL]	[NULL]	R	B0DX92	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	7439-96-5	Manganese	7.1	ug/L	U	[NULL]	[NULL]	R	B0DX54	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	Y	7439-96-5	Manganese	6.3	ug/L	U	[NULL]	[NULL]	R	B0DX93	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	Y	7439-96-5	Manganese	8.1	ug/L	U	[NULL]	[NULL]	R	B0DX55	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	Y	7778-77-0	Monopotassium phosphate	1000	ug/L	U	R	R	R	B0DX55	7778-77-0	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	3/6/1995 11:15	Y	7778-77-0	Monopotassium phosphate	1000	ug/L	U	R	R	R	B0DX93	7778-77-0	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	3/6/1995 11:15	N	7778-77-0	Monopotassium phosphate	1000	ug/L	U	R	R	R	B0DX54	7778-77-0	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	3/6/1995 11:15	N	7778-77-0	Monopotassium phosphate	1000	ug/L	U	R	R	R	B0DX92	7778-77-0	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	3/6/1995 11:15	Y	7440-02-0	Nickel	15.2	ug/L	U	[NULL]	[NULL]	R	B0DX55	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	Y	7440-02-0	Nickel	15.2	ug/L	U	[NULL]	[NULL]	R	B0DX93	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	7440-02-0	Nickel	15.2	ug/L	U	[NULL]	[NULL]	R	B0DX54	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	7440-02-0	Nickel	15.2	ug/L	U	[NULL]	[NULL]	R	B0DX92	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	14797-55-8	Nitrate	17200	ug/L	J	[NULL]	[NULL]	R	B0DX54	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	3/6/1995 11:15	Y	14797-55-8	Nitrate	17300	ug/L	J	[NULL]	[NULL]	R	B0DX55	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	3/6/1995 11:15	N	14797-55-8	Nitrate	17300	ug/L	J	[NULL]	[NULL]	R	B0DX92	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	3/6/1995 11:15	Y	14797-55-8	Nitrate	17400	ug/L	J	[NULL]	[NULL]	R	B0DX93	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	3/6/1995 11:15	N	14797-65-0	Nitrite	65.7	ug/L	U	R	R	R	B0DX54	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	3/6/1995 11:15	Y	14797-65-0	Nitrite	65.7	ug/L	U	R	R	R	B0DX93	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	3/6/1995 11:15	Y	14797-65-0	Nitrite	65.7	ug/L	U	R	R	R	B0DX55	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	3/6/1995 11:15	N	14797-65-0	Nitrite	65.7	ug/L	U	R	R	R	B0DX92	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	3/6/1995 11:15	N	OIL/GREASE	Oil and grease	2870	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX92	OIL/GREASE	QTESSL	413.1_OILGREASE	100-NR-2
199-N-54	3/6/1995 11:15	N	OIL/GREASE	Oil and grease	3340	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX54	OIL/GREASE	QTESSL	413.1_OILGREASE	100-NR-2
199-N-54	3/6/1995 11:15	N	7440-09-7	Potassium	4700	ug/L	BJ	[NULL]	[NULL]	R	B0DX54	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	Y	7440-09-7	Potassium	5030	ug/L	J	[NULL]	[NULL]	R	B0DX93	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	Y	7440-09-7	Potassium	6040	ug/L	J	[NULL]	[NULL]	R	B0DX55	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	7440-09-7	Potassium	5260	ug/L	J	[NULL]	[NULL]	R	B0DX92	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	7440-22-4	Silver	3.8	ug/L	U	[NULL]	[NULL]	R	B0DX92	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	7440-22-4	Silver	3.8	ug/L	U	[NULL]	[NULL]	R	B0DX54	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	Y	7440-22-4	Silver	3.8	ug/L	U	[NULL]	[NULL]	R	B0DX55	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	Y	7440-22-4	Silver	3.8	ug/L	U	[NULL]	[NULL]	R	B0DX93	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	7440-23-5	Sodium	49300	ug/L	J	[NULL]	[NULL]	R	B0DX54	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	Y	7440-23-5	Sodium	49900	ug/L	J	[NULL]	[NULL]	R	B0DX55	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	Y	7440-23-5	Sodium	48100	ug/L	J	[NULL]	[NULL]	R	B0DX93	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	7440-23-5	Sodium	48800	ug/L	J	[NULL]	[NULL]	R	B0DX92	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	CONDUCT	Specific Conductance	987	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DX54	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-54	3/6/1995 11:15	N	CONDUCT	Specific Conductance	929	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DX54	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-54	3/6/1995 11:15	N	CONDUCT	Specific Conductance	982	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DX92	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-54	3/6/1995 11:15	N	10098-97-2	Strontium-90	340	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DX92	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-54	3/6/1995 11:15	N	10098-97-2	Strontium-90	334	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DX54	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-54	3/6/1995 11:15	N	14808-79-8	Sulfate	283000	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX54	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	3/6/1995 11:15	N	14808-79-8	Sulfate	284000	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX92	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	3/6/1995 11:15	Y	14808-79-8	Sulfate	283000	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX55	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	3/6/1995 11:15	Y	14808-79-8	Sulfate	282000	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX93	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-54	3/6/1995 11:15	N	TEMPERATURE	Temperature	14.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0DX54	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-54	3/6/1995 11:15	N	TPH	Total petroleum hydrocarbons	480	ug/L	U	[NULL]	[NULL]	R	B0DX92	TPH	QTESSL	418.1_TPH_IR	100-NR-2
199-N-54	3/6/1995 11:15	N	TPH	Total petroleum hydrocarbons	480	ug/L	U	[NULL]	[NULL]	R	B0DX54	TPH	QTESSL	418.1_TPH_IR	100-NR-2
199-N-54	3/6/1995 11:15	N	10028-17-8	Tritium	6490	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DX92	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-54	3/6/1995 11:15	N	10028-17-8	Tritium	6450	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DX54	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-54	3/6/1995 11:15	N	TURBIDITY	Turbidity	0.82	NTU	J	[NULL]	[NULL]	R	B0DX92	TURBIDITY	QTESSL	180.1_TURBIDITY	100-NR-2
199-N-54	3/6/1995 11:15	N	TURBIDITY	Turbidity	0.81	NTU	J	[NULL]	[NULL]	R	B0DX54	TURBIDITY	QTESSL	180.1_TURBIDITY	100-NR-2
199-N-54	3/6/1995 11:15	N	7440-62-2	Vanadium	22.7	ug/L	U	[NULL]	[NULL]	R	B0DX54	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	7440-62-2	Vanadium	17.9	ug/L	U	[NULL]	[NULL]	R	B0DX92	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	Y	7440-62-2	Vanadium	21.2	ug/L	U	[NULL]	[NULL]	R	B0DX93	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	Y	7440-62-2	Vanadium	26.3	ug/L	U	[NULL]	[NULL]	R	B0DX55	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	Y	7440-66-6	Zinc	66.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX93	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	7440-66-6	Zinc	37.5	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX54	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	7440-66-6	Zinc	43.3	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX92	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	Y	7440-66-6	Zinc	13.4	ug/L	B	[NULL]	[NULL]	R	B0DX55	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/6/1995 11:15	N	PH	pH Measurement	7.73	unitless	J	[NULL]	[NULL]	R	B0DX92	PH	QTESSL	9040_PH	100-NR-2
199-N-54	3/6/1995 11:15	N	PH	pH Measurement	8.04	unitless	[NULL]	[NULL]	[NULL]	R	B0DX54	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-54	3/6/1995 11:15	N	PH	pH Measurement	7.55	unitless	J	[NULL]	[NULL]	R	B0DX54	PH	QTESSL	9040_PH	100-NR-2
199-N-54	9/13/1995 13:25	N	7429-90-5	Aluminum	24.6	ug/L	U	[NULL]	[NULL]	R	B0GJV0	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	7429-90-5	Aluminum	24.6	ug/L	U	[NULL]	[NULL]	R	B0GJX9	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	Y	7429-90-5	Aluminum	37.1	ug/L	UJ	[NULL]	[NULL]	R	B0GJX8	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	Y	7429-90-5	Aluminum	24.6	ug/L	U	[NULL]	[NULL]	R	B0GJV1	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	7440-36-0	Antimony	45.9	ug/L	U	[NULL]	[NULL]	R	B0GJV0	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	Y	7429-90-5	Aluminum	24.6	ug/L	U	[NULL]	[NULL]	R	B0GJV1	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	7440-36-0	Antimony	45.9	ug/L	U	[NULL]	[NULL]	R	B0GJV0	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	7440-36-0	Antimony	45.9	ug/L	U	[NULL]	[NULL]	R	B0GJX9	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	Y	7440-36-0	Antimony	45.9	ug/L	UJ	[NULL]	[NULL]	R	B0GJX8	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	Y	7440-36-0	Antimony	45.9	ug/L	U	[NULL]	[NULL]	R	B0GJV1	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	Y	7440-39-3	Barium	72.1	ug/L	BJ	[NULL]	[NULL]	R	B0GJX8	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	Y	7440-39-3	Barium	72.4	ug/L	B	[NULL]	[NULL]	R	B0GJV1	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	7440-39-3	Barium	67.4	ug/L	B	[NULL]	[NULL]	R	B0GJV0	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	7440-39-3	Barium	74.3	ug/L	B	[NULL]	[NULL]	R	B0GJX9	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	Y	7440-41-7	Beryllium	1.5	ug/L	UJ	[NULL]	[NULL]	R	B0GJX8	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	7440-41-7	Beryllium	0.92	ug/L	U	[NULL]	[NULL]	R	B0GJV0	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	Y	7440-41-7	Beryllium	1.3	ug/L	U	[NULL]	[NULL]	R	B0GJV1	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0GJX9	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	Y	7440-43-9	Cadmium	3.1	ug/L	UJ	[NULL]	[NULL]	R	B0GJX8	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	7440-43-9	Cadmium	3.1	ug/L	U	[NULL]	[NULL]	R	B0GJV0	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	7440-43-9	Cadmium	3.1	ug/L	U	[NULL]	[NULL]	R	B0GJX9	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	Y	7440-43-9	Cadmium	3.1	ug/L	U	[NULL]	[NULL]	R	B0GJV1	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	Y	7440-70-2	Calcium	135000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJV1	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	7440-70-2	Calcium	140000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJX9	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	7440-70-2	Calcium	124000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJV0	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	Y	7440-70-2	Calcium	135000	ug/L	J	[NULL]	[NULL]	R	B0GJX8	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	Y	10045-97-3	Cesium-137	1.31	pCi/L	U	[NULL]	[NULL]	R	B0GJX8	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-54	9/13/1995 13:25	N	10045-97-3	Cesium-137	2.41	pCi/L	U	[NULL]	[NULL]	R	B0GJV0	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-54	9/13/1995 13:25	Y	16887-00-6	Chloride	22500	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJX8	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	9/13/1995 13:25	N	16887-00-6	Chloride	23100	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJV0	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	9/13/1995 13:25	N	16887-00-6	Chloride	23000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJX9	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	9/13/1995 13:25	Y	16887-00-6	Chloride	23500	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJV1	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	9/13/1995 13:25	Y	7440-47-3	Chromium	6.3	ug/L	BJ	[NULL]	[NULL]	R	B0GJX8	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	7440-47-3	Chromium	8.4	ug/L	B	[NULL]	[NULL]	R	B0GJV0	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	7440-47-3	Chromium	2.8	ug/L	U	[NULL]	[NULL]	R	B0GJX9	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	Y	7440-47-3	Chromium	2.8	ug/L	U	[NULL]	[NULL]	R	B0GJV1	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	Y	7440-48-4	Cobalt	4.3	ug/L	U	[NULL]	[NULL]	R	B0GJV1	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-54	9/13/1995 13:25	Y	7440-48-4	Cobalt	4.3	ug/L	UJ	[NULL]	[NULL]	R	B0GJX8	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	7440-48-4	Cobalt	4.3	ug/L	U	[NULL]	[NULL]	R	B0GJX9	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	7440-48-4	Cobalt	4.3	ug/L	U	[NULL]	[NULL]	R	B0GJV0	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	Y	13981-38-9	Cobalt-58	6.76	pCi/L	U	[NULL]	[NULL]	R	B0GJX8	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-54	9/13/1995 13:25	N	13981-38-9	Cobalt-58	-3.66	pCi/L	U	[NULL]	[NULL]	R	B0GJV0	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-54	9/13/1995 13:25	Y	10198-40-0	Cobalt-60	2.72	pCi/L	U	[NULL]	[NULL]	R	B0GJX8	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-54	9/13/1995 13:25	N	10198-40-0	Cobalt-60	3.34	pCi/L	U	[NULL]	[NULL]	R	B0GJV0	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-54	9/13/1995 13:25	Y	7440-50-8	Copper	21.6	ug/L	UJ	[NULL]	[NULL]	R	B0GJX8	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	Y	7440-50-8	Copper	35.5	ug/L	U	[NULL]	[NULL]	R	B0GJV1	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	7440-50-8	Copper	31.6	ug/L	U	[NULL]	[NULL]	R	B0GJX9	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	7440-50-8	Copper	30.1	ug/L	U	[NULL]	[NULL]	R	B0GJV0	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	DO	Dissolved oxygen	6800	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJV0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-54	9/13/1995 13:25	N	14683-23-9	Europium-152	6.82	pCi/L	U	[NULL]	[NULL]	R	B0GJV0	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-54	9/13/1995 13:25	Y	14683-23-9	Europium-152	-2.7	pCi/L	U	[NULL]	[NULL]	R	B0GJX8	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-54	9/13/1995 13:25	Y	15585-10-1	Europium-154	0	pCi/L	U	[NULL]	[NULL]	R	B0GJX8	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-54	9/13/1995 13:25	N	15585-10-1	Europium-154	-16.7	pCi/L	U	[NULL]	[NULL]	R	B0GJV0	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-54	9/13/1995 13:25	Y	14391-16-3	Europium-155	4.15	pCi/L	U	[NULL]	[NULL]	R	B0GJX8	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-54	9/13/1995 13:25	N	14391-16-3	Europium-155	4.05	pCi/L	U	[NULL]	[NULL]	R	B0GJV0	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-54	9/13/1995 13:25	N	16984-48-8	Fluoride	200	ug/L	U	[NULL]	[NULL]	R	B0GJV0	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	9/13/1995 13:25	Y	16984-48-8	Fluoride	200	ug/L	U	[NULL]	[NULL]	R	B0GJV1	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	9/13/1995 13:25	Y	16984-48-8	Fluoride	200	ug/L	U	[NULL]	[NULL]	R	B0GJX8	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	9/13/1995 13:25	N	16984-48-8	Fluoride	200	ug/L	U	[NULL]	[NULL]	R	B0GJX9	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	9/13/1995 13:25	Y	12587-46-1	Gross alpha	1.44	pCi/L	U	[NULL]	[NULL]	R	B0GJX8	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-54	9/13/1995 13:25	N	12587-46-1	Gross alpha	1.63	pCi/L	U	[NULL]	[NULL]	R	B0GJV0	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-54	9/13/1995 13:25	Y	12587-47-2	Gross beta	825	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GJX8	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-54	9/13/1995 13:25	N	12587-47-2	Gross beta	813	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GJV0	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-54	9/13/1995 13:25	Y	7439-89-6	Iron	92.8	ug/L	U	[NULL]	[NULL]	R	B0GJV1	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	7439-89-6	Iron	82.2	ug/L	U	[NULL]	[NULL]	R	B0GJV0	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	7439-89-6	Iron	90.8	ug/L	U	[NULL]	[NULL]	R	B0GJX9	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	Y	7439-89-6	Iron	103	ug/L	UJ	[NULL]	[NULL]	R	B0GJX8	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	Y	14596-12-4	Iron-59	3.01	pCi/L	U	[NULL]	[NULL]	R	B0GJX8	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-54	9/13/1995 13:25	N	14596-12-4	Iron-59	1.28	pCi/L	U	[NULL]	[NULL]	R	B0GJV0	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-54	9/13/1995 13:25	Y	7439-95-4	Magnesium	22900	ug/L	J	[NULL]	[NULL]	R	B0GJX8	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	7439-95-4	Magnesium	21200	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJV0	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	7439-95-4	Magnesium	23300	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJX9	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	Y	7439-95-4	Magnesium	22800	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJV1	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	7439-96-5	Manganese	7.8	ug/L	U	[NULL]	[NULL]	R	B0GJV0	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	Y	7439-96-5	Manganese	10.5	ug/L	B	[NULL]	[NULL]	R	B0GJV1	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	Y	7439-96-5	Manganese	10.3	ug/L	BJ	[NULL]	[NULL]	R	B0GJX8	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	7439-96-5	Manganese	10.4	ug/L	B	[NULL]	[NULL]	R	B0GJX9	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	Y	7440-02-0	Nickel	15.9	ug/L	B	[NULL]	[NULL]	R	B0GJV1	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	Y	7440-02-0	Nickel	14.2	ug/L	UJ	[NULL]	[NULL]	R	B0GJX8	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	7440-02-0	Nickel	14.2	ug/L	U	[NULL]	[NULL]	R	B0GJV0	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	7440-02-0	Nickel	14.2	ug/L	U	[NULL]	[NULL]	R	B0GJX9	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	14797-55-8	Nitrate	21800	ug/L	J	[NULL]	[NULL]	R	B0GJV0	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	9/13/1995 13:25	Y	14797-55-8	Nitrate	22000	ug/L	J	[NULL]	[NULL]	R	B0GJV1	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	9/13/1995 13:25	N	14797-55-8	Nitrate	22100	ug/L	J	[NULL]	[NULL]	R	B0GJX9	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	9/13/1995 13:25	Y	14797-55-8	Nitrate	21700	ug/L	J	[NULL]	[NULL]	R	B0GJX8	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	9/13/1995 13:25	Y	14797-65-0	Nitrite	65.7	ug/L	U	R	R	R	B0GJX8	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	9/13/1995 13:25	N	14797-65-0	Nitrite	65.7	ug/L	U	R	R	R	B0GJV0	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	9/13/1995 13:25	N	14797-65-0	Nitrite	65.7	ug/L	U	R	R	R	B0GJX9	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	9/13/1995 13:25	Y	14797-65-0	Nitrite	65.7	ug/L	U	R	R	R	B0GJV1	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	9/13/1995 13:25	Y	OIL/GREASE	Oil and grease	980	ug/L	U	[NULL]	[NULL]	R	B0GJX8	OIL/GREASE	QTESSL	413.1_OILGREASE	100-NR-2
199-N-54	9/13/1995 13:25	N	OIL/GREASE	Oil and grease	950	ug/L	U	[NULL]	[NULL]	R	B0GJV0	OIL/GREASE	QTESSL	413.1_OILGREASE	100-NR-2
199-N-54	9/13/1995 13:25	Y	14265-44-2	Phosphate	500	ug/L	U	R	R	R	B0GJV1	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-54	9/13/1995 13:25	N	14265-44-2	Phosphate	500	ug/L	U	R	R	R	B0GJX9	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	9/13/1995 13:25	Y	14265-44-2	Phosphate	500	ug/L	U	R	R	R	B0GJX8	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	9/13/1995 13:25	N	14265-44-2	Phosphate	500	ug/L	U	R	R	R	B0GJV0	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	9/13/1995 13:25	N	7440-09-7	Potassium	6120	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJV0	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	7440-09-7	Potassium	6470	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJX9	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	Y	7440-09-7	Potassium	5830	ug/L	J	[NULL]	[NULL]	R	B0GJX8	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	Y	7440-09-7	Potassium	4890	ug/L	B	[NULL]	[NULL]	R	B0GJV1	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	Y	7440-22-4	Silver	3.5	ug/L	BJ	[NULL]	[NULL]	R	B0GJX8	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	7440-22-4	Silver	2.2	ug/L	U	[NULL]	[NULL]	R	B0GJV0	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	Y	7440-22-4	Silver	9.3	ug/L	B	[NULL]	[NULL]	R	B0GJV1	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	7440-22-4	Silver	2.2	ug/L	U	[NULL]	[NULL]	R	B0GJX9	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	7440-23-5	Sodium	49600	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJX9	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	Y	7440-23-5	Sodium	49300	ug/L	J	[NULL]	[NULL]	R	B0GJX8	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	7440-23-5	Sodium	45900	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJV0	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	Y	7440-23-5	Sodium	49200	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJV1	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	CONDUCT	Specific Conductance	962	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GJV0	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-54	9/13/1995 13:25	N	CONDUCT	Specific Conductance	949	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GJV0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-54	9/13/1995 13:25	Y	CONDUCT	Specific Conductance	969	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GJX8	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-54	9/13/1995 13:25	Y	10098-97-2	Strontium-90	399	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GJX8	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-54	9/13/1995 13:25	N	10098-97-2	Strontium-90	394	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GJV0	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-54	9/13/1995 13:25	N	14808-79-8	Sulfate	260000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJV0	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	9/13/1995 13:25	Y	14808-79-8	Sulfate	254000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJV1	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	9/13/1995 13:25	Y	14808-79-8	Sulfate	255000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJX8	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	9/13/1995 13:25	N	14808-79-8	Sulfate	258000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJX9	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-54	9/13/1995 13:25	N	TEMPERATURE	Temperature	21	Deg C	[NULL]	[NULL]	[NULL]	R	B0GJV0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-54	9/13/1995 13:25	Y	TPH	Total petroleum hydrocarbons	480	ug/L	U	R	R	R	B0GJX8	TPH	QTESSL	418.1_TPH_IR	100-NR-2
199-N-54	9/13/1995 13:25	N	TPH	Total petroleum hydrocarbons	480	ug/L	U	R	R	R	B0GJV0	TPH	QTESSL	418.1_TPH_IR	100-NR-2
199-N-54	9/13/1995 13:25	Y	10028-17-8	Tritium	6170	pCi/L	J	[NULL]	[NULL]	R	B0GJX8	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-54	9/13/1995 13:25	N	10028-17-8	Tritium	6550	pCi/L	J	[NULL]	[NULL]	R	B0GJV0	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-54	9/13/1995 13:25	N	TURBIDITY	Turbidity	2.3	NTU	[NULL]	[NULL]	[NULL]	R	B0GJV0	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-54	9/13/1995 13:25	N	TURBIDITY	Turbidity	0.45	NTU	J	[NULL]	[NULL]	R	B0GJV0	TURBIDITY	QTESSL	180.1_TURBIDITY	100-NR-2
199-N-54	9/13/1995 13:25	Y	TURBIDITY	Turbidity	0.38	NTU	J	[NULL]	[NULL]	R	B0GJX8	TURBIDITY	QTESSL	180.1_TURBIDITY	100-NR-2
199-N-54	9/13/1995 13:25	Y	7440-62-2	Vanadium	37.4	ug/L	UJ	[NULL]	[NULL]	R	B0GJX8	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	7440-62-2	Vanadium	28.2	ug/L	U	[NULL]	[NULL]	R	B0GJV0	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	Y	7440-62-2	Vanadium	34.4	ug/L	U	[NULL]	[NULL]	R	B0GJV1	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	7440-62-2	Vanadium	42.3	ug/L	U	[NULL]	[NULL]	R	B0GJX9	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	Y	7440-66-6	Zinc	32.8	ug/L	UJ	[NULL]	[NULL]	R	B0GJX8	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	7440-66-6	Zinc	15.1	ug/L	U	[NULL]	[NULL]	R	B0GJV0	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	Y	7440-66-6	Zinc	15.7	ug/L	U	[NULL]	[NULL]	R	B0GJV1	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	7440-66-6	Zinc	15.8	ug/L	U	[NULL]	[NULL]	R	B0GJX9	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	9/13/1995 13:25	N	PH	pH Measurement	7.34	unitless	J	[NULL]	[NULL]	R	B0GJV0	PH	QTESSL	9040_PH	100-NR-2
199-N-54	9/13/1995 13:25	Y	PH	pH Measurement	7.35	unitless	J	[NULL]	[NULL]	R	B0GJX8	PH	QTESSL	9040_PH	100-NR-2
199-N-54	9/13/1995 13:25	N	PH	pH Measurement	6.89	unitless	[NULL]	[NULL]	[NULL]	R	B0GJV0	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-54	3/18/1996 11:45	N	14331-83-0	Actinium-228	9.55	pCi/L	U	[NULL]	[NULL]	R	B0H8G2	14331-83-0	LASLV	901.1_GAMMA_GS	100-NR-2
199-N-54	3/18/1996 11:45	Y	7429-90-5	Aluminum	53.2	ug/L	U	[NULL]	[NULL]	R	B0H8F5	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/18/1996 11:45	N	7429-90-5	Aluminum	53.2	ug/L	U	[NULL]	[NULL]	R	B0H8F4	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/18/1996 11:45	Y	7429-90-5	Aluminum	53.2	ug/L	U	[NULL]	[NULL]	R	B0H8F7	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/18/1996 11:45	Y	7429-90-5	Aluminum	36	ug/L	U	[NULL]	[NULL]	R	B0H8G3	7429-90-5	LASLV	6010_METALS_ICP	100-NR-2
199-N-54	3/18/1996 11:45	N	7429-90-5	Aluminum	53.2	ug/L	U	[NULL]	[NULL]	R	B0H8F6	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/18/1996 11:45	N	7429-90-5	Aluminum	36	ug/L	U	[NULL]	[NULL]	R	B0H8G2	7429-90-5	LASLV	6010_METALS_ICP	100-NR-2
199-N-54	3/18/1996 11:45	Y	7440-36-0	Antimony	34.6	ug/L	U	[NULL]	[NULL]	R	B0H8F5	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/18/1996 11:45	N	7440-36-0	Antimony	34.6	ug/L	U	[NULL]	[NULL]	R	B0H8F6	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-54	3/18/1996 11:45	Y	7440-36-0	Antimony	34.6	ug/L	U	[NULL]	[NULL]	R	B0H8F7	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2