SECTION

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-73	3/27/2000 9:20	N	TOC	Total organic carbon	840	ug/L	B	[NULL]	[NULL]	R	B0XL75	TOC	QTESSL	9060_TOC	100-NR-2
199-N-73	3/27/2000 9:20	N	TOC	Total organic carbon	1100	ug/L	[NULL]	[NULL]	[NULL]	R	B0XL73	TOC	QTESSL	9060_TOC	100-NR-2
199-N-73	3/27/2000 9:20	N	TOC	Total organic carbon	700	ug/L	B	[NULL]	[NULL]	R	B0XL74	TOC	QTESSL	9060_TOC	100-NR-2
199-N-73	3/27/2000 9:20	N	59473-04-0	Total organic halides	4.3	ug/L	U	[NULL]	[NULL]	R	B0XL76	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-73	3/27/2000 9:20	N	59473-04-0	Total organic halides	4.5	ug/L	B	[NULL]	[NULL]	R	B0XL75	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-73	3/27/2000 9:20	N	59473-04-0	Total organic halides	8	ug/L	[NULL]	[NULL]	[NULL]	R	B0XL73	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-73	3/27/2000 9:20	N	59473-04-0	Total organic halides	6.6	ug/L	[NULL]	[NULL]	[NULL]	R	B0XL74	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-73	3/27/2000 9:20	N	TURBIDITY	Turbidity	2.41	NTU	[NULL]	[NULL]	[NULL]	R	B0XL76	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	3/27/2000 9:20	N	TURBIDITY	Turbidity	2.49	NTU	[NULL]	[NULL]	[NULL]	R	B0XL74	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	3/27/2000 9:20	Y	7440-62-2	Vanadium	10.8	ug/L	B	[NULL]	[NULL]	R	B0XL77	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-73	3/27/2000 9:20	Y	7440-66-6	Zinc	3.1	ug/L	U	[NULL]	[NULL]	R	B0XL77	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-73	3/27/2000 9:20	N	PH	pH Measurement	8.26	unitless	[NULL]	[NULL]	[NULL]	R	B0XL76	PH	FIELD	9040_PH	100-NR-2
199-N-73	3/27/2000 9:20	N	PH	pH Measurement	8.26	unitless	[NULL]	[NULL]	[NULL]	R	B0XL74	PH	FIELD	9040_PH	100-NR-2
199-N-73	3/27/2000 9:20	N	PH	pH Measurement	8.26	unitless	[NULL]	[NULL]	[NULL]	R	B0XL75	PH	FIELD	9040_PH	100-NR-2
199-N-73	3/27/2000 9:20	N	PH	pH Measurement	8.26	unitless	[NULL]	[NULL]	[NULL]	R	B0XL73	PH	FIELD	9040_PH	100-NR-2
199-N-73	9/25/2000 12:21	N	ALKALINITY	Alkalinity	150000	ug/L	[NULL]	[NULL]	[NULL]	R	B10246	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-73	9/25/2000 12:21	Y	7429-90-5	Aluminum	89.9	ug/L	U	[NULL]	[NULL]	R	B10245	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/25/2000 12:21	Y	7440-36-0	Antimony	2.8	ug/L	U	[NULL]	[NULL]	R	B10245	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/25/2000 12:21	Y	7440-39-3	Barium	20.2	ug/L	B	[NULL]	[NULL]	R	B10245	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/25/2000 12:21	Y	7440-41-7	Beryllium	0.3	ug/L	U	[NULL]	[NULL]	R	B10245	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/25/2000 12:21	Y	7440-43-9	Cadmium	4.3	ug/L	U	[NULL]	[NULL]	R	B10245	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/25/2000 12:21	Y	7440-70-2	Calcium	17600	ug/L	[NULL]	[NULL]	[NULL]	R	B10245	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/25/2000 12:21	N	16887-00-6	Chloride	20400	ug/L	D	[NULL]	[NULL]	R	B10246	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	9/25/2000 12:21	Y	7440-47-3	Chromium	4.1	ug/L	U	[NULL]	[NULL]	R	B10245	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/25/2000 12:21	Y	7440-48-4	Cobalt	4.3	ug/L	U	[NULL]	[NULL]	R	B10245	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/25/2000 12:21	Y	7440-50-8	Copper	4.1	ug/L	U	[NULL]	[NULL]	R	B10245	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/25/2000 12:21	N	16984-48-8	Fluoride	580	ug/L	[NULL]	[NULL]	[NULL]	R	B10246	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	9/25/2000 12:21	Y	7439-89-6	Iron	34.9	ug/L	U	[NULL]	[NULL]	R	B10245	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/25/2000 12:21	Y	7439-95-4	Magnesium	3640	ug/L	B	[NULL]	[NULL]	R	B10245	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/25/2000 12:21	Y	7439-96-5	Manganese	1.2	ug/L	U	[NULL]	[NULL]	R	B10245	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/25/2000 12:21	Y	7440-02-0	Nickel	19.9	ug/L	U	[NULL]	[NULL]	R	B10245	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/25/2000 12:21	N	14797-55-8	Nitrate	14600	ug/L	D	[NULL]	[NULL]	R	B10246	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	9/25/2000 12:21	N	14797-65-0	Nitrite	24.3	ug/L	U	[NULL]	[NULL]	R	B10246	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	9/25/2000 12:21	Y	7440-09-7	Potassium	1880	ug/L	B	[NULL]	[NULL]	R	B10245	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/25/2000 12:21	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B10245	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/25/2000 12:21	Y	7440-23-5	Sodium	165000	ug/L	[NULL]	[NULL]	[NULL]	R	B10245	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/25/2000 12:21	N	CONDUCT	Specific Conductance	834	uS/cm	C	[NULL]	[NULL]	R	B10246	CONDUCT	STLSL	120.1_CONDUCT	100-NR-2
199-N-73	9/25/2000 12:21	N	CONDUCT	Specific Conductance	842	uS/cm	[NULL]	[NULL]	[NULL]	R	B10241	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	9/25/2000 12:21	N	CONDUCT	Specific Conductance	848	uS/cm	[NULL]	[NULL]	[NULL]	R	B10244	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	9/25/2000 12:21	N	CONDUCT	Specific Conductance	844	uS/cm	[NULL]	[NULL]	[NULL]	R	B10243	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	9/25/2000 12:21	N	CONDUCT	Specific Conductance	842	uS/cm	[NULL]	[NULL]	[NULL]	R	B10242	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	9/25/2000 12:21	Y	7440-24-6	Strontium	87.3	ug/L	[NULL]	[NULL]	[NULL]	R	B10245	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/25/2000 12:21	N	14808-79-8	Sulfate	217000	ug/L	D	[NULL]	[NULL]	R	B10246	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	9/25/2000 12:21	N	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	R	B10241	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	9/25/2000 12:21	N	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	R	B10242	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	9/25/2000 12:21	N	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	R	B10243	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	9/25/2000 12:21	N	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	R	B10244	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	9/25/2000 12:21	N	TOC	Total organic carbon	220	ug/L	U	[NULL]	[NULL]	R	B10244	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	9/25/2000 12:21	N	TOC	Total organic carbon	220	ug/L	U	[NULL]	[NULL]	R	B10242	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	9/25/2000 12:21	N	TOC	Total organic carbon	220	ug/L	U	[NULL]	[NULL]	R	B10243	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	9/25/2000 12:21	N	TOC	Total organic carbon	220	ug/L	U	[NULL]	[NULL]	R	B10241	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	9/25/2000 12:21	N	59473-04-0	Total organic halides	8.2	ug/L	[NULL]	H	[NULL]	R	B10241	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	9/25/2000 12:21	N	59473-04-0	Total organic halides	8.5	ug/L	UD	[NULL]	[NULL]	R	B10243	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	9/25/2000 12:21	N	59473-04-0	Total organic halides	9.4	ug/L	[NULL]	H	[NULL]	R	B10242	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	9/25/2000 12:21	N	59473-04-0	Total organic halides	10.2	ug/L	[NULL]	H	[NULL]	R	B10244	59473-04-0	STLSL	9020_TOX	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-73	9/25/2000 12:21	N	TURBIDITY	Turbidity	2.29	NTU	[NULL]	[NULL]	[NULL]	R	B10241	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	9/25/2000 12:21	N	TURBIDITY	Turbidity	2.05	NTU	[NULL]	[NULL]	[NULL]	R	B10244	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	9/25/2000 12:21	N	TURBIDITY	Turbidity	1.99	NTU	[NULL]	[NULL]	[NULL]	R	B10243	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	9/25/2000 12:21	N	TURBIDITY	Turbidity	2	NTU	[NULL]	[NULL]	[NULL]	R	B10242	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	9/25/2000 12:21	Y	7440-62-2	Vanadium	13.6	ug/L	B	[NULL]	[NULL]	R	B10245	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/25/2000 12:21	Y	7440-66-6	Zinc	14.3	ug/L	U	[NULL]	[NULL]	R	B10245	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/25/2000 12:21	N	PH	pH Measurement	8.43	unitless	[NULL]	[NULL]	[NULL]	R	B10242	PH	FIELD	9040_PH	100-NR-2
199-N-73	9/25/2000 12:21	N	PH	pH Measurement	8.42	unitless	[NULL]	[NULL]	[NULL]	R	B10244	PH	FIELD	9040_PH	100-NR-2
199-N-73	9/25/2000 12:21	N	PH	pH Measurement	8.42	unitless	[NULL]	[NULL]	[NULL]	R	B10243	PH	FIELD	9040_PH	100-NR-2
199-N-73	9/25/2000 12:21	N	PH	pH Measurement	8.43	unitless	[NULL]	[NULL]	[NULL]	R	B10241	PH	FIELD	9040_PH	100-NR-2
199-N-73	3/28/2001 8:54	N	ALKALINITY	Alkalinity	144000	ug/L	[NULL]	[NULL]	[NULL]	R	B11FT4	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-73	3/28/2001 8:54	Y	7429-90-5	Aluminum	19.5	ug/L	B	[NULL]	[NULL]	R	B11FT3	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/28/2001 8:54	Y	7440-36-0	Antimony	2.5	ug/L	U	[NULL]	[NULL]	R	B11FT3	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/28/2001 8:54	Y	7440-39-3	Barium	18.6	ug/L	B	[NULL]	[NULL]	R	B11FT3	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/28/2001 8:54	Y	7440-41-7	Beryllium	0.16	ug/L	U	[NULL]	[NULL]	R	B11FT3	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/28/2001 8:54	Y	7440-43-9	Cadmium	0.26	ug/L	U	[NULL]	[NULL]	R	B11FT3	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/28/2001 8:54	Y	7440-70-2	Calcium	16100	ug/L	[NULL]	[NULL]	[NULL]	R	B11FT3	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/28/2001 8:54	N	16887-00-6	Chloride	21300	ug/L	DC	[NULL]	[NULL]	R	B11FT4	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	3/28/2001 8:54	Y	7440-47-3	Chromium	2.7	ug/L	B	[NULL]	[NULL]	R	B11FT3	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/28/2001 8:54	Y	7440-48-4	Cobalt	1.3	ug/L	U	[NULL]	[NULL]	R	B11FT3	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/28/2001 8:54	Y	7440-50-8	Copper	1.2	ug/L	U	[NULL]	[NULL]	R	B11FT3	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/28/2001 8:54	N	DO	Dissolved oxygen	7210	ug/L	[NULL]	[NULL]	[NULL]	R	B11FR9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-73	3/28/2001 8:54	N	DO	Dissolved oxygen	7170	ug/L	[NULL]	[NULL]	[NULL]	R	B11FT1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-73	3/28/2001 8:54	N	DO	Dissolved oxygen	7130	ug/L	[NULL]	[NULL]	[NULL]	R	B11FT2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-73	3/28/2001 8:54	N	DO	Dissolved oxygen	7220	ug/L	[NULL]	[NULL]	[NULL]	R	B11FT0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-73	3/28/2001 8:54	N	16984-48-8	Fluoride	770	ug/L	[NULL]	[NULL]	[NULL]	R	B11FT4	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	3/28/2001 8:54	Y	7439-89-6	Iron	14.5	ug/L	U	[NULL]	[NULL]	R	B11FT3	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/28/2001 8:54	Y	7439-95-4	Magnesium	3370	ug/L	B	[NULL]	[NULL]	R	B11FT3	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/28/2001 8:54	Y	7439-96-5	Manganese	1	ug/L	B	[NULL]	[NULL]	R	B11FT3	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/28/2001 8:54	Y	7440-02-0	Nickel	1.2	ug/L	B	[NULL]	[NULL]	R	B11FT3	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/28/2001 8:54	N	14797-55-8	Nitrate	14600	ug/L	D	[NULL]	[NULL]	R	B11FT4	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	3/28/2001 8:54	N	14797-65-0	Nitrite	6.57	ug/L	U	[NULL]	[NULL]	R	B11FT4	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	3/28/2001 8:54	N	EH	Oxidation Reduction Potential	95	mV	[NULL]	[NULL]	[NULL]	R	B11FT0	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-73	3/28/2001 8:54	N	EH	Oxidation Reduction Potential	95	mV	[NULL]	[NULL]	[NULL]	R	B11FR9	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-73	3/28/2001 8:54	N	EH	Oxidation Reduction Potential	95	mV	[NULL]	[NULL]	[NULL]	R	B11FT1	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-73	3/28/2001 8:54	N	EH	Oxidation Reduction Potential	95	mV	[NULL]	[NULL]	[NULL]	R	B11FT2	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-73	3/28/2001 8:54	Y	7440-09-7	Potassium	2260	ug/L	B	[NULL]	[NULL]	R	B11FT3	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/28/2001 8:54	Y	7440-22-4	Silver	1.3	ug/L	U	[NULL]	[NULL]	R	B11FT3	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/28/2001 8:54	Y	7440-23-5	Sodium	162000	ug/L	[NULL]	[NULL]	[NULL]	R	B11FT3	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/28/2001 8:54	N	CONDUCT	Specific Conductance	744	uS/cm	[NULL]	[NULL]	[NULL]	R	B11FR9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	3/28/2001 8:54	N	CONDUCT	Specific Conductance	801	uS/cm	[NULL]	[NULL]	[NULL]	R	B11FT2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	3/28/2001 8:54	N	CONDUCT	Specific Conductance	828	uS/cm	C	[NULL]	[NULL]	R	B11FT4	CONDUCT	STLSL	120.1_CONDUCT	100-NR-2
199-N-73	3/28/2001 8:54	N	CONDUCT	Specific Conductance	801	uS/cm	[NULL]	[NULL]	[NULL]	R	B11FT0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	3/28/2001 8:54	N	CONDUCT	Specific Conductance	794	uS/cm	[NULL]	[NULL]	[NULL]	R	B11FT1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	3/28/2001 8:54	Y	7440-24-6	Strontium	75.5	ug/L	[NULL]	[NULL]	[NULL]	R	B11FT3	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/28/2001 8:54	N	14808-79-8	Sulfate	187000	ug/L	D	[NULL]	[NULL]	R	B11FT4	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	3/28/2001 8:54	N	TEMPERATURE	Temperature	16.6	Deg C	[NULL]	[NULL]	[NULL]	R	B11FT1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	3/28/2001 8:54	N	TEMPERATURE	Temperature	16.6	Deg C	[NULL]	[NULL]	[NULL]	R	B11FT2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	3/28/2001 8:54	N	TEMPERATURE	Temperature	16.6	Deg C	[NULL]	[NULL]	[NULL]	R	B11FT0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	3/28/2001 8:54	N	TEMPERATURE	Temperature	16.6	Deg C	[NULL]	[NULL]	[NULL]	R	B11FR9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	3/28/2001 8:54	N	TOC	Total organic carbon	990	ug/L	B	Q	[NULL]	R	B11FR9	TOC	STLSL	9060_TOC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-73	3/28/2001 8:54	N	TOC	Total organic carbon	220	ug/L	U	Q	[NULL]	R	B11FT2	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	3/28/2001 8:54	N	TOC	Total organic carbon	860	ug/L	B	Q	[NULL]	R	B11FT1	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	3/28/2001 8:54	N	TOC	Total organic carbon	850	ug/L	B	Q	[NULL]	R	B11FT0	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	3/28/2001 8:54	N	59473-04-0	Total organic halides	4.3	ug/L	U	[NULL]	[NULL]	R	B11FT1	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	3/28/2001 8:54	N	59473-04-0	Total organic halides	9.9	ug/L	[NULL]	[NULL]	[NULL]	R	B11FT2	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	3/28/2001 8:54	N	59473-04-0	Total organic halides	6.7	ug/L	[NULL]	[NULL]	[NULL]	R	B11FT0	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	3/28/2001 8:54	N	59473-04-0	Total organic halides	8	ug/L	[NULL]	[NULL]	[NULL]	R	B11FR9	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	3/28/2001 8:54	N	TURBIDITY	Turbidity	5.54	NTU	[NULL]	[NULL]	[NULL]	R	B11FT2	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	3/28/2001 8:54	N	TURBIDITY	Turbidity	5.09	NTU	[NULL]	[NULL]	[NULL]	R	B11FR9	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	3/28/2001 8:54	N	TURBIDITY	Turbidity	5.41	NTU	[NULL]	[NULL]	[NULL]	R	B11FT0	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	3/28/2001 8:54	N	TURBIDITY	Turbidity	5.38	NTU	[NULL]	[NULL]	[NULL]	R	B11FT1	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	3/28/2001 8:54	Y	7440-62-2	Vanadium	13.8	ug/L	B	[NULL]	[NULL]	R	B11FT3	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/28/2001 8:54	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B11FT3	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/28/2001 8:54	N	PH	pH Measurement	8.37	unitless	[NULL]	[NULL]	[NULL]	R	B11FT1	PH	FIELD	9040_PH	100-NR-2
199-N-73	3/28/2001 8:54	N	PH	pH Measurement	8.37	unitless	[NULL]	[NULL]	[NULL]	R	B11FT0	PH	FIELD	9040_PH	100-NR-2
199-N-73	3/28/2001 8:54	N	PH	pH Measurement	8.36	unitless	[NULL]	[NULL]	[NULL]	R	B11FT2	PH	FIELD	9040_PH	100-NR-2
199-N-73	3/28/2001 8:54	N	PH	pH Measurement	8.37	unitless	[NULL]	[NULL]	[NULL]	R	B11FR9	PH	FIELD	9040_PH	100-NR-2
199-N-73	9/5/2001 10:37	N	ALKALINITY	Alkalinity	148000	ug/L	[NULL]	[NULL]	[NULL]	R	B12N71	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-73	9/5/2001 10:37	Y	7429-90-5	Aluminum	15.3	ug/L	B	[NULL]	[NULL]	R	B12N70	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/5/2001 10:37	Y	7440-36-0	Antimony	2.2	ug/L	U	[NULL]	[NULL]	R	B12N70	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/5/2001 10:37	Y	7440-39-3	Barium	19.2	ug/L	B	[NULL]	[NULL]	R	B12N70	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/5/2001 10:37	Y	7440-41-7	Beryllium	0.053	ug/L	U	[NULL]	[NULL]	R	B12N70	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/5/2001 10:37	Y	7440-43-9	Cadmium	0.15	ug/L	U	[NULL]	[NULL]	R	B12N70	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/5/2001 10:37	Y	7440-70-2	Calcium	15800	ug/L	[NULL]	[NULL]	[NULL]	R	B12N70	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/5/2001 10:37	N	16887-00-6	Chloride	22600	ug/L	D	[NULL]	[NULL]	R	B12N71	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	9/5/2001 10:37	Y	7440-47-3	Chromium	5.1	ug/L	B	[NULL]	[NULL]	R	B12N70	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/5/2001 10:37	Y	7440-48-4	Cobalt	0.87	ug/L	U	[NULL]	[NULL]	R	B12N70	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/5/2001 10:37	Y	7440-50-8	Copper	7.3	ug/L	B	[NULL]	[NULL]	R	B12N70	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/5/2001 10:37	N	16984-48-8	Fluoride	720	ug/L	[NULL]	[NULL]	[NULL]	R	B12N71	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	9/5/2001 10:37	Y	7439-89-6	Iron	89.9	ug/L	B	[NULL]	[NULL]	R	B12N70	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/5/2001 10:37	Y	7439-95-4	Magnesium	3210	ug/L	B	[NULL]	[NULL]	R	B12N70	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/5/2001 10:37	Y	7439-96-5	Manganese	1	ug/L	B	[NULL]	[NULL]	R	B12N70	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/5/2001 10:37	Y	7440-02-0	Nickel	3	ug/L	B	[NULL]	[NULL]	R	B12N70	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/5/2001 10:37	N	14797-55-8	Nitrate	18600	ug/L	D	[NULL]	[NULL]	R	B12N71	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	9/5/2001 10:37	N	14797-65-0	Nitrite	6.57	ug/L	U	[NULL]	[NULL]	R	B12N71	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	9/5/2001 10:37	Y	7440-09-7	Potassium	3540	ug/L	B	[NULL]	[NULL]	R	B12N70	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/5/2001 10:37	Y	7440-22-4	Silver	1.2	ug/L	U	[NULL]	[NULL]	R	B12N70	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/5/2001 10:37	Y	7440-23-5	Sodium	147000	ug/L	[NULL]	[NULL]	[NULL]	R	B12N70	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/5/2001 10:37	N	CONDUCT	Specific Conductance	790	uS/cm	[NULL]	[NULL]	[NULL]	R	B12N69	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	9/5/2001 10:37	N	CONDUCT	Specific Conductance	797	uS/cm	[NULL]	[NULL]	[NULL]	R	B12N68	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	9/5/2001 10:37	N	CONDUCT	Specific Conductance	706	uS/cm	[NULL]	Y	[NULL]	R	B12N71	CONDUCT	STLSL	120.1_CONDUCT	100-NR-2
199-N-73	9/5/2001 10:37	N	CONDUCT	Specific Conductance	798	uS/cm	[NULL]	[NULL]	[NULL]	R	B12N67	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	9/5/2001 10:37	N	CONDUCT	Specific Conductance	790	uS/cm	[NULL]	[NULL]	[NULL]	R	B12N66	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	9/5/2001 10:37	Y	7440-24-6	Strontium	77.7	ug/L	[NULL]	[NULL]	[NULL]	R	B12N70	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/5/2001 10:37	N	14808-79-8	Sulfate	194000	ug/L	D	[NULL]	[NULL]	R	B12N71	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	9/5/2001 10:37	N	TEMPERATURE	Temperature	17.3	Deg C	[NULL]	[NULL]	[NULL]	R	B12N66	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	9/5/2001 10:37	N	TEMPERATURE	Temperature	17.3	Deg C	[NULL]	[NULL]	[NULL]	R	B12N68	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	9/5/2001 10:37	N	TEMPERATURE	Temperature	17.3	Deg C	[NULL]	[NULL]	[NULL]	R	B12N67	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	9/5/2001 10:37	N	TEMPERATURE	Temperature	17.3	Deg C	[NULL]	[NULL]	[NULL]	R	B12N69	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	9/5/2001 10:37	N	TOC	Total organic carbon	720	ug/L	B	[NULL]	[NULL]	R	B12N68	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	9/5/2001 10:37	N	TOC	Total organic carbon	670	ug/L	B	[NULL]	[NULL]	R	B12N67	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	9/5/2001 10:37	N	TOC	Total organic carbon	690	ug/L	B	[NULL]	[NULL]	R	B12N66	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	9/5/2001 10:37	N	TOC	Total organic carbon	600	ug/L	B	[NULL]	[NULL]	R	B12N69	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	9/5/2001 10:37	N	59473-04-0	Total organic halides	10	ug/L	[NULL]	[NULL]	[NULL]	R	B12N68	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	9/5/2001 10:37	N	59473-04-0	Total organic halides	17.1	ug/L	[NULL]	[NULL]	[NULL]	R	B12N69	59473-04-0	STLSL	9020_TOX	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-73	9/5/2001 10:37	N	59473-04-0	Total organic halides	13.8	ug/L	[NULL]	[NULL]	[NULL]	R	B12N67	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	9/5/2001 10:37	N	59473-04-0	Total organic halides	7.9	ug/L	[NULL]	[NULL]	[NULL]	R	B12N66	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	9/5/2001 10:37	N	TURBIDITY	Turbidity	4.14	NTU	[NULL]	[NULL]	[NULL]	R	B12N67	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	9/5/2001 10:37	N	TURBIDITY	Turbidity	4.74	NTU	[NULL]	[NULL]	[NULL]	R	B12N68	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	9/5/2001 10:37	N	TURBIDITY	Turbidity	4.17	NTU	[NULL]	[NULL]	[NULL]	R	B12N69	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	9/5/2001 10:37	N	TURBIDITY	Turbidity	4.77	NTU	[NULL]	[NULL]	[NULL]	R	B12N66	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	9/5/2001 10:37	Y	7440-62-2	Vanadium	13.7	ug/L	B	[NULL]	[NULL]	R	B12N70	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/5/2001 10:37	Y	7440-66-6	Zinc	5.1	ug/L	B	[NULL]	[NULL]	R	B12N70	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/5/2001 10:37	N	PH	pH Measurement	8.35	unitless	[NULL]	[NULL]	[NULL]	R	B12N66	PH	FIELD	9040_PH	100-NR-2
199-N-73	9/5/2001 10:37	N	PH	pH Measurement	8.36	unitless	[NULL]	[NULL]	[NULL]	R	B12N69	PH	FIELD	9040_PH	100-NR-2
199-N-73	9/5/2001 10:37	N	PH	pH Measurement	8.36	unitless	[NULL]	[NULL]	[NULL]	R	B12N68	PH	FIELD	9040_PH	100-NR-2
199-N-73	9/5/2001 10:37	N	PH	pH Measurement	8.35	unitless	[NULL]	[NULL]	[NULL]	R	B12N67	PH	FIELD	9040_PH	100-NR-2
199-N-73	3/6/2002 11:37	N	ALKALINITY	Alkalinity	152000	ug/L	[NULL]	[NULL]	[NULL]	R	B142W2	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-73	3/6/2002 11:37	Y	7429-90-5	Aluminum	40.8	ug/L	B	[NULL]	[NULL]	R	B142W1	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/6/2002 11:37	Y	7440-36-0	Antimony	3.3	ug/L	U	[NULL]	[NULL]	R	B142W1	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/6/2002 11:37	Y	7440-39-3	Barium	13.3	ug/L	B	[NULL]	[NULL]	R	B142W1	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/6/2002 11:37	Y	7440-41-7	Beryllium	0.22	ug/L	U	[NULL]	[NULL]	R	B142W1	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/6/2002 11:37	Y	7440-43-9	Cadmium	0.31	ug/L	U	[NULL]	[NULL]	R	B142W1	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/6/2002 11:37	Y	7440-70-2	Calcium	11100	ug/L	[NULL]	[NULL]	[NULL]	R	B142W1	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/6/2002 11:37	N	16887-00-6	Chloride	15900	ug/L	CD	[NULL]	[NULL]	R	B142W2	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	3/6/2002 11:37	Y	7440-47-3	Chromium	2.4	ug/L	B	[NULL]	[NULL]	R	B142W1	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/6/2002 11:37	Y	7440-48-4	Cobalt	1.6	ug/L	U	[NULL]	[NULL]	R	B142W1	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/6/2002 11:37	Y	7440-50-8	Copper	1.4	ug/L	U	[NULL]	[NULL]	R	B142W1	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/6/2002 11:37	N	16984-48-8	Fluoride	890	ug/L	[NULL]	[NULL]	[NULL]	R	B142W2	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	3/6/2002 11:37	Y	7439-89-6	Iron	29.7	ug/L	B	[NULL]	[NULL]	R	B142W1	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/6/2002 11:37	Y	7439-95-4	Magnesium	2310	ug/L	B	[NULL]	[NULL]	R	B142W1	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/6/2002 11:37	Y	7439-96-5	Manganese	0.8	ug/L	B	[NULL]	[NULL]	R	B142W1	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/6/2002 11:37	Y	7440-02-0	Nickel	1.6	ug/L	B	[NULL]	[NULL]	R	B142W1	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/6/2002 11:37	N	14797-55-8	Nitrate	12400	ug/L	D	[NULL]	[NULL]	R	B142W2	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	3/6/2002 11:37	N	14797-65-0	Nitrite	36.1	ug/L	U	[NULL]	[NULL]	R	B142W2	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	3/6/2002 11:37	Y	7440-09-7	Potassium	2280	ug/L	B	[NULL]	[NULL]	R	B142W1	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/6/2002 11:37	Y	7440-22-4	Silver	1.7	ug/L	U	[NULL]	[NULL]	R	B142W1	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/6/2002 11:37	Y	7440-23-5	Sodium	135000	ug/L	[NULL]	[NULL]	[NULL]	R	B142W1	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/6/2002 11:37	N	CONDUCT	Specific Conductance	653	uS/cm	[NULL]	[NULL]	[NULL]	R	B142V9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	3/6/2002 11:37	N	CONDUCT	Specific Conductance	648	uS/cm	[NULL]	[NULL]	[NULL]	R	B142V8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	3/6/2002 11:37	N	CONDUCT	Specific Conductance	604	uS/cm	[NULL]	[NULL]	[NULL]	R	B142W2	CONDUCT	STLSL	120.1_CONDUCT	100-NR-2
199-N-73	3/6/2002 11:37	N	CONDUCT	Specific Conductance	648	uS/cm	[NULL]	[NULL]	[NULL]	R	B142V7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	3/6/2002 11:37	N	CONDUCT	Specific Conductance	653	uS/cm	[NULL]	[NULL]	[NULL]	R	B142W0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	3/6/2002 11:37	Y	7440-24-6	Strontium	57.8	ug/L	[NULL]	[NULL]	[NULL]	R	B142W1	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/6/2002 11:37	N	14808-79-8	Sulfate	130000	ug/L	CD	[NULL]	[NULL]	R	B142W2	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	3/6/2002 11:37	N	TEMPERATURE	Temperature	15.8	Deg C	[NULL]	[NULL]	[NULL]	R	B142V8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	3/6/2002 11:37	N	TEMPERATURE	Temperature	15.8	Deg C	[NULL]	[NULL]	[NULL]	R	B142V9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	3/6/2002 11:37	N	TEMPERATURE	Temperature	15.8	Deg C	[NULL]	[NULL]	[NULL]	R	B142V7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	3/6/2002 11:37	N	TEMPERATURE	Temperature	15.8	Deg C	[NULL]	[NULL]	[NULL]	R	B142W0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	3/6/2002 11:37	N	TOC	Total organic carbon	710	ug/L	B	[NULL]	[NULL]	R	B142W0	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	3/6/2002 11:37	N	TOC	Total organic carbon	770	ug/L	B	[NULL]	[NULL]	R	B142V8	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	3/6/2002 11:37	N	TOC	Total organic carbon	880	ug/L	B	[NULL]	[NULL]	R	B142V7	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	3/6/2002 11:37	N	TOC	Total organic carbon	900	ug/L	B	[NULL]	[NULL]	R	B142V9	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	3/6/2002 11:37	N	59473-04-0	Total organic halides	10.4	ug/L	[NULL]	[NULL]	[NULL]	R	B142V8	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	3/6/2002 11:37	N	59473-04-0	Total organic halides	15.4	ug/L	[NULL]	[NULL]	[NULL]	R	B142V7	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	3/6/2002 11:37	N	59473-04-0	Total organic halides	10.6	ug/L	[NULL]	[NULL]	[NULL]	R	B142V9	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	3/6/2002 11:37	N	59473-04-0	Total organic halides	10	ug/L	[NULL]	[NULL]	[NULL]	R	B142W0	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	3/6/2002 11:37	N	TURBIDITY	Turbidity	1.99	NTU	[NULL]	[NULL]	[NULL]	R	B142W0	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	3/6/2002 11:37	N	TURBIDITY	Turbidity	2.03	NTU	[NULL]	[NULL]	[NULL]	R	B142V7	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	3/6/2002 11:37	N	TURBIDITY	Turbidity	2.07	NTU	[NULL]	[NULL]	[NULL]	R	B142V9	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-73	3/6/2002 11:37	N	TURBIDITY	Turbidity	2.13	NTU	[NULL]	[NULL]	[NULL]	R	B142V8	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	3/6/2002 11:37	Y	7440-62-2	Vanadium	16.8	ug/L	B	[NULL]	[NULL]	R	B142W1	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/6/2002 11:37	Y	7440-66-6	Zinc	4.5	ug/L	B	[NULL]	[NULL]	R	B142W1	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/6/2002 11:37	N	PH	pH Measurement	8.47	unitless	[NULL]	[NULL]	[NULL]	R	B142V9	PH	FIELD	9040_PH	100-NR-2
199-N-73	3/6/2002 11:37	N	PH	pH Measurement	8.48	unitless	[NULL]	[NULL]	[NULL]	R	B142W0	PH	FIELD	9040_PH	100-NR-2
199-N-73	3/6/2002 11:37	N	PH	pH Measurement	8.49	unitless	[NULL]	[NULL]	[NULL]	R	B142V7	PH	FIELD	9040_PH	100-NR-2
199-N-73	3/6/2002 11:37	N	PH	pH Measurement	8.48	unitless	[NULL]	[NULL]	[NULL]	R	B142V8	PH	FIELD	9040_PH	100-NR-2
199-N-73	9/13/2002 8:09	N	ALKALINITY	Alkalinity	100000	ug/L	[NULL]	Q	[NULL]	R	B157D5	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-73	9/13/2002 8:09	Y	7429-90-5	Aluminum	17	ug/L	U	[NULL]	[NULL]	R	B157D4	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/13/2002 8:09	Y	7440-36-0	Antimony	29.5	ug/L	U	[NULL]	[NULL]	R	B157D4	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/13/2002 8:09	Y	7440-39-3	Barium	9.6	ug/L	B	[NULL]	[NULL]	R	B157D4	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/13/2002 8:09	Y	7440-41-7	Beryllium	0.68	ug/L	U	[NULL]	[NULL]	R	B157D4	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/13/2002 8:09	Y	7440-43-9	Cadmium	2.5	ug/L	U	[NULL]	[NULL]	R	B157D4	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/13/2002 8:09	Y	7440-70-2	Calcium	9250	ug/L	[NULL]	[NULL]	[NULL]	R	B157D4	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/13/2002 8:09	N	16887-00-6	Chloride	15300	ug/L	D	[NULL]	[NULL]	R	B157D5	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	9/13/2002 8:09	Y	7440-47-3	Chromium	3.4	ug/L	U	[NULL]	[NULL]	R	B157D4	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/13/2002 8:09	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B157D4	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/13/2002 8:09	Y	7440-50-8	Copper	0.86	ug/L	U	[NULL]	[NULL]	R	B157D4	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/13/2002 8:09	N	16984-48-8	Fluoride	1100	ug/L	[NULL]	[NULL]	[NULL]	R	B157D5	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	9/13/2002 8:09	Y	7439-89-6	Iron	30.1	ug/L	B	[NULL]	[NULL]	R	B157D4	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/13/2002 8:09	Y	7439-95-4	Magnesium	1970	ug/L	B	[NULL]	[NULL]	R	B157D4	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/13/2002 8:09	Y	7439-96-5	Manganese	2.6	ug/L	B	[NULL]	[NULL]	R	B157D4	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/13/2002 8:09	Y	7440-02-0	Nickel	15.8	ug/L	U	[NULL]	[NULL]	R	B157D4	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/13/2002 8:09	N	14797-55-8	Nitrate	10200	ug/L	D	[NULL]	[NULL]	R	B157D5	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	9/13/2002 8:09	N	14797-65-0	Nitrite	36.1	ug/L	U	[NULL]	[NULL]	R	B157D5	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	9/13/2002 8:09	Y	7440-09-7	Potassium	1700	ug/L	B	[NULL]	[NULL]	R	B157D4	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/13/2002 8:09	Y	7440-22-4	Silver	1.7	ug/L	U	[NULL]	[NULL]	R	B157D4	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/13/2002 8:09	Y	7440-23-5	Sodium	121000	ug/L	[NULL]	[NULL]	[NULL]	R	B157D4	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/13/2002 8:09	N	CONDUCT	Specific Conductance	623	uS/cm	[NULL]	[NULL]	[NULL]	R	B157D2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	9/13/2002 8:09	N	CONDUCT	Specific Conductance	623	uS/cm	[NULL]	[NULL]	[NULL]	R	B157D1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	9/13/2002 8:09	N	CONDUCT	Specific Conductance	647	uS/cm	C	[NULL]	[NULL]	R	B157D5	CONDUCT	STLSL	120.1_CONDUCT	100-NR-2
199-N-73	9/13/2002 8:09	N	CONDUCT	Specific Conductance	623	uS/cm	[NULL]	[NULL]	[NULL]	R	B157D3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	9/13/2002 8:09	N	CONDUCT	Specific Conductance	623	uS/cm	[NULL]	[NULL]	[NULL]	R	B157D0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	9/13/2002 8:09	Y	7440-24-6	Strontium	42.2	ug/L	B	[NULL]	[NULL]	R	B157D4	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/13/2002 8:09	N	14808-79-8	Sulfate	120000	ug/L	D	[NULL]	[NULL]	R	B157D5	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	9/13/2002 8:09	N	TEMPERATURE	Temperature	17.5	Deg C	[NULL]	[NULL]	[NULL]	R	B157D3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	9/13/2002 8:09	N	TEMPERATURE	Temperature	17.5	Deg C	[NULL]	[NULL]	[NULL]	R	B157D2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	9/13/2002 8:09	N	TEMPERATURE	Temperature	17.5	Deg C	[NULL]	[NULL]	[NULL]	R	B157D1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	9/13/2002 8:09	N	TEMPERATURE	Temperature	17.5	Deg C	[NULL]	[NULL]	[NULL]	R	B157D0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	9/13/2002 8:09	N	TOC	Total organic carbon	140	ug/L	U	[NULL]	[NULL]	R	B157D3	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	9/13/2002 8:09	N	TOC	Total organic carbon	140	ug/L	U	[NULL]	[NULL]	R	B157D2	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	9/13/2002 8:09	N	TOC	Total organic carbon	140	ug/L	B	[NULL]	[NULL]	R	B157D1	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	9/13/2002 8:09	N	TOC	Total organic carbon	140	ug/L	U	[NULL]	[NULL]	R	B157D0	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	9/13/2002 8:09	N	59473-04-0	Total organic halides	11.3	ug/L	[NULL]	[NULL]	[NULL]	R	B157D3	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	9/13/2002 8:09	N	59473-04-0	Total organic halides	11.2	ug/L	[NULL]	[NULL]	[NULL]	R	B157D2	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	9/13/2002 8:09	N	59473-04-0	Total organic halides	4	ug/L	U	[NULL]	[NULL]	R	B157D1	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	9/13/2002 8:09	N	59473-04-0	Total organic halides	4	ug/L	U	[NULL]	[NULL]	R	B157D0	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	9/13/2002 8:09	N	TURBIDITY	Turbidity	3.26	NTU	[NULL]	[NULL]	[NULL]	R	B157D2	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	9/13/2002 8:09	N	TURBIDITY	Turbidity	2.38	NTU	[NULL]	[NULL]	[NULL]	R	B157D3	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	9/13/2002 8:09	N	TURBIDITY	Turbidity	3.49	NTU	[NULL]	[NULL]	[NULL]	R	B157D1	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	9/13/2002 8:09	N	TURBIDITY	Turbidity	3.6	NTU	[NULL]	[NULL]	[NULL]	R	B157D0	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	9/13/2002 8:09	Y	7440-62-2	Vanadium	25.9	ug/L	[NULL]	[NULL]	[NULL]	R	B157D4	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/13/2002 8:09	Y	7440-66-6	Zinc	2.2	ug/L	U	[NULL]	[NULL]	R	B157D4	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	9/13/2002 8:09	N	PH	pH Measurement	8.5	unitless	[NULL]	[NULL]	[NULL]	R	B157D3	PH	FIELD	9040_PH	100-NR-2
199-N-73	9/13/2002 8:09	N	PH	pH Measurement	8.5	unitless	[NULL]	[NULL]	[NULL]	R	B157D0	PH	FIELD	9040_PH	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-73	9/13/2002 8:09	N	PH	pH Measurement	8.5	unitless	[NULL]	[NULL]	[NULL]	R	B157D1	PH	FIELD	9040_PH	100-NR-2
199-N-73	9/13/2002 8:09	N	PH	pH Measurement	8.5	unitless	[NULL]	[NULL]	[NULL]	R	B157D2	PH	FIELD	9040_PH	100-NR-2
199-N-73	3/3/2003 10:14	N	ALKALINITY	Alkalinity	148000	ug/L	[NULL]	[NULL]	[NULL]	R	B16HN2	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-73	3/3/2003 10:14	Y	7429-90-5	Aluminum	40.7	ug/L	B	[NULL]	[NULL]	R	B16HN1	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/3/2003 10:14	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B16HN1	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/3/2003 10:14	Y	7440-39-3	Barium	11.9	ug/L	B	[NULL]	[NULL]	R	B16HN1	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/3/2003 10:14	Y	7440-41-7	Beryllium	1.1	ug/L	B	[NULL]	[NULL]	R	B16HN1	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/3/2003 10:14	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B16HN1	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/3/2003 10:14	Y	7440-70-2	Calcium	11100	ug/L	[NULL]	[NULL]	[NULL]	R	B16HN1	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/3/2003 10:14	N	16887-00-6	Chloride	18400	ug/L	CD	[NULL]	[NULL]	R	B16HN2	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	3/3/2003 10:14	Y	7440-47-3	Chromium	3.8	ug/L	U	[NULL]	[NULL]	R	B16HN1	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/3/2003 10:14	Y	7440-48-4	Cobalt	4.9	ug/L	U	[NULL]	[NULL]	R	B16HN1	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/3/2003 10:14	Y	7440-50-8	Copper	3.1	ug/L	U	[NULL]	[NULL]	R	B16HN1	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/3/2003 10:14	N	16984-48-8	Fluoride	1000	ug/L	N	[NULL]	[NULL]	R	B16HN2	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	3/3/2003 10:14	Y	7439-89-6	Iron	42.8	ug/L	U	[NULL]	[NULL]	R	B16HN1	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/3/2003 10:14	Y	7439-95-4	Magnesium	2550	ug/L	B	[NULL]	[NULL]	R	B16HN1	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/3/2003 10:14	Y	7439-96-5	Manganese	3.7	ug/L	B	[NULL]	[NULL]	R	B16HN1	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/3/2003 10:14	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	B16HN1	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/3/2003 10:14	N	14797-55-8	Nitrate	15900	ug/L	CDN	[NULL]	[NULL]	R	B16HN2	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	3/3/2003 10:14	N	14797-65-0	Nitrite	36.1	ug/L	U	[NULL]	[NULL]	R	B16HN2	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	3/3/2003 10:14	Y	7440-09-7	Potassium	3370	ug/L	B	[NULL]	[NULL]	R	B16HN1	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/3/2003 10:14	Y	7440-22-4	Silver	3	ug/L	U	[NULL]	[NULL]	R	B16HN1	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/3/2003 10:14	Y	7440-23-5	Sodium	132000	ug/L	[NULL]	[NULL]	[NULL]	R	B16HN1	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/3/2003 10:14	N	CONDUCT	Specific Conductance	641	uS/cm	[NULL]	[NULL]	[NULL]	R	B16HM9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	3/3/2003 10:14	N	CONDUCT	Specific Conductance	642	uS/cm	[NULL]	[NULL]	[NULL]	R	B16HM8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	3/3/2003 10:14	N	CONDUCT	Specific Conductance	641	uS/cm	[NULL]	[NULL]	[NULL]	R	B16HN0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	3/3/2003 10:14	N	CONDUCT	Specific Conductance	640	uS/cm	[NULL]	[NULL]	[NULL]	R	B16HM7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	3/3/2003 10:14	Y	7440-24-6	Strontium	50.1	ug/L	[NULL]	[NULL]	[NULL]	R	B16HN1	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/3/2003 10:14	N	14808-79-8	Sulfate	119000	ug/L	CD	[NULL]	[NULL]	R	B16HN2	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	3/3/2003 10:14	N	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	R	B16HM9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	3/3/2003 10:14	N	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	R	B16HN0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	3/3/2003 10:14	N	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	R	B16HM8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	3/3/2003 10:14	N	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	R	B16HM7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	3/3/2003 10:14	N	TOC	Total organic carbon	140	ug/L	U	[NULL]	[NULL]	R	B16HN0	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	3/3/2003 10:14	N	TOC	Total organic carbon	1400	ug/L	[NULL]	Y	[NULL]	R	B16HM7	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	3/3/2003 10:14	N	TOC	Total organic carbon	140	ug/L	U	[NULL]	[NULL]	R	B16HM8	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	3/3/2003 10:14	N	TOC	Total organic carbon	140	ug/L	U	[NULL]	[NULL]	R	B16HM9	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	3/3/2003 10:14	N	59473-04-0	Total organic halides	11.7	ug/L	[NULL]	[NULL]	[NULL]	R	B16HM7	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	3/3/2003 10:14	N	59473-04-0	Total organic halides	18.6	ug/L	[NULL]	[NULL]	[NULL]	R	B16HM8	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	3/3/2003 10:14	N	59473-04-0	Total organic halides	9.7	ug/L	[NULL]	[NULL]	[NULL]	R	B16HM9	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	3/3/2003 10:14	N	59473-04-0	Total organic halides	14.2	ug/L	[NULL]	[NULL]	[NULL]	R	B16HN0	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	3/3/2003 10:14	N	TURBIDITY	Turbidity	2.53	NTU	[NULL]	[NULL]	[NULL]	R	B16HN0	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	3/3/2003 10:14	N	TURBIDITY	Turbidity	3.29	NTU	[NULL]	[NULL]	[NULL]	R	B16HM9	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	3/3/2003 10:14	N	TURBIDITY	Turbidity	4.07	NTU	[NULL]	[NULL]	[NULL]	R	B16HM8	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	3/3/2003 10:14	N	TURBIDITY	Turbidity	2.47	NTU	[NULL]	[NULL]	[NULL]	R	B16HM7	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	3/3/2003 10:14	Y	7440-62-2	Vanadium	32	ug/L	[NULL]	[NULL]	[NULL]	R	B16HN1	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/3/2003 10:14	Y	7440-66-6	Zinc	1.8	ug/L	U	[NULL]	[NULL]	R	B16HN1	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/3/2003 10:14	N	PH	pH Measurement	8.47	unitless	[NULL]	[NULL]	[NULL]	R	B16HM7	PH	FIELD	9040_PH	100-NR-2
199-N-73	3/3/2003 10:14	N	PH	pH Measurement	8.47	unitless	[NULL]	[NULL]	[NULL]	R	B16HM8	PH	FIELD	9040_PH	100-NR-2
199-N-73	3/3/2003 10:14	N	PH	pH Measurement	8.47	unitless	[NULL]	[NULL]	[NULL]	R	B16HN0	PH	FIELD	9040_PH	100-NR-2
199-N-73	3/3/2003 10:14	N	PH	pH Measurement	8.47	unitless	[NULL]	[NULL]	[NULL]	R	B16HM9	PH	FIELD	9040_PH	100-NR-2
199-N-73	9/18/2003 12:27	N	CONDUCT	Specific Conductance	653	uS/cm	[NULL]	[NULL]	[NULL]	R	B17DY1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	9/18/2003 12:27	N	CONDUCT	Specific Conductance	654	uS/cm	[NULL]	[NULL]	[NULL]	R	B17DX8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	9/18/2003 12:27	N	CONDUCT	Specific Conductance	652	uS/cm	[NULL]	[NULL]	[NULL]	R	B17DY0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	9/18/2003 12:27	N	CONDUCT	Specific Conductance	652	uS/cm	[NULL]	[NULL]	[NULL]	R	B17DX9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-73	9/18/2003 12:27	N	TEMPERATURE	Temperature	18.7	Deg C	[NULL]	[NULL]	[NULL]	R	B17DX9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	9/18/2003 12:27	N	TEMPERATURE	Temperature	18.7	Deg C	[NULL]	[NULL]	[NULL]	R	B17DY1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	9/18/2003 12:27	N	TEMPERATURE	Temperature	18.6	Deg C	[NULL]	[NULL]	[NULL]	R	B17DX8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	9/18/2003 12:27	N	TEMPERATURE	Temperature	18.7	Deg C	[NULL]	[NULL]	[NULL]	R	B17DY0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	9/18/2003 12:27	N	TOC	Total organic carbon	390	ug/L	U	[NULL]	[NULL]	R	B17DY1	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	9/18/2003 12:27	N	TOC	Total organic carbon	550	ug/L	B	[NULL]	[NULL]	R	B17DX8	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	9/18/2003 12:27	N	TOC	Total organic carbon	470	ug/L	B	[NULL]	[NULL]	R	B17DX9	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	9/18/2003 12:27	N	TOC	Total organic carbon	390	ug/L	U	[NULL]	[NULL]	R	B17DY0	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	9/18/2003 12:27	N	59473-04-0	Total organic halides	5.8	ug/L	[NULL]	[NULL]	[NULL]	R	B17DY1	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	9/18/2003 12:27	N	59473-04-0	Total organic halides	10.2	ug/L	[NULL]	[NULL]	[NULL]	R	B17DX8	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	9/18/2003 12:27	N	59473-04-0	Total organic halides	8.6	ug/L	[NULL]	[NULL]	[NULL]	R	B17DX9	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	9/18/2003 12:27	N	59473-04-0	Total organic halides	8.8	ug/L	[NULL]	[NULL]	[NULL]	R	B17DY0	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	9/18/2003 12:27	N	TURBIDITY	Turbidity	3.38	NTU	[NULL]	[NULL]	[NULL]	R	B17DX8	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	9/18/2003 12:27	N	TURBIDITY	Turbidity	5.03	NTU	[NULL]	[NULL]	[NULL]	R	B17DY1	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	9/18/2003 12:27	N	TURBIDITY	Turbidity	4	NTU	[NULL]	[NULL]	[NULL]	R	B17DX9	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	9/18/2003 12:27	N	TURBIDITY	Turbidity	2.47	NTU	[NULL]	[NULL]	[NULL]	R	B17DY0	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	9/18/2003 12:27	N	PH	pH Measurement	8.44	unitless	[NULL]	[NULL]	[NULL]	R	B17DX9	PH	FIELD	9040_PH	100-NR-2
199-N-73	9/18/2003 12:27	N	PH	pH Measurement	8.44	unitless	[NULL]	[NULL]	[NULL]	R	B17DX8	PH	FIELD	9040_PH	100-NR-2
199-N-73	9/18/2003 12:27	N	PH	pH Measurement	8.44	unitless	[NULL]	[NULL]	[NULL]	R	B17DY1	PH	FIELD	9040_PH	100-NR-2
199-N-73	9/18/2003 12:27	N	PH	pH Measurement	8.44	unitless	[NULL]	[NULL]	[NULL]	R	B17DY0	PH	FIELD	9040_PH	100-NR-2
199-N-73	3/11/2004 11:05	N	ALKALINITY	Alkalinity	131000	ug/L	[NULL]	[NULL]	[NULL]	R	B18L24	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-73	3/11/2004 11:05	Y	7429-90-5	Aluminum	34.2	ug/L	U	[NULL]	[NULL]	R	B18L23	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/11/2004 11:05	Y	7440-36-0	Antimony	39	ug/L	U	[NULL]	[NULL]	R	B18L23	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/11/2004 11:05	Y	7440-39-3	Barium	14	ug/L	B	[NULL]	[NULL]	R	B18L23	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/11/2004 11:05	Y	7440-41-7	Beryllium	0.4	ug/L	U	[NULL]	[NULL]	R	B18L23	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/11/2004 11:05	Y	7440-43-9	Cadmium	3.3	ug/L	U	[NULL]	[NULL]	R	B18L23	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/11/2004 11:05	Y	7440-70-2	Calcium	12600	ug/L	[NULL]	[NULL]	[NULL]	R	B18L23	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/11/2004 11:05	N	16887-00-6	Chloride	23000	ug/L	BD	[NULL]	[NULL]	R	B18L24	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	3/11/2004 11:05	Y	7440-47-3	Chromium	4.4	ug/L	U	[NULL]	[NULL]	R	B18L23	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/11/2004 11:05	Y	7440-48-4	Cobalt	4.8	ug/L	U	[NULL]	[NULL]	R	B18L23	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/11/2004 11:05	Y	7440-50-8	Copper	2.9	ug/L	U	[NULL]	[NULL]	R	B18L23	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/11/2004 11:05	N	DO	Dissolved oxygen	6760	ug/L	[NULL]	[NULL]	[NULL]	R	B18L20	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-73	3/11/2004 11:05	N	DO	Dissolved oxygen	6710	ug/L	[NULL]	[NULL]	[NULL]	R	B18L21	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-73	3/11/2004 11:05	N	DO	Dissolved oxygen	6800	ug/L	[NULL]	[NULL]	[NULL]	R	B18L19	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-73	3/11/2004 11:05	N	DO	Dissolved oxygen	6700	ug/L	[NULL]	[NULL]	[NULL]	R	B18L22	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-73	3/11/2004 11:05	N	16984-48-8	Fluoride	900	ug/L	[NULL]	[NULL]	[NULL]	R	B18L24	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	3/11/2004 11:05	Y	7439-89-6	Iron	54.5	ug/L	U	[NULL]	[NULL]	R	B18L23	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/11/2004 11:05	Y	7439-95-4	Magnesium	2580	ug/L	B	[NULL]	[NULL]	R	B18L23	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/11/2004 11:05	Y	7439-96-5	Manganese	1.3	ug/L	B	[NULL]	[NULL]	R	B18L23	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/11/2004 11:05	Y	7440-02-0	Nickel	14	ug/L	U	[NULL]	[NULL]	R	B18L23	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/11/2004 11:05	N	14797-55-8	Nitrate	23000	ug/L	BD	[NULL]	[NULL]	R	B18L24	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	3/11/2004 11:05	N	14797-65-0	Nitrite	24.3	ug/L	U	[NULL]	[NULL]	R	B18L24	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	3/11/2004 11:05	N	EH	Oxidation Reduction Potential	171.2	mV	[NULL]	[NULL]	[NULL]	R	B18L22	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-73	3/11/2004 11:05	N	EH	Oxidation Reduction Potential	171	mV	[NULL]	[NULL]	[NULL]	R	B18L21	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-73	3/11/2004 11:05	N	EH	Oxidation Reduction Potential	171.1	mV	[NULL]	[NULL]	[NULL]	R	B18L20	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-73	3/11/2004 11:05	N	EH	Oxidation Reduction Potential	170.6	mV	[NULL]	[NULL]	[NULL]	R	B18L19	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-73	3/11/2004 11:05	Y	7440-09-7	Potassium	3000	ug/L	U	[NULL]	[NULL]	R	B18L23	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/11/2004 11:05	Y	7440-22-4	Silver	3.1	ug/L	U	[NULL]	[NULL]	R	B18L23	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/11/2004 11:05	Y	7440-23-5	Sodium	141000	ug/L	[NULL]	[NULL]	[NULL]	R	B18L23	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/11/2004 11:05	N	CONDUCT	Specific Conductance	699	uS/cm	[NULL]	[NULL]	[NULL]	R	B18L19	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	3/11/2004 11:05	N	CONDUCT	Specific Conductance	706	uS/cm	[NULL]	[NULL]	[NULL]	R	B18L22	CONDUCT	FIELD	9050_CONDUCT	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-73	3/11/2004 11:05	N	CONDUCT	Specific Conductance	702	uS/cm	[NULL]	[NULL]	[NULL]	R	B18L21	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	3/11/2004 11:05	N	CONDUCT	Specific Conductance	702	uS/cm	[NULL]	[NULL]	[NULL]	R	B18L20	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	3/11/2004 11:05	Y	7440-24-6	Strontium	59.9	ug/L	[NULL]	[NULL]	[NULL]	R	B18L23	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/11/2004 11:05	N	14808-79-8	Sulfate	137000	ug/L	BD	[NULL]	[NULL]	R	B18L24	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	3/11/2004 11:05	N	TEMPERATURE	Temperature	17.7	Deg C	[NULL]	[NULL]	[NULL]	R	B18L20	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	3/11/2004 11:05	N	TEMPERATURE	Temperature	17.7	Deg C	[NULL]	[NULL]	[NULL]	R	B18L19	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	3/11/2004 11:05	N	TEMPERATURE	Temperature	17.7	Deg C	[NULL]	[NULL]	[NULL]	R	B18L21	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	3/11/2004 11:05	N	TEMPERATURE	Temperature	17.7	Deg C	[NULL]	[NULL]	[NULL]	R	B18L22	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	3/11/2004 11:05	N	TOC	Total organic carbon	590	ug/L	B	[NULL]	[NULL]	R	B18L19	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	3/11/2004 11:05	N	TOC	Total organic carbon	670	ug/L	B	[NULL]	[NULL]	R	B18L20	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	3/11/2004 11:05	N	TOC	Total organic carbon	740	ug/L	B	[NULL]	[NULL]	R	B18L22	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	3/11/2004 11:05	N	TOC	Total organic carbon	680	ug/L	B	[NULL]	[NULL]	R	B18L21	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	3/11/2004 11:05	N	59473-04-0	Total organic halides	2.2	ug/L	U	[NULL]	[NULL]	R	B18L19	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	3/11/2004 11:05	N	59473-04-0	Total organic halides	7.3	ug/L	[NULL]	[NULL]	[NULL]	R	B18L21	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	3/11/2004 11:05	N	59473-04-0	Total organic halides	6.9	ug/L	[NULL]	[NULL]	[NULL]	R	B18L20	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	3/11/2004 11:05	N	59473-04-0	Total organic halides	7.4	ug/L	[NULL]	[NULL]	[NULL]	R	B18L22	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	3/11/2004 11:05	N	TURBIDITY	Turbidity	3.85	NTU	[NULL]	[NULL]	[NULL]	R	B18L22	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	3/11/2004 11:05	N	TURBIDITY	Turbidity	3.82	NTU	[NULL]	[NULL]	[NULL]	R	B18L21	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	3/11/2004 11:05	N	TURBIDITY	Turbidity	4.05	NTU	[NULL]	[NULL]	[NULL]	R	B18L20	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	3/11/2004 11:05	N	TURBIDITY	Turbidity	3.96	NTU	[NULL]	[NULL]	[NULL]	R	B18L19	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	3/11/2004 11:05	Y	7440-62-2	Vanadium	10.3	ug/L	B	[NULL]	[NULL]	R	B18L23	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/11/2004 11:05	Y	7440-66-6	Zinc	2.7	ug/L	U	[NULL]	[NULL]	R	B18L23	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/11/2004 11:05	N	PH	pH Measurement	8.43	unitless	[NULL]	[NULL]	[NULL]	R	B18L20	PH	FIELD	9040_PH	100-NR-2
199-N-73	3/11/2004 11:05	N	PH	pH Measurement	8.42	unitless	[NULL]	[NULL]	[NULL]	R	B18L19	PH	FIELD	9040_PH	100-NR-2
199-N-73	3/11/2004 11:05	N	PH	pH Measurement	8.43	unitless	[NULL]	[NULL]	[NULL]	R	B18L21	PH	FIELD	9040_PH	100-NR-2
199-N-73	3/11/2004 11:05	N	PH	pH Measurement	8.43	unitless	[NULL]	[NULL]	[NULL]	R	B18L22	PH	FIELD	9040_PH	100-NR-2
199-N-73	9/23/2004 12:09	N	CONDUCT	Specific Conductance	477	uS/cm	[NULL]	[NULL]	[NULL]	R	B1B247	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	9/23/2004 12:09	N	CONDUCT	Specific Conductance	476	uS/cm	[NULL]	[NULL]	[NULL]	R	B1B249	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	9/23/2004 12:09	N	CONDUCT	Specific Conductance	476	uS/cm	[NULL]	[NULL]	[NULL]	R	B1B250	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	9/23/2004 12:09	N	CONDUCT	Specific Conductance	475	uS/cm	[NULL]	[NULL]	[NULL]	R	B1B248	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	9/23/2004 12:09	N	TEMPERATURE	Temperature	18.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1B249	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	9/23/2004 12:09	N	TEMPERATURE	Temperature	18.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1B250	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	9/23/2004 12:09	N	TEMPERATURE	Temperature	18.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1B247	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	9/23/2004 12:09	N	TEMPERATURE	Temperature	18.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1B248	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	9/23/2004 12:09	N	TOC	Total organic carbon	390	ug/L	U	[NULL]	[NULL]	R	B1B247	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	9/23/2004 12:09	N	TOC	Total organic carbon	390	ug/L	U	[NULL]	[NULL]	R	B1B250	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	9/23/2004 12:09	N	TOC	Total organic carbon	390	ug/L	U	[NULL]	[NULL]	R	B1B249	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	9/23/2004 12:09	N	TOC	Total organic carbon	390	ug/L	U	[NULL]	[NULL]	R	B1B248	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	9/23/2004 12:09	N	59473-04-0	Total organic halides	12.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1B249	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	9/23/2004 12:09	N	59473-04-0	Total organic halides	7.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1B250	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	9/23/2004 12:09	N	59473-04-0	Total organic halides	8.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1B247	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	9/23/2004 12:09	N	59473-04-0	Total organic halides	9.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1B248	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	9/23/2004 12:09	N	TURBIDITY	Turbidity	7.3	NTU	[NULL]	[NULL]	[NULL]	R	B1B248	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	9/23/2004 12:09	N	TURBIDITY	Turbidity	5.55	NTU	[NULL]	[NULL]	[NULL]	R	B1B250	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	9/23/2004 12:09	N	PH	pH Measurement	8.45	unitless	[NULL]	[NULL]	[NULL]	R	B1B248	PH	FIELD	9040_PH	100-NR-2
199-N-73	9/23/2004 12:09	N	PH	pH Measurement	8.44	unitless	[NULL]	[NULL]	[NULL]	R	B1B247	PH	FIELD	9040_PH	100-NR-2
199-N-73	9/23/2004 12:09	N	PH	pH Measurement	8.45	unitless	[NULL]	[NULL]	[NULL]	R	B1B249	PH	FIELD	9040_PH	100-NR-2
199-N-73	9/23/2004 12:09	N	PH	pH Measurement	8.44	unitless	[NULL]	[NULL]	[NULL]	R	B1B250	PH	FIELD	9040_PH	100-NR-2
199-N-73	3/15/2005 11:10	N	ALKALINITY	Alkalinity	139000	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBJ7	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-73	3/15/2005 11:10	Y	7429-90-5	Aluminum	54.7	ug/L	C	[NULL]	[NULL]	R	B1CCH7	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7429-90-5	Aluminum	45.5	ug/L	U	[NULL]	[NULL]	R	B1CBJ6	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7429-90-5	Aluminum	45.5	ug/L	U	[NULL]	[NULL]	R	B1CCH9	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-36-0	Antimony	21.3	ug/L	U	[NULL]	[NULL]	R	B1CBJ6	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-36-0	Antimony	2.2	ug/L	U	[NULL]	[NULL]	R	B1CCH7	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-36-0	Antimony	21.3	ug/L	U	[NULL]	[NULL]	R	B1CCH9	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-73	3/15/2005 11:10	Y	7440-39-3	Barium	11.7	ug/L	B	[NULL]	[NULL]	R	B1CCH9	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-39-3	Barium	12.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1CCH7	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-39-3	Barium	12.1	ug/L	B	[NULL]	[NULL]	R	B1CBJ6	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-41-7	Beryllium	0.29	ug/L	U	[NULL]	[NULL]	R	B1CCH9	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-41-7	Beryllium	0.29	ug/L	U	[NULL]	[NULL]	R	B1CBJ6	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-41-7	Beryllium	0.1	ug/L	U	[NULL]	[NULL]	R	B1CCH7	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	B1CBJ6	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-43-9	Cadmium	0.4	ug/L	U	[NULL]	[NULL]	R	B1CCH7	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	B1CCH9	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-70-2	Calcium	10400	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBJ6	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-70-2	Calcium	10000	ug/L	[NULL]	[NULL]	[NULL]	R	B1CCH9	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-70-2	Calcium	10100	ug/L	C	[NULL]	[NULL]	R	B1CCH7	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	N	16887-00-6	Chloride	22100	ug/L	CD	[NULL]	[NULL]	R	B1CBJ7	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-47-3	Chromium	3.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1CCH7	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-47-3	Chromium	4.5	ug/L	B	[NULL]	[NULL]	R	B1CBJ6	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-47-3	Chromium	4.2	ug/L	B	[NULL]	[NULL]	R	B1CCH9	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-48-4	Cobalt	3.3	ug/L	U	[NULL]	[NULL]	R	B1CBJ6	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-48-4	Cobalt	3.3	ug/L	U	[NULL]	[NULL]	R	B1CCH9	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-48-4	Cobalt	0.83	ug/L	[NULL]	[NULL]	[NULL]	R	B1CCH7	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-50-8	Copper	2.4	ug/L	U	[NULL]	[NULL]	R	B1CBJ6	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-50-8	Copper	2.1	ug/L	C	[NULL]	[NULL]	R	B1CCH7	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-50-8	Copper	2.4	ug/L	U	[NULL]	[NULL]	R	B1CCH9	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	N	16984-48-8	Fluoride	860	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBJ7	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	3/15/2005 11:10	Y	7439-89-6	Iron	24.8	ug/L	C	[NULL]	[NULL]	R	B1CCH7	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7439-89-6	Iron	23.8	ug/L	B	[NULL]	[NULL]	R	B1CCH9	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7439-89-6	Iron	22.5	ug/L	B	[NULL]	[NULL]	R	B1CBJ6	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7439-95-4	Magnesium	2050	ug/L	C	[NULL]	[NULL]	R	B1CCH7	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7439-95-4	Magnesium	2070	ug/L	B	[NULL]	[NULL]	R	B1CCH9	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7439-95-4	Magnesium	2140	ug/L	B	[NULL]	[NULL]	R	B1CBJ6	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7439-96-5	Manganese	0.99	ug/L	U	[NULL]	[NULL]	R	B1CBJ6	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7439-96-5	Manganese	2.4	ug/L	C	[NULL]	[NULL]	R	B1CCH7	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7439-96-5	Manganese	0.99	ug/L	U	[NULL]	[NULL]	R	B1CCH9	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-02-0	Nickel	8.6	ug/L	U	[NULL]	[NULL]	R	B1CCH9	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-02-0	Nickel	8.6	ug/L	U	[NULL]	[NULL]	R	B1CBJ6	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-02-0	Nickel	3	ug/L	[NULL]	[NULL]	[NULL]	R	B1CCH7	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	N	14797-55-8	Nitrate	21200	ug/L	D	[NULL]	[NULL]	R	B1CBJ7	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	3/15/2005 11:10	N	14797-65-0	Nitrite	13.1	ug/L	U	[NULL]	[NULL]	R	B1CBJ7	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-09-7	Potassium	2290	ug/L	B	[NULL]	[NULL]	R	B1CCH9	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-09-7	Potassium	3010	ug/L	B	[NULL]	[NULL]	R	B1CBJ6	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-09-7	Potassium	2890	ug/L	[NULL]	[NULL]	[NULL]	R	B1CCH7	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-22-4	Silver	4.1	ug/L	U	[NULL]	[NULL]	R	B1CBJ6	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-22-4	Silver	0.5	ug/L	U	[NULL]	[NULL]	R	B1CCH7	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-22-4	Silver	4.1	ug/L	U	[NULL]	[NULL]	R	B1CCH9	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-23-5	Sodium	134000	ug/L	N	[NULL]	[NULL]	R	B1CBJ6	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-23-5	Sodium	131000	ug/L	N	[NULL]	[NULL]	R	B1CCH9	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-23-5	Sodium	117000	ug/L	C	[NULL]	[NULL]	R	B1CCH7	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	N	CONDUCT	Specific Conductance	655	uS/cm	[NULL]	[NULL]	[NULL]	R	B1CBJ2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	3/15/2005 11:10	N	CONDUCT	Specific Conductance	652	uS/cm	[NULL]	[NULL]	[NULL]	R	B1CBJ3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	3/15/2005 11:10	N	CONDUCT	Specific Conductance	669	uS/cm	[NULL]	[NULL]	[NULL]	R	B1CBJ4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	3/15/2005 11:10	N	CONDUCT	Specific Conductance	672	uS/cm	[NULL]	[NULL]	[NULL]	R	B1CBJ5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-24-6	Strontium	51	ug/L	[NULL]	[NULL]	[NULL]	R	B1CCH9	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-24-6	Strontium	52.7	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBJ6	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	N	14808-79-8	Sulfate	110000	ug/L	D	[NULL]	[NULL]	R	B1CBJ7	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	3/15/2005 11:10	N	TEMPERATURE	Temperature	18.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1CBJ4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	3/15/2005 11:10	N	TEMPERATURE	Temperature	18.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1CBJ3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-73	3/15/2005 11:10	N	TEMPERATURE	Temperature	18.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1CBJ2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	3/15/2005 11:10	N	TEMPERATURE	Temperature	18.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1CBJ5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	3/15/2005 11:10	N	TOC	Total organic carbon	490	ug/L	B	[NULL]	[NULL]	R	B1CBJ4	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	3/15/2005 11:10	N	TOC	Total organic carbon	830	ug/L	B	[NULL]	[NULL]	R	B1CBJ5	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	3/15/2005 11:10	N	TOC	Total organic carbon	690	ug/L	B	[NULL]	[NULL]	R	B1CBJ3	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	3/15/2005 11:10	N	TOC	Total organic carbon	430	ug/L	U	[NULL]	[NULL]	R	B1CBJ2	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	3/15/2005 11:10	N	59473-04-0	Total organic halides	29.3	ug/L	[NULL]	Y	[NULL]	R	B1CBJ4	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	3/15/2005 11:10	N	59473-04-0	Total organic halides	11.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBJ2	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	3/15/2005 11:10	N	59473-04-0	Total organic halides	28	ug/L	[NULL]	Y	[NULL]	R	B1CBJ5	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	3/15/2005 11:10	N	59473-04-0	Total organic halides	10.7	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBJ3	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	3/15/2005 11:10	N	TURBIDITY	Turbidity	1.77	NTU	[NULL]	[NULL]	[NULL]	R	B1CBJ5	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	3/15/2005 11:10	N	TURBIDITY	Turbidity	1.29	NTU	[NULL]	[NULL]	[NULL]	R	B1CBJ3	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-62-2	Vanadium	16.8	ug/L	B	[NULL]	[NULL]	R	B1CCH9	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-62-2	Vanadium	17.5	ug/L	B	[NULL]	[NULL]	R	B1CBJ6	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-62-2	Vanadium	16.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1CCH7	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-66-6	Zinc	5.2	ug/L	C	[NULL]	[NULL]	R	B1CCH7	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-66-6	Zinc	1.8	ug/L	BC	[NULL]	[NULL]	R	B1CBJ6	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	Y	7440-66-6	Zinc	2	ug/L	BC	[NULL]	[NULL]	R	B1CCH9	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/15/2005 11:10	N	PH	pH Measurement	8.47	unitless	[NULL]	[NULL]	[NULL]	R	B1CBJ3	PH	FIELD	9040_PH	100-NR-2
199-N-73	3/15/2005 11:10	N	PH	pH Measurement	8.46	unitless	[NULL]	[NULL]	[NULL]	R	B1CBJ5	PH	FIELD	9040_PH	100-NR-2
199-N-73	3/15/2005 11:10	N	PH	pH Measurement	8.47	unitless	[NULL]	[NULL]	[NULL]	R	B1CBJ4	PH	FIELD	9040_PH	100-NR-2
199-N-73	3/15/2005 11:10	N	PH	pH Measurement	8.47	unitless	[NULL]	[NULL]	[NULL]	R	B1CBJ2	PH	FIELD	9040_PH	100-NR-2
199-N-73	6/10/2005 10:56	N	CONDUCT	Specific Conductance	630	uS/cm	[NULL]	[NULL]	[NULL]	R	B1D1C6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	6/10/2005 10:56	N	CONDUCT	Specific Conductance	631	uS/cm	[NULL]	[NULL]	[NULL]	R	B1D1C8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	6/10/2005 10:56	N	CONDUCT	Specific Conductance	630	uS/cm	[NULL]	[NULL]	[NULL]	R	B1D1C7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	6/10/2005 10:56	N	CONDUCT	Specific Conductance	631	uS/cm	[NULL]	[NULL]	[NULL]	R	B1D1C9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-73	6/10/2005 10:56	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B1D1C8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	6/10/2005 10:56	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B1D1C6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	6/10/2005 10:56	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B1D1C7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	6/10/2005 10:56	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B1D1C9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	6/10/2005 10:56	N	TOC	Total organic carbon	750	ug/L	B	[NULL]	[NULL]	R	B1D1C7	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	6/10/2005 10:56	N	TOC	Total organic carbon	430	ug/L	U	[NULL]	[NULL]	R	B1D1C6	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	6/10/2005 10:56	N	TOC	Total organic carbon	430	ug/L	U	[NULL]	[NULL]	R	B1D1C8	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	6/10/2005 10:56	N	TOC	Total organic carbon	770	ug/L	B	[NULL]	[NULL]	R	B1D1C9	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	6/10/2005 10:56	N	59473-04-0	Total organic halides	9.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1D1C9	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	6/10/2005 10:56	N	59473-04-0	Total organic halides	9.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1D1C8	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	6/10/2005 10:56	N	59473-04-0	Total organic halides	9.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1D1C6	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	6/10/2005 10:56	N	59473-04-0	Total organic halides	10.7	ug/L	[NULL]	[NULL]	[NULL]	R	B1D1C7	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	6/10/2005 10:56	N	TURBIDITY	Turbidity	1.48	NTU	[NULL]	[NULL]	[NULL]	R	B1D1C7	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	6/10/2005 10:56	N	TURBIDITY	Turbidity	1.83	NTU	[NULL]	[NULL]	[NULL]	R	B1D1C6	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	6/10/2005 10:56	N	TURBIDITY	Turbidity	1.15	NTU	[NULL]	[NULL]	[NULL]	R	B1D1C9	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	6/10/2005 10:56	N	TURBIDITY	Turbidity	1.6	NTU	[NULL]	[NULL]	[NULL]	R	B1D1C8	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-73	6/10/2005 10:56	N	PH	pH Measurement	8.48	unitless	[NULL]	[NULL]	[NULL]	R	B1D1C7	PH	FIELD	9040_PH	100-NR-2
199-N-73	6/10/2005 10:56	N	PH	pH Measurement	8.48	unitless	[NULL]	[NULL]	[NULL]	R	B1D1C9	PH	FIELD	9040_PH	100-NR-2
199-N-73	6/10/2005 10:56	N	PH	pH Measurement	8.44	unitless	[NULL]	[NULL]	[NULL]	R	B1D1C6	PH	FIELD	9040_PH	100-NR-2
199-N-73	6/10/2005 10:56	N	PH	pH Measurement	8.48	unitless	[NULL]	[NULL]	[NULL]	R	B1D1C8	PH	FIELD	9040_PH	100-NR-2
199-N-73	1/17/2006 11:50	N	120-82-1	1,2,4-Trichlorobenzene	10	ug/L	U	[NULL]	[NULL]	S	J11162	120-82-1	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	95-50-1	1,2-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	S	J11162	95-50-1	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	541-73-1	1,3-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	S	J11162	541-73-1	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	106-46-7	1,4-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	S	J11162	106-46-7	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	95-95-4	2,4,5-Trichlorophenol	25	ug/L	U	[NULL]	J	S	J11162	95-95-4	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	88-06-2	2,4,6-Trichlorophenol	10	ug/L	U	[NULL]	J	S	J11162	88-06-2	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	120-83-2	2,4-Dichlorophenol	10	ug/L	U	[NULL]	J	S	J11162	120-83-2	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	105-67-9	2,4-Dimethylphenol	10	ug/L	U	[NULL]	[NULL]	S	J11162	105-67-9	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	51-28-5	2,4-Dinitrophenol	25	ug/L	U	[NULL]	J	S	J11162	51-28-5	RLNP	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-73	1/17/2006 11:50	N	121-14-2	2,4-Dinitrotoluene	10	ug/L	U	[NULL]	[NULL]	S	J11162	121-14-2	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	606-20-2	2,6-Dinitrotoluene	10	ug/L	U	[NULL]	[NULL]	S	J11162	606-20-2	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	91-58-7	2-Chloronaphthalene	10	ug/L	U	[NULL]	[NULL]	S	J11162	91-58-7	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	95-57-8	2-Chlorophenol	10	ug/L	U	[NULL]	J	S	J11162	95-57-8	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	91-57-6	2-Methylnaphthalene	10	ug/L	U	[NULL]	[NULL]	S	J11162	91-57-6	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	95-48-7	2-Methylphenol (cresol, o-)	10	ug/L	U	[NULL]	[NULL]	S	J11162	95-48-7	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	88-74-4	2-Nitroaniline	25	ug/L	U	[NULL]	J	S	J11162	88-74-4	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	88-75-5	2-Nitrophenol	10	ug/L	U	[NULL]	J	S	J11162	88-75-5	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	65794-96-9	3+4 Methylphenol (cresol, m+p)	10	ug/L	U	[NULL]	[NULL]	S	J11162	65794-96-9	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	91-94-1	3,3'-Dichlorobenzidine	10	ug/L	U	[NULL]	J	S	J11162	91-94-1	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	99-09-2	3-Nitroaniline	25	ug/L	U	[NULL]	J	S	J11162	99-09-2	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	72-54-8	4,4'-DDD (Dichlorodiphenyldichloroethane)	0.051	ug/L	U	[NULL]	[NULL]	S	J11162	72-54-8	RLNP	8081_PEST_GC	100-NR-2
199-N-73	1/17/2006 11:50	N	72-55-9	4,4'-DDE (Dichlorodiphenyldichloroethylene)	0.051	ug/L	U	[NULL]	[NULL]	S	J11162	72-55-9	RLNP	8081_PEST_GC	100-NR-2
199-N-73	1/17/2006 11:50	N	50-29-3	4,4'-DDT (Dichlorodiphenyltrichloroethane)	0.051	ug/L	U	[NULL]	[NULL]	S	J11162	50-29-3	RLNP	8081_PEST_GC	100-NR-2
199-N-73	1/17/2006 11:50	N	534-52-1	4,6-Dinitro-2-methylphenol	25	ug/L	U	[NULL]	J	S	J11162	534-52-1	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	101-55-3	4-Bromophenylphenyl ether	10	ug/L	U	[NULL]	[NULL]	S	J11162	101-55-3	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	59-50-7	4-Chloro-3-methylphenol	10	ug/L	U	[NULL]	J	S	J11162	59-50-7	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	106-47-8	4-Chloroaniline	10	ug/L	U	[NULL]	J	S	J11162	106-47-8	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	7005-72-3	4-Chlorophenylphenyl ether	10	ug/L	U	[NULL]	[NULL]	S	J11162	7005-72-3	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	100-01-6	4-Nitroaniline	25	ug/L	U	[NULL]	J	S	J11162	100-01-6	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	100-02-7	4-Nitrophenol	25	ug/L	U	[NULL]	J	S	J11162	100-02-7	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	83-32-9	Acenaphthene	10	ug/L	U	[NULL]	[NULL]	S	J11162	83-32-9	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	208-96-8	Acenaphthylene	10	ug/L	U	[NULL]	J	S	J11162	208-96-8	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	309-00-2	Aldrin	0.051	ug/L	U	[NULL]	[NULL]	S	J11162	309-00-2	RLNP	8081_PEST_GC	100-NR-2
199-N-73	1/17/2006 11:50	N	ALKALINITY	Alkalinity	136000	ug/L	[NULL]	[NULL]	[NULL]	R	B1FY61	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-73	1/17/2006 11:50	N	319-84-6	Alpha-BHC	0.051	ug/L	U	[NULL]	[NULL]	S	J11162	319-84-6	RLNP	8081_PEST_GC	100-NR-2
199-N-73	1/17/2006 11:50	N	5103-71-9	Alpha-Chlordane	0.051	ug/L	U	[NULL]	[NULL]	S	J11162	5103-71-9	RLNP	8081_PEST_GC	100-NR-2
199-N-73	1/17/2006 11:50	N	7429-90-5	Aluminum	18.3	ug/L	U	[NULL]	[NULL]	S	J11162	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	14596-10-2	Americium-241	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J11162	14596-10-2	EBRLNE	GAMMA_GS	100-NR-2
199-N-73	1/17/2006 11:50	N	120-12-7	Anthracene	10	ug/L	U	[NULL]	[NULL]	S	J11162	120-12-7	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	7440-36-0	Antimony	4	ug/L	U	[NULL]	[NULL]	S	J11162	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	Y	7440-36-0	Antimony	23	ug/L	U	[NULL]	[NULL]	R	B1FY60	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	14234-35-6	Antimony-125	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J11162	14234-35-6	EBRLNE	GAMMA_GS	100-NR-2
199-N-73	1/17/2006 11:50	N	12674-11-2	Aroclor-1016	0.41	ug/L	U	[NULL]	[NULL]	S	J11162	12674-11-2	RLNP	8082_PCB_GC	100-NR-2
199-N-73	1/17/2006 11:50	N	11104-28-2	Aroclor-1221	0.41	ug/L	U	[NULL]	[NULL]	S	J11162	11104-28-2	RLNP	8082_PCB_GC	100-NR-2
199-N-73	1/17/2006 11:50	N	11141-16-5	Aroclor-1232	0.41	ug/L	U	[NULL]	[NULL]	S	J11162	11141-16-5	RLNP	8082_PCB_GC	100-NR-2
199-N-73	1/17/2006 11:50	N	53469-21-9	Aroclor-1242	0.41	ug/L	U	[NULL]	[NULL]	S	J11162	53469-21-9	RLNP	8082_PCB_GC	100-NR-2
199-N-73	1/17/2006 11:50	N	12672-29-6	Aroclor-1248	0.41	ug/L	U	[NULL]	[NULL]	S	J11162	12672-29-6	RLNP	8082_PCB_GC	100-NR-2
199-N-73	1/17/2006 11:50	N	11097-69-1	Aroclor-1254	0.41	ug/L	U	[NULL]	[NULL]	S	J11162	11097-69-1	RLNP	8082_PCB_GC	100-NR-2
199-N-73	1/17/2006 11:50	N	11096-82-5	Aroclor-1260	0.41	ug/L	U	[NULL]	[NULL]	S	J11162	11096-82-5	RLNP	8082_PCB_GC	100-NR-2
199-N-73	1/17/2006 11:50	N	7440-38-2	Arsenic	9	ug/L	[NULL]	[NULL]	[NULL]	S	J11162	7440-38-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	7440-39-3	Barium	19.4	ug/L	C	[NULL]	[NULL]	S	J11162	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	Y	7440-39-3	Barium	17.7	ug/L	B	[NULL]	[NULL]	R	B1FY60	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	56-55-3	Benzo(a)anthracene	10	ug/L	U	[NULL]	[NULL]	S	J11162	56-55-3	RLNP	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-73	1/17/2006 11:50	N	50-32-8	Benzo(a)pyrene	10	ug/L	U	[NULL]	J	S	J11162	50-32-8	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	205-99-2	Benzo(b)fluoranthene	10	ug/L	U	[NULL]	[NULL]	S	J11162	205-99-2	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	191-24-2	Benzo(ghi)perylene	10	ug/L	U	[NULL]	[NULL]	S	J11162	191-24-2	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	207-08-9	Benzo(k)fluoranthene	10	ug/L	U	[NULL]	J	S	J11162	207-08-9	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	Y	7440-41-7	Beryllium	0.18	ug/L	U	[NULL]	[NULL]	R	B1FY60	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	7440-41-7	Beryllium	0.1	ug/L	U	[NULL]	[NULL]	S	J11162	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	13966-02-4	Beryllium-7	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J11162	13966-02-4	EBRLNE	GAMMA_GS	100-NR-2
199-N-73	1/17/2006 11:50	N	111-91-1	Bis(2-Chloroethoxy)methane	10	ug/L	U	[NULL]	J	S	J11162	111-91-1	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	108-60-1	Bis(2-chloro-1-methylethyl)ether	10	ug/L	U	[NULL]	[NULL]	S	J11162	108-60-1	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	111-44-4	Bis(2-chloroethyl) ether	10	ug/L	U	[NULL]	[NULL]	S	J11162	111-44-4	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	117-81-7	Bis(2-ethylhexyl) phthalate	2.906	ug/L	JB	[NULL]	[NULL]	S	J11162	117-81-7	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	7440-69-9	Bismuth	6.1	ug/L	U	[NULL]	[NULL]	S	J11162	7440-69-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	7440-42-8	Boron	19.5	ug/L	[NULL]	[NULL]	[NULL]	S	J11162	7440-42-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	24959-67-9	Bromide	250	ug/L	U	[NULL]	[NULL]	S	J11162	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-73	1/17/2006 11:50	N	85-68-7	Butylbenzylphthalate	10	ug/L	U	[NULL]	J	S	J11162	85-68-7	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	Y	7440-43-9	Cadmium	0.86	ug/L	U	[NULL]	[NULL]	R	B1FY60	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	7440-43-9	Cadmium	0.7	ug/L	U	[NULL]	[NULL]	S	J11162	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	Y	7440-70-2	Calcium	14900	ug/L	C	[NULL]	[NULL]	R	B1FY60	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	7440-70-2	Calcium	16200	ug/L	C	[NULL]	[NULL]	S	J11162	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	86-74-8	Carbazole	10	ug/L	U	[NULL]	J	S	J11162	86-74-8	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	14762-75-5	Carbon-14	20.8	pCi/L	U	[NULL]	[NULL]	S	J11162	14762-75-5	EBRLNE	C14_CHEM_LSC	100-NR-2
199-N-73	1/17/2006 11:50	N	13967-70-9	Cesium-134	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J11162	13967-70-9	EBRLNE	GAMMA_GS	100-NR-2
199-N-73	1/17/2006 11:50	N	10045-97-3	Cesium-137	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J11162	10045-97-3	EBRLNE	GAMMA_GS	100-NR-2
199-N-73	1/17/2006 11:50	N	16887-00-6	Chloride	22500	ug/L	[NULL]	[NULL]	[NULL]	S	J11162	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-73	1/17/2006 11:50	N	16887-00-6	Chloride	22100	ug/L	D	[NULL]	[NULL]	R	B1FY61	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	1/17/2006 11:50	Y	7440-47-3	Chromium	3.1	ug/L	B	[NULL]	[NULL]	R	B1FY60	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	7440-47-3	Chromium	7.8	ug/L	[NULL]	[NULL]	[NULL]	S	J11162	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	218-01-9	Chrysene	10	ug/L	U	[NULL]	[NULL]	S	J11162	218-01-9	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	Y	7440-48-4	Cobalt	1.7	ug/L	U	[NULL]	[NULL]	R	B1FY60	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	7440-48-4	Cobalt	1.2	ug/L	U	[NULL]	[NULL]	S	J11162	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	10198-40-0	Cobalt-60	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J11162	10198-40-0	EBRLNE	GAMMA_GS	100-NR-2
199-N-73	1/17/2006 11:50	N	7440-50-8	Copper	2.1	ug/L	[NULL]	[NULL]	[NULL]	S	J11162	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	Y	7440-50-8	Copper	4.3	ug/L	U	[NULL]	[NULL]	R	B1FY60	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	319-86-8	Delta-BHC	0.051	ug/L	U	[NULL]	[NULL]	S	J11162	319-86-8	RLNP	8081_PEST_GC	100-NR-2
199-N-73	1/17/2006 11:50	N	84-74-2	Di-n-butylphthalate	1.282	ug/L	JB	[NULL]	[NULL]	S	J11162	84-74-2	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	117-84-0	Di-n-octylphthalate	10	ug/L	U	[NULL]	J	S	J11162	117-84-0	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	53-70-3	Dibenz[a,h]anthracene	10	ug/L	U	[NULL]	[NULL]	S	J11162	53-70-3	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	132-64-9	Dibenzofuran	10	ug/L	U	[NULL]	J	S	J11162	132-64-9	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	60-57-1	Dieldrin	0.051	ug/L	U	[NULL]	[NULL]	S	J11162	60-57-1	RLNP	8081_PEST_GC	100-NR-2
199-N-73	1/17/2006 11:50	N	84-66-2	Diethylphthalate	10	ug/L	U	[NULL]	[NULL]	S	J11162	84-66-2	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	131-11-3	Dimethyl phthalate	10	ug/L	U	[NULL]	[NULL]	S	J11162	131-11-3	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	959-98-8	Endosulfan I	0.051	ug/L	U	[NULL]	[NULL]	S	J11162	959-98-8	RLNP	8081_PEST_GC	100-NR-2
199-N-73	1/17/2006 11:50	N	33213-65-9	Endosulfan II	0.051	ug/L	U	[NULL]	[NULL]	S	J11162	33213-65-9	RLNP	8081_PEST_GC	100-NR-2
199-N-73	1/17/2006 11:50	N	1031-07-8	Endosulfan sulfate	0.051	ug/L	U	[NULL]	[NULL]	S	J11162	1031-07-8	RLNP	8081_PEST_GC	100-NR-2
199-N-73	1/17/2006 11:50	N	72-20-8	Endrin	0.051	ug/L	U	[NULL]	[NULL]	S	J11162	72-20-8	RLNP	8081_PEST_GC	100-NR-2
199-N-73	1/17/2006 11:50	N	7421-93-4	Endrin aldehyde	0.051	ug/L	U	[NULL]	[NULL]	S	J11162	7421-93-4	RLNP	8081_PEST_GC	100-NR-2
199-N-73	1/17/2006 11:50	N	53494-70-5	Endrin ketone	0.051	ug/L	U	[NULL]	[NULL]	S	J11162	53494-70-5	RLNP	8081_PEST_GC	100-NR-2
199-N-73	1/17/2006 11:50	N	14683-23-9	Europium-152	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J11162	14683-23-9	EBRLNE	GAMMA_GS	100-NR-2
199-N-73	1/17/2006 11:50	N	15585-10-1	Europium-154	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J11162	15585-10-1	EBRLNE	GAMMA_GS	100-NR-2
199-N-73	1/17/2006 11:50	N	14391-16-3	Europium-155	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J11162	14391-16-3	EBRLNE	GAMMA_GS	100-NR-2
199-N-73	1/17/2006 11:50	N	206-44-0	Fluoranthene	10	ug/L	U	[NULL]	[NULL]	S	J11162	206-44-0	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	86-73-7	Fluorene	10	ug/L	U	[NULL]	[NULL]	S	J11162	86-73-7	RLNP	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-73	1/17/2006 11:50	N	16984-48-8	Fluoride	738	ug/L	[NULL]	[NULL]	[NULL]	S	J11162	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-73	1/17/2006 11:50	N	16984-48-8	Fluoride	790	ug/L	[NULL]	[NULL]	[NULL]	R	B1FY61	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	1/17/2006 11:50	N	58-89-9	Gamma-BHC (Lindane)	0.051	ug/L	U	[NULL]	[NULL]	S	J11162	58-89-9	RLNP	8081_PEST_GC	100-NR-2
199-N-73	1/17/2006 11:50	N	76-44-8	Heptachlor	0.051	ug/L	U	[NULL]	[NULL]	S	J11162	76-44-8	RLNP	8081_PEST_GC	100-NR-2
199-N-73	1/17/2006 11:50	N	1024-57-3	Heptachlor epoxide	0.051	ug/L	U	[NULL]	[NULL]	S	J11162	1024-57-3	RLNP	8081_PEST_GC	100-NR-2
199-N-73	1/17/2006 11:50	N	118-74-1	Hexachlorobenzene	10	ug/L	U	[NULL]	[NULL]	S	J11162	118-74-1	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	87-68-3	Hexachlorobutadiene	10	ug/L	U	[NULL]	[NULL]	S	J11162	87-68-3	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	77-47-4	Hexachlorocyclopentadiene	10	ug/L	U	[NULL]	[NULL]	S	J11162	77-47-4	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	67-72-1	Hexachloroethane	10	ug/L	U	[NULL]	J	S	J11162	67-72-1	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	18540-29-9	Hexavalent Chromium	2	ug/L	U	[NULL]	[NULL]	S	J11165	18540-29-9	STLRL	7196_CR6	100-NR-2
199-N-73	1/17/2006 11:50	N	193-39-5	Indeno(1,2,3-cd)pyrene	10	ug/L	U	[NULL]	[NULL]	S	J11162	193-39-5	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	7439-89-6	Iron	54.3	ug/L	[NULL]	[NULL]	[NULL]	S	J11162	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	Y	7439-89-6	Iron	14.3	ug/L	B	[NULL]	[NULL]	R	B1FY60	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	78-59-1	Isophorone	10	ug/L	U	[NULL]	[NULL]	S	J11162	78-59-1	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	7439-92-1	Lead	3.1	ug/L	U	[NULL]	[NULL]	S	J11162	7439-92-1	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	7439-93-2	Lithium	4.5	ug/L	[NULL]	[NULL]	[NULL]	S	J11162	7439-93-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	7439-95-4	Magnesium	3420	ug/L	[NULL]	[NULL]	[NULL]	S	J11162	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	Y	7439-95-4	Magnesium	2940	ug/L	B	[NULL]	[NULL]	R	B1FY60	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	Y	7439-96-5	Manganese	0.84	ug/L	U	[NULL]	[NULL]	R	B1FY60	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	7439-96-5	Manganese	0.88	ug/L	[NULL]	[NULL]	[NULL]	S	J11162	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	S	J11162	7439-97-6	RLNP	7470_HG_CVAA	100-NR-2
199-N-73	1/17/2006 11:50	N	72-43-5	Methoxychlor	0.051	ug/L	U	[NULL]	[NULL]	S	J11162	72-43-5	RLNP	8081_PEST_GC	100-NR-2
199-N-73	1/17/2006 11:50	N	7439-98-7	Molybdenum	6.9	ug/L	[NULL]	[NULL]	[NULL]	S	J11162	7439-98-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	91-20-3	Naphthalene	10	ug/L	U	[NULL]	[NULL]	S	J11162	91-20-3	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1FY60	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	7440-02-0	Nickel	2.8	ug/L	[NULL]	[NULL]	[NULL]	S	J11162	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	14797-55-8	Nitrate	23900	ug/L	D	[NULL]	J	S	J11162	NO2+NO3-N	RLNP	353.2_NO3/NO2	100-NR-2
199-N-73	1/17/2006 11:50	N	14797-55-8	Nitrate	25200	ug/L	[NULL]	[NULL]	[NULL]	S	J11162	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-73	1/17/2006 11:50	N	14797-55-8	Nitrate	25700	ug/L	D	[NULL]	[NULL]	R	B1FY61	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	1/17/2006 11:50	N	14797-65-0	Nitrite	250	ug/L	U	[NULL]	[NULL]	S	J11162	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-73	1/17/2006 11:50	N	14797-65-0	Nitrite	20	ug/L	U	[NULL]	[NULL]	R	B1FY61	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	1/17/2006 11:50	N	98-95-3	Nitrobenzene	10	ug/L	U	[NULL]	[NULL]	S	J11162	98-95-3	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	87-86-5	Pentachlorophenol	25	ug/L	U	[NULL]	J	S	J11162	87-86-5	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	85-01-8	Phenanthrene	10	ug/L	U	[NULL]	[NULL]	S	J11162	85-01-8	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	108-95-2	Phenol	10	ug/L	U	[NULL]	J	S	J11162	108-95-2	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	14265-44-2	Phosphate	250	ug/L	U	[NULL]	[NULL]	S	J11162	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-73	1/17/2006 11:50	N	7723-14-0	Phosphorus	81.1	ug/L	[NULL]	[NULL]	[NULL]	S	J11162	7723-14-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	Y	7440-09-7	Potassium	2810	ug/L	B	[NULL]	[NULL]	R	B1FY60	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	7440-09-7	Potassium	2740	ug/L	[NULL]	[NULL]	[NULL]	S	J11162	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	13966-00-2	Potassium-40	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J11162	13966-00-2	EBRLNE	GAMMA_GS	100-NR-2
199-N-73	1/17/2006 11:50	N	129-00-0	Pyrene	10	ug/L	U	[NULL]	J	S	J11162	129-00-0	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	13982-63-3	Radium-226	0.007	pCi/L	U	[NULL]	[NULL]	S	J11162	13982-63-3	EBRLNE	903.1_RA226_LUC	100-NR-2
199-N-73	1/17/2006 11:50	N	13982-63-3	Radium-226	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J11162	13982-63-3	EBRLNE	GAMMA_GS	100-NR-2
199-N-73	1/17/2006 11:50	N	15262-20-1	Radium-228	-0.078	pCi/L	U	[NULL]	[NULL]	S	J11162	15262-20-1	EBRLNE	RAISO_SEP_GPC	100-NR-2
199-N-73	1/17/2006 11:50	N	15262-20-1	Radium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J11162	15262-20-1	EBRLNE	GAMMA_GS	100-NR-2
199-N-73	1/17/2006 11:50	N	13967-48-1	Ruthenium-106	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J11162	13967-48-1	EBRLNE	GAMMA_GS	100-NR-2
199-N-73	1/17/2006 11:50	N	7782-49-2	Selenium	3.6	ug/L	U	[NULL]	[NULL]	S	J11162	7782-49-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	7440-21-3	Silicon	15500	ug/L	C	[NULL]	[NULL]	S	J11162	7440-21-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	Y	7440-22-4	Silver	2.2	ug/L	U	[NULL]	[NULL]	R	B1FY60	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	7440-22-4	Silver	1.4	ug/L	U	[NULL]	[NULL]	S	J11162	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	Y	7440-23-5	Sodium	136000	ug/L	[NULL]	[NULL]	[NULL]	R	B1FY60	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	7440-23-5	Sodium	143000	ug/L	[NULL]	[NULL]	[NULL]	S	J11162	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	CONDUCT	Specific Conductance	754	uS/cm	[NULL]	[NULL]	[NULL]	R	B1FY55	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-73	1/17/2006 11:50	N	CONDUCT	Specific Conductance	764	uS/cm	[NULL]	[NULL]	[NULL]	R	B1FY53	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-73	1/17/2006 11:50	N	CONDUCT	Specific Conductance	750	uS/cm	[NULL]	[NULL]	[NULL]	R	B1FY54	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-73	1/17/2006 11:50	N	CONDUCT	Specific Conductance	753	uS/cm	[NULL]	[NULL]	[NULL]	R	B1FY52	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-73	1/17/2006 11:50	Y	7440-24-6	Strontium	70.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1FY60	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	7440-24-6	Strontium	79.5	ug/L	C	[NULL]	[NULL]	S	J11162	7440-24-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	10098-97-2	Strontium-90	-0.061	pCi/L	U	[NULL]	[NULL]	S	J11162	SR-RAD	EBRLNE	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-73	1/17/2006 11:50	N	14808-79-8	Sulfate	165000	ug/L	D	[NULL]	[NULL]	R	B1FY61	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	1/17/2006 11:50	N	14808-79-8	Sulfate	168000	ug/L	[NULL]	[NULL]	[NULL]	S	J11162	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-73	1/17/2006 11:50	N	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	R	B1FY52	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-73	1/17/2006 11:50	N	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1FY55	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-73	1/17/2006 11:50	N	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1FY53	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-73	1/17/2006 11:50	N	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1FY54	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-73	1/17/2006 11:50	N	7440-28-0	Thallium	6.6	ug/L	[NULL]	[NULL]	[NULL]	S	J11162	7440-28-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	14274-82-9	Thorium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J11162	14274-82-9	EBRLNE	GAMMA_GS	100-NR-2
199-N-73	1/17/2006 11:50	N	14274-82-9	Thorium-228	0.15	pCi/L	U	[NULL]	J	S	J11162	14274-82-9	EBRLNE	THISO_IE_PLATE_AEA	100-NR-2
199-N-73	1/17/2006 11:50	N	14269-63-7	Thorium-230	-0.1	pCi/L	U	[NULL]	[NULL]	S	J11162	14269-63-7	EBRLNE	THISO_IE_PLATE_AEA	100-NR-2
199-N-73	1/17/2006 11:50	N	TH-232	Thorium-232	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J11162	TH-232	EBRLNE	GAMMA_GS	100-NR-2
199-N-73	1/17/2006 11:50	N	TH-232	Thorium-232	0	pCi/L	U	[NULL]	J	S	J11162	TH-232	EBRLNE	THISO_IE_PLATE_AEA	100-NR-2
199-N-73	1/17/2006 11:50	N	7440-31-5	Tin	5.2	ug/L	U	[NULL]	[NULL]	S	J11162	7440-31-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	TOC	Total organic carbon	470	ug/L	U	[NULL]	[NULL]	R	B1FY57	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	1/17/2006 11:50	N	TOC	Total organic carbon	470	ug/L	U	[NULL]	[NULL]	R	B1FY56	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	1/17/2006 11:50	N	TOC	Total organic carbon	470	ug/L	U	[NULL]	[NULL]	R	B1FY59	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	1/17/2006 11:50	N	TOC	Total organic carbon	470	ug/L	U	[NULL]	[NULL]	R	B1FY58	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	1/17/2006 11:50	N	59473-04-0	Total organic halides	17.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1FY56	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	1/17/2006 11:50	N	59473-04-0	Total organic halides	10.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1FY59	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	1/17/2006 11:50	N	59473-04-0	Total organic halides	11.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1FY58	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	1/17/2006 11:50	N	59473-04-0	Total organic halides	11	ug/L	[NULL]	[NULL]	[NULL]	R	B1FY57	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	1/17/2006 11:50	N	8001-35-2	Toxaphene	0.51	ug/L	U	[NULL]	J	S	J11162	8001-35-2	RLNP	8081_PEST_GC	100-NR-2
199-N-73	1/17/2006 11:50	N	10028-17-8	Tritium	990	pCi/L	[NULL]	[NULL]	[NULL]	S	J11162	10028-17-8	EBRLNE	906.0_H3_LSC	100-NR-2
199-N-73	1/17/2006 11:50	N	TURBIDITY	Turbidity	1.17	NTU	[NULL]	[NULL]	[NULL]	R	B1FY55	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-73	1/17/2006 11:50	N	TURBIDITY	Turbidity	1.28	NTU	[NULL]	[NULL]	[NULL]	R	B1FY52	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-73	1/17/2006 11:50	N	TURBIDITY	Turbidity	1.35	NTU	[NULL]	[NULL]	[NULL]	R	B1FY54	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-73	1/17/2006 11:50	N	TURBIDITY	Turbidity	1.42	NTU	[NULL]	[NULL]	[NULL]	R	B1FY53	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-73	1/17/2006 11:50	N	7440-61-1	Uranium	20.6	ug/L	U	[NULL]	[NULL]	S	J11162	7440-61-1	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	U-233/234	Uranium-233/234	0.259	pCi/L	[NULL]	[NULL]	[NULL]	S	J11162	U-233/234	EBRLNE	UISO_PLATE_AEA	100-NR-2
199-N-73	1/17/2006 11:50	N	15117-96-1	Uranium-235	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J11162	15117-96-1	EBRLNE	GAMMA_GS	100-NR-2
199-N-73	1/17/2006 11:50	N	15117-96-1	Uranium-235	0.01	pCi/L	U	[NULL]	[NULL]	S	J11162	15117-96-1	EBRLNE	UISO_PLATE_AEA	100-NR-2
199-N-73	1/17/2006 11:50	N	U-238	Uranium-238	0.216	pCi/L	[NULL]	[NULL]	[NULL]	S	J11162	U-238	EBRLNE	UISO_PLATE_AEA	100-NR-2
199-N-73	1/17/2006 11:50	N	U-238	Uranium-238	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J11162	U-238	EBRLNE	GAMMA_GS	100-NR-2
199-N-73	1/17/2006 11:50	Y	7440-62-2	Vanadium	12.4	ug/L	B	[NULL]	[NULL]	R	B1FY60	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	7440-62-2	Vanadium	16.1	ug/L	[NULL]	[NULL]	[NULL]	S	J11162	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	7440-66-6	Zinc	0.9	ug/L	[NULL]	[NULL]	[NULL]	S	J11162	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	Y	7440-66-6	Zinc	2.7	ug/L	BC	[NULL]	[NULL]	R	B1FY60	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	1/17/2006 11:50	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.051	ug/L	U	[NULL]	[NULL]	S	J11162	319-85-7	RLNP	8081_PEST_GC	100-NR-2
199-N-73	1/17/2006 11:50	N	621-64-7	n-Nitrosodi-n-dipropylamine	10	ug/L	U	[NULL]	[NULL]	S	J11162	621-64-7	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	86-30-6	n-Nitrosodiphenylamine	10	ug/L	U	[NULL]	J	S	J11162	86-30-6	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-73	1/17/2006 11:50	N	PH	pH Measurement	8.34	unitless	[NULL]	[NULL]	[NULL]	R	B1FY55	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-73	1/17/2006 11:50	N	PH	pH Measurement	8.32	unitless	[NULL]	[NULL]	[NULL]	R	B1FY53	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-73	1/17/2006 11:50	N	PH	pH Measurement	8.34	unitless	[NULL]	[NULL]	[NULL]	R	B1FY54	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-73	1/17/2006 11:50	N	PH	pH Measurement	8.32	unitless	[NULL]	[NULL]	[NULL]	R	B1FY52	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-73	1/17/2006 11:50	N	5103-74-2	trans-Chlordane	0.051	ug/L	U	[NULL]	[NULL]	S	J11162	5103-74-2	RLNP	8081_PEST_GC	100-NR-2
199-N-73	3/6/2006 10:28	N	ALKALINITY	Alkalinity	126000	ug/L	[NULL]	[NULL]	[NULL]	R	B1HMJ5	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-73	3/6/2006 10:28	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1HMJ4	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-73	3/6/2006 10:28	Y	7440-39-3	Barium	17.3	ug/L	B	[NULL]	[NULL]	R	B1HMJ4	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/6/2006 10:28	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1HMJ4	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/6/2006 10:28	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1HMJ4	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/6/2006 10:28	Y	7440-70-2	Calcium	14700	ug/L	[NULL]	[NULL]	[NULL]	R	B1HMJ4	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/6/2006 10:28	N	16887-00-6	Chloride	23600	ug/L	CD	[NULL]	[NULL]	R	B1HMJ5	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	3/6/2006 10:28	Y	7440-47-3	Chromium	4.8	ug/L	B	[NULL]	[NULL]	R	B1HMJ4	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/6/2006 10:28	Y	7440-48-4	Cobalt	2.6	ug/L	B	[NULL]	[NULL]	R	B1HMJ4	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/6/2006 10:28	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1HMJ4	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/6/2006 10:28	N	16984-48-8	Fluoride	780	ug/L	[NULL]	[NULL]	[NULL]	R	B1HMJ5	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	3/6/2006 10:28	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1HMJ4	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/6/2006 10:28	Y	7439-95-4	Magnesium	2970	ug/L	B	[NULL]	[NULL]	R	B1HMJ4	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/6/2006 10:28	Y	7439-96-5	Manganese	5.3	ug/L	B	[NULL]	[NULL]	R	B1HMJ4	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/6/2006 10:28	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1HMJ4	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/6/2006 10:28	N	14797-55-8	Nitrate	27400	ug/L	D	[NULL]	[NULL]	R	B1HMJ5	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	3/6/2006 10:28	N	14797-65-0	Nitrite	20	ug/L	UN	[NULL]	[NULL]	R	B1HMJ5	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	3/6/2006 10:28	Y	7440-09-7	Potassium	1500	ug/L	U	[NULL]	[NULL]	R	B1HMJ4	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/6/2006 10:28	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1HMJ4	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/6/2006 10:28	Y	7440-23-5	Sodium	146000	ug/L	[NULL]	[NULL]	[NULL]	R	B1HMJ4	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/6/2006 10:28	N	CONDUCT	Specific Conductance	719	uS/cm	[NULL]	[NULL]	[NULL]	R	B1HMJ6	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-73	3/6/2006 10:28	Y	7440-24-6	Strontium	71.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1HMJ4	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/6/2006 10:28	N	14808-79-8	Sulfate	148000	ug/L	D	[NULL]	[NULL]	R	B1HMJ5	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	3/6/2006 10:28	N	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1HMJ6	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-73	3/6/2006 10:28	N	TURBIDITY	Turbidity	1.66	NTU	[NULL]	[NULL]	[NULL]	R	B1HMJ6	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-73	3/6/2006 10:28	Y	7440-62-2	Vanadium	16.1	ug/L	B	[NULL]	[NULL]	R	B1HMJ4	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/6/2006 10:28	Y	7440-66-6	Zinc	5.8	ug/L	B	[NULL]	[NULL]	R	B1HMJ4	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	3/6/2006 10:28	N	PH	pH Measurement	8.43	unitless	[NULL]	[NULL]	[NULL]	R	B1HMJ6	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-73	6/7/2006 9:14	N	CONDUCT	Specific Conductance	778	uS/cm	[NULL]	[NULL]	[NULL]	R	B1JB19	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-73	6/7/2006 9:14	N	CONDUCT	Specific Conductance	779	uS/cm	[NULL]	[NULL]	[NULL]	R	B1JB20	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-73	6/7/2006 9:14	N	CONDUCT	Specific Conductance	775	uS/cm	[NULL]	[NULL]	[NULL]	R	B1JB21	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-73	6/7/2006 9:14	N	CONDUCT	Specific Conductance	779	uS/cm	[NULL]	[NULL]	[NULL]	R	B1JB18	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-73	6/7/2006 9:14	N	TEMPERATURE	Temperature	18.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1JB20	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-73	6/7/2006 9:14	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B1JB18	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-73	6/7/2006 9:14	N	TEMPERATURE	Temperature	18.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1JB21	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-73	6/7/2006 9:14	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B1JB19	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-73	6/7/2006 9:14	N	TOC	Total organic carbon	470	ug/L	U	[NULL]	[NULL]	R	B1JB24	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	6/7/2006 9:14	N	TOC	Total organic carbon	470	ug/L	U	[NULL]	[NULL]	R	B1JB25	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	6/7/2006 9:14	N	TOC	Total organic carbon	470	ug/L	U	[NULL]	[NULL]	R	B1JB22	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	6/7/2006 9:14	N	TOC	Total organic carbon	470	ug/L	U	[NULL]	[NULL]	R	B1JB23	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	6/7/2006 9:14	N	59473-04-0	Total organic halides	2.6	ug/L	U	[NULL]	[NULL]	R	B1JB25	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	6/7/2006 9:14	N	59473-04-0	Total organic halides	2.6	ug/L	U	[NULL]	[NULL]	R	B1JB23	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	6/7/2006 9:14	N	59473-04-0	Total organic halides	2.6	ug/L	U	[NULL]	[NULL]	R	B1JB22	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	6/7/2006 9:14	N	59473-04-0	Total organic halides	2.6	ug/L	U	[NULL]	[NULL]	R	B1JB24	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	6/7/2006 9:14	N	TURBIDITY	Turbidity	2.71	NTU	[NULL]	[NULL]	[NULL]	R	B1JB19	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-73	6/7/2006 9:14	N	TURBIDITY	Turbidity	1.85	NTU	[NULL]	[NULL]	[NULL]	R	B1JB21	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-73	6/7/2006 9:14	N	PH	pH Measurement	8.41	unitless	[NULL]	[NULL]	[NULL]	R	B1JB21	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-73	6/7/2006 9:14	N	PH	pH Measurement	8.41	unitless	[NULL]	[NULL]	[NULL]	R	B1JB19	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-73	6/7/2006 9:14	N	PH	pH Measurement	8.41	unitless	[NULL]	[NULL]	[NULL]	R	B1JB18	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-73	6/7/2006 9:14	N	PH	pH Measurement	8.4	unitless	[NULL]	[NULL]	[NULL]	R	B1JB20	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-73	1/15/2007 12:11	N	ALKALINITY	Alkalinity	140000	ug/L	[NULL]	[NULL]	[NULL]	R	B1LF55	ALKALINITY	WSCF	310.1_ALKALINITY	100-NR-2
199-N-73	1/15/2007 12:11	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1LF53	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	1/15/2007 12:11	Y	7440-39-3	Barium	22	ug/L	B	[NULL]	[NULL]	R	B1LF53	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	1/15/2007 12:11	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1LF53	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	1/15/2007 12:11	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1LF53	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	1/15/2007 12:11	Y	7440-70-2	Calcium	18600	ug/L	[NULL]	[NULL]	[NULL]	R	B1LF53	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	1/15/2007 12:11	N	16887-00-6	Chloride	28200	ug/L	DN	[NULL]	[NULL]	R	B1LF54	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-73	1/15/2007 12:11	Y	7440-47-3	Chromium	5.3	ug/L	B	[NULL]	[NULL]	R	B1LF53	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	1/15/2007 12:11	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1LF53	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	1/15/2007 12:11	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1LF53	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	1/15/2007 12:11	N	16984-48-8	Fluoride	850	ug/L	[NULL]	[NULL]	[NULL]	R	B1LF54	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	1/15/2007 12:11	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1LF53	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	1/15/2007 12:11	Y	7439-95-4	Magnesium	3890	ug/L	B	[NULL]	[NULL]	R	B1LF53	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	1/15/2007 12:11	Y	7439-96-5	Manganese	3.6	ug/L	B	[NULL]	[NULL]	R	B1LF53	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	1/15/2007 12:11	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1LF53	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	1/15/2007 12:11	N	14797-55-8	Nitrate	26600	ug/L	DN	[NULL]	[NULL]	R	B1LF54	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	1/15/2007 12:11	N	14797-65-0	Nitrite	131	ug/L	UDN	[NULL]	[NULL]	R	B1LF54	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	1/15/2007 12:11	Y	7440-09-7	Potassium	2560	ug/L	B	[NULL]	[NULL]	R	B1LF53	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	1/15/2007 12:11	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1LF53	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	1/15/2007 12:11	Y	7440-23-5	Sodium	166000	ug/L	N	[NULL]	[NULL]	R	B1LF53	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	1/15/2007 12:11	N	CONDUCT	Specific Conductance	788	uS/cm	[NULL]	[NULL]	[NULL]	R	B1LF42	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-73	1/15/2007 12:11	N	CONDUCT	Specific Conductance	797	uS/cm	[NULL]	[NULL]	[NULL]	R	B1LF44	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-73	1/15/2007 12:11	N	CONDUCT	Specific Conductance	793	uS/cm	[NULL]	[NULL]	[NULL]	R	B1LF43	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-73	1/15/2007 12:11	N	CONDUCT	Specific Conductance	781	uS/cm	[NULL]	[NULL]	[NULL]	R	B1LF41	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-73	1/15/2007 12:11	Y	7440-24-6	Strontium	89.7	ug/L	[NULL]	[NULL]	[NULL]	R	B1LF53	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	1/15/2007 12:11	N	14808-79-8	Sulfate	188000	ug/L	DN	[NULL]	[NULL]	R	B1LF54	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-73	1/15/2007 12:11	N	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1LF43	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-73	1/15/2007 12:11	N	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1LF44	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-73	1/15/2007 12:11	N	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1LF42	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-73	1/15/2007 12:11	N	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1LF41	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-73	1/15/2007 12:11	N	TOC	Total organic carbon	741	ug/L	X	R	[NULL]	R	B1LF49	TOC	WSCF	9060_TOC	100-NR-2
199-N-73	1/15/2007 12:11	N	TOC	Total organic carbon	778	ug/L	X	R	[NULL]	R	B1LF50	TOC	WSCF	9060_TOC	100-NR-2
199-N-73	1/15/2007 12:11	N	TOC	Total organic carbon	758	ug/L	X	R	[NULL]	R	B1LF52	TOC	WSCF	9060_TOC	100-NR-2
199-N-73	1/15/2007 12:11	N	TOC	Total organic carbon	781	ug/L	X	R	[NULL]	R	B1LF51	TOC	WSCF	9060_TOC	100-NR-2
199-N-73	1/15/2007 12:11	N	59473-04-0	Total organic halides	5.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1LF48	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	1/15/2007 12:11	N	59473-04-0	Total organic halides	2.6	ug/L	U	[NULL]	[NULL]	R	B1LF45	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	1/15/2007 12:11	N	59473-04-0	Total organic halides	8.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1LF47	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	1/15/2007 12:11	N	59473-04-0	Total organic halides	6.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1LF46	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	1/15/2007 12:11	N	TURBIDITY	Turbidity	1.7	NTU	[NULL]	[NULL]	[NULL]	R	B1LF44	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-73	1/15/2007 12:11	N	TURBIDITY	Turbidity	1.61	NTU	[NULL]	[NULL]	[NULL]	R	B1LF42	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-73	1/15/2007 12:11	N	TURBIDITY	Turbidity	2.61	NTU	[NULL]	[NULL]	[NULL]	R	B1LF41	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-73	1/15/2007 12:11	N	TURBIDITY	Turbidity	2.05	NTU	[NULL]	[NULL]	[NULL]	R	B1LF43	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-73	1/15/2007 12:11	Y	7440-62-2	Vanadium	15	ug/L	B	[NULL]	[NULL]	R	B1LF53	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	1/15/2007 12:11	Y	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1LF53	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-73	1/15/2007 12:11	N	PH	pH Measurement	8.4	unitless	[NULL]	[NULL]	[NULL]	R	B1LF41	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-73	1/15/2007 12:11	N	PH	pH Measurement	8.39	unitless	[NULL]	[NULL]	[NULL]	R	B1LF44	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-73	1/15/2007 12:11	N	PH	pH Measurement	8.4	unitless	[NULL]	[NULL]	[NULL]	R	B1LF43	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-73	1/15/2007 12:11	N	PH	pH Measurement	8.4	unitless	[NULL]	[NULL]	[NULL]	R	B1LF42	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-73	6/23/2007 9:09	N	ALKALINITY	Alkalinity	140000	ug/L	[NULL]	[NULL]	[NULL]	R	B1NK98	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-73	6/23/2007 9:09	Y	7440-36-0	Antimony	32	ug/L	U	G	[NULL]	R	B1NK97	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/23/2007 9:09	Y	7440-39-3	Barium	25.4	ug/L	[NULL]	G	[NULL]	R	B1NK97	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/23/2007 9:09	Y	7440-41-7	Beryllium	4	ug/L	U	G	[NULL]	R	B1NK97	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/23/2007 9:09	Y	7440-43-9	Cadmium	4	ug/L	U	G	[NULL]	R	B1NK97	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/23/2007 9:09	Y	7440-70-2	Calcium	18100	ug/L	[NULL]	G	[NULL]	R	B1NK97	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/23/2007 9:09	N	16887-00-6	Chloride	25300	ug/L	D	[NULL]	[NULL]	R	B1NK98	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-73	6/23/2007 9:09	Y	7440-47-3	Chromium	12.3	ug/L	C	G	[NULL]	R	B1NK97	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/23/2007 9:09	Y	7440-48-4	Cobalt	12.4	ug/L	C	G	[NULL]	R	B1NK97	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/23/2007 9:09	Y	7440-50-8	Copper	4	ug/L	U	G	[NULL]	R	B1NK97	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/23/2007 9:09	N	16984-48-8	Fluoride	618	ug/L	D	[NULL]	[NULL]	R	B1NK98	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-73	6/23/2007 9:09	Y	7439-89-6	Iron	27.9	ug/L	[NULL]	G	[NULL]	R	B1NK97	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/23/2007 9:09	Y	7439-95-4	Magnesium	3570	ug/L	[NULL]	G	[NULL]	R	B1NK97	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/23/2007 9:09	Y	7439-96-5	Manganese	7.5	ug/L	[NULL]	G	[NULL]	R	B1NK97	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-73	6/23/2007 9:09	Y	7440-02-0	Nickel	4	ug/L	U	G	[NULL]	R	B1NK97	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/23/2007 9:09	N	14797-55-8	Nitrate	30900	ug/L	D	[NULL]	[NULL]	R	B1NK98	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-73	6/23/2007 9:09	N	14797-65-0	Nitrite	213	ug/L	DU	[NULL]	[NULL]	R	B1NK98	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-73	6/23/2007 9:09	Y	7440-09-7	Potassium	2760	ug/L	[NULL]	G	[NULL]	R	B1NK97	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/23/2007 9:09	Y	7440-22-4	Silver	5	ug/L	U	G	[NULL]	R	B1NK97	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/23/2007 9:09	Y	7440-23-5	Sodium	150000	ug/L	D	G	[NULL]	R	B1NK97	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/23/2007 9:09	N	CONDUCT	Specific Conductance	893	uS/cm	[NULL]	[NULL]	[NULL]	R	B1NLK0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-73	6/23/2007 9:09	N	CONDUCT	Specific Conductance	893	uS/cm	[NULL]	[NULL]	[NULL]	R	B1NLK1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-73	6/23/2007 9:09	N	CONDUCT	Specific Conductance	892	uS/cm	[NULL]	[NULL]	[NULL]	R	B1NK99	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-73	6/23/2007 9:09	N	CONDUCT	Specific Conductance	892	uS/cm	[NULL]	[NULL]	[NULL]	R	B1NLK2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-73	6/23/2007 9:09	N	CONDUCT	Specific Conductance	892	uS/cm	[NULL]	[NULL]	[NULL]	R	B1NLK3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-73	6/23/2007 9:09	Y	7440-24-6	Strontium	85.8	ug/L	[NULL]	G	[NULL]	R	B1NK97	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/23/2007 9:09	N	14808-79-8	Sulfate	201000	ug/L	D	[NULL]	[NULL]	R	B1NK98	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-73	6/23/2007 9:09	N	TEMPERATURE	Temperature	17.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1NLK1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	6/23/2007 9:09	N	TEMPERATURE	Temperature	18	Deg C	[NULL]	[NULL]	[NULL]	R	B1NLK2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	6/23/2007 9:09	N	TEMPERATURE	Temperature	17.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1NLK0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	6/23/2007 9:09	N	TEMPERATURE	Temperature	17.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1NK99	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	6/23/2007 9:09	N	TEMPERATURE	Temperature	17.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1NLK3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	6/23/2007 9:09	N	TOC	Total organic carbon	760	ug/L	U	[NULL]	[NULL]	R	B1NLK7	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	6/23/2007 9:09	N	TOC	Total organic carbon	760	ug/L	U	[NULL]	[NULL]	R	B1NLK4	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	6/23/2007 9:09	N	TOC	Total organic carbon	760	ug/L	U	[NULL]	[NULL]	R	B1NLK6	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	6/23/2007 9:09	N	TOC	Total organic carbon	760	ug/L	U	[NULL]	[NULL]	R	B1NLK5	TOC	STLSL	9060_TOC	100-NR-2
199-N-73	6/23/2007 9:09	N	59473-04-0	Total organic halides	7.8	ug/L	C	Q	[NULL]	R	B1NLK6	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	6/23/2007 9:09	N	59473-04-0	Total organic halides	7.9	ug/L	C	Q	[NULL]	R	B1NLK5	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	6/23/2007 9:09	N	59473-04-0	Total organic halides	8.3	ug/L	C	Q	[NULL]	R	B1NLK4	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	6/23/2007 9:09	N	59473-04-0	Total organic halides	21.5	ug/L	[NULL]	QY	[NULL]	R	B1NLK7	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-73	6/23/2007 9:09	N	TURBIDITY	Turbidity	1.51	NTU	[NULL]	[NULL]	[NULL]	R	B1NK99	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-73	6/23/2007 9:09	N	TURBIDITY	Turbidity	1.38	NTU	[NULL]	[NULL]	[NULL]	R	B1NLK1	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-73	6/23/2007 9:09	N	TURBIDITY	Turbidity	1.7	NTU	[NULL]	[NULL]	[NULL]	R	B1NLK2	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-73	6/23/2007 9:09	N	TURBIDITY	Turbidity	1.55	NTU	[NULL]	[NULL]	[NULL]	R	B1NLK0	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-73	6/23/2007 9:09	N	TURBIDITY	Turbidity	1.51	NTU	[NULL]	[NULL]	[NULL]	R	B1NLK3	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-73	6/23/2007 9:09	Y	7440-62-2	Vanadium	25	ug/L	[NULL]	G	[NULL]	R	B1NK97	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/23/2007 9:09	Y	7440-66-6	Zinc	5.8	ug/L	C	G	[NULL]	R	B1NK97	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/23/2007 9:09	N	PH	pH Measurement	8.27	unitless	[NULL]	[NULL]	[NULL]	R	B1NLK0	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-73	6/23/2007 9:09	N	PH	pH Measurement	8.27	unitless	[NULL]	[NULL]	[NULL]	R	B1NLK2	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-73	6/23/2007 9:09	N	PH	pH Measurement	8.27	unitless	[NULL]	[NULL]	[NULL]	R	B1NLK3	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-73	6/23/2007 9:09	N	PH	pH Measurement	8.27	unitless	[NULL]	[NULL]	[NULL]	R	B1NK99	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-73	6/23/2007 9:09	N	PH	pH Measurement	8.27	unitless	[NULL]	[NULL]	[NULL]	R	B1NLK1	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-73	12/18/2007 11:12	N	ALKALINITY	Alkalinity	150000	ug/L	[NULL]	[NULL]	[NULL]	R	B1RJR2	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-73	12/18/2007 11:12	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1RJR1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	12/18/2007 11:12	N	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1RJR2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	12/18/2007 11:12	Y	7440-39-3	Barium	15.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1RJR1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	12/18/2007 11:12	N	7440-39-3	Barium	15.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1RJR2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	12/18/2007 11:12	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1RJR2	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	12/18/2007 11:12	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1RJR1	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	12/18/2007 11:12	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1RJR1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	12/18/2007 11:12	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1RJR2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	12/18/2007 11:12	Y	7440-70-2	Calcium	13300	ug/L	[NULL]	[NULL]	[NULL]	R	B1RJR1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	12/18/2007 11:12	N	7440-70-2	Calcium	12300	ug/L	[NULL]	[NULL]	[NULL]	R	B1RJR2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	12/18/2007 11:12	N	16887-00-6	Chloride	23300	ug/L	D	[NULL]	[NULL]	R	B1RJR2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-73	12/18/2007 11:12	N	7440-47-3	Chromium	20.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1RJR2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	12/18/2007 11:12	Y	7440-47-3	Chromium	8	ug/L	[NULL]	[NULL]	[NULL]	R	B1RJR1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	12/18/2007 11:12	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1RJR2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	12/18/2007 11:12	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1RJR1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	12/18/2007 11:12	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1RJR1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-73	12/18/2007 11:12	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1RJR2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	12/18/2007 11:12	N	16984-48-8	Fluoride	686	ug/L	D	[NULL]	[NULL]	R	B1RJR2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-73	12/18/2007 11:12	N	7439-89-6	Iron	252	ug/L	[NULL]	[NULL]	[NULL]	R	B1RJR2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	12/18/2007 11:12	Y	7439-89-6	Iron	29	ug/L	[NULL]	[NULL]	[NULL]	R	B1RJR1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	12/18/2007 11:12	N	7439-95-4	Magnesium	2600	ug/L	N	[NULL]	[NULL]	R	B1RJR2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	12/18/2007 11:12	Y	7439-95-4	Magnesium	2710	ug/L	N	[NULL]	[NULL]	R	B1RJR1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	12/18/2007 11:12	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1RJR1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	12/18/2007 11:12	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1RJR2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	12/18/2007 11:12	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1RJR1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	12/18/2007 11:12	N	7440-02-0	Nickel	9.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1RJR2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	12/18/2007 11:12	N	14797-55-8	Nitrate	26000	ug/L	D	[NULL]	[NULL]	R	B1RJR2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-73	12/18/2007 11:12	N	14797-65-0	Nitrite	164	ug/L	DU	[NULL]	[NULL]	R	B1RJR2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-73	12/18/2007 11:12	N	7440-09-7	Potassium	2590	ug/L	N	[NULL]	[NULL]	R	B1RJR2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	12/18/2007 11:12	Y	7440-09-7	Potassium	2700	ug/L	N	[NULL]	[NULL]	R	B1RJR1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	12/18/2007 11:12	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1RJR1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	12/18/2007 11:12	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1RJR2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	12/18/2007 11:12	N	7440-23-5	Sodium	125000	ug/L	[NULL]	[NULL]	[NULL]	R	B1RJR2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	12/18/2007 11:12	Y	7440-23-5	Sodium	132000	ug/L	[NULL]	[NULL]	[NULL]	R	B1RJR1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	12/18/2007 11:12	N	CONDUCT	Specific Conductance	739	uS/cm	[NULL]	[NULL]	[NULL]	R	B1RJP5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-73	12/18/2007 11:12	N	CONDUCT	Specific Conductance	739	uS/cm	[NULL]	[NULL]	[NULL]	R	B1RJP4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-73	12/18/2007 11:12	N	CONDUCT	Specific Conductance	739	uS/cm	[NULL]	[NULL]	[NULL]	R	B1RJP3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-73	12/18/2007 11:12	N	CONDUCT	Specific Conductance	738	uS/cm	[NULL]	[NULL]	[NULL]	R	B1RJP6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-73	12/18/2007 11:12	N	7440-24-6	Strontium	60.7	ug/L	[NULL]	[NULL]	[NULL]	R	B1RJR2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	12/18/2007 11:12	Y	7440-24-6	Strontium	64.7	ug/L	[NULL]	[NULL]	[NULL]	R	B1RJR1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	12/18/2007 11:12	N	14808-79-8	Sulfate	160000	ug/L	D	[NULL]	[NULL]	R	B1RJR2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-73	12/18/2007 11:12	N	TEMPERATURE	Temperature	16.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1RJP6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	12/18/2007 11:12	N	TEMPERATURE	Temperature	16.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1RJP3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	12/18/2007 11:12	N	TEMPERATURE	Temperature	16.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1RJP4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	12/18/2007 11:12	N	TEMPERATURE	Temperature	16.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1RJP5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	12/18/2007 11:12	N	TOC	Total organic carbon	511	ug/L	[NULL]	[NULL]	[NULL]	R	B1RJP7	TOC	WSCF	9060_TOC	100-NR-2
199-N-73	12/18/2007 11:12	N	TOC	Total organic carbon	500	ug/L	[NULL]	[NULL]	[NULL]	R	B1RJP8	TOC	WSCF	9060_TOC	100-NR-2
199-N-73	12/18/2007 11:12	N	TOC	Total organic carbon	482	ug/L	[NULL]	[NULL]	[NULL]	R	B1RJR0	TOC	WSCF	9060_TOC	100-NR-2
199-N-73	12/18/2007 11:12	N	TOC	Total organic carbon	498	ug/L	[NULL]	[NULL]	[NULL]	R	B1RJP9	TOC	WSCF	9060_TOC	100-NR-2
199-N-73	12/18/2007 11:12	N	59473-04-0	Total organic halides	47.5	ug/L	NX	Y	[NULL]	R	B1RJP7	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-73	12/18/2007 11:12	N	59473-04-0	Total organic halides	8.51	ug/L	X	[NULL]	[NULL]	R	B1RJP8	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-73	12/18/2007 11:12	N	59473-04-0	Total organic halides	7.71	ug/L	X	[NULL]	[NULL]	R	B1RJR0	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-73	12/18/2007 11:12	N	59473-04-0	Total organic halides	7.45	ug/L	[NULL]	[NULL]	[NULL]	R	B1RJP9	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-73	12/18/2007 11:12	N	TURBIDITY	Turbidity	14.8	NTU	[NULL]	[NULL]	[NULL]	R	B1RJP3	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-73	12/18/2007 11:12	N	TURBIDITY	Turbidity	14	NTU	[NULL]	[NULL]	[NULL]	R	B1RJP4	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-73	12/18/2007 11:12	N	TURBIDITY	Turbidity	14.3	NTU	[NULL]	[NULL]	[NULL]	R	B1RJP6	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-73	12/18/2007 11:12	N	TURBIDITY	Turbidity	16.1	NTU	[NULL]	[NULL]	[NULL]	R	B1RJP5	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-73	12/18/2007 11:12	N	7440-62-2	Vanadium	10.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1RJR2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	12/18/2007 11:12	Y	7440-62-2	Vanadium	17.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1RJR1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	12/18/2007 11:12	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1RJR1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	12/18/2007 11:12	N	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1RJR2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	12/18/2007 11:12	N	PH	pH Measurement	8.4	unitless	[NULL]	[NULL]	[NULL]	R	B1RJP3	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-73	12/18/2007 11:12	N	PH	pH Measurement	8.4	unitless	[NULL]	[NULL]	[NULL]	R	B1RJP5	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-73	12/18/2007 11:12	N	PH	pH Measurement	8.4	unitless	[NULL]	[NULL]	[NULL]	R	B1RJP6	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-73	12/18/2007 11:12	N	PH	pH Measurement	8.4	unitless	[NULL]	[NULL]	[NULL]	R	B1RJP4	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-73	6/26/2008 11:46	N	ALKALINITY	Alkalinity	140000	ug/L	[NULL]	[NULL]	[NULL]	R	B1VKR2	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-73	6/26/2008 11:46	N	ALKALINITY	Alkalinity	140000	ug/L	[NULL]	[NULL]	[NULL]	R	B1VKP9	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-73	6/26/2008 11:46	Y	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	R	B1VKR1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	R	B1VKR2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	Y	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	R	B1VKP8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	R	B1VKP9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-73	6/26/2008 11:46	Y	7440-39-3	Barium	14.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1VKR1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	7440-39-3	Barium	15.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1VKP9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	7440-39-3	Barium	15	ug/L	[NULL]	[NULL]	[NULL]	R	B1VKR2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	Y	7440-39-3	Barium	14.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1VKP8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1VKR2	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1VKP8	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1VKP9	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1VKR1	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1VKR2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1VKP8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1VKP9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1VKR1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	Y	7440-70-2	Calcium	12800	ug/L	[NULL]	Q	[NULL]	R	B1VKR1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	7440-70-2	Calcium	13400	ug/L	[NULL]	Q	[NULL]	R	B1VKP9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	7440-70-2	Calcium	13300	ug/L	[NULL]	Q	[NULL]	R	B1VKR2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	Y	7440-70-2	Calcium	13100	ug/L	[NULL]	Q	[NULL]	R	B1VKP8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	16887-00-6	Chloride	23800	ug/L	D	[NULL]	[NULL]	R	B1VKP9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-73	6/26/2008 11:46	N	16887-00-6	Chloride	23700	ug/L	D	[NULL]	[NULL]	R	B1VKR2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-73	6/26/2008 11:46	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1VKR1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1VKP8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1VKP9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1VKR2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1VKP8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1VKR2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1VKP9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1VKR1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	R	B1VKR2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	Y	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	R	B1VKP8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	Y	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	R	B1VKR1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	R	B1VKP9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	16984-48-8	Fluoride	632	ug/L	D	[NULL]	[NULL]	R	B1VKR2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-73	6/26/2008 11:46	N	16984-48-8	Fluoride	640	ug/L	D	[NULL]	[NULL]	R	B1VKP9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-73	6/26/2008 11:46	N	7439-89-6	Iron	33.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1VKR2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1VKP8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1VKR1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	7439-89-6	Iron	36.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1VKP9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	7439-95-4	Magnesium	2590	ug/L	[NULL]	[NULL]	[NULL]	R	B1VKP9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	Y	7439-95-4	Magnesium	2470	ug/L	[NULL]	[NULL]	[NULL]	R	B1VKR1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	7439-95-4	Magnesium	2560	ug/L	[NULL]	[NULL]	[NULL]	R	B1VKR2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	Y	7439-95-4	Magnesium	2510	ug/L	[NULL]	[NULL]	[NULL]	R	B1VKP8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1VKP8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1VKR1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1VKP9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1VKR2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1VKR2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1VKP9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1VKR1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1VKP8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	14797-55-8	Nitrate	28600	ug/L	D	[NULL]	[NULL]	R	B1VKP9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-73	6/26/2008 11:46	N	14797-55-8	Nitrate	28600	ug/L	D	[NULL]	[NULL]	R	B1VKR2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-73	6/26/2008 11:46	N	14797-65-0	Nitrite	447	ug/L	BD	[NULL]	[NULL]	R	B1VKP9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-73	6/26/2008 11:46	N	14797-65-0	Nitrite	388	ug/L	BD	[NULL]	[NULL]	R	B1VKR2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-73	6/26/2008 11:46	N	7440-09-7	Potassium	2490	ug/L	[NULL]	[NULL]	[NULL]	R	B1VKP9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	Y	7440-09-7	Potassium	2440	ug/L	[NULL]	[NULL]	[NULL]	R	B1VKP8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	Y	7440-09-7	Potassium	2370	ug/L	[NULL]	[NULL]	[NULL]	R	B1VKR1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-73	6/26/2008 11:46	N	7440-09-7	Potassium	2440	ug/L	[NULL]	[NULL]	[NULL]	R	B1VKR2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	Y	7440-22-4	Silver	5	ug/L	NU	[NULL]	[NULL]	R	B1VKP8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	7440-22-4	Silver	5	ug/L	NU	[NULL]	[NULL]	R	B1VKR2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	Y	7440-22-4	Silver	7.3	ug/L	CN	[NULL]	[NULL]	R	B1VKR1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	7440-22-4	Silver	5	ug/L	NU	[NULL]	[NULL]	R	B1VKP9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	Y	7440-23-5	Sodium	126000	ug/L	[NULL]	[NULL]	[NULL]	R	B1VKR1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	7440-23-5	Sodium	130000	ug/L	[NULL]	[NULL]	[NULL]	R	B1VKP9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	7440-23-5	Sodium	130000	ug/L	[NULL]	[NULL]	[NULL]	R	B1VKR2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	Y	7440-23-5	Sodium	128000	ug/L	[NULL]	[NULL]	[NULL]	R	B1VKP8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	CONDUCT	Specific Conductance	720	uS/cm	[NULL]	[NULL]	[NULL]	R	B1VPL8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-73	6/26/2008 11:46	N	CONDUCT	Specific Conductance	722	uS/cm	[NULL]	[NULL]	[NULL]	R	B1VPL9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-73	6/26/2008 11:46	N	CONDUCT	Specific Conductance	720	uS/cm	[NULL]	[NULL]	[NULL]	R	B1VPM0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-73	6/26/2008 11:46	N	CONDUCT	Specific Conductance	720	uS/cm	[NULL]	[NULL]	[NULL]	R	B1VPL7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-73	6/26/2008 11:46	N	7440-24-6	Strontium	66.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1VKP9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	Y	7440-24-6	Strontium	64.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1VKP8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	Y	7440-24-6	Strontium	63.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1VKR1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	7440-24-6	Strontium	65.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1VKR2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	14808-79-8	Sulfate	152000	ug/L	D	[NULL]	[NULL]	R	B1VKP9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-73	6/26/2008 11:46	N	14808-79-8	Sulfate	151000	ug/L	D	[NULL]	[NULL]	R	B1VKR2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-73	6/26/2008 11:46	N	TEMPERATURE	Temperature	18.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1VPL9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	6/26/2008 11:46	N	TEMPERATURE	Temperature	18.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1VPM0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	6/26/2008 11:46	N	TEMPERATURE	Temperature	18.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1VPL8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	6/26/2008 11:46	N	TEMPERATURE	Temperature	18.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1VPL7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	6/26/2008 11:46	N	TOC	Total organic carbon	200	ug/L	U	[NULL]	[NULL]	R	B1VPM4	TOC	TASL	9060_TOC	100-NR-2
199-N-73	6/26/2008 11:46	N	TOC	Total organic carbon	614	ug/L	[NULL]	[NULL]	[NULL]	R	B1VPM6	TOC	WSCF	9060_TOC	100-NR-2
199-N-73	6/26/2008 11:46	N	TOC	Total organic carbon	622	ug/L	[NULL]	[NULL]	[NULL]	R	B1VPM7	TOC	WSCF	9060_TOC	100-NR-2
199-N-73	6/26/2008 11:46	N	TOC	Total organic carbon	614	ug/L	[NULL]	[NULL]	[NULL]	R	B1VPM8	TOC	WSCF	9060_TOC	100-NR-2
199-N-73	6/26/2008 11:46	N	TOC	Total organic carbon	250	ug/L	B	[NULL]	[NULL]	R	B1VPM2	TOC	TASL	9060_TOC	100-NR-2
199-N-73	6/26/2008 11:46	N	TOC	Total organic carbon	631	ug/L	[NULL]	[NULL]	[NULL]	R	B1VPM5	TOC	WSCF	9060_TOC	100-NR-2
199-N-73	6/26/2008 11:46	N	TOC	Total organic carbon	320	ug/L	B	[NULL]	[NULL]	R	B1VPM3	TOC	TASL	9060_TOC	100-NR-2
199-N-73	6/26/2008 11:46	N	TOC	Total organic carbon	230	ug/L	B	[NULL]	[NULL]	R	B1VPM1	TOC	TASL	9060_TOC	100-NR-2
199-N-73	6/26/2008 11:46	N	59473-04-0	Total organic halides	7.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1VPM7	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-73	6/26/2008 11:46	N	59473-04-0	Total organic halides	7	ug/L	[NULL]	[NULL]	[NULL]	R	B1VPM4	59473-04-0	TASL	9020_TOX	100-NR-2
199-N-73	6/26/2008 11:46	N	59473-04-0	Total organic halides	7.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1VPM1	59473-04-0	TASL	9020_TOX	100-NR-2
199-N-73	6/26/2008 11:46	N	59473-04-0	Total organic halides	7.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1VPM2	59473-04-0	TASL	9020_TOX	100-NR-2
199-N-73	6/26/2008 11:46	N	59473-04-0	Total organic halides	7.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1VPM6	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-73	6/26/2008 11:46	N	59473-04-0	Total organic halides	7.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1VPM3	59473-04-0	TASL	9020_TOX	100-NR-2
199-N-73	6/26/2008 11:46	N	59473-04-0	Total organic halides	7.74	ug/L	[NULL]	[NULL]	[NULL]	R	B1VPM5	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-73	6/26/2008 11:46	N	59473-04-0	Total organic halides	8.68	ug/L	[NULL]	[NULL]	[NULL]	R	B1VPM8	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-73	6/26/2008 11:46	N	TURBIDITY	Turbidity	1.06	NTU	[NULL]	[NULL]	[NULL]	R	B1VPL9	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-73	6/26/2008 11:46	N	TURBIDITY	Turbidity	1.18	NTU	[NULL]	[NULL]	[NULL]	R	B1VPL8	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-73	6/26/2008 11:46	N	TURBIDITY	Turbidity	1.45	NTU	[NULL]	[NULL]	[NULL]	R	B1VPL7	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-73	6/26/2008 11:46	N	TURBIDITY	Turbidity	1.03	NTU	[NULL]	[NULL]	[NULL]	R	B1VPM0	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-73	6/26/2008 11:46	N	7440-62-2	Vanadium	14.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1VKR2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1VKP8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	Y	7440-62-2	Vanadium	13.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1VKR1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1VKP9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	Y	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	R	B1VKR1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	Y	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	R	B1VKP8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	R	B1VKR2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	R	B1VKP9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	6/26/2008 11:46	N	PH	pH Measurement	8.24	unitless	[NULL]	[NULL]	[NULL]	R	B1VPL7	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-73	6/26/2008 11:46	N	PH	pH Measurement	8.24	unitless	[NULL]	[NULL]	[NULL]	R	B1VPL9	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-73	6/26/2008 11:46	N	PH	pH Measurement	8.24	unitless	[NULL]	[NULL]	[NULL]	R	B1VPM0	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-73	6/26/2008 11:46	N	PH	pH Measurement	8.24	unitless	[NULL]	[NULL]	[NULL]	R	B1VPL8	PH	FIELD	PH_ELECT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-73	3/10/2009 13:49	N	630-20-6	1,1,1,2-Tetrachloroethane	0.16	ug/L	U	[NULL]	[NULL]	R	B1YWY3	630-20-6	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	71-55-6	1,1,1-Trichloroethane	0.088	ug/L	U	[NULL]	[NULL]	R	B1YWY3	71-55-6	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	79-34-5	1,1,2,2-Tetrachloroethane	0.11	ug/L	U	[NULL]	[NULL]	R	B1YWY3	79-34-5	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	79-00-5	1,1,2-Trichloroethane	0.071	ug/L	U	[NULL]	[NULL]	R	B1YWY3	79-00-5	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	75-34-3	1,1-Dichloroethane	0.083	ug/L	U	[NULL]	[NULL]	R	B1YWY3	75-34-3	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	75-35-4	1,1-Dichloroethene	0.11	ug/L	U	[NULL]	[NULL]	R	B1YWY3	75-35-4	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	96-18-4	1,2,3-Trichloropropane	0.23	ug/L	U	[NULL]	[NULL]	R	B1YWY3	96-18-4	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	95-94-3	1,2,4,5-Tetrachlorobenzene	2.5	ug/L	U	[NULL]	[NULL]	R	B1YWY3	95-94-3	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	120-82-1	1,2,4-Trichlorobenzene	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	120-82-1	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	96-12-8	1,2-Dibromo-3-chloropropane	0.2	ug/L	U	[NULL]	[NULL]	R	B1YWY3	96-12-8	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	106-93-4	1,2-Dibromoethane	0.098	ug/L	U	[NULL]	[NULL]	R	B1YWY3	106-93-4	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	95-50-1	1,2-Dichlorobenzene	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	95-50-1	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	107-06-2	1,2-Dichloroethane	0.05	ug/L	U	[NULL]	[NULL]	R	B1YWY3	107-06-2	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	540-59-0	1,2-Dichloroethene (Total)	0.21	ug/L	U	[NULL]	[NULL]	R	B1YWY3	540-59-0	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	78-87-5	1,2-Dichloropropane	0.054	ug/L	U	[NULL]	[NULL]	R	B1YWY3	78-87-5	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	541-73-1	1,3-Dichlorobenzene	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	541-73-1	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	106-46-7	1,4-Dichlorobenzene	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	106-46-7	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	106-46-7	1,4-Dichlorobenzene	0.11	ug/L	U	[NULL]	[NULL]	R	B1YWY3	106-46-7	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	123-91-1	1,4-Dioxane	45	ug/L	U	[NULL]	[NULL]	R	B1YWY3	123-91-1	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	130-15-4	1,4-Naphthoquinone	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	130-15-4	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	71-36-3	1-Butanol	8.1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	71-36-3	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	134-32-7	1-Naphthylamine	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	134-32-7	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	58-90-2	2,3,4,6-Tetrachlorophenol	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	58-90-2	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	95-95-4	2,4,5-Trichlorophenol	2	ug/L	U	[NULL]	[NULL]	R	B1YWY3	95-95-4	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	88-06-2	2,4,6-Trichlorophenol	2	ug/L	U	[NULL]	[NULL]	R	B1YWY3	88-06-2	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	120-83-2	2,4-Dichlorophenol	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	120-83-2	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	105-67-9	2,4-Dimethylphenol	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	105-67-9	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	51-28-5	2,4-Dinitrophenol	2	ug/L	U	[NULL]	[NULL]	R	B1YWY3	51-28-5	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	121-14-2	2,4-Dinitrotoluene	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	121-14-2	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	87-65-0	2,6-Dichlorophenol	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	87-65-0	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	606-20-2	2,6-Dinitrotoluene	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	606-20-2	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	53-96-3	2-Acetylaminofluorene	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	53-96-3	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	78-93-3	2-Butanone	0.83	ug/L	U	[NULL]	[NULL]	R	B1YWY3	78-93-3	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	91-58-7	2-Chloronaphthalene	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	91-58-7	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	95-57-8	2-Chlorophenol	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	95-57-8	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	591-78-6	2-Hexanone	1.3	ug/L	U	[NULL]	[NULL]	R	B1YWY3	591-78-6	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	91-57-6	2-Methylnaphthalene	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	91-57-6	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	95-48-7	2-Methylphenol (cresol, o-)	2	ug/L	U	[NULL]	[NULL]	R	B1YWY3	95-48-7	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	91-59-8	2-Naphthylamine	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	91-59-8	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	88-74-4	2-Nitroaniline	2	ug/L	U	[NULL]	[NULL]	R	B1YWY3	88-74-4	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	88-75-5	2-Nitrophenol	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	88-75-5	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	108-10-1	2-Pentanone, 4-Methyl	0.32	ug/L	U	[NULL]	[NULL]	R	B1YWY3	108-10-1	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	109-06-8	2-Picoline	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	109-06-8	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	91-94-1	3,3'-Dichlorobenzidine	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	91-94-1	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	119-93-7	3,3'-Dimethylbenzidine	2.6	ug/L	U	[NULL]	[NULL]	R	B1YWY3	119-93-7	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	56-49-5	3-Methylcholanthrene	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	56-49-5	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	99-09-2	3-Nitroaniline	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	99-09-2	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	534-52-1	4,6-Dinitro-2-methylphenol	2	ug/L	U	[NULL]	[NULL]	R	B1YWY3	534-52-1	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	92-67-1	4-Aminobiphenyl	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	92-67-1	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	101-55-3	4-Bromophenylphenyl ether	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	101-55-3	TASL	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-73	3/10/2009 13:49	N	59-50-7	4-Chloro-3-methylphenol	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	59-50-7	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	106-47-8	4-Chloroaniline	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	106-47-8	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	7005-72-3	4-Chlorophenylphenyl ether	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	7005-72-3	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	106-44-5	4-Methylphenol (cresol, p-)	20	ug/L	U	[NULL]	[NULL]	R	B1YWY3	106-44-5	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	100-01-6	4-Nitroaniline	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	100-01-6	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	100-02-7	4-Nitrophenol	2	ug/L	U	[NULL]	[NULL]	R	B1YWY3	100-02-7	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	56-57-5	4-Nitroquinoline-1-oxide	5	ug/L	U	[NULL]	[NULL]	R	B1YWY3	56-57-5	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	99-55-8	5-Nitro-o-toluidine	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	99-55-8	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	57-97-6	7,12-Dimethylbenz[a]anthracene	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	57-97-6	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	83-32-9	Acenaphthene	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	83-32-9	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	208-96-8	Acenaphthylene	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	208-96-8	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	67-64-1	Acetone	0.42	ug/L	U	[NULL]	[NULL]	R	B1YWY3	67-64-1	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	75-05-8	Acetonitrile	4.2	ug/L	U	[NULL]	[NULL]	R	B1YWY3	75-05-8	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	98-86-2	Acetophenone	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	98-86-2	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	107-02-8	Acrolein	2.6	ug/L	UT	[NULL]	[NULL]	R	B1YWY3	107-02-8	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	107-13-1	Acrylonitrile	1.3	ug/L	U	[NULL]	[NULL]	R	B1YWY3	107-13-1	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	ALKALINITY	Alkalinity	140000	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRT2	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-73	3/10/2009 13:49	N	107-05-1	Allyl chloride	0.12	ug/L	U	[NULL]	[NULL]	R	B1YWY3	107-05-1	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	62-53-3	Aniline	2	ug/L	U	[NULL]	[NULL]	R	B1YWY3	62-53-3	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	120-12-7	Anthracene	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	120-12-7	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1YRT1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	3/10/2009 13:49	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1YRT2	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	3/10/2009 13:49	N	140-57-8	Aramite	5	ug/L	U	[NULL]	[NULL]	R	B1YWY3	140-57-8	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	Y	7440-39-3	Barium	16.7	ug/L	B	[NULL]	[NULL]	R	B1YRT1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	3/10/2009 13:49	N	7440-39-3	Barium	18	ug/L	B	[NULL]	[NULL]	R	B1YRT2	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	3/10/2009 13:49	N	71-43-2	Benzene	0.06	ug/L	U	[NULL]	[NULL]	R	B1YWY3	71-43-2	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	56-55-3	Benzo(a)anthracene	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	56-55-3	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	50-32-8	Benzo(a)pyrene	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	50-32-8	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	205-99-2	Benzo(b)fluoranthene	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	205-99-2	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	191-24-2	Benzo(ghi)perylene	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	191-24-2	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	207-08-9	Benzo(k)fluoranthene	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	207-08-9	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	100-51-6	Benzyl alcohol	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	100-51-6	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1YRT1	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	3/10/2009 13:49	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1YRT2	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	3/10/2009 13:49	N	111-91-1	Bis(2-Chloroethoxy)methane	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	111-91-1	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	108-60-1	Bis(2-chloro-1-methylethyl)ether	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	108-60-1	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	111-44-4	Bis(2-chloroethyl) ether	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	111-44-4	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	117-81-7	Bis(2-ethylhexyl) phthalate	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	117-81-7	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	75-27-4	Bromodichloromethane	0.098	ug/L	U	[NULL]	[NULL]	R	B1YWY3	75-27-4	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	75-25-2	Bromoform	0.15	ug/L	U	[NULL]	[NULL]	R	B1YWY3	75-25-2	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	74-83-9	Bromomethane	0.096	ug/L	U	[NULL]	[NULL]	R	B1YWY3	74-83-9	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	85-68-7	Butylbenzylphthalate	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	85-68-7	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1YRT1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	3/10/2009 13:49	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1YRT2	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	3/10/2009 13:49	N	7440-70-2	Calcium	16500	ug/L	[NULL]	Q	[NULL]	R	B1YRT2	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	3/10/2009 13:49	Y	7440-70-2	Calcium	16100	ug/L	[NULL]	Q	[NULL]	R	B1YRT1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	3/10/2009 13:49	N	75-15-0	Carbon disulfide	0.52	ug/L	U	[NULL]	[NULL]	R	B1YWY3	75-15-0	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	56-23-5	Carbon tetrachloride	0.073	ug/L	U	[NULL]	[NULL]	R	B1YWY3	56-23-5	TASL	8260_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-73	3/10/2009 13:49	N	16887-00-6	Chloride	23600	ug/L	D	[NULL]	[NULL]	R	B1YRT2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-73	3/10/2009 13:49	N	108-90-7	Chlorobenzene	0.06	ug/L	U	[NULL]	[NULL]	R	B1YWY3	108-90-7	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	510-15-6	Chlorobenzilate	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	510-15-6	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	75-00-3	Chloroethane	0.085	ug/L	U	[NULL]	[NULL]	R	B1YWY3	75-00-3	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	67-66-3	Chloroform	6.1	ug/L	[NULL]	Q	[NULL]	R	B1YWY3	67-66-3	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	74-87-3	Chloromethane	0.086	ug/L	U	[NULL]	[NULL]	R	B1YWY3	74-87-3	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	126-99-8	Chloroprene	0.083	ug/L	U	[NULL]	[NULL]	R	B1YWY3	126-99-8	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1YRT2	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	3/10/2009 13:49	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1YRT1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	3/10/2009 13:49	N	218-01-9	Chrysene	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	218-01-9	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1YRT2	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	3/10/2009 13:49	Y	7440-48-4	Cobalt	4.3	ug/L	B	[NULL]	[NULL]	R	B1YRT1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	3/10/2009 13:49	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1YRT2	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	3/10/2009 13:49	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1YRT1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	3/10/2009 13:49	N	84-74-2	Di-n-butylphthalate	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	84-74-2	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	117-84-0	Di-n-octylphthalate	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	117-84-0	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	2303-16-4	Diallate	2	ug/L	U	[NULL]	[NULL]	R	B1YWY3	2303-16-4	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	53-70-3	Dibenz[a,h]anthracene	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	53-70-3	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	132-64-9	Dibenzofuran	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	132-64-9	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	124-48-1	Dibromochloromethane	0.21	ug/L	U	[NULL]	[NULL]	R	B1YWY3	124-48-1	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	74-95-3	Dibromomethane	0.095	ug/L	U	[NULL]	[NULL]	R	B1YWY3	74-95-3	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	75-71-8	Dichlorodifluoromethane	0.058	ug/L	UT	[NULL]	[NULL]	R	B1YWY3	75-71-8	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	84-66-2	Diethylphthalate	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	84-66-2	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	60-51-5	Dimethoate	1.1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	60-51-5	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	131-11-3	Dimethyl phthalate	1.1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	131-11-3	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	2	ug/L	U	[NULL]	[NULL]	R	B1YWY3	88-85-7	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	298-04-4	Disulfoton	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	298-04-4	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	107-12-0	Ethyl cyanide	2.1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	107-12-0	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	97-63-2	Ethyl methacrylate	0.74	ug/L	U	[NULL]	[NULL]	R	B1YWY3	97-63-2	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	62-50-0	Ethyl methanesulfonate	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	62-50-0	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	100-41-4	Ethylbenzene	0.11	ug/L	U	[NULL]	[NULL]	R	B1YWY3	100-41-4	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	52-85-7	Famphur	1.7	ug/L	U	[NULL]	[NULL]	R	B1YWY3	52-85-7	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	206-44-0	Fluoranthene	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	206-44-0	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	86-73-7	Fluorene	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	86-73-7	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	16984-48-8	Fluoride	533	ug/L	BD	[NULL]	[NULL]	R	B1YRT2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-73	3/10/2009 13:49	N	118-74-1	Hexachlorobenzene	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	118-74-1	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	87-68-3	Hexachlorobutadiene	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	87-68-3	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	77-47-4	Hexachlorocyclopentadiene	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	77-47-4	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	67-72-1	Hexachloroethane	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	67-72-1	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	70-30-4	Hexachlorophene	10	ug/L	U	[NULL]	[NULL]	R	B1YWY3	70-30-4	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	1888-71-7	Hexachloropropene	2.4	ug/L	U	[NULL]	[NULL]	R	B1YWY3	1888-71-7	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	193-39-5	Indeno(1,2,3-cd)pyrene	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	193-39-5	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	74-88-4	Iodomethane	0.091	ug/L	U	[NULL]	[NULL]	R	B1YWY3	74-88-4	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	Y	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B1YRT1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	3/10/2009 13:49	N	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B1YRT2	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	3/10/2009 13:49	N	78-83-1	Isobutyl alcohol	54	ug/L	U	[NULL]	[NULL]	R	B1YWY3	78-83-1	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	465-73-6	Isodrin	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	465-73-6	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	78-59-1	Isophorone	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	78-59-1	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	120-58-1	Isosafrole	2	ug/L	U	[NULL]	[NULL]	R	B1YWY3	120-58-1	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	143-50-0	Kepone	20	ug/L	U	[NULL]	[NULL]	R	B1YWY3	143-50-0	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	Y	7439-95-4	Magnesium	3020	ug/L	[NULL]	Q	[NULL]	R	B1YRT1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	3/10/2009 13:49	N	7439-95-4	Magnesium	3160	ug/L	[NULL]	Q	[NULL]	R	B1YRT2	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	3/10/2009 13:49	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1YRT1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-73	3/10/2009 13:49	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1YRT2	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	3/10/2009 13:49	N	126-98-7	Methacrylonitrile	1.4	ug/L	U	[NULL]	[NULL]	R	B1YWY3	126-98-7	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	91-80-5	Methapyrilene	13	ug/L	U	[NULL]	[NULL]	R	B1YWY3	91-80-5	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	80-62-6	Methyl methacrylate	0.97	ug/L	U	[NULL]	[NULL]	R	B1YWY3	80-62-6	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	66-27-3	Methyl methanesulfonate	2	ug/L	U	[NULL]	[NULL]	R	B1YWY3	66-27-3	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	298-00-0	Methyl parathion	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	298-00-0	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	75-09-2	Methylene chloride	0.1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	75-09-2	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	91-20-3	Naphthalene	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	91-20-3	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1YRT2	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	3/10/2009 13:49	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1YRT1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	3/10/2009 13:49	N	14797-55-8	Nitrate	27800	ug/L	D	[NULL]	[NULL]	R	B1YRT2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-73	3/10/2009 13:49	N	14797-65-0	Nitrite	125	ug/L	UD	[NULL]	[NULL]	R	B1YRT2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-73	3/10/2009 13:49	N	98-95-3	Nitrobenzene	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	98-95-3	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	930-55-2	Nitrosopyrrolidine	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	930-55-2	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	126-68-1	O,O,O-Triethyl phosphorothioate	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	126-68-1	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	297-97-2	O,O-Diethyl O-2-pyrazinyl phosphorothioate	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	297-97-2	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	56-38-2	Parathion	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	56-38-2	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	608-93-5	Pentachlorobenzene	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	608-93-5	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	76-01-7	Pentachloroethane	2.4	ug/L	U	[NULL]	[NULL]	R	B1YWY3	76-01-7	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	82-68-8	Pentachloronitrobenzene (PCNB)	1.1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	82-68-8	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	87-86-5	Pentachlorophenol	2	ug/L	U	[NULL]	[NULL]	R	B1YWY3	87-86-5	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	62-44-2	Phenacetin	0.94	ug/L	U	[NULL]	[NULL]	R	B1YWY3	62-44-2	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	85-01-8	Phenanthrene	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	85-01-8	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	108-95-2	Phenol	4	ug/L	U	[NULL]	[NULL]	R	B1YWY3	108-95-2	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	298-02-2	Phorate	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	298-02-2	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	Y	7440-09-7	Potassium	2140	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRT1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	3/10/2009 13:49	N	7440-09-7	Potassium	2180	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRT2	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	3/10/2009 13:49	N	23950-58-5	Pronamide	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	23950-58-5	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	129-00-0	Pyrene	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	129-00-0	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	110-86-1	Pyridine	5.7	ug/L	U	[NULL]	[NULL]	R	B1YWY3	110-86-1	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	94-59-7	Safrol	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	94-59-7	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1YRT1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	3/10/2009 13:49	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1YRT2	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	3/10/2009 13:49	Y	7440-23-5	Sodium	145000	ug/L	[NULL]	Q	[NULL]	R	B1YRT1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	3/10/2009 13:49	N	7440-23-5	Sodium	147000	ug/L	[NULL]	Q	[NULL]	R	B1YRT2	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	3/10/2009 13:49	N	CONDUCT	Specific Conductance	717	uS/cm	[NULL]	[NULL]	[NULL]	R	B1YWX4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-73	3/10/2009 13:49	N	CONDUCT	Specific Conductance	717	uS/cm	[NULL]	[NULL]	[NULL]	R	B1YWX3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-73	3/10/2009 13:49	N	CONDUCT	Specific Conductance	708	uS/cm	[NULL]	[NULL]	[NULL]	R	B1YWX2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-73	3/10/2009 13:49	N	CONDUCT	Specific Conductance	707	uS/cm	[NULL]	[NULL]	[NULL]	R	B1YWX1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-73	3/10/2009 13:49	Y	7440-24-6	Strontium	72.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRT1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	3/10/2009 13:49	N	7440-24-6	Strontium	76.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRT2	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	3/10/2009 13:49	N	100-42-5	Styrene	0.042	ug/L	U	[NULL]	[NULL]	R	B1YWY3	100-42-5	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	14808-79-8	Sulfate	173000	ug/L	D	[NULL]	[NULL]	R	B1YRT2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-73	3/10/2009 13:49	N	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1YWX3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	3/10/2009 13:49	N	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1YWX4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	3/10/2009 13:49	N	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1YWX2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	3/10/2009 13:49	N	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1YWX1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	3/10/2009 13:49	N	127-18-4	Tetrachloroethene	0.065	ug/L	U	[NULL]	[NULL]	R	B1YWY3	127-18-4	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	3689-24-5	Tetraethyl dithiopyrophosphate (Sulfotepp)	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	3689-24-5	TASL	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-73	3/10/2009 13:49	N	109-99-9	Tetrahydrofuran	7.5	ug/L	U	[NULL]	[NULL]	R	B1YWY3	109-99-9	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	108-88-3	Toluene	0.07	ug/L	U	[NULL]	[NULL]	R	B1YWY3	108-88-3	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	TOC	Total organic carbon	738	ug/L	B	[NULL]	[NULL]	R	B1YWY2	TOC	WSCF	9060_TOC	100-NR-2
199-N-73	3/10/2009 13:49	N	TOC	Total organic carbon	771	ug/L	B	[NULL]	[NULL]	R	B1YWX9	TOC	WSCF	9060_TOC	100-NR-2
199-N-73	3/10/2009 13:49	N	TOC	Total organic carbon	725	ug/L	B	[NULL]	[NULL]	R	B1YWY0	TOC	WSCF	9060_TOC	100-NR-2
199-N-73	3/10/2009 13:49	N	TOC	Total organic carbon	708	ug/L	B	[NULL]	[NULL]	R	B1YWY1	TOC	WSCF	9060_TOC	100-NR-2
199-N-73	3/10/2009 13:49	N	59473-04-0	Total organic halides	6.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1YWX7	59473-04-0	TASL	9020_TOX	100-NR-2
199-N-73	3/10/2009 13:49	N	59473-04-0	Total organic halides	7.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1YWX8	59473-04-0	TASL	9020_TOX	100-NR-2
199-N-73	3/10/2009 13:49	N	59473-04-0	Total organic halides	6.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1YWX5	59473-04-0	TASL	9020_TOX	100-NR-2
199-N-73	3/10/2009 13:49	N	59473-04-0	Total organic halides	7.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1YWX6	59473-04-0	TASL	9020_TOX	100-NR-2
199-N-73	3/10/2009 13:49	N	126-73-8	Tributyl phosphate	1.5	ug/L	U	[NULL]	[NULL]	R	B1YWY3	126-73-8	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	79-01-6	Trichloroethene	0.21	ug/L	JB	Q	[NULL]	R	B1YWY3	79-01-6	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	75-69-4	Trichloromonofluoromethane	0.11	ug/L	U	[NULL]	[NULL]	R	B1YWY3	75-69-4	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	TURBIDITY	Turbidity	0.71	NTU	[NULL]	[NULL]	[NULL]	R	B1YWX2	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-73	3/10/2009 13:49	N	TURBIDITY	Turbidity	1.13	NTU	[NULL]	[NULL]	[NULL]	R	B1YWX3	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-73	3/10/2009 13:49	N	TURBIDITY	Turbidity	0.84	NTU	[NULL]	[NULL]	[NULL]	R	B1YWX4	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-73	3/10/2009 13:49	N	TURBIDITY	Turbidity	0.85	NTU	[NULL]	[NULL]	[NULL]	R	B1YWX1	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-73	3/10/2009 13:49	Y	7440-62-2	Vanadium	13.5	ug/L	B	[NULL]	[NULL]	R	B1YRT1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	3/10/2009 13:49	N	7440-62-2	Vanadium	12.4	ug/L	B	[NULL]	[NULL]	R	B1YRT2	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	3/10/2009 13:49	N	108-05-4	Vinyl acetate	0.23	ug/L	U	[NULL]	[NULL]	R	B1YWY3	108-05-4	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	75-01-4	Vinyl chloride	0.091	ug/L	U	[NULL]	[NULL]	R	B1YWY3	75-01-4	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	1330-20-7	Xylenes (total)	0.22	ug/L	U	[NULL]	[NULL]	R	B1YWY3	1330-20-7	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1YRT1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	3/10/2009 13:49	N	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1YRT2	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-73	3/10/2009 13:49	N	122-09-8	alpha,alpha-Dimethylphenethylamine	22	ug/L	U	[NULL]	[NULL]	R	B1YWY3	122-09-8	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	156-59-2	cis-1,2-Dichloroethylene	0.14	ug/L	U	[NULL]	[NULL]	R	B1YWY3	156-59-2	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	10061-01-5	cis-1,3-Dichloropropene	0.099	ug/L	U	[NULL]	[NULL]	R	B1YWY3	10061-01-5	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	99-65-0	m-Dinitrobenzene	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	99-65-0	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	924-16-3	n-Nitrosodi-n-butylamine	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	924-16-3	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	621-64-7	n-Nitrosodi-n-dipropylamine	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	621-64-7	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	55-18-5	n-Nitrosodiethylamine	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	55-18-5	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	62-75-9	n-Nitrosodimethylamine	2	ug/L	U	[NULL]	[NULL]	R	B1YWY3	62-75-9	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	86-30-6	n-Nitrosodiphenylamine	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	86-30-6	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	10595-95-6	n-Nitrosomethylethylamine	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	10595-95-6	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	59-89-2	n-Nitrosomorpholine	0.96	ug/L	U	[NULL]	[NULL]	R	B1YWY3	59-89-2	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	100-75-4	n-Nitrosopiperidine	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	100-75-4	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	95-53-4	o-Toluidine	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	95-53-4	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	60-11-7	p-Dimethylaminoazobenzene	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	60-11-7	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	106-50-3	p-Phenylenediamine	1	ug/L	U	[NULL]	[NULL]	R	B1YWY3	106-50-3	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	PH	pH Measurement	8.36	unitless	[NULL]	[NULL]	[NULL]	R	B1YWX1	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-73	3/10/2009 13:49	N	PH	pH Measurement	8.36	unitless	[NULL]	[NULL]	[NULL]	R	B1YWX3	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-73	3/10/2009 13:49	N	PH	pH Measurement	8.34	unitless	[NULL]	[NULL]	[NULL]	R	B1YWX2	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-73	3/10/2009 13:49	N	PH	pH Measurement	8.35	unitless	[NULL]	[NULL]	[NULL]	R	B1YWX4	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-73	3/10/2009 13:49	N	99-35-4	sym-Trinitrobenzene	1.4	ug/L	U	[NULL]	[NULL]	R	B1YWY3	99-35-4	TASL	8270_SVOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	156-60-5	trans-1,2-Dichloroethylene	0.081	ug/L	U	[NULL]	[NULL]	R	B1YWY3	156-60-5	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	10061-02-6	trans-1,3-Dichloropropene	0.23	ug/L	U	[NULL]	[NULL]	R	B1YWY3	10061-02-6	TASL	8260_VOA_GCMS	100-NR-2
199-N-73	3/10/2009 13:49	N	110-57-6	trans-1,4-Dichloro-2-butene	0.2	ug/L	U	[NULL]	[NULL]	R	B1YWY3	110-57-6	TASL	8260_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-73	9/9/2009 11:52	N	CONDUCT	Specific Conductance	738	uS/cm	[NULL]	[NULL]	[NULL]	R	B21LJ8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-73	9/9/2009 11:52	N	CONDUCT	Specific Conductance	740	uS/cm	[NULL]	[NULL]	[NULL]	R	B21LK0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-73	9/9/2009 11:52	N	CONDUCT	Specific Conductance	741	uS/cm	[NULL]	[NULL]	[NULL]	R	B21LK1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-73	9/9/2009 11:52	N	CONDUCT	Specific Conductance	743	uS/cm	[NULL]	[NULL]	[NULL]	R	B21LJ9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-73	9/9/2009 11:52	N	TEMPERATURE	Temperature	18	Deg C	[NULL]	[NULL]	[NULL]	R	B21LJ8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	9/9/2009 11:52	N	TEMPERATURE	Temperature	18	Deg C	[NULL]	[NULL]	[NULL]	R	B21LJ9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	9/9/2009 11:52	N	TEMPERATURE	Temperature	17.9	Deg C	[NULL]	[NULL]	[NULL]	R	B21LK0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	9/9/2009 11:52	N	TEMPERATURE	Temperature	17.9	Deg C	[NULL]	[NULL]	[NULL]	R	B21LK1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	9/9/2009 11:52	N	TOC	Total organic carbon	757	ug/L	B	[NULL]	[NULL]	R	B21LK4	TOC	WSCF	9060_TOC	100-NR-2
199-N-73	9/9/2009 11:52	N	TOC	Total organic carbon	736	ug/L	B	[NULL]	[NULL]	R	B21LK5	TOC	WSCF	9060_TOC	100-NR-2
199-N-73	9/9/2009 11:52	N	TOC	Total organic carbon	674	ug/L	B	[NULL]	[NULL]	R	B21LK2	TOC	WSCF	9060_TOC	100-NR-2
199-N-73	9/9/2009 11:52	N	TOC	Total organic carbon	757	ug/L	B	[NULL]	[NULL]	R	B21LK3	TOC	WSCF	9060_TOC	100-NR-2
199-N-73	9/9/2009 11:52	N	59473-04-0	Total organic halides	8.49	ug/L	B	[NULL]	[NULL]	R	B21LK5	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-73	9/9/2009 11:52	N	59473-04-0	Total organic halides	9.68	ug/L	B	[NULL]	[NULL]	R	B21LK3	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-73	9/9/2009 11:52	N	59473-04-0	Total organic halides	11.5	ug/L	B	[NULL]	[NULL]	R	B21LK4	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-73	9/9/2009 11:52	N	59473-04-0	Total organic halides	11.1	ug/L	B	[NULL]	[NULL]	R	B21LK2	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-73	9/9/2009 11:52	N	TURBIDITY	Turbidity	1.01	NTU	[NULL]	[NULL]	[NULL]	R	B21LJ8	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-73	9/9/2009 11:52	N	TURBIDITY	Turbidity	0.88	NTU	[NULL]	[NULL]	[NULL]	R	B21LK1	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-73	9/9/2009 11:52	N	TURBIDITY	Turbidity	1.06	NTU	[NULL]	[NULL]	[NULL]	R	B21LK0	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-73	9/9/2009 11:52	N	TURBIDITY	Turbidity	1.07	NTU	[NULL]	[NULL]	[NULL]	R	B21LJ9	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-73	9/9/2009 11:52	N	PH	pH Measurement	8.32	unitless	[NULL]	[NULL]	[NULL]	R	B21LK0	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-73	9/9/2009 11:52	N	PH	pH Measurement	8.32	unitless	[NULL]	[NULL]	[NULL]	R	B21LK1	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-73	9/9/2009 11:52	N	PH	pH Measurement	8.32	unitless	[NULL]	[NULL]	[NULL]	R	B21LJ8	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-73	9/9/2009 11:52	N	PH	pH Measurement	8.32	unitless	[NULL]	[NULL]	[NULL]	R	B21LJ9	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-73	3/9/2010 14:27	N	CONDUCT	Specific Conductance	792	uS/cm	[NULL]	[NULL]	[NULL]	R	B24BD8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-73	3/9/2010 14:27	N	CONDUCT	Specific Conductance	790	uS/cm	[NULL]	[NULL]	[NULL]	R	B24BD7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-73	3/9/2010 14:27	N	CONDUCT	Specific Conductance	789	uS/cm	[NULL]	[NULL]	[NULL]	R	B24BD5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-73	3/9/2010 14:27	N	CONDUCT	Specific Conductance	783	uS/cm	[NULL]	[NULL]	[NULL]	R	B24BD6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-73	3/9/2010 14:27	N	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	R	B24BD5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	3/9/2010 14:27	N	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	R	B24BD8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	3/9/2010 14:27	N	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	R	B24BD7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	3/9/2010 14:27	N	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	R	B24BD6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-73	3/9/2010 14:27	N	TURBIDITY	Turbidity	0.91	NTU	[NULL]	[NULL]	[NULL]	R	B24BD8	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-73	3/9/2010 14:27	N	TURBIDITY	Turbidity	0.71	NTU	[NULL]	[NULL]	[NULL]	R	B24BD7	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-73	3/9/2010 14:27	N	TURBIDITY	Turbidity	0.82	NTU	[NULL]	[NULL]	[NULL]	R	B24BD6	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-73	3/9/2010 14:27	N	TURBIDITY	Turbidity	0.82	NTU	[NULL]	[NULL]	[NULL]	R	B24BD5	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-73	3/9/2010 14:27	N	PH	pH Measurement	8.39	unitless	[NULL]	[NULL]	[NULL]	R	B24BD7	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-73	3/9/2010 14:27	N	PH	pH Measurement	8.35	unitless	[NULL]	[NULL]	[NULL]	R	B24BD5	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-73	3/9/2010 14:27	N	PH	pH Measurement	8.38	unitless	[NULL]	[NULL]	[NULL]	R	B24BD8	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-73	3/9/2010 14:27	N	PH	pH Measurement	8.37	unitless	[NULL]	[NULL]	[NULL]	R	B24BD6	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-74	1/28/1992 10:30	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	B01RD7	93-76-5	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-74	1/28/1992 10:30	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	B01RD7	93-72-1	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-74	1/28/1992 10:30	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B01RD7	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	1/28/1992 10:30	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	10	ug/L	U	[NULL]	[NULL]	R	B01RD7	94-75-7	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-74	1/28/1992 10:30	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B01RD7	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	1/28/1992 10:30	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B01RD7	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	1/28/1992 10:30	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B01RD7	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	1/28/1992 10:30	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B01RD7	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	1/28/1992 10:30	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B01RD7	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	1/28/1992 10:30	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B01RD7	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	1/28/1992 10:30	N	72-54-8	4,4'-DDD (Dichlorodiphenyldichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	B01RD7	72-54-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	1/28/1992 10:30	N	72-55-9	4,4'-DDE (Dichlorodiphenyldichloroethylene)	0.05	ug/L	U	[NULL]	[NULL]	R	B01RD7	72-55-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	1/28/1992 10:30	N	50-29-3	4,4'-DDT (Dichlorodiphenyltrichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	B01RD7	50-29-3	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	1/28/1992 10:30	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B01RD7	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	1/28/1992 10:30	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B01RD7	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	1/28/1992 10:30	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B01RD7	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	1/28/1992 10:30	N	309-00-2	Aldrin	0.05	ug/L	U	[NULL]	[NULL]	R	B01RD7	309-00-2	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	1/28/1992 10:30	N	319-84-6	Alpha-BHC	0.05	ug/L	U	[NULL]	[NULL]	R	B01RD7	319-84-6	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	1/28/1992 10:30	N	14798-03-9	Ammonium ion	100	ug/L	U	[NULL]	[NULL]	R	B01RD7	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-74	1/28/1992 10:30	N	7440-36-0	Antimony	200	ug/L	U	P	[NULL]	R	B01RD7	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	1/28/1992 10:30	Y	7440-36-0	Antimony	200	ug/L	U	P	[NULL]	R	B01RF1	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	1/28/1992 10:30	N	14234-35-6	Antimony-125	2.67	pCi/L	[NULL]	[NULL]	[NULL]	R	B01RD7	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-74	1/28/1992 10:30	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B01RF1	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-74	1/28/1992 10:30	N	7440-38-2	Arsenic	5.6	ug/L	[NULL]	[NULL]	[NULL]	R	B01RD7	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-74	1/28/1992 10:30	N	7440-39-3	Barium	37	ug/L	[NULL]	P	[NULL]	R	B01RD7	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	1/28/1992 10:30	Y	7440-39-3	Barium	38	ug/L	[NULL]	P	[NULL]	R	B01RF1	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	1/28/1992 10:30	Y	7440-41-7	Beryllium	3	ug/L	U	P	[NULL]	R	B01RF1	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	1/28/1992 10:30	N	7440-41-7	Beryllium	3	ug/L	U	P	[NULL]	R	B01RD7	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	1/28/1992 10:30	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B01RD7	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	1/28/1992 10:30	N	7440-43-9	Cadmium	10	ug/L	U	P	[NULL]	R	B01RD7	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	1/28/1992 10:30	Y	7440-43-9	Cadmium	10	ug/L	U	P	[NULL]	R	B01RF1	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	1/28/1992 10:30	N	7440-70-2	Calcium	56000	ug/L	[NULL]	P	[NULL]	R	B01RD7	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	1/28/1992 10:30	Y	7440-70-2	Calcium	57000	ug/L	[NULL]	P	[NULL]	R	B01RF1	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	1/28/1992 10:30	N	10045-97-3	Cesium-137	-2.32	pCi/L	U	[NULL]	[NULL]	R	B01RD7	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-74	1/28/1992 10:30	N	57-74-9	Chlordane	0.1	ug/L	U	[NULL]	[NULL]	R	B01RD7	57-74-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	1/28/1992 10:30	N	16887-00-6	Chloride	7400	ug/L	[NULL]	[NULL]	[NULL]	R	B01RD7	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	1/28/1992 10:30	Y	7440-47-3	Chromium	21	ug/L	[NULL]	P	[NULL]	R	B01RF1	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	1/28/1992 10:30	N	7440-47-3	Chromium	36	ug/L	[NULL]	P	[NULL]	R	B01RD7	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	1/28/1992 10:30	Y	7440-48-4	Cobalt	20	ug/L	U	P	[NULL]	R	B01RF1	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	1/28/1992 10:30	N	7440-48-4	Cobalt	20	ug/L	U	P	[NULL]	R	B01RD7	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	1/28/1992 10:30	N	10198-40-0	Cobalt-60	3.74	pCi/L	[NULL]	[NULL]	[NULL]	R	B01RD7	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-74	1/28/1992 10:30	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B01RD7	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-74	1/28/1992 10:30	N	7440-50-8	Copper	20	ug/L	U	P	[NULL]	R	B01RD7	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	1/28/1992 10:30	Y	7440-50-8	Copper	20	ug/L	U	P	[NULL]	R	B01RF1	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	1/28/1992 10:30	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	B01RD7	319-86-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	1/28/1992 10:30	N	60-57-1	Dieldrin	0.05	ug/L	U	[NULL]	[NULL]	R	B01RD7	60-57-1	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	1/28/1992 10:30	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B01RD7	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	1/28/1992 10:30	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1	ug/L	U	[NULL]	[NULL]	R	B01RD7	88-85-7	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-74	1/28/1992 10:30	N	959-98-8	Endosulfan I	0.1	ug/L	U	[NULL]	[NULL]	R	B01RD7	959-98-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	1/28/1992 10:30	N	33213-65-9	Endosulfan II	0.05	ug/L	U	[NULL]	[NULL]	R	B01RD7	33213-65-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	1/28/1992 10:30	N	1031-07-8	Endosulfan sulfate	0.5	ug/L	U	[NULL]	[NULL]	R	B01RD7	1031-07-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	1/28/1992 10:30	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	B01RD7	72-20-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	1/28/1992 10:30	N	7421-93-4	Endrin aldehyde	0.2	ug/L	U	[NULL]	[NULL]	R	B01RD7	7421-93-4	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	1/28/1992 10:30	N	16984-48-8	Fluoride	300	ug/L	[NULL]	[NULL]	[NULL]	R	B01RD7	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	1/28/1992 10:30	N	58-89-9	Gamma-BHC (Lindane)	0.05	ug/L	U	[NULL]	[NULL]	R	B01RD7	58-89-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	1/28/1992 10:30	N	12587-46-1	Gross alpha	0.963	pCi/L	[NULL]	[NULL]	[NULL]	R	B01RD7	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	1/28/1992 10:30	N	12587-47-2	Gross beta	6.56	pCi/L	[NULL]	[NULL]	[NULL]	R	B01RD7	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	1/28/1992 10:30	N	76-44-8	Heptachlor	0.05	ug/L	U	[NULL]	[NULL]	R	B01RD7	76-44-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	1/28/1992 10:30	N	1024-57-3	Heptachlor epoxide	1	ug/L	U	[NULL]	[NULL]	R	B01RD7	1024-57-3	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	1/28/1992 10:30	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B01RD7	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-74	1/28/1992 10:30	N	7439-89-6	Iron	130	ug/L	[NULL]	P	[NULL]	R	B01RD7	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	1/28/1992 10:30	Y	7439-89-6	Iron	20	ug/L	U	P	[NULL]	R	B01RF1	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	1/28/1992 10:30	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B01RD7	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-74	1/28/1992 10:30	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B01RF1	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-74	1/28/1992 10:30	Y	7439-95-4	Magnesium	17000	ug/L	[NULL]	P	[NULL]	R	B01RF1	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	1/28/1992 10:30	N	7439-95-4	Magnesium	17000	ug/L	[NULL]	P	[NULL]	R	B01RD7	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	1/28/1992 10:30	Y	7439-96-5	Manganese	10	ug/L	U	P	[NULL]	R	B01RF1	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	1/28/1992 10:30	N	7439-96-5	Manganese	10	ug/L	U	P	[NULL]	R	B01RD7	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	1/28/1992 10:30	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B01RD7	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-74	1/28/1992 10:30	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B01RF1	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-74	1/28/1992 10:30	N	72-43-5	Methoxychlor	2	ug/L	U	[NULL]	[NULL]	R	B01RD7	72-43-5	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	1/28/1992 10:30	Y	7440-02-0	Nickel	30	ug/L	U	P	[NULL]	R	B01RF1	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	1/28/1992 10:30	N	7440-02-0	Nickel	30	ug/L	U	P	[NULL]	R	B01RD7	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	1/28/1992 10:30	N	14797-55-8	Nitrate	12000	ug/L	[NULL]	H	[NULL]	R	B01RD7	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	1/28/1992 10:30	N	14797-65-0	Nitrite	200	ug/L	U	H	[NULL]	R	B01RD7	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	1/28/1992 10:30	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B01RD7	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	1/28/1992 10:30	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B01RD7	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	1/28/1992 10:30	N	14265-44-2	Phosphate	400	ug/L	U	H	[NULL]	R	B01RD7	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	1/28/1992 10:30	N	7440-09-7	Potassium	4100	ug/L	[NULL]	P	[NULL]	R	B01RD7	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	1/28/1992 10:30	Y	7440-09-7	Potassium	4300	ug/L	[NULL]	P	[NULL]	R	B01RF1	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	1/28/1992 10:30	N	7440-14-4	Radium	0.641	pCi/L	[NULL]	[NULL]	[NULL]	R	B01RD7	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-74	1/28/1992 10:30	N	13967-48-1	Ruthenium-106	63.7	pCi/L	[NULL]	[NULL]	[NULL]	R	B01RD7	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-74	1/28/1992 10:30	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B01RD7	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-74	1/28/1992 10:30	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B01RF1	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-74	1/28/1992 10:30	N	7440-22-4	Silver	20	ug/L	U	P	[NULL]	R	B01RD7	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	1/28/1992 10:30	Y	7440-22-4	Silver	20	ug/L	U	P	[NULL]	R	B01RF1	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	1/28/1992 10:30	N	7440-23-5	Sodium	19000	ug/L	[NULL]	P	[NULL]	R	B01RD7	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	1/28/1992 10:30	Y	7440-23-5	Sodium	19000	ug/L	[NULL]	P	[NULL]	R	B01RF1	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	1/28/1992 10:30	N	CONDUCT	Specific Conductance	517	uS/cm	[NULL]	[NULL]	[NULL]	R	B01RD7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	1/28/1992 10:30	N	CONDUCT	Specific Conductance	509	uS/cm	[NULL]	[NULL]	[NULL]	R	B01RD8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	1/28/1992 10:30	N	CONDUCT	Specific Conductance	506	uS/cm	[NULL]	[NULL]	[NULL]	R	B01RD9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	1/28/1992 10:30	N	CONDUCT	Specific Conductance	513	uS/cm	[NULL]	[NULL]	[NULL]	R	B01RF0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	1/28/1992 10:30	N	10098-97-2	Strontium-90	0.167	pCi/L	[NULL]	[NULL]	[NULL]	R	B01RD7	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-74	1/28/1992 10:30	N	14808-79-8	Sulfate	160000	ug/L	[NULL]	[NULL]	[NULL]	R	B01RD7	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	1/28/1992 10:30	N	TEMPERATURE	Temperature	17.3	Deg C	[NULL]	[NULL]	[NULL]	R	B01RD7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	1/28/1992 10:30	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B01RD7	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	1/28/1992 10:30	Y	7440-31-5	Tin	100	ug/L	U	P	[NULL]	R	B01RF1	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	1/28/1992 10:30	N	7440-31-5	Tin	100	ug/L	U	P	[NULL]	R	B01RD7	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	1/28/1992 10:30	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B01RD7	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	1/28/1992 10:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B01RD9	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	1/28/1992 10:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B01RF0	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	1/28/1992 10:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B01RD8	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	1/28/1992 10:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B01RD7	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	1/28/1992 10:30	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B01RF0	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	1/28/1992 10:30	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B01RD9	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	1/28/1992 10:30	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B01RD7	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	1/28/1992 10:30	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B01RD8	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	1/28/1992 10:30	N	8001-35-2	Toxaphene	2	ug/L	U	[NULL]	[NULL]	R	B01RD7	8001-35-2	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	1/28/1992 10:30	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B01RD7	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	1/28/1992 10:30	N	10028-17-8	Tritium	33100	pCi/L	[NULL]	[NULL]	[NULL]	R	B01RD7	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-74	1/28/1992 10:30	N	TURBIDITY	Turbidity	8.7	NTU	[NULL]	[NULL]	[NULL]	R	B01RD7	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-74	1/28/1992 10:30	N	7440-62-2	Vanadium	30	ug/L	U	P	[NULL]	R	B01RD7	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	1/28/1992 10:30	Y	7440-62-2	Vanadium	30	ug/L	U	P	[NULL]	R	B01RF1	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	1/28/1992 10:30	Y	7440-66-6	Zinc	10	ug/L	U	P	[NULL]	R	B01RF1	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	1/28/1992 10:30	N	7440-66-6	Zinc	10	ug/L	U	P	[NULL]	R	B01RD7	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	1/28/1992 10:30	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.05	ug/L	U	[NULL]	[NULL]	R	B01RD7	319-85-7	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	1/28/1992 10:30	N	PH	pH Measurement	7.75	unitless	[NULL]	[NULL]	[NULL]	R	B01RD7	PH	FIELD	9040_PH	100-NR-2
199-N-74	1/28/1992 10:30	N	PH	pH Measurement	7.75	unitless	[NULL]	[NULL]	[NULL]	R	B01RD8	PH	FIELD	9040_PH	100-NR-2
199-N-74	1/28/1992 10:30	N	PH	pH Measurement	7.75	unitless	[NULL]	[NULL]	[NULL]	R	B01RD9	PH	FIELD	9040_PH	100-NR-2
199-N-74	1/28/1992 10:30	N	PH	pH Measurement	7.77	unitless	[NULL]	[NULL]	[NULL]	R	B01RF0	PH	FIELD	9040_PH	100-NR-2
199-N-74	2/13/1992 9:30	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	B01W61	93-76-5	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	B01W61	93-72-1	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B01W61	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	10	ug/L	U	[NULL]	[NULL]	R	B01W61	94-75-7	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B01W61	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B01W61	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B01W61	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B01W61	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B01W61	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B01W61	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	72-54-8	4,4'-DDD (Dichlorodiphenyldichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	B01W61	72-54-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	72-55-9	4,4'-DDE (Dichlorodiphenyldichloroethylene)	0.05	ug/L	U	[NULL]	[NULL]	R	B01W61	72-55-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	50-29-3	4,4'-DDT (Dichlorodiphenyltrichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	B01W61	50-29-3	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B01W61	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B01W61	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B01W61	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	309-00-2	Aldrin	0.05	ug/L	U	[NULL]	[NULL]	R	B01W61	309-00-2	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	319-84-6	Alpha-BHC	0.05	ug/L	U	[NULL]	[NULL]	R	B01W61	319-84-6	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	14798-03-9	Ammonium ion	100	ug/L	U	[NULL]	[NULL]	R	B01W61	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-74	2/13/1992 9:30	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B01W65	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/13/1992 9:30	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B01W61	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/13/1992 9:30	N	14234-35-6	Antimony-125	-20.3	pCi/L	U	[NULL]	[NULL]	R	B01W61	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-74	2/13/1992 9:30	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B01W65	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-74	2/13/1992 9:30	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B01W61	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-74	2/13/1992 9:30	Y	7440-39-3	Barium	35	ug/L	[NULL]	[NULL]	[NULL]	R	B01W65	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/13/1992 9:30	N	7440-39-3	Barium	37	ug/L	[NULL]	[NULL]	[NULL]	R	B01W61	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/13/1992 9:30	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B01W61	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/13/1992 9:30	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B01W65	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/13/1992 9:30	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B01W61	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	2/13/1992 9:30	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B01W65	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/13/1992 9:30	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B01W61	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/13/1992 9:30	Y	7440-70-2	Calcium	53000	ug/L	[NULL]	[NULL]	[NULL]	R	B01W65	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/13/1992 9:30	N	7440-70-2	Calcium	52000	ug/L	[NULL]	[NULL]	[NULL]	R	B01W61	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/13/1992 9:30	N	10045-97-3	Cesium-137	-5.89	pCi/L	U	[NULL]	[NULL]	R	B01W61	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-74	2/13/1992 9:30	N	57-74-9	Chlordane	0.1	ug/L	U	[NULL]	[NULL]	R	B01W61	57-74-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	16887-00-6	Chloride	7400	ug/L	[NULL]	[NULL]	[NULL]	R	B01W61	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	2/13/1992 9:30	N	7440-47-3	Chromium	64	ug/L	[NULL]	[NULL]	[NULL]	R	B01W61	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/13/1992 9:30	Y	7440-47-3	Chromium	23	ug/L	[NULL]	[NULL]	[NULL]	R	B01W65	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/13/1992 9:30	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B01W65	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/13/1992 9:30	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B01W61	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/13/1992 9:30	N	10198-40-0	Cobalt-60	10.1	pCi/L	[NULL]	[NULL]	[NULL]	R	B01W61	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-74	2/13/1992 9:30	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B01W61	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-74	2/13/1992 9:30	Y	7440-50-8	Copper	27	ug/L	[NULL]	[NULL]	[NULL]	R	B01W65	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/13/1992 9:30	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B01W61	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/13/1992 9:30	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	B01W61	319-86-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	60-57-1	Dieldrin	0.05	ug/L	U	[NULL]	[NULL]	R	B01W61	60-57-1	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1	ug/L	U	[NULL]	[NULL]	R	B01W61	88-85-7	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B01W61	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	959-98-8	Endosulfan I	0.1	ug/L	U	[NULL]	[NULL]	R	B01W61	959-98-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	33213-65-9	Endosulfan II	0.05	ug/L	U	[NULL]	[NULL]	R	B01W61	33213-65-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	1031-07-8	Endosulfan sulfate	0.5	ug/L	U	[NULL]	[NULL]	R	B01W61	1031-07-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	B01W61	72-20-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	7421-93-4	Endrin aldehyde	0.2	ug/L	U	[NULL]	[NULL]	R	B01W61	7421-93-4	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	16984-48-8	Fluoride	300	ug/L	[NULL]	[NULL]	[NULL]	R	B01W61	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	2/13/1992 9:30	N	58-89-9	Gamma-BHC (Lindane)	0.05	ug/L	U	[NULL]	[NULL]	R	B01W61	58-89-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	12587-46-1	Gross alpha	3.1	pCi/L	[NULL]	[NULL]	[NULL]	R	B01W61	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	2/13/1992 9:30	N	12587-47-2	Gross beta	5.96	pCi/L	[NULL]	[NULL]	[NULL]	R	B01W61	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	2/13/1992 9:30	N	76-44-8	Heptachlor	0.05	ug/L	U	[NULL]	[NULL]	R	B01W61	76-44-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	1024-57-3	Heptachlor epoxide	1	ug/L	U	[NULL]	[NULL]	R	B01W61	1024-57-3	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B01W61	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-74	2/13/1992 9:30	N	7439-89-6	Iron	650	ug/L	[NULL]	[NULL]	[NULL]	R	B01W61	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/13/1992 9:30	Y	7439-89-6	Iron	36	ug/L	[NULL]	[NULL]	[NULL]	R	B01W65	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/13/1992 9:30	Y	7439-92-1	Lead	5.5	ug/L	[NULL]	[NULL]	[NULL]	R	B01W65	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-74	2/13/1992 9:30	N	7439-92-1	Lead	9.6	ug/L	[NULL]	[NULL]	[NULL]	R	B01W61	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-74	2/13/1992 9:30	Y	7439-95-4	Magnesium	16000	ug/L	[NULL]	[NULL]	[NULL]	R	B01W65	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/13/1992 9:30	N	7439-95-4	Magnesium	16000	ug/L	[NULL]	[NULL]	[NULL]	R	B01W61	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/13/1992 9:30	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B01W65	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/13/1992 9:30	N	7439-96-5	Manganese	25	ug/L	[NULL]	[NULL]	[NULL]	R	B01W61	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/13/1992 9:30	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B01W61	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-74	2/13/1992 9:30	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B01W65	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-74	2/13/1992 9:30	N	72-43-5	Methoxychlor	2	ug/L	U	[NULL]	[NULL]	R	B01W61	72-43-5	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	2/13/1992 9:30	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B01W65	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/13/1992 9:30	N	7440-02-0	Nickel	35	ug/L	[NULL]	[NULL]	[NULL]	R	B01W61	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/13/1992 9:30	N	14797-55-8	Nitrate	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B01W61	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	2/13/1992 9:30	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B01W61	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	2/13/1992 9:30	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B01W61	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B01W61	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B01W61	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	2/13/1992 9:30	Y	7440-09-7	Potassium	4400	ug/L	[NULL]	Q	[NULL]	R	B01W65	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/13/1992 9:30	N	7440-09-7	Potassium	4700	ug/L	[NULL]	Q	[NULL]	R	B01W61	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/13/1992 9:30	N	7440-14-4	Radium	0.0749	pCi/L	[NULL]	[NULL]	[NULL]	R	B01W61	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	2/13/1992 9:30	N	13967-48-1	Ruthenium-106	-4.69	pCi/L	U	[NULL]	[NULL]	R	B01W61	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-74	2/13/1992 9:30	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B01W65	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-74	2/13/1992 9:30	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B01W61	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-74	2/13/1992 9:30	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B01W61	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/13/1992 9:30	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B01W65	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/13/1992 9:30	N	7440-23-5	Sodium	17000	ug/L	[NULL]	[NULL]	[NULL]	R	B01W61	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/13/1992 9:30	Y	7440-23-5	Sodium	18000	ug/L	[NULL]	[NULL]	[NULL]	R	B01W65	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/13/1992 9:30	N	CONDUCT	Specific Conductance	515	uS/cm	[NULL]	[NULL]	[NULL]	R	B01W61	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	2/13/1992 9:30	N	CONDUCT	Specific Conductance	515	uS/cm	[NULL]	[NULL]	[NULL]	R	B01W63	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	2/13/1992 9:30	N	CONDUCT	Specific Conductance	517	uS/cm	[NULL]	[NULL]	[NULL]	R	B01W64	CONDUCT-	FIELD	9050_CONDUCT	100-NR-2
199-N-74	2/13/1992 9:30	N	CONDUCT	Specific Conductance	517	uS/cm	[NULL]	[NULL]	[NULL]	R	B01W62	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	2/13/1992 9:30	N	10098-97-2	Strontium-90	-0.314	pCi/L	U	[NULL]	[NULL]	R	B01W61	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-74	2/13/1992 9:30	N	14808-79-8	Sulfate	150000	ug/L	[NULL]	[NULL]	[NULL]	R	B01W61	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	2/13/1992 9:30	N	TEMPERATURE	Temperature	16.6	Deg C	[NULL]	[NULL]	[NULL]	R	B01W61	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	2/13/1992 9:30	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B01W61	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/13/1992 9:30	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B01W65	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/13/1992 9:30	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B01W61	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/13/1992 9:30	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B01W61	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	TOC	Total organic carbon	1000	ug/L	U	R	[NULL]	R	B01W61	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	2/13/1992 9:30	N	TOC	Total organic carbon	1000	ug/L	U	R	[NULL]	R	B01W62	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	2/13/1992 9:30	N	TOC	Total organic carbon	1000	ug/L	U	R	[NULL]	R	B01W63	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	2/13/1992 9:30	N	TOC	Total organic carbon	1000	ug/L	U	R	[NULL]	R	B01W64	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	2/13/1992 9:30	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B01W62	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	2/13/1992 9:30	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B01W63	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	2/13/1992 9:30	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B01W64	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	2/13/1992 9:30	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B01W61	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	2/13/1992 9:30	N	8001-35-2	Toxaphene	2	ug/L	U	[NULL]	[NULL]	R	B01W61	8001-35-2	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B01W61	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	10028-17-8	Tritium	33100	pCi/L	[NULL]	[NULL]	[NULL]	R	B01W61	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-74	2/13/1992 9:30	N	TURBIDITY	Turbidity	6.6	NTU	[NULL]	[NULL]	[NULL]	R	B01W61	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-74	2/13/1992 9:30	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B01W61	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/13/1992 9:30	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B01W65	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/13/1992 9:30	N	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B01W61	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/13/1992 9:30	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B01W65	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/13/1992 9:30	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.05	ug/L	U	[NULL]	[NULL]	R	B01W61	319-85-7	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	2/13/1992 9:30	N	PH	pH Measurement	7.73	unitless	[NULL]	[NULL]	[NULL]	R	B01W62	PH	FIELD	9040_PH	100-NR-2
199-N-74	2/13/1992 9:30	N	PH	pH Measurement	7.74	unitless	[NULL]	[NULL]	[NULL]	R	B01W63	PH	FIELD	9040_PH	100-NR-2
199-N-74	2/13/1992 9:30	N	PH	pH Measurement	7.75	unitless	[NULL]	[NULL]	[NULL]	R	B01W64	PH	FIELD	9040_PH	100-NR-2
199-N-74	2/13/1992 9:30	N	PH	pH Measurement	7.71	unitless	[NULL]	[NULL]	[NULL]	R	B01W61	PH	FIELD	9040_PH	100-NR-2
199-N-74	5/28/1992 11:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	B06MB8	93-76-5	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	B06MB9	93-76-5	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	B06MB9	93-72-1	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	B06MB8	93-72-1	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B06MB8	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B06MB9	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	5/28/1992 11:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	10	ug/L	U	[NULL]	[NULL]	R	B06MB8	94-75-7	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	10	ug/L	U	[NULL]	[NULL]	R	B06MB9	94-75-7	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B06MB8	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B06MB9	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B06MB8	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B06MB9	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B06MB8	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B06MB9	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B06MB8	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B06MB9	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B06MB8	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B06MB9	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B06MB9	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B06MB8	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	72-54-8	4,4'-DDD (Dichlorodiphenyldichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	B06MB9	72-54-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	72-54-8	4,4'-DDD (Dichlorodiphenyldichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	B06MB8	72-54-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	72-55-9	4,4'-DDE (Dichlorodiphenyldichloroethylene)	0.05	ug/L	U	[NULL]	[NULL]	R	B06MB8	72-55-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	72-55-9	4,4'-DDE (Dichlorodiphenyldichloroethylene)	0.05	ug/L	U	[NULL]	[NULL]	R	B06MB9	72-55-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	50-29-3	4,4'-DDT (Dichlorodiphenyltrichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	B06MB8	50-29-3	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	50-29-3	4,4'-DDT (Dichlorodiphenyltrichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	B06MB9	50-29-3	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B06MB8	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B06MB9	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B06MB8	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B06MB9	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B06MB8	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B06MB9	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	309-00-2	Aldrin	0.05	ug/L	U	Q	[NULL]	R	B06MB8	309-00-2	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	309-00-2	Aldrin	0.08	ug/L	B	Q	[NULL]	R	B06MB9	309-00-2	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	319-84-6	Alpha-BHC	0.05	ug/L	U	[NULL]	[NULL]	R	B06MB8	319-84-6	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	319-84-6	Alpha-BHC	0.05	ug/L	U	[NULL]	[NULL]	R	B06MB9	319-84-6	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	14798-03-9	Ammonium ion	100	ug/L	U	[NULL]	[NULL]	R	B06MB8	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-74	5/28/1992 11:00	N	14798-03-9	Ammonium ion	100	ug/L	U	[NULL]	[NULL]	R	B06MB9	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-74	5/28/1992 11:00	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B06MB9	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B06MC3	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B06MC2	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B06MB8	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	14234-35-6	Antimony-125	-2.76	pCi/L	U	[NULL]	[NULL]	R	B06MB9	14234-35-6	ITASRL	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	5/28/1992 11:00	N	14234-35-6	Antimony-125	4.43	pCi/L	[NULL]	[NULL]	[NULL]	R	B06MB8	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-74	5/28/1992 11:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B06MB8	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-74	5/28/1992 11:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B06MB9	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-74	5/28/1992 11:00	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B06MC3	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-74	5/28/1992 11:00	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B06MC2	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-74	5/28/1992 11:00	N	7440-39-3	Barium	41	ug/L	[NULL]	[NULL]	[NULL]	R	B06MB8	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	Y	7440-39-3	Barium	40	ug/L	[NULL]	[NULL]	[NULL]	R	B06MC2	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	Y	7440-39-3	Barium	40	ug/L	[NULL]	[NULL]	[NULL]	R	B06MC3	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	7440-39-3	Barium	40	ug/L	[NULL]	[NULL]	[NULL]	R	B06MB9	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B06MC2	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B06MB8	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B06MC3	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B06MB9	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B06MB9	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	5/28/1992 11:00	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B06MB8	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	5/28/1992 11:00	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B06MC3	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B06MC2	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B06MB8	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B06MB9	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	Y	7440-70-2	Calcium	58000	ug/L	[NULL]	[NULL]	[NULL]	R	B06MC2	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	7440-70-2	Calcium	58000	ug/L	[NULL]	[NULL]	[NULL]	R	B06MB9	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	Y	7440-70-2	Calcium	57000	ug/L	[NULL]	[NULL]	[NULL]	R	B06MC3	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	7440-70-2	Calcium	59000	ug/L	[NULL]	[NULL]	[NULL]	R	B06MB8	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	10045-97-3	Cesium-137	1.9	pCi/L	[NULL]	[NULL]	[NULL]	R	B06MB9	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-74	5/28/1992 11:00	N	10045-97-3	Cesium-137	-2.7	pCi/L	U	[NULL]	[NULL]	R	B06MB8	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-74	5/28/1992 11:00	N	57-74-9	Chlordane	0.1	ug/L	U	[NULL]	[NULL]	R	B06MB9	57-74-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	57-74-9	Chlordane	0.1	ug/L	U	[NULL]	[NULL]	R	B06MB8	57-74-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	16887-00-6	Chloride	7400	ug/L	[NULL]	[NULL]	[NULL]	R	B06MB9	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	5/28/1992 11:00	N	16887-00-6	Chloride	7700	ug/L	[NULL]	[NULL]	[NULL]	R	B06MB8	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	5/28/1992 11:00	N	7440-47-3	Chromium	81	ug/L	[NULL]	[NULL]	[NULL]	R	B06MB8	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	Y	7440-47-3	Chromium	26	ug/L	[NULL]	[NULL]	[NULL]	R	B06MC2	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	7440-47-3	Chromium	80	ug/L	[NULL]	[NULL]	[NULL]	R	B06MB9	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	Y	7440-47-3	Chromium	26	ug/L	[NULL]	[NULL]	[NULL]	R	B06MC3	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B06MB9	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B06MC2	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B06MC3	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B06MB8	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	10198-40-0	Cobalt-60	3.68	pCi/L	[NULL]	[NULL]	[NULL]	R	B06MB8	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-74	5/28/1992 11:00	N	10198-40-0	Cobalt-60	3.06	pCi/L	[NULL]	[NULL]	[NULL]	R	B06MB9	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-74	5/28/1992 11:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B06MB9	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-74	5/28/1992 11:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B06MB8	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-74	5/28/1992 11:00	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B06MB9	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B06MC2	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B06MB8	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B06MC3	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	B06MB8	319-86-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	B06MB9	319-86-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	60-57-1	Dieldrin	0.05	ug/L	U	[NULL]	[NULL]	R	B06MB9	60-57-1	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	60-57-1	Dieldrin	0.05	ug/L	U	[NULL]	[NULL]	R	B06MB8	60-57-1	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B06MB8	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1	ug/L	U	[NULL]	[NULL]	R	B06MB8	88-85-7	DATACH	8150_HERBICIDE_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	5/28/1992 11:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1	ug/L	U	[NULL]	[NULL]	R	B06MB9	88-85-7	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B06MB9	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	959-98-8	Endosulfan I	0.1	ug/L	U	[NULL]	[NULL]	R	B06MB9	959-98-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	959-98-8	Endosulfan I	0.1	ug/L	U	[NULL]	[NULL]	R	B06MB8	959-98-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	33213-65-9	Endosulfan II	0.05	ug/L	U	[NULL]	[NULL]	R	B06MB9	33213-65-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	33213-65-9	Endosulfan II	0.05	ug/L	U	[NULL]	[NULL]	R	B06MB8	33213-65-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	1031-07-8	Endosulfan sulfate	0.5	ug/L	U	[NULL]	[NULL]	R	B06MB9	1031-07-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	1031-07-8	Endosulfan sulfate	0.5	ug/L	U	[NULL]	[NULL]	R	B06MB8	1031-07-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	B06MB8	72-20-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	B06MB9	72-20-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	7421-93-4	Endrin aldehyde	0.2	ug/L	U	[NULL]	[NULL]	R	B06MB9	7421-93-4	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	7421-93-4	Endrin aldehyde	0.2	ug/L	U	[NULL]	[NULL]	R	B06MB8	7421-93-4	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	16984-48-8	Fluoride	200	ug/L	[NULL]	Q	[NULL]	R	B06MB9	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	5/28/1992 11:00	N	16984-48-8	Fluoride	300	ug/L	[NULL]	Q	[NULL]	R	B06MB8	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	5/28/1992 11:00	N	58-89-9	Gamma-BHC (Lindane)	0.05	ug/L	U	[NULL]	[NULL]	R	B06MB9	58-89-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	58-89-9	Gamma-BHC (Lindane)	0.05	ug/L	U	[NULL]	[NULL]	R	B06MB8	58-89-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	12587-46-1	Gross alpha	2.62	pCi/L	[NULL]	[NULL]	[NULL]	R	B06MB8	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	5/28/1992 11:00	N	12587-46-1	Gross alpha	2.06	pCi/L	[NULL]	[NULL]	[NULL]	R	B06MB9	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	5/28/1992 11:00	N	12587-47-2	Gross beta	2.83	pCi/L	[NULL]	[NULL]	[NULL]	R	B06MB8	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	5/28/1992 11:00	N	12587-47-2	Gross beta	2.78	pCi/L	[NULL]	[NULL]	[NULL]	R	B06MB9	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	5/28/1992 11:00	N	76-44-8	Heptachlor	0.05	ug/L	U	[NULL]	[NULL]	R	B06MB8	76-44-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	76-44-8	Heptachlor	0.05	ug/L	U	[NULL]	[NULL]	R	B06MB9	76-44-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	1024-57-3	Heptachlor epoxide	1	ug/L	U	[NULL]	[NULL]	R	B06MB9	1024-57-3	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	1024-57-3	Heptachlor epoxide	1	ug/L	U	[NULL]	[NULL]	R	B06MB8	1024-57-3	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B06MB8	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-74	5/28/1992 11:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B06MB9	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-74	5/28/1992 11:00	N	7439-89-6	Iron	280	ug/L	[NULL]	[NULL]	[NULL]	R	B06MB9	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	Y	7439-89-6	Iron	20	ug/L	U	[NULL]	[NULL]	R	B06MC2	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	Y	7439-89-6	Iron	20	ug/L	U	[NULL]	[NULL]	R	B06MC3	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	7439-89-6	Iron	340	ug/L	[NULL]	[NULL]	[NULL]	R	B06MB8	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B06MC2	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-74	5/28/1992 11:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B06MB8	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-74	5/28/1992 11:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B06MB9	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-74	5/28/1992 11:00	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B06MC3	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-74	5/28/1992 11:00	N	7439-95-4	Magnesium	18000	ug/L	[NULL]	[NULL]	[NULL]	R	B06MB8	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	Y	7439-95-4	Magnesium	18000	ug/L	[NULL]	[NULL]	[NULL]	R	B06MC3	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	Y	7439-95-4	Magnesium	18000	ug/L	[NULL]	[NULL]	[NULL]	R	B06MC2	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	7439-95-4	Magnesium	18000	ug/L	[NULL]	[NULL]	[NULL]	R	B06MB9	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B06MB9	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B06MC3	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B06MC2	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	7439-96-5	Manganese	11	ug/L	[NULL]	[NULL]	[NULL]	R	B06MB8	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B06MB9	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-74	5/28/1992 11:00	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B06MB8	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-74	5/28/1992 11:00	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B06MC3	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-74	5/28/1992 11:00	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B06MC2	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-74	5/28/1992 11:00	N	72-43-5	Methoxychlor	2	ug/L	U	[NULL]	[NULL]	R	B06MB8	72-43-5	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	72-43-5	Methoxychlor	2	ug/L	U	[NULL]	[NULL]	R	B06MB9	72-43-5	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	7440-02-0	Nickel	35	ug/L	[NULL]	[NULL]	[NULL]	R	B06MB8	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B06MC2	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B06MC3	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	7440-02-0	Nickel	32	ug/L	[NULL]	[NULL]	[NULL]	R	B06MB9	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	14797-55-8	Nitrate	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B06MB9	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	5/28/1992 11:00	N	14797-55-8	Nitrate	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B06MB8	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	5/28/1992 11:00	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B06MB9	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	5/28/1992 11:00	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B06MB8	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	5/28/1992 11:00	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B06MB9	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B06MB8	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B06MB8	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B06MB9	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B06MB9	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	5/28/1992 11:00	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B06MB8	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	5/28/1992 11:00	Y	7440-09-7	Potassium	5400	ug/L	[NULL]	[NULL]	[NULL]	R	B06MC2	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	7440-09-7	Potassium	5300	ug/L	[NULL]	[NULL]	[NULL]	R	B06MB9	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	7440-09-7	Potassium	5700	ug/L	[NULL]	[NULL]	[NULL]	R	B06MB8	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	Y	7440-09-7	Potassium	5200	ug/L	[NULL]	[NULL]	[NULL]	R	B06MC3	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	7440-14-4	Radium	-0.0515	pCi/L	U	[NULL]	[NULL]	R	B06MB9	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-74	5/28/1992 11:00	N	7440-14-4	Radium	-0.0468	pCi/L	U	[NULL]	[NULL]	R	B06MB8	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-74	5/28/1992 11:00	N	13967-48-1	Ruthenium-106	0.729	pCi/L	[NULL]	[NULL]	[NULL]	R	B06MB9	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-74	5/28/1992 11:00	N	13967-48-1	Ruthenium-106	26.6	pCi/L	[NULL]	[NULL]	[NULL]	R	B06MB8	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-74	5/28/1992 11:00	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B06MB8	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-74	5/28/1992 11:00	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B06MB9	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-74	5/28/1992 11:00	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B06MC3	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-74	5/28/1992 11:00	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B06MC2	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-74	5/28/1992 11:00	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B06MB8	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B06MC2	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B06MC3	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B06MB9	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	Y	7440-23-5	Sodium	19000	ug/L	[NULL]	[NULL]	[NULL]	R	B06MC3	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	7440-23-5	Sodium	20000	ug/L	[NULL]	[NULL]	[NULL]	R	B06MB8	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	7440-23-5	Sodium	19000	ug/L	[NULL]	[NULL]	[NULL]	R	B06MB9	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	Y	7440-23-5	Sodium	19000	ug/L	[NULL]	[NULL]	[NULL]	R	B06MC2	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	CONDUCT	Specific Conductance	501	uS/cm	[NULL]	[NULL]	[NULL]	R	B06MC0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	5/28/1992 11:00	N	CONDUCT	Specific Conductance	500	uS/cm	[NULL]	[NULL]	[NULL]	R	B06MB8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	5/28/1992 11:00	N	CONDUCT	Specific Conductance	502	uS/cm	[NULL]	[NULL]	[NULL]	R	B06MB9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	5/28/1992 11:00	N	CONDUCT	Specific Conductance	500	uS/cm	[NULL]	[NULL]	[NULL]	R	B06MC1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	5/28/1992 11:00	N	10098-97-2	Strontium-90	-0.273	pCi/L	U	[NULL]	[NULL]	R	B06MB8	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-74	5/28/1992 11:00	N	10098-97-2	Strontium-90	-0.401	pCi/L	U	[NULL]	[NULL]	R	B06MB9	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-74	5/28/1992 11:00	N	14808-79-8	Sulfate	160000	ug/L	[NULL]	[NULL]	[NULL]	R	B06MB8	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	5/28/1992 11:00	N	14808-79-8	Sulfate	160000	ug/L	[NULL]	[NULL]	[NULL]	R	B06MB9	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	5/28/1992 11:00	N	TEMPERATURE	Temperature	17.8	Deg C	[NULL]	[NULL]	[NULL]	R	B06MB8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	5/28/1992 11:00	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B06MB9	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B06MB8	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B06MB8	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B06MC3	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B06MB9	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B06MC2	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B06MB8	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B06MB9	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B06MC1	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	5/28/1992 11:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B06MB9	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	5/28/1992 11:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B06MB8	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	5/28/1992 11:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B06MC0	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	5/28/1992 11:00	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B06MC0	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	5/28/1992 11:00	N	59473-04-0	Total organic halides	30	ug/L	[NULL]	Y	[NULL]	R	B06MC1	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	5/28/1992 11:00	N	59473-04-0	Total organic halides	20	ug/L	[NULL]	QY	[NULL]	R	B06MB9	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	5/28/1992 11:00	N	59473-04-0	Total organic halides	10	ug/L	U	QY	[NULL]	R	B06MB8	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	5/28/1992 11:00	N	8001-35-2	Toxaphene	2	ug/L	U	[NULL]	[NULL]	R	B06MB8	8001-35-2	DATACH	8080_PESTPCB_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	5/28/1992 11:00	N	8001-35-2	Toxaphene	2	ug/L	U	[NULL]	[NULL]	R	B06MB9	8001-35-2	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B06MB8	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B06MB9	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	10028-17-8	Tritium	33500	pCi/L	[NULL]	[NULL]	[NULL]	R	B06MB8	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-74	5/28/1992 11:00	N	10028-17-8	Tritium	34000	pCi/L	[NULL]	[NULL]	[NULL]	R	B06MB9	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-74	5/28/1992 11:00	N	TURBIDITY	Turbidity	0.6	NTU	[NULL]	Y	[NULL]	R	B06MB9	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-74	5/28/1992 11:00	N	TURBIDITY	Turbidity	0.6	NTU	[NULL]	P	[NULL]	R	B06MB8	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-74	5/28/1992 11:00	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B06MB8	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B06MC2	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B06MC3	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B06MB9	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B06MB8	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B06MC2	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B06MC3	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B06MB9	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/28/1992 11:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.05	ug/L	U	[NULL]	[NULL]	R	B06MB8	319-85-7	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.05	ug/L	U	[NULL]	[NULL]	R	B06MB9	319-85-7	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	5/28/1992 11:00	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	R	B06MC1	PH	FIELD	9040_PH	100-NR-2
199-N-74	5/28/1992 11:00	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	R	B06MB8	PH	FIELD	9040_PH	100-NR-2
199-N-74	5/28/1992 11:00	N	PH	pH Measurement	7.91	unitless	[NULL]	[NULL]	[NULL]	R	B06MB9	PH	FIELD	9040_PH	100-NR-2
199-N-74	5/28/1992 11:00	N	PH	pH Measurement	7.91	unitless	[NULL]	[NULL]	[NULL]	R	B06MC0	PH	FIELD	9040_PH	100-NR-2
199-N-74	8/4/1992 9:00	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07408	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	8/4/1992 9:00	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07408	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	8/4/1992 9:00	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B07408	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	8/4/1992 9:00	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B07408	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	8/4/1992 9:00	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07408	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	8/4/1992 9:00	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07408	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	8/4/1992 9:00	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B07408	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	8/4/1992 9:00	N	72-54-8	4,4'-DDD (Dichlorodiphenyldichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	B07408	72-54-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	8/4/1992 9:00	N	72-55-9	4,4'-DDE (Dichlorodiphenyldichloroethylene)	0.05	ug/L	U	[NULL]	[NULL]	R	B07408	72-55-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	8/4/1992 9:00	N	50-29-3	4,4'-DDT (Dichlorodiphenyltrichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	B07408	50-29-3	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	8/4/1992 9:00	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B07408	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	8/4/1992 9:00	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B07408	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	8/4/1992 9:00	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B07408	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	8/4/1992 9:00	N	309-00-2	Aldrin	0.05	ug/L	U	[NULL]	[NULL]	R	B07408	309-00-2	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	8/4/1992 9:00	N	319-84-6	Alpha-BHC	0.05	ug/L	U	[NULL]	[NULL]	R	B07408	319-84-6	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	8/4/1992 9:00	N	14798-03-9	Ammonium ion	100	ug/L	[NULL]	[NULL]	[NULL]	R	B07408	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-74	8/4/1992 9:00	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B07408	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/4/1992 9:00	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B07412	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/4/1992 9:00	N	14234-35-6	Antimony-125	-4.41	pCi/L	U	[NULL]	[NULL]	R	B07408	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-74	8/4/1992 9:00	Y	7440-38-2	Arsenic	5.9	ug/L	[NULL]	[NULL]	[NULL]	R	B07412	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-74	8/4/1992 9:00	N	7440-38-2	Arsenic	5.9	ug/L	[NULL]	[NULL]	[NULL]	R	B07408	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-74	8/4/1992 9:00	N	7440-39-3	Barium	37	ug/L	[NULL]	[NULL]	[NULL]	R	B07408	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/4/1992 9:00	Y	7440-39-3	Barium	36	ug/L	[NULL]	[NULL]	[NULL]	R	B07412	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	8/4/1992 9:00	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B07408	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/4/1992 9:00	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B07412	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/4/1992 9:00	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B07408	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	8/4/1992 9:00	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B07412	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/4/1992 9:00	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B07408	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/4/1992 9:00	Y	7440-70-2	Calcium	55000	ug/L	[NULL]	[NULL]	[NULL]	R	B07412	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/4/1992 9:00	N	7440-70-2	Calcium	57000	ug/L	[NULL]	[NULL]	[NULL]	R	B07408	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/4/1992 9:00	N	10045-97-3	Cesium-137	-0.274	pCi/L	U	[NULL]	[NULL]	R	B07408	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-74	8/4/1992 9:00	N	57-74-9	Chlordane	0.1	ug/L	U	[NULL]	[NULL]	R	B07408	57-74-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	8/4/1992 9:00	N	16887-00-6	Chloride	7400	ug/L	[NULL]	[NULL]	[NULL]	R	B07408	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	8/4/1992 9:00	N	7440-47-3	Chromium	120	ug/L	[NULL]	[NULL]	[NULL]	R	B07408	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/4/1992 9:00	Y	7440-47-3	Chromium	26	ug/L	[NULL]	[NULL]	[NULL]	R	B07412	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/4/1992 9:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B07408	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/4/1992 9:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B07412	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/4/1992 9:00	N	10198-40-0	Cobalt-60	3.55	pCi/L	[NULL]	[NULL]	[NULL]	R	B07408	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-74	8/4/1992 9:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B07408	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-74	8/4/1992 9:00	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B07408	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/4/1992 9:00	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B07412	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/4/1992 9:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	B07408	319-86-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	8/4/1992 9:00	N	60-57-1	Dieldrin	0.05	ug/L	U	[NULL]	[NULL]	R	B07408	60-57-1	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	8/4/1992 9:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B07408	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	8/4/1992 9:00	N	959-98-8	Endosulfan I	0.1	ug/L	U	[NULL]	[NULL]	R	B07408	959-98-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	8/4/1992 9:00	N	33213-65-9	Endosulfan II	0.05	ug/L	U	[NULL]	[NULL]	R	B07408	33213-65-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	8/4/1992 9:00	N	1031-07-8	Endosulfan sulfate	0.5	ug/L	U	[NULL]	[NULL]	R	B07408	1031-07-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	8/4/1992 9:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	B07408	72-20-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	8/4/1992 9:00	N	7421-93-4	Endrin aldehyde	0.2	ug/L	U	[NULL]	[NULL]	R	B07408	7421-93-4	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	8/4/1992 9:00	N	16984-48-8	Fluoride	200	ug/L	[NULL]	[NULL]	[NULL]	R	B07408	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	8/4/1992 9:00	N	58-89-9	Gamma-BHC (Lindane)	0.05	ug/L	U	[NULL]	[NULL]	R	B07408	58-89-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	8/4/1992 9:00	N	12587-46-1	Gross alpha	2.27	pCi/L	[NULL]	[NULL]	[NULL]	R	B07408	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	8/4/1992 9:00	N	12587-47-2	Gross beta	4.7	pCi/L	[NULL]	[NULL]	[NULL]	R	B07408	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	8/4/1992 9:00	N	76-44-8	Heptachlor	0.05	ug/L	U	[NULL]	[NULL]	R	B07408	76-44-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	8/4/1992 9:00	N	1024-57-3	Heptachlor epoxide	1	ug/L	U	[NULL]	[NULL]	R	B07408	1024-57-3	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	8/4/1992 9:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B07408	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-74	8/4/1992 9:00	Y	7439-89-6	Iron	20	ug/L	U	[NULL]	[NULL]	R	B07412	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/4/1992 9:00	N	7439-89-6	Iron	490	ug/L	[NULL]	[NULL]	[NULL]	R	B07408	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/4/1992 9:00	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B07412	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-74	8/4/1992 9:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B07408	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-74	8/4/1992 9:00	N	7439-95-4	Magnesium	16000	ug/L	[NULL]	[NULL]	[NULL]	R	B07408	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/4/1992 9:00	Y	7439-95-4	Magnesium	16000	ug/L	[NULL]	[NULL]	[NULL]	R	B07412	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/4/1992 9:00	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B07412	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/4/1992 9:00	N	7439-96-5	Manganese	12	ug/L	[NULL]	[NULL]	[NULL]	R	B07408	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/4/1992 9:00	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B07408	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-74	8/4/1992 9:00	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B07412	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-74	8/4/1992 9:00	N	72-43-5	Methoxychlor	2	ug/L	U	[NULL]	[NULL]	R	B07408	72-43-5	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	8/4/1992 9:00	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B07408	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/4/1992 9:00	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B07412	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/4/1992 9:00	N	14797-55-8	Nitrate	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B07408	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	8/4/1992 9:00	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B07408	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	8/4/1992 9:00	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B07408	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	8/4/1992 9:00	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B07408	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	8/4/1992 9:00	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B07408	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	8/4/1992 9:00	N	7440-09-7	Potassium	4700	ug/L	[NULL]	[NULL]	[NULL]	R	B07408	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/4/1992 9:00	Y	7440-09-7	Potassium	4800	ug/L	[NULL]	[NULL]	[NULL]	R	B07412	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	8/4/1992 9:00	N	7440-14-4	Radium	0.0097	pCi/L	[NULL]	[NULL]	[NULL]	R	B07408	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-74	8/4/1992 9:00	N	13967-48-1	Ruthenium-106	-24.2	pCi/L	U	[NULL]	[NULL]	R	B07408	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-74	8/4/1992 9:00	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B07408	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-74	8/4/1992 9:00	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B07412	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-74	8/4/1992 9:00	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B07412	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/4/1992 9:00	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B07408	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/4/1992 9:00	N	7440-23-5	Sodium	19000	ug/L	[NULL]	[NULL]	[NULL]	R	B07408	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/4/1992 9:00	Y	7440-23-5	Sodium	18000	ug/L	[NULL]	[NULL]	[NULL]	R	B07412	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/4/1992 9:00	N	CONDUCT	Specific Conductance	513	uS/cm	[NULL]	[NULL]	[NULL]	R	B07410	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	8/4/1992 9:00	N	CONDUCT	Specific Conductance	513	uS/cm	[NULL]	[NULL]	[NULL]	R	B07408	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	8/4/1992 9:00	N	CONDUCT	Specific Conductance	512	uS/cm	[NULL]	[NULL]	[NULL]	R	B07409	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	8/4/1992 9:00	N	CONDUCT	Specific Conductance	512	uS/cm	[NULL]	[NULL]	[NULL]	R	B07411	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	8/4/1992 9:00	N	10098-97-2	Strontium-90	-0.431	pCi/L	U	[NULL]	[NULL]	R	B07408	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-74	8/4/1992 9:00	N	14808-79-8	Sulfate	160000	ug/L	[NULL]	[NULL]	[NULL]	R	B07408	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	8/4/1992 9:00	N	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	R	B07411	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	8/4/1992 9:00	N	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	R	B07409	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	8/4/1992 9:00	N	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	R	B07408	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	8/4/1992 9:00	N	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	R	B07410	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	8/4/1992 9:00	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B07408	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	8/4/1992 9:00	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B07412	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/4/1992 9:00	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B07408	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/4/1992 9:00	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B07408	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	8/4/1992 9:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07411	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	8/4/1992 9:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07408	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	8/4/1992 9:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07410	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	8/4/1992 9:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07409	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	8/4/1992 9:00	N	59473-04-0	Total organic halides	10	ug/L	U	RY	[NULL]	R	B07408	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	8/4/1992 9:00	N	59473-04-0	Total organic halides	10	ug/L	U	RY	[NULL]	R	B07409	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	8/4/1992 9:00	N	59473-04-0	Total organic halides	10	ug/L	U	RY	[NULL]	R	B07410	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	8/4/1992 9:00	N	59473-04-0	Total organic halides	10	ug/L	U	RY	[NULL]	R	B07411	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	8/4/1992 9:00	N	8001-35-2	Toxaphene	2	ug/L	U	[NULL]	[NULL]	R	B07408	8001-35-2	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	8/4/1992 9:00	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07408	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	8/4/1992 9:00	N	10028-17-8	Tritium	33700	pCi/L	[NULL]	[NULL]	[NULL]	R	B07408	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-74	8/4/1992 9:00	N	TURBIDITY	Turbidity	0.5	NTU	[NULL]	[NULL]	[NULL]	R	B07408	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-74	8/4/1992 9:00	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B07412	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/4/1992 9:00	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B07408	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/4/1992 9:00	N	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B07408	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/4/1992 9:00	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B07412	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/4/1992 9:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.05	ug/L	U	[NULL]	[NULL]	R	B07408	319-85-7	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	8/4/1992 9:00	N	PH	pH Measurement	7.93	unitless	[NULL]	[NULL]	[NULL]	R	B07408	PH	FIELD	9040_PH	100-NR-2
199-N-74	8/4/1992 9:00	N	PH	pH Measurement	7.92	unitless	[NULL]	[NULL]	[NULL]	R	B07409	PH	FIELD	9040_PH	100-NR-2
199-N-74	8/4/1992 9:00	N	PH	pH Measurement	7.93	unitless	[NULL]	[NULL]	[NULL]	R	B07410	PH	FIELD	9040_PH	100-NR-2
199-N-74	8/4/1992 9:00	N	PH	pH Measurement	7.92	unitless	[NULL]	[NULL]	[NULL]	R	B07411	PH	FIELD	9040_PH	100-NR-2
199-N-74	11/20/1992 9:30	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	B07P61	93-76-5	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-74	11/20/1992 9:30	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	B07P61	93-72-1	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-74	11/20/1992 9:30	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07P56	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	11/20/1992 9:30	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	10	ug/L	U	[NULL]	[NULL]	R	B07P61	94-75-7	DATACH	8150_HERBICIDE_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	11/20/1992 9:30	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07P56	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	11/20/1992 9:30	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B07P56	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	11/20/1992 9:30	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B07P56	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	11/20/1992 9:30	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07P56	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	11/20/1992 9:30	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07P56	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	11/20/1992 9:30	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B07P56	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	11/20/1992 9:30	N	72-54-8	4,4'-DDD (Dichlorodiphenyldichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	B07P61	72-54-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	11/20/1992 9:30	N	72-55-9	4,4'-DDE (Dichlorodiphenyldichloroethylene)	0.05	ug/L	U	[NULL]	[NULL]	R	B07P61	72-55-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	11/20/1992 9:30	N	50-29-3	4,4'-DDT (Dichlorodiphenyltrichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	B07P61	50-29-3	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	11/20/1992 9:30	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B07P56	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	11/20/1992 9:30	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B07P56	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	11/20/1992 9:30	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B07P56	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	11/20/1992 9:30	N	309-00-2	Aldrin	0.05	ug/L	U	[NULL]	[NULL]	R	B07P61	309-00-2	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	11/20/1992 9:30	N	319-84-6	Alpha-BHC	0.05	ug/L	U	[NULL]	[NULL]	R	B07P61	319-84-6	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	11/20/1992 9:30	N	14596-10-2	Americium-241	0.026	pCi/L	U	[NULL]	[NULL]	R	B07P61	14596-10-2	ITASRL	AMCMISO_AEA	100-NR-2
199-N-74	11/20/1992 9:30	N	14798-03-9	Ammonium ion	200	ug/L	[NULL]	[NULL]	[NULL]	R	B07P56	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-74	11/20/1992 9:30	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B07P60	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	11/20/1992 9:30	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B07P56	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	11/20/1992 9:30	N	14234-35-6	Antimony-125	0.524	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P56	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-74	11/20/1992 9:30	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B07P60	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-74	11/20/1992 9:30	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B07P56	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-74	11/20/1992 9:30	Y	7440-39-3	Barium	40	ug/L	[NULL]	[NULL]	[NULL]	R	B07P60	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	11/20/1992 9:30	N	7440-39-3	Barium	40	ug/L	[NULL]	[NULL]	[NULL]	R	B07P56	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	11/20/1992 9:30	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B07P60	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	11/20/1992 9:30	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B07P56	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	11/20/1992 9:30	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B07P56	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	11/20/1992 9:30	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B07P56	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	11/20/1992 9:30	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B07P60	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	11/20/1992 9:30	Y	7440-70-2	Calcium	55000	ug/L	[NULL]	[NULL]	[NULL]	R	B07P60	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	11/20/1992 9:30	N	7440-70-2	Calcium	55000	ug/L	[NULL]	[NULL]	[NULL]	R	B07P56	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	11/20/1992 9:30	N	14762-75-5	Carbon-14	154	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P56	14762-75-5	ITASRL	C14_PRECIP_LSC	100-NR-2
199-N-74	11/20/1992 9:30	N	10045-97-3	Cesium-137	2.43	pCi/L	U	[NULL]	[NULL]	R	B07P56	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-74	11/20/1992 9:30	N	57-74-9	Chlordane	0.1	ug/L	U	[NULL]	[NULL]	R	B07P61	57-74-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	11/20/1992 9:30	N	16887-00-6	Chloride	7600	ug/L	[NULL]	[NULL]	[NULL]	R	B07P56	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	11/20/1992 9:30	Y	7440-47-3	Chromium	20	ug/L	[NULL]	[NULL]	[NULL]	R	B07P60	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	11/20/1992 9:30	N	7440-47-3	Chromium	40	ug/L	[NULL]	[NULL]	[NULL]	R	B07P56	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	11/20/1992 9:30	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B07P60	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	11/20/1992 9:30	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B07P56	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	11/20/1992 9:30	N	10198-40-0	Cobalt-60	6.12	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P56	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-74	11/20/1992 9:30	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B07P56	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-74	11/20/1992 9:30	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B07P60	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	11/20/1992 9:30	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B07P56	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	11/20/1992 9:30	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	B07P61	319-86-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	11/20/1992 9:30	N	60-57-1	Dieldrin	0.05	ug/L	U	[NULL]	[NULL]	R	B07P61	60-57-1	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	11/20/1992 9:30	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B07P56	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	11/20/1992 9:30	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1	ug/L	U	[NULL]	[NULL]	R	B07P61	88-85-7	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-74	11/20/1992 9:30	N	959-98-8	Endosulfan I	0.1	ug/L	U	[NULL]	[NULL]	R	B07P61	959-98-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	11/20/1992 9:30	N	33213-65-9	Endosulfan II	0.05	ug/L	U	[NULL]	[NULL]	R	B07P61	33213-65-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	11/20/1992 9:30	N	1031-07-8	Endosulfan sulfate	0.5	ug/L	U	[NULL]	[NULL]	R	B07P61	1031-07-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	11/20/1992 9:30	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	B07P61	72-20-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	11/20/1992 9:30	N	7421-93-4	Endrin aldehyde	0.2	ug/L	U	[NULL]	[NULL]	R	B07P61	7421-93-4	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	11/20/1992 9:30	N	16984-48-8	Fluoride	300	ug/L	[NULL]	[NULL]	[NULL]	R	B07P56	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	11/20/1992 9:30	N	58-89-9	Gamma-BHC (Lindane)	0.05	ug/L	U	[NULL]	[NULL]	R	B07P61	58-89-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	11/20/1992 9:30	N	12587-46-1	Gross alpha	2.32	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P56	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	11/20/1992 9:30	N	12587-47-2	Gross beta	6.12	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P56	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	11/20/1992 9:30	N	76-44-8	Heptachlor	0.05	ug/L	U	[NULL]	[NULL]	R	B07P61	76-44-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	11/20/1992 9:30	N	1024-57-3	Heptachlor epoxide	1	ug/L	U	[NULL]	[NULL]	R	B07P61	1024-57-3	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	11/20/1992 9:30	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B07P56	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-74	11/20/1992 9:30	N	7439-89-6	Iron	90	ug/L	[NULL]	[NULL]	[NULL]	R	B07P56	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	11/20/1992 9:30	Y	7439-89-6	Iron	30	ug/L	[NULL]	[NULL]	[NULL]	R	B07P60	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	11/20/1992 9:30	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B07P56	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-74	11/20/1992 9:30	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B07P60	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-74	11/20/1992 9:30	N	7439-95-4	Magnesium	17000	ug/L	[NULL]	[NULL]	[NULL]	R	B07P56	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	11/20/1992 9:30	Y	7439-95-4	Magnesium	17000	ug/L	[NULL]	[NULL]	[NULL]	R	B07P60	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	11/20/1992 9:30	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B07P60	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	11/20/1992 9:30	N	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B07P56	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	11/20/1992 9:30	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B07P60	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-74	11/20/1992 9:30	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B07P56	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-74	11/20/1992 9:30	N	72-43-5	Methoxychlor	2	ug/L	U	[NULL]	[NULL]	R	B07P61	72-43-5	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	11/20/1992 9:30	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B07P60	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	11/20/1992 9:30	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B07P56	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	11/20/1992 9:30	N	14797-55-8	Nitrate	11000	ug/L	[NULL]	[NULL]	[NULL]	R	B07P56	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	11/20/1992 9:30	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B07P56	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	11/20/1992 9:30	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B07P56	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	11/20/1992 9:30	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B07P56	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	11/20/1992 9:30	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B07P56	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	11/20/1992 9:30	N	13981-16-3	Plutonium-238	-0.007	pCi/L	U	[NULL]	[NULL]	R	B07P61	13981-16-3	ITASRL	PUISO_IE_AEA	100-NR-2
199-N-74	11/20/1992 9:30	N	PU-239/240	Plutonium-239/240	0.019	pCi/L	U	[NULL]	[NULL]	R	B07P61	PU-239/240	ITASRL	PUISO_IE_AEA	100-NR-2
199-N-74	11/20/1992 9:30	N	7440-09-7	Potassium	4700	ug/L	[NULL]	[NULL]	[NULL]	R	B07P56	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	11/20/1992 9:30	Y	7440-09-7	Potassium	5000	ug/L	[NULL]	[NULL]	[NULL]	R	B07P60	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	11/20/1992 9:30	N	7440-14-4	Radium	-0.048	pCi/L	U	[NULL]	[NULL]	R	B07P56	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-74	11/20/1992 9:30	N	13967-48-1	Ruthenium-106	49.1	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P56	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-74	11/20/1992 9:30	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B07P56	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-74	11/20/1992 9:30	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B07P60	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-74	11/20/1992 9:30	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B07P60	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	11/20/1992 9:30	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B07P56	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	11/20/1992 9:30	N	7440-23-5	Sodium	18000	ug/L	[NULL]	[NULL]	[NULL]	R	B07P56	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	11/20/1992 9:30	Y	7440-23-5	Sodium	18000	ug/L	[NULL]	[NULL]	[NULL]	R	B07P60	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	11/20/1992 9:30	N	CONDUCT	Specific Conductance	500	uS/cm	[NULL]	[NULL]	[NULL]	R	B07P61	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-74	11/20/1992 9:30	N	CONDUCT	Specific Conductance	512	uS/cm	[NULL]	[NULL]	[NULL]	R	B07P59	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	11/20/1992 9:30	N	CONDUCT	Specific Conductance	512	uS/cm	[NULL]	[NULL]	[NULL]	R	B07P58	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	11/20/1992 9:30	N	CONDUCT	Specific Conductance	512	uS/cm	[NULL]	[NULL]	[NULL]	R	B07P57	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	11/20/1992 9:30	N	CONDUCT	Specific Conductance	510	uS/cm	[NULL]	[NULL]	[NULL]	R	B07P56	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	11/20/1992 9:30	N	10098-97-2	Strontium-90	-0.188	pCi/L	U	[NULL]	[NULL]	R	B07P56	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-74	11/20/1992 9:30	N	14808-79-8	Sulfate	150000	ug/L	[NULL]	[NULL]	[NULL]	R	B07P56	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	11/20/1992 9:30	N	TEMPERATURE	Temperature	17.8	Deg C	[NULL]	[NULL]	[NULL]	R	B07P58	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	11/20/1992 9:30	N	TEMPERATURE	Temperature	17.8	Deg C	[NULL]	[NULL]	[NULL]	R	B07P56	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	11/20/1992 9:30	N	TEMPERATURE	Temperature	17.8	Deg C	[NULL]	[NULL]	[NULL]	R	B07P59	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	11/20/1992 9:30	N	TEMPERATURE	Temperature	17.8	Deg C	[NULL]	[NULL]	[NULL]	R	B07P57	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	11/20/1992 9:30	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B07P56	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	11/20/1992 9:30	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B07P60	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	11/20/1992 9:30	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B07P56	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	11/20/1992 9:30	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B07P56	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	11/20/1992 9:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07P56	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	11/20/1992 9:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07P58	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	11/20/1992 9:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07P57	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	11/20/1992 9:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07P59	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	11/20/1992 9:30	N	59473-04-0	Total organic halides	10	ug/L	[NULL]	Y	[NULL]	R	B07P58	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	11/20/1992 9:30	N	59473-04-0	Total organic halides	20	ug/L	[NULL]	Y	[NULL]	R	B07P59	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	11/20/1992 9:30	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B07P57	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	11/20/1992 9:30	N	59473-04-0	Total organic halides	10	ug/L	[NULL]	Y	[NULL]	R	B07P56	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	11/20/1992 9:30	N	8001-35-2	Toxaphene	2	ug/L	U	[NULL]	[NULL]	R	B07P61	8001-35-2	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	11/20/1992 9:30	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07P56	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	11/20/1992 9:30	N	10028-17-8	Tritium	32100	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P56	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-74	11/20/1992 9:30	N	TURBIDITY	Turbidity	0.2	NTU	[NULL]	[NULL]	[NULL]	R	B07P56	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-74	11/20/1992 9:30	N	13966-29-5	Uranium-234	0.964	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P56	13966-29-5	ITASRL	UISO_IE_AEA	100-NR-2
199-N-74	11/20/1992 9:30	N	15117-96-1	Uranium-235	0.014	pCi/L	U	[NULL]	[NULL]	R	B07P56	15117-96-1	ITASRL	UISO_IE_AEA	100-NR-2
199-N-74	11/20/1992 9:30	N	U-238	Uranium-238	0.702	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P56	U-238	ITASRL	UISO_IE_AEA	100-NR-2
199-N-74	11/20/1992 9:30	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B07P56	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	11/20/1992 9:30	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B07P60	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	11/20/1992 9:30	N	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B07P56	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	11/20/1992 9:30	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B07P60	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	11/20/1992 9:30	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.05	ug/L	U	[NULL]	[NULL]	R	B07P61	319-85-7	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-74	11/20/1992 9:30	N	PH	pH Measurement	7.96	unitless	[NULL]	[NULL]	[NULL]	R	B07P59	PH	FIELD	9040_PH	100-NR-2
199-N-74	11/20/1992 9:30	N	PH	pH Measurement	7.96	unitless	[NULL]	[NULL]	[NULL]	R	B07P58	PH	FIELD	9040_PH	100-NR-2
199-N-74	11/20/1992 9:30	N	PH	pH Measurement	7.94	unitless	[NULL]	[NULL]	[NULL]	R	B07P57	PH	FIELD	9040_PH	100-NR-2
199-N-74	11/20/1992 9:30	N	PH	pH Measurement	7.94	unitless	[NULL]	[NULL]	[NULL]	R	B07P56	PH	FIELD	9040_PH	100-NR-2
199-N-74	11/20/1992 9:30	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B07P61	PH	DATACH	D1293_PH	100-NR-2
199-N-74	3/24/1993 10:00	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085T3	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/24/1993 10:00	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085T3	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/24/1993 10:00	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B085T3	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/24/1993 10:00	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B085T3	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/24/1993 10:00	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085T3	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/24/1993 10:00	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085T3	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/24/1993 10:00	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B085T3	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/24/1993 10:00	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B085T3	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/24/1993 10:00	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B085T3	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/24/1993 10:00	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B085T3	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/24/1993 10:00	N	14798-03-9	Ammonium ion	100	ug/L	U	[NULL]	[NULL]	R	B085T3	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-74	3/24/1993 10:00	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B085T7	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/24/1993 10:00	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B085T3	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/24/1993 10:00	N	14234-35-6	Antimony-125	-3.69	pCi/L	U	[NULL]	[NULL]	R	B085T3	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-74	3/24/1993 10:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B085T3	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-74	3/24/1993 10:00	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B085T7	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-74	3/24/1993 10:00	N	7440-39-3	Barium	40	ug/L	[NULL]	[NULL]	[NULL]	R	B085T3	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/24/1993 10:00	Y	7440-39-3	Barium	40	ug/L	[NULL]	[NULL]	[NULL]	R	B085T7	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/24/1993 10:00	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B085T7	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/24/1993 10:00	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B085T3	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/24/1993 10:00	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B085T3	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	3/24/1993 10:00	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B085T3	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/24/1993 10:00	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B085T7	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	3/24/1993 10:00	Y	7440-70-2	Calcium	55000	ug/L	[NULL]	[NULL]	[NULL]	R	B085T7	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/24/1993 10:00	N	7440-70-2	Calcium	55000	ug/L	[NULL]	[NULL]	[NULL]	R	B085T3	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/24/1993 10:00	N	10045-97-3	Cesium-137	2.34	pCi/L	U	[NULL]	[NULL]	R	B085T3	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-74	3/24/1993 10:00	N	16887-00-6	Chloride	7100	ug/L	[NULL]	[NULL]	[NULL]	R	B085T3	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	3/24/1993 10:00	Y	7440-47-3	Chromium	20	ug/L	[NULL]	[NULL]	[NULL]	R	B085T7	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/24/1993 10:00	N	7440-47-3	Chromium	240	ug/L	[NULL]	[NULL]	[NULL]	R	B085T3	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/24/1993 10:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B085T7	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/24/1993 10:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B085T3	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/24/1993 10:00	N	10198-40-0	Cobalt-60	0	pCi/L	U	[NULL]	[NULL]	R	B085T3	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-74	3/24/1993 10:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B085T3	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-74	3/24/1993 10:00	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B085T3	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/24/1993 10:00	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B085T7	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/24/1993 10:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B085T3	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/24/1993 10:00	N	16984-48-8	Fluoride	400	ug/L	[NULL]	[NULL]	[NULL]	R	B085T3	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	3/24/1993 10:00	N	12587-46-1	Gross alpha	1.37	pCi/L	U	[NULL]	[NULL]	R	B085T3	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	3/24/1993 10:00	N	12587-47-2	Gross beta	6.14	pCi/L	[NULL]	[NULL]	[NULL]	R	B085T3	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	3/24/1993 10:00	N	302-01-2	Hydrazine	1.89	ug/L	U	[NULL]	[NULL]	R	B085T3	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-74	3/24/1993 10:00	Y	7439-89-6	Iron	30	ug/L	[NULL]	[NULL]	[NULL]	R	B085T7	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/24/1993 10:00	N	7439-89-6	Iron	900	ug/L	[NULL]	[NULL]	[NULL]	R	B085T3	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/24/1993 10:00	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B085T7	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-74	3/24/1993 10:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B085T3	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-74	3/24/1993 10:00	N	7439-95-4	Magnesium	16000	ug/L	[NULL]	[NULL]	[NULL]	R	B085T3	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/24/1993 10:00	Y	7439-95-4	Magnesium	16000	ug/L	[NULL]	[NULL]	[NULL]	R	B085T7	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/24/1993 10:00	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B085T7	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/24/1993 10:00	N	7439-96-5	Manganese	20	ug/L	[NULL]	[NULL]	[NULL]	R	B085T3	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/24/1993 10:00	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B085T7	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-74	3/24/1993 10:00	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B085T3	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-74	3/24/1993 10:00	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B085T7	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/24/1993 10:00	N	7440-02-0	Nickel	100	ug/L	[NULL]	[NULL]	[NULL]	R	B085T3	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/24/1993 10:00	N	14797-55-8	Nitrate	11000	ug/L	[NULL]	[NULL]	[NULL]	R	B085T3	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	3/24/1993 10:00	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B085T3	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	3/24/1993 10:00	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B085T3	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/24/1993 10:00	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B085T3	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/24/1993 10:00	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B085T3	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	3/24/1993 10:00	N	7440-09-7	Potassium	4700	ug/L	[NULL]	[NULL]	[NULL]	R	B085T3	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/24/1993 10:00	Y	7440-09-7	Potassium	5000	ug/L	[NULL]	[NULL]	[NULL]	R	B085T7	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/24/1993 10:00	N	7440-14-4	Radium	-0.082	pCi/L	U	[NULL]	[NULL]	R	B085T3	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-74	3/24/1993 10:00	N	13967-48-1	Ruthenium-106	-0.737	pCi/L	U	[NULL]	[NULL]	R	B085T3	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-74	3/24/1993 10:00	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B085T3	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-74	3/24/1993 10:00	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B085T7	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-74	3/24/1993 10:00	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B085T3	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/24/1993 10:00	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B085T7	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/24/1993 10:00	Y	7440-23-5	Sodium	18000	ug/L	[NULL]	[NULL]	[NULL]	R	B085T7	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/24/1993 10:00	N	7440-23-5	Sodium	18000	ug/L	[NULL]	[NULL]	[NULL]	R	B085T3	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/24/1993 10:00	N	CONDUCT	Specific Conductance	480	uS/cm	[NULL]	[NULL]	[NULL]	R	B085X3	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-74	3/24/1993 10:00	N	CONDUCT	Specific Conductance	483	uS/cm	[NULL]	[NULL]	[NULL]	R	B085T6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/24/1993 10:00	N	CONDUCT	Specific Conductance	481	uS/cm	[NULL]	[NULL]	[NULL]	R	B085T5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/24/1993 10:00	N	CONDUCT	Specific Conductance	479	uS/cm	[NULL]	[NULL]	[NULL]	R	B085T4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/24/1993 10:00	N	CONDUCT	Specific Conductance	486	uS/cm	[NULL]	[NULL]	[NULL]	R	B085T3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/24/1993 10:00	N	10098-97-2	Strontium-90	-0.441	pCi/L	U	[NULL]	[NULL]	R	B085T3	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-74	3/24/1993 10:00	N	14808-79-8	Sulfate	140000	ug/L	[NULL]	[NULL]	[NULL]	R	B085T3	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	3/24/1993 10:00	N	TEMPERATURE	Temperature	16.6	Deg C	[NULL]	[NULL]	[NULL]	R	B085T3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/24/1993 10:00	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B085T3	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	3/24/1993 10:00	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B085T3	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/24/1993 10:00	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B085T7	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/24/1993 10:00	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B085T3	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/24/1993 10:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B085T6	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	3/24/1993 10:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B085T3	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	3/24/1993 10:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B085T5	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	3/24/1993 10:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B085T4	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	3/24/1993 10:00	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B085T5	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	3/24/1993 10:00	N	59473-04-0	Total organic halides	10	ug/L	[NULL]	Y	[NULL]	R	B085T4	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	3/24/1993 10:00	N	59473-04-0	Total organic halides	10	ug/L	[NULL]	Y	[NULL]	R	B085T3	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	3/24/1993 10:00	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B085T6	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	3/24/1993 10:00	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085T3	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/24/1993 10:00	N	10028-17-8	Tritium	29800	pCi/L	[NULL]	[NULL]	[NULL]	R	B085T3	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-74	3/24/1993 10:00	N	TURBIDITY	Turbidity	0.4	NTU	[NULL]	[NULL]	[NULL]	R	B085T3	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-74	3/24/1993 10:00	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B085T3	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/24/1993 10:00	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B085T7	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/24/1993 10:00	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B085T7	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/24/1993 10:00	N	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B085T3	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/24/1993 10:00	N	PH	pH Measurement	8.18	unitless	[NULL]	[NULL]	[NULL]	R	B085T5	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/24/1993 10:00	N	PH	pH Measurement	8.16	unitless	[NULL]	[NULL]	[NULL]	R	B085T4	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/24/1993 10:00	N	PH	pH Measurement	8.18	unitless	[NULL]	[NULL]	[NULL]	R	B085T3	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/24/1993 10:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B085X3	PH	DATACH	D1293_PH	100-NR-2
199-N-74	3/24/1993 10:00	N	PH	pH Measurement	8.21	unitless	[NULL]	[NULL]	[NULL]	R	B085T6	PH	FIELD	9040_PH	100-NR-2
199-N-74	5/27/1993 8:30	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08LL8	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/27/1993 8:30	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08LL9	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/27/1993 8:30	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08LL9	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/27/1993 8:30	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08LL8	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/27/1993 8:30	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B08LL9	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/27/1993 8:30	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B08LL8	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/27/1993 8:30	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B08LL8	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/27/1993 8:30	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B08LL9	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/27/1993 8:30	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08LL9	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/27/1993 8:30	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08LL8	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/27/1993 8:30	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08LL8	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/27/1993 8:30	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08LL9	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/27/1993 8:30	N	88-75-5	2-Nitrophenol	1.56	ug/L	U	[NULL]	[NULL]	R	B08LL8	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/27/1993 8:30	N	88-75-5	2-Nitrophenol	1.56	ug/L	U	[NULL]	[NULL]	R	B08LL9	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/27/1993 8:30	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B08LL8	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/27/1993 8:30	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B08LL9	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/27/1993 8:30	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B08LL9	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/27/1993 8:30	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B08LL8	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/27/1993 8:30	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B08LL8	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/27/1993 8:30	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B08LL9	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/27/1993 8:30	Y	7429-90-5	Aluminum	54	ug/L	L	Q	[NULL]	R	B08LM7	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	7429-90-5	Aluminum	64	ug/L	L	Q	[NULL]	R	B08LL9	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	Y	7429-90-5	Aluminum	55	ug/L	L	Q	[NULL]	R	B08LM6	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	7429-90-5	Aluminum	40	ug/L	L	Q	[NULL]	R	B08LL8	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	14798-03-9	Ammonium ion	100	ug/L	[NULL]	Q	[NULL]	R	B08LL9	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-74	5/27/1993 8:30	N	14798-03-9	Ammonium ion	60	ug/L	L	Q	[NULL]	R	B08LL8	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-74	5/27/1993 8:30	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B08LM7	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B08LM6	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B08LL8	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B08LL9	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	5/27/1993 8:30	N	14234-35-6	Antimony-125	3.91	pCi/L	U	[NULL]	[NULL]	R	B08LL9	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-74	5/27/1993 8:30	N	14234-35-6	Antimony-125	-2.14	pCi/L	U	[NULL]	[NULL]	R	B08LL8	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-74	5/27/1993 8:30	N	7440-38-2	Arsenic	4	ug/L	L	[NULL]	[NULL]	R	B08LL9	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-74	5/27/1993 8:30	N	7440-38-2	Arsenic	4	ug/L	L	[NULL]	[NULL]	R	B08LL8	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-74	5/27/1993 8:30	Y	7440-38-2	Arsenic	4	ug/L	L	[NULL]	[NULL]	R	B08LM7	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-74	5/27/1993 8:30	Y	7440-38-2	Arsenic	4	ug/L	L	[NULL]	[NULL]	R	B08LM6	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-74	5/27/1993 8:30	N	7440-39-3	Barium	30	ug/L	[NULL]	[NULL]	[NULL]	R	B08LL9	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	7440-39-3	Barium	30	ug/L	[NULL]	[NULL]	[NULL]	R	B08LL8	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	Y	7440-39-3	Barium	30	ug/L	[NULL]	[NULL]	[NULL]	R	B08LM7	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	Y	7440-39-3	Barium	30	ug/L	[NULL]	[NULL]	[NULL]	R	B08LM6	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B08LL8	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B08LM6	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B08LM7	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B08LL9	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	24959-67-9	Bromide	60	ug/L	L	[NULL]	[NULL]	R	B08LL9	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	5/27/1993 8:30	N	24959-67-9	Bromide	54	ug/L	L	[NULL]	[NULL]	R	B08LL8	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	5/27/1993 8:30	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B08LL9	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B08LM6	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B08LM7	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B08LL8	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	Y	7440-70-2	Calcium	49000	ug/L	[NULL]	Q	[NULL]	R	B08LM6	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	Y	7440-70-2	Calcium	51000	ug/L	[NULL]	Q	[NULL]	R	B08LM7	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	7440-70-2	Calcium	49000	ug/L	[NULL]	Q	[NULL]	R	B08LL8	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	7440-70-2	Calcium	49000	ug/L	[NULL]	Q	[NULL]	R	B08LL9	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	10045-97-3	Cesium-137	0.732	pCi/L	U	Q	[NULL]	R	B08LL9	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-74	5/27/1993 8:30	N	10045-97-3	Cesium-137	7.48	pCi/L	[NULL]	Q	[NULL]	R	B08LL8	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-74	5/27/1993 8:30	N	16887-00-6	Chloride	7400	ug/L	[NULL]	[NULL]	[NULL]	R	B08LL8	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	5/27/1993 8:30	N	16887-00-6	Chloride	7400	ug/L	[NULL]	[NULL]	[NULL]	R	B08LL9	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	5/27/1993 8:30	N	7440-47-3	Chromium	110	ug/L	[NULL]	Q	[NULL]	R	B08LL8	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	Y	7440-47-3	Chromium	18	ug/L	L	Q	[NULL]	R	B08LM6	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	Y	7440-47-3	Chromium	30	ug/L	[NULL]	Q	[NULL]	R	B08LM7	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	7440-47-3	Chromium	70	ug/L	[NULL]	Q	[NULL]	R	B08LL9	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B08LL9	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B08LL8	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B08LM7	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B08LM6	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	10198-40-0	Cobalt-60	-6.05	pCi/L	U	Q	[NULL]	R	B08LL9	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-74	5/27/1993 8:30	N	10198-40-0	Cobalt-60	6.2	pCi/L	[NULL]	Q	[NULL]	R	B08LL8	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-74	5/27/1993 8:30	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B08LL8	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-74	5/27/1993 8:30	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B08LL9	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-74	5/27/1993 8:30	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B08LL8	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B08LM7	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B08LM6	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B08LL9	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B08LL9	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/27/1993 8:30	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B08LL8	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/27/1993 8:30	N	16984-48-8	Fluoride	500	ug/L	[NULL]	[NULL]	[NULL]	R	B08LL9	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	5/27/1993 8:30	N	16984-48-8	Fluoride	500	ug/L	[NULL]	[NULL]	[NULL]	R	B08LL8	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	5/27/1993 8:30	N	12587-46-1	Gross alpha	1.57	pCi/L	[NULL]	Q	[NULL]	R	B08LL9	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	5/27/1993 8:30	N	12587-46-1	Gross alpha	0.876	pCi/L	U	Q	[NULL]	R	B08LL8	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	5/27/1993 8:30	N	12587-47-2	Gross beta	5.26	pCi/L	[NULL]	[NULL]	[NULL]	R	B08LL9	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	5/27/1993 8:30	N	12587-47-2	Gross beta	5.79	pCi/L	[NULL]	[NULL]	[NULL]	R	B08LL8	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	5/27/1993 8:30	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B08LL9	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-74	5/27/1993 8:30	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B08LL8	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-74	5/27/1993 8:30	N	7439-89-6	Iron	190	ug/L	[NULL]	[NULL]	[NULL]	R	B08LL9	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	7439-89-6	Iron	210	ug/L	[NULL]	[NULL]	[NULL]	R	B08LL8	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	Y	7439-89-6	Iron	20	ug/L	U	[NULL]	[NULL]	R	B08LM7	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	Y	7439-89-6	Iron	20	ug/L	U	[NULL]	[NULL]	R	B08LM6	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B08LM7	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-74	5/27/1993 8:30	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B08LM6	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-74	5/27/1993 8:30	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B08LL9	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-74	5/27/1993 8:30	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B08LL8	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-74	5/27/1993 8:30	Y	7439-95-4	Magnesium	16000	ug/L	[NULL]	[NULL]	[NULL]	R	B08LM7	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	7439-95-4	Magnesium	16000	ug/L	[NULL]	[NULL]	[NULL]	R	B08LL8	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	Y	7439-95-4	Magnesium	16000	ug/L	[NULL]	[NULL]	[NULL]	R	B08LM6	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	7439-95-4	Magnesium	16000	ug/L	[NULL]	[NULL]	[NULL]	R	B08LL9	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B08LM6	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B08LM7	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	7439-96-5	Manganese	5.4	ug/L	L	[NULL]	[NULL]	R	B08LL9	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	7439-96-5	Manganese	5.8	ug/L	L	[NULL]	[NULL]	R	B08LL8	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B08LM7	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-74	5/27/1993 8:30	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B08LL8	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-74	5/27/1993 8:30	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B08LM6	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-74	5/27/1993 8:30	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B08LL9	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-74	5/27/1993 8:30	N	7440-02-0	Nickel	28	ug/L	L	Q	[NULL]	R	B08LL8	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	7440-02-0	Nickel	50	ug/L	[NULL]	Q	[NULL]	R	B08LL9	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B08LM6	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B08LM7	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	14797-55-8	Nitrate	11000	ug/L	[NULL]	[NULL]	[NULL]	R	B08LL8	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	5/27/1993 8:30	N	14797-55-8	Nitrate	10000	ug/L	[NULL]	[NULL]	[NULL]	R	B08LL9	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	5/27/1993 8:30	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B08LL9	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	5/27/1993 8:30	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B08LL8	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	5/27/1993 8:30	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B08LL9	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/27/1993 8:30	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B08LL8	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/27/1993 8:30	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B08LL8	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/27/1993 8:30	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B08LL9	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/27/1993 8:30	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B08LL8	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	5/27/1993 8:30	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B08LL9	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	5/27/1993 8:30	N	7440-09-7	Potassium	4200	ug/L	[NULL]	[NULL]	[NULL]	R	B08LL8	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	Y	7440-09-7	Potassium	4700	ug/L	[NULL]	[NULL]	[NULL]	R	B08LM7	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	Y	7440-09-7	Potassium	4000	ug/L	[NULL]	[NULL]	[NULL]	R	B08LM6	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	7440-09-7	Potassium	4000	ug/L	[NULL]	[NULL]	[NULL]	R	B08LL9	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	7440-14-4	Radium	0.064	pCi/L	U	[NULL]	[NULL]	R	B08LL9	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-74	5/27/1993 8:30	N	7440-14-4	Radium	0.008	pCi/L	U	[NULL]	[NULL]	R	B08LL8	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-74	5/27/1993 8:30	N	13967-48-1	Ruthenium-106	14.9	pCi/L	U	[NULL]	[NULL]	R	B08LL9	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-74	5/27/1993 8:30	N	13967-48-1	Ruthenium-106	37.4	pCi/L	U	[NULL]	[NULL]	R	B08LL8	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-74	5/27/1993 8:30	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B08LM7	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-74	5/27/1993 8:30	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B08LM6	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-74	5/27/1993 8:30	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B08LL9	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-74	5/27/1993 8:30	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B08LL8	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-74	5/27/1993 8:30	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B08LM6	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B08LL9	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B08LL8	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B08LM7	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	Y	7440-23-5	Sodium	15000	ug/L	[NULL]	Q	[NULL]	R	B08LM6	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	7440-23-5	Sodium	15000	ug/L	[NULL]	Q	[NULL]	R	B08LL9	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	5/27/1993 8:30	Y	7440-23-5	Sodium	16000	ug/L	[NULL]	Q	[NULL]	R	B08LM7	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	7440-23-5	Sodium	16000	ug/L	[NULL]	Q	[NULL]	R	B08LL8	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	CONDUCT	Specific Conductance	469	uS/cm	[NULL]	[NULL]	[NULL]	R	B08LM0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	5/27/1993 8:30	N	CONDUCT	Specific Conductance	468	uS/cm	[NULL]	[NULL]	[NULL]	R	B08LL9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	5/27/1993 8:30	N	CONDUCT	Specific Conductance	470	uS/cm	[NULL]	[NULL]	[NULL]	R	B08J41	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-74	5/27/1993 8:30	N	CONDUCT	Specific Conductance	468	uS/cm	[NULL]	[NULL]	[NULL]	R	B08LM1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	5/27/1993 8:30	N	CONDUCT	Specific Conductance	470	uS/cm	[NULL]	[NULL]	[NULL]	R	B08J40	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-74	5/27/1993 8:30	N	CONDUCT	Specific Conductance	471	uS/cm	[NULL]	[NULL]	[NULL]	R	B08LL8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	5/27/1993 8:30	N	10098-97-2	Strontium-90	0.02	pCi/L	U	[NULL]	[NULL]	R	B08LL8	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-74	5/27/1993 8:30	N	10098-97-2	Strontium-90	-0.283	pCi/L	U	[NULL]	[NULL]	R	B08LL9	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-74	5/27/1993 8:30	N	14808-79-8	Sulfate	130000	ug/L	[NULL]	[NULL]	[NULL]	R	B08LL8	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	5/27/1993 8:30	N	14808-79-8	Sulfate	130000	ug/L	[NULL]	[NULL]	[NULL]	R	B08LL9	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	5/27/1993 8:30	N	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	R	B08LM1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	5/27/1993 8:30	N	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	R	B08LM0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	5/27/1993 8:30	N	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	R	B08LL9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	5/27/1993 8:30	N	TEMPERATURE	Temperature	17.3	Deg C	[NULL]	[NULL]	[NULL]	R	B08LL8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	5/27/1993 8:30	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B08LL9	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/27/1993 8:30	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B08LL8	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/27/1993 8:30	Y	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B08LM6	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	Y	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B08LM7	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B08LL8	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B08LL9	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B08LL9	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/27/1993 8:30	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B08LL8	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/27/1993 8:30	N	TOC	Total organic carbon	700	ug/L	LB	[NULL]	[NULL]	R	B08LL8	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	5/27/1993 8:30	N	TOC	Total organic carbon	700	ug/L	LB	[NULL]	[NULL]	R	B08LL9	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	5/27/1993 8:30	N	TOC	Total organic carbon	800	ug/L	LB	[NULL]	[NULL]	R	B08LM0	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	5/27/1993 8:30	N	TOC	Total organic carbon	800	ug/L	LB	[NULL]	[NULL]	R	B08LM5	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	5/27/1993 8:30	N	TOC	Total organic carbon	600	ug/L	LB	[NULL]	[NULL]	R	B08LM4	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	5/27/1993 8:30	N	TOC	Total organic carbon	900	ug/L	LB	[NULL]	[NULL]	R	B08LM1	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	5/27/1993 8:30	N	TOC	Total organic carbon	700	ug/L	LB	[NULL]	[NULL]	R	B08LM2	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	5/27/1993 8:30	N	TOC	Total organic carbon	600	ug/L	LB	[NULL]	[NULL]	R	B08LM3	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	5/27/1993 8:30	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B08LM4	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	5/27/1993 8:30	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B08LM5	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	5/27/1993 8:30	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B08LM3	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	5/27/1993 8:30	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B08LL8	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	5/27/1993 8:30	N	59473-04-0	Total organic halides	9	ug/L	L	Y	[NULL]	R	B08LL9	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	5/27/1993 8:30	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B08LM0	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	5/27/1993 8:30	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B08LM1	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	5/27/1993 8:30	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B08LM2	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	5/27/1993 8:30	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08LL8	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/27/1993 8:30	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08LL9	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	5/27/1993 8:30	N	10028-17-8	Tritium	27500	pCi/L	[NULL]	[NULL]	[NULL]	R	B08LL8	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-74	5/27/1993 8:30	N	10028-17-8	Tritium	27700	pCi/L	[NULL]	[NULL]	[NULL]	R	B08LL9	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-74	5/27/1993 8:30	N	TURBIDITY	Turbidity	2	NTU	[NULL]	[NULL]	[NULL]	R	B08LL8	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-74	5/27/1993 8:30	N	TURBIDITY	Turbidity	2.1	NTU	[NULL]	[NULL]	[NULL]	R	B08LL9	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-74	5/27/1993 8:30	N	7440-62-2	Vanadium	16	ug/L	L	[NULL]	[NULL]	R	B08LL8	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	7440-62-2	Vanadium	15	ug/L	L	[NULL]	[NULL]	R	B08LL9	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	Y	7440-62-2	Vanadium	16	ug/L	L	[NULL]	[NULL]	R	B08LM6	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	Y	7440-62-2	Vanadium	18	ug/L	L	[NULL]	[NULL]	R	B08LM7	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	7440-66-6	Zinc	7.9	ug/L	L	[NULL]	[NULL]	R	B08LL8	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	Y	7440-66-6	Zinc	30	ug/L	[NULL]	Q	[NULL]	R	B08LM7	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	7440-66-6	Zinc	7.9	ug/L	L	[NULL]	[NULL]	R	B08LL9	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	Y	7440-66-6	Zinc	8	ug/L	L	Q	[NULL]	R	B08LM6	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	5/27/1993 8:30	N	PH	pH Measurement	7.65	unitless	[NULL]	[NULL]	[NULL]	R	B08LM0	PH	FIELD	9040_PH	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	5/27/1993 8:30	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B08J40	PH	DATACH	D1293_PH	100-NR-2
199-N-74	5/27/1993 8:30	N	PH	pH Measurement	7.64	unitless	[NULL]	[NULL]	[NULL]	R	B08LL8	PH	FIELD	9040_PH	100-NR-2
199-N-74	5/27/1993 8:30	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B08J41	PH	DATACH	D1293_PH	100-NR-2
199-N-74	5/27/1993 8:30	N	PH	pH Measurement	7.64	unitless	[NULL]	[NULL]	[NULL]	R	B08LL9	PH	FIELD	9040_PH	100-NR-2
199-N-74	5/27/1993 8:30	N	PH	pH Measurement	7.66	unitless	[NULL]	[NULL]	[NULL]	R	B08LM1	PH	FIELD	9040_PH	100-NR-2
199-N-74	8/10/1993 10:45	N	88-06-2	2,4,6-Trichlorophenol	1.45	ug/L	U	[NULL]	[NULL]	R	B090P8	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	8/10/1993 10:45	N	120-83-2	2,4-Dichlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B090P8	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	8/10/1993 10:45	N	105-67-9	2,4-Dimethylphenol	1.01	ug/L	U	[NULL]	[NULL]	R	B090P8	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	8/10/1993 10:45	N	51-28-5	2,4-Dinitrophenol	0.96	ug/L	U	[NULL]	[NULL]	R	B090P8	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	8/10/1993 10:45	N	87-65-0	2,6-Dichlorophenol	1.59	ug/L	U	[NULL]	[NULL]	R	B090P8	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	8/10/1993 10:45	N	95-57-8	2-Chlorophenol	1.42	ug/L	U	[NULL]	[NULL]	R	B090P8	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	8/10/1993 10:45	N	88-75-5	2-Nitrophenol	1.56	ug/L	U	[NULL]	[NULL]	R	B090P8	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	8/10/1993 10:45	N	534-52-1	4,6-Dinitro-2-methylphenol	1.18	ug/L	U	[NULL]	[NULL]	R	B090P8	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	8/10/1993 10:45	N	59-50-7	4-Chloro-3-methylphenol	1.12	ug/L	U	[NULL]	[NULL]	R	B090P8	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	8/10/1993 10:45	N	100-02-7	4-Nitrophenol	0.65	ug/L	U	[NULL]	[NULL]	R	B090P8	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	8/10/1993 10:45	Y	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B090Q2	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	N	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B090P8	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	N	14798-03-9	Ammonium ion	40	ug/L	L	Q	[NULL]	R	B090P8	14798-03-9	DATACH	D1426C_AMMONIUM	100-NR-2
199-N-74	8/10/1993 10:45	Y	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B090Q2	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	N	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B090P8	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	N	14234-35-6	Antimony-125	-7.83	pCi/L	U	[NULL]	[NULL]	R	B090P8	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-74	8/10/1993 10:45	N	7440-38-2	Arsenic	3.6	ug/L	L	[NULL]	[NULL]	R	B090P8	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-74	8/10/1993 10:45	Y	7440-38-2	Arsenic	3.7	ug/L	L	[NULL]	[NULL]	R	B090Q2	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-74	8/10/1993 10:45	N	7440-39-3	Barium	34	ug/L	[NULL]	[NULL]	[NULL]	R	B090P8	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	Y	7440-39-3	Barium	34	ug/L	[NULL]	[NULL]	[NULL]	R	B090Q2	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	N	7440-41-7	Beryllium	0.93	ug/L	L	[NULL]	[NULL]	R	B090P8	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	Y	7440-41-7	Beryllium	1.3	ug/L	L	[NULL]	[NULL]	R	B090Q2	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	N	24959-67-9	Bromide	52.8	ug/L	U	[NULL]	[NULL]	R	B090P8	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	8/10/1993 10:45	N	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B090P8	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	Y	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B090Q2	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	N	7440-70-2	Calcium	50000	ug/L	[NULL]	[NULL]	[NULL]	R	B090P8	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	Y	7440-70-2	Calcium	50000	ug/L	[NULL]	[NULL]	[NULL]	R	B090Q2	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	N	10045-97-3	Cesium-137	2.79	pCi/L	U	[NULL]	[NULL]	R	B090P8	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-74	8/10/1993 10:45	N	16887-00-6	Chloride	7000	ug/L	[NULL]	[NULL]	[NULL]	R	B090P8	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	8/10/1993 10:45	N	7440-47-3	Chromium	48	ug/L	[NULL]	[NULL]	[NULL]	R	B090P8	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	Y	7440-47-3	Chromium	24	ug/L	[NULL]	[NULL]	[NULL]	R	B090Q2	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	N	7440-48-4	Cobalt	9.7	ug/L	L	[NULL]	[NULL]	R	B090P8	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	Y	7440-48-4	Cobalt	5.2	ug/L	L	[NULL]	[NULL]	R	B090Q2	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	N	10198-40-0	Cobalt-60	-1.67	pCi/L	U	[NULL]	[NULL]	R	B090P8	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-74	8/10/1993 10:45	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B090P8	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-74	8/10/1993 10:45	N	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B090P8	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	Y	7440-50-8	Copper	5.9	ug/L	L	[NULL]	[NULL]	R	B090Q2	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1.35	ug/L	U	[NULL]	[NULL]	R	B090P8	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	8/10/1993 10:45	N	16984-48-8	Fluoride	200	ug/L	[NULL]	[NULL]	[NULL]	R	B090P8	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	8/10/1993 10:45	N	12587-46-1	Gross alpha	1.93	pCi/L	[NULL]	[NULL]	[NULL]	R	B090P8	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	8/10/1993 10:45	N	12587-47-2	Gross beta	6	pCi/L	[NULL]	[NULL]	[NULL]	R	B090P8	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	8/10/1993 10:45	N	302-01-2	Hydrazine	1.89	ug/L	U	[NULL]	[NULL]	R	B090P8	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-74	8/10/1993 10:45	Y	7439-89-6	Iron	36	ug/L	[NULL]	[NULL]	[NULL]	R	B090Q2	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	N	7439-89-6	Iron	150	ug/L	[NULL]	[NULL]	[NULL]	R	B090P8	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	N	7439-92-1	Lead	0.508	ug/L	U	[NULL]	[NULL]	R	B090P8	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-74	8/10/1993 10:45	Y	7439-92-1	Lead	0.6	ug/L	L	[NULL]	[NULL]	R	B090Q2	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-74	8/10/1993 10:45	Y	7439-95-4	Magnesium	15000	ug/L	[NULL]	[NULL]	[NULL]	R	B090Q2	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	8/10/1993 10:45	N	7439-95-4	Magnesium	15000	ug/L	[NULL]	[NULL]	[NULL]	R	B090P8	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	N	7439-96-5	Manganese	4.8	ug/L	L	Q	[NULL]	R	B090P8	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	Y	7439-96-5	Manganese	1.9	ug/L	L	Q	[NULL]	R	B090Q2	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	Y	7439-97-6	Mercury	0.158	ug/L	U	[NULL]	[NULL]	R	B090Q2	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-74	8/10/1993 10:45	N	7439-97-6	Mercury	0.158	ug/L	U	[NULL]	[NULL]	R	B090P8	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-74	8/10/1993 10:45	N	7440-02-0	Nickel	41	ug/L	[NULL]	[NULL]	[NULL]	R	B090P8	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	Y	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B090Q2	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	N	14797-55-8	Nitrate	9700	ug/L	[NULL]	Q	[NULL]	R	B090P8	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	8/10/1993 10:45	N	14797-65-0	Nitrite	38.3	ug/L	U	[NULL]	[NULL]	R	B090P8	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	8/10/1993 10:45	N	87-86-5	Pentachlorophenol	0.87	ug/L	U	[NULL]	[NULL]	R	B090P8	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	8/10/1993 10:45	N	108-95-2	Phenol	0.31	ug/L	U	[NULL]	[NULL]	R	B090P8	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	8/10/1993 10:45	N	14265-44-2	Phosphate	147	ug/L	U	[NULL]	[NULL]	R	B090P8	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	8/10/1993 10:45	Y	7440-09-7	Potassium	6500	ug/L	[NULL]	[NULL]	[NULL]	R	B090Q2	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	N	7440-09-7	Potassium	5400	ug/L	[NULL]	[NULL]	[NULL]	R	B090P8	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	N	7440-14-4	Radium	0.053	pCi/L	U	[NULL]	[NULL]	R	B090P8	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-74	8/10/1993 10:45	N	13967-48-1	Ruthenium-106	-21.9	pCi/L	U	[NULL]	[NULL]	R	B090P8	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-74	8/10/1993 10:45	Y	7782-49-2	Selenium	1.21	ug/L	U	[NULL]	[NULL]	R	B090Q2	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-74	8/10/1993 10:45	N	7782-49-2	Selenium	1.21	ug/L	U	[NULL]	[NULL]	R	B090P8	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-74	8/10/1993 10:45	Y	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B090Q2	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	N	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B090P8	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	Y	7440-23-5	Sodium	16000	ug/L	[NULL]	[NULL]	[NULL]	R	B090Q2	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	N	7440-23-5	Sodium	16000	ug/L	[NULL]	[NULL]	[NULL]	R	B090P8	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	N	CONDUCT	Specific Conductance	465	uS/cm	[NULL]	[NULL]	[NULL]	R	B090P8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	8/10/1993 10:45	N	CONDUCT	Specific Conductance	466	uS/cm	[NULL]	[NULL]	[NULL]	R	B090P9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	8/10/1993 10:45	N	CONDUCT	Specific Conductance	466	uS/cm	[NULL]	[NULL]	[NULL]	R	B090Q0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	8/10/1993 10:45	N	CONDUCT	Specific Conductance	466	uS/cm	[NULL]	[NULL]	[NULL]	R	B090Q1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	8/10/1993 10:45	N	CONDUCT	Specific Conductance	460	uS/cm	[NULL]	[NULL]	[NULL]	R	B090F7	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-74	8/10/1993 10:45	N	10098-97-2	Strontium-90	0.243	pCi/L	U	[NULL]	[NULL]	R	B090P8	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-74	8/10/1993 10:45	N	14808-79-8	Sulfate	110000	ug/L	[NULL]	[NULL]	[NULL]	R	B090P8	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	8/10/1993 10:45	N	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	R	B090P9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	8/10/1993 10:45	N	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	R	B090Q0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	8/10/1993 10:45	N	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	R	B090Q1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	8/10/1993 10:45	N	TEMPERATURE	Temperature	17.3	Deg C	[NULL]	[NULL]	[NULL]	R	B090P8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	8/10/1993 10:45	N	25167-83-3	Tetrachlorophenol	1.05	ug/L	U	[NULL]	[NULL]	R	B090P8	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	8/10/1993 10:45	Y	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B090Q2	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	N	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B090P8	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	N	1319-77-3	Total cresols	4.66	ug/L	U	[NULL]	[NULL]	R	B090P8	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	8/10/1993 10:45	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B090P8	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	8/10/1993 10:45	N	TOC	Total organic carbon	400	ug/L	L	[NULL]	[NULL]	R	B090P9	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	8/10/1993 10:45	N	TOC	Total organic carbon	400	ug/L	L	[NULL]	[NULL]	R	B090Q1	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	8/10/1993 10:45	N	TOC	Total organic carbon	400	ug/L	L	[NULL]	[NULL]	R	B090Q0	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	8/10/1993 10:45	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B090Q0	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	8/10/1993 10:45	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B090P9	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	8/10/1993 10:45	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B090P8	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	8/10/1993 10:45	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B090Q1	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	8/10/1993 10:45	N	25167-82-2	Trichlorophenol	1.11	ug/L	U	[NULL]	[NULL]	R	B090P8	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	8/10/1993 10:45	N	10028-17-8	Tritium	22800	pCi/L	[NULL]	[NULL]	[NULL]	R	B090P8	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-74	8/10/1993 10:45	N	TURBIDITY	Turbidity	1	NTU	[NULL]	Q	[NULL]	R	B090P8	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-74	8/10/1993 10:45	N	7440-62-2	Vanadium	17	ug/L	L	[NULL]	[NULL]	R	B090P8	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	Y	7440-62-2	Vanadium	16	ug/L	L	[NULL]	[NULL]	R	B090Q2	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	N	7440-66-6	Zinc	3.44	ug/L	U	[NULL]	[NULL]	R	B090P8	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	Y	7440-66-6	Zinc	3.44	ug/L	U	[NULL]	[NULL]	R	B090Q2	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/10/1993 10:45	N	PH	pH Measurement	7.92	unitless	[NULL]	[NULL]	[NULL]	R	B090Q0	PH	FIELD	9040_PH	100-NR-2
199-N-74	8/10/1993 10:45	N	PH	pH Measurement	7.4	unitless	[NULL]	[NULL]	[NULL]	R	B090F7	PH	DATACH	D1293_PH	100-NR-2
199-N-74	8/10/1993 10:45	N	PH	pH Measurement	7.92	unitless	[NULL]	[NULL]	[NULL]	R	B090Q1	PH	FIELD	9040_PH	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	8/10/1993 10:45	N	PH	pH Measurement	7.91	unitless	[NULL]	[NULL]	[NULL]	R	B090P8	PH	FIELD	9040_PH	100-NR-2
199-N-74	8/10/1993 10:45	N	PH	pH Measurement	7.92	unitless	[NULL]	[NULL]	[NULL]	R	B090P9	PH	FIELD	9040_PH	100-NR-2
199-N-74	2/4/1994 9:00	N	88-06-2	2,4,6-Trichlorophenol	1.45	ug/L	U	[NULL]	[NULL]	R	B09W24	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/4/1994 9:00	N	88-06-2	2,4,6-Trichlorophenol	1.45	ug/L	U	[NULL]	[NULL]	R	B09W25	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/4/1994 9:00	N	120-83-2	2,4-Dichlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B09W25	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/4/1994 9:00	N	120-83-2	2,4-Dichlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B09W24	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/4/1994 9:00	N	105-67-9	2,4-Dimethylphenol	1.01	ug/L	U	[NULL]	[NULL]	R	B09W24	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/4/1994 9:00	N	105-67-9	2,4-Dimethylphenol	1.01	ug/L	U	[NULL]	[NULL]	R	B09W25	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/4/1994 9:00	N	51-28-5	2,4-Dinitrophenol	0.96	ug/L	U	[NULL]	[NULL]	R	B09W24	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/4/1994 9:00	N	51-28-5	2,4-Dinitrophenol	0.96	ug/L	U	[NULL]	[NULL]	R	B09W25	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/4/1994 9:00	N	87-65-0	2,6-Dichlorophenol	1.59	ug/L	U	[NULL]	[NULL]	R	B09W24	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/4/1994 9:00	N	87-65-0	2,6-Dichlorophenol	1.59	ug/L	U	[NULL]	[NULL]	R	B09W25	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/4/1994 9:00	N	95-57-8	2-Chlorophenol	1.42	ug/L	U	[NULL]	[NULL]	R	B09W24	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/4/1994 9:00	N	95-57-8	2-Chlorophenol	1.42	ug/L	U	[NULL]	[NULL]	R	B09W25	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/4/1994 9:00	N	88-75-5	2-Nitrophenol	1.56	ug/L	U	[NULL]	[NULL]	R	B09W24	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/4/1994 9:00	N	88-75-5	2-Nitrophenol	1.56	ug/L	U	[NULL]	[NULL]	R	B09W25	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/4/1994 9:00	N	534-52-1	4,6-Dinitro-2-methylphenol	1.18	ug/L	U	[NULL]	[NULL]	R	B09W25	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/4/1994 9:00	N	534-52-1	4,6-Dinitro-2-methylphenol	1.18	ug/L	U	[NULL]	[NULL]	R	B09W24	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/4/1994 9:00	N	59-50-7	4-Chloro-3-methylphenol	1.12	ug/L	U	[NULL]	[NULL]	R	B09W24	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/4/1994 9:00	N	59-50-7	4-Chloro-3-methylphenol	1.12	ug/L	U	[NULL]	[NULL]	R	B09W25	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/4/1994 9:00	N	100-02-7	4-Nitrophenol	0.65	ug/L	U	[NULL]	[NULL]	R	B09W24	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/4/1994 9:00	N	100-02-7	4-Nitrophenol	0.65	ug/L	U	[NULL]	[NULL]	R	B09W25	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/4/1994 9:00	Y	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B09W33	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B09W24	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	Y	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B09W32	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B09W25	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B09W25	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	Y	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B09W33	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B09W24	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	Y	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B09W32	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	14234-35-6	Antimony-125	0.982	pCi/L	U	[NULL]	[NULL]	R	B09W25	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-74	2/4/1994 9:00	N	14234-35-6	Antimony-125	8.27	pCi/L	U	[NULL]	[NULL]	R	B09W24	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-74	2/4/1994 9:00	Y	7440-38-2	Arsenic	3.8	ug/L	L	[NULL]	[NULL]	R	B09W33	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-74	2/4/1994 9:00	Y	7440-38-2	Arsenic	3.4	ug/L	L	[NULL]	[NULL]	R	B09W32	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-74	2/4/1994 9:00	N	7440-38-2	Arsenic	3.4	ug/L	L	[NULL]	[NULL]	R	B09W24	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-74	2/4/1994 9:00	N	7440-38-2	Arsenic	3.5	ug/L	L	[NULL]	[NULL]	R	B09W25	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-74	2/4/1994 9:00	N	7440-39-3	Barium	34	ug/L	[NULL]	[NULL]	[NULL]	R	B09W25	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	7440-39-3	Barium	34	ug/L	[NULL]	[NULL]	[NULL]	R	B09W24	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	Y	7440-39-3	Barium	33	ug/L	[NULL]	[NULL]	[NULL]	R	B09W33	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	Y	7440-39-3	Barium	33	ug/L	[NULL]	[NULL]	[NULL]	R	B09W32	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	Y	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B09W33	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B09W24	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B09W25	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	Y	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B09W32	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	24959-67-9	Bromide	52.8	ug/L	U	[NULL]	[NULL]	R	B09W24	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	2/4/1994 9:00	N	24959-67-9	Bromide	52.8	ug/L	U	[NULL]	[NULL]	R	B09W25	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	2/4/1994 9:00	N	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B09W25	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B09W24	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	Y	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B09W33	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	Y	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B09W32	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	Y	7440-70-2	Calcium	47000	ug/L	B	Q	[NULL]	R	B09W32	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	Y	7440-70-2	Calcium	48000	ug/L	B	Q	[NULL]	R	B09W33	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	7440-70-2	Calcium	48000	ug/L	B	Q	[NULL]	R	B09W25	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	2/4/1994 9:00	N	7440-70-2	Calcium	48000	ug/L	B	Q	[NULL]	R	B09W24	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	10045-97-3	Cesium-137	5.55	pCi/L	[NULL]	[NULL]	[NULL]	R	B09W25	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-74	2/4/1994 9:00	N	10045-97-3	Cesium-137	6.69	pCi/L	[NULL]	[NULL]	[NULL]	R	B09W24	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-74	2/4/1994 9:00	N	16887-00-6	Chloride	6300	ug/L	[NULL]	[NULL]	[NULL]	R	B09W25	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	2/4/1994 9:00	N	16887-00-6	Chloride	6300	ug/L	[NULL]	[NULL]	[NULL]	R	B09W24	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	2/4/1994 9:00	Y	7440-47-3	Chromium	15	ug/L	L	[NULL]	[NULL]	R	B09W32	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	7440-47-3	Chromium	110	ug/L	[NULL]	[NULL]	[NULL]	R	B09W24	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	Y	7440-47-3	Chromium	14	ug/L	L	[NULL]	[NULL]	R	B09W33	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	7440-47-3	Chromium	120	ug/L	[NULL]	[NULL]	[NULL]	R	B09W25	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	7440-48-4	Cobalt	4.05	ug/L	U	[NULL]	[NULL]	R	B09W25	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	7440-48-4	Cobalt	4.05	ug/L	U	[NULL]	[NULL]	R	B09W24	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	Y	7440-48-4	Cobalt	4.05	ug/L	U	[NULL]	[NULL]	R	B09W33	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	Y	7440-48-4	Cobalt	4.05	ug/L	U	[NULL]	[NULL]	R	B09W32	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	10198-40-0	Cobalt-60	2.45	pCi/L	U	Q	[NULL]	R	B09W25	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-74	2/4/1994 9:00	N	10198-40-0	Cobalt-60	5.28	pCi/L	[NULL]	Q	[NULL]	R	B09W24	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-74	2/4/1994 9:00	N	7440-50-8	Copper	6.1	ug/L	L	[NULL]	[NULL]	R	B09W25	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	Y	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B09W33	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	7440-50-8	Copper	4.9	ug/L	L	[NULL]	[NULL]	R	B09W24	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	Y	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B09W32	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1.35	ug/L	U	[NULL]	[NULL]	R	B09W24	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/4/1994 9:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1.35	ug/L	U	[NULL]	[NULL]	R	B09W25	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/4/1994 9:00	N	16984-48-8	Fluoride	600	ug/L	[NULL]	[NULL]	[NULL]	R	B09W24	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	2/4/1994 9:00	N	16984-48-8	Fluoride	500	ug/L	[NULL]	[NULL]	[NULL]	R	B09W25	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	2/4/1994 9:00	N	12587-46-1	Gross alpha	2.01	pCi/L	[NULL]	[NULL]	[NULL]	R	B09W25	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	2/4/1994 9:00	N	12587-46-1	Gross alpha	2.33	pCi/L	[NULL]	[NULL]	[NULL]	R	B09W24	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	2/4/1994 9:00	N	12587-47-2	Gross beta	4.55	pCi/L	[NULL]	[NULL]	[NULL]	R	B09W25	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	2/4/1994 9:00	N	12587-47-2	Gross beta	3.88	pCi/L	[NULL]	[NULL]	[NULL]	R	B09W24	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	2/4/1994 9:00	N	302-01-2	Hydrazine	1.89	ug/L	U	[NULL]	[NULL]	R	B09W24	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-74	2/4/1994 9:00	N	302-01-2	Hydrazine	1.89	ug/L	U	[NULL]	[NULL]	R	B09W25	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-74	2/4/1994 9:00	N	7439-89-6	Iron	500	ug/L	B	[NULL]	[NULL]	R	B09W25	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	Y	7439-89-6	Iron	16	ug/L	BL	[NULL]	[NULL]	R	B09W33	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	Y	7439-89-6	Iron	17	ug/L	BL	[NULL]	[NULL]	R	B09W32	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	7439-89-6	Iron	430	ug/L	B	[NULL]	[NULL]	R	B09W24	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	7439-92-1	Lead	0.63	ug/L	L	Q	[NULL]	R	B09W25	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-74	2/4/1994 9:00	Y	7439-92-1	Lead	0.6	ug/L	L	[NULL]	[NULL]	R	B09W32	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-74	2/4/1994 9:00	Y	7439-92-1	Lead	0.508	ug/L	U	[NULL]	[NULL]	R	B09W33	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-74	2/4/1994 9:00	N	7439-92-1	Lead	0.81	ug/L	L	Q	[NULL]	R	B09W24	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-74	2/4/1994 9:00	N	7439-95-4	Magnesium	15000	ug/L	[NULL]	Q	[NULL]	R	B09W24	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	Y	7439-95-4	Magnesium	15000	ug/L	[NULL]	Q	[NULL]	R	B09W32	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	Y	7439-95-4	Magnesium	15000	ug/L	[NULL]	Q	[NULL]	R	B09W33	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	7439-95-4	Magnesium	15000	ug/L	[NULL]	Q	[NULL]	R	B09W25	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	Y	7439-96-5	Manganese	1.35	ug/L	U	[NULL]	[NULL]	R	B09W33	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	7439-96-5	Manganese	10	ug/L	[NULL]	[NULL]	[NULL]	R	B09W24	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	Y	7439-96-5	Manganese	1.35	ug/L	U	[NULL]	[NULL]	R	B09W32	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	7439-96-5	Manganese	12	ug/L	[NULL]	[NULL]	[NULL]	R	B09W25	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	7440-02-0	Nickel	47	ug/L	[NULL]	[NULL]	[NULL]	R	B09W24	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	Y	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B09W32	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	Y	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B09W33	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	7440-02-0	Nickel	50	ug/L	[NULL]	[NULL]	[NULL]	R	B09W25	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	14797-55-8	Nitrate	8700	ug/L	[NULL]	[NULL]	[NULL]	R	B09W25	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	2/4/1994 9:00	N	14797-55-8	Nitrate	8800	ug/L	[NULL]	[NULL]	[NULL]	R	B09W24	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	2/4/1994 9:00	N	14797-65-0	Nitrite	38.3	ug/L	U	[NULL]	[NULL]	R	B09W25	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	2/4/1994 9:00	N	14797-65-0	Nitrite	38.3	ug/L	U	[NULL]	[NULL]	R	B09W24	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	2/4/1994 9:00	N	87-86-5	Pentachlorophenol	0.87	ug/L	U	[NULL]	[NULL]	R	B09W25	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/4/1994 9:00	N	87-86-5	Pentachlorophenol	0.87	ug/L	U	[NULL]	[NULL]	R	B09W24	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/4/1994 9:00	N	108-95-2	Phenol	0.31	ug/L	U	[NULL]	[NULL]	R	B09W24	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/4/1994 9:00	N	108-95-2	Phenol	0.31	ug/L	U	[NULL]	[NULL]	R	B09W25	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/4/1994 9:00	N	14265-44-2	Phosphate	147	ug/L	U	[NULL]	[NULL]	R	B09W24	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	2/4/1994 9:00	N	14265-44-2	Phosphate	147	ug/L	U	[NULL]	[NULL]	R	B09W25	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	2/4/1994 9:00	Y	7440-09-7	Potassium	4200	ug/L	[NULL]	[NULL]	[NULL]	R	B09W33	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	7440-09-7	Potassium	4500	ug/L	[NULL]	[NULL]	[NULL]	R	B09W24	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	Y	7440-09-7	Potassium	4400	ug/L	[NULL]	[NULL]	[NULL]	R	B09W32	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	7440-09-7	Potassium	4400	ug/L	[NULL]	[NULL]	[NULL]	R	B09W25	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	13967-48-1	Ruthenium-106	-17.4	pCi/L	U	[NULL]	[NULL]	R	B09W25	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-74	2/4/1994 9:00	N	13967-48-1	Ruthenium-106	-16.7	pCi/L	U	[NULL]	[NULL]	R	B09W24	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-74	2/4/1994 9:00	N	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B09W24	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B09W25	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	Y	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B09W33	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	Y	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B09W32	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	7440-23-5	Sodium	16000	ug/L	B	Q	[NULL]	R	B09W24	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	7440-23-5	Sodium	16000	ug/L	B	Q	[NULL]	R	B09W25	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	Y	7440-23-5	Sodium	16000	ug/L	B	Q	[NULL]	R	B09W32	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	Y	7440-23-5	Sodium	15000	ug/L	B	Q	[NULL]	R	B09W33	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	CONDUCT	Specific Conductance	477	uS/cm	[NULL]	[NULL]	[NULL]	R	B09W26	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	2/4/1994 9:00	N	CONDUCT	Specific Conductance	480	uS/cm	[NULL]	[NULL]	[NULL]	R	B09W25	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	2/4/1994 9:00	N	CONDUCT	Specific Conductance	480	uS/cm	[NULL]	[NULL]	[NULL]	R	B09W24	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	2/4/1994 9:00	N	CONDUCT	Specific Conductance	480	uS/cm	[NULL]	[NULL]	[NULL]	R	B09W27	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	2/4/1994 9:00	N	CONDUCT	Specific Conductance	440	uS/cm	[NULL]	[NULL]	[NULL]	R	B09W31	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-74	2/4/1994 9:00	N	CONDUCT	Specific Conductance	440	uS/cm	[NULL]	[NULL]	[NULL]	R	B09W30	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-74	2/4/1994 9:00	N	CONDUCT	Specific Conductance	440	uS/cm	[NULL]	[NULL]	[NULL]	R	B09W29	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-74	2/4/1994 9:00	N	CONDUCT	Specific Conductance	440	uS/cm	[NULL]	[NULL]	[NULL]	R	B09W28	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-74	2/4/1994 9:00	N	CONDUCT	Specific Conductance	440	uS/cm	[NULL]	[NULL]	[NULL]	R	B09W27	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-74	2/4/1994 9:00	N	CONDUCT	Specific Conductance	440	uS/cm	[NULL]	[NULL]	[NULL]	R	B09W26	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-74	2/4/1994 9:00	N	CONDUCT	Specific Conductance	440	uS/cm	[NULL]	[NULL]	[NULL]	R	B09W24	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-74	2/4/1994 9:00	N	CONDUCT	Specific Conductance	440	uS/cm	[NULL]	[NULL]	[NULL]	R	B09W25	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-74	2/4/1994 9:00	N	10098-97-2	Strontium-90	-0.018	pCi/L	U	[NULL]	[NULL]	R	B09W24	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-74	2/4/1994 9:00	N	10098-97-2	Strontium-90	0.131	pCi/L	U	[NULL]	[NULL]	R	B09W25	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-74	2/4/1994 9:00	N	14808-79-8	Sulfate	100000	ug/L	D	[NULL]	[NULL]	R	B09W25	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	2/4/1994 9:00	N	14808-79-8	Sulfate	100000	ug/L	D	[NULL]	[NULL]	R	B09W24	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	2/4/1994 9:00	N	TEMPERATURE	Temperature	16.2	Deg C	[NULL]	[NULL]	[NULL]	R	B09W24	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	2/4/1994 9:00	N	25167-83-3	Tetrachlorophenol	1.05	ug/L	U	[NULL]	[NULL]	R	B09W25	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/4/1994 9:00	N	25167-83-3	Tetrachlorophenol	1.05	ug/L	U	[NULL]	[NULL]	R	B09W24	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/4/1994 9:00	N	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B09W24	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B09W25	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	Y	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B09W33	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	Y	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B09W32	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	1319-77-3	Total cresols	4.66	ug/L	U	[NULL]	[NULL]	R	B09W24	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/4/1994 9:00	N	1319-77-3	Total cresols	4.66	ug/L	U	[NULL]	[NULL]	R	B09W25	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/4/1994 9:00	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B09W31	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	2/4/1994 9:00	N	TOC	Total organic carbon	400	ug/L	L	[NULL]	[NULL]	R	B09W30	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	2/4/1994 9:00	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B09W28	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	2/4/1994 9:00	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B09W29	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	2/4/1994 9:00	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B09W27	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	2/4/1994 9:00	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B09W26	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	2/4/1994 9:00	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B09W25	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	2/4/1994 9:00	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B09W24	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	2/4/1994 9:00	N	59473-04-0	Total organic halides	6	ug/L	[NULL]	[NULL]	[NULL]	R	B09W30	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-74	2/4/1994 9:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B09W25	59473-04-0	WESTON	9020_TOX	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	2/4/1994 9:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B09W31	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-74	2/4/1994 9:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B09W24	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-74	2/4/1994 9:00	N	59473-04-0	Total organic halides	6	ug/L	[NULL]	[NULL]	[NULL]	R	B09W29	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-74	2/4/1994 9:00	N	59473-04-0	Total organic halides	7.2	ug/L	[NULL]	[NULL]	[NULL]	R	B09W28	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-74	2/4/1994 9:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B09W26	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-74	2/4/1994 9:00	N	25167-82-2	Trichlorophenol	1.11	ug/L	U	[NULL]	[NULL]	R	B09W24	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/4/1994 9:00	N	25167-82-2	Trichlorophenol	1.11	ug/L	U	[NULL]	[NULL]	R	B09W25	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	2/4/1994 9:00	N	10028-17-8	Tritium	21100	pCi/L	[NULL]	[NULL]	[NULL]	R	B09W25	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-74	2/4/1994 9:00	N	10028-17-8	Tritium	21500	pCi/L	[NULL]	[NULL]	[NULL]	R	B09W24	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-74	2/4/1994 9:00	N	TURBIDITY	Turbidity	2.2	NTU	[NULL]	Q	[NULL]	R	B09W25	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-74	2/4/1994 9:00	N	TURBIDITY	Turbidity	2.1	NTU	[NULL]	Q	[NULL]	R	B09W24	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-74	2/4/1994 9:00	N	7440-62-2	Vanadium	22	ug/L	L	[NULL]	[NULL]	R	B09W25	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	Y	7440-62-2	Vanadium	18	ug/L	L	[NULL]	[NULL]	R	B09W33	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	Y	7440-62-2	Vanadium	22	ug/L	L	[NULL]	[NULL]	R	B09W32	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	7440-62-2	Vanadium	23	ug/L	L	[NULL]	[NULL]	R	B09W24	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	7440-66-6	Zinc	9	ug/L	BL	Q	[NULL]	R	B09W25	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	7440-66-6	Zinc	2.5	ug/L	BL	Q	[NULL]	R	B09W24	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	Y	7440-66-6	Zinc	3.7	ug/L	BL	Q	[NULL]	R	B09W32	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	Y	7440-66-6	Zinc	6.2	ug/L	BL	Q	[NULL]	R	B09W33	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	2/4/1994 9:00	N	PH	pH Measurement	7.51	unitless	[NULL]	[NULL]	[NULL]	R	B09W24	PH	FIELD	9040_PH	100-NR-2
199-N-74	2/4/1994 9:00	N	PH	pH Measurement	7.53	unitless	[NULL]	[NULL]	[NULL]	R	B09W25	PH	FIELD	9040_PH	100-NR-2
199-N-74	2/4/1994 9:00	N	PH	pH Measurement	7.53	unitless	[NULL]	[NULL]	[NULL]	R	B09W26	PH	FIELD	9040_PH	100-NR-2
199-N-74	2/4/1994 9:00	N	PH	pH Measurement	7.54	unitless	[NULL]	[NULL]	[NULL]	R	B09W27	PH	FIELD	9040_PH	100-NR-2
199-N-74	2/4/1994 9:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B09W24	PH	DATACH	D1293_PH	100-NR-2
199-N-74	2/4/1994 9:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B09W31	PH	DATACH	D1293_PH	100-NR-2
199-N-74	2/4/1994 9:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B09W26	PH	DATACH	D1293_PH	100-NR-2
199-N-74	2/4/1994 9:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B09W27	PH	DATACH	D1293_PH	100-NR-2
199-N-74	2/4/1994 9:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B09W28	PH	DATACH	D1293_PH	100-NR-2
199-N-74	2/4/1994 9:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B09W29	PH	DATACH	D1293_PH	100-NR-2
199-N-74	2/4/1994 9:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B09W30	PH	DATACH	D1293_PH	100-NR-2
199-N-74	2/4/1994 9:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B09W25	PH	DATACH	D1293_PH	100-NR-2
199-N-74	6/14/1994 11:00	N	CONDUCT	Specific Conductance	435	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C0H5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	6/14/1994 11:00	N	CONDUCT	Specific Conductance	427	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C0H8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	6/14/1994 11:00	N	CONDUCT	Specific Conductance	432	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C0H6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	6/14/1994 11:00	N	CONDUCT	Specific Conductance	427	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C0H7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	6/14/1994 11:00	N	TEMPERATURE	Temperature	16.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0C0H5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	6/14/1994 11:00	N	59473-04-0	Total organic halides	7.1	ug/L	[NULL]	[NULL]	[NULL]	R	B0C0H6	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-74	6/14/1994 11:00	N	59473-04-0	Total organic halides	7.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0C0H8	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-74	6/14/1994 11:00	N	59473-04-0	Total organic halides	8	ug/L	[NULL]	[NULL]	[NULL]	R	B0C0H7	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-74	6/14/1994 11:00	N	59473-04-0	Total organic halides	8.7	ug/L	[NULL]	[NULL]	[NULL]	R	B0C0H5	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-74	6/14/1994 11:00	N	PH	pH Measurement	7.98	unitless	[NULL]	[NULL]	[NULL]	R	B0C0H6	PH	FIELD	9040_PH	100-NR-2
199-N-74	6/14/1994 11:00	N	PH	pH Measurement	7.98	unitless	[NULL]	[NULL]	[NULL]	R	B0C0H7	PH	FIELD	9040_PH	100-NR-2
199-N-74	6/14/1994 11:00	N	PH	pH Measurement	7.98	unitless	[NULL]	[NULL]	[NULL]	R	B0C0H8	PH	FIELD	9040_PH	100-NR-2
199-N-74	6/14/1994 11:00	N	PH	pH Measurement	7.98	unitless	[NULL]	[NULL]	[NULL]	R	B0C0H5	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/6/1994 9:40	N	7429-90-5	Aluminum	19	ug/L	U	[NULL]	[NULL]	R	B0C9H3	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	Y	7429-90-5	Aluminum	19	ug/L	U	[NULL]	[NULL]	R	B0C9H7	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	N	7440-36-0	Antimony	30	ug/L	L	[NULL]	[NULL]	R	B0C9H3	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	Y	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C9H7	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	N	14234-35-6	Antimony-125	-3.46	pCi/L	U	[NULL]	[NULL]	R	B0C9H3	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-74	9/6/1994 9:40	Y	7440-38-2	Arsenic	4.5	ug/L	L	[NULL]	[NULL]	R	B0C9H7	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-74	9/6/1994 9:40	N	7440-38-2	Arsenic	4.4	ug/L	L	[NULL]	[NULL]	R	B0C9H3	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-74	9/6/1994 9:40	Y	7440-39-3	Barium	30	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9H7	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	N	7440-39-3	Barium	30	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9H3	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	N	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C9H3	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	Y	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C9H7	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	9/6/1994 9:40	N	24959-67-9	Bromide	110	ug/L	U	[NULL]	[NULL]	R	B0C9H3	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	9/6/1994 9:40	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C9H7	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C9H3	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	N	7440-70-2	Calcium	44000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9H3	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	Y	7440-70-2	Calcium	45000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9H7	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	N	10045-97-3	Cesium-137	4.83	pCi/L	U	[NULL]	[NULL]	R	B0C9H3	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-74	9/6/1994 9:40	N	16887-00-6	Chloride	6700	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9H3	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	9/6/1994 9:40	N	7440-47-3	Chromium	120	ug/L	[NULL]	Q	[NULL]	R	B0C9H3	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	Y	7440-47-3	Chromium	16	ug/L	L	Q	[NULL]	R	B0C9H7	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	N	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C9H3	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	Y	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C9H7	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	N	10198-40-0	Cobalt-60	-2.18	pCi/L	U	[NULL]	[NULL]	R	B0C9H3	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-74	9/6/1994 9:40	N	7440-50-8	Copper	4.9	ug/L	L	Q	[NULL]	R	B0C9H3	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	Y	7440-50-8	Copper	2.6	ug/L	U	Q	[NULL]	R	B0C9H7	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	N	16984-48-8	Fluoride	600	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9H3	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	9/6/1994 9:40	N	12587-46-1	Gross alpha	1.05	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C9H3	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	9/6/1994 9:40	N	12587-47-2	Gross beta	2.57	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C9H3	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	9/6/1994 9:40	N	302-01-2	Hydrazine	2.3	ug/L	U	[NULL]	[NULL]	R	B0C9H3	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-74	9/6/1994 9:40	Y	7439-89-6	Iron	29	ug/L	[NULL]	Q	[NULL]	R	B0C9H7	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	N	7439-89-6	Iron	460	ug/L	[NULL]	Q	[NULL]	R	B0C9H3	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	N	7439-92-1	Lead	0.86	ug/L	U	[NULL]	[NULL]	R	B0C9H3	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-74	9/6/1994 9:40	Y	7439-92-1	Lead	2.6	ug/L	L	[NULL]	[NULL]	R	B0C9H7	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-74	9/6/1994 9:40	N	7439-95-4	Magnesium	14000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9H3	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	Y	7439-95-4	Magnesium	14000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9H7	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	Y	7439-96-5	Manganese	3	ug/L	L	Q	[NULL]	R	B0C9H7	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	N	7439-96-5	Manganese	12	ug/L	[NULL]	Q	[NULL]	R	B0C9H3	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	N	7440-02-0	Nickel	52	ug/L	[NULL]	Q	[NULL]	R	B0C9H3	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	Y	7440-02-0	Nickel	16	ug/L	U	Q	[NULL]	R	B0C9H7	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	N	14797-55-8	Nitrate	8900	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9H3	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	9/6/1994 9:40	N	14797-65-0	Nitrite	110	ug/L	U	[NULL]	[NULL]	R	B0C9H3	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	9/6/1994 9:40	N	14265-44-2	Phosphate	470	ug/L	U	[NULL]	[NULL]	R	B0C9H3	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	9/6/1994 9:40	Y	7440-09-7	Potassium	4300	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9H7	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	N	7440-09-7	Potassium	4200	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9H3	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	N	13967-48-1	Ruthenium-106	-19.2	pCi/L	U	[NULL]	[NULL]	R	B0C9H3	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-74	9/6/1994 9:40	N	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C9H3	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	Y	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C9H7	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	N	7440-23-5	Sodium	14000	ug/L	[NULL]	Q	[NULL]	R	B0C9H3	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	Y	7440-23-5	Sodium	15000	ug/L	[NULL]	Q	[NULL]	R	B0C9H7	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	N	CONDUCT	Specific Conductance	403	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C9H5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/6/1994 9:40	N	CONDUCT	Specific Conductance	403	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C9H6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/6/1994 9:40	N	CONDUCT	Specific Conductance	420	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C9H3	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-74	9/6/1994 9:40	N	CONDUCT	Specific Conductance	405	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C9H3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/6/1994 9:40	N	CONDUCT	Specific Conductance	403	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C9H4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/6/1994 9:40	N	10098-97-2	Strontium-90	0.415	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C9H3	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-74	9/6/1994 9:40	N	14808-79-8	Sulfate	100000	ug/L	D	[NULL]	[NULL]	R	B0C9H3	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	9/6/1994 9:40	N	TEMPERATURE	Temperature	17.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0C9H4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/6/1994 9:40	N	TEMPERATURE	Temperature	17.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0C9H5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/6/1994 9:40	N	TEMPERATURE	Temperature	17.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0C9H3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/6/1994 9:40	N	TEMPERATURE	Temperature	17.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0C9H6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/6/1994 9:40	N	7440-31-5	Tin	52	ug/L	LB	[NULL]	[NULL]	R	B0C9H3	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	Y	7440-31-5	Tin	38	ug/L	LB	[NULL]	[NULL]	R	B0C9H7	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	N	TOC	Total organic carbon	320	ug/L	U	[NULL]	[NULL]	R	B0C9H5	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	9/6/1994 9:40	N	TOC	Total organic carbon	330	ug/L	L	[NULL]	[NULL]	R	B0C9H3	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	9/6/1994 9:40	N	TOC	Total organic carbon	400	ug/L	L	[NULL]	[NULL]	R	B0C9H6	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	9/6/1994 9:40	N	59473-04-0	Total organic halides	16.5	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9H3	59473-04-0	WESTON	9020_TOX	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	9/6/1994 9:40	N	59473-04-0	Total organic halides	15.2	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9H6	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-74	9/6/1994 9:40	N	59473-04-0	Total organic halides	14.3	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9H5	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-74	9/6/1994 9:40	N	59473-04-0	Total organic halides	11.7	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9H4	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-74	9/6/1994 9:40	N	10028-17-8	Tritium	18000	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C9H3	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-74	9/6/1994 9:40	N	TURBIDITY	Turbidity	2.7	NTU	[NULL]	[NULL]	[NULL]	R	B0CJF0	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-74	9/6/1994 9:40	N	7440-62-2	Vanadium	19	ug/L	L	[NULL]	[NULL]	R	B0C9H3	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	Y	7440-62-2	Vanadium	19	ug/L	L	[NULL]	[NULL]	R	B0C9H7	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	Y	7440-66-6	Zinc	4.4	ug/L	U	[NULL]	[NULL]	R	B0C9H7	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	N	7440-66-6	Zinc	4.4	ug/L	U	[NULL]	[NULL]	R	B0C9H3	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/6/1994 9:40	N	PH	pH Measurement	7.58	unitless	[NULL]	[NULL]	[NULL]	R	B0C9H5	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/6/1994 9:40	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	B0C9H3	PH	DATACH	D1293_PH	100-NR-2
199-N-74	9/6/1994 9:40	N	PH	pH Measurement	7.58	unitless	[NULL]	[NULL]	[NULL]	R	B0C9H6	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/6/1994 9:40	N	PH	pH Measurement	7.58	unitless	[NULL]	[NULL]	[NULL]	R	B0C9H4	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/6/1994 9:40	N	PH	pH Measurement	7.57	unitless	[NULL]	[NULL]	[NULL]	R	B0C9H3	PH	FIELD	9040_PH	100-NR-2
199-N-74	11/4/1994 8:30	N	CONDUCT	Specific Conductance	391	uS/cm	[NULL]	[NULL]	[NULL]	R	B0D703	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	11/4/1994 8:30	N	CONDUCT	Specific Conductance	390	uS/cm	[NULL]	[NULL]	[NULL]	R	B0D704	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	11/4/1994 8:30	N	CONDUCT	Specific Conductance	390	uS/cm	[NULL]	[NULL]	[NULL]	R	B0D705	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	11/4/1994 8:30	N	CONDUCT	Specific Conductance	390	uS/cm	[NULL]	[NULL]	[NULL]	R	B0D706	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	11/4/1994 8:30	N	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0D704	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	11/4/1994 8:30	N	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0D705	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	11/4/1994 8:30	N	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0D706	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	11/4/1994 8:30	N	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0D703	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	11/4/1994 8:30	N	59473-04-0	Total organic halides	11.7	ug/L	[NULL]	[NULL]	[NULL]	R	B0D703	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-74	11/4/1994 8:30	N	59473-04-0	Total organic halides	9.2	ug/L	[NULL]	[NULL]	[NULL]	R	B0D704	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-74	11/4/1994 8:30	N	59473-04-0	Total organic halides	10.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0D706	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-74	11/4/1994 8:30	N	59473-04-0	Total organic halides	6.9	ug/L	[NULL]	[NULL]	[NULL]	R	B0D705	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-74	11/4/1994 8:30	N	PH	pH Measurement	7.49	unitless	[NULL]	[NULL]	[NULL]	R	B0D704	PH	FIELD	9040_PH	100-NR-2
199-N-74	11/4/1994 8:30	N	PH	pH Measurement	7.51	unitless	[NULL]	[NULL]	[NULL]	R	B0D705	PH	FIELD	9040_PH	100-NR-2
199-N-74	11/4/1994 8:30	N	PH	pH Measurement	7.52	unitless	[NULL]	[NULL]	[NULL]	R	B0D706	PH	FIELD	9040_PH	100-NR-2
199-N-74	11/4/1994 8:30	N	PH	pH Measurement	7.47	unitless	[NULL]	[NULL]	[NULL]	R	B0D703	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/3/1995 10:30	N	88-06-2	2,4,6-Trichlorophenol	1.3	ug/L	U	Y	[NULL]	R	B0DYG5	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/3/1995 10:30	N	120-83-2	2,4-Dichlorophenol	1.3	ug/L	U	Y	[NULL]	R	B0DYG5	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/3/1995 10:30	N	105-67-9	2,4-Dimethylphenol	1.2	ug/L	U	Y	[NULL]	R	B0DYG5	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/3/1995 10:30	N	51-28-5	2,4-Dinitrophenol	3	ug/L	U	Y	[NULL]	R	B0DYG5	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/3/1995 10:30	N	87-65-0	2,6-Dichlorophenol	1.4	ug/L	U	Y	[NULL]	R	B0DYG5	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/3/1995 10:30	N	95-57-8	2-Chlorophenol	1.6	ug/L	U	Y	[NULL]	R	B0DYG5	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/3/1995 10:30	N	88-75-5	2-Nitrophenol	1.3	ug/L	U	Y	[NULL]	R	B0DYG5	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/3/1995 10:30	N	534-52-1	4,6-Dinitro-2-methylphenol	1.3	ug/L	U	Y	[NULL]	R	B0DYG5	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/3/1995 10:30	N	59-50-7	4-Chloro-3-methylphenol	1.3	ug/L	U	Y	[NULL]	R	B0DYG5	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/3/1995 10:30	N	100-02-7	4-Nitrophenol	3	ug/L	U	Y	[NULL]	R	B0DYG5	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/3/1995 10:30	N	ALKALINITY	Alkalinity	80000	ug/L	[NULL]	[NULL]	[NULL]	R	B0DYG5	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-74	3/3/1995 10:30	N	7429-90-5	Aluminum	40.4	ug/L	U	[NULL]	[NULL]	R	B0DX75	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1995 10:30	Y	7429-90-5	Aluminum	26	ug/L	U	[NULL]	[NULL]	R	B0DYG9	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1995 10:30	Y	7440-36-0	Antimony	62	ug/L	U	[NULL]	[NULL]	R	B0DYG9	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1995 10:30	N	7440-36-0	Antimony	32.8	ug/L	U	[NULL]	[NULL]	R	B0DX75	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1995 10:30	Y	7440-39-3	Barium	27	ug/L	[NULL]	[NULL]	[NULL]	R	B0DYG9	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1995 10:30	N	7440-39-3	Barium	36	ug/L	B	[NULL]	[NULL]	R	B0DX75	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1995 10:30	N	7440-41-7	Beryllium	0.64	ug/L	U	[NULL]	[NULL]	R	B0DX75	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1995 10:30	Y	7440-41-7	Beryllium	0.17	ug/L	U	Q	[NULL]	R	B0DYG9	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1995 10:30	N	24959-67-9	Bromide	40	ug/L	L	[NULL]	[NULL]	R	B0DYG5	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	3/3/1995 10:30	Y	7440-43-9	Cadmium	3.3	ug/L	U	[NULL]	[NULL]	R	B0DYG9	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1995 10:30	N	7440-43-9	Cadmium	3.8	ug/L	U	[NULL]	[NULL]	R	B0DX75	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1995 10:30	Y	7440-70-2	Calcium	38000	ug/L	[NULL]	[NULL]	[NULL]	R	B0DYG9	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1995 10:30	N	7440-70-2	Calcium	46200	ug/L	J	[NULL]	[NULL]	R	B0DX75	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	3/3/1995 10:30	N	10045-97-3	Cesium-137	3.6	pCi/L	U	[NULL]	[NULL]	R	B0DX75	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-74	3/3/1995 10:30	N	16887-00-6	Chloride	5860	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX75	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/3/1995 10:30	N	16887-00-6	Chloride	6400	ug/L	B	[NULL]	[NULL]	R	B0DYG5	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	3/3/1995 10:30	N	7440-47-3	Chromium	140	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX75	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1995 10:30	Y	7440-47-3	Chromium	13	ug/L	L	[NULL]	[NULL]	R	B0DYG9	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1995 10:30	N	7440-48-4	Cobalt	4.1	ug/L	U	[NULL]	[NULL]	R	B0DX75	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1995 10:30	Y	7440-48-4	Cobalt	5.9	ug/L	U	[NULL]	[NULL]	R	B0DYG9	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1995 10:30	N	13981-38-9	Cobalt-58	-3.06	pCi/L	U	[NULL]	[NULL]	R	B0DX75	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-74	3/3/1995 10:30	N	10198-40-0	Cobalt-60	4.87	pCi/L	U	[NULL]	[NULL]	R	B0DX75	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-74	3/3/1995 10:30	N	7440-50-8	Copper	27.3	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX75	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1995 10:30	Y	7440-50-8	Copper	4.1	ug/L	U	[NULL]	[NULL]	R	B0DYG9	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1995 10:30	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1.3	ug/L	U	Y	[NULL]	R	B0DYG5	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/3/1995 10:30	N	14683-23-9	Europium-152	-6.51	pCi/L	U	[NULL]	[NULL]	R	B0DX75	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-74	3/3/1995 10:30	N	15585-10-1	Europium-154	6.97	pCi/L	U	[NULL]	[NULL]	R	B0DX75	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-74	3/3/1995 10:30	N	14391-16-3	Europium-155	4.48	pCi/L	U	[NULL]	[NULL]	R	B0DX75	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-74	3/3/1995 10:30	N	16984-48-8	Fluoride	260	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX75	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/3/1995 10:30	N	16984-48-8	Fluoride	400	ug/L	[NULL]	[NULL]	[NULL]	R	B0DYG5	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	3/3/1995 10:30	N	12587-46-1	Gross alpha	1.76	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DYG5	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	3/3/1995 10:30	N	12587-47-2	Gross beta	4.73	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DYG5	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	3/3/1995 10:30	N	7439-89-6	Iron	590	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX75	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1995 10:30	Y	7439-89-6	Iron	15	ug/L	L	Q	[NULL]	R	B0DYG9	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1995 10:30	N	14596-12-4	Iron-59	-6.75	pCi/L	U	[NULL]	[NULL]	R	B0DX75	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-74	3/3/1995 10:30	Y	7439-92-1	Lead	1.5	ug/L	U	[NULL]	[NULL]	R	B0DYG9	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-74	3/3/1995 10:30	N	7439-95-4	Magnesium	14400	ug/L	J	[NULL]	[NULL]	R	B0DX75	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1995 10:30	Y	7439-95-4	Magnesium	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B0DYG9	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1995 10:30	N	7439-96-5	Manganese	16.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX75	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1995 10:30	Y	7439-96-5	Manganese	1.1	ug/L	L	[NULL]	[NULL]	R	B0DYG9	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1995 10:30	N	7778-77-0	Monopotassium phosphate	1000	ug/L	U	R	R	R	B0DX75	7778-77-0	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/3/1995 10:30	N	7440-02-0	Nickel	60.6	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX75	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1995 10:30	Y	7440-02-0	Nickel	13	ug/L	U	[NULL]	[NULL]	R	B0DYG9	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1995 10:30	N	14797-55-8	Nitrate	8590	ug/L	J	[NULL]	[NULL]	R	B0DX75	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/3/1995 10:30	N	14797-55-8	Nitrate	8000	ug/L	[NULL]	[NULL]	[NULL]	R	B0DYG5	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	3/3/1995 10:30	N	14797-65-0	Nitrite	65.7	ug/L	U	R	R	R	B0DX75	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/3/1995 10:30	N	14797-65-0	Nitrite	18	ug/L	U	[NULL]	[NULL]	R	B0DYG5	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	3/3/1995 10:30	N	87-86-5	Pentachlorophenol	1.3	ug/L	U	Y	[NULL]	R	B0DYG5	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/3/1995 10:30	N	108-95-2	Phenol	0.31	ug/L	U	Y	[NULL]	R	B0DYG5	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/3/1995 10:30	N	14265-44-2	Phosphate	82	ug/L	U	[NULL]	[NULL]	R	B0DYG5	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	3/3/1995 10:30	Y	7440-09-7	Potassium	4400	ug/L	[NULL]	[NULL]	[NULL]	R	B0DYG9	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1995 10:30	N	7440-09-7	Potassium	5430	ug/L	J	[NULL]	[NULL]	R	B0DX75	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1995 10:30	N	7440-22-4	Silver	3.8	ug/L	U	[NULL]	[NULL]	R	B0DX75	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1995 10:30	Y	7440-22-4	Silver	3.6	ug/L	U	[NULL]	[NULL]	R	B0DYG9	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1995 10:30	N	7440-23-5	Sodium	15500	ug/L	J	[NULL]	[NULL]	R	B0DX75	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1995 10:30	Y	7440-23-5	Sodium	14000	ug/L	[NULL]	Q	[NULL]	R	B0DYG9	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1995 10:30	N	CONDUCT	Specific Conductance	390	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DYG5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/3/1995 10:30	N	CONDUCT	Specific Conductance	389	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DYG6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/3/1995 10:30	N	CONDUCT	Specific Conductance	389	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DYG7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/3/1995 10:30	N	CONDUCT	Specific Conductance	388	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DYG8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/3/1995 10:30	N	CONDUCT	Specific Conductance	400	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DYG5	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-74	3/3/1995 10:30	N	10098-97-2	Strontium-90	0.353	pCi/L	U	[NULL]	[NULL]	R	B0DX75	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-74	3/3/1995 10:30	N	14808-79-8	Sulfate	90000	ug/L	D	[NULL]	[NULL]	R	B0DYG5	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	3/3/1995 10:30	N	14808-79-8	Sulfate	94200	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX75	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/3/1995 10:30	N	TEMPERATURE	Temperature	16.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0DYG5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/3/1995 10:30	N	25167-83-3	Tetrachlorophenol	1.5	ug/L	U	Y	[NULL]	R	B0DYG5	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	3/3/1995 10:30	Y	7440-31-5	Tin	69	ug/L	U	[NULL]	[NULL]	R	B0DYG9	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1995 10:30	N	1319-77-3	Total cresols	4.8	ug/L	U	Y	[NULL]	R	B0DYG5	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/3/1995 10:30	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B0DYG5	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	3/3/1995 10:30	N	TOC	Total organic carbon	400	ug/L	L	[NULL]	[NULL]	R	B0DYG6	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	3/3/1995 10:30	N	TOC	Total organic carbon	400	ug/L	L	[NULL]	[NULL]	R	B0DYG7	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	3/3/1995 10:30	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B0DYG8	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	3/3/1995 10:30	N	59473-04-0	Total organic halides	13.5	ug/L	[NULL]	[NULL]	[NULL]	R	B0DYG6	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-74	3/3/1995 10:30	N	59473-04-0	Total organic halides	12.3	ug/L	[NULL]	[NULL]	[NULL]	R	B0DYG7	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-74	3/3/1995 10:30	N	59473-04-0	Total organic halides	12.5	ug/L	[NULL]	[NULL]	[NULL]	R	B0DYG8	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-74	3/3/1995 10:30	N	25167-82-2	Trichlorophenol	1.7	ug/L	U	Y	[NULL]	R	B0DYG5	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/3/1995 10:30	N	10028-17-8	Tritium	18500	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DX75	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-74	3/3/1995 10:30	N	TURBIDITY	Turbidity	1.1	NTU	[NULL]	Q	[NULL]	R	B0DYG5	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-74	3/3/1995 10:30	Y	7440-62-2	Vanadium	17	ug/L	L	[NULL]	[NULL]	R	B0DYG9	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1995 10:30	N	7440-62-2	Vanadium	33.2	ug/L	U	[NULL]	[NULL]	R	B0DX75	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1995 10:30	Y	7440-66-6	Zinc	6.3	ug/L	U	Q	[NULL]	R	B0DYG9	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1995 10:30	N	7440-66-6	Zinc	14.1	ug/L	B	[NULL]	[NULL]	R	B0DX75	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1995 10:30	N	PH	pH Measurement	7.62	unitless	[NULL]	[NULL]	[NULL]	R	B0DYG5	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/3/1995 10:30	N	PH	pH Measurement	7.63	unitless	[NULL]	[NULL]	[NULL]	R	B0DYG8	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/3/1995 10:30	N	PH	pH Measurement	7.62	unitless	[NULL]	[NULL]	[NULL]	R	B0DYG7	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/3/1995 10:30	N	PH	pH Measurement	7.63	unitless	[NULL]	[NULL]	[NULL]	R	B0DYG6	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/3/1995 10:30	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B0DYG5	PH	DATACH	D1293_PH	100-NR-2
199-N-74	8/28/1995 10:14	N	ALKALINITY	Alkalinity	90000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBZ1	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-74	8/28/1995 10:14	Y	7429-90-5	Aluminum	31	ug/L	U	[NULL]	[NULL]	R	B0GBZ5	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	N	7429-90-5	Aluminum	24.6	ug/L	U	[NULL]	[NULL]	R	B0GHY0	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	Y	7440-36-0	Antimony	24	ug/L	U	[NULL]	[NULL]	R	B0GBZ5	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	N	7440-36-0	Antimony	45.9	ug/L	U	[NULL]	[NULL]	R	B0GHY0	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	Y	7440-39-3	Barium	30	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBZ5	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	N	7440-39-3	Barium	30.4	ug/L	B	[NULL]	[NULL]	R	B0GHY0	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	N	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	R	B0GHY0	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	Y	7440-41-7	Beryllium	0.63	ug/L	U	[NULL]	[NULL]	R	B0GBZ5	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	N	24959-67-9	Bromide	72	ug/L	U	[NULL]	[NULL]	R	B0GBZ1	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	8/28/1995 10:14	N	7440-43-9	Cadmium	3.1	ug/L	U	[NULL]	[NULL]	R	B0GHY0	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	Y	7440-43-9	Cadmium	0.98	ug/L	U	[NULL]	[NULL]	R	B0GBZ5	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	Y	7440-70-2	Calcium	41000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBZ5	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	N	7440-70-2	Calcium	41200	ug/L	[NULL]	[NULL]	[NULL]	R	B0GHY0	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	N	10045-97-3	Cesium-137	-2.87	pCi/L	U	[NULL]	[NULL]	R	B0GHY0	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-74	8/28/1995 10:14	N	16887-00-6	Chloride	6150	ug/L	[NULL]	[NULL]	[NULL]	R	B0GHY0	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	8/28/1995 10:14	N	16887-00-6	Chloride	5800	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBZ1	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	8/28/1995 10:14	N	7440-47-3	Chromium	41.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0GHY0	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	Y	7440-47-3	Chromium	14	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBZ5	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	N	7440-48-4	Cobalt	4.3	ug/L	U	[NULL]	[NULL]	R	B0GHY0	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	Y	7440-48-4	Cobalt	5.3	ug/L	U	[NULL]	[NULL]	R	B0GBZ5	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	N	13981-38-9	Cobalt-58	1.22	pCi/L	U	[NULL]	[NULL]	R	B0GHY0	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-74	8/28/1995 10:14	N	10198-40-0	Cobalt-60	-8.72	pCi/L	U	[NULL]	[NULL]	R	B0GHY0	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-74	8/28/1995 10:14	N	7440-50-8	Copper	7.2	ug/L	B	[NULL]	[NULL]	R	B0GHY0	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	Y	7440-50-8	Copper	2.1	ug/L	U	[NULL]	[NULL]	R	B0GBZ5	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	N	14683-23-9	Europium-152	5.68	pCi/L	U	[NULL]	[NULL]	R	B0GHY0	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-74	8/28/1995 10:14	N	15585-10-1	Europium-154	-10.9	pCi/L	U	[NULL]	[NULL]	R	B0GHY0	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-74	8/28/1995 10:14	N	14391-16-3	Europium-155	7.56	pCi/L	U	[NULL]	[NULL]	R	B0GHY0	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-74	8/28/1995 10:14	N	16984-48-8	Fluoride	500	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBZ1	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	8/28/1995 10:14	N	16984-48-8	Fluoride	280	ug/L	[NULL]	[NULL]	[NULL]	R	B0GHY0	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	8/28/1995 10:14	N	12587-46-1	Gross alpha	2.11	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GBZ1	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	8/28/1995 10:14	N	12587-47-2	Gross beta	6.36	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GBZ1	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	8/28/1995 10:14	N	7439-89-6	Iron	152	ug/L	[NULL]	[NULL]	[NULL]	R	B0GHY0	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	Y	7439-89-6	Iron	8.9	ug/L	U	[NULL]	[NULL]	R	B0GBZ5	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	8/28/1995 10:14	N	14596-12-4	Iron-59	13.6	pCi/L	U	[NULL]	[NULL]	R	B0GHY0	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-74	8/28/1995 10:14	Y	7439-92-1	Lead	0.88	ug/L	U	H	[NULL]	R	B0GBZ5	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-74	8/28/1995 10:14	N	7439-95-4	Magnesium	12700	ug/L	[NULL]	[NULL]	[NULL]	R	B0GHY0	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	Y	7439-95-4	Magnesium	13000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBZ5	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	Y	7439-96-5	Manganese	1.1	ug/L	L	[NULL]	[NULL]	R	B0GBZ5	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	N	7439-96-5	Manganese	5.8	ug/L	B	[NULL]	[NULL]	R	B0GHY0	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	N	7440-02-0	Nickel	14.2	ug/L	U	[NULL]	[NULL]	R	B0GHY0	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	Y	7440-02-0	Nickel	11	ug/L	U	[NULL]	[NULL]	R	B0GBZ5	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	N	14797-55-8	Nitrate	7300	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBZ1	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	8/28/1995 10:14	N	14797-55-8	Nitrate	7790	ug/L	[NULL]	[NULL]	[NULL]	R	B0GHY0	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	8/28/1995 10:14	N	14797-65-0	Nitrite	140	ug/L	U	[NULL]	[NULL]	R	B0GBZ1	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	8/28/1995 10:14	N	14797-65-0	Nitrite	65.7	ug/L	U	G	[NULL]	R	B0GHY0	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	8/28/1995 10:14	N	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B0GHY0	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	8/28/1995 10:14	N	14265-44-2	Phosphate	340	ug/L	U	[NULL]	[NULL]	R	B0GBZ1	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	8/28/1995 10:14	Y	7440-09-7	Potassium	4600	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBZ5	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	N	7440-09-7	Potassium	4900	ug/L	B	[NULL]	[NULL]	R	B0GHY0	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	N	7440-22-4	Silver	2.2	ug/L	U	[NULL]	[NULL]	R	B0GHY0	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	Y	7440-22-4	Silver	5.5	ug/L	U	[NULL]	[NULL]	R	B0GBZ5	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	Y	7440-23-5	Sodium	15000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBZ5	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	N	7440-23-5	Sodium	13900	ug/L	[NULL]	[NULL]	[NULL]	R	B0GHY0	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	N	CONDUCT	Specific Conductance	348	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GBZ2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	8/28/1995 10:14	N	CONDUCT	Specific Conductance	349	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GBZ1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	8/28/1995 10:14	N	CONDUCT	Specific Conductance	407	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GHY0	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-74	8/28/1995 10:14	N	CONDUCT	Specific Conductance	345	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GBZ4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	8/28/1995 10:14	N	CONDUCT	Specific Conductance	346	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GBZ3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	8/28/1995 10:14	Y	7440-24-6	Strontium	290	ug/L	[NULL]	H	[NULL]	R	B0GBZ5	7440-24-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	N	10098-97-2	Strontium-90	0.187	pCi/L	U	[NULL]	[NULL]	R	B0GHY0	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-74	8/28/1995 10:14	N	14808-79-8	Sulfate	80700	ug/L	[NULL]	[NULL]	[NULL]	R	B0GHY0	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	8/28/1995 10:14	N	14808-79-8	Sulfate	79000	ug/L	D	[NULL]	[NULL]	R	B0GBZ1	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	8/28/1995 10:14	N	TEMPERATURE	Temperature	17.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0GBZ4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	8/28/1995 10:14	N	TEMPERATURE	Temperature	17.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0GBZ2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	8/28/1995 10:14	N	TEMPERATURE	Temperature	17.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0GBZ1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	8/28/1995 10:14	N	TEMPERATURE	Temperature	17.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0GBZ3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	8/28/1995 10:14	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	B0GBZ5	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	N	TOC	Total organic carbon	200	ug/L	L	[NULL]	[NULL]	R	B0GBZ1	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	8/28/1995 10:14	N	TOC	Total organic carbon	200	ug/L	L	[NULL]	[NULL]	R	B0GBZ4	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	8/28/1995 10:14	N	TOC	Total organic carbon	200	ug/L	L	[NULL]	[NULL]	R	B0GBZ2	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	8/28/1995 10:14	N	TOC	Total organic carbon	200	ug/L	L	[NULL]	[NULL]	R	B0GBZ3	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	8/28/1995 10:14	N	59473-04-0	Total organic halides	10	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBZ3	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	8/28/1995 10:14	N	59473-04-0	Total organic halides	8	ug/L	L	[NULL]	[NULL]	R	B0GBZ1	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	8/28/1995 10:14	N	59473-04-0	Total organic halides	10	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBZ4	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	8/28/1995 10:14	N	59473-04-0	Total organic halides	9	ug/L	L	[NULL]	[NULL]	R	B0GBZ2	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	8/28/1995 10:14	N	10028-17-8	Tritium	16900	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GHY0	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-74	8/28/1995 10:14	N	TURBIDITY	Turbidity	0.54	NTU	[NULL]	[NULL]	[NULL]	R	B0GHY0	TURBIDITY	QTESSL	180.1_TURBIDITY	100-NR-2
199-N-74	8/28/1995 10:14	N	TURBIDITY	Turbidity	0.94	NTU	[NULL]	[NULL]	[NULL]	R	B0GBZ1	TURBIDITY	FIELD	180.1_TURBIDITY	100-NR-2
199-N-74	8/28/1995 10:14	Y	7440-62-2	Vanadium	20	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBZ5	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	N	7440-62-2	Vanadium	23.3	ug/L	B	[NULL]	[NULL]	R	B0GHY0	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	Y	7440-66-6	Zinc	3.7	ug/L	U	[NULL]	[NULL]	R	B0GBZ5	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	N	7440-66-6	Zinc	18.2	ug/L	B	[NULL]	[NULL]	R	B0GHY0	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	8/28/1995 10:14	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B0GBZ1	PH	DATACH	D1293_PH	100-NR-2
199-N-74	8/28/1995 10:14	N	PH	pH Measurement	8.02	unitless	[NULL]	[NULL]	[NULL]	R	B0GBZ4	PH	FIELD	9040_PH	100-NR-2
199-N-74	8/28/1995 10:14	N	PH	pH Measurement	8.03	unitless	[NULL]	[NULL]	[NULL]	R	B0GBZ1	PH	FIELD	9040_PH	100-NR-2
199-N-74	8/28/1995 10:14	N	PH	pH Measurement	8.02	unitless	[NULL]	[NULL]	[NULL]	R	B0GBZ2	PH	FIELD	9040_PH	100-NR-2
199-N-74	8/28/1995 10:14	N	PH	pH Measurement	8.02	unitless	[NULL]	[NULL]	[NULL]	R	B0GBZ3	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/27/1996 10:42	N	88-06-2	2,4,6-Trichlorophenol	0.8	ug/L	U	[NULL]	[NULL]	R	B0HNN0	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	3/27/1996 10:42	N	120-83-2	2,4-Dichlorophenol	0.43	ug/L	U	[NULL]	[NULL]	R	B0HNN0	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/27/1996 10:42	N	105-67-9	2,4-Dimethylphenol	0.62	ug/L	U	[NULL]	[NULL]	R	B0HNN0	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/27/1996 10:42	N	51-28-5	2,4-Dinitrophenol	6.8	ug/L	U	[NULL]	[NULL]	R	B0HNN0	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/27/1996 10:42	N	87-65-0	2,6-Dichlorophenol	0.52	ug/L	U	[NULL]	[NULL]	R	B0HNN0	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/27/1996 10:42	N	95-57-8	2-Chlorophenol	0.6	ug/L	U	[NULL]	[NULL]	R	B0HNN0	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/27/1996 10:42	N	88-75-5	2-Nitrophenol	0.6	ug/L	U	[NULL]	[NULL]	R	B0HNN0	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/27/1996 10:42	N	534-52-1	4,6-Dinitro-2-methylphenol	0.84	ug/L	U	[NULL]	[NULL]	R	B0HNN0	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/27/1996 10:42	N	59-50-7	4-Chloro-3-methylphenol	0.52	ug/L	U	[NULL]	[NULL]	R	B0HNN0	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/27/1996 10:42	N	100-02-7	4-Nitrophenol	0.49	ug/L	U	[NULL]	[NULL]	R	B0HNN0	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/27/1996 10:42	N	ALKALINITY	Alkalinity	88000	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNN0	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-74	3/27/1996 10:42	N	7429-90-5	Aluminum	53.2	ug/L	U	[NULL]	[NULL]	R	B0H8J9	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	Y	7429-90-5	Aluminum	31	ug/L	U	[NULL]	[NULL]	R	B0HNN4	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	Y	7440-36-0	Antimony	24	ug/L	U	[NULL]	[NULL]	R	B0HNN4	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	N	7440-36-0	Antimony	34.6	ug/L	U	[NULL]	[NULL]	R	B0H8J9	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	Y	7440-38-2	Arsenic	4	ug/L	L	[NULL]	[NULL]	R	B0HNN4	7440-38-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	N	7440-39-3	Barium	32.1	ug/L	B	[NULL]	[NULL]	R	B0H8J9	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	Y	7440-39-3	Barium	28	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNN4	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	Y	7440-41-7	Beryllium	0.63	ug/L	U	[NULL]	[NULL]	R	B0HNN4	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	N	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	R	B0H8J9	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	Y	7440-43-9	Cadmium	1	ug/L	L	[NULL]	[NULL]	R	B0HNN4	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	N	7440-43-9	Cadmium	2.4	ug/L	U	[NULL]	[NULL]	R	B0H8J9	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	N	7440-70-2	Calcium	43100	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8J9	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	Y	7440-70-2	Calcium	40000	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNN4	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	N	10045-97-3	Cesium-137	2.4	pCi/L	U	[NULL]	[NULL]	R	B0H8J9	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-74	3/27/1996 10:42	Y	16887-00-6	Chloride	5890	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K0	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/27/1996 10:42	N	16887-00-6	Chloride	5860	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8J9	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/27/1996 10:42	Y	7440-47-3	Chromium	16	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNN4	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	N	7440-47-3	Chromium	81.3	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8J9	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	N	7440-48-4	Cobalt	4.8	ug/L	U	[NULL]	[NULL]	R	B0H8J9	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	Y	7440-48-4	Cobalt	5.3	ug/L	U	[NULL]	[NULL]	R	B0HNN4	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	N	13981-38-9	Cobalt-58	-5.39	pCi/L	U	[NULL]	[NULL]	R	B0H8J9	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-74	3/27/1996 10:42	N	10198-40-0	Cobalt-60	2.38	pCi/L	U	[NULL]	[NULL]	R	B0H8J9	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-74	3/27/1996 10:42	N	7440-50-8	Copper	9.1	ug/L	B	[NULL]	[NULL]	R	B0H8J9	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	Y	7440-50-8	Copper	3.8	ug/L	L	[NULL]	[NULL]	R	B0HNN4	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	0.41	ug/L	U	[NULL]	[NULL]	R	B0HNN0	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/27/1996 10:42	N	14683-23-9	Europium-152	-9.58	pCi/L	U	[NULL]	[NULL]	R	B0H8J9	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-74	3/27/1996 10:42	N	15585-10-1	Europium-154	-0.536	pCi/L	U	[NULL]	[NULL]	R	B0H8J9	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-74	3/27/1996 10:42	N	14391-16-3	Europium-155	-3.83	pCi/L	U	[NULL]	[NULL]	R	B0H8J9	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-74	3/27/1996 10:42	N	16984-48-8	Fluoride	260	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8J9	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/27/1996 10:42	Y	16984-48-8	Fluoride	260	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K0	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/27/1996 10:42	N	12587-46-1	Gross alpha	1.8	pCi/L	J	[NULL]	[NULL]	R	B0H8J9	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-74	3/27/1996 10:42	N	12587-47-2	Gross beta	4.96	pCi/L	[NULL]	[NULL]	[NULL]	R	B0H8J9	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-74	3/27/1996 10:42	N	7439-89-6	Iron	358	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8J9	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	Y	7439-89-6	Iron	30	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNN4	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	N	14596-12-4	Iron-59	-7.44	pCi/L	U	[NULL]	[NULL]	R	B0H8J9	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-74	3/27/1996 10:42	Y	7439-92-1	Lead	1.7	ug/L	U	[NULL]	[NULL]	R	B0HNN4	7439-92-1	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	N	7439-95-4	Magnesium	13500	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8J9	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	Y	7439-95-4	Magnesium	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNN4	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	Y	7439-96-5	Manganese	0.63	ug/L	L	[NULL]	[NULL]	R	B0HNN4	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	N	7439-96-5	Manganese	9.5	ug/L	B	[NULL]	[NULL]	R	B0H8J9	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	N	7440-02-0	Nickel	31.9	ug/L	B	[NULL]	[NULL]	R	B0H8J9	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	Y	7440-02-0	Nickel	13	ug/L	L	[NULL]	[NULL]	R	B0HNN4	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	Y	14797-55-8	Nitrate	7610	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K0	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	3/27/1996 10:42	N	14797-55-8	Nitrate	7480	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8J9	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/27/1996 10:42	Y	14797-65-0	Nitrite	65.7	ug/L	U	[NULL]	[NULL]	R	B0H8K0	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/27/1996 10:42	N	14797-65-0	Nitrite	65.7	ug/L	U	[NULL]	[NULL]	R	B0H8J9	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/27/1996 10:42	N	87-86-5	Pentachlorophenol	0.48	ug/L	U	[NULL]	[NULL]	R	B0HNN0	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/27/1996 10:42	N	108-95-2	Phenol	0.58	ug/L	U	[NULL]	[NULL]	R	B0HNN0	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/27/1996 10:42	Y	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B0H8K0	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/27/1996 10:42	N	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B0H8J9	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/27/1996 10:42	Y	7440-09-7	Potassium	4400	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNN4	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	N	7440-09-7	Potassium	3960	ug/L	B	[NULL]	[NULL]	R	B0H8J9	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	Y	7782-49-2	Selenium	3.8	ug/L	U	[NULL]	[NULL]	R	B0HNN4	7782-49-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	N	7440-22-4	Silver	5.9	ug/L	U	[NULL]	[NULL]	R	B0H8J9	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	Y	7440-22-4	Silver	5.5	ug/L	U	[NULL]	[NULL]	R	B0HNN4	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	Y	7440-23-5	Sodium	15000	ug/L	[NULL]	Q	[NULL]	R	B0HNN4	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	N	7440-23-5	Sodium	15300	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8J9	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	N	CONDUCT	Specific Conductance	378	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HNN0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/27/1996 10:42	N	CONDUCT	Specific Conductance	379	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HNN2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/27/1996 10:42	N	CONDUCT	Specific Conductance	379	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HNN3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/27/1996 10:42	N	CONDUCT	Specific Conductance	371	uS/cm	[NULL]	[NULL]	[NULL]	R	B0H8J9	CONDUCT	QTESSL	9050_CONDUCT	100-NR-2
199-N-74	3/27/1996 10:42	N	CONDUCT	Specific Conductance	379	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HNN1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/27/1996 10:42	Y	7440-24-6	Strontium	280	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNN4	7440-24-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	N	14158-27-1	Strontium-89	-0.236	pCi/L	U	[NULL]	[NULL]	R	B0H8J9	14158-27-1	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-74	3/27/1996 10:42	N	10098-97-2	Strontium-90	0.217	pCi/L	U	[NULL]	[NULL]	R	B0H8J9	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-74	3/27/1996 10:42	Y	14808-79-8	Sulfate	76500	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K0	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/27/1996 10:42	N	14808-79-8	Sulfate	75000	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8J9	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/27/1996 10:42	N	TEMPERATURE	Temperature	16.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0HNN1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/27/1996 10:42	N	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0HNN3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/27/1996 10:42	N	TEMPERATURE	Temperature	16.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0HNN2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/27/1996 10:42	N	TEMPERATURE	Temperature	16.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0HNN0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/27/1996 10:42	N	25167-83-3	Tetrachlorophenol	0.52	ug/L	U	[NULL]	[NULL]	R	B0HNN0	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/27/1996 10:42	Y	7440-28-0	Thallium	3.7	ug/L	U	[NULL]	[NULL]	R	B0HNN4	7440-28-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	Y	7440-31-5	Tin	33	ug/L	BL	[NULL]	[NULL]	R	B0HNN4	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	N	1319-77-3	Total cresols	1.7	ug/L	U	[NULL]	[NULL]	R	B0HNN0	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/27/1996 10:42	N	TOC	Total organic carbon	236	ug/L	L	[NULL]	[NULL]	R	B0HNN2	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	3/27/1996 10:42	N	TOC	Total organic carbon	216	ug/L	L	[NULL]	[NULL]	R	B0HNN1	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	3/27/1996 10:42	N	TOC	Total organic carbon	329	ug/L	L	[NULL]	[NULL]	R	B0HNN0	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	3/27/1996 10:42	N	TOC	Total organic carbon	228	ug/L	L	[NULL]	[NULL]	R	B0HNN3	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	3/27/1996 10:42	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0HNN1	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	3/27/1996 10:42	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0HNN0	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	3/27/1996 10:42	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0HNN2	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	3/27/1996 10:42	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0HNN3	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	3/27/1996 10:42	N	25167-82-2	Trichlorophenol	0.56	ug/L	U	[NULL]	[NULL]	R	B0HNN0	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-74	3/27/1996 10:42	N	10028-17-8	Tritium	15854	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HNH4	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-74	3/27/1996 10:42	N	TURBIDITY	Turbidity	1.47	NTU	[NULL]	[NULL]	[NULL]	R	B0HNN0	TURBIDITY	FIELD	180.1_TURBIDITY	100-NR-2
199-N-74	3/27/1996 10:42	Y	7440-62-2	Vanadium	19	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNN4	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	N	7440-62-2	Vanadium	22.6	ug/L	B	[NULL]	[NULL]	R	B0H8J9	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	N	7440-66-6	Zinc	11.8	ug/L	B	[NULL]	[NULL]	R	B0H8J9	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	Y	7440-66-6	Zinc	3.7	ug/L	U	[NULL]	[NULL]	R	B0HNN4	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	3/27/1996 10:42	N	PH	pH Measurement	8.11	unitless	[NULL]	[NULL]	[NULL]	R	B0HNN0	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/27/1996 10:42	N	PH	pH Measurement	8.13	unitless	[NULL]	[NULL]	[NULL]	R	B0HNN2	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/27/1996 10:42	N	PH	pH Measurement	8.12	unitless	[NULL]	[NULL]	[NULL]	R	B0HNN1	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/27/1996 10:42	N	PH	pH Measurement	8.13	unitless	[NULL]	[NULL]	[NULL]	R	B0HNN3	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/23/1996 9:00	N	ALKALINITY	Alkalinity	92000	ug/L	B	[NULL]	[NULL]	R	B0JBP5	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-74	9/23/1996 9:00	Y	7429-90-5	Aluminum	15	ug/L	U	[NULL]	[NULL]	R	B0JBP9	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/23/1996 9:00	Y	7440-36-0	Antimony	43	ug/L	U	[NULL]	[NULL]	R	B0JBP9	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/23/1996 9:00	Y	7440-38-2	Arsenic	5	ug/L	L	[NULL]	[NULL]	R	B0JBP9	7440-38-2	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	9/23/1996 9:00	Y	7440-39-3	Barium	26	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBP9	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/23/1996 9:00	Y	7440-41-7	Beryllium	0.2	ug/L	U	[NULL]	[NULL]	R	B0JBP9	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/23/1996 9:00	N	24959-67-9	Bromide	37	ug/L	L	[NULL]	[NULL]	R	B0JBP5	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	9/23/1996 9:00	Y	7440-43-9	Cadmium	0.31	ug/L	U	[NULL]	[NULL]	R	B0JBP9	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/23/1996 9:00	Y	7440-70-2	Calcium	38000	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBP9	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/23/1996 9:00	N	10045-97-3	Cesium-137	0.613	pCi/L	U	[NULL]	[NULL]	R	B0J1M2	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-74	9/23/1996 9:00	N	16887-00-6	Chloride	5900	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBP5	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	9/23/1996 9:00	N	16887-00-6	Chloride	5700	ug/L	[NULL]	[NULL]	[NULL]	R	B0J1M2	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	9/23/1996 9:00	Y	7440-47-3	Chromium	10	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBP9	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/23/1996 9:00	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B0JBP9	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/23/1996 9:00	N	13981-38-9	Cobalt-58	1.53	pCi/L	U	[NULL]	[NULL]	R	B0J1M2	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-74	9/23/1996 9:00	N	10198-40-0	Cobalt-60	-0.594	pCi/L	U	[NULL]	[NULL]	R	B0J1M2	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-74	9/23/1996 9:00	Y	7440-50-8	Copper	8.7	ug/L	U	[NULL]	[NULL]	R	B0JBP9	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/23/1996 9:00	N	14683-23-9	Europium-152	-5.2	pCi/L	U	[NULL]	[NULL]	R	B0J1M2	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-74	9/23/1996 9:00	N	15585-10-1	Europium-154	-10.4	pCi/L	U	[NULL]	[NULL]	R	B0J1M2	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-74	9/23/1996 9:00	N	14391-16-3	Europium-155	1.42	pCi/L	U	[NULL]	[NULL]	R	B0J1M2	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-74	9/23/1996 9:00	N	16984-48-8	Fluoride	260	ug/L	[NULL]	[NULL]	[NULL]	R	B0J1M2	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	9/23/1996 9:00	N	16984-48-8	Fluoride	330	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBP5	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	9/23/1996 9:00	N	12587-46-1	Gross alpha	0.638	pCi/L	U	[NULL]	[NULL]	R	B0J1M2	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-74	9/23/1996 9:00	N	12587-47-2	Gross beta	4.55	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J1M2	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-74	9/23/1996 9:00	Y	7439-89-6	Iron	21	ug/L	L	[NULL]	[NULL]	R	B0JBP9	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/23/1996 9:00	N	14596-12-4	Iron-59	5.55	pCi/L	U	[NULL]	[NULL]	R	B0J1M2	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-74	9/23/1996 9:00	Y	7439-92-1	Lead	1.7	ug/L	U	[NULL]	[NULL]	R	B0JBP9	7439-92-1	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/23/1996 9:00	Y	7439-95-4	Magnesium	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBP9	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/23/1996 9:00	Y	7439-96-5	Manganese	0.83	ug/L	L	[NULL]	[NULL]	R	B0JBP9	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/23/1996 9:00	Y	7440-02-0	Nickel	7.4	ug/L	U	[NULL]	[NULL]	R	B0JBP9	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/23/1996 9:00	N	14797-55-8	Nitrate	7300	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBP5	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	9/23/1996 9:00	N	14797-55-8	Nitrate	7390	ug/L	[NULL]	[NULL]	[NULL]	R	B0J1M2	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	9/23/1996 9:00	N	14797-65-0	Nitrite	65.7	ug/L	U	[NULL]	[NULL]	R	B0J1M2	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	9/23/1996 9:00	N	14797-65-0	Nitrite	11	ug/L	U	[NULL]	[NULL]	R	B0JBP5	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	9/23/1996 9:00	N	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B0J1M2	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	9/23/1996 9:00	N	14265-44-2	Phosphate	83	ug/L	U	[NULL]	[NULL]	R	B0JBP5	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	9/23/1996 9:00	Y	7440-09-7	Potassium	4000	ug/L	B	[NULL]	[NULL]	R	B0JBP9	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/23/1996 9:00	Y	7782-49-2	Selenium	3.8	ug/L	U	[NULL]	[NULL]	R	B0JBP9	7782-49-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/23/1996 9:00	Y	7440-22-4	Silver	4.5	ug/L	U	[NULL]	[NULL]	R	B0JBP9	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/23/1996 9:00	Y	7440-23-5	Sodium	15000	ug/L	[NULL]	Q	[NULL]	R	B0JBP9	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/23/1996 9:00	N	CONDUCT	Specific Conductance	369	uS/cm	[NULL]	[NULL]	[NULL]	R	B0JBP8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/23/1996 9:00	N	CONDUCT	Specific Conductance	369	uS/cm	[NULL]	[NULL]	[NULL]	R	B0JBP5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/23/1996 9:00	N	CONDUCT	Specific Conductance	369	uS/cm	[NULL]	[NULL]	[NULL]	R	B0JBP6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/23/1996 9:00	N	CONDUCT	Specific Conductance	369	uS/cm	[NULL]	[NULL]	[NULL]	R	B0JBP7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/23/1996 9:00	Y	7440-24-6	Strontium	260	ug/L	B	Q	[NULL]	R	B0JBP9	7440-24-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/23/1996 9:00	N	14158-27-1	Strontium-89	-0.266	pCi/L	U	[NULL]	[NULL]	R	B0J1M2	14158-27-1	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-74	9/23/1996 9:00	N	10098-97-2	Strontium-90	0.186	pCi/L	U	[NULL]	[NULL]	R	B0J1M2	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-74	9/23/1996 9:00	N	14808-79-8	Sulfate	75000	ug/L	[NULL]	[NULL]	[NULL]	R	B0J1M2	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	9/23/1996 9:00	N	14808-79-8	Sulfate	79000	ug/L	D	[NULL]	[NULL]	R	B0JBP5	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-74	9/23/1996 9:00	N	TEMPERATURE	Temperature	16.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0JBP8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/23/1996 9:00	N	TEMPERATURE	Temperature	16.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0JBP7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/23/1996 9:00	N	TEMPERATURE	Temperature	16.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0JBP5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/23/1996 9:00	N	TEMPERATURE	Temperature	16.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0JBP6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/23/1996 9:00	Y	7440-28-0	Thallium	3.7	ug/L	U	[NULL]	[NULL]	R	B0JBP9	7440-28-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/23/1996 9:00	Y	7440-31-5	Tin	17	ug/L	U	[NULL]	[NULL]	R	B0JBP9	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/23/1996 9:00	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B0JBP8	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	9/23/1996 9:00	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B0JBP7	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	9/23/1996 9:00	N	TOC	Total organic carbon	406	ug/L	L	[NULL]	[NULL]	R	B0JBP6	TOC	DATACH	9060_TOC	100-NR-2
199-N-74	9/23/1996 9:00	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B0JBP5	TOC	DATACH	9060_TOC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	9/23/1996 9:00	N	59473-04-0	Total organic halides	13.9	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBP7	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	9/23/1996 9:00	N	59473-04-0	Total organic halides	11.7	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBP6	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	9/23/1996 9:00	N	59473-04-0	Total organic halides	11.4	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBP5	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	9/23/1996 9:00	N	59473-04-0	Total organic halides	9.67	ug/L	L	[NULL]	[NULL]	R	B0JBP8	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-74	9/23/1996 9:00	N	10028-17-8	Tritium	13100	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J1M2	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-74	9/23/1996 9:00	Y	TURBIDITY	Turbidity	2.08	NTU	[NULL]	[NULL]	[NULL]	R	B0JBP8	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	9/23/1996 9:00	Y	7440-62-2	Vanadium	16	ug/L	[NULL]	[NULL]	[NULL]	R	B0JBP9	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/23/1996 9:00	Y	7440-66-6	Zinc	7.7	ug/L	U	[NULL]	[NULL]	R	B0JBP9	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-74	9/23/1996 9:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B0JBP6	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/23/1996 9:00	N	PH	pH Measurement	8.11	unitless	[NULL]	[NULL]	[NULL]	R	B0JBP7	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/23/1996 9:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B0JBP5	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/23/1996 9:00	N	PH	pH Measurement	8.11	unitless	[NULL]	[NULL]	[NULL]	R	B0JBP8	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/5/1997 9:20	N	ALKALINITY	Alkalinity	91500	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2L1	ALKALINITY	QTESSL	310.1_ALKALINITY	100-NR-2
199-N-74	3/5/1997 9:20	Y	7429-90-5	Aluminum	20.1	ug/L	UC	[NULL]	[NULL]	R	B0K2L5	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/5/1997 9:20	Y	7440-36-0	Antimony	20.2	ug/L	U	[NULL]	[NULL]	R	B0K2L5	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/5/1997 9:20	Y	7440-39-3	Barium	28.4	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2L5	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/5/1997 9:20	Y	7440-41-7	Beryllium	0.4	ug/L	U	[NULL]	[NULL]	R	B0K2L5	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/5/1997 9:20	N	24959-67-9	Bromide	23	ug/L	U	[NULL]	[NULL]	R	B0K2L1	24959-67-9	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/5/1997 9:20	Y	7440-43-9	Cadmium	3.4	ug/L	U	[NULL]	[NULL]	R	B0K2L5	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/5/1997 9:20	Y	7440-70-2	Calcium	37100	ug/L	C	Q	[NULL]	R	B0K2L5	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/5/1997 9:20	N	16887-00-6	Chloride	5250	ug/L	D	[NULL]	[NULL]	R	B0K2L1	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/5/1997 9:20	Y	7440-47-3	Chromium	10.1	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2L5	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/5/1997 9:20	Y	7440-48-4	Cobalt	2.7	ug/L	U	[NULL]	[NULL]	R	B0K2L5	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/5/1997 9:20	Y	7440-50-8	Copper	7.5	ug/L	U	[NULL]	[NULL]	R	B0K2L5	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/5/1997 9:20	N	16984-48-8	Fluoride	260	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2L1	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/5/1997 9:20	Y	7439-89-6	Iron	37	ug/L	C	Q	[NULL]	R	B0K2L5	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/5/1997 9:20	Y	7439-95-4	Magnesium	11900	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2L5	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/5/1997 9:20	Y	7439-96-5	Manganese	1.9	ug/L	B	[NULL]	[NULL]	R	B0K2L5	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/5/1997 9:20	Y	7440-02-0	Nickel	8.7	ug/L	U	[NULL]	[NULL]	R	B0K2L5	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/5/1997 9:20	N	14797-55-8	Nitrate	6680	ug/L	D	[NULL]	[NULL]	R	B0K2L1	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/5/1997 9:20	N	14797-65-0	Nitrite	6.57	ug/L	U	[NULL]	[NULL]	R	B0K2L1	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/5/1997 9:20	N	14265-44-2	Phosphate	36	ug/L	U	[NULL]	[NULL]	R	B0K2L1	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/5/1997 9:20	Y	7440-09-7	Potassium	4610	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2L5	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/5/1997 9:20	Y	7440-22-4	Silver	3.6	ug/L	U	[NULL]	[NULL]	R	B0K2L5	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/5/1997 9:20	Y	7440-23-5	Sodium	14200	ug/L	[NULL]	Q	[NULL]	R	B0K2L5	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/5/1997 9:20	N	CONDUCT	Specific Conductance	353	uS/cm	[NULL]	[NULL]	[NULL]	R	B0K2L4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/5/1997 9:20	N	CONDUCT	Specific Conductance	354	uS/cm	[NULL]	[NULL]	[NULL]	R	B0K2L3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/5/1997 9:20	N	CONDUCT	Specific Conductance	353	uS/cm	[NULL]	[NULL]	[NULL]	R	B0K2L2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/5/1997 9:20	N	CONDUCT	Specific Conductance	352	uS/cm	[NULL]	[NULL]	[NULL]	R	B0K2L1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/5/1997 9:20	Y	7440-24-6	Strontium	258	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2L5	7440-24-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/5/1997 9:20	N	10098-97-2	Strontium-90	0.408	pCi/L	U	[NULL]	[NULL]	R	B0K053	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-74	3/5/1997 9:20	N	14808-79-8	Sulfate	71300	ug/L	D	[NULL]	[NULL]	R	B0K2L1	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/5/1997 9:20	N	TEMPERATURE	Temperature	16.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0K2L1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/5/1997 9:20	N	TEMPERATURE	Temperature	16.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0K2L3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/5/1997 9:20	N	TEMPERATURE	Temperature	16.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0K2L2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/5/1997 9:20	N	TEMPERATURE	Temperature	16.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0K2L4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/5/1997 9:20	N	TOC	Total organic carbon	532	ug/L	U	[NULL]	[NULL]	R	B0K2L3	TOC	QTESSL	9060_TOC	100-NR-2
199-N-74	3/5/1997 9:20	N	TOC	Total organic carbon	532	ug/L	U	[NULL]	[NULL]	R	B0K2L2	TOC	QTESSL	9060_TOC	100-NR-2
199-N-74	3/5/1997 9:20	N	TOC	Total organic carbon	532	ug/L	U	[NULL]	[NULL]	R	B0K2L1	TOC	QTESSL	9060_TOC	100-NR-2
199-N-74	3/5/1997 9:20	N	TOC	Total organic carbon	532	ug/L	U	[NULL]	[NULL]	R	B0K2L4	TOC	QTESSL	9060_TOC	100-NR-2
199-N-74	3/5/1997 9:20	N	59473-04-0	Total organic halides	2.65	ug/L	U	[NULL]	[NULL]	R	B0K2L4	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-74	3/5/1997 9:20	N	59473-04-0	Total organic halides	9.05	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2L2	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-74	3/5/1997 9:20	N	59473-04-0	Total organic halides	2.65	ug/L	U	[NULL]	[NULL]	R	B0K2L1	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-74	3/5/1997 9:20	N	59473-04-0	Total organic halides	8.9	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2L3	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-74	3/5/1997 9:20	N	10028-17-8	Tritium	11700	pCi/L	[NULL]	[NULL]	[NULL]	R	B0K053	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	3/5/1997 9:20	Y	7440-62-2	Vanadium	22.4	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2L5	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/5/1997 9:20	Y	7440-66-6	Zinc	7.7	ug/L	B	Q	[NULL]	R	B0K2L5	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/5/1997 9:20	N	PH	pH Measurement	8.11	unitless	[NULL]	[NULL]	[NULL]	R	B0K2L4	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/5/1997 9:20	N	PH	pH Measurement	8.07	unitless	[NULL]	[NULL]	[NULL]	R	B0K2L1	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/5/1997 9:20	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B0K2L2	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/5/1997 9:20	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B0K2L3	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/17/1997 8:59	Y	7429-90-5	Aluminum	58.3	ug/L	U	[NULL]	[NULL]	R	B0LY85	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	9/17/1997 8:59	Y	7440-36-0	Antimony	36.1	ug/L	U	[NULL]	[NULL]	R	B0LY85	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	9/17/1997 8:59	Y	7440-39-3	Barium	27.5	ug/L	B	[NULL]	[NULL]	R	B0LY85	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	9/17/1997 8:59	Y	7440-41-7	Beryllium	0.4	ug/L	U	[NULL]	[NULL]	R	B0LY85	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	9/17/1997 8:59	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0LY85	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	9/17/1997 8:59	Y	7440-70-2	Calcium	38600	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY85	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	9/17/1997 8:59	N	10045-97-3	Cesium-137	2.2	pCi/L	U	[NULL]	[NULL]	R	B0LY84	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-74	9/17/1997 8:59	Y	7440-47-3	Chromium	13	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY85	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	9/17/1997 8:59	Y	7440-48-4	Cobalt	4.2	ug/L	U	[NULL]	[NULL]	R	B0LY85	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	9/17/1997 8:59	N	10198-40-0	Cobalt-60	0	pCi/L	U	[NULL]	[NULL]	R	B0LY84	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-74	9/17/1997 8:59	Y	7440-50-8	Copper	3.8	ug/L	U	[NULL]	[NULL]	R	B0LY85	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	9/17/1997 8:59	N	14683-23-9	Europium-152	-3.11	pCi/L	U	[NULL]	[NULL]	R	B0LY84	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-74	9/17/1997 8:59	N	15585-10-1	Europium-154	-2.4	pCi/L	U	[NULL]	[NULL]	R	B0LY84	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-74	9/17/1997 8:59	N	14391-16-3	Europium-155	2.42	pCi/L	U	[NULL]	[NULL]	R	B0LY84	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-74	9/17/1997 8:59	N	12587-46-1	Gross alpha	1.16	pCi/L	J	[NULL]	[NULL]	R	B0LY84	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-74	9/17/1997 8:59	N	12587-47-2	Gross beta	3.57	pCi/L	J	[NULL]	[NULL]	R	B0LY84	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-74	9/17/1997 8:59	Y	7439-89-6	Iron	26	ug/L	B	[NULL]	[NULL]	R	B0LY85	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	9/17/1997 8:59	Y	7439-95-4	Magnesium	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY85	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	9/17/1997 8:59	Y	7439-96-5	Manganese	1.7	ug/L	B	[NULL]	[NULL]	R	B0LY85	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	9/17/1997 8:59	Y	7440-02-0	Nickel	9.9	ug/L	U	[NULL]	[NULL]	R	B0LY85	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	9/17/1997 8:59	Y	7440-09-7	Potassium	3770	ug/L	B	[NULL]	[NULL]	R	B0LY85	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	9/17/1997 8:59	Y	7440-22-4	Silver	5.3	ug/L	U	[NULL]	[NULL]	R	B0LY85	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	9/17/1997 8:59	Y	7440-23-5	Sodium	15100	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY85	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	9/17/1997 8:59	N	CONDUCT	Specific Conductance	358	uS/cm	[NULL]	[NULL]	[NULL]	R	B0LY24	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/17/1997 8:59	N	CONDUCT	Specific Conductance	359	uS/cm	[NULL]	[NULL]	[NULL]	R	B0LY25	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/17/1997 8:59	N	CONDUCT	Specific Conductance	359	uS/cm	[NULL]	[NULL]	[NULL]	R	B0LY26	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/17/1997 8:59	N	CONDUCT	Specific Conductance	359	uS/cm	[NULL]	[NULL]	[NULL]	R	B0LY23	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/17/1997 8:59	N	TEMPERATURE	Temperature	16.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0LY24	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/17/1997 8:59	N	TEMPERATURE	Temperature	16.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0LY23	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/17/1997 8:59	N	TEMPERATURE	Temperature	16.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0LY26	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/17/1997 8:59	N	TEMPERATURE	Temperature	16.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0LY25	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/17/1997 8:59	N	TOC	Total organic carbon	370	ug/L	U	[NULL]	[NULL]	R	B0LY23	TOC	QTESSL	9060_TOC	100-NR-2
199-N-74	9/17/1997 8:59	N	TOC	Total organic carbon	370	ug/L	U	[NULL]	[NULL]	R	B0LY25	TOC	QTESSL	9060_TOC	100-NR-2
199-N-74	9/17/1997 8:59	N	TOC	Total organic carbon	370	ug/L	U	[NULL]	[NULL]	R	B0LY26	TOC	QTESSL	9060_TOC	100-NR-2
199-N-74	9/17/1997 8:59	N	TOC	Total organic carbon	370	ug/L	U	[NULL]	[NULL]	R	B0LY24	TOC	QTESSL	9060_TOC	100-NR-2
199-N-74	9/17/1997 8:59	N	59473-04-0	Total organic halides	8.95	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY25	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-74	9/17/1997 8:59	N	59473-04-0	Total organic halides	7.75	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY24	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-74	9/17/1997 8:59	N	59473-04-0	Total organic halides	4.62	ug/L	U	[NULL]	[NULL]	R	B0LY23	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-74	9/17/1997 8:59	N	59473-04-0	Total organic halides	9.1	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY26	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-74	9/17/1997 8:59	N	TURBIDITY	Turbidity	1.32	NTU	[NULL]	[NULL]	[NULL]	R	B0LY25	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	9/17/1997 8:59	N	TURBIDITY	Turbidity	1.58	NTU	[NULL]	[NULL]	[NULL]	R	B0LY24	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	9/17/1997 8:59	N	TURBIDITY	Turbidity	1.18	NTU	[NULL]	[NULL]	[NULL]	R	B0LY26	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	9/17/1997 8:59	N	TURBIDITY	Turbidity	1.72	NTU	[NULL]	[NULL]	[NULL]	R	B0LY23	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	9/17/1997 8:59	Y	7440-62-2	Vanadium	22	ug/L	B	[NULL]	[NULL]	R	B0LY85	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	9/17/1997 8:59	Y	7440-66-6	Zinc	8.7	ug/L	B	[NULL]	[NULL]	R	B0LY85	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	9/17/1997 8:59	N	PH	pH Measurement	8.4	unitless	[NULL]	[NULL]	[NULL]	R	B0LY25	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/17/1997 8:59	N	PH	pH Measurement	8.4	unitless	[NULL]	[NULL]	[NULL]	R	B0LY26	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/17/1997 8:59	N	PH	pH Measurement	8.4	unitless	[NULL]	[NULL]	[NULL]	R	B0LY24	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/17/1997 8:59	N	PH	pH Measurement	8.39	unitless	[NULL]	[NULL]	[NULL]	R	B0LY23	PH	FIELD	9040_PH	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	3/3/1998 10:22	N	ALKALINITY	Alkalinity	87000	ug/L	[NULL]	[NULL]	[NULL]	R	B0N501	ALKALINITY	QTESSL	310.1_ALKALINITY	100-NR-2
199-N-74	3/3/1998 10:22	Y	7429-90-5	Aluminum	31.3	ug/L	U	[NULL]	[NULL]	R	B0N500	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1998 10:22	Y	7440-36-0	Antimony	42.5	ug/L	U	[NULL]	[NULL]	R	B0N500	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1998 10:22	Y	7440-39-3	Barium	27.7	ug/L	[NULL]	[NULL]	[NULL]	R	B0N500	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1998 10:22	Y	7440-41-7	Beryllium	0.4	ug/L	U	[NULL]	[NULL]	R	B0N500	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1998 10:22	Y	7440-43-9	Cadmium	3.3	ug/L	U	[NULL]	[NULL]	R	B0N500	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1998 10:22	Y	7440-70-2	Calcium	37900	ug/L	[NULL]	[NULL]	[NULL]	R	B0N500	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1998 10:22	N	16887-00-6	Chloride	6020	ug/L	CD	[NULL]	[NULL]	R	B0N501	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/3/1998 10:22	Y	7440-47-3	Chromium	14	ug/L	[NULL]	[NULL]	[NULL]	R	B0N500	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1998 10:22	Y	7440-48-4	Cobalt	4.3	ug/L	U	[NULL]	[NULL]	R	B0N500	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1998 10:22	Y	7440-50-8	Copper	4.1	ug/L	U	Q	[NULL]	R	B0N500	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1998 10:22	N	16984-48-8	Fluoride	252	ug/L	[NULL]	[NULL]	[NULL]	R	B0N501	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/3/1998 10:22	Y	7439-89-6	Iron	27.8	ug/L	BN	Q	[NULL]	R	B0N500	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1998 10:22	Y	7439-95-4	Magnesium	12400	ug/L	[NULL]	[NULL]	[NULL]	R	B0N500	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1998 10:22	Y	7439-96-5	Manganese	2.5	ug/L	B	Q	[NULL]	R	B0N500	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1998 10:22	Y	7440-02-0	Nickel	14.6	ug/L	U	[NULL]	[NULL]	R	B0N500	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1998 10:22	N	14797-55-8	Nitrate	7880	ug/L	D	Q	[NULL]	R	B0N501	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/3/1998 10:22	N	14797-65-0	Nitrite	3.28	ug/L	U	[NULL]	[NULL]	R	B0N501	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/3/1998 10:22	Y	7440-09-7	Potassium	5210	ug/L	[NULL]	[NULL]	[NULL]	R	B0N500	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1998 10:22	Y	7440-22-4	Silver	6	ug/L	U	[NULL]	[NULL]	R	B0N500	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1998 10:22	Y	7440-23-5	Sodium	14600	ug/L	[NULL]	Q	[NULL]	R	B0N500	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1998 10:22	N	CONDUCT	Specific Conductance	367	uS/cm	[NULL]	[NULL]	[NULL]	R	B0N4Y8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/3/1998 10:22	N	CONDUCT	Specific Conductance	367	uS/cm	[NULL]	[NULL]	[NULL]	R	B0N4Y6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/3/1998 10:22	N	CONDUCT	Specific Conductance	366	uS/cm	[NULL]	[NULL]	[NULL]	R	B0N4Y7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/3/1998 10:22	N	CONDUCT	Specific Conductance	367	uS/cm	[NULL]	[NULL]	[NULL]	R	B0N4Y9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/3/1998 10:22	Y	7440-24-6	Strontium	274	ug/L	[NULL]	[NULL]	[NULL]	R	B0N500	7440-24-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1998 10:22	N	10098-97-2	Strontium-90	0.049	pCi/L	U	[NULL]	[NULL]	R	B0N468	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-74	3/3/1998 10:22	N	14808-79-8	Sulfate	75500	ug/L	D	[NULL]	[NULL]	R	B0N501	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/3/1998 10:22	N	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0N4Y6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/3/1998 10:22	N	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0N4Y7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/3/1998 10:22	N	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0N4Y9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/3/1998 10:22	N	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0N4Y8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/3/1998 10:22	N	TOC	Total organic carbon	488	ug/L	B	[NULL]	[NULL]	R	B0N4Y7	TOC	QTESSL	9060_TOC	100-NR-2
199-N-74	3/3/1998 10:22	N	TOC	Total organic carbon	384	ug/L	B	[NULL]	[NULL]	R	B0N4Y8	TOC	QTESSL	9060_TOC	100-NR-2
199-N-74	3/3/1998 10:22	N	TOC	Total organic carbon	408	ug/L	B	[NULL]	[NULL]	R	B0N4Y6	TOC	QTESSL	9060_TOC	100-NR-2
199-N-74	3/3/1998 10:22	N	TOC	Total organic carbon	400	ug/L	B	[NULL]	[NULL]	R	B0N4Y9	TOC	QTESSL	9060_TOC	100-NR-2
199-N-74	3/3/1998 10:22	N	59473-04-0	Total organic halides	6.75	ug/L	[NULL]	[NULL]	[NULL]	R	B0N4Y7	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-74	3/3/1998 10:22	N	59473-04-0	Total organic halides	6.25	ug/L	[NULL]	[NULL]	[NULL]	R	B0N4Y9	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-74	3/3/1998 10:22	N	59473-04-0	Total organic halides	4.62	ug/L	U	[NULL]	[NULL]	R	B0N4Y8	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-74	3/3/1998 10:22	N	59473-04-0	Total organic halides	7.55	ug/L	[NULL]	[NULL]	[NULL]	R	B0N4Y6	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-74	3/3/1998 10:22	N	10028-17-8	Tritium	11800	pCi/L	[NULL]	[NULL]	[NULL]	R	B0N468	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-74	3/3/1998 10:22	N	TURBIDITY	Turbidity	2.02	NTU	[NULL]	[NULL]	[NULL]	R	B0N4Y9	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	3/3/1998 10:22	N	TURBIDITY	Turbidity	2.07	NTU	[NULL]	[NULL]	[NULL]	R	B0N4Y7	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	3/3/1998 10:22	Y	7440-62-2	Vanadium	23.7	ug/L	[NULL]	[NULL]	[NULL]	R	B0N500	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1998 10:22	Y	7440-66-6	Zinc	7.1	ug/L	B	[NULL]	[NULL]	R	B0N500	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/1998 10:22	N	PH	pH Measurement	8.11	unitless	[NULL]	[NULL]	[NULL]	R	B0N4Y9	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/3/1998 10:22	N	PH	pH Measurement	8.08	unitless	[NULL]	[NULL]	[NULL]	R	B0N4Y6	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/3/1998 10:22	N	PH	pH Measurement	8.11	unitless	[NULL]	[NULL]	[NULL]	R	B0N4Y8	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/3/1998 10:22	N	PH	pH Measurement	8.09	unitless	[NULL]	[NULL]	[NULL]	R	B0N4Y7	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/8/1998 8:29	Y	7429-90-5	Aluminum	40.9	ug/L	B	[NULL]	[NULL]	R	B0PPX5	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	9/8/1998 8:29	Y	7440-36-0	Antimony	33	ug/L	U	[NULL]	[NULL]	R	B0PPX5	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	9/8/1998 8:29	Y	7440-39-3	Barium	26.5	ug/L	B	[NULL]	[NULL]	R	B0PPX5	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	9/8/1998 8:29	Y	7440-41-7	Beryllium	0.6	ug/L	U	[NULL]	[NULL]	R	B0PPX5	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	9/8/1998 8:29	Y	7440-43-9	Cadmium	2.6	ug/L	U	[NULL]	[NULL]	R	B0PPX5	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	9/8/1998 8:29	Y	7440-70-2	Calcium	37700	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPX5	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	9/8/1998 8:29	N	10045-97-3	Cesium-137	0.704	pCi/L	U	[NULL]	[NULL]	R	B0PPX6	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-74	9/8/1998 8:29	Y	7440-47-3	Chromium	35.6	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPX5	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	9/8/1998 8:29	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B0PPX5	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	9/8/1998 8:29	N	13981-38-9	Cobalt-58	-0.0412	pCi/L	U	[NULL]	[NULL]	R	B0PPX6	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-74	9/8/1998 8:29	N	10198-40-0	Cobalt-60	0	pCi/L	U	[NULL]	[NULL]	R	B0PPX6	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-74	9/8/1998 8:29	Y	7440-50-8	Copper	6.2	ug/L	U	[NULL]	[NULL]	R	B0PPX5	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	9/8/1998 8:29	N	14683-23-9	Europium-152	-0.809	pCi/L	U	[NULL]	[NULL]	R	B0PPX6	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-74	9/8/1998 8:29	N	15585-10-1	Europium-154	-7.64	pCi/L	U	[NULL]	[NULL]	R	B0PPX6	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-74	9/8/1998 8:29	N	14391-16-3	Europium-155	-3.9	pCi/L	U	[NULL]	[NULL]	R	B0PPX6	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-74	9/8/1998 8:29	N	12587-46-1	Gross alpha	1.71	pCi/L	U	[NULL]	[NULL]	R	B0PPX6	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-74	9/8/1998 8:29	N	12587-47-2	Gross beta	5.84	pCi/L	[NULL]	[NULL]	[NULL]	R	B0PPX6	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-74	9/8/1998 8:29	Y	7439-89-6	Iron	181	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPX5	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	9/8/1998 8:29	N	14596-12-4	Iron-59	4.62	pCi/L	U	[NULL]	[NULL]	R	B0PPX6	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-74	9/8/1998 8:29	Y	7439-95-4	Magnesium	11900	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPX5	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	9/8/1998 8:29	Y	7439-96-5	Manganese	5.2	ug/L	B	[NULL]	[NULL]	R	B0PPX5	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	9/8/1998 8:29	Y	7440-02-0	Nickel	11.2	ug/L	U	[NULL]	[NULL]	R	B0PPX5	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	9/8/1998 8:29	Y	7440-09-7	Potassium	4450	ug/L	B	[NULL]	[NULL]	R	B0PPX5	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	9/8/1998 8:29	Y	7440-22-4	Silver	6	ug/L	U	[NULL]	[NULL]	R	B0PPX5	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	9/8/1998 8:29	Y	7440-23-5	Sodium	14200	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPX5	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	9/8/1998 8:29	N	CONDUCT	Specific Conductance	331	uS/cm	[NULL]	[NULL]	[NULL]	R	B0PRL4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/8/1998 8:29	N	CONDUCT	Specific Conductance	332	uS/cm	[NULL]	[NULL]	[NULL]	R	B0PRL5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/8/1998 8:29	N	CONDUCT	Specific Conductance	332	uS/cm	[NULL]	[NULL]	[NULL]	R	B0PRL6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/8/1998 8:29	N	CONDUCT	Specific Conductance	331	uS/cm	[NULL]	[NULL]	[NULL]	R	B0PRL3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/8/1998 8:29	N	TEMPERATURE	Temperature	16.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0PRL3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/8/1998 8:29	N	TEMPERATURE	Temperature	16.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0PRL6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/8/1998 8:29	N	TEMPERATURE	Temperature	16.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0PRL4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/8/1998 8:29	N	TEMPERATURE	Temperature	16.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0PRL5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/8/1998 8:29	N	TOC	Total organic carbon	256	ug/L	U	[NULL]	[NULL]	R	B0PRL3	TOC	QTESSL	9060_TOC	100-NR-2
199-N-74	9/8/1998 8:29	N	TOC	Total organic carbon	907	ug/L	B	[NULL]	[NULL]	R	B0PRL5	TOC	QTESSL	9060_TOC	100-NR-2
199-N-74	9/8/1998 8:29	N	TOC	Total organic carbon	735	ug/L	B	[NULL]	[NULL]	R	B0PRL6	TOC	QTESSL	9060_TOC	100-NR-2
199-N-74	9/8/1998 8:29	N	TOC	Total organic carbon	330	ug/L	B	[NULL]	[NULL]	R	B0PRL4	TOC	QTESSL	9060_TOC	100-NR-2
199-N-74	9/8/1998 8:29	N	59473-04-0	Total organic halides	3.3	ug/L	B	[NULL]	[NULL]	R	B0PRL4	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-74	9/8/1998 8:29	N	59473-04-0	Total organic halides	2.38	ug/L	U	[NULL]	[NULL]	R	B0PRL3	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-74	9/8/1998 8:29	N	59473-04-0	Total organic halides	2.38	ug/L	U	[NULL]	[NULL]	R	B0PRL5	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-74	9/8/1998 8:29	N	59473-04-0	Total organic halides	3.75	ug/L	B	[NULL]	[NULL]	R	B0PRL6	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-74	9/8/1998 8:29	N	TURBIDITY	Turbidity	3.41	NTU	[NULL]	[NULL]	[NULL]	R	B0PRL6	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	9/8/1998 8:29	Y	7440-62-2	Vanadium	21.1	ug/L	B	[NULL]	[NULL]	R	B0PPX5	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	9/8/1998 8:29	Y	7440-66-6	Zinc	6.9	ug/L	B	[NULL]	[NULL]	R	B0PPX5	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	9/8/1998 8:29	N	PH	pH Measurement	8.19	unitless	[NULL]	[NULL]	[NULL]	R	B0PRL5	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/8/1998 8:29	N	PH	pH Measurement	8.18	unitless	[NULL]	[NULL]	[NULL]	R	B0PRL3	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/8/1998 8:29	N	PH	pH Measurement	8.18	unitless	[NULL]	[NULL]	[NULL]	R	B0PRL4	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/8/1998 8:29	N	PH	pH Measurement	8.19	unitless	[NULL]	[NULL]	[NULL]	R	B0PRL6	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/17/1999 13:12	N	ALKALINITY	Alkalinity	86000	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX14	ALKALINITY	QTESSL	310.1_ALKALINITY	100-NR-2
199-N-74	3/17/1999 13:12	Y	7429-90-5	Aluminum	33.5	ug/L	U	[NULL]	[NULL]	R	B0TX13	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/17/1999 13:12	Y	7440-36-0	Antimony	36.4	ug/L	U	[NULL]	[NULL]	R	B0TX13	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/17/1999 13:12	Y	7440-39-3	Barium	24	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX13	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/17/1999 13:12	Y	7440-41-7	Beryllium	0.65	ug/L	B	[NULL]	[NULL]	R	B0TX13	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/17/1999 13:12	Y	7440-43-9	Cadmium	3.9	ug/L	U	[NULL]	[NULL]	R	B0TX13	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/17/1999 13:12	Y	7440-70-2	Calcium	37300	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX13	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/17/1999 13:12	N	16887-00-6	Chloride	6580	ug/L	D	[NULL]	[NULL]	R	B0TX14	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/17/1999 13:12	Y	7440-47-3	Chromium	8.3	ug/L	B	[NULL]	[NULL]	R	B0TX13	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/17/1999 13:12	Y	7440-48-4	Cobalt	5.1	ug/L	U	[NULL]	[NULL]	R	B0TX13	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/17/1999 13:12	Y	7440-50-8	Copper	3.9	ug/L	U	[NULL]	[NULL]	R	B0TX13	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/17/1999 13:12	N	16984-48-8	Fluoride	245	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX14	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/17/1999 13:12	Y	7439-89-6	Iron	59	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX13	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	3/17/1999 13:12	Y	7439-95-4	Magnesium	11900	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX13	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/17/1999 13:12	Y	7439-96-5	Manganese	4.3	ug/L	B	[NULL]	[NULL]	R	B0TX13	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/17/1999 13:12	Y	7440-02-0	Nickel	8.6	ug/L	U	[NULL]	[NULL]	R	B0TX13	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/17/1999 13:12	N	14797-55-8	Nitrate	7840	ug/L	D	[NULL]	[NULL]	R	B0TX14	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/17/1999 13:12	N	14797-65-0	Nitrite	23	ug/L	U	[NULL]	[NULL]	R	B0TX14	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/17/1999 13:12	Y	7440-09-7	Potassium	3730	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX13	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/17/1999 13:12	Y	7440-22-4	Silver	5.9	ug/L	U	[NULL]	[NULL]	R	B0TX13	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/17/1999 13:12	Y	7440-23-5	Sodium	14000	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX13	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/17/1999 13:12	N	CONDUCT	Specific Conductance	342	uS/cm	[NULL]	[NULL]	[NULL]	R	B0TX14	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/17/1999 13:12	N	CONDUCT	Specific Conductance	339	uS/cm	C	[NULL]	[NULL]	R	B0TX14	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-74	3/17/1999 13:12	N	CONDUCT	Specific Conductance	344	uS/cm	[NULL]	[NULL]	[NULL]	R	B0V0W3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/17/1999 13:12	N	CONDUCT	Specific Conductance	342	uS/cm	[NULL]	[NULL]	[NULL]	R	B0V0W1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/17/1999 13:12	N	CONDUCT	Specific Conductance	347	uS/cm	[NULL]	[NULL]	[NULL]	R	B0V0W2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/17/1999 13:12	Y	7440-24-6	Strontium	242	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX13	7440-24-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/17/1999 13:12	N	14808-79-8	Sulfate	70000	ug/L	D	[NULL]	[NULL]	R	B0TX14	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/17/1999 13:12	N	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0V0W2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/17/1999 13:12	N	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0V0W1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/17/1999 13:12	N	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0V0W3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/17/1999 13:12	N	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0TX14	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/17/1999 13:12	N	TOC	Total organic carbon	374	ug/L	B	[NULL]	[NULL]	R	B0V0W2	TOC	QTESSL	9060_TOC	100-NR-2
199-N-74	3/17/1999 13:12	N	TOC	Total organic carbon	222	ug/L	U	[NULL]	[NULL]	R	B0V0W3	TOC	QTESSL	9060_TOC	100-NR-2
199-N-74	3/17/1999 13:12	N	TOC	Total organic carbon	258	ug/L	B	[NULL]	[NULL]	R	B0TX14	TOC	QTESSL	9060_TOC	100-NR-2
199-N-74	3/17/1999 13:12	N	TOC	Total organic carbon	222	ug/L	U	[NULL]	[NULL]	R	B0V0W1	TOC	QTESSL	9060_TOC	100-NR-2
199-N-74	3/17/1999 13:12	N	59473-04-0	Total organic halides	8	ug/L	[NULL]	[NULL]	[NULL]	R	B0V0W2	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-74	3/17/1999 13:12	N	59473-04-0	Total organic halides	7.95	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX14	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-74	3/17/1999 13:12	N	59473-04-0	Total organic halides	7.6	ug/L	[NULL]	[NULL]	[NULL]	R	B0V0W3	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-74	3/17/1999 13:12	N	59473-04-0	Total organic halides	5.25	ug/L	[NULL]	[NULL]	[NULL]	R	B0V0W1	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-74	3/17/1999 13:12	N	10028-17-8	Tritium	8080	pCi/L	[NULL]	[NULL]	[NULL]	R	B0TY24	10028-17-8	QTESRL	906.0_H3_LSC	100-NR-2
199-N-74	3/17/1999 13:12	Y	TURBIDITY	Turbidity	0.22	NTU	[NULL]	[NULL]	[NULL]	R	B0TX13	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	3/17/1999 13:12	N	TURBIDITY	Turbidity	3.47	NTU	[NULL]	[NULL]	[NULL]	R	B0V0W2	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	3/17/1999 13:12	N	TURBIDITY	Turbidity	3.74	NTU	[NULL]	[NULL]	[NULL]	R	B0V0W3	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	3/17/1999 13:12	N	TURBIDITY	Turbidity	3.68	NTU	[NULL]	[NULL]	[NULL]	R	B0V0W1	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	3/17/1999 13:12	N	TURBIDITY	Turbidity	6.18	NTU	[NULL]	[NULL]	[NULL]	R	B0TX14	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	3/17/1999 13:12	Y	7440-62-2	Vanadium	39.4	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX13	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/17/1999 13:12	Y	7440-66-6	Zinc	3.9	ug/L	B	[NULL]	[NULL]	R	B0TX13	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/17/1999 13:12	N	PH	pH Measurement	8.15	unitless	[NULL]	[NULL]	[NULL]	R	B0TX14	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/17/1999 13:12	N	PH	pH Measurement	8.14	unitless	[NULL]	[NULL]	[NULL]	R	B0V0W3	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/17/1999 13:12	N	PH	pH Measurement	8.14	unitless	[NULL]	[NULL]	[NULL]	R	B0V0W1	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/17/1999 13:12	N	PH	pH Measurement	8.14	unitless	[NULL]	[NULL]	[NULL]	R	B0V0W2	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/9/1999 8:53	Y	7429-90-5	Aluminum	12.3	ug/L	U	[NULL]	[NULL]	R	B0W7M0	7429-90-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/9/1999 8:53	N	14596-10-2	Americium-241	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0W7M1	14596-10-2	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/9/1999 8:53	Y	7440-36-0	Antimony	2.5	ug/L	U	[NULL]	[NULL]	R	B0W7M0	7440-36-0	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/9/1999 8:53	Y	7440-39-3	Barium	25.1	ug/L	B	[NULL]	[NULL]	R	B0W7M0	7440-39-3	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/9/1999 8:53	Y	7440-41-7	Beryllium	0.1	ug/L	U	[NULL]	[NULL]	R	B0W7M0	7440-41-7	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/9/1999 8:53	Y	7440-43-9	Cadmium	0.3	ug/L	U	[NULL]	[NULL]	R	B0W7M0	7440-43-9	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/9/1999 8:53	Y	7440-70-2	Calcium	36800	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7M0	7440-70-2	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/9/1999 8:53	N	10045-97-3	Cesium-137	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0W7M1	10045-97-3	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/9/1999 8:53	Y	7440-47-3	Chromium	11.5	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7M0	7440-47-3	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/9/1999 8:53	Y	7440-48-4	Cobalt	0.5	ug/L	U	[NULL]	[NULL]	R	B0W7M0	7440-48-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/9/1999 8:53	N	10198-40-0	Cobalt-60	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0W7M1	10198-40-0	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/9/1999 8:53	Y	7440-50-8	Copper	1.2	ug/L	U	[NULL]	[NULL]	R	B0W7M0	7440-50-8	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/9/1999 8:53	N	14683-23-9	Europium-152	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0W7M1	14683-23-9	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/9/1999 8:53	N	15585-10-1	Europium-154	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0W7M1	15585-10-1	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/9/1999 8:53	N	14391-16-3	Europium-155	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0W7M1	14391-16-3	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/9/1999 8:53	N	12587-46-1	Gross alpha	1.16	pCi/L	U	[NULL]	[NULL]	R	B0W7M1	12587-46-1	TMANC	900.0_ALPHABETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	9/9/1999 8:53	N	12587-47-2	Gross beta	3.06	pCi/L	J	[NULL]	[NULL]	R	B0W7M1	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-74	9/9/1999 8:53	Y	7439-89-6	Iron	25.9	ug/L	B	[NULL]	[NULL]	R	B0W7M0	7439-89-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/9/1999 8:53	Y	7439-92-1	Lead	2.1	ug/L	U	[NULL]	[NULL]	R	B0W7M0	7439-92-1	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/9/1999 8:53	Y	7439-95-4	Magnesium	11600	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7M0	7439-95-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/9/1999 8:53	Y	7439-96-5	Manganese	0.76	ug/L	B	[NULL]	[NULL]	R	B0W7M0	7439-96-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/9/1999 8:53	Y	7440-02-0	Nickel	2.1	ug/L	B	[NULL]	[NULL]	R	B0W7M0	7440-02-0	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/9/1999 8:53	Y	7440-09-7	Potassium	3980	ug/L	B	[NULL]	[NULL]	R	B0W7M0	7440-09-7	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/9/1999 8:53	N	13966-00-2	Potassium-40	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0W7M1	13966-00-2	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/9/1999 8:53	N	13982-63-3	Radium-226	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0W7M1	13982-63-3	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/9/1999 8:53	N	15262-20-1	Radium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0W7M1	15262-20-1	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/9/1999 8:53	Y	7440-22-4	Silver	1	ug/L	U	[NULL]	[NULL]	R	B0W7M0	7440-22-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/9/1999 8:53	Y	7440-23-5	Sodium	12900	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7M0	7440-23-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/9/1999 8:53	N	CONDUCT	Specific Conductance	338	uS/cm	C	[NULL]	[NULL]	R	B0W6V2	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-74	9/9/1999 8:53	N	CONDUCT	Specific Conductance	348	uS/cm	[NULL]	[NULL]	[NULL]	R	B0W6T9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/9/1999 8:53	N	CONDUCT	Specific Conductance	348	uS/cm	[NULL]	[NULL]	[NULL]	R	B0W6V0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/9/1999 8:53	N	CONDUCT	Specific Conductance	348	uS/cm	[NULL]	[NULL]	[NULL]	R	B0W6V1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/9/1999 8:53	N	CONDUCT	Specific Conductance	348	uS/cm	[NULL]	[NULL]	[NULL]	R	B0W6T8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/9/1999 8:53	Y	7440-24-6	Strontium	245	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7M0	7440-24-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/9/1999 8:53	N	TEMPERATURE	Temperature	16.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0W6V0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/9/1999 8:53	N	TEMPERATURE	Temperature	16.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0W6T8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/9/1999 8:53	N	TEMPERATURE	Temperature	16.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0W6V1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/9/1999 8:53	N	TEMPERATURE	Temperature	16.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0W6T9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/9/1999 8:53	N	14274-82-9	Thorium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0W7M1	14274-82-9	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/9/1999 8:53	N	TH-232	Thorium-232	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0W7M1	TH-232	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/9/1999 8:53	Y	7440-31-5	Tin	2.1	ug/L	U	[NULL]	[NULL]	R	B0W7M0	7440-31-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/9/1999 8:53	N	TOC	Total organic carbon	266	ug/L	B	[NULL]	[NULL]	R	B0W6V1	TOC	QTESSL	9060_TOC	100-NR-2
199-N-74	9/9/1999 8:53	N	TOC	Total organic carbon	277	ug/L	B	[NULL]	[NULL]	R	B0W6T9	TOC	QTESSL	9060_TOC	100-NR-2
199-N-74	9/9/1999 8:53	N	TOC	Total organic carbon	222	ug/L	U	[NULL]	[NULL]	R	B0W6T8	TOC	QTESSL	9060_TOC	100-NR-2
199-N-74	9/9/1999 8:53	N	TOC	Total organic carbon	222	ug/L	U	[NULL]	[NULL]	R	B0W6V0	TOC	QTESSL	9060_TOC	100-NR-2
199-N-74	9/9/1999 8:53	N	59473-04-0	Total organic halides	9.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0W6V1	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-74	9/9/1999 8:53	N	59473-04-0	Total organic halides	8.65	ug/L	[NULL]	[NULL]	[NULL]	R	B0W6T9	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-74	9/9/1999 8:53	N	59473-04-0	Total organic halides	7.6	ug/L	[NULL]	[NULL]	[NULL]	R	B0W6T8	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-74	9/9/1999 8:53	N	59473-04-0	Total organic halides	8.45	ug/L	[NULL]	[NULL]	[NULL]	R	B0W6V0	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-74	9/9/1999 8:53	N	TURBIDITY	Turbidity	7.16	NTU	[NULL]	[NULL]	[NULL]	R	B0W6V1	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	9/9/1999 8:53	Y	TURBIDITY	Turbidity	0.85	NTU	[NULL]	[NULL]	[NULL]	R	B0WFP0	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	9/9/1999 8:53	N	TURBIDITY	Turbidity	7.77	NTU	[NULL]	[NULL]	[NULL]	R	B0W6V0	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	9/9/1999 8:53	N	TURBIDITY	Turbidity	6.86	NTU	[NULL]	[NULL]	[NULL]	R	B0W6T9	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	9/9/1999 8:53	N	TURBIDITY	Turbidity	7.67	NTU	[NULL]	[NULL]	[NULL]	R	B0W6T8	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	9/9/1999 8:53	N	15117-96-1	Uranium-235	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0W7M1	15117-96-1	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/9/1999 8:53	N	U-238	Uranium-238	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0W7M1	U-238	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/9/1999 8:53	Y	7440-62-2	Vanadium	21.1	ug/L	B	[NULL]	[NULL]	R	B0W7M0	7440-62-2	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/9/1999 8:53	Y	7440-66-6	Zinc	2.6	ug/L	B	[NULL]	[NULL]	R	B0W7M0	7440-66-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/9/1999 8:53	N	PH	pH Measurement	8.07	unitless	[NULL]	[NULL]	[NULL]	R	B0W6T8	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/9/1999 8:53	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	R	B0W6V0	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/9/1999 8:53	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	R	B0W6V1	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/9/1999 8:53	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B0W6T9	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/23/2000 12:07	N	ALKALINITY	Alkalinity	83000	ug/L	[NULL]	[NULL]	[NULL]	R	B0XLD3	ALKALINITY	QTESSL	310.1_ALKALINITY	100-NR-2
199-N-74	3/23/2000 12:07	Y	7429-90-5	Aluminum	41.8	ug/L	U	[NULL]	[NULL]	R	B0XLD2	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/23/2000 12:07	Y	7440-36-0	Antimony	24.7	ug/L	U	[NULL]	[NULL]	R	B0XLD2	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/23/2000 12:07	Y	7440-39-3	Barium	24.2	ug/L	B	[NULL]	[NULL]	R	B0XLD2	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/23/2000 12:07	Y	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	R	B0XLD2	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/23/2000 12:07	Y	7440-43-9	Cadmium	2.8	ug/L	U	[NULL]	[NULL]	R	B0XLD2	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/23/2000 12:07	Y	7440-70-2	Calcium	38700	ug/L	[NULL]	[NULL]	[NULL]	R	B0XLD2	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/23/2000 12:07	N	16887-00-6	Chloride	9000	ug/L	C	Q	[NULL]	R	B0XLD3	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/23/2000 12:07	Y	7440-47-3	Chromium	9.3	ug/L	B	[NULL]	[NULL]	R	B0XLD2	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	3/23/2000 12:07	Y	7440-48-4	Cobalt	4.3	ug/L	U	[NULL]	[NULL]	R	B0XLD2	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/23/2000 12:07	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B0XLD2	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/23/2000 12:07	N	16984-48-8	Fluoride	260	ug/L	[NULL]	[NULL]	[NULL]	R	B0XLD3	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/23/2000 12:07	Y	7439-89-6	Iron	15.6	ug/L	U	[NULL]	[NULL]	R	B0XLD2	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/23/2000 12:07	Y	7439-95-4	Magnesium	12300	ug/L	[NULL]	[NULL]	[NULL]	R	B0XLD2	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/23/2000 12:07	Y	7439-96-5	Manganese	1.8	ug/L	B	[NULL]	[NULL]	R	B0XLD2	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/23/2000 12:07	Y	7440-02-0	Nickel	15.4	ug/L	U	[NULL]	[NULL]	R	B0XLD2	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/23/2000 12:07	N	14797-55-8	Nitrate	8850	ug/L	D	[NULL]	[NULL]	R	B0XLD3	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/23/2000 12:07	N	14797-65-0	Nitrite	24.3	ug/L	U	[NULL]	[NULL]	R	B0XLD3	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/23/2000 12:07	Y	7440-09-7	Potassium	2390	ug/L	B	[NULL]	[NULL]	R	B0XLD2	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/23/2000 12:07	Y	7440-22-4	Silver	6.9	ug/L	U	[NULL]	[NULL]	R	B0XLD2	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/23/2000 12:07	Y	7440-23-5	Sodium	14400	ug/L	[NULL]	[NULL]	[NULL]	R	B0XLD2	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/23/2000 12:07	N	CONDUCT	Specific Conductance	350	uS/cm	C	[NULL]	[NULL]	R	B0XLD3	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-74	3/23/2000 12:07	N	CONDUCT	Specific Conductance	360	uS/cm	[NULL]	[NULL]	[NULL]	R	B0XLC8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/23/2000 12:07	N	CONDUCT	Specific Conductance	358	uS/cm	[NULL]	[NULL]	[NULL]	R	B0XLC9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/23/2000 12:07	N	CONDUCT	Specific Conductance	361	uS/cm	[NULL]	[NULL]	[NULL]	R	B0XLD0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/23/2000 12:07	N	CONDUCT	Specific Conductance	361	uS/cm	[NULL]	[NULL]	[NULL]	R	B0XLD1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/23/2000 12:07	Y	7440-24-6	Strontium	269	ug/L	[NULL]	[NULL]	[NULL]	R	B0XLD2	7440-24-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/23/2000 12:07	N	14808-79-8	Sulfate	63300	ug/L	D	Q	[NULL]	R	B0XLD3	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/23/2000 12:07	N	TEMPERATURE	Temperature	16.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0XLD1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/23/2000 12:07	N	TEMPERATURE	Temperature	16.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0XLC8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/23/2000 12:07	N	TEMPERATURE	Temperature	16.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0XLD0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/23/2000 12:07	N	TEMPERATURE	Temperature	16.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0XLC9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/23/2000 12:07	N	TOC	Total organic carbon	460	ug/L	B	[NULL]	[NULL]	R	B0XLD1	TOC	QTESSL	9060_TOC	100-NR-2
199-N-74	3/23/2000 12:07	N	TOC	Total organic carbon	530	ug/L	B	[NULL]	[NULL]	R	B0XLC9	TOC	QTESSL	9060_TOC	100-NR-2
199-N-74	3/23/2000 12:07	N	TOC	Total organic carbon	500	ug/L	B	[NULL]	[NULL]	R	B0XLD0	TOC	QTESSL	9060_TOC	100-NR-2
199-N-74	3/23/2000 12:07	N	TOC	Total organic carbon	1200	ug/L	[NULL]	Y	[NULL]	R	B0XLC8	TOC	QTESSL	9060_TOC	100-NR-2
199-N-74	3/23/2000 12:07	N	59473-04-0	Total organic halides	4.3	ug/L	U	[NULL]	[NULL]	R	B0XLC9	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-74	3/23/2000 12:07	N	59473-04-0	Total organic halides	5.2	ug/L	[NULL]	[NULL]	[NULL]	R	B0XLD1	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-74	3/23/2000 12:07	N	59473-04-0	Total organic halides	4.3	ug/L	U	[NULL]	[NULL]	R	B0XLD0	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-74	3/23/2000 12:07	N	59473-04-0	Total organic halides	6.2	ug/L	[NULL]	[NULL]	[NULL]	R	B0XLC8	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-74	3/23/2000 12:07	N	TURBIDITY	Turbidity	1.07	NTU	[NULL]	[NULL]	[NULL]	R	B0XLC9	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	3/23/2000 12:07	N	TURBIDITY	Turbidity	1.09	NTU	[NULL]	[NULL]	[NULL]	R	B0XLD1	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	3/23/2000 12:07	Y	7440-62-2	Vanadium	21.4	ug/L	B	[NULL]	[NULL]	R	B0XLD2	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/23/2000 12:07	Y	7440-66-6	Zinc	5.8	ug/L	B	[NULL]	[NULL]	R	B0XLD2	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-74	3/23/2000 12:07	N	PH	pH Measurement	8.17	unitless	[NULL]	[NULL]	[NULL]	R	B0XLC9	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/23/2000 12:07	N	PH	pH Measurement	8.17	unitless	[NULL]	[NULL]	[NULL]	R	B0XLD0	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/23/2000 12:07	N	PH	pH Measurement	8.17	unitless	[NULL]	[NULL]	[NULL]	R	B0XLC8	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/23/2000 12:07	N	PH	pH Measurement	8.17	unitless	[NULL]	[NULL]	[NULL]	R	B0XLD1	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/20/2000 12:27	Y	7429-90-5	Aluminum	19.1	ug/L	[NULL]	[NULL]	[NULL]	R	B10451	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/20/2000 12:27	N	14596-10-2	Americium-241	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B10452	14596-10-2	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/20/2000 12:27	Y	7440-36-0	Antimony	26.9	ug/L	U	[NULL]	[NULL]	R	B10451	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/20/2000 12:27	Y	7440-39-3	Barium	26.9	ug/L	[NULL]	[NULL]	[NULL]	R	B10451	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/20/2000 12:27	Y	7440-41-7	Beryllium	0.1	ug/L	U	[NULL]	[NULL]	R	B10451	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/20/2000 12:27	Y	7440-43-9	Cadmium	4.8	ug/L	U	[NULL]	[NULL]	R	B10451	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/20/2000 12:27	Y	7440-70-2	Calcium	37300	ug/L	[NULL]	[NULL]	[NULL]	R	B10451	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/20/2000 12:27	N	10045-97-3	Cesium-137	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B10452	10045-97-3	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/20/2000 12:27	Y	7440-47-3	Chromium	8.4	ug/L	[NULL]	[NULL]	[NULL]	R	B10451	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/20/2000 12:27	Y	7440-48-4	Cobalt	3.4	ug/L	U	[NULL]	[NULL]	R	B10451	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/20/2000 12:27	N	10198-40-0	Cobalt-60	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B10452	10198-40-0	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/20/2000 12:27	Y	7440-50-8	Copper	2.9	ug/L	U	[NULL]	[NULL]	R	B10451	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/20/2000 12:27	N	14683-23-9	Europium-152	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B10452	14683-23-9	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/20/2000 12:27	N	15585-10-1	Europium-154	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B10452	15585-10-1	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/20/2000 12:27	N	14391-16-3	Europium-155	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B10452	14391-16-3	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/20/2000 12:27	N	12587-46-1	Gross alpha	0.477	pCi/L	U	[NULL]	[NULL]	R	B10452	12587-46-1	TMANC	900.0_ALPHABETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	9/20/2000 12:27	N	12587-47-2	Gross beta	3.26	pCi/L	U	[NULL]	[NULL]	R	B10452	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-74	9/20/2000 12:27	Y	7439-89-6	Iron	20	ug/L	[NULL]	[NULL]	[NULL]	R	B10451	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/20/2000 12:27	Y	7439-95-4	Magnesium	11800	ug/L	[NULL]	[NULL]	[NULL]	R	B10451	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/20/2000 12:27	Y	7439-96-5	Manganese	1.2	ug/L	U	[NULL]	[NULL]	R	B10451	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/20/2000 12:27	Y	7440-02-0	Nickel	14	ug/L	U	[NULL]	[NULL]	R	B10451	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/20/2000 12:27	Y	7440-09-7	Potassium	4020	ug/L	[NULL]	[NULL]	[NULL]	R	B10451	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/20/2000 12:27	N	13966-00-2	Potassium-40	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B10452	13966-00-2	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/20/2000 12:27	N	13982-63-3	Radium-226	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B10452	13982-63-3	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/20/2000 12:27	N	15262-20-1	Radium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B10452	15262-20-1	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/20/2000 12:27	Y	7440-22-4	Silver	2.6	ug/L	U	[NULL]	[NULL]	R	B10451	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/20/2000 12:27	Y	7440-23-5	Sodium	13800	ug/L	[NULL]	[NULL]	[NULL]	R	B10451	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/20/2000 12:27	N	CONDUCT	Specific Conductance	361	uS/cm	[NULL]	[NULL]	[NULL]	R	B10256	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/20/2000 12:27	N	CONDUCT	Specific Conductance	362	uS/cm	[NULL]	[NULL]	[NULL]	R	B10258	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/20/2000 12:27	N	CONDUCT	Specific Conductance	361	uS/cm	[NULL]	[NULL]	[NULL]	R	B10257	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/20/2000 12:27	N	CONDUCT	Specific Conductance	356	uS/cm	C	H	[NULL]	R	B10259	CONDUCT	STLSL	120.1_CONDUCT	100-NR-2
199-N-74	9/20/2000 12:27	N	CONDUCT	Specific Conductance	361	uS/cm	[NULL]	[NULL]	[NULL]	R	B10255	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/20/2000 12:27	Y	7440-24-6	Strontium	264	ug/L	[NULL]	[NULL]	[NULL]	R	B10451	7440-24-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/20/2000 12:27	N	TEMPERATURE	Temperature	16.8	Deg C	[NULL]	[NULL]	[NULL]	R	B10257	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/20/2000 12:27	N	TEMPERATURE	Temperature	16.8	Deg C	[NULL]	[NULL]	[NULL]	R	B10255	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/20/2000 12:27	N	TEMPERATURE	Temperature	16.8	Deg C	[NULL]	[NULL]	[NULL]	R	B10256	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/20/2000 12:27	N	TEMPERATURE	Temperature	16.8	Deg C	[NULL]	[NULL]	[NULL]	R	B10258	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/20/2000 12:27	N	14274-82-9	Thorium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B10452	14274-82-9	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/20/2000 12:27	N	TH-232	Thorium-232	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B10452	TH-232	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/20/2000 12:27	N	TOC	Total organic carbon	220	ug/L	U	[NULL]	[NULL]	R	B10257	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	9/20/2000 12:27	N	TOC	Total organic carbon	220	ug/L	U	[NULL]	[NULL]	R	B10255	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	9/20/2000 12:27	N	TOC	Total organic carbon	220	ug/L	U	[NULL]	[NULL]	R	B10258	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	9/20/2000 12:27	N	TOC	Total organic carbon	220	ug/L	U	[NULL]	[NULL]	R	B10256	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	9/20/2000 12:27	N	59473-04-0	Total organic halides	7	ug/L	[NULL]	[NULL]	[NULL]	R	B10255	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	9/20/2000 12:27	N	59473-04-0	Total organic halides	4.3	ug/L	U	[NULL]	[NULL]	R	B10256	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	9/20/2000 12:27	N	59473-04-0	Total organic halides	4.3	ug/L	U	[NULL]	[NULL]	R	B10258	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	9/20/2000 12:27	N	59473-04-0	Total organic halides	8	ug/L	[NULL]	[NULL]	[NULL]	R	B10257	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	9/20/2000 12:27	N	TURBIDITY	Turbidity	0.81	NTU	[NULL]	[NULL]	[NULL]	R	B10256	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	9/20/2000 12:27	N	TURBIDITY	Turbidity	0.79	NTU	[NULL]	[NULL]	[NULL]	R	B10258	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	9/20/2000 12:27	N	15117-96-1	Uranium-235	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B10452	15117-96-1	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/20/2000 12:27	N	U-238	Uranium-238	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B10452	U-238	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/20/2000 12:27	Y	7440-62-2	Vanadium	17.5	ug/L	[NULL]	[NULL]	[NULL]	R	B10451	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/20/2000 12:27	Y	7440-66-6	Zinc	13	ug/L	[NULL]	[NULL]	[NULL]	R	B10451	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/20/2000 12:27	N	PH	pH Measurement	8.12	unitless	[NULL]	[NULL]	[NULL]	R	B10258	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/20/2000 12:27	N	PH	pH Measurement	8.12	unitless	[NULL]	[NULL]	[NULL]	R	B10257	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/20/2000 12:27	N	PH	pH Measurement	8.12	unitless	[NULL]	[NULL]	[NULL]	R	B10255	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/20/2000 12:27	N	PH	pH Measurement	8.11	unitless	[NULL]	[NULL]	[NULL]	R	B10256	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/23/2001 8:31	N	ALKALINITY	Alkalinity	84000	ug/L	[NULL]	[NULL]	[NULL]	R	B11FY8	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-74	3/23/2001 8:31	Y	7429-90-5	Aluminum	17.8	ug/L	U	[NULL]	[NULL]	R	B11FY7	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/23/2001 8:31	Y	7440-36-0	Antimony	2.5	ug/L	U	[NULL]	[NULL]	R	B11FY7	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/23/2001 8:31	Y	7440-39-3	Barium	27.6	ug/L	B	[NULL]	[NULL]	R	B11FY7	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/23/2001 8:31	Y	7440-41-7	Beryllium	0.16	ug/L	U	[NULL]	[NULL]	R	B11FY7	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/23/2001 8:31	Y	7440-43-9	Cadmium	0.26	ug/L	U	[NULL]	[NULL]	R	B11FY7	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/23/2001 8:31	Y	7440-70-2	Calcium	39900	ug/L	[NULL]	[NULL]	[NULL]	R	B11FY7	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/23/2001 8:31	N	16887-00-6	Chloride	8100	ug/L	DC	[NULL]	[NULL]	R	B11FY8	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/23/2001 8:31	Y	7440-47-3	Chromium	11.6	ug/L	[NULL]	[NULL]	[NULL]	R	B11FY7	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/23/2001 8:31	Y	7440-48-4	Cobalt	1.3	ug/L	U	[NULL]	[NULL]	R	B11FY7	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/23/2001 8:31	Y	7440-50-8	Copper	1.2	ug/L	U	[NULL]	[NULL]	R	B11FY7	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/23/2001 8:31	N	16984-48-8	Fluoride	310	ug/L	[NULL]	[NULL]	[NULL]	R	B11FY8	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/23/2001 8:31	Y	7439-89-6	Iron	14.5	ug/L	U	[NULL]	[NULL]	R	B11FY7	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/23/2001 8:31	Y	7439-95-4	Magnesium	12700	ug/L	[NULL]	[NULL]	[NULL]	R	B11FY7	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	3/23/2001 8:31	Y	7439-96-5	Manganese	0.78	ug/L	B	[NULL]	[NULL]	R	B11FY7	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/23/2001 8:31	Y	7440-02-0	Nickel	1.1	ug/L	U	[NULL]	[NULL]	R	B11FY7	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/23/2001 8:31	N	14797-55-8	Nitrate	7080	ug/L	D	[NULL]	[NULL]	R	B11FY8	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/23/2001 8:31	N	14797-65-0	Nitrite	6.57	ug/L	U	[NULL]	[NULL]	R	B11FY8	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/23/2001 8:31	Y	7440-09-7	Potassium	5250	ug/L	[NULL]	[NULL]	[NULL]	R	B11FY7	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/23/2001 8:31	Y	7440-22-4	Silver	1.3	ug/L	U	[NULL]	[NULL]	R	B11FY7	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/23/2001 8:31	Y	7440-23-5	Sodium	14100	ug/L	[NULL]	[NULL]	[NULL]	R	B11FY7	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/23/2001 8:31	N	CONDUCT	Specific Conductance	366	uS/cm	C	[NULL]	[NULL]	R	B11FY8	CONDUCT	STLSL	120.1_CONDUCT	100-NR-2
199-N-74	3/23/2001 8:31	N	CONDUCT	Specific Conductance	353	uS/cm	[NULL]	[NULL]	[NULL]	R	B11FY3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/23/2001 8:31	N	CONDUCT	Specific Conductance	354	uS/cm	[NULL]	[NULL]	[NULL]	R	B11FY6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/23/2001 8:31	N	CONDUCT	Specific Conductance	353	uS/cm	[NULL]	[NULL]	[NULL]	R	B11FY4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/23/2001 8:31	N	CONDUCT	Specific Conductance	353	uS/cm	[NULL]	[NULL]	[NULL]	R	B11FY5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/23/2001 8:31	Y	7440-24-6	Strontium	278	ug/L	[NULL]	[NULL]	[NULL]	R	B11FY7	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/23/2001 8:31	N	14808-79-8	Sulfate	68700	ug/L	D	[NULL]	[NULL]	R	B11FY8	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/23/2001 8:31	N	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	R	B11FY6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/23/2001 8:31	N	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	R	B11FY3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/23/2001 8:31	N	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	R	B11FY5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/23/2001 8:31	N	TEMPERATURE	Temperature	16.5	Deg C	[NULL]	[NULL]	[NULL]	R	B11FY4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/23/2001 8:31	N	TOC	Total organic carbon	670	ug/L	B	[NULL]	[NULL]	R	B11FY6	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	3/23/2001 8:31	N	TOC	Total organic carbon	220	ug/L	U	[NULL]	[NULL]	R	B11FY4	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	3/23/2001 8:31	N	TOC	Total organic carbon	400	ug/L	B	[NULL]	[NULL]	R	B11FY5	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	3/23/2001 8:31	N	TOC	Total organic carbon	220	ug/L	U	[NULL]	[NULL]	R	B11FY3	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	3/23/2001 8:31	N	59473-04-0	Total organic halides	5.8	ug/L	[NULL]	[NULL]	[NULL]	R	B11FY3	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	3/23/2001 8:31	N	59473-04-0	Total organic halides	5.2	ug/L	[NULL]	[NULL]	[NULL]	R	B11FY5	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	3/23/2001 8:31	N	59473-04-0	Total organic halides	7.7	ug/L	[NULL]	[NULL]	[NULL]	R	B11FY6	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	3/23/2001 8:31	N	59473-04-0	Total organic halides	5	ug/L	[NULL]	[NULL]	[NULL]	R	B11FY4	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	3/23/2001 8:31	N	TURBIDITY	Turbidity	5.37	NTU	[NULL]	[NULL]	[NULL]	R	B11FY6	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	3/23/2001 8:31	N	TURBIDITY	Turbidity	4.72	NTU	[NULL]	[NULL]	[NULL]	R	B11FY4	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	3/23/2001 8:31	Y	7440-62-2	Vanadium	20.3	ug/L	B	[NULL]	[NULL]	R	B11FY7	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/23/2001 8:31	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B11FY7	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/23/2001 8:31	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B11FY3	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/23/2001 8:31	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B11FY4	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/23/2001 8:31	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B11FY5	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/23/2001 8:31	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B11FY6	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/5/2001 9:12	Y	7429-90-5	Aluminum	45.1	ug/L	U	[NULL]	[NULL]	R	B12MT4	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/5/2001 9:12	N	14596-10-2	Americium-241	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MT5	14596-10-2	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/5/2001 9:12	Y	7440-36-0	Antimony	45.4	ug/L	U	[NULL]	[NULL]	R	B12MT4	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/5/2001 9:12	Y	7440-39-3	Barium	24.9	ug/L	[NULL]	[NULL]	[NULL]	R	B12MT4	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/5/2001 9:12	Y	7440-41-7	Beryllium	0.4	ug/L	U	[NULL]	[NULL]	R	B12MT4	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/5/2001 9:12	Y	7440-43-9	Cadmium	6.3	ug/L	U	[NULL]	[NULL]	R	B12MT4	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/5/2001 9:12	Y	7440-70-2	Calcium	37900	ug/L	[NULL]	[NULL]	[NULL]	R	B12MT4	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/5/2001 9:12	N	10045-97-3	Cesium-137	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MT5	10045-97-3	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/5/2001 9:12	Y	7440-47-3	Chromium	13.3	ug/L	[NULL]	[NULL]	[NULL]	R	B12MT4	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/5/2001 9:12	Y	7440-48-4	Cobalt	5.8	ug/L	U	[NULL]	[NULL]	R	B12MT4	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/5/2001 9:12	N	10198-40-0	Cobalt-60	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MT5	10198-40-0	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/5/2001 9:12	Y	7440-50-8	Copper	8	ug/L	U	[NULL]	[NULL]	R	B12MT4	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/5/2001 9:12	N	14683-23-9	Europium-152	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MT5	14683-23-9	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/5/2001 9:12	N	15585-10-1	Europium-154	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MT5	15585-10-1	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/5/2001 9:12	N	14391-16-3	Europium-155	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MT5	14391-16-3	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/5/2001 9:12	N	12587-46-1	Gross alpha	1.95	pCi/L	U	[NULL]	[NULL]	R	B12MT5	12587-46-1	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-74	9/5/2001 9:12	N	12587-47-2	Gross beta	38.9	pCi/L	[NULL]	Y	[NULL]	R	B12MT5	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-74	9/5/2001 9:12	Y	7439-89-6	Iron	19.3	ug/L	[NULL]	[NULL]	[NULL]	R	B12MT4	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/5/2001 9:12	Y	7439-95-4	Magnesium	11300	ug/L	[NULL]	[NULL]	[NULL]	R	B12MT4	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/5/2001 9:12	Y	7439-96-5	Manganese	2.8	ug/L	U	[NULL]	[NULL]	R	B12MT4	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/5/2001 9:12	Y	7440-02-0	Nickel	11.3	ug/L	U	[NULL]	[NULL]	R	B12MT4	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	9/5/2001 9:12	Y	7440-09-7	Potassium	4240	ug/L	[NULL]	[NULL]	[NULL]	R	B12MT4	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/5/2001 9:12	N	13966-00-2	Potassium-40	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MT5	13966-00-2	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/5/2001 9:12	N	13982-63-3	Radium-226	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MT5	13982-63-3	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/5/2001 9:12	N	15262-20-1	Radium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MT5	15262-20-1	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/5/2001 9:12	Y	7440-22-4	Silver	9.6	ug/L	U	[NULL]	[NULL]	R	B12MT4	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/5/2001 9:12	Y	7440-23-5	Sodium	13000	ug/L	[NULL]	[NULL]	[NULL]	R	B12MT4	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/5/2001 9:12	N	CONDUCT	Specific Conductance	350	uS/cm	[NULL]	[NULL]	[NULL]	R	B12N80	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/5/2001 9:12	N	CONDUCT	Specific Conductance	350	uS/cm	[NULL]	[NULL]	[NULL]	R	B12N79	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/5/2001 9:12	N	CONDUCT	Specific Conductance	324	uS/cm	[NULL]	Y	[NULL]	R	B12N82	CONDUCT	STLSL	120.1_CONDUCT	100-NR-2
199-N-74	9/5/2001 9:12	N	CONDUCT	Specific Conductance	350	uS/cm	[NULL]	[NULL]	[NULL]	R	B12N78	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/5/2001 9:12	N	CONDUCT	Specific Conductance	350	uS/cm	[NULL]	[NULL]	[NULL]	R	B12N81	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/5/2001 9:12	Y	7440-24-6	Strontium	253	ug/L	[NULL]	[NULL]	[NULL]	R	B12MT4	7440-24-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/5/2001 9:12	N	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	R	B12N79	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/5/2001 9:12	N	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	R	B12N78	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/5/2001 9:12	N	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	R	B12N81	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/5/2001 9:12	N	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	R	B12N80	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/5/2001 9:12	N	14274-82-9	Thorium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MT5	14274-82-9	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/5/2001 9:12	N	TH-232	Thorium-232	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MT5	TH-232	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/5/2001 9:12	N	TOC	Total organic carbon	230	ug/L	B	[NULL]	[NULL]	R	B12N78	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	9/5/2001 9:12	N	TOC	Total organic carbon	370	ug/L	B	[NULL]	[NULL]	R	B12N79	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	9/5/2001 9:12	N	TOC	Total organic carbon	260	ug/L	B	[NULL]	[NULL]	R	B12N80	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	9/5/2001 9:12	N	TOC	Total organic carbon	210	ug/L	B	[NULL]	[NULL]	R	B12N81	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	9/5/2001 9:12	N	59473-04-0	Total organic halides	7.8	ug/L	[NULL]	[NULL]	[NULL]	R	B12N79	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	9/5/2001 9:12	N	59473-04-0	Total organic halides	5	ug/L	[NULL]	[NULL]	[NULL]	R	B12N80	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	9/5/2001 9:12	N	59473-04-0	Total organic halides	6.7	ug/L	[NULL]	[NULL]	[NULL]	R	B12N78	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	9/5/2001 9:12	N	59473-04-0	Total organic halides	5.8	ug/L	[NULL]	[NULL]	[NULL]	R	B12N81	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	9/5/2001 9:12	N	TURBIDITY	Turbidity	3.67	NTU	[NULL]	[NULL]	[NULL]	R	B12N81	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	9/5/2001 9:12	N	TURBIDITY	Turbidity	3.62	NTU	[NULL]	[NULL]	[NULL]	R	B12N80	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	9/5/2001 9:12	N	TURBIDITY	Turbidity	3.43	NTU	[NULL]	[NULL]	[NULL]	R	B12N79	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	9/5/2001 9:12	N	TURBIDITY	Turbidity	3.5	NTU	[NULL]	[NULL]	[NULL]	R	B12N78	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	9/5/2001 9:12	N	15117-96-1	Uranium-235	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MT5	15117-96-1	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/5/2001 9:12	N	U-238	Uranium-238	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MT5	U-238	TMANC	GAMMA_GS	100-NR-2
199-N-74	9/5/2001 9:12	Y	7440-62-2	Vanadium	22.2	ug/L	[NULL]	[NULL]	[NULL]	R	B12MT4	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/5/2001 9:12	Y	7440-66-6	Zinc	4.9	ug/L	[NULL]	[NULL]	[NULL]	R	B12MT4	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/5/2001 9:12	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B12N78	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/5/2001 9:12	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B12N79	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/5/2001 9:12	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B12N81	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/5/2001 9:12	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B12N80	PH	FIELD	9040_PH	100-NR-2
199-N-74	11/13/2001 10:52	N	CONDUCT	Specific Conductance	354	uS/cm	[NULL]	[NULL]	[NULL]	R	B13692	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	11/13/2001 10:52	N	TEMPERATURE	Temperature	16.4	Deg C	[NULL]	[NULL]	[NULL]	R	B13692	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	11/13/2001 10:52	N	TURBIDITY	Turbidity	1.91	NTU	[NULL]	[NULL]	[NULL]	R	B13692	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	11/13/2001 10:52	N	PH	pH Measurement	8.09	unitless	[NULL]	[NULL]	[NULL]	R	B13692	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/7/2002 8:54	N	ALKALINITY	Alkalinity	70000	ug/L	[NULL]	[NULL]	[NULL]	R	B142Y1	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-74	3/7/2002 8:54	Y	7429-90-5	Aluminum	39.8	ug/L	B	[NULL]	[NULL]	R	B142Y0	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/7/2002 8:54	Y	7440-36-0	Antimony	3.3	ug/L	U	[NULL]	[NULL]	R	B142Y0	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/7/2002 8:54	Y	7440-39-3	Barium	28.2	ug/L	B	[NULL]	[NULL]	R	B142Y0	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/7/2002 8:54	Y	7440-41-7	Beryllium	0.22	ug/L	B	[NULL]	[NULL]	R	B142Y0	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/7/2002 8:54	Y	7440-43-9	Cadmium	0.31	ug/L	U	[NULL]	[NULL]	R	B142Y0	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/7/2002 8:54	Y	7440-70-2	Calcium	39800	ug/L	[NULL]	[NULL]	[NULL]	R	B142Y0	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/7/2002 8:54	N	16887-00-6	Chloride	8200	ug/L	D	[NULL]	[NULL]	R	B142Y1	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/7/2002 8:54	Y	7440-47-3	Chromium	11.5	ug/L	[NULL]	[NULL]	[NULL]	R	B142Y0	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/7/2002 8:54	Y	7440-48-4	Cobalt	1.6	ug/L	U	[NULL]	[NULL]	R	B142Y0	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/7/2002 8:54	Y	7440-50-8	Copper	1.4	ug/L	U	[NULL]	[NULL]	R	B142Y0	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/7/2002 8:54	N	16984-48-8	Fluoride	290	ug/L	[NULL]	[NULL]	[NULL]	R	B142Y1	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/7/2002 8:54	N	12587-47-2	Gross beta	3.28	pCi/L	[NULL]	[NULL]	[NULL]	R	B14446	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	3/7/2002 8:54	Y	7439-89-6	Iron	19.6	ug/L	U	[NULL]	[NULL]	R	B142Y0	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/7/2002 8:54	Y	7439-95-4	Magnesium	12800	ug/L	[NULL]	[NULL]	[NULL]	R	B142Y0	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/7/2002 8:54	Y	7439-96-5	Manganese	0.4	ug/L	U	[NULL]	[NULL]	R	B142Y0	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/7/2002 8:54	Y	7440-02-0	Nickel	1.3	ug/L	U	[NULL]	[NULL]	R	B142Y0	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/7/2002 8:54	N	14797-55-8	Nitrate	6640	ug/L	D	[NULL]	[NULL]	R	B142Y1	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/7/2002 8:54	N	14797-65-0	Nitrite	36.1	ug/L	U	[NULL]	[NULL]	R	B142Y1	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/7/2002 8:54	Y	7440-09-7	Potassium	4010	ug/L	B	[NULL]	[NULL]	R	B142Y0	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/7/2002 8:54	Y	7440-22-4	Silver	1.7	ug/L	U	[NULL]	[NULL]	R	B142Y0	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/7/2002 8:54	Y	7440-23-5	Sodium	14500	ug/L	[NULL]	[NULL]	[NULL]	R	B142Y0	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/7/2002 8:54	N	CONDUCT	Specific Conductance	347	uS/cm	[NULL]	[NULL]	[NULL]	R	B142X9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/7/2002 8:54	N	CONDUCT	Specific Conductance	347	uS/cm	[NULL]	[NULL]	[NULL]	R	B142X7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/7/2002 8:54	N	CONDUCT	Specific Conductance	347	uS/cm	[NULL]	[NULL]	[NULL]	R	B142X6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/7/2002 8:54	N	CONDUCT	Specific Conductance	346	uS/cm	[NULL]	[NULL]	[NULL]	R	B142X8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/7/2002 8:54	N	CONDUCT	Specific Conductance	310	uS/cm	[NULL]	[NULL]	[NULL]	R	B142Y1	CONDUCT	STLSL	120.1_CONDUCT	100-NR-2
199-N-74	3/7/2002 8:54	Y	7440-24-6	Strontium	303	ug/L	[NULL]	[NULL]	[NULL]	R	B142Y0	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/7/2002 8:54	N	10098-97-2	Strontium-90	0.0309	pCi/L	U	[NULL]	[NULL]	R	B14446	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-74	3/7/2002 8:54	N	14808-79-8	Sulfate	67800	ug/L	D	[NULL]	[NULL]	R	B142Y1	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/7/2002 8:54	N	TEMPERATURE	Temperature	15.6	Deg C	[NULL]	[NULL]	[NULL]	R	B142X8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/7/2002 8:54	N	TEMPERATURE	Temperature	15.6	Deg C	[NULL]	[NULL]	[NULL]	R	B142X9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/7/2002 8:54	N	TEMPERATURE	Temperature	15.6	Deg C	[NULL]	[NULL]	[NULL]	R	B142X7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/7/2002 8:54	N	TEMPERATURE	Temperature	15.5	Deg C	[NULL]	[NULL]	[NULL]	R	B142X6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/7/2002 8:54	N	TOC	Total organic carbon	260	ug/L	B	[NULL]	[NULL]	R	B142X9	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	3/7/2002 8:54	N	TOC	Total organic carbon	250	ug/L	B	[NULL]	[NULL]	R	B142X7	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	3/7/2002 8:54	N	TOC	Total organic carbon	270	ug/L	B	[NULL]	[NULL]	R	B142X8	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	3/7/2002 8:54	N	TOC	Total organic carbon	300	ug/L	B	[NULL]	[NULL]	R	B142X6	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	3/7/2002 8:54	N	59473-04-0	Total organic halides	14.5	ug/L	[NULL]	[NULL]	[NULL]	R	B142X9	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	3/7/2002 8:54	N	59473-04-0	Total organic halides	5.8	ug/L	[NULL]	[NULL]	[NULL]	R	B142X6	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	3/7/2002 8:54	N	59473-04-0	Total organic halides	16.8	ug/L	[NULL]	[NULL]	[NULL]	R	B142X8	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	3/7/2002 8:54	N	59473-04-0	Total organic halides	5.8	ug/L	[NULL]	[NULL]	[NULL]	R	B142X7	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	3/7/2002 8:54	N	10028-17-8	Tritium	8090	pCi/L	[NULL]	[NULL]	[NULL]	R	B14446	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-74	3/7/2002 8:54	N	TURBIDITY	Turbidity	1.39	NTU	[NULL]	[NULL]	[NULL]	R	B142X6	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	3/7/2002 8:54	N	TURBIDITY	Turbidity	1.61	NTU	[NULL]	[NULL]	[NULL]	R	B142X9	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	3/7/2002 8:54	N	TURBIDITY	Turbidity	1.71	NTU	[NULL]	[NULL]	[NULL]	R	B142X8	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	3/7/2002 8:54	N	TURBIDITY	Turbidity	1.64	NTU	[NULL]	[NULL]	[NULL]	R	B142X7	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	3/7/2002 8:54	Y	7440-62-2	Vanadium	21.2	ug/L	B	[NULL]	[NULL]	R	B142Y0	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/7/2002 8:54	Y	7440-66-6	Zinc	2.8	ug/L	B	[NULL]	[NULL]	R	B142Y0	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/7/2002 8:54	N	PH	pH Measurement	8.11	unitless	[NULL]	[NULL]	[NULL]	R	B142X7	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/7/2002 8:54	N	PH	pH Measurement	8.12	unitless	[NULL]	[NULL]	[NULL]	R	B142X9	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/7/2002 8:54	N	PH	pH Measurement	8.11	unitless	[NULL]	[NULL]	[NULL]	R	B142X8	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/7/2002 8:54	N	PH	pH Measurement	8.11	unitless	[NULL]	[NULL]	[NULL]	R	B142X6	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/5/2002 9:30	Y	7429-90-5	Aluminum	46.9	ug/L	[NULL]	[NULL]	[NULL]	R	B15734	7429-90-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/5/2002 9:30	N	14596-10-2	Americium-241	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B15735	14596-10-2	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	9/5/2002 9:30	Y	7440-36-0	Antimony	3.5	ug/L	U	[NULL]	[NULL]	R	B15734	7440-36-0	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/5/2002 9:30	Y	7440-39-3	Barium	28.1	ug/L	[NULL]	[NULL]	[NULL]	R	B15734	7440-39-3	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/5/2002 9:30	Y	7440-41-7	Beryllium	0.1	ug/L	U	[NULL]	[NULL]	R	B15734	7440-41-7	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/5/2002 9:30	Y	7440-43-9	Cadmium	0.3	ug/L	U	[NULL]	[NULL]	R	B15734	7440-43-9	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/5/2002 9:30	Y	7440-70-2	Calcium	39000	ug/L	[NULL]	[NULL]	[NULL]	R	B15734	7440-70-2	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/5/2002 9:30	N	10045-97-3	Cesium-137	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B15735	10045-97-3	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	9/5/2002 9:30	Y	7440-47-3	Chromium	12.9	ug/L	[NULL]	[NULL]	[NULL]	R	B15734	7440-47-3	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/5/2002 9:30	Y	7440-48-4	Cobalt	1.4	ug/L	U	[NULL]	[NULL]	R	B15734	7440-48-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/5/2002 9:30	N	13981-38-9	Cobalt-58	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B15735	13981-38-9	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	9/5/2002 9:30	N	10198-40-0	Cobalt-60	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B15735	10198-40-0	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	9/5/2002 9:30	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B15734	7440-50-8	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/5/2002 9:30	N	14683-23-9	Europium-152	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B15735	14683-23-9	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	9/5/2002 9:30	N	15585-10-1	Europium-154	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B15735	15585-10-1	EBRLNE	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	9/5/2002 9:30	N	14391-16-3	Europium-155	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B15735	14391-16-3	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	9/5/2002 9:30	N	12587-46-1	Gross alpha	0.985	pCi/L	U	[NULL]	[NULL]	R	B15735	12587-46-1	EBRLNE	900.0_ALPHABETA_GPC	100-NR-2
199-N-74	9/5/2002 9:30	N	12587-47-2	Gross beta	4.4	pCi/L	[NULL]	[NULL]	[NULL]	R	B15735	12587-47-2	EBRLNE	900.0_ALPHABETA_GPC	100-NR-2
199-N-74	9/5/2002 9:30	Y	7439-89-6	Iron	25.4	ug/L	[NULL]	[NULL]	[NULL]	R	B15734	7439-89-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/5/2002 9:30	N	14596-12-4	Iron-59	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B15735	14596-12-4	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	9/5/2002 9:30	Y	7439-95-4	Magnesium	12500	ug/L	[NULL]	[NULL]	[NULL]	R	B15734	7439-95-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/5/2002 9:30	Y	7439-96-5	Manganese	0.38	ug/L	[NULL]	[NULL]	[NULL]	R	B15734	7439-96-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/5/2002 9:30	Y	7440-02-0	Nickel	2.4	ug/L	[NULL]	[NULL]	[NULL]	R	B15734	7440-02-0	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/5/2002 9:30	Y	7440-09-7	Potassium	4300	ug/L	[NULL]	[NULL]	[NULL]	R	B15734	7440-09-7	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/5/2002 9:30	N	13966-00-2	Potassium-40	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B15735	13966-00-2	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	9/5/2002 9:30	N	13982-63-3	Radium-226	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B15735	13982-63-3	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	9/5/2002 9:30	N	15262-20-1	Radium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B15735	15262-20-1	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	9/5/2002 9:30	Y	7440-22-4	Silver	1.1	ug/L	U	[NULL]	[NULL]	R	B15734	7440-22-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/5/2002 9:30	Y	7440-23-5	Sodium	13700	ug/L	[NULL]	[NULL]	[NULL]	R	B15734	7440-23-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/5/2002 9:30	N	CONDUCT	Specific Conductance	372	uS/cm	[NULL]	[NULL]	[NULL]	R	B157H7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/5/2002 9:30	N	CONDUCT	Specific Conductance	371	uS/cm	[NULL]	[NULL]	[NULL]	R	B157H6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/5/2002 9:30	N	CONDUCT	Specific Conductance	369	uS/cm	[NULL]	[NULL]	[NULL]	R	B157H5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/5/2002 9:30	N	CONDUCT	Specific Conductance	387	uS/cm	C	[NULL]	[NULL]	R	B157H8	CONDUCT	STLSL	120.1_CONDUCT	100-NR-2
199-N-74	9/5/2002 9:30	N	CONDUCT	Specific Conductance	372	uS/cm	[NULL]	[NULL]	[NULL]	R	B15735	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-74	9/5/2002 9:30	N	CONDUCT	Specific Conductance	370	uS/cm	[NULL]	[NULL]	[NULL]	R	B157H4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/5/2002 9:30	Y	7440-24-6	Strontium	272	ug/L	[NULL]	[NULL]	[NULL]	R	B15734	7440-24-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/5/2002 9:30	N	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	R	B15735	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/5/2002 9:30	N	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	R	B157H5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/5/2002 9:30	N	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	R	B157H7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/5/2002 9:30	N	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	R	B157H6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/5/2002 9:30	N	TEMPERATURE	Temperature	17.1	Deg C	[NULL]	[NULL]	[NULL]	R	B157H4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/5/2002 9:30	N	14274-82-9	Thorium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B15735	14274-82-9	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	9/5/2002 9:30	N	TH-232	Thorium-232	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B15735	TH-232	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	9/5/2002 9:30	N	TOC	Total organic carbon	140	ug/L	U	[NULL]	[NULL]	R	B157H4	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	9/5/2002 9:30	N	TOC	Total organic carbon	140	ug/L	U	[NULL]	[NULL]	R	B157H7	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	9/5/2002 9:30	N	TOC	Total organic carbon	140	ug/L	U	[NULL]	[NULL]	R	B157H5	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	9/5/2002 9:30	N	TOC	Total organic carbon	160	ug/L	B	[NULL]	[NULL]	R	B157H6	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	9/5/2002 9:30	N	59473-04-0	Total organic halides	9.9	ug/L	[NULL]	[NULL]	[NULL]	R	B157H7	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	9/5/2002 9:30	N	59473-04-0	Total organic halides	10.8	ug/L	[NULL]	[NULL]	[NULL]	R	B157H4	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	9/5/2002 9:30	N	59473-04-0	Total organic halides	5.1	ug/L	[NULL]	[NULL]	[NULL]	R	B157H5	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	9/5/2002 9:30	N	59473-04-0	Total organic halides	10	ug/L	[NULL]	[NULL]	[NULL]	R	B157H6	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	9/5/2002 9:30	N	TURBIDITY	Turbidity	4.43	NTU	[NULL]	[NULL]	[NULL]	R	B157H6	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	9/5/2002 9:30	N	TURBIDITY	Turbidity	4.55	NTU	[NULL]	[NULL]	[NULL]	R	B157H4	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	9/5/2002 9:30	N	TURBIDITY	Turbidity	3.75	NTU	[NULL]	[NULL]	[NULL]	R	B157H7	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	9/5/2002 9:30	N	TURBIDITY	Turbidity	3.75	NTU	[NULL]	[NULL]	[NULL]	R	B15735	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-74	9/5/2002 9:30	N	TURBIDITY	Turbidity	4.74	NTU	[NULL]	[NULL]	[NULL]	R	B157H5	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	9/5/2002 9:30	N	15117-96-1	Uranium-235	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B15735	15117-96-1	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	9/5/2002 9:30	N	U-238	Uranium-238	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B15735	U-238	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	9/5/2002 9:30	Y	7440-62-2	Vanadium	20.3	ug/L	[NULL]	[NULL]	[NULL]	R	B15734	7440-62-2	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/5/2002 9:30	Y	7440-66-6	Zinc	2.9	ug/L	[NULL]	[NULL]	[NULL]	R	B15734	7440-66-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-74	9/5/2002 9:30	N	PH	pH Measurement	8.19	unitless	[NULL]	[NULL]	[NULL]	R	B157H4	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/5/2002 9:30	N	PH	pH Measurement	8.16	unitless	[NULL]	[NULL]	[NULL]	R	B157H7	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/5/2002 9:30	N	PH	pH Measurement	8.19	unitless	[NULL]	[NULL]	[NULL]	R	B157H5	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/5/2002 9:30	N	PH	pH Measurement	8.16	unitless	[NULL]	[NULL]	[NULL]	R	B157H6	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/5/2002 9:30	N	PH	pH Measurement	8.16	unitless	[NULL]	[NULL]	[NULL]	R	B15735	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-74	3/3/2003 8:39	N	ALKALINITY	Alkalinity	84000	ug/L	[NULL]	[NULL]	[NULL]	R	B16HP9	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-74	3/3/2003 8:39	Y	7429-90-5	Aluminum	30.4	ug/L	U	[NULL]	[NULL]	R	B16HP8	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/2003 8:39	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B16HP8	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/2003 8:39	Y	7440-39-3	Barium	27.1	ug/L	B	[NULL]	[NULL]	R	B16HP8	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/2003 8:39	Y	7440-41-7	Beryllium	1.1	ug/L	B	[NULL]	[NULL]	R	B16HP8	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	3/3/2003 8:39	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B16HP8	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/2003 8:39	Y	7440-70-2	Calcium	41500	ug/L	[NULL]	[NULL]	[NULL]	R	B16HP8	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/2003 8:39	N	16887-00-6	Chloride	9300	ug/L	CD	[NULL]	[NULL]	R	B16HP9	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/3/2003 8:39	Y	7440-47-3	Chromium	10	ug/L	[NULL]	[NULL]	[NULL]	R	B16HP8	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/2003 8:39	Y	7440-48-4	Cobalt	4.9	ug/L	U	[NULL]	[NULL]	R	B16HP8	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/2003 8:39	Y	7440-50-8	Copper	3.1	ug/L	U	[NULL]	[NULL]	R	B16HP8	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/2003 8:39	N	16984-48-8	Fluoride	390	ug/L	N	[NULL]	[NULL]	R	B16HP9	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/3/2003 8:39	Y	7439-89-6	Iron	42.8	ug/L	U	[NULL]	[NULL]	R	B16HP8	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/2003 8:39	Y	7439-95-4	Magnesium	13200	ug/L	[NULL]	[NULL]	[NULL]	R	B16HP8	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/2003 8:39	Y	7439-96-5	Manganese	3.9	ug/L	B	[NULL]	[NULL]	R	B16HP8	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/2003 8:39	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	B16HP8	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/2003 8:39	N	14797-55-8	Nitrate	7080	ug/L	CDN	[NULL]	[NULL]	R	B16HP9	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/3/2003 8:39	N	14797-65-0	Nitrite	36.1	ug/L	U	[NULL]	[NULL]	R	B16HP9	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/3/2003 8:39	Y	7440-09-7	Potassium	3290	ug/L	B	[NULL]	[NULL]	R	B16HP8	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/2003 8:39	Y	7440-22-4	Silver	3	ug/L	U	[NULL]	[NULL]	R	B16HP8	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/2003 8:39	Y	7440-23-5	Sodium	15000	ug/L	[NULL]	[NULL]	[NULL]	R	B16HP8	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/2003 8:39	N	CONDUCT	Specific Conductance	359	uS/cm	[NULL]	[NULL]	[NULL]	R	B16HP5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/3/2003 8:39	N	CONDUCT	Specific Conductance	358	uS/cm	[NULL]	[NULL]	[NULL]	R	B16HP4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/3/2003 8:39	N	CONDUCT	Specific Conductance	359	uS/cm	[NULL]	[NULL]	[NULL]	R	B16HP7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/3/2003 8:39	N	CONDUCT	Specific Conductance	360	uS/cm	[NULL]	[NULL]	[NULL]	R	B16HP6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/3/2003 8:39	Y	7440-24-6	Strontium	273	ug/L	[NULL]	[NULL]	[NULL]	R	B16HP8	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/2003 8:39	N	14808-79-8	Sulfate	63000	ug/L	CD	[NULL]	[NULL]	R	B16HP9	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/3/2003 8:39	N	TEMPERATURE	Temperature	16.1	Deg C	[NULL]	[NULL]	[NULL]	R	B16HP5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/3/2003 8:39	N	TEMPERATURE	Temperature	16.1	Deg C	[NULL]	[NULL]	[NULL]	R	B16HP7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/3/2003 8:39	N	TEMPERATURE	Temperature	16.1	Deg C	[NULL]	[NULL]	[NULL]	R	B16HP6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/3/2003 8:39	N	TEMPERATURE	Temperature	16.1	Deg C	[NULL]	[NULL]	[NULL]	R	B16HP4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/3/2003 8:39	N	TOC	Total organic carbon	140	ug/L	U	[NULL]	[NULL]	R	B16HP7	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	3/3/2003 8:39	N	TOC	Total organic carbon	140	ug/L	U	[NULL]	[NULL]	R	B16HP4	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	3/3/2003 8:39	N	TOC	Total organic carbon	140	ug/L	U	[NULL]	[NULL]	R	B16HP5	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	3/3/2003 8:39	N	TOC	Total organic carbon	140	ug/L	U	[NULL]	[NULL]	R	B16HP6	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	3/3/2003 8:39	N	59473-04-0	Total organic halides	10.7	ug/L	[NULL]	[NULL]	[NULL]	R	B16HP5	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	3/3/2003 8:39	N	59473-04-0	Total organic halides	6.5	ug/L	[NULL]	[NULL]	[NULL]	R	B16HP6	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	3/3/2003 8:39	N	59473-04-0	Total organic halides	7.4	ug/L	[NULL]	[NULL]	[NULL]	R	B16HP7	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	3/3/2003 8:39	N	59473-04-0	Total organic halides	9.7	ug/L	[NULL]	[NULL]	[NULL]	R	B16HP4	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	3/3/2003 8:39	N	TURBIDITY	Turbidity	2.87	NTU	[NULL]	[NULL]	[NULL]	R	B16HP5	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	3/3/2003 8:39	N	TURBIDITY	Turbidity	4.67	NTU	[NULL]	[NULL]	[NULL]	R	B16HP4	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	3/3/2003 8:39	N	TURBIDITY	Turbidity	2.21	NTU	[NULL]	[NULL]	[NULL]	R	B16HP6	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	3/3/2003 8:39	N	TURBIDITY	Turbidity	2.97	NTU	[NULL]	[NULL]	[NULL]	R	B16HP7	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	3/3/2003 8:39	Y	7440-62-2	Vanadium	35.7	ug/L	[NULL]	[NULL]	[NULL]	R	B16HP8	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/2003 8:39	Y	7440-66-6	Zinc	1.8	ug/L	U	[NULL]	[NULL]	R	B16HP8	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/3/2003 8:39	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B16HP5	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/3/2003 8:39	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B16HP4	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/3/2003 8:39	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B16HP6	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/3/2003 8:39	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B16HP7	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/25/2003 9:10	Y	7429-90-5	Aluminum	95.8	ug/L	U	[NULL]	[NULL]	R	B17D79	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/25/2003 9:10	Y	7440-36-0	Antimony	28.5	ug/L	U	[NULL]	[NULL]	R	B17D79	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/25/2003 9:10	N	14234-35-6	Antimony-125	-2.75	pCi/L	U	[NULL]	[NULL]	R	B17D81	14234-35-6	STLRL	GAMMA_GS	100-NR-2
199-N-74	9/25/2003 9:10	Y	7440-39-3	Barium	25.6	ug/L	B	[NULL]	[NULL]	R	B17D79	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/25/2003 9:10	Y	7440-41-7	Beryllium	0.33	ug/L	U	[NULL]	[NULL]	R	B17D79	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/25/2003 9:10	N	13966-02-4	Beryllium-7	-2.68	pCi/L	U	[NULL]	[NULL]	R	B17D81	13966-02-4	STLRL	GAMMA_GS	100-NR-2
199-N-74	9/25/2003 9:10	Y	7440-43-9	Cadmium	2.5	ug/L	U	[NULL]	[NULL]	R	B17D79	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/25/2003 9:10	Y	7440-70-2	Calcium	37300	ug/L	[NULL]	[NULL]	[NULL]	R	B17D79	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/25/2003 9:10	N	13967-70-9	Cesium-134	4.62	pCi/L	U	[NULL]	[NULL]	R	B17D81	13967-70-9	STLRL	GAMMA_GS	100-NR-2
199-N-74	9/25/2003 9:10	N	10045-97-3	Cesium-137	0.26	pCi/L	U	[NULL]	[NULL]	R	B17D81	10045-97-3	STLRL	GAMMA_GS	100-NR-2
199-N-74	9/25/2003 9:10	Y	7440-47-3	Chromium	11	ug/L	[NULL]	[NULL]	[NULL]	R	B17D79	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	9/25/2003 9:10	Y	7440-48-4	Cobalt	4.5	ug/L	U	[NULL]	[NULL]	R	B17D79	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/25/2003 9:10	N	10198-40-0	Cobalt-60	1.99	pCi/L	U	[NULL]	[NULL]	R	B17D81	10198-40-0	STLRL	GAMMA_GS	100-NR-2
199-N-74	9/25/2003 9:10	Y	7440-50-8	Copper	3.2	ug/L	U	[NULL]	[NULL]	R	B17D79	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/25/2003 9:10	N	14683-23-9	Europium-152	1.78	pCi/L	U	[NULL]	[NULL]	R	B17D81	14683-23-9	STLRL	GAMMA_GS	100-NR-2
199-N-74	9/25/2003 9:10	N	15585-10-1	Europium-154	-2	pCi/L	U	[NULL]	[NULL]	R	B17D81	15585-10-1	STLRL	GAMMA_GS	100-NR-2
199-N-74	9/25/2003 9:10	N	14391-16-3	Europium-155	2.15	pCi/L	U	[NULL]	[NULL]	R	B17D81	14391-16-3	STLRL	GAMMA_GS	100-NR-2
199-N-74	9/25/2003 9:10	N	12587-46-1	Gross alpha	1.71	pCi/L	U	[NULL]	[NULL]	R	B17D81	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	9/25/2003 9:10	N	12587-47-2	Gross beta	13.8	pCi/L	[NULL]	[NULL]	[NULL]	R	B17D81	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	9/25/2003 9:10	Y	7439-89-6	Iron	49.4	ug/L	U	[NULL]	[NULL]	R	B17D79	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/25/2003 9:10	Y	7439-95-4	Magnesium	11700	ug/L	[NULL]	[NULL]	[NULL]	R	B17D79	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/25/2003 9:10	Y	7439-96-5	Manganese	1.2	ug/L	B	[NULL]	[NULL]	R	B17D79	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/25/2003 9:10	Y	7440-02-0	Nickel	12.9	ug/L	U	[NULL]	[NULL]	R	B17D79	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/25/2003 9:10	Y	7440-09-7	Potassium	4490	ug/L	B	[NULL]	[NULL]	R	B17D79	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/25/2003 9:10	N	13966-00-2	Potassium-40	14.5	pCi/L	U	[NULL]	[NULL]	R	B17D81	13966-00-2	STLRL	GAMMA_GS	100-NR-2
199-N-74	9/25/2003 9:10	N	13967-48-1	Ruthenium-106	15.9	pCi/L	U	[NULL]	[NULL]	R	B17D81	13967-48-1	STLRL	GAMMA_GS	100-NR-2
199-N-74	9/25/2003 9:10	Y	7440-22-4	Silver	3.7	ug/L	U	[NULL]	[NULL]	R	B17D79	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/25/2003 9:10	Y	7440-23-5	Sodium	13700	ug/L	[NULL]	[NULL]	[NULL]	R	B17D79	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/25/2003 9:10	N	CONDUCT	Specific Conductance	367	uS/cm	[NULL]	[NULL]	[NULL]	R	B17F08	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/25/2003 9:10	N	CONDUCT	Specific Conductance	367	uS/cm	[NULL]	[NULL]	[NULL]	R	B17F10	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/25/2003 9:10	N	CONDUCT	Specific Conductance	367	uS/cm	[NULL]	[NULL]	[NULL]	R	B17F07	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/25/2003 9:10	N	CONDUCT	Specific Conductance	367	uS/cm	[NULL]	[NULL]	[NULL]	R	B17F09	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/25/2003 9:10	Y	7440-24-6	Strontium	264	ug/L	[NULL]	[NULL]	[NULL]	R	B17D79	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/25/2003 9:10	N	TEMPERATURE	Temperature	17.4	Deg C	[NULL]	[NULL]	[NULL]	R	B17F10	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/25/2003 9:10	N	TEMPERATURE	Temperature	17.3	Deg C	[NULL]	[NULL]	[NULL]	R	B17F08	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/25/2003 9:10	N	TEMPERATURE	Temperature	17.3	Deg C	[NULL]	[NULL]	[NULL]	R	B17F07	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/25/2003 9:10	N	TEMPERATURE	Temperature	17.4	Deg C	[NULL]	[NULL]	[NULL]	R	B17F09	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/25/2003 9:10	N	TOC	Total organic carbon	390	ug/L	U	[NULL]	[NULL]	R	B17F08	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	9/25/2003 9:10	N	TOC	Total organic carbon	390	ug/L	U	[NULL]	[NULL]	R	B17F07	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	9/25/2003 9:10	N	TOC	Total organic carbon	390	ug/L	U	[NULL]	[NULL]	R	B17F10	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	9/25/2003 9:10	N	TOC	Total organic carbon	390	ug/L	U	[NULL]	[NULL]	R	B17F09	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	9/25/2003 9:10	N	59473-04-0	Total organic halides	5.4	ug/L	[NULL]	[NULL]	[NULL]	R	B17F10	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	9/25/2003 9:10	N	59473-04-0	Total organic halides	4.5	ug/L	B	[NULL]	[NULL]	R	B17F09	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	9/25/2003 9:10	N	59473-04-0	Total organic halides	5.4	ug/L	[NULL]	[NULL]	[NULL]	R	B17F07	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	9/25/2003 9:10	N	59473-04-0	Total organic halides	3.5	ug/L	B	[NULL]	[NULL]	R	B17F08	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	9/25/2003 9:10	N	TURBIDITY	Turbidity	4.74	NTU	[NULL]	[NULL]	[NULL]	R	B17F09	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	9/25/2003 9:10	N	TURBIDITY	Turbidity	4.25	NTU	[NULL]	[NULL]	[NULL]	R	B17F10	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	9/25/2003 9:10	N	TURBIDITY	Turbidity	6.42	NTU	[NULL]	[NULL]	[NULL]	R	B17F08	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	9/25/2003 9:10	N	TURBIDITY	Turbidity	3.93	NTU	[NULL]	[NULL]	[NULL]	R	B17F07	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	9/25/2003 9:10	Y	7440-62-2	Vanadium	24.9	ug/L	[NULL]	[NULL]	[NULL]	R	B17D79	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/25/2003 9:10	Y	7440-66-6	Zinc	3.5	ug/L	U	[NULL]	[NULL]	R	B17D79	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/25/2003 9:10	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B17F07	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/25/2003 9:10	N	PH	pH Measurement	8.09	unitless	[NULL]	[NULL]	[NULL]	R	B17F08	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/25/2003 9:10	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B17F09	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/25/2003 9:10	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B17F10	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/11/2004 9:35	N	ALKALINITY	Alkalinity	83000	ug/L	[NULL]	[NULL]	[NULL]	R	B18L46	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-74	3/11/2004 9:35	Y	7429-90-5	Aluminum	34.2	ug/L	U	[NULL]	[NULL]	R	B18L45	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/11/2004 9:35	Y	7440-36-0	Antimony	39	ug/L	U	[NULL]	[NULL]	R	B18L45	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/11/2004 9:35	Y	7440-39-3	Barium	27.3	ug/L	B	[NULL]	[NULL]	R	B18L45	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/11/2004 9:35	Y	7440-41-7	Beryllium	0.4	ug/L	U	[NULL]	[NULL]	R	B18L45	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/11/2004 9:35	Y	7440-43-9	Cadmium	3.3	ug/L	U	[NULL]	[NULL]	R	B18L45	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/11/2004 9:35	Y	7440-70-2	Calcium	39700	ug/L	[NULL]	[NULL]	[NULL]	R	B18L45	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/11/2004 9:35	N	16887-00-6	Chloride	12900	ug/L	BD	[NULL]	[NULL]	R	B18L46	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/11/2004 9:35	Y	7440-47-3	Chromium	8.7	ug/L	B	[NULL]	[NULL]	R	B18L45	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/11/2004 9:35	Y	7440-48-4	Cobalt	4.8	ug/L	U	[NULL]	[NULL]	R	B18L45	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/11/2004 9:35	Y	7440-50-8	Copper	2.9	ug/L	U	[NULL]	[NULL]	R	B18L45	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	3/11/2004 9:35	N	DO	Dissolved oxygen	7800	ug/L	[NULL]	[NULL]	[NULL]	R	B18L41	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-74	3/11/2004 9:35	N	DO	Dissolved oxygen	7900	ug/L	[NULL]	[NULL]	[NULL]	R	B18L43	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-74	3/11/2004 9:35	N	DO	Dissolved oxygen	7910	ug/L	[NULL]	[NULL]	[NULL]	R	B18L42	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-74	3/11/2004 9:35	N	DO	Dissolved oxygen	7960	ug/L	[NULL]	[NULL]	[NULL]	R	B18L44	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-74	3/11/2004 9:35	N	16984-48-8	Fluoride	200	ug/L	[NULL]	[NULL]	[NULL]	R	B18L46	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/11/2004 9:35	Y	7439-89-6	Iron	54.5	ug/L	U	[NULL]	[NULL]	R	B18L45	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/11/2004 9:35	Y	7439-95-4	Magnesium	12800	ug/L	[NULL]	[NULL]	[NULL]	R	B18L45	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/11/2004 9:35	Y	7439-96-5	Manganese	3.3	ug/L	B	[NULL]	[NULL]	R	B18L45	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/11/2004 9:35	Y	7440-02-0	Nickel	14	ug/L	U	[NULL]	[NULL]	R	B18L45	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/11/2004 9:35	N	14797-55-8	Nitrate	10200	ug/L	D	[NULL]	[NULL]	R	B18L46	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/11/2004 9:35	N	14797-65-0	Nitrite	24.3	ug/L	U	[NULL]	[NULL]	R	B18L46	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/11/2004 9:35	Y	7440-09-7	Potassium	4830	ug/L	B	[NULL]	[NULL]	R	B18L45	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/11/2004 9:35	Y	7440-22-4	Silver	3.1	ug/L	U	[NULL]	[NULL]	R	B18L45	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/11/2004 9:35	Y	7440-23-5	Sodium	14600	ug/L	[NULL]	[NULL]	[NULL]	R	B18L45	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/11/2004 9:35	N	CONDUCT	Specific Conductance	369	uS/cm	[NULL]	[NULL]	[NULL]	R	B18L41	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/11/2004 9:35	N	CONDUCT	Specific Conductance	368	uS/cm	[NULL]	[NULL]	[NULL]	R	B18L44	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/11/2004 9:35	N	CONDUCT	Specific Conductance	369	uS/cm	[NULL]	[NULL]	[NULL]	R	B18L43	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/11/2004 9:35	N	CONDUCT	Specific Conductance	369	uS/cm	[NULL]	[NULL]	[NULL]	R	B18L42	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/11/2004 9:35	Y	7440-24-6	Strontium	279	ug/L	[NULL]	[NULL]	[NULL]	R	B18L45	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/11/2004 9:35	N	14808-79-8	Sulfate	69700	ug/L	D	[NULL]	[NULL]	R	B18L46	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/11/2004 9:35	N	TEMPERATURE	Temperature	16	Deg C	[NULL]	[NULL]	[NULL]	R	B18L42	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/11/2004 9:35	N	TEMPERATURE	Temperature	16	Deg C	[NULL]	[NULL]	[NULL]	R	B18L44	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/11/2004 9:35	N	TEMPERATURE	Temperature	16	Deg C	[NULL]	[NULL]	[NULL]	R	B18L43	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/11/2004 9:35	N	TEMPERATURE	Temperature	16	Deg C	[NULL]	[NULL]	[NULL]	R	B18L41	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/11/2004 9:35	N	TOC	Total organic carbon	600	ug/L	B	[NULL]	[NULL]	R	B18L44	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	3/11/2004 9:35	N	TOC	Total organic carbon	490	ug/L	B	[NULL]	[NULL]	R	B18L43	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	3/11/2004 9:35	N	TOC	Total organic carbon	520	ug/L	B	[NULL]	[NULL]	R	B18L42	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	3/11/2004 9:35	N	TOC	Total organic carbon	530	ug/L	B	[NULL]	[NULL]	R	B18L41	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	3/11/2004 9:35	N	59473-04-0	Total organic halides	7.6	ug/L	[NULL]	[NULL]	[NULL]	R	B18L42	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	3/11/2004 9:35	N	59473-04-0	Total organic halides	8.2	ug/L	[NULL]	[NULL]	[NULL]	R	B18L41	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	3/11/2004 9:35	N	59473-04-0	Total organic halides	8.9	ug/L	[NULL]	[NULL]	[NULL]	R	B18L44	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	3/11/2004 9:35	N	59473-04-0	Total organic halides	10.3	ug/L	[NULL]	[NULL]	[NULL]	R	B18L43	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	3/11/2004 9:35	N	TURBIDITY	Turbidity	1.97	NTU	[NULL]	[NULL]	[NULL]	R	B18L43	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	3/11/2004 9:35	N	TURBIDITY	Turbidity	2.21	NTU	[NULL]	[NULL]	[NULL]	R	B18L42	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	3/11/2004 9:35	N	TURBIDITY	Turbidity	1.92	NTU	[NULL]	[NULL]	[NULL]	R	B18L44	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	3/11/2004 9:35	N	TURBIDITY	Turbidity	2.24	NTU	[NULL]	[NULL]	[NULL]	R	B18L41	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	3/11/2004 9:35	Y	7440-62-2	Vanadium	27.6	ug/L	[NULL]	[NULL]	[NULL]	R	B18L45	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/11/2004 9:35	Y	7440-66-6	Zinc	2.7	ug/L	U	[NULL]	[NULL]	R	B18L45	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/11/2004 9:35	N	PH	pH Measurement	8.05	unitless	[NULL]	[NULL]	[NULL]	R	B18L44	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/11/2004 9:35	N	PH	pH Measurement	8.04	unitless	[NULL]	[NULL]	[NULL]	R	B18L41	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/11/2004 9:35	N	PH	pH Measurement	8.05	unitless	[NULL]	[NULL]	[NULL]	R	B18L43	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/11/2004 9:35	N	PH	pH Measurement	8.05	unitless	[NULL]	[NULL]	[NULL]	R	B18L42	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/21/2004 9:37	Y	7429-90-5	Aluminum	45.5	ug/L	U	[NULL]	[NULL]	R	B1B158	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/21/2004 9:37	Y	7440-36-0	Antimony	21.3	ug/L	U	[NULL]	[NULL]	R	B1B158	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/21/2004 9:37	N	14234-35-6	Antimony-125	-0.423	pCi/L	U	[NULL]	[NULL]	R	B1B160	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
199-N-74	9/21/2004 9:37	Y	7440-39-3	Barium	29.2	ug/L	B	[NULL]	[NULL]	R	B1B158	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/21/2004 9:37	Y	7440-41-7	Beryllium	1.2	ug/L	BC	[NULL]	[NULL]	R	B1B158	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/21/2004 9:37	N	13966-02-4	Beryllium-7	7.23	pCi/L	U	[NULL]	[NULL]	R	B1B160	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
199-N-74	9/21/2004 9:37	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	B1B158	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/21/2004 9:37	Y	7440-70-2	Calcium	38900	ug/L	[NULL]	[NULL]	[NULL]	R	B1B158	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/21/2004 9:37	N	13967-70-9	Cesium-134	-0.62	pCi/L	U	[NULL]	[NULL]	R	B1B160	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
199-N-74	9/21/2004 9:37	N	10045-97-3	Cesium-137	-0.573	pCi/L	U	[NULL]	[NULL]	R	B1B160	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
199-N-74	9/21/2004 9:37	Y	7440-47-3	Chromium	6.6	ug/L	B	[NULL]	[NULL]	R	B1B158	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/21/2004 9:37	Y	7440-48-4	Cobalt	3.3	ug/L	U	[NULL]	[NULL]	R	B1B158	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/21/2004 9:37	N	10198-40-0	Cobalt-60	-1.69	pCi/L	U	[NULL]	[NULL]	R	B1B160	10198-40-0	STLRL	GAMMALL_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	9/21/2004 9:37	Y	7440-50-8	Copper	2.4	ug/L	U	[NULL]	[NULL]	R	B1B158	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/21/2004 9:37	N	14683-23-9	Europium-152	-4.31	pCi/L	U	[NULL]	[NULL]	R	B1B160	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
199-N-74	9/21/2004 9:37	N	15585-10-1	Europium-154	-1.01	pCi/L	U	[NULL]	[NULL]	R	B1B160	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
199-N-74	9/21/2004 9:37	N	14391-16-3	Europium-155	2.55	pCi/L	U	[NULL]	[NULL]	R	B1B160	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
199-N-74	9/21/2004 9:37	N	12587-46-1	Gross alpha	0.683	pCi/L	U	[NULL]	[NULL]	R	B1B160	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	9/21/2004 9:37	N	12587-47-2	Gross beta	4.49	pCi/L	[NULL]	[NULL]	[NULL]	R	B1B160	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	9/21/2004 9:37	Y	7439-89-6	Iron	7	ug/L	B	[NULL]	[NULL]	R	B1B158	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/21/2004 9:37	Y	7439-95-4	Magnesium	12700	ug/L	[NULL]	[NULL]	[NULL]	R	B1B158	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/21/2004 9:37	Y	7439-96-5	Manganese	2	ug/L	B	[NULL]	[NULL]	R	B1B158	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/21/2004 9:37	Y	7440-02-0	Nickel	8.6	ug/L	U	[NULL]	[NULL]	R	B1B158	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/21/2004 9:37	Y	7440-09-7	Potassium	5560	ug/L	[NULL]	[NULL]	[NULL]	R	B1B158	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/21/2004 9:37	N	13966-00-2	Potassium-40	52.8	pCi/L	U	[NULL]	[NULL]	R	B1B160	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
199-N-74	9/21/2004 9:37	N	13967-48-1	Ruthenium-106	7.62	pCi/L	U	[NULL]	[NULL]	R	B1B160	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
199-N-74	9/21/2004 9:37	Y	7440-22-4	Silver	4.1	ug/L	U	[NULL]	[NULL]	R	B1B158	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/21/2004 9:37	Y	7440-23-5	Sodium	15300	ug/L	C	[NULL]	[NULL]	R	B1B158	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/21/2004 9:37	N	CONDUCT	Specific Conductance	368	uS/cm	[NULL]	[NULL]	[NULL]	R	B1B264	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/21/2004 9:37	N	CONDUCT	Specific Conductance	368	uS/cm	[NULL]	[NULL]	[NULL]	R	B1B265	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/21/2004 9:37	N	CONDUCT	Specific Conductance	367	uS/cm	[NULL]	[NULL]	[NULL]	R	B1B266	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/21/2004 9:37	N	CONDUCT	Specific Conductance	369	uS/cm	[NULL]	[NULL]	[NULL]	R	B1B267	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/21/2004 9:37	Y	7440-24-6	Strontium	280	ug/L	C	[NULL]	[NULL]	R	B1B158	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/21/2004 9:37	N	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1B265	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/21/2004 9:37	N	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1B267	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/21/2004 9:37	N	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1B264	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/21/2004 9:37	N	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1B266	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/21/2004 9:37	N	TOC	Total organic carbon	390	ug/L	U	[NULL]	[NULL]	R	B1B266	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	9/21/2004 9:37	N	TOC	Total organic carbon	390	ug/L	U	[NULL]	[NULL]	R	B1B265	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	9/21/2004 9:37	N	TOC	Total organic carbon	390	ug/L	U	[NULL]	[NULL]	R	B1B264	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	9/21/2004 9:37	N	TOC	Total organic carbon	390	ug/L	U	[NULL]	[NULL]	R	B1B267	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	9/21/2004 9:37	N	59473-04-0	Total organic halides	6.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1B267	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	9/21/2004 9:37	N	59473-04-0	Total organic halides	6.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1B266	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	9/21/2004 9:37	N	59473-04-0	Total organic halides	4.6	ug/L	B	[NULL]	[NULL]	R	B1B265	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	9/21/2004 9:37	N	59473-04-0	Total organic halides	4.5	ug/L	B	[NULL]	[NULL]	R	B1B264	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	9/21/2004 9:37	N	TURBIDITY	Turbidity	3.25	NTU	[NULL]	[NULL]	[NULL]	R	B1B267	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	9/21/2004 9:37	N	TURBIDITY	Turbidity	2.15	NTU	[NULL]	[NULL]	[NULL]	R	B1B265	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	9/21/2004 9:37	Y	7440-62-2	Vanadium	19.1	ug/L	B	[NULL]	[NULL]	R	B1B158	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/21/2004 9:37	Y	7440-66-6	Zinc	2.8	ug/L	BC	[NULL]	[NULL]	R	B1B158	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/21/2004 9:37	N	PH	pH Measurement	8.06	unitless	[NULL]	[NULL]	[NULL]	R	B1B267	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/21/2004 9:37	N	PH	pH Measurement	8.06	unitless	[NULL]	[NULL]	[NULL]	R	B1B266	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/21/2004 9:37	N	PH	pH Measurement	8.06	unitless	[NULL]	[NULL]	[NULL]	R	B1B265	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/21/2004 9:37	N	PH	pH Measurement	8.06	unitless	[NULL]	[NULL]	[NULL]	R	B1B264	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/8/2005 9:26	N	ALKALINITY	Alkalinity	87000	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBM1	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-74	3/8/2005 9:26	Y	7429-90-5	Aluminum	54.1	ug/L	B	[NULL]	[NULL]	R	B1CBM0	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/8/2005 9:26	Y	7440-36-0	Antimony	21.3	ug/L	U	[NULL]	[NULL]	R	B1CBM0	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/8/2005 9:26	Y	7440-39-3	Barium	27.8	ug/L	B	[NULL]	[NULL]	R	B1CBM0	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/8/2005 9:26	Y	7440-41-7	Beryllium	0.29	ug/L	U	[NULL]	[NULL]	R	B1CBM0	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/8/2005 9:26	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	B1CBM0	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/8/2005 9:26	Y	7440-70-2	Calcium	39800	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBM0	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/8/2005 9:26	N	16887-00-6	Chloride	12100	ug/L	CD	[NULL]	[NULL]	R	B1CBM1	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/8/2005 9:26	Y	7440-47-3	Chromium	13.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBM0	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/8/2005 9:26	Y	7440-48-4	Cobalt	3.3	ug/L	U	[NULL]	[NULL]	R	B1CBM0	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/8/2005 9:26	Y	7440-50-8	Copper	2.4	ug/L	U	[NULL]	[NULL]	R	B1CBM0	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/8/2005 9:26	N	16984-48-8	Fluoride	220	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBM1	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/8/2005 9:26	Y	7439-89-6	Iron	25.3	ug/L	B	[NULL]	[NULL]	R	B1CBM0	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/8/2005 9:26	Y	7439-95-4	Magnesium	12300	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBM0	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/8/2005 9:26	Y	7439-96-5	Manganese	0.99	ug/L	U	[NULL]	[NULL]	R	B1CBM0	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	3/8/2005 9:26	Y	7440-02-0	Nickel	8.6	ug/L	U	[NULL]	[NULL]	R	B1CBM0	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/8/2005 9:26	N	14797-55-8	Nitrate	10200	ug/L	D	[NULL]	[NULL]	R	B1CBM1	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/8/2005 9:26	N	14797-65-0	Nitrite	13.1	ug/L	U	[NULL]	[NULL]	R	B1CBM1	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/8/2005 9:26	Y	7440-09-7	Potassium	4370	ug/L	B	[NULL]	[NULL]	R	B1CBM0	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/8/2005 9:26	Y	7440-22-4	Silver	4.1	ug/L	U	[NULL]	[NULL]	R	B1CBM0	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/8/2005 9:26	Y	7440-23-5	Sodium	15100	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBM0	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/8/2005 9:26	N	CONDUCT	Specific Conductance	368	uS/cm	[NULL]	[NULL]	[NULL]	R	B1CBL9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/8/2005 9:26	N	CONDUCT	Specific Conductance	367	uS/cm	[NULL]	[NULL]	[NULL]	R	B1CBL7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/8/2005 9:26	N	CONDUCT	Specific Conductance	368	uS/cm	[NULL]	[NULL]	[NULL]	R	B1CBL8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/8/2005 9:26	N	CONDUCT	Specific Conductance	367	uS/cm	[NULL]	[NULL]	[NULL]	R	B1CBL6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	3/8/2005 9:26	Y	7440-24-6	Strontium	301	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBM0	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/8/2005 9:26	N	10098-97-2	Strontium-90	-0.0806	pCi/L	U	[NULL]	[NULL]	R	B1CCH6	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-74	3/8/2005 9:26	N	14808-79-8	Sulfate	67500	ug/L	D	[NULL]	[NULL]	R	B1CBM1	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/8/2005 9:26	N	TEMPERATURE	Temperature	16.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1CBL9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/8/2005 9:26	N	TEMPERATURE	Temperature	16.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1CBL7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/8/2005 9:26	N	TEMPERATURE	Temperature	16.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1CBL8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/8/2005 9:26	N	TEMPERATURE	Temperature	16.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1CBL6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/8/2005 9:26	N	TOC	Total organic carbon	570	ug/L	B	[NULL]	[NULL]	R	B1CBL7	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	3/8/2005 9:26	N	TOC	Total organic carbon	430	ug/L	B	[NULL]	[NULL]	R	B1CBL9	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	3/8/2005 9:26	N	TOC	Total organic carbon	530	ug/L	B	[NULL]	[NULL]	R	B1CBL6	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	3/8/2005 9:26	N	TOC	Total organic carbon	710	ug/L	B	[NULL]	[NULL]	R	B1CBL8	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	3/8/2005 9:26	N	59473-04-0	Total organic halides	6.8	ug/L	C	[NULL]	[NULL]	R	B1CBL9	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	3/8/2005 9:26	N	59473-04-0	Total organic halides	3.2	ug/L	U	[NULL]	[NULL]	R	B1CBL7	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	3/8/2005 9:26	N	59473-04-0	Total organic halides	3.8	ug/L	BC	[NULL]	[NULL]	R	B1CBL8	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	3/8/2005 9:26	N	59473-04-0	Total organic halides	8	ug/L	C	[NULL]	[NULL]	R	B1CBL6	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	3/8/2005 9:26	N	10028-17-8	Tritium	5450	pCi/L	[NULL]	[NULL]	[NULL]	R	B1CCH6	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-74	3/8/2005 9:26	N	TURBIDITY	Turbidity	1.89	NTU	[NULL]	[NULL]	[NULL]	R	B1CBL8	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	3/8/2005 9:26	N	TURBIDITY	Turbidity	1.94	NTU	[NULL]	[NULL]	[NULL]	R	B1CBL9	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	3/8/2005 9:26	N	TURBIDITY	Turbidity	1.91	NTU	[NULL]	[NULL]	[NULL]	R	B1CBL7	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	3/8/2005 9:26	N	TURBIDITY	Turbidity	2.05	NTU	[NULL]	[NULL]	[NULL]	R	B1CBL6	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	3/8/2005 9:26	Y	7440-62-2	Vanadium	19.6	ug/L	B	[NULL]	[NULL]	R	B1CBM0	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/8/2005 9:26	Y	7440-66-6	Zinc	3.8	ug/L	BC	[NULL]	[NULL]	R	B1CBM0	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/8/2005 9:26	N	PH	pH Measurement	8.11	unitless	[NULL]	[NULL]	[NULL]	R	B1CBL8	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/8/2005 9:26	N	PH	pH Measurement	8.11	unitless	[NULL]	[NULL]	[NULL]	R	B1CBL6	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/8/2005 9:26	N	PH	pH Measurement	8.11	unitless	[NULL]	[NULL]	[NULL]	R	B1CBL7	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/8/2005 9:26	N	PH	pH Measurement	8.11	unitless	[NULL]	[NULL]	[NULL]	R	B1CBL9	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/13/2005 11:45	Y	7429-90-5	Aluminum	33.4	ug/L	BC	[NULL]	[NULL]	R	B1DP88	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	Y	7429-90-5	Aluminum	33.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1DP86	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	N	14596-10-2	Americium-241	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1DP90	14596-10-2	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	9/13/2005 11:45	Y	7440-36-0	Antimony	3	ug/L	U	[NULL]	[NULL]	R	B1DP86	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	Y	7440-36-0	Antimony	23	ug/L	U	[NULL]	[NULL]	R	B1DP88	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	N	14234-35-6	Antimony-125	-1.51	pCi/L	U	[NULL]	[NULL]	R	B1DP91	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
199-N-74	9/13/2005 11:45	N	14234-35-6	Antimony-125	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1DP90	14234-35-6	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	9/13/2005 11:45	Y	7440-39-3	Barium	25.6	ug/L	C	[NULL]	[NULL]	R	B1DP86	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	Y	7440-39-3	Barium	30.2	ug/L	B	[NULL]	[NULL]	R	B1DP88	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	Y	7440-41-7	Beryllium	0.1	ug/L	U	[NULL]	[NULL]	R	B1DP86	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	Y	7440-41-7	Beryllium	0.26	ug/L	BC	[NULL]	[NULL]	R	B1DP88	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	N	13966-02-4	Beryllium-7	7.79	pCi/L	U	[NULL]	[NULL]	R	B1DP91	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
199-N-74	9/13/2005 11:45	Y	7440-43-9	Cadmium	0.86	ug/L	U	[NULL]	[NULL]	R	B1DP88	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	Y	7440-43-9	Cadmium	0.4	ug/L	U	[NULL]	[NULL]	R	B1DP86	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	Y	7440-70-2	Calcium	34900	ug/L	C	[NULL]	[NULL]	R	B1DP86	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	Y	7440-70-2	Calcium	42800	ug/L	C	[NULL]	[NULL]	R	B1DP88	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	N	13967-70-9	Cesium-134	-0.876	pCi/L	U	[NULL]	[NULL]	R	B1DP91	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
199-N-74	9/13/2005 11:45	N	10045-97-3	Cesium-137	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1DP90	10045-97-3	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	9/13/2005 11:45	N	10045-97-3	Cesium-137	-2.25	pCi/L	U	[NULL]	[NULL]	R	B1DP91	10045-97-3	STLRL	GAMMALL_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	9/13/2005 11:45	Y	7440-47-3	Chromium	13.8	ug/L	C	[NULL]	[NULL]	R	B1DP86	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	Y	7440-47-3	Chromium	14	ug/L	[NULL]	[NULL]	[NULL]	R	B1DP88	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	Y	7440-48-4	Cobalt	1.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1DP86	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	Y	7440-48-4	Cobalt	1.7	ug/L	U	[NULL]	[NULL]	R	B1DP88	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	N	13981-38-9	Cobalt-58	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1DP90	13981-38-9	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	9/13/2005 11:45	N	10198-40-0	Cobalt-60	-0.523	pCi/L	U	[NULL]	[NULL]	R	B1DP91	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
199-N-74	9/13/2005 11:45	N	10198-40-0	Cobalt-60	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1DP90	10198-40-0	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	9/13/2005 11:45	Y	7440-50-8	Copper	4.3	ug/L	U	[NULL]	[NULL]	R	B1DP88	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	Y	7440-50-8	Copper	1.3	ug/L	U	[NULL]	[NULL]	R	B1DP86	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	N	14683-23-9	Europium-152	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1DP90	14683-23-9	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	9/13/2005 11:45	N	14683-23-9	Europium-152	-1.55	pCi/L	U	[NULL]	[NULL]	R	B1DP91	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
199-N-74	9/13/2005 11:45	N	15585-10-1	Europium-154	2.57	pCi/L	U	[NULL]	[NULL]	R	B1DP91	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
199-N-74	9/13/2005 11:45	N	15585-10-1	Europium-154	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1DP90	15585-10-1	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	9/13/2005 11:45	N	14391-16-3	Europium-155	-0.147	pCi/L	U	[NULL]	[NULL]	R	B1DP91	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
199-N-74	9/13/2005 11:45	N	14391-16-3	Europium-155	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1DP90	14391-16-3	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	9/13/2005 11:45	N	12587-46-1	Gross alpha	0.545	pCi/L	U	[NULL]	[NULL]	R	B1DP91	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	9/13/2005 11:45	N	12587-46-1	Gross alpha	0.353	pCi/L	U	[NULL]	[NULL]	R	B1DP90	12587-46-1	EBRLNE	ALPHA_GPC	100-NR-2
199-N-74	9/13/2005 11:45	N	12587-47-2	Gross beta	4.94	pCi/L	[NULL]	[NULL]	[NULL]	R	B1DP91	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	9/13/2005 11:45	N	12587-47-2	Gross beta	4.3	pCi/L	[NULL]	[NULL]	[NULL]	R	B1DP90	12587-47-2	EBRLNE	BETA_GPC	100-NR-2
199-N-74	9/13/2005 11:45	Y	7439-89-6	Iron	37.7	ug/L	C	[NULL]	[NULL]	R	B1DP86	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	Y	7439-89-6	Iron	36	ug/L	B	[NULL]	[NULL]	R	B1DP88	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	N	14596-12-4	Iron-59	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1DP90	14596-12-4	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	9/13/2005 11:45	Y	7439-95-4	Magnesium	13300	ug/L	[NULL]	[NULL]	[NULL]	R	B1DP88	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	Y	7439-95-4	Magnesium	11100	ug/L	C	[NULL]	[NULL]	R	B1DP86	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	Y	7439-96-5	Manganese	1.7	ug/L	B	[NULL]	[NULL]	R	B1DP88	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	Y	7439-96-5	Manganese	3.1	ug/L	C	[NULL]	[NULL]	R	B1DP86	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1DP88	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	Y	7440-02-0	Nickel	1.7	ug/L	[NULL]	[NULL]	[NULL]	R	B1DP86	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	Y	7440-09-7	Potassium	3500	ug/L	[NULL]	[NULL]	[NULL]	R	B1DP86	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	Y	7440-09-7	Potassium	4660	ug/L	B	[NULL]	[NULL]	R	B1DP88	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	N	13966-00-2	Potassium-40	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1DP90	13966-00-2	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	9/13/2005 11:45	N	13966-00-2	Potassium-40	28	pCi/L	U	[NULL]	[NULL]	R	B1DP91	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
199-N-74	9/13/2005 11:45	N	13982-63-3	Radium-226	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1DP90	13982-63-3	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	9/13/2005 11:45	N	15262-20-1	Radium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1DP90	15262-20-1	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	9/13/2005 11:45	N	13967-48-1	Ruthenium-106	6.89	pCi/L	U	[NULL]	[NULL]	R	B1DP91	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
199-N-74	9/13/2005 11:45	N	13967-48-1	Ruthenium-106	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1DP90	13967-48-1	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	9/13/2005 11:45	Y	7440-22-4	Silver	2.2	ug/L	U	[NULL]	[NULL]	R	B1DP88	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	Y	7440-22-4	Silver	0.8	ug/L	U	[NULL]	[NULL]	R	B1DP86	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	Y	7440-23-5	Sodium	14300	ug/L	[NULL]	[NULL]	[NULL]	R	B1DP88	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	Y	7440-23-5	Sodium	11900	ug/L	C	[NULL]	[NULL]	R	B1DP86	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	N	CONDUCT	Specific Conductance	376	uS/cm	[NULL]	[NULL]	[NULL]	R	B1DRF8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/13/2005 11:45	N	CONDUCT	Specific Conductance	376	uS/cm	[NULL]	[NULL]	[NULL]	R	B1DRF9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/13/2005 11:45	N	CONDUCT	Specific Conductance	376	uS/cm	[NULL]	[NULL]	[NULL]	R	B1DRF6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/13/2005 11:45	N	CONDUCT	Specific Conductance	376	uS/cm	[NULL]	[NULL]	[NULL]	R	B1DRF7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-74	9/13/2005 11:45	Y	7440-24-6	Strontium	315	ug/L	[NULL]	[NULL]	[NULL]	R	B1DP88	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	N	TEMPERATURE	Temperature	17.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1DRF9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/13/2005 11:45	N	TEMPERATURE	Temperature	17.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1DRF8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/13/2005 11:45	N	TEMPERATURE	Temperature	17.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1DRF7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/13/2005 11:45	N	TEMPERATURE	Temperature	17.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1DRF6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/13/2005 11:45	N	14274-82-9	Thorium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1DP90	14274-82-9	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	9/13/2005 11:45	N	TH-232	Thorium-232	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1DP90	TH-232	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	9/13/2005 11:45	N	TOC	Total organic carbon	560	ug/L	B	[NULL]	[NULL]	R	B1DRH2	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	9/13/2005 11:45	N	TOC	Total organic carbon	640	ug/L	B	[NULL]	[NULL]	R	B1DRH3	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	9/13/2005 11:45	N	TOC	Total organic carbon	590	ug/L	B	[NULL]	[NULL]	R	B1DRH1	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	9/13/2005 11:45	N	TOC	Total organic carbon	570	ug/L	B	[NULL]	[NULL]	R	B1DRH0	TOC	STLSL	9060_TOC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	9/13/2005 11:45	N	59473-04-0	Total organic halides	6.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1DRH0	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	9/13/2005 11:45	N	59473-04-0	Total organic halides	6.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1DRH3	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	9/13/2005 11:45	N	59473-04-0	Total organic halides	6.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1DRH2	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	9/13/2005 11:45	N	59473-04-0	Total organic halides	9.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1DRH1	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	9/13/2005 11:45	N	TURBIDITY	Turbidity	1.74	NTU	[NULL]	[NULL]	[NULL]	R	B1DRF8	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	9/13/2005 11:45	N	TURBIDITY	Turbidity	1.63	NTU	[NULL]	[NULL]	[NULL]	R	B1DRF6	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	9/13/2005 11:45	N	TURBIDITY	Turbidity	1.52	NTU	[NULL]	[NULL]	[NULL]	R	B1DRF7	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	9/13/2005 11:45	N	TURBIDITY	Turbidity	1.34	NTU	[NULL]	[NULL]	[NULL]	R	B1DRF9	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-74	9/13/2005 11:45	N	15117-96-1	Uranium-235	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1DP90	15117-96-1	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	9/13/2005 11:45	N	U-238	Uranium-238	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1DP90	U-238	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	9/13/2005 11:45	Y	7440-62-2	Vanadium	18.9	ug/L	C	[NULL]	[NULL]	R	B1DP86	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	Y	7440-62-2	Vanadium	20.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1DP88	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	Y	7440-66-6	Zinc	32.1	ug/L	C	[NULL]	[NULL]	R	B1DP86	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	Y	7440-66-6	Zinc	6.2	ug/L	BC	[NULL]	[NULL]	R	B1DP88	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/13/2005 11:45	N	PH	pH Measurement	8.08	unitless	[NULL]	[NULL]	[NULL]	R	B1DRF7	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/13/2005 11:45	N	PH	pH Measurement	8.07	unitless	[NULL]	[NULL]	[NULL]	R	B1DRF6	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/13/2005 11:45	N	PH	pH Measurement	8.08	unitless	[NULL]	[NULL]	[NULL]	R	B1DRF9	PH	FIELD	9040_PH	100-NR-2
199-N-74	9/13/2005 11:45	N	PH	pH Measurement	8.08	unitless	[NULL]	[NULL]	[NULL]	R	B1DRF8	PH	FIELD	9040_PH	100-NR-2
199-N-74	3/6/2006 9:19	N	120-82-1	1,2,4-Trichlorobenzene	10	ug/L	U	[NULL]	[NULL]	S	J11J31	120-82-1	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	95-50-1	1,2-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	S	J11J31	95-50-1	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	541-73-1	1,3-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	S	J11J31	541-73-1	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	106-46-7	1,4-Dichlorobenzene	10	ug/L	U	[NULL]	[NULL]	S	J11J31	106-46-7	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	95-95-4	2,4,5-Trichlorophenol	25	ug/L	U	[NULL]	[NULL]	S	J11J31	95-95-4	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	88-06-2	2,4,6-Trichlorophenol	10	ug/L	U	[NULL]	[NULL]	S	J11J31	88-06-2	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	120-83-2	2,4-Dichlorophenol	10	ug/L	U	[NULL]	[NULL]	S	J11J31	120-83-2	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	105-67-9	2,4-Dimethylphenol	10	ug/L	U	[NULL]	[NULL]	S	J11J31	105-67-9	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	51-28-5	2,4-Dinitrophenol	25	ug/L	U	[NULL]	[NULL]	S	J11J31	51-28-5	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	121-14-2	2,4-Dinitrotoluene	10	ug/L	U	[NULL]	[NULL]	S	J11J31	121-14-2	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	606-20-2	2,6-Dinitrotoluene	10	ug/L	U	[NULL]	[NULL]	S	J11J31	606-20-2	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	91-58-7	2-Chloronaphthalene	10	ug/L	U	[NULL]	[NULL]	S	J11J31	91-58-7	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	95-57-8	2-Chlorophenol	10	ug/L	U	[NULL]	[NULL]	S	J11J31	95-57-8	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	91-57-6	2-Methylnaphthalene	10	ug/L	U	[NULL]	[NULL]	S	J11J31	91-57-6	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	95-48-7	2-Methylphenol (cresol, o-)	10	ug/L	U	[NULL]	[NULL]	S	J11J31	95-48-7	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	88-74-4	2-Nitroaniline	25	ug/L	U	[NULL]	[NULL]	S	J11J31	88-74-4	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	88-75-5	2-Nitrophenol	10	ug/L	U	[NULL]	[NULL]	S	J11J31	88-75-5	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	65794-96-9	3+4 Methylphenol (cresol, m+p)	10	ug/L	U	[NULL]	[NULL]	S	J11J31	65794-96-9	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	91-94-1	3,3'-Dichlorobenzidine	10	ug/L	U	[NULL]	[NULL]	S	J11J31	91-94-1	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	99-09-2	3-Nitroaniline	25	ug/L	U	[NULL]	[NULL]	S	J11J31	99-09-2	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	72-54-8	4,4'-DDD (Dichlorodiphenyldichloroethane)	0.04	ug/L	UD	[NULL]	[NULL]	S	J11J31	72-54-8	RLNP	8081_PEST_GC	100-NR-2
199-N-74	3/6/2006 9:19	N	72-55-9	4,4'-DDE (Dichlorodiphenyldichloroethylene)	0.04	ug/L	UD	[NULL]	[NULL]	S	J11J31	72-55-9	RLNP	8081_PEST_GC	100-NR-2
199-N-74	3/6/2006 9:19	N	50-29-3	4,4'-DDT (Dichlorodiphenyltrichloroethane)	0.04	ug/L	UD	[NULL]	[NULL]	S	J11J31	50-29-3	RLNP	8081_PEST_GC	100-NR-2
199-N-74	3/6/2006 9:19	N	534-52-1	4,6-Dinitro-2-methylphenol	25	ug/L	U	[NULL]	[NULL]	S	J11J31	534-52-1	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	101-55-3	4-Bromophenylphenyl ether	10	ug/L	U	[NULL]	[NULL]	S	J11J31	101-55-3	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	59-50-7	4-Chloro-3-methylphenol	10	ug/L	U	[NULL]	[NULL]	S	J11J31	59-50-7	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	106-47-8	4-Chloroaniline	10	ug/L	U	[NULL]	[NULL]	S	J11J31	106-47-8	RLNP	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	3/6/2006 9:19	N	7005-72-3	4-Chlorophenylphenyl ether	10	ug/L	U	[NULL]	[NULL]	S	J11J31	7005-72-3	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	100-01-6	4-Nitroaniline	25	ug/L	U	[NULL]	[NULL]	S	J11J31	100-01-6	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	100-02-7	4-Nitrophenol	25	ug/L	U	[NULL]	[NULL]	S	J11J31	100-02-7	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	83-32-9	Acenaphthene	10	ug/L	U	[NULL]	[NULL]	S	J11J31	83-32-9	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	208-96-8	Acenaphthylene	10	ug/L	U	[NULL]	[NULL]	S	J11J31	208-96-8	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	309-00-2	Aldrin	0.04	ug/L	UD	[NULL]	[NULL]	S	J11J31	309-00-2	RLNP	8081_PEST_GC	100-NR-2
199-N-74	3/6/2006 9:19	N	ALKALINITY	Alkalinity	88000	ug/L	[NULL]	[NULL]	[NULL]	R	B1HP43	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-74	3/6/2006 9:19	N	319-84-6	Alpha-BHC	0.04	ug/L	UD	[NULL]	[NULL]	S	J11J31	319-84-6	RLNP	8081_PEST_GC	100-NR-2
199-N-74	3/6/2006 9:19	N	5103-71-9	Alpha-Chlordane	0.04	ug/L	UD	[NULL]	[NULL]	S	J11J31	5103-71-9	RLNP	8081_PEST_GC	100-NR-2
199-N-74	3/6/2006 9:19	N	7429-90-5	Aluminum	28.8	ug/L	U	[NULL]	[NULL]	S	J11J31	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	N	14596-10-2	Americium-241	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J11J31	14596-10-2	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	3/6/2006 9:19	N	120-12-7	Anthracene	10	ug/L	U	[NULL]	[NULL]	S	J11J31	120-12-7	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	7440-36-0	Antimony	4.4	ug/L	U	[NULL]	[NULL]	S	J11J31	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1HP42	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	N	14234-35-6	Antimony-125	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J11J31	14234-35-6	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	3/6/2006 9:19	N	12674-11-2	Aroclor-1016	0.4	ug/L	U	[NULL]	[NULL]	S	J11J31	12674-11-2	RLNP	8082_PCB_GC	100-NR-2
199-N-74	3/6/2006 9:19	N	11104-28-2	Aroclor-1221	0.4	ug/L	U	[NULL]	[NULL]	S	J11J31	11104-28-2	RLNP	8082_PCB_GC	100-NR-2
199-N-74	3/6/2006 9:19	N	11141-16-5	Aroclor-1232	0.4	ug/L	U	[NULL]	[NULL]	S	J11J31	11141-16-5	RLNP	8082_PCB_GC	100-NR-2
199-N-74	3/6/2006 9:19	N	53469-21-9	Aroclor-1242	0.4	ug/L	U	[NULL]	[NULL]	S	J11J31	53469-21-9	RLNP	8082_PCB_GC	100-NR-2
199-N-74	3/6/2006 9:19	N	12672-29-6	Aroclor-1248	0.4	ug/L	U	[NULL]	[NULL]	S	J11J31	12672-29-6	RLNP	8082_PCB_GC	100-NR-2
199-N-74	3/6/2006 9:19	N	11097-69-1	Aroclor-1254	0.4	ug/L	U	[NULL]	[NULL]	S	J11J31	11097-69-1	RLNP	8082_PCB_GC	100-NR-2
199-N-74	3/6/2006 9:19	N	11096-82-5	Aroclor-1260	0.4	ug/L	U	[NULL]	[NULL]	S	J11J31	11096-82-5	RLNP	8082_PCB_GC	100-NR-2
199-N-74	3/6/2006 9:19	N	7440-38-2	Arsenic	6.1	ug/L	U	[NULL]	[NULL]	S	J11J31	7440-38-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	Y	7440-39-3	Barium	31.3	ug/L	B	[NULL]	[NULL]	R	B1HP42	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	N	7440-39-3	Barium	27.2	ug/L	C	[NULL]	[NULL]	S	J11J31	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	N	56-55-3	Benzo(a)anthracene	10	ug/L	U	[NULL]	[NULL]	S	J11J31	56-55-3	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	50-32-8	Benzo(a)pyrene	10	ug/L	U	[NULL]	[NULL]	S	J11J31	50-32-8	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	205-99-2	Benzo(b)fluoranthene	10	ug/L	U	[NULL]	[NULL]	S	J11J31	205-99-2	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	191-24-2	Benzo(ghi)perylene	10	ug/L	U	[NULL]	[NULL]	S	J11J31	191-24-2	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	207-08-9	Benzo(k)fluoranthene	10	ug/L	U	[NULL]	[NULL]	S	J11J31	207-08-9	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	7440-41-7	Beryllium	0.2	ug/L	U	[NULL]	[NULL]	S	J11J31	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1HP42	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	N	13966-02-4	Beryllium-7	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J11J31	13966-02-4	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	3/6/2006 9:19	N	111-91-1	Bis(2-Chloroethoxy)methane	10	ug/L	U	[NULL]	[NULL]	S	J11J31	111-91-1	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	108-60-1	Bis(2-chloro-1-methylethyl)ether	10	ug/L	U	[NULL]	[NULL]	S	J11J31	108-60-1	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	111-44-4	Bis(2-chloroethyl) ether	10	ug/L	U	[NULL]	[NULL]	S	J11J31	111-44-4	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	117-81-7	Bis(2-ethylhexyl) phthalate	1	ug/L	JB	[NULL]	[NULL]	S	J11J31	117-81-7	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	7440-69-9	Bismuth	5.1	ug/L	UC	[NULL]	[NULL]	S	J11J31	7440-69-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	N	7440-42-8	Boron	16.7	ug/L	[NULL]	[NULL]	[NULL]	S	J11J31	7440-42-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	N	24959-67-9	Bromide	250	ug/L	U	[NULL]	[NULL]	S	J11J31	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-74	3/6/2006 9:19	N	85-68-7	Butylbenzylphthalate	10	ug/L	U	[NULL]	[NULL]	S	J11J31	85-68-7	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1HP42	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	N	7440-43-9	Cadmium	0.7	ug/L	U	[NULL]	[NULL]	S	J11J31	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	Y	7440-70-2	Calcium	42600	ug/L	[NULL]	[NULL]	[NULL]	R	B1HP42	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	N	7440-70-2	Calcium	40200	ug/L	C	[NULL]	[NULL]	S	J11J31	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	N	86-74-8	Carbazole	10	ug/L	U	[NULL]	[NULL]	S	J11J31	86-74-8	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	13967-70-9	Cesium-134	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J11J31	13967-70-9	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	3/6/2006 9:19	N	10045-97-3	Cesium-137	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J11J31	10045-97-3	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	3/6/2006 9:19	N	16887-00-6	Chloride	12300	ug/L	CD	[NULL]	[NULL]	R	B1HP43	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/6/2006 9:19	N	16887-00-6	Chloride	12800	ug/L	D	[NULL]	[NULL]	S	J11J31	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-74	3/6/2006 9:19	N	7440-47-3	Chromium	34.6	ug/L	[NULL]	[NULL]	[NULL]	S	J11J31	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	3/6/2006 9:19	Y	7440-47-3	Chromium	14.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1HP42	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	N	218-01-9	Chrysene	10	ug/L	U	[NULL]	[NULL]	S	J11J31	218-01-9	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	7440-48-4	Cobalt	1.4	ug/L	U	[NULL]	[NULL]	S	J11J31	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	Y	7440-48-4	Cobalt	2.6	ug/L	U	[NULL]	[NULL]	R	B1HP42	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	N	10198-40-0	Cobalt-60	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J11J31	10198-40-0	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	3/6/2006 9:19	N	7440-50-8	Copper	1.2	ug/L	U	[NULL]	[NULL]	S	J11J31	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1HP42	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	N	319-86-8	Delta-BHC	0.04	ug/L	UD	[NULL]	[NULL]	S	J11J31	319-86-8	RLNP	8081_PEST_GC	100-NR-2
199-N-74	3/6/2006 9:19	N	84-74-2	Di-n-butylphthalate	10	ug/L	U	[NULL]	[NULL]	S	J11J31	84-74-2	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	117-84-0	Di-n-octylphthalate	10	ug/L	U	[NULL]	[NULL]	S	J11J31	117-84-0	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	53-70-3	Dibenz[a,h]anthracene	10	ug/L	U	[NULL]	[NULL]	S	J11J31	53-70-3	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	132-64-9	Dibenzofuran	10	ug/L	U	[NULL]	[NULL]	S	J11J31	132-64-9	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	60-57-1	Dieldrin	0.04	ug/L	UD	[NULL]	[NULL]	S	J11J31	60-57-1	RLNP	8081_PEST_GC	100-NR-2
199-N-74	3/6/2006 9:19	N	84-66-2	Diethylphthalate	10	ug/L	U	[NULL]	[NULL]	S	J11J31	84-66-2	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	131-11-3	Dimethyl phthalate	10	ug/L	U	[NULL]	[NULL]	S	J11J31	131-11-3	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	959-98-8	Endosulfan I	0.04	ug/L	UD	[NULL]	[NULL]	S	J11J31	959-98-8	RLNP	8081_PEST_GC	100-NR-2
199-N-74	3/6/2006 9:19	N	33213-65-9	Endosulfan II	0.04	ug/L	UD	[NULL]	[NULL]	S	J11J31	33213-65-9	RLNP	8081_PEST_GC	100-NR-2
199-N-74	3/6/2006 9:19	N	1031-07-8	Endosulfan sulfate	0.04	ug/L	UD	[NULL]	[NULL]	S	J11J31	1031-07-8	RLNP	8081_PEST_GC	100-NR-2
199-N-74	3/6/2006 9:19	N	72-20-8	Endrin	0.04	ug/L	UD	[NULL]	[NULL]	S	J11J31	72-20-8	RLNP	8081_PEST_GC	100-NR-2
199-N-74	3/6/2006 9:19	N	7421-93-4	Endrin aldehyde	0.04	ug/L	UD	[NULL]	[NULL]	S	J11J31	7421-93-4	RLNP	8081_PEST_GC	100-NR-2
199-N-74	3/6/2006 9:19	N	53494-70-5	Endrin ketone	0.04	ug/L	UD	[NULL]	[NULL]	S	J11J31	53494-70-5	RLNP	8081_PEST_GC	100-NR-2
199-N-74	3/6/2006 9:19	N	14683-23-9	Europium-152	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J11J31	14683-23-9	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	3/6/2006 9:19	N	15585-10-1	Europium-154	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J11J31	15585-10-1	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	3/6/2006 9:19	N	14391-16-3	Europium-155	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J11J31	14391-16-3	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	3/6/2006 9:19	N	206-44-0	Fluoranthene	10	ug/L	U	[NULL]	[NULL]	S	J11J31	206-44-0	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	86-73-7	Fluorene	10	ug/L	U	[NULL]	[NULL]	S	J11J31	86-73-7	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	16984-48-8	Fluoride	500	ug/L	UD	[NULL]	[NULL]	S	J11J31	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-74	3/6/2006 9:19	N	16984-48-8	Fluoride	200	ug/L	[NULL]	[NULL]	[NULL]	R	B1HP43	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/6/2006 9:19	N	58-89-9	Gamma-BHC (Lindane)	0.04	ug/L	UD	[NULL]	[NULL]	S	J11J31	58-89-9	RLNP	8081_PEST_GC	100-NR-2
199-N-74	3/6/2006 9:19	N	76-44-8	Heptachlor	0.04	ug/L	UD	[NULL]	[NULL]	S	J11J31	76-44-8	RLNP	8081_PEST_GC	100-NR-2
199-N-74	3/6/2006 9:19	N	1024-57-3	Heptachlor epoxide	0.04	ug/L	UD	[NULL]	[NULL]	S	J11J31	1024-57-3	RLNP	8081_PEST_GC	100-NR-2
199-N-74	3/6/2006 9:19	N	118-74-1	Hexachlorobenzene	10	ug/L	U	[NULL]	[NULL]	S	J11J31	118-74-1	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	87-68-3	Hexachlorobutadiene	10	ug/L	U	[NULL]	[NULL]	S	J11J31	87-68-3	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	77-47-4	Hexachlorocyclopentadiene	10	ug/L	U	[NULL]	[NULL]	S	J11J31	77-47-4	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	67-72-1	Hexachloroethane	10	ug/L	U	[NULL]	[NULL]	S	J11J31	67-72-1	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	18540-29-9	Hexavalent Chromium	2	ug/L	U	[NULL]	[NULL]	S	J11J37	18540-29-9	STLRL	7196_CR6	100-NR-2
199-N-74	3/6/2006 9:19	N	193-39-5	Indeno(1,2,3-cd)pyrene	10	ug/L	U	[NULL]	[NULL]	S	J11J31	193-39-5	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	7439-89-6	Iron	113	ug/L	[NULL]	[NULL]	[NULL]	S	J11J31	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1HP42	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	N	78-59-1	Isophorone	10	ug/L	U	[NULL]	[NULL]	S	J11J31	78-59-1	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	7439-92-1	Lead	3.1	ug/L	U	[NULL]	[NULL]	S	J11J31	7439-92-1	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	N	7439-93-2	Lithium	5.3	ug/L	[NULL]	[NULL]	[NULL]	S	J11J31	7439-93-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	Y	7439-95-4	Magnesium	13400	ug/L	[NULL]	[NULL]	[NULL]	R	B1HP42	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	N	7439-95-4	Magnesium	12200	ug/L	C	[NULL]	[NULL]	S	J11J31	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	Y	7439-96-5	Manganese	4.2	ug/L	B	[NULL]	[NULL]	R	B1HP42	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	N	7439-96-5	Manganese	2.5	ug/L	[NULL]	[NULL]	[NULL]	S	J11J31	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	N	7439-97-6	Mercury	0.1	ug/L	U	[NULL]	[NULL]	S	J11J31	7439-97-6	RLNP	7470_HG_CVAA	100-NR-2
199-N-74	3/6/2006 9:19	N	72-43-5	Methoxychlor	0.04	ug/L	UD	[NULL]	[NULL]	S	J11J31	72-43-5	RLNP	8081_PEST_GC	100-NR-2
199-N-74	3/6/2006 9:19	N	7439-98-7	Molybdenum	4.9	ug/L	[NULL]	[NULL]	[NULL]	S	J11J31	7439-98-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	N	91-20-3	Naphthalene	10	ug/L	U	[NULL]	[NULL]	S	J11J31	91-20-3	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	7440-02-0	Nickel	12.1	ug/L	[NULL]	[NULL]	[NULL]	S	J11J31	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1HP42	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	N	14797-55-8	Nitrate	11100	ug/L	D	[NULL]	[NULL]	R	B1HP43	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/6/2006 9:19	N	14797-55-8	Nitrate	10200	ug/L	D	[NULL]	[NULL]	S	J11J31	NO2+NO3-N	RLNP	353.2_NO3/NO2	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	3/6/2006 9:19	N	14797-55-8	Nitrate	10200	ug/L	D	[NULL]	[NULL]	S	J11J31	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-74	3/6/2006 9:19	N	14797-65-0	Nitrite	20	ug/L	UN	[NULL]	[NULL]	R	B1HP43	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/6/2006 9:19	N	14797-65-0	Nitrite	250	ug/L	U	[NULL]	[NULL]	S	J11J31	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-74	3/6/2006 9:19	N	98-95-3	Nitrobenzene	10	ug/L	U	[NULL]	[NULL]	S	J11J31	98-95-3	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	87-86-5	Pentachlorophenol	25	ug/L	U	[NULL]	[NULL]	S	J11J31	87-86-5	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	85-01-8	Phenanthrene	10	ug/L	U	[NULL]	[NULL]	S	J11J31	85-01-8	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	108-95-2	Phenol	10	ug/L	U	[NULL]	[NULL]	S	J11J31	108-95-2	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	14265-44-2	Phosphate	250	ug/L	U	[NULL]	[NULL]	S	J11J31	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-74	3/6/2006 9:19	N	7723-14-0	Phosphorus	17.4	ug/L	C	[NULL]	[NULL]	S	J11J31	7723-14-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	Y	7440-09-7	Potassium	1620	ug/L	B	[NULL]	[NULL]	R	B1HP42	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	N	7440-09-7	Potassium	4120	ug/L	[NULL]	[NULL]	[NULL]	S	J11J31	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	N	13966-00-2	Potassium-40	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J11J31	13966-00-2	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	3/6/2006 9:19	N	129-00-0	Pyrene	10	ug/L	U	[NULL]	[NULL]	S	J11J31	129-00-0	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	13982-63-3	Radium-226	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J11J31	13982-63-3	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	3/6/2006 9:19	N	13982-63-3	Radium-226	-0.195	pCi/L	U	[NULL]	[NULL]	S	J11J31	13982-63-3	EBRLNE	903.1_RA226_LUC	100-NR-2
199-N-74	3/6/2006 9:19	N	15262-20-1	Radium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J11J31	15262-20-1	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	3/6/2006 9:19	N	15262-20-1	Radium-228	0.1	pCi/L	U	[NULL]	[NULL]	S	J11J31	15262-20-1	EBRLNE	RAISO_SEP_GPC	100-NR-2
199-N-74	3/6/2006 9:19	N	13967-48-1	Ruthenium-106	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J11J31	13967-48-1	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	3/6/2006 9:19	N	7782-49-2	Selenium	4.7	ug/L	U	[NULL]	[NULL]	S	J11J31	7782-49-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	N	7440-21-3	Silicon	15400	ug/L	C	[NULL]	[NULL]	S	J11J31	7440-21-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	N	7440-22-4	Silver	0.7	ug/L	U	[NULL]	[NULL]	S	J11J31	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1HP42	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	N	7440-23-5	Sodium	13200	ug/L	C	[NULL]	[NULL]	S	J11J31	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	Y	7440-23-5	Sodium	15100	ug/L	[NULL]	[NULL]	[NULL]	R	B1HP42	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	N	CONDUCT	Specific Conductance	370	uS/cm	[NULL]	[NULL]	[NULL]	R	B1HP35	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-74	3/6/2006 9:19	N	CONDUCT	Specific Conductance	369	uS/cm	[NULL]	[NULL]	[NULL]	R	B1HP34	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-74	3/6/2006 9:19	N	CONDUCT	Specific Conductance	371	uS/cm	[NULL]	[NULL]	[NULL]	R	B1HP36	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-74	3/6/2006 9:19	N	CONDUCT	Specific Conductance	371	uS/cm	[NULL]	[NULL]	[NULL]	R	B1HP37	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-74	3/6/2006 9:19	Y	7440-24-6	Strontium	309	ug/L	[NULL]	[NULL]	[NULL]	R	B1HP42	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	N	7440-24-6	Strontium	269	ug/L	C	[NULL]	[NULL]	S	J11J31	7440-24-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	N	10098-97-2	Strontium-90	-0.162	pCi/L	U	[NULL]	[NULL]	S	J11J31	SR-RAD	EBRLNE	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-74	3/6/2006 9:19	N	14808-79-8	Sulfate	72400	ug/L	D	[NULL]	[NULL]	S	J11J31	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-74	3/6/2006 9:19	N	14808-79-8	Sulfate	65600	ug/L	D	[NULL]	[NULL]	R	B1HP43	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-74	3/6/2006 9:19	N	TEMPERATURE	Temperature	15	Deg C	[NULL]	[NULL]	[NULL]	R	B1HP35	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-74	3/6/2006 9:19	N	TEMPERATURE	Temperature	14.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1HP36	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-74	3/6/2006 9:19	N	TEMPERATURE	Temperature	14.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1HP37	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-74	3/6/2006 9:19	N	TEMPERATURE	Temperature	15.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1HP34	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-74	3/6/2006 9:19	N	7440-28-0	Thallium	7	ug/L	U	[NULL]	[NULL]	S	J11J31	7440-28-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	N	14274-82-9	Thorium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J11J31	14274-82-9	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	3/6/2006 9:19	N	14274-82-9	Thorium-228	0.027	pCi/L	U	[NULL]	[NULL]	S	J11J31	14274-82-9	EBRLNE	THISO_IE_PLATE_AEA	100-NR-2
199-N-74	3/6/2006 9:19	N	14269-63-7	Thorium-230	-0.027	pCi/L	U	[NULL]	[NULL]	S	J11J31	14269-63-7	EBRLNE	THISO_IE_PLATE_AEA	100-NR-2
199-N-74	3/6/2006 9:19	N	TH-232	Thorium-232	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J11J31	TH-232	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	3/6/2006 9:19	N	TH-232	Thorium-232	0	pCi/L	U	[NULL]	[NULL]	S	J11J31	TH-232	EBRLNE	THISO_IE_PLATE_AEA	100-NR-2
199-N-74	3/6/2006 9:19	N	7440-31-5	Tin	10.7	ug/L	U	[NULL]	[NULL]	S	J11J31	7440-31-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	N	TOC	Total organic carbon	470	ug/L	U	[NULL]	[NULL]	R	B1HP38	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	3/6/2006 9:19	N	TOC	Total organic carbon	470	ug/L	U	[NULL]	[NULL]	R	B1HP40	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	3/6/2006 9:19	N	TOC	Total organic carbon	470	ug/L	U	[NULL]	[NULL]	R	B1HP39	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	3/6/2006 9:19	N	TOC	Total organic carbon	470	ug/L	U	[NULL]	[NULL]	R	B1HP41	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	3/6/2006 9:19	N	59473-04-0	Total organic halides	7.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1HP38	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	3/6/2006 9:19	N	59473-04-0	Total organic halides	14.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1HP40	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	3/6/2006 9:19	N	59473-04-0	Total organic halides	7.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1HP41	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	3/6/2006 9:19	N	59473-04-0	Total organic halides	6	ug/L	[NULL]	[NULL]	[NULL]	R	B1HP39	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	3/6/2006 9:19	N	8001-35-2	Toxaphene	0.4	ug/L	UD	[NULL]	[NULL]	S	J11J31	8001-35-2	RLNP	8081_PEST_GC	100-NR-2
199-N-74	3/6/2006 9:19	N	10028-17-8	Tritium	5950	pCi/L	[NULL]	[NULL]	[NULL]	S	J11J31	10028-17-8	EBRLNE	906.0_H3_LSC	100-NR-2
199-N-74	3/6/2006 9:19	N	TURBIDITY	Turbidity	1.88	NTU	[NULL]	[NULL]	[NULL]	R	B1HP37	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	3/6/2006 9:19	N	TURBIDITY	Turbidity	2.02	NTU	[NULL]	[NULL]	[NULL]	R	B1HP35	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-74	3/6/2006 9:19	N	7440-61-1	Uranium	8.8	ug/L	U	[NULL]	[NULL]	S	J11J31	7440-61-1	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	N	U-233/234	Uranium-233/234	1.03	pCi/L	[NULL]	[NULL]	[NULL]	S	J11J31	U-233/234	EBRLNE	UISO_PLATE_AEA	100-NR-2
199-N-74	3/6/2006 9:19	N	15117-96-1	Uranium-235	0.036	pCi/L	U	[NULL]	[NULL]	S	J11J31	15117-96-1	EBRLNE	UISO_PLATE_AEA	100-NR-2
199-N-74	3/6/2006 9:19	N	15117-96-1	Uranium-235	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J11J31	15117-96-1	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	3/6/2006 9:19	N	U-238	Uranium-238	[NULL]	pCi/L	U	[NULL]	[NULL]	S	J11J31	U-238	EBRLNE	GAMMA_GS	100-NR-2
199-N-74	3/6/2006 9:19	N	U-238	Uranium-238	1	pCi/L	[NULL]	[NULL]	[NULL]	S	J11J31	U-238	EBRLNE	UISO_PLATE_AEA	100-NR-2
199-N-74	3/6/2006 9:19	N	7440-62-2	Vanadium	20.5	ug/L	[NULL]	[NULL]	[NULL]	S	J11J31	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	Y	7440-62-2	Vanadium	21.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1HP42	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	N	7440-66-6	Zinc	2.9	ug/L	C	[NULL]	[NULL]	S	J11J31	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	Y	7440-66-6	Zinc	5.6	ug/L	U	[NULL]	[NULL]	R	B1HP42	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	3/6/2006 9:19	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.04	ug/L	UD	[NULL]	[NULL]	S	J11J31	319-85-7	RLNP	8081_PEST_GC	100-NR-2
199-N-74	3/6/2006 9:19	N	621-64-7	n-Nitrosodi-n-dipropylamine	10	ug/L	U	[NULL]	[NULL]	S	J11J31	621-64-7	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	86-30-6	n-Nitrosodiphenylamine	10	ug/L	U	[NULL]	[NULL]	S	J11J31	86-30-6	RLNP	8270_SVOA_GCMS	100-NR-2
199-N-74	3/6/2006 9:19	N	PH	pH Measurement	8.07	unitless	[NULL]	[NULL]	[NULL]	R	B1HP37	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-74	3/6/2006 9:19	N	PH	pH Measurement	8.06	unitless	[NULL]	[NULL]	[NULL]	R	B1HP36	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-74	3/6/2006 9:19	N	PH	pH Measurement	8.06	unitless	[NULL]	[NULL]	[NULL]	R	B1HP35	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-74	3/6/2006 9:19	N	PH	pH Measurement	8.05	unitless	[NULL]	[NULL]	[NULL]	R	B1HP34	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-74	3/6/2006 9:19	N	5103-74-2	trans-Chlordane	0.04	ug/L	UD	[NULL]	[NULL]	S	J11J31	5103-74-2	RLNP	8081_PEST_GC	100-NR-2
199-N-74	9/26/2006 10:50	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1KC65	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/26/2006 10:50	N	14234-35-6	Antimony-125	1.59	pCi/L	U	[NULL]	[NULL]	R	B1KC68	14234-35-6	STLRL	GAMMA_GS	100-NR-2
199-N-74	9/26/2006 10:50	Y	7440-39-3	Barium	27.3	ug/L	B	[NULL]	[NULL]	R	B1KC65	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/26/2006 10:50	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1KC65	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/26/2006 10:50	N	13966-02-4	Beryllium-7	5.11	pCi/L	U	[NULL]	[NULL]	R	B1KC68	13966-02-4	STLRL	GAMMA_GS	100-NR-2
199-N-74	9/26/2006 10:50	Y	7440-43-9	Cadmium	2.3	ug/L	UN	[NULL]	[NULL]	R	B1KC65	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/26/2006 10:50	Y	7440-70-2	Calcium	40400	ug/L	N	[NULL]	[NULL]	R	B1KC65	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/26/2006 10:50	N	13967-70-9	Cesium-134	0.0998	pCi/L	U	[NULL]	[NULL]	R	B1KC68	13967-70-9	STLRL	GAMMA_GS	100-NR-2
199-N-74	9/26/2006 10:50	N	10045-97-3	Cesium-137	0.26	pCi/L	U	[NULL]	[NULL]	R	B1KC68	10045-97-3	STLRL	GAMMA_GS	100-NR-2
199-N-74	9/26/2006 10:50	Y	7440-47-3	Chromium	15.7	ug/L	[NULL]	[NULL]	[NULL]	R	B1KC65	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/26/2006 10:50	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1KC65	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/26/2006 10:50	N	10198-40-0	Cobalt-60	-0.654	pCi/L	U	[NULL]	[NULL]	R	B1KC68	10198-40-0	STLRL	GAMMA_GS	100-NR-2
199-N-74	9/26/2006 10:50	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1KC65	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/26/2006 10:50	N	14683-23-9	Europium-152	-3.93	pCi/L	U	[NULL]	[NULL]	R	B1KC68	14683-23-9	STLRL	GAMMA_GS	100-NR-2
199-N-74	9/26/2006 10:50	N	15585-10-1	Europium-154	-2.22	pCi/L	U	[NULL]	[NULL]	R	B1KC68	15585-10-1	STLRL	GAMMA_GS	100-NR-2
199-N-74	9/26/2006 10:50	N	14391-16-3	Europium-155	0.851	pCi/L	U	[NULL]	[NULL]	R	B1KC68	14391-16-3	STLRL	GAMMA_GS	100-NR-2
199-N-74	9/26/2006 10:50	N	12587-46-1	Gross alpha	1.69	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KC68	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	9/26/2006 10:50	N	12587-47-2	Gross beta	7.76	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KC68	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	9/26/2006 10:50	Y	7439-89-6	Iron	25	ug/L	UN	[NULL]	[NULL]	R	B1KC65	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/26/2006 10:50	Y	7439-95-4	Magnesium	13000	ug/L	[NULL]	[NULL]	[NULL]	R	B1KC65	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/26/2006 10:50	Y	7439-96-5	Manganese	2.5	ug/L	UN	[NULL]	[NULL]	R	B1KC65	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/26/2006 10:50	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1KC65	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/26/2006 10:50	Y	7440-09-7	Potassium	4860	ug/L	BC	[NULL]	[NULL]	R	B1KC65	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/26/2006 10:50	N	13966-00-2	Potassium-40	-14.5	pCi/L	U	[NULL]	[NULL]	R	B1KC68	13966-00-2	STLRL	GAMMA_GS	100-NR-2
199-N-74	9/26/2006 10:50	N	13967-48-1	Ruthenium-106	-3.77	pCi/L	U	[NULL]	[NULL]	R	B1KC68	13967-48-1	STLRL	GAMMA_GS	100-NR-2
199-N-74	9/26/2006 10:50	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1KC65	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/26/2006 10:50	Y	7440-23-5	Sodium	14700	ug/L	[NULL]	[NULL]	[NULL]	R	B1KC65	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/26/2006 10:50	N	CONDUCT	Specific Conductance	369	uS/cm	[NULL]	[NULL]	[NULL]	R	B1KC67	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-74	9/26/2006 10:50	Y	7440-24-6	Strontium	279	ug/L	[NULL]	[NULL]	[NULL]	R	B1KC65	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/26/2006 10:50	N	TEMPERATURE	Temperature	17.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1KC67	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-74	9/26/2006 10:50	N	TOC	Total organic carbon	470	ug/L	U	[NULL]	[NULL]	R	B1KD95	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	9/26/2006 10:50	N	TOC	Total organic carbon	470	ug/L	U	[NULL]	[NULL]	R	B1KD96	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	9/26/2006 10:50	N	TOC	Total organic carbon	470	ug/L	U	[NULL]	[NULL]	R	B1KD93	TOC	STLSL	9060_TOC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	9/26/2006 10:50	N	TOC	Total organic carbon	470	ug/L	U	[NULL]	[NULL]	R	B1KD94	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	9/26/2006 10:50	N	59473-04-0	Total organic halides	2.6	ug/L	U	[NULL]	[NULL]	R	B1KD96	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	9/26/2006 10:50	N	59473-04-0	Total organic halides	2.6	ug/L	U	[NULL]	[NULL]	R	B1KD94	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	9/26/2006 10:50	N	59473-04-0	Total organic halides	6.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1KD95	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	9/26/2006 10:50	N	59473-04-0	Total organic halides	2.6	ug/L	U	[NULL]	[NULL]	R	B1KD93	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	9/26/2006 10:50	N	TURBIDITY	Turbidity	3.19	NTU	[NULL]	[NULL]	[NULL]	R	B1KC67	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-74	9/26/2006 10:50	Y	7440-62-2	Vanadium	24	ug/L	B	[NULL]	[NULL]	R	B1KC65	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/26/2006 10:50	Y	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1KC65	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	9/26/2006 10:50	N	PH	pH Measurement	7.99	unitless	[NULL]	[NULL]	[NULL]	R	B1KC67	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-74	4/5/2007 9:19	N	ALKALINITY	Alkalinity	98000	ug/L	[NULL]	[NULL]	[NULL]	R	B1MJP4	ALKALINITY	WSCF	310.1_ALKALINITY	100-NR-2
199-N-74	4/5/2007 9:19	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1MJP2	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	4/5/2007 9:19	Y	7440-39-3	Barium	30.2	ug/L	B	[NULL]	[NULL]	R	B1MJP2	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	4/5/2007 9:19	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1MJP2	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	4/5/2007 9:19	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1MJP2	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	4/5/2007 9:19	Y	7440-70-2	Calcium	46000	ug/L	[NULL]	[NULL]	[NULL]	R	B1MJP2	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	4/5/2007 9:19	N	16887-00-6	Chloride	13900	ug/L	D	[NULL]	[NULL]	R	B1MJP3	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-74	4/5/2007 9:19	Y	7440-47-3	Chromium	21.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1MJP2	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	4/5/2007 9:19	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1MJP2	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	4/5/2007 9:19	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1MJP2	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	4/5/2007 9:19	N	16984-48-8	Fluoride	230	ug/L	N	[NULL]	[NULL]	R	B1MJP3	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-74	4/5/2007 9:19	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1MJP2	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	4/5/2007 9:19	Y	7439-95-4	Magnesium	14700	ug/L	[NULL]	[NULL]	[NULL]	R	B1MJP2	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	4/5/2007 9:19	Y	7439-96-5	Manganese	2.5	ug/L	U	[NULL]	[NULL]	R	B1MJP2	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	4/5/2007 9:19	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1MJP2	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	4/5/2007 9:19	N	14797-55-8	Nitrate	12800	ug/L	D	[NULL]	[NULL]	R	B1MJP3	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-74	4/5/2007 9:19	N	14797-65-0	Nitrite	13.1	ug/L	UN	[NULL]	[NULL]	R	B1MJP3	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-74	4/5/2007 9:19	Y	7440-09-7	Potassium	3840	ug/L	B	[NULL]	[NULL]	R	B1MJP2	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	4/5/2007 9:19	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1MJP2	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	4/5/2007 9:19	Y	7440-23-5	Sodium	15100	ug/L	[NULL]	[NULL]	[NULL]	R	B1MJP2	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	4/5/2007 9:19	N	CONDUCT	Specific Conductance	388	uS/cm	[NULL]	[NULL]	[NULL]	R	B1MJN4	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-74	4/5/2007 9:19	N	CONDUCT	Specific Conductance	388	uS/cm	[NULL]	[NULL]	[NULL]	R	B1MJN7	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-74	4/5/2007 9:19	N	CONDUCT	Specific Conductance	388	uS/cm	[NULL]	[NULL]	[NULL]	R	B1MJN6	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-74	4/5/2007 9:19	N	CONDUCT	Specific Conductance	388	uS/cm	[NULL]	[NULL]	[NULL]	R	B1MJN5	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-74	4/5/2007 9:19	Y	7440-24-6	Strontium	316	ug/L	[NULL]	[NULL]	[NULL]	R	B1MJP2	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	4/5/2007 9:19	N	14808-79-8	Sulfate	72400	ug/L	DN	[NULL]	[NULL]	R	B1MJP3	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-74	4/5/2007 9:19	N	TEMPERATURE	Temperature	16.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1MJN7	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-74	4/5/2007 9:19	N	TEMPERATURE	Temperature	16.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1MJN6	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-74	4/5/2007 9:19	N	TEMPERATURE	Temperature	16.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1MJN5	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-74	4/5/2007 9:19	N	TEMPERATURE	Temperature	16.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1MJN4	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-74	4/5/2007 9:19	N	TOC	Total organic carbon	760	ug/L	U	[NULL]	[NULL]	R	B1MJP1	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	4/5/2007 9:19	N	TOC	Total organic carbon	760	ug/L	U	[NULL]	[NULL]	R	B1MJP0	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	4/5/2007 9:19	N	TOC	Total organic carbon	760	ug/L	U	[NULL]	[NULL]	R	B1MJN9	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	4/5/2007 9:19	N	TOC	Total organic carbon	760	ug/L	U	[NULL]	[NULL]	R	B1MJN8	TOC	STLSL	9060_TOC	100-NR-2
199-N-74	4/5/2007 9:19	N	59473-04-0	Total organic halides	5.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1MJP0	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	4/5/2007 9:19	N	59473-04-0	Total organic halides	5.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1MJN8	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	4/5/2007 9:19	N	59473-04-0	Total organic halides	5	ug/L	[NULL]	[NULL]	[NULL]	R	B1MJP1	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	4/5/2007 9:19	N	59473-04-0	Total organic halides	2.7	ug/L	B	[NULL]	[NULL]	R	B1MJN9	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-74	4/5/2007 9:19	N	TURBIDITY	Turbidity	2.56	NTU	[NULL]	[NULL]	[NULL]	R	B1MJN7	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-74	4/5/2007 9:19	N	TURBIDITY	Turbidity	2.49	NTU	[NULL]	[NULL]	[NULL]	R	B1MJN4	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-74	4/5/2007 9:19	N	TURBIDITY	Turbidity	2.14	NTU	[NULL]	[NULL]	[NULL]	R	B1MJN5	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-74	4/5/2007 9:19	N	TURBIDITY	Turbidity	2.65	NTU	[NULL]	[NULL]	[NULL]	R	B1MJN6	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-74	4/5/2007 9:19	Y	7440-62-2	Vanadium	21.5	ug/L	B	[NULL]	[NULL]	R	B1MJP2	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	4/5/2007 9:19	Y	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1MJP2	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-74	4/5/2007 9:19	N	PH	pH Measurement	8.09	unitless	[NULL]	[NULL]	[NULL]	R	B1MJN5	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-74	4/5/2007 9:19	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B1MJN6	PH	FIELD	PH_ELECT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	4/5/2007 9:19	N	PH	pH Measurement	8.11	unitless	[NULL]	[NULL]	[NULL]	R	B1MJN7	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-74	4/5/2007 9:19	N	PH	pH Measurement	8.11	unitless	[NULL]	[NULL]	[NULL]	R	B1MJN4	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-74	9/18/2007 12:19	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1PF23	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/18/2007 12:19	N	14234-35-6	Antimony-125	-9.07	pCi/L	U	[NULL]	[NULL]	R	B1PF24	14234-35-6	WSCF	GAMMA_GS	100-NR-2
199-N-74	9/18/2007 12:19	Y	7440-39-3	Barium	32	ug/L	C	[NULL]	[NULL]	R	B1PF23	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/18/2007 12:19	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1PF23	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/18/2007 12:19	N	13966-02-4	Beryllium-7	-4.5	pCi/L	U	[NULL]	[NULL]	R	B1PF24	13966-02-4	WSCF	GAMMA_GS	100-NR-2
199-N-74	9/18/2007 12:19	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1PF23	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/18/2007 12:19	Y	7440-70-2	Calcium	42700	ug/L	[NULL]	[NULL]	[NULL]	R	B1PF23	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/18/2007 12:19	N	13967-70-9	Cesium-134	-2.29	pCi/L	U	[NULL]	[NULL]	R	B1PF24	13967-70-9	WSCF	GAMMA_GS	100-NR-2
199-N-74	9/18/2007 12:19	N	10045-97-3	Cesium-137	0.154	pCi/L	U	[NULL]	[NULL]	R	B1PF24	10045-97-3	WSCF	GAMMA_GS	100-NR-2
199-N-74	9/18/2007 12:19	Y	7440-47-3	Chromium	23.8	ug/L	C	[NULL]	[NULL]	R	B1PF23	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/18/2007 12:19	Y	7440-48-4	Cobalt	8.8	ug/L	C	[NULL]	[NULL]	R	B1PF23	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/18/2007 12:19	N	10198-40-0	Cobalt-60	-0.326	pCi/L	U	[NULL]	[NULL]	R	B1PF24	10198-40-0	WSCF	GAMMA_GS	100-NR-2
199-N-74	9/18/2007 12:19	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1PF23	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/18/2007 12:19	N	14683-23-9	Europium-152	-2.57	pCi/L	U	[NULL]	[NULL]	R	B1PF24	14683-23-9	WSCF	GAMMA_GS	100-NR-2
199-N-74	9/18/2007 12:19	N	15585-10-1	Europium-154	-8.01	pCi/L	U	[NULL]	[NULL]	R	B1PF24	15585-10-1	WSCF	GAMMA_GS	100-NR-2
199-N-74	9/18/2007 12:19	N	14391-16-3	Europium-155	1.22	pCi/L	U	[NULL]	[NULL]	R	B1PF24	14391-16-3	WSCF	GAMMA_GS	100-NR-2
199-N-74	9/18/2007 12:19	N	12587-46-1	Gross alpha	1.66	pCi/L	U	[NULL]	[NULL]	R	B1PF26	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	9/18/2007 12:19	N	12587-47-2	Gross beta	6.44	pCi/L	[NULL]	[NULL]	[NULL]	R	B1PF26	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-74	9/18/2007 12:19	Y	7439-89-6	Iron	34.9	ug/L	C	[NULL]	[NULL]	R	B1PF23	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/18/2007 12:19	Y	7439-95-4	Magnesium	12900	ug/L	[NULL]	[NULL]	[NULL]	R	B1PF23	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/18/2007 12:19	Y	7439-96-5	Manganese	4.9	ug/L	C	[NULL]	[NULL]	R	B1PF23	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/18/2007 12:19	Y	7440-02-0	Nickel	10.8	ug/L	C	[NULL]	[NULL]	R	B1PF23	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/18/2007 12:19	Y	7440-09-7	Potassium	4400	ug/L	[NULL]	[NULL]	[NULL]	R	B1PF23	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/18/2007 12:19	N	13966-00-2	Potassium-40	-11.7	pCi/L	U	[NULL]	[NULL]	R	B1PF24	13966-00-2	WSCF	GAMMA_GS	100-NR-2
199-N-74	9/18/2007 12:19	N	13967-48-1	Ruthenium-106	-14.8	pCi/L	U	[NULL]	[NULL]	R	B1PF24	13967-48-1	WSCF	GAMMA_GS	100-NR-2
199-N-74	9/18/2007 12:19	Y	7440-22-4	Silver	16.2	ug/L	C	[NULL]	[NULL]	R	B1PF23	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/18/2007 12:19	Y	7440-23-5	Sodium	12900	ug/L	[NULL]	[NULL]	[NULL]	R	B1PF23	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/18/2007 12:19	N	CONDUCT	Specific Conductance	380	uS/cm	[NULL]	[NULL]	[NULL]	R	B1PHL7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-74	9/18/2007 12:19	N	CONDUCT	Specific Conductance	380	uS/cm	[NULL]	[NULL]	[NULL]	R	B1PHL8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-74	9/18/2007 12:19	N	CONDUCT	Specific Conductance	380	uS/cm	[NULL]	[NULL]	[NULL]	R	B1PHL5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-74	9/18/2007 12:19	N	CONDUCT	Specific Conductance	379	uS/cm	[NULL]	[NULL]	[NULL]	R	B1PHL6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-74	9/18/2007 12:19	Y	7440-24-6	Strontium	271	ug/L	[NULL]	[NULL]	[NULL]	R	B1PF23	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/18/2007 12:19	N	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1PHL7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/18/2007 12:19	N	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1PHL6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/18/2007 12:19	N	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1PHL5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/18/2007 12:19	N	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1PHL8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/18/2007 12:19	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B1PHM3	TOC	WSCF	9060_TOC	100-NR-2
199-N-74	9/18/2007 12:19	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B1PHM4	TOC	WSCF	9060_TOC	100-NR-2
199-N-74	9/18/2007 12:19	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B1PHM6	TOC	WSCF	9060_TOC	100-NR-2
199-N-74	9/18/2007 12:19	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B1PHM5	TOC	WSCF	9060_TOC	100-NR-2
199-N-74	9/18/2007 12:19	N	59473-04-0	Total organic halides	12.1	ug/L	X	[NULL]	[NULL]	R	B1PHM3	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-74	9/18/2007 12:19	N	59473-04-0	Total organic halides	6.19	ug/L	X	[NULL]	[NULL]	R	B1PHM4	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-74	9/18/2007 12:19	N	59473-04-0	Total organic halides	5.05	ug/L	X	[NULL]	[NULL]	R	B1PHM6	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-74	9/18/2007 12:19	N	59473-04-0	Total organic halides	5.58	ug/L	X	[NULL]	[NULL]	R	B1PHM5	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-74	9/18/2007 12:19	N	TURBIDITY	Turbidity	0.55	NTU	[NULL]	[NULL]	[NULL]	R	B1PHL8	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-74	9/18/2007 12:19	N	TURBIDITY	Turbidity	0.65	NTU	[NULL]	[NULL]	[NULL]	R	B1PHL7	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-74	9/18/2007 12:19	N	TURBIDITY	Turbidity	0.81	NTU	[NULL]	[NULL]	[NULL]	R	B1PHL6	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-74	9/18/2007 12:19	N	TURBIDITY	Turbidity	0.64	NTU	[NULL]	[NULL]	[NULL]	R	B1PHL5	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-74	9/18/2007 12:19	Y	7440-62-2	Vanadium	28.3	ug/L	C	[NULL]	[NULL]	R	B1PF23	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/18/2007 12:19	Y	7440-66-6	Zinc	29.3	ug/L	C	[NULL]	[NULL]	R	B1PF23	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/18/2007 12:19	N	PH	pH Measurement	7.98	unitless	[NULL]	[NULL]	[NULL]	R	B1PHL8	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-74	9/18/2007 12:19	N	PH	pH Measurement	7.96	unitless	[NULL]	[NULL]	[NULL]	R	B1PHL7	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-74	9/18/2007 12:19	N	PH	pH Measurement	7.95	unitless	[NULL]	[NULL]	[NULL]	R	B1PHL6	PH	FIELD	PH_ELECT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	9/18/2007 12:19	N	PH	pH Measurement	7.96	unitless	[NULL]	[NULL]	[NULL]	R	B1PHL5	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-74	3/9/2008 7:59	N	ALKALINITY	Alkalinity	93000	ug/L	[NULL]	[NULL]	[NULL]	R	B1TM10	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-74	3/9/2008 7:59	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1TM09	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	3/9/2008 7:59	N	7440-36-0	Antimony	39.2	ug/L	C	Y	[NULL]	R	B1TM10	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	3/9/2008 7:59	N	7440-39-3	Barium	27.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1TM10	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	3/9/2008 7:59	Y	7440-39-3	Barium	29.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1TM09	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	3/9/2008 7:59	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1TM10	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	3/9/2008 7:59	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1TM09	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	3/9/2008 7:59	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1TM09	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	3/9/2008 7:59	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1TM10	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	3/9/2008 7:59	N	7440-70-2	Calcium	42000	ug/L	[NULL]	[NULL]	[NULL]	R	B1TM10	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	3/9/2008 7:59	Y	7440-70-2	Calcium	44300	ug/L	[NULL]	[NULL]	[NULL]	R	B1TM09	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	3/9/2008 7:59	N	16887-00-6	Chloride	12000	ug/L	D	[NULL]	[NULL]	R	B1TM10	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-74	3/9/2008 7:59	Y	7440-47-3	Chromium	17.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1TM09	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	3/9/2008 7:59	N	7440-47-3	Chromium	30.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1TM10	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	3/9/2008 7:59	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1TM09	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	3/9/2008 7:59	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1TM10	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	3/9/2008 7:59	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1TM10	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	3/9/2008 7:59	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1TM09	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	3/9/2008 7:59	N	16984-48-8	Fluoride	260	ug/L	BD	[NULL]	[NULL]	R	B1TM10	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-74	3/9/2008 7:59	Y	7439-89-6	Iron	9	ug/L	U	[NULL]	[NULL]	R	B1TM09	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	3/9/2008 7:59	N	7439-89-6	Iron	44.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1TM10	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	3/9/2008 7:59	N	7439-95-4	Magnesium	12800	ug/L	[NULL]	[NULL]	[NULL]	R	B1TM10	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	3/9/2008 7:59	Y	7439-95-4	Magnesium	13500	ug/L	[NULL]	[NULL]	[NULL]	R	B1TM09	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	3/9/2008 7:59	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1TM10	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	3/9/2008 7:59	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1TM09	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	3/9/2008 7:59	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1TM10	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	3/9/2008 7:59	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1TM09	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	3/9/2008 7:59	N	14797-55-8	Nitrate	14400	ug/L	D	[NULL]	[NULL]	R	B1TM10	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-74	3/9/2008 7:59	N	14797-65-0	Nitrite	65.7	ug/L	DU	[NULL]	[NULL]	R	B1TM10	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-74	3/9/2008 7:59	N	7440-09-7	Potassium	4460	ug/L	[NULL]	[NULL]	[NULL]	R	B1TM10	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	3/9/2008 7:59	Y	7440-09-7	Potassium	4720	ug/L	[NULL]	[NULL]	[NULL]	R	B1TM09	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	3/9/2008 7:59	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1TM10	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	3/9/2008 7:59	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1TM09	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	3/9/2008 7:59	Y	7440-23-5	Sodium	14400	ug/L	[NULL]	[NULL]	[NULL]	R	B1TM09	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	3/9/2008 7:59	N	7440-23-5	Sodium	13600	ug/L	[NULL]	[NULL]	[NULL]	R	B1TM10	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	3/9/2008 7:59	N	CONDUCT	Specific Conductance	401	uS/cm	[NULL]	[NULL]	[NULL]	R	B1TM01	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-74	3/9/2008 7:59	N	CONDUCT	Specific Conductance	400	uS/cm	[NULL]	[NULL]	[NULL]	R	B1TM02	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-74	3/9/2008 7:59	N	CONDUCT	Specific Conductance	401	uS/cm	[NULL]	[NULL]	[NULL]	R	B1TM03	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-74	3/9/2008 7:59	N	CONDUCT	Specific Conductance	401	uS/cm	[NULL]	[NULL]	[NULL]	R	B1TM04	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-74	3/9/2008 7:59	N	7440-24-6	Strontium	281	ug/L	[NULL]	[NULL]	[NULL]	R	B1TM10	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	3/9/2008 7:59	Y	7440-24-6	Strontium	297	ug/L	[NULL]	[NULL]	[NULL]	R	B1TM09	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	3/9/2008 7:59	N	14808-79-8	Sulfate	78700	ug/L	D	[NULL]	[NULL]	R	B1TM10	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-74	3/9/2008 7:59	N	TEMPERATURE	Temperature	16	Deg C	[NULL]	[NULL]	[NULL]	R	B1TM01	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/9/2008 7:59	N	TEMPERATURE	Temperature	16.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1TM04	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/9/2008 7:59	N	TEMPERATURE	Temperature	16	Deg C	[NULL]	[NULL]	[NULL]	R	B1TM03	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/9/2008 7:59	N	TEMPERATURE	Temperature	16	Deg C	[NULL]	[NULL]	[NULL]	R	B1TM02	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/9/2008 7:59	N	TOC	Total organic carbon	318	ug/L	[NULL]	[NULL]	[NULL]	R	B1TM08	TOC	WSCF	9060_TOC	100-NR-2
199-N-74	3/9/2008 7:59	N	TOC	Total organic carbon	332	ug/L	[NULL]	[NULL]	[NULL]	R	B1TM06	TOC	WSCF	9060_TOC	100-NR-2
199-N-74	3/9/2008 7:59	N	TOC	Total organic carbon	346	ug/L	[NULL]	[NULL]	[NULL]	R	B1TM05	TOC	WSCF	9060_TOC	100-NR-2
199-N-74	3/9/2008 7:59	N	TOC	Total organic carbon	600	ug/L	DU	[NULL]	[NULL]	R	B1TM07	TOC	WSCF	9060_TOC	100-NR-2
199-N-74	3/9/2008 7:59	N	59473-04-0	Total organic halides	9.85	ug/L	X	[NULL]	[NULL]	R	B1TM07	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-74	3/9/2008 7:59	N	59473-04-0	Total organic halides	9.66	ug/L	X	[NULL]	[NULL]	R	B1TM08	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-74	3/9/2008 7:59	N	59473-04-0	Total organic halides	6.44	ug/L	X	[NULL]	[NULL]	R	B1TM06	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-74	3/9/2008 7:59	N	59473-04-0	Total organic halides	12.9	ug/L	X	[NULL]	[NULL]	R	B1TM05	59473-04-0	WSCF	9020_TOX	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	3/9/2008 7:59	N	TURBIDITY	Turbidity	0.69	NTU	[NULL]	[NULL]	[NULL]	R	B1TM04	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-74	3/9/2008 7:59	N	TURBIDITY	Turbidity	0.7	NTU	[NULL]	[NULL]	[NULL]	R	B1TM02	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-74	3/9/2008 7:59	N	TURBIDITY	Turbidity	0.83	NTU	[NULL]	[NULL]	[NULL]	R	B1TM03	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-74	3/9/2008 7:59	N	TURBIDITY	Turbidity	0.68	NTU	[NULL]	[NULL]	[NULL]	R	B1TM01	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-74	3/9/2008 7:59	N	7440-62-2	Vanadium	9.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1TM10	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	3/9/2008 7:59	Y	7440-62-2	Vanadium	13.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1TM09	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	3/9/2008 7:59	N	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1TM10	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	3/9/2008 7:59	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1TM09	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	3/9/2008 7:59	N	PH	pH Measurement	7.93	unitless	[NULL]	[NULL]	[NULL]	R	B1TM04	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-74	3/9/2008 7:59	N	PH	pH Measurement	7.92	unitless	[NULL]	[NULL]	[NULL]	R	B1TM03	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-74	3/9/2008 7:59	N	PH	pH Measurement	7.91	unitless	[NULL]	[NULL]	[NULL]	R	B1TM01	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-74	3/9/2008 7:59	N	PH	pH Measurement	7.94	unitless	[NULL]	[NULL]	[NULL]	R	B1TM02	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-74	9/2/2008 10:07	Y	7440-36-0	Antimony	4	ug/L	U	[NULL]	[NULL]	R	B1WTM8	7440-36-0	TASL	6010_METALS_ICP	100-NR-2
199-N-74	9/2/2008 10:07	N	7440-36-0	Antimony	4	ug/L	U	[NULL]	[NULL]	R	B1WXP1	7440-36-0	TASL	6010_METALS_ICP	100-NR-2
199-N-74	9/2/2008 10:07	N	14234-35-6	Antimony-125	10.4	pCi/L	U	[NULL]	[NULL]	R	B1WTM9	14234-35-6	WSCF	GAMMA_GS	100-NR-2
199-N-74	9/2/2008 10:07	N	7440-39-3	Barium	25.1	ug/L	B	[NULL]	[NULL]	R	B1WXP1	7440-39-3	TASL	6010_METALS_ICP	100-NR-2
199-N-74	9/2/2008 10:07	Y	7440-39-3	Barium	30	ug/L	B	[NULL]	[NULL]	R	B1WTM8	7440-39-3	TASL	6010_METALS_ICP	100-NR-2
199-N-74	9/2/2008 10:07	N	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	R	B1WXP1	7440-41-7	TASL	6010_METALS_ICP	100-NR-2
199-N-74	9/2/2008 10:07	Y	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	R	B1WTM8	7440-41-7	TASL	6010_METALS_ICP	100-NR-2
199-N-74	9/2/2008 10:07	N	13966-02-4	Beryllium-7	-26	pCi/L	U	[NULL]	[NULL]	R	B1WTM9	13966-02-4	WSCF	GAMMA_GS	100-NR-2
199-N-74	9/2/2008 10:07	N	7440-43-9	Cadmium	0.45	ug/L	U	[NULL]	[NULL]	R	B1WXP1	7440-43-9	TASL	6010_METALS_ICP	100-NR-2
199-N-74	9/2/2008 10:07	Y	7440-43-9	Cadmium	0.45	ug/L	U	[NULL]	[NULL]	R	B1WTM8	7440-43-9	TASL	6010_METALS_ICP	100-NR-2
199-N-74	9/2/2008 10:07	N	7440-70-2	Calcium	37300	ug/L	[NULL]	[NULL]	[NULL]	R	B1WXP1	7440-70-2	TASL	6010_METALS_ICP	100-NR-2
199-N-74	9/2/2008 10:07	Y	7440-70-2	Calcium	42600	ug/L	C	[NULL]	[NULL]	R	B1WTM8	7440-70-2	TASL	6010_METALS_ICP	100-NR-2
199-N-74	9/2/2008 10:07	N	13967-70-9	Cesium-134	-0.00771	pCi/L	U	[NULL]	[NULL]	R	B1WTM9	13967-70-9	WSCF	GAMMA_GS	100-NR-2
199-N-74	9/2/2008 10:07	N	10045-97-3	Cesium-137	3.68	pCi/L	U	[NULL]	[NULL]	R	B1WTM9	10045-97-3	WSCF	GAMMA_GS	100-NR-2
199-N-74	9/2/2008 10:07	Y	7440-47-3	Chromium	24	ug/L	[NULL]	[NULL]	[NULL]	R	B1WTM8	7440-47-3	TASL	6010_METALS_ICP	100-NR-2
199-N-74	9/2/2008 10:07	N	7440-47-3	Chromium	23.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1WXP1	7440-47-3	TASL	6010_METALS_ICP	100-NR-2
199-N-74	9/2/2008 10:07	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1WXP1	7440-48-4	TASL	6010_METALS_ICP	100-NR-2
199-N-74	9/2/2008 10:07	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1WTM8	7440-48-4	TASL	6010_METALS_ICP	100-NR-2
199-N-74	9/2/2008 10:07	N	10198-40-0	Cobalt-60	-2.02	pCi/L	U	[NULL]	[NULL]	R	B1WTM9	10198-40-0	WSCF	GAMMA_GS	100-NR-2
199-N-74	9/2/2008 10:07	Y	7440-50-8	Copper	4.6	ug/L	U	[NULL]	[NULL]	R	B1WTM8	7440-50-8	TASL	6010_METALS_ICP	100-NR-2
199-N-74	9/2/2008 10:07	N	7440-50-8	Copper	4.6	ug/L	U	[NULL]	[NULL]	R	B1WXP1	7440-50-8	TASL	6010_METALS_ICP	100-NR-2
199-N-74	9/2/2008 10:07	N	14683-23-9	Europium-152	4.6	pCi/L	U	[NULL]	[NULL]	R	B1WTM9	14683-23-9	WSCF	GAMMA_GS	100-NR-2
199-N-74	9/2/2008 10:07	N	15585-10-1	Europium-154	4.51	pCi/L	U	[NULL]	[NULL]	R	B1WTM9	15585-10-1	WSCF	GAMMA_GS	100-NR-2
199-N-74	9/2/2008 10:07	N	14391-16-3	Europium-155	-9.76	pCi/L	U	[NULL]	[NULL]	R	B1WTM9	14391-16-3	WSCF	GAMMA_GS	100-NR-2
199-N-74	9/2/2008 10:07	N	12587-46-1	Gross alpha	1.4	pCi/L	[NULL]	[NULL]	[NULL]	R	B1WTM9	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-74	9/2/2008 10:07	N	12587-47-2	Gross beta	4.6	pCi/L	[NULL]	[NULL]	[NULL]	R	B1WTM9	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-74	9/2/2008 10:07	N	7439-89-6	Iron	39.1	ug/L	BC	[NULL]	[NULL]	R	B1WXP1	7439-89-6	TASL	6010_METALS_ICP	100-NR-2
199-N-74	9/2/2008 10:07	Y	7439-89-6	Iron	16	ug/L	U	[NULL]	[NULL]	R	B1WTM8	7439-89-6	TASL	6010_METALS_ICP	100-NR-2
199-N-74	9/2/2008 10:07	N	7439-95-4	Magnesium	11900	ug/L	[NULL]	[NULL]	[NULL]	R	B1WXP1	7439-95-4	TASL	6010_METALS_ICP	100-NR-2
199-N-74	9/2/2008 10:07	Y	7439-95-4	Magnesium	13500	ug/L	[NULL]	[NULL]	[NULL]	R	B1WTM8	7439-95-4	TASL	6010_METALS_ICP	100-NR-2
199-N-74	9/2/2008 10:07	Y	7439-96-5	Manganese	0.96	ug/L	U	[NULL]	[NULL]	R	B1WTM8	7439-96-5	TASL	6010_METALS_ICP	100-NR-2
199-N-74	9/2/2008 10:07	N	7439-96-5	Manganese	0.96	ug/L	U	[NULL]	[NULL]	R	B1WXP1	7439-96-5	TASL	6010_METALS_ICP	100-NR-2
199-N-74	9/2/2008 10:07	N	7440-02-0	Nickel	13.3	ug/L	U	[NULL]	[NULL]	R	B1WXP1	7440-02-0	TASL	6010_METALS_ICP	100-NR-2
199-N-74	9/2/2008 10:07	Y	7440-02-0	Nickel	13.3	ug/L	U	[NULL]	[NULL]	R	B1WTM8	7440-02-0	TASL	6010_METALS_ICP	100-NR-2
199-N-74	9/2/2008 10:07	Y	7440-09-7	Potassium	3440	ug/L	BN	[NULL]	[NULL]	R	B1WTM8	7440-09-7	TASL	6010_METALS_ICP	100-NR-2
199-N-74	9/2/2008 10:07	N	7440-09-7	Potassium	5440	ug/L	[NULL]	[NULL]	[NULL]	R	B1WXP1	7440-09-7	TASL	6010_METALS_ICP	100-NR-2
199-N-74	9/2/2008 10:07	N	13966-00-2	Potassium-40	-46	pCi/L	U	[NULL]	[NULL]	R	B1WTM9	13966-00-2	WSCF	GAMMA_GS	100-NR-2
199-N-74	9/2/2008 10:07	N	13967-48-1	Ruthenium-106	1.76	pCi/L	U	[NULL]	[NULL]	R	B1WTM9	13967-48-1	WSCF	GAMMA_GS	100-NR-2
199-N-74	9/2/2008 10:07	N	7440-22-4	Silver	6	ug/L	U	[NULL]	[NULL]	R	B1WXP1	7440-22-4	TASL	6010_METALS_ICP	100-NR-2
199-N-74	9/2/2008 10:07	Y	7440-22-4	Silver	6	ug/L	U	[NULL]	[NULL]	R	B1WTM8	7440-22-4	TASL	6010_METALS_ICP	100-NR-2
199-N-74	9/2/2008 10:07	N	7440-23-5	Sodium	13400	ug/L	[NULL]	[NULL]	[NULL]	R	B1WXP1	7440-23-5	TASL	6010_METALS_ICP	100-NR-2
199-N-74	9/2/2008 10:07	Y	7440-23-5	Sodium	15100	ug/L	[NULL]	[NULL]	[NULL]	R	B1WTM8	7440-23-5	TASL	6010_METALS_ICP	100-NR-2
199-N-74	9/2/2008 10:07	N	CONDUCT	Specific Conductance	382	uS/cm	[NULL]	[NULL]	[NULL]	R	B1X0N9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	9/2/2008 10:07	N	CONDUCT	Specific Conductance	382	uS/cm	[NULL]	[NULL]	[NULL]	R	B1X0N8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-74	9/2/2008 10:07	N	CONDUCT	Specific Conductance	382	uS/cm	[NULL]	[NULL]	[NULL]	R	B1X0N7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-74	9/2/2008 10:07	N	CONDUCT	Specific Conductance	383	uS/cm	[NULL]	[NULL]	[NULL]	R	B1X0N6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-74	9/2/2008 10:07	Y	7440-24-6	Strontium	291	ug/L	[NULL]	[NULL]	[NULL]	R	B1WTM8	7440-24-6	TASL	6010_METALS_ICP	100-NR-2
199-N-74	9/2/2008 10:07	N	7440-24-6	Strontium	252	ug/L	[NULL]	[NULL]	[NULL]	R	B1WXP1	7440-24-6	TASL	6010_METALS_ICP	100-NR-2
199-N-74	9/2/2008 10:07	N	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1X0N8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/2/2008 10:07	N	TEMPERATURE	Temperature	17.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1X0N6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/2/2008 10:07	N	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	R	B1X0N9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/2/2008 10:07	N	TEMPERATURE	Temperature	17.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1X0N7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/2/2008 10:07	N	TOC	Total organic carbon	200	ug/L	U	[NULL]	[NULL]	R	B1X0P1	TOC	TASL	9060_TOC	100-NR-2
199-N-74	9/2/2008 10:07	N	TOC	Total organic carbon	200	ug/L	U	[NULL]	[NULL]	R	B1X0P0	TOC	TASL	9060_TOC	100-NR-2
199-N-74	9/2/2008 10:07	N	TOC	Total organic carbon	200	ug/L	U	[NULL]	[NULL]	R	B1X0P3	TOC	TASL	9060_TOC	100-NR-2
199-N-74	9/2/2008 10:07	N	TOC	Total organic carbon	200	ug/L	U	[NULL]	[NULL]	R	B1X0P2	TOC	TASL	9060_TOC	100-NR-2
199-N-74	9/2/2008 10:07	N	59473-04-0	Total organic halides	3.9	ug/L	B	[NULL]	[NULL]	R	B1X0P3	59473-04-0	TASL	9020_TOX	100-NR-2
199-N-74	9/2/2008 10:07	N	59473-04-0	Total organic halides	3.9	ug/L	B	[NULL]	[NULL]	R	B1X0P2	59473-04-0	TASL	9020_TOX	100-NR-2
199-N-74	9/2/2008 10:07	N	59473-04-0	Total organic halides	5.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1X0P1	59473-04-0	TASL	9020_TOX	100-NR-2
199-N-74	9/2/2008 10:07	N	59473-04-0	Total organic halides	5.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1X0P0	59473-04-0	TASL	9020_TOX	100-NR-2
199-N-74	9/2/2008 10:07	N	59473-04-0	Total organic halides	6.59	ug/L	[NULL]	[NULL]	[NULL]	R	B1X0P4	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-74	9/2/2008 10:07	N	59473-04-0	Total organic halides	5.54	ug/L	[NULL]	[NULL]	[NULL]	R	B1X0P5	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-74	9/2/2008 10:07	N	59473-04-0	Total organic halides	5.63	ug/L	[NULL]	[NULL]	[NULL]	R	B1X0P6	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-74	9/2/2008 10:07	N	59473-04-0	Total organic halides	5.27	ug/L	[NULL]	[NULL]	[NULL]	R	B1X0P7	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-74	9/2/2008 10:07	N	TURBIDITY	Turbidity	3.09	NTU	[NULL]	[NULL]	[NULL]	R	B1X0N6	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-74	9/2/2008 10:07	N	TURBIDITY	Turbidity	2.25	NTU	[NULL]	[NULL]	[NULL]	R	B1X0N8	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-74	9/2/2008 10:07	N	TURBIDITY	Turbidity	1.66	NTU	[NULL]	[NULL]	[NULL]	R	B1X0N9	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-74	9/2/2008 10:07	N	TURBIDITY	Turbidity	2.83	NTU	[NULL]	[NULL]	[NULL]	R	B1X0N7	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-74	9/2/2008 10:07	N	7440-62-2	Vanadium	16.4	ug/L	B	[NULL]	[NULL]	R	B1WXP1	7440-62-2	TASL	6010_METALS_ICP	100-NR-2
199-N-74	9/2/2008 10:07	Y	7440-62-2	Vanadium	19.5	ug/L	B	[NULL]	[NULL]	R	B1WTM8	7440-62-2	TASL	6010_METALS_ICP	100-NR-2
199-N-74	9/2/2008 10:07	Y	7440-66-6	Zinc	6.5	ug/L	BC	[NULL]	[NULL]	R	B1WTM8	7440-66-6	TASL	6010_METALS_ICP	100-NR-2
199-N-74	9/2/2008 10:07	N	7440-66-6	Zinc	6	ug/L	B	[NULL]	[NULL]	R	B1WXP1	7440-66-6	TASL	6010_METALS_ICP	100-NR-2
199-N-74	9/2/2008 10:07	N	PH	pH Measurement	7.88	unitless	[NULL]	[NULL]	[NULL]	R	B1X0N9	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-74	9/2/2008 10:07	N	PH	pH Measurement	7.88	unitless	[NULL]	[NULL]	[NULL]	R	B1X0N7	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-74	9/2/2008 10:07	N	PH	pH Measurement	7.87	unitless	[NULL]	[NULL]	[NULL]	R	B1X0N6	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-74	9/2/2008 10:07	N	PH	pH Measurement	7.86	unitless	[NULL]	[NULL]	[NULL]	R	B1X0N8	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-74	3/10/2009 9:28	N	CONDUCT	Specific Conductance	409	uS/cm	[NULL]	[NULL]	[NULL]	R	B1YX23	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-74	3/10/2009 9:28	N	CONDUCT	Specific Conductance	409	uS/cm	[NULL]	[NULL]	[NULL]	R	B1YX20	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-74	3/10/2009 9:28	N	CONDUCT	Specific Conductance	408	uS/cm	[NULL]	[NULL]	[NULL]	R	B1YX22	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-74	3/10/2009 9:28	N	CONDUCT	Specific Conductance	407	uS/cm	[NULL]	[NULL]	[NULL]	R	B1YX21	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-74	3/10/2009 9:28	N	TEMPERATURE	Temperature	15	Deg C	[NULL]	[NULL]	[NULL]	R	B1YX23	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/10/2009 9:28	N	TEMPERATURE	Temperature	15	Deg C	[NULL]	[NULL]	[NULL]	R	B1YX22	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/10/2009 9:28	N	TEMPERATURE	Temperature	15	Deg C	[NULL]	[NULL]	[NULL]	R	B1YX20	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/10/2009 9:28	N	TEMPERATURE	Temperature	15	Deg C	[NULL]	[NULL]	[NULL]	R	B1YX21	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/10/2009 9:28	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B1YX24	TOC	WSCF	9060_TOC	100-NR-2
199-N-74	3/10/2009 9:28	N	TOC	Total organic carbon	308	ug/L	B	[NULL]	[NULL]	R	B1YX27	TOC	WSCF	9060_TOC	100-NR-2
199-N-74	3/10/2009 9:28	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B1YX25	TOC	WSCF	9060_TOC	100-NR-2
199-N-74	3/10/2009 9:28	N	TOC	Total organic carbon	310	ug/L	B	[NULL]	[NULL]	R	B1YX26	TOC	WSCF	9060_TOC	100-NR-2
199-N-74	3/10/2009 9:28	N	59473-04-0	Total organic halides	9.79	ug/L	B	[NULL]	[NULL]	R	B1YX25	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-74	3/10/2009 9:28	N	59473-04-0	Total organic halides	8.63	ug/L	B	[NULL]	[NULL]	R	B1YX26	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-74	3/10/2009 9:28	N	59473-04-0	Total organic halides	8.25	ug/L	B	[NULL]	[NULL]	R	B1YX24	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-74	3/10/2009 9:28	N	59473-04-0	Total organic halides	9.21	ug/L	B	[NULL]	[NULL]	R	B1YX27	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-74	3/10/2009 9:28	N	TURBIDITY	Turbidity	1.23	NTU	[NULL]	[NULL]	[NULL]	R	B1YX21	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-74	3/10/2009 9:28	N	TURBIDITY	Turbidity	1.22	NTU	[NULL]	[NULL]	[NULL]	R	B1YX20	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-74	3/10/2009 9:28	N	TURBIDITY	Turbidity	1.25	NTU	[NULL]	[NULL]	[NULL]	R	B1YX22	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-74	3/10/2009 9:28	N	TURBIDITY	Turbidity	1.36	NTU	[NULL]	[NULL]	[NULL]	R	B1YX23	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-74	3/10/2009 9:28	N	PH	pH Measurement	8.06	unitless	[NULL]	[NULL]	[NULL]	R	B1YX20	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-74	3/10/2009 9:28	N	PH	pH Measurement	8.06	unitless	[NULL]	[NULL]	[NULL]	R	B1YX22	PH	FIELD	PH_ELECT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	3/10/2009 9:28	N	PH	pH Measurement	8.06	unitless	[NULL]	[NULL]	[NULL]	R	B1YX23	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-74	3/10/2009 9:28	N	PH	pH Measurement	8.06	unitless	[NULL]	[NULL]	[NULL]	R	B1YX21	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-74	9/8/2009 9:07	N	ALKALINITY	Alkalinity	86000	ug/L	[NULL]	[NULL]	[NULL]	R	B21LN6	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-74	9/8/2009 9:07	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B21JH0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/8/2009 9:07	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B21JH1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/8/2009 9:07	N	14234-35-6	Antimony-125	2.7	pCi/L	U	[NULL]	[NULL]	R	B21JH1	14234-35-6	WSCF	GAMMA_GS	100-NR-2
199-N-74	9/8/2009 9:07	Y	7440-39-3	Barium	28.3	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/8/2009 9:07	N	7440-39-3	Barium	27.6	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/8/2009 9:07	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B21JH1	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/8/2009 9:07	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B21JH0	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/8/2009 9:07	N	13966-02-4	Beryllium-7	29	pCi/L	U	[NULL]	[NULL]	R	B21JH1	13966-02-4	WSCF	GAMMA_GS	100-NR-2
199-N-74	9/8/2009 9:07	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B21JH0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/8/2009 9:07	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B21JH1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/8/2009 9:07	Y	7440-70-2	Calcium	44000	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/8/2009 9:07	N	7440-70-2	Calcium	43500	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/8/2009 9:07	N	13967-70-9	Cesium-134	7	pCi/L	U	[NULL]	[NULL]	R	B21JH1	13967-70-9	WSCF	GAMMA_GS	100-NR-2
199-N-74	9/8/2009 9:07	N	10045-97-3	Cesium-137	-2.3	pCi/L	U	[NULL]	[NULL]	R	B21JH1	10045-97-3	WSCF	GAMMA_GS	100-NR-2
199-N-74	9/8/2009 9:07	N	16887-00-6	Chloride	12700	ug/L	D	[NULL]	[NULL]	R	B21LN6	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-74	9/8/2009 9:07	N	7440-47-3	Chromium	28.5	ug/L	B	[NULL]	[NULL]	R	B21JH1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/8/2009 9:07	Y	7440-47-3	Chromium	28	ug/L	B	[NULL]	[NULL]	R	B21JH0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/8/2009 9:07	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B21JH0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/8/2009 9:07	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B21JH1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/8/2009 9:07	N	10198-40-0	Cobalt-60	-3.3	pCi/L	U	[NULL]	[NULL]	R	B21JH1	10198-40-0	WSCF	GAMMA_GS	100-NR-2
199-N-74	9/8/2009 9:07	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B21JH1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/8/2009 9:07	Y	7440-50-8	Copper	2580	ug/L	[NULL]	Y	[NULL]	R	B21JH0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/8/2009 9:07	N	14683-23-9	Europium-152	-5.3	pCi/L	U	[NULL]	[NULL]	R	B21JH1	14683-23-9	WSCF	GAMMA_GS	100-NR-2
199-N-74	9/8/2009 9:07	N	15585-10-1	Europium-154	-7.7	pCi/L	U	[NULL]	[NULL]	R	B21JH1	15585-10-1	WSCF	GAMMA_GS	100-NR-2
199-N-74	9/8/2009 9:07	N	14391-16-3	Europium-155	20	pCi/L	U	[NULL]	[NULL]	R	B21JH1	14391-16-3	WSCF	GAMMA_GS	100-NR-2
199-N-74	9/8/2009 9:07	N	16984-48-8	Fluoride	201	ug/L	BD	[NULL]	[NULL]	R	B21LN6	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-74	9/8/2009 9:07	N	12587-46-1	Gross alpha	1.8	pCi/L	[NULL]	[NULL]	[NULL]	R	B21JH1	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-74	9/8/2009 9:07	N	12587-47-2	Gross beta	810	pCi/L	[NULL]	Y	[NULL]	R	B21JH1	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-74	9/8/2009 9:07	N	7439-89-6	Iron	24.8	ug/L	B	[NULL]	[NULL]	R	B21JH1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/8/2009 9:07	Y	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B21JH0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/8/2009 9:07	N	7439-95-4	Magnesium	13500	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/8/2009 9:07	Y	7439-95-4	Magnesium	13800	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/8/2009 9:07	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B21JH1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/8/2009 9:07	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B21JH0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/8/2009 9:07	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B21JH0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/8/2009 9:07	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B21JH1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/8/2009 9:07	N	14797-55-8	Nitrate	15300	ug/L	D	[NULL]	[NULL]	R	B21LN6	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-74	9/8/2009 9:07	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	R	B21LN6	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-74	9/8/2009 9:07	N	7440-09-7	Potassium	4440	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/8/2009 9:07	Y	7440-09-7	Potassium	4610	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/8/2009 9:07	N	13966-00-2	Potassium-40	-73	pCi/L	U	[NULL]	[NULL]	R	B21JH1	13966-00-2	WSCF	GAMMA_GS	100-NR-2
199-N-74	9/8/2009 9:07	N	13967-48-1	Ruthenium-106	19	pCi/L	U	[NULL]	[NULL]	R	B21JH1	13967-48-1	WSCF	GAMMA_GS	100-NR-2
199-N-74	9/8/2009 9:07	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B21JH1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/8/2009 9:07	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B21JH0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/8/2009 9:07	Y	7440-23-5	Sodium	15000	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/8/2009 9:07	N	7440-23-5	Sodium	14600	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/8/2009 9:07	N	CONDUCT	Specific Conductance	405	uS/cm	[NULL]	[NULL]	[NULL]	R	B21LN2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-74	9/8/2009 9:07	N	CONDUCT	Specific Conductance	405	uS/cm	[NULL]	[NULL]	[NULL]	R	B21LN5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-74	9/8/2009 9:07	N	CONDUCT	Specific Conductance	405	uS/cm	[NULL]	[NULL]	[NULL]	R	B21LN4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-74	9/8/2009 9:07	N	CONDUCT	Specific Conductance	405	uS/cm	[NULL]	[NULL]	[NULL]	R	B21LN3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-74	9/8/2009 9:07	N	7440-24-6	Strontium	302	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/8/2009 9:07	Y	7440-24-6	Strontium	309	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-74	9/8/2009 9:07	N	14808-79-8	Sulfate	79400	ug/L	D	[NULL]	[NULL]	R	B21LN6	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-74	9/8/2009 9:07	N	TEMPERATURE	Temperature	16.7	Deg C	[NULL]	[NULL]	[NULL]	R	B21LN4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/8/2009 9:07	N	TEMPERATURE	Temperature	16.7	Deg C	[NULL]	[NULL]	[NULL]	R	B21LN5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/8/2009 9:07	N	TEMPERATURE	Temperature	16.7	Deg C	[NULL]	[NULL]	[NULL]	R	B21LN3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/8/2009 9:07	N	TEMPERATURE	Temperature	16.7	Deg C	[NULL]	[NULL]	[NULL]	R	B21LN2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	9/8/2009 9:07	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B21N92	TOC	WSCF	9060_TOC	100-NR-2
199-N-74	9/8/2009 9:07	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B21LN6	TOC	WSCF	9060_TOC	100-NR-2
199-N-74	9/8/2009 9:07	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B21N90	TOC	WSCF	9060_TOC	100-NR-2
199-N-74	9/8/2009 9:07	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B21N91	TOC	WSCF	9060_TOC	100-NR-2
199-N-74	9/8/2009 9:07	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B21N91	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-74	9/8/2009 9:07	N	59473-04-0	Total organic halides	5.6	ug/L	B	[NULL]	[NULL]	R	B21N90	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-74	9/8/2009 9:07	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B21LN6	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-74	9/8/2009 9:07	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B21N92	59473-04-0	WSCF	9020_TOX	100-NR-2
199-N-74	9/8/2009 9:07	N	TURBIDITY	Turbidity	1.15	NTU	[NULL]	[NULL]	[NULL]	R	B21LN5	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-74	9/8/2009 9:07	N	TURBIDITY	Turbidity	1.38	NTU	[NULL]	[NULL]	[NULL]	R	B21LN2	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-74	9/8/2009 9:07	N	TURBIDITY	Turbidity	1.84	NTU	[NULL]	[NULL]	[NULL]	R	B21LN3	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-74	9/8/2009 9:07	N	TURBIDITY	Turbidity	1.7	NTU	[NULL]	[NULL]	[NULL]	R	B21LN4	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-74	9/8/2009 9:07	N	7440-62-2	Vanadium	28.7	ug/L	B	[NULL]	[NULL]	R	B21JH1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/8/2009 9:07	Y	7440-62-2	Vanadium	22.8	ug/L	B	[NULL]	[NULL]	R	B21JH0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/8/2009 9:07	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B21JH1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/8/2009 9:07	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B21JH0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-74	9/8/2009 9:07	N	PH	pH Measurement	8.02	unitless	[NULL]	[NULL]	[NULL]	R	B21LN4	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-74	9/8/2009 9:07	N	PH	pH Measurement	8.02	unitless	[NULL]	[NULL]	[NULL]	R	B21LN3	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-74	9/8/2009 9:07	N	PH	pH Measurement	8.02	unitless	[NULL]	[NULL]	[NULL]	R	B21LN2	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-74	9/8/2009 9:07	N	PH	pH Measurement	8.02	unitless	[NULL]	[NULL]	[NULL]	R	B21LN5	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-74	3/9/2010 13:03	N	CONDUCT	Specific Conductance	418	uS/cm	[NULL]	[NULL]	[NULL]	R	B24BK7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-74	3/9/2010 13:03	N	CONDUCT	Specific Conductance	417	uS/cm	[NULL]	[NULL]	[NULL]	R	B24BK6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-74	3/9/2010 13:03	N	CONDUCT	Specific Conductance	415	uS/cm	[NULL]	[NULL]	[NULL]	R	B24BK4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-74	3/9/2010 13:03	N	CONDUCT	Specific Conductance	417	uS/cm	[NULL]	[NULL]	[NULL]	R	B24BK5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-74	3/9/2010 13:03	N	TEMPERATURE	Temperature	16.4	Deg C	[NULL]	[NULL]	[NULL]	R	B24BK7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/9/2010 13:03	N	TEMPERATURE	Temperature	16.4	Deg C	[NULL]	[NULL]	[NULL]	R	B24BK4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/9/2010 13:03	N	TEMPERATURE	Temperature	16.4	Deg C	[NULL]	[NULL]	[NULL]	R	B24BK6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/9/2010 13:03	N	TEMPERATURE	Temperature	16.3	Deg C	[NULL]	[NULL]	[NULL]	R	B24BK5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-74	3/9/2010 13:03	N	TURBIDITY	Turbidity	0.87	NTU	[NULL]	[NULL]	[NULL]	R	B24BK7	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-74	3/9/2010 13:03	N	TURBIDITY	Turbidity	1.11	NTU	[NULL]	[NULL]	[NULL]	R	B24BK4	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-74	3/9/2010 13:03	N	TURBIDITY	Turbidity	0.9	NTU	[NULL]	[NULL]	[NULL]	R	B24BK5	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-74	3/9/2010 13:03	N	TURBIDITY	Turbidity	1.17	NTU	[NULL]	[NULL]	[NULL]	R	B24BK6	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-74	3/9/2010 13:03	N	PH	pH Measurement	8.09	unitless	[NULL]	[NULL]	[NULL]	R	B24BK6	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-74	3/9/2010 13:03	N	PH	pH Measurement	8.09	unitless	[NULL]	[NULL]	[NULL]	R	B24BK5	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-74	3/9/2010 13:03	N	PH	pH Measurement	8.08	unitless	[NULL]	[NULL]	[NULL]	R	B24BK7	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-74	3/9/2010 13:03	N	PH	pH Measurement	8.09	unitless	[NULL]	[NULL]	[NULL]	R	B24BK4	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-75	11/19/1992 10:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	B07P12	93-76-5	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	B07P12	93-72-1	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07P02	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	10	ug/L	U	[NULL]	[NULL]	R	B07P12	94-75-7	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07P02	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B07P02	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B07P02	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07P02	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	11/19/1992 10:00	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07P02	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B07P02	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	72-54-8	4,4'-DDD (Dichlorodiphenyldichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	B07P12	72-54-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	72-55-9	4,4'-DDE (Dichlorodiphenyldichloroethylene)	0.05	ug/L	U	[NULL]	[NULL]	R	B07P12	72-55-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	50-29-3	4,4'-DDT (Dichlorodiphenyltrichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	B07P12	50-29-3	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B07P02	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B07P02	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B07P02	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	309-00-2	Aldrin	0.05	ug/L	U	[NULL]	[NULL]	R	B07P12	309-00-2	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	319-84-6	Alpha-BHC	0.05	ug/L	U	[NULL]	[NULL]	R	B07P12	319-84-6	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	14596-10-2	Americium-241	-0.004	pCi/L	U	[NULL]	[NULL]	R	B07P12	14596-10-2	ITASRL	AMCMISO_AEA	100-NR-2
199-N-75	11/19/1992 10:00	N	14798-03-9	Ammonium ion	200	ug/L	[NULL]	[NULL]	[NULL]	R	B07P02	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-75	11/19/1992 10:00	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B07P06	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/19/1992 10:00	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B07P02	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/19/1992 10:00	N	14234-35-6	Antimony-125	22	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P02	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-75	11/19/1992 10:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B07P02	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-75	11/19/1992 10:00	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B07P06	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-75	11/19/1992 10:00	N	7440-39-3	Barium	32	ug/L	[NULL]	[NULL]	[NULL]	R	B07P02	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/19/1992 10:00	Y	7440-39-3	Barium	35	ug/L	[NULL]	[NULL]	[NULL]	R	B07P06	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/19/1992 10:00	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B07P02	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/19/1992 10:00	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B07P06	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/19/1992 10:00	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B07P02	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	11/19/1992 10:00	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B07P06	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/19/1992 10:00	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B07P02	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/19/1992 10:00	Y	7440-70-2	Calcium	30000	ug/L	[NULL]	[NULL]	[NULL]	R	B07P06	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/19/1992 10:00	N	7440-70-2	Calcium	26000	ug/L	[NULL]	[NULL]	[NULL]	R	B07P02	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/19/1992 10:00	N	14762-75-5	Carbon-14	340	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P02	14762-75-5	ITASRL	C14_PRECIP_LSC	100-NR-2
199-N-75	11/19/1992 10:00	N	10045-97-3	Cesium-137	-4.51	pCi/L	U	[NULL]	[NULL]	R	B07P02	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-75	11/19/1992 10:00	N	57-74-9	Chlordane	0.1	ug/L	U	[NULL]	[NULL]	R	B07P12	57-74-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	16887-00-6	Chloride	1700	ug/L	[NULL]	[NULL]	[NULL]	R	B07P02	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	11/19/1992 10:00	N	7440-47-3	Chromium	32	ug/L	[NULL]	[NULL]	[NULL]	R	B07P02	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/19/1992 10:00	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B07P06	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/19/1992 10:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B07P02	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/19/1992 10:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B07P06	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/19/1992 10:00	N	10198-40-0	Cobalt-60	3.06	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P02	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-75	11/19/1992 10:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B07P02	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-75	11/19/1992 10:00	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B07P02	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/19/1992 10:00	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B07P06	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/19/1992 10:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	B07P12	319-86-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	60-57-1	Dieldrin	0.05	ug/L	U	[NULL]	[NULL]	R	B07P12	60-57-1	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1	ug/L	U	[NULL]	[NULL]	R	B07P12	88-85-7	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B07P02	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	959-98-8	Endosulfan I	0.1	ug/L	U	[NULL]	[NULL]	R	B07P12	959-98-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	33213-65-9	Endosulfan II	0.05	ug/L	U	[NULL]	[NULL]	R	B07P12	33213-65-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	1031-07-8	Endosulfan sulfate	0.5	ug/L	U	[NULL]	[NULL]	R	B07P12	1031-07-8	DATACH	8080_PESTPCB_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	11/19/1992 10:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	B07P12	72-20-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	7421-93-4	Endrin aldehyde	0.2	ug/L	U	[NULL]	[NULL]	R	B07P12	7421-93-4	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	16984-48-8	Fluoride	200	ug/L	[NULL]	[NULL]	[NULL]	R	B07P02	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	11/19/1992 10:00	N	58-89-9	Gamma-BHC (Lindane)	0.05	ug/L	U	[NULL]	[NULL]	R	B07P12	58-89-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	12587-46-1	Gross alpha	2.72	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P02	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	11/19/1992 10:00	N	12587-47-2	Gross beta	2450	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P02	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	11/19/1992 10:00	N	76-44-8	Heptachlor	0.05	ug/L	U	[NULL]	[NULL]	R	B07P12	76-44-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	1024-57-3	Heptachlor epoxide	1	ug/L	U	[NULL]	[NULL]	R	B07P12	1024-57-3	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B07P02	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-75	11/19/1992 10:00	N	7439-89-6	Iron	480	ug/L	[NULL]	[NULL]	[NULL]	R	B07P02	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/19/1992 10:00	Y	7439-89-6	Iron	20	ug/L	U	[NULL]	[NULL]	R	B07P06	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/19/1992 10:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B07P02	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-75	11/19/1992 10:00	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B07P06	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-75	11/19/1992 10:00	N	7439-95-4	Magnesium	4000	ug/L	[NULL]	[NULL]	[NULL]	R	B07P02	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/19/1992 10:00	Y	7439-95-4	Magnesium	4600	ug/L	[NULL]	[NULL]	[NULL]	R	B07P06	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/19/1992 10:00	N	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B07P02	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/19/1992 10:00	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B07P06	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/19/1992 10:00	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B07P02	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-75	11/19/1992 10:00	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B07P06	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-75	11/19/1992 10:00	N	72-43-5	Methoxychlor	2	ug/L	U	[NULL]	[NULL]	R	B07P12	72-43-5	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B07P02	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/19/1992 10:00	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B07P06	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/19/1992 10:00	N	14797-55-8	Nitrate	6100	ug/L	[NULL]	[NULL]	[NULL]	R	B07P02	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	11/19/1992 10:00	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B07P02	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	11/19/1992 10:00	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B07P02	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B07P02	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B07P02	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	11/19/1992 10:00	N	13981-16-3	Plutonium-238	-0.004	pCi/L	U	[NULL]	[NULL]	R	B07P12	13981-16-3	ITASRL	PUISO_IE_AEA	100-NR-2
199-N-75	11/19/1992 10:00	N	PU-239/240	Plutonium-239/240	0.004	pCi/L	U	[NULL]	[NULL]	R	B07P12	PU-239/240	ITASRL	PUISO_IE_AEA	100-NR-2
199-N-75	11/19/1992 10:00	N	7440-09-7	Potassium	2000	ug/L	[NULL]	[NULL]	[NULL]	R	B07P02	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/19/1992 10:00	Y	7440-09-7	Potassium	2400	ug/L	[NULL]	[NULL]	[NULL]	R	B07P06	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/19/1992 10:00	N	7440-14-4	Radium	0.355	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P02	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-75	11/19/1992 10:00	N	13967-48-1	Ruthenium-106	28.8	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P02	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-75	11/19/1992 10:00	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B07P02	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-75	11/19/1992 10:00	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B07P06	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-75	11/19/1992 10:00	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B07P06	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/19/1992 10:00	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B07P02	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/19/1992 10:00	N	7440-23-5	Sodium	2600	ug/L	[NULL]	[NULL]	[NULL]	R	B07P02	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/19/1992 10:00	Y	7440-23-5	Sodium	2900	ug/L	[NULL]	[NULL]	[NULL]	R	B07P06	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/19/1992 10:00	N	CONDUCT	Specific Conductance	180	uS/cm	[NULL]	[NULL]	[NULL]	R	B07P04	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	11/19/1992 10:00	N	CONDUCT	Specific Conductance	180	uS/cm	[NULL]	[NULL]	[NULL]	R	B07P03	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	11/19/1992 10:00	N	CONDUCT	Specific Conductance	180	uS/cm	[NULL]	[NULL]	[NULL]	R	B07P02	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	11/19/1992 10:00	N	CONDUCT	Specific Conductance	180	uS/cm	[NULL]	[NULL]	[NULL]	R	B07P12	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-75	11/19/1992 10:00	N	CONDUCT	Specific Conductance	180	uS/cm	[NULL]	[NULL]	[NULL]	R	B07P05	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	11/19/1992 10:00	N	10098-97-2	Strontium-90	1540	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P02	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	11/19/1992 10:00	N	14808-79-8	Sulfate	13000	ug/L	[NULL]	[NULL]	[NULL]	R	B07P02	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	11/19/1992 10:00	N	TEMPERATURE	Temperature	20.7	Deg C	[NULL]	[NULL]	[NULL]	R	B07P02	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	11/19/1992 10:00	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B07P02	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B07P02	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/19/1992 10:00	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B07P06	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/19/1992 10:00	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B07P02	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07P03	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	11/19/1992 10:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07P05	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	11/19/1992 10:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07P04	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	11/19/1992 10:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07P02	TOC	DATACH	9060_TOC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	11/19/1992 10:00	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B07P02	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-75	11/19/1992 10:00	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B07P03	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-75	11/19/1992 10:00	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B07P04	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-75	11/19/1992 10:00	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B07P05	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-75	11/19/1992 10:00	N	8001-35-2	Toxaphene	2	ug/L	U	[NULL]	[NULL]	R	B07P12	8001-35-2	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07P02	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	10028-17-8	Tritium	65100	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P02	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-75	11/19/1992 10:00	N	TURBIDITY	Turbidity	2	NTU	[NULL]	[NULL]	[NULL]	R	B07P02	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-75	11/19/1992 10:00	N	13966-29-5	Uranium-234	0.161	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P02	13966-29-5	ITASRL	UISO_IE_AEA	100-NR-2
199-N-75	11/19/1992 10:00	N	15117-96-1	Uranium-235	0.005	pCi/L	U	[NULL]	[NULL]	R	B07P02	15117-96-1	ITASRL	UISO_IE_AEA	100-NR-2
199-N-75	11/19/1992 10:00	N	U-238	Uranium-238	0.106	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P02	U-238	ITASRL	UISO_IE_AEA	100-NR-2
199-N-75	11/19/1992 10:00	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B07P06	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/19/1992 10:00	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B07P02	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/19/1992 10:00	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B07P06	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/19/1992 10:00	N	7440-66-6	Zinc	27	ug/L	[NULL]	[NULL]	[NULL]	R	B07P02	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/19/1992 10:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.05	ug/L	U	[NULL]	[NULL]	R	B07P12	319-85-7	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-75	11/19/1992 10:00	N	PH	pH Measurement	7.46	unitless	[NULL]	[NULL]	[NULL]	R	B07P04	PH	FIELD	9040_PH	100-NR-2
199-N-75	11/19/1992 10:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	B07P12	PH	DATACH	D1293_PH	100-NR-2
199-N-75	11/19/1992 10:00	N	PH	pH Measurement	7.46	unitless	[NULL]	[NULL]	[NULL]	R	B07P03	PH	FIELD	9040_PH	100-NR-2
199-N-75	11/19/1992 10:00	N	PH	pH Measurement	7.48	unitless	[NULL]	[NULL]	[NULL]	R	B07P05	PH	FIELD	9040_PH	100-NR-2
199-N-75	11/19/1992 10:00	N	PH	pH Measurement	7.45	unitless	[NULL]	[NULL]	[NULL]	R	B07P02	PH	FIELD	9040_PH	100-NR-2
199-N-75	2/18/1993 9:00	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085K4	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	2/18/1993 9:00	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085K4	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	2/18/1993 9:00	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B085K4	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	2/18/1993 9:00	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B085K4	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	2/18/1993 9:00	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085K4	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	2/18/1993 9:00	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085K4	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	2/18/1993 9:00	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B085K4	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	2/18/1993 9:00	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B085K4	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	2/18/1993 9:00	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B085K4	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	2/18/1993 9:00	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B085K4	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	2/18/1993 9:00	N	14798-03-9	Ammonium ion	100	ug/L	U	[NULL]	[NULL]	R	B085K4	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-75	2/18/1993 9:00	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B085K4	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/18/1993 9:00	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B085K8	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/18/1993 9:00	N	14234-35-6	Antimony-125	-8.47	pCi/L	U	[NULL]	[NULL]	R	B085K4	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-75	2/18/1993 9:00	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B085K8	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-75	2/18/1993 9:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B085K4	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-75	2/18/1993 9:00	N	7440-39-3	Barium	30	ug/L	[NULL]	[NULL]	[NULL]	R	B085K4	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/18/1993 9:00	Y	7440-39-3	Barium	30	ug/L	[NULL]	[NULL]	[NULL]	R	B085K8	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/18/1993 9:00	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B085K8	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/18/1993 9:00	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B085K4	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/18/1993 9:00	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B085K4	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	2/18/1993 9:00	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B085K4	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/18/1993 9:00	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B085K8	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/18/1993 9:00	Y	7440-70-2	Calcium	26000	ug/L	[NULL]	[NULL]	[NULL]	R	B085K8	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/18/1993 9:00	N	7440-70-2	Calcium	27000	ug/L	[NULL]	[NULL]	[NULL]	R	B085K4	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/18/1993 9:00	N	10045-97-3	Cesium-137	-3.02	pCi/L	U	[NULL]	[NULL]	R	B085K4	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-75	2/18/1993 9:00	N	16887-00-6	Chloride	1700	ug/L	[NULL]	[NULL]	[NULL]	R	B085K4	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	2/18/1993 9:00	N	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B085K4	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/18/1993 9:00	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B085K8	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/18/1993 9:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B085K4	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/18/1993 9:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B085K8	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	2/18/1993 9:00	N	10198-40-0	Cobalt-60	9.26	pCi/L	[NULL]	[NULL]	[NULL]	R	B085K4	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-75	2/18/1993 9:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B085K4	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-75	2/18/1993 9:00	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B085K4	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/18/1993 9:00	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B085K8	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/18/1993 9:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B085K4	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	2/18/1993 9:00	N	16984-48-8	Fluoride	200	ug/L	[NULL]	[NULL]	[NULL]	R	B085K4	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	2/18/1993 9:00	N	12587-46-1	Gross alpha	0.996	pCi/L	[NULL]	[NULL]	[NULL]	R	B085K4	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	2/18/1993 9:00	N	12587-47-2	Gross beta	2900	pCi/L	[NULL]	[NULL]	[NULL]	R	B085K4	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	2/18/1993 9:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B085K4	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-75	2/18/1993 9:00	Y	7439-89-6	Iron	30	ug/L	[NULL]	[NULL]	[NULL]	R	B085K8	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/18/1993 9:00	N	7439-89-6	Iron	220	ug/L	[NULL]	[NULL]	[NULL]	R	B085K4	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/18/1993 9:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B085K4	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-75	2/18/1993 9:00	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B085K8	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-75	2/18/1993 9:00	N	7439-95-4	Magnesium	4300	ug/L	[NULL]	[NULL]	[NULL]	R	B085K4	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/18/1993 9:00	Y	7439-95-4	Magnesium	4200	ug/L	[NULL]	[NULL]	[NULL]	R	B085K8	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/18/1993 9:00	N	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B085K4	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/18/1993 9:00	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B085K8	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/18/1993 9:00	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B085K4	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-75	2/18/1993 9:00	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B085K8	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-75	2/18/1993 9:00	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B085K8	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/18/1993 9:00	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B085K4	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/18/1993 9:00	N	14797-55-8	Nitrate	5800	ug/L	[NULL]	[NULL]	[NULL]	R	B085K4	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	2/18/1993 9:00	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B085K4	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	2/18/1993 9:00	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B085K4	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	2/18/1993 9:00	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B085K4	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	2/18/1993 9:00	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B085K4	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	2/18/1993 9:00	Y	7440-09-7	Potassium	2100	ug/L	[NULL]	[NULL]	[NULL]	R	B085K8	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/18/1993 9:00	N	7440-09-7	Potassium	3100	ug/L	[NULL]	[NULL]	[NULL]	R	B085K4	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/18/1993 9:00	N	7440-14-4	Radium	0.304	pCi/L	[NULL]	[NULL]	[NULL]	R	B085K4	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-75	2/18/1993 9:00	N	13967-48-1	Ruthenium-106	39.7	pCi/L	[NULL]	[NULL]	[NULL]	R	B085K4	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-75	2/18/1993 9:00	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B085K8	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-75	2/18/1993 9:00	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B085K4	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-75	2/18/1993 9:00	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B085K8	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/18/1993 9:00	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B085K4	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/18/1993 9:00	Y	7440-23-5	Sodium	2700	ug/L	[NULL]	[NULL]	[NULL]	R	B085K8	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/18/1993 9:00	N	7440-23-5	Sodium	2700	ug/L	[NULL]	[NULL]	[NULL]	R	B085K4	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/18/1993 9:00	N	CONDUCT	Specific Conductance	181	uS/cm	[NULL]	[NULL]	[NULL]	R	B085K4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	2/18/1993 9:00	N	CONDUCT	Specific Conductance	181	uS/cm	[NULL]	[NULL]	[NULL]	R	B085K5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	2/18/1993 9:00	N	CONDUCT	Specific Conductance	182	uS/cm	[NULL]	[NULL]	[NULL]	R	B085K6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	2/18/1993 9:00	N	CONDUCT	Specific Conductance	182	uS/cm	[NULL]	[NULL]	[NULL]	R	B085K7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	2/18/1993 9:00	N	CONDUCT	Specific Conductance	180	uS/cm	[NULL]	[NULL]	[NULL]	R	B085X4	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-75	2/18/1993 9:00	N	10098-97-2	Strontium-90	1580	pCi/L	[NULL]	[NULL]	[NULL]	R	B085K4	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	2/18/1993 9:00	N	14808-79-8	Sulfate	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B085K4	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	2/18/1993 9:00	N	TEMPERATURE	Temperature	20.7	Deg C	[NULL]	[NULL]	[NULL]	R	B085K4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	2/18/1993 9:00	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B085K4	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	2/18/1993 9:00	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B085K4	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/18/1993 9:00	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B085K8	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/18/1993 9:00	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B085K4	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	2/18/1993 9:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B085K6	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	2/18/1993 9:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B085K4	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	2/18/1993 9:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B085K5	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	2/18/1993 9:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B085K7	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	2/18/1993 9:00	N	59473-04-0	Total organic halides	10	ug/L	U	HY	[NULL]	R	B085K7	59473-04-0	DATACH	9020_TOX	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	2/18/1993 9:00	N	59473-04-0	Total organic halides	10	ug/L	U	HY	[NULL]	R	B085K4	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-75	2/18/1993 9:00	N	59473-04-0	Total organic halides	10	ug/L	U	HY	[NULL]	R	B085K5	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-75	2/18/1993 9:00	N	59473-04-0	Total organic halides	10	ug/L	U	HY	[NULL]	R	B085K6	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-75	2/18/1993 9:00	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085K4	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	2/18/1993 9:00	N	10028-17-8	Tritium	58600	pCi/L	[NULL]	[NULL]	[NULL]	R	B085K4	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-75	2/18/1993 9:00	N	TURBIDITY	Turbidity	4	NTU	[NULL]	[NULL]	[NULL]	R	B085K4	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-75	2/18/1993 9:00	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B085K8	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/18/1993 9:00	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B085K4	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/18/1993 9:00	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B085K8	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/18/1993 9:00	N	7440-66-6	Zinc	150	ug/L	[NULL]	[NULL]	[NULL]	R	B085K4	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/18/1993 9:00	N	PH	pH Measurement	7.99	unitless	[NULL]	[NULL]	[NULL]	R	B085K7	PH	FIELD	9040_PH	100-NR-2
199-N-75	2/18/1993 9:00	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	R	B085X4	PH	DATACH	D1293_PH	100-NR-2
199-N-75	2/18/1993 9:00	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	B085K6	PH	FIELD	9040_PH	100-NR-2
199-N-75	2/18/1993 9:00	N	PH	pH Measurement	7.99	unitless	[NULL]	[NULL]	[NULL]	R	B085K4	PH	FIELD	9040_PH	100-NR-2
199-N-75	2/18/1993 9:00	N	PH	pH Measurement	7.99	unitless	[NULL]	[NULL]	[NULL]	R	B085K5	PH	FIELD	9040_PH	100-NR-2
199-N-75	5/10/1993 9:10	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08J46	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	5/10/1993 9:10	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08J46	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	5/10/1993 9:10	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B08J46	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	5/10/1993 9:10	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B08J46	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	5/10/1993 9:10	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08J46	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	5/10/1993 9:10	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08J46	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	5/10/1993 9:10	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B08J46	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	5/10/1993 9:10	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B08J46	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	5/10/1993 9:10	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B08J46	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	5/10/1993 9:10	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B08J46	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	5/10/1993 9:10	Y	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B08J50	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	N	7429-90-5	Aluminum	38	ug/L	L	[NULL]	[NULL]	R	B08J46	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	N	14798-03-9	Ammonium ion	100	ug/L	U	[NULL]	[NULL]	R	B08J46	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-75	5/10/1993 9:10	Y	7440-36-0	Antimony	110	ug/L	L	Q	[NULL]	R	B08J50	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	N	7440-36-0	Antimony	120	ug/L	L	Q	[NULL]	R	B08J46	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	N	14234-35-6	Antimony-125	0.176	pCi/L	U	[NULL]	[NULL]	R	B08J46	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-75	5/10/1993 9:10	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B08J46	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-75	5/10/1993 9:10	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B08J50	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-75	5/10/1993 9:10	Y	7440-39-3	Barium	20	ug/L	[NULL]	[NULL]	[NULL]	R	B08J50	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	N	7440-39-3	Barium	30	ug/L	[NULL]	[NULL]	[NULL]	R	B08J46	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	N	7440-41-7	Beryllium	5	ug/L	[NULL]	QY	[NULL]	R	B08J46	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	Y	7440-41-7	Beryllium	3	ug/L	U	Q	[NULL]	R	B08J50	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B08J46	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	5/10/1993 9:10	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B08J50	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B08J46	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	N	7440-70-2	Calcium	26000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J46	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	Y	7440-70-2	Calcium	25000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J50	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	N	10045-97-3	Cesium-137	2.96	pCi/L	U	[NULL]	[NULL]	R	B08J46	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-75	5/10/1993 9:10	N	16887-00-6	Chloride	1500	ug/L	[NULL]	[NULL]	[NULL]	R	B08J46	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	5/10/1993 9:10	N	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B08J46	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B08J50	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B08J50	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B08J46	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	N	10198-40-0	Cobalt-60	-2.94	pCi/L	U	[NULL]	[NULL]	R	B08J46	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-75	5/10/1993 9:10	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B08J46	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-75	5/10/1993 9:10	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B08J46	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B08J50	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	5/10/1993 9:10	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B08J46	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	5/10/1993 9:10	N	16984-48-8	Fluoride	200	ug/L	[NULL]	[NULL]	[NULL]	R	B08J46	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	5/10/1993 9:10	N	12587-46-1	Gross alpha	0.581	pCi/L	U	[NULL]	[NULL]	R	B08J46	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	5/10/1993 9:10	N	12587-47-2	Gross beta	2500	pCi/L	[NULL]	[NULL]	[NULL]	R	B08J46	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	5/10/1993 9:10	Y	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B08J46	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-75	5/10/1993 9:10	N	7439-89-6	Iron	30	ug/L	[NULL]	[NULL]	[NULL]	R	B08J50	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	Y	7439-89-6	Iron	70	ug/L	[NULL]	[NULL]	[NULL]	R	B08J46	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B08J50	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-75	5/10/1993 9:10	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B08J46	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-75	5/10/1993 9:10	N	7439-95-4	Magnesium	4100	ug/L	[NULL]	[NULL]	[NULL]	R	B08J46	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	Y	7439-95-4	Magnesium	4000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J50	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	Y	7439-96-5	Manganese	1.8	ug/L	L	[NULL]	[NULL]	R	B08J50	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	N	7439-96-5	Manganese	1.8	ug/L	L	[NULL]	[NULL]	R	B08J46	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B08J46	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-75	5/10/1993 9:10	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B08J50	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-75	5/10/1993 9:10	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B08J50	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B08J46	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	N	14797-55-8	Nitrate	6600	ug/L	[NULL]	[NULL]	[NULL]	R	B08J46	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	5/10/1993 9:10	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B08J46	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	5/10/1993 9:10	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B08J46	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	5/10/1993 9:10	N	108-95-2	Phenol	3	ug/L	[NULL]	[NULL]	[NULL]	R	B08J46	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	5/10/1993 9:10	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B08J46	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	5/10/1993 9:10	Y	7440-09-7	Potassium	1000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J50	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	N	7440-09-7	Potassium	2000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J46	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	N	7440-14-4	Radium	0.176	pCi/L	[NULL]	[NULL]	[NULL]	R	B08J46	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-75	5/10/1993 9:10	N	13967-48-1	Ruthenium-106	0	pCi/L	U	[NULL]	[NULL]	R	B08J46	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-75	5/10/1993 9:10	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B08J50	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-75	5/10/1993 9:10	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B08J46	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-75	5/10/1993 9:10	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B08J50	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B08J46	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	Y	7440-23-5	Sodium	2400	ug/L	[NULL]	Q	[NULL]	R	B08J50	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	N	7440-23-5	Sodium	2500	ug/L	[NULL]	Q	[NULL]	R	B08J46	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	N	CONDUCT	Specific Conductance	185	uS/cm	[NULL]	[NULL]	[NULL]	R	B08J48	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	5/10/1993 9:10	N	CONDUCT	Specific Conductance	186	uS/cm	[NULL]	[NULL]	[NULL]	R	B08J46	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	5/10/1993 9:10	N	CONDUCT	Specific Conductance	183	uS/cm	[NULL]	[NULL]	[NULL]	R	B08J47	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	5/10/1993 9:10	N	CONDUCT	Specific Conductance	187	uS/cm	[NULL]	[NULL]	[NULL]	R	B08J49	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	5/10/1993 9:10	N	CONDUCT	Specific Conductance	180	uS/cm	[NULL]	[NULL]	[NULL]	R	B08J42	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-75	5/10/1993 9:10	N	10098-97-2	Strontium-90	1260	pCi/L	[NULL]	[NULL]	[NULL]	R	B08J46	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	5/10/1993 9:10	N	14808-79-8	Sulfate	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J46	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	5/10/1993 9:10	N	TEMPERATURE	Temperature	21.8	Deg C	[NULL]	[NULL]	[NULL]	R	B08J46	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	5/10/1993 9:10	N	TEMPERATURE	Temperature	21.8	Deg C	[NULL]	[NULL]	[NULL]	R	B08J47	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	5/10/1993 9:10	N	TEMPERATURE	Temperature	21.8	Deg C	[NULL]	[NULL]	[NULL]	R	B08J48	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	5/10/1993 9:10	N	TEMPERATURE	Temperature	21.8	Deg C	[NULL]	[NULL]	[NULL]	R	B08J49	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	5/10/1993 9:10	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B08J46	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	5/10/1993 9:10	Y	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B08J50	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	N	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B08J46	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B08J46	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	5/10/1993 9:10	N	TOC	Total organic carbon	400	ug/L	L	[NULL]	[NULL]	R	B08J47	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	5/10/1993 9:10	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B08J46	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	5/10/1993 9:10	N	TOC	Total organic carbon	500	ug/L	L	[NULL]	[NULL]	R	B08J48	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	5/10/1993 9:10	N	TOC	Total organic carbon	400	ug/L	L	[NULL]	[NULL]	R	B08J49	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	5/10/1993 9:10	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B08J47	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-75	5/10/1993 9:10	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B08J49	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-75	5/10/1993 9:10	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B08J48	59473-04-0	DATACH	9020_TOX	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	5/10/1993 9:10	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B08J46	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-75	5/10/1993 9:10	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08J46	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	5/10/1993 9:10	N	10028-17-8	Tritium	59600	pCi/L	[NULL]	[NULL]	[NULL]	R	B08J46	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-75	5/10/1993 9:10	N	TURBIDITY	Turbidity	1.4	NTU	[NULL]	[NULL]	[NULL]	R	B08J46	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-75	5/10/1993 9:10	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B08J46	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B08J50	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	N	7440-66-6	Zinc	30	ug/L	[NULL]	[NULL]	[NULL]	R	B08J46	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	Y	7440-66-6	Zinc	20	ug/L	[NULL]	[NULL]	[NULL]	R	B08J50	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/10/1993 9:10	N	PH	pH Measurement	7.64	unitless	[NULL]	[NULL]	[NULL]	R	B08J49	PH	FIELD	9040_PH	100-NR-2
199-N-75	5/10/1993 9:10	N	PH	pH Measurement	7.62	unitless	[NULL]	[NULL]	[NULL]	R	B08J46	PH	FIELD	9040_PH	100-NR-2
199-N-75	5/10/1993 9:10	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B08J42	PH	DATACH	D1293_PH	100-NR-2
199-N-75	5/10/1993 9:10	N	PH	pH Measurement	7.64	unitless	[NULL]	[NULL]	[NULL]	R	B08J47	PH	FIELD	9040_PH	100-NR-2
199-N-75	5/10/1993 9:10	N	PH	pH Measurement	7.64	unitless	[NULL]	[NULL]	[NULL]	R	B08J48	PH	FIELD	9040_PH	100-NR-2
199-N-75	8/11/1993 9:00	N	88-06-2	2,4,6-Trichlorophenol	1.45	ug/L	U	[NULL]	[NULL]	R	B090J6	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	8/11/1993 9:00	N	120-83-2	2,4-Dichlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B090J6	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	8/11/1993 9:00	N	105-67-9	2,4-Dimethylphenol	1.01	ug/L	U	[NULL]	[NULL]	R	B090J6	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	8/11/1993 9:00	N	51-28-5	2,4-Dinitrophenol	0.96	ug/L	U	[NULL]	[NULL]	R	B090J6	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	8/11/1993 9:00	N	87-65-0	2,6-Dichlorophenol	1.59	ug/L	U	[NULL]	[NULL]	R	B090J6	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	8/11/1993 9:00	N	95-57-8	2-Chlorophenol	1.42	ug/L	U	[NULL]	[NULL]	R	B090J6	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	8/11/1993 9:00	N	88-75-5	2-Nitrophenol	1.56	ug/L	U	[NULL]	[NULL]	R	B090J6	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	8/11/1993 9:00	N	534-52-1	4,6-Dinitro-2-methylphenol	1.18	ug/L	U	[NULL]	[NULL]	R	B090J6	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	8/11/1993 9:00	N	59-50-7	4-Chloro-3-methylphenol	1.12	ug/L	U	[NULL]	[NULL]	R	B090J6	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	8/11/1993 9:00	N	100-02-7	4-Nitrophenol	0.65	ug/L	U	[NULL]	[NULL]	R	B090J6	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	8/11/1993 9:00	Y	7429-90-5	Aluminum	62	ug/L	L	[NULL]	[NULL]	R	B090K3	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	N	7429-90-5	Aluminum	55	ug/L	L	[NULL]	[NULL]	R	B090J6	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	N	14798-03-9	Ammonium ion	60	ug/L	L	Q	[NULL]	R	B090J6	14798-03-9	DATACH	D1426C_AMMONIUM	100-NR-2
199-N-75	8/11/1993 9:00	Y	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B090K3	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	N	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B090J6	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	N	14234-35-6	Antimony-125	9.97	pCi/L	U	[NULL]	[NULL]	R	B090J6	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-75	8/11/1993 9:00	N	7440-38-2	Arsenic	1.38	ug/L	U	[NULL]	[NULL]	R	B090J6	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-75	8/11/1993 9:00	Y	7440-38-2	Arsenic	1.38	ug/L	U	[NULL]	[NULL]	R	B090K3	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-75	8/11/1993 9:00	Y	7440-39-3	Barium	28	ug/L	[NULL]	[NULL]	[NULL]	R	B090K3	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	N	7440-39-3	Barium	30	ug/L	[NULL]	[NULL]	[NULL]	R	B090J6	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	N	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B090J6	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	Y	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B090K3	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	N	24959-67-9	Bromide	52.8	ug/L	U	[NULL]	[NULL]	R	B090J6	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	8/11/1993 9:00	Y	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B090K3	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	N	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B090J6	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	N	7440-70-2	Calcium	26000	ug/L	[NULL]	[NULL]	[NULL]	R	B090J6	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	Y	7440-70-2	Calcium	26000	ug/L	[NULL]	[NULL]	[NULL]	R	B090K3	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	N	10045-97-3	Cesium-137	-5.03	pCi/L	U	[NULL]	[NULL]	R	B090J6	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-75	8/11/1993 9:00	N	16887-00-6	Chloride	1400	ug/L	[NULL]	[NULL]	[NULL]	R	B090J6	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	8/11/1993 9:00	N	7440-47-3	Chromium	8.3	ug/L	L	[NULL]	[NULL]	R	B090J6	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	Y	7440-47-3	Chromium	5.42	ug/L	U	[NULL]	[NULL]	R	B090K3	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	N	7440-48-4	Cobalt	4.05	ug/L	U	[NULL]	[NULL]	R	B090J6	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	Y	7440-48-4	Cobalt	4.05	ug/L	U	[NULL]	[NULL]	R	B090K3	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	N	10198-40-0	Cobalt-60	3.94	pCi/L	U	[NULL]	[NULL]	R	B090J6	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-75	8/11/1993 9:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B090J6	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-75	8/11/1993 9:00	N	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B090J6	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	Y	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B090K3	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1.35	ug/L	U	[NULL]	[NULL]	R	B090J6	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	8/11/1993 9:00	N	16984-48-8	Fluoride	200	ug/L	[NULL]	[NULL]	[NULL]	R	B090J6	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	8/11/1993 9:00	N	12587-46-1	Gross alpha	0.609	pCi/L	U	[NULL]	[NULL]	R	B090J6	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	8/11/1993 9:00	N	12587-47-2	Gross beta	3110	pCi/L	[NULL]	[NULL]	[NULL]	R	B090J6	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	8/11/1993 9:00	N	302-01-2	Hydrazine	1.89	ug/L	U	[NULL]	[NULL]	R	B090J6	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-75	8/11/1993 9:00	Y	7439-89-6	Iron	17	ug/L	L	Q	[NULL]	R	B090K3	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	N	7439-89-6	Iron	61	ug/L	[NULL]	Q	[NULL]	R	B090J6	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	N	7439-92-1	Lead	0.6	ug/L	L	[NULL]	[NULL]	R	B090J6	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-75	8/11/1993 9:00	Y	7439-92-1	Lead	0.6	ug/L	L	[NULL]	[NULL]	R	B090K3	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-75	8/11/1993 9:00	N	7439-95-4	Magnesium	4200	ug/L	[NULL]	[NULL]	[NULL]	R	B090J6	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	Y	7439-95-4	Magnesium	4200	ug/L	[NULL]	[NULL]	[NULL]	R	B090K3	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	Y	7439-96-5	Manganese	1.35	ug/L	U	[NULL]	[NULL]	R	B090K3	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	N	7439-96-5	Manganese	1.5	ug/L	L	[NULL]	[NULL]	R	B090J6	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	N	7439-97-6	Mercury	0.158	ug/L	U	[NULL]	[NULL]	R	B090J6	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-75	8/11/1993 9:00	Y	7439-97-6	Mercury	0.158	ug/L	U	[NULL]	[NULL]	R	B090K3	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-75	8/11/1993 9:00	N	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B090J6	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	Y	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B090K3	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	N	14797-55-8	Nitrate	6500	ug/L	[NULL]	Q	[NULL]	R	B090J6	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	8/11/1993 9:00	N	14797-65-0	Nitrite	38.3	ug/L	U	[NULL]	[NULL]	R	B090J6	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	8/11/1993 9:00	N	87-86-5	Pentachlorophenol	0.87	ug/L	U	[NULL]	[NULL]	R	B090J6	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	8/11/1993 9:00	N	108-95-2	Phenol	0.31	ug/L	U	[NULL]	[NULL]	R	B090J6	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	8/11/1993 9:00	N	14265-44-2	Phosphate	147	ug/L	U	[NULL]	[NULL]	R	B090J6	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	8/11/1993 9:00	Y	7440-09-7	Potassium	1500	ug/L	[NULL]	[NULL]	[NULL]	R	B090K3	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	N	7440-09-7	Potassium	1300	ug/L	[NULL]	[NULL]	[NULL]	R	B090J6	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	N	7440-14-4	Radium	0.207	pCi/L	[NULL]	[NULL]	[NULL]	R	B090J6	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-75	8/11/1993 9:00	N	13967-48-1	Ruthenium-106	36.3	pCi/L	U	[NULL]	[NULL]	R	B090J6	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-75	8/11/1993 9:00	N	7782-49-2	Selenium	1.21	ug/L	U	[NULL]	[NULL]	R	B090J6	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-75	8/11/1993 9:00	Y	7782-49-2	Selenium	1.21	ug/L	U	[NULL]	[NULL]	R	B090K3	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-75	8/11/1993 9:00	N	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B090J6	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	Y	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B090K3	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	N	7440-23-5	Sodium	2600	ug/L	[NULL]	Q	[NULL]	R	B090J6	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	Y	7440-23-5	Sodium	2600	ug/L	[NULL]	Q	[NULL]	R	B090K3	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	N	CONDUCT	Specific Conductance	181	uS/cm	[NULL]	[NULL]	[NULL]	R	B090K0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	8/11/1993 9:00	N	CONDUCT	Specific Conductance	182	uS/cm	[NULL]	[NULL]	[NULL]	R	B090J8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	8/11/1993 9:00	N	CONDUCT	Specific Conductance	170	uS/cm	[NULL]	[NULL]	[NULL]	R	B090F8	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-75	8/11/1993 9:00	N	CONDUCT	Specific Conductance	182	uS/cm	[NULL]	[NULL]	[NULL]	R	B090J6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	8/11/1993 9:00	N	CONDUCT	Specific Conductance	181	uS/cm	[NULL]	[NULL]	[NULL]	R	B090K2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	8/11/1993 9:00	N	10098-97-2	Strontium-90	1690	pCi/L	[NULL]	[NULL]	[NULL]	R	B090J6	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	8/11/1993 9:00	N	14808-79-8	Sulfate	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B090J6	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	8/11/1993 9:00	N	TEMPERATURE	Temperature	20.5	Deg C	[NULL]	[NULL]	[NULL]	R	B090K0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	8/11/1993 9:00	N	TEMPERATURE	Temperature	20.5	Deg C	[NULL]	[NULL]	[NULL]	R	B090K2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	8/11/1993 9:00	N	TEMPERATURE	Temperature	20.7	Deg C	[NULL]	[NULL]	[NULL]	R	B090J6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	8/11/1993 9:00	N	TEMPERATURE	Temperature	20.5	Deg C	[NULL]	[NULL]	[NULL]	R	B090J8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	8/11/1993 9:00	N	25167-83-3	Tetrachlorophenol	1.05	ug/L	U	[NULL]	[NULL]	R	B090J6	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	8/11/1993 9:00	N	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B090J6	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	Y	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B090K3	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	N	1319-77-3	Total cresols	4.66	ug/L	U	[NULL]	[NULL]	R	B090J6	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	8/11/1993 9:00	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B090K2	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	8/11/1993 9:00	N	TOC	Total organic carbon	200	ug/L	L	[NULL]	[NULL]	R	B090J6	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	8/11/1993 9:00	N	TOC	Total organic carbon	200	ug/L	U	[NULL]	[NULL]	R	B090K0	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	8/11/1993 9:00	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B090J8	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	8/11/1993 9:00	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B090K0	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-75	8/11/1993 9:00	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B090J8	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-75	8/11/1993 9:00	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B090J6	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-75	8/11/1993 9:00	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B090K2	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-75	8/11/1993 9:00	N	25167-82-2	Trichlorophenol	1.11	ug/L	U	[NULL]	[NULL]	R	B090J6	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	8/11/1993 9:00	N	10028-17-8	Tritium	67700	pCi/L	[NULL]	[NULL]	[NULL]	R	B090J6	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	8/11/1993 9:00	N	TURBIDITY	Turbidity	0.6	NTU	[NULL]	Q	[NULL]	R	B090J6	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-75	8/11/1993 9:00	N	7440-62-2	Vanadium	3.84	ug/L	U	[NULL]	[NULL]	R	B090J6	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	Y	7440-62-2	Vanadium	3.9	ug/L	L	[NULL]	[NULL]	R	B090K3	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	Y	7440-66-6	Zinc	8.2	ug/L	L	Q	[NULL]	R	B090K3	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	N	7440-66-6	Zinc	12	ug/L	[NULL]	Q	[NULL]	R	B090J6	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	8/11/1993 9:00	N	PH	pH Measurement	8.03	unitless	[NULL]	[NULL]	[NULL]	R	B090J6	PH	FIELD	9040_PH	100-NR-2
199-N-75	8/11/1993 9:00	N	PH	pH Measurement	8.04	unitless	[NULL]	[NULL]	[NULL]	R	B090K0	PH	FIELD	9040_PH	100-NR-2
199-N-75	8/11/1993 9:00	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	B090F8	PH	DATACH	D1293_PH	100-NR-2
199-N-75	8/11/1993 9:00	N	PH	pH Measurement	8.03	unitless	[NULL]	[NULL]	[NULL]	R	B090J8	PH	FIELD	9040_PH	100-NR-2
199-N-75	11/11/1993 9:45	N	88-06-2	2,4,6-Trichlorophenol	1.45	ug/L	U	[NULL]	[NULL]	R	B090K2	PH	FIELD	9040_PH	100-NR-2
199-N-75	11/11/1993 9:45	N	120-83-2	2,4-Dichlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B09L05	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	11/11/1993 9:45	N	105-67-9	2,4-Dimethylphenol	1.01	ug/L	U	[NULL]	[NULL]	R	B09L05	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	11/11/1993 9:45	N	51-28-5	2,4-Dinitrophenol	0.96	ug/L	U	[NULL]	[NULL]	R	B09L05	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	11/11/1993 9:45	N	87-65-0	2,6-Dichlorophenol	1.59	ug/L	U	[NULL]	[NULL]	R	B09L05	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	11/11/1993 9:45	N	95-57-8	2-Chlorophenol	1.42	ug/L	U	[NULL]	[NULL]	R	B09L05	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	11/11/1993 9:45	N	88-75-5	2-Nitrophenol	1.56	ug/L	U	[NULL]	[NULL]	R	B09L05	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	11/11/1993 9:45	N	534-52-1	4,6-Dinitro-2-methylphenol	1.18	ug/L	U	[NULL]	[NULL]	R	B09L05	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	11/11/1993 9:45	N	59-50-7	4-Chloro-3-methylphenol	1.12	ug/L	U	[NULL]	[NULL]	R	B09L05	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	11/11/1993 9:45	N	100-02-7	4-Nitrophenol	0.65	ug/L	U	[NULL]	[NULL]	R	B09L05	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	11/11/1993 9:45	N	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B09L05	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	11/11/1993 9:45	Y	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B09L09	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/11/1993 9:45	Y	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B09L09	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/11/1993 9:45	N	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B09L05	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/11/1993 9:45	N	14234-35-6	Antimony-125	-1.47	pCi/L	U	[NULL]	[NULL]	R	B09L05	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-75	11/11/1993 9:45	N	7440-38-2	Arsenic	1.38	ug/L	U	[NULL]	[NULL]	R	B09L05	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-75	11/11/1993 9:45	Y	7440-38-2	Arsenic	1.38	ug/L	U	[NULL]	[NULL]	R	B09L09	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-75	11/11/1993 9:45	N	7440-39-3	Barium	27	ug/L	B	Q	[NULL]	R	B09L05	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/11/1993 9:45	Y	7440-39-3	Barium	27	ug/L	B	Q	[NULL]	R	B09L09	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/11/1993 9:45	Y	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B09L09	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/11/1993 9:45	N	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B09L05	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/11/1993 9:45	N	24959-67-9	Bromide	52.8	ug/L	U	[NULL]	[NULL]	R	B09L05	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	11/11/1993 9:45	Y	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B09L09	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/11/1993 9:45	N	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B09L05	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/11/1993 9:45	Y	7440-70-2	Calcium	27000	ug/L	B	Q	[NULL]	R	B09L09	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/11/1993 9:45	N	7440-70-2	Calcium	27000	ug/L	B	Q	[NULL]	R	B09L05	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/11/1993 9:45	N	10045-97-3	Cesium-137	-0.402	pCi/L	U	[NULL]	[NULL]	R	B09L05	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-75	11/11/1993 9:45	N	16887-00-6	Chloride	1400	ug/L	B	[NULL]	[NULL]	R	B09L05	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	11/11/1993 9:45	Y	7440-47-3	Chromium	5.42	ug/L	U	[NULL]	[NULL]	R	B09L09	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/11/1993 9:45	N	7440-47-3	Chromium	9.5	ug/L	L	[NULL]	[NULL]	R	B09L05	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/11/1993 9:45	Y	7440-48-4	Cobalt	4.05	ug/L	U	Q	[NULL]	R	B09L09	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/11/1993 9:45	N	7440-48-4	Cobalt	4.05	ug/L	U	Q	[NULL]	R	B09L05	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/11/1993 9:45	N	10198-40-0	Cobalt-60	-0.816	pCi/L	U	[NULL]	[NULL]	R	B09L05	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-75	11/11/1993 9:45	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B09L05	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-75	11/11/1993 9:45	N	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B09L05	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/11/1993 9:45	Y	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B09L09	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/11/1993 9:45	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1.35	ug/L	U	[NULL]	[NULL]	R	B09L05	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	11/11/1993 9:45	N	16984-48-8	Fluoride	400	ug/L	[NULL]	[NULL]	[NULL]	R	B09L05	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	11/11/1993 9:45	N	12587-46-1	Gross alpha	0.286	pCi/L	U	[NULL]	[NULL]	R	B09L05	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	11/11/1993 9:45	N	12587-47-2	Gross beta	2760	pCi/L	[NULL]	[NULL]	[NULL]	R	B09L05	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	11/11/1993 9:45	N	302-01-2	Hydrazine	1.89	ug/L	U	[NULL]	[NULL]	R	B09L05	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-75	11/11/1993 9:45	Y	7439-89-6	Iron	10.3	ug/L	U	[NULL]	[NULL]	R	B09L09	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	11/11/1993 9:45	N	7439-89-6	Iron	35	ug/L	B	[NULL]	[NULL]	R	B09L05	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/11/1993 9:45	Y	7439-92-1	Lead	0.508	ug/L	U	[NULL]	[NULL]	R	B09L09	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-75	11/11/1993 9:45	N	7439-92-1	Lead	0.508	ug/L	U	[NULL]	[NULL]	R	B09L05	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-75	11/11/1993 9:45	N	7439-95-4	Magnesium	4400	ug/L	[NULL]	[NULL]	[NULL]	R	B09L05	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/11/1993 9:45	Y	7439-95-4	Magnesium	4300	ug/L	[NULL]	[NULL]	[NULL]	R	B09L09	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/11/1993 9:45	Y	7439-96-5	Manganese	1.35	ug/L	U	[NULL]	[NULL]	R	B09L09	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/11/1993 9:45	N	7439-96-5	Manganese	2	ug/L	L	[NULL]	[NULL]	R	B09L05	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/11/1993 9:45	Y	7439-97-6	Mercury	0.158	ug/L	U	[NULL]	[NULL]	R	B09L09	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-75	11/11/1993 9:45	N	7439-97-6	Mercury	0.158	ug/L	U	[NULL]	[NULL]	R	B09L05	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-75	11/11/1993 9:45	N	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B09L05	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/11/1993 9:45	Y	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B09L09	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/11/1993 9:45	N	14797-55-8	Nitrate	6500	ug/L	B	[NULL]	[NULL]	R	B09L05	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	11/11/1993 9:45	N	14797-65-0	Nitrite	100	ug/L	BL	[NULL]	[NULL]	R	B09L05	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	11/11/1993 9:45	N	87-86-5	Pentachlorophenol	0.87	ug/L	U	[NULL]	[NULL]	R	B09L05	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	11/11/1993 9:45	N	108-95-2	Phenol	0.31	ug/L	U	[NULL]	[NULL]	R	B09L05	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	11/11/1993 9:45	N	14265-44-2	Phosphate	147	ug/L	U	[NULL]	[NULL]	R	B09L05	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	11/11/1993 9:45	Y	7440-09-7	Potassium	1300	ug/L	[NULL]	[NULL]	[NULL]	R	B09L09	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/11/1993 9:45	N	7440-09-7	Potassium	1600	ug/L	[NULL]	[NULL]	[NULL]	R	B09L05	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/11/1993 9:45	N	7440-14-4	Radium	0.087	pCi/L	U	[NULL]	[NULL]	R	B09L05	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-75	11/11/1993 9:45	N	13967-48-1	Ruthenium-106	-21.5	pCi/L	U	[NULL]	[NULL]	R	B09L05	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-75	11/11/1993 9:45	Y	7782-49-2	Selenium	2	ug/L	L	[NULL]	[NULL]	R	B09L09	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-75	11/11/1993 9:45	N	7782-49-2	Selenium	2	ug/L	L	[NULL]	[NULL]	R	B09L05	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-75	11/11/1993 9:45	N	7440-22-4	Silver	3.1	ug/L	L	[NULL]	[NULL]	R	B09L05	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/11/1993 9:45	Y	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B09L09	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/11/1993 9:45	N	7440-23-5	Sodium	2800	ug/L	B	Q	[NULL]	R	B09L05	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/11/1993 9:45	Y	7440-23-5	Sodium	2800	ug/L	B	Q	[NULL]	R	B09L09	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/11/1993 9:45	N	CONDUCT	Specific Conductance	173	uS/cm	[NULL]	[NULL]	[NULL]	R	B09L05	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	11/11/1993 9:45	N	CONDUCT	Specific Conductance	180	uS/cm	[NULL]	[NULL]	[NULL]	R	B09L07	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-75	11/11/1993 9:45	N	CONDUCT	Specific Conductance	180	uS/cm	[NULL]	[NULL]	[NULL]	R	B09L06	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-75	11/11/1993 9:45	N	CONDUCT	Specific Conductance	180	uS/cm	[NULL]	[NULL]	[NULL]	R	B09L05	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-75	11/11/1993 9:45	N	CONDUCT	Specific Conductance	180	uS/cm	[NULL]	[NULL]	[NULL]	R	B09L08	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-75	11/11/1993 9:45	N	CONDUCT	Specific Conductance	172	uS/cm	[NULL]	[NULL]	[NULL]	R	B09L08	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	11/11/1993 9:45	N	CONDUCT	Specific Conductance	173	uS/cm	[NULL]	[NULL]	[NULL]	R	B09L07	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	11/11/1993 9:45	N	CONDUCT	Specific Conductance	173	uS/cm	[NULL]	[NULL]	[NULL]	R	B09L06	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	11/11/1993 9:45	N	10098-97-2	Strontium-90	1000	pCi/L	[NULL]	[NULL]	[NULL]	R	B09L05	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	11/11/1993 9:45	N	14808-79-8	Sulfate	11000	ug/L	D	[NULL]	[NULL]	R	B09L05	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	11/11/1993 9:45	N	TEMPERATURE	Temperature	19.8	Deg C	[NULL]	[NULL]	[NULL]	R	B09L06	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	11/11/1993 9:45	N	TEMPERATURE	Temperature	19.8	Deg C	[NULL]	[NULL]	[NULL]	R	B09L05	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	11/11/1993 9:45	N	TEMPERATURE	Temperature	19.8	Deg C	[NULL]	[NULL]	[NULL]	R	B09L07	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	11/11/1993 9:45	N	TEMPERATURE	Temperature	19.8	Deg C	[NULL]	[NULL]	[NULL]	R	B09L08	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	11/11/1993 9:45	N	25167-83-3	Tetrachlorophenol	1.05	ug/L	U	[NULL]	[NULL]	R	B09L05	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	11/11/1993 9:45	Y	7440-31-5	Tin	51.1	ug/L	U	Q	[NULL]	R	B09L09	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/11/1993 9:45	N	7440-31-5	Tin	51.1	ug/L	U	Q	[NULL]	R	B09L05	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/11/1993 9:45	N	1319-77-3	Total cresols	4.66	ug/L	U	[NULL]	[NULL]	R	B09L05	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	11/11/1993 9:45	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B09L05	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	11/11/1993 9:45	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B09L06	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	11/11/1993 9:45	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B09L07	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	11/11/1993 9:45	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B09L08	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	11/11/1993 9:45	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B09L05	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-75	11/11/1993 9:45	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B09L06	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-75	11/11/1993 9:45	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B09L08	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-75	11/11/1993 9:45	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B09L07	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-75	11/11/1993 9:45	N	25167-82-2	Trichlorophenol	1.11	ug/L	U	[NULL]	[NULL]	R	B09L05	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	11/11/1993 9:45	N	10028-17-8	Tritium	66900	pCi/L	[NULL]	[NULL]	[NULL]	R	B09L05	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-75	11/11/1993 9:45	N	TURBIDITY	Turbidity	1.1	NTU	[NULL]	Q	[NULL]	R	B09L05	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	11/11/1993 9:45	N	7440-62-2	Vanadium	3.84	ug/L	U	[NULL]	[NULL]	R	B09L05	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/11/1993 9:45	Y	7440-62-2	Vanadium	3.84	ug/L	U	[NULL]	[NULL]	R	B09L09	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/11/1993 9:45	Y	7440-66-6	Zinc	13	ug/L	[NULL]	[NULL]	[NULL]	R	B09L09	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/11/1993 9:45	N	7440-66-6	Zinc	14	ug/L	[NULL]	[NULL]	[NULL]	R	B09L05	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	11/11/1993 9:45	N	PH	pH Measurement	7.98	unitless	[NULL]	[NULL]	[NULL]	R	B09L06	PH	FIELD	9040_PH	100-NR-2
199-N-75	11/11/1993 9:45	N	PH	pH Measurement	7.98	unitless	[NULL]	[NULL]	[NULL]	R	B09L05	PH	FIELD	9040_PH	100-NR-2
199-N-75	11/11/1993 9:45	N	PH	pH Measurement	7.97	unitless	[NULL]	[NULL]	[NULL]	R	B09L07	PH	FIELD	9040_PH	100-NR-2
199-N-75	11/11/1993 9:45	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	B09L05	PH	DATACH	D1293_PH	100-NR-2
199-N-75	11/11/1993 9:45	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	B09L08	PH	DATACH	D1293_PH	100-NR-2
199-N-75	11/11/1993 9:45	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	B09L07	PH	DATACH	D1293_PH	100-NR-2
199-N-75	11/11/1993 9:45	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	B09L06	PH	DATACH	D1293_PH	100-NR-2
199-N-75	11/11/1993 9:45	N	PH	pH Measurement	7.93	unitless	[NULL]	[NULL]	[NULL]	R	B09L08	PH	FIELD	9040_PH	100-NR-2
199-N-75	2/1/1994 10:00	N	88-06-2	2,4,6-Trichlorophenol	1.45	ug/L	U	[NULL]	[NULL]	R	B09TT4	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	2/1/1994 10:00	N	120-83-2	2,4-Dichlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B09TT4	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	2/1/1994 10:00	N	105-67-9	2,4-Dimethylphenol	1.01	ug/L	U	[NULL]	[NULL]	R	B09TT4	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	2/1/1994 10:00	N	51-28-5	2,4-Dinitrophenol	0.96	ug/L	U	[NULL]	[NULL]	R	B09TT4	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	2/1/1994 10:00	N	87-65-0	2,6-Dichlorophenol	1.59	ug/L	U	[NULL]	[NULL]	R	B09TT4	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	2/1/1994 10:00	N	95-57-8	2-Chlorophenol	1.42	ug/L	U	[NULL]	[NULL]	R	B09TT4	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	2/1/1994 10:00	N	88-75-5	2-Nitrophenol	1.56	ug/L	U	[NULL]	[NULL]	R	B09TT4	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	2/1/1994 10:00	N	534-52-1	4,6-Dinitro-2-methylphenol	1.18	ug/L	U	[NULL]	[NULL]	R	B09TT4	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	2/1/1994 10:00	N	59-50-7	4-Chloro-3-methylphenol	1.12	ug/L	U	[NULL]	[NULL]	R	B09TT4	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	2/1/1994 10:00	N	100-02-7	4-Nitrophenol	0.65	ug/L	U	[NULL]	[NULL]	R	B09TT4	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	2/1/1994 10:00	N	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B09TT4	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	Y	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B09TT8	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	N	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B09TT4	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	Y	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B09TT8	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	N	14234-35-6	Antimony-125	0.352	pCi/L	U	[NULL]	[NULL]	R	B09TT4	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-75	2/1/1994 10:00	Y	7440-38-2	Arsenic	1.38	ug/L	U	[NULL]	[NULL]	R	B09TT8	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-75	2/1/1994 10:00	N	7440-38-2	Arsenic	1.38	ug/L	U	[NULL]	[NULL]	R	B09TT4	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-75	2/1/1994 10:00	Y	7440-39-3	Barium	25	ug/L	B	[NULL]	[NULL]	R	B09TT8	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	N	7440-39-3	Barium	25	ug/L	B	[NULL]	[NULL]	R	B09TT4	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	N	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B09TT4	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	Y	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B09TT8	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	N	24959-67-9	Bromide	52.8	ug/L	U	[NULL]	[NULL]	R	B09TT4	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	2/1/1994 10:00	Y	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B09TT8	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	N	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B09TT4	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	N	7440-70-2	Calcium	27000	ug/L	B	[NULL]	[NULL]	R	B09TT4	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	Y	7440-70-2	Calcium	26000	ug/L	B	[NULL]	[NULL]	R	B09TT8	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	N	10045-97-3	Cesium-137	1.22	pCi/L	U	[NULL]	[NULL]	R	B09TT4	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-75	2/1/1994 10:00	N	16887-00-6	Chloride	1400	ug/L	[NULL]	[NULL]	[NULL]	R	B09TT4	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	2/1/1994 10:00	Y	7440-47-3	Chromium	5.42	ug/L	U	[NULL]	[NULL]	R	B09TT8	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	N	7440-47-3	Chromium	9.6	ug/L	L	[NULL]	[NULL]	R	B09TT4	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	N	7440-48-4	Cobalt	4.05	ug/L	U	[NULL]	[NULL]	R	B09TT4	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	Y	7440-48-4	Cobalt	4.05	ug/L	U	[NULL]	[NULL]	R	B09TT8	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	N	10198-40-0	Cobalt-60	9.83	pCi/L	[NULL]	[NULL]	[NULL]	R	B09TT4	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-75	2/1/1994 10:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B09TT4	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-75	2/1/1994 10:00	N	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B09TT4	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	Y	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B09TT8	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1.35	ug/L	U	[NULL]	[NULL]	R	B09TT4	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	2/1/1994 10:00	N	16984-48-8	Fluoride	300	ug/L	[NULL]	[NULL]	[NULL]	R	B09TT4	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	2/1/1994 10:00	N	12587-46-1	Gross alpha	0.553	pCi/L	U	[NULL]	[NULL]	R	B09TT4	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	2/1/1994 10:00	N	12587-47-2	Gross beta	2470	pCi/L	[NULL]	[NULL]	[NULL]	R	B09TT4	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	2/1/1994 10:00	N	302-01-2	Hydrazine	1.89	ug/L	U	[NULL]	[NULL]	R	B09TT4	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-75	2/1/1994 10:00	Y	7439-89-6	Iron	16	ug/L	L	Q	[NULL]	R	B09TT8	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	N	7439-89-6	Iron	52	ug/L	[NULL]	Q	[NULL]	R	B09TT4	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	N	7439-92-1	Lead	0.508	ug/L	U	[NULL]	[NULL]	R	B09TT4	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-75	2/1/1994 10:00	Y	7439-92-1	Lead	0.508	ug/L	U	[NULL]	[NULL]	R	B09TT8	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-75	2/1/1994 10:00	Y	7439-95-4	Magnesium	4200	ug/L	[NULL]	[NULL]	[NULL]	R	B09TT8	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	N	7439-95-4	Magnesium	4200	ug/L	[NULL]	[NULL]	[NULL]	R	B09TT4	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	N	7439-96-5	Manganese	1.35	ug/L	U	[NULL]	[NULL]	R	B09TT4	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	Y	7439-96-5	Manganese	1.35	ug/L	U	[NULL]	[NULL]	R	B09TT8	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	Y	7439-97-6	Mercury	0.158	ug/L	U	[NULL]	[NULL]	R	B09TT8	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-75	2/1/1994 10:00	N	7439-97-6	Mercury	0.158	ug/L	U	[NULL]	[NULL]	R	B09TT4	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-75	2/1/1994 10:00	N	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B09TT4	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	Y	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B09TT8	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	N	14797-55-8	Nitrate	7000	ug/L	[NULL]	[NULL]	[NULL]	R	B09TT4	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	2/1/1994 10:00	N	14797-65-0	Nitrite	38.3	ug/L	U	[NULL]	[NULL]	R	B09TT4	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	2/1/1994 10:00	N	87-86-5	Pentachlorophenol	0.87	ug/L	U	[NULL]	[NULL]	R	B09TT4	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	2/1/1994 10:00	N	108-95-2	Phenol	0.31	ug/L	U	[NULL]	[NULL]	R	B09TT4	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	2/1/1994 10:00	N	14265-44-2	Phosphate	147	ug/L	U	[NULL]	[NULL]	R	B09TT4	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	2/1/1994 10:00	Y	7440-09-7	Potassium	1700	ug/L	B	[NULL]	[NULL]	R	B09TT8	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	N	7440-09-7	Potassium	1700	ug/L	B	[NULL]	[NULL]	R	B09TT4	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	N	7440-14-4	Radium	0.094	pCi/L	U	[NULL]	[NULL]	R	B09TT4	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-75	2/1/1994 10:00	N	13967-48-1	Ruthenium-106	1.44	pCi/L	U	[NULL]	[NULL]	R	B09TT4	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-75	2/1/1994 10:00	N	7782-49-2	Selenium	1.21	ug/L	U	[NULL]	[NULL]	R	B09TT4	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-75	2/1/1994 10:00	Y	7782-49-2	Selenium	1.21	ug/L	U	[NULL]	[NULL]	R	B09TT8	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-75	2/1/1994 10:00	Y	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B09TT8	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	N	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B09TT4	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	Y	7440-23-5	Sodium	2600	ug/L	B	[NULL]	[NULL]	R	B09TT8	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	N	7440-23-5	Sodium	2600	ug/L	B	[NULL]	[NULL]	R	B09TT4	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	N	CONDUCT	Specific Conductance	178	uS/cm	[NULL]	[NULL]	[NULL]	R	B09TT4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	2/1/1994 10:00	N	CONDUCT	Specific Conductance	180	uS/cm	[NULL]	[NULL]	[NULL]	R	B09TT4	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-75	2/1/1994 10:00	N	CONDUCT	Specific Conductance	180	uS/cm	[NULL]	[NULL]	[NULL]	R	B09TT5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	2/1/1994 10:00	N	CONDUCT	Specific Conductance	180	uS/cm	[NULL]	[NULL]	[NULL]	R	B09TT5	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-75	2/1/1994 10:00	N	CONDUCT	Specific Conductance	180	uS/cm	[NULL]	[NULL]	[NULL]	R	B09TT7	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-75	2/1/1994 10:00	N	CONDUCT	Specific Conductance	180	uS/cm	[NULL]	[NULL]	[NULL]	R	B09TT6	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-75	2/1/1994 10:00	N	CONDUCT	Specific Conductance	182	uS/cm	[NULL]	[NULL]	[NULL]	R	B09TT6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	2/1/1994 10:00	N	CONDUCT	Specific Conductance	187	uS/cm	[NULL]	[NULL]	[NULL]	R	B09TT7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	2/1/1994 10:00	N	10098-97-2	Strontium-90	1490	pCi/L	[NULL]	[NULL]	[NULL]	R	B09TT4	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	2/1/1994 10:00	N	14808-79-8	Sulfate	12000	ug/L	D	[NULL]	[NULL]	R	B09TT4	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	2/1/1994 10:00	N	TEMPERATURE	Temperature	20.2	Deg C	[NULL]	[NULL]	[NULL]	R	B09TT4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	2/1/1994 10:00	N	25167-83-3	Tetrachlorophenol	1.05	ug/L	U	[NULL]	[NULL]	R	B09TT4	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	2/1/1994 10:00	N	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B09TT4	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	Y	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B09TT8	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	N	1319-77-3	Total cresols	4.66	ug/L	U	[NULL]	[NULL]	R	B09TT4	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	2/1/1994 10:00	N	TOC	Total organic carbon	200	ug/L	U	[NULL]	[NULL]	R	B09TT4	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	2/1/1994 10:00	N	TOC	Total organic carbon	200	ug/L	U	[NULL]	[NULL]	R	B09TT6	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	2/1/1994 10:00	N	TOC	Total organic carbon	200	ug/L	U	[NULL]	[NULL]	R	B09TT7	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	2/1/1994 10:00	N	TOC	Total organic carbon	200	ug/L	U	[NULL]	[NULL]	R	B09TT5	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	2/1/1994 10:00	N	59473-04-0	Total organic halides	7.1	ug/L	[NULL]	[NULL]	[NULL]	R	B09TT5	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-75	2/1/1994 10:00	N	59473-04-0	Total organic halides	5.5	ug/L	[NULL]	[NULL]	[NULL]	R	B09TT4	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-75	2/1/1994 10:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B09TT7	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-75	2/1/1994 10:00	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B09TT6	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-75	2/1/1994 10:00	N	25167-82-2	Trichlorophenol	1.11	ug/L	U	[NULL]	[NULL]	R	B09TT4	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	2/1/1994 10:00	N	10028-17-8	Tritium	68800	pCi/L	[NULL]	[NULL]	[NULL]	R	B09TT4	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-75	2/1/1994 10:00	N	TURBIDITY	Turbidity	1	NTU	[NULL]	[NULL]	[NULL]	R	B09TT4	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-75	2/1/1994 10:00	Y	7440-62-2	Vanadium	3.84	ug/L	U	[NULL]	[NULL]	R	B09TT8	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	2/1/1994 10:00	N	7440-62-2	Vanadium	3.84	ug/L	U	[NULL]	[NULL]	R	B09TT4	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	Y	7440-66-6	Zinc	13	ug/L	B	[NULL]	[NULL]	R	B09TT8	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	N	7440-66-6	Zinc	10	ug/L	B	[NULL]	[NULL]	R	B09TT4	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	2/1/1994 10:00	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	R	B09TT5	PH	FIELD	9040_PH	100-NR-2
199-N-75	2/1/1994 10:00	N	PH	pH Measurement	7.82	unitless	[NULL]	[NULL]	[NULL]	R	B09TT4	PH	FIELD	9040_PH	100-NR-2
199-N-75	2/1/1994 10:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B09TT4	PH	DATACH	D1293_PH	100-NR-2
199-N-75	2/1/1994 10:00	N	PH	pH Measurement	7.99	unitless	[NULL]	[NULL]	[NULL]	R	B09TT6	PH	FIELD	9040_PH	100-NR-2
199-N-75	2/1/1994 10:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B09TT6	PH	DATACH	D1293_PH	100-NR-2
199-N-75	2/1/1994 10:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B09TT7	PH	DATACH	D1293_PH	100-NR-2
199-N-75	2/1/1994 10:00	N	PH	pH Measurement	7.77	unitless	[NULL]	[NULL]	[NULL]	R	B09TT7	PH	FIELD	9040_PH	100-NR-2
199-N-75	2/1/1994 10:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	B09TT5	PH	DATACH	D1293_PH	100-NR-2
199-N-75	5/12/1994 8:45	N	88-06-2	2,4,6-Trichlorophenol	1.6	ug/L	U	[NULL]	[NULL]	R	B0BWL6	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	5/12/1994 8:45	N	120-83-2	2,4-Dichlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B0BWL6	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	5/12/1994 8:45	N	105-67-9	2,4-Dimethylphenol	1.5	ug/L	U	[NULL]	[NULL]	R	B0BWL6	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	5/12/1994 8:45	N	51-28-5	2,4-Dinitrophenol	1.8	ug/L	U	[NULL]	[NULL]	R	B0BWL6	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	5/12/1994 8:45	N	87-65-0	2,6-Dichlorophenol	2.2	ug/L	U	[NULL]	[NULL]	R	B0BWL6	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	5/12/1994 8:45	N	95-57-8	2-Chlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B0BWL6	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	5/12/1994 8:45	N	88-75-5	2-Nitrophenol	1.7	ug/L	U	[NULL]	[NULL]	R	B0BWL6	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	5/12/1994 8:45	N	534-52-1	4,6-Dinitro-2-methylphenol	1.6	ug/L	U	[NULL]	[NULL]	R	B0BWL6	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	5/12/1994 8:45	N	59-50-7	4-Chloro-3-methylphenol	1.5	ug/L	U	[NULL]	[NULL]	R	B0BWL6	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	5/12/1994 8:45	N	100-02-7	4-Nitrophenol	1.4	ug/L	U	[NULL]	[NULL]	R	B0BWL6	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	5/12/1994 8:45	N	7429-90-5	Aluminum	44	ug/L	BL	[NULL]	[NULL]	R	B0BWL6	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	Y	7429-90-5	Aluminum	43	ug/L	BL	[NULL]	[NULL]	R	B0BWM0	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	Y	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0BWM0	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	N	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0BWL6	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	N	14234-35-6	Antimony-125	9.01	pCi/L	U	[NULL]	[NULL]	R	B0BWL6	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-75	5/12/1994 8:45	Y	7440-38-2	Arsenic	0.64	ug/L	U	[NULL]	[NULL]	R	B0BWM0	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-75	5/12/1994 8:45	N	7440-38-2	Arsenic	0.64	ug/L	U	[NULL]	[NULL]	R	B0BWL6	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-75	5/12/1994 8:45	N	7440-39-3	Barium	26	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWL6	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	Y	7440-39-3	Barium	26	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWM0	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	N	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0BWL6	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	Y	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0BWM0	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	N	24959-67-9	Bromide	110	ug/L	U	[NULL]	[NULL]	R	B0BWL6	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	5/12/1994 8:45	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0BWM0	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0BWL6	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	Y	7440-70-2	Calcium	27000	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWM0	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	N	7440-70-2	Calcium	27000	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWL6	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	N	10045-97-3	Cesium-137	0.608	pCi/L	U	[NULL]	[NULL]	R	B0BWL6	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-75	5/12/1994 8:45	N	16887-00-6	Chloride	1400	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWL6	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	5/12/1994 8:45	N	7440-47-3	Chromium	11	ug/L	L	[NULL]	[NULL]	R	B0BWL6	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	Y	7440-47-3	Chromium	11	ug/L	U	[NULL]	[NULL]	R	B0BWM0	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	Y	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0BWM0	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	N	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0BWL6	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	N	10198-40-0	Cobalt-60	8.36	pCi/L	[NULL]	[NULL]	[NULL]	R	B0BWL6	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-75	5/12/1994 8:45	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B0BWL6	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-75	5/12/1994 8:45	N	7440-50-8	Copper	4.4	ug/L	L	[NULL]	[NULL]	R	B0BWL6	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	Y	7440-50-8	Copper	3.2	ug/L	L	[NULL]	[NULL]	R	B0BWM0	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1.7	ug/L	U	[NULL]	[NULL]	R	B0BWL6	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	5/12/1994 8:45	N	16984-48-8	Fluoride	300	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWL6	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	5/12/1994 8:45	N	12587-46-1	Gross alpha	0.851	pCi/L	U	[NULL]	[NULL]	R	B0BWL6	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	5/12/1994 8:45	N	12587-47-2	Gross beta	2640	pCi/L	[NULL]	[NULL]	[NULL]	R	B0BWL6	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	5/12/1994 8:45	N	302-01-2	Hydrazine	2.3	ug/L	U	[NULL]	[NULL]	R	B0BWL6	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	5/12/1994 8:45	Y	7439-89-6	Iron	29	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWM0	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	N	7439-89-6	Iron	69	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWL6	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	Y	7439-92-1	Lead	1.2	ug/L	BL	[NULL]	[NULL]	R	B0BWM0	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-75	5/12/1994 8:45	N	7439-92-1	Lead	1.4	ug/L	BL	[NULL]	[NULL]	R	B0BWL6	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-75	5/12/1994 8:45	N	7439-95-4	Magnesium	4200	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWL6	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	Y	7439-95-4	Magnesium	4100	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWM0	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	N	7439-96-5	Manganese	2.3	ug/L	L	[NULL]	[NULL]	R	B0BWL6	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	Y	7439-96-5	Manganese	1.7	ug/L	L	[NULL]	[NULL]	R	B0BWM0	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	N	7439-97-6	Mercury	0.095	ug/L	U	[NULL]	[NULL]	R	B0BWL6	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-75	5/12/1994 8:45	Y	7439-97-6	Mercury	0.095	ug/L	U	[NULL]	[NULL]	R	B0BWM0	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-75	5/12/1994 8:45	N	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0BWL6	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	Y	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0BWM0	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	N	14797-55-8	Nitrate	7100	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWL6	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	5/12/1994 8:45	N	14797-65-0	Nitrite	110	ug/L	U	[NULL]	[NULL]	R	B0BWL6	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	5/12/1994 8:45	N	87-86-5	Pentachlorophenol	1.7	ug/L	U	[NULL]	[NULL]	R	B0BWL6	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	5/12/1994 8:45	N	108-95-2	Phenol	0.57	ug/L	U	[NULL]	[NULL]	R	B0BWL6	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	5/12/1994 8:45	N	14265-44-2	Phosphate	470	ug/L	U	[NULL]	[NULL]	R	B0BWL6	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	5/12/1994 8:45	Y	7440-09-7	Potassium	2100	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWM0	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	N	7440-09-7	Potassium	1900	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWL6	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	N	7440-14-4	Radium	0.197	pCi/L	U	[NULL]	[NULL]	R	B0BWL6	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-75	5/12/1994 8:45	N	13967-48-1	Ruthenium-106	-54.6	pCi/L	U	[NULL]	[NULL]	R	B0BWL6	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-75	5/12/1994 8:45	N	7782-49-2	Selenium	1.4	ug/L	U	[NULL]	[NULL]	R	B0BWL6	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-75	5/12/1994 8:45	Y	7782-49-2	Selenium	1.4	ug/L	U	[NULL]	[NULL]	R	B0BWM0	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-75	5/12/1994 8:45	N	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0BWL6	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	Y	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0BWM0	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	Y	7440-23-5	Sodium	2700	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWM0	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	N	7440-23-5	Sodium	2700	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWL6	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	N	CONDUCT	Specific Conductance	165	uS/cm	[NULL]	[NULL]	[NULL]	R	B0BWL8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	5/12/1994 8:45	N	CONDUCT	Specific Conductance	170	uS/cm	[NULL]	[NULL]	[NULL]	R	B0BWL6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	5/12/1994 8:45	N	CONDUCT	Specific Conductance	164	uS/cm	[NULL]	[NULL]	[NULL]	R	B0BWL7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	5/12/1994 8:45	N	CONDUCT	Specific Conductance	165	uS/cm	[NULL]	[NULL]	[NULL]	R	B0BWL9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	5/12/1994 8:45	N	CONDUCT	Specific Conductance	180	uS/cm	[NULL]	[NULL]	[NULL]	R	B0BWL6	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-75	5/12/1994 8:45	N	10098-97-2	Strontium-90	1360	pCi/L	[NULL]	[NULL]	[NULL]	R	B0BWL6	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	5/12/1994 8:45	N	14808-79-8	Sulfate	13000	ug/L	D	[NULL]	[NULL]	R	B0BWL6	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	5/12/1994 8:45	N	TEMPERATURE	Temperature	20.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0BWL6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	5/12/1994 8:45	N	25167-83-3	Tetrachlorophenol	1.4	ug/L	U	[NULL]	[NULL]	R	B0BWL6	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	5/12/1994 8:45	Y	7440-31-5	Tin	130	ug/L	B	Q	[NULL]	R	B0BWM0	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	N	7440-31-5	Tin	95	ug/L	BL	Q	[NULL]	R	B0BWL6	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	N	1319-77-3	Total cresols	4.8	ug/L	U	[NULL]	[NULL]	R	B0BWL6	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	5/12/1994 8:45	N	TOC	Total organic carbon	320	ug/L	U	[NULL]	[NULL]	R	B0BWL9	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	5/12/1994 8:45	N	TOC	Total organic carbon	340	ug/L	L	[NULL]	[NULL]	R	B0BWL6	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	5/12/1994 8:45	N	TOC	Total organic carbon	320	ug/L	U	[NULL]	[NULL]	R	B0BWL7	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	5/12/1994 8:45	N	TOC	Total organic carbon	320	ug/L	U	[NULL]	[NULL]	R	B0BWL8	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	5/12/1994 8:45	N	59473-04-0	Total organic halides	7.2	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWL6	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-75	5/12/1994 8:45	N	59473-04-0	Total organic halides	6.6	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWL7	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-75	5/12/1994 8:45	N	59473-04-0	Total organic halides	5.7	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWL8	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-75	5/12/1994 8:45	N	25167-82-2	Trichlorophenol	2.1	ug/L	U	[NULL]	[NULL]	R	B0BWL6	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	5/12/1994 8:45	N	10028-17-8	Tritium	68800	pCi/L	[NULL]	[NULL]	[NULL]	R	B0BWL6	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-75	5/12/1994 8:45	N	TURBIDITY	Turbidity	1.4	NTU	[NULL]	[NULL]	[NULL]	R	B0BWL6	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-75	5/12/1994 8:45	N	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0BWL6	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	Y	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0BWM0	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	N	7440-66-6	Zinc	15	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWL6	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	Y	7440-66-6	Zinc	9.1	ug/L	L	[NULL]	[NULL]	R	B0BWM0	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	5/12/1994 8:45	N	PH	pH Measurement	7.37	unitless	[NULL]	[NULL]	[NULL]	R	B0BWL6	PH	FIELD	9040_PH	100-NR-2
199-N-75	5/12/1994 8:45	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B0BWL6	PH	DATACH	D1293_PH	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	5/12/1994 8:45	N	PH	pH Measurement	7.42	unitless	[NULL]	[NULL]	[NULL]	R	B0BWL7	PH	FIELD	9040_PH	100-NR-2
199-N-75	5/12/1994 8:45	N	PH	pH Measurement	7.46	unitless	[NULL]	[NULL]	[NULL]	R	B0BWL9	PH	FIELD	9040_PH	100-NR-2
199-N-75	5/12/1994 8:45	N	PH	pH Measurement	7.46	unitless	[NULL]	[NULL]	[NULL]	R	B0BWL8	PH	FIELD	9040_PH	100-NR-2
199-N-75	6/15/1994 10:55	N	7429-90-5	Aluminum	110	ug/L	L	[NULL]	[NULL]	R	B0C237	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	Y	7429-90-5	Aluminum	19	ug/L	U	[NULL]	[NULL]	R	B0C238	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	N	7440-36-0	Antimony	35	ug/L	L	[NULL]	[NULL]	R	B0C237	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	Y	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C238	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	Y	7440-38-2	Arsenic	0.64	ug/L	U	[NULL]	[NULL]	R	B0C238	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-75	6/15/1994 10:55	N	7440-38-2	Arsenic	0.64	ug/L	U	[NULL]	[NULL]	R	B0C237	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-75	6/15/1994 10:55	Y	7440-39-3	Barium	24	ug/L	[NULL]	[NULL]	[NULL]	R	B0C238	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	N	7440-39-3	Barium	25	ug/L	[NULL]	[NULL]	[NULL]	R	B0C237	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	N	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C237	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	Y	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C238	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	N	24959-67-9	Bromide	110	ug/L	U	[NULL]	[NULL]	R	B0C237	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	6/15/1994 10:55	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C238	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C237	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	N	7440-70-2	Calcium	27000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C237	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	Y	7440-70-2	Calcium	26000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C238	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	N	16887-00-6	Chloride	1300	ug/L	[NULL]	[NULL]	[NULL]	R	B0C237	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	6/15/1994 10:55	N	7440-47-3	Chromium	11	ug/L	U	[NULL]	[NULL]	R	B0C237	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	Y	7440-47-3	Chromium	11	ug/L	U	[NULL]	[NULL]	R	B0C238	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	N	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C237	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	Y	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C238	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	N	7440-50-8	Copper	2.6	ug/L	U	[NULL]	[NULL]	R	B0C237	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	Y	7440-50-8	Copper	2.6	ug/L	U	[NULL]	[NULL]	R	B0C238	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	N	16984-48-8	Fluoride	300	ug/L	[NULL]	[NULL]	[NULL]	R	B0C237	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	6/15/1994 10:55	N	7439-89-6	Iron	310	ug/L	[NULL]	Q	[NULL]	R	B0C237	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	Y	7439-89-6	Iron	29	ug/L	[NULL]	Q	[NULL]	R	B0C238	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	Y	7439-92-1	Lead	0.86	ug/L	U	[NULL]	[NULL]	R	B0C238	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-75	6/15/1994 10:55	N	7439-92-1	Lead	0.72	ug/L	BL	[NULL]	[NULL]	R	B0C237	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-75	6/15/1994 10:55	N	7439-95-4	Magnesium	4200	ug/L	[NULL]	[NULL]	[NULL]	R	B0C237	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	Y	7439-95-4	Magnesium	4000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C238	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	N	7439-96-5	Manganese	7.6	ug/L	L	[NULL]	[NULL]	R	B0C237	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	Y	7439-96-5	Manganese	1	ug/L	U	[NULL]	[NULL]	R	B0C238	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	Y	7439-97-6	Mercury	0.095	ug/L	U	[NULL]	[NULL]	R	B0C238	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-75	6/15/1994 10:55	N	7439-97-6	Mercury	0.095	ug/L	U	[NULL]	[NULL]	R	B0C237	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-75	6/15/1994 10:55	N	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0C237	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	Y	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0C238	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	N	14797-55-8	Nitrate	6900	ug/L	[NULL]	[NULL]	[NULL]	R	B0C237	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	6/15/1994 10:55	N	14797-65-0	Nitrite	110	ug/L	U	[NULL]	[NULL]	R	B0C237	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	6/15/1994 10:55	N	14265-44-2	Phosphate	470	ug/L	U	[NULL]	[NULL]	R	B0C237	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	6/15/1994 10:55	N	7440-09-7	Potassium	1800	ug/L	[NULL]	[NULL]	[NULL]	R	B0C237	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	Y	7440-09-7	Potassium	1800	ug/L	[NULL]	[NULL]	[NULL]	R	B0C238	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	Y	7782-49-2	Selenium	1.4	ug/L	U	[NULL]	[NULL]	R	B0C238	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-75	6/15/1994 10:55	N	7782-49-2	Selenium	1.4	ug/L	U	[NULL]	[NULL]	R	B0C237	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-75	6/15/1994 10:55	Y	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C238	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	N	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C237	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	Y	7440-23-5	Sodium	2600	ug/L	[NULL]	[NULL]	[NULL]	R	B0C238	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	N	7440-23-5	Sodium	2600	ug/L	[NULL]	[NULL]	[NULL]	R	B0C237	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	N	10098-97-2	Strontium-90	1060	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C237	SR-RAD	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	6/15/1994 10:55	Y	10098-97-2	Strontium-90	1080	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C238	SR-RAD	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	6/15/1994 10:55	Y	10098-97-2	Strontium-90	1080	pCi/L	[NULL]	HG	[NULL]	R	B0C238	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	6/15/1994 10:55	N	10098-97-2	Strontium-90	1060	pCi/L	[NULL]	HG	[NULL]	R	B0C237	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	6/15/1994 10:55	N	14808-79-8	Sulfate	13000	ug/L	D	[NULL]	[NULL]	R	B0C237	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	6/15/1994 10:55	N	18496-25-8	Sulfide	200	ug/L	L	[NULL]	[NULL]	R	B0C237	18496-25-8	DATACH	9030_SULFIDE	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	6/15/1994 10:55	N	7440-28-0	Thallium	1.2	ug/L	U	[NULL]	[NULL]	R	B0C237	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-75	6/15/1994 10:55	Y	7440-28-0	Thallium	1.2	ug/L	U	[NULL]	[NULL]	R	B0C238	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-75	6/15/1994 10:55	N	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0C237	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	Y	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0C238	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	N	10028-17-8	Tritium	71300	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C237	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-75	6/15/1994 10:55	N	TURBIDITY	Turbidity	3.2	NTU	[NULL]	[NULL]	[NULL]	R	B0C237	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-75	6/15/1994 10:55	Y	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0C238	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	N	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0C237	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	Y	7440-66-6	Zinc	24	ug/L	B	[NULL]	[NULL]	R	B0C238	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 10:55	N	7440-66-6	Zinc	88	ug/L	B	[NULL]	[NULL]	R	B0C237	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	N	7429-90-5	Aluminum	19	ug/L	U	[NULL]	[NULL]	R	B0C241	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	Y	7429-90-5	Aluminum	19	ug/L	U	[NULL]	[NULL]	R	B0C242	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	Y	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C242	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	N	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C241	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	N	7440-38-2	Arsenic	0.64	ug/L	U	[NULL]	[NULL]	R	B0C241	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-75	6/15/1994 11:25	Y	7440-38-2	Arsenic	0.64	ug/L	U	[NULL]	[NULL]	R	B0C242	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-75	6/15/1994 11:25	N	7440-39-3	Barium	24	ug/L	[NULL]	[NULL]	[NULL]	R	B0C241	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	Y	7440-39-3	Barium	26	ug/L	[NULL]	[NULL]	[NULL]	R	B0C242	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	N	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C241	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	Y	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C242	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	N	24959-67-9	Bromide	110	ug/L	U	[NULL]	[NULL]	R	B0C241	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	6/15/1994 11:25	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C241	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C242	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	Y	7440-70-2	Calcium	27000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C242	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	N	7440-70-2	Calcium	26000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C241	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	N	16887-00-6	Chloride	1400	ug/L	[NULL]	[NULL]	[NULL]	R	B0C241	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	6/15/1994 11:25	Y	7440-47-3	Chromium	11	ug/L	U	[NULL]	[NULL]	R	B0C242	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	N	7440-47-3	Chromium	11	ug/L	U	[NULL]	[NULL]	R	B0C241	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	Y	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C242	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	N	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C241	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	Y	7440-50-8	Copper	2.6	ug/L	U	[NULL]	[NULL]	R	B0C242	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	N	7440-50-8	Copper	3.7	ug/L	BL	[NULL]	[NULL]	R	B0C241	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	N	16984-48-8	Fluoride	400	ug/L	[NULL]	[NULL]	[NULL]	R	B0C241	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	6/15/1994 11:25	N	7439-89-6	Iron	64	ug/L	[NULL]	Q	[NULL]	R	B0C241	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	Y	7439-89-6	Iron	22	ug/L	[NULL]	Q	[NULL]	R	B0C242	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	Y	7439-92-1	Lead	0.86	ug/L	U	[NULL]	[NULL]	R	B0C242	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-75	6/15/1994 11:25	N	7439-92-1	Lead	1.4	ug/L	BL	[NULL]	[NULL]	R	B0C241	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-75	6/15/1994 11:25	Y	7439-95-4	Magnesium	4300	ug/L	[NULL]	[NULL]	[NULL]	R	B0C242	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	N	7439-95-4	Magnesium	4200	ug/L	[NULL]	[NULL]	[NULL]	R	B0C241	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	N	7439-96-5	Manganese	1.1	ug/L	L	[NULL]	[NULL]	R	B0C241	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	Y	7439-96-5	Manganese	1	ug/L	U	[NULL]	[NULL]	R	B0C242	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	Y	7439-97-6	Mercury	0.095	ug/L	U	[NULL]	[NULL]	R	B0C242	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-75	6/15/1994 11:25	N	7439-97-6	Mercury	0.095	ug/L	U	[NULL]	[NULL]	R	B0C241	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-75	6/15/1994 11:25	Y	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0C242	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	N	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0C241	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	N	14797-55-8	Nitrate	7000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C241	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	6/15/1994 11:25	N	14797-65-0	Nitrite	110	ug/L	U	[NULL]	[NULL]	R	B0C241	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	6/15/1994 11:25	N	14265-44-2	Phosphate	470	ug/L	U	[NULL]	[NULL]	R	B0C241	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	6/15/1994 11:25	Y	7440-09-7	Potassium	2000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C242	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	N	7440-09-7	Potassium	1900	ug/L	[NULL]	[NULL]	[NULL]	R	B0C241	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	N	7782-49-2	Selenium	1.4	ug/L	U	[NULL]	[NULL]	R	B0C241	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-75	6/15/1994 11:25	Y	7782-49-2	Selenium	1.4	ug/L	U	[NULL]	[NULL]	R	B0C242	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-75	6/15/1994 11:25	N	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C241	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	Y	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C242	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	Y	7440-23-5	Sodium	2700	ug/L	[NULL]	[NULL]	[NULL]	R	B0C242	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	6/15/1994 11:25	N	7440-23-5	Sodium	2600	ug/L	[NULL]	[NULL]	[NULL]	R	B0C241	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	Y	10098-97-2	Strontium-90	1130	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C242	SR-RAD	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	6/15/1994 11:25	Y	10098-97-2	Strontium-90	1130	pCi/L	[NULL]	HG	[NULL]	R	B0C242	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	6/15/1994 11:25	N	10098-97-2	Strontium-90	1170	pCi/L	[NULL]	HG	[NULL]	R	B0C241	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	6/15/1994 11:25	N	10098-97-2	Strontium-90	1170	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C241	SR-RAD	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	6/15/1994 11:25	N	14808-79-8	Sulfate	13000	ug/L	D	[NULL]	[NULL]	R	B0C241	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	6/15/1994 11:25	N	18496-25-8	Sulfide	200	ug/L	U	[NULL]	[NULL]	R	B0C241	18496-25-8	DATACH	9030_SULFIDE	100-NR-2
199-N-75	6/15/1994 11:25	Y	7440-28-0	Thallium	1.2	ug/L	U	[NULL]	[NULL]	R	B0C242	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-75	6/15/1994 11:25	N	7440-28-0	Thallium	1.2	ug/L	U	[NULL]	[NULL]	R	B0C241	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-75	6/15/1994 11:25	Y	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0C242	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	N	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0C241	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	N	10028-17-8	Tritium	72700	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C241	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-75	6/15/1994 11:25	N	TURBIDITY	Turbidity	0.9	NTU	[NULL]	[NULL]	[NULL]	R	B0C241	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-75	6/15/1994 11:25	Y	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0C242	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	N	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0C241	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	N	7440-66-6	Zinc	21	ug/L	B	[NULL]	[NULL]	R	B0C241	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:25	Y	7440-66-6	Zinc	11	ug/L	B	[NULL]	[NULL]	R	B0C242	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	N	71-55-6	1,1,1-Trichloroethane	0.22	ug/L	U	[NULL]	[NULL]	R	B0C260	71-55-6	DATACH	8010_VOA_GC	100-NR-2
199-N-75	6/15/1994 11:55	N	79-00-5	1,1,2-Trichloroethane	0.062	ug/L	U	[NULL]	[NULL]	R	B0C260	79-00-5	DATACH	8010_VOA_GC	100-NR-2
199-N-75	6/15/1994 11:55	N	75-34-3	1,1-Dichloroethane	0.08	ug/L	U	[NULL]	[NULL]	R	B0C260	75-34-3	DATACH	8010_VOA_GC	100-NR-2
199-N-75	6/15/1994 11:55	N	107-06-2	1,2-Dichloroethane	0.055	ug/L	U	[NULL]	[NULL]	R	B0C260	107-06-2	DATACH	8010_VOA_GC	100-NR-2
199-N-75	6/15/1994 11:55	N	106-46-7	1,4-Dichlorobenzene	0.107	ug/L	U	[NULL]	[NULL]	R	B0C260	106-46-7	DATACH	8010_VOA_GC	100-NR-2
199-N-75	6/15/1994 11:55	Y	7429-90-5	Aluminum	350	ug/L	[NULL]	R	[NULL]	R	B0C248	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	N	7429-90-5	Aluminum	19	ug/L	U	[NULL]	[NULL]	R	B0C247	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	Y	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C248	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	N	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C247	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	N	7440-38-2	Arsenic	0.64	ug/L	U	[NULL]	[NULL]	R	B0C247	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-75	6/15/1994 11:55	Y	7440-38-2	Arsenic	0.64	ug/L	U	[NULL]	[NULL]	R	B0C248	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-75	6/15/1994 11:55	Y	7440-39-3	Barium	26	ug/L	[NULL]	[NULL]	[NULL]	R	B0C248	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	N	7440-39-3	Barium	24	ug/L	[NULL]	[NULL]	[NULL]	R	B0C247	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	N	71-43-2	Benzene	0.24	ug/L	U	[NULL]	[NULL]	R	B0C260	71-43-2	DATACH	8010_VOA_GC	100-NR-2
199-N-75	6/15/1994 11:55	N	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C247	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	Y	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C248	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	N	24959-67-9	Bromide	110	ug/L	U	[NULL]	[NULL]	R	B0C247	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	6/15/1994 11:55	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C248	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C247	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	N	7440-70-2	Calcium	27000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C247	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	Y	7440-70-2	Calcium	27000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C248	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	N	56-23-5	Carbon tetrachloride	0.32	ug/L	U	[NULL]	[NULL]	R	B0C260	56-23-5	DATACH	8010_VOA_GC	100-NR-2
199-N-75	6/15/1994 11:55	N	16887-00-6	Chloride	1400	ug/L	[NULL]	[NULL]	[NULL]	R	B0C247	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	6/15/1994 11:55	N	67-66-3	Chloroform	0.05	ug/L	U	[NULL]	[NULL]	R	B0C260	67-66-3	DATACH	8010_VOA_GC	100-NR-2
199-N-75	6/15/1994 11:55	N	7440-47-3	Chromium	11	ug/L	U	[NULL]	[NULL]	R	B0C247	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	Y	7440-47-3	Chromium	28	ug/L	[NULL]	Y	[NULL]	R	B0C248	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	Y	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C248	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	N	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C247	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	Y	7440-50-8	Copper	27	ug/L	B	[NULL]	[NULL]	R	B0C248	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	N	7440-50-8	Copper	2.6	ug/L	U	[NULL]	[NULL]	R	B0C247	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	N	100-41-4	Ethylbenzene	0.043	ug/L	U	[NULL]	[NULL]	R	B0C260	100-41-4	DATACH	8010_VOA_GC	100-NR-2
199-N-75	6/15/1994 11:55	N	16984-48-8	Fluoride	400	ug/L	[NULL]	[NULL]	[NULL]	R	B0C247	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	6/15/1994 11:55	Y	7439-89-6	Iron	610	ug/L	[NULL]	QR	[NULL]	R	B0C248	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	N	7439-89-6	Iron	33	ug/L	[NULL]	Q	[NULL]	R	B0C247	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	Y	7439-92-1	Lead	0.86	ug/L	U	[NULL]	[NULL]	R	B0C248	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-75	6/15/1994 11:55	N	7439-92-1	Lead	0.86	ug/L	U	[NULL]	[NULL]	R	B0C247	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-75	6/15/1994 11:55	N	7439-95-4	Magnesium	4200	ug/L	[NULL]	[NULL]	[NULL]	R	B0C247	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	Y	7439-95-4	Magnesium	4300	ug/L	[NULL]	[NULL]	[NULL]	R	B0C248	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	6/15/1994 11:55	Y	7439-96-5	Manganese	5.9	ug/L	L	[NULL]	[NULL]	R	B0C248	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	N	7439-96-5	Manganese	1	ug/L	U	[NULL]	[NULL]	R	B0C247	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	N	7439-97-6	Mercury	0.095	ug/L	U	[NULL]	[NULL]	R	B0C247	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-75	6/15/1994 11:55	Y	7439-97-6	Mercury	0.095	ug/L	U	[NULL]	[NULL]	R	B0C248	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-75	6/15/1994 11:55	N	75-09-2	Methylene chloride	0.082	ug/L	U	[NULL]	[NULL]	R	B0C260	75-09-2	DATACH	8010_VOA_GC	100-NR-2
199-N-75	6/15/1994 11:55	Y	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0C248	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	N	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0C247	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	N	14797-55-8	Nitrate	7700	ug/L	[NULL]	[NULL]	[NULL]	R	B0C247	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	6/15/1994 11:55	N	14797-65-0	Nitrite	110	ug/L	U	[NULL]	[NULL]	R	B0C247	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	6/15/1994 11:55	N	14265-44-2	Phosphate	470	ug/L	U	[NULL]	[NULL]	R	B0C247	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	6/15/1994 11:55	Y	7440-09-7	Potassium	1900	ug/L	[NULL]	[NULL]	[NULL]	R	B0C248	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	N	7440-09-7	Potassium	1600	ug/L	[NULL]	[NULL]	[NULL]	R	B0C247	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	Y	7782-49-2	Selenium	1.4	ug/L	U	[NULL]	[NULL]	R	B0C248	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-75	6/15/1994 11:55	N	7782-49-2	Selenium	1.4	ug/L	U	[NULL]	[NULL]	R	B0C247	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-75	6/15/1994 11:55	Y	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C248	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	N	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C247	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	N	7440-23-5	Sodium	2700	ug/L	[NULL]	[NULL]	[NULL]	R	B0C247	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	Y	7440-23-5	Sodium	2700	ug/L	[NULL]	[NULL]	[NULL]	R	B0C248	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	N	10098-97-2	Strontium-90	1090	pCi/L	[NULL]	HG	[NULL]	R	B0C247	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	6/15/1994 11:55	Y	10098-97-2	Strontium-90	1070	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C248	SR-RAD	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	6/15/1994 11:55	N	10098-97-2	Strontium-90	1090	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C247	SR-RAD	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	6/15/1994 11:55	Y	10098-97-2	Strontium-90	1070	pCi/L	[NULL]	HG	[NULL]	R	B0C248	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	6/15/1994 11:55	N	14808-79-8	Sulfate	13000	ug/L	D	[NULL]	[NULL]	R	B0C247	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	6/15/1994 11:55	N	18496-25-8	Sulfide	200	ug/L	L	[NULL]	[NULL]	R	B0C247	18496-25-8	DATACH	9030_SULFIDE	100-NR-2
199-N-75	6/15/1994 11:55	N	127-18-4	Tetrachloroethene	0.08	ug/L	U	[NULL]	[NULL]	R	B0C260	127-18-4	DATACH	8010_VOA_GC	100-NR-2
199-N-75	6/15/1994 11:55	N	7440-28-0	Thallium	1.2	ug/L	U	[NULL]	[NULL]	R	B0C247	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-75	6/15/1994 11:55	Y	7440-28-0	Thallium	1.2	ug/L	U	[NULL]	[NULL]	R	B0C248	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-75	6/15/1994 11:55	Y	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0C248	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	N	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0C247	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	N	108-88-3	Toluene	0.1	ug/L	L	[NULL]	[NULL]	R	B0C260	108-88-3	DATACH	8010_VOA_GC	100-NR-2
199-N-75	6/15/1994 11:55	N	79-01-6	Trichloroethene	0.043	ug/L	U	[NULL]	[NULL]	R	B0C260	79-01-6	DATACH	8010_VOA_GC	100-NR-2
199-N-75	6/15/1994 11:55	N	10028-17-8	Tritium	70500	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C247	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-75	6/15/1994 11:55	N	TURBIDITY	Turbidity	0.43	NTU	[NULL]	[NULL]	[NULL]	R	B0C247	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-75	6/15/1994 11:55	N	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0C247	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	Y	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0C248	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	N	75-01-4	Vinyl chloride	0.15	ug/L	U	[NULL]	[NULL]	R	B0C260	75-01-4	DATACH	8010_VOA_GC	100-NR-2
199-N-75	6/15/1994 11:55	N	1330-20-7	Xylenes (total)	0.2	ug/L	U	[NULL]	[NULL]	R	B0C260	1330-20-7	DATACH	8010_VOA_GC	100-NR-2
199-N-75	6/15/1994 11:55	N	7440-66-6	Zinc	12	ug/L	B	[NULL]	[NULL]	R	B0C247	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	Y	7440-66-6	Zinc	29	ug/L	B	[NULL]	[NULL]	R	B0C248	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 11:55	N	156-59-2	cis-1,2-Dichloroethylene	0.045	ug/L	U	[NULL]	[NULL]	R	B0C260	156-59-2	DATACH	8010_VOA_GC	100-NR-2
199-N-75	6/15/1994 11:55	N	156-60-5	trans-1,2-Dichloroethylene	0.067	ug/L	U	[NULL]	[NULL]	R	B0C260	156-60-5	DATACH	8010_VOA_GC	100-NR-2
199-N-75	6/15/1994 12:55	N	7429-90-5	Aluminum	19	ug/L	U	[NULL]	[NULL]	R	B0C249	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 12:55	Y	7429-90-5	Aluminum	24	ug/L	L	[NULL]	[NULL]	R	B0C250	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 12:55	Y	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C250	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 12:55	N	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C249	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 12:55	Y	7440-38-2	Arsenic	0.64	ug/L	U	[NULL]	[NULL]	R	B0C250	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-75	6/15/1994 12:55	N	7440-38-2	Arsenic	2.1	ug/L	L	[NULL]	[NULL]	R	B0C249	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-75	6/15/1994 12:55	N	7440-39-3	Barium	25	ug/L	[NULL]	[NULL]	[NULL]	R	B0C249	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 12:55	Y	7440-39-3	Barium	24	ug/L	[NULL]	[NULL]	[NULL]	R	B0C250	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 12:55	N	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C249	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 12:55	Y	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C250	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 12:55	N	24959-67-9	Bromide	110	ug/L	U	[NULL]	[NULL]	R	B0C249	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	6/15/1994 12:55	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C250	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 12:55	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C249	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	6/15/1994 12:55	N	7440-70-2	Calcium	27000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C249	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 12:55	Y	7440-70-2	Calcium	27000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C250	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 12:55	N	16887-00-6	Chloride	1400	ug/L	[NULL]	[NULL]	[NULL]	R	B0C249	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	6/15/1994 12:55	Y	7440-47-3	Chromium	11	ug/L	U	[NULL]	[NULL]	R	B0C250	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 12:55	N	7440-47-3	Chromium	11	ug/L	U	[NULL]	[NULL]	R	B0C249	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 12:55	N	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C249	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 12:55	Y	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C250	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 12:55	Y	7440-50-8	Copper	5.6	ug/L	BL	[NULL]	[NULL]	R	B0C250	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 12:55	N	7440-50-8	Copper	2.6	ug/L	U	[NULL]	[NULL]	R	B0C249	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 12:55	N	16984-48-8	Fluoride	400	ug/L	[NULL]	[NULL]	[NULL]	R	B0C249	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	6/15/1994 12:55	Y	7439-89-6	Iron	21	ug/L	[NULL]	Q	[NULL]	R	B0C250	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 12:55	N	7439-89-6	Iron	45	ug/L	[NULL]	Q	[NULL]	R	B0C249	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 12:55	Y	7439-92-1	Lead	0.86	ug/L	U	[NULL]	[NULL]	R	B0C250	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-75	6/15/1994 12:55	N	7439-92-1	Lead	0.86	ug/L	U	[NULL]	[NULL]	R	B0C249	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-75	6/15/1994 12:55	N	7439-95-4	Magnesium	4200	ug/L	[NULL]	[NULL]	[NULL]	R	B0C249	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 12:55	Y	7439-95-4	Magnesium	4300	ug/L	[NULL]	[NULL]	[NULL]	R	B0C250	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 12:55	Y	7439-96-5	Manganese	1	ug/L	U	[NULL]	[NULL]	R	B0C250	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 12:55	N	7439-96-5	Manganese	1	ug/L	U	[NULL]	[NULL]	R	B0C249	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 12:55	Y	7439-97-6	Mercury	0.095	ug/L	U	[NULL]	[NULL]	R	B0C250	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-75	6/15/1994 12:55	N	7439-97-6	Mercury	0.095	ug/L	U	[NULL]	[NULL]	R	B0C249	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-75	6/15/1994 12:55	Y	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0C250	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 12:55	N	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0C249	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 12:55	N	14797-55-8	Nitrate	7300	ug/L	[NULL]	[NULL]	[NULL]	R	B0C249	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	6/15/1994 12:55	N	14797-65-0	Nitrite	110	ug/L	U	[NULL]	[NULL]	R	B0C249	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	6/15/1994 12:55	N	14265-44-2	Phosphate	470	ug/L	U	[NULL]	[NULL]	R	B0C249	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	6/15/1994 12:55	N	7440-09-7	Potassium	1600	ug/L	[NULL]	[NULL]	[NULL]	R	B0C249	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 12:55	Y	7440-09-7	Potassium	1600	ug/L	[NULL]	[NULL]	[NULL]	R	B0C250	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 12:55	N	7782-49-2	Selenium	1.4	ug/L	U	[NULL]	[NULL]	R	B0C249	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-75	6/15/1994 12:55	Y	7782-49-2	Selenium	1.4	ug/L	U	[NULL]	[NULL]	R	B0C250	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-75	6/15/1994 12:55	N	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C249	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 12:55	Y	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C250	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 12:55	Y	7440-23-5	Sodium	2700	ug/L	[NULL]	[NULL]	[NULL]	R	B0C250	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 12:55	N	7440-23-5	Sodium	2600	ug/L	[NULL]	[NULL]	[NULL]	R	B0C249	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 12:55	N	10098-97-2	Strontium-90	1050	pCi/L	[NULL]	HG	[NULL]	R	B0C249	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	6/15/1994 12:55	Y	10098-97-2	Strontium-90	1060	pCi/L	[NULL]	HG	[NULL]	R	B0C250	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	6/15/1994 12:55	Y	10098-97-2	Strontium-90	1060	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C250	SR-RAD	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	6/15/1994 12:55	N	10098-97-2	Strontium-90	1050	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C249	SR-RAD	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	6/15/1994 12:55	N	14808-79-8	Sulfate	13000	ug/L	D	[NULL]	[NULL]	R	B0C249	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	6/15/1994 12:55	N	18496-25-8	Sulfide	200	ug/L	L	[NULL]	[NULL]	R	B0C249	18496-25-8	DATACH	9030_SULFIDE	100-NR-2
199-N-75	6/15/1994 12:55	Y	7440-28-0	Thallium	1.2	ug/L	U	[NULL]	[NULL]	R	B0C250	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-75	6/15/1994 12:55	N	7440-28-0	Thallium	1.2	ug/L	U	[NULL]	[NULL]	R	B0C249	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-75	6/15/1994 12:55	N	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0C249	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 12:55	Y	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0C250	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 12:55	N	10028-17-8	Tritium	72000	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C249	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-75	6/15/1994 12:55	N	TURBIDITY	Turbidity	0.32	NTU	[NULL]	[NULL]	[NULL]	R	B0C249	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-75	6/15/1994 12:55	N	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0C249	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 12:55	Y	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0C250	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 12:55	Y	7440-66-6	Zinc	6.3	ug/L	BL	[NULL]	[NULL]	R	B0C250	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 12:55	N	7440-66-6	Zinc	7.3	ug/L	BL	[NULL]	[NULL]	R	B0C249	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	N	630-20-6	1,1,1,2-Tetrachloroethane	0.2	ug/L	U	[NULL]	[NULL]	R	B0C257	630-20-6	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	71-55-6	1,1,1-Trichloroethane	0.28	ug/L	U	[NULL]	[NULL]	R	B0C257	71-55-6	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	79-34-5	1,1,2,2-Tetrachloroethane	0.23	ug/L	U	[NULL]	[NULL]	R	B0C257	79-34-5	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	79-00-5	1,1,2-Trichloroethane	0.23	ug/L	U	[NULL]	[NULL]	R	B0C257	79-00-5	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	75-34-3	1,1-Dichloroethane	0.14	ug/L	U	[NULL]	[NULL]	R	B0C257	75-34-3	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	75-35-4	1,1-Dichloroethene	0.36	ug/L	U	[NULL]	[NULL]	R	B0C257	75-35-4	DATACH	8260_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	6/15/1994 13:25	N	96-18-4	1,2,3-Trichloropropane	1.9	ug/L	U	[NULL]	[NULL]	R	B0C257	96-18-4	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	95-94-3	1,2,4,5-Tetrachlorobenzene	1.3	ug/L	U	[NULL]	[NULL]	R	B0C257	95-94-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	120-82-1	1,2,4-Trichlorobenzene	1.8	ug/L	U	[NULL]	[NULL]	R	B0C257	120-82-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	96-12-8	1,2-Dibromo-3-chloropropane	3.9	ug/L	U	[NULL]	[NULL]	R	B0C257	96-12-8	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	106-93-4	1,2-Dibromoethane	0.13	ug/L	U	[NULL]	[NULL]	R	B0C257	106-93-4	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	95-50-1	1,2-Dichlorobenzene	1.3	ug/L	U	[NULL]	[NULL]	R	B0C257	95-50-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	107-06-2	1,2-Dichloroethane	0.29	ug/L	U	[NULL]	[NULL]	R	B0C257	107-06-2	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	540-59-0	1,2-Dichloroethene (Total)	0.65	ug/L	U	[NULL]	[NULL]	R	B0C257	540-59-0	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	78-87-5	1,2-Dichloropropane	0.19	ug/L	U	[NULL]	[NULL]	R	B0C257	78-87-5	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	541-73-1	1,3-Dichlorobenzene	1.3	ug/L	U	[NULL]	[NULL]	R	B0C257	541-73-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	106-46-7	1,4-Dichlorobenzene	1.2	ug/L	U	[NULL]	[NULL]	R	B0C257	106-46-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	123-91-1	1,4-Dioxane	88	ug/L	U	[NULL]	[NULL]	R	B0C257	123-91-1	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	130-15-4	1,4-Naphthoquinone	0	ug/L	U	[NULL]	[NULL]	R	B0C257	130-15-4	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	71-36-3	1-Butanol	76	ug/L	U	[NULL]	[NULL]	R	B0C257	71-36-3	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	134-32-7	1-Naphthylamine	2.6	ug/L	U	[NULL]	[NULL]	R	B0C257	134-32-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	58-90-2	2,3,4,6-Tetrachlorophenol	1.7	ug/L	U	[NULL]	[NULL]	R	B0C257	58-90-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	0.018	ug/L	U	[NULL]	[NULL]	R	B0C257	93-76-5	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-75	6/15/1994 13:25	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	0.015	ug/L	U	[NULL]	[NULL]	R	B0C257	93-72-1	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-75	6/15/1994 13:25	N	95-95-4	2,4,5-Trichlorophenol	2.7	ug/L	U	[NULL]	[NULL]	R	B0C257	95-95-4	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	88-06-2	2,4,6-Trichlorophenol	2.9	ug/L	U	[NULL]	[NULL]	R	B0C257	88-06-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	0.052	ug/L	U	[NULL]	[NULL]	R	B0C257	94-75-7	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-75	6/15/1994 13:25	N	120-83-2	2,4-Dichlorophenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0C257	120-83-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	105-67-9	2,4-Dimethylphenol	1.8	ug/L	U	[NULL]	[NULL]	R	B0C257	105-67-9	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	51-28-5	2,4-Dinitrophenol	2.3	ug/L	U	[NULL]	[NULL]	R	B0C257	51-28-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	121-14-2	2,4-Dinitrotoluene	1.9	ug/L	U	[NULL]	[NULL]	R	B0C257	121-14-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	87-65-0	2,6-Dichlorophenol	8.2	ug/L	U	[NULL]	[NULL]	R	B0C257	87-65-0	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	606-20-2	2,6-Dinitrotoluene	1.3	ug/L	U	[NULL]	[NULL]	R	B0C257	606-20-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	53-96-3	2-Acetylaminofluorene	1.8	ug/L	U	[NULL]	[NULL]	R	B0C257	53-96-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	78-93-3	2-Butanone	14	ug/L	U	[NULL]	[NULL]	R	B0C257	78-93-3	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	91-58-7	2-Chloronaphthalene	3.5	ug/L	U	[NULL]	[NULL]	R	B0C257	91-58-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	95-57-8	2-Chlorophenol	1.8	ug/L	U	[NULL]	[NULL]	R	B0C257	95-57-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	591-78-6	2-Hexanone	0.52	ug/L	U	[NULL]	[NULL]	R	B0C257	591-78-6	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	91-57-6	2-Methylnaphthalene	1.2	ug/L	U	[NULL]	[NULL]	R	B0C257	91-57-6	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	95-48-7	2-Methylphenol (cresol, o-)	1.9	ug/L	U	[NULL]	[NULL]	R	B0C257	95-48-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	91-59-8	2-Naphthylamine	4.4	ug/L	U	[NULL]	[NULL]	R	B0C257	91-59-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	88-74-4	2-Nitroaniline	2	ug/L	U	[NULL]	[NULL]	R	B0C257	88-74-4	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	88-75-5	2-Nitrophenol	1.6	ug/L	U	[NULL]	[NULL]	R	B0C257	88-75-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	108-10-1	2-Pentanone, 4-Methyl	18	ug/L	U	[NULL]	[NULL]	R	B0C257	108-10-1	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	109-06-8	2-Picoline	1.6	ug/L	U	[NULL]	[NULL]	R	B0C257	109-06-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	91-94-1	3,3'-Dichlorobenzidine	33.8	ug/L	U	[NULL]	[NULL]	R	B0C257	91-94-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	119-93-7	3,3'-Dimethylbenzidine	3.7	ug/L	U	[NULL]	[NULL]	R	B0C257	119-93-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	56-49-5	3-Methylcholanthrene	1.5	ug/L	U	[NULL]	[NULL]	R	B0C257	56-49-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	108-39-4	3-Methylphenol (cresol, m-)	6.3	ug/L	UX	[NULL]	[NULL]	R	B0C257	108-39-4	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	99-09-2	3-Nitroaniline	2.3	ug/L	U	[NULL]	[NULL]	R	B0C257	99-09-2	DATACH	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	6/15/1994 13:25	N	72-54-8	4,4'-DDD (Dichlorodiphenyldichloroethane)	0.004	ug/L	U	[NULL]	[NULL]	R	B0C257	72-54-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-75	6/15/1994 13:25	N	72-55-9	4,4'-DDE (Dichlorodiphenyldichloroethylene)	0.002	ug/L	U	[NULL]	[NULL]	R	B0C257	72-55-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-75	6/15/1994 13:25	N	50-29-3	4,4'-DDT (Dichlorodiphenyltrichloroethane)	0.001	ug/L	U	[NULL]	[NULL]	R	B0C257	50-29-3	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-75	6/15/1994 13:25	N	534-52-1	4,6-Dinitro-2-methylphenol	3.6	ug/L	U	[NULL]	[NULL]	R	B0C257	534-52-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	92-67-1	4-Aminobiphenyl	2.4	ug/L	U	[NULL]	[NULL]	R	B0C257	92-67-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	101-55-3	4-Bromophenylphenyl ether	1.6	ug/L	U	[NULL]	[NULL]	R	B0C257	101-55-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	59-50-7	4-Chloro-3-methylphenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0C257	59-50-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	106-47-8	4-Chloroaniline	1.2	ug/L	U	[NULL]	[NULL]	R	B0C257	106-47-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	7005-72-3	4-Chlorophenylphenyl ether	1.6	ug/L	U	[NULL]	[NULL]	R	B0C257	7005-72-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	106-44-5	4-Methylphenol (cresol, p-)	1.3	ug/L	U	[NULL]	[NULL]	R	B0C257	106-44-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	100-01-6	4-Nitroaniline	7.4	ug/L	U	[NULL]	[NULL]	R	B0C257	100-01-6	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	100-02-7	4-Nitrophenol	3.2	ug/L	U	[NULL]	[NULL]	R	B0C257	100-02-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	56-57-5	4-Nitroquinoline-1-oxide	3	ug/L	U	[NULL]	[NULL]	R	B0C257	56-57-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	99-55-8	5-Nitro-o-toluidine	3.3	ug/L	U	[NULL]	[NULL]	R	B0C257	99-55-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	57-97-6	7,12-Dimethylbenz[a]anthracene	1.2	ug/L	U	[NULL]	[NULL]	R	B0C257	57-97-6	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	83-32-9	Acenaphthene	1.4	ug/L	U	[NULL]	[NULL]	R	B0C257	83-32-9	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	208-96-8	Acenaphthylene	1.7	ug/L	U	[NULL]	[NULL]	R	B0C257	208-96-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	67-64-1	Acetone	2.6	ug/L	U	[NULL]	[NULL]	R	B0C257	67-64-1	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	75-05-8	Acetonitrile	2.3	ug/L	U	[NULL]	[NULL]	R	B0C257	75-05-8	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	98-86-2	Acetophenone	1.5	ug/L	U	[NULL]	[NULL]	R	B0C257	98-86-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	107-02-8	Acrolein	6	ug/L	U	[NULL]	[NULL]	R	B0C257	107-02-8	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	107-13-1	Acrylonitrile	1.7	ug/L	U	[NULL]	[NULL]	R	B0C257	107-13-1	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	309-00-2	Aldrin	0.002	ug/L	U	[NULL]	[NULL]	R	B0C257	309-00-2	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-75	6/15/1994 13:25	N	107-05-1	Allyl chloride	0.42	ug/L	U	[NULL]	[NULL]	R	B0C257	107-05-1	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	319-84-6	Alpha-BHC	0.003	ug/L	U	[NULL]	[NULL]	R	B0C257	319-84-6	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-75	6/15/1994 13:25	N	7429-90-5	Aluminum	19	ug/L	U	[NULL]	[NULL]	R	B0C257	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	Y	7429-90-5	Aluminum	19	ug/L	U	[NULL]	[NULL]	R	B0C258	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	N	62-53-3	Aniline	1.9	ug/L	U	[NULL]	[NULL]	R	B0C257	62-53-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	120-12-7	Anthracene	1.6	ug/L	U	[NULL]	[NULL]	R	B0C257	120-12-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C257	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	Y	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C258	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	N	140-57-8	Aramite	2.9	ug/L	U	[NULL]	[NULL]	R	B0C257	140-57-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	Y	7440-38-2	Arsenic	0.64	ug/L	U	[NULL]	[NULL]	R	B0C258	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-75	6/15/1994 13:25	N	7440-38-2	Arsenic	0.64	ug/L	U	[NULL]	[NULL]	R	B0C257	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-75	6/15/1994 13:25	N	7440-39-3	Barium	24	ug/L	[NULL]	[NULL]	[NULL]	R	B0C257	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	Y	7440-39-3	Barium	25	ug/L	[NULL]	[NULL]	[NULL]	R	B0C258	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	N	71-43-2	Benzene	0.14	ug/L	U	[NULL]	[NULL]	R	B0C257	71-43-2	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	56-55-3	Benzo(a)anthracene	1.9	ug/L	U	[NULL]	[NULL]	R	B0C257	56-55-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	50-32-8	Benzo(a)pyrene	1.3	ug/L	U	[NULL]	[NULL]	R	B0C257	50-32-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	205-99-2	Benzo(b)fluoranthene	1.5	ug/L	U	[NULL]	[NULL]	R	B0C257	205-99-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	191-24-2	Benzo(ghi)perylene	1.3	ug/L	U	[NULL]	[NULL]	R	B0C257	191-24-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	207-08-9	Benzo(k)fluoranthene	1.4	ug/L	U	[NULL]	[NULL]	R	B0C257	207-08-9	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	95-16-9	Benzothiazole	1.9	ug/L	U	[NULL]	[NULL]	R	B0C257	95-16-9	DATACH	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	6/15/1994 13:25	N	100-51-6	Benzyl alcohol	1.5	ug/L	U	[NULL]	[NULL]	R	B0C257	100-51-6	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C257	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	Y	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C258	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	N	111-91-1	Bis(2-Chloroethoxy)methane	1.3	ug/L	U	[NULL]	[NULL]	R	B0C257	111-91-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	108-60-1	Bis(2-chloro-1-methylethyl)ether	1.7	ug/L	U	[NULL]	[NULL]	R	B0C257	108-60-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	111-44-4	Bis(2-chloroethyl) ether	1.6	ug/L	U	[NULL]	[NULL]	R	B0C257	111-44-4	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	117-81-7	Bis(2-ethylhexyl) phthalate	1.1	ug/L	U	[NULL]	[NULL]	R	B0C257	117-81-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	24959-67-9	Bromide	110	ug/L	U	[NULL]	[NULL]	R	B0C257	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	6/15/1994 13:25	N	75-27-4	Bromodichloromethane	0.61	ug/L	U	[NULL]	[NULL]	R	B0C257	75-27-4	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	75-25-2	Bromoform	0.26	ug/L	U	[NULL]	[NULL]	R	B0C257	75-25-2	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	74-83-9	Bromomethane	0.31	ug/L	U	[NULL]	[NULL]	R	B0C257	74-83-9	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	85-68-7	Butylbenzylphthalate	2.4	ug/L	U	[NULL]	[NULL]	R	B0C257	85-68-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C258	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C257	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	Y	7440-70-2	Calcium	27000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C258	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	N	7440-70-2	Calcium	26000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C257	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	N	75-15-0	Carbon disulfide	0.32	ug/L	U	[NULL]	[NULL]	R	B0C257	75-15-0	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	56-23-5	Carbon tetrachloride	0.28	ug/L	U	[NULL]	[NULL]	R	B0C257	56-23-5	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	57-74-9	Chlordane	0.042	ug/L	U	[NULL]	[NULL]	R	B0C257	57-74-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-75	6/15/1994 13:25	N	16887-00-6	Chloride	1400	ug/L	[NULL]	[NULL]	[NULL]	R	B0C257	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	6/15/1994 13:25	N	108-90-7	Chlorobenzene	0.16	ug/L	U	[NULL]	[NULL]	R	B0C257	108-90-7	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	510-15-6	Chlorobenzilate	5.4	ug/L	U	[NULL]	[NULL]	R	B0C257	510-15-6	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	75-00-3	Chloroethane	0.45	ug/L	U	[NULL]	[NULL]	R	B0C257	75-00-3	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	67-66-3	Chloroform	4.5	ug/L	L	[NULL]	[NULL]	R	B0C257	67-66-3	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	74-87-3	Chloromethane	0.43	ug/L	U	[NULL]	[NULL]	R	B0C257	74-87-3	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	126-99-8	Chloroprene	0.61	ug/L	U	[NULL]	[NULL]	R	B0C257	126-99-8	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	Y	7440-47-3	Chromium	11	ug/L	U	[NULL]	[NULL]	R	B0C258	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	N	7440-47-3	Chromium	11	ug/L	U	[NULL]	[NULL]	R	B0C257	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	N	218-01-9	Chrysene	1.4	ug/L	U	[NULL]	[NULL]	R	B0C257	218-01-9	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C257	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	Y	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C258	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	Y	7440-50-8	Copper	2.6	ug/L	U	[NULL]	[NULL]	R	B0C258	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	N	7440-50-8	Copper	2.6	ug/L	U	[NULL]	[NULL]	R	B0C257	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	N	319-86-8	Delta-BHC	0.002	ug/L	U	[NULL]	[NULL]	R	B0C257	319-86-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-75	6/15/1994 13:25	N	84-74-2	Di-n-butylphthalate	1.8	ug/L	U	[NULL]	[NULL]	R	B0C257	84-74-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	117-84-0	Di-n-octylphthalate	1.5	ug/L	U	[NULL]	[NULL]	R	B0C257	117-84-0	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	2303-16-4	Diallate	7.5	ug/L	U	[NULL]	[NULL]	R	B0C257	2303-16-4	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	53-70-3	Dibenz[a,h]anthracene	1.4	ug/L	U	[NULL]	[NULL]	R	B0C257	53-70-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	132-64-9	Dibenzofuran	1.6	ug/L	U	[NULL]	[NULL]	R	B0C257	132-64-9	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	124-48-1	Dibromochloromethane	0.16	ug/L	U	[NULL]	[NULL]	R	B0C257	124-48-1	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	74-95-3	Dibromomethane	0.15	ug/L	U	[NULL]	[NULL]	R	B0C257	74-95-3	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	75-71-8	Dichlorodifluoromethane	0.45	ug/L	U	[NULL]	[NULL]	R	B0C257	75-71-8	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	60-57-1	Dieldrin	0.002	ug/L	U	[NULL]	[NULL]	R	B0C257	60-57-1	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-75	6/15/1994 13:25	N	84-66-2	Diethylphthalate	5	ug/L	U	[NULL]	[NULL]	R	B0C257	84-66-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	60-51-5	Dimethoate	10	ug/L	U	[NULL]	[NULL]	R	B0C257	60-51-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	131-11-3	Dimethyl phthalate	3.3	ug/L	U	[NULL]	[NULL]	R	B0C257	131-11-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	0.24	ug/L	U	[NULL]	[NULL]	R	B0C257	88-85-7	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-75	6/15/1994 13:25	N	122-39-4	Diphenylamine	1.7	ug/L	UY	[NULL]	[NULL]	R	B0C257	122-39-4	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	298-04-4	Disulfoton	0.076	ug/L	U	[NULL]	[NULL]	R	B0C257	298-04-4	DATACH	8140_PEST_GC	100-NR-2
199-N-75	6/15/1994 13:25	N	959-98-8	Endosulfan I	0.002	ug/L	U	[NULL]	[NULL]	R	B0C257	959-98-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-75	6/15/1994 13:25	N	33213-65-9	Endosulfan II	0.001	ug/L	U	[NULL]	[NULL]	R	B0C257	33213-65-9	DATACH	8080_PESTPCB_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	6/15/1994 13:25	N	1031-07-8	Endosulfan sulfate	0.002	ug/L	U	[NULL]	[NULL]	R	B0C257	1031-07-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-75	6/15/1994 13:25	N	72-20-8	Endrin	0.004	ug/L	U	[NULL]	[NULL]	R	B0C257	72-20-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-75	6/15/1994 13:25	N	7421-93-4	Endrin aldehyde	0.004	ug/L	U	[NULL]	[NULL]	R	B0C257	7421-93-4	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-75	6/15/1994 13:25	N	107-12-0	Ethyl cyanide	3.2	ug/L	U	[NULL]	[NULL]	R	B0C257	107-12-0	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	97-63-2	Ethyl methacrylate	0.18	ug/L	U	[NULL]	[NULL]	R	B0C257	97-63-2	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	62-50-0	Ethyl methanesulfonate	1.3	ug/L	U	[NULL]	[NULL]	R	B0C257	62-50-0	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	100-41-4	Ethylbenzene	0.32	ug/L	U	[NULL]	[NULL]	R	B0C257	100-41-4	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	52-85-7	Famphur	3.4	ug/L	U	[NULL]	[NULL]	R	B0C257	52-85-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	206-44-0	Fluoranthene	1.5	ug/L	U	[NULL]	[NULL]	R	B0C257	206-44-0	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	86-73-7	Fluorene	1.6	ug/L	U	[NULL]	[NULL]	R	B0C257	86-73-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	16984-48-8	Fluoride	400	ug/L	[NULL]	[NULL]	[NULL]	R	B0C257	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	6/15/1994 13:25	N	58-89-9	Gamma-BHC (Lindane)	0.002	ug/L	U	[NULL]	[NULL]	R	B0C257	58-89-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-75	6/15/1994 13:25	N	76-44-8	Heptachlor	0.002	ug/L	U	[NULL]	[NULL]	R	B0C257	76-44-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-75	6/15/1994 13:25	N	1024-57-3	Heptachlor epoxide	0.001	ug/L	U	[NULL]	[NULL]	R	B0C257	1024-57-3	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-75	6/15/1994 13:25	N	118-74-1	Hexachlorobenzene	1.2	ug/L	U	[NULL]	[NULL]	R	B0C257	118-74-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	87-68-3	Hexachlorobutadiene	1.2	ug/L	U	[NULL]	[NULL]	R	B0C257	87-68-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	77-47-4	Hexachlorocyclopentadiene	2.9	ug/L	U	[NULL]	[NULL]	R	B0C257	77-47-4	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	67-72-1	Hexachloroethane	1.8	ug/L	U	[NULL]	[NULL]	R	B0C257	67-72-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	70-30-4	Hexachlorophene	6.1	ug/L	U	[NULL]	[NULL]	R	B0C257	70-30-4	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	1888-71-7	Hexachloropropene	1.3	ug/L	U	[NULL]	[NULL]	R	B0C257	1888-71-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	193-39-5	Indeno(1,2,3-cd)pyrene	1.4	ug/L	U	[NULL]	[NULL]	R	B0C257	193-39-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	74-88-4	Iodomethane	0.14	ug/L	U	[NULL]	[NULL]	R	B0C257	74-88-4	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	Y	7439-89-6	Iron	25	ug/L	[NULL]	Q	[NULL]	R	B0C258	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	N	7439-89-6	Iron	28	ug/L	[NULL]	Q	[NULL]	R	B0C257	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	N	78-83-1	Isobutyl alcohol	58	ug/L	U	[NULL]	[NULL]	R	B0C257	78-83-1	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	465-73-6	Isodrin	1.4	ug/L	U	[NULL]	[NULL]	R	B0C257	465-73-6	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	78-59-1	Isophorone	1.2	ug/L	U	[NULL]	[NULL]	R	B0C257	78-59-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	120-58-1	Isosafrole	4.5	ug/L	U	[NULL]	[NULL]	R	B0C257	120-58-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	143-50-0	Kepone	4.1	ug/L	U	[NULL]	[NULL]	R	B0C257	143-50-0	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	Y	7439-92-1	Lead	0.86	ug/L	U	[NULL]	[NULL]	R	B0C258	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-75	6/15/1994 13:25	N	7439-92-1	Lead	0.86	ug/L	U	[NULL]	[NULL]	R	B0C257	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-75	6/15/1994 13:25	Y	7439-95-4	Magnesium	4300	ug/L	[NULL]	[NULL]	[NULL]	R	B0C258	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	N	7439-95-4	Magnesium	4200	ug/L	[NULL]	[NULL]	[NULL]	R	B0C257	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	N	7439-96-5	Manganese	1	ug/L	U	[NULL]	[NULL]	R	B0C257	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	Y	7439-96-5	Manganese	1	ug/L	U	[NULL]	[NULL]	R	B0C258	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	Y	7439-97-6	Mercury	0.095	ug/L	U	[NULL]	[NULL]	R	B0C258	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-75	6/15/1994 13:25	N	7439-97-6	Mercury	0.095	ug/L	U	[NULL]	[NULL]	R	B0C257	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-75	6/15/1994 13:25	N	126-98-7	Methacrylonitrile	1.5	ug/L	U	[NULL]	[NULL]	R	B0C257	126-98-7	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	91-80-5	Methapyrilene	2.5	ug/L	U	[NULL]	[NULL]	R	B0C257	91-80-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	72-43-5	Methoxychlor	0.022	ug/L	U	[NULL]	[NULL]	R	B0C257	72-43-5	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-75	6/15/1994 13:25	N	80-62-6	Methyl methacrylate	0.41	ug/L	U	[NULL]	[NULL]	R	B0C257	80-62-6	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	66-27-3	Methyl methanesulfonate	1.1	ug/L	U	[NULL]	[NULL]	R	B0C257	66-27-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	298-00-0	Methyl parathion	0.3	ug/L	U	[NULL]	[NULL]	R	B0C257	298-00-0	DATACH	8140_PEST_GC	100-NR-2
199-N-75	6/15/1994 13:25	N	75-09-2	Methylene chloride	1.5	ug/L	BL	[NULL]	[NULL]	R	B0C257	75-09-2	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	91-20-3	Naphthalene	1.2	ug/L	U	[NULL]	[NULL]	R	B0C257	91-20-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0C257	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	Y	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0C258	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	N	14797-55-8	Nitrate	7400	ug/L	[NULL]	[NULL]	[NULL]	R	B0C257	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	6/15/1994 13:25	N	14797-65-0	Nitrite	110	ug/L	U	[NULL]	[NULL]	R	B0C257	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	6/15/1994 13:25	N	98-95-3	Nitrobenzene	1.2	ug/L	U	[NULL]	[NULL]	R	B0C257	98-95-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	930-55-2	Nitrosopyrrolidine	1.5	ug/L	U	[NULL]	[NULL]	R	B0C257	930-55-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	126-68-1	O,O,O-Triethyl phosphorothioate	1.9	ug/L	U	[NULL]	[NULL]	R	B0C257	126-68-1	DATACH	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	6/15/1994 13:25	N	297-97-2	O,O-Diethyl O-2-pyrazinyl phosphorothioate	2.7	ug/L	U	[NULL]	[NULL]	R	B0C257	297-97-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	56-38-2	Parathion	2.7	ug/L	U	[NULL]	[NULL]	R	B0C257	56-38-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	608-93-5	Pentachlorobenzene	1.4	ug/L	U	[NULL]	[NULL]	R	B0C257	608-93-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	76-01-7	Pentachloroethane	0.51	ug/L	U	[NULL]	[NULL]	R	B0C257	76-01-7	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	82-68-8	Pentachloronitrobenzene (PCNB)	1.3	ug/L	U	[NULL]	[NULL]	R	B0C257	82-68-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	87-86-5	Pentachlorophenol	1.7	ug/L	U	[NULL]	[NULL]	R	B0C257	87-86-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	62-44-2	Phenacetin	1.8	ug/L	U	[NULL]	[NULL]	R	B0C257	62-44-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	85-01-8	Phenanthrene	1.6	ug/L	U	[NULL]	[NULL]	R	B0C257	85-01-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	108-95-2	Phenol	0.5	ug/L	U	[NULL]	[NULL]	R	B0C257	108-95-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	298-02-2	Phorate	0.033	ug/L	U	[NULL]	[NULL]	R	B0C257	298-02-2	DATACH	8140_PEST_GC	100-NR-2
199-N-75	6/15/1994 13:25	N	14265-44-2	Phosphate	470	ug/L	U	[NULL]	[NULL]	R	B0C257	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	6/15/1994 13:25	N	7440-09-7	Potassium	1900	ug/L	[NULL]	[NULL]	[NULL]	R	B0C257	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	Y	7440-09-7	Potassium	1900	ug/L	[NULL]	[NULL]	[NULL]	R	B0C258	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	N	23950-58-5	Pronamide	4.5	ug/L	U	[NULL]	[NULL]	R	B0C257	23950-58-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	129-00-0	Pyrene	1.6	ug/L	U	[NULL]	[NULL]	R	B0C257	129-00-0	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	110-86-1	Pyridine	1.4	ug/L	U	[NULL]	[NULL]	R	B0C257	110-86-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	94-59-7	Safrol	1.4	ug/L	U	[NULL]	[NULL]	R	B0C257	94-59-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	7782-49-2	Selenium	1.4	ug/L	U	[NULL]	[NULL]	R	B0C257	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-75	6/15/1994 13:25	Y	7782-49-2	Selenium	1.4	ug/L	U	[NULL]	[NULL]	R	B0C258	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-75	6/15/1994 13:25	N	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C257	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	Y	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C258	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	Y	7440-23-5	Sodium	2700	ug/L	[NULL]	[NULL]	[NULL]	R	B0C258	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	N	7440-23-5	Sodium	2500	ug/L	[NULL]	[NULL]	[NULL]	R	B0C257	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	N	10098-97-2	Strontium-90	1060	pCi/L	[NULL]	HG	[NULL]	R	B0C257	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	6/15/1994 13:25	N	10098-97-2	Strontium-90	1060	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C257	SR-RAD	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	6/15/1994 13:25	Y	10098-97-2	Strontium-90	1050	pCi/L	[NULL]	HG	[NULL]	R	B0C258	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	6/15/1994 13:25	Y	10098-97-2	Strontium-90	1050	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C258	SR-RAD	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	6/15/1994 13:25	N	100-42-5	Styrene	0.55	ug/L	U	[NULL]	[NULL]	R	B0C257	100-42-5	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	14808-79-8	Sulfate	13000	ug/L	D	[NULL]	[NULL]	R	B0C257	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	6/15/1994 13:25	N	18496-25-8	Sulfide	300	ug/L	L	[NULL]	[NULL]	R	B0C257	18496-25-8	DATACH	9030_SULFIDE	100-NR-2
199-N-75	6/15/1994 13:25	N	127-18-4	Tetrachloroethene	0.38	ug/L	U	[NULL]	[NULL]	R	B0C257	127-18-4	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	3689-24-5	Tetraethyl dithiopyrophosphate (Sulfotepp)	2.6	ug/L	U	[NULL]	[NULL]	R	B0C257	3689-24-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	109-99-9	Tetrahydrofuran	4.3	ug/L	U	[NULL]	[NULL]	R	B0C257	109-99-9	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	Y	7440-28-0	Thallium	1.2	ug/L	U	[NULL]	[NULL]	R	B0C258	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-75	6/15/1994 13:25	N	7440-28-0	Thallium	1.2	ug/L	U	[NULL]	[NULL]	R	B0C257	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-75	6/15/1994 13:25	Y	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0C258	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	N	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0C257	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	N	108-88-3	Toluene	0.23	ug/L	U	[NULL]	[NULL]	R	B0C257	108-88-3	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	7.7	ug/L	U	[NULL]	[NULL]	R	B0C257	TPHKEROSENE	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	8001-35-2	Toxaphene	0.7	ug/L	U	[NULL]	[NULL]	R	B0C257	8001-35-2	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-75	6/15/1994 13:25	N	126-73-8	Tributyl phosphate	3.9	ug/L	U	[NULL]	[NULL]	R	B0C257	126-73-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	79-01-6	Trichloroethene	0.27	ug/L	U	[NULL]	[NULL]	R	B0C257	79-01-6	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	75-69-4	Trichloromonofluoromethane	0.21	ug/L	U	[NULL]	[NULL]	R	B0C257	75-69-4	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	115-96-8	Tris-2-chloroethyl phosphate	2.2	ug/L	U	[NULL]	[NULL]	R	B0C257	115-96-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	10028-17-8	Tritium	70500	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C257	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-75	6/15/1994 13:25	N	TURBIDITY	Turbidity	0.34	NTU	[NULL]	[NULL]	[NULL]	R	B0C257	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	6/15/1994 13:25	N	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0C257	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	Y	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0C258	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	N	108-05-4	Vinyl acetate	2.7	ug/L	U	[NULL]	[NULL]	R	B0C257	108-05-4	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	75-01-4	Vinyl chloride	0.39	ug/L	U	[NULL]	[NULL]	R	B0C257	75-01-4	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	1330-20-7	Xylenes (total)	0.45	ug/L	U	[NULL]	[NULL]	R	B0C257	1330-20-7	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	7440-66-6	Zinc	5.9	ug/L	BL	[NULL]	[NULL]	R	B0C257	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	Y	7440-66-6	Zinc	9.1	ug/L	BL	[NULL]	[NULL]	R	B0C258	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	6/15/1994 13:25	N	122-09-8	alpha,alpha-Dimethylphenethylamine	7.5	ug/L	U	[NULL]	[NULL]	R	B0C257	122-09-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.001	ug/L	U	[NULL]	[NULL]	R	B0C257	319-85-7	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-75	6/15/1994 13:25	N	10061-01-5	cis-1,3-Dichloropropene	0.17	ug/L	U	[NULL]	[NULL]	R	B0C257	10061-01-5	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	99-65-0	m-Dinitrobenzene	1.3	ug/L	U	[NULL]	[NULL]	R	B0C257	99-65-0	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	924-16-3	n-Nitrosodi-n-butylamine	5.5	ug/L	U	[NULL]	[NULL]	R	B0C257	924-16-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	621-64-7	n-Nitrosodi-n-dipropylamine	2	ug/L	U	[NULL]	[NULL]	R	B0C257	621-64-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	55-18-5	n-Nitrosodiethylamine	1.4	ug/L	U	[NULL]	[NULL]	R	B0C257	55-18-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	62-75-9	n-Nitrosodimethylamine	1.2	ug/L	U	[NULL]	[NULL]	R	B0C257	62-75-9	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	86-30-6	n-Nitrosodiphenylamine	1.6	ug/L	U	[NULL]	[NULL]	R	B0C257	86-30-6	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	10595-95-6	n-Nitrosomethylethylamine	1.1	ug/L	U	[NULL]	[NULL]	R	B0C257	10595-95-6	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	59-89-2	n-Nitrosomorpholine	1.5	ug/L	U	[NULL]	[NULL]	R	B0C257	59-89-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	100-75-4	n-Nitrosopiperidine	3.8	ug/L	U	[NULL]	[NULL]	R	B0C257	100-75-4	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	95-53-4	o-Toluidine	5.4	ug/L	U	[NULL]	[NULL]	R	B0C257	95-53-4	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	60-11-7	p-Dimethylaminoazobenzene	1.4	ug/L	U	[NULL]	[NULL]	R	B0C257	60-11-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	106-50-3	p-Phenylenediamine	2.6	ug/L	U	[NULL]	[NULL]	R	B0C257	106-50-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	99-35-4	sym-Trinitrobenzene	3.2	ug/L	U	[NULL]	[NULL]	R	B0C257	99-35-4	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	10061-02-6	trans-1,3-Dichloropropene	0.16	ug/L	U	[NULL]	[NULL]	R	B0C257	10061-02-6	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	6/15/1994 13:25	N	110-57-6	trans-1,4-Dichloro-2-butene	2.2	ug/L	U	[NULL]	[NULL]	R	B0C257	110-57-6	DATACH	8260_VOA_GCMS	100-NR-2
199-N-75	9/6/1994 11:40	N	88-06-2	2,4,6-Trichlorophenol	1.6	ug/L	U	[NULL]	[NULL]	R	B0C9B0	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	9/6/1994 11:40	N	120-83-2	2,4-Dichlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B0C9B0	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	9/6/1994 11:40	N	105-67-9	2,4-Dimethylphenol	1.5	ug/L	U	[NULL]	[NULL]	R	B0C9B0	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	9/6/1994 11:40	N	51-28-5	2,4-Dinitrophenol	1.8	ug/L	U	[NULL]	[NULL]	R	B0C9B0	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	9/6/1994 11:40	N	87-65-0	2,6-Dichlorophenol	2.2	ug/L	U	[NULL]	[NULL]	R	B0C9B0	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	9/6/1994 11:40	N	95-57-8	2-Chlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B0C9B0	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	9/6/1994 11:40	N	88-75-5	2-Nitrophenol	1.7	ug/L	U	[NULL]	[NULL]	R	B0C9B0	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	9/6/1994 11:40	N	534-52-1	4,6-Dinitro-2-methylphenol	1.6	ug/L	U	[NULL]	[NULL]	R	B0C9B0	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	9/6/1994 11:40	N	59-50-7	4-Chloro-3-methylphenol	1.5	ug/L	U	[NULL]	[NULL]	R	B0C9B0	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	9/6/1994 11:40	N	100-02-7	4-Nitrophenol	1.4	ug/L	U	[NULL]	[NULL]	R	B0C9B0	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	9/6/1994 11:40	N	7429-90-5	Aluminum	74	ug/L	L	[NULL]	[NULL]	R	B0C9B0	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	Y	7429-90-5	Aluminum	19	ug/L	U	[NULL]	[NULL]	R	B0C9B4	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	Y	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C9B4	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	N	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C9B0	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	N	14234-35-6	Antimony-125	-17	pCi/L	U	[NULL]	[NULL]	R	B0C9B0	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-75	9/6/1994 11:40	Y	7440-38-2	Arsenic	0.77	ug/L	L	[NULL]	[NULL]	R	B0C9B4	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-75	9/6/1994 11:40	N	7440-38-2	Arsenic	0.64	ug/L	U	[NULL]	[NULL]	R	B0C9B0	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-75	9/6/1994 11:40	N	7440-39-3	Barium	25	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9B0	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	Y	7440-39-3	Barium	22	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9B4	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	N	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C9B0	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	Y	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C9B4	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	9/6/1994 11:40	N	24959-67-9	Bromide	110	ug/L	U	[NULL]	[NULL]	R	B0C9B0	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	9/6/1994 11:40	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C9B4	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C9B0	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	Y	7440-70-2	Calcium	27000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9B4	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	N	7440-70-2	Calcium	29000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9B0	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	N	10045-97-3	Cesium-137	3.43	pCi/L	U	[NULL]	[NULL]	R	B0C9B0	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-75	9/6/1994 11:40	N	16887-00-6	Chloride	1800	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9B0	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	9/6/1994 11:40	N	7440-47-3	Chromium	18	ug/L	L	Q	[NULL]	R	B0C9B0	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	Y	7440-47-3	Chromium	11	ug/L	U	Q	[NULL]	R	B0C9B4	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	N	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C9B0	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	Y	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C9B4	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	N	10198-40-0	Cobalt-60	3.82	pCi/L	U	[NULL]	[NULL]	R	B0C9B0	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-75	9/6/1994 11:40	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B0C9B0	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-75	9/6/1994 11:40	N	7440-50-8	Copper	2.6	ug/L	U	Q	[NULL]	R	B0C9B0	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	Y	7440-50-8	Copper	2.6	ug/L	U	Q	[NULL]	R	B0C9B4	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1.7	ug/L	U	[NULL]	[NULL]	R	B0C9B0	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	9/6/1994 11:40	N	16984-48-8	Fluoride	300	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9B0	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	9/6/1994 11:40	N	12587-46-1	Gross alpha	0.695	pCi/L	U	[NULL]	[NULL]	R	B0C9B0	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	9/6/1994 11:40	N	12587-47-2	Gross beta	3260	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C9B0	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	9/6/1994 11:40	N	302-01-2	Hydrazine	2.3	ug/L	U	[NULL]	[NULL]	R	B0C9B0	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-75	9/6/1994 11:40	N	7439-89-6	Iron	180	ug/L	[NULL]	Q	[NULL]	R	B0C9B0	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	Y	7439-89-6	Iron	29	ug/L	[NULL]	Q	[NULL]	R	B0C9B4	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	N	7439-92-1	Lead	1.2	ug/L	L	[NULL]	[NULL]	R	B0C9B0	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-75	9/6/1994 11:40	Y	7439-92-1	Lead	1.3	ug/L	L	[NULL]	[NULL]	R	B0C9B4	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-75	9/6/1994 11:40	Y	7439-95-4	Magnesium	4300	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9B4	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	N	7439-95-4	Magnesium	4600	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9B0	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	N	7439-96-5	Manganese	4.9	ug/L	L	Q	[NULL]	R	B0C9B0	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	Y	7439-96-5	Manganese	1.9	ug/L	L	Q	[NULL]	R	B0C9B4	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	N	7439-97-6	Mercury	0.095	ug/L	U	[NULL]	[NULL]	R	B0C9B0	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-75	9/6/1994 11:40	Y	7439-97-6	Mercury	0.095	ug/L	U	[NULL]	[NULL]	R	B0C9B4	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-75	9/6/1994 11:40	Y	7440-02-0	Nickel	16	ug/L	U	Q	[NULL]	R	B0C9B4	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	N	7440-02-0	Nickel	16	ug/L	U	Q	[NULL]	R	B0C9B0	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	N	14797-55-8	Nitrate	8900	ug/L	D	[NULL]	[NULL]	R	B0C9B0	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	9/6/1994 11:40	N	14797-65-0	Nitrite	110	ug/L	U	[NULL]	[NULL]	R	B0C9B0	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	9/6/1994 11:40	N	87-86-5	Pentachlorophenol	1.7	ug/L	U	[NULL]	[NULL]	R	B0C9B0	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	9/6/1994 11:40	N	108-95-2	Phenol	0.57	ug/L	U	[NULL]	[NULL]	R	B0C9B0	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	9/6/1994 11:40	N	14265-44-2	Phosphate	470	ug/L	U	[NULL]	[NULL]	R	B0C9B0	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	9/6/1994 11:40	Y	7440-09-7	Potassium	1200	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9B4	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	N	7440-09-7	Potassium	1600	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9B0	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	N	7440-14-4	Radium	0.252	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C9B0	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-75	9/6/1994 11:40	N	13967-48-1	Ruthenium-106	-66.5	pCi/L	U	[NULL]	[NULL]	R	B0C9B0	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-75	9/6/1994 11:40	Y	7782-49-2	Selenium	1.4	ug/L	U	[NULL]	[NULL]	R	B0C9B4	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-75	9/6/1994 11:40	N	7782-49-2	Selenium	1.4	ug/L	U	[NULL]	[NULL]	R	B0C9B0	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-75	9/6/1994 11:40	N	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C9B0	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	Y	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C9B4	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	N	7440-23-5	Sodium	2700	ug/L	[NULL]	Q	[NULL]	R	B0C9B0	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	Y	7440-23-5	Sodium	2500	ug/L	[NULL]	Q	[NULL]	R	B0C9B4	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	N	CONDUCT	Specific Conductance	177	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C9B3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	9/6/1994 11:40	N	CONDUCT	Specific Conductance	178	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C9B2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	9/6/1994 11:40	N	CONDUCT	Specific Conductance	178	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C9B1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	9/6/1994 11:40	N	CONDUCT	Specific Conductance	179	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C9B0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	9/6/1994 11:40	N	CONDUCT	Specific Conductance	190	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C9B0	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-75	9/6/1994 11:40	N	10098-97-2	Strontium-90	2110	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C9B0	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	9/6/1994 11:40	N	14808-79-8	Sulfate	16000	ug/L	D	[NULL]	[NULL]	R	B0C9B0	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-75	9/6/1994 11:40	N	TEMPERATURE	Temperature	21.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0C9B3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	9/6/1994 11:40	N	TEMPERATURE	Temperature	21.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0C9B1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	9/6/1994 11:40	N	TEMPERATURE	Temperature	21.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0C9B2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	9/6/1994 11:40	N	TEMPERATURE	Temperature	21.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0C9B0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	9/6/1994 11:40	N	25167-83-3	Tetrachlorophenol	1.4	ug/L	U	[NULL]	[NULL]	R	B0C9B0	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	9/6/1994 11:40	Y	7440-31-5	Tin	25	ug/L	LB	[NULL]	[NULL]	R	B0C9B4	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	N	7440-31-5	Tin	28	ug/L	LB	[NULL]	[NULL]	R	B0C9B0	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	N	1319-77-3	Total cresols	4.8	ug/L	U	[NULL]	[NULL]	R	B0C9B0	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	9/6/1994 11:40	N	TOC	Total organic carbon	320	ug/L	U	[NULL]	[NULL]	R	B0C9B2	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	9/6/1994 11:40	N	TOC	Total organic carbon	400	ug/L	L	[NULL]	[NULL]	R	B0C9B3	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	9/6/1994 11:40	N	TOC	Total organic carbon	340	ug/L	L	[NULL]	[NULL]	R	B0C9B1	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	9/6/1994 11:40	N	TOC	Total organic carbon	320	ug/L	U	[NULL]	[NULL]	R	B0C9B0	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	9/6/1994 11:40	N	59473-04-0	Total organic halides	9.3	ug/L	[NULL]	F	[NULL]	R	B0C9B2	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-75	9/6/1994 11:40	N	59473-04-0	Total organic halides	8.3	ug/L	[NULL]	F	[NULL]	R	B0C9B1	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-75	9/6/1994 11:40	N	59473-04-0	Total organic halides	9.8	ug/L	[NULL]	F	[NULL]	R	B0C9B0	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-75	9/6/1994 11:40	N	59473-04-0	Total organic halides	28.8	ug/L	[NULL]	F	[NULL]	R	B0C9B3	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-75	9/6/1994 11:40	N	25167-82-2	Trichlorophenol	2.1	ug/L	U	[NULL]	[NULL]	R	B0C9B0	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	9/6/1994 11:40	N	10028-17-8	Tritium	73100	pCi/L	[NULL]	[NULL]	[NULL]	R	B0C9B0	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-75	9/6/1994 11:40	N	TURBIDITY	Turbidity	2.4	NTU	[NULL]	[NULL]	[NULL]	R	B0C9B0	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-75	9/6/1994 11:40	N	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0C9B0	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	Y	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0C9B4	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	Y	7440-66-6	Zinc	10	ug/L	B	[NULL]	[NULL]	R	B0C9B4	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	N	7440-66-6	Zinc	32	ug/L	B	[NULL]	[NULL]	R	B0C9B0	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/6/1994 11:40	N	PH	pH Measurement	7.88	unitless	[NULL]	[NULL]	[NULL]	R	B0C9B2	PH	FIELD	9040_PH	100-NR-2
199-N-75	9/6/1994 11:40	N	PH	pH Measurement	7.89	unitless	[NULL]	[NULL]	[NULL]	R	B0C9B1	PH	FIELD	9040_PH	100-NR-2
199-N-75	9/6/1994 11:40	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B0C9B0	PH	DATACH	D1293_PH	100-NR-2
199-N-75	9/6/1994 11:40	N	PH	pH Measurement	7.89	unitless	[NULL]	[NULL]	[NULL]	R	B0C9B3	PH	FIELD	9040_PH	100-NR-2
199-N-75	9/6/1994 11:40	N	PH	pH Measurement	7.9	unitless	[NULL]	[NULL]	[NULL]	R	B0C9B0	PH	FIELD	9040_PH	100-NR-2
199-N-75	9/13/1994 11:00	N	CONDUCT	Specific Conductance	177	uS/cm	[NULL]	[NULL]	[NULL]	R	B0CT46	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	9/13/1994 11:00	N	TEMPERATURE	Temperature	21.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0CT46	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	9/13/1994 11:00	N	10028-17-8	Tritium	74200	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CT46	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-75	9/13/1994 11:00	N	PH	pH Measurement	7.95	unitless	[NULL]	[NULL]	[NULL]	R	B0CT46	PH	FIELD	9040_PH	100-NR-2
199-N-75	3/10/1995 10:00	N	88-06-2	2,4,6-Trichlorophenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DYH5	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	3/10/1995 10:00	N	120-83-2	2,4-Dichlorophenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DYH5	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	3/10/1995 10:00	N	105-67-9	2,4-Dimethylphenol	1.2	ug/L	U	[NULL]	[NULL]	R	B0DYH5	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	3/10/1995 10:00	N	51-28-5	2,4-Dinitrophenol	3	ug/L	U	Q	[NULL]	R	B0DYH5	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	3/10/1995 10:00	N	87-65-0	2,6-Dichlorophenol	1.4	ug/L	U	[NULL]	[NULL]	R	B0DYH5	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	3/10/1995 10:00	N	95-57-8	2-Chlorophenol	1.6	ug/L	U	[NULL]	[NULL]	R	B0DYH5	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	3/10/1995 10:00	N	88-75-5	2-Nitrophenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DYH5	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	3/10/1995 10:00	N	534-52-1	4,6-Dinitro-2-methylphenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DYH5	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	3/10/1995 10:00	N	59-50-7	4-Chloro-3-methylphenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DYH5	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	3/10/1995 10:00	N	100-02-7	4-Nitrophenol	3	ug/L	U	[NULL]	[NULL]	R	B0DYH5	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	3/10/1995 10:00	N	ALKALINITY	Alkalinity	60000	ug/L	B	[NULL]	[NULL]	R	B0DYH5	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-75	3/10/1995 10:00	N	7429-90-5	Aluminum	39.3	ug/L	U	[NULL]	[NULL]	R	B0DX69	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7429-90-5	Aluminum	25.3	ug/L	U	[NULL]	[NULL]	R	B0DX97	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7429-90-5	Aluminum	44.4	ug/L	U	[NULL]	[NULL]	R	B0DX96	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7429-90-5	Aluminum	31.9	ug/L	U	[NULL]	[NULL]	R	B0DX70	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-36-0	Antimony	32.7	ug/L	U	[NULL]	[NULL]	R	B0DX69	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-36-0	Antimony	32.7	ug/L	U	[NULL]	[NULL]	R	B0DX96	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-36-0	Antimony	32.7	ug/L	U	[NULL]	[NULL]	R	B0DX97	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-36-0	Antimony	32.7	ug/L	U	[NULL]	[NULL]	R	B0DX70	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-39-3	Barium	26.6	ug/L	B	[NULL]	[NULL]	R	B0DX69	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-39-3	Barium	25.9	ug/L	B	[NULL]	[NULL]	R	B0DX70	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	3/10/1995 10:00	N	7440-39-3	Barium	26.5	ug/L	B	[NULL]	[NULL]	R	B0DX96	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-39-3	Barium	32.4	ug/L	B	[NULL]	[NULL]	R	B0DX97	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-41-7	Beryllium	0.2	ug/L	U	[NULL]	[NULL]	R	B0DX97	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-41-7	Beryllium	0.2	ug/L	U	[NULL]	[NULL]	R	B0DX70	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-41-7	Beryllium	0.2	ug/L	U	[NULL]	[NULL]	R	B0DX69	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-41-7	Beryllium	0.2	ug/L	U	[NULL]	[NULL]	R	B0DX96	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-43-9	Cadmium	3.8	ug/L	U	[NULL]	[NULL]	R	B0DX69	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-43-9	Cadmium	3.8	ug/L	U	[NULL]	[NULL]	R	B0DX97	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-43-9	Cadmium	3.8	ug/L	U	[NULL]	[NULL]	R	B0DX96	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-43-9	Cadmium	3.8	ug/L	U	[NULL]	[NULL]	R	B0DX70	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-70-2	Calcium	27600	ug/L	J	[NULL]	[NULL]	R	B0DX97	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-70-2	Calcium	28400	ug/L	J	[NULL]	[NULL]	R	B0DX96	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-70-2	Calcium	27900	ug/L	J	[NULL]	[NULL]	R	B0DX70	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-70-2	Calcium	28700	ug/L	J	[NULL]	[NULL]	R	B0DX69	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	10045-97-3	Cesium-137	2.97	pCi/L	U	[NULL]	[NULL]	R	B0DX96	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-75	3/10/1995 10:00	N	10045-97-3	Cesium-137	-1.53	pCi/L	U	[NULL]	[NULL]	R	B0DX69	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-75	3/10/1995 10:00	N	16887-00-6	Chloride	1280	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX69	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/10/1995 10:00	N	16887-00-6	Chloride	1280	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX97	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/10/1995 10:00	N	16887-00-6	Chloride	1320	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX70	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/10/1995 10:00	N	16887-00-6	Chloride	1260	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX96	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-47-3	Chromium	2.9	ug/L	U	[NULL]	[NULL]	R	B0DX97	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-47-3	Chromium	8.7	ug/L	B	[NULL]	[NULL]	R	B0DX96	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-47-3	Chromium	4.7	ug/L	B	[NULL]	[NULL]	R	B0DX70	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-47-3	Chromium	7.6	ug/L	B	[NULL]	[NULL]	R	B0DX69	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-48-4	Cobalt	4.1	ug/L	U	[NULL]	[NULL]	R	B0DX69	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-48-4	Cobalt	4.1	ug/L	U	[NULL]	[NULL]	R	B0DX96	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-48-4	Cobalt	4.1	ug/L	U	[NULL]	[NULL]	R	B0DX97	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-48-4	Cobalt	4.1	ug/L	U	[NULL]	[NULL]	R	B0DX70	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	13981-38-9	Cobalt-58	5.32	pCi/L	U	[NULL]	[NULL]	R	B0DX96	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-75	3/10/1995 10:00	N	13981-38-9	Cobalt-58	-3.65	pCi/L	U	[NULL]	[NULL]	R	B0DX69	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-75	3/10/1995 10:00	N	10198-40-0	Cobalt-60	5.64	pCi/L	U	[NULL]	[NULL]	R	B0DX96	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-75	3/10/1995 10:00	N	10198-40-0	Cobalt-60	1.19	pCi/L	U	[NULL]	[NULL]	R	B0DX69	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-50-8	Copper	8.4	ug/L	B	[NULL]	[NULL]	R	B0DX97	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-50-8	Copper	9.1	ug/L	B	[NULL]	[NULL]	R	B0DX69	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-50-8	Copper	9.8	ug/L	B	[NULL]	[NULL]	R	B0DX96	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-50-8	Copper	11	ug/L	B	[NULL]	[NULL]	R	B0DX70	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1.3	ug/L	U	[NULL]	[NULL]	R	B0DYH5	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	3/10/1995 10:00	N	14683-23-9	Europium-152	3.54	pCi/L	U	[NULL]	[NULL]	R	B0DX96	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-75	3/10/1995 10:00	N	14683-23-9	Europium-152	1.04	pCi/L	U	[NULL]	[NULL]	R	B0DX69	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-75	3/10/1995 10:00	N	15585-10-1	Europium-154	7.76	pCi/L	U	[NULL]	[NULL]	R	B0DX96	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-75	3/10/1995 10:00	N	15585-10-1	Europium-154	2.14	pCi/L	U	[NULL]	[NULL]	R	B0DX69	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-75	3/10/1995 10:00	N	14391-16-3	Europium-155	11.7	pCi/L	U	[NULL]	[NULL]	R	B0DX96	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-75	3/10/1995 10:00	N	14391-16-3	Europium-155	-0.101	pCi/L	U	[NULL]	[NULL]	R	B0DX69	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-75	3/10/1995 10:00	N	16984-48-8	Fluoride	160	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX96	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/10/1995 10:00	N	16984-48-8	Fluoride	150	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX70	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/10/1995 10:00	N	16984-48-8	Fluoride	160	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX69	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/10/1995 10:00	N	16984-48-8	Fluoride	150	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX97	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/10/1995 10:00	N	12587-46-1	Gross alpha	0.0421	pCi/L	U	[NULL]	[NULL]	R	B0DX69	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-75	3/10/1995 10:00	N	12587-46-1	Gross alpha	-0.0288	pCi/L	U	[NULL]	[NULL]	R	B0DX96	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-75	3/10/1995 10:00	N	12587-47-2	Gross beta	2290	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DX69	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-75	3/10/1995 10:00	N	12587-47-2	Gross beta	2450	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DX96	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-75	3/10/1995 10:00	N	7439-89-6	Iron	133	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX70	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7439-89-6	Iron	127	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX97	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7439-89-6	Iron	152	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX69	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	3/10/1995 10:00	N	7439-89-6	Iron	469	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX96	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	14596-12-4	Iron-59	-1.34	pCi/L	U	[NULL]	[NULL]	R	B0DX69	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-75	3/10/1995 10:00	N	14596-12-4	Iron-59	-5.61	pCi/L	U	[NULL]	[NULL]	R	B0DX96	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-75	3/10/1995 10:00	Y	7439-92-1	Lead	1.5	ug/L	U	[NULL]	[NULL]	R	B0DYH6	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-75	3/10/1995 10:00	N	7439-95-4	Magnesium	4670	ug/L	BJ	[NULL]	[NULL]	R	B0DX70	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7439-95-4	Magnesium	4620	ug/L	B	[NULL]	[NULL]	R	B0DX97	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7439-95-4	Magnesium	4780	ug/L	BJ	[NULL]	[NULL]	R	B0DX96	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7439-95-4	Magnesium	4800	ug/L	BJ	[NULL]	[NULL]	R	B0DX69	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7439-96-5	Manganese	2.4	ug/L	B	[NULL]	[NULL]	R	B0DX70	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7439-96-5	Manganese	2	ug/L	B	[NULL]	[NULL]	R	B0DX69	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7439-96-5	Manganese	2.9	ug/L	B	[NULL]	[NULL]	R	B0DX96	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7439-96-5	Manganese	2.3	ug/L	B	[NULL]	[NULL]	R	B0DX97	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-02-0	Nickel	15.2	ug/L	U	[NULL]	[NULL]	R	B0DX69	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-02-0	Nickel	15.2	ug/L	U	[NULL]	[NULL]	R	B0DX97	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-02-0	Nickel	15.2	ug/L	U	[NULL]	[NULL]	R	B0DX96	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-02-0	Nickel	15.2	ug/L	U	[NULL]	[NULL]	R	B0DX70	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	14797-55-8	Nitrate	7220	ug/L	J	[NULL]	[NULL]	R	B0DX96	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/10/1995 10:00	N	14797-55-8	Nitrate	7300	ug/L	J	[NULL]	[NULL]	R	B0DX70	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/10/1995 10:00	N	14797-55-8	Nitrate	7260	ug/L	J	[NULL]	[NULL]	R	B0DX69	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/10/1995 10:00	N	14797-55-8	Nitrate	7260	ug/L	J	[NULL]	[NULL]	R	B0DX97	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/10/1995 10:00	N	14797-65-0	Nitrite	65.7	ug/L	U	R	R	R	B0DX69	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/10/1995 10:00	N	14797-65-0	Nitrite	65.7	ug/L	U	R	R	R	B0DX96	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/10/1995 10:00	N	14797-65-0	Nitrite	65.7	ug/L	U	R	R	R	B0DX70	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/10/1995 10:00	N	14797-65-0	Nitrite	65.7	ug/L	U	R	R	R	B0DX97	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/10/1995 10:00	N	87-86-5	Pentachlorophenol	1.3	ug/L	U	[NULL]	[NULL]	R	B0DYH5	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	3/10/1995 10:00	N	108-95-2	Phenol	0.31	ug/L	U	[NULL]	[NULL]	R	B0DYH5	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	3/10/1995 10:00	N	14265-44-2	Phosphate	1000	ug/L	U	R	R	R	B0DX70	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/10/1995 10:00	N	14265-44-2	Phosphate	1000	ug/L	U	R	R	R	B0DX97	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/10/1995 10:00	N	14265-44-2	Phosphate	1000	ug/L	U	R	R	R	B0DX69	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/10/1995 10:00	N	14265-44-2	Phosphate	1000	ug/L	U	R	R	R	B0DX96	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-09-7	Potassium	2670	ug/L	UJ	[NULL]	[NULL]	R	B0DX96	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-09-7	Potassium	2780	ug/L	BJ	[NULL]	[NULL]	R	B0DX69	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-09-7	Potassium	2670	ug/L	UJ	[NULL]	[NULL]	R	B0DX70	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-09-7	Potassium	2670	ug/L	U	[NULL]	[NULL]	R	B0DX97	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	13966-00-2	Potassium-40	166	pCi/L	J	[NULL]	[NULL]	R	B0DX96	13966-00-2	QTESRL	GAMMA_GS	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-22-4	Silver	3.8	ug/L	U	[NULL]	[NULL]	R	B0DX70	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-22-4	Silver	3.8	ug/L	U	[NULL]	[NULL]	R	B0DX97	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-22-4	Silver	5.4	ug/L	B	[NULL]	[NULL]	R	B0DX69	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-22-4	Silver	3.8	ug/L	U	[NULL]	[NULL]	R	B0DX96	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-23-5	Sodium	2920	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX97	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-23-5	Sodium	3050	ug/L	J	[NULL]	[NULL]	R	B0DX69	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-23-5	Sodium	2960	ug/L	J	[NULL]	[NULL]	R	B0DX96	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-23-5	Sodium	3100	ug/L	J	[NULL]	[NULL]	R	B0DX70	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	CONDUCT	Specific Conductance	216	uS/cm	[NULL]	R	[NULL]	R	B0DYH5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	3/10/1995 10:00	N	CONDUCT	Specific Conductance	175	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DX96	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-75	3/10/1995 10:00	N	CONDUCT	Specific Conductance	176	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DX69	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-75	3/10/1995 10:00	N	10098-97-2	Strontium-90	1250	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DX69	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	3/10/1995 10:00	N	10098-97-2	Strontium-90	1130	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DX96	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	3/10/1995 10:00	N	14808-79-8	Sulfate	14300	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX97	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/10/1995 10:00	N	14808-79-8	Sulfate	14200	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX69	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/10/1995 10:00	N	14808-79-8	Sulfate	14300	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX96	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/10/1995 10:00	N	14808-79-8	Sulfate	14400	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX70	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/10/1995 10:00	N	TEMPERATURE	Temperature	15	Deg C	[NULL]	[NULL]	[NULL]	R	B0DYH5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	3/10/1995 10:00	N	25167-83-3	Tetrachlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B0DYH5	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	3/10/1995 10:00	N	1319-77-3	Total cresols	4.8	ug/L	U	[NULL]	[NULL]	R	B0DYH5	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	3/10/1995 10:00	N	TOC	Total organic carbon	400	ug/L	L	[NULL]	[NULL]	R	B0DYH5	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	3/10/1995 10:00	N	59473-04-0	Total organic halides	17.1	ug/L	[NULL]	[NULL]	[NULL]	R	B0DYH5	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-75	3/10/1995 10:00	N	25167-82-2	Trichlorophenol	1.7	ug/L	U	[NULL]	[NULL]	R	B0DYH5	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	3/10/1995 10:00	N	10028-17-8	Tritium	70200	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DX69	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-75	3/10/1995 10:00	N	10028-17-8	Tritium	69900	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DX96	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-75	3/10/1995 10:00	N	TURBIDITY	Turbidity	1.16	NTU	J	[NULL]	[NULL]	R	B0DX69	TURBIDITY	QTESSL	180.1_TURBIDITY	100-NR-2
199-N-75	3/10/1995 10:00	N	TURBIDITY	Turbidity	0.97	NTU	J	[NULL]	[NULL]	R	B0DX96	TURBIDITY	QTESSL	180.1_TURBIDITY	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-62-2	Vanadium	5.5	ug/L	B	[NULL]	[NULL]	R	B0DX97	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-62-2	Vanadium	5.3	ug/L	B	[NULL]	[NULL]	R	B0DX69	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-62-2	Vanadium	10.2	ug/L	B	[NULL]	[NULL]	R	B0DX96	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-62-2	Vanadium	6.3	ug/L	B	[NULL]	[NULL]	R	B0DX70	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-66-6	Zinc	38.5	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX97	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-66-6	Zinc	15.7	ug/L	B	[NULL]	[NULL]	R	B0DX96	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-66-6	Zinc	14.4	ug/L	B	[NULL]	[NULL]	R	B0DX69	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	7440-66-6	Zinc	9.6	ug/L	B	[NULL]	[NULL]	R	B0DX70	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/10/1995 10:00	N	PH	pH Measurement	8.21	unitless	J	[NULL]	[NULL]	R	B0DX96	PH	QTESSL	9040_PH	100-NR-2
199-N-75	3/10/1995 10:00	N	PH	pH Measurement	8.24	unitless	[NULL]	[NULL]	[NULL]	R	B0DYH5	PH	FIELD	9040_PH	100-NR-2
199-N-75	3/10/1995 10:00	N	PH	pH Measurement	8.19	unitless	J	[NULL]	[NULL]	R	B0DX69	PH	QTESSL	9040_PH	100-NR-2
199-N-75	5/11/1995 13:30	N	10098-97-2	Strontium-90	843	pCi/L	[NULL]	[NULL]	[NULL]	R	B0FGF9	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	5/11/1995 13:30	N	TURBIDITY	Turbidity	0.14	NTU	[NULL]	[NULL]	[NULL]	R	B0FGF9	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-75	7/20/1995 9:50	N	7440-70-2	Calcium	30200	ug/L	[NULL]	[NULL]	[NULL]	R	B0GB60	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	7/20/1995 9:50	N	7439-95-4	Magnesium	5130	ug/L	[NULL]	[NULL]	[NULL]	R	B0GB60	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	7/20/1995 9:50	N	10098-97-2	Strontium-90	1350	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GB60	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	7/20/1995 9:50	N	14808-79-8	Sulfate	25900	ug/L	[NULL]	[NULL]	[NULL]	R	B0GB60	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/12/1995 10:25	N	ALKALINITY	Alkalinity	70000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBX1	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-75	9/12/1995 10:25	Y	7429-90-5	Aluminum	24.6	ug/L	U	[NULL]	[NULL]	R	B0GJV9	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	7429-90-5	Aluminum	24.6	ug/L	U	[NULL]	[NULL]	R	B0GJV8	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	Y	7429-90-5	Aluminum	24.6	ug/L	U	[NULL]	[NULL]	R	B0GJY3	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	7429-90-5	Aluminum	24.6	ug/L	U	[NULL]	[NULL]	R	B0GJY2	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	Y	7440-36-0	Antimony	45.9	ug/L	U	[NULL]	[NULL]	R	B0GJV9	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	7440-36-0	Antimony	45.9	ug/L	U	[NULL]	[NULL]	R	B0GJY2	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	7440-36-0	Antimony	45.9	ug/L	U	[NULL]	[NULL]	R	B0GJV8	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	Y	7440-36-0	Antimony	45.9	ug/L	U	[NULL]	[NULL]	R	B0GJY3	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	7440-39-3	Barium	26.3	ug/L	B	[NULL]	[NULL]	R	B0GJY2	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	7440-39-3	Barium	26.8	ug/L	B	[NULL]	[NULL]	R	B0GJV8	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	Y	7440-39-3	Barium	28	ug/L	B	[NULL]	[NULL]	R	B0GJV9	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	Y	7440-39-3	Barium	26.4	ug/L	B	[NULL]	[NULL]	R	B0GJY3	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	7440-41-7	Beryllium	0.69	ug/L	U	[NULL]	[NULL]	R	B0GJV8	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	7440-41-7	Beryllium	0.68	ug/L	U	[NULL]	[NULL]	R	B0GJY2	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	Y	7440-41-7	Beryllium	0.92	ug/L	U	[NULL]	[NULL]	R	B0GJV9	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	Y	7440-41-7	Beryllium	0.92	ug/L	U	[NULL]	[NULL]	R	B0GJY3	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	7440-43-9	Cadmium	3.1	ug/L	U	[NULL]	[NULL]	R	B0GJV8	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	Y	7440-43-9	Cadmium	3.1	ug/L	U	[NULL]	[NULL]	R	B0GJY3	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	7440-43-9	Cadmium	3.1	ug/L	U	[NULL]	[NULL]	R	B0GJY2	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	Y	7440-43-9	Cadmium	3.1	ug/L	U	[NULL]	[NULL]	R	B0GJV9	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	Y	7440-70-2	Calcium	29200	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJY3	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	7440-70-2	Calcium	29400	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJY2	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	Y	7440-70-2	Calcium	30000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJV9	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	7440-70-2	Calcium	30200	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJV8	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	10045-97-3	Cesium-137	-2.57	pCi/L	U	[NULL]	[NULL]	R	B0GJY2	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-75	9/12/1995 10:25	N	10045-97-3	Cesium-137	-0.314	pCi/L	U	[NULL]	[NULL]	R	B0GJV8	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-75	9/12/1995 10:25	Y	16887-00-6	Chloride	1350	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJV9	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/12/1995 10:25	N	16887-00-6	Chloride	1270	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJY2	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/12/1995 10:25	Y	16887-00-6	Chloride	1330	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJY3	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/12/1995 10:25	N	16887-00-6	Chloride	1320	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJV8	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	9/12/1995 10:25	N	7440-47-3	Chromium	2.8	ug/L	U	[NULL]	[NULL]	R	B0GJV8	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	7440-47-3	Chromium	2.8	ug/L	U	[NULL]	[NULL]	R	B0GJY2	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	Y	7440-47-3	Chromium	2.8	ug/L	U	[NULL]	[NULL]	R	B0GJV9	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	Y	7440-47-3	Chromium	2.8	ug/L	U	[NULL]	[NULL]	R	B0GJY3	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	Y	7440-48-4	Cobalt	4.3	ug/L	U	[NULL]	[NULL]	R	B0GJV9	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	Y	7440-48-4	Cobalt	4.3	ug/L	U	[NULL]	[NULL]	R	B0GJY3	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	7440-48-4	Cobalt	4.3	ug/L	U	[NULL]	[NULL]	R	B0GJY2	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	7440-48-4	Cobalt	4.3	ug/L	U	[NULL]	[NULL]	R	B0GJV8	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	13981-38-9	Cobalt-58	0	pCi/L	U	[NULL]	[NULL]	R	B0GJY2	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-75	9/12/1995 10:25	N	13981-38-9	Cobalt-58	-2.74	pCi/L	U	[NULL]	[NULL]	R	B0GJV8	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-75	9/12/1995 10:25	N	10198-40-0	Cobalt-60	1.88	pCi/L	U	[NULL]	[NULL]	R	B0GJY2	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-75	9/12/1995 10:25	N	10198-40-0	Cobalt-60	7.76	pCi/L	U	[NULL]	[NULL]	R	B0GJV8	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-75	9/12/1995 10:25	Y	7440-50-8	Copper	19.6	ug/L	U	[NULL]	[NULL]	R	B0GJY3	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	7440-50-8	Copper	11.6	ug/L	U	[NULL]	[NULL]	R	B0GJY2	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	7440-50-8	Copper	9	ug/L	U	[NULL]	[NULL]	R	B0GJV8	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	Y	7440-50-8	Copper	23	ug/L	U	[NULL]	[NULL]	R	B0GJV9	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	14683-23-9	Europium-152	-3.46	pCi/L	U	[NULL]	[NULL]	R	B0GJY2	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-75	9/12/1995 10:25	N	14683-23-9	Europium-152	6.79	pCi/L	U	[NULL]	[NULL]	R	B0GJV8	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-75	9/12/1995 10:25	N	15585-10-1	Europium-154	11.2	pCi/L	U	[NULL]	[NULL]	R	B0GJY2	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-75	9/12/1995 10:25	N	15585-10-1	Europium-154	-1.59	pCi/L	U	[NULL]	[NULL]	R	B0GJV8	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-75	9/12/1995 10:25	N	14391-16-3	Europium-155	-4.44	pCi/L	U	[NULL]	[NULL]	R	B0GJY2	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-75	9/12/1995 10:25	N	14391-16-3	Europium-155	1.63	pCi/L	U	[NULL]	[NULL]	R	B0GJV8	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-75	9/12/1995 10:25	N	16984-48-8	Fluoride	150	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJY2	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/12/1995 10:25	Y	16984-48-8	Fluoride	160	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJV9	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/12/1995 10:25	Y	16984-48-8	Fluoride	160	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJY3	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/12/1995 10:25	N	16984-48-8	Fluoride	140	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJV8	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/12/1995 10:25	N	12587-46-1	Gross alpha	0.652	pCi/L	U	[NULL]	[NULL]	R	B0GJY2	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-75	9/12/1995 10:25	N	12587-46-1	Gross alpha	0.298	pCi/L	U	[NULL]	[NULL]	R	B0GJV8	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-75	9/12/1995 10:25	N	12587-47-2	Gross beta	1380	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GJY2	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-75	9/12/1995 10:25	N	12587-47-2	Gross beta	1390	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GJV8	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-75	9/12/1995 10:25	N	7439-89-6	Iron	36.7	ug/L	U	[NULL]	[NULL]	R	B0GJV8	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	7439-89-6	Iron	30.9	ug/L	U	[NULL]	[NULL]	R	B0GJY2	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	Y	7439-89-6	Iron	39.1	ug/L	U	[NULL]	[NULL]	R	B0GJY3	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	Y	7439-89-6	Iron	40.6	ug/L	U	[NULL]	[NULL]	R	B0GJV9	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	14596-12-4	Iron-59	3.88	pCi/L	U	[NULL]	[NULL]	R	B0GJV8	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-75	9/12/1995 10:25	N	14596-12-4	Iron-59	-12.7	pCi/L	U	[NULL]	[NULL]	R	B0GJY2	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-75	9/12/1995 10:25	Y	7439-92-1	Lead	0.88	ug/L	U	H	[NULL]	R	B0GBX5	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-75	9/12/1995 10:25	N	7439-95-4	Magnesium	5140	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJY2	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	Y	7439-95-4	Magnesium	5300	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJV9	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	Y	7439-95-4	Magnesium	5140	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJY3	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	7439-95-4	Magnesium	5280	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJV8	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	Y	7439-96-5	Manganese	5.3	ug/L	U	[NULL]	[NULL]	R	B0GJV9	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	7439-96-5	Manganese	3.7	ug/L	U	[NULL]	[NULL]	R	B0GJY2	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	Y	7439-96-5	Manganese	5.1	ug/L	U	[NULL]	[NULL]	R	B0GJY3	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	7439-96-5	Manganese	4.6	ug/L	U	[NULL]	[NULL]	R	B0GJV8	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	7440-02-0	Nickel	14.2	ug/L	U	[NULL]	[NULL]	R	B0GJY2	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	Y	7440-02-0	Nickel	14.2	ug/L	U	[NULL]	[NULL]	R	B0GJY3	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	Y	7440-02-0	Nickel	14.2	ug/L	U	[NULL]	[NULL]	R	B0GJV9	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	7440-02-0	Nickel	14.2	ug/L	U	[NULL]	[NULL]	R	B0GJV8	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	Y	14797-55-8	Nitrate	6910	ug/L	J	[NULL]	[NULL]	R	B0GJY3	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/12/1995 10:25	N	14797-55-8	Nitrate	7080	ug/L	J	[NULL]	[NULL]	R	B0GJV8	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/12/1995 10:25	Y	14797-55-8	Nitrate	7080	ug/L	J	[NULL]	[NULL]	R	B0GJV9	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/12/1995 10:25	N	14797-55-8	Nitrate	7040	ug/L	J	[NULL]	[NULL]	R	B0GJY2	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/12/1995 10:25	Y	14797-65-0	Nitrite	65.7	ug/L	U	R	R	R	B0GJY3	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/12/1995 10:25	N	14797-65-0	Nitrite	65.7	ug/L	U	R	R	R	B0GJV8	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	9/12/1995 10:25	Y	14797-65-0	Nitrite	65.7	ug/L	U	R	R	R	B0GJV9	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/12/1995 10:25	N	14797-65-0	Nitrite	65.7	ug/L	U	R	R	R	B0GJY2	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/12/1995 10:25	Y	14265-44-2	Phosphate	500	ug/L	U	R	R	R	B0GJY3	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/12/1995 10:25	N	14265-44-2	Phosphate	500	ug/L	U	R	R	R	B0GJV8	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/12/1995 10:25	N	14265-44-2	Phosphate	500	ug/L	U	R	R	R	B0GJY2	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/12/1995 10:25	Y	14265-44-2	Phosphate	500	ug/L	U	R	R	R	B0GJV9	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/12/1995 10:25	Y	7440-09-7	Potassium	2300	ug/L	B	[NULL]	[NULL]	R	B0GJV9	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	7440-09-7	Potassium	2420	ug/L	B	[NULL]	[NULL]	R	B0GJY2	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	7440-09-7	Potassium	2310	ug/L	B	[NULL]	[NULL]	R	B0GJV8	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	Y	7440-09-7	Potassium	2510	ug/L	B	[NULL]	[NULL]	R	B0GJY3	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	7440-22-4	Silver	2.2	ug/L	U	[NULL]	[NULL]	R	B0GJY2	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	Y	7440-22-4	Silver	2.2	ug/L	U	[NULL]	[NULL]	R	B0GJY3	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	Y	7440-22-4	Silver	2.2	ug/L	U	[NULL]	[NULL]	R	B0GJV9	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	7440-22-4	Silver	2.2	ug/L	U	[NULL]	[NULL]	R	B0GJV8	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	7440-23-5	Sodium	3070	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJV8	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	7440-23-5	Sodium	2980	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJY2	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	Y	7440-23-5	Sodium	2960	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJY3	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	Y	7440-23-5	Sodium	3020	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJV9	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	CONDUCT	Specific Conductance	187	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GJV8	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-75	9/12/1995 10:25	N	CONDUCT	Specific Conductance	186	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GJY2	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-75	9/12/1995 10:25	N	10098-97-2	Strontium-90	678	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GJV8	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	9/12/1995 10:25	N	10098-97-2	Strontium-90	682	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GJY2	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	9/12/1995 10:25	N	14808-79-8	Sulfate	16400	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJV8	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/12/1995 10:25	N	14808-79-8	Sulfate	16400	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJY2	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/12/1995 10:25	Y	14808-79-8	Sulfate	16200	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJV9	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/12/1995 10:25	Y	14808-79-8	Sulfate	16200	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJY3	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/12/1995 10:25	N	TOC	Total organic carbon	140	ug/L	U	[NULL]	[NULL]	R	B0GBX4	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	9/12/1995 10:25	N	TOC	Total organic carbon	200	ug/L	L	[NULL]	[NULL]	R	B0GBX1	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	9/12/1995 10:25	N	TOC	Total organic carbon	150	ug/L	L	[NULL]	[NULL]	R	B0GBX2	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	9/12/1995 10:25	N	TOC	Total organic carbon	200	ug/L	L	[NULL]	[NULL]	R	B0GBX3	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	9/12/1995 10:25	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0GBX4	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-75	9/12/1995 10:25	N	59473-04-0	Total organic halides	9	ug/L	L	[NULL]	[NULL]	R	B0GBX3	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-75	9/12/1995 10:25	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0GBX1	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-75	9/12/1995 10:25	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0GBX2	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-75	9/12/1995 10:25	N	10028-17-8	Tritium	61900	pCi/L	J	[NULL]	[NULL]	R	B0GJV8	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-75	9/12/1995 10:25	N	10028-17-8	Tritium	61800	pCi/L	J	[NULL]	[NULL]	R	B0GJY2	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-75	9/12/1995 10:25	N	TURBIDITY	Turbidity	0.1	NTU	UJ	[NULL]	[NULL]	R	B0GJY2	TURBIDITY	QTESSL	180.1_TURBIDITY	100-NR-2
199-N-75	9/12/1995 10:25	N	TURBIDITY	Turbidity	2.65	NTU	[NULL]	[NULL]	[NULL]	R	B0GJV8	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-75	9/12/1995 10:25	N	TURBIDITY	Turbidity	0.16	NTU	J	[NULL]	[NULL]	R	B0GJV8	TURBIDITY	QTESSL	180.1_TURBIDITY	100-NR-2
199-N-75	9/12/1995 10:25	N	7440-62-2	Vanadium	17.3	ug/L	U	[NULL]	[NULL]	R	B0GJY2	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	Y	7440-62-2	Vanadium	27.2	ug/L	U	[NULL]	[NULL]	R	B0GJV9	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	Y	7440-62-2	Vanadium	25.4	ug/L	U	[NULL]	[NULL]	R	B0GJY3	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	7440-62-2	Vanadium	14.9	ug/L	U	[NULL]	[NULL]	R	B0GJV8	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	7440-66-6	Zinc	36.6	ug/L	U	[NULL]	[NULL]	R	B0GJV8	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	Y	7440-66-6	Zinc	12.3	ug/L	U	[NULL]	[NULL]	R	B0GJY3	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	7440-66-6	Zinc	28.2	ug/L	U	[NULL]	[NULL]	R	B0GJY2	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	Y	7440-66-6	Zinc	12.2	ug/L	U	[NULL]	[NULL]	R	B0GJV9	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 10:25	N	PH	pH Measurement	8.15	unitless	J	[NULL]	[NULL]	R	B0GJV8	PH	QTESSL	9040_PH	100-NR-2
199-N-75	9/12/1995 10:25	N	PH	pH Measurement	8.15	unitless	J	[NULL]	[NULL]	R	B0GJY2	PH	QTESSL	9040_PH	100-NR-2
199-N-75	9/12/1995 12:30	N	7440-70-2	Calcium	29200	ug/L	[NULL]	[NULL]	[NULL]	R	B0GFT3	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 12:30	N	7439-95-4	Magnesium	5000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GFT3	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/12/1995 12:30	N	10098-97-2	Strontium-90	621	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GFT3	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	9/12/1995 12:30	N	14808-79-8	Sulfate	10100	ug/L	[NULL]	[NULL]	[NULL]	R	B0GFT3	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	10/4/1995 15:40	N	7440-70-2	Calcium	29800	ug/L	[NULL]	[NULL]	[NULL]	R	B0GP03	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	10/4/1995 15:40	N	DO	Dissolved oxygen	1400	ug/L	[NULL]	[NULL]	[NULL]	R	B0GP03	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	10/4/1995 15:40	N	7439-95-4	Magnesium	5200	ug/L	[NULL]	[NULL]	[NULL]	R	B0GP03	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	10/4/1995 15:40	N	CONDUCT	Specific Conductance	192	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GP03	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-75	10/4/1995 15:40	N	10098-97-2	Strontium-90	462	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GP03	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	10/4/1995 15:40	N	14808-79-8	Sulfate	16400	ug/L	[NULL]	[NULL]	[NULL]	R	B0GP03	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	10/4/1995 15:40	N	TEMPERATURE	Temperature	22.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0GP03	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	10/4/1995 15:40	N	TURBIDITY	Turbidity	0.52	NTU	[NULL]	[NULL]	[NULL]	R	B0GP03	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-75	10/4/1995 15:40	N	PH	pH Measurement	8.34	unitless	[NULL]	[NULL]	[NULL]	R	B0GP03	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-75	12/4/1995 12:30	N	DO	Dissolved oxygen	6600	ug/L	[NULL]	[NULL]	[NULL]	IP	B0GYV1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-75	12/4/1995 12:30	N	CONDUCT	Specific Conductance	400	uS/cm	[NULL]	[NULL]	[NULL]	IP	B0GYV1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-75	12/4/1995 12:30	N	10098-97-2	Strontium-90	547	pCi/L	[NULL]	[NULL]	[NULL]	IP	B0GYW5	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	12/4/1995 12:30	N	10098-97-2	Strontium-90	553	pCi/L	[NULL]	[NULL]	[NULL]	IP	B0GYV1	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	12/4/1995 12:30	N	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	IP	B0GYV1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	12/4/1995 12:30	N	TURBIDITY	Turbidity	0.86	NTU	[NULL]	[NULL]	[NULL]	IP	B0GYV1	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-75	12/4/1995 12:30	N	PH	pH Measurement	8.11	unitless	[NULL]	[NULL]	[NULL]	IP	B0GYV1	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-75	1/4/1996 11:35	N	DO	Dissolved oxygen	7500	ug/L	[NULL]	[NULL]	[NULL]	IP	B0GZG7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-75	1/4/1996 11:35	N	CONDUCT	Specific Conductance	196	uS/cm	[NULL]	[NULL]	[NULL]	IP	B0GZG7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-75	1/4/1996 11:35	N	10098-97-2	Strontium-90	496	pCi/L	[NULL]	[NULL]	[NULL]	IP	B0GZG7	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	1/4/1996 11:35	N	TEMPERATURE	Temperature	14.4	Deg C	[NULL]	[NULL]	[NULL]	IP	B0GZG7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	1/4/1996 11:35	N	TURBIDITY	Turbidity	0.29	NTU	[NULL]	[NULL]	[NULL]	IP	B0GZG7	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-75	1/4/1996 11:35	N	PH	pH Measurement	8.08	unitless	[NULL]	[NULL]	[NULL]	IP	B0GZG7	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-75	2/13/1996 10:50	N	DO	Dissolved oxygen	9800	ug/L	[NULL]	[NULL]	[NULL]	IP	B0H6J3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-75	2/13/1996 10:50	N	CONDUCT	Specific Conductance	197	uS/cm	[NULL]	[NULL]	[NULL]	IP	B0H6J3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-75	2/13/1996 10:50	N	10098-97-2	Strontium-90	470	pCi/L	[NULL]	[NULL]	[NULL]	IP	B0H6J3	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	2/13/1996 10:50	N	TEMPERATURE	Temperature	14	Deg C	[NULL]	[NULL]	[NULL]	IP	B0H6J3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	2/13/1996 10:50	N	TURBIDITY	Turbidity	0.67	NTU	[NULL]	[NULL]	[NULL]	IP	B0H6J3	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-75	2/13/1996 10:50	N	PH	pH Measurement	7.7	unitless	[NULL]	[NULL]	[NULL]	IP	B0H6J3	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-75	3/6/1996 10:00	N	DO	Dissolved oxygen	6000	ug/L	[NULL]	[NULL]	[NULL]	IP	B0H769	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-75	3/6/1996 10:00	N	CONDUCT	Specific Conductance	183	uS/cm	[NULL]	[NULL]	[NULL]	IP	B0H769	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-75	3/6/1996 10:00	N	10098-97-2	Strontium-90	604	pCi/L	[NULL]	[NULL]	[NULL]	IP	B0H769	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	3/6/1996 10:00	N	TEMPERATURE	Temperature	18.9	Deg C	[NULL]	[NULL]	[NULL]	IP	B0H769	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	3/6/1996 10:00	N	TURBIDITY	Turbidity	0.38	NTU	[NULL]	[NULL]	[NULL]	IP	B0H769	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-75	3/6/1996 10:00	N	PH	pH Measurement	7.81	unitless	[NULL]	[NULL]	[NULL]	IP	B0H769	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-75	3/26/1996 8:40	N	88-06-2	2,4,6-Trichlorophenol	0.8	ug/L	U	[NULL]	[NULL]	R	B0HNL0	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	3/26/1996 8:40	N	120-83-2	2,4-Dichlorophenol	0.43	ug/L	U	[NULL]	[NULL]	R	B0HNL0	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	3/26/1996 8:40	N	105-67-9	2,4-Dimethylphenol	0.62	ug/L	U	[NULL]	[NULL]	R	B0HNL0	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	3/26/1996 8:40	N	51-28-5	2,4-Dinitrophenol	6.8	ug/L	U	[NULL]	[NULL]	R	B0HNL0	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	3/26/1996 8:40	N	87-65-0	2,6-Dichlorophenol	0.52	ug/L	U	[NULL]	[NULL]	R	B0HNL0	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	3/26/1996 8:40	N	95-57-8	2-Chlorophenol	0.6	ug/L	U	[NULL]	[NULL]	R	B0HNL0	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	3/26/1996 8:40	N	88-75-5	2-Nitrophenol	0.6	ug/L	U	[NULL]	[NULL]	R	B0HNL0	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	3/26/1996 8:40	N	534-52-1	4,6-Dinitro-2-methylphenol	0.84	ug/L	U	[NULL]	[NULL]	R	B0HNL0	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	3/26/1996 8:40	N	59-50-7	4-Chloro-3-methylphenol	0.52	ug/L	U	[NULL]	[NULL]	R	B0HNL0	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	3/26/1996 8:40	N	100-02-7	4-Nitrophenol	0.49	ug/L	U	[NULL]	[NULL]	R	B0HNL0	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	3/26/1996 8:40	N	ALKALINITY	Alkalinity	67000	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNL0	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-75	3/26/1996 8:40	N	7429-90-5	Aluminum	27.3	ug/L	U	[NULL]	[NULL]	R	B0H8K1	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	Y	7429-90-5	Aluminum	31	ug/L	U	[NULL]	[NULL]	R	B0HNL4	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	Y	7440-36-0	Antimony	24	ug/L	U	[NULL]	[NULL]	R	B0HNL4	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	N	7440-36-0	Antimony	31.7	ug/L	U	[NULL]	[NULL]	R	B0H8K1	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	Y	7440-38-2	Arsenic	2.6	ug/L	U	[NULL]	[NULL]	R	B0HNL4	7440-38-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	Y	7440-39-3	Barium	22	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNL4	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	N	7440-39-3	Barium	24	ug/L	B	[NULL]	[NULL]	R	B0H8K1	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	Y	7440-41-7	Beryllium	0.63	ug/L	U	[NULL]	[NULL]	R	B0HNL4	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	N	7440-41-7	Beryllium	0.6	ug/L	U	[NULL]	[NULL]	R	B0H8K1	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	N	7440-43-9	Cadmium	3.4	ug/L	U	[NULL]	[NULL]	R	B0H8K1	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	Y	7440-43-9	Cadmium	0.98	ug/L	U	[NULL]	[NULL]	R	B0HNL4	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	3/26/1996 8:40	N	7440-70-2	Calcium	30800	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K1	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	Y	7440-70-2	Calcium	28000	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNL4	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	N	10045-97-3	Cesium-137	3.19	pCi/L	U	[NULL]	[NULL]	R	B0H8K1	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-75	3/26/1996 8:40	N	16887-00-6	Chloride	2190	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K1	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/26/1996 8:40	Y	16887-00-6	Chloride	2230	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K2	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/26/1996 8:40	N	7440-47-3	Chromium	4.4	ug/L	U	[NULL]	[NULL]	R	B0H8K1	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	Y	7440-47-3	Chromium	3.7	ug/L	U	[NULL]	[NULL]	R	B0HNL4	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	N	7440-48-4	Cobalt	3.6	ug/L	U	[NULL]	[NULL]	R	B0H8K1	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	Y	7440-48-4	Cobalt	5.3	ug/L	U	[NULL]	[NULL]	R	B0HNL4	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	N	13981-38-9	Cobalt-58	-0.725	pCi/L	U	[NULL]	[NULL]	R	B0H8K1	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-75	3/26/1996 8:40	N	10198-40-0	Cobalt-60	-1.78	pCi/L	U	[NULL]	[NULL]	R	B0H8K1	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-75	3/26/1996 8:40	N	7440-50-8	Copper	6.2	ug/L	U	[NULL]	[NULL]	R	B0H8K1	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	Y	7440-50-8	Copper	2.8	ug/L	L	[NULL]	[NULL]	R	B0HNL4	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	0.41	ug/L	U	[NULL]	[NULL]	R	B0HNL0	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	3/26/1996 8:40	N	14683-23-9	Europium-152	1.99	pCi/L	U	[NULL]	[NULL]	R	B0H8K1	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-75	3/26/1996 8:40	N	15585-10-1	Europium-154	-1.38	pCi/L	U	[NULL]	[NULL]	R	B0H8K1	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-75	3/26/1996 8:40	N	14391-16-3	Europium-155	-8.31	pCi/L	U	[NULL]	[NULL]	R	B0H8K1	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-75	3/26/1996 8:40	N	16984-48-8	Fluoride	190	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K1	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/26/1996 8:40	Y	16984-48-8	Fluoride	190	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K2	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/26/1996 8:40	N	12587-46-1	Gross alpha	0.569	pCi/L	U	[NULL]	[NULL]	R	B0H8K1	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-75	3/26/1996 8:40	N	12587-47-2	Gross beta	1090	pCi/L	[NULL]	[NULL]	[NULL]	R	B0H8K1	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-75	3/26/1996 8:40	N	7439-89-6	Iron	65	ug/L	B	[NULL]	[NULL]	R	B0H8K1	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	Y	7439-89-6	Iron	22	ug/L	L	[NULL]	[NULL]	R	B0HNL4	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	N	14596-12-4	Iron-59	-1.31	pCi/L	U	[NULL]	[NULL]	R	B0H8K1	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-75	3/26/1996 8:40	Y	7439-92-1	Lead	1.7	ug/L	U	[NULL]	[NULL]	R	B0HNL4	7439-92-1	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	N	7439-95-4	Magnesium	5330	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K1	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	Y	7439-95-4	Magnesium	4700	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNL4	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	Y	7439-96-5	Manganese	0.55	ug/L	U	[NULL]	[NULL]	R	B0HNL4	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	N	7439-96-5	Manganese	1.1	ug/L	U	[NULL]	[NULL]	R	B0H8K1	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	N	7440-02-0	Nickel	16.1	ug/L	U	[NULL]	[NULL]	R	B0H8K1	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	Y	7440-02-0	Nickel	11	ug/L	U	[NULL]	[NULL]	R	B0HNL4	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	N	14797-55-8	Nitrate	13700	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K1	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/26/1996 8:40	Y	14797-55-8	Nitrate	13500	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K2	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/26/1996 8:40	N	14797-65-0	Nitrite	65.7	ug/L	U	[NULL]	[NULL]	R	B0H8K1	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/26/1996 8:40	Y	14797-65-0	Nitrite	65.7	ug/L	U	[NULL]	[NULL]	R	B0H8K2	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/26/1996 8:40	N	87-86-5	Pentachlorophenol	0.48	ug/L	U	[NULL]	[NULL]	R	B0HNL0	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	3/26/1996 8:40	N	108-95-2	Phenol	0.58	ug/L	U	[NULL]	[NULL]	R	B0HNL0	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	3/26/1996 8:40	Y	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B0H8K2	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/26/1996 8:40	N	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B0H8K1	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/26/1996 8:40	Y	7440-09-7	Potassium	2300	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNL4	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	N	7440-09-7	Potassium	2010	ug/L	U	[NULL]	[NULL]	R	B0H8K1	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	Y	7782-49-2	Selenium	3.8	ug/L	U	[NULL]	[NULL]	R	B0HNL4	7782-49-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	Y	7440-22-4	Silver	5.5	ug/L	U	[NULL]	[NULL]	R	B0HNL4	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	N	7440-22-4	Silver	5	ug/L	UN	[NULL]	[NULL]	R	B0H8K1	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	N	7440-23-5	Sodium	3260	ug/L	B	[NULL]	[NULL]	R	B0H8K1	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	Y	7440-23-5	Sodium	3100	ug/L	[NULL]	Q	[NULL]	R	B0HNL4	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	N	CONDUCT	Specific Conductance	203	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HNL2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	3/26/1996 8:40	N	CONDUCT	Specific Conductance	203	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HNL1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	3/26/1996 8:40	N	CONDUCT	Specific Conductance	203	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HNL3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	3/26/1996 8:40	N	CONDUCT	Specific Conductance	195	uS/cm	[NULL]	[NULL]	[NULL]	R	B0H8K1	CONDUCT	QTESSL	9050_CONDUCT	100-NR-2
199-N-75	3/26/1996 8:40	N	CONDUCT	Specific Conductance	203	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HNL0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	3/26/1996 8:40	Y	7440-24-6	Strontium	130	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNL4	7440-24-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	N	14158-27-1	Strontium-89	118	pCi/L	U	[NULL]	[NULL]	R	B0H8K1	14158-27-1	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	3/26/1996 8:40	N	10098-97-2	Strontium-90	469	pCi/L	[NULL]	[NULL]	[NULL]	R	B0H8K1	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	3/26/1996 8:40	Y	14808-79-8	Sulfate	18300	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K2	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/26/1996 8:40	N	14808-79-8	Sulfate	18400	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K1	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/26/1996 8:40	N	TEMPERATURE	Temperature	20.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0HNL1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	3/26/1996 8:40	N	TEMPERATURE	Temperature	20.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0HNL0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	3/26/1996 8:40	N	TEMPERATURE	Temperature	20.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0HNL2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	3/26/1996 8:40	N	TEMPERATURE	Temperature	20.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0HNL3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	3/26/1996 8:40	N	25167-83-3	Tetrachlorophenol	0.52	ug/L	U	[NULL]	[NULL]	R	B0HNL0	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	3/26/1996 8:40	Y	7440-28-0	Thallium	3.7	ug/L	U	[NULL]	[NULL]	R	B0HNL4	7440-28-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	B0HNL4	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	N	1319-77-3	Total cresols	1.7	ug/L	U	[NULL]	[NULL]	R	B0HNL0	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	3/26/1996 8:40	N	TOC	Total organic carbon	140	ug/L	U	[NULL]	[NULL]	R	B0HNL0	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	3/26/1996 8:40	N	TOC	Total organic carbon	140	ug/L	U	[NULL]	[NULL]	R	B0HNL1	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	3/26/1996 8:40	N	TOC	Total organic carbon	140	ug/L	U	[NULL]	[NULL]	R	B0HNL2	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	3/26/1996 8:40	N	TOC	Total organic carbon	140	ug/L	U	[NULL]	[NULL]	R	B0HNL3	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	3/26/1996 8:40	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0HNL3	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-75	3/26/1996 8:40	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0HNL1	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-75	3/26/1996 8:40	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0HNL2	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-75	3/26/1996 8:40	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0HNL0	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-75	3/26/1996 8:40	N	25167-82-2	Trichlorophenol	0.56	ug/L	U	[NULL]	[NULL]	R	B0HNL0	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-75	3/26/1996 8:40	N	10028-17-8	Tritium	48900	pCi/L	[NULL]	[NULL]	[NULL]	R	B0H8K1	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-75	3/26/1996 8:40	N	TURBIDITY	Turbidity	0.29	NTU	[NULL]	[NULL]	[NULL]	R	B0HNL0	TURBIDITY	FIELD	180.1_TURBIDITY	100-NR-2
199-N-75	3/26/1996 8:40	N	7440-62-2	Vanadium	6.2	ug/L	U	[NULL]	[NULL]	R	B0H8K1	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	Y	7440-62-2	Vanadium	5.9	ug/L	L	[NULL]	[NULL]	R	B0HNL4	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	Y	7440-66-6	Zinc	3.7	ug/L	U	[NULL]	[NULL]	R	B0HNL4	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	N	7440-66-6	Zinc	6.5	ug/L	B	[NULL]	[NULL]	R	B0H8K1	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/26/1996 8:40	N	PH	pH Measurement	8.29	unitless	[NULL]	[NULL]	[NULL]	R	B0HNL1	PH	FIELD	9040_PH	100-NR-2
199-N-75	3/26/1996 8:40	N	PH	pH Measurement	8.29	unitless	[NULL]	[NULL]	[NULL]	R	B0HNL2	PH	FIELD	9040_PH	100-NR-2
199-N-75	3/26/1996 8:40	N	PH	pH Measurement	8.28	unitless	[NULL]	[NULL]	[NULL]	R	B0HNL3	PH	FIELD	9040_PH	100-NR-2
199-N-75	3/26/1996 8:40	N	PH	pH Measurement	8.29	unitless	[NULL]	[NULL]	[NULL]	R	B0HNL0	PH	FIELD	9040_PH	100-NR-2
199-N-75	4/2/1996 12:00	N	DO	Dissolved oxygen	6400	ug/L	[NULL]	[NULL]	[NULL]	IP	B0H8N1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-75	4/2/1996 12:00	N	CONDUCT	Specific Conductance	196	uS/cm	[NULL]	[NULL]	[NULL]	IP	B0H8N1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-75	4/2/1996 12:00	N	10098-97-2	Strontium-90	463	pCi/L	[NULL]	[NULL]	[NULL]	IP	B0H8N1	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	4/2/1996 12:00	N	TEMPERATURE	Temperature	19.4	Deg C	[NULL]	[NULL]	[NULL]	IP	B0H8N1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	4/2/1996 12:00	N	TURBIDITY	Turbidity	1.1	NTU	[NULL]	[NULL]	[NULL]	IP	B0H8N1	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-75	4/2/1996 12:00	N	PH	pH Measurement	8.23	unitless	[NULL]	[NULL]	[NULL]	IP	B0H8N1	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-75	5/6/1996 10:10	N	DO	Dissolved oxygen	8700	ug/L	[NULL]	[NULL]	[NULL]	IP	B0HDW2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-75	5/6/1996 10:10	N	CONDUCT	Specific Conductance	213	uS/cm	[NULL]	[NULL]	[NULL]	IP	B0HDW2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-75	5/6/1996 10:10	N	10098-97-2	Strontium-90	649	pCi/L	[NULL]	[NULL]	[NULL]	IP	B0HDW2	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	5/6/1996 10:10	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	IP	B0HDW2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	5/6/1996 10:10	N	TURBIDITY	Turbidity	2	NTU	[NULL]	[NULL]	[NULL]	IP	B0HDW2	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-75	5/6/1996 10:10	N	PH	pH Measurement	8.26	unitless	[NULL]	[NULL]	[NULL]	IP	B0HDW2	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-75	6/3/1996 10:50	N	DO	Dissolved oxygen	6800	ug/L	[NULL]	[NULL]	[NULL]	IP	B0HG75	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-75	6/3/1996 10:50	N	CONDUCT	Specific Conductance	411	uS/cm	[NULL]	[NULL]	[NULL]	IP	B0HG75	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-75	6/3/1996 10:50	N	10098-97-2	Strontium-90	1070	pCi/L	[NULL]	[NULL]	[NULL]	IP	B0HG75	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	6/3/1996 10:50	N	TEMPERATURE	Temperature	22.2	Deg C	[NULL]	[NULL]	[NULL]	IP	B0HG75	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	6/3/1996 10:50	N	TURBIDITY	Turbidity	1.03	NTU	[NULL]	[NULL]	[NULL]	IP	B0HG75	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-75	6/3/1996 10:50	N	PH	pH Measurement	7.94	unitless	[NULL]	[NULL]	[NULL]	IP	B0HG75	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-75	9/9/1996 12:24	N	ALKALINITY	Alkalinity	65000	ug/L	[NULL]	[NULL]	[NULL]	R	B0J946	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-75	9/9/1996 12:24	N	7429-90-5	Aluminum	58.5	ug/L	U	[NULL]	[NULL]	R	B0J1K3	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	Y	7429-90-5	Aluminum	29	ug/L	L	[NULL]	[NULL]	R	B0J950	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	Y	7440-36-0	Antimony	43	ug/L	U	[NULL]	[NULL]	R	B0J950	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	N	7440-36-0	Antimony	27.2	ug/L	U	[NULL]	[NULL]	R	B0J1K3	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	Y	7440-38-2	Arsenic	2.6	ug/L	U	[NULL]	[NULL]	R	B0J950	7440-38-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	Y	7440-39-3	Barium	20	ug/L	[NULL]	[NULL]	[NULL]	R	B0J950	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	N	7440-39-3	Barium	20.8	ug/L	B	[NULL]	[NULL]	R	B0J1K3	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	9/9/1996 12:24	Y	7440-41-7	Beryllium	0.41	ug/L	L	[NULL]	[NULL]	R	B0J950	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	N	7440-41-7	Beryllium	0.4	ug/L	U	[NULL]	[NULL]	R	B0J1K3	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0J1K3	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	Y	7440-43-9	Cadmium	3.2	ug/L	U	[NULL]	[NULL]	R	B0J950	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	N	7440-70-2	Calcium	28200	ug/L	[NULL]	[NULL]	[NULL]	R	B0J1K3	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	Y	7440-70-2	Calcium	32000	ug/L	[NULL]	[NULL]	[NULL]	R	B0J950	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	N	10045-97-3	Cesium-137	1.83	pCi/L	U	[NULL]	[NULL]	R	B0J1K3	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-75	9/9/1996 12:24	N	16887-00-6	Chloride	1990	ug/L	[NULL]	[NULL]	[NULL]	R	B0J1K3	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/9/1996 12:24	N	7440-47-3	Chromium	4.4	ug/L	U	[NULL]	[NULL]	R	B0J1K3	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	Y	7440-47-3	Chromium	6.1	ug/L	L	[NULL]	[NULL]	R	B0J950	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	N	7440-48-4	Cobalt	3	ug/L	U	[NULL]	[NULL]	R	B0J1K3	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B0J950	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	N	13981-38-9	Cobalt-58	-1.7	pCi/L	U	[NULL]	[NULL]	R	B0J1K3	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-75	9/9/1996 12:24	N	10198-40-0	Cobalt-60	-0.582	pCi/L	U	[NULL]	[NULL]	R	B0J1K3	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-75	9/9/1996 12:24	Y	7440-50-8	Copper	8.7	ug/L	U	[NULL]	[NULL]	R	B0J950	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	N	7440-50-8	Copper	8	ug/L	U	[NULL]	[NULL]	R	B0J1K3	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	N	14683-23-9	Europium-152	7.7	pCi/L	U	[NULL]	[NULL]	R	B0J1K3	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-75	9/9/1996 12:24	N	15585-10-1	Europium-154	1.57	pCi/L	U	[NULL]	[NULL]	R	B0J1K3	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-75	9/9/1996 12:24	N	14391-16-3	Europium-155	-2.18	pCi/L	U	[NULL]	[NULL]	R	B0J1K3	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-75	9/9/1996 12:24	N	16984-48-8	Fluoride	120	ug/L	[NULL]	[NULL]	[NULL]	R	B0J1K3	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/9/1996 12:24	N	12587-46-1	Gross alpha	0.315	pCi/L	U	[NULL]	[NULL]	R	B0J1K3	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-75	9/9/1996 12:24	N	12587-47-2	Gross beta	677	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J1K3	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-75	9/9/1996 12:24	N	7439-89-6	Iron	14	ug/L	B	[NULL]	[NULL]	R	B0J1K3	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	Y	7439-89-6	Iron	14	ug/L	L	[NULL]	[NULL]	R	B0J950	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	N	14596-12-4	Iron-59	3.43	pCi/L	U	[NULL]	[NULL]	R	B0J1K3	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-75	9/9/1996 12:24	Y	7439-92-1	Lead	1.7	ug/L	U	[NULL]	[NULL]	R	B0J950	7439-92-1	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	N	7439-95-4	Magnesium	5050	ug/L	[NULL]	[NULL]	[NULL]	R	B0J1K3	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	Y	7439-95-4	Magnesium	5600	ug/L	[NULL]	[NULL]	[NULL]	R	B0J950	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	N	7439-96-5	Manganese	1.3	ug/L	B	[NULL]	[NULL]	R	B0J1K3	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	Y	7439-96-5	Manganese	1	ug/L	L	[NULL]	[NULL]	R	B0J950	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	Y	7440-02-0	Nickel	9	ug/L	BL	[NULL]	[NULL]	R	B0J950	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	N	7440-02-0	Nickel	13.4	ug/L	U	[NULL]	[NULL]	R	B0J1K3	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	N	14797-55-8	Nitrate	14100	ug/L	[NULL]	[NULL]	[NULL]	R	B0J1K3	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/9/1996 12:24	N	14797-65-0	Nitrite	65.7	ug/L	U	[NULL]	[NULL]	R	B0J1K3	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/9/1996 12:24	N	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B0J1K3	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/9/1996 12:24	N	7440-09-7	Potassium	2050	ug/L	B	[NULL]	[NULL]	R	B0J1K3	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	Y	7440-09-7	Potassium	2100	ug/L	B	[NULL]	[NULL]	R	B0J950	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	Y	7782-49-2	Selenium	3.8	ug/L	U	[NULL]	[NULL]	R	B0J950	7782-49-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	N	7440-22-4	Silver	6.6	ug/L	U	[NULL]	[NULL]	R	B0J1K3	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	Y	7440-22-4	Silver	4.5	ug/L	U	[NULL]	[NULL]	R	B0J950	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	Y	7440-23-5	Sodium	3400	ug/L	[NULL]	[NULL]	[NULL]	R	B0J950	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	N	7440-23-5	Sodium	3170	ug/L	B	[NULL]	[NULL]	R	B0J1K3	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	N	CONDUCT	Specific Conductance	210	uS/cm	[NULL]	[NULL]	[NULL]	R	B0J948	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	9/9/1996 12:24	N	CONDUCT	Specific Conductance	210	uS/cm	[NULL]	[NULL]	[NULL]	R	B0J949	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	9/9/1996 12:24	N	CONDUCT	Specific Conductance	202	uS/cm	[NULL]	[NULL]	[NULL]	R	B0J1K3	CONDUCT	QTESSL	9050_CONDUCT	100-NR-2
199-N-75	9/9/1996 12:24	N	CONDUCT	Specific Conductance	211	uS/cm	[NULL]	[NULL]	[NULL]	R	B0J947	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	9/9/1996 12:24	N	CONDUCT	Specific Conductance	211	uS/cm	[NULL]	[NULL]	[NULL]	R	B0J946	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	9/9/1996 12:24	Y	7440-24-6	Strontium	140	ug/L	[NULL]	[NULL]	[NULL]	R	B0J950	7440-24-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	N	14158-27-1	Strontium-89	56.4	pCi/L	U	[NULL]	[NULL]	R	B0J1K3	14158-27-1	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	9/9/1996 12:24	N	10098-97-2	Strontium-90	274	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J1K3	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-75	9/9/1996 12:24	N	14808-79-8	Sulfate	17500	ug/L	[NULL]	[NULL]	[NULL]	R	B0J1K3	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/9/1996 12:24	N	TEMPERATURE	Temperature	20.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0J948	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	9/9/1996 12:24	N	TEMPERATURE	Temperature	20.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0J947	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	9/9/1996 12:24	N	TEMPERATURE	Temperature	20.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0J946	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	9/9/1996 12:24	N	TEMPERATURE	Temperature	20.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0J949	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	9/9/1996 12:24	Y	7440-28-0	Thallium	3.7	ug/L	U	[NULL]	[NULL]	R	B0J950	7440-28-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	Y	7440-31-5	Tin	17	ug/L	U	[NULL]	[NULL]	R	B0J950	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B0J946	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	9/9/1996 12:24	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B0J947	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	9/9/1996 12:24	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B0J948	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	9/9/1996 12:24	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B0J949	TOC	DATACH	9060_TOC	100-NR-2
199-N-75	9/9/1996 12:24	N	59473-04-0	Total organic halides	7.89	ug/L	U	[NULL]	[NULL]	R	B0J949	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-75	9/9/1996 12:24	N	59473-04-0	Total organic halides	7.89	ug/L	U	[NULL]	[NULL]	R	B0J948	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-75	9/9/1996 12:24	N	59473-04-0	Total organic halides	7.89	ug/L	U	[NULL]	[NULL]	R	B0J947	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-75	9/9/1996 12:24	N	59473-04-0	Total organic halides	7.89	ug/L	U	[NULL]	[NULL]	R	B0J946	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-75	9/9/1996 12:24	N	10028-17-8	Tritium	38100	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J1K3	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-75	9/9/1996 12:24	N	TURBIDITY	Turbidity	1.37	NTU	[NULL]	[NULL]	[NULL]	R	B0J948	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-75	9/9/1996 12:24	Y	7440-62-2	Vanadium	6.2	ug/L	L	[NULL]	[NULL]	R	B0J950	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	N	7440-62-2	Vanadium	5.6	ug/L	B	[NULL]	[NULL]	R	B0J1K3	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	Y	7440-66-6	Zinc	7.7	ug/L	U	[NULL]	[NULL]	R	B0J950	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	N	7440-66-6	Zinc	6.1	ug/L	B	[NULL]	[NULL]	R	B0J1K3	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/9/1996 12:24	N	PH	pH Measurement	7.92	unitless	[NULL]	[NULL]	[NULL]	R	B0J1K3	PH	QTESSL	9040_PH	100-NR-2
199-N-75	9/9/1996 12:24	N	PH	pH Measurement	8.23	unitless	[NULL]	[NULL]	[NULL]	R	B0J949	PH	FIELD	9040_PH	100-NR-2
199-N-75	9/9/1996 12:24	N	PH	pH Measurement	8.21	unitless	[NULL]	[NULL]	[NULL]	R	B0J947	PH	FIELD	9040_PH	100-NR-2
199-N-75	9/9/1996 12:24	N	PH	pH Measurement	8.22	unitless	[NULL]	[NULL]	[NULL]	R	B0J948	PH	FIELD	9040_PH	100-NR-2
199-N-75	9/9/1996 12:24	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	B0J946	PH	FIELD	9040_PH	100-NR-2
199-N-75	3/5/1997 10:47	Y	7429-90-5	Aluminum	31	ug/L	B	[NULL]	[NULL]	R	B0K049	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/5/1997 10:47	Y	7440-36-0	Antimony	20.2	ug/L	U	[NULL]	[NULL]	R	B0K049	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/5/1997 10:47	Y	7440-39-3	Barium	24.1	ug/L	BE	[NULL]	[NULL]	R	B0K049	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/5/1997 10:47	Y	7440-41-7	Beryllium	0.4	ug/L	B	[NULL]	[NULL]	R	B0K049	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/5/1997 10:47	N	24959-67-9	Bromide	250	ug/L	U	[NULL]	[NULL]	R	B0K050	24959-67-9	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/5/1997 10:47	Y	7440-43-9	Cadmium	3.4	ug/L	U	[NULL]	[NULL]	R	B0K049	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/5/1997 10:47	Y	7440-70-2	Calcium	30100	ug/L	[NULL]	[NULL]	[NULL]	R	B0K049	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/5/1997 10:47	N	16887-00-6	Chloride	2290	ug/L	[NULL]	[NULL]	[NULL]	R	B0K050	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/5/1997 10:47	Y	7440-47-3	Chromium	2.8	ug/L	B	[NULL]	[NULL]	R	B0K049	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/5/1997 10:47	Y	7440-48-4	Cobalt	2.7	ug/L	U	[NULL]	[NULL]	R	B0K049	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/5/1997 10:47	Y	7440-50-8	Copper	7.5	ug/L	U	[NULL]	[NULL]	R	B0K049	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/5/1997 10:47	N	16984-48-8	Fluoride	130	ug/L	[NULL]	[NULL]	[NULL]	R	B0K050	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/5/1997 10:47	N	12587-47-2	Gross beta	997	pCi/L	[NULL]	[NULL]	[NULL]	R	B0K050	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-75	3/5/1997 10:47	Y	7439-89-6	Iron	27.5	ug/L	B	[NULL]	[NULL]	R	B0K049	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/5/1997 10:47	Y	7439-95-4	Magnesium	5430	ug/L	E	[NULL]	[NULL]	R	B0K049	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/5/1997 10:47	Y	7439-96-5	Manganese	2.6	ug/L	B	[NULL]	[NULL]	R	B0K049	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/5/1997 10:47	Y	7440-02-0	Nickel	8.7	ug/L	U	[NULL]	[NULL]	R	B0K049	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/5/1997 10:47	N	14797-55-8	Nitrate	15700	ug/L	[NULL]	[NULL]	[NULL]	R	B0K050	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/5/1997 10:47	N	14797-65-0	Nitrite	65.7	ug/L	U	[NULL]	[NULL]	R	B0K050	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/5/1997 10:47	N	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B0K050	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/5/1997 10:47	Y	7440-09-7	Potassium	3470	ug/L	B	[NULL]	[NULL]	R	B0K049	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/5/1997 10:47	Y	7440-22-4	Silver	3.9	ug/L	B	[NULL]	[NULL]	R	B0K049	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/5/1997 10:47	Y	7440-23-5	Sodium	3060	ug/L	B	[NULL]	[NULL]	R	B0K049	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/5/1997 10:47	N	10098-97-2	Strontium-90	383	pCi/L	[NULL]	[NULL]	[NULL]	R	B0K015	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	3/5/1997 10:47	N	14808-79-8	Sulfate	20200	ug/L	[NULL]	[NULL]	[NULL]	R	B0K050	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/5/1997 10:47	N	10028-17-8	Tritium	34400	pCi/L	[NULL]	[NULL]	[NULL]	R	B0K050	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-75	3/5/1997 10:47	Y	7440-62-2	Vanadium	14.2	ug/L	B	[NULL]	[NULL]	R	B0K049	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/5/1997 10:47	Y	7440-66-6	Zinc	13.5	ug/L	B	[NULL]	[NULL]	R	B0K049	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	7/9/1997 10:24	N	10098-97-2	Strontium-90	1740	pCi/L	[NULL]	[NULL]	[NULL]	IP	B0LFK1	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	9/18/1997 9:21	Y	7429-90-5	Aluminum	58.3	ug/L	U	[NULL]	[NULL]	R	B0LY44	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/18/1997 9:21	Y	7429-90-5	Aluminum	58.3	ug/L	U	[NULL]	[NULL]	R	B0LY46	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/18/1997 9:21	Y	7440-36-0	Antimony	36.1	ug/L	U	[NULL]	[NULL]	R	B0LY44	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/18/1997 9:21	Y	7440-36-0	Antimony	36.1	ug/L	U	[NULL]	[NULL]	R	B0LY46	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/18/1997 9:21	Y	7440-39-3	Barium	25.5	ug/L	B	[NULL]	[NULL]	R	B0LY44	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	9/18/1997 9:21	Y	7440-39-3	Barium	24.2	ug/L	B	[NULL]	[NULL]	R	B0LY46	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/18/1997 9:21	Y	7440-41-7	Beryllium	0.4	ug/L	U	[NULL]	[NULL]	R	B0LY44	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/18/1997 9:21	Y	7440-41-7	Beryllium	0.4	ug/L	U	[NULL]	[NULL]	R	B0LY46	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/18/1997 9:21	N	24959-67-9	Bromide	250	ug/L	U	[NULL]	[NULL]	R	B0LY43	24959-67-9	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/18/1997 9:21	N	24959-67-9	Bromide	250	ug/L	U	[NULL]	[NULL]	R	B0LY45	24959-67-9	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/18/1997 9:21	Y	7440-43-9	Cadmium	3	ug/L	UN	[NULL]	[NULL]	R	B0LY46	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/18/1997 9:21	Y	7440-43-9	Cadmium	3	ug/L	UN	[NULL]	[NULL]	R	B0LY44	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/18/1997 9:21	Y	7440-70-2	Calcium	37200	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY44	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/18/1997 9:21	Y	7440-70-2	Calcium	36200	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY46	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/18/1997 9:21	N	16887-00-6	Chloride	3280	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY45	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/18/1997 9:21	N	16887-00-6	Chloride	3270	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY43	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/18/1997 9:21	Y	7440-47-3	Chromium	3.5	ug/L	U	[NULL]	[NULL]	R	B0LY46	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/18/1997 9:21	Y	7440-47-3	Chromium	3.5	ug/L	U	[NULL]	[NULL]	R	B0LY44	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/18/1997 9:21	Y	7440-48-4	Cobalt	4.2	ug/L	U	[NULL]	[NULL]	R	B0LY46	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/18/1997 9:21	Y	7440-48-4	Cobalt	4.2	ug/L	U	[NULL]	[NULL]	R	B0LY44	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/18/1997 9:21	Y	7440-50-8	Copper	3.8	ug/L	U	[NULL]	[NULL]	R	B0LY46	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/18/1997 9:21	Y	7440-50-8	Copper	4.3	ug/L	B	[NULL]	[NULL]	R	B0LY44	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/18/1997 9:21	N	16984-48-8	Fluoride	123	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY45	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/18/1997 9:21	N	16984-48-8	Fluoride	124	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY43	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/18/1997 9:21	N	12587-47-2	Gross beta	821	pCi/L	[NULL]	[NULL]	[NULL]	R	B0LY45	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-75	9/18/1997 9:21	N	12587-47-2	Gross beta	838	pCi/L	[NULL]	[NULL]	[NULL]	R	B0LY43	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-75	9/18/1997 9:21	Y	7439-89-6	Iron	8.8	ug/L	U	[NULL]	[NULL]	R	B0LY44	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/18/1997 9:21	Y	7439-89-6	Iron	46.4	ug/L	B	[NULL]	[NULL]	R	B0LY46	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/18/1997 9:21	Y	7439-95-4	Magnesium	6490	ug/L	E	[NULL]	[NULL]	R	B0LY46	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/18/1997 9:21	Y	7439-95-4	Magnesium	6640	ug/L	E	[NULL]	[NULL]	R	B0LY44	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/18/1997 9:21	Y	7439-96-5	Manganese	2.4	ug/L	B	[NULL]	[NULL]	R	B0LY44	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/18/1997 9:21	Y	7439-96-5	Manganese	2.5	ug/L	B	[NULL]	[NULL]	R	B0LY46	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/18/1997 9:21	Y	7440-02-0	Nickel	9.9	ug/L	U	[NULL]	[NULL]	R	B0LY44	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/18/1997 9:21	Y	7440-02-0	Nickel	9.9	ug/L	U	[NULL]	[NULL]	R	B0LY46	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/18/1997 9:21	N	14797-55-8	Nitrate	21300	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY45	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/18/1997 9:21	N	14797-55-8	Nitrate	21000	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY43	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/18/1997 9:21	N	14797-65-0	Nitrite	65.7	ug/L	U	[NULL]	[NULL]	R	B0LY43	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/18/1997 9:21	N	14797-65-0	Nitrite	65.7	ug/L	U	[NULL]	[NULL]	R	B0LY45	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/18/1997 9:21	N	14265-44-2	Phosphate	392	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY45	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/18/1997 9:21	N	14265-44-2	Phosphate	395	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY43	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/18/1997 9:21	Y	7440-09-7	Potassium	2640	ug/L	U	[NULL]	[NULL]	R	B0LY46	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/18/1997 9:21	Y	7440-09-7	Potassium	2640	ug/L	U	[NULL]	[NULL]	R	B0LY44	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/18/1997 9:21	Y	7440-22-4	Silver	5.3	ug/L	U	[NULL]	[NULL]	R	B0LY46	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/18/1997 9:21	Y	7440-22-4	Silver	5.3	ug/L	U	[NULL]	[NULL]	R	B0LY44	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/18/1997 9:21	Y	7440-23-5	Sodium	3350	ug/L	BE	[NULL]	[NULL]	R	B0LY44	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/18/1997 9:21	Y	7440-23-5	Sodium	3270	ug/L	BE	[NULL]	[NULL]	R	B0LY46	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/18/1997 9:21	N	10098-97-2	Strontium-90	395	pCi/L	[NULL]	[NULL]	[NULL]	R	B0LY45	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	9/18/1997 9:21	N	10098-97-2	Strontium-90	393	pCi/L	[NULL]	[NULL]	[NULL]	R	B0LY43	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	9/18/1997 9:21	N	14808-79-8	Sulfate	30100	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY43	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/18/1997 9:21	N	14808-79-8	Sulfate	30300	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY45	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/18/1997 9:21	N	10028-17-8	Tritium	29200	pCi/L	[NULL]	[NULL]	[NULL]	R	B0LY45	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-75	9/18/1997 9:21	N	10028-17-8	Tritium	28800	pCi/L	[NULL]	[NULL]	[NULL]	R	B0LY43	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-75	9/18/1997 9:21	Y	7440-62-2	Vanadium	14.4	ug/L	B	[NULL]	[NULL]	R	B0LY44	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/18/1997 9:21	Y	7440-62-2	Vanadium	10.2	ug/L	B	[NULL]	[NULL]	R	B0LY46	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/18/1997 9:21	Y	7440-66-6	Zinc	10.5	ug/L	B	[NULL]	[NULL]	R	B0LY44	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/18/1997 9:21	Y	7440-66-6	Zinc	8	ug/L	B	[NULL]	[NULL]	R	B0LY46	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	1/30/1998 7:39	N	10098-97-2	Strontium-90	407	pCi/L	[NULL]	[NULL]	[NULL]	IP	B0M4B3	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	3/4/1998 12:05	Y	7429-90-5	Aluminum	31.3	ug/L	U	[NULL]	[NULL]	R	B0N6K8	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/4/1998 12:05	Y	7440-36-0	Antimony	42.5	ug/L	U	[NULL]	[NULL]	R	B0N6K8	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/4/1998 12:05	Y	7440-39-3	Barium	25.1	ug/L	B	[NULL]	[NULL]	R	B0N6K8	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	3/4/1998 12:05	Y	7440-41-7	Beryllium	0.41	ug/L	B	[NULL]	[NULL]	R	B0N6K8	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/4/1998 12:05	Y	7440-43-9	Cadmium	3.3	ug/L	U	[NULL]	[NULL]	R	B0N6K8	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/4/1998 12:05	Y	7440-70-2	Calcium	36400	ug/L	[NULL]	[NULL]	[NULL]	R	B0N6K8	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/4/1998 12:05	N	16887-00-6	Chloride	3470	ug/L	[NULL]	[NULL]	[NULL]	R	B0N6K9	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/4/1998 12:05	Y	7440-47-3	Chromium	2.7	ug/L	U	[NULL]	[NULL]	R	B0N6K8	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/4/1998 12:05	Y	7440-48-4	Cobalt	4.3	ug/L	U	[NULL]	[NULL]	R	B0N6K8	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/4/1998 12:05	Y	7440-50-8	Copper	4.1	ug/L	U	[NULL]	[NULL]	R	B0N6K8	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/4/1998 12:05	N	16984-48-8	Fluoride	119	ug/L	[NULL]	[NULL]	[NULL]	R	B0N6K9	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/4/1998 12:05	N	12587-47-2	Gross beta	980	pCi/L	[NULL]	[NULL]	[NULL]	R	B0N6K9	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-75	3/4/1998 12:05	Y	7439-89-6	Iron	51.6	ug/L	B	[NULL]	[NULL]	R	B0N6K8	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/4/1998 12:05	Y	7439-95-4	Magnesium	6550	ug/L	[NULL]	[NULL]	[NULL]	R	B0N6K8	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/4/1998 12:05	Y	7439-96-5	Manganese	3.3	ug/L	B	[NULL]	[NULL]	R	B0N6K8	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/4/1998 12:05	Y	7440-02-0	Nickel	14.6	ug/L	U	[NULL]	[NULL]	R	B0N6K8	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/4/1998 12:05	N	14797-55-8	Nitrate	27500	ug/L	[NULL]	[NULL]	[NULL]	R	B0N6K9	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/4/1998 12:05	N	14797-65-0	Nitrite	3.28	ug/L	U	[NULL]	[NULL]	R	B0N6K9	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/4/1998 12:05	Y	7440-09-7	Potassium	3030	ug/L	B	[NULL]	[NULL]	R	B0N6K8	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/4/1998 12:05	Y	7440-22-4	Silver	6	ug/L	U	[NULL]	[NULL]	R	B0N6K8	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/4/1998 12:05	Y	7440-23-5	Sodium	3290	ug/L	B	[NULL]	[NULL]	R	B0N6K8	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/4/1998 12:05	N	CONDUCT	Specific Conductance	267	uS/cm	[NULL]	[NULL]	[NULL]	R	B0N6K9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-75	3/4/1998 12:05	N	10098-97-2	Strontium-90	512	pCi/L	[NULL]	[NULL]	[NULL]	R	B0N6K9	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-75	3/4/1998 12:05	N	14808-79-8	Sulfate	32100	ug/L	[NULL]	[NULL]	[NULL]	R	B0N6K9	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/4/1998 12:05	N	TEMPERATURE	Temperature	20	Deg C	[NULL]	[NULL]	[NULL]	R	B0N6K9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	3/4/1998 12:05	N	10028-17-8	Tritium	30700	pCi/L	[NULL]	[NULL]	[NULL]	R	B0N6K9	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-75	3/4/1998 12:05	N	TURBIDITY	Turbidity	0.28	NTU	[NULL]	[NULL]	[NULL]	R	B0N6K9	TURBIDITY	FIELD	180.1_TURBIDITY	100-NR-2
199-N-75	3/4/1998 12:05	Y	7440-62-2	Vanadium	14.8	ug/L	B	[NULL]	[NULL]	R	B0N6K8	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/4/1998 12:05	Y	7440-66-6	Zinc	5.6	ug/L	B	[NULL]	[NULL]	R	B0N6K8	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/4/1998 12:05	N	PH	pH Measurement	8.06	unitless	[NULL]	[NULL]	[NULL]	R	B0N6K9	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-75	9/10/1998 8:46	Y	7429-90-5	Aluminum	20.6	ug/L	U	[NULL]	[NULL]	R	B0PPT9	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/10/1998 8:46	Y	7440-36-0	Antimony	33	ug/L	U	[NULL]	[NULL]	R	B0PPT9	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/10/1998 8:46	Y	7440-39-3	Barium	27.6	ug/L	B	[NULL]	[NULL]	R	B0PPT9	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/10/1998 8:46	Y	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	R	B0PPT9	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/10/1998 8:46	Y	7440-43-9	Cadmium	2.6	ug/L	U	[NULL]	[NULL]	R	B0PPT9	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/10/1998 8:46	Y	7440-70-2	Calcium	40600	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPT9	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/10/1998 8:46	N	16887-00-6	Chloride	3850	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPV0	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/10/1998 8:46	Y	7440-47-3	Chromium	2.7	ug/L	U	[NULL]	[NULL]	R	B0PPT9	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/10/1998 8:46	Y	7440-48-4	Cobalt	2.4	ug/L	U	[NULL]	[NULL]	R	B0PPT9	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/10/1998 8:46	Y	7440-50-8	Copper	2.9	ug/L	U	[NULL]	[NULL]	R	B0PPT9	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/10/1998 8:46	N	16984-48-8	Fluoride	148	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPV0	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/10/1998 8:46	N	12587-47-2	Gross beta	935	pCi/L	[NULL]	[NULL]	[NULL]	R	B0PPV0	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-75	9/10/1998 8:46	Y	7439-89-6	Iron	45	ug/L	B	[NULL]	[NULL]	R	B0PPT9	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/10/1998 8:46	Y	7439-95-4	Magnesium	7360	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPT9	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/10/1998 8:46	Y	7439-96-5	Manganese	0.81	ug/L	B	[NULL]	[NULL]	R	B0PPT9	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/10/1998 8:46	Y	7440-02-0	Nickel	10.8	ug/L	U	[NULL]	[NULL]	R	B0PPT9	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/10/1998 8:46	N	14797-55-8	Nitrate	34500	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPV0	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/10/1998 8:46	N	14797-65-0	Nitrite	65.7	ug/L	U	[NULL]	[NULL]	R	B0PPV0	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/10/1998 8:46	Y	7440-09-7	Potassium	2350	ug/L	B	[NULL]	[NULL]	R	B0PPT9	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/10/1998 8:46	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B0PPT9	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/10/1998 8:46	Y	7440-23-5	Sodium	3500	ug/L	B	[NULL]	[NULL]	R	B0PPT9	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/10/1998 8:46	N	CONDUCT	Specific Conductance	290	uS/cm	[NULL]	[NULL]	[NULL]	R	B0PPV0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-75	9/10/1998 8:46	N	10098-97-2	Strontium-90	467	pCi/L	[NULL]	[NULL]	[NULL]	R	B0PPV0	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-75	9/10/1998 8:46	N	14808-79-8	Sulfate	40300	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPV0	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/10/1998 8:46	N	TEMPERATURE	Temperature	20	Deg C	[NULL]	[NULL]	[NULL]	R	B0PPV0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	9/10/1998 8:46	N	10028-17-8	Tritium	30900	pCi/L	[NULL]	[NULL]	[NULL]	R	B0PPV0	10028-17-8	QTESRL	TRITIUM_ELECT_LSC	100-NR-2
199-N-75	9/10/1998 8:46	Y	7440-62-2	Vanadium	5.5	ug/L	B	[NULL]	[NULL]	R	B0PPT9	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	9/10/1998 8:46	Y	7440-66-6	Zinc	6	ug/L	B	[NULL]	[NULL]	R	B0PPT9	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	9/10/1998 8:46	N	PH	pH Measurement	8.41	unitless	[NULL]	[NULL]	[NULL]	R	B0PPV0	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-75	3/22/1999 0:00	N	16887-00-6	Chloride	4400	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW90	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	3/22/1999 0:00	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	B0TW90	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	3/22/1999 0:00	N	12587-47-2	Gross beta	845	pCi/L	[NULL]	[NULL]	[NULL]	R	B0TW90	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-75	3/22/1999 0:00	N	14797-55-8	Nitrate	37000	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW90	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	3/22/1999 0:00	N	14797-65-0	Nitrite	250	ug/L	U	[NULL]	[NULL]	R	B0TW90	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	3/22/1999 0:00	N	10098-97-2	Strontium-90	442	pCi/L	[NULL]	[NULL]	[NULL]	R	B0TW90	10098-97-2	TMANC	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-75	3/22/1999 0:00	N	14808-79-8	Sulfate	47200	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW90	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	3/22/1999 0:00	N	10028-17-8	Tritium	28900	pCi/L	[NULL]	[NULL]	[NULL]	R	B0TW90	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-75	3/22/1999 12:11	Y	7429-90-5	Aluminum	33.5	ug/L	U	[NULL]	[NULL]	R	B0TW87	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	Y	7429-90-5	Aluminum	17.8	ug/L	U	[NULL]	[NULL]	R	B0TW89	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	Y	7440-36-0	Antimony	2.3	ug/L	U	[NULL]	[NULL]	R	B0TW89	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	Y	7440-36-0	Antimony	36.4	ug/L	U	[NULL]	[NULL]	R	B0TW87	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	Y	7440-39-3	Barium	31.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW89	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	Y	7440-39-3	Barium	28.2	ug/L	B	[NULL]	[NULL]	R	B0TW87	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	Y	7440-41-7	Beryllium	0.1	ug/L	U	[NULL]	[NULL]	R	B0TW89	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	Y	7440-41-7	Beryllium	0.89	ug/L	B	[NULL]	[NULL]	R	B0TW87	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	Y	7440-43-9	Cadmium	3.9	ug/L	U	[NULL]	[NULL]	R	B0TW87	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	Y	7440-43-9	Cadmium	0.4	ug/L	U	[NULL]	[NULL]	R	B0TW89	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	Y	7440-70-2	Calcium	44600	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW89	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	Y	7440-70-2	Calcium	43000	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW87	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	N	16887-00-6	Chloride	4050	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW88	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/22/1999 12:11	Y	7440-47-3	Chromium	4.8	ug/L	U	[NULL]	[NULL]	R	B0TW87	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	Y	7440-47-3	Chromium	3.6	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW89	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	Y	7440-48-4	Cobalt	5.1	ug/L	U	[NULL]	[NULL]	R	B0TW87	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	Y	7440-48-4	Cobalt	0.6	ug/L	U	[NULL]	[NULL]	R	B0TW89	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	Y	7440-50-8	Copper	3.9	ug/L	U	[NULL]	[NULL]	R	B0TW87	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	Y	7440-50-8	Copper	3.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW89	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	N	16984-48-8	Fluoride	1000	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW88	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/22/1999 12:11	N	12587-47-2	Gross beta	902	pCi/L	[NULL]	[NULL]	[NULL]	R	B0TW88	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-75	3/22/1999 12:11	Y	7439-89-6	Iron	17.9	ug/L	U	[NULL]	[NULL]	R	B0TW89	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	Y	7439-89-6	Iron	46	ug/L	BN	[NULL]	[NULL]	R	B0TW87	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	Y	7439-95-4	Magnesium	8030	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW87	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	Y	7439-95-4	Magnesium	7910	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW89	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	Y	7439-96-5	Manganese	4.4	ug/L	B	[NULL]	[NULL]	R	B0TW87	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	Y	7439-96-5	Manganese	0.2	ug/L	U	[NULL]	[NULL]	R	B0TW89	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	Y	7440-02-0	Nickel	8.6	ug/L	U	[NULL]	[NULL]	R	B0TW87	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	Y	7440-02-0	Nickel	1.1	ug/L	U	[NULL]	[NULL]	R	B0TW89	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	N	14797-55-8	Nitrate	38700	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW88	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/22/1999 12:11	N	14797-65-0	Nitrite	65.7	ug/L	U	[NULL]	[NULL]	R	B0TW88	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/22/1999 12:11	Y	7440-09-7	Potassium	2500	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW89	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	Y	7440-09-7	Potassium	3140	ug/L	B	[NULL]	[NULL]	R	B0TW87	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	Y	7440-22-4	Silver	0.9	ug/L	U	[NULL]	[NULL]	R	B0TW89	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	Y	7440-22-4	Silver	5.9	ug/L	U	[NULL]	[NULL]	R	B0TW87	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	Y	7440-23-5	Sodium	3680	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW89	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	Y	7440-23-5	Sodium	3870	ug/L	B	[NULL]	[NULL]	R	B0TW87	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	N	CONDUCT	Specific Conductance	315	uS/cm	[NULL]	[NULL]	[NULL]	R	B0TW88	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-75	3/22/1999 12:11	Y	7440-24-6	Strontium	223	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW89	7440-24-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	Y	7440-24-6	Strontium	199	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW87	7440-24-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	N	10098-97-2	Strontium-90	447	pCi/L	[NULL]	[NULL]	[NULL]	R	B0TW88	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	3/22/1999 12:11	N	14808-79-8	Sulfate	46500	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW88	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/22/1999 12:11	N	TEMPERATURE	Temperature	19.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0TW88	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	3/22/1999 12:11	N	10028-17-8	Tritium	26900	pCi/L	[NULL]	[NULL]	[NULL]	R	B0TW88	10028-17-8	QTESRL	TRITIUM_ELECT_LSC	100-NR-2
199-N-75	3/22/1999 12:11	N	TURBIDITY	Turbidity	1.03	NTU	[NULL]	[NULL]	[NULL]	R	B0TW88	TURBIDITY	FIELD	180.1_TURBIDITY	100-NR-2
199-N-75	3/22/1999 12:11	Y	7440-62-2	Vanadium	26.6	ug/L	B	[NULL]	[NULL]	R	B0TW87	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	3/22/1999 12:11	Y	7440-62-2	Vanadium	4.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW89	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	Y	7440-66-6	Zinc	5.7	ug/L	B	[NULL]	[NULL]	R	B0TW87	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	Y	7440-66-6	Zinc	6.4	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW89	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/22/1999 12:11	N	PH	pH Measurement	8.12	unitless	[NULL]	[NULL]	[NULL]	R	B0TW88	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-75	9/13/1999 9:30	Y	7429-90-5	Aluminum	12.3	ug/L	U	[NULL]	[NULL]	R	B0W7K4	7429-90-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/13/1999 9:30	Y	7440-36-0	Antimony	2.5	ug/L	U	[NULL]	[NULL]	R	B0W7K4	7440-36-0	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/13/1999 9:30	Y	7440-39-3	Barium	26.5	ug/L	B	[NULL]	[NULL]	R	B0W7K4	7440-39-3	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/13/1999 9:30	Y	7440-41-7	Beryllium	0.1	ug/L	U	[NULL]	[NULL]	R	B0W7K4	7440-41-7	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/13/1999 9:30	Y	7440-43-9	Cadmium	0.3	ug/L	U	[NULL]	[NULL]	R	B0W7K4	7440-43-9	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/13/1999 9:30	Y	7440-70-2	Calcium	43600	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7K4	7440-70-2	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/13/1999 9:30	N	16887-00-6	Chloride	4500	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7K5	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	9/13/1999 9:30	Y	7440-47-3	Chromium	3.1	ug/L	B	[NULL]	[NULL]	R	B0W7K4	7440-47-3	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/13/1999 9:30	Y	7440-48-4	Cobalt	0.61	ug/L	B	[NULL]	[NULL]	R	B0W7K4	7440-48-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/13/1999 9:30	Y	7440-50-8	Copper	1.2	ug/L	U	[NULL]	[NULL]	R	B0W7K4	7440-50-8	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/13/1999 9:30	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	B0W7K5	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	9/13/1999 9:30	N	12587-47-2	Gross beta	499	pCi/L	[NULL]	[NULL]	[NULL]	R	B0W7K5	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-75	9/13/1999 9:30	Y	7439-89-6	Iron	19.4	ug/L	U	[NULL]	[NULL]	R	B0W7K4	7439-89-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/13/1999 9:30	Y	7439-92-1	Lead	2.1	ug/L	U	[NULL]	[NULL]	R	B0W7K4	7439-92-1	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/13/1999 9:30	Y	7439-95-4	Magnesium	7010	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7K4	7439-95-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/13/1999 9:30	Y	7439-96-5	Manganese	0.59	ug/L	B	[NULL]	[NULL]	R	B0W7K4	7439-96-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/13/1999 9:30	Y	7440-02-0	Nickel	1.2	ug/L	U	[NULL]	[NULL]	R	B0W7K4	7440-02-0	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/13/1999 9:30	N	14797-55-8	Nitrate	29000	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7K5	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	9/13/1999 9:30	N	14797-65-0	Nitrite	250	ug/L	U	[NULL]	[NULL]	R	B0W7K5	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	9/13/1999 9:30	Y	7440-09-7	Potassium	2120	ug/L	B	[NULL]	[NULL]	R	B0W7K4	7440-09-7	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/13/1999 9:30	Y	7440-22-4	Silver	1	ug/L	U	[NULL]	[NULL]	R	B0W7K4	7440-22-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/13/1999 9:30	Y	7440-23-5	Sodium	3150	ug/L	B	[NULL]	[NULL]	R	B0W7K4	7440-23-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/13/1999 9:30	N	CONDUCT	Specific Conductance	292	uS/cm	[NULL]	[NULL]	[NULL]	R	B0W7K5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-75	9/13/1999 9:30	Y	7440-24-6	Strontium	196	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7K4	7440-24-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/13/1999 9:30	N	10098-97-2	Strontium-90	402	pCi/L	[NULL]	[NULL]	[NULL]	R	B0W7K5	10098-97-2	TMANC	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-75	9/13/1999 9:30	N	14808-79-8	Sulfate	44800	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7K5	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	9/13/1999 9:30	N	TEMPERATURE	Temperature	19.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0W7K5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	9/13/1999 9:30	Y	7440-31-5	Tin	2.1	ug/L	U	[NULL]	[NULL]	R	B0W7K4	7440-31-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/13/1999 9:30	N	10028-17-8	Tritium	23900	pCi/L	[NULL]	[NULL]	[NULL]	R	B0W7K5	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-75	9/13/1999 9:30	N	TURBIDITY	Turbidity	0.09	NTU	[NULL]	[NULL]	[NULL]	R	B0W7K5	TURBIDITY	FIELD	180.1_TURBIDITY	100-NR-2
199-N-75	9/13/1999 9:30	Y	7440-62-2	Vanadium	4.9	ug/L	B	[NULL]	[NULL]	R	B0W7K4	7440-62-2	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/13/1999 9:30	Y	7440-66-6	Zinc	2.7	ug/L	B	[NULL]	[NULL]	R	B0W7K4	7440-66-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/13/1999 9:30	N	PH	pH Measurement	8.06	unitless	[NULL]	[NULL]	[NULL]	R	B0W7K5	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-75	6/6/2000 8:05	N	67-56-1	Methanol	4000	ug/L	U	[NULL]	[NULL]	IP	B0YC03	67-56-1	RLNP	8015_VOA_GC	100-NR-2
199-N-75	9/13/2000 8:43	N	67-56-1	Methanol	2000	ug/L	U	[NULL]	[NULL]	IP	B10798	67-56-1	RLNP	8015_VOA_GC	100-NR-2
199-N-75	9/13/2000 8:43	N	67-56-1	Methanol	2000	ug/L	U	[NULL]	[NULL]	IP	B10799	67-56-1	RLNP	8015_VOA_GC	100-NR-2
199-N-75	5/29/2001 12:00	N	ALKALINITY	Alkalinity	62000	ug/L	[NULL]	[NULL]	[NULL]	R	B11HT6	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-75	5/29/2001 12:00	Y	7429-90-5	Aluminum	45.4	ug/L	[NULL]	[NULL]	[NULL]	R	B11DC7	7429-90-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	5/29/2001 12:00	Y	7440-36-0	Antimony	1.9	ug/L	U	[NULL]	[NULL]	R	B11DC7	7440-36-0	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	5/29/2001 12:00	Y	7440-39-3	Barium	31.5	ug/L	[NULL]	[NULL]	[NULL]	R	B11DC7	7440-39-3	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	5/29/2001 12:00	Y	7440-41-7	Beryllium	0.2	ug/L	U	[NULL]	[NULL]	R	B11DC7	7440-41-7	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	5/29/2001 12:00	N	24959-67-9	Bromide	250	ug/L	U	[NULL]	[NULL]	R	B11DC8	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	5/29/2001 12:00	Y	7440-43-9	Cadmium	0.3	ug/L	U	[NULL]	[NULL]	R	B11DC7	7440-43-9	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	5/29/2001 12:00	Y	7440-70-2	Calcium	46400	ug/L	[NULL]	[NULL]	[NULL]	R	B11DC7	7440-70-2	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	5/29/2001 12:00	N	16887-00-6	Chloride	5640	ug/L	[NULL]	[NULL]	[NULL]	R	B11DC8	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	5/29/2001 12:00	Y	7440-47-3	Chromium	4.3	ug/L	[NULL]	[NULL]	[NULL]	R	B11DC7	7440-47-3	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	5/29/2001 12:00	Y	7440-48-4	Cobalt	0.8	ug/L	U	[NULL]	[NULL]	R	B11DC7	7440-48-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	5/29/2001 12:00	Y	7440-50-8	Copper	2.3	ug/L	[NULL]	[NULL]	[NULL]	R	B11DC7	7440-50-8	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	5/29/2001 12:00	N	16984-48-8	Fluoride	5000	ug/L	U	[NULL]	[NULL]	R	B11DC8	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	5/29/2001 12:00	N	12587-47-2	Gross beta	1220	pCi/L	[NULL]	[NULL]	[NULL]	R	B11DC8	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-75	5/29/2001 12:00	Y	7439-89-6	Iron	15.7	ug/L	U	[NULL]	[NULL]	R	B11DC7	7439-89-6	RLNP	6010_METALS_ICP_TR	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	5/29/2001 12:00	Y	7439-95-4	Magnesium	7920	ug/L	[NULL]	[NULL]	[NULL]	R	B11DC7	7439-95-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	5/29/2001 12:00	Y	7439-96-5	Manganese	2.7	ug/L	[NULL]	[NULL]	[NULL]	R	B11DC7	7439-96-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	5/29/2001 12:00	Y	7440-02-0	Nickel	1.2	ug/L	U	[NULL]	[NULL]	R	B11DC7	7440-02-0	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	5/29/2001 12:00	N	14797-55-8	Nitrate	26600	ug/L	[NULL]	[NULL]	[NULL]	R	B11DC8	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	5/29/2001 12:00	N	14797-65-0	Nitrite	250	ug/L	U	[NULL]	[NULL]	R	B11DC8	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	5/29/2001 12:00	N	14265-44-2	Phosphate	250	ug/L	U	[NULL]	[NULL]	R	B11DC8	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	5/29/2001 12:00	Y	7440-09-7	Potassium	2230	ug/L	[NULL]	[NULL]	[NULL]	R	B11DC7	7440-09-7	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	5/29/2001 12:00	Y	7440-22-4	Silver	1	ug/L	U	[NULL]	[NULL]	R	B11DC7	7440-22-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	5/29/2001 12:00	Y	7440-23-5	Sodium	3610	ug/L	[NULL]	[NULL]	[NULL]	R	B11DC7	7440-23-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	5/29/2001 12:00	N	CONDUCT	Specific Conductance	363	uS/cm	[NULL]	[NULL]	[NULL]	R	B11HT6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	5/29/2001 12:00	Y	7440-24-6	Strontium	229	ug/L	[NULL]	[NULL]	[NULL]	R	B11DC7	7440-24-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	5/29/2001 12:00	N	10098-97-2	Strontium-90	591	pCi/L	[NULL]	[NULL]	[NULL]	R	B11DC8	10098-97-2	TMANC	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-75	5/29/2001 12:00	N	14808-79-8	Sulfate	63700	ug/L	[NULL]	[NULL]	[NULL]	R	B11DC8	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	5/29/2001 12:00	N	TEMPERATURE	Temperature	23.4	Deg C	[NULL]	[NULL]	[NULL]	R	B11HT6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	5/29/2001 12:00	N	10028-17-8	Tritium	21200	pCi/L	[NULL]	[NULL]	[NULL]	R	B11DC8	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-75	5/29/2001 12:00	N	TURBIDITY	Turbidity	0.74	NTU	[NULL]	[NULL]	[NULL]	R	B11HT6	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-75	5/29/2001 12:00	Y	7440-62-2	Vanadium	3.8	ug/L	[NULL]	[NULL]	[NULL]	R	B11DC7	7440-62-2	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	5/29/2001 12:00	Y	7440-66-6	Zinc	24.3	ug/L	[NULL]	[NULL]	[NULL]	R	B11DC7	7440-66-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	5/29/2001 12:00	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B11HT6	PH	FIELD	9040_PH	100-NR-2
199-N-75	9/6/2001 9:41	Y	7429-90-5	Aluminum	45.1	ug/L	U	[NULL]	[NULL]	R	B12MT2	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	9/6/2001 9:41	Y	7440-36-0	Antimony	45.4	ug/L	U	[NULL]	[NULL]	R	B12MT2	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	9/6/2001 9:41	Y	7440-39-3	Barium	31	ug/L	[NULL]	[NULL]	[NULL]	R	B12MT2	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	9/6/2001 9:41	Y	7440-41-7	Beryllium	0.41	ug/L	[NULL]	[NULL]	[NULL]	R	B12MT2	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	9/6/2001 9:41	Y	7440-43-9	Cadmium	6.3	ug/L	U	[NULL]	[NULL]	R	B12MT2	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	9/6/2001 9:41	Y	7440-70-2	Calcium	48600	ug/L	[NULL]	[NULL]	[NULL]	R	B12MT2	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	9/6/2001 9:41	Y	7440-47-3	Chromium	4.8	ug/L	U	[NULL]	[NULL]	R	B12MT2	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	9/6/2001 9:41	Y	7440-48-4	Cobalt	5.8	ug/L	U	[NULL]	[NULL]	R	B12MT2	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	9/6/2001 9:41	Y	7440-50-8	Copper	8	ug/L	U	[NULL]	[NULL]	R	B12MT2	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	9/6/2001 9:41	Y	7439-89-6	Iron	7.5	ug/L	U	[NULL]	[NULL]	R	B12MT2	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	9/6/2001 9:41	Y	7439-95-4	Magnesium	8190	ug/L	[NULL]	[NULL]	[NULL]	R	B12MT2	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	9/6/2001 9:41	Y	7439-96-5	Manganese	2.8	ug/L	U	[NULL]	[NULL]	R	B12MT2	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	9/6/2001 9:41	Y	7440-02-0	Nickel	11.3	ug/L	U	[NULL]	[NULL]	R	B12MT2	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	9/6/2001 9:41	Y	7440-09-7	Potassium	2240	ug/L	[NULL]	[NULL]	[NULL]	R	B12MT2	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	9/6/2001 9:41	Y	7440-22-4	Silver	9.6	ug/L	U	[NULL]	[NULL]	R	B12MT2	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	9/6/2001 9:41	Y	7440-23-5	Sodium	3610	ug/L	[NULL]	[NULL]	[NULL]	R	B12MT2	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	9/6/2001 9:41	Y	7440-24-6	Strontium	231	ug/L	[NULL]	[NULL]	[NULL]	R	B12MT2	7440-24-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	9/6/2001 9:41	Y	7440-62-2	Vanadium	8.9	ug/L	U	[NULL]	[NULL]	R	B12MT2	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	9/6/2001 9:41	Y	7440-66-6	Zinc	4.7	ug/L	[NULL]	[NULL]	[NULL]	R	B12MT2	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	9/6/2001 11:19	N	24959-67-9	Bromide	2500	ug/L	U	[NULL]	[NULL]	R	B12MT3	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	9/6/2001 11:19	N	16887-00-6	Chloride	7200	ug/L	[NULL]	[NULL]	[NULL]	R	B12MT3	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	9/6/2001 11:19	N	16984-48-8	Fluoride	1000	ug/L	U	[NULL]	[NULL]	R	B12MT3	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	9/6/2001 11:19	N	12587-47-2	Gross beta	784	pCi/L	[NULL]	[NULL]	[NULL]	R	B12MT3	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-75	9/6/2001 11:19	N	14797-55-8	Nitrate	32700	ug/L	[NULL]	[NULL]	[NULL]	R	B12MT3	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	9/6/2001 11:19	N	14797-65-0	Nitrite	500	ug/L	U	[NULL]	[NULL]	R	B12MT3	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	9/6/2001 11:19	N	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B12MT3	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	9/6/2001 11:19	N	CONDUCT	Specific Conductance	342	uS/cm	[NULL]	[NULL]	[NULL]	R	B12MT3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-75	9/6/2001 11:19	N	10098-97-2	Strontium-90	370	pCi/L	[NULL]	[NULL]	[NULL]	R	B12MT3	10098-97-2	TMANC	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-75	9/6/2001 11:19	N	14808-79-8	Sulfate	60300	ug/L	[NULL]	[NULL]	[NULL]	R	B12MT3	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	9/6/2001 11:19	N	TEMPERATURE	Temperature	22.9	Deg C	[NULL]	[NULL]	[NULL]	R	B12MT3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	9/6/2001 11:19	N	10028-17-8	Tritium	21800	pCi/L	[NULL]	[NULL]	[NULL]	R	B12MT3	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-75	9/6/2001 11:19	N	TURBIDITY	Turbidity	0.65	NTU	[NULL]	[NULL]	[NULL]	R	B12MT3	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-75	9/6/2001 11:19	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	B12MT3	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-75	12/20/2001 9:24	N	DO	Dissolved oxygen	7110	ug/L	[NULL]	[NULL]	[NULL]	R	B13L06	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-75	12/20/2001 9:24	N	EH	Oxidation Reduction Potential	113	mV	[NULL]	[NULL]	[NULL]	R	B13L06	EH	FIELD	REDOX_PROBE_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	12/20/2001 9:24	N	CONDUCT	Specific Conductance	331	uS/cm	[NULL]	[NULL]	[NULL]	R	B13L06	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	12/20/2001 9:24	N	10098-97-2	Strontium-90	458	pCi/L	[NULL]	[NULL]	[NULL]	R	B13L06	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-75	12/20/2001 9:24	N	TEMPERATURE	Temperature	14.8	Deg C	[NULL]	[NULL]	[NULL]	R	B13L06	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	12/20/2001 9:24	N	TURBIDITY	Turbidity	1.09	NTU	[NULL]	[NULL]	[NULL]	R	B13L06	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-75	12/20/2001 9:24	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	B13L06	PH	FIELD	9040_PH	100-NR-2
199-N-75	3/7/2002 10:19	N	ALKALINITY	Alkalinity	140000	ug/L	[NULL]	[NULL]	[NULL]	R	B14445	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-75	3/7/2002 10:19	Y	7429-90-5	Aluminum	41.3	ug/L	B	[NULL]	[NULL]	R	B142K3	7429-90-5	STLSL	6010_METALS_ICP_TR	100-NR-2
199-N-75	3/7/2002 10:19	Y	7429-90-5	Aluminum	41.8	ug/L	[NULL]	[NULL]	[NULL]	R	B142K5	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/7/2002 10:19	Y	7440-36-0	Antimony	24.8	ug/L	U	[NULL]	[NULL]	R	B142K5	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/7/2002 10:19	Y	7440-36-0	Antimony	3.3	ug/L	U	[NULL]	[NULL]	R	B142K3	7440-36-0	STLSL	6010_METALS_ICP_TR	100-NR-2
199-N-75	3/7/2002 10:19	Y	7440-39-3	Barium	34.2	ug/L	B	[NULL]	[NULL]	R	B142K3	7440-39-3	STLSL	6010_METALS_ICP_TR	100-NR-2
199-N-75	3/7/2002 10:19	Y	7440-39-3	Barium	30	ug/L	[NULL]	[NULL]	[NULL]	R	B142K5	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/7/2002 10:19	Y	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	R	B142K5	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/7/2002 10:19	Y	7440-41-7	Beryllium	0.22	ug/L	U	[NULL]	[NULL]	R	B142K3	7440-41-7	STLSL	6010_METALS_ICP_TR	100-NR-2
199-N-75	3/7/2002 10:19	N	24959-67-9	Bromide	250	ug/L	U	[NULL]	[NULL]	R	B142K6	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	3/7/2002 10:19	Y	7440-43-9	Cadmium	6.8	ug/L	U	[NULL]	[NULL]	R	B142K5	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/7/2002 10:19	Y	7440-43-9	Cadmium	0.31	ug/L	U	[NULL]	[NULL]	R	B142K3	7440-43-9	STLSL	6010_METALS_ICP_TR	100-NR-2
199-N-75	3/7/2002 10:19	Y	7440-70-2	Calcium	48100	ug/L	[NULL]	[NULL]	[NULL]	R	B142K3	7440-70-2	STLSL	6010_METALS_ICP_TR	100-NR-2
199-N-75	3/7/2002 10:19	Y	7440-70-2	Calcium	42900	ug/L	[NULL]	[NULL]	[NULL]	R	B142K5	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/7/2002 10:19	N	16887-00-6	Chloride	7800	ug/L	[NULL]	[NULL]	[NULL]	R	B142K6	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	3/7/2002 10:19	N	16887-00-6	Chloride	6400	ug/L	[NULL]	[NULL]	[NULL]	R	B142K4	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/7/2002 10:19	Y	7440-47-3	Chromium	2.1	ug/L	B	[NULL]	[NULL]	R	B142K3	7440-47-3	STLSL	6010_METALS_ICP_TR	100-NR-2
199-N-75	3/7/2002 10:19	Y	7440-47-3	Chromium	5.4	ug/L	U	[NULL]	[NULL]	R	B142K5	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/7/2002 10:19	Y	7440-48-4	Cobalt	5.4	ug/L	U	[NULL]	[NULL]	R	B142K5	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/7/2002 10:19	Y	7440-48-4	Cobalt	1.6	ug/L	U	[NULL]	[NULL]	R	B142K3	7440-48-4	STLSL	6010_METALS_ICP_TR	100-NR-2
199-N-75	3/7/2002 10:19	Y	7440-50-8	Copper	1.4	ug/L	U	[NULL]	[NULL]	R	B142K3	7440-50-8	STLSL	6010_METALS_ICP_TR	100-NR-2
199-N-75	3/7/2002 10:19	Y	7440-50-8	Copper	2.2	ug/L	U	[NULL]	[NULL]	R	B142K5	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/7/2002 10:19	N	16984-48-8	Fluoride	110	ug/L	[NULL]	[NULL]	[NULL]	R	B142K4	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/7/2002 10:19	N	16984-48-8	Fluoride	250	ug/L	U	[NULL]	[NULL]	R	B142K6	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	3/7/2002 10:19	N	12587-47-2	Gross beta	772	pCi/L	[NULL]	[NULL]	[NULL]	R	B142K6	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-75	3/7/2002 10:19	N	12587-47-2	Gross beta	717	pCi/L	[NULL]	[NULL]	[NULL]	R	B142K4	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	3/7/2002 10:19	Y	7439-89-6	Iron	19.6	ug/L	U	[NULL]	[NULL]	R	B142K3	7439-89-6	STLSL	6010_METALS_ICP_TR	100-NR-2
199-N-75	3/7/2002 10:19	Y	7439-89-6	Iron	26.5	ug/L	[NULL]	[NULL]	[NULL]	R	B142K5	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/7/2002 10:19	Y	7439-95-4	Magnesium	7540	ug/L	[NULL]	[NULL]	[NULL]	R	B142K5	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/7/2002 10:19	Y	7439-95-4	Magnesium	8940	ug/L	[NULL]	[NULL]	[NULL]	R	B142K3	7439-95-4	STLSL	6010_METALS_ICP_TR	100-NR-2
199-N-75	3/7/2002 10:19	Y	7439-96-5	Manganese	0.4	ug/L	U	[NULL]	[NULL]	R	B142K3	7439-96-5	STLSL	6010_METALS_ICP_TR	100-NR-2
199-N-75	3/7/2002 10:19	Y	7439-96-5	Manganese	1	ug/L	U	[NULL]	[NULL]	R	B142K5	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/7/2002 10:19	Y	7440-02-0	Nickel	1.3	ug/L	U	[NULL]	[NULL]	R	B142K3	7440-02-0	STLSL	6010_METALS_ICP_TR	100-NR-2
199-N-75	3/7/2002 10:19	Y	7440-02-0	Nickel	14.6	ug/L	[NULL]	[NULL]	[NULL]	R	B142K5	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/7/2002 10:19	N	14797-55-8	Nitrate	31900	ug/L	[NULL]	[NULL]	[NULL]	R	B142K4	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/7/2002 10:19	N	14797-55-8	Nitrate	29500	ug/L	[NULL]	[NULL]	[NULL]	R	B142K6	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	3/7/2002 10:19	N	14797-65-0	Nitrite	250	ug/L	U	[NULL]	[NULL]	R	B142K6	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	3/7/2002 10:19	N	14797-65-0	Nitrite	36.1	ug/L	U	[NULL]	[NULL]	R	B142K4	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/7/2002 10:19	N	14265-44-2	Phosphate	250	ug/L	U	[NULL]	[NULL]	R	B142K6	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	3/7/2002 10:19	Y	7440-09-7	Potassium	2290	ug/L	[NULL]	[NULL]	[NULL]	R	B142K5	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/7/2002 10:19	Y	7440-09-7	Potassium	2880	ug/L	B	[NULL]	[NULL]	R	B142K3	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/7/2002 10:19	Y	7440-22-4	Silver	2.8	ug/L	U	[NULL]	[NULL]	R	B142K5	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/7/2002 10:19	Y	7440-22-4	Silver	1.7	ug/L	U	[NULL]	[NULL]	R	B142K3	7440-22-4	STLSL	6010_METALS_ICP_TR	100-NR-2
199-N-75	3/7/2002 10:19	Y	7440-23-5	Sodium	3870	ug/L	B	[NULL]	[NULL]	R	B142K3	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/7/2002 10:19	Y	7440-23-5	Sodium	3650	ug/L	[NULL]	[NULL]	[NULL]	R	B142K5	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/7/2002 10:19	N	CONDUCT	Specific Conductance	331	uS/cm	[NULL]	[NULL]	[NULL]	R	B14445	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	3/7/2002 10:19	Y	7440-24-6	Strontium	274	ug/L	[NULL]	[NULL]	[NULL]	R	B142K3	7440-24-6	STLSL	6010_METALS_ICP_TR	100-NR-2
199-N-75	3/7/2002 10:19	Y	7440-24-6	Strontium	216	ug/L	[NULL]	[NULL]	[NULL]	R	B142K5	7440-24-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/7/2002 10:19	N	10098-97-2	Strontium-90	391	pCi/L	[NULL]	[NULL]	[NULL]	R	B142K4	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-75	3/7/2002 10:19	N	10098-97-2	Strontium-90	451	pCi/L	[NULL]	[NULL]	[NULL]	R	B142K6	10098-97-2	TMANC	SRISO_SEP_PRECIP_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	3/7/2002 10:19	N	14808-79-8	Sulfate	54100	ug/L	[NULL]	[NULL]	[NULL]	R	B142K4	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/7/2002 10:19	N	14808-79-8	Sulfate	54100	ug/L	[NULL]	[NULL]	[NULL]	R	B142K6	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	3/7/2002 10:19	N	TEMPERATURE	Temperature	19.6	Deg C	[NULL]	[NULL]	[NULL]	R	B14445	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	3/7/2002 10:19	N	10028-17-8	Tritium	20700	pCi/L	[NULL]	[NULL]	[NULL]	R	B142K4	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-75	3/7/2002 10:19	N	10028-17-8	Tritium	23400	pCi/L	[NULL]	[NULL]	[NULL]	R	B142K6	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-75	3/7/2002 10:19	N	TURBIDITY	Turbidity	0.37	NTU	[NULL]	[NULL]	[NULL]	R	B14445	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-75	3/7/2002 10:19	Y	7440-62-2	Vanadium	4.1	ug/L	B	[NULL]	[NULL]	R	B142K3	7440-62-2	STLSL	6010_METALS_ICP_TR	100-NR-2
199-N-75	3/7/2002 10:19	Y	7440-62-2	Vanadium	5.4	ug/L	[NULL]	[NULL]	[NULL]	R	B142K5	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/7/2002 10:19	Y	7440-66-6	Zinc	3.3	ug/L	U	[NULL]	[NULL]	R	B142K5	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-75	3/7/2002 10:19	Y	7440-66-6	Zinc	6.7	ug/L	B	[NULL]	[NULL]	R	B142K3	7440-66-6	STLSL	6010_METALS_ICP_TR	100-NR-2
199-N-75	3/7/2002 10:19	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B14445	PH	FIELD	9040_PH	100-NR-2
199-N-75	9/10/2002 9:53	Y	7429-90-5	Aluminum	79.7	ug/L	[NULL]	[NULL]	[NULL]	R	B15730	7429-90-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	Y	7429-90-5	Aluminum	116	ug/L	[NULL]	[NULL]	[NULL]	R	B15732	7429-90-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	Y	7440-36-0	Antimony	3.5	ug/L	U	[NULL]	[NULL]	R	B15730	7440-36-0	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	Y	7440-36-0	Antimony	3.5	ug/L	U	[NULL]	[NULL]	R	B15732	7440-36-0	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	Y	7440-39-3	Barium	30.1	ug/L	[NULL]	[NULL]	[NULL]	R	B15732	7440-39-3	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	Y	7440-39-3	Barium	29.2	ug/L	[NULL]	[NULL]	[NULL]	R	B15730	7440-39-3	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	Y	7440-41-7	Beryllium	0.1	ug/L	U	[NULL]	[NULL]	R	B15732	7440-41-7	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	Y	7440-41-7	Beryllium	0.1	ug/L	U	[NULL]	[NULL]	R	B15730	7440-41-7	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	N	24959-67-9	Bromide	250	ug/L	U	[NULL]	[NULL]	R	B15733	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	9/10/2002 9:53	N	24959-67-9	Bromide	250	ug/L	U	[NULL]	[NULL]	R	B15731	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	9/10/2002 9:53	Y	7440-43-9	Cadmium	0.3	ug/L	U	[NULL]	[NULL]	R	B15732	7440-43-9	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	Y	7440-43-9	Cadmium	0.3	ug/L	U	[NULL]	[NULL]	R	B15730	7440-43-9	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	Y	7440-70-2	Calcium	42400	ug/L	[NULL]	[NULL]	[NULL]	R	B15732	7440-70-2	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	Y	7440-70-2	Calcium	41700	ug/L	[NULL]	[NULL]	[NULL]	R	B15730	7440-70-2	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	N	16887-00-6	Chloride	7700	ug/L	[NULL]	[NULL]	[NULL]	R	B15733	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	9/10/2002 9:53	N	16887-00-6	Chloride	7800	ug/L	[NULL]	[NULL]	[NULL]	R	B15731	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	9/10/2002 9:53	Y	7440-47-3	Chromium	2.3	ug/L	[NULL]	[NULL]	[NULL]	R	B15732	7440-47-3	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	Y	7440-47-3	Chromium	2.5	ug/L	[NULL]	[NULL]	[NULL]	R	B15730	7440-47-3	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	Y	7440-48-4	Cobalt	1.4	ug/L	U	[NULL]	[NULL]	R	B15732	7440-48-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	Y	7440-48-4	Cobalt	1.4	ug/L	U	[NULL]	[NULL]	R	B15730	7440-48-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B15732	7440-50-8	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B15730	7440-50-8	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	N	16984-48-8	Fluoride	250	ug/L	U	[NULL]	[NULL]	R	B15731	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	9/10/2002 9:53	N	16984-48-8	Fluoride	250	ug/L	U	[NULL]	[NULL]	R	B15733	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	9/10/2002 9:53	N	12587-47-2	Gross beta	727	pCi/L	[NULL]	[NULL]	[NULL]	R	B15733	12587-47-2	EBRLNE	900.0_ALPHABETA_GPC	100-NR-2
199-N-75	9/10/2002 9:53	N	12587-47-2	Gross beta	675	pCi/L	[NULL]	[NULL]	[NULL]	R	B15731	12587-47-2	EBRLNE	900.0_ALPHABETA_GPC	100-NR-2
199-N-75	9/10/2002 9:53	Y	7439-89-6	Iron	18.1	ug/L	[NULL]	[NULL]	[NULL]	R	B15730	7439-89-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	Y	7439-89-6	Iron	27.7	ug/L	[NULL]	[NULL]	[NULL]	R	B15732	7439-89-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	Y	7439-95-4	Magnesium	7910	ug/L	[NULL]	[NULL]	[NULL]	R	B15732	7439-95-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	Y	7439-95-4	Magnesium	7700	ug/L	[NULL]	[NULL]	[NULL]	R	B15730	7439-95-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	Y	7439-96-5	Manganese	0.48	ug/L	[NULL]	[NULL]	[NULL]	R	B15730	7439-96-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	Y	7439-96-5	Manganese	2.2	ug/L	[NULL]	[NULL]	[NULL]	R	B15732	7439-96-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	Y	7440-02-0	Nickel	1.6	ug/L	U	[NULL]	[NULL]	R	B15730	7440-02-0	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	Y	7440-02-0	Nickel	3.5	ug/L	[NULL]	[NULL]	[NULL]	R	B15732	7440-02-0	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	N	14797-55-8	Nitrate	28200	ug/L	[NULL]	[NULL]	[NULL]	R	B15731	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	9/10/2002 9:53	N	14797-55-8	Nitrate	27600	ug/L	[NULL]	[NULL]	[NULL]	R	B15733	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	9/10/2002 9:53	N	14797-65-0	Nitrite	250	ug/L	U	[NULL]	[NULL]	R	B15733	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	9/10/2002 9:53	N	14797-65-0	Nitrite	250	ug/L	U	[NULL]	[NULL]	R	B15731	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	9/10/2002 9:53	N	14265-44-2	Phosphate	250	ug/L	U	[NULL]	[NULL]	R	B15733	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	9/10/2002 9:53	N	14265-44-2	Phosphate	250	ug/L	U	[NULL]	[NULL]	R	B15731	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	9/10/2002 9:53	Y	7440-09-7	Potassium	2330	ug/L	[NULL]	[NULL]	[NULL]	R	B15732	7440-09-7	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	Y	7440-09-7	Potassium	2190	ug/L	[NULL]	[NULL]	[NULL]	R	B15730	7440-09-7	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	Y	7440-22-4	Silver	1.1	ug/L	U	[NULL]	[NULL]	R	B15732	7440-22-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	Y	7440-22-4	Silver	1.1	ug/L	U	[NULL]	[NULL]	R	B15730	7440-22-4	RLNP	6010_METALS_ICP_TR	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	9/10/2002 9:53	Y	7440-23-5	Sodium	3410	ug/L	[NULL]	[NULL]	[NULL]	R	B15730	7440-23-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	Y	7440-23-5	Sodium	3750	ug/L	[NULL]	[NULL]	[NULL]	R	B15732	7440-23-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	N	CONDUCT	Specific Conductance	320	uS/cm	[NULL]	[NULL]	[NULL]	R	B173M3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	9/10/2002 9:53	Y	7440-24-6	Strontium	213	ug/L	[NULL]	[NULL]	[NULL]	R	B15730	7440-24-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	Y	7440-24-6	Strontium	216	ug/L	[NULL]	[NULL]	[NULL]	R	B15732	7440-24-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	N	10098-97-2	Strontium-90	390	pCi/L	[NULL]	[NULL]	[NULL]	R	B15733	10098-97-2	EBRLNE	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-75	9/10/2002 9:53	N	10098-97-2	Strontium-90	398	pCi/L	[NULL]	[NULL]	[NULL]	R	B15731	10098-97-2	EBRLNE	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-75	9/10/2002 9:53	N	14808-79-8	Sulfate	50000	ug/L	[NULL]	[NULL]	[NULL]	R	B15731	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	9/10/2002 9:53	N	14808-79-8	Sulfate	49300	ug/L	[NULL]	[NULL]	[NULL]	R	B15733	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	9/10/2002 9:53	N	TEMPERATURE	Temperature	21.8	Deg C	[NULL]	[NULL]	[NULL]	R	B173M3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	9/10/2002 9:53	N	10028-17-8	Tritium	20200	pCi/L	[NULL]	[NULL]	[NULL]	R	B15731	10028-17-8	EBRLNE	906.0_H3_LSC	100-NR-2
199-N-75	9/10/2002 9:53	N	10028-17-8	Tritium	20000	pCi/L	[NULL]	[NULL]	[NULL]	R	B15733	10028-17-8	EBRLNE	906.0_H3_LSC	100-NR-2
199-N-75	9/10/2002 9:53	N	TURBIDITY	Turbidity	0.27	NTU	[NULL]	[NULL]	[NULL]	R	B173M3	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-75	9/10/2002 9:53	Y	7440-62-2	Vanadium	4.2	ug/L	[NULL]	[NULL]	[NULL]	R	B15730	7440-62-2	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	Y	7440-62-2	Vanadium	4.3	ug/L	[NULL]	[NULL]	[NULL]	R	B15732	7440-62-2	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	Y	7440-66-6	Zinc	55.7	ug/L	[NULL]	[NULL]	[NULL]	R	B15732	7440-66-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	Y	7440-66-6	Zinc	10.8	ug/L	[NULL]	[NULL]	[NULL]	R	B15730	7440-66-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-75	9/10/2002 9:53	N	PH	pH Measurement	8.14	unitless	[NULL]	[NULL]	[NULL]	R	B173M3	PH	FIELD	9040_PH	100-NR-2
199-N-75	3/3/2003 10:24	N	ALKALINITY	Alkalinity	78000	ug/L	[NULL]	[NULL]	[NULL]	R	B16JV4	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-75	3/3/2003 10:24	N	ALKALINITY	Alkalinity	72000	ug/L	[NULL]	[NULL]	[NULL]	R	B16JV3	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-75	3/3/2003 10:24	Y	7429-90-5	Aluminum	38.4	ug/L	B	[NULL]	[NULL]	R	B16H54	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	Y	7429-90-5	Aluminum	30.4	ug/L	U	[NULL]	[NULL]	R	B16JY7	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B16H54	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B16JY7	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	Y	7440-39-3	Barium	28.2	ug/L	B	[NULL]	[NULL]	R	B16H54	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	Y	7440-39-3	Barium	27.9	ug/L	B	[NULL]	[NULL]	R	B16JY7	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	Y	7440-41-7	Beryllium	0.73	ug/L	U	[NULL]	[NULL]	R	B16JY7	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	Y	7440-41-7	Beryllium	0.73	ug/L	U	[NULL]	[NULL]	R	B16H54	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B16H54	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B16JY7	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	Y	7440-70-2	Calcium	46100	ug/L	[NULL]	[NULL]	[NULL]	R	B16JY7	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	Y	7440-70-2	Calcium	46500	ug/L	[NULL]	[NULL]	[NULL]	R	B16H54	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	N	16887-00-6	Chloride	7500	ug/L	CD	[NULL]	[NULL]	R	B16H55	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/3/2003 10:24	N	16887-00-6	Chloride	6800	ug/L	CD	[NULL]	[NULL]	R	B16JV4	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/3/2003 10:24	Y	7440-47-3	Chromium	3.8	ug/L	U	[NULL]	[NULL]	R	B16H54	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	Y	7440-47-3	Chromium	4.4	ug/L	B	[NULL]	[NULL]	R	B16JY7	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	Y	7440-48-4	Cobalt	4.9	ug/L	U	[NULL]	[NULL]	R	B16H54	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	Y	7440-48-4	Cobalt	5.6	ug/L	B	[NULL]	[NULL]	R	B16JY7	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	Y	7440-50-8	Copper	3.1	ug/L	U	[NULL]	[NULL]	R	B16JY7	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	Y	7440-50-8	Copper	3.1	ug/L	U	[NULL]	[NULL]	R	B16H54	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	N	16984-48-8	Fluoride	130	ug/L	[NULL]	[NULL]	[NULL]	R	B16H55	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/3/2003 10:24	N	16984-48-8	Fluoride	120	ug/L	[NULL]	[NULL]	[NULL]	R	B16JV4	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/3/2003 10:24	N	12587-47-2	Gross beta	566	pCi/L	[NULL]	[NULL]	[NULL]	R	B16H56	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	3/3/2003 10:24	Y	7439-89-6	Iron	42.8	ug/L	U	[NULL]	[NULL]	R	B16H54	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	Y	7439-89-6	Iron	42.8	ug/L	U	[NULL]	[NULL]	R	B16JY7	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	Y	7439-95-4	Magnesium	8430	ug/L	[NULL]	[NULL]	[NULL]	R	B16JY7	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	Y	7439-95-4	Magnesium	8560	ug/L	[NULL]	[NULL]	[NULL]	R	B16H54	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	Y	7439-96-5	Manganese	1.8	ug/L	B	[NULL]	[NULL]	R	B16JY7	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	Y	7439-96-5	Manganese	2	ug/L	B	[NULL]	[NULL]	R	B16H54	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	Y	7440-02-0	Nickel	13.3	ug/L	B	[NULL]	[NULL]	R	B16H54	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	B16JY7	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	N	14797-55-8	Nitrate	32800	ug/L	CD	[NULL]	[NULL]	R	B16H55	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/3/2003 10:24	N	14797-55-8	Nitrate	31400	ug/L	CD	[NULL]	[NULL]	R	B16JV4	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/3/2003 10:24	N	14797-65-0	Nitrite	36.1	ug/L	U	[NULL]	[NULL]	R	B16H55	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/3/2003 10:24	N	14797-65-0	Nitrite	36.1	ug/L	U	[NULL]	[NULL]	R	B16JV4	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	3/3/2003 10:24	Y	7440-09-7	Potassium	3460	ug/L	B	[NULL]	[NULL]	R	B16JY7	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	Y	7440-09-7	Potassium	2800	ug/L	B	[NULL]	[NULL]	R	B16H54	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	Y	7440-22-4	Silver	3	ug/L	U	[NULL]	[NULL]	R	B16JY7	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	Y	7440-22-4	Silver	3	ug/L	U	[NULL]	[NULL]	R	B16H54	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	Y	7440-23-5	Sodium	3840	ug/L	B	[NULL]	[NULL]	R	B16H54	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	Y	7440-23-5	Sodium	3770	ug/L	B	[NULL]	[NULL]	R	B16JY7	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	N	CONDUCT	Specific Conductance	327	uS/cm	[NULL]	[NULL]	[NULL]	R	B16H55	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	3/3/2003 10:24	Y	7440-24-6	Strontium	231	ug/L	[NULL]	[NULL]	[NULL]	R	B16H54	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	Y	7440-24-6	Strontium	227	ug/L	[NULL]	[NULL]	[NULL]	R	B16JY7	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	N	10098-97-2	Strontium-90	300	pCi/L	[NULL]	[NULL]	[NULL]	R	B16K21	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-75	3/3/2003 10:24	N	10098-97-2	Strontium-90	312	pCi/L	[NULL]	[NULL]	[NULL]	R	B16H56	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-75	3/3/2003 10:24	N	14808-79-8	Sulfate	45500	ug/L	CD	[NULL]	[NULL]	R	B16H55	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/3/2003 10:24	N	14808-79-8	Sulfate	45300	ug/L	CD	[NULL]	[NULL]	R	B16JV4	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/3/2003 10:24	N	TEMPERATURE	Temperature	20.8	Deg C	[NULL]	[NULL]	[NULL]	R	B16H55	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	3/3/2003 10:24	N	10028-17-8	Tritium	17300	pCi/L	[NULL]	[NULL]	[NULL]	R	B16H56	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-75	3/3/2003 10:24	N	TURBIDITY	Turbidity	0.31	NTU	[NULL]	[NULL]	[NULL]	R	B16H55	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-75	3/3/2003 10:24	Y	7440-62-2	Vanadium	14.2	ug/L	B	[NULL]	[NULL]	R	B16H54	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	Y	7440-62-2	Vanadium	10.5	ug/L	B	[NULL]	[NULL]	R	B16JY7	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	Y	7440-66-6	Zinc	1.8	ug/L	U	[NULL]	[NULL]	R	B16H54	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	Y	7440-66-6	Zinc	2.8	ug/L	B	[NULL]	[NULL]	R	B16JY7	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/3/2003 10:24	N	PH	pH Measurement	8.16	unitless	[NULL]	[NULL]	[NULL]	R	B16H55	PH	FIELD	9040_PH	100-NR-2
199-N-75	9/25/2003 10:58	Y	7429-90-5	Aluminum	95.8	ug/L	U	[NULL]	[NULL]	R	B17D82	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2003 10:58	Y	7440-36-0	Antimony	28.5	ug/L	U	[NULL]	[NULL]	R	B17D82	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2003 10:58	Y	7440-39-3	Barium	32.7	ug/L	B	[NULL]	[NULL]	R	B17D82	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2003 10:58	Y	7440-41-7	Beryllium	0.33	ug/L	U	[NULL]	[NULL]	R	B17D82	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2003 10:58	Y	7440-43-9	Cadmium	2.5	ug/L	U	[NULL]	[NULL]	R	B17D82	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2003 10:58	Y	7440-70-2	Calcium	48400	ug/L	[NULL]	[NULL]	[NULL]	R	B17D82	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2003 10:58	N	16887-00-6	Chloride	8600	ug/L	D	[NULL]	[NULL]	R	B17D83	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/25/2003 10:58	Y	7440-47-3	Chromium	4.4	ug/L	U	[NULL]	[NULL]	R	B17D82	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2003 10:58	Y	7440-48-4	Cobalt	4.5	ug/L	U	[NULL]	[NULL]	R	B17D82	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2003 10:58	Y	7440-50-8	Copper	3.2	ug/L	U	[NULL]	[NULL]	R	B17D82	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2003 10:58	N	16984-48-8	Fluoride	140	ug/L	[NULL]	[NULL]	[NULL]	R	B17D83	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/25/2003 10:58	N	12587-47-2	Gross beta	1080	pCi/L	[NULL]	[NULL]	[NULL]	R	B17D84	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	9/25/2003 10:58	Y	7439-89-6	Iron	49.4	ug/L	U	[NULL]	[NULL]	R	B17D82	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2003 10:58	Y	7439-95-4	Magnesium	8230	ug/L	[NULL]	[NULL]	[NULL]	R	B17D82	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2003 10:58	Y	7439-96-5	Manganese	0.81	ug/L	U	[NULL]	[NULL]	R	B17D82	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2003 10:58	Y	7440-02-0	Nickel	12.9	ug/L	B	[NULL]	[NULL]	R	B17D82	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2003 10:58	N	14797-55-8	Nitrate	36300	ug/L	D	[NULL]	[NULL]	R	B17D83	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/25/2003 10:58	N	14797-65-0	Nitrite	24.3	ug/L	U	[NULL]	[NULL]	R	B17D83	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/25/2003 10:58	Y	7440-09-7	Potassium	2280	ug/L	B	[NULL]	[NULL]	R	B17D82	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2003 10:58	Y	7440-22-4	Silver	3.7	ug/L	U	[NULL]	[NULL]	R	B17D82	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2003 10:58	Y	7440-23-5	Sodium	3640	ug/L	B	[NULL]	[NULL]	R	B17D82	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2003 10:58	N	CONDUCT	Specific Conductance	354	uS/cm	[NULL]	[NULL]	[NULL]	R	B17D83	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	9/25/2003 10:58	Y	7440-24-6	Strontium	241	ug/L	[NULL]	[NULL]	[NULL]	R	B17D82	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2003 10:58	N	10098-97-2	Strontium-90	541	pCi/L	[NULL]	[NULL]	[NULL]	R	B17D84	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-75	9/25/2003 10:58	N	14808-79-8	Sulfate	54600	ug/L	D	[NULL]	[NULL]	R	B17D83	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/25/2003 10:58	N	TEMPERATURE	Temperature	23.5	Deg C	[NULL]	[NULL]	[NULL]	R	B17D83	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	9/25/2003 10:58	N	10028-17-8	Tritium	20400	pCi/L	[NULL]	[NULL]	[NULL]	R	B17D84	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-75	9/25/2003 10:58	N	TURBIDITY	Turbidity	0.36	NTU	[NULL]	[NULL]	[NULL]	R	B17D83	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-75	9/25/2003 10:58	Y	7440-62-2	Vanadium	9.1	ug/L	B	[NULL]	[NULL]	R	B17D82	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2003 10:58	Y	7440-66-6	Zinc	3.5	ug/L	U	[NULL]	[NULL]	R	B17D82	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2003 10:58	N	PH	pH Measurement	8.09	unitless	[NULL]	[NULL]	[NULL]	R	B17D83	PH	FIELD	9040_PH	100-NR-2
199-N-75	3/19/2004 9:34	N	ALKALINITY	Alkalinity	87000	ug/L	[NULL]	[NULL]	[NULL]	R	B18MH7	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-75	3/19/2004 9:34	Y	7429-90-5	Aluminum	34.2	ug/L	U	[NULL]	[NULL]	R	B18KN9	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/19/2004 9:34	Y	7429-90-5	Aluminum	34.2	ug/L	U	[NULL]	[NULL]	R	B18KN5	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	3/19/2004 9:34	Y	7440-36-0	Antimony	57.4	ug/L	B	[NULL]	[NULL]	R	B18KN9	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/19/2004 9:34	Y	7440-36-0	Antimony	39	ug/L	U	[NULL]	[NULL]	R	B18KN5	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/19/2004 9:34	Y	7440-39-3	Barium	29.5	ug/L	B	[NULL]	[NULL]	R	B18KN9	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/19/2004 9:34	Y	7440-39-3	Barium	29.7	ug/L	B	[NULL]	[NULL]	R	B18KN5	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/19/2004 9:34	Y	7440-41-7	Beryllium	0.4	ug/L	U	[NULL]	[NULL]	R	B18KN9	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/19/2004 9:34	Y	7440-41-7	Beryllium	0.4	ug/L	U	[NULL]	[NULL]	R	B18KN5	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/19/2004 9:34	Y	7440-43-9	Cadmium	3.3	ug/L	U	[NULL]	[NULL]	R	B18KN5	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/19/2004 9:34	Y	7440-43-9	Cadmium	3.3	ug/L	U	[NULL]	[NULL]	R	B18KN9	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/19/2004 9:34	Y	7440-70-2	Calcium	45000	ug/L	[NULL]	[NULL]	[NULL]	R	B18KN5	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/19/2004 9:34	Y	7440-70-2	Calcium	45500	ug/L	[NULL]	[NULL]	[NULL]	R	B18KN9	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/19/2004 9:34	N	16887-00-6	Chloride	7700	ug/L	D	[NULL]	[NULL]	R	B18KN6	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/19/2004 9:34	N	16887-00-6	Chloride	7500	ug/L	D	[NULL]	[NULL]	R	B18KP0	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/19/2004 9:34	Y	7440-47-3	Chromium	4.4	ug/L	U	[NULL]	[NULL]	R	B18KN9	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/19/2004 9:34	Y	7440-47-3	Chromium	4.4	ug/L	U	[NULL]	[NULL]	R	B18KN5	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/19/2004 9:34	Y	7440-48-4	Cobalt	4.8	ug/L	U	[NULL]	[NULL]	R	B18KN9	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/19/2004 9:34	Y	7440-48-4	Cobalt	4.8	ug/L	U	[NULL]	[NULL]	R	B18KN5	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/19/2004 9:34	Y	7440-50-8	Copper	2.9	ug/L	U	[NULL]	[NULL]	R	B18KN9	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/19/2004 9:34	Y	7440-50-8	Copper	2.9	ug/L	U	[NULL]	[NULL]	R	B18KN5	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/19/2004 9:34	N	DO	Dissolved oxygen	5140	ug/L	[NULL]	[NULL]	[NULL]	R	B18KN6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-75	3/19/2004 9:34	N	16984-48-8	Fluoride	40	ug/L	U	[NULL]	[NULL]	R	B18KP0	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/19/2004 9:34	N	16984-48-8	Fluoride	40	ug/L	U	[NULL]	[NULL]	R	B18KN6	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/19/2004 9:34	N	12587-47-2	Gross beta	453	pCi/L	[NULL]	[NULL]	[NULL]	R	B18KN7	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	3/19/2004 9:34	N	12587-47-2	Gross beta	576	pCi/L	[NULL]	[NULL]	[NULL]	R	B18KN8	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	3/19/2004 9:34	Y	7439-89-6	Iron	54.5	ug/L	U	[NULL]	[NULL]	R	B18KN5	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/19/2004 9:34	Y	7439-89-6	Iron	54.5	ug/L	U	[NULL]	[NULL]	R	B18KN9	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/19/2004 9:34	Y	7439-95-4	Magnesium	8360	ug/L	[NULL]	[NULL]	[NULL]	R	B18KN5	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/19/2004 9:34	Y	7439-95-4	Magnesium	8410	ug/L	[NULL]	[NULL]	[NULL]	R	B18KN9	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/19/2004 9:34	Y	7439-96-5	Manganese	1.4	ug/L	B	Q	[NULL]	R	B18KN9	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/19/2004 9:34	Y	7439-96-5	Manganese	2.6	ug/L	B	Q	[NULL]	R	B18KN5	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/19/2004 9:34	Y	7440-02-0	Nickel	14	ug/L	U	[NULL]	[NULL]	R	B18KN9	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/19/2004 9:34	Y	7440-02-0	Nickel	14	ug/L	U	[NULL]	[NULL]	R	B18KN5	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/19/2004 9:34	N	14797-55-8	Nitrate	32800	ug/L	D	[NULL]	[NULL]	R	B18KP0	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/19/2004 9:34	N	14797-55-8	Nitrate	34100	ug/L	D	[NULL]	[NULL]	R	B18KN6	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/19/2004 9:34	N	14797-65-0	Nitrite	24.3	ug/L	U	[NULL]	[NULL]	R	B18KN6	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/19/2004 9:34	N	14797-65-0	Nitrite	24.3	ug/L	U	[NULL]	[NULL]	R	B18KP0	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/19/2004 9:34	N	EH	Oxidation Reduction Potential	177.7	mV	[NULL]	[NULL]	[NULL]	R	B18KN6	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-75	3/19/2004 9:34	Y	7440-09-7	Potassium	3000	ug/L	U	[NULL]	[NULL]	R	B18KN9	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/19/2004 9:34	Y	7440-09-7	Potassium	3000	ug/L	U	[NULL]	[NULL]	R	B18KN5	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/19/2004 9:34	Y	7440-22-4	Silver	3.1	ug/L	U	[NULL]	[NULL]	R	B18KN9	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/19/2004 9:34	Y	7440-22-4	Silver	3.1	ug/L	U	[NULL]	[NULL]	R	B18KN5	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/19/2004 9:34	Y	7440-23-5	Sodium	3760	ug/L	B	[NULL]	[NULL]	R	B18KN5	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/19/2004 9:34	Y	7440-23-5	Sodium	3800	ug/L	B	[NULL]	[NULL]	R	B18KN9	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/19/2004 9:34	N	CONDUCT	Specific Conductance	339	uS/cm	[NULL]	[NULL]	[NULL]	R	B18KN6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	3/19/2004 9:34	Y	7440-24-6	Strontium	234	ug/L	[NULL]	[NULL]	[NULL]	R	B18KN5	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/19/2004 9:34	Y	7440-24-6	Strontium	238	ug/L	[NULL]	[NULL]	[NULL]	R	B18KN9	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/19/2004 9:34	N	10098-97-2	Strontium-90	244	pCi/L	[NULL]	Q	[NULL]	R	B18KN8	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-75	3/19/2004 9:34	N	10098-97-2	Strontium-90	321	pCi/L	[NULL]	Q	[NULL]	R	B18KN7	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-75	3/19/2004 9:34	N	14808-79-8	Sulfate	46600	ug/L	D	[NULL]	[NULL]	R	B18KN6	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/19/2004 9:34	N	14808-79-8	Sulfate	45900	ug/L	D	[NULL]	[NULL]	R	B18KP0	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/19/2004 9:34	N	TEMPERATURE	Temperature	18.5	Deg C	[NULL]	[NULL]	[NULL]	R	B18KN6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	3/19/2004 9:34	N	10028-17-8	Tritium	16900	pCi/L	[NULL]	[NULL]	[NULL]	R	B18KN8	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-75	3/19/2004 9:34	N	10028-17-8	Tritium	16000	pCi/L	[NULL]	[NULL]	[NULL]	R	B18KN7	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-75	3/19/2004 9:34	N	TURBIDITY	Turbidity	0.51	NTU	[NULL]	[NULL]	[NULL]	R	B18KN6	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-75	3/19/2004 9:34	Y	7440-62-2	Vanadium	9	ug/L	B	[NULL]	[NULL]	R	B18KN5	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	3/19/2004 9:34	Y	7440-62-2	Vanadium	5.4	ug/L	B	[NULL]	[NULL]	R	B18KN9	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/19/2004 9:34	Y	7440-66-6	Zinc	2.7	ug/L	U	[NULL]	[NULL]	R	B18KN9	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/19/2004 9:34	Y	7440-66-6	Zinc	2.7	ug/L	U	[NULL]	[NULL]	R	B18KN5	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/19/2004 9:34	N	PH	pH Measurement	7.88	unitless	[NULL]	[NULL]	[NULL]	R	B18KN6	PH	FIELD	9040_PH	100-NR-2
199-N-75	9/21/2004 10:45	Y	7429-90-5	Aluminum	45.5	ug/L	U	[NULL]	[NULL]	R	B1B161	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/21/2004 10:45	Y	7440-36-0	Antimony	21.3	ug/L	U	[NULL]	[NULL]	R	B1B161	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/21/2004 10:45	Y	7440-39-3	Barium	28.9	ug/L	B	[NULL]	[NULL]	R	B1B161	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/21/2004 10:45	Y	7440-41-7	Beryllium	0.79	ug/L	BC	[NULL]	[NULL]	R	B1B161	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/21/2004 10:45	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	B1B161	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/21/2004 10:45	Y	7440-70-2	Calcium	42400	ug/L	[NULL]	[NULL]	[NULL]	R	B1B161	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/21/2004 10:45	N	16887-00-6	Chloride	7000	ug/L	CD	[NULL]	[NULL]	R	B1B162	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/21/2004 10:45	Y	7440-47-3	Chromium	3.3	ug/L	U	[NULL]	[NULL]	R	B1B161	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/21/2004 10:45	Y	7440-48-4	Cobalt	3.3	ug/L	U	[NULL]	[NULL]	R	B1B161	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/21/2004 10:45	Y	7440-50-8	Copper	81.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1B161	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/21/2004 10:45	N	16984-48-8	Fluoride	50	ug/L	B	[NULL]	[NULL]	R	B1B162	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/21/2004 10:45	N	12587-47-2	Gross beta	347	pCi/L	[NULL]	[NULL]	[NULL]	R	B1B163	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	9/21/2004 10:45	Y	7439-89-6	Iron	6.9	ug/L	U	[NULL]	[NULL]	R	B1B161	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/21/2004 10:45	Y	7439-95-4	Magnesium	8000	ug/L	[NULL]	[NULL]	[NULL]	R	B1B161	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/21/2004 10:45	Y	7439-96-5	Manganese	0.99	ug/L	U	[NULL]	[NULL]	R	B1B161	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/21/2004 10:45	Y	7440-02-0	Nickel	8.6	ug/L	U	[NULL]	[NULL]	R	B1B161	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/21/2004 10:45	N	14797-55-8	Nitrate	29200	ug/L	D	[NULL]	[NULL]	R	B1B162	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/21/2004 10:45	N	14797-65-0	Nitrite	13.1	ug/L	U	[NULL]	[NULL]	R	B1B162	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/21/2004 10:45	Y	7440-09-7	Potassium	4370	ug/L	B	[NULL]	[NULL]	R	B1B161	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/21/2004 10:45	Y	7440-22-4	Silver	4.2	ug/L	BC	[NULL]	[NULL]	R	B1B161	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/21/2004 10:45	Y	7440-23-5	Sodium	3890	ug/L	BC	[NULL]	[NULL]	R	B1B161	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/21/2004 10:45	N	CONDUCT	Specific Conductance	311	uS/cm	[NULL]	[NULL]	[NULL]	R	B1B162	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	9/21/2004 10:45	Y	7440-24-6	Strontium	230	ug/L	C	[NULL]	[NULL]	R	B1B161	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/21/2004 10:45	N	10098-97-2	Strontium-90	199	pCi/L	[NULL]	[NULL]	[NULL]	R	B1B163	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-75	9/21/2004 10:45	N	14808-79-8	Sulfate	40700	ug/L	D	[NULL]	[NULL]	R	B1B162	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/21/2004 10:45	N	TEMPERATURE	Temperature	20.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1B162	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	9/21/2004 10:45	N	10028-17-8	Tritium	12700	pCi/L	[NULL]	[NULL]	[NULL]	R	B1B163	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-75	9/21/2004 10:45	N	TURBIDITY	Turbidity	0.21	NTU	[NULL]	[NULL]	[NULL]	R	B1B162	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-75	9/21/2004 10:45	Y	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	B1B161	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/21/2004 10:45	Y	7440-66-6	Zinc	52.8	ug/L	C	[NULL]	[NULL]	R	B1B161	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/21/2004 10:45	N	PH	pH Measurement	8.12	unitless	[NULL]	[NULL]	[NULL]	R	B1B162	PH	FIELD	9040_PH	100-NR-2
199-N-75	1/3/2005 11:01	N	ALKALINITY	Alkalinity	70000	ug/L	[NULL]	[NULL]	[NULL]	R	B1BTF2	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-75	1/3/2005 11:01	Y	7429-90-5	Aluminum	56.5	ug/L	BC	YQ	[NULL]	R	B1BTF1	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2005 11:01	Y	7440-36-0	Antimony	21.3	ug/L	U	[NULL]	[NULL]	R	B1BTF1	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2005 11:01	N	14234-35-6	Antimony-125	1.01	pCi/L	U	[NULL]	[NULL]	R	B1BTF3	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
199-N-75	1/3/2005 11:01	Y	7440-39-3	Barium	25.7	ug/L	B	[NULL]	[NULL]	R	B1BTF1	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2005 11:01	Y	7440-41-7	Beryllium	0.29	ug/L	U	[NULL]	[NULL]	R	B1BTF1	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2005 11:01	N	13966-02-4	Beryllium-7	10.3	pCi/L	U	[NULL]	[NULL]	R	B1BTF3	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
199-N-75	1/3/2005 11:01	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	B1BTF1	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2005 11:01	Y	7440-70-2	Calcium	39100	ug/L	[NULL]	[NULL]	[NULL]	R	B1BTF1	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2005 11:01	N	13967-70-9	Cesium-134	-0.545	pCi/L	U	[NULL]	[NULL]	R	B1BTF3	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
199-N-75	1/3/2005 11:01	N	10045-97-3	Cesium-137	-0.47	pCi/L	U	[NULL]	[NULL]	R	B1BTF3	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
199-N-75	1/3/2005 11:01	N	16887-00-6	Chloride	5600	ug/L	D	[NULL]	[NULL]	R	B1BTF2	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	1/3/2005 11:01	Y	7440-47-3	Chromium	3.3	ug/L	U	[NULL]	[NULL]	R	B1BTF1	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2005 11:01	Y	7440-48-4	Cobalt	3.3	ug/L	U	[NULL]	[NULL]	R	B1BTF1	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2005 11:01	N	10198-40-0	Cobalt-60	-0.639	pCi/L	U	[NULL]	[NULL]	R	B1BTF3	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
199-N-75	1/3/2005 11:01	Y	7440-50-8	Copper	2.4	ug/L	U	[NULL]	[NULL]	R	B1BTF1	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2005 11:01	N	DO	Dissolved oxygen	7340	ug/L	[NULL]	[NULL]	[NULL]	R	B1BTF2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-75	1/3/2005 11:01	N	14683-23-9	Europium-152	4.97	pCi/L	U	[NULL]	[NULL]	R	B1BTF3	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
199-N-75	1/3/2005 11:01	N	15585-10-1	Europium-154	2.87	pCi/L	U	[NULL]	[NULL]	R	B1BTF3	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
199-N-75	1/3/2005 11:01	N	14391-16-3	Europium-155	-1.82	pCi/L	U	[NULL]	[NULL]	R	B1BTF3	14391-16-3	STLRL	GAMMALL_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	1/3/2005 11:01	N	16984-48-8	Fluoride	82	ug/L	B	[NULL]	[NULL]	R	B1BTF2	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	1/3/2005 11:01	N	12587-46-1	Gross alpha	0.568	pCi/L	U	[NULL]	[NULL]	R	B1BTF3	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	1/3/2005 11:01	N	12587-47-2	Gross beta	569	pCi/L	[NULL]	[NULL]	[NULL]	R	B1BTF3	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	1/3/2005 11:01	Y	7439-89-6	Iron	6.9	ug/L	U	[NULL]	[NULL]	R	B1BTF1	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2005 11:01	Y	7439-95-4	Magnesium	6850	ug/L	[NULL]	[NULL]	[NULL]	R	B1BTF1	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2005 11:01	Y	7439-96-5	Manganese	2.6	ug/L	B	[NULL]	[NULL]	R	B1BTF1	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2005 11:01	Y	7440-02-0	Nickel	8.6	ug/L	U	[NULL]	[NULL]	R	B1BTF1	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2005 11:01	N	14797-55-8	Nitrate	25700	ug/L	D	[NULL]	[NULL]	R	B1BTF2	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	1/3/2005 11:01	N	14797-65-0	Nitrite	13.1	ug/L	U	[NULL]	[NULL]	R	B1BTF2	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	1/3/2005 11:01	Y	7440-09-7	Potassium	2240	ug/L	B	[NULL]	[NULL]	R	B1BTF1	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2005 11:01	N	13966-00-2	Potassium-40	90	pCi/L	[NULL]	[NULL]	[NULL]	R	B1BTF3	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
199-N-75	1/3/2005 11:01	N	13967-48-1	Ruthenium-106	7.65	pCi/L	U	[NULL]	[NULL]	R	B1BTF3	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
199-N-75	1/3/2005 11:01	Y	7440-22-4	Silver	4.1	ug/L	U	[NULL]	[NULL]	R	B1BTF1	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2005 11:01	Y	7440-23-5	Sodium	3900	ug/L	B	[NULL]	[NULL]	R	B1BTF1	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2005 11:01	N	CONDUCT	Specific Conductance	291	uS/cm	[NULL]	[NULL]	[NULL]	R	B1BTF2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	1/3/2005 11:01	Y	7440-24-6	Strontium	207	ug/L	[NULL]	[NULL]	[NULL]	R	B1BTF1	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2005 11:01	N	10098-97-2	Strontium-90	313	pCi/L	[NULL]	[NULL]	[NULL]	R	B1BTF3	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-75	1/3/2005 11:01	N	14808-79-8	Sulfate	35500	ug/L	D	[NULL]	[NULL]	R	B1BTF2	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	1/3/2005 11:01	N	TEMPERATURE	Temperature	16.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1BTF2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	1/3/2005 11:01	N	10028-17-8	Tritium	13000	pCi/L	[NULL]	[NULL]	[NULL]	R	B1BTF3	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-75	1/3/2005 11:01	N	TURBIDITY	Turbidity	0.42	NTU	[NULL]	[NULL]	[NULL]	R	B1BTF2	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-75	1/3/2005 11:01	Y	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	B1BTF1	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2005 11:01	Y	7440-66-6	Zinc	6.3	ug/L	B	[NULL]	[NULL]	R	B1BTF1	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2005 11:01	N	PH	pH Measurement	8.09	unitless	[NULL]	[NULL]	[NULL]	R	B1BTF2	PH	FIELD	9040_PH	100-NR-2
199-N-75	3/15/2005 10:29	N	ALKALINITY	Alkalinity	66000	ug/L	[NULL]	[NULL]	[NULL]	R	B1C9Y9	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-75	3/15/2005 10:29	Y	7429-90-5	Aluminum	9.5	ug/L	B	[NULL]	[NULL]	R	B1C9Y8	7429-90-5	STLSL	6020_METALS_ICPMS	100-NR-2
199-N-75	3/15/2005 10:29	Y	7429-90-5	Aluminum	45.5	ug/L	U	R	[NULL]	R	B1C9Y8	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/15/2005 10:29	Y	7440-36-0	Antimony	21.3	ug/L	U	[NULL]	[NULL]	R	B1C9Y8	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/15/2005 10:29	N	14234-35-6	Antimony-125	3.79	pCi/L	U	[NULL]	[NULL]	R	B1CB00	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
199-N-75	3/15/2005 10:29	Y	7440-39-3	Barium	28.4	ug/L	B	[NULL]	[NULL]	R	B1C9Y8	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/15/2005 10:29	Y	7440-41-7	Beryllium	0.29	ug/L	U	[NULL]	[NULL]	R	B1C9Y8	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/15/2005 10:29	N	13966-02-4	Beryllium-7	3.68	pCi/L	U	[NULL]	[NULL]	R	B1CB00	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
199-N-75	3/15/2005 10:29	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	B1C9Y8	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/15/2005 10:29	Y	7440-70-2	Calcium	42900	ug/L	[NULL]	[NULL]	[NULL]	R	B1C9Y8	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/15/2005 10:29	N	13967-70-9	Cesium-134	-0.461	pCi/L	U	[NULL]	[NULL]	R	B1CB00	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
199-N-75	3/15/2005 10:29	N	10045-97-3	Cesium-137	0.152	pCi/L	U	[NULL]	[NULL]	R	B1CB00	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
199-N-75	3/15/2005 10:29	N	16887-00-6	Chloride	5800	ug/L	CD	[NULL]	[NULL]	R	B1C9Y9	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/15/2005 10:29	Y	7440-47-3	Chromium	3.3	ug/L	U	[NULL]	[NULL]	R	B1C9Y8	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/15/2005 10:29	Y	7440-48-4	Cobalt	3.3	ug/L	U	[NULL]	[NULL]	R	B1C9Y8	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/15/2005 10:29	N	10198-40-0	Cobalt-60	-0.528	pCi/L	U	[NULL]	[NULL]	R	B1CB00	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
199-N-75	3/15/2005 10:29	Y	7440-50-8	Copper	2.4	ug/L	U	[NULL]	[NULL]	R	B1C9Y8	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/15/2005 10:29	N	DO	Dissolved oxygen	6940	ug/L	[NULL]	[NULL]	[NULL]	R	B1C9Y9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-75	3/15/2005 10:29	N	14683-23-9	Europium-152	-5.42	pCi/L	U	[NULL]	[NULL]	R	B1CB00	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
199-N-75	3/15/2005 10:29	N	15585-10-1	Europium-154	-0.592	pCi/L	U	[NULL]	[NULL]	R	B1CB00	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
199-N-75	3/15/2005 10:29	N	14391-16-3	Europium-155	2.51	pCi/L	U	[NULL]	[NULL]	R	B1CB00	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
199-N-75	3/15/2005 10:29	N	16984-48-8	Fluoride	49	ug/L	B	[NULL]	[NULL]	R	B1C9Y9	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/15/2005 10:29	N	12587-46-1	Gross alpha	0.437	pCi/L	U	[NULL]	[NULL]	R	B1CB00	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	3/15/2005 10:29	N	12587-47-2	Gross beta	541	pCi/L	[NULL]	[NULL]	[NULL]	R	B1CB00	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	3/15/2005 10:29	Y	7439-89-6	Iron	15.8	ug/L	B	[NULL]	[NULL]	R	B1C9Y8	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/15/2005 10:29	Y	7439-95-4	Magnesium	7670	ug/L	[NULL]	[NULL]	[NULL]	R	B1C9Y8	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/15/2005 10:29	Y	7439-96-5	Manganese	0.99	ug/L	U	[NULL]	[NULL]	R	B1C9Y8	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/15/2005 10:29	Y	7440-02-0	Nickel	8.6	ug/L	U	[NULL]	[NULL]	R	B1C9Y8	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/15/2005 10:29	N	14797-55-8	Nitrate	27900	ug/L	D	[NULL]	[NULL]	R	B1C9Y9	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/15/2005 10:29	N	14797-65-0	Nitrite	13.1	ug/L	U	[NULL]	[NULL]	R	B1C9Y9	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/15/2005 10:29	Y	7440-09-7	Potassium	2430	ug/L	B	[NULL]	[NULL]	R	B1C9Y8	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	3/15/2005 10:29	N	13966-00-2	Potassium-40	-10.2	pCi/L	U	[NULL]	[NULL]	R	B1CB00	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
199-N-75	3/15/2005 10:29	N	13967-48-1	Ruthenium-106	-6.9	pCi/L	U	[NULL]	[NULL]	R	B1CB00	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
199-N-75	3/15/2005 10:29	Y	7440-22-4	Silver	4.1	ug/L	U	[NULL]	[NULL]	R	B1C9Y8	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/15/2005 10:29	Y	7440-23-5	Sodium	3870	ug/L	BN	[NULL]	[NULL]	R	B1C9Y8	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/15/2005 10:29	N	CONDUCT	Specific Conductance	294	uS/cm	[NULL]	[NULL]	[NULL]	R	B1C9Y9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	3/15/2005 10:29	Y	7440-24-6	Strontium	235	ug/L	[NULL]	[NULL]	[NULL]	R	B1C9Y8	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/15/2005 10:29	N	10098-97-2	Strontium-90	286	pCi/L	[NULL]	[NULL]	[NULL]	R	B1CB00	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-75	3/15/2005 10:29	N	14808-79-8	Sulfate	39200	ug/L	D	[NULL]	[NULL]	R	B1C9Y9	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/15/2005 10:29	N	TEMPERATURE	Temperature	20.9	Deg C	[NULL]	[NULL]	[NULL]	R	B1C9Y9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	3/15/2005 10:29	N	10028-17-8	Tritium	11500	pCi/L	[NULL]	[NULL]	[NULL]	R	B1CB00	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-75	3/15/2005 10:29	N	TURBIDITY	Turbidity	0.3	NTU	[NULL]	[NULL]	[NULL]	R	B1C9Y9	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-75	3/15/2005 10:29	Y	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	B1C9Y8	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/15/2005 10:29	Y	7440-66-6	Zinc	3.3	ug/L	BC	[NULL]	[NULL]	R	B1C9Y8	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/15/2005 10:29	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B1C9Y9	PH	FIELD	9040_PH	100-NR-2
199-N-75	6/13/2005 9:37	N	ALKALINITY	Alkalinity	67000	ug/L	[NULL]	[NULL]	[NULL]	R	B1D139	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-75	6/13/2005 9:37	Y	7429-90-5	Aluminum	21.2	ug/L	B	[NULL]	[NULL]	R	B1D138	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/13/2005 9:37	Y	7440-36-0	Antimony	23	ug/L	U	[NULL]	[NULL]	R	B1D138	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/13/2005 9:37	N	14234-35-6	Antimony-125	-0.309	pCi/L	U	[NULL]	[NULL]	R	B1D140	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/13/2005 9:37	Y	7440-39-3	Barium	25.8	ug/L	B	[NULL]	[NULL]	R	B1D138	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/13/2005 9:37	Y	7440-41-7	Beryllium	0.18	ug/L	U	[NULL]	[NULL]	R	B1D138	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/13/2005 9:37	N	13966-02-4	Beryllium-7	-1.57	pCi/L	U	[NULL]	[NULL]	R	B1D140	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/13/2005 9:37	Y	7440-43-9	Cadmium	0.86	ug/L	U	[NULL]	[NULL]	R	B1D138	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/13/2005 9:37	Y	7440-70-2	Calcium	40500	ug/L	C	[NULL]	[NULL]	R	B1D138	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/13/2005 9:37	N	13967-70-9	Cesium-134	-0.172	pCi/L	U	[NULL]	[NULL]	R	B1D140	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/13/2005 9:37	N	10045-97-3	Cesium-137	-0.781	pCi/L	U	[NULL]	[NULL]	R	B1D140	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/13/2005 9:37	N	16887-00-6	Chloride	5800	ug/L	D	Q	[NULL]	R	B1D139	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	6/13/2005 9:37	Y	7440-47-3	Chromium	1.9	ug/L	U	[NULL]	[NULL]	R	B1D138	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/13/2005 9:37	Y	7440-48-4	Cobalt	1.7	ug/L	U	[NULL]	[NULL]	R	B1D138	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/13/2005 9:37	N	10198-40-0	Cobalt-60	1.32	pCi/L	U	[NULL]	[NULL]	R	B1D140	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/13/2005 9:37	Y	7440-50-8	Copper	4.3	ug/L	U	[NULL]	[NULL]	R	B1D138	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/13/2005 9:37	N	DO	Dissolved oxygen	6900	ug/L	[NULL]	[NULL]	[NULL]	R	B1D139	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-75	6/13/2005 9:37	N	14683-23-9	Europium-152	3.69	pCi/L	U	[NULL]	[NULL]	R	B1D140	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/13/2005 9:37	N	15585-10-1	Europium-154	-0.527	pCi/L	U	[NULL]	[NULL]	R	B1D140	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/13/2005 9:37	N	14391-16-3	Europium-155	-0.602	pCi/L	U	[NULL]	[NULL]	R	B1D140	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/13/2005 9:37	N	16984-48-8	Fluoride	51	ug/L	B	[NULL]	[NULL]	R	B1D139	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	6/13/2005 9:37	N	12587-46-1	Gross alpha	0.198	pCi/L	U	[NULL]	[NULL]	R	B1D140	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	6/13/2005 9:37	N	12587-47-2	Gross beta	515	pCi/L	[NULL]	[NULL]	[NULL]	R	B1D140	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	6/13/2005 9:37	Y	7439-89-6	Iron	20.7	ug/L	B	[NULL]	[NULL]	R	B1D138	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/13/2005 9:37	Y	7439-95-4	Magnesium	7050	ug/L	[NULL]	[NULL]	[NULL]	R	B1D138	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/13/2005 9:37	Y	7439-96-5	Manganese	0.84	ug/L	U	[NULL]	[NULL]	R	B1D138	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/13/2005 9:37	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1D138	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/13/2005 9:37	N	14797-55-8	Nitrate	23500	ug/L	D	[NULL]	[NULL]	R	B1D139	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	6/13/2005 9:37	N	14797-65-0	Nitrite	20	ug/L	UN	[NULL]	[NULL]	R	B1D139	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	6/13/2005 9:37	Y	7440-09-7	Potassium	1610	ug/L	U	[NULL]	[NULL]	R	B1D138	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/13/2005 9:37	N	13966-00-2	Potassium-40	9.42	pCi/L	U	[NULL]	[NULL]	R	B1D140	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/13/2005 9:37	N	13967-48-1	Ruthenium-106	-1.77	pCi/L	U	[NULL]	[NULL]	R	B1D140	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/13/2005 9:37	Y	7440-22-4	Silver	2.2	ug/L	U	[NULL]	[NULL]	R	B1D138	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/13/2005 9:37	Y	7440-23-5	Sodium	3440	ug/L	B	[NULL]	[NULL]	R	B1D138	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/13/2005 9:37	N	CONDUCT	Specific Conductance	283	uS/cm	[NULL]	[NULL]	[NULL]	R	B1D139	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	6/13/2005 9:37	Y	7440-24-6	Strontium	218	ug/L	[NULL]	[NULL]	[NULL]	R	B1D138	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/13/2005 9:37	N	10098-97-2	Strontium-90	309	pCi/L	[NULL]	[NULL]	[NULL]	R	B1D140	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-75	6/13/2005 9:37	N	14808-79-8	Sulfate	33100	ug/L	D	[NULL]	[NULL]	R	B1D139	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	6/13/2005 9:37	N	TEMPERATURE	Temperature	21.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1D139	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	6/13/2005 9:37	N	10028-17-8	Tritium	202	pCi/L	U	Y	[NULL]	R	B1D140	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-75	6/13/2005 9:37	N	TURBIDITY	Turbidity	1.04	NTU	[NULL]	[NULL]	[NULL]	R	B1D139	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	6/13/2005 9:37	Y	7440-62-2	Vanadium	2.2	ug/L	B	[NULL]	[NULL]	R	B1D138	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/13/2005 9:37	Y	7440-66-6	Zinc	2	ug/L	BC	[NULL]	[NULL]	R	B1D138	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/13/2005 9:37	N	PH	pH Measurement	8.11	unitless	[NULL]	[NULL]	[NULL]	R	B1D139	PH	FIELD	9040_PH	100-NR-2
199-N-75	9/19/2005 12:25	N	ALKALINITY	Alkalinity	65000	ug/L	[NULL]	[NULL]	[NULL]	R	B1DTM2	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-75	9/19/2005 12:25	Y	7429-90-5	Aluminum	36.8	ug/L	BC	[NULL]	[NULL]	R	B1DP93	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/19/2005 12:25	Y	7440-36-0	Antimony	23	ug/L	U	[NULL]	[NULL]	R	B1DP93	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/19/2005 12:25	N	14234-35-6	Antimony-125	0.195	pCi/L	U	[NULL]	[NULL]	R	B1DTM1	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
199-N-75	9/19/2005 12:25	Y	7440-39-3	Barium	31.6	ug/L	B	[NULL]	[NULL]	R	B1DP93	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/19/2005 12:25	Y	7440-41-7	Beryllium	0.18	ug/L	U	[NULL]	[NULL]	R	B1DP93	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/19/2005 12:25	N	13966-02-4	Beryllium-7	2.07	pCi/L	U	[NULL]	[NULL]	R	B1DTM1	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
199-N-75	9/19/2005 12:25	Y	7440-43-9	Cadmium	0.86	ug/L	U	[NULL]	[NULL]	R	B1DP93	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/19/2005 12:25	Y	7440-70-2	Calcium	44900	ug/L	[NULL]	[NULL]	[NULL]	R	B1DP93	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/19/2005 12:25	N	13967-70-9	Cesium-134	-0.476	pCi/L	U	[NULL]	[NULL]	R	B1DTM1	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
199-N-75	9/19/2005 12:25	N	10045-97-3	Cesium-137	-0.498	pCi/L	U	[NULL]	[NULL]	R	B1DTM1	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
199-N-75	9/19/2005 12:25	N	16887-00-6	Chloride	7400	ug/L	D	[NULL]	[NULL]	R	B1DP94	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/19/2005 12:25	Y	7440-47-3	Chromium	2.4	ug/L	B	[NULL]	[NULL]	R	B1DP93	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/19/2005 12:25	Y	7440-48-4	Cobalt	1.7	ug/L	U	[NULL]	[NULL]	R	B1DP93	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/19/2005 12:25	N	10198-40-0	Cobalt-60	1.95	pCi/L	U	[NULL]	[NULL]	R	B1DTM1	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
199-N-75	9/19/2005 12:25	Y	7440-50-8	Copper	4.3	ug/L	U	[NULL]	[NULL]	R	B1DP93	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/19/2005 12:25	N	DO	Dissolved oxygen	6490	ug/L	[NULL]	[NULL]	[NULL]	R	B1DTM0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-75	9/19/2005 12:25	N	14683-23-9	Europium-152	-0.596	pCi/L	U	[NULL]	[NULL]	R	B1DTM1	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
199-N-75	9/19/2005 12:25	N	15585-10-1	Europium-154	4.7	pCi/L	U	[NULL]	[NULL]	R	B1DTM1	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
199-N-75	9/19/2005 12:25	N	14391-16-3	Europium-155	2.27	pCi/L	U	[NULL]	[NULL]	R	B1DTM1	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
199-N-75	9/19/2005 12:25	N	16984-48-8	Fluoride	43	ug/L	B	[NULL]	[NULL]	R	B1DP94	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/19/2005 12:25	N	12587-46-1	Gross alpha	1.18	pCi/L	U	[NULL]	[NULL]	R	B1DTM1	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	9/19/2005 12:25	N	12587-47-2	Gross beta	475	pCi/L	[NULL]	[NULL]	[NULL]	R	B1DTM1	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	9/19/2005 12:25	Y	7439-89-6	Iron	12.6	ug/L	U	[NULL]	[NULL]	R	B1DP93	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/19/2005 12:25	Y	7439-95-4	Magnesium	7770	ug/L	[NULL]	[NULL]	[NULL]	R	B1DP93	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/19/2005 12:25	Y	7439-96-5	Manganese	0.84	ug/L	U	[NULL]	[NULL]	R	B1DP93	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/19/2005 12:25	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1DP93	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/19/2005 12:25	N	14797-55-8	Nitrate	31900	ug/L	D	[NULL]	[NULL]	R	B1DP94	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/19/2005 12:25	N	14797-65-0	Nitrite	20	ug/L	U	[NULL]	[NULL]	R	B1DP94	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/19/2005 12:25	Y	7440-09-7	Potassium	1610	ug/L	U	[NULL]	[NULL]	R	B1DP93	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/19/2005 12:25	N	13966-00-2	Potassium-40	3.08	pCi/L	U	[NULL]	[NULL]	R	B1DTM1	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
199-N-75	9/19/2005 12:25	N	13967-48-1	Ruthenium-106	6.34	pCi/L	U	[NULL]	[NULL]	R	B1DTM1	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
199-N-75	9/19/2005 12:25	Y	7440-22-4	Silver	2.2	ug/L	U	[NULL]	[NULL]	R	B1DP93	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/19/2005 12:25	Y	7440-23-5	Sodium	3410	ug/L	B	[NULL]	[NULL]	R	B1DP93	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/19/2005 12:25	N	CONDUCT	Specific Conductance	310	uS/cm	[NULL]	[NULL]	[NULL]	R	B1DTM0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-75	9/19/2005 12:25	Y	7440-24-6	Strontium	260	ug/L	[NULL]	[NULL]	[NULL]	R	B1DP93	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/19/2005 12:25	N	10098-97-2	Strontium-90	307	pCi/L	[NULL]	[NULL]	[NULL]	R	B1DP96	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-75	9/19/2005 12:25	N	14808-79-8	Sulfate	41400	ug/L	D	[NULL]	[NULL]	R	B1DP94	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/19/2005 12:25	N	TEMPERATURE	Temperature	23.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1DTM0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	9/19/2005 12:25	N	10028-17-8	Tritium	13900	pCi/L	[NULL]	[NULL]	[NULL]	R	B1DP96	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-75	9/19/2005 12:25	N	TURBIDITY	Turbidity	0.28	NTU	[NULL]	[NULL]	[NULL]	R	B1DTM0	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-75	9/19/2005 12:25	Y	7440-62-2	Vanadium	4.4	ug/L	B	[NULL]	[NULL]	R	B1DP93	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/19/2005 12:25	Y	7440-66-6	Zinc	1.2	ug/L	U	[NULL]	[NULL]	R	B1DP93	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/19/2005 12:25	N	PH	pH Measurement	8.07	unitless	[NULL]	[NULL]	[NULL]	R	B1DTM0	PH	FIELD	9040_PH	100-NR-2
199-N-75	12/2/2005 12:45	N	ALKALINITY	Alkalinity	68000	ug/L	[NULL]	[NULL]	[NULL]	R	B1FVD6	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-75	12/2/2005 12:45	Y	7440-36-0	Antimony	23	ug/L	U	[NULL]	[NULL]	R	B1FVD5	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	12/2/2005 12:45	N	14234-35-6	Antimony-125	0.456	pCi/L	U	[NULL]	[NULL]	R	B1FVD8	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
199-N-75	12/2/2005 12:45	Y	7440-39-3	Barium	29.6	ug/L	B	[NULL]	[NULL]	R	B1FVD5	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	12/2/2005 12:45	Y	7440-41-7	Beryllium	0.61	ug/L	BC	Q	[NULL]	R	B1FVD5	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	12/2/2005 12:45	N	13966-02-4	Beryllium-7	10.9	pCi/L	U	[NULL]	[NULL]	R	B1FVD8	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
199-N-75	12/2/2005 12:45	Y	7440-43-9	Cadmium	0.86	ug/L	U	[NULL]	[NULL]	R	B1FVD5	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	12/2/2005 12:45	Y	7440-70-2	Calcium	41000	ug/L	C	Q	[NULL]	R	B1FVD5	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	12/2/2005 12:45	N	13967-70-9	Cesium-134	-0.316	pCi/L	U	[NULL]	[NULL]	R	B1FVD8	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
199-N-75	12/2/2005 12:45	N	10045-97-3	Cesium-137	1.64	pCi/L	U	[NULL]	[NULL]	R	B1FVD8	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
199-N-75	12/2/2005 12:45	N	16887-00-6	Chloride	7500	ug/L	DN	Q	[NULL]	R	B1FVD6	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	12/2/2005 12:45	Y	7440-47-3	Chromium	2.5	ug/L	B	[NULL]	[NULL]	R	B1FVD5	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	12/2/2005 12:45	Y	7440-48-4	Cobalt	1.7	ug/L	U	[NULL]	[NULL]	R	B1FVD5	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	12/2/2005 12:45	N	10198-40-0	Cobalt-60	0.232	pCi/L	U	[NULL]	[NULL]	R	B1FVD8	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
199-N-75	12/2/2005 12:45	Y	7440-50-8	Copper	4.3	ug/L	U	[NULL]	[NULL]	R	B1FVD5	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	12/2/2005 12:45	N	DO	Dissolved oxygen	7360	ug/L	[NULL]	[NULL]	[NULL]	R	B1FVD7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-75	12/2/2005 12:45	N	14683-23-9	Europium-152	0.799	pCi/L	U	[NULL]	[NULL]	R	B1FVD8	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
199-N-75	12/2/2005 12:45	N	15585-10-1	Europium-154	-2.39	pCi/L	U	[NULL]	[NULL]	R	B1FVD8	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
199-N-75	12/2/2005 12:45	N	14391-16-3	Europium-155	0.648	pCi/L	U	[NULL]	[NULL]	R	B1FVD8	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
199-N-75	12/2/2005 12:45	N	16984-48-8	Fluoride	40	ug/L	B	[NULL]	[NULL]	R	B1FVD6	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	12/2/2005 12:45	N	12587-46-1	Gross alpha	0.359	pCi/L	U	[NULL]	[NULL]	R	B1FVD8	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	12/2/2005 12:45	N	12587-47-2	Gross beta	849	pCi/L	[NULL]	[NULL]	[NULL]	R	B1FVD8	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	12/2/2005 12:45	Y	7439-89-6	Iron	46.2	ug/L	B	[NULL]	[NULL]	R	B1FVD5	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	12/2/2005 12:45	Y	7439-95-4	Magnesium	7250	ug/L	[NULL]	[NULL]	[NULL]	R	B1FVD5	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	12/2/2005 12:45	Y	7439-96-5	Manganese	0.84	ug/L	U	[NULL]	[NULL]	R	B1FVD5	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	12/2/2005 12:45	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1FVD5	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	12/2/2005 12:45	N	14797-55-8	Nitrate	31900	ug/L	DN	H	[NULL]	R	B1FVD6	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	12/2/2005 12:45	N	14797-65-0	Nitrite	20	ug/L	U	H	[NULL]	R	B1FVD6	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	12/2/2005 12:45	Y	7440-09-7	Potassium	2850	ug/L	B	[NULL]	[NULL]	R	B1FVD5	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	12/2/2005 12:45	N	13966-00-2	Potassium-40	-17.9	pCi/L	U	[NULL]	[NULL]	R	B1FVD8	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
199-N-75	12/2/2005 12:45	N	13967-48-1	Ruthenium-106	-7.36	pCi/L	U	[NULL]	[NULL]	R	B1FVD8	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
199-N-75	12/2/2005 12:45	Y	7440-22-4	Silver	2.2	ug/L	U	[NULL]	[NULL]	R	B1FVD5	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	12/2/2005 12:45	Y	7440-23-5	Sodium	3350	ug/L	B	[NULL]	[NULL]	R	B1FVD5	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	12/2/2005 12:45	N	CONDUCT	Specific Conductance	305	uS/cm	[NULL]	[NULL]	[NULL]	R	B1FVD7	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-75	12/2/2005 12:45	Y	7440-24-6	Strontium	198	ug/L	[NULL]	[NULL]	[NULL]	R	B1FVD5	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	12/2/2005 12:45	N	10098-97-2	Strontium-90	388	pCi/L	[NULL]	[NULL]	[NULL]	R	B1FVD8	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-75	12/2/2005 12:45	N	14808-79-8	Sulfate	40200	ug/L	DN	[NULL]	[NULL]	R	B1FVD6	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	12/2/2005 12:45	N	TEMPERATURE	Temperature	17.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1FVD7	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-75	12/2/2005 12:45	N	10028-17-8	Tritium	13400	pCi/L	[NULL]	[NULL]	[NULL]	R	B1FVD8	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-75	12/2/2005 12:45	N	TURBIDITY	Turbidity	0.51	NTU	[NULL]	[NULL]	[NULL]	R	B1FVD7	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-75	12/2/2005 12:45	Y	7440-62-2	Vanadium	4.5	ug/L	B	[NULL]	[NULL]	R	B1FVD5	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	12/2/2005 12:45	Y	7440-66-6	Zinc	4	ug/L	BC	Q	[NULL]	R	B1FVD5	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	12/2/2005 12:45	N	PH	pH Measurement	6.86	unitless	[NULL]	Y	[NULL]	R	B1FVD7	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-75	3/1/2006 11:53	N	ALKALINITY	Alkalinity	60000	ug/L	[NULL]	[NULL]	[NULL]	R	B1HPJ4	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-75	3/1/2006 11:53	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1HPJ3	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/1/2006 11:53	N	14234-35-6	Antimony-125	-0.59	pCi/L	U	[NULL]	[NULL]	R	B1HPJ6	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
199-N-75	3/1/2006 11:53	Y	7440-39-3	Barium	33.3	ug/L	B	[NULL]	[NULL]	R	B1HPJ3	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/1/2006 11:53	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1HPJ3	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/1/2006 11:53	N	13966-02-4	Beryllium-7	14.8	pCi/L	U	[NULL]	[NULL]	R	B1HPJ6	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
199-N-75	3/1/2006 11:53	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1HPJ3	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/1/2006 11:53	Y	7440-70-2	Calcium	49300	ug/L	[NULL]	[NULL]	[NULL]	R	B1HPJ3	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/1/2006 11:53	N	13967-70-9	Cesium-134	-0.632	pCi/L	U	[NULL]	[NULL]	R	B1HPJ6	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
199-N-75	3/1/2006 11:53	N	10045-97-3	Cesium-137	-1.02	pCi/L	U	[NULL]	[NULL]	R	B1HPJ6	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
199-N-75	3/1/2006 11:53	N	16887-00-6	Chloride	8000	ug/L	DN	[NULL]	[NULL]	R	B1HPJ4	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/1/2006 11:53	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1HPJ3	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/1/2006 11:53	Y	7440-48-4	Cobalt	2.6	ug/L	U	[NULL]	[NULL]	R	B1HPJ3	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/1/2006 11:53	N	10198-40-0	Cobalt-60	0.993	pCi/L	U	[NULL]	[NULL]	R	B1HPJ6	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
199-N-75	3/1/2006 11:53	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1HPJ3	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/1/2006 11:53	N	DO	Dissolved oxygen	7390	ug/L	[NULL]	[NULL]	[NULL]	R	B1HPJ5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-75	3/1/2006 11:53	N	14683-23-9	Europium-152	1.58	pCi/L	U	[NULL]	[NULL]	R	B1HPJ6	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
199-N-75	3/1/2006 11:53	N	15585-10-1	Europium-154	-4.52	pCi/L	U	[NULL]	[NULL]	R	B1HPJ6	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
199-N-75	3/1/2006 11:53	N	14391-16-3	Europium-155	2.32	pCi/L	U	[NULL]	[NULL]	R	B1HPJ6	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
199-N-75	3/1/2006 11:53	N	16984-48-8	Fluoride	45	ug/L	B	[NULL]	[NULL]	R	B1HPJ4	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	3/1/2006 11:53	N	12587-46-1	Gross alpha	1.76	pCi/L	U	[NULL]	[NULL]	R	B1HPJ6	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	3/1/2006 11:53	N	12587-47-2	Gross beta	660	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HPJ6	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	3/1/2006 11:53	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1HPJ3	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/1/2006 11:53	Y	7439-95-4	Magnesium	8780	ug/L	[NULL]	[NULL]	[NULL]	R	B1HPJ3	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/1/2006 11:53	Y	7439-96-5	Manganese	2.5	ug/L	U	[NULL]	[NULL]	R	B1HPJ3	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/1/2006 11:53	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1HPJ3	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/1/2006 11:53	N	14797-55-8	Nitrate	33600	ug/L	DN	[NULL]	[NULL]	R	B1HPJ4	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/1/2006 11:53	N	14797-65-0	Nitrite	20	ug/L	UN	[NULL]	[NULL]	R	B1HPJ4	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/1/2006 11:53	Y	7440-09-7	Potassium	2030	ug/L	B	[NULL]	[NULL]	R	B1HPJ3	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/1/2006 11:53	N	13966-00-2	Potassium-40	-88.7	pCi/L	U	[NULL]	[NULL]	R	B1HPJ6	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
199-N-75	3/1/2006 11:53	N	13967-48-1	Ruthenium-106	-3.37	pCi/L	U	[NULL]	[NULL]	R	B1HPJ6	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
199-N-75	3/1/2006 11:53	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1HPJ3	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/1/2006 11:53	Y	7440-23-5	Sodium	3820	ug/L	B	[NULL]	[NULL]	R	B1HPJ3	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/1/2006 11:53	N	CONDUCT	Specific Conductance	318	uS/cm	[NULL]	[NULL]	[NULL]	R	B1HPJ5	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-75	3/1/2006 11:53	Y	7440-24-6	Strontium	260	ug/L	[NULL]	[NULL]	[NULL]	R	B1HPJ3	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/1/2006 11:53	N	10098-97-2	Strontium-90	365	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HPJ6	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-75	3/1/2006 11:53	N	14808-79-8	Sulfate	44500	ug/L	D	[NULL]	[NULL]	R	B1HPJ4	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	3/1/2006 11:53	N	TEMPERATURE	Temperature	19.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1HPJ5	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-75	3/1/2006 11:53	N	10028-17-8	Tritium	14800	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HPJ6	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-75	3/1/2006 11:53	N	TURBIDITY	Turbidity	0.13	NTU	[NULL]	[NULL]	[NULL]	R	B1HPJ5	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-75	3/1/2006 11:53	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1HPJ3	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/1/2006 11:53	Y	7440-66-6	Zinc	6	ug/L	B	[NULL]	[NULL]	R	B1HPJ3	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	3/1/2006 11:53	N	PH	pH Measurement	8.15	unitless	[NULL]	[NULL]	[NULL]	R	B1HPJ5	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-75	6/7/2006 12:05	N	ALKALINITY	Alkalinity	70000	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDL0	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-75	6/7/2006 12:05	N	ALKALINITY	Alkalinity	70000	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDK9	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-75	6/7/2006 12:05	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1JDK8	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/7/2006 12:05	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1JDK7	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/7/2006 12:05	N	14234-35-6	Antimony-125	2.26	pCi/L	U	[NULL]	[NULL]	R	B1JDK6	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/7/2006 12:05	N	14234-35-6	Antimony-125	-0.133	pCi/L	U	[NULL]	[NULL]	R	B1JDK5	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/7/2006 12:05	Y	7440-39-3	Barium	21.8	ug/L	B	[NULL]	[NULL]	R	B1JDK8	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/7/2006 12:05	Y	7440-39-3	Barium	22	ug/L	B	[NULL]	[NULL]	R	B1JDK7	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/7/2006 12:05	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1JDK8	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/7/2006 12:05	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1JDK7	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/7/2006 12:05	N	13966-02-4	Beryllium-7	1.54	pCi/L	U	[NULL]	[NULL]	R	B1JDK5	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/7/2006 12:05	N	13966-02-4	Beryllium-7	2	pCi/L	U	[NULL]	[NULL]	R	B1JDK6	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/7/2006 12:05	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1JDK8	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/7/2006 12:05	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1JDK7	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/7/2006 12:05	Y	7440-70-2	Calcium	33000	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDK8	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/7/2006 12:05	Y	7440-70-2	Calcium	33600	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDK7	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/7/2006 12:05	N	13967-70-9	Cesium-134	-0.401	pCi/L	U	[NULL]	[NULL]	R	B1JDK6	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/7/2006 12:05	N	13967-70-9	Cesium-134	0.0579	pCi/L	U	[NULL]	[NULL]	R	B1JDK5	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/7/2006 12:05	N	10045-97-3	Cesium-137	1.21	pCi/L	U	[NULL]	[NULL]	R	B1JDK6	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/7/2006 12:05	N	10045-97-3	Cesium-137	0.466	pCi/L	U	[NULL]	[NULL]	R	B1JDK5	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/7/2006 12:05	N	16887-00-6	Chloride	3300	ug/L	C	[NULL]	[NULL]	R	B1JDL0	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	6/7/2006 12:05	N	16887-00-6	Chloride	3300	ug/L	C	[NULL]	[NULL]	R	B1JDK9	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	6/7/2006 12:05	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1JDK8	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/7/2006 12:05	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1JDK7	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/7/2006 12:05	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1JDK8	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/7/2006 12:05	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1JDK7	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/7/2006 12:05	N	10198-40-0	Cobalt-60	0.0616	pCi/L	U	[NULL]	[NULL]	R	B1JDK5	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/7/2006 12:05	N	10198-40-0	Cobalt-60	-1.6	pCi/L	U	[NULL]	[NULL]	R	B1JDK6	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/7/2006 12:05	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1JDK7	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/7/2006 12:05	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1JDK8	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/7/2006 12:05	N	DO	Dissolved oxygen	7440	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDK4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-75	6/7/2006 12:05	N	14683-23-9	Europium-152	2.32	pCi/L	U	[NULL]	[NULL]	R	B1JDK5	14683-23-9	STLRL	GAMMALL_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	6/7/2006 12:05	N	14683-23-9	Europium-152	1.48	pCi/L	U	[NULL]	[NULL]	R	B1JDK6	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/7/2006 12:05	N	15585-10-1	Europium-154	-0.268	pCi/L	U	[NULL]	[NULL]	R	B1JDK6	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/7/2006 12:05	N	15585-10-1	Europium-154	0.29	pCi/L	U	[NULL]	[NULL]	R	B1JDK5	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/7/2006 12:05	N	14391-16-3	Europium-155	-1.59	pCi/L	U	[NULL]	[NULL]	R	B1JDK5	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/7/2006 12:05	N	14391-16-3	Europium-155	2.13	pCi/L	U	[NULL]	[NULL]	R	B1JDK6	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/7/2006 12:05	N	16984-48-8	Fluoride	150	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDK9	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	6/7/2006 12:05	N	16984-48-8	Fluoride	140	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDL0	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	6/7/2006 12:05	N	12587-46-1	Gross alpha	0.871	pCi/L	U	[NULL]	[NULL]	R	B1JDK6	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	6/7/2006 12:05	N	12587-46-1	Gross alpha	0.609	pCi/L	U	[NULL]	[NULL]	R	B1JDK5	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	6/7/2006 12:05	N	12587-47-2	Gross beta	430	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JDK6	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	6/7/2006 12:05	N	12587-47-2	Gross beta	421	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JDK5	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	6/7/2006 12:05	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1JDK7	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/7/2006 12:05	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1JDK8	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/7/2006 12:05	Y	7439-95-4	Magnesium	6210	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDK8	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/7/2006 12:05	Y	7439-95-4	Magnesium	6310	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDK7	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/7/2006 12:05	Y	7439-96-5	Manganese	2.5	ug/L	U	[NULL]	[NULL]	R	B1JDK7	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/7/2006 12:05	Y	7439-96-5	Manganese	9.4	ug/L	B	[NULL]	[NULL]	R	B1JDK8	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/7/2006 12:05	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1JDK7	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/7/2006 12:05	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1JDK8	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/7/2006 12:05	N	14797-55-8	Nitrate	11500	ug/L	D	[NULL]	[NULL]	R	B1JDK9	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	6/7/2006 12:05	N	14797-55-8	Nitrate	12000	ug/L	D	[NULL]	[NULL]	R	B1JDL0	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	6/7/2006 12:05	N	14797-65-0	Nitrite	13.1	ug/L	U	[NULL]	[NULL]	R	B1JDL0	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	6/7/2006 12:05	N	14797-65-0	Nitrite	13.1	ug/L	U	[NULL]	[NULL]	R	B1JDK9	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	6/7/2006 12:05	N	14265-44-2	Phosphate	340	ug/L	B	[NULL]	[NULL]	R	B1JDL0	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	6/7/2006 12:05	N	14265-44-2	Phosphate	100	ug/L	U	[NULL]	[NULL]	R	B1JDK9	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	6/7/2006 12:05	Y	7440-09-7	Potassium	2240	ug/L	B	[NULL]	[NULL]	R	B1JDK8	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/7/2006 12:05	Y	7440-09-7	Potassium	1500	ug/L	U	[NULL]	[NULL]	R	B1JDK7	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/7/2006 12:05	N	13966-00-2	Potassium-40	0.231	pCi/L	U	[NULL]	[NULL]	R	B1JDK5	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/7/2006 12:05	N	13966-00-2	Potassium-40	-9.44	pCi/L	U	[NULL]	[NULL]	R	B1JDK6	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/7/2006 12:05	N	13967-48-1	Ruthenium-106	2.12	pCi/L	U	[NULL]	[NULL]	R	B1JDK6	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/7/2006 12:05	N	13967-48-1	Ruthenium-106	0.51	pCi/L	U	[NULL]	[NULL]	R	B1JDK5	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/7/2006 12:05	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1JDK8	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/7/2006 12:05	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1JDK7	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/7/2006 12:05	Y	7440-23-5	Sodium	2970	ug/L	B	[NULL]	[NULL]	R	B1JDK7	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/7/2006 12:05	Y	7440-23-5	Sodium	2890	ug/L	B	[NULL]	[NULL]	R	B1JDK8	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/7/2006 12:05	N	CONDUCT	Specific Conductance	216	uS/cm	[NULL]	[NULL]	[NULL]	R	B1JDK4	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-75	6/7/2006 12:05	Y	7440-24-6	Strontium	191	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDK7	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/7/2006 12:05	Y	7440-24-6	Strontium	191	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDK8	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/7/2006 12:05	N	10098-97-2	Strontium-90	241	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JDK6	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-75	6/7/2006 12:05	N	10098-97-2	Strontium-90	205	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JDK5	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-75	6/7/2006 12:05	N	14808-79-8	Sulfate	22600	ug/L	D	[NULL]	[NULL]	R	B1JDL0	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	6/7/2006 12:05	N	14808-79-8	Sulfate	22700	ug/L	D	[NULL]	[NULL]	R	B1JDK9	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	6/7/2006 12:05	N	TEMPERATURE	Temperature	20.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1JDK4	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-75	6/7/2006 12:05	N	10028-17-8	Tritium	842	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JDK6	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-75	6/7/2006 12:05	N	10028-17-8	Tritium	908	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JDK5	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-75	6/7/2006 12:05	N	TURBIDITY	Turbidity	1.09	NTU	[NULL]	[NULL]	[NULL]	R	B1JDK4	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-75	6/7/2006 12:05	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1JDK7	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/7/2006 12:05	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1JDK8	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/7/2006 12:05	Y	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1JDK7	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/7/2006 12:05	Y	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1JDK8	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/7/2006 12:05	N	PH	pH Measurement	8.44	unitless	[NULL]	[NULL]	[NULL]	R	B1JDK4	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-75	9/19/2006 10:16	N	ALKALINITY	Alkalinity	70000	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBH4	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-75	9/19/2006 10:16	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1KC69	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/19/2006 10:16	N	14234-35-6	Antimony-125	0.605	pCi/L	U	[NULL]	[NULL]	R	B1KBH3	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
199-N-75	9/19/2006 10:16	Y	7440-39-3	Barium	45.4	ug/L	B	[NULL]	[NULL]	R	B1KC69	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	9/19/2006 10:16	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1KC69	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/19/2006 10:16	N	13966-02-4	Beryllium-7	0.249	pCi/L	U	[NULL]	[NULL]	R	B1KBH3	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
199-N-75	9/19/2006 10:16	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1KC69	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/19/2006 10:16	Y	7440-70-2	Calcium	62700	ug/L	[NULL]	[NULL]	[NULL]	R	B1KC69	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/19/2006 10:16	N	13967-70-9	Cesium-134	1.87	pCi/L	U	[NULL]	[NULL]	R	B1KBH3	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
199-N-75	9/19/2006 10:16	N	10045-97-3	Cesium-137	0.475	pCi/L	U	[NULL]	[NULL]	R	B1KBH3	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
199-N-75	9/19/2006 10:16	N	16887-00-6	Chloride	13700	ug/L	D	[NULL]	[NULL]	R	B1KBH4	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/19/2006 10:16	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1KC69	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/19/2006 10:16	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1KC69	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/19/2006 10:16	N	10198-40-0	Cobalt-60	2.29	pCi/L	U	[NULL]	[NULL]	R	B1KBH3	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
199-N-75	9/19/2006 10:16	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1KC69	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/19/2006 10:16	N	DO	Dissolved oxygen	7370	ug/L	[NULL]	[NULL]	[NULL]	R	B1KBH2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-75	9/19/2006 10:16	N	14683-23-9	Europium-152	-1.81	pCi/L	U	[NULL]	[NULL]	R	B1KBH3	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
199-N-75	9/19/2006 10:16	N	15585-10-1	Europium-154	0.617	pCi/L	U	[NULL]	[NULL]	R	B1KBH3	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
199-N-75	9/19/2006 10:16	N	14391-16-3	Europium-155	-0.628	pCi/L	U	[NULL]	[NULL]	R	B1KBH3	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
199-N-75	9/19/2006 10:16	N	16984-48-8	Fluoride	85	ug/L	BN	[NULL]	[NULL]	R	B1KBH4	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/19/2006 10:16	N	12587-46-1	Gross alpha	0.405	pCi/L	U	[NULL]	[NULL]	R	B1KBH3	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	9/19/2006 10:16	N	12587-47-2	Gross beta	3770	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KBH3	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	9/19/2006 10:16	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1KC69	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/19/2006 10:16	Y	7439-95-4	Magnesium	10600	ug/L	[NULL]	[NULL]	[NULL]	R	B1KC69	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/19/2006 10:16	Y	7439-96-5	Manganese	2.5	ug/L	U	[NULL]	[NULL]	R	B1KC69	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/19/2006 10:16	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1KC69	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/19/2006 10:16	N	14797-55-8	Nitrate	64200	ug/L	D	[NULL]	[NULL]	R	B1KBH4	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/19/2006 10:16	N	14797-65-0	Nitrite	821	ug/L	N	R	[NULL]	R	B1KBH4	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/19/2006 10:16	N	14265-44-2	Phosphate	120	ug/L	BN	H	[NULL]	R	B1KBH4	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/19/2006 10:16	Y	7440-09-7	Potassium	1810	ug/L	B	[NULL]	[NULL]	R	B1KC69	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/19/2006 10:16	N	13966-00-2	Potassium-40	10.6	pCi/L	U	[NULL]	[NULL]	R	B1KBH3	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
199-N-75	9/19/2006 10:16	N	13967-48-1	Ruthenium-106	3.1	pCi/L	U	[NULL]	[NULL]	R	B1KBH3	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
199-N-75	9/19/2006 10:16	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1KC69	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/19/2006 10:16	Y	7440-23-5	Sodium	4200	ug/L	B	[NULL]	[NULL]	R	B1KC69	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/19/2006 10:16	N	CONDUCT	Specific Conductance	448	uS/cm	[NULL]	[NULL]	[NULL]	R	B1KBH2	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-75	9/19/2006 10:16	Y	7440-24-6	Strontium	292	ug/L	[NULL]	[NULL]	[NULL]	R	B1KC69	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/19/2006 10:16	N	10098-97-2	Strontium-90	1640	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KC72	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-75	9/19/2006 10:16	N	14808-79-8	Sulfate	70000	ug/L	D	[NULL]	[NULL]	R	B1KBH4	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	9/19/2006 10:16	N	TEMPERATURE	Temperature	19.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1KBH2	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-75	9/19/2006 10:16	N	10028-17-8	Tritium	14600	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KC72	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-75	9/19/2006 10:16	N	TURBIDITY	Turbidity	0.38	NTU	[NULL]	[NULL]	[NULL]	R	B1KBH2	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-75	9/19/2006 10:16	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1KC69	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/19/2006 10:16	Y	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1KC69	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	9/19/2006 10:16	N	PH	pH Measurement	8.36	unitless	[NULL]	[NULL]	[NULL]	R	B1KBH2	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-75	1/3/2007 10:15	N	ALKALINITY	Alkalinity	71000	ug/L	[NULL]	[NULL]	[NULL]	R	B1LJW1	ALKALINITY	WSCF	310.1_ALKALINITY	100-NR-2
199-N-75	1/3/2007 10:15	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1LJV7	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2007 10:15	N	14234-35-6	Antimony-125	-2.46	pCi/L	U	[NULL]	[NULL]	R	B1LJW0	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
199-N-75	1/3/2007 10:15	Y	7440-39-3	Barium	51.6	ug/L	B	[NULL]	[NULL]	R	B1LJV7	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2007 10:15	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1LJV7	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2007 10:15	N	13966-02-4	Beryllium-7	-3.94	pCi/L	U	[NULL]	[NULL]	R	B1LJW0	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
199-N-75	1/3/2007 10:15	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1LJV7	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2007 10:15	Y	7440-70-2	Calcium	65300	ug/L	C	[NULL]	[NULL]	R	B1LJV7	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2007 10:15	N	13967-70-9	Cesium-134	0.698	pCi/L	U	[NULL]	[NULL]	R	B1LJW0	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
199-N-75	1/3/2007 10:15	N	10045-97-3	Cesium-137	-0.153	pCi/L	U	[NULL]	[NULL]	R	B1LJW0	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
199-N-75	1/3/2007 10:15	N	16887-00-6	Chloride	12000	ug/L	D	[NULL]	[NULL]	R	B1LJV8	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	1/3/2007 10:15	Y	7440-47-3	Chromium	3.3	ug/L	B	[NULL]	[NULL]	R	B1LJV7	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2007 10:15	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1LJV7	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2007 10:15	N	10198-40-0	Cobalt-60	2.35	pCi/L	U	[NULL]	[NULL]	R	B1LJW0	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
199-N-75	1/3/2007 10:15	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1LJV7	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	1/3/2007 10:15	N	DO	Dissolved oxygen	6650	ug/L	[NULL]	[NULL]	[NULL]	R	B1LJV9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-75	1/3/2007 10:15	N	14683-23-9	Europium-152	-9.76	pCi/L	U	[NULL]	[NULL]	R	B1LJW0	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
199-N-75	1/3/2007 10:15	N	15585-10-1	Europium-154	0.857	pCi/L	U	[NULL]	[NULL]	R	B1LJW0	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
199-N-75	1/3/2007 10:15	N	14391-16-3	Europium-155	-1.93	pCi/L	U	[NULL]	[NULL]	R	B1LJW0	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
199-N-75	1/3/2007 10:15	N	16984-48-8	Fluoride	61	ug/L	B	[NULL]	[NULL]	R	B1LJV8	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	1/3/2007 10:15	N	12587-46-1	Gross alpha	1.36	pCi/L	U	[NULL]	[NULL]	R	B1LJW0	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	1/3/2007 10:15	N	12587-47-2	Gross beta	3320	pCi/L	[NULL]	[NULL]	[NULL]	R	B1LJW0	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	1/3/2007 10:15	Y	7439-89-6	Iron	26.4	ug/L	B	[NULL]	[NULL]	R	B1LJV7	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2007 10:15	Y	7439-95-4	Magnesium	11700	ug/L	[NULL]	[NULL]	[NULL]	R	B1LJV7	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2007 10:15	Y	7439-96-5	Manganese	2.5	ug/L	U	[NULL]	[NULL]	R	B1LJV7	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2007 10:15	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1LJV7	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2007 10:15	N	14797-55-8	Nitrate	62400	ug/L	D	[NULL]	[NULL]	R	B1LJV8	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	1/3/2007 10:15	N	14797-65-0	Nitrite	13.1	ug/L	UN	[NULL]	[NULL]	R	B1LJV8	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	1/3/2007 10:15	N	14265-44-2	Phosphate	100	ug/L	U	[NULL]	[NULL]	R	B1LJV8	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	1/3/2007 10:15	Y	7440-09-7	Potassium	1500	ug/L	U	[NULL]	[NULL]	R	B1LJV7	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2007 10:15	N	13966-00-2	Potassium-40	31.8	pCi/L	U	[NULL]	[NULL]	R	B1LJW0	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
199-N-75	1/3/2007 10:15	N	13967-48-1	Ruthenium-106	8.28	pCi/L	U	[NULL]	[NULL]	R	B1LJW0	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
199-N-75	1/3/2007 10:15	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1LJV7	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2007 10:15	Y	7440-23-5	Sodium	4320	ug/L	B	[NULL]	[NULL]	R	B1LJV7	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2007 10:15	N	CONDUCT	Specific Conductance	459	uS/cm	[NULL]	[NULL]	[NULL]	R	B1LJV9	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-75	1/3/2007 10:15	Y	7440-24-6	Strontium	307	ug/L	[NULL]	[NULL]	[NULL]	R	B1LJV7	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2007 10:15	N	10098-97-2	Strontium-90	2230	pCi/L	[NULL]	[NULL]	[NULL]	R	B1LJW0	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-75	1/3/2007 10:15	N	14808-79-8	Sulfate	76700	ug/L	D	[NULL]	[NULL]	R	B1LJV8	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	1/3/2007 10:15	N	TEMPERATURE	Temperature	18.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1LJV9	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-75	1/3/2007 10:15	N	10028-17-8	Tritium	18000	pCi/L	[NULL]	[NULL]	[NULL]	R	B1LJW0	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-75	1/3/2007 10:15	N	TURBIDITY	Turbidity	0.27	NTU	[NULL]	[NULL]	[NULL]	R	B1LJV9	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-75	1/3/2007 10:15	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1LJV7	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2007 10:15	Y	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1LJV7	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2007 10:15	N	PH	pH Measurement	8.19	unitless	[NULL]	[NULL]	[NULL]	R	B1LJV9	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-75	4/9/2007 12:36	N	ALKALINITY	Alkalinity	70000	ug/L	[NULL]	[NULL]	[NULL]	R	B1MD53	ALKALINITY	WSCF	310.1_ALKALINITY	100-NR-2
199-N-75	4/9/2007 12:36	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1MDF7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/9/2007 12:36	N	14234-35-6	Antimony-125	-4.36	pCi/L	U	[NULL]	[NULL]	R	B1MD51	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
199-N-75	4/9/2007 12:36	Y	7440-39-3	Barium	49	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDF7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/9/2007 12:36	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1MDF7	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/9/2007 12:36	N	13966-02-4	Beryllium-7	16.1	pCi/L	U	[NULL]	[NULL]	R	B1MD51	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
199-N-75	4/9/2007 12:36	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1MDF7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/9/2007 12:36	Y	7440-70-2	Calcium	62200	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDF7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/9/2007 12:36	N	13967-70-9	Cesium-134	2.13	pCi/L	U	[NULL]	[NULL]	R	B1MD51	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
199-N-75	4/9/2007 12:36	N	10045-97-3	Cesium-137	1.86	pCi/L	U	[NULL]	[NULL]	R	B1MD51	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
199-N-75	4/9/2007 12:36	N	16887-00-6	Chloride	13800	ug/L	D	Q	[NULL]	R	B1MD52	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	4/9/2007 12:36	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	R	B1MDF7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/9/2007 12:36	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1MDF7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/9/2007 12:36	N	10198-40-0	Cobalt-60	-1.11	pCi/L	U	[NULL]	[NULL]	R	B1MD51	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
199-N-75	4/9/2007 12:36	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1MDF7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/9/2007 12:36	N	DO	Dissolved oxygen	6030	ug/L	[NULL]	[NULL]	[NULL]	R	B1MD50	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-75	4/9/2007 12:36	N	14683-23-9	Europium-152	-1.76	pCi/L	U	[NULL]	[NULL]	R	B1MD51	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
199-N-75	4/9/2007 12:36	N	15585-10-1	Europium-154	-1.12	pCi/L	U	[NULL]	[NULL]	R	B1MD51	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
199-N-75	4/9/2007 12:36	N	14391-16-3	Europium-155	0.318	pCi/L	U	[NULL]	[NULL]	R	B1MD51	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
199-N-75	4/9/2007 12:36	N	16984-48-8	Fluoride	20	ug/L	UN	[NULL]	[NULL]	R	B1MD52	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	4/9/2007 12:36	N	12587-46-1	Gross alpha	0.143	pCi/L	U	G	[NULL]	R	B1MD53	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-75	4/9/2007 12:36	N	12587-47-2	Gross beta	2700	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MD53	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-75	4/9/2007 12:36	Y	7439-89-6	Iron	9	ug/L	U	[NULL]	[NULL]	R	B1MDF7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/9/2007 12:36	Y	7439-95-4	Magnesium	11400	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDF7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/9/2007 12:36	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1MDF7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/9/2007 12:36	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1MDF7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	4/9/2007 12:36	N	14797-55-8	Nitrate	58400	ug/L	D	Q	[NULL]	R	B1MD52	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	4/9/2007 12:36	N	14797-65-0	Nitrite	13.1	ug/L	UN	[NULL]	[NULL]	R	B1MD52	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	4/9/2007 12:36	N	14265-44-2	Phosphate	46.9	ug/L	B	[NULL]	[NULL]	R	B1MD52	14265-44-2	STLSL	365.2_PHOSPHATE	100-NR-2
199-N-75	4/9/2007 12:36	Y	7440-09-7	Potassium	2430	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDF7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/9/2007 12:36	N	13966-00-2	Potassium-40	-47.3	pCi/L	U	[NULL]	[NULL]	R	B1MD51	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
199-N-75	4/9/2007 12:36	N	13967-48-1	Ruthenium-106	23	pCi/L	U	[NULL]	[NULL]	R	B1MD51	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
199-N-75	4/9/2007 12:36	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1MDF7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/9/2007 12:36	Y	7440-23-5	Sodium	3950	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDF7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/9/2007 12:36	N	CONDUCT	Specific Conductance	424	uS/cm	[NULL]	[NULL]	[NULL]	R	B1MD50	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-75	4/9/2007 12:36	Y	7440-24-6	Strontium	309	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDF7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/9/2007 12:36	N	10098-97-2	Strontium-90	1530	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MDH0	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-75	4/9/2007 12:36	N	14808-79-8	Sulfate	66800	ug/L	DN	Q	[NULL]	R	B1MD52	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	4/9/2007 12:36	N	TEMPERATURE	Temperature	18.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1MD50	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-75	4/9/2007 12:36	N	10028-17-8	Tritium	17000	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MDF8	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-75	4/9/2007 12:36	N	TURBIDITY	Turbidity	0.16	NTU	[NULL]	[NULL]	[NULL]	R	B1MD50	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-75	4/9/2007 12:36	Y	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	R	B1MDF7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/9/2007 12:36	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1MDF7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/9/2007 12:36	N	PH	pH Measurement	8.3	unitless	[NULL]	[NULL]	[NULL]	R	B1MD50	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-75	6/27/2007 13:04	N	ALKALINITY	Alkalinity	69000	ug/L	[NULL]	[NULL]	[NULL]	R	B1NJ75	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-75	6/27/2007 13:04	N	ALKALINITY	Alkalinity	64000	ug/L	[NULL]	[NULL]	[NULL]	R	B1NJ74	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-75	6/27/2007 13:04	Y	7440-36-0	Antimony	89.7	ug/L	UD	[NULL]	[NULL]	R	B1NJ68	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/27/2007 13:04	Y	7440-36-0	Antimony	89.7	ug/L	UD	[NULL]	[NULL]	R	B1NJ72	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/27/2007 13:04	N	14234-35-6	Antimony-125	-1.37	pCi/L	U	[NULL]	[NULL]	R	B1NJ70	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/27/2007 13:04	N	14234-35-6	Antimony-125	-1.92	pCi/L	U	[NULL]	[NULL]	R	B1NJ71	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/27/2007 13:04	Y	7440-39-3	Barium	48.1	ug/L	BD	[NULL]	[NULL]	R	B1NJ68	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/27/2007 13:04	Y	7440-39-3	Barium	49.2	ug/L	BD	[NULL]	[NULL]	R	B1NJ72	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/27/2007 13:04	Y	7440-41-7	Beryllium	1.1	ug/L	UD	[NULL]	[NULL]	R	B1NJ72	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/27/2007 13:04	Y	7440-41-7	Beryllium	1.1	ug/L	UD	[NULL]	[NULL]	R	B1NJ68	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/27/2007 13:04	N	13966-02-4	Beryllium-7	6.33	pCi/L	U	[NULL]	[NULL]	R	B1NJ70	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/27/2007 13:04	N	13966-02-4	Beryllium-7	31.6	pCi/L	U	[NULL]	[NULL]	R	B1NJ71	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/27/2007 13:04	Y	7440-43-9	Cadmium	7.1	ug/L	UD	[NULL]	[NULL]	R	B1NJ72	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/27/2007 13:04	Y	7440-43-9	Cadmium	7.1	ug/L	UD	[NULL]	[NULL]	R	B1NJ68	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/27/2007 13:04	Y	7440-70-2	Calcium	60500	ug/L	D	[NULL]	[NULL]	R	B1NJ72	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/27/2007 13:04	Y	7440-70-2	Calcium	58800	ug/L	D	[NULL]	[NULL]	R	B1NJ68	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/27/2007 13:04	N	13967-70-9	Cesium-134	-0.436	pCi/L	U	[NULL]	[NULL]	R	B1NJ70	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/27/2007 13:04	N	13967-70-9	Cesium-134	-0.46	pCi/L	U	[NULL]	[NULL]	R	B1NJ71	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/27/2007 13:04	N	10045-97-3	Cesium-137	0.89	pCi/L	U	[NULL]	[NULL]	R	B1NJ71	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/27/2007 13:04	N	10045-97-3	Cesium-137	-0.99	pCi/L	U	[NULL]	[NULL]	R	B1NJ70	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/27/2007 13:04	N	16887-00-6	Chloride	11000	ug/L	CD	[NULL]	[NULL]	R	B1NJ69	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	6/27/2007 13:04	N	16887-00-6	Chloride	10500	ug/L	CD	[NULL]	[NULL]	R	B1NJ73	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	6/27/2007 13:04	Y	7440-47-3	Chromium	4.9	ug/L	UD	[NULL]	[NULL]	R	B1NJ72	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/27/2007 13:04	Y	7440-47-3	Chromium	4.9	ug/L	UD	[NULL]	[NULL]	R	B1NJ68	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/27/2007 13:04	Y	7440-48-4	Cobalt	4	ug/L	UD	[NULL]	[NULL]	R	B1NJ72	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/27/2007 13:04	Y	7440-48-4	Cobalt	4	ug/L	UD	[NULL]	[NULL]	R	B1NJ68	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/27/2007 13:04	N	10198-40-0	Cobalt-60	0.257	pCi/L	U	[NULL]	[NULL]	R	B1NJ70	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/27/2007 13:04	N	10198-40-0	Cobalt-60	-0.995	pCi/L	U	[NULL]	[NULL]	R	B1NJ71	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/27/2007 13:04	Y	7440-50-8	Copper	3.7	ug/L	UD	[NULL]	[NULL]	R	B1NJ68	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/27/2007 13:04	Y	7440-50-8	Copper	3.7	ug/L	UD	[NULL]	[NULL]	R	B1NJ72	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/27/2007 13:04	N	DO	Dissolved oxygen	6920	ug/L	[NULL]	[NULL]	[NULL]	R	B1NJ76	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-75	6/27/2007 13:04	N	14683-23-9	Europium-152	0.704	pCi/L	U	[NULL]	[NULL]	R	B1NJ70	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/27/2007 13:04	N	14683-23-9	Europium-152	-3.52	pCi/L	U	[NULL]	[NULL]	R	B1NJ71	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/27/2007 13:04	N	15585-10-1	Europium-154	1.7	pCi/L	U	[NULL]	[NULL]	R	B1NJ70	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/27/2007 13:04	N	15585-10-1	Europium-154	2.35	pCi/L	U	[NULL]	[NULL]	R	B1NJ71	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/27/2007 13:04	N	14391-16-3	Europium-155	-1.57	pCi/L	U	[NULL]	[NULL]	R	B1NJ70	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/27/2007 13:04	N	14391-16-3	Europium-155	-0.243	pCi/L	U	[NULL]	[NULL]	R	B1NJ71	14391-16-3	STLRL	GAMMALL_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	6/27/2007 13:04	N	16984-48-8	Fluoride	25	ug/L	U	[NULL]	[NULL]	R	B1NJ69	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	6/27/2007 13:04	N	16984-48-8	Fluoride	57	ug/L	B	[NULL]	[NULL]	R	B1NJ73	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	6/27/2007 13:04	N	12587-46-1	Gross alpha	-2.2	pCi/L	U	G	[NULL]	R	B1NJ74	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-75	6/27/2007 13:04	N	12587-46-1	Gross alpha	-1.2	pCi/L	U	G	[NULL]	R	B1NJ75	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-75	6/27/2007 13:04	N	12587-47-2	Gross beta	2400	pCi/L	[NULL]	[NULL]	[NULL]	R	B1NJ74	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-75	6/27/2007 13:04	N	12587-47-2	Gross beta	2700	pCi/L	[NULL]	[NULL]	[NULL]	R	B1NJ75	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-75	6/27/2007 13:04	Y	7439-89-6	Iron	18.6	ug/L	U	[NULL]	[NULL]	R	B1NJ68	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/27/2007 13:04	Y	7439-89-6	Iron	18.6	ug/L	U	[NULL]	[NULL]	R	B1NJ72	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/27/2007 13:04	Y	7439-95-4	Magnesium	11400	ug/L	D	[NULL]	[NULL]	R	B1NJ68	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/27/2007 13:04	Y	7439-95-4	Magnesium	11800	ug/L	D	[NULL]	[NULL]	R	B1NJ72	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/27/2007 13:04	Y	7439-96-5	Manganese	1.7	ug/L	UD	[NULL]	[NULL]	R	B1NJ68	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/27/2007 13:04	Y	7439-96-5	Manganese	1.7	ug/L	UD	[NULL]	[NULL]	R	B1NJ72	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/27/2007 13:04	Y	7440-02-0	Nickel	9.1	ug/L	UD	[NULL]	[NULL]	R	B1NJ68	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/27/2007 13:04	Y	7440-02-0	Nickel	9.1	ug/L	UD	[NULL]	[NULL]	R	B1NJ72	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/27/2007 13:04	N	14797-55-8	Nitrate	58400	ug/L	D	[NULL]	[NULL]	R	B1NJ69	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	6/27/2007 13:04	N	14797-55-8	Nitrate	59800	ug/L	D	[NULL]	[NULL]	R	B1NJ73	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	6/27/2007 13:04	N	14797-65-0	Nitrite	16.4	ug/L	UN	[NULL]	[NULL]	R	B1NJ73	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	6/27/2007 13:04	N	14797-65-0	Nitrite	16.4	ug/L	UN	[NULL]	[NULL]	R	B1NJ69	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	6/27/2007 13:04	N	14265-44-2	Phosphate	360	ug/L	BC	[NULL]	[NULL]	R	B1NJ69	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	6/27/2007 13:04	N	14265-44-2	Phosphate	260	ug/L	BC	[NULL]	[NULL]	R	B1NJ73	14265-44-2	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	6/27/2007 13:04	Y	7440-09-7	Potassium	2800	ug/L	B	[NULL]	[NULL]	R	B1NJ72	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/27/2007 13:04	Y	7440-09-7	Potassium	2390	ug/L	B	[NULL]	[NULL]	R	B1NJ68	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/27/2007 13:04	N	13966-00-2	Potassium-40	26.6	pCi/L	U	[NULL]	[NULL]	R	B1NJ71	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/27/2007 13:04	N	13966-00-2	Potassium-40	-55.1	pCi/L	U	[NULL]	[NULL]	R	B1NJ70	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/27/2007 13:04	N	13967-48-1	Ruthenium-106	9.11	pCi/L	U	[NULL]	[NULL]	R	B1NJ71	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/27/2007 13:04	N	13967-48-1	Ruthenium-106	13.7	pCi/L	U	[NULL]	[NULL]	R	B1NJ70	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
199-N-75	6/27/2007 13:04	Y	7440-22-4	Silver	3.4	ug/L	UD	[NULL]	[NULL]	R	B1NJ68	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/27/2007 13:04	Y	7440-22-4	Silver	3.4	ug/L	UD	[NULL]	[NULL]	R	B1NJ72	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/27/2007 13:04	Y	7440-23-5	Sodium	4330	ug/L	B	[NULL]	[NULL]	R	B1NJ68	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/27/2007 13:04	Y	7440-23-5	Sodium	4410	ug/L	B	[NULL]	[NULL]	R	B1NJ72	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/27/2007 13:04	N	CONDUCT	Specific Conductance	442	uS/cm	[NULL]	[NULL]	[NULL]	R	B1NJ76	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-75	6/27/2007 13:04	Y	7440-24-6	Strontium	308	ug/L	D	[NULL]	[NULL]	R	B1NJ72	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/27/2007 13:04	Y	7440-24-6	Strontium	302	ug/L	D	[NULL]	[NULL]	R	B1NJ68	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/27/2007 13:04	N	10098-97-2	Strontium-90	1210	pCi/L	[NULL]	[NULL]	[NULL]	R	B1NJ70	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-75	6/27/2007 13:04	N	10098-97-2	Strontium-90	1180	pCi/L	[NULL]	[NULL]	[NULL]	R	B1NJ71	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-75	6/27/2007 13:04	N	14808-79-8	Sulfate	68800	ug/L	D	[NULL]	[NULL]	R	B1NJ73	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	6/27/2007 13:04	N	14808-79-8	Sulfate	68300	ug/L	D	[NULL]	[NULL]	R	B1NJ69	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-75	6/27/2007 13:04	N	TEMPERATURE	Temperature	19.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1NJ76	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	6/27/2007 13:04	N	10028-17-8	Tritium	17200	pCi/L	[NULL]	[NULL]	[NULL]	R	B1NJ71	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-75	6/27/2007 13:04	N	10028-17-8	Tritium	17000	pCi/L	[NULL]	[NULL]	[NULL]	R	B1NJ70	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-75	6/27/2007 13:04	N	TURBIDITY	Turbidity	0.52	NTU	[NULL]	[NULL]	[NULL]	R	B1NJ76	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-75	6/27/2007 13:04	Y	7440-62-2	Vanadium	12.1	ug/L	UD	[NULL]	[NULL]	R	B1NJ72	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/27/2007 13:04	Y	7440-62-2	Vanadium	12.1	ug/L	UD	[NULL]	[NULL]	R	B1NJ68	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/27/2007 13:04	Y	7440-66-6	Zinc	19.3	ug/L	UD	[NULL]	[NULL]	R	B1NJ68	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/27/2007 13:04	Y	7440-66-6	Zinc	19.3	ug/L	UD	[NULL]	[NULL]	R	B1NJ72	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-75	6/27/2007 13:04	N	PH	pH Measurement	8.26	unitless	[NULL]	[NULL]	[NULL]	R	B1NJ76	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-75	9/7/2007 11:41	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1PF27	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/7/2007 11:41	Y	7440-39-3	Barium	54.3	ug/L	C	[NULL]	[NULL]	R	B1PF27	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/7/2007 11:41	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1PF27	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/7/2007 11:41	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1PF27	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/7/2007 11:41	Y	7440-70-2	Calcium	68200	ug/L	[NULL]	[NULL]	[NULL]	R	B1PF27	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/7/2007 11:41	Y	7440-47-3	Chromium	14.6	ug/L	C	Q	[NULL]	R	B1PF27	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/7/2007 11:41	Y	7440-48-4	Cobalt	9.3	ug/L	C	Q	[NULL]	R	B1PF27	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/7/2007 11:41	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1PF27	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/7/2007 11:41	N	DO	Dissolved oxygen	7040	ug/L	[NULL]	[NULL]	[NULL]	R	B1PF29	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	9/7/2007 11:41	N	12587-46-1	Gross alpha	0.658	pCi/L	U	[NULL]	[NULL]	R	B1PF30	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	9/7/2007 11:41	N	12587-47-2	Gross beta	3960	pCi/L	[NULL]	[NULL]	[NULL]	R	B1PF30	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	9/7/2007 11:41	Y	7439-89-6	Iron	17.2	ug/L	C	Q	[NULL]	R	B1PF27	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/7/2007 11:41	Y	7439-95-4	Magnesium	11800	ug/L	[NULL]	Q	[NULL]	R	B1PF27	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/7/2007 11:41	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1PF27	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/7/2007 11:41	Y	7440-02-0	Nickel	6.6	ug/L	C	Q	[NULL]	R	B1PF27	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/7/2007 11:41	Y	7440-09-7	Potassium	2430	ug/L	[NULL]	[NULL]	[NULL]	R	B1PF27	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/7/2007 11:41	Y	7440-22-4	Silver	17.8	ug/L	C	Q	[NULL]	R	B1PF27	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/7/2007 11:41	Y	7440-23-5	Sodium	4020	ug/L	[NULL]	[NULL]	[NULL]	R	B1PF27	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/7/2007 11:41	N	CONDUCT	Specific Conductance	475	uS/cm	[NULL]	[NULL]	[NULL]	R	B1PF29	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-75	9/7/2007 11:41	Y	7440-24-6	Strontium	283	ug/L	[NULL]	[NULL]	[NULL]	R	B1PF27	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/7/2007 11:41	N	10098-97-2	Strontium-90	2150	pCi/L	[NULL]	Q	[NULL]	R	B1PF30	10098-97-2	TARL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-75	9/7/2007 11:41	N	TEMPERATURE	Temperature	19.5	Deg C	[NULL]	[NULL]	[NULL]	R	B1PF29	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	9/7/2007 11:41	N	10028-17-8	Tritium	16000	pCi/L	[NULL]	[NULL]	[NULL]	R	B1PF28	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-75	9/7/2007 11:41	N	TURBIDITY	Turbidity	0.96	NTU	[NULL]	[NULL]	[NULL]	R	B1PF29	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-75	9/7/2007 11:41	Y	7440-62-2	Vanadium	10.3	ug/L	C	Q	[NULL]	R	B1PF27	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/7/2007 11:41	Y	7440-66-6	Zinc	15.9	ug/L	C	Q	[NULL]	R	B1PF27	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/7/2007 11:41	N	PH	pH Measurement	8.42	unitless	[NULL]	[NULL]	[NULL]	R	B1PF29	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-75	9/7/2007 11:44	N	ALKALINITY	Alkalinity	69000	ug/L	[NULL]	[NULL]	[NULL]	R	B1PDJ8	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-75	9/7/2007 11:44	N	16887-00-6	Chloride	15000	ug/L	D	[NULL]	[NULL]	R	B1PDJ8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-75	9/7/2007 11:44	N	16984-48-8	Fluoride	53.5	ug/L	BDX	G	[NULL]	R	B1PDJ8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-75	9/7/2007 11:44	N	14797-55-8	Nitrate	66000	ug/L	D	[NULL]	[NULL]	R	B1PDJ8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-75	9/7/2007 11:44	N	14797-65-0	Nitrite	65.7	ug/L	DU	[NULL]	[NULL]	R	B1PDJ8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-75	9/7/2007 11:44	N	14265-44-2	Phosphate	245	ug/L	DU	[NULL]	[NULL]	R	B1PDJ8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-75	9/7/2007 11:44	N	14808-79-8	Sulfate	80400	ug/L	D	[NULL]	[NULL]	R	B1PDJ8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-75	1/3/2008 11:14	N	ALKALINITY	Alkalinity	67000	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9N8	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-75	1/3/2008 11:14	N	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1R9N8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2008 11:14	Y	7440-36-0	Antimony	32.7	ug/L	[NULL]	Y	[NULL]	R	B1R9N7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2008 11:14	N	14234-35-6	Antimony-125	-3.22	pCi/L	U	[NULL]	[NULL]	R	B1R9N9	14234-35-6	TARL	GAMMALL_GS	100-NR-2
199-N-75	1/3/2008 11:14	Y	7440-39-3	Barium	64	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9N7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2008 11:14	N	7440-39-3	Barium	63.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9N8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2008 11:14	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1R9N8	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2008 11:14	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1R9N7	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2008 11:14	N	13966-02-4	Beryllium-7	19.3	pCi/L	U	[NULL]	[NULL]	R	B1R9N9	13966-02-4	TARL	GAMMALL_GS	100-NR-2
199-N-75	1/3/2008 11:14	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1R9N8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2008 11:14	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1R9N7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2008 11:14	Y	7440-70-2	Calcium	84500	ug/L	[NULL]	Q	[NULL]	R	B1R9N7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2008 11:14	N	7440-70-2	Calcium	84400	ug/L	[NULL]	Q	[NULL]	R	B1R9N8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2008 11:14	N	13967-70-9	Cesium-134	-1.19	pCi/L	U	[NULL]	[NULL]	R	B1R9N9	13967-70-9	TARL	GAMMALL_GS	100-NR-2
199-N-75	1/3/2008 11:14	N	10045-97-3	Cesium-137	1.28	pCi/L	U	[NULL]	[NULL]	R	B1R9N9	10045-97-3	TARL	GAMMALL_GS	100-NR-2
199-N-75	1/3/2008 11:14	N	16887-00-6	Chloride	25400	ug/L	D	[NULL]	[NULL]	R	B1R9N8	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-75	1/3/2008 11:14	N	7440-47-3	Chromium	9	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9N8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2008 11:14	Y	7440-47-3	Chromium	9.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9N7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2008 11:14	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1R9N8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2008 11:14	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1R9N7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2008 11:14	N	10198-40-0	Cobalt-60	1.04	pCi/L	U	[NULL]	[NULL]	R	B1R9N9	10198-40-0	TARL	GAMMALL_GS	100-NR-2
199-N-75	1/3/2008 11:14	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1R9N7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2008 11:14	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1R9N8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2008 11:14	N	DO	Dissolved oxygen	7770	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9P3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-75	1/3/2008 11:14	N	14683-23-9	Europium-152	-4.65	pCi/L	U	[NULL]	[NULL]	R	B1R9N9	14683-23-9	TARL	GAMMALL_GS	100-NR-2
199-N-75	1/3/2008 11:14	N	15585-10-1	Europium-154	2.61	pCi/L	U	[NULL]	[NULL]	R	B1R9N9	15585-10-1	TARL	GAMMALL_GS	100-NR-2
199-N-75	1/3/2008 11:14	N	14391-16-3	Europium-155	1.94	pCi/L	U	[NULL]	[NULL]	R	B1R9N9	14391-16-3	TARL	GAMMALL_GS	100-NR-2
199-N-75	1/3/2008 11:14	N	16984-48-8	Fluoride	19.9	ug/L	BD	[NULL]	[NULL]	R	B1R9N8	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-75	1/3/2008 11:14	N	12587-46-1	Gross alpha	0.322	pCi/L	U	[NULL]	[NULL]	R	B1R9N9	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	1/3/2008 11:14	N	12587-47-2	Gross beta	4930	pCi/L	[NULL]	[NULL]	[NULL]	R	B1R9N9	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	1/3/2008 11:14	Y	7439-89-6	Iron	13.9	ug/L	C	[NULL]	[NULL]	R	B1R9N7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2008 11:14	N	7439-89-6	Iron	17.9	ug/L	C	[NULL]	[NULL]	R	B1R9N8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2008 11:14	Y	7439-95-4	Magnesium	13900	ug/L	[NULL]	Q	[NULL]	R	B1R9N7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2008 11:14	N	7439-95-4	Magnesium	13600	ug/L	[NULL]	Q	[NULL]	R	B1R9N8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2008 11:14	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1R9N8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2008 11:14	Y	7439-96-5	Manganese	6.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9N7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2008 11:14	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1R9N8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2008 11:14	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1R9N7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2008 11:14	N	14797-55-8	Nitrate	76600	ug/L	D	[NULL]	[NULL]	R	B1R9N8	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-75	1/3/2008 11:14	N	14797-65-0	Nitrite	65.7	ug/L	DU	[NULL]	[NULL]	R	B1R9N8	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-75	1/3/2008 11:14	N	14265-44-2	Phosphate	245	ug/L	DU	[NULL]	[NULL]	R	B1R9N8	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-75	1/3/2008 11:14	Y	7440-09-7	Potassium	2620	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9N7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2008 11:14	N	7440-09-7	Potassium	2560	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9N8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2008 11:14	N	13966-00-2	Potassium-40	-30.9	pCi/L	U	[NULL]	[NULL]	R	B1R9N9	13966-00-2	TARL	GAMMALL_GS	100-NR-2
199-N-75	1/3/2008 11:14	N	13967-48-1	Ruthenium-106	1.63	pCi/L	U	[NULL]	[NULL]	R	B1R9N9	13967-48-1	TARL	GAMMALL_GS	100-NR-2
199-N-75	1/3/2008 11:14	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1R9N7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2008 11:14	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1R9N8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2008 11:14	N	7440-23-5	Sodium	4240	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9N8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2008 11:14	Y	7440-23-5	Sodium	4350	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9N7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2008 11:14	N	CONDUCT	Specific Conductance	564	uS/cm	[NULL]	[NULL]	[NULL]	R	B1R9P3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-75	1/3/2008 11:14	Y	7440-24-6	Strontium	363	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9N7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2008 11:14	N	7440-24-6	Strontium	358	ug/L	[NULL]	[NULL]	[NULL]	R	B1R9N8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2008 11:14	N	10098-97-2	Strontium-90	2960	pCi/L	[NULL]	[NULL]	[NULL]	R	B1R9N9	10098-97-2	TARL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-75	1/3/2008 11:14	N	14808-79-8	Sulfate	109000	ug/L	D	[NULL]	[NULL]	R	B1R9N8	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-75	1/3/2008 11:14	N	TEMPERATURE	Temperature	18.6	Deg C	[NULL]	[NULL]	[NULL]	R	B1R9P3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	1/3/2008 11:14	N	10028-17-8	Tritium	15000	pCi/L	[NULL]	[NULL]	[NULL]	R	B1R9N8	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-75	1/3/2008 11:14	N	TURBIDITY	Turbidity	0.23	NTU	[NULL]	[NULL]	[NULL]	R	B1R9P3	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-75	1/3/2008 11:14	Y	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	R	B1R9N7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2008 11:14	N	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	R	B1R9N8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2008 11:14	N	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1R9N8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2008 11:14	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1R9N7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	1/3/2008 11:14	N	PH	pH Measurement	8.11	unitless	[NULL]	[NULL]	[NULL]	R	B1R9P3	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-75	4/14/2008 13:45	N	ALKALINITY	Alkalinity	69000	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJN1	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-75	4/14/2008 13:45	N	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1TJN1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/14/2008 13:45	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1TJN0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/14/2008 13:45	N	14234-35-6	Antimony-125	-1.71	pCi/L	U	[NULL]	[NULL]	R	B1THC9	14234-35-6	TARL	GAMMALL_GS	100-NR-2
199-N-75	4/14/2008 13:45	N	7440-39-3	Barium	59.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJN1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/14/2008 13:45	Y	7440-39-3	Barium	60.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJN0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/14/2008 13:45	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1TJN1	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/14/2008 13:45	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1TJN0	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/14/2008 13:45	N	13966-02-4	Beryllium-7	4.28	pCi/L	U	[NULL]	[NULL]	R	B1THC9	13966-02-4	TARL	GAMMALL_GS	100-NR-2
199-N-75	4/14/2008 13:45	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1TJN0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/14/2008 13:45	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1TJN1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/14/2008 13:45	Y	7440-70-2	Calcium	80800	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJN0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/14/2008 13:45	N	7440-70-2	Calcium	81700	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJN1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/14/2008 13:45	N	13967-70-9	Cesium-134	1.14	pCi/L	U	[NULL]	[NULL]	R	B1THC9	13967-70-9	TARL	GAMMALL_GS	100-NR-2
199-N-75	4/14/2008 13:45	N	10045-97-3	Cesium-137	0.128	pCi/L	U	[NULL]	[NULL]	R	B1THC9	10045-97-3	TARL	GAMMALL_GS	100-NR-2
199-N-75	4/14/2008 13:45	N	16887-00-6	Chloride	19400	ug/L	D	[NULL]	[NULL]	R	B1THD0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-75	4/14/2008 13:45	N	7440-47-3	Chromium	5.6	ug/L	C	[NULL]	[NULL]	R	B1TJN1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/14/2008 13:45	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	R	B1TJN0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/14/2008 13:45	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1TJN0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/14/2008 13:45	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1TJN1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/14/2008 13:45	N	10198-40-0	Cobalt-60	0.663	pCi/L	U	[NULL]	[NULL]	R	B1THC9	10198-40-0	TARL	GAMMALL_GS	100-NR-2
199-N-75	4/14/2008 13:45	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1TJN0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/14/2008 13:45	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1TJN1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	4/14/2008 13:45	N	DO	Dissolved oxygen	7860	ug/L	[NULL]	[NULL]	[NULL]	R	B1THC8	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-75	4/14/2008 13:45	N	14683-23-9	Europium-152	2.48	pCi/L	U	[NULL]	[NULL]	R	B1THC9	14683-23-9	TARL	GAMMALL_GS	100-NR-2
199-N-75	4/14/2008 13:45	N	15585-10-1	Europium-154	-1.55	pCi/L	U	[NULL]	[NULL]	R	B1THC9	15585-10-1	TARL	GAMMALL_GS	100-NR-2
199-N-75	4/14/2008 13:45	N	14391-16-3	Europium-155	0.259	pCi/L	U	[NULL]	[NULL]	R	B1THC9	14391-16-3	TARL	GAMMALL_GS	100-NR-2
199-N-75	4/14/2008 13:45	N	16984-48-8	Fluoride	12	ug/L	DU	[NULL]	[NULL]	R	B1THD0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-75	4/14/2008 13:45	N	12587-46-1	Gross alpha	0.39	pCi/L	U	[NULL]	[NULL]	R	B1THD0	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-75	4/14/2008 13:45	N	12587-47-2	Gross beta	4900	pCi/L	[NULL]	[NULL]	[NULL]	R	B1THD0	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-75	4/14/2008 13:45	Y	7439-89-6	Iron	9	ug/L	U	[NULL]	[NULL]	R	B1TJN0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/14/2008 13:45	N	7439-89-6	Iron	9	ug/L	U	[NULL]	[NULL]	R	B1TJN1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/14/2008 13:45	Y	7439-95-4	Magnesium	13000	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJN0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/14/2008 13:45	N	7439-95-4	Magnesium	12900	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJN1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/14/2008 13:45	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1TJN0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/14/2008 13:45	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1TJN1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/14/2008 13:45	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1TJN1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/14/2008 13:45	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1TJN0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/14/2008 13:45	N	14797-55-8	Nitrate	72200	ug/L	D	[NULL]	[NULL]	R	B1THD0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-75	4/14/2008 13:45	N	14797-65-0	Nitrite	65.7	ug/L	DU	[NULL]	[NULL]	R	B1THD0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-75	4/14/2008 13:45	N	14265-44-2	Phosphate	245	ug/L	DU	[NULL]	[NULL]	R	B1THD0	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-75	4/14/2008 13:45	N	7440-09-7	Potassium	2460	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJN1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/14/2008 13:45	Y	7440-09-7	Potassium	2490	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJN0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/14/2008 13:45	N	13966-00-2	Potassium-40	-6.89	pCi/L	U	[NULL]	[NULL]	R	B1THC9	13966-00-2	TARL	GAMMALL_GS	100-NR-2
199-N-75	4/14/2008 13:45	N	13967-48-1	Ruthenium-106	0.263	pCi/L	U	[NULL]	[NULL]	R	B1THC9	13967-48-1	TARL	GAMMALL_GS	100-NR-2
199-N-75	4/14/2008 13:45	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1TJN1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/14/2008 13:45	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1TJN0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/14/2008 13:45	Y	7440-23-5	Sodium	4040	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJN0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/14/2008 13:45	N	7440-23-5	Sodium	4000	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJN1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/14/2008 13:45	N	CONDUCT	Specific Conductance	555	uS/cm	[NULL]	[NULL]	[NULL]	R	B1THC8	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-75	4/14/2008 13:45	N	7440-24-6	Strontium	342	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJN1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/14/2008 13:45	Y	7440-24-6	Strontium	345	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJN0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/14/2008 13:45	N	10098-97-2	Strontium-90	2800	pCi/L	[NULL]	[NULL]	[NULL]	R	B1TJN3	10098-97-2	TARL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-75	4/14/2008 13:45	N	14808-79-8	Sulfate	105000	ug/L	D	[NULL]	[NULL]	R	B1THD0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-75	4/14/2008 13:45	N	TEMPERATURE	Temperature	19.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1THC8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	4/14/2008 13:45	N	10028-17-8	Tritium	14000	pCi/L	[NULL]	[NULL]	[NULL]	R	B1TJN1	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-75	4/14/2008 13:45	N	TURBIDITY	Turbidity	0.6	NTU	[NULL]	[NULL]	[NULL]	R	B1THC8	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-75	4/14/2008 13:45	N	7440-62-2	Vanadium	8	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJN1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/14/2008 13:45	Y	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	R	B1TJN0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/14/2008 13:45	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1TJN0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/14/2008 13:45	N	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1TJN1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	4/14/2008 13:45	N	PH	pH Measurement	8.05	unitless	[NULL]	[NULL]	[NULL]	R	B1THC8	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-75	9/25/2008 9:25	N	ALKALINITY	Alkalinity	68000	ug/L	[NULL]	[NULL]	[NULL]	R	B1WTN4	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-75	9/25/2008 9:25	N	ALKALINITY	Alkalinity	67000	ug/L	[NULL]	H	[NULL]	R	B1WTN2	ALKALINITY	TASL	310.1_ALKALINITY	100-NR-2
199-N-75	9/25/2008 9:25	N	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	R	B1WTN4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	Y	7440-36-0	Antimony	56	ug/L	U	[NULL]	[NULL]	R	B1WTN3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	Y	7440-36-0	Antimony	4	ug/L	U	[NULL]	[NULL]	R	B1WTN1	7440-36-0	TASL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	7440-36-0	Antimony	4	ug/L	UN	[NULL]	[NULL]	R	B1WTN2	7440-36-0	TASL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	14234-35-6	Antimony-125	4.13	pCi/L	U	[NULL]	[NULL]	R	B1WRM1	14234-35-6	TARL	GAMMALL_GS	100-NR-2
199-N-75	9/25/2008 9:25	N	7440-39-3	Barium	59.6	ug/L	B	[NULL]	[NULL]	R	B1WTN2	7440-39-3	TASL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	7440-39-3	Barium	58	ug/L	[NULL]	[NULL]	[NULL]	R	B1WTN4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	Y	7440-39-3	Barium	56.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1WTN3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	Y	7440-39-3	Barium	62.8	ug/L	B	[NULL]	[NULL]	R	B1WTN1	7440-39-3	TASL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1WTN4	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1WTN3	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	Y	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	R	B1WTN1	7440-41-7	TASL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	R	B1WTN2	7440-41-7	TASL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	13966-02-4	Beryllium-7	2.44	pCi/L	U	[NULL]	[NULL]	R	B1WRM1	13966-02-4	TARL	GAMMALL_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	9/25/2008 9:25	N	24959-67-9	Bromide	1250	ug/L	UD	[NULL]	[NULL]	R	B1WTN5	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	9/25/2008 9:25	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1WTN4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1WTN3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	Y	7440-43-9	Cadmium	0.45	ug/L	U	[NULL]	[NULL]	R	B1WTN1	7440-43-9	TASL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	7440-43-9	Cadmium	0.45	ug/L	U	[NULL]	[NULL]	R	B1WTN2	7440-43-9	TASL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	7440-70-2	Calcium	71300	ug/L	[NULL]	[NULL]	[NULL]	R	B1WTN4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	7440-70-2	Calcium	73000	ug/L	CD	[NULL]	[NULL]	R	B1WTN2	7440-70-2	TASL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	Y	7440-70-2	Calcium	74000	ug/L	CD	[NULL]	[NULL]	R	B1WTN1	7440-70-2	TASL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	Y	7440-70-2	Calcium	71400	ug/L	[NULL]	[NULL]	[NULL]	R	B1WTN3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	13967-70-9	Cesium-134	1.46	pCi/L	U	[NULL]	[NULL]	R	B1WRM1	13967-70-9	TARL	GAMMALL_GS	100-NR-2
199-N-75	9/25/2008 9:25	N	10045-97-3	Cesium-137	1.69	pCi/L	U	[NULL]	[NULL]	R	B1WRM1	10045-97-3	TARL	GAMMALL_GS	100-NR-2
199-N-75	9/25/2008 9:25	N	16887-00-6	Chloride	17500	ug/L	D	[NULL]	[NULL]	R	B1WTN5	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	9/25/2008 9:25	N	16887-00-6	Chloride	17800	ug/L	D	[NULL]	[NULL]	R	B1WTN4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-75	9/25/2008 9:25	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1WTN4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1WTN1	7440-47-3	TASL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	7440-47-3	Chromium	3.3	ug/L	B	[NULL]	[NULL]	R	B1WTN2	7440-47-3	TASL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1WTN3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1WTN4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1WTN2	7440-48-4	TASL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1WTN3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1WTN1	7440-48-4	TASL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	10198-40-0	Cobalt-60	-0.57	pCi/L	U	[NULL]	[NULL]	R	B1WRM1	10198-40-0	TARL	GAMMALL_GS	100-NR-2
199-N-75	9/25/2008 9:25	N	7440-50-8	Copper	4.6	ug/L	U	[NULL]	[NULL]	R	B1WTN2	7440-50-8	TASL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	R	B1WTN4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	Y	7440-50-8	Copper	4.6	ug/L	U	[NULL]	[NULL]	R	B1WTN1	7440-50-8	TASL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	Y	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	R	B1WTN3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	DO	Dissolved oxygen	8320	ug/L	[NULL]	[NULL]	[NULL]	R	B1WTN7	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-75	9/25/2008 9:25	N	14683-23-9	Europium-152	1.51	pCi/L	U	[NULL]	[NULL]	R	B1WRM1	14683-23-9	TARL	GAMMALL_GS	100-NR-2
199-N-75	9/25/2008 9:25	N	15585-10-1	Europium-154	-4.27	pCi/L	U	[NULL]	[NULL]	R	B1WRM1	15585-10-1	TARL	GAMMALL_GS	100-NR-2
199-N-75	9/25/2008 9:25	N	14391-16-3	Europium-155	-4.56	pCi/L	U	[NULL]	[NULL]	R	B1WRM1	14391-16-3	TARL	GAMMALL_GS	100-NR-2
199-N-75	9/25/2008 9:25	N	16984-48-8	Fluoride	1250	ug/L	UD	[NULL]	[NULL]	R	B1WTN5	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	9/25/2008 9:25	N	16984-48-8	Fluoride	46.4	ug/L	DU	[NULL]	[NULL]	R	B1WTN4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-75	9/25/2008 9:25	N	12587-46-1	Gross alpha	-0.25	pCi/L	U	[NULL]	[NULL]	R	B1WTN4	12587-46-1	WSCF	ALPHA_GPC	100-NR-2
199-N-75	9/25/2008 9:25	N	12587-46-1	Gross alpha	0.528	pCi/L	U	[NULL]	[NULL]	R	B1WTN6	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	9/25/2008 9:25	N	12587-47-2	Gross beta	4450	pCi/L	[NULL]	[NULL]	[NULL]	R	B1WTN6	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-75	9/25/2008 9:25	N	12587-47-2	Gross beta	5100	pCi/L	[NULL]	[NULL]	[NULL]	R	B1WTN4	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-75	9/25/2008 9:25	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1WTN3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1WTN4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	Y	7439-89-6	Iron	16	ug/L	U	[NULL]	[NULL]	R	B1WTN1	7439-89-6	TASL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	7439-89-6	Iron	16	ug/L	U	[NULL]	[NULL]	R	B1WTN2	7439-89-6	TASL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	7439-95-4	Magnesium	12700	ug/L	[NULL]	[NULL]	[NULL]	R	B1WTN4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	Y	7439-95-4	Magnesium	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B1WTN1	7439-95-4	TASL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	Y	7439-95-4	Magnesium	12300	ug/L	[NULL]	[NULL]	[NULL]	R	B1WTN3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	7439-95-4	Magnesium	12400	ug/L	[NULL]	[NULL]	[NULL]	R	B1WTN2	7439-95-4	TASL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	Y	7439-96-5	Manganese	0.96	ug/L	U	[NULL]	[NULL]	R	B1WTN1	7439-96-5	TASL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1WTN4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1WTN3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	7439-96-5	Manganese	0.96	ug/L	U	[NULL]	[NULL]	R	B1WTN2	7439-96-5	TASL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1WTN4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	7440-02-0	Nickel	13.3	ug/L	U	[NULL]	[NULL]	R	B1WTN2	7440-02-0	TASL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1WTN3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	Y	7440-02-0	Nickel	13.3	ug/L	U	[NULL]	[NULL]	R	B1WTN1	7440-02-0	TASL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	14797-55-8	Nitrate	55400	ug/L	D	H	[NULL]	R	B1WTN5	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	9/25/2008 9:25	N	14797-55-8	Nitrate	58900	ug/L	D	[NULL]	[NULL]	R	B1WTN4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-75	9/25/2008 9:25	N	14797-65-0	Nitrite	84.1	ug/L	DU	[NULL]	[NULL]	R	B1WTN4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	9/25/2008 9:25	N	14797-65-0	Nitrite	1250	ug/L	UD	H	[NULL]	R	B1WTN5	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	9/25/2008 9:25	N	14265-44-2	Phosphate	1250	ug/L	UD	H	[NULL]	R	B1WTN5	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	9/25/2008 9:25	N	14265-44-2	Phosphate	371	ug/L	DU	[NULL]	[NULL]	R	B1WTN4	PO4-P	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-75	9/25/2008 9:25	N	7440-09-7	Potassium	2740	ug/L	[NULL]	[NULL]	[NULL]	R	B1WTN4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	7440-09-7	Potassium	2670	ug/L	B	[NULL]	[NULL]	R	B1WTN2	7440-09-7	TASL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	Y	7440-09-7	Potassium	2110	ug/L	B	[NULL]	[NULL]	R	B1WTN1	7440-09-7	TASL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	Y	7440-09-7	Potassium	2720	ug/L	[NULL]	[NULL]	[NULL]	R	B1WTN3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	13966-00-2	Potassium-40	-34.1	pCi/L	U	[NULL]	[NULL]	R	B1WRM1	13966-00-2	TARL	GAMMALL_GS	100-NR-2
199-N-75	9/25/2008 9:25	N	13967-48-1	Ruthenium-106	10.6	pCi/L	U	[NULL]	[NULL]	R	B1WRM1	13967-48-1	TARL	GAMMALL_GS	100-NR-2
199-N-75	9/25/2008 9:25	Y	7440-22-4	Silver	6	ug/L	U	[NULL]	[NULL]	R	B1WTN1	7440-22-4	TASL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1WTN3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	7440-22-4	Silver	6	ug/L	U	[NULL]	[NULL]	R	B1WTN2	7440-22-4	TASL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1WTN4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	Y	7440-23-5	Sodium	4410	ug/L	BC	[NULL]	[NULL]	R	B1WTN1	7440-23-5	TASL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	7440-23-5	Sodium	4100	ug/L	B	[NULL]	[NULL]	R	B1WTN2	7440-23-5	TASL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	Y	7440-23-5	Sodium	4260	ug/L	[NULL]	[NULL]	[NULL]	R	B1WTN3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	7440-23-5	Sodium	4450	ug/L	[NULL]	[NULL]	[NULL]	R	B1WTN4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	CONDUCT	Specific Conductance	508	uS/cm	[NULL]	[NULL]	[NULL]	R	B1WTN7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-75	9/25/2008 9:25	Y	7440-24-6	Strontium	300	ug/L	[NULL]	G	[NULL]	R	B1WTN3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	7440-24-6	Strontium	295	ug/L	[NULL]	G	[NULL]	R	B1WTN4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	Y	7440-24-6	Strontium	301	ug/L	C	[NULL]	[NULL]	R	B1WTN1	7440-24-6	TASL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	7440-24-6	Strontium	300	ug/L	[NULL]	[NULL]	[NULL]	R	B1WTN2	7440-24-6	TASL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	10098-97-2	Strontium-90	2500	pCi/L	[NULL]	[NULL]	[NULL]	R	B1WTN4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	9/25/2008 9:25	N	10098-97-2	Strontium-90	2180	pCi/L	[NULL]	[NULL]	[NULL]	R	B1WTN6	10098-97-2	TARL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-75	9/25/2008 9:25	N	14808-79-8	Sulfate	99600	ug/L	D	[NULL]	[NULL]	R	B1WTN4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-75	9/25/2008 9:25	N	14808-79-8	Sulfate	90700	ug/L	D	[NULL]	[NULL]	R	B1WTN5	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-75	9/25/2008 9:25	N	TEMPERATURE	Temperature	19.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1WTN7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	9/25/2008 9:25	N	10028-17-8	Tritium	14000	pCi/L	[NULL]	[NULL]	[NULL]	R	B1WTN4	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-75	9/25/2008 9:25	N	10028-17-8	Tritium	12900	pCi/L	[NULL]	[NULL]	[NULL]	R	B1WTN6	10028-17-8	TARL	906.0_H3_LSC	100-NR-2
199-N-75	9/25/2008 9:25	N	TURBIDITY	Turbidity	0.48	NTU	[NULL]	[NULL]	[NULL]	R	B1WTN7	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-75	9/25/2008 9:25	N	7440-62-2	Vanadium	4.1	ug/L	U	[NULL]	[NULL]	R	B1WTN2	7440-62-2	TASL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1WTN4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	Y	7440-62-2	Vanadium	4.1	ug/L	U	[NULL]	[NULL]	R	B1WTN1	7440-62-2	TASL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1WTN3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	Y	7440-66-6	Zinc	5.2	ug/L	U	[NULL]	[NULL]	R	B1WTN1	7440-66-6	TASL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	R	B1WTN4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	Y	7440-66-6	Zinc	9	ug/L	U	[NULL]	[NULL]	R	B1WTN3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	7440-66-6	Zinc	5.2	ug/L	U	[NULL]	[NULL]	R	B1WTN2	7440-66-6	TASL	6010_METALS_ICP	100-NR-2
199-N-75	9/25/2008 9:25	N	PH	pH Measurement	8.18	unitless	[NULL]	[NULL]	[NULL]	R	B1WTN7	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-75	3/24/2009 11:31	N	ALKALINITY	Alkalinity	67000	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRT5	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-75	3/24/2009 11:31	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1YRT5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	3/24/2009 11:31	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1YRT4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	3/24/2009 11:31	N	7440-39-3	Barium	56.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRT5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	3/24/2009 11:31	Y	7440-39-3	Barium	58.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRT4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	3/24/2009 11:31	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1YRT5	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	3/24/2009 11:31	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1YRT4	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	3/24/2009 11:31	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1YRT5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	3/24/2009 11:31	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1YRT4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	3/24/2009 11:31	N	7440-70-2	Calcium	75500	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRT5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	3/24/2009 11:31	Y	7440-70-2	Calcium	77800	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRT4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	3/24/2009 11:31	N	16887-00-6	Chloride	17500	ug/L	D	[NULL]	[NULL]	R	B1YRT5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-75	3/24/2009 11:31	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1YRT5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	3/24/2009 11:31	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1YRT4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	3/24/2009 11:31	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1YRT5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	3/24/2009 11:31	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1YRT4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	3/24/2009 11:31	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1YRT4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	3/24/2009 11:31	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1YRT5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	3/24/2009 11:31	N	16984-48-8	Fluoride	46	ug/L	UD	[NULL]	[NULL]	R	B1YRT5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-75	3/24/2009 11:31	N	12587-47-2	Gross beta	4200	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YRT5	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-75	3/24/2009 11:31	Y	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B1YRT4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	3/24/2009 11:31	N	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B1YRT5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	3/24/2009 11:31	Y	7439-95-4	Magnesium	12400	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRT4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	3/24/2009 11:31	N	7439-95-4	Magnesium	12300	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRT5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	3/24/2009 11:31	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1YRT4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	3/24/2009 11:31	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1YRT5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	3/24/2009 11:31	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1YRT5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	3/24/2009 11:31	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1YRT4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	3/24/2009 11:31	N	14797-55-8	Nitrate	58000	ug/L	D	[NULL]	[NULL]	R	B1YRT5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-75	3/24/2009 11:31	N	14797-65-0	Nitrite	85.4	ug/L	UD	[NULL]	[NULL]	R	B1YRT5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-75	3/24/2009 11:31	Y	7440-09-7	Potassium	2550	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRT4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	3/24/2009 11:31	N	7440-09-7	Potassium	2500	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRT5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	3/24/2009 11:31	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1YRT5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	3/24/2009 11:31	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1YRT4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	3/24/2009 11:31	N	7440-23-5	Sodium	4490	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRT5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	3/24/2009 11:31	Y	7440-23-5	Sodium	5420	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRT4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	3/24/2009 11:31	N	CONDUCT	Specific Conductance	481	uS/cm	[NULL]	[NULL]	[NULL]	R	B1YRT6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-75	3/24/2009 11:31	N	7440-24-6	Strontium	320	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRT5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	3/24/2009 11:31	Y	7440-24-6	Strontium	322	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRT4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	3/24/2009 11:31	N	10098-97-2	Strontium-90	1900	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YRT5	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	3/24/2009 11:31	N	14808-79-8	Sulfate	97000	ug/L	D	[NULL]	[NULL]	R	B1YRT5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-75	3/24/2009 11:31	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B1YRT6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	3/24/2009 11:31	N	10028-17-8	Tritium	14000	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YRT5	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-75	3/24/2009 11:31	N	TURBIDITY	Turbidity	0.13	NTU	[NULL]	[NULL]	[NULL]	R	B1YRT6	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-75	3/24/2009 11:31	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1YRT5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	3/24/2009 11:31	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1YRT4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	3/24/2009 11:31	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1YRT4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	3/24/2009 11:31	N	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1YRT5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	3/24/2009 11:31	N	PH	pH Measurement	8.16	unitless	[NULL]	[NULL]	[NULL]	R	B1YRT6	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-75	9/9/2009 9:54	N	ALKALINITY	Alkalinity	63000	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH4	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-75	9/9/2009 9:54	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B21JH4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/9/2009 9:54	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B21JH3	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/9/2009 9:54	N	7440-39-3	Barium	66.1	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/9/2009 9:54	Y	7440-39-3	Barium	65.5	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH3	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/9/2009 9:54	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B21JH3	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/9/2009 9:54	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B21JH4	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/9/2009 9:54	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B21JH3	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/9/2009 9:54	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B21JH4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/9/2009 9:54	Y	7440-70-2	Calcium	87400	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH3	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/9/2009 9:54	N	7440-70-2	Calcium	91100	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/9/2009 9:54	N	16887-00-6	Chloride	30800	ug/L	D	[NULL]	[NULL]	R	B21JH4	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-75	9/9/2009 9:54	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B21JH4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/9/2009 9:54	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B21JH3	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/9/2009 9:54	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B21JH4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/9/2009 9:54	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B21JH3	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/9/2009 9:54	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B21JH3	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/9/2009 9:54	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B21JH4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/9/2009 9:54	N	16984-48-8	Fluoride	60	ug/L	UD	[NULL]	[NULL]	R	B21JH4	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-75	9/9/2009 9:54	N	12587-47-2	Gross beta	6600	pCi/L	[NULL]	[NULL]	[NULL]	R	B21JH4	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-75	9/9/2009 9:54	Y	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B21JH3	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/9/2009 9:54	N	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B21JH4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-75	9/9/2009 9:54	Y	7439-95-4	Magnesium	14200	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH3	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/9/2009 9:54	N	7439-95-4	Magnesium	14600	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/9/2009 9:54	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B21JH3	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/9/2009 9:54	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B21JH4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/9/2009 9:54	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B21JH4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/9/2009 9:54	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B21JH3	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/9/2009 9:54	N	14797-55-8	Nitrate	73900	ug/L	D	[NULL]	[NULL]	R	B21JH4	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-75	9/9/2009 9:54	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	R	B21JH4	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-75	9/9/2009 9:54	N	7440-09-7	Potassium	2580	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/9/2009 9:54	Y	7440-09-7	Potassium	2500	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH3	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/9/2009 9:54	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B21JH4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/9/2009 9:54	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B21JH3	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/9/2009 9:54	N	7440-23-5	Sodium	4690	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/9/2009 9:54	Y	7440-23-5	Sodium	4550	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH3	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/9/2009 9:54	N	CONDUCT	Specific Conductance	627	uS/cm	[NULL]	[NULL]	[NULL]	R	B21JH5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-75	9/9/2009 9:54	Y	7440-24-6	Strontium	362	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH3	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/9/2009 9:54	N	7440-24-6	Strontium	376	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/9/2009 9:54	N	10098-97-2	Strontium-90	3000	pCi/L	[NULL]	[NULL]	[NULL]	R	B21JH4	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-75	9/9/2009 9:54	N	14808-79-8	Sulfate	120000	ug/L	D	[NULL]	[NULL]	R	B21JH4	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-75	9/9/2009 9:54	N	TEMPERATURE	Temperature	18.8	Deg C	[NULL]	[NULL]	[NULL]	R	B21JH5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-75	9/9/2009 9:54	N	10028-17-8	Tritium	14000	pCi/L	[NULL]	[NULL]	[NULL]	R	B21JH4	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-75	9/9/2009 9:54	N	TURBIDITY	Turbidity	0.34	NTU	[NULL]	[NULL]	[NULL]	R	B21JH5	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-75	9/9/2009 9:54	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B21JH3	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/9/2009 9:54	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B21JH4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/9/2009 9:54	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B21JH3	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/9/2009 9:54	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B21JH4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-75	9/9/2009 9:54	N	PH	pH Measurement	8.16	unitless	[NULL]	[NULL]	[NULL]	R	B21JH5	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-76	11/20/1992 8:30	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	B07P13	93-76-5	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	B07P13	93-72-1	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07P07	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	10	ug/L	U	[NULL]	[NULL]	R	B07P13	94-75-7	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07P07	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B07P07	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B07P07	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07P07	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07P07	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B07P07	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	72-54-8	4,4'-DDD (Dichlorodiphenyldichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	B07P13	72-54-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	72-55-9	4,4'-DDE (Dichlorodiphenyldichloroethylene)	0.05	ug/L	U	[NULL]	[NULL]	R	B07P13	72-55-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	50-29-3	4,4'-DDT (Dichlorodiphenyltrichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	B07P13	50-29-3	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B07P07	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B07P07	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	11/20/1992 8:30	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B07P07	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	309-00-2	Aldrin	0.05	ug/L	U	[NULL]	[NULL]	R	B07P13	309-00-2	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	319-84-6	Alpha-BHC	0.05	ug/L	U	[NULL]	[NULL]	R	B07P13	319-84-6	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	14596-10-2	Americium-241	0.002	pCi/L	U	[NULL]	[NULL]	R	B07P13	14596-10-2	ITASRL	AMCMISO_AEA	100-NR-2
199-N-76	11/20/1992 8:30	N	14798-03-9	Ammonium ion	100	ug/L	[NULL]	[NULL]	[NULL]	R	B07P07	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-76	11/20/1992 8:30	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B07P11	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/20/1992 8:30	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B07P07	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/20/1992 8:30	N	14234-35-6	Antimony-125	-8.63	pCi/L	U	[NULL]	[NULL]	R	B07P07	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-76	11/20/1992 8:30	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B07P07	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-76	11/20/1992 8:30	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B07P11	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-76	11/20/1992 8:30	N	7440-39-3	Barium	23	ug/L	[NULL]	[NULL]	[NULL]	R	B07P07	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/20/1992 8:30	Y	7440-39-3	Barium	20	ug/L	U	[NULL]	[NULL]	R	B07P11	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/20/1992 8:30	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B07P11	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/20/1992 8:30	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B07P07	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/20/1992 8:30	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B07P07	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	11/20/1992 8:30	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B07P11	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/20/1992 8:30	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B07P07	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/20/1992 8:30	N	7440-70-2	Calcium	29000	ug/L	[NULL]	[NULL]	[NULL]	R	B07P07	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/20/1992 8:30	Y	7440-70-2	Calcium	27000	ug/L	[NULL]	[NULL]	[NULL]	R	B07P11	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/20/1992 8:30	N	14762-75-5	Carbon-14	422	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P07	14762-75-5	ITASRL	C14_PRECIP_LSC	100-NR-2
199-N-76	11/20/1992 8:30	N	10045-97-3	Cesium-137	1.37	pCi/L	U	[NULL]	[NULL]	R	B07P07	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-76	11/20/1992 8:30	N	57-74-9	Chlordane	0.1	ug/L	U	[NULL]	[NULL]	R	B07P13	57-74-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	16887-00-6	Chloride	2700	ug/L	[NULL]	[NULL]	[NULL]	R	B07P07	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	11/20/1992 8:30	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B07P11	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/20/1992 8:30	N	7440-47-3	Chromium	30	ug/L	[NULL]	[NULL]	[NULL]	R	B07P07	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/20/1992 8:30	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B07P07	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/20/1992 8:30	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B07P11	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/20/1992 8:30	N	10198-40-0	Cobalt-60	6.47	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P07	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-76	11/20/1992 8:30	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B07P07	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-76	11/20/1992 8:30	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B07P07	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/20/1992 8:30	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B07P11	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/20/1992 8:30	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	B07P13	319-86-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	60-57-1	Dieldrin	0.05	ug/L	U	[NULL]	[NULL]	R	B07P13	60-57-1	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B07P07	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1	ug/L	U	[NULL]	[NULL]	R	B07P13	88-85-7	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	959-98-8	Endosulfan I	0.1	ug/L	U	[NULL]	[NULL]	R	B07P13	959-98-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	33213-65-9	Endosulfan II	0.05	ug/L	U	[NULL]	[NULL]	R	B07P13	33213-65-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	1031-07-8	Endosulfan sulfate	0.5	ug/L	U	[NULL]	[NULL]	R	B07P13	1031-07-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	B07P13	72-20-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	7421-93-4	Endrin aldehyde	0.2	ug/L	U	[NULL]	[NULL]	R	B07P13	7421-93-4	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	16984-48-8	Fluoride	100	ug/L	[NULL]	[NULL]	[NULL]	R	B07P07	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	11/20/1992 8:30	N	58-89-9	Gamma-BHC (Lindane)	0.05	ug/L	U	[NULL]	[NULL]	R	B07P13	58-89-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	12587-46-1	Gross alpha	0.146	pCi/L	U	[NULL]	[NULL]	R	B07P07	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	11/20/1992 8:30	N	12587-47-2	Gross beta	148	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P07	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	11/20/1992 8:30	N	76-44-8	Heptachlor	0.05	ug/L	U	[NULL]	[NULL]	R	B07P13	76-44-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	1024-57-3	Heptachlor epoxide	1	ug/L	U	[NULL]	[NULL]	R	B07P13	1024-57-3	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B07P07	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-76	11/20/1992 8:30	Y	7439-89-6	Iron	20	ug/L	U	[NULL]	[NULL]	R	B07P11	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/20/1992 8:30	N	7439-89-6	Iron	1200	ug/L	[NULL]	[NULL]	[NULL]	R	B07P07	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/20/1992 8:30	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B07P07	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-76	11/20/1992 8:30	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B07P11	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-76	11/20/1992 8:30	N	7439-95-4	Magnesium	5700	ug/L	[NULL]	[NULL]	[NULL]	R	B07P07	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	11/20/1992 8:30	Y	7439-95-4	Magnesium	4300	ug/L	[NULL]	[NULL]	[NULL]	R	B07P11	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/20/1992 8:30	N	7439-96-5	Manganese	33	ug/L	[NULL]	[NULL]	[NULL]	R	B07P07	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/20/1992 8:30	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B07P11	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/20/1992 8:30	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B07P11	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-76	11/20/1992 8:30	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B07P07	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-76	11/20/1992 8:30	N	72-43-5	Methoxychlor	2	ug/L	U	[NULL]	[NULL]	R	B07P13	72-43-5	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B07P07	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/20/1992 8:30	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B07P11	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/20/1992 8:30	N	14797-55-8	Nitrate	8100	ug/L	[NULL]	[NULL]	[NULL]	R	B07P07	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	11/20/1992 8:30	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B07P07	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	11/20/1992 8:30	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B07P07	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B07P07	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B07P07	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	11/20/1992 8:30	N	13981-16-3	Plutonium-238	0.008	pCi/L	U	[NULL]	[NULL]	R	B07P13	13981-16-3	ITASRL	PUISO_IE_AEA	100-NR-2
199-N-76	11/20/1992 8:30	N	PU-239/240	Plutonium-239/240	0.01	pCi/L	U	[NULL]	[NULL]	R	B07P13	PU-239/240	ITASRL	PUISO_IE_AEA	100-NR-2
199-N-76	11/20/1992 8:30	Y	7440-09-7	Potassium	1900	ug/L	[NULL]	[NULL]	[NULL]	R	B07P11	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/20/1992 8:30	N	7440-09-7	Potassium	1800	ug/L	[NULL]	[NULL]	[NULL]	R	B07P07	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/20/1992 8:30	N	7440-14-4	Radium	0.124	pCi/L	U	[NULL]	[NULL]	R	B07P07	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-76	11/20/1992 8:30	N	13967-48-1	Ruthenium-106	-59.8	pCi/L	U	[NULL]	[NULL]	R	B07P07	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-76	11/20/1992 8:30	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B07P07	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-76	11/20/1992 8:30	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B07P11	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-76	11/20/1992 8:30	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B07P11	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/20/1992 8:30	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B07P07	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/20/1992 8:30	N	7440-23-5	Sodium	2900	ug/L	[NULL]	[NULL]	[NULL]	R	B07P07	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/20/1992 8:30	Y	7440-23-5	Sodium	2800	ug/L	[NULL]	[NULL]	[NULL]	R	B07P11	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/20/1992 8:30	N	CONDUCT	Specific Conductance	192	uS/cm	[NULL]	[NULL]	[NULL]	R	B07P08	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	11/20/1992 8:30	N	CONDUCT	Specific Conductance	192	uS/cm	[NULL]	[NULL]	[NULL]	R	B07P09	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	11/20/1992 8:30	N	CONDUCT	Specific Conductance	191	uS/cm	[NULL]	[NULL]	[NULL]	R	B07P10	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	11/20/1992 8:30	N	CONDUCT	Specific Conductance	190	uS/cm	[NULL]	[NULL]	[NULL]	R	B07P13	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-76	11/20/1992 8:30	N	CONDUCT	Specific Conductance	193	uS/cm	[NULL]	[NULL]	[NULL]	R	B07P07	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	11/20/1992 8:30	N	10098-97-2	Strontium-90	97.7	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P07	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	11/20/1992 8:30	N	14808-79-8	Sulfate	13000	ug/L	[NULL]	[NULL]	[NULL]	R	B07P07	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	11/20/1992 8:30	N	TEMPERATURE	Temperature	21	Deg C	[NULL]	[NULL]	[NULL]	R	B07P07	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	11/20/1992 8:30	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B07P07	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	11/20/1992 8:30	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B07P11	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/20/1992 8:30	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B07P07	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/20/1992 8:30	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B07P07	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07P10	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	11/20/1992 8:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07P07	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	11/20/1992 8:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07P09	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	11/20/1992 8:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07P08	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	11/20/1992 8:30	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B07P07	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-76	11/20/1992 8:30	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B07P10	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-76	11/20/1992 8:30	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B07P09	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-76	11/20/1992 8:30	N	59473-04-0	Total organic halides	10	ug/L	U	Y	[NULL]	R	B07P08	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-76	11/20/1992 8:30	N	8001-35-2	Toxaphene	2	ug/L	U	[NULL]	[NULL]	R	B07P13	8001-35-2	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07P07	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	10028-17-8	Tritium	46000	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P07	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-76	11/20/1992 8:30	N	TURBIDITY	Turbidity	1.5	NTU	[NULL]	[NULL]	[NULL]	R	B07P07	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-76	11/20/1992 8:30	N	13966-29-5	Uranium-234	0.107	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P07	13966-29-5	ITASRL	UISO_IE_AEA	100-NR-2
199-N-76	11/20/1992 8:30	N	15117-96-1	Uranium-235	0.001	pCi/L	U	[NULL]	[NULL]	R	B07P07	15117-96-1	ITASRL	UISO_IE_AEA	100-NR-2
199-N-76	11/20/1992 8:30	N	U-238	Uranium-238	0.139	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P07	U-238	ITASRL	UISO_IE_AEA	100-NR-2
199-N-76	11/20/1992 8:30	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B07P07	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/20/1992 8:30	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B07P11	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/20/1992 8:30	N	7440-66-6	Zinc	120	ug/L	[NULL]	[NULL]	[NULL]	R	B07P07	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	11/20/1992 8:30	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B07P11	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/20/1992 8:30	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.05	ug/L	U	[NULL]	[NULL]	R	B07P13	319-85-7	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-76	11/20/1992 8:30	N	PH	pH Measurement	7.91	unitless	[NULL]	[NULL]	[NULL]	R	B07P10	PH	FIELD	9040_PH	100-NR-2
199-N-76	11/20/1992 8:30	N	PH	pH Measurement	7.92	unitless	[NULL]	[NULL]	[NULL]	R	B07P09	PH	FIELD	9040_PH	100-NR-2
199-N-76	11/20/1992 8:30	N	PH	pH Measurement	8.3	unitless	[NULL]	[NULL]	[NULL]	R	B07P13	PH	DATACH	D1293_PH	100-NR-2
199-N-76	11/20/1992 8:30	N	PH	pH Measurement	7.98	unitless	[NULL]	[NULL]	[NULL]	R	B07P07	PH	FIELD	9040_PH	100-NR-2
199-N-76	11/20/1992 8:30	N	PH	pH Measurement	7.76	unitless	[NULL]	[NULL]	[NULL]	R	B07P08	PH	FIELD	9040_PH	100-NR-2
199-N-76	2/18/1993 9:30	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085K9	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	2/18/1993 9:30	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085K9	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	2/18/1993 9:30	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B085K9	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	2/18/1993 9:30	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B085K9	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	2/18/1993 9:30	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085K9	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	2/18/1993 9:30	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085K9	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	2/18/1993 9:30	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B085K9	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	2/18/1993 9:30	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B085K9	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	2/18/1993 9:30	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B085K9	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	2/18/1993 9:30	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B085K9	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	2/18/1993 9:30	N	14798-03-9	Ammonium ion	100	ug/L	U	[NULL]	[NULL]	R	B085K9	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-76	2/18/1993 9:30	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B085L3	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/18/1993 9:30	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B085K9	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/18/1993 9:30	N	14234-35-6	Antimony-125	2.51	pCi/L	[NULL]	[NULL]	[NULL]	R	B085K9	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-76	2/18/1993 9:30	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B085K9	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-76	2/18/1993 9:30	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B085L3	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-76	2/18/1993 9:30	N	7440-39-3	Barium	20	ug/L	U	[NULL]	[NULL]	R	B085K9	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/18/1993 9:30	Y	7440-39-3	Barium	20	ug/L	U	[NULL]	[NULL]	R	B085L3	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/18/1993 9:30	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B085K9	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/18/1993 9:30	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B085L3	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/18/1993 9:30	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B085K9	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	2/18/1993 9:30	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B085K9	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/18/1993 9:30	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B085L3	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/18/1993 9:30	N	7440-70-2	Calcium	28000	ug/L	[NULL]	[NULL]	[NULL]	R	B085K9	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/18/1993 9:30	Y	7440-70-2	Calcium	27000	ug/L	[NULL]	[NULL]	[NULL]	R	B085L3	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/18/1993 9:30	N	10045-97-3	Cesium-137	-0.387	pCi/L	U	[NULL]	[NULL]	R	B085K9	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-76	2/18/1993 9:30	N	16887-00-6	Chloride	2700	ug/L	[NULL]	[NULL]	[NULL]	R	B085K9	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	2/18/1993 9:30	N	7440-47-3	Chromium	20	ug/L	[NULL]	[NULL]	[NULL]	R	B085K9	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/18/1993 9:30	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B085L3	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/18/1993 9:30	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B085L3	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/18/1993 9:30	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B085K9	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/18/1993 9:30	N	10198-40-0	Cobalt-60	5.28	pCi/L	[NULL]	[NULL]	[NULL]	R	B085K9	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-76	2/18/1993 9:30	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B085K9	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-76	2/18/1993 9:30	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B085K9	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/18/1993 9:30	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B085L3	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/18/1993 9:30	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B085K9	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	2/18/1993 9:30	N	16984-48-8	Fluoride	200	ug/L	[NULL]	[NULL]	[NULL]	R	B085K9	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	2/18/1993 9:30	N	12587-46-1	Gross alpha	0.88	pCi/L	U	[NULL]	[NULL]	R	B085K9	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	2/18/1993 9:30	N	12587-47-2	Gross beta	216	pCi/L	[NULL]	[NULL]	[NULL]	R	B085K9	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	2/18/1993 9:30	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B085K9	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-76	2/18/1993 9:30	Y	7439-89-6	Iron	30	ug/L	[NULL]	[NULL]	[NULL]	R	B085L3	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/18/1993 9:30	N	7439-89-6	Iron	130	ug/L	[NULL]	[NULL]	[NULL]	R	B085K9	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/18/1993 9:30	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B085K9	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	2/18/1993 9:30	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B085L3	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-76	2/18/1993 9:30	Y	7439-95-4	Magnesium	4400	ug/L	[NULL]	[NULL]	[NULL]	R	B085L3	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/18/1993 9:30	N	7439-95-4	Magnesium	4500	ug/L	[NULL]	[NULL]	[NULL]	R	B085K9	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/18/1993 9:30	N	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B085K9	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/18/1993 9:30	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B085L3	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/18/1993 9:30	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B085L3	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-76	2/18/1993 9:30	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B085K9	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-76	2/18/1993 9:30	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B085K9	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/18/1993 9:30	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B085L3	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/18/1993 9:30	N	14797-55-8	Nitrate	7600	ug/L	[NULL]	[NULL]	[NULL]	R	B085K9	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	2/18/1993 9:30	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B085K9	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	2/18/1993 9:30	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B085K9	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	2/18/1993 9:30	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B085K9	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	2/18/1993 9:30	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B085K9	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	2/18/1993 9:30	Y	7440-09-7	Potassium	2000	ug/L	[NULL]	[NULL]	[NULL]	R	B085L3	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/18/1993 9:30	N	7440-09-7	Potassium	1500	ug/L	[NULL]	[NULL]	[NULL]	R	B085K9	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/18/1993 9:30	N	7440-14-4	Radium	0.08	pCi/L	U	[NULL]	[NULL]	R	B085K9	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-76	2/18/1993 9:30	N	13967-48-1	Ruthenium-106	-5.18	pCi/L	U	[NULL]	[NULL]	R	B085K9	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-76	2/18/1993 9:30	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B085L3	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-76	2/18/1993 9:30	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B085K9	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-76	2/18/1993 9:30	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B085K9	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/18/1993 9:30	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B085L3	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/18/1993 9:30	N	7440-23-5	Sodium	2900	ug/L	[NULL]	[NULL]	[NULL]	R	B085K9	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/18/1993 9:30	Y	7440-23-5	Sodium	2900	ug/L	[NULL]	[NULL]	[NULL]	R	B085L3	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/18/1993 9:30	N	CONDUCT	Specific Conductance	176	uS/cm	[NULL]	[NULL]	[NULL]	R	B085K9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	2/18/1993 9:30	N	CONDUCT	Specific Conductance	179	uS/cm	[NULL]	[NULL]	[NULL]	R	B085L0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	2/18/1993 9:30	N	CONDUCT	Specific Conductance	179	uS/cm	[NULL]	[NULL]	[NULL]	R	B085L1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	2/18/1993 9:30	N	CONDUCT	Specific Conductance	190	uS/cm	[NULL]	[NULL]	[NULL]	R	B085X5	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-76	2/18/1993 9:30	N	CONDUCT	Specific Conductance	179	uS/cm	[NULL]	[NULL]	[NULL]	R	B085L2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	2/18/1993 9:30	N	10098-97-2	Strontium-90	110	pCi/L	[NULL]	[NULL]	[NULL]	R	B085K9	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	2/18/1993 9:30	N	14808-79-8	Sulfate	13000	ug/L	[NULL]	[NULL]	[NULL]	R	B085K9	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	2/18/1993 9:30	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B085K9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	2/18/1993 9:30	N	TEMPERATURE	Temperature	19.8	Deg C	[NULL]	[NULL]	[NULL]	R	B085L2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	2/18/1993 9:30	N	TEMPERATURE	Temperature	19.6	Deg C	[NULL]	[NULL]	[NULL]	R	B085L1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	2/18/1993 9:30	N	TEMPERATURE	Temperature	19.4	Deg C	[NULL]	[NULL]	[NULL]	R	B085L0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	2/18/1993 9:30	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B085K9	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	2/18/1993 9:30	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B085K9	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/18/1993 9:30	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B085L3	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/18/1993 9:30	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B085K9	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	2/18/1993 9:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B085L0	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	2/18/1993 9:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B085K9	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	2/18/1993 9:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B085L2	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	2/18/1993 9:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B085L1	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	2/18/1993 9:30	N	59473-04-0	Total organic halides	10	ug/L	U	HY	[NULL]	R	B085K9	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-76	2/18/1993 9:30	N	59473-04-0	Total organic halides	10	ug/L	U	HY	[NULL]	R	B085L0	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-76	2/18/1993 9:30	N	59473-04-0	Total organic halides	10	ug/L	U	HY	[NULL]	R	B085L1	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-76	2/18/1993 9:30	N	59473-04-0	Total organic halides	10	ug/L	U	HY	[NULL]	R	B085L2	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-76	2/18/1993 9:30	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085K9	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	2/18/1993 9:30	N	10028-17-8	Tritium	45200	pCi/L	[NULL]	[NULL]	[NULL]	R	B085K9	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-76	2/18/1993 9:30	N	TURBIDITY	Turbidity	0.5	NTU	[NULL]	[NULL]	[NULL]	R	B085K9	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-76	2/18/1993 9:30	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B085K9	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/18/1993 9:30	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B085L3	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/18/1993 9:30	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B085L3	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/18/1993 9:30	N	7440-66-6	Zinc	20	ug/L	[NULL]	[NULL]	[NULL]	R	B085K9	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/18/1993 9:30	N	PH	pH Measurement	7.38	unitless	[NULL]	R	[NULL]	R	B085K9	PH	FIELD	9040_PH	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	2/18/1993 9:30	N	PH	pH Measurement	7.41	unitless	[NULL]	R	[NULL]	R	B085L2	PH	FIELD	9040_PH	100-NR-2
199-N-76	2/18/1993 9:30	N	PH	pH Measurement	7.38	unitless	[NULL]	R	[NULL]	R	B085L0	PH	FIELD	9040_PH	100-NR-2
199-N-76	2/18/1993 9:30	N	PH	pH Measurement	7.41	unitless	[NULL]	R	[NULL]	R	B085L1	PH	FIELD	9040_PH	100-NR-2
199-N-76	2/18/1993 9:30	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B085X5	PH	DATACH	D1293_PH	100-NR-2
199-N-76	3/11/1993 9:00	N	71-55-6	1,1,1-Trichloroethane	2	ug/L	U	[NULL]	[NULL]	R	B086P7	71-55-6	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	3/11/1993 9:00	N	75-34-3	1,1-Dichloroethane	2	ug/L	U	[NULL]	[NULL]	R	B086P7	75-34-3	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	3/11/1993 9:00	N	107-06-2	1,2-Dichloroethane	2	ug/L	U	[NULL]	[NULL]	R	B086P7	107-06-2	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	3/11/1993 9:00	N	ALKALINITY	Alkalinity	70000	ug/L	[NULL]	[NULL]	[NULL]	R	B086P7	ALKALINITY	DATACH	D1067A_ALKALINITY	100-NR-2
199-N-76	3/11/1993 9:00	Y	7440-36-0	Antimony	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B086P8	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/11/1993 9:00	N	14234-35-6	Antimony-125	-8.1	pCi/L	U	[NULL]	[NULL]	R	B086P7	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-76	3/11/1993 9:00	Y	7440-39-3	Barium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B086P8	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/11/1993 9:00	N	71-43-2	Benzene	0.5	ug/L	U	[NULL]	[NULL]	R	B086P7	71-43-2	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	3/11/1993 9:00	Y	7440-41-7	Beryllium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B086P8	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/11/1993 9:00	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B086P7	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	3/11/1993 9:00	Y	7440-43-9	Cadmium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B086P8	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/11/1993 9:00	Y	7440-70-2	Calcium	26000	ug/L	[NULL]	[NULL]	[NULL]	R	B086P8	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/11/1993 9:00	N	56-23-5	Carbon tetrachloride	2	ug/L	U	[NULL]	[NULL]	R	B086P7	56-23-5	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	3/11/1993 9:00	N	10045-97-3	Cesium-137	0.457	pCi/L	[NULL]	[NULL]	[NULL]	R	B086P7	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-76	3/11/1993 9:00	N	16887-00-6	Chloride	2500	ug/L	[NULL]	[NULL]	[NULL]	R	B086P7	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	3/11/1993 9:00	N	67-66-3	Chloroform	4.6	ug/L	[NULL]	[NULL]	[NULL]	R	B086P7	67-66-3	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	3/11/1993 9:00	Y	7440-47-3	Chromium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B086P8	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/11/1993 9:00	Y	7440-48-4	Cobalt	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B086P8	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/11/1993 9:00	N	10198-40-0	Cobalt-60	9.73	pCi/L	[NULL]	[NULL]	[NULL]	R	B086P7	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-76	3/11/1993 9:00	Y	7440-50-8	Copper	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B086P8	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/11/1993 9:00	N	100-41-4	Ethylbenzene	0.5	ug/L	U	[NULL]	[NULL]	R	B086P7	100-41-4	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	3/11/1993 9:00	N	16984-48-8	Fluoride	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B086P7	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	3/11/1993 9:00	N	12587-46-1	Gross alpha	0.747	pCi/L	[NULL]	[NULL]	[NULL]	R	B086P7	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	3/11/1993 9:00	N	12587-47-2	Gross beta	196	pCi/L	[NULL]	[NULL]	[NULL]	R	B086P7	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	3/11/1993 9:00	Y	7439-89-6	Iron	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B086P8	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/11/1993 9:00	Y	7439-95-4	Magnesium	4100	ug/L	[NULL]	[NULL]	[NULL]	R	B086P8	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/11/1993 9:00	Y	7439-96-5	Manganese	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B086P8	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/11/1993 9:00	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	B086P7	75-09-2	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	3/11/1993 9:00	Y	7440-02-0	Nickel	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B086P8	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/11/1993 9:00	N	14797-55-8	Nitrate	7900	ug/L	[NULL]	[NULL]	[NULL]	R	B086P7	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	3/11/1993 9:00	N	14797-65-0	Nitrite	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B086P7	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	3/11/1993 9:00	N	14265-44-2	Phosphate	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B086P7	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	3/11/1993 9:00	Y	7440-09-7	Potassium	1600	ug/L	[NULL]	[NULL]	[NULL]	R	B086P8	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/11/1993 9:00	N	13967-48-1	Ruthenium-106	-29.8	pCi/L	U	[NULL]	[NULL]	R	B086P7	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-76	3/11/1993 9:00	Y	7440-22-4	Silver	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B086P8	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/11/1993 9:00	Y	7440-23-5	Sodium	2500	ug/L	[NULL]	[NULL]	[NULL]	R	B086P8	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/11/1993 9:00	N	CONDUCT	Specific Conductance	186	uS/cm	[NULL]	[NULL]	[NULL]	R	B086P7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	3/11/1993 9:00	N	10098-97-2	Strontium-90	104	pCi/L	[NULL]	[NULL]	[NULL]	R	B086P7	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	3/11/1993 9:00	N	14808-79-8	Sulfate	13000	ug/L	[NULL]	[NULL]	[NULL]	R	B086P7	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	3/11/1993 9:00	N	TEMPERATURE	Temperature	20.1	Deg C	[NULL]	[NULL]	[NULL]	R	B086P7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	3/11/1993 9:00	N	127-18-4	Tetrachloroethene	0.5	ug/L	U	[NULL]	[NULL]	R	B086P7	127-18-4	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	3/11/1993 9:00	Y	7440-31-5	Tin	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B086P8	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/11/1993 9:00	N	108-88-3	Toluene	0.5	ug/L	U	[NULL]	[NULL]	R	B086P7	108-88-3	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	3/11/1993 9:00	N	79-01-6	Trichloroethene	0.5	ug/L	U	[NULL]	[NULL]	R	B086P7	79-01-6	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	3/11/1993 9:00	N	10028-17-8	Tritium	45300	pCi/L	[NULL]	[NULL]	[NULL]	R	B086P7	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-76	3/11/1993 9:00	Y	7440-62-2	Vanadium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B086P8	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/11/1993 9:00	N	1330-20-7	Xylenes (total)	0.5	ug/L	U	[NULL]	[NULL]	R	B086P7	1330-20-7	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	3/11/1993 9:00	Y	7440-66-6	Zinc	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B086P8	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/11/1993 9:00	N	156-59-2	cis-1,2-Dichloroethylene	0.5	ug/L	U	[NULL]	[NULL]	R	B086P7	156-59-2	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	3/11/1993 9:00	N	PH	pH Measurement	8.05	unitless	[NULL]	[NULL]	[NULL]	R	B086P7	PH	FIELD	9040_PH	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	3/11/1993 9:00	N	156-60-5	trans-1,2-Dichloroethylene	0.5	ug/L	U	[NULL]	[NULL]	R	B086P7	156-60-5	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	5/10/1993 10:00	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08J52	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/10/1993 10:00	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08J51	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/10/1993 10:00	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08J51	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/10/1993 10:00	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08J52	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/10/1993 10:00	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B08J52	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/10/1993 10:00	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B08J51	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/10/1993 10:00	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B08J52	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/10/1993 10:00	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B08J51	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/10/1993 10:00	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08J51	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/10/1993 10:00	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08J52	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/10/1993 10:00	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08J52	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/10/1993 10:00	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08J51	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/10/1993 10:00	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B08J52	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/10/1993 10:00	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B08J51	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/10/1993 10:00	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B08J52	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/10/1993 10:00	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B08J51	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/10/1993 10:00	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B08J52	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/10/1993 10:00	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B08J51	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/10/1993 10:00	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B08J52	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/10/1993 10:00	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B08J51	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/10/1993 10:00	N	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B08J51	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	Y	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B08J60	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	Y	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B08J59	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B08J52	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	14798-03-9	Ammonium ion	100	ug/L	U	[NULL]	[NULL]	R	B08J52	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-76	5/10/1993 10:00	N	14798-03-9	Ammonium ion	100	ug/L	U	[NULL]	[NULL]	R	B08J51	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-76	5/10/1993 10:00	Y	7440-36-0	Antimony	120	ug/L	L	Q	[NULL]	R	B08J59	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	7440-36-0	Antimony	130	ug/L	L	Q	[NULL]	R	B08J51	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	Y	7440-36-0	Antimony	85	ug/L	L	Q	[NULL]	R	B08J60	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	7440-36-0	Antimony	74	ug/L	L	Q	[NULL]	R	B08J52	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	14234-35-6	Antimony-125	23	pCi/L	[NULL]	[NULL]	[NULL]	R	B08J51	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-76	5/10/1993 10:00	N	14234-35-6	Antimony-125	-16.8	pCi/L	U	[NULL]	[NULL]	R	B08J52	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-76	5/10/1993 10:00	Y	7440-38-2	Arsenic	2	ug/L	L	[NULL]	[NULL]	R	B08J60	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-76	5/10/1993 10:00	N	7440-38-2	Arsenic	1	ug/L	U	[NULL]	[NULL]	R	B08J51	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-76	5/10/1993 10:00	N	7440-38-2	Arsenic	2	ug/L	L	[NULL]	[NULL]	R	B08J52	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-76	5/10/1993 10:00	Y	7440-38-2	Arsenic	2	ug/L	L	[NULL]	[NULL]	R	B08J59	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-76	5/10/1993 10:00	N	7440-39-3	Barium	16	ug/L	L	[NULL]	[NULL]	R	B08J52	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	7440-39-3	Barium	16	ug/L	L	[NULL]	[NULL]	R	B08J51	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	Y	7440-39-3	Barium	16	ug/L	L	[NULL]	[NULL]	R	B08J59	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	Y	7440-39-3	Barium	16	ug/L	L	[NULL]	[NULL]	R	B08J60	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	Y	7440-41-7	Beryllium	3	ug/L	U	Q	[NULL]	R	B08J60	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	7440-41-7	Beryllium	3	ug/L	U	Q	[NULL]	R	B08J52	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	7440-41-7	Beryllium	5	ug/L	[NULL]	QY	[NULL]	R	B08J51	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	Y	7440-41-7	Beryllium	3	ug/L	U	Q	[NULL]	R	B08J59	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B08J52	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	5/10/1993 10:00	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B08J51	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	5/10/1993 10:00	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B08J59	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B08J52	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B08J51	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B08J60	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	7440-70-2	Calcium	26000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J51	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	5/10/1993 10:00	Y	7440-70-2	Calcium	27000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J59	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	Y	7440-70-2	Calcium	27000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J60	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	7440-70-2	Calcium	27000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J52	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	10045-97-3	Cesium-137	0.155	pCi/L	U	[NULL]	[NULL]	R	B08J51	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-76	5/10/1993 10:00	N	10045-97-3	Cesium-137	2.95	pCi/L	U	[NULL]	[NULL]	R	B08J52	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-76	5/10/1993 10:00	N	16887-00-6	Chloride	2500	ug/L	[NULL]	[NULL]	[NULL]	R	B08J51	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	5/10/1993 10:00	N	16887-00-6	Chloride	2400	ug/L	[NULL]	[NULL]	[NULL]	R	B08J52	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	5/10/1993 10:00	N	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B08J51	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	7440-47-3	Chromium	7.4	ug/L	L	[NULL]	[NULL]	R	B08J52	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	Y	7440-47-3	Chromium	8.8	ug/L	L	[NULL]	[NULL]	R	B08J59	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B08J60	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	7440-48-4	Cobalt	6.5	ug/L	L	[NULL]	[NULL]	R	B08J52	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B08J59	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B08J51	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B08J60	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	10198-40-0	Cobalt-60	5.54	pCi/L	U	[NULL]	[NULL]	R	B08J52	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-76	5/10/1993 10:00	N	10198-40-0	Cobalt-60	5.93	pCi/L	U	[NULL]	[NULL]	R	B08J51	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-76	5/10/1993 10:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B08J51	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-76	5/10/1993 10:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B08J52	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-76	5/10/1993 10:00	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B08J52	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B08J51	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B08J59	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B08J60	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B08J51	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/10/1993 10:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B08J52	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/10/1993 10:00	N	16984-48-8	Fluoride	100	ug/L	[NULL]	[NULL]	[NULL]	R	B08J52	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	5/10/1993 10:00	N	16984-48-8	Fluoride	100	ug/L	[NULL]	[NULL]	[NULL]	R	B08J51	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	5/10/1993 10:00	N	12587-46-1	Gross alpha	0.359	pCi/L	U	[NULL]	[NULL]	R	B08J52	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	5/10/1993 10:00	N	12587-46-1	Gross alpha	0.151	pCi/L	U	[NULL]	[NULL]	R	B08J51	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	5/10/1993 10:00	N	12587-47-2	Gross beta	185	pCi/L	[NULL]	[NULL]	[NULL]	R	B08J51	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	5/10/1993 10:00	N	12587-47-2	Gross beta	196	pCi/L	[NULL]	[NULL]	[NULL]	R	B08J52	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	5/10/1993 10:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B08J52	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-76	5/10/1993 10:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B08J51	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-76	5/10/1993 10:00	Y	7439-89-6	Iron	40	ug/L	[NULL]	[NULL]	[NULL]	R	B08J59	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	Y	7439-89-6	Iron	40	ug/L	[NULL]	[NULL]	[NULL]	R	B08J60	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	7439-89-6	Iron	70	ug/L	[NULL]	[NULL]	[NULL]	R	B08J51	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	7439-89-6	Iron	70	ug/L	[NULL]	[NULL]	[NULL]	R	B08J52	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B08J51	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-76	5/10/1993 10:00	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B08J60	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-76	5/10/1993 10:00	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B08J59	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-76	5/10/1993 10:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B08J52	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-76	5/10/1993 10:00	N	7439-95-4	Magnesium	4200	ug/L	[NULL]	[NULL]	[NULL]	R	B08J52	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	Y	7439-95-4	Magnesium	4300	ug/L	[NULL]	[NULL]	[NULL]	R	B08J60	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	7439-95-4	Magnesium	4200	ug/L	[NULL]	[NULL]	[NULL]	R	B08J51	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	Y	7439-95-4	Magnesium	4200	ug/L	[NULL]	[NULL]	[NULL]	R	B08J59	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	Y	7439-96-5	Manganese	1.8	ug/L	L	[NULL]	[NULL]	R	B08J59	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	Y	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B08J60	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	7439-96-5	Manganese	1.8	ug/L	L	[NULL]	[NULL]	R	B08J52	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	7439-96-5	Manganese	2.4	ug/L	L	[NULL]	[NULL]	R	B08J51	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B08J51	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-76	5/10/1993 10:00	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B08J52	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	5/10/1993 10:00	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B08J59	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-76	5/10/1993 10:00	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B08J60	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-76	5/10/1993 10:00	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B08J51	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B08J60	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B08J59	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B08J52	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	14797-55-8	Nitrate	7500	ug/L	[NULL]	[NULL]	[NULL]	R	B08J51	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	5/10/1993 10:00	N	14797-55-8	Nitrate	7600	ug/L	[NULL]	[NULL]	[NULL]	R	B08J52	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	5/10/1993 10:00	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B08J51	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	5/10/1993 10:00	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B08J52	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	5/10/1993 10:00	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B08J51	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/10/1993 10:00	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B08J52	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/10/1993 10:00	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B08J52	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/10/1993 10:00	N	108-95-2	Phenol	1	ug/L	[NULL]	[NULL]	[NULL]	R	B08J51	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/10/1993 10:00	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B08J51	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	5/10/1993 10:00	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B08J52	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	5/10/1993 10:00	N	7440-09-7	Potassium	2000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J51	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	Y	7440-09-7	Potassium	1000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J60	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	Y	7440-09-7	Potassium	2000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J59	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	7440-09-7	Potassium	2000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J52	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	7440-14-4	Radium	0.107	pCi/L	U	[NULL]	[NULL]	R	B08J52	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-76	5/10/1993 10:00	N	7440-14-4	Radium	0.008	pCi/L	U	[NULL]	[NULL]	R	B08J51	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-76	5/10/1993 10:00	N	13967-48-1	Ruthenium-106	59.5	pCi/L	[NULL]	[NULL]	[NULL]	R	B08J52	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-76	5/10/1993 10:00	N	13967-48-1	Ruthenium-106	18.1	pCi/L	U	[NULL]	[NULL]	R	B08J51	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-76	5/10/1993 10:00	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B08J51	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-76	5/10/1993 10:00	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B08J60	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-76	5/10/1993 10:00	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B08J59	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-76	5/10/1993 10:00	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B08J52	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-76	5/10/1993 10:00	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B08J59	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B08J51	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B08J60	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B08J52	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	Y	7440-23-5	Sodium	2600	ug/L	[NULL]	Q	[NULL]	R	B08J60	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	Y	7440-23-5	Sodium	2600	ug/L	[NULL]	Q	[NULL]	R	B08J59	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	7440-23-5	Sodium	2700	ug/L	[NULL]	Q	[NULL]	R	B08J51	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	7440-23-5	Sodium	2700	ug/L	[NULL]	Q	[NULL]	R	B08J52	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	CONDUCT	Specific Conductance	181	uS/cm	[NULL]	[NULL]	[NULL]	R	B08J54	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	5/10/1993 10:00	N	CONDUCT	Specific Conductance	180	uS/cm	[NULL]	[NULL]	[NULL]	R	B08J43	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-76	5/10/1993 10:00	N	CONDUCT	Specific Conductance	181	uS/cm	[NULL]	[NULL]	[NULL]	R	B08J53	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	5/10/1993 10:00	N	CONDUCT	Specific Conductance	181	uS/cm	[NULL]	[NULL]	[NULL]	R	B08J51	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	5/10/1993 10:00	N	CONDUCT	Specific Conductance	181	uS/cm	[NULL]	[NULL]	[NULL]	R	B08J52	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	5/10/1993 10:00	N	CONDUCT	Specific Conductance	180	uS/cm	[NULL]	[NULL]	[NULL]	R	B08J44	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-76	5/10/1993 10:00	N	10098-97-2	Strontium-90	101	pCi/L	[NULL]	[NULL]	[NULL]	R	B08J51	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	5/10/1993 10:00	N	10098-97-2	Strontium-90	105	pCi/L	[NULL]	[NULL]	[NULL]	R	B08J52	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	5/10/1993 10:00	N	14808-79-8	Sulfate	13000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J52	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	5/10/1993 10:00	N	14808-79-8	Sulfate	13000	ug/L	[NULL]	[NULL]	[NULL]	R	B08J51	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	5/10/1993 10:00	N	TEMPERATURE	Temperature	21.6	Deg C	[NULL]	[NULL]	[NULL]	R	B08J51	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	5/10/1993 10:00	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B08J52	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/10/1993 10:00	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B08J51	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/10/1993 10:00	Y	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B08J60	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	Y	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B08J59	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B08J52	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B08J51	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B08J52	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/10/1993 10:00	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B08J51	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	5/10/1993 10:00	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B08J53	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	5/10/1993 10:00	N	TOC	Total organic carbon	200	ug/L	L	[NULL]	[NULL]	R	B08J58	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	5/10/1993 10:00	N	TOC	Total organic carbon	200	ug/L	L	[NULL]	[NULL]	R	B08J55	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	5/10/1993 10:00	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B08J56	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	5/10/1993 10:00	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B08J57	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	5/10/1993 10:00	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B08J52	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	5/10/1993 10:00	N	TOC	Total organic carbon	500	ug/L	L	[NULL]	[NULL]	R	B08J51	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	5/10/1993 10:00	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B08J54	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	5/10/1993 10:00	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B08J52	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-76	5/10/1993 10:00	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B08J55	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-76	5/10/1993 10:00	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B08J53	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-76	5/10/1993 10:00	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B08J54	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-76	5/10/1993 10:00	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B08J58	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-76	5/10/1993 10:00	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B08J57	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-76	5/10/1993 10:00	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B08J56	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-76	5/10/1993 10:00	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08J51	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-76	5/10/1993 10:00	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B08J52	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/10/1993 10:00	N	10028-17-8	Tritium	45800	pCi/L	[NULL]	[NULL]	[NULL]	R	B08J51	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/10/1993 10:00	N	10028-17-8	Tritium	45900	pCi/L	[NULL]	[NULL]	[NULL]	R	B08J52	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-76	5/10/1993 10:00	N	TURBIDITY	Turbidity	0.9	NTU	[NULL]	[NULL]	[NULL]	R	B08J51	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-76	5/10/1993 10:00	N	TURBIDITY	Turbidity	1	NTU	[NULL]	[NULL]	[NULL]	R	B08J51	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-76	5/10/1993 10:00	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B08J52	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-76	5/10/1993 10:00	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B08J52	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B08J59	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B08J60	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	7440-66-6	Zinc	30	ug/L	[NULL]	[NULL]	[NULL]	R	B08J51	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	7440-66-6	Zinc	20	ug/L	[NULL]	[NULL]	[NULL]	R	B08J52	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	Y	7440-66-6	Zinc	20	ug/L	[NULL]	[NULL]	[NULL]	R	B08J59	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	Y	7440-66-6	Zinc	20	ug/L	[NULL]	[NULL]	[NULL]	R	B08J60	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/10/1993 10:00	N	PH	pH Measurement	7.67	unitless	[NULL]	R	[NULL]	R	B08J54	PH	FIELD	9040_PH	100-NR-2
199-N-76	5/10/1993 10:00	N	PH	pH Measurement	7.65	unitless	[NULL]	R	[NULL]	R	B08J51	PH	FIELD	9040_PH	100-NR-2
199-N-76	5/10/1993 10:00	N	PH	pH Measurement	7.65	unitless	[NULL]	R	[NULL]	R	B08J52	PH	FIELD	9040_PH	100-NR-2
199-N-76	5/10/1993 10:00	N	PH	pH Measurement	7.67	unitless	[NULL]	R	[NULL]	R	B08J53	PH	FIELD	9040_PH	100-NR-2
199-N-76	5/10/1993 10:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	B08J44	PH	DATACH	D1293_PH	100-NR-2
199-N-76	5/10/1993 10:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	B08J43	PH	DATACH	D1293_PH	100-NR-2
199-N-76	8/18/1993 10:30	N	88-06-2	2,4,6-Trichlorophenol	1.45	ug/L	U	[NULL]	[NULL]	R	B090K8	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	8/18/1993 10:30	N	120-83-2	2,4-Dichlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B090K8	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	8/18/1993 10:30	N	105-67-9	2,4-Dimethylphenol	1.01	ug/L	U	[NULL]	[NULL]	R	B090K8	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	8/18/1993 10:30	N	51-28-5	2,4-Dinitrophenol	0.96	ug/L	U	[NULL]	[NULL]	R	B090K8	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	8/18/1993 10:30	N	87-65-0	2,6-Dichlorophenol	1.59	ug/L	U	[NULL]	[NULL]	R	B090K8	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	8/18/1993 10:30	N	95-57-8	2-Chlorophenol	1.42	ug/L	U	[NULL]	[NULL]	R	B090K8	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	8/18/1993 10:30	N	88-75-5	2-Nitrophenol	1.56	ug/L	U	[NULL]	[NULL]	R	B090K8	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	8/18/1993 10:30	N	534-52-1	4,6-Dinitro-2-methylphenol	1.18	ug/L	U	[NULL]	[NULL]	R	B090K8	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	8/18/1993 10:30	N	59-50-7	4-Chloro-3-methylphenol	1.12	ug/L	U	[NULL]	[NULL]	R	B090K8	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	8/18/1993 10:30	N	100-02-7	4-Nitrophenol	0.65	ug/L	U	[NULL]	[NULL]	R	B090K8	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	8/18/1993 10:30	Y	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B090L2	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	N	7429-90-5	Aluminum	39	ug/L	L	[NULL]	[NULL]	R	B090K8	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	N	14798-03-9	Ammonium ion	60	ug/L	L	Q	[NULL]	R	B090K8	14798-03-9	DATACH	D1426C_AMMONIUM	100-NR-2
199-N-76	8/18/1993 10:30	Y	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B090L2	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	N	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B090K8	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	N	14234-35-6	Antimony-125	10.6	pCi/L	U	[NULL]	[NULL]	R	B090K8	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-76	8/18/1993 10:30	N	14234-35-6	Antimony-125	12.6	pCi/L	[NULL]	[NULL]	[NULL]	R	B08Z30	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-76	8/18/1993 10:30	Y	7440-38-2	Arsenic	1.38	ug/L	U	[NULL]	[NULL]	R	B090L2	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	8/18/1993 10:30	N	7440-38-2	Arsenic	1.38	ug/L	U	[NULL]	[NULL]	R	B090K8	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-76	8/18/1993 10:30	Y	7440-39-3	Barium	17	ug/L	L	[NULL]	[NULL]	R	B090L2	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	N	7440-39-3	Barium	16	ug/L	L	[NULL]	[NULL]	R	B090K8	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	Y	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B090L2	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	N	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B090K8	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	N	24959-67-9	Bromide	52.8	ug/L	U	[NULL]	[NULL]	R	B090K8	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	8/18/1993 10:30	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B08Z30	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	8/18/1993 10:30	N	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B090K8	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	Y	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B090L2	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	Y	7440-70-2	Calcium	26000	ug/L	[NULL]	Q	[NULL]	R	B090L2	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	N	7440-70-2	Calcium	26000	ug/L	[NULL]	Q	[NULL]	R	B090K8	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	N	10045-97-3	Cesium-137	-4.8	pCi/L	U	[NULL]	[NULL]	R	B090K8	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-76	8/18/1993 10:30	N	10045-97-3	Cesium-137	2.6	pCi/L	[NULL]	[NULL]	[NULL]	R	B08Z30	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-76	8/18/1993 10:30	N	16887-00-6	Chloride	2400	ug/L	[NULL]	[NULL]	[NULL]	R	B08Z30	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	8/18/1993 10:30	N	16887-00-6	Chloride	2400	ug/L	[NULL]	[NULL]	[NULL]	R	B090K8	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	8/18/1993 10:30	Y	7440-47-3	Chromium	5.42	ug/L	U	[NULL]	[NULL]	R	B090L2	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	N	7440-47-3	Chromium	9.9	ug/L	L	[NULL]	[NULL]	R	B090K8	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	N	7440-48-4	Cobalt	4.05	ug/L	U	[NULL]	[NULL]	R	B090K8	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	Y	7440-48-4	Cobalt	4.05	ug/L	U	[NULL]	[NULL]	R	B090L2	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	N	10198-40-0	Cobalt-60	7.72	pCi/L	[NULL]	[NULL]	[NULL]	R	B090K8	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-76	8/18/1993 10:30	N	10198-40-0	Cobalt-60	7.43	pCi/L	[NULL]	[NULL]	[NULL]	R	B08Z30	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-76	8/18/1993 10:30	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B090K8	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-76	8/18/1993 10:30	Y	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B090L2	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	N	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B090K8	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1.35	ug/L	U	[NULL]	[NULL]	R	B090K8	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	8/18/1993 10:30	N	16984-48-8	Fluoride	100	ug/L	[NULL]	[NULL]	[NULL]	R	B08Z30	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	8/18/1993 10:30	N	16984-48-8	Fluoride	100	ug/L	[NULL]	[NULL]	[NULL]	R	B090K8	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	8/18/1993 10:30	N	12587-46-1	Gross alpha	0.525	pCi/L	[NULL]	[NULL]	[NULL]	R	B08Z30	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	8/18/1993 10:30	N	12587-46-1	Gross alpha	0.709	pCi/L	U	[NULL]	[NULL]	R	B090K8	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	8/18/1993 10:30	N	12587-47-2	Gross beta	181	pCi/L	[NULL]	[NULL]	[NULL]	R	B08Z30	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	8/18/1993 10:30	N	12587-47-2	Gross beta	185	pCi/L	[NULL]	[NULL]	[NULL]	R	B090K8	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	8/18/1993 10:30	N	302-01-2	Hydrazine	1.89	ug/L	U	[NULL]	[NULL]	R	B090K8	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-76	8/18/1993 10:30	N	7439-89-6	Iron	68	ug/L	[NULL]	[NULL]	[NULL]	R	B090K8	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	Y	7439-89-6	Iron	10.3	ug/L	U	[NULL]	[NULL]	R	B090L2	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	Y	7439-92-1	Lead	0.508	ug/L	U	[NULL]	[NULL]	R	B090L2	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-76	8/18/1993 10:30	N	7439-92-1	Lead	0.508	ug/L	U	[NULL]	[NULL]	R	B090K8	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-76	8/18/1993 10:30	Y	7439-95-4	Magnesium	4100	ug/L	[NULL]	[NULL]	[NULL]	R	B090L2	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	N	7439-95-4	Magnesium	4100	ug/L	[NULL]	[NULL]	[NULL]	R	B090K8	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	Y	7439-96-5	Manganese	1.35	ug/L	U	[NULL]	[NULL]	R	B090L2	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	N	7439-96-5	Manganese	1.6	ug/L	L	[NULL]	[NULL]	R	B090K8	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	Y	7439-97-6	Mercury	0.158	ug/L	U	[NULL]	[NULL]	R	B090L2	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-76	8/18/1993 10:30	N	7439-97-6	Mercury	0.158	ug/L	U	[NULL]	[NULL]	R	B090K8	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-76	8/18/1993 10:30	N	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B090K8	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	Y	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B090L2	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	N	14797-55-8	Nitrate	7800	ug/L	[NULL]	[NULL]	[NULL]	R	B090K8	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	8/18/1993 10:30	N	14797-55-8	Nitrate	7900	ug/L	[NULL]	[NULL]	[NULL]	R	B08Z30	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	8/18/1993 10:30	N	14797-65-0	Nitrite	38.3	ug/L	U	[NULL]	[NULL]	R	B090K8	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	8/18/1993 10:30	N	14797-65-0	Nitrite	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B08Z30	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	8/18/1993 10:30	N	87-86-5	Pentachlorophenol	0.87	ug/L	U	[NULL]	[NULL]	R	B090K8	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	8/18/1993 10:30	N	108-95-2	Phenol	0.31	ug/L	U	[NULL]	[NULL]	R	B090K8	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	8/18/1993 10:30	N	14265-44-2	Phosphate	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B08Z30	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	8/18/1993 10:30	N	14265-44-2	Phosphate	147	ug/L	U	[NULL]	[NULL]	R	B090K8	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	8/18/1993 10:30	N	7440-09-7	Potassium	662	ug/L	U	F	[NULL]	R	B090K8	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	8/18/1993 10:30	Y	7440-09-7	Potassium	1900	ug/L	[NULL]	F	[NULL]	R	B090L2	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	N	7440-14-4	Radium	0.112	pCi/L	U	[NULL]	[NULL]	R	B090K8	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-76	8/18/1993 10:30	N	13967-48-1	Ruthenium-106	23.9	pCi/L	[NULL]	[NULL]	[NULL]	R	B08Z30	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-76	8/18/1993 10:30	N	13967-48-1	Ruthenium-106	12.9	pCi/L	U	[NULL]	[NULL]	R	B090K8	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-76	8/18/1993 10:30	Y	7782-49-2	Selenium	1.21	ug/L	U	[NULL]	[NULL]	R	B090L2	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-76	8/18/1993 10:30	N	7782-49-2	Selenium	1.21	ug/L	U	[NULL]	[NULL]	R	B090K8	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-76	8/18/1993 10:30	N	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B090K8	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	Y	7440-22-4	Silver	2.9	ug/L	L	[NULL]	[NULL]	R	B090L2	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	Y	7440-23-5	Sodium	2700	ug/L	[NULL]	[NULL]	[NULL]	R	B090L2	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	N	7440-23-5	Sodium	2700	ug/L	[NULL]	[NULL]	[NULL]	R	B090K8	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	N	CONDUCT	Specific Conductance	180	uS/cm	[NULL]	[NULL]	[NULL]	R	B090F9	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-76	8/18/1993 10:30	N	CONDUCT	Specific Conductance	199	uS/cm	[NULL]	[NULL]	[NULL]	R	B090K9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	8/18/1993 10:30	N	CONDUCT	Specific Conductance	202	uS/cm	[NULL]	[NULL]	[NULL]	R	B090K8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	8/18/1993 10:30	N	CONDUCT	Specific Conductance	198	uS/cm	[NULL]	[NULL]	[NULL]	R	B090L0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	8/18/1993 10:30	N	CONDUCT	Specific Conductance	199	uS/cm	[NULL]	[NULL]	[NULL]	R	B090L1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	8/18/1993 10:30	N	10098-97-2	Strontium-90	102	pCi/L	[NULL]	[NULL]	[NULL]	R	B090K8	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	8/18/1993 10:30	N	10098-97-2	Strontium-90	103	pCi/L	[NULL]	[NULL]	[NULL]	R	B08Z30	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	8/18/1993 10:30	N	14808-79-8	Sulfate	14000	ug/L	[NULL]	[NULL]	[NULL]	R	B090K8	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	8/18/1993 10:30	N	14808-79-8	Sulfate	13000	ug/L	[NULL]	[NULL]	[NULL]	R	B08Z30	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	8/18/1993 10:30	N	TEMPERATURE	Temperature	20.9	Deg C	[NULL]	[NULL]	[NULL]	R	B090K8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	8/18/1993 10:30	N	25167-83-3	Tetrachlorophenol	1.05	ug/L	U	[NULL]	[NULL]	R	B090K8	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	8/18/1993 10:30	Y	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B090L2	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	N	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B090K8	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	N	1319-77-3	Total cresols	4.66	ug/L	U	[NULL]	[NULL]	R	B090K8	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	8/18/1993 10:30	N	TOC	Total organic carbon	200	ug/L	U	[NULL]	[NULL]	R	B090K9	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	8/18/1993 10:30	N	TOC	Total organic carbon	200	ug/L	L	[NULL]	[NULL]	R	B090L1	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	8/18/1993 10:30	N	TOC	Total organic carbon	200	ug/L	L	[NULL]	[NULL]	R	B090L0	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	8/18/1993 10:30	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B090K8	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	8/18/1993 10:30	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B090K8	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-76	8/18/1993 10:30	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B090L1	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-76	8/18/1993 10:30	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B090K9	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-76	8/18/1993 10:30	N	59473-04-0	Total organic halides	9	ug/L	L	Y	[NULL]	R	B090L0	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-76	8/18/1993 10:30	N	25167-82-2	Trichlorophenol	1.11	ug/L	U	[NULL]	[NULL]	R	B090K8	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	8/18/1993 10:30	N	10028-17-8	Tritium	18300	pCi/L	[NULL]	F	[NULL]	R	B090K8	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-76	8/18/1993 10:30	N	10028-17-8	Tritium	46600	pCi/L	[NULL]	[NULL]	[NULL]	R	B08Z30	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-76	8/18/1993 10:30	N	TURBIDITY	Turbidity	0.8	NTU	[NULL]	[NULL]	[NULL]	R	B090K8	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-76	8/18/1993 10:30	N	7440-62-2	Vanadium	3.84	ug/L	U	[NULL]	[NULL]	R	B090K8	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	Y	7440-62-2	Vanadium	6.1	ug/L	L	[NULL]	[NULL]	R	B090L2	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	N	7440-66-6	Zinc	10	ug/L	[NULL]	[NULL]	[NULL]	R	B090K8	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	Y	7440-66-6	Zinc	7.2	ug/L	L	[NULL]	[NULL]	R	B090L2	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	8/18/1993 10:30	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	B090L1	PH	FIELD	9040_PH	100-NR-2
199-N-76	8/18/1993 10:30	N	PH	pH Measurement	8.19	unitless	[NULL]	[NULL]	[NULL]	R	B090L0	PH	FIELD	9040_PH	100-NR-2
199-N-76	8/18/1993 10:30	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	B090F9	PH	DATACH	D1293_PH	100-NR-2
199-N-76	8/18/1993 10:30	N	PH	pH Measurement	8.19	unitless	[NULL]	[NULL]	[NULL]	R	B090K8	PH	FIELD	9040_PH	100-NR-2
199-N-76	8/18/1993 10:30	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	B090K9	PH	FIELD	9040_PH	100-NR-2
199-N-76	11/11/1993 8:30	N	88-06-2	2,4,6-Trichlorophenol	1.45	ug/L	U	[NULL]	[NULL]	R	B09L10	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	11/11/1993 8:30	N	120-83-2	2,4-Dichlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B09L10	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	11/11/1993 8:30	N	105-67-9	2,4-Dimethylphenol	1.01	ug/L	U	[NULL]	[NULL]	R	B09L10	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	11/11/1993 8:30	N	51-28-5	2,4-Dinitrophenol	0.96	ug/L	U	[NULL]	[NULL]	R	B09L10	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	11/11/1993 8:30	N	87-65-0	2,6-Dichlorophenol	1.59	ug/L	U	[NULL]	[NULL]	R	B09L10	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	11/11/1993 8:30	N	95-57-8	2-Chlorophenol	1.42	ug/L	U	[NULL]	[NULL]	R	B09L10	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	11/11/1993 8:30	N	88-75-5	2-Nitrophenol	1.56	ug/L	U	[NULL]	[NULL]	R	B09L10	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	11/11/1993 8:30	N	534-52-1	4,6-Dinitro-2-methylphenol	1.18	ug/L	U	[NULL]	[NULL]	R	B09L10	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	11/11/1993 8:30	N	59-50-7	4-Chloro-3-methylphenol	1.12	ug/L	U	[NULL]	[NULL]	R	B09L10	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	11/11/1993 8:30	N	100-02-7	4-Nitrophenol	0.65	ug/L	U	[NULL]	[NULL]	R	B09L10	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	11/11/1993 8:30	Y	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B09L14	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	N	7429-90-5	Aluminum	81	ug/L	L	[NULL]	[NULL]	R	B09L10	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	N	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B09L10	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	Y	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B09L14	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	N	14234-35-6	Antimony-125	16.2	pCi/L	[NULL]	[NULL]	[NULL]	R	B09L10	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-76	11/11/1993 8:30	N	7440-38-2	Arsenic	1.38	ug/L	U	[NULL]	[NULL]	R	B09L10	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-76	11/11/1993 8:30	Y	7440-38-2	Arsenic	2	ug/L	L	[NULL]	[NULL]	R	B09L14	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-76	11/11/1993 8:30	Y	7440-39-3	Barium	16	ug/L	LB	Q	[NULL]	R	B09L14	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	N	7440-39-3	Barium	19	ug/L	LB	Q	[NULL]	R	B09L10	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	N	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B09L10	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	Y	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B09L14	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	N	24959-67-9	Bromide	52.8	ug/L	U	[NULL]	[NULL]	R	B09L10	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	11/11/1993 8:30	Y	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B09L14	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	N	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B09L10	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	N	7440-70-2	Calcium	28000	ug/L	B	Q	[NULL]	R	B09L10	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	Y	7440-70-2	Calcium	28000	ug/L	B	Q	[NULL]	R	B09L14	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	N	10045-97-3	Cesium-137	4.42	pCi/L	U	[NULL]	[NULL]	R	B09L10	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-76	11/11/1993 8:30	N	16887-00-6	Chloride	1900	ug/L	B	[NULL]	[NULL]	R	B09L10	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	11/11/1993 8:30	N	7440-47-3	Chromium	28	ug/L	[NULL]	[NULL]	[NULL]	R	B09L10	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	Y	7440-47-3	Chromium	5.42	ug/L	U	[NULL]	[NULL]	R	B09L14	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	N	7440-48-4	Cobalt	4.05	ug/L	U	Q	[NULL]	R	B09L10	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	Y	7440-48-4	Cobalt	4.05	ug/L	U	Q	[NULL]	R	B09L14	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	N	10198-40-0	Cobalt-60	-1.22	pCi/L	U	[NULL]	[NULL]	R	B09L10	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-76	11/11/1993 8:30	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B09L10	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-76	11/11/1993 8:30	Y	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B09L14	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	N	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B09L10	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1.35	ug/L	U	[NULL]	[NULL]	R	B09L10	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	11/11/1993 8:30	N	16984-48-8	Fluoride	100	ug/L	[NULL]	[NULL]	[NULL]	R	B09L10	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	11/11/1993 8:30	N	12587-46-1	Gross alpha	0.476	pCi/L	U	[NULL]	[NULL]	R	B09L10	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	11/11/1993 8:30	N	12587-47-2	Gross beta	156	pCi/L	[NULL]	[NULL]	[NULL]	R	B09L10	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	11/11/1993 8:30	N	302-01-2	Hydrazine	1.89	ug/L	U	[NULL]	[NULL]	R	B09L10	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-76	11/11/1993 8:30	N	7439-89-6	Iron	340	ug/L	B	[NULL]	[NULL]	R	B09L10	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	Y	7439-89-6	Iron	12	ug/L	LB	[NULL]	[NULL]	R	B09L14	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	N	7439-92-1	Lead	0.9	ug/L	L	[NULL]	[NULL]	R	B09L10	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-76	11/11/1993 8:30	Y	7439-92-1	Lead	0.65	ug/L	L	[NULL]	[NULL]	R	B09L14	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-76	11/11/1993 8:30	Y	7439-95-4	Magnesium	4600	ug/L	[NULL]	[NULL]	[NULL]	R	B09L14	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	N	7439-95-4	Magnesium	4600	ug/L	[NULL]	[NULL]	[NULL]	R	B09L10	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	Y	7439-96-5	Manganese	1.35	ug/L	U	[NULL]	[NULL]	R	B09L14	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	N	7439-96-5	Manganese	7.8	ug/L	L	[NULL]	[NULL]	R	B09L10	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	N	7439-97-6	Mercury	0.158	ug/L	U	[NULL]	[NULL]	R	B09L10	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-76	11/11/1993 8:30	Y	7439-97-6	Mercury	0.158	ug/L	U	[NULL]	[NULL]	R	B09L14	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-76	11/11/1993 8:30	N	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B09L10	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	Y	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B09L14	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	N	14797-55-8	Nitrate	8300	ug/L	B	[NULL]	[NULL]	R	B09L10	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	11/11/1993 8:30	N	14797-65-0	Nitrite	38.3	ug/L	U	[NULL]	[NULL]	R	B09L10	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	11/11/1993 8:30	N	87-86-5	Pentachlorophenol	0.87	ug/L	U	[NULL]	[NULL]	R	B09L10	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	11/11/1993 8:30	N	108-95-2	Phenol	0.31	ug/L	U	[NULL]	[NULL]	R	B09L10	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	11/11/1993 8:30	N	14265-44-2	Phosphate	147	ug/L	U	[NULL]	[NULL]	R	B09L10	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	11/11/1993 8:30	N	7440-09-7	Potassium	1200	ug/L	[NULL]	[NULL]	[NULL]	R	B09L10	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	Y	7440-09-7	Potassium	1300	ug/L	[NULL]	[NULL]	[NULL]	R	B09L14	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	N	7440-14-4	Radium	0.049	pCi/L	U	[NULL]	[NULL]	R	B09L10	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-76	11/11/1993 8:30	N	13967-48-1	Ruthenium-106	-41.6	pCi/L	U	[NULL]	[NULL]	R	B09L10	13967-48-1	ITASRL	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	11/11/1993 8:30	N	7782-49-2	Selenium	2	ug/L	L	[NULL]	[NULL]	R	B09L10	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-76	11/11/1993 8:30	Y	7782-49-2	Selenium	1.21	ug/L	U	[NULL]	[NULL]	R	B09L14	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-76	11/11/1993 8:30	Y	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B09L14	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	N	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B09L10	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	N	7440-23-5	Sodium	3000	ug/L	B	Q	[NULL]	R	B09L10	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	Y	7440-23-5	Sodium	3100	ug/L	B	Q	[NULL]	R	B09L14	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	N	CONDUCT	Specific Conductance	180	uS/cm	[NULL]	[NULL]	[NULL]	R	B09L10	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-76	11/11/1993 8:30	N	CONDUCT	Specific Conductance	180	uS/cm	[NULL]	[NULL]	[NULL]	R	B09L11	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-76	11/11/1993 8:30	N	CONDUCT	Specific Conductance	180	uS/cm	[NULL]	[NULL]	[NULL]	R	B09L12	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-76	11/11/1993 8:30	N	CONDUCT	Specific Conductance	180	uS/cm	[NULL]	[NULL]	[NULL]	R	B09L13	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-76	11/11/1993 8:30	N	CONDUCT	Specific Conductance	179	uS/cm	[NULL]	[NULL]	[NULL]	R	B09L12	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	11/11/1993 8:30	N	CONDUCT	Specific Conductance	178	uS/cm	[NULL]	[NULL]	[NULL]	R	B09L13	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	11/11/1993 8:30	N	CONDUCT	Specific Conductance	179	uS/cm	[NULL]	[NULL]	[NULL]	R	B09L10	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	11/11/1993 8:30	N	CONDUCT	Specific Conductance	176	uS/cm	[NULL]	[NULL]	[NULL]	R	B09L11	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	11/11/1993 8:30	N	10098-97-2	Strontium-90	59.1	pCi/L	[NULL]	[NULL]	[NULL]	R	B09L10	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	11/11/1993 8:30	N	14808-79-8	Sulfate	11000	ug/L	D	[NULL]	[NULL]	R	B09L10	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	11/11/1993 8:30	N	TEMPERATURE	Temperature	18.8	Deg C	[NULL]	[NULL]	[NULL]	R	B09L10	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	11/11/1993 8:30	N	25167-83-3	Tetrachlorophenol	1.05	ug/L	U	[NULL]	[NULL]	R	B09L10	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	11/11/1993 8:30	N	7440-31-5	Tin	51.1	ug/L	U	Q	[NULL]	R	B09L10	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	Y	7440-31-5	Tin	51.1	ug/L	U	Q	[NULL]	R	B09L14	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	N	1319-77-3	Total cresols	4.66	ug/L	U	[NULL]	[NULL]	R	B09L10	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	11/11/1993 8:30	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B09L11	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	11/11/1993 8:30	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B09L10	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	11/11/1993 8:30	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B09L13	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	11/11/1993 8:30	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B09L12	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	11/11/1993 8:30	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B09L13	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-76	11/11/1993 8:30	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B09L11	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-76	11/11/1993 8:30	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B09L10	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-76	11/11/1993 8:30	N	59473-04-0	Total organic halides	8	ug/L	U	Y	[NULL]	R	B09L12	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-76	11/11/1993 8:30	N	25167-82-2	Trichlorophenol	1.11	ug/L	U	[NULL]	[NULL]	R	B09L10	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	11/11/1993 8:30	N	10028-17-8	Tritium	50300	pCi/L	[NULL]	[NULL]	[NULL]	R	B09L10	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-76	11/11/1993 8:30	N	TURBIDITY	Turbidity	3.5	NTU	[NULL]	Q	[NULL]	R	B09L10	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-76	11/11/1993 8:30	Y	7440-62-2	Vanadium	3.84	ug/L	U	[NULL]	[NULL]	R	B09L14	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	N	7440-62-2	Vanadium	3.84	ug/L	U	[NULL]	[NULL]	R	B09L10	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	N	7440-66-6	Zinc	22	ug/L	[NULL]	[NULL]	[NULL]	R	B09L10	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	Y	7440-66-6	Zinc	3.44	ug/L	U	[NULL]	[NULL]	R	B09L14	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	11/11/1993 8:30	N	PH	pH Measurement	8.09	unitless	[NULL]	[NULL]	[NULL]	R	B09L13	PH	FIELD	9040_PH	100-NR-2
199-N-76	11/11/1993 8:30	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	B09L10	PH	DATACH	D1293_PH	100-NR-2
199-N-76	11/11/1993 8:30	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	B09L11	PH	DATACH	D1293_PH	100-NR-2
199-N-76	11/11/1993 8:30	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	B09L12	PH	DATACH	D1293_PH	100-NR-2
199-N-76	11/11/1993 8:30	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	B09L13	PH	DATACH	D1293_PH	100-NR-2
199-N-76	11/11/1993 8:30	N	PH	pH Measurement	8.09	unitless	[NULL]	[NULL]	[NULL]	R	B09L10	PH	FIELD	9040_PH	100-NR-2
199-N-76	11/11/1993 8:30	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B09L12	PH	FIELD	9040_PH	100-NR-2
199-N-76	11/11/1993 8:30	N	PH	pH Measurement	8.09	unitless	[NULL]	[NULL]	[NULL]	R	B09L11	PH	FIELD	9040_PH	100-NR-2
199-N-76	2/28/1994 8:30	N	71-55-6	1,1,1-Trichloroethane	2	ug/L	U	[NULL]	[NULL]	R	B09RN1	71-55-6	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	2/28/1994 8:30	N	75-34-3	1,1-Dichloroethane	2	ug/L	U	[NULL]	[NULL]	R	B09RN1	75-34-3	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	2/28/1994 8:30	N	107-06-2	1,2-Dichloroethane	2	ug/L	U	[NULL]	[NULL]	R	B09RN1	107-06-2	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	2/28/1994 8:30	N	88-06-2	2,4,6-Trichlorophenol	1.45	ug/L	U	[NULL]	[NULL]	R	B09TV6	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	2/28/1994 8:30	N	120-83-2	2,4-Dichlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B09TV6	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	2/28/1994 8:30	N	105-67-9	2,4-Dimethylphenol	1.01	ug/L	U	[NULL]	[NULL]	R	B09TV6	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	2/28/1994 8:30	N	51-28-5	2,4-Dinitrophenol	0.96	ug/L	U	[NULL]	[NULL]	R	B09TV6	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	2/28/1994 8:30	N	87-65-0	2,6-Dichlorophenol	1.59	ug/L	U	[NULL]	[NULL]	R	B09TV6	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	2/28/1994 8:30	N	95-57-8	2-Chlorophenol	1.42	ug/L	U	[NULL]	[NULL]	R	B09TV6	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	2/28/1994 8:30	N	88-75-5	2-Nitrophenol	1.56	ug/L	U	[NULL]	[NULL]	R	B09TV6	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	2/28/1994 8:30	N	534-52-1	4,6-Dinitro-2-methylphenol	1.18	ug/L	U	[NULL]	[NULL]	R	B09TV6	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	2/28/1994 8:30	N	59-50-7	4-Chloro-3-methylphenol	1.12	ug/L	U	[NULL]	[NULL]	R	B09TV6	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	2/28/1994 8:30	N	100-02-7	4-Nitrophenol	0.65	ug/L	U	[NULL]	[NULL]	R	B09TV6	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	2/28/1994 8:30	N	ALKALINITY	Alkalinity	70000	ug/L	B	[NULL]	[NULL]	R	B09RN1	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-76	2/28/1994 8:30	N	7429-90-5	Aluminum	42	ug/L	L	[NULL]	[NULL]	R	B09TV6	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	Y	7429-90-5	Aluminum	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B09RN2	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	Y	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B09TW0	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	N	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B09TV6	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	Y	7440-36-0	Antimony	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B09RN2	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	Y	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B09TW0	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	N	14234-35-6	Antimony-125	21.3	pCi/L	[NULL]	[NULL]	[NULL]	R	B09RN1	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-76	2/28/1994 8:30	N	14234-35-6	Antimony-125	14.9	pCi/L	U	[NULL]	[NULL]	R	B09TV6	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-76	2/28/1994 8:30	N	7440-38-2	Arsenic	1.38	ug/L	U	[NULL]	[NULL]	R	B09TV6	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-76	2/28/1994 8:30	Y	7440-38-2	Arsenic	1.38	ug/L	U	[NULL]	[NULL]	R	B09TW0	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-76	2/28/1994 8:30	N	7440-39-3	Barium	17	ug/L	L	[NULL]	[NULL]	R	B09TV6	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	Y	7440-39-3	Barium	16	ug/L	L	[NULL]	[NULL]	R	B09TW0	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	Y	7440-39-3	Barium	16	ug/L	L	[NULL]	[NULL]	R	B09RN2	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	N	71-43-2	Benzene	0.5	ug/L	U	[NULL]	[NULL]	R	B09RN1	71-43-2	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	2/28/1994 8:30	Y	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B09TW0	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	N	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B09TV6	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	Y	7440-41-7	Beryllium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B09RN2	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	N	24959-67-9	Bromide	52.8	ug/L	U	[NULL]	[NULL]	R	B09TV6	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	2/28/1994 8:30	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B09RN1	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	2/28/1994 8:30	Y	7440-43-9	Cadmium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B09RN2	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	N	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B09TV6	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	Y	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B09TW0	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	N	7440-70-2	Calcium	27000	ug/L	[NULL]	[NULL]	[NULL]	R	B09TV6	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	Y	7440-70-2	Calcium	27000	ug/L	[NULL]	[NULL]	[NULL]	R	B09RN2	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	Y	7440-70-2	Calcium	27000	ug/L	[NULL]	[NULL]	[NULL]	R	B09TW0	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	N	56-23-5	Carbon tetrachloride	2	ug/L	U	[NULL]	[NULL]	R	B09RN1	56-23-5	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	2/28/1994 8:30	N	10045-97-3	Cesium-137	-3.87	pCi/L	U	[NULL]	[NULL]	R	B09RN1	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-76	2/28/1994 8:30	N	10045-97-3	Cesium-137	1.01	pCi/L	U	[NULL]	[NULL]	R	B09TV6	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-76	2/28/1994 8:30	N	16887-00-6	Chloride	1700	ug/L	[NULL]	[NULL]	[NULL]	R	B09RN1	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	2/28/1994 8:30	N	16887-00-6	Chloride	1900	ug/L	[NULL]	[NULL]	[NULL]	R	B09TV6	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	2/28/1994 8:30	N	67-66-3	Chloroform	5	ug/L	[NULL]	[NULL]	[NULL]	R	B09RN1	67-66-3	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	2/28/1994 8:30	Y	7440-47-3	Chromium	5.42	ug/L	U	[NULL]	[NULL]	R	B09TW0	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	N	7440-47-3	Chromium	21	ug/L	[NULL]	[NULL]	[NULL]	R	B09TV6	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	Y	7440-47-3	Chromium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B09RN2	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	Y	7440-48-4	Cobalt	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B09RN2	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	Y	7440-48-4	Cobalt	4.05	ug/L	U	[NULL]	[NULL]	R	B09TW0	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	N	7440-48-4	Cobalt	4.05	ug/L	U	[NULL]	[NULL]	R	B09TV6	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	N	10198-40-0	Cobalt-60	4.5	pCi/L	[NULL]	[NULL]	[NULL]	R	B09RN1	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-76	2/28/1994 8:30	N	10198-40-0	Cobalt-60	9.27	pCi/L	[NULL]	[NULL]	[NULL]	R	B09TV6	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-76	2/28/1994 8:30	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B09TV6	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-76	2/28/1994 8:30	N	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B09TV6	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	Y	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B09TW0	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	Y	7440-50-8	Copper	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B09RN2	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1.35	ug/L	U	[NULL]	[NULL]	R	B09TV6	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	2/28/1994 8:30	N	100-41-4	Ethylbenzene	0.5	ug/L	U	[NULL]	[NULL]	R	B09RN1	100-41-4	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	2/28/1994 8:30	N	16984-48-8	Fluoride	300	ug/L	[NULL]	[NULL]	[NULL]	R	B09TV6	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	2/28/1994 8:30	N	16984-48-8	Fluoride	200	ug/L	[NULL]	[NULL]	[NULL]	R	B09RN1	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	2/28/1994 8:30	N	12587-46-1	Gross alpha	0.785	pCi/L	U	[NULL]	[NULL]	R	B09TV6	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	2/28/1994 8:30	N	12587-46-1	Gross alpha	-0.0735	pCi/L	U	[NULL]	[NULL]	R	B09RN1	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	2/28/1994 8:30	N	12587-47-2	Gross beta	145	pCi/L	[NULL]	[NULL]	[NULL]	R	B09RN1	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	2/28/1994 8:30	N	12587-47-2	Gross beta	142	pCi/L	[NULL]	[NULL]	[NULL]	R	B09TV6	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	2/28/1994 8:30	N	302-01-2	Hydrazine	1.89	ug/L	U	[NULL]	[NULL]	R	B09TV6	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-76	2/28/1994 8:30	N	15046-84-1	Iodine-129	-0.138	pCi/L	U	[NULL]	[NULL]	R	B09RN1	15046-84-1	ITASRL	I129_SEP_LEPS_GS	100-NR-2
199-N-76	2/28/1994 8:30	Y	7439-89-6	Iron	27	ug/L	[NULL]	[NULL]	[NULL]	R	B09RN2	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	N	7439-89-6	Iron	150	ug/L	[NULL]	[NULL]	[NULL]	R	B09TV6	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	Y	7439-89-6	Iron	10.3	ug/L	U	[NULL]	[NULL]	R	B09TW0	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	N	7439-92-1	Lead	0.508	ug/L	U	[NULL]	[NULL]	R	B09TV6	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-76	2/28/1994 8:30	Y	7439-92-1	Lead	0.508	ug/L	U	[NULL]	[NULL]	R	B09TW0	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-76	2/28/1994 8:30	N	7439-95-4	Magnesium	4400	ug/L	[NULL]	[NULL]	[NULL]	R	B09TV6	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	Y	7439-95-4	Magnesium	4400	ug/L	[NULL]	[NULL]	[NULL]	R	B09TW0	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	Y	7439-95-4	Magnesium	4300	ug/L	[NULL]	[NULL]	[NULL]	R	B09RN2	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	N	7439-96-5	Manganese	4.6	ug/L	L	[NULL]	[NULL]	R	B09TV6	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	Y	7439-96-5	Manganese	1.35	ug/L	U	[NULL]	[NULL]	R	B09TW0	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	Y	7439-96-5	Manganese	1.6	ug/L	L	[NULL]	[NULL]	R	B09RN2	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	N	7439-97-6	Mercury	0.158	ug/L	U	[NULL]	[NULL]	R	B09TV6	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-76	2/28/1994 8:30	Y	7439-97-6	Mercury	0.158	ug/L	U	[NULL]	[NULL]	R	B09TW0	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-76	2/28/1994 8:30	N	75-09-2	Methylene chloride	5	ug/L	U	[NULL]	[NULL]	R	B09RN1	75-09-2	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	2/28/1994 8:30	N	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B09TV6	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	Y	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B09TW0	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	Y	7440-02-0	Nickel	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B09RN2	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	N	14797-55-8	Nitrate	7600	ug/L	[NULL]	[NULL]	[NULL]	R	B09TV6	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	2/28/1994 8:30	N	14797-55-8	Nitrate	7600	ug/L	[NULL]	[NULL]	[NULL]	R	B09RN1	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	2/28/1994 8:30	N	14797-65-0	Nitrite	38.3	ug/L	U	[NULL]	[NULL]	R	B09TV6	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	2/28/1994 8:30	N	14797-65-0	Nitrite	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B09RN1	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	2/28/1994 8:30	N	87-86-5	Pentachlorophenol	0.87	ug/L	U	[NULL]	[NULL]	R	B09TV6	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	2/28/1994 8:30	N	108-95-2	Phenol	0.31	ug/L	U	[NULL]	[NULL]	R	B09TV6	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	2/28/1994 8:30	N	14265-44-2	Phosphate	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B09RN1	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	2/28/1994 8:30	N	14265-44-2	Phosphate	147	ug/L	U	[NULL]	[NULL]	R	B09TV6	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	2/28/1994 8:30	Y	7440-09-7	Potassium	1700	ug/L	[NULL]	[NULL]	[NULL]	R	B09RN2	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	Y	7440-09-7	Potassium	1700	ug/L	[NULL]	[NULL]	[NULL]	R	B09TW0	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	N	7440-09-7	Potassium	2000	ug/L	[NULL]	[NULL]	[NULL]	R	B09TV6	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	N	7440-14-4	Radium	0.037	pCi/L	U	[NULL]	[NULL]	R	B09TV6	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-76	2/28/1994 8:30	N	13967-48-1	Ruthenium-106	-0.642	pCi/L	U	[NULL]	[NULL]	R	B09RN1	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-76	2/28/1994 8:30	N	13967-48-1	Ruthenium-106	-39	pCi/L	U	[NULL]	[NULL]	R	B09TV6	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-76	2/28/1994 8:30	N	7782-49-2	Selenium	1.21	ug/L	U	[NULL]	[NULL]	R	B09TV6	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-76	2/28/1994 8:30	Y	7782-49-2	Selenium	1.21	ug/L	U	[NULL]	[NULL]	R	B09TW0	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-76	2/28/1994 8:30	N	7440-22-4	Silver	3.6	ug/L	L	[NULL]	[NULL]	R	B09TV6	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	Y	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B09TW0	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	Y	7440-22-4	Silver	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B09RN2	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	N	7440-23-5	Sodium	2700	ug/L	[NULL]	[NULL]	[NULL]	R	B09TV6	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	Y	7440-23-5	Sodium	2700	ug/L	[NULL]	[NULL]	[NULL]	R	B09RN2	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	Y	7440-23-5	Sodium	2800	ug/L	[NULL]	[NULL]	[NULL]	R	B09TW0	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	N	CONDUCT	Specific Conductance	180	uS/cm	[NULL]	[NULL]	[NULL]	R	B09TV6	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-76	2/28/1994 8:30	N	CONDUCT	Specific Conductance	180	uS/cm	[NULL]	[NULL]	[NULL]	R	B09TV7	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-76	2/28/1994 8:30	N	CONDUCT	Specific Conductance	180	uS/cm	[NULL]	[NULL]	[NULL]	R	B09TV8	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-76	2/28/1994 8:30	N	CONDUCT	Specific Conductance	180	uS/cm	[NULL]	[NULL]	[NULL]	R	B09TV9	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-76	2/28/1994 8:30	N	CONDUCT	Specific Conductance	167	uS/cm	[NULL]	[NULL]	[NULL]	R	B09TV9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	2/28/1994 8:30	N	CONDUCT	Specific Conductance	167	uS/cm	[NULL]	[NULL]	[NULL]	R	B09TV8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	2/28/1994 8:30	N	CONDUCT	Specific Conductance	168	uS/cm	[NULL]	[NULL]	[NULL]	R	B09TV7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	2/28/1994 8:30	N	CONDUCT	Specific Conductance	168	uS/cm	[NULL]	[NULL]	[NULL]	R	B09TV6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	2/28/1994 8:30	N	10098-97-2	Strontium-90	101	pCi/L	[NULL]	[NULL]	[NULL]	R	B09RN1	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	2/28/1994 8:30	N	10098-97-2	Strontium-90	87.5	pCi/L	[NULL]	[NULL]	[NULL]	R	B09TV6	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	2/28/1994 8:30	N	14808-79-8	Sulfate	11000	ug/L	D	[NULL]	[NULL]	R	B09RN1	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	2/28/1994 8:30	N	14808-79-8	Sulfate	11000	ug/L	D	[NULL]	[NULL]	R	B09TV6	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	2/28/1994 8:30	N	14133-76-7	Technetium-99	4.33	pCi/L	[NULL]	[NULL]	[NULL]	R	B09RN1	14133-76-7	ITASRL	TC99_SEP_LSC	100-NR-2
199-N-76	2/28/1994 8:30	N	TEMPERATURE	Temperature	20.5	Deg C	[NULL]	[NULL]	[NULL]	R	B09TV6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	2/28/1994 8:30	N	TEMPERATURE	Temperature	20.5	Deg C	[NULL]	[NULL]	[NULL]	R	B09TV8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	2/28/1994 8:30	N	TEMPERATURE	Temperature	20.5	Deg C	[NULL]	[NULL]	[NULL]	R	B09TV9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	2/28/1994 8:30	N	TEMPERATURE	Temperature	20.5	Deg C	[NULL]	[NULL]	[NULL]	R	B09TV7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	2/28/1994 8:30	N	127-18-4	Tetrachloroethene	0.1	ug/L	J	[NULL]	[NULL]	R	B09RN1	127-18-4	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	2/28/1994 8:30	N	25167-83-3	Tetrachlorophenol	1.05	ug/L	U	[NULL]	[NULL]	R	B09TV6	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	2/28/1994 8:30	Y	7440-31-5	Tin	33	ug/L	BL	[NULL]	[NULL]	R	B09TW0	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	N	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B09TV6	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	Y	7440-31-5	Tin	34	ug/L	L	[NULL]	[NULL]	R	B09RN2	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	N	108-88-3	Toluene	0.5	ug/L	U	[NULL]	[NULL]	R	B09RN1	108-88-3	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	2/28/1994 8:30	N	1319-77-3	Total cresols	4.66	ug/L	U	[NULL]	[NULL]	R	B09TV6	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	2/28/1994 8:30	N	TOC	Total organic carbon	200	ug/L	U	[NULL]	[NULL]	R	B09TV9	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	2/28/1994 8:30	N	TOC	Total organic carbon	200	ug/L	U	[NULL]	[NULL]	R	B09TV6	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	2/28/1994 8:30	N	TOC	Total organic carbon	200	ug/L	U	[NULL]	[NULL]	R	B09TV7	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	2/28/1994 8:30	N	TOC	Total organic carbon	200	ug/L	U	[NULL]	[NULL]	R	B09TV8	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	2/28/1994 8:30	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B09TV7	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-76	2/28/1994 8:30	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B09TV9	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-76	2/28/1994 8:30	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B09TV8	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-76	2/28/1994 8:30	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B09TV6	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-76	2/28/1994 8:30	N	79-01-6	Trichloroethene	0.5	ug/L	U	[NULL]	[NULL]	R	B09RN1	79-01-6	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	2/28/1994 8:30	N	25167-82-2	Trichlorophenol	1.11	ug/L	U	[NULL]	[NULL]	R	B09TV6	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	2/28/1994 8:30	N	10028-17-8	Tritium	52000	pCi/L	[NULL]	[NULL]	[NULL]	R	B09RN1	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-76	2/28/1994 8:30	N	10028-17-8	Tritium	52000	pCi/L	[NULL]	[NULL]	[NULL]	R	B09TV6	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-76	2/28/1994 8:30	N	TURBIDITY	Turbidity	1.8	NTU	[NULL]	[NULL]	[NULL]	R	B09TV6	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-76	2/28/1994 8:30	Y	7440-62-2	Vanadium	3.84	ug/L	U	[NULL]	[NULL]	R	B09TW0	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	Y	7440-62-2	Vanadium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B09RN2	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	N	7440-62-2	Vanadium	3.84	ug/L	U	[NULL]	[NULL]	R	B09TV6	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	N	1330-20-7	Xylenes (total)	0.5	ug/L	U	[NULL]	[NULL]	R	B09RN1	1330-20-7	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	2/28/1994 8:30	Y	7440-66-6	Zinc	3.44	ug/L	U	[NULL]	[NULL]	R	B09TW0	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	Y	7440-66-6	Zinc	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B09RN2	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	N	7440-66-6	Zinc	10	ug/L	[NULL]	[NULL]	[NULL]	R	B09TV6	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	2/28/1994 8:30	N	156-59-2	cis-1,2-Dichloroethylene	0.5	ug/L	U	[NULL]	[NULL]	R	B09RN1	156-59-2	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	2/28/1994 8:30	N	PH	pH Measurement	6.14	unitless	[NULL]	R	[NULL]	R	B09TV6	PH	FIELD	9040_PH	100-NR-2
199-N-76	2/28/1994 8:30	N	PH	pH Measurement	6.17	unitless	[NULL]	R	[NULL]	R	B09TV7	PH	FIELD	9040_PH	100-NR-2
199-N-76	2/28/1994 8:30	N	PH	pH Measurement	6.2	unitless	[NULL]	R	[NULL]	R	B09TV8	PH	FIELD	9040_PH	100-NR-2
199-N-76	2/28/1994 8:30	N	PH	pH Measurement	6.23	unitless	[NULL]	R	[NULL]	R	B09TV9	PH	FIELD	9040_PH	100-NR-2
199-N-76	2/28/1994 8:30	N	PH	pH Measurement	8.3	unitless	[NULL]	[NULL]	[NULL]	R	B09TV6	PH	DATACH	D1293_PH	100-NR-2
199-N-76	2/28/1994 8:30	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	B09TV9	PH	DATACH	D1293_PH	100-NR-2
199-N-76	2/28/1994 8:30	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	B09TV8	PH	DATACH	D1293_PH	100-NR-2
199-N-76	2/28/1994 8:30	N	PH	pH Measurement	8.3	unitless	[NULL]	[NULL]	[NULL]	R	B09TV7	PH	DATACH	D1293_PH	100-NR-2
199-N-76	2/28/1994 8:30	N	156-60-5	trans-1,2-Dichloroethylene	0.5	ug/L	U	[NULL]	[NULL]	R	B09RN1	156-60-5	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	5/12/1994 8:30	N	88-06-2	2,4,6-Trichlorophenol	1.6	ug/L	U	[NULL]	[NULL]	R	B0BWM1	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/12/1994 8:30	N	120-83-2	2,4-Dichlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B0BWM1	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/12/1994 8:30	N	105-67-9	2,4-Dimethylphenol	1.5	ug/L	U	[NULL]	[NULL]	R	B0BWM1	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/12/1994 8:30	N	51-28-5	2,4-Dinitrophenol	1.8	ug/L	U	[NULL]	[NULL]	R	B0BWM1	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/12/1994 8:30	N	87-65-0	2,6-Dichlorophenol	2.2	ug/L	U	[NULL]	[NULL]	R	B0BWM1	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/12/1994 8:30	N	95-57-8	2-Chlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B0BWM1	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/12/1994 8:30	N	88-75-5	2-Nitrophenol	1.7	ug/L	U	[NULL]	[NULL]	R	B0BWM1	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/12/1994 8:30	N	534-52-1	4,6-Dinitro-2-methylphenol	1.6	ug/L	U	[NULL]	[NULL]	R	B0BWM1	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/12/1994 8:30	N	59-50-7	4-Chloro-3-methylphenol	1.5	ug/L	U	[NULL]	[NULL]	R	B0BWM1	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/12/1994 8:30	N	100-02-7	4-Nitrophenol	1.4	ug/L	U	[NULL]	[NULL]	R	B0BWM1	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	5/12/1994 8:30	N	7429-90-5	Aluminum	79	ug/L	BL	[NULL]	[NULL]	R	B0BWM1	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	Y	7429-90-5	Aluminum	42	ug/L	BL	[NULL]	[NULL]	R	B0BWM5	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	N	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0BWM1	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	Y	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0BWM5	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	N	14234-35-6	Antimony-125	-9.81	pCi/L	U	[NULL]	[NULL]	R	B0BWM1	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-76	5/12/1994 8:30	N	7440-38-2	Arsenic	2	ug/L	L	[NULL]	[NULL]	R	B0BWM1	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-76	5/12/1994 8:30	Y	7440-38-2	Arsenic	2	ug/L	L	[NULL]	[NULL]	R	B0BWM5	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-76	5/12/1994 8:30	N	7440-39-3	Barium	17	ug/L	L	[NULL]	[NULL]	R	B0BWM1	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	Y	7440-39-3	Barium	21	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWM5	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	N	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0BWM1	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	Y	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0BWM5	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	N	24959-67-9	Bromide	110	ug/L	U	[NULL]	[NULL]	R	B0BWM1	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	5/12/1994 8:30	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0BWM5	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0BWM1	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	N	7440-70-2	Calcium	27000	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWM1	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	Y	7440-70-2	Calcium	26000	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWM5	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	N	10045-97-3	Cesium-137	2.4	pCi/L	U	[NULL]	[NULL]	R	B0BWM1	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-76	5/12/1994 8:30	N	16887-00-6	Chloride	1800	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWM1	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	5/12/1994 8:30	N	7440-47-3	Chromium	11	ug/L	U	[NULL]	[NULL]	R	B0BWM1	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	Y	7440-47-3	Chromium	11	ug/L	U	[NULL]	[NULL]	R	B0BWM5	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	N	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0BWM1	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	Y	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0BWM5	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	N	10198-40-0	Cobalt-60	0.851	pCi/L	U	[NULL]	[NULL]	R	B0BWM1	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-76	5/12/1994 8:30	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B0BWM1	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-76	5/12/1994 8:30	Y	7440-50-8	Copper	3.2	ug/L	L	[NULL]	[NULL]	R	B0BWM5	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	N	7440-50-8	Copper	3.8	ug/L	L	[NULL]	[NULL]	R	B0BWM1	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1.7	ug/L	U	[NULL]	[NULL]	R	B0BWM1	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/12/1994 8:30	N	16984-48-8	Fluoride	400	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWM1	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	5/12/1994 8:30	N	12587-46-1	Gross alpha	0.704	pCi/L	U	[NULL]	[NULL]	R	B0BWM1	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	5/12/1994 8:30	N	12587-47-2	Gross beta	194	pCi/L	[NULL]	[NULL]	[NULL]	R	B0BWM1	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	5/12/1994 8:30	N	302-01-2	Hydrazine	2.3	ug/L	U	[NULL]	[NULL]	R	B0BWM1	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-76	5/12/1994 8:30	N	7439-89-6	Iron	140	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWM1	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	Y	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B0BWM5	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	N	7439-92-1	Lead	0.83	ug/L	BL	[NULL]	[NULL]	R	B0BWM1	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-76	5/12/1994 8:30	Y	7439-92-1	Lead	0.94	ug/L	BL	[NULL]	[NULL]	R	B0BWM5	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-76	5/12/1994 8:30	N	7439-95-4	Magnesium	4300	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWM1	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	Y	7439-95-4	Magnesium	4200	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWM5	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	N	7439-96-5	Manganese	3.2	ug/L	L	[NULL]	[NULL]	R	B0BWM1	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	Y	7439-96-5	Manganese	2.3	ug/L	L	[NULL]	[NULL]	R	B0BWM5	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	Y	7439-97-6	Mercury	0.095	ug/L	U	[NULL]	[NULL]	R	B0BWM5	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-76	5/12/1994 8:30	N	7439-97-6	Mercury	0.095	ug/L	U	[NULL]	[NULL]	R	B0BWM1	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-76	5/12/1994 8:30	Y	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0BWM5	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	N	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0BWM1	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	N	14797-55-8	Nitrate	8100	ug/L	D	[NULL]	[NULL]	R	B0BWM1	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	5/12/1994 8:30	N	14797-65-0	Nitrite	110	ug/L	U	[NULL]	[NULL]	R	B0BWM1	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	5/12/1994 8:30	N	87-86-5	Pentachlorophenol	1.7	ug/L	U	[NULL]	[NULL]	R	B0BWM1	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/12/1994 8:30	N	108-95-2	Phenol	0.57	ug/L	U	[NULL]	[NULL]	R	B0BWM1	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/12/1994 8:30	N	14265-44-2	Phosphate	470	ug/L	U	[NULL]	[NULL]	R	B0BWM1	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	5/12/1994 8:30	Y	7440-09-7	Potassium	2000	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWM5	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	N	7440-09-7	Potassium	2200	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWM1	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	N	7440-14-4	Radium	-0.061	pCi/L	U	[NULL]	[NULL]	R	B0BWM1	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-76	5/12/1994 8:30	N	13967-48-1	Ruthenium-106	19.8	pCi/L	U	[NULL]	[NULL]	R	B0BWM1	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-76	5/12/1994 8:30	Y	7782-49-2	Selenium	1.4	ug/L	U	[NULL]	[NULL]	R	B0BWM5	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	5/12/1994 8:30	N	7782-49-2	Selenium	1.4	ug/L	U	[NULL]	[NULL]	R	B0BWM1	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-76	5/12/1994 8:30	N	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0BWM1	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	Y	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0BWM5	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	Y	7440-23-5	Sodium	2900	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWM5	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	N	7440-23-5	Sodium	3000	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWM1	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	N	CONDUCT	Specific Conductance	185	uS/cm	[NULL]	[NULL]	[NULL]	R	B0BWM1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	5/12/1994 8:30	N	CONDUCT	Specific Conductance	185	uS/cm	[NULL]	[NULL]	[NULL]	R	B0BWM2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	5/12/1994 8:30	N	CONDUCT	Specific Conductance	180	uS/cm	[NULL]	[NULL]	[NULL]	R	B0BWM1	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-76	5/12/1994 8:30	N	CONDUCT	Specific Conductance	185	uS/cm	[NULL]	[NULL]	[NULL]	R	B0BWM3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	5/12/1994 8:30	N	CONDUCT	Specific Conductance	189	uS/cm	[NULL]	[NULL]	[NULL]	R	B0BWM4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	5/12/1994 8:30	N	10098-97-2	Strontium-90	96.7	pCi/L	[NULL]	[NULL]	[NULL]	R	B0BWM1	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	5/12/1994 8:30	N	14808-79-8	Sulfate	12000	ug/L	D	[NULL]	[NULL]	R	B0BWM1	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	5/12/1994 8:30	N	TEMPERATURE	Temperature	21.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0BWM4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	5/12/1994 8:30	N	TEMPERATURE	Temperature	21.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0BWM3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	5/12/1994 8:30	N	TEMPERATURE	Temperature	21.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0BWM2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	5/12/1994 8:30	N	TEMPERATURE	Temperature	21.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0BWM1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	5/12/1994 8:30	N	25167-83-3	Tetrachlorophenol	1.4	ug/L	U	[NULL]	[NULL]	R	B0BWM1	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/12/1994 8:30	Y	7440-31-5	Tin	82	ug/L	BL	Q	[NULL]	R	B0BWM5	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	N	7440-31-5	Tin	110	ug/L	B	Q	[NULL]	R	B0BWM1	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	N	1319-77-3	Total cresols	4.8	ug/L	U	[NULL]	[NULL]	R	B0BWM1	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/12/1994 8:30	N	TOC	Total organic carbon	330	ug/L	L	[NULL]	[NULL]	R	B0BWM4	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	5/12/1994 8:30	N	TOC	Total organic carbon	320	ug/L	U	[NULL]	[NULL]	R	B0BWM3	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	5/12/1994 8:30	N	TOC	Total organic carbon	320	ug/L	U	[NULL]	[NULL]	R	B0BWM2	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	5/12/1994 8:30	N	TOC	Total organic carbon	320	ug/L	U	[NULL]	[NULL]	R	B0BWM1	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	5/12/1994 8:30	N	59473-04-0	Total organic halides	7.2	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWM4	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-76	5/12/1994 8:30	N	59473-04-0	Total organic halides	9.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWM2	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-76	5/12/1994 8:30	N	59473-04-0	Total organic halides	8.9	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWM1	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-76	5/12/1994 8:30	N	59473-04-0	Total organic halides	5.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWM3	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-76	5/12/1994 8:30	N	25167-82-2	Trichlorophenol	2.1	ug/L	U	[NULL]	[NULL]	R	B0BWM1	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	5/12/1994 8:30	N	10028-17-8	Tritium	53300	pCi/L	[NULL]	[NULL]	[NULL]	R	B0BWM1	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-76	5/12/1994 8:30	N	TURBIDITY	Turbidity	1.5	NTU	[NULL]	[NULL]	[NULL]	R	B0BWM1	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-76	5/12/1994 8:30	Y	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0BWM5	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	N	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0BWM1	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	Y	7440-66-6	Zinc	5.7	ug/L	L	[NULL]	[NULL]	R	B0BWM5	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	N	7440-66-6	Zinc	11	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWM1	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	5/12/1994 8:30	N	PH	pH Measurement	7.89	unitless	[NULL]	[NULL]	[NULL]	R	B0BWM1	PH	FIELD	9040_PH	100-NR-2
199-N-76	5/12/1994 8:30	N	PH	pH Measurement	7.91	unitless	[NULL]	[NULL]	[NULL]	R	B0BWM2	PH	FIELD	9040_PH	100-NR-2
199-N-76	5/12/1994 8:30	N	PH	pH Measurement	7.92	unitless	[NULL]	[NULL]	[NULL]	R	B0BWM3	PH	FIELD	9040_PH	100-NR-2
199-N-76	5/12/1994 8:30	N	PH	pH Measurement	7.93	unitless	[NULL]	[NULL]	[NULL]	R	B0BWM4	PH	FIELD	9040_PH	100-NR-2
199-N-76	5/12/1994 8:30	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	B0BWM1	PH	DATACH	D1293_PH	100-NR-2
199-N-76	9/8/1994 9:15	N	88-06-2	2,4,6-Trichlorophenol	1.6	ug/L	U	[NULL]	[NULL]	R	B0C9B7	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	9/8/1994 9:15	N	120-83-2	2,4-Dichlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B0C9B7	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	9/8/1994 9:15	N	105-67-9	2,4-Dimethylphenol	1.5	ug/L	U	[NULL]	[NULL]	R	B0C9B7	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	9/8/1994 9:15	N	51-28-5	2,4-Dinitrophenol	1.8	ug/L	U	[NULL]	[NULL]	R	B0C9B7	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	9/8/1994 9:15	N	87-65-0	2,6-Dichlorophenol	2.2	ug/L	U	[NULL]	[NULL]	R	B0C9B7	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	9/8/1994 9:15	N	95-57-8	2-Chlorophenol	1.5	ug/L	U	[NULL]	[NULL]	R	B0C9B7	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	9/8/1994 9:15	N	88-75-5	2-Nitrophenol	1.7	ug/L	U	[NULL]	[NULL]	R	B0C9B7	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	9/8/1994 9:15	N	534-52-1	4,6-Dinitro-2-methylphenol	1.6	ug/L	U	[NULL]	[NULL]	R	B0C9B7	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	9/8/1994 9:15	N	59-50-7	4-Chloro-3-methylphenol	1.5	ug/L	U	[NULL]	[NULL]	R	B0C9B7	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	9/8/1994 9:15	N	100-02-7	4-Nitrophenol	1.4	ug/L	U	[NULL]	[NULL]	R	B0C9B7	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	9/8/1994 9:15	N	7429-90-5	Aluminum	49	ug/L	L	[NULL]	[NULL]	R	B0C9B7	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/8/1994 9:15	Y	7429-90-5	Aluminum	33	ug/L	L	[NULL]	[NULL]	R	B0C9C1	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/8/1994 9:15	Y	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C9C1	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/8/1994 9:15	N	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C9B7	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	9/8/1994 9:15	N	14234-35-6	Antimony-125	0	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCK7	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-76	9/8/1994 9:15	N	7440-38-2	Arsenic	2.5	ug/L	L	[NULL]	[NULL]	R	B0C9B7	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-76	9/8/1994 9:15	Y	7440-38-2	Arsenic	1.2	ug/L	L	[NULL]	[NULL]	R	B0C9C1	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-76	9/8/1994 9:15	Y	7440-39-3	Barium	14	ug/L	L	[NULL]	[NULL]	R	B0C9C1	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/8/1994 9:15	N	7440-39-3	Barium	14	ug/L	L	[NULL]	[NULL]	R	B0C9B7	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/8/1994 9:15	N	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C9B7	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/8/1994 9:15	Y	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C9C1	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/8/1994 9:15	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0CCK7	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	9/8/1994 9:15	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C9C1	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/8/1994 9:15	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C9B7	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/8/1994 9:15	Y	7440-70-2	Calcium	27000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9C1	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/8/1994 9:15	N	7440-70-2	Calcium	27000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9B7	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/8/1994 9:15	N	10045-97-3	Cesium-137	-3.3	pCi/L	U	[NULL]	[NULL]	R	B0CCK7	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-76	9/8/1994 9:15	N	16887-00-6	Chloride	1800	ug/L	[NULL]	[NULL]	[NULL]	R	B0CCK7	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	9/8/1994 9:15	N	7440-47-3	Chromium	11	ug/L	U	[NULL]	[NULL]	R	B0C9B7	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/8/1994 9:15	Y	7440-47-3	Chromium	11	ug/L	U	[NULL]	[NULL]	R	B0C9C1	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/8/1994 9:15	N	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C9B7	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/8/1994 9:15	Y	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C9C1	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/8/1994 9:15	N	10198-40-0	Cobalt-60	8.6	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCK7	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-76	9/8/1994 9:15	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B0C9B7	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-76	9/8/1994 9:15	N	7440-50-8	Copper	2.6	ug/L	U	[NULL]	[NULL]	R	B0C9B7	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/8/1994 9:15	Y	7440-50-8	Copper	2.6	ug/L	U	[NULL]	[NULL]	R	B0C9C1	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/8/1994 9:15	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1.7	ug/L	U	[NULL]	[NULL]	R	B0C9B7	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	9/8/1994 9:15	N	16984-48-8	Fluoride	400	ug/L	[NULL]	[NULL]	[NULL]	R	B0CCK7	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	9/8/1994 9:15	N	12587-46-1	Gross alpha	1.08	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCK7	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	9/8/1994 9:15	N	12587-47-2	Gross beta	174	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCK7	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	9/8/1994 9:15	N	302-01-2	Hydrazine	2.3	ug/L	U	[NULL]	[NULL]	R	B0C9B7	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-76	9/8/1994 9:15	Y	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B0C9C1	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/8/1994 9:15	N	7439-89-6	Iron	72	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9B7	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/8/1994 9:15	N	7439-92-1	Lead	0.86	ug/L	U	[NULL]	[NULL]	R	B0C9B7	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-76	9/8/1994 9:15	Y	7439-92-1	Lead	1.6	ug/L	BL	[NULL]	[NULL]	R	B0C9C1	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-76	9/8/1994 9:15	N	7439-95-4	Magnesium	4300	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9B7	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/8/1994 9:15	Y	7439-95-4	Magnesium	4200	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9C1	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/8/1994 9:15	Y	7439-96-5	Manganese	1.3	ug/L	L	[NULL]	[NULL]	R	B0C9C1	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/8/1994 9:15	N	7439-96-5	Manganese	2.7	ug/L	L	[NULL]	[NULL]	R	B0C9B7	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/8/1994 9:15	N	7439-97-6	Mercury	0.095	ug/L	U	[NULL]	[NULL]	R	B0C9B7	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-76	9/8/1994 9:15	Y	7439-97-6	Mercury	0.095	ug/L	U	[NULL]	[NULL]	R	B0C9C1	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-76	9/8/1994 9:15	N	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0C9B7	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/8/1994 9:15	Y	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0C9C1	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/8/1994 9:15	N	14797-55-8	Nitrate	8200	ug/L	[NULL]	[NULL]	[NULL]	R	B0CCK7	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	9/8/1994 9:15	N	14797-65-0	Nitrite	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0CCK7	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	9/8/1994 9:15	N	87-86-5	Pentachlorophenol	1.7	ug/L	U	[NULL]	[NULL]	R	B0C9B7	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	9/8/1994 9:15	N	108-95-2	Phenol	0.57	ug/L	U	[NULL]	[NULL]	R	B0C9B7	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	9/8/1994 9:15	N	14265-44-2	Phosphate	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0CCK7	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	9/8/1994 9:15	N	7440-09-7	Potassium	1600	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9B7	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/8/1994 9:15	Y	7440-09-7	Potassium	1600	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9C1	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/8/1994 9:15	N	7440-14-4	Radium	0.046	pCi/L	U	[NULL]	[NULL]	R	B0C9B7	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-76	9/8/1994 9:15	N	13967-48-1	Ruthenium-106	31.4	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCK7	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-76	9/8/1994 9:15	Y	7782-49-2	Selenium	1.4	ug/L	U	[NULL]	[NULL]	R	B0C9C1	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-76	9/8/1994 9:15	N	7782-49-2	Selenium	1.4	ug/L	U	[NULL]	[NULL]	R	B0C9B7	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-76	9/8/1994 9:15	Y	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C9C1	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/8/1994 9:15	N	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C9B7	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/8/1994 9:15	Y	7440-23-5	Sodium	2700	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9C1	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	9/8/1994 9:15	N	7440-23-5	Sodium	2700	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9B7	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/8/1994 9:15	N	CONDUCT	Specific Conductance	180	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C9B7	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-76	9/8/1994 9:15	N	CONDUCT	Specific Conductance	170	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C9B7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	9/8/1994 9:15	N	CONDUCT	Specific Conductance	169	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C9B8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	9/8/1994 9:15	N	CONDUCT	Specific Conductance	169	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C9C0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	9/8/1994 9:15	N	CONDUCT	Specific Conductance	169	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C9B9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	9/8/1994 9:15	N	10098-97-2	Strontium-90	84.9	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCK7	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	9/8/1994 9:15	N	14808-79-8	Sulfate	11000	ug/L	D	[NULL]	[NULL]	R	B0CCK7	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	9/8/1994 9:15	N	TEMPERATURE	Temperature	21.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0C9C0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	9/8/1994 9:15	N	TEMPERATURE	Temperature	21.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0C9B9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	9/8/1994 9:15	N	TEMPERATURE	Temperature	21.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0C9B8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	9/8/1994 9:15	N	TEMPERATURE	Temperature	21.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0C9B7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	9/8/1994 9:15	N	25167-83-3	Tetrachlorophenol	1.4	ug/L	U	[NULL]	[NULL]	R	B0C9B7	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	9/8/1994 9:15	N	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0C9B7	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/8/1994 9:15	Y	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0C9C1	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/8/1994 9:15	N	1319-77-3	Total cresols	4.8	ug/L	U	[NULL]	[NULL]	R	B0C9B7	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	9/8/1994 9:15	N	TOC	Total organic carbon	320	ug/L	U	[NULL]	[NULL]	R	B0C9B7	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	9/8/1994 9:15	N	TOC	Total organic carbon	320	ug/L	U	[NULL]	[NULL]	R	B0C9B8	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	9/8/1994 9:15	N	TOC	Total organic carbon	320	ug/L	U	[NULL]	[NULL]	R	B0C9B9	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	9/8/1994 9:15	N	TOC	Total organic carbon	320	ug/L	U	[NULL]	[NULL]	R	B0C9C0	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	9/8/1994 9:15	N	59473-04-0	Total organic halides	6.5	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9B7	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-76	9/8/1994 9:15	N	59473-04-0	Total organic halides	7	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9C0	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-76	9/8/1994 9:15	N	59473-04-0	Total organic halides	5.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9B8	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-76	9/8/1994 9:15	N	59473-04-0	Total organic halides	9.2	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9B9	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-76	9/8/1994 9:15	N	25167-82-2	Trichlorophenol	2.1	ug/L	U	[NULL]	[NULL]	R	B0C9B7	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	9/8/1994 9:15	N	10028-17-8	Tritium	58900	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCK7	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-76	9/8/1994 9:15	N	TURBIDITY	Turbidity	1.6	NTU	[NULL]	Q	[NULL]	R	B0C9B7	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-76	9/8/1994 9:15	N	13966-29-5	Uranium-234	0.23	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCK7	13966-29-5	ITASRL	UISO_IE_AEA	100-NR-2
199-N-76	9/8/1994 9:15	N	15117-96-1	Uranium-235	-0.006	pCi/L	U	[NULL]	[NULL]	R	B0CCK7	15117-96-1	ITASRL	UISO_IE_AEA	100-NR-2
199-N-76	9/8/1994 9:15	N	U-238	Uranium-238	0.101	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CCK7	U-238	ITASRL	UISO_IE_AEA	100-NR-2
199-N-76	9/8/1994 9:15	N	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0C9B7	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/8/1994 9:15	Y	7440-62-2	Vanadium	6.4	ug/L	U	[NULL]	[NULL]	R	B0C9C1	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/8/1994 9:15	N	7440-66-6	Zinc	9.7	ug/L	L	[NULL]	[NULL]	R	B0C9B7	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/8/1994 9:15	Y	7440-66-6	Zinc	4.4	ug/L	U	[NULL]	[NULL]	R	B0C9C1	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/8/1994 9:15	N	PH	pH Measurement	7.59	unitless	[NULL]	R	[NULL]	R	B0C9C0	PH	FIELD	9040_PH	100-NR-2
199-N-76	9/8/1994 9:15	N	PH	pH Measurement	7.6	unitless	[NULL]	R	[NULL]	R	B0C9B7	PH	FIELD	9040_PH	100-NR-2
199-N-76	9/8/1994 9:15	N	PH	pH Measurement	8.3	unitless	[NULL]	G	[NULL]	R	B0C9B7	PH	DATACH	D1293_PH	100-NR-2
199-N-76	9/8/1994 9:15	N	PH	pH Measurement	7.59	unitless	[NULL]	R	[NULL]	R	B0C9B9	PH	FIELD	9040_PH	100-NR-2
199-N-76	9/8/1994 9:15	N	PH	pH Measurement	7.59	unitless	[NULL]	R	[NULL]	R	B0C9B8	PH	FIELD	9040_PH	100-NR-2
199-N-76	3/3/1995 8:45	N	71-55-6	1,1,1-Trichloroethane	0.5	ug/L	U	[NULL]	[NULL]	R	B0DTJ7	71-55-6	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	3/3/1995 8:45	N	75-34-3	1,1-Dichloroethane	0.5	ug/L	U	[NULL]	[NULL]	R	B0DTJ7	75-34-3	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	3/3/1995 8:45	N	107-06-2	1,2-Dichloroethane	0.5	ug/L	U	[NULL]	[NULL]	R	B0DTJ7	107-06-2	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	3/3/1995 8:45	N	88-06-2	2,4,6-Trichlorophenol	1.3	ug/L	U	Y	[NULL]	R	B0DYH7	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	3/3/1995 8:45	N	120-83-2	2,4-Dichlorophenol	1.3	ug/L	U	Y	[NULL]	R	B0DYH7	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	3/3/1995 8:45	N	105-67-9	2,4-Dimethylphenol	1.2	ug/L	U	Y	[NULL]	R	B0DYH7	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	3/3/1995 8:45	N	51-28-5	2,4-Dinitrophenol	3	ug/L	U	Y	[NULL]	R	B0DYH7	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	3/3/1995 8:45	N	87-65-0	2,6-Dichlorophenol	1.4	ug/L	U	Y	[NULL]	R	B0DYH7	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	3/3/1995 8:45	N	78-93-3	2-Butanone	5	ug/L	U	[NULL]	[NULL]	R	B0DTJ7	78-93-3	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	3/3/1995 8:45	N	95-57-8	2-Chlorophenol	1.6	ug/L	U	Y	[NULL]	R	B0DYH7	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	3/3/1995 8:45	N	88-75-5	2-Nitrophenol	1.3	ug/L	U	Y	[NULL]	R	B0DYH7	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	3/3/1995 8:45	N	108-10-1	2-Pentanone, 4-Methyl	5	ug/L	U	[NULL]	[NULL]	R	B0DTJ7	108-10-1	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	3/3/1995 8:45	N	67-63-0	2-Propanol	500	ug/L	U	[NULL]	[NULL]	R	B0DTJ7	67-63-0	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	3/3/1995 8:45	N	534-52-1	4,6-Dinitro-2-methylphenol	1.3	ug/L	U	Y	[NULL]	R	B0DYH7	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	3/3/1995 8:45	N	59-50-7	4-Chloro-3-methylphenol	1.3	ug/L	U	Y	[NULL]	R	B0DYH7	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	3/3/1995 8:45	N	100-02-7	4-Nitrophenol	3	ug/L	U	Y	[NULL]	R	B0DYH7	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	3/3/1995 8:45	N	67-64-1	Acetone	10	ug/L	U	[NULL]	[NULL]	R	B0DTJ7	67-64-1	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	3/3/1995 8:45	N	ALKALINITY	Alkalinity	70000	ug/L	[NULL]	[NULL]	[NULL]	R	B0DTJ7	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-76	3/3/1995 8:45	N	7429-90-5	Aluminum	55	ug/L	L	[NULL]	[NULL]	R	B0DTJ7	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	Y	7429-90-5	Aluminum	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTJ8	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	Y	7440-36-0	Antimony	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTJ8	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	N	7440-36-0	Antimony	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTJ7	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	N	14234-35-6	Antimony-125	-8.39	pCi/L	U	[NULL]	[NULL]	R	B0DTJ7	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-76	3/3/1995 8:45	N	7440-39-3	Barium .	16	ug/L	L	[NULL]	[NULL]	R	B0DTJ7	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	Y	7440-39-3	Barium	16	ug/L	L	[NULL]	[NULL]	R	B0DTJ8	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	N	71-43-2	Benzene	0.5	ug/L	U	[NULL]	[NULL]	R	B0DTJ7	71-43-2	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	3/3/1995 8:45	N	7440-41-7	Beryllium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTJ7	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	Y	7440-41-7	Beryllium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTJ8	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	N	24959-67-9	Bromide	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTJ7	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	3/3/1995 8:45	N	75-27-4	Bromodichloromethane	0.5	ug/L	U	[NULL]	[NULL]	R	B0DTJ7	75-27-4	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	3/3/1995 8:45	N	75-25-2	Bromoform	0.5	ug/L	U	[NULL]	[NULL]	R	B0DTJ7	75-25-2	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	3/3/1995 8:45	N	7440-43-9	Cadmium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTJ7	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	Y	7440-43-9	Cadmium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTJ8	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	N	7440-70-2	Calcium	27000	ug/L	[NULL]	[NULL]	[NULL]	R	B0DTJ7	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	Y	7440-70-2	Calcium	27000	ug/L	[NULL]	[NULL]	[NULL]	R	B0DTJ8	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	N	56-23-5	Carbon tetrachloride	0.5	ug/L	U	[NULL]	[NULL]	R	B0DTJ7	56-23-5	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	3/3/1995 8:45	N	10045-97-3	Cesium-137	-9.97	pCi/L	U	[NULL]	[NULL]	R	B0DTJ7	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-76	3/3/1995 8:45	Y	16887-00-6	Chloride	1440	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX79	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/3/1995 8:45	N	16887-00-6	Chloride	1500	ug/L	B	[NULL]	[NULL]	R	B0DTJ7	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	3/3/1995 8:45	N	67-66-3	Chloroform	5	ug/L	[NULL]	[NULL]	[NULL]	R	B0DTJ7	67-66-3	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	3/3/1995 8:45	Y	7440-47-3	Chromium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTJ8	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	N	7440-47-3	Chromium	9.6	ug/L	L	[NULL]	[NULL]	R	B0DTJ7	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	Y	7440-48-4	Cobalt	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTJ8	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	N	7440-48-4	Cobalt	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTJ7	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	N	10198-40-0	Cobalt-60	-0.583	pCi/L	U	[NULL]	[NULL]	R	B0DTJ7	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-76	3/3/1995 8:45	Y	7440-50-8	Copper	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTJ8	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	N	7440-50-8	Copper	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTJ7	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	N	124-48-1	Dibromochloromethane	0.5	ug/L	U	[NULL]	[NULL]	R	B0DTJ7	124-48-1	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	3/3/1995 8:45	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1.3	ug/L	U	Y	[NULL]	R	B0DYH7	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	3/3/1995 8:45	N	100-41-4	Ethylbenzene	0.5	ug/L	U	[NULL]	[NULL]	R	B0DTJ7	100-41-4	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	3/3/1995 8:45	N	16984-48-8	Fluoride	400	ug/L	[NULL]	[NULL]	[NULL]	R	B0DTJ7	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	3/3/1995 8:45	Y	16984-48-8	Fluoride	130	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX79	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/3/1995 8:45	N	12587-46-1	Gross alpha	0.487	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DTJ7	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	3/3/1995 8:45	N	12587-47-2	Gross beta	165	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DTJ7	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	3/3/1995 8:45	N	15046-84-1	Iodine-129	-0.372	pCi/L	U	[NULL]	[NULL]	R	B0DTJ7	15046-84-1	ITASRL	I129_SEP_LEPS_GS	100-NR-2
199-N-76	3/3/1995 8:45	N	7439-89-6	Iron	120	ug/L	B	[NULL]	[NULL]	R	B0DTJ7	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	Y	7439-89-6	Iron	13	ug/L	BL	[NULL]	[NULL]	R	B0DTJ8	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	Y	7439-92-1	Lead	1.5	ug/L	U	[NULL]	[NULL]	R	B0DYH8	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-76	3/3/1995 8:45	Y	7439-95-4	Magnesium	4300	ug/L	[NULL]	[NULL]	[NULL]	R	B0DTJ8	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	N	7439-95-4	Magnesium	4300	ug/L	[NULL]	[NULL]	[NULL]	R	B0DTJ7	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	N	7439-96-5	Manganese	3.4	ug/L	L	[NULL]	[NULL]	R	B0DTJ7	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	Y	7439-96-5	Manganese	0.98	ug/L	L	[NULL]	[NULL]	R	B0DTJ8	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	N	75-09-2	Methylene chloride	2	ug/L	U	[NULL]	[NULL]	R	B0DTJ7	75-09-2	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	3/3/1995 8:45	Y	7440-02-0	Nickel	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTJ8	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	N	7440-02-0	Nickel	14	ug/L	L	[NULL]	[NULL]	R	B0DTJ7	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	Y	14797-55-8	Nitrate	8720	ug/L	J	[NULL]	[NULL]	R	B0DX79	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/3/1995 8:45	N	14797-55-8	Nitrate	8300	ug/L	[NULL]	[NULL]	[NULL]	R	B0DTJ7	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	3/3/1995 8:45	Y	14797-65-0	Nitrite	65.7	ug/L	U	R	R	R	B0DX79	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/3/1995 8:45	N	14797-65-0	Nitrite	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTJ7	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	3/3/1995 8:45	N	87-86-5	Pentachlorophenol	1.3	ug/L	U	Y	[NULL]	R	B0DYH7	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	3/3/1995 8:45	N	108-95-2	Phenol	0.31	ug/L	U	Y	[NULL]	R	B0DYH7	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	3/3/1995 8:45	Y	14265-44-2	Phosphate	1000	ug/L	U	R	R	R	B0DX79	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/3/1995 8:45	N	14265-44-2	Phosphate	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTJ7	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	3/3/1995 8:45	N	7440-09-7	Potassium	1800	ug/L	[NULL]	[NULL]	[NULL]	R	B0DTJ7	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	Y	7440-09-7	Potassium	1900	ug/L	[NULL]	[NULL]	[NULL]	R	B0DTJ8	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	N	13967-48-1	Ruthenium-106	-14.5	pCi/L	U	[NULL]	[NULL]	R	B0DTJ7	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-76	3/3/1995 8:45	N	7440-22-4	Silver	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTJ7	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	Y	7440-22-4	Silver	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTJ8	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	N	7440-23-5	Sodium	2900	ug/L	[NULL]	[NULL]	[NULL]	R	B0DTJ7	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	Y	7440-23-5	Sodium	2800	ug/L	[NULL]	[NULL]	[NULL]	R	B0DTJ8	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	N	CONDUCT	Specific Conductance	187	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DYH7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	3/3/1995 8:45	N	CONDUCT	Specific Conductance	180	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DYH7	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-76	3/3/1995 8:45	N	10098-97-2	Strontium-90	81.8	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DTJ7	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	3/3/1995 8:45	Y	10098-97-2	Strontium-90	88.2	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DTJ8	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	3/3/1995 8:45	N	14808-79-8	Sulfate	12000	ug/L	D	[NULL]	[NULL]	R	B0DTJ7	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	3/3/1995 8:45	Y	14808-79-8	Sulfate	11800	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX79	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/3/1995 8:45	N	14133-76-7	Technetium-99	6.75	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DTJ7	14133-76-7	ITASRL	TC99_SEP_LSC	100-NR-2
199-N-76	3/3/1995 8:45	N	TEMPERATURE	Temperature	20.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0DYH7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	3/3/1995 8:45	N	127-18-4	Tetrachloroethene	0.5	ug/L	U	[NULL]	[NULL]	R	B0DTJ7	127-18-4	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	3/3/1995 8:45	N	25167-83-3	Tetrachlorophenol	1.5	ug/L	U	Y	[NULL]	R	B0DYH7	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	3/3/1995 8:45	N	109-99-9	Tetrahydrofuran	5	ug/L	U	[NULL]	[NULL]	R	B0DTJ7	109-99-9	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	3/3/1995 8:45	Y	7440-31-5	Tin	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTJ8	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	N	7440-31-5	Tin	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTJ7	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	N	108-88-3	Toluene	1	ug/L	U	[NULL]	[NULL]	R	B0DTJ7	108-88-3	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	3/3/1995 8:45	N	1319-77-3	Total cresols	4.8	ug/L	U	Y	[NULL]	R	B0DYH7	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	3/3/1995 8:45	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B0DYH7	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	3/3/1995 8:45	N	59473-04-0	Total organic halides	6.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0DYH7	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-76	3/3/1995 8:45	N	79-01-6	Trichloroethene	0.5	ug/L	U	[NULL]	[NULL]	R	B0DTJ7	79-01-6	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	3/3/1995 8:45	N	25167-82-2	Trichlorophenol	1.7	ug/L	U	Y	[NULL]	R	B0DYH7	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	3/3/1995 8:45	N	10028-17-8	Tritium	63900	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DTJ7	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-76	3/3/1995 8:45	N	TURBIDITY	Turbidity	1.5	NTU	[NULL]	[NULL]	[NULL]	R	B0DTJ7	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-76	3/3/1995 8:45	Y	7440-62-2	Vanadium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTJ8	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	N	7440-62-2	Vanadium	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTJ7	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	N	1330-20-7	Xylenes (total)	1	ug/L	U	[NULL]	[NULL]	R	B0DTJ7	1330-20-7	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	3/3/1995 8:45	N	7440-66-6	Zinc	17	ug/L	[NULL]	[NULL]	[NULL]	R	B0DTJ7	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	Y	7440-66-6	Zinc	[NULL]	[NULL]	U	[NULL]	[NULL]	R	B0DTJ8	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/3/1995 8:45	N	156-59-2	cis-1,2-Dichloroethylene	0.5	ug/L	U	[NULL]	[NULL]	R	B0DTJ7	156-59-2	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	3/3/1995 8:45	N	PH	pH Measurement	8.3	unitless	[NULL]	[NULL]	[NULL]	R	B0DYH7	PH	DATACH	D1293_PH	100-NR-2
199-N-76	3/3/1995 8:45	N	PH	pH Measurement	7.25	unitless	[NULL]	R	[NULL]	R	B0DYH7	PH	FIELD	9040_PH	100-NR-2
199-N-76	3/3/1995 8:45	N	156-60-5	trans-1,2-Dichloroethylene	0.5	ug/L	U	[NULL]	[NULL]	R	B0DTJ7	156-60-5	PNL1	502.2_VOA_GC	100-NR-2
199-N-76	8/2/1995 9:54	N	7440-70-2	Calcium	26100	ug/L	[NULL]	[NULL]	[NULL]	R	B0GB61	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	8/2/1995 9:54	N	DO	Dissolved oxygen	5010	ug/L	[NULL]	[NULL]	[NULL]	R	B0GB61	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-76	8/2/1995 9:54	N	7439-95-4	Magnesium	4500	ug/L	B	[NULL]	[NULL]	R	B0GB61	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	8/2/1995 9:54	N	CONDUCT	Specific Conductance	185	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GB61	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-76	8/2/1995 9:54	N	10098-97-2	Strontium-90	154	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GB61	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	8/2/1995 9:54	N	14808-79-8	Sulfate	12700	ug/L	[NULL]	[NULL]	[NULL]	R	B0GB61	14808-79-8	QTESRL	300.0_ANIONS_IC	100-NR-2
199-N-76	8/2/1995 9:54	N	TEMPERATURE	Temperature	20.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0GB61	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	8/2/1995 9:54	N	TURBIDITY	Turbidity	0.89	NTU	[NULL]	[NULL]	[NULL]	R	B0GB61	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-76	8/2/1995 9:54	N	PH	pH Measurement	8.11	unitless	[NULL]	[NULL]	[NULL]	R	B0GB61	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-76	9/5/1995 11:16	N	ALKALINITY	Alkalinity	70000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GBX6	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-76	9/5/1995 11:16	Y	7429-90-5	Aluminum	24.6	ug/L	U	[NULL]	[NULL]	R	B0GJW1	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/5/1995 11:16	N	7429-90-5	Aluminum	24.6	ug/L	U	[NULL]	[NULL]	R	B0GJW0	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/5/1995 11:16	N	7440-36-0	Antimony	45.9	ug/L	U	[NULL]	[NULL]	R	B0GJW0	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	9/5/1995 11:16	Y	7440-36-0	Antimony	45.9	ug/L	U	[NULL]	[NULL]	R	B0GJW1	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/5/1995 11:16	N	7440-39-3	Barium	17.9	ug/L	B	[NULL]	[NULL]	R	B0GJW0	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/5/1995 11:16	Y	7440-39-3	Barium	18.6	ug/L	B	[NULL]	[NULL]	R	B0GJW1	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/5/1995 11:16	Y	7440-41-7	Beryllium	0.69	ug/L	U	[NULL]	[NULL]	R	B0GJW1	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/5/1995 11:16	N	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	R	B0GJW0	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/5/1995 11:16	Y	7440-43-9	Cadmium	3.1	ug/L	U	[NULL]	[NULL]	R	B0GJW1	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/5/1995 11:16	N	7440-43-9	Cadmium	3.1	ug/L	U	[NULL]	[NULL]	R	B0GJW0	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/5/1995 11:16	N	7440-70-2	Calcium	28300	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJW0	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/5/1995 11:16	Y	7440-70-2	Calcium	28500	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJW1	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/5/1995 11:16	N	10045-97-3	Cesium-137	3.17	pCi/L	U	[NULL]	[NULL]	R	B0GJW0	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-76	9/5/1995 11:16	Y	16887-00-6	Chloride	1200	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJW1	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/5/1995 11:16	N	16887-00-6	Chloride	1230	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJW0	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/5/1995 11:16	Y	7440-47-3	Chromium	2.8	ug/L	U	[NULL]	[NULL]	R	B0GJW1	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/5/1995 11:16	N	7440-47-3	Chromium	3.1	ug/L	B	[NULL]	[NULL]	R	B0GJW0	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/5/1995 11:16	N	7440-48-4	Cobalt	4.3	ug/L	U	[NULL]	[NULL]	R	B0GJW0	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/5/1995 11:16	Y	7440-48-4	Cobalt	4.3	ug/L	U	[NULL]	[NULL]	R	B0GJW1	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/5/1995 11:16	N	13981-38-9	Cobalt-58	6.38	pCi/L	U	[NULL]	[NULL]	R	B0GJW0	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-76	9/5/1995 11:16	N	10198-40-0	Cobalt-60	-0.509	pCi/L	U	[NULL]	[NULL]	R	B0GJW0	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-76	9/5/1995 11:16	N	7440-50-8	Copper	13.6	ug/L	U	[NULL]	[NULL]	R	B0GJW0	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/5/1995 11:16	Y	7440-50-8	Copper	5.2	ug/L	U	[NULL]	[NULL]	R	B0GJW1	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/5/1995 11:16	N	DO	Dissolved oxygen	5500	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJW0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-76	9/5/1995 11:16	N	14683-23-9	Europium-152	1.39	pCi/L	U	[NULL]	[NULL]	R	B0GJW0	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-76	9/5/1995 11:16	N	15585-10-1	Europium-154	-3.67	pCi/L	U	[NULL]	[NULL]	R	B0GJW0	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-76	9/5/1995 11:16	N	14391-16-3	Europium-155	-2.48	pCi/L	U	[NULL]	[NULL]	R	B0GJW0	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-76	9/5/1995 11:16	Y	16984-48-8	Fluoride	110	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJW1	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/5/1995 11:16	N	16984-48-8	Fluoride	100	ug/L	U	[NULL]	[NULL]	R	B0GJW0	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/5/1995 11:16	N	12587-46-1	Gross alpha	0	pCi/L	U	[NULL]	[NULL]	R	B0GJW0	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-76	9/5/1995 11:16	N	12587-47-2	Gross beta	185	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GJW0	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-76	9/5/1995 11:16	N	7439-89-6	Iron	41	ug/L	U	[NULL]	[NULL]	R	B0GJW0	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/5/1995 11:16	Y	7439-89-6	Iron	56.2	ug/L	U	[NULL]	[NULL]	R	B0GJW1	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/5/1995 11:16	N	14596-12-4	Iron-59	-6.43	pCi/L	U	[NULL]	[NULL]	R	B0GJW0	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-76	9/5/1995 11:16	Y	7439-92-1	Lead	0.88	ug/L	U	H	[NULL]	R	B0GBY0	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-76	9/5/1995 11:16	Y	7439-95-4	Magnesium	5000	ug/L	B	[NULL]	[NULL]	R	B0GJW1	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/5/1995 11:16	N	7439-95-4	Magnesium	4890	ug/L	B	[NULL]	[NULL]	R	B0GJW0	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/5/1995 11:16	N	7439-96-5	Manganese	3.3	ug/L	U	[NULL]	[NULL]	R	B0GJW0	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/5/1995 11:16	Y	7439-96-5	Manganese	4.5	ug/L	U	[NULL]	[NULL]	R	B0GJW1	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/5/1995 11:16	N	7440-02-0	Nickel	14.2	ug/L	U	[NULL]	[NULL]	R	B0GJW0	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/5/1995 11:16	Y	7440-02-0	Nickel	14.2	ug/L	U	[NULL]	[NULL]	R	B0GJW1	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/5/1995 11:16	N	14797-55-8	Nitrate	8630	ug/L	J	[NULL]	[NULL]	R	B0GJW0	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/5/1995 11:16	Y	14797-55-8	Nitrate	8540	ug/L	J	[NULL]	[NULL]	R	B0GJW1	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/5/1995 11:16	N	14797-65-0	Nitrite	65.7	ug/L	U	R	R	R	B0GJW0	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/5/1995 11:16	Y	14797-65-0	Nitrite	65.7	ug/L	U	R	R	R	B0GJW1	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/5/1995 11:16	N	14265-44-2	Phosphate	500	ug/L	U	R	R	R	B0GJW0	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/5/1995 11:16	Y	14265-44-2	Phosphate	500	ug/L	U	R	R	R	B0GJW1	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/5/1995 11:16	N	7440-09-7	Potassium	2290	ug/L	B	[NULL]	[NULL]	R	B0GJW0	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/5/1995 11:16	Y	7440-09-7	Potassium	2540	ug/L	B	[NULL]	[NULL]	R	B0GJW1	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/5/1995 11:16	Y	7440-22-4	Silver	2.2	ug/L	U	[NULL]	[NULL]	R	B0GJW1	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/5/1995 11:16	N	7440-22-4	Silver	2.2	ug/L	U	[NULL]	[NULL]	R	B0GJW0	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/5/1995 11:16	N	7440-23-5	Sodium	2990	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJW0	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/5/1995 11:16	Y	7440-23-5	Sodium	3000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJW1	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/5/1995 11:16	N	CONDUCT	Specific Conductance	181	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GBX8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	9/5/1995 11:16	N	CONDUCT	Specific Conductance	177	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GJW0	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-76	9/5/1995 11:16	N	CONDUCT	Specific Conductance	182	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GBX7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	9/5/1995 11:16	N	CONDUCT	Specific Conductance	180	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GBX6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	9/5/1995 11:16	N	CONDUCT	Specific Conductance	181	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GBX9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	9/5/1995 11:16	N	10098-97-2	Strontium-90	85.3	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GJW0	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	9/5/1995 11:16	Y	14808-79-8	Sulfate	12500	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJW1	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/5/1995 11:16	N	14808-79-8	Sulfate	12200	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJW0	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/5/1995 11:16	N	TEMPERATURE	Temperature	20.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0GBX6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	9/5/1995 11:16	N	TOC	Total organic carbon	140	ug/L	U	[NULL]	[NULL]	R	B0GBX9	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	9/5/1995 11:16	N	TOC	Total organic carbon	200	ug/L	L	[NULL]	[NULL]	R	B0GBX8	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	9/5/1995 11:16	N	TOC	Total organic carbon	140	ug/L	U	[NULL]	[NULL]	R	B0GBX7	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	9/5/1995 11:16	N	TOC	Total organic carbon	140	ug/L	U	[NULL]	[NULL]	R	B0GBX6	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	9/5/1995 11:16	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0GBX8	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-76	9/5/1995 11:16	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0GBX9	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-76	9/5/1995 11:16	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0GBX6	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-76	9/5/1995 11:16	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0GBX7	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-76	9/5/1995 11:16	N	10028-17-8	Tritium	67800	pCi/L	J	[NULL]	[NULL]	R	B0GJW0	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-76	9/5/1995 11:16	N	TURBIDITY	Turbidity	0.82	NTU	J	[NULL]	[NULL]	R	B0GJW0	TURBIDITY	QTESSL	180.1_TURBIDITY	100-NR-2
199-N-76	9/5/1995 11:16	N	TURBIDITY	Turbidity	5	NTU	[NULL]	[NULL]	[NULL]	R	B0GBX6	TURBIDITY	FIELD	180.1_TURBIDITY	100-NR-2
199-N-76	9/5/1995 11:16	N	7440-62-2	Vanadium	7.2	ug/L	U	[NULL]	[NULL]	R	B0GJW0	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/5/1995 11:16	Y	7440-62-2	Vanadium	16.3	ug/L	U	[NULL]	[NULL]	R	B0GJW1	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/5/1995 11:16	N	7440-66-6	Zinc	10.4	ug/L	U	[NULL]	[NULL]	R	B0GJW0	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/5/1995 11:16	Y	7440-66-6	Zinc	16.1	ug/L	U	[NULL]	[NULL]	R	B0GJW1	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/5/1995 11:16	N	PH	pH Measurement	8.01	unitless	[NULL]	[NULL]	[NULL]	R	B0GBX9	PH	FIELD	9040_PH	100-NR-2
199-N-76	9/5/1995 11:16	N	PH	pH Measurement	8.01	unitless	[NULL]	[NULL]	[NULL]	R	B0GBX6	PH	FIELD	9040_PH	100-NR-2
199-N-76	9/5/1995 11:16	N	PH	pH Measurement	7.99	unitless	[NULL]	[NULL]	[NULL]	R	B0GBX7	PH	FIELD	9040_PH	100-NR-2
199-N-76	9/5/1995 11:16	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	B0GBX8	PH	FIELD	9040_PH	100-NR-2
199-N-76	9/5/1995 11:16	N	PH	pH Measurement	8.23	unitless	J	[NULL]	[NULL]	R	B0GJW0	PH	QTESSL	9040_PH	100-NR-2
199-N-76	9/6/1995 11:38	N	7440-70-2	Calcium	27800	ug/L	[NULL]	[NULL]	[NULL]	R	B0GFT4	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/6/1995 11:38	N	DO	Dissolved oxygen	5100	ug/L	[NULL]	[NULL]	[NULL]	R	B0GFT4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-76	9/6/1995 11:38	N	7439-95-4	Magnesium	5030	ug/L	[NULL]	[NULL]	[NULL]	R	B0GFT4	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/6/1995 11:38	N	CONDUCT	Specific Conductance	185	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GFT4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-76	9/6/1995 11:38	N	10098-97-2	Strontium-90	81.9	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GFT4	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	9/6/1995 11:38	N	14808-79-8	Sulfate	13000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GFT4	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/6/1995 11:38	N	TEMPERATURE	Temperature	21.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0GFT4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	9/6/1995 11:38	N	TURBIDITY	Turbidity	0.62	NTU	[NULL]	[NULL]	[NULL]	R	B0GFT4	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-76	9/6/1995 11:38	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B0GFT4	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-76	10/2/1995 13:10	N	DO	Dissolved oxygen	6100	ug/L	[NULL]	[NULL]	[NULL]	R	B0GP04	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-76	10/2/1995 13:10	N	CONDUCT	Specific Conductance	295	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GP04	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-76	10/2/1995 13:10	N	10098-97-2	Strontium-90	75.2	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GP04	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	10/2/1995 13:10	N	TEMPERATURE	Temperature	18.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0GP04	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	10/2/1995 13:10	N	TURBIDITY	Turbidity	0.81	NTU	[NULL]	[NULL]	[NULL]	R	B0GP04	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-76	10/2/1995 13:10	N	PH	pH Measurement	8.01	unitless	[NULL]	[NULL]	[NULL]	R	B0GP04	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-76	11/2/1995 10:18	N	DO	Dissolved oxygen	6200	ug/L	[NULL]	[NULL]	[NULL]	R	B0GRQ1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-76	11/2/1995 10:18	N	CONDUCT	Specific Conductance	230	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GRQ1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-76	11/2/1995 10:18	N	10098-97-2	Strontium-90	81.1	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GRQ1	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	11/2/1995 10:18	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0GRQ1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	11/2/1995 10:18	N	PH	pH Measurement	8.33	unitless	[NULL]	[NULL]	[NULL]	R	B0GRQ1	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-76	12/5/1995 11:48	N	7440-70-2	Calcium	28900	ug/L	[NULL]	[NULL]	[NULL]	R	B0GYV3	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	12/5/1995 11:48	N	DO	Dissolved oxygen	5100	ug/L	[NULL]	[NULL]	[NULL]	R	B0GYV3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-76	12/5/1995 11:48	N	7439-95-4	Magnesium	5190	ug/L	[NULL]	[NULL]	[NULL]	R	B0GYV3	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	12/5/1995 11:48	N	CONDUCT	Specific Conductance	182	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GYV3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-76	12/5/1995 11:48	N	10098-97-2	Strontium-90	85.4	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GYV3	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	12/5/1995 11:48	N	14808-79-8	Sulfate	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GYV3	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	12/5/1995 11:48	N	TEMPERATURE	Temperature	18.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0GYV3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	12/5/1995 11:48	N	TURBIDITY	Turbidity	0.88	NTU	[NULL]	[NULL]	[NULL]	R	B0GYV3	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-76	12/5/1995 11:48	N	PH	pH Measurement	8.19	unitless	[NULL]	[NULL]	[NULL]	R	B0GYV3	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-76	1/4/1996 10:35	N	7440-70-2	Calcium	27100	ug/L	[NULL]	[NULL]	[NULL]	R	B0GZJ1	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	1/4/1996 10:35	N	7440-70-2	Calcium	27900	ug/L	[NULL]	[NULL]	[NULL]	R	B0GZG9	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	1/4/1996 10:35	N	DO	Dissolved oxygen	6200	ug/L	[NULL]	[NULL]	[NULL]	R	B0GZG9	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-76	1/4/1996 10:35	N	7439-95-4	Magnesium	4630	ug/L	B	[NULL]	[NULL]	R	B0GZJ1	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	1/4/1996 10:35	N	7439-95-4	Magnesium	4790	ug/L	B	[NULL]	[NULL]	R	B0GZG9	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	1/4/1996 10:35	N	CONDUCT	Specific Conductance	181	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GZG9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-76	1/4/1996 10:35	N	10098-97-2	Strontium-90	142	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GZG9	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	1/4/1996 10:35	N	10098-97-2	Strontium-90	161	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GZJ1	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	1/4/1996 10:35	N	14808-79-8	Sulfate	12200	ug/L	[NULL]	[NULL]	[NULL]	R	B0GZJ1	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	1/4/1996 10:35	N	14808-79-8	Sulfate	12100	ug/L	[NULL]	[NULL]	[NULL]	R	B0GZG9	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	1/4/1996 10:35	N	TEMPERATURE	Temperature	16.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0GZG9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	1/4/1996 10:35	N	TURBIDITY	Turbidity	0.61	NTU	[NULL]	[NULL]	[NULL]	R	B0GZG9	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-76	1/4/1996 10:35	N	PH	pH Measurement	8.27	unitless	[NULL]	[NULL]	[NULL]	R	B0GZG9	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-76	2/14/1996 10:25	N	7440-70-2	Calcium	30100	ug/L	[NULL]	[NULL]	[NULL]	R	B0H6J5	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/14/1996 10:25	N	7440-70-2	Calcium	29200	ug/L	[NULL]	[NULL]	[NULL]	R	B0H6K7	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/14/1996 10:25	N	DO	Dissolved oxygen	5800	ug/L	[NULL]	[NULL]	[NULL]	R	B0H6J5	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-76	2/14/1996 10:25	N	7439-95-4	Magnesium	5110	ug/L	[NULL]	[NULL]	[NULL]	R	B0H6K7	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/14/1996 10:25	N	7439-95-4	Magnesium	5280	ug/L	[NULL]	[NULL]	[NULL]	R	B0H6J5	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/14/1996 10:25	N	CONDUCT	Specific Conductance	208	uS/cm	[NULL]	[NULL]	[NULL]	R	B0H6J5	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-76	2/14/1996 10:25	N	10098-97-2	Strontium-90	246	pCi/L	[NULL]	[NULL]	[NULL]	R	B0H6J5	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	2/14/1996 10:25	N	10098-97-2	Strontium-90	250	pCi/L	[NULL]	[NULL]	[NULL]	R	B0H6K7	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	2/14/1996 10:25	N	14808-79-8	Sulfate	13.1	ug/L	[NULL]	[NULL]	[NULL]	R	B0H6J5	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	2/14/1996 10:25	N	14808-79-8	Sulfate	13.1	ug/L	[NULL]	[NULL]	[NULL]	R	B0H6K7	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	2/14/1996 10:25	N	TEMPERATURE	Temperature	17.9	Deg C	[NULL]	[NULL]	[NULL]	R	B0H6J5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	2/14/1996 10:25	N	TURBIDITY	Turbidity	0.56	NTU	[NULL]	[NULL]	[NULL]	R	B0H6J5	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-76	2/14/1996 10:25	N	PH	pH Measurement	8.26	unitless	[NULL]	[NULL]	[NULL]	R	B0H6J5	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-76	3/5/1996 12:25	N	7440-70-2	Calcium	45000	ug/L	[NULL]	[NULL]	[NULL]	R	B0H771	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/5/1996 12:25	N	DO	Dissolved oxygen	5700	ug/L	[NULL]	[NULL]	[NULL]	R	B0H771	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-76	3/5/1996 12:25	N	7439-95-4	Magnesium	7660	ug/L	[NULL]	[NULL]	[NULL]	R	B0H771	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/5/1996 12:25	N	CONDUCT	Specific Conductance	293	uS/cm	[NULL]	[NULL]	[NULL]	R	B0H771	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-76	3/5/1996 12:25	N	10098-97-2	Strontium-90	2440	pCi/L	[NULL]	[NULL]	[NULL]	R	B0H771	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	3/5/1996 12:25	N	10098-97-2	Strontium-90	2820	pCi/L	[NULL]	[NULL]	[NULL]	R	B0H791	10098-97-2	LASLV	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	3/5/1996 12:25	N	10098-97-2	Strontium-90	2560	pCi/L	[NULL]	[NULL]	[NULL]	R	B0H783	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	3/5/1996 12:25	N	14808-79-8	Sulfate	54900	ug/L	[NULL]	[NULL]	[NULL]	R	B0H771	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/5/1996 12:25	N	TEMPERATURE	Temperature	19.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0H771	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	3/5/1996 12:25	N	TURBIDITY	Turbidity	0.43	NTU	[NULL]	[NULL]	[NULL]	R	B0H771	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-76	3/5/1996 12:25	N	PH	pH Measurement	8.57	unitless	[NULL]	[NULL]	[NULL]	R	B0H771	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-76	3/25/1996 10:35	N	88-06-2	2,4,6-Trichlorophenol	0.8	ug/L	U	[NULL]	[NULL]	R	B0HNL5	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	3/25/1996 10:35	N	120-83-2	2,4-Dichlorophenol	0.43	ug/L	U	[NULL]	[NULL]	R	B0HNL5	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	3/25/1996 10:35	N	105-67-9	2,4-Dimethylphenol	0.62	ug/L	U	[NULL]	[NULL]	R	B0HNL5	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	3/25/1996 10:35	N	51-28-5	2,4-Dinitrophenol	6.8	ug/L	U	[NULL]	[NULL]	R	B0HNL5	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	3/25/1996 10:35	N	87-65-0	2,6-Dichlorophenol	0.52	ug/L	U	[NULL]	[NULL]	R	B0HNL5	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	3/25/1996 10:35	N	95-57-8	2-Chlorophenol	0.6	ug/L	U	[NULL]	[NULL]	R	B0HNL5	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	3/25/1996 10:35	N	88-75-5	2-Nitrophenol	0.6	ug/L	U	[NULL]	[NULL]	R	B0HNL5	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	3/25/1996 10:35	N	534-52-1	4,6-Dinitro-2-methylphenol	0.84	ug/L	U	[NULL]	[NULL]	R	B0HNL5	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	3/25/1996 10:35	N	59-50-7	4-Chloro-3-methylphenol	0.52	ug/L	U	[NULL]	[NULL]	R	B0HNL5	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	3/25/1996 10:35	N	100-02-7	4-Nitrophenol	0.49	ug/L	U	[NULL]	[NULL]	R	B0HNL5	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	3/25/1996 10:35	N	ALKALINITY	Alkalinity	65000	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNL5	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-76	3/25/1996 10:35	N	7429-90-5	Aluminum	27.3	ug/L	U	[NULL]	[NULL]	R	B0H8K3	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	Y	7429-90-5	Aluminum	31	ug/L	U	[NULL]	[NULL]	R	B0HNL9	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	Y	7440-36-0	Antimony	24	ug/L	U	[NULL]	[NULL]	R	B0HNL9	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	N	7440-36-0	Antimony	31.7	ug/L	U	[NULL]	[NULL]	R	B0H8K3	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	Y	7440-38-2	Arsenic	2.6	ug/L	U	[NULL]	[NULL]	R	B0HNL9	7440-38-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	N	7440-39-3	Barium	39.4	ug/L	B	[NULL]	[NULL]	R	B0H8K3	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	Y	7440-39-3	Barium	36	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNL9	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	N	7440-41-7	Beryllium	0.6	ug/L	U	[NULL]	[NULL]	R	B0H8K3	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	3/25/1996 10:35	Y	7440-41-7	Beryllium	0.63	ug/L	U	[NULL]	[NULL]	R	B0HNL9	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	Y	7440-43-9	Cadmium	0.98	ug/L	U	[NULL]	[NULL]	R	B0HNL9	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	N	7440-43-9	Cadmium	3.4	ug/L	U	[NULL]	[NULL]	R	B0H8K3	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	N	7440-70-2	Calcium	45900	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K3	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	Y	7440-70-2	Calcium	43000	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNL9	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	N	10045-97-3	Cesium-137	2.81	pCi/L	U	[NULL]	[NULL]	R	B0H8K3	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-76	3/25/1996 10:35	N	16887-00-6	Chloride	4460	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K3	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/25/1996 10:35	Y	16887-00-6	Chloride	4410	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K4	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/25/1996 10:35	Y	7440-47-3	Chromium	3.7	ug/L	U	[NULL]	[NULL]	R	B0HNL9	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	N	7440-47-3	Chromium	5	ug/L	B	[NULL]	[NULL]	R	B0H8K3	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	N	7440-48-4	Cobalt	3.6	ug/L	U	[NULL]	[NULL]	R	B0H8K3	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	Y	7440-48-4	Cobalt	5.3	ug/L	U	[NULL]	[NULL]	R	B0HNL9	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	N	13981-38-9	Cobalt-58	-4.29	pCi/L	U	[NULL]	[NULL]	R	B0H8K3	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-76	3/25/1996 10:35	N	10198-40-0	Cobalt-60	3.09	pCi/L	U	[NULL]	[NULL]	R	B0H8K3	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-76	3/25/1996 10:35	Y	7440-50-8	Copper	2.4	ug/L	L	[NULL]	[NULL]	R	B0HNL9	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	N	7440-50-8	Copper	7.4	ug/L	B	[NULL]	[NULL]	R	B0H8K3	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	0.41	ug/L	U	[NULL]	[NULL]	R	B0HNL5	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	3/25/1996 10:35	N	14683-23-9	Europium-152	0.347	pCi/L	U	[NULL]	[NULL]	R	B0H8K3	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-76	3/25/1996 10:35	N	15585-10-1	Europium-154	-5.69	pCi/L	U	[NULL]	[NULL]	R	B0H8K3	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-76	3/25/1996 10:35	N	14391-16-3	Europium-155	-6.45	pCi/L	U	[NULL]	[NULL]	R	B0H8K3	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-76	3/25/1996 10:35	N	16984-48-8	Fluoride	100	ug/L	U	[NULL]	[NULL]	R	B0H8K3	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/25/1996 10:35	Y	16984-48-8	Fluoride	150	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K4	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/25/1996 10:35	N	12587-46-1	Gross alpha	0.618	pCi/L	U	[NULL]	[NULL]	R	B0H8K3	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-76	3/25/1996 10:35	N	12587-47-2	Gross beta	7040	pCi/L	[NULL]	[NULL]	[NULL]	R	B0H8K3	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-76	3/25/1996 10:35	Y	7439-89-6	Iron	33	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNL9	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	N	7439-89-6	Iron	90.2	ug/L	B	[NULL]	[NULL]	R	B0H8K3	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	N	14596-12-4	Iron-59	-4.18	pCi/L	U	[NULL]	[NULL]	R	B0H8K3	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-76	3/25/1996 10:35	Y	7439-92-1	Lead	1.7	ug/L	U	[NULL]	[NULL]	R	B0HNL9	7439-92-1	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	Y	7439-95-4	Magnesium	6900	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNL9	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	N	7439-95-4	Magnesium	7690	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K3	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	Y	7439-96-5	Manganese	0.55	ug/L	U	[NULL]	[NULL]	R	B0HNL9	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	N	7439-96-5	Manganese	3.2	ug/L	B	[NULL]	[NULL]	R	B0H8K3	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	N	7440-02-0	Nickel	16.1	ug/L	U	[NULL]	[NULL]	R	B0H8K3	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	Y	7440-02-0	Nickel	11	ug/L	U	[NULL]	[NULL]	R	B0HNL9	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	N	14797-55-8	Nitrate	15100	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K3	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/25/1996 10:35	Y	14797-55-8	Nitrate	14700	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K4	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/25/1996 10:35	Y	14797-65-0	Nitrite	65.7	ug/L	U	[NULL]	[NULL]	R	B0H8K4	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/25/1996 10:35	N	14797-65-0	Nitrite	65.7	ug/L	U	[NULL]	[NULL]	R	B0H8K3	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/25/1996 10:35	N	87-86-5	Pentachlorophenol	0.48	ug/L	U	[NULL]	[NULL]	R	B0HNL5	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	3/25/1996 10:35	N	108-95-2	Phenol	0.58	ug/L	U	[NULL]	[NULL]	R	B0HNL5	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	3/25/1996 10:35	N	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B0H8K3	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/25/1996 10:35	Y	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B0H8K4	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/25/1996 10:35	N	7440-09-7	Potassium	2010	ug/L	U	[NULL]	[NULL]	R	B0H8K3	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	Y	7440-09-7	Potassium	2100	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNL9	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	Y	7782-49-2	Selenium	3.8	ug/L	U	[NULL]	[NULL]	R	B0HNL9	7782-49-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	N	7440-22-4	Silver	5	ug/L	UN	[NULL]	[NULL]	R	B0H8K3	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	Y	7440-22-4	Silver	5.5	ug/L	U	[NULL]	[NULL]	R	B0HNL9	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	N	7440-23-5	Sodium	3700	ug/L	B	[NULL]	[NULL]	R	B0H8K3	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	Y	7440-23-5	Sodium	3500	ug/L	[NULL]	Q	[NULL]	R	B0HNL9	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	N	CONDUCT	Specific Conductance	286	uS/cm	[NULL]	[NULL]	[NULL]	R	B0H8K3	CONDUCT	QTESSL	9050_CONDUCT	100-NR-2
199-N-76	3/25/1996 10:35	N	CONDUCT	Specific Conductance	301	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HNL5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	3/25/1996 10:35	N	CONDUCT	Specific Conductance	301	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HNL6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	3/25/1996 10:35	N	CONDUCT	Specific Conductance	302	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HNL7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	3/25/1996 10:35	N	CONDUCT	Specific Conductance	299	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HNL8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	3/25/1996 10:35	Y	7440-24-6	Strontium	170	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNL9	7440-24-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	N	14158-27-1	Strontium-89	819	pCi/L	U	[NULL]	[NULL]	R	B0H8K3	14158-27-1	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	3/25/1996 10:35	N	10098-97-2	Strontium-90	3110	pCi/L	[NULL]	[NULL]	[NULL]	R	B0H8K3	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-76	3/25/1996 10:35	Y	14808-79-8	Sulfate	54900	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K4	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/25/1996 10:35	N	14808-79-8	Sulfate	55100	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K3	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/25/1996 10:35	N	TEMPERATURE	Temperature	19.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0HNL5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	3/25/1996 10:35	N	TEMPERATURE	Temperature	19.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0HNL6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	3/25/1996 10:35	N	TEMPERATURE	Temperature	19.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0HNL7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	3/25/1996 10:35	N	TEMPERATURE	Temperature	19.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0HNL8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	3/25/1996 10:35	N	25167-83-3	Tetrachlorophenol	0.52	ug/L	U	[NULL]	[NULL]	R	B0HNL5	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	3/25/1996 10:35	Y	7440-28-0	Thallium	3.7	ug/L	U	[NULL]	[NULL]	R	B0HNL9	7440-28-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	B0HNL9	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	N	1319-77-3	Total cresols	1.7	ug/L	U	[NULL]	[NULL]	R	B0HNL5	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	3/25/1996 10:35	N	TOC	Total organic carbon	270	ug/L	L	[NULL]	[NULL]	R	B0HNL8	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	3/25/1996 10:35	N	TOC	Total organic carbon	380	ug/L	L	[NULL]	[NULL]	R	B0HNL5	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	3/25/1996 10:35	N	TOC	Total organic carbon	271	ug/L	L	[NULL]	[NULL]	R	B0HNL6	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	3/25/1996 10:35	N	TOC	Total organic carbon	368	ug/L	L	[NULL]	[NULL]	R	B0HNL7	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	3/25/1996 10:35	N	59473-04-0	Total organic halides	6.95	ug/L	L	[NULL]	[NULL]	R	B0HNL8	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-76	3/25/1996 10:35	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0HNL7	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-76	3/25/1996 10:35	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0HNL5	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-76	3/25/1996 10:35	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0HNL6	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-76	3/25/1996 10:35	N	25167-82-2	Trichlorophenol	0.56	ug/L	U	[NULL]	[NULL]	R	B0HNL5	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-76	3/25/1996 10:35	N	10028-17-8	Tritium	41700	pCi/L	[NULL]	[NULL]	[NULL]	R	B0H8K3	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-76	3/25/1996 10:35	N	TURBIDITY	Turbidity	0.73	NTU	[NULL]	[NULL]	[NULL]	R	B0HNL5	TURBIDITY	FIELD	180.1_TURBIDITY	100-NR-2
199-N-76	3/25/1996 10:35	Y	7440-62-2	Vanadium	2.4	ug/L	L	[NULL]	[NULL]	R	B0HNL9	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	N	7440-62-2	Vanadium	6.2	ug/L	U	[NULL]	[NULL]	R	B0H8K3	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	N	7440-66-6	Zinc	9.7	ug/L	B	[NULL]	[NULL]	R	B0H8K3	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	Y	7440-66-6	Zinc	5.7	ug/L	L	[NULL]	[NULL]	R	B0HNL9	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	3/25/1996 10:35	N	PH	pH Measurement	8.13	unitless	[NULL]	[NULL]	[NULL]	R	B0HNL5	PH	FIELD	9040_PH	100-NR-2
199-N-76	3/25/1996 10:35	N	PH	pH Measurement	8.14	unitless	[NULL]	[NULL]	[NULL]	R	B0HNL6	PH	FIELD	9040_PH	100-NR-2
199-N-76	3/25/1996 10:35	N	PH	pH Measurement	8.14	unitless	[NULL]	[NULL]	[NULL]	R	B0HNL7	PH	FIELD	9040_PH	100-NR-2
199-N-76	3/25/1996 10:35	N	PH	pH Measurement	8.14	unitless	[NULL]	[NULL]	[NULL]	R	B0HNL8	PH	FIELD	9040_PH	100-NR-2
199-N-76	4/4/1996 10:16	N	DO	Dissolved oxygen	7000	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8N3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-76	4/4/1996 10:16	N	CONDUCT	Specific Conductance	232	uS/cm	[NULL]	[NULL]	[NULL]	R	B0H8N3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-76	4/4/1996 10:16	N	10098-97-2	Strontium-90	1460	pCi/L	[NULL]	[NULL]	[NULL]	R	B0H8N3	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	4/4/1996 10:16	N	TEMPERATURE	Temperature	19.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0H8N3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	4/4/1996 10:16	N	TURBIDITY	Turbidity	0.83	NTU	[NULL]	[NULL]	[NULL]	R	B0H8N3	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-76	4/4/1996 10:16	N	PH	pH Measurement	8.15	unitless	[NULL]	[NULL]	[NULL]	R	B0H8N3	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-76	5/7/1996 9:40	N	7440-70-2	Calcium	32600	ug/L	[NULL]	[NULL]	[NULL]	R	B0HDX6	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	5/7/1996 9:40	N	7440-70-2	Calcium	32100	ug/L	[NULL]	[NULL]	[NULL]	R	B0HDW4	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	5/7/1996 9:40	N	DO	Dissolved oxygen	6000	ug/L	[NULL]	[NULL]	[NULL]	R	B0HDW4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-76	5/7/1996 9:40	N	7439-95-4	Magnesium	5640	ug/L	[NULL]	[NULL]	[NULL]	R	B0HDW4	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	5/7/1996 9:40	N	7439-95-4	Magnesium	5720	ug/L	[NULL]	[NULL]	[NULL]	R	B0HDX6	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	5/7/1996 9:40	N	CONDUCT	Specific Conductance	251	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HDW4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-76	5/7/1996 9:40	N	10098-97-2	Strontium-90	1340	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HDW4	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	5/7/1996 9:40	N	10098-97-2	Strontium-90	1310	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HDX6	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	5/7/1996 9:40	N	14808-79-8	Sulfate	30500	ug/L	[NULL]	[NULL]	[NULL]	R	B0HDX6	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	5/7/1996 9:40	N	14808-79-8	Sulfate	27300	ug/L	[NULL]	[NULL]	[NULL]	R	B0HDW4	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	5/7/1996 9:40	N	TEMPERATURE	Temperature	19.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0HDW4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	5/7/1996 9:40	N	TURBIDITY	Turbidity	2.09	NTU	[NULL]	[NULL]	[NULL]	R	B0HDW4	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-76	5/7/1996 9:40	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	B0HDW4	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-76	6/5/1996 9:23	N	DO	Dissolved oxygen	7100	ug/L	[NULL]	[NULL]	[NULL]	R	B0HG77	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-76	6/5/1996 9:23	N	CONDUCT	Specific Conductance	238	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HG77	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-76	6/5/1996 9:23	N	10098-97-2	Strontium-90	1540	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HG77	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	6/5/1996 9:23	N	TEMPERATURE	Temperature	20.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0HG77	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	6/5/1996 9:23	N	TURBIDITY	Turbidity	0.77	NTU	[NULL]	[NULL]	[NULL]	R	B0HG77	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-76	6/5/1996 9:23	N	PH	pH Measurement	8.13	unitless	[NULL]	[NULL]	[NULL]	R	B0HG77	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-76	8/6/1996 9:34	N	7440-70-2	Calcium	33000	ug/L	[NULL]	[NULL]	[NULL]	R	B0HYM1	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	8/6/1996 9:34	N	7440-70-2	Calcium	34400	ug/L	[NULL]	[NULL]	[NULL]	R	B0HXR6	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	8/6/1996 9:34	N	DO	Dissolved oxygen	53200	ug/L	[NULL]	[NULL]	[NULL]	R	B0HXR6	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-76	8/6/1996 9:34	N	7439-95-4	Magnesium	5610	ug/L	[NULL]	[NULL]	[NULL]	R	B0HYM1	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	8/6/1996 9:34	N	7439-95-4	Magnesium	5900	ug/L	[NULL]	[NULL]	[NULL]	R	B0HXR6	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	8/6/1996 9:34	N	CONDUCT	Specific Conductance	248	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HXR6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-76	8/6/1996 9:34	N	10098-97-2	Strontium-90	1510	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HYM1	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	8/6/1996 9:34	N	10098-97-2	Strontium-90	1400	pCi/L	[NULL]	[NULL]	[NULL]	R	B0HYM3	SR-RAD	LASLV	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	8/6/1996 9:34	N	14808-79-8	Sulfate	26300	ug/L	[NULL]	[NULL]	[NULL]	R	B0HXR6	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	8/6/1996 9:34	N	14808-79-8	Sulfate	26000	ug/L	[NULL]	[NULL]	[NULL]	R	B0HYM1	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	8/6/1996 9:34	N	TEMPERATURE	Temperature	20.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0HXR6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	8/6/1996 9:34	N	TURBIDITY	Turbidity	0.62	NTU	[NULL]	[NULL]	[NULL]	R	B0HXR6	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-76	8/6/1996 9:34	N	PH	pH Measurement	8.15	unitless	[NULL]	[NULL]	[NULL]	R	B0HXR6	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-76	9/9/1996 11:34	N	ALKALINITY	Alkalinity	65000	ug/L	[NULL]	[NULL]	[NULL]	R	B0J941	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-76	9/9/1996 11:34	Y	7429-90-5	Aluminum	15	ug/L	U	[NULL]	[NULL]	R	B0J945	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	N	7429-90-5	Aluminum	58.5	ug/L	U	[NULL]	[NULL]	R	B0J1K4	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	N	7440-36-0	Antimony	27.2	ug/L	U	[NULL]	[NULL]	R	B0J1K4	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	Y	7440-36-0	Antimony	43	ug/L	U	[NULL]	[NULL]	R	B0J945	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	Y	7440-38-2	Arsenic	2.6	ug/L	U	[NULL]	[NULL]	R	B0J945	7440-38-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	Y	7440-39-3	Barium	18	ug/L	[NULL]	[NULL]	[NULL]	R	B0J945	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	N	7440-39-3	Barium	17.9	ug/L	B	[NULL]	[NULL]	R	B0J1K4	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	N	7440-41-7	Beryllium	0.4	ug/L	U	[NULL]	[NULL]	R	B0J1K4	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	Y	7440-41-7	Beryllium	0.2	ug/L	U	[NULL]	[NULL]	R	B0J945	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0J1K4	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	Y	7440-43-9	Cadmium	3.2	ug/L	U	[NULL]	[NULL]	R	B0J945	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	N	7440-70-2	Calcium	28000	ug/L	[NULL]	[NULL]	[NULL]	R	B0J1K4	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	Y	7440-70-2	Calcium	29000	ug/L	[NULL]	[NULL]	[NULL]	R	B0J945	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	N	7440-47-3	Chromium	19.4	ug/L	[NULL]	[NULL]	[NULL]	R	B0J1K4	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	Y	7440-47-3	Chromium	2.8	ug/L	L	[NULL]	[NULL]	R	B0J945	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	N	7440-48-4	Cobalt	3	ug/L	U	[NULL]	[NULL]	R	B0J1K4	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B0J945	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	N	7440-50-8	Copper	8	ug/L	U	[NULL]	[NULL]	R	B0J1K4	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	Y	7440-50-8	Copper	8.7	ug/L	U	[NULL]	[NULL]	R	B0J945	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	Y	7439-89-6	Iron	24	ug/L	L	[NULL]	[NULL]	R	B0J945	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	N	7439-89-6	Iron	78.7	ug/L	B	[NULL]	[NULL]	R	B0J1K4	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	Y	7439-92-1	Lead	1.7	ug/L	U	[NULL]	[NULL]	R	B0J945	7439-92-1	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	Y	7439-95-4	Magnesium	4700	ug/L	[NULL]	[NULL]	[NULL]	R	B0J945	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	N	7439-95-4	Magnesium	4730	ug/L	B	[NULL]	[NULL]	R	B0J1K4	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	N	7439-96-5	Manganese	2.8	ug/L	B	[NULL]	[NULL]	R	B0J1K4	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	Y	7439-96-5	Manganese	1	ug/L	L	[NULL]	[NULL]	R	B0J945	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	N	7440-02-0	Nickel	13.4	ug/L	U	[NULL]	[NULL]	R	B0J1K4	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	Y	7440-02-0	Nickel	7.4	ug/L	U	[NULL]	[NULL]	R	B0J945	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	N	7440-09-7	Potassium	1950	ug/L	U	[NULL]	[NULL]	R	B0J1K4	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	Y	7440-09-7	Potassium	2100	ug/L	B	[NULL]	[NULL]	R	B0J945	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	Y	7782-49-2	Selenium	3.8	ug/L	U	[NULL]	[NULL]	R	B0J945	7782-49-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	N	7440-22-4	Silver	6.6	ug/L	U	[NULL]	[NULL]	R	B0J1K4	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	Y	7440-22-4	Silver	4.5	ug/L	U	[NULL]	[NULL]	R	B0J945	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	N	7440-23-5	Sodium	2930	ug/L	B	[NULL]	[NULL]	R	B0J1K4	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	Y	7440-23-5	Sodium	3000	ug/L	[NULL]	[NULL]	[NULL]	R	B0J945	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	N	CONDUCT	Specific Conductance	211	uS/cm	[NULL]	[NULL]	[NULL]	R	B0J944	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	9/9/1996 11:34	N	CONDUCT	Specific Conductance	201	uS/cm	[NULL]	[NULL]	[NULL]	R	B0J1K4	CONDUCT	QTESSL	9050_CONDUCT	100-NR-2
199-N-76	9/9/1996 11:34	N	CONDUCT	Specific Conductance	213	uS/cm	[NULL]	[NULL]	[NULL]	R	B0J941	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	9/9/1996 11:34	N	CONDUCT	Specific Conductance	211	uS/cm	[NULL]	[NULL]	[NULL]	R	B0J943	CONDUCT	FIELD	9050_CONDUCT	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	9/9/1996 11:34	N	CONDUCT	Specific Conductance	212	uS/cm	[NULL]	[NULL]	[NULL]	R	B0J942	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	9/9/1996 11:34	Y	7440-24-6	Strontium	120	ug/L	[NULL]	[NULL]	[NULL]	R	B0J945	7440-24-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	N	TEMPERATURE	Temperature	21.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0J942	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	9/9/1996 11:34	N	TEMPERATURE	Temperature	21.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0J943	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	9/9/1996 11:34	N	TEMPERATURE	Temperature	21.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0J944	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	9/9/1996 11:34	N	TEMPERATURE	Temperature	21.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0J941	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	9/9/1996 11:34	Y	7440-28-0	Thallium	3.7	ug/L	U	[NULL]	[NULL]	R	B0J945	7440-28-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	Y	7440-31-5	Tin	17	ug/L	U	[NULL]	[NULL]	R	B0J945	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B0J944	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	9/9/1996 11:34	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B0J943	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	9/9/1996 11:34	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B0J942	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	9/9/1996 11:34	N	TOC	Total organic carbon	300	ug/L	U	[NULL]	[NULL]	R	B0J941	TOC	DATACH	9060_TOC	100-NR-2
199-N-76	9/9/1996 11:34	N	59473-04-0	Total organic halides	7.89	ug/L	U	[NULL]	[NULL]	R	B0J944	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-76	9/9/1996 11:34	N	59473-04-0	Total organic halides	7.89	ug/L	U	[NULL]	[NULL]	R	B0J943	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-76	9/9/1996 11:34	N	59473-04-0	Total organic halides	7.89	ug/L	U	[NULL]	[NULL]	R	B0J942	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-76	9/9/1996 11:34	N	59473-04-0	Total organic halides	7.89	ug/L	U	[NULL]	[NULL]	R	B0J941	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-76	9/9/1996 11:34	N	TURBIDITY	Turbidity	0.44	NTU	[NULL]	[NULL]	[NULL]	R	B0J944	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-76	9/9/1996 11:34	N	7440-62-2	Vanadium	3.1	ug/L	U	[NULL]	[NULL]	R	B0J1K4	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	Y	7440-62-2	Vanadium	5.5	ug/L	L	[NULL]	[NULL]	R	B0J945	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	Y	7440-66-6	Zinc	7.7	ug/L	U	[NULL]	[NULL]	R	B0J945	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	N	7440-66-6	Zinc	6	ug/L	B	[NULL]	[NULL]	R	B0J1K4	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1996 11:34	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	B0J1K4	PH	QTESSL	9040_PH	100-NR-2
199-N-76	9/9/1996 11:34	N	PH	pH Measurement	8.29	unitless	[NULL]	[NULL]	[NULL]	R	B0J941	PH	FIELD	9040_PH	100-NR-2
199-N-76	9/9/1996 11:34	N	PH	pH Measurement	8.28	unitless	[NULL]	[NULL]	[NULL]	R	B0J944	PH	FIELD	9040_PH	100-NR-2
199-N-76	9/9/1996 11:34	N	PH	pH Measurement	8.28	unitless	[NULL]	[NULL]	[NULL]	R	B0J943	PH	FIELD	9040_PH	100-NR-2
199-N-76	9/9/1996 11:34	N	PH	pH Measurement	8.27	unitless	[NULL]	[NULL]	[NULL]	R	B0J942	PH	FIELD	9040_PH	100-NR-2
199-N-76	9/10/1996 8:50	N	7440-70-2	Calcium	28700	ug/L	[NULL]	[NULL]	[NULL]	R	B0J0K1	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/10/1996 8:50	N	7440-70-2	Calcium	31000	ug/L	[NULL]	[NULL]	[NULL]	R	B0J0K3	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/10/1996 8:50	N	DO	Dissolved oxygen	4060	ug/L	[NULL]	[NULL]	[NULL]	R	B0J0K1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-76	9/10/1996 8:50	N	7439-95-4	Magnesium	4970	ug/L	B	[NULL]	[NULL]	R	B0J0K1	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/10/1996 8:50	N	7439-95-4	Magnesium	5330	ug/L	[NULL]	[NULL]	[NULL]	R	B0J0K3	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/10/1996 8:50	N	CONDUCT	Specific Conductance	205	uS/cm	[NULL]	[NULL]	[NULL]	R	B0J0K1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-76	9/10/1996 8:50	N	10098-97-2	Strontium-90	478	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J0K1	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	9/10/1996 8:50	N	10098-97-2	Strontium-90	670	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J0K5	SR-RAD	LASLV	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	9/10/1996 8:50	N	10098-97-2	Strontium-90	584	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J0K3	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	9/10/1996 8:50	N	14808-79-8	Sulfate	18400	ug/L	[NULL]	[NULL]	[NULL]	R	B0J0K1	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/10/1996 8:50	N	14808-79-8	Sulfate	18900	ug/L	[NULL]	[NULL]	[NULL]	R	B0J0K3	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/10/1996 8:50	N	TEMPERATURE	Temperature	20.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0J0K1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	9/10/1996 8:50	N	TURBIDITY	Turbidity	0.78	NTU	[NULL]	[NULL]	[NULL]	R	B0J0K1	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-76	9/10/1996 8:50	N	PH	pH Measurement	8.16	unitless	[NULL]	[NULL]	[NULL]	R	B0J0K1	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-76	9/24/1996 10:45	N	14234-35-6	Antimony-125	0.976	pCi/L	J	[NULL]	[NULL]	R	B0J695	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-76	9/24/1996 10:45	N	13966-02-4	Beryllium-7	-1.26	pCi/L	UJ	[NULL]	[NULL]	R	B0J695	13966-02-4	ITASRL	GAMMA_GS	100-NR-2
199-N-76	9/24/1996 10:45	N	24959-67-9	Bromide	15	ug/L	L	[NULL]	[NULL]	R	B0J695	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	9/24/1996 10:45	N	13967-70-9	Cesium-134	-1.1	pCi/L	UJ	[NULL]	[NULL]	R	B0J695	13967-70-9	ITASRL	GAMMA_GS	100-NR-2
199-N-76	9/24/1996 10:45	N	10045-97-3	Cesium-137	-0.304	pCi/L	UJ	[NULL]	[NULL]	R	B0J695	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-76	9/24/1996 10:45	N	16887-00-6	Chloride	2400	ug/L	[NULL]	[NULL]	[NULL]	R	B0J695	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	9/24/1996 10:45	N	10198-40-0	Cobalt-60	3.17	pCi/L	J	[NULL]	[NULL]	R	B0J695	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-76	9/24/1996 10:45	N	15585-10-1	Europium-154	-5.22	pCi/L	UJ	[NULL]	[NULL]	R	B0J695	15585-10-1	ITASRL	GAMMA_GS	100-NR-2
199-N-76	9/24/1996 10:45	N	14391-16-3	Europium-155	-0.928	pCi/L	UJ	[NULL]	[NULL]	R	B0J695	14391-16-3	ITASRL	GAMMA_GS	100-NR-2
199-N-76	9/24/1996 10:45	N	16984-48-8	Fluoride	130	ug/L	[NULL]	[NULL]	[NULL]	R	B0J695	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	9/24/1996 10:45	N	12587-46-1	Gross alpha	1.027	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J695	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	9/24/1996 10:45	N	12587-47-2	Gross beta	952.42	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J695	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	9/24/1996 10:45	N	14797-55-8	Nitrate	9400	ug/L	[NULL]	[NULL]	[NULL]	R	B0J695	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	9/24/1996 10:45	N	14797-65-0	Nitrite	11	ug/L	U	[NULL]	[NULL]	R	B0J695	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	9/24/1996 10:45	N	14265-44-2	Phosphate	83	ug/L	U	[NULL]	[NULL]	R	B0J695	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	9/24/1996 10:45	N	13966-00-2	Potassium-40	5.71	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J695	13966-00-2	ITASRL	GAMMA_GS	100-NR-2
199-N-76	9/24/1996 10:45	N	13967-48-1	Ruthenium-106	4.84	pCi/L	J	[NULL]	[NULL]	R	B0J695	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-76	9/24/1996 10:45	N	CONDUCT	Specific Conductance	190	uS/cm	[NULL]	[NULL]	[NULL]	R	B0J695	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	9/24/1996 10:45	N	10098-97-2	Strontium-90	552.91	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J695	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	9/24/1996 10:45	N	14808-79-8	Sulfate	17000	ug/L	D	[NULL]	[NULL]	R	B0J695	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-76	9/24/1996 10:45	N	TEMPERATURE	Temperature	20.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0J695	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	9/24/1996 10:45	N	10028-17-8	Tritium	61894	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J695	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-76	9/24/1996 10:45	N	TURBIDITY	Turbidity	40.8	NTU	[NULL]	[NULL]	[NULL]	R	B0J695	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-76	9/24/1996 10:45	N	PH	pH Measurement	8.19	unitless	[NULL]	[NULL]	[NULL]	R	B0J695	PH	FIELD	9040_PH	100-NR-2
199-N-76	10/3/1996 11:50	N	7440-70-2	Calcium	27600	ug/L	[NULL]	[NULL]	[NULL]	R	B0J2M2	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	10/3/1996 11:50	N	7440-70-2	Calcium	27500	ug/L	[NULL]	[NULL]	[NULL]	R	B0J2M3	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	10/3/1996 11:50	N	DO	Dissolved oxygen	2300	ug/L	[NULL]	[NULL]	[NULL]	R	B0J2M2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-76	10/3/1996 11:50	N	7439-95-4	Magnesium	4620	ug/L	B	[NULL]	[NULL]	R	B0J2M3	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	10/3/1996 11:50	N	7439-95-4	Magnesium	4630	ug/L	B	[NULL]	[NULL]	R	B0J2M2	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	10/3/1996 11:50	N	CONDUCT	Specific Conductance	191	uS/cm	[NULL]	[NULL]	[NULL]	R	B0J2M2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-76	10/3/1996 11:50	N	14158-27-1	Strontium-89	-0.65	pCi/L	U	[NULL]	[NULL]	R	B0J2M5	14158-27-1	TMANC	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	10/3/1996 11:50	N	10098-97-2	Strontium-90	500	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J2M5	10098-97-2	TMANC	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-76	10/3/1996 11:50	N	10098-97-2	Strontium-90	452	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J2M3	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	10/3/1996 11:50	N	10098-97-2	Strontium-90	412	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J2M2	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	10/3/1996 11:50	N	14808-79-8	Sulfate	16100	ug/L	[NULL]	[NULL]	[NULL]	R	B0J2M3	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	10/3/1996 11:50	N	14808-79-8	Sulfate	17100	ug/L	[NULL]	[NULL]	[NULL]	R	B0J2M2	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	10/3/1996 11:50	N	TEMPERATURE	Temperature	20.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0J2M2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	10/3/1996 11:50	N	TURBIDITY	Turbidity	1.34	NTU	[NULL]	[NULL]	[NULL]	R	B0J2M2	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-76	10/3/1996 11:50	N	PH	pH Measurement	8.14	unitless	[NULL]	[NULL]	[NULL]	R	B0J2M2	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-76	11/6/1996 10:45	N	7440-70-2	Calcium	26600	ug/L	[NULL]	[NULL]	[NULL]	R	B0J2N0	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	11/6/1996 10:45	N	7440-70-2	Calcium	27500	ug/L	[NULL]	[NULL]	[NULL]	R	B0J2N2	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	11/6/1996 10:45	N	DO	Dissolved oxygen	3160	ug/L	[NULL]	[NULL]	[NULL]	R	B0J2N0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-76	11/6/1996 10:45	N	7439-95-4	Magnesium	4440	ug/L	B	[NULL]	[NULL]	R	B0J2N0	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	11/6/1996 10:45	N	7439-95-4	Magnesium	4630	ug/L	B	[NULL]	[NULL]	R	B0J2N2	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	11/6/1996 10:45	N	CONDUCT	Specific Conductance	187	uS/cm	[NULL]	[NULL]	[NULL]	R	B0J2N0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-76	11/6/1996 10:45	N	14158-27-1	Strontium-89	16	pCi/L	U	[NULL]	[NULL]	R	B0J2N4	14158-27-1	TMANC	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	11/6/1996 10:45	N	10098-97-2	Strontium-90	340	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J2N0	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	11/6/1996 10:45	N	10098-97-2	Strontium-90	332	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J2N2	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	11/6/1996 10:45	N	10098-97-2	Strontium-90	380	pCi/L	[NULL]	[NULL]	[NULL]	R	B0J2N4	10098-97-2	TMANC	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-76	11/6/1996 10:45	N	14808-79-8	Sulfate	14600	ug/L	[NULL]	[NULL]	[NULL]	R	B0J2N2	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	11/6/1996 10:45	N	14808-79-8	Sulfate	14500	ug/L	[NULL]	[NULL]	[NULL]	R	B0J2N0	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	11/6/1996 10:45	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0J2N0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	11/6/1996 10:45	N	TURBIDITY	Turbidity	0.57	NTU	[NULL]	[NULL]	[NULL]	R	B0J2N0	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-76	11/6/1996 10:45	N	PH	pH Measurement	8.13	unitless	[NULL]	[NULL]	[NULL]	R	B0J2N0	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-76	12/4/1996 10:33	N	7440-70-2	Calcium	26200	ug/L	[NULL]	[NULL]	[NULL]	R	B0JLF6	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	12/4/1996 10:33	N	7440-70-2	Calcium	26400	ug/L	[NULL]	[NULL]	[NULL]	R	B0JLF4	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	12/4/1996 10:33	N	DO	Dissolved oxygen	3240	ug/L	[NULL]	[NULL]	[NULL]	R	B0JLF4	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-76	12/4/1996 10:33	N	7439-95-4	Magnesium	4450	ug/L	B	[NULL]	[NULL]	R	B0JLF6	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	12/4/1996 10:33	N	7439-95-4	Magnesium	4330	ug/L	B	[NULL]	[NULL]	R	B0JLF4	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	12/4/1996 10:33	N	CONDUCT	Specific Conductance	185	uS/cm	[NULL]	[NULL]	[NULL]	R	B0JLF4	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-76	12/4/1996 10:33	N	14158-27-1	Strontium-89	69	pCi/L	[NULL]	[NULL]	[NULL]	R	B0JLF8	14158-27-1	TMANC	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	12/4/1996 10:33	N	10098-97-2	Strontium-90	419	pCi/L	[NULL]	[NULL]	[NULL]	R	B0JLF4	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	12/4/1996 10:33	N	10098-97-2	Strontium-90	401	pCi/L	[NULL]	[NULL]	[NULL]	R	B0JLF6	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	12/4/1996 10:33	N	10098-97-2	Strontium-90	400	pCi/L	[NULL]	[NULL]	[NULL]	R	B0JLF8	10098-97-2	TMANC	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-76	12/4/1996 10:33	N	14808-79-8	Sulfate	13700	ug/L	[NULL]	[NULL]	[NULL]	R	B0JLF6	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	12/4/1996 10:33	N	14808-79-8	Sulfate	13700	ug/L	[NULL]	[NULL]	[NULL]	R	B0JLF4	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	12/4/1996 10:33	N	TEMPERATURE	Temperature	19.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0JLF4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	12/4/1996 10:33	N	TURBIDITY	Turbidity	1.06	NTU	[NULL]	[NULL]	[NULL]	R	B0JLF4	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-76	12/4/1996 10:33	N	PH	pH Measurement	8.41	unitless	[NULL]	[NULL]	[NULL]	R	B0JLF4	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-76	1/13/1997 9:20	N	7440-70-2	Calcium	26300	ug/L	N	[NULL]	[NULL]	R	B0JR58	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	1/13/1997 9:20	N	7440-70-2	Calcium	26000	ug/L	N	[NULL]	[NULL]	R	B0JR55	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	1/13/1997 9:20	N	7439-95-4	Magnesium	4390	ug/L	B	[NULL]	[NULL]	R	B0JR58	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	1/13/1997 9:20	N	7439-95-4	Magnesium	4350	ug/L	B	[NULL]	[NULL]	R	B0JR55	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	1/13/1997 9:20	N	10098-97-2	Strontium-90	441	pCi/L	[NULL]	[NULL]	[NULL]	R	B0JR58	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	1/13/1997 9:20	N	10098-97-2	Strontium-90	472	pCi/L	[NULL]	[NULL]	[NULL]	R	B0JR55	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	1/13/1997 9:20	N	10098-97-2	Strontium-90	560	pCi/L	[NULL]	[NULL]	[NULL]	R	B0JR60	SR-RAD	TMANC	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	1/13/1997 9:20	N	14808-79-8	Sulfate	12400	ug/L	[NULL]	[NULL]	[NULL]	R	B0JR55	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	1/13/1997 9:20	N	14808-79-8	Sulfate	12300	ug/L	[NULL]	[NULL]	[NULL]	R	B0JR58	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	2/6/1997 10:35	Y	7429-90-5	Aluminum	33.6	ug/L	U	[NULL]	[NULL]	R	B0JY66	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:35	Y	7440-36-0	Antimony	46.1	ug/L	U	[NULL]	[NULL]	R	B0JY66	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:35	N	14234-35-6	Antimony-125	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0JY71	14234-35-6	TMANC	GAMMA_GS	100-NR-2
199-N-76	2/6/1997 10:35	Y	7440-39-3	Barium	19.3	ug/L	B	[NULL]	[NULL]	R	B0JY66	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:35	Y	7440-41-7	Beryllium	0.3	ug/L	U	[NULL]	[NULL]	R	B0JY66	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:35	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0JY66	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:35	Y	7440-70-2	Calcium	29700	ug/L	[NULL]	[NULL]	[NULL]	R	B0JY66	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:35	N	13967-70-9	Cesium-134	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0JY71	13967-70-9	TMANC	GAMMA_GS	100-NR-2
199-N-76	2/6/1997 10:35	N	10045-97-3	Cesium-137	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0JY71	10045-97-3	TMANC	GAMMA_GS	100-NR-2
199-N-76	2/6/1997 10:35	N	16887-00-6	Chloride	2610	ug/L	[NULL]	[NULL]	[NULL]	R	B0JY71	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	2/6/1997 10:35	Y	7440-47-3	Chromium	2.7	ug/L	U	[NULL]	[NULL]	R	B0JY66	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:35	Y	7440-48-4	Cobalt	3.8	ug/L	U	[NULL]	[NULL]	R	B0JY66	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:35	N	13981-38-9	Cobalt-58	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0JY71	13981-38-9	TMANC	GAMMA_GS	100-NR-2
199-N-76	2/6/1997 10:35	N	10198-40-0	Cobalt-60	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0JY71	10198-40-0	TMANC	GAMMA_GS	100-NR-2
199-N-76	2/6/1997 10:35	Y	7440-50-8	Copper	5.8	ug/L	B	[NULL]	[NULL]	R	B0JY66	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:35	N	DO	Dissolved oxygen	3210	ug/L	[NULL]	[NULL]	[NULL]	R	B0JY71	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-76	2/6/1997 10:35	Y	DO	Dissolved oxygen	3210	ug/L	[NULL]	[NULL]	[NULL]	R	B0JY66	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-76	2/6/1997 10:35	N	14683-23-9	Europium-152	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0JY71	14683-23-9	TMANC	GAMMA_GS	100-NR-2
199-N-76	2/6/1997 10:35	N	15585-10-1	Europium-154	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0JY71	15585-10-1	TMANC	GAMMA_GS	100-NR-2
199-N-76	2/6/1997 10:35	N	14391-16-3	Europium-155	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0JY71	14391-16-3	TMANC	GAMMA_GS	100-NR-2
199-N-76	2/6/1997 10:35	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	B0JY71	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	2/6/1997 10:35	N	12587-47-2	Gross beta	1700	pCi/L	[NULL]	[NULL]	[NULL]	R	B0JY71	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-76	2/6/1997 10:35	Y	7439-89-6	Iron	15.3	ug/L	B	[NULL]	[NULL]	R	B0JY66	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:35	N	14596-12-4	Iron-59	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0JY71	14596-12-4	TMANC	GAMMA_GS	100-NR-2
199-N-76	2/6/1997 10:35	Y	7439-95-4	Magnesium	4920	ug/L	B	[NULL]	[NULL]	R	B0JY66	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:35	Y	7439-96-5	Manganese	1.3	ug/L	B	[NULL]	[NULL]	R	B0JY66	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:35	N	13966-31-9	Manganese-54	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0JY71	13966-31-9	TMANC	GAMMA_GS	100-NR-2
199-N-76	2/6/1997 10:35	Y	7440-02-0	Nickel	9.2	ug/L	U	[NULL]	[NULL]	R	B0JY66	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:35	N	14681-63-1	Niobium-94	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0JY71	14681-63-1	TMANC	GAMMA_GS	100-NR-2
199-N-76	2/6/1997 10:35	N	14797-55-8	Nitrate	9590	ug/L	[NULL]	Z	[NULL]	R	B0JY71	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	2/6/1997 10:35	N	14797-65-0	Nitrite	250	ug/L	U	[NULL]	[NULL]	R	B0JY71	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	2/6/1997 10:35	N	14265-44-2	Phosphate	250	ug/L	U	[NULL]	[NULL]	R	B0JY71	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	2/6/1997 10:35	Y	7440-09-7	Potassium	2330	ug/L	U	[NULL]	[NULL]	R	B0JY66	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:35	N	13966-00-2	Potassium-40	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0JY71	13966-00-2	TMANC	GAMMA_GS	100-NR-2
199-N-76	2/6/1997 10:35	N	13968-53-1	Ruthenium-103	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0JY71	13968-53-1	TMANC	GAMMA_GS	100-NR-2
199-N-76	2/6/1997 10:35	N	13967-48-1	Ruthenium-106	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0JY71	13967-48-1	TMANC	GAMMA_GS	100-NR-2
199-N-76	2/6/1997 10:35	Y	7440-22-4	Silver	4.9	ug/L	U	[NULL]	[NULL]	R	B0JY66	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:35	Y	7440-23-5	Sodium	2900	ug/L	B	[NULL]	[NULL]	R	B0JY66	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:35	N	10098-97-2	Strontium-90	740	pCi/L	[NULL]	[NULL]	[NULL]	R	B0JY71	SR-RAD	TMANC	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	2/6/1997 10:35	N	14808-79-8	Sulfate	20900	ug/L	[NULL]	[NULL]	[NULL]	R	B0JY71	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	2/6/1997 10:35	N	13966-06-8	Tin-113	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0JY71	13966-06-8	TMANC	GAMMA_GS	100-NR-2
199-N-76	2/6/1997 10:35	N	10028-17-8	Tritium	59000	pCi/L	[NULL]	[NULL]	[NULL]	R	B0JY71	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-76	2/6/1997 10:35	Y	7440-62-2	Vanadium	3.6	ug/L	U	[NULL]	[NULL]	R	B0JY66	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:35	Y	7440-66-6	Zinc	43.9	ug/L	E	[NULL]	[NULL]	R	B0JY66	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:38	Y	7429-90-5	Aluminum	43.1	ug/L	U	[NULL]	[NULL]	R	B0JY72	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:38	Y	7429-90-5	Aluminum	33.6	ug/L	U	[NULL]	[NULL]	R	B0JY68	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:38	Y	7440-36-0	Antimony	46.1	ug/L	U	[NULL]	[NULL]	R	B0JY68	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	2/6/1997 10:38	Y	7440-36-0	Antimony	24.8	ug/L	U	[NULL]	[NULL]	R	B0JY72	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:38	Y	7440-39-3	Barium	19	ug/L	B	[NULL]	[NULL]	R	B0JY68	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:38	Y	7440-39-3	Barium	15.7	ug/L	[NULL]	[NULL]	[NULL]	R	B0JY72	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:38	Y	7440-41-7	Beryllium	0.2	ug/L	U	[NULL]	[NULL]	R	B0JY72	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:38	Y	7440-41-7	Beryllium	0.3	ug/L	U	[NULL]	[NULL]	R	B0JY68	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:38	N	24959-67-9	Bromide	250	ug/L	U	[NULL]	[NULL]	R	B0JY65	24959-67-9	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	2/6/1997 10:38	N	24959-67-9	Bromide	250	ug/L	U	[NULL]	[NULL]	R	B0JY67	24959-67-9	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	2/6/1997 10:38	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B0JY72	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:38	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0JY68	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:38	Y	7440-70-2	Calcium	24400	ug/L	[NULL]	[NULL]	[NULL]	R	B0JY72	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:38	Y	7440-70-2	Calcium	29300	ug/L	[NULL]	[NULL]	[NULL]	R	B0JY68	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:38	N	10045-97-3	Cesium-137	1.35	pCi/L	U	[NULL]	[NULL]	R	B0JY67	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-76	2/6/1997 10:38	N	10045-97-3	Cesium-137	-5.27	pCi/L	U	[NULL]	[NULL]	R	B0JY65	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-76	2/6/1997 10:38	N	16887-00-6	Chloride	2580	ug/L	[NULL]	[NULL]	[NULL]	R	B0JY67	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	2/6/1997 10:38	N	16887-00-6	Chloride	2540	ug/L	[NULL]	[NULL]	[NULL]	R	B0JY65	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	2/6/1997 10:38	Y	7440-47-3	Chromium	5	ug/L	U	[NULL]	[NULL]	R	B0JY72	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:38	Y	7440-47-3	Chromium	2.7	ug/L	U	[NULL]	[NULL]	R	B0JY68	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:38	Y	7440-48-4	Cobalt	5.4	ug/L	U	[NULL]	[NULL]	R	B0JY72	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:38	Y	7440-48-4	Cobalt	3.8	ug/L	U	[NULL]	[NULL]	R	B0JY68	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:38	N	13981-38-9	Cobalt-58	-1.45	pCi/L	U	[NULL]	[NULL]	R	B0JY67	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-76	2/6/1997 10:38	N	13981-38-9	Cobalt-58	-1.26	pCi/L	U	[NULL]	[NULL]	R	B0JY65	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-76	2/6/1997 10:38	N	10198-40-0	Cobalt-60	4.16	pCi/L	U	[NULL]	[NULL]	R	B0JY65	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-76	2/6/1997 10:38	N	10198-40-0	Cobalt-60	4.94	pCi/L	U	[NULL]	[NULL]	R	B0JY67	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-76	2/6/1997 10:38	Y	7440-50-8	Copper	7.3	ug/L	B	[NULL]	[NULL]	R	B0JY68	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:38	Y	7440-50-8	Copper	6	ug/L	U	[NULL]	[NULL]	R	B0JY72	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:38	N	DO	Dissolved oxygen	3210	ug/L	[NULL]	[NULL]	[NULL]	R	B0JY65	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-76	2/6/1997 10:38	Y	DO	Dissolved oxygen	3210	ug/L	[NULL]	[NULL]	[NULL]	R	B0JY72	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-76	2/6/1997 10:38	Y	DO	Dissolved oxygen	3210	ug/L	[NULL]	[NULL]	[NULL]	R	B0JY68	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-76	2/6/1997 10:38	N	DO	Dissolved oxygen	3210	ug/L	[NULL]	[NULL]	[NULL]	R	B0JY67	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-76	2/6/1997 10:38	N	14683-23-9	Europium-152	7.97	pCi/L	U	[NULL]	[NULL]	R	B0JY65	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-76	2/6/1997 10:38	N	14683-23-9	Europium-152	-9.41	pCi/L	U	[NULL]	[NULL]	R	B0JY67	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-76	2/6/1997 10:38	N	15585-10-1	Europium-154	-14.5	pCi/L	U	[NULL]	[NULL]	R	B0JY65	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-76	2/6/1997 10:38	N	15585-10-1	Europium-154	-7.85	pCi/L	U	[NULL]	[NULL]	R	B0JY67	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-76	2/6/1997 10:38	N	14391-16-3	Europium-155	3.44	pCi/L	U	[NULL]	[NULL]	R	B0JY65	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-76	2/6/1997 10:38	N	14391-16-3	Europium-155	10.9	pCi/L	U	[NULL]	[NULL]	R	B0JY67	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-76	2/6/1997 10:38	N	16984-48-8	Fluoride	120	ug/L	[NULL]	[NULL]	[NULL]	R	B0JY65	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	2/6/1997 10:38	N	16984-48-8	Fluoride	100	ug/L	U	[NULL]	[NULL]	R	B0JY67	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	2/6/1997 10:38	N	12587-47-2	Gross beta	1770	pCi/L	[NULL]	[NULL]	[NULL]	R	B0JY67	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-76	2/6/1997 10:38	N	12587-47-2	Gross beta	1680	pCi/L	[NULL]	[NULL]	[NULL]	R	B0JY65	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-76	2/6/1997 10:38	Y	7439-89-6	Iron	39.9	ug/L	[NULL]	[NULL]	[NULL]	R	B0JY72	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:38	Y	7439-89-6	Iron	36.9	ug/L	B	[NULL]	[NULL]	R	B0JY68	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:38	N	14596-12-4	Iron-59	-7.6	pCi/L	U	[NULL]	[NULL]	R	B0JY65	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-76	2/6/1997 10:38	N	14596-12-4	Iron-59	-7.19	pCi/L	U	[NULL]	[NULL]	R	B0JY67	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-76	2/6/1997 10:38	Y	7439-95-4	Magnesium	4130	ug/L	[NULL]	[NULL]	[NULL]	R	B0JY72	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:38	Y	7439-95-4	Magnesium	4840	ug/L	B	[NULL]	[NULL]	R	B0JY68	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:38	Y	7439-96-5	Manganese	0.82	ug/L	B	[NULL]	[NULL]	R	B0JY68	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:38	Y	7439-96-5	Manganese	0.8	ug/L	U	[NULL]	[NULL]	R	B0JY72	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:38	Y	7440-02-0	Nickel	9.2	ug/L	U	[NULL]	[NULL]	R	B0JY68	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:38	Y	7440-02-0	Nickel	9.9	ug/L	U	[NULL]	[NULL]	R	B0JY72	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:38	N	14797-55-8	Nitrate	9650	ug/L	[NULL]	[NULL]	[NULL]	R	B0JY65	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	2/6/1997 10:38	N	14797-55-8	Nitrate	9960	ug/L	[NULL]	[NULL]	[NULL]	R	B0JY67	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	2/6/1997 10:38	N	14797-65-0	Nitrite	65.7	ug/L	U	[NULL]	[NULL]	R	B0JY65	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	2/6/1997 10:38	N	14797-65-0	Nitrite	65.7	ug/L	U	[NULL]	[NULL]	R	B0JY67	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	2/6/1997 10:38	N	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B0JY65	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	2/6/1997 10:38	N	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B0JY67	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	2/6/1997 10:38	Y	7440-09-7	Potassium	2330	ug/L	U	[NULL]	[NULL]	R	B0JY68	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:38	Y	7440-09-7	Potassium	1550	ug/L	[NULL]	[NULL]	[NULL]	R	B0JY72	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:38	Y	7440-22-4	Silver	4.9	ug/L	U	[NULL]	[NULL]	R	B0JY68	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:38	Y	7440-22-4	Silver	8.9	ug/L	U	[NULL]	[NULL]	R	B0JY72	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:38	Y	7440-23-5	Sodium	2800	ug/L	B	[NULL]	[NULL]	R	B0JY68	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:38	Y	7440-23-5	Sodium	2680	ug/L	[NULL]	[NULL]	[NULL]	R	B0JY72	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:38	N	CONDUCT	Specific Conductance	204	uS/cm	[NULL]	[NULL]	[NULL]	R	B0JY65	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-76	2/6/1997 10:38	N	10098-97-2	Strontium-90	695	pCi/L	[NULL]	[NULL]	[NULL]	R	B0JY67	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	2/6/1997 10:38	N	10098-97-2	Strontium-90	732	pCi/L	[NULL]	[NULL]	[NULL]	R	B0JY65	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	2/6/1997 10:38	N	14808-79-8	Sulfate	20700	ug/L	[NULL]	[NULL]	[NULL]	R	B0JY65	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	2/6/1997 10:38	N	14808-79-8	Sulfate	20700	ug/L	[NULL]	[NULL]	[NULL]	R	B0JY67	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	2/6/1997 10:38	N	TEMPERATURE	Temperature	19.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0JY65	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	2/6/1997 10:38	N	10028-17-8	Tritium	60200	pCi/L	[NULL]	[NULL]	[NULL]	R	B0JY65	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-76	2/6/1997 10:38	N	10028-17-8	Tritium	60200	pCi/L	[NULL]	[NULL]	[NULL]	R	B0JY67	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-76	2/6/1997 10:38	N	TURBIDITY	Turbidity	0.41	NTU	[NULL]	[NULL]	[NULL]	R	B0JY65	TURBIDITY	FIELD	180.1_TURBIDITY	100-NR-2
199-N-76	2/6/1997 10:38	Y	7440-62-2	Vanadium	4.6	ug/L	U	[NULL]	[NULL]	R	B0JY72	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:38	Y	7440-62-2	Vanadium	3.6	ug/L	U	[NULL]	[NULL]	R	B0JY68	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:38	Y	7440-66-6	Zinc	9.7	ug/L	[NULL]	[NULL]	[NULL]	R	B0JY72	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:38	Y	7440-66-6	Zinc	40.1	ug/L	E	[NULL]	[NULL]	R	B0JY68	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	2/6/1997 10:38	N	PH	pH Measurement	8.25	unitless	[NULL]	[NULL]	[NULL]	R	B0JY65	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-76	3/10/1997 13:16	N	14234-35-6	Antimony-125	5.44	pCi/L	U	[NULL]	[NULL]	R	B0K054	14234-35-6	QTESRL	GAMMA_GS	100-NR-2
199-N-76	3/10/1997 13:16	N	13966-02-4	Beryllium-7	5.64	pCi/L	U	[NULL]	[NULL]	R	B0K054	13966-02-4	QTESRL	GAMMA_GS	100-NR-2
199-N-76	3/10/1997 13:16	Y	7440-70-2	Calcium	30100	ug/L	[NULL]	[NULL]	[NULL]	R	B0K016	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/10/1997 13:16	Y	7440-70-2	Calcium	27400	ug/L	[NULL]	[NULL]	[NULL]	R	B0K020	7440-70-2	RFWLVL	6010_METALS_ICP	100-NR-2
199-N-76	3/10/1997 13:16	Y	7440-70-2	Calcium	30700	ug/L	[NULL]	[NULL]	[NULL]	R	B0K018	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/10/1997 13:16	N	13967-70-9	Cesium-134	-0.454	pCi/L	U	[NULL]	[NULL]	R	B0K054	13967-70-9	QTESRL	GAMMA_GS	100-NR-2
199-N-76	3/10/1997 13:16	N	10045-97-3	Cesium-137	0.722	pCi/L	U	[NULL]	[NULL]	R	B0K054	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-76	3/10/1997 13:16	N	10198-40-0	Cobalt-60	2.05	pCi/L	U	[NULL]	[NULL]	R	B0K054	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-76	3/10/1997 13:16	N	DO	Dissolved oxygen	240	ug/L	[NULL]	[NULL]	[NULL]	R	B0K054	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-76	3/10/1997 13:16	N	15585-10-1	Europium-154	-1.34	pCi/L	U	[NULL]	[NULL]	R	B0K054	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-76	3/10/1997 13:16	N	14391-16-3	Europium-155	0.701	pCi/L	U	[NULL]	[NULL]	R	B0K054	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-76	3/10/1997 13:16	N	12587-46-1	Gross alpha	0.16	pCi/L	U	[NULL]	[NULL]	R	B0K054	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-76	3/10/1997 13:16	Y	7439-95-4	Magnesium	4490	ug/L	B	[NULL]	[NULL]	R	B0K020	7439-95-4	RFWLVL	6010_METALS_ICP	100-NR-2
199-N-76	3/10/1997 13:16	Y	7439-95-4	Magnesium	5170	ug/L	[NULL]	[NULL]	[NULL]	R	B0K018	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/10/1997 13:16	Y	7439-95-4	Magnesium	5020	ug/L	[NULL]	[NULL]	[NULL]	R	B0K016	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/10/1997 13:16	N	EH	Oxidation Reduction Potential	243.1	mV	[NULL]	[NULL]	[NULL]	R	B0K054	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-76	3/10/1997 13:16	N	13966-00-2	Potassium-40	106	pCi/L	U	[NULL]	[NULL]	R	B0K054	13966-00-2	QTESRL	GAMMA_GS	100-NR-2
199-N-76	3/10/1997 13:16	N	13967-48-1	Ruthenium-106	-1.23	pCi/L	U	[NULL]	[NULL]	R	B0K054	13967-48-1	QTESRL	GAMMA_GS	100-NR-2
199-N-76	3/10/1997 13:16	N	CONDUCT	Specific Conductance	212	uS/cm	[NULL]	[NULL]	[NULL]	R	B0K054	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	3/10/1997 13:16	N	10098-97-2	Strontium-90	586	pCi/L	[NULL]	[NULL]	[NULL]	R	B0K017	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	3/10/1997 13:16	N	10098-97-2	Strontium-90	583	pCi/L	[NULL]	[NULL]	[NULL]	R	B0K019	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	3/10/1997 13:16	N	10098-97-2	Strontium-90	640	pCi/L	[NULL]	[NULL]	[NULL]	R	B0K021	SR-RAD	TMANC	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	3/10/1997 13:16	N	10098-97-2	Strontium-90	651	pCi/L	[NULL]	[NULL]	[NULL]	R	B0K054	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-76	3/10/1997 13:16	N	14808-79-8	Sulfate	22600	ug/L	[NULL]	[NULL]	[NULL]	R	B0K019	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/10/1997 13:16	N	14808-79-8	Sulfate	23600	ug/L	[NULL]	[NULL]	[NULL]	R	B0K021	14808-79-8	RFWLVL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/10/1997 13:16	N	14808-79-8	Sulfate	22300	ug/L	[NULL]	[NULL]	[NULL]	R	B0K017	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/10/1997 13:16	N	TEMPERATURE	Temperature	19.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0K054	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	3/10/1997 13:16	N	TURBIDITY	Turbidity	0.44	NTU	[NULL]	[NULL]	[NULL]	R	B0K054	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-76	3/10/1997 13:16	N	PH	pH Measurement	8.21	unitless	[NULL]	[NULL]	[NULL]	R	B0K054	PH	FIELD	9040_PH	100-NR-2
199-N-76	4/3/1997 12:36	Y	7440-70-2	Calcium	25500	ug/L	[NULL]	[NULL]	[NULL]	R	B0K4P7	7440-70-2	RFWLVL	6010_METALS_ICP	100-NR-2
199-N-76	4/3/1997 12:36	Y	7440-70-2	Calcium	24900	ug/L	[NULL]	[NULL]	[NULL]	R	B0K041	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	4/3/1997 12:36	Y	7440-70-2	Calcium	25200	ug/L	[NULL]	[NULL]	[NULL]	R	B0K039	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	4/3/1997 12:36	Y	7439-95-4	Magnesium	4370	ug/L	B	[NULL]	[NULL]	R	B0K039	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	4/3/1997 12:36	Y	7439-95-4	Magnesium	4300	ug/L	B	[NULL]	[NULL]	R	B0K041	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	4/3/1997 12:36	Y	7439-95-4	Magnesium	4100	ug/L	B	[NULL]	[NULL]	R	B0K4P7	7439-95-4	RFWLVL	6010_METALS_ICP	100-NR-2
199-N-76	4/3/1997 12:36	N	CONDUCT	Specific Conductance	178	uS/cm	[NULL]	Z	[NULL]	R	B0K038	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-76	4/3/1997 12:36	N	10098-97-2	Strontium-90	940	pCi/L	[NULL]	[NULL]	[NULL]	R	B0K042	SR-RAD	TMANC	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	4/3/1997 12:36	N	10098-97-2	Strontium-90	823	pCi/L	[NULL]	[NULL]	[NULL]	R	B0K040	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	4/3/1997 12:36	N	10098-97-2	Strontium-90	1.8	pCi/L	U	Z	[NULL]	R	B0K038	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	4/3/1997 12:36	N	14808-79-8	Sulfate	12600	ug/L	[NULL]	[NULL]	[NULL]	R	B0K040	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	4/3/1997 12:36	N	14808-79-8	Sulfate	500	ug/L	U	Z	[NULL]	R	B0K038	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	4/3/1997 12:36	N	14808-79-8	Sulfate	12500	ug/L	[NULL]	[NULL]	[NULL]	R	B0K042	14808-79-8	RFWLVL	300.0_ANIONS_IC	100-NR-2
199-N-76	4/3/1997 12:36	N	TEMPERATURE	Temperature	19.7	Deg C	[NULL]	Z	[NULL]	R	B0K038	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	4/3/1997 12:36	N	TURBIDITY	Turbidity	3.49	NTU	[NULL]	Z	[NULL]	R	B0K038	TURBIDITY	FIELD	180.1_TURBIDITY	100-NR-2
199-N-76	4/3/1997 12:36	N	PH	pH Measurement	8.06	unitless	[NULL]	Z	[NULL]	R	B0K038	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-76	9/18/1997 10:51	Y	7429-90-5	Aluminum	58.3	ug/L	U	[NULL]	[NULL]	R	B0LY48	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/18/1997 10:51	Y	7440-36-0	Antimony	36.1	ug/L	U	[NULL]	[NULL]	R	B0LY48	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/18/1997 10:51	Y	7440-39-3	Barium	24.2	ug/L	B	[NULL]	[NULL]	R	B0LY48	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/18/1997 10:51	Y	7440-41-7	Beryllium	0.62	ug/L	B	[NULL]	[NULL]	R	B0LY48	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/18/1997 10:51	N	24959-67-9	Bromide	106	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY47	24959-67-9	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/18/1997 10:51	Y	7440-43-9	Cadmium	3	ug/L	UN	[NULL]	[NULL]	R	B0LY48	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/18/1997 10:51	Y	7440-70-2	Calcium	41700	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY48	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/18/1997 10:51	Y	7440-70-2	Calcium	58900	ug/L	[NULL]	[NULL]	[NULL]	R	B0LXY1	7440-70-2	RFWLVL	6010_METALS_ICP	100-NR-2
199-N-76	9/18/1997 10:51	Y	7440-70-2	Calcium	41500	ug/L	[NULL]	[NULL]	[NULL]	R	B0LXX9	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/18/1997 10:51	N	10045-97-3	Cesium-137	1.47	pCi/L	U	[NULL]	[NULL]	R	B0LY47	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-76	9/18/1997 10:51	N	16887-00-6	Chloride	9020	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY47	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/18/1997 10:51	Y	7440-47-3	Chromium	3.5	ug/L	U	[NULL]	[NULL]	R	B0LY48	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/18/1997 10:51	Y	7440-48-4	Cobalt	4.2	ug/L	U	[NULL]	[NULL]	R	B0LY48	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/18/1997 10:51	N	10198-40-0	Cobalt-60	7.15	pCi/L	U	[NULL]	[NULL]	R	B0LY47	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-76	9/18/1997 10:51	Y	7440-50-8	Copper	3.8	ug/L	U	[NULL]	[NULL]	R	B0LY48	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/18/1997 10:51	N	14683-23-9	Europium-152	3.12	pCi/L	U	[NULL]	[NULL]	R	B0LY47	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-76	9/18/1997 10:51	N	15585-10-1	Europium-154	2.41	pCi/L	U	[NULL]	[NULL]	R	B0LY47	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-76	9/18/1997 10:51	N	14391-16-3	Europium-155	4.06	pCi/L	U	[NULL]	[NULL]	R	B0LY47	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-76	9/18/1997 10:51	N	16984-48-8	Fluoride	123	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY47	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/18/1997 10:51	N	12587-47-2	Gross beta	1560	pCi/L	[NULL]	[NULL]	[NULL]	R	B0LY47	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-76	9/18/1997 10:51	Y	7439-89-6	Iron	19.4	ug/L	B	[NULL]	[NULL]	R	B0LY48	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/18/1997 10:51	Y	7439-95-4	Magnesium	9450	ug/L	[NULL]	[NULL]	[NULL]	R	B0LXY1	7439-95-4	RFWLVL	6010_METALS_ICP	100-NR-2
199-N-76	9/18/1997 10:51	Y	7439-95-4	Magnesium	6940	ug/L	E	[NULL]	[NULL]	R	B0LY48	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/18/1997 10:51	Y	7439-95-4	Magnesium	6890	ug/L	[NULL]	[NULL]	[NULL]	R	B0LXX9	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/18/1997 10:51	Y	7439-96-5	Manganese	2.6	ug/L	B	[NULL]	[NULL]	R	B0LY48	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/18/1997 10:51	Y	7440-02-0	Nickel	9.9	ug/L	U	[NULL]	[NULL]	R	B0LY48	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/18/1997 10:51	N	14797-55-8	Nitrate	26400	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY47	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/18/1997 10:51	N	14797-65-0	Nitrite	65.7	ug/L	U	[NULL]	[NULL]	R	B0LY47	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/18/1997 10:51	N	14265-44-2	Phosphate	391	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY47	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/18/1997 10:51	Y	7440-09-7	Potassium	2640	ug/L	U	[NULL]	[NULL]	R	B0LY48	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/18/1997 10:51	Y	7440-22-4	Silver	5.3	ug/L	U	[NULL]	[NULL]	R	B0LY48	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/18/1997 10:51	Y	7440-23-5	Sodium	3230	ug/L	BE	[NULL]	[NULL]	R	B0LY48	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/18/1997 10:51	N	10098-97-2	Strontium-90	755	pCi/L	[NULL]	[NULL]	[NULL]	R	B0LXX6	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	9/18/1997 10:51	N	10098-97-2	Strontium-90	805	pCi/L	[NULL]	[NULL]	[NULL]	R	B0LXX8	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	9/18/1997 10:51	N	14808-79-8	Sulfate	38200	ug/L	[NULL]	[NULL]	[NULL]	R	B0LXY0	14808-79-8	RFWLVL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/18/1997 10:51	N	14808-79-8	Sulfate	39700	ug/L	[NULL]	[NULL]	[NULL]	R	B0LY47	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/18/1997 10:51	N	14808-79-8	Sulfate	40200	ug/L	[NULL]	[NULL]	[NULL]	R	B0LXX8	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/18/1997 10:51	N	10028-17-8	Tritium	53200	pCi/L	[NULL]	[NULL]	[NULL]	R	B0LY47	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-76	9/18/1997 10:51	Y	7440-62-2	Vanadium	8.5	ug/L	B	[NULL]	[NULL]	R	B0LY48	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/18/1997 10:51	Y	7440-66-6	Zinc	10.8	ug/L	B	[NULL]	[NULL]	R	B0LY48	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/4/1998 10:47	Y	7429-90-5	Aluminum	31.3	ug/L	U	[NULL]	[NULL]	R	B0N6L0	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/4/1998 10:47	Y	7440-36-0	Antimony	42.5	ug/L	U	[NULL]	[NULL]	R	B0N6L0	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/4/1998 10:47	N	14234-35-6	Antimony-125	10.9	pCi/L	U	[NULL]	[NULL]	R	B0N4B2	14234-35-6	QTESRL	GAMMA_GS	100-NR-2
199-N-76	3/4/1998 10:47	Y	7440-39-3	Barium	19	ug/L	B	[NULL]	[NULL]	R	B0N6L0	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	3/4/1998 10:47	Y	7440-41-7	Beryllium	0.4	ug/L	U	[NULL]	[NULL]	R	B0N6L0	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/4/1998 10:47	N	13966-02-4	Beryllium-7	21.5	pCi/L	U	[NULL]	[NULL]	R	B0N4B2	13966-02-4	QTESRL	GAMMA_GS	100-NR-2
199-N-76	3/4/1998 10:47	Y	7440-43-9	Cadmium	3.3	ug/L	U	[NULL]	[NULL]	R	B0N6L0	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/4/1998 10:47	Y	7440-70-2	Calcium	31300	ug/L	[NULL]	[NULL]	[NULL]	R	B0N6L0	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/4/1998 10:47	N	13967-70-9	Cesium-134	5.12	pCi/L	U	[NULL]	[NULL]	R	B0N4B2	13967-70-9	QTESRL	GAMMA_GS	100-NR-2
199-N-76	3/4/1998 10:47	N	10045-97-3	Cesium-137	0.347	pCi/L	U	[NULL]	[NULL]	R	B0N6L1	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-76	3/4/1998 10:47	N	10045-97-3	Cesium-137	2.49	pCi/L	U	[NULL]	[NULL]	R	B0N4B2	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-76	3/4/1998 10:47	N	16887-00-6	Chloride	4220	ug/L	[NULL]	[NULL]	[NULL]	R	B0N6L1	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/4/1998 10:47	Y	7440-47-3	Chromium	2.7	ug/L	U	[NULL]	[NULL]	R	B0N6L0	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/4/1998 10:47	Y	7440-48-4	Cobalt	4.3	ug/L	U	[NULL]	[NULL]	R	B0N6L0	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/4/1998 10:47	N	10198-40-0	Cobalt-60	8.25	pCi/L	U	[NULL]	[NULL]	R	B0N4B2	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-76	3/4/1998 10:47	N	10198-40-0	Cobalt-60	2.49	pCi/L	U	[NULL]	[NULL]	R	B0N6L1	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-76	3/4/1998 10:47	Y	7440-50-8	Copper	4.1	ug/L	U	[NULL]	[NULL]	R	B0N6L0	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/4/1998 10:47	N	14683-23-9	Europium-152	6.78	pCi/L	U	[NULL]	[NULL]	R	B0N4B2	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-76	3/4/1998 10:47	N	14683-23-9	Europium-152	3.94	pCi/L	U	[NULL]	[NULL]	R	B0N6L1	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-76	3/4/1998 10:47	N	15585-10-1	Europium-154	5.42	pCi/L	U	[NULL]	[NULL]	R	B0N6L1	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-76	3/4/1998 10:47	N	15585-10-1	Europium-154	3.45	pCi/L	U	[NULL]	[NULL]	R	B0N4B2	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-76	3/4/1998 10:47	N	14391-16-3	Europium-155	3.44	pCi/L	U	[NULL]	[NULL]	R	B0N4B2	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-76	3/4/1998 10:47	N	14391-16-3	Europium-155	-1.8	pCi/L	U	[NULL]	[NULL]	R	B0N6L1	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-76	3/4/1998 10:47	N	16984-48-8	Fluoride	117	ug/L	[NULL]	[NULL]	[NULL]	R	B0N6L1	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/4/1998 10:47	N	12587-46-1	Gross alpha	-0.014	pCi/L	U	[NULL]	[NULL]	R	B0N4B2	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-76	3/4/1998 10:47	N	12587-47-2	Gross beta	1230	pCi/L	[NULL]	[NULL]	[NULL]	R	B0N6L1	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-76	3/4/1998 10:47	Y	7439-89-6	Iron	31.7	ug/L	B	[NULL]	[NULL]	R	B0N6L0	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/4/1998 10:47	Y	7439-95-4	Magnesium	5230	ug/L	[NULL]	[NULL]	[NULL]	R	B0N6L0	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/4/1998 10:47	Y	7439-96-5	Manganese	3.1	ug/L	B	[NULL]	[NULL]	R	B0N6L0	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/4/1998 10:47	Y	7440-02-0	Nickel	14.6	ug/L	U	[NULL]	[NULL]	R	B0N6L0	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/4/1998 10:47	N	14797-55-8	Nitrate	16000	ug/L	[NULL]	[NULL]	[NULL]	R	B0N6L1	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/4/1998 10:47	N	14797-65-0	Nitrite	3.28	ug/L	U	[NULL]	[NULL]	R	B0N6L1	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/4/1998 10:47	Y	7440-09-7	Potassium	2180	ug/L	U	[NULL]	[NULL]	R	B0N6L0	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/4/1998 10:47	N	13966-00-2	Potassium-40	84.9	pCi/L	U	[NULL]	[NULL]	R	B0N4B2	13966-00-2	QTESRL	GAMMA_GS	100-NR-2
199-N-76	3/4/1998 10:47	N	13967-48-1	Ruthenium-106	-20.3	pCi/L	U	[NULL]	[NULL]	R	B0N4B2	13967-48-1	QTESRL	GAMMA_GS	100-NR-2
199-N-76	3/4/1998 10:47	Y	7440-22-4	Silver	6	ug/L	U	[NULL]	[NULL]	R	B0N6L0	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/4/1998 10:47	Y	7440-23-5	Sodium	2990	ug/L	B	[NULL]	[NULL]	R	B0N6L0	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/4/1998 10:47	N	CONDUCT	Specific Conductance	218	uS/cm	[NULL]	[NULL]	[NULL]	R	B0N4B2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	3/4/1998 10:47	N	10098-97-2	Strontium-90	572	pCi/L	[NULL]	[NULL]	[NULL]	R	B0N6L1	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-76	3/4/1998 10:47	N	14808-79-8	Sulfate	21000	ug/L	[NULL]	[NULL]	[NULL]	R	B0N6L1	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/4/1998 10:47	N	TEMPERATURE	Temperature	19.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0N4B2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	3/4/1998 10:47	N	10028-17-8	Tritium	59700	pCi/L	[NULL]	[NULL]	[NULL]	R	B0N6L1	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-76	3/4/1998 10:47	N	TURBIDITY	Turbidity	0.69	NTU	[NULL]	[NULL]	[NULL]	R	B0N4B2	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-76	3/4/1998 10:47	Y	7440-62-2	Vanadium	12.4	ug/L	B	[NULL]	[NULL]	R	B0N6L0	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/4/1998 10:47	Y	7440-66-6	Zinc	6.3	ug/L	B	[NULL]	[NULL]	R	B0N6L0	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	3/4/1998 10:47	N	PH	pH Measurement	8.33	unitless	[NULL]	[NULL]	[NULL]	R	B0N4B2	PH	FIELD	9040_PH	100-NR-2
199-N-76	9/9/1998 10:51	Y	7429-90-5	Aluminum	23.6	ug/L	U	[NULL]	[NULL]	R	B0PPV1	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1998 10:51	Y	7440-36-0	Antimony	33	ug/L	U	[NULL]	[NULL]	R	B0PPV1	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1998 10:51	Y	7440-39-3	Barium	20.4	ug/L	B	[NULL]	[NULL]	R	B0PPV1	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1998 10:51	Y	7440-41-7	Beryllium	0.6	ug/L	U	[NULL]	[NULL]	R	B0PPV1	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1998 10:51	Y	7440-43-9	Cadmium	2.6	ug/L	U	[NULL]	[NULL]	R	B0PPV1	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1998 10:51	Y	7440-70-2	Calcium	36500	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPV1	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1998 10:51	N	10045-97-3	Cesium-137	-0.734	pCi/L	U	[NULL]	[NULL]	R	B0PPV2	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-76	9/9/1998 10:51	N	16887-00-6	Chloride	7120	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPV2	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/9/1998 10:51	Y	7440-47-3	Chromium	4.2	ug/L	U	[NULL]	[NULL]	R	B0PPV1	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1998 10:51	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B0PPV1	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1998 10:51	N	13981-38-9	Cobalt-58	0.525	pCi/L	U	[NULL]	[NULL]	R	B0PPV2	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-76	9/9/1998 10:51	N	10198-40-0	Cobalt-60	1.04	pCi/L	U	[NULL]	[NULL]	R	B0PPV2	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-76	9/9/1998 10:51	Y	7440-50-8	Copper	6.2	ug/L	U	[NULL]	[NULL]	R	B0PPV1	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	9/9/1998 10:51	N	14683-23-9	Europium-152	-1.56	pCi/L	U	[NULL]	[NULL]	R	B0PPV2	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-76	9/9/1998 10:51	N	15585-10-1	Europium-154	-3.21	pCi/L	U	[NULL]	[NULL]	R	B0PPV2	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-76	9/9/1998 10:51	N	14391-16-3	Europium-155	-1.06	pCi/L	U	[NULL]	[NULL]	R	B0PPV2	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-76	9/9/1998 10:51	N	16984-48-8	Fluoride	150	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPV2	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/9/1998 10:51	N	12587-47-2	Gross beta	588	pCi/L	[NULL]	[NULL]	[NULL]	R	B0PPV2	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-76	9/9/1998 10:51	Y	7439-89-6	Iron	26.6	ug/L	B	[NULL]	[NULL]	R	B0PPV1	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1998 10:51	N	14596-12-4	Iron-59	2.28	pCi/L	U	[NULL]	[NULL]	R	B0PPV2	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-76	9/9/1998 10:51	Y	7439-95-4	Magnesium	6100	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPV1	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1998 10:51	Y	7439-96-5	Manganese	1.3	ug/L	B	[NULL]	[NULL]	R	B0PPV1	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1998 10:51	Y	7440-02-0	Nickel	11.2	ug/L	U	[NULL]	[NULL]	R	B0PPV1	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1998 10:51	N	14797-55-8	Nitrate	26800	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPV2	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/9/1998 10:51	N	14797-65-0	Nitrite	65.7	ug/L	U	[NULL]	[NULL]	R	B0PPV2	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/9/1998 10:51	Y	7440-09-7	Potassium	1790	ug/L	U	[NULL]	[NULL]	R	B0PPV1	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1998 10:51	Y	7440-22-4	Silver	6	ug/L	U	[NULL]	[NULL]	R	B0PPV1	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1998 10:51	Y	7440-23-5	Sodium	3150	ug/L	B	[NULL]	[NULL]	R	B0PPV1	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1998 10:51	N	CONDUCT	Specific Conductance	275	uS/cm	[NULL]	[NULL]	[NULL]	R	B0PPV2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-76	9/9/1998 10:51	N	10098-97-2	Strontium-90	295	pCi/L	[NULL]	[NULL]	[NULL]	R	B0PPV2	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-76	9/9/1998 10:51	N	14808-79-8	Sulfate	27500	ug/L	[NULL]	[NULL]	[NULL]	R	B0PPV2	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/9/1998 10:51	N	TEMPERATURE	Temperature	19.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0PPV2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	9/9/1998 10:51	N	10028-17-8	Tritium	47300	pCi/L	[NULL]	[NULL]	[NULL]	R	B0PPV2	10028-17-8	QTESRL	TRITIUM_ELECT_LSC	100-NR-2
199-N-76	9/9/1998 10:51	N	TURBIDITY	Turbidity	4.95	NTU	[NULL]	[NULL]	[NULL]	R	B0PPV2	TURBIDITY	FIELD	180.1_TURBIDITY	100-NR-2
199-N-76	9/9/1998 10:51	Y	7440-62-2	Vanadium	3.9	ug/L	B	[NULL]	[NULL]	R	B0PPV1	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1998 10:51	Y	7440-66-6	Zinc	8.8	ug/L	B	[NULL]	[NULL]	R	B0PPV1	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-76	9/9/1998 10:51	N	PH	pH Measurement	8.7	unitless	[NULL]	[NULL]	[NULL]	R	B0PPV2	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-76	3/22/1999 10:16	Y	7429-90-5	Aluminum	17.8	ug/L	U	[NULL]	[NULL]	R	B0TW91	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/22/1999 10:16	N	14596-10-2	Americium-241	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0TW92	14596-10-2	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/22/1999 10:16	Y	7440-36-0	Antimony	2.3	ug/L	U	[NULL]	[NULL]	R	B0TW91	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/22/1999 10:16	Y	7440-39-3	Barium	21.1	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW91	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/22/1999 10:16	Y	7440-41-7	Beryllium	0.1	ug/L	U	[NULL]	[NULL]	R	B0TW91	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/22/1999 10:16	Y	7440-43-9	Cadmium	0.4	ug/L	U	[NULL]	[NULL]	R	B0TW91	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/22/1999 10:16	Y	7440-70-2	Calcium	35500	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW91	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/22/1999 10:16	N	10045-97-3	Cesium-137	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0TW92	10045-97-3	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/22/1999 10:16	N	16887-00-6	Chloride	5600	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW92	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/22/1999 10:16	Y	7440-47-3	Chromium	3	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW91	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/22/1999 10:16	Y	7440-48-4	Cobalt	0.6	ug/L	U	[NULL]	[NULL]	R	B0TW91	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/22/1999 10:16	N	10198-40-0	Cobalt-60	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0TW92	10198-40-0	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/22/1999 10:16	Y	7440-50-8	Copper	2.7	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW91	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/22/1999 10:16	N	14683-23-9	Europium-152	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0TW92	14683-23-9	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/22/1999 10:16	N	15585-10-1	Europium-154	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0TW92	15585-10-1	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/22/1999 10:16	N	14391-16-3	Europium-155	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0TW92	14391-16-3	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/22/1999 10:16	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	B0TW92	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/22/1999 10:16	N	12587-47-2	Gross beta	1150	pCi/L	[NULL]	[NULL]	[NULL]	R	B0TW92	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-76	3/22/1999 10:16	Y	7439-89-6	Iron	17.9	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW91	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/22/1999 10:16	Y	7439-95-4	Magnesium	5690	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW91	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/22/1999 10:16	Y	7439-96-5	Manganese	0.57	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW91	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/22/1999 10:16	Y	7440-02-0	Nickel	1.5	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW91	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/22/1999 10:16	N	14797-55-8	Nitrate	19000	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW92	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/22/1999 10:16	N	14797-65-0	Nitrite	250	ug/L	U	[NULL]	[NULL]	R	B0TW92	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/22/1999 10:16	Y	7440-09-7	Potassium	1830	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW91	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/22/1999 10:16	N	13966-00-2	Potassium-40	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0TW92	13966-00-2	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/22/1999 10:16	Y	7440-22-4	Silver	0.9	ug/L	U	[NULL]	[NULL]	R	B0TW91	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/22/1999 10:16	Y	7440-23-5	Sodium	2980	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW91	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/22/1999 10:16	N	CONDUCT	Specific Conductance	240	uS/cm	[NULL]	[NULL]	[NULL]	R	B0TY26	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	3/22/1999 10:16	N	CONDUCT	Specific Conductance	229	uS/cm	C	[NULL]	[NULL]	R	B0TY26	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-76	3/22/1999 10:16	Y	7440-24-6	Strontium	137	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW91	7440-24-6	RLNP	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	3/22/1999 10:16	N	10098-97-2	Strontium-90	558	pCi/L	[NULL]	[NULL]	[NULL]	R	B0TW92	10098-97-2	TMANC	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-76	3/22/1999 10:16	N	10098-97-2	Strontium-90	586	pCi/L	[NULL]	[NULL]	[NULL]	R	B0TY25	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-76	3/22/1999 10:16	N	14808-79-8	Sulfate	24200	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW92	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/22/1999 10:16	N	TEMPERATURE	Temperature	19.4	Deg C	[NULL]	[NULL]	[NULL]	R	B0TY26	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	3/22/1999 10:16	N	10028-17-8	Tritium	51600	pCi/L	[NULL]	[NULL]	[NULL]	R	B0TW92	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-76	3/22/1999 10:16	N	TURBIDITY	Turbidity	1.88	NTU	[NULL]	[NULL]	[NULL]	R	B0TY26	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-76	3/22/1999 10:16	Y	TURBIDITY	Turbidity	0.24	NTU	[NULL]	[NULL]	[NULL]	R	B0V4M4	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-76	3/22/1999 10:16	N	15117-96-1	Uranium-235	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0TW92	15117-96-1	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/22/1999 10:16	N	U-238	Uranium-238	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0TW92	U-238	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/22/1999 10:16	Y	7440-62-2	Vanadium	3.6	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW91	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/22/1999 10:16	Y	7440-66-6	Zinc	5.4	ug/L	[NULL]	[NULL]	[NULL]	R	B0TW91	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/22/1999 10:16	N	PH	pH Measurement	8.21	unitless	[NULL]	[NULL]	[NULL]	R	B0TY26	PH	FIELD	9040_PH	100-NR-2
199-N-76	9/13/1999 8:57	Y	7429-90-5	Aluminum	12.3	ug/L	U	[NULL]	[NULL]	R	B0W7J6	7429-90-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/13/1999 8:57	N	14596-10-2	Americium-241	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0W7J7	14596-10-2	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/13/1999 8:57	Y	7440-36-0	Antimony	2.5	ug/L	U	[NULL]	[NULL]	R	B0W7J6	7440-36-0	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/13/1999 8:57	Y	7440-39-3	Barium	23.1	ug/L	B	[NULL]	[NULL]	R	B0W7J6	7440-39-3	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/13/1999 8:57	Y	7440-41-7	Beryllium	0.1	ug/L	U	[NULL]	[NULL]	R	B0W7J6	7440-41-7	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/13/1999 8:57	Y	7440-43-9	Cadmium	0.3	ug/L	U	[NULL]	[NULL]	R	B0W7J6	7440-43-9	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/13/1999 8:57	Y	7440-70-2	Calcium	40800	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7J6	7440-70-2	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/13/1999 8:57	N	10045-97-3	Cesium-137	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0W7J7	10045-97-3	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/13/1999 8:57	N	16887-00-6	Chloride	11100	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7J7	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	9/13/1999 8:57	Y	7440-47-3	Chromium	2.4	ug/L	B	[NULL]	[NULL]	R	B0W7J6	7440-47-3	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/13/1999 8:57	Y	7440-48-4	Cobalt	1.1	ug/L	B	[NULL]	[NULL]	R	B0W7J6	7440-48-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/13/1999 8:57	N	10198-40-0	Cobalt-60	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0W7J7	10198-40-0	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/13/1999 8:57	Y	7440-50-8	Copper	1.2	ug/L	U	[NULL]	[NULL]	R	B0W7J6	7440-50-8	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/13/1999 8:57	N	14683-23-9	Europium-152	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0W7J7	14683-23-9	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/13/1999 8:57	N	15585-10-1	Europium-154	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0W7J7	15585-10-1	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/13/1999 8:57	N	14391-16-3	Europium-155	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0W7J7	14391-16-3	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/13/1999 8:57	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	B0W7J7	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	9/13/1999 8:57	N	12587-47-2	Gross beta	1180	pCi/L	[NULL]	[NULL]	[NULL]	R	B0W7J7	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-76	9/13/1999 8:57	Y	7439-89-6	Iron	27.4	ug/L	B	[NULL]	[NULL]	R	B0W7J6	7439-89-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/13/1999 8:57	Y	7439-92-1	Lead	2.1	ug/L	U	[NULL]	[NULL]	R	B0W7J6	7439-92-1	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/13/1999 8:57	Y	7439-95-4	Magnesium	6090	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7J6	7439-95-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/13/1999 8:57	Y	7439-96-5	Manganese	1.2	ug/L	B	[NULL]	[NULL]	R	B0W7J6	7439-96-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/13/1999 8:57	Y	7440-02-0	Nickel	2.2	ug/L	B	[NULL]	[NULL]	R	B0W7J6	7440-02-0	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/13/1999 8:57	N	14797-55-8	Nitrate	33000	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7J7	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	9/13/1999 8:57	N	14797-65-0	Nitrite	250	ug/L	U	[NULL]	[NULL]	R	B0W7J7	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	9/13/1999 8:57	Y	7440-09-7	Potassium	1770	ug/L	B	[NULL]	[NULL]	R	B0W7J6	7440-09-7	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/13/1999 8:57	N	13966-00-2	Potassium-40	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0W7J7	13966-00-2	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/13/1999 8:57	N	13982-63-3	Radium-226	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0W7J7	13982-63-3	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/13/1999 8:57	N	15262-20-1	Radium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0W7J7	15262-20-1	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/13/1999 8:57	Y	7440-22-4	Silver	1.1	ug/L	B	[NULL]	[NULL]	R	B0W7J6	7440-22-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/13/1999 8:57	Y	7440-23-5	Sodium	2890	ug/L	B	[NULL]	[NULL]	R	B0W7J6	7440-23-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/13/1999 8:57	N	CONDUCT	Specific Conductance	287	uS/cm	[NULL]	[NULL]	[NULL]	R	B0W7J7	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-76	9/13/1999 8:57	Y	7440-24-6	Strontium	153	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7J6	7440-24-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/13/1999 8:57	N	10098-97-2	Strontium-90	604	pCi/L	[NULL]	[NULL]	[NULL]	R	B0W7J7	10098-97-2	TMANC	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-76	9/13/1999 8:57	N	14808-79-8	Sulfate	32800	ug/L	[NULL]	[NULL]	[NULL]	R	B0W7J7	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	9/13/1999 8:57	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0W7J7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	9/13/1999 8:57	N	14274-82-9	Thorium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0W7J7	14274-82-9	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/13/1999 8:57	N	TH-232	Thorium-232	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0W7J7	TH-232	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/13/1999 8:57	Y	7440-31-5	Tin	2.1	ug/L	U	[NULL]	[NULL]	R	B0W7J6	7440-31-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/13/1999 8:57	N	10028-17-8	Tritium	43200	pCi/L	[NULL]	[NULL]	[NULL]	R	B0W7J7	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-76	9/13/1999 8:57	N	TURBIDITY	Turbidity	2.44	NTU	[NULL]	[NULL]	[NULL]	R	B0W7J7	TURBIDITY	FIELD	180.1_TURBIDITY	100-NR-2
199-N-76	9/13/1999 8:57	N	15117-96-1	Uranium-235	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0W7J7	15117-96-1	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/13/1999 8:57	N	U-238	Uranium-238	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B0W7J7	U-238	TMANC	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	9/13/1999 8:57	Y	7440-62-2	Vanadium	3.9	ug/L	B	[NULL]	[NULL]	R	B0W7J6	7440-62-2	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/13/1999 8:57	Y	7440-66-6	Zinc	4	ug/L	B	[NULL]	[NULL]	R	B0W7J6	7440-66-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/13/1999 8:57	N	PH	pH Measurement	8.06	unitless	[NULL]	[NULL]	[NULL]	R	B0W7J7	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-76	9/25/2000 9:46	Y	7429-90-5	Aluminum	22.8	ug/L	[NULL]	[NULL]	[NULL]	R	B10447	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2000 9:46	N	14596-10-2	Americium-241	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B10448	14596-10-2	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/25/2000 9:46	Y	7440-36-0	Antimony	26.9	ug/L	U	[NULL]	[NULL]	R	B10447	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2000 9:46	Y	7440-39-3	Barium	24.6	ug/L	[NULL]	[NULL]	[NULL]	R	B10447	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2000 9:46	Y	7440-41-7	Beryllium	0.1	ug/L	U	[NULL]	[NULL]	R	B10447	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2000 9:46	N	24959-67-9	Bromide	1250	ug/L	U	[NULL]	[NULL]	R	B10448	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	9/25/2000 9:46	Y	7440-43-9	Cadmium	4.8	ug/L	U	[NULL]	[NULL]	R	B10447	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2000 9:46	Y	7440-70-2	Calcium	44400	ug/L	[NULL]	[NULL]	[NULL]	R	B10447	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2000 9:46	N	10045-97-3	Cesium-137	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B10448	10045-97-3	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/25/2000 9:46	N	16887-00-6	Chloride	10200	ug/L	[NULL]	[NULL]	[NULL]	R	B10448	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	9/25/2000 9:46	Y	7440-47-3	Chromium	3.5	ug/L	U	[NULL]	[NULL]	R	B10447	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2000 9:46	Y	7440-48-4	Cobalt	3.4	ug/L	U	[NULL]	[NULL]	R	B10447	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2000 9:46	N	10198-40-0	Cobalt-60	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B10448	10198-40-0	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/25/2000 9:46	Y	7440-50-8	Copper	2.9	ug/L	U	[NULL]	[NULL]	R	B10447	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2000 9:46	N	14683-23-9	Europium-152	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B10448	14683-23-9	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/25/2000 9:46	N	15585-10-1	Europium-154	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B10448	15585-10-1	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/25/2000 9:46	N	14391-16-3	Europium-155	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B10448	14391-16-3	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/25/2000 9:46	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	B10448	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	9/25/2000 9:46	N	12587-47-2	Gross beta	476	pCi/L	[NULL]	[NULL]	[NULL]	R	B10448	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-76	9/25/2000 9:46	Y	7439-89-6	Iron	18.9	ug/L	[NULL]	[NULL]	[NULL]	R	B10447	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2000 9:46	Y	7439-95-4	Magnesium	7030	ug/L	[NULL]	[NULL]	[NULL]	R	B10447	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2000 9:46	Y	7439-96-5	Manganese	1.2	ug/L	U	[NULL]	[NULL]	R	B10447	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2000 9:46	Y	7440-02-0	Nickel	14	ug/L	U	[NULL]	[NULL]	R	B10447	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2000 9:46	N	14797-55-8	Nitrate	36000	ug/L	[NULL]	[NULL]	[NULL]	R	B10448	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	9/25/2000 9:46	N	14797-65-0	Nitrite	250	ug/L	U	[NULL]	[NULL]	R	B10448	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	9/25/2000 9:46	N	14265-44-2	Phosphate	280	ug/L	[NULL]	[NULL]	[NULL]	R	B10448	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	9/25/2000 9:46	Y	7440-09-7	Potassium	1990	ug/L	[NULL]	[NULL]	[NULL]	R	B10447	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2000 9:46	N	13966-00-2	Potassium-40	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B10448	13966-00-2	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/25/2000 9:46	N	13982-63-3	Radium-226	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B10448	13982-63-3	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/25/2000 9:46	N	15262-20-1	Radium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B10448	15262-20-1	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/25/2000 9:46	Y	7440-22-4	Silver	2.6	ug/L	U	[NULL]	[NULL]	R	B10447	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2000 9:46	Y	7440-23-5	Sodium	3280	ug/L	[NULL]	[NULL]	[NULL]	R	B10447	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2000 9:46	N	CONDUCT	Specific Conductance	310	uS/cm	[NULL]	[NULL]	[NULL]	R	B10448	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-76	9/25/2000 9:46	Y	7440-24-6	Strontium	182	ug/L	[NULL]	[NULL]	[NULL]	R	B10447	7440-24-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2000 9:46	N	10098-97-2	Strontium-90	236	pCi/L	[NULL]	[NULL]	[NULL]	R	B10448	10098-97-2	TMANC	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-76	9/25/2000 9:46	N	14808-79-8	Sulfate	41100	ug/L	[NULL]	[NULL]	[NULL]	R	B10448	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	9/25/2000 9:46	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B10448	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	9/25/2000 9:46	N	14274-82-9	Thorium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B10448	14274-82-9	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/25/2000 9:46	N	TH-232	Thorium-232	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B10448	TH-232	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/25/2000 9:46	N	10028-17-8	Tritium	34500	pCi/L	[NULL]	[NULL]	[NULL]	R	B10448	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-76	9/25/2000 9:46	N	TURBIDITY	Turbidity	0.82	NTU	[NULL]	[NULL]	[NULL]	R	B10448	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-76	9/25/2000 9:46	N	15117-96-1	Uranium-235	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B10448	15117-96-1	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/25/2000 9:46	N	U-238	Uranium-238	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B10448	U-238	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/25/2000 9:46	Y	7440-62-2	Vanadium	3.8	ug/L	U	[NULL]	[NULL]	R	B10447	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2000 9:46	Y	7440-66-6	Zinc	6.3	ug/L	[NULL]	[NULL]	[NULL]	R	B10447	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2000 9:46	N	PH	pH Measurement	8.18	unitless	[NULL]	[NULL]	[NULL]	R	B10448	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-76	3/22/2001 11:33	Y	7429-90-5	Aluminum	12.4	ug/L	U	[NULL]	[NULL]	R	B11DB1	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/22/2001 11:33	Y	7429-90-5	Aluminum	125	ug/L	U	[NULL]	[NULL]	R	B11D99	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/22/2001 11:33	N	14596-10-2	Americium-241	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B11DB2	14596-10-2	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/22/2001 11:33	Y	7440-36-0	Antimony	1.7	ug/L	U	[NULL]	[NULL]	R	B11DB1	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/22/2001 11:33	Y	7440-36-0	Antimony	3.2	ug/L	U	[NULL]	[NULL]	R	B11D99	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/22/2001 11:33	N	14234-35-6	Antimony-125	-2.22	pCi/L	U	[NULL]	[NULL]	R	B11DB0	14234-35-6	STLRL	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	3/22/2001 11:33	Y	7440-39-3	Barium	23.5	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB1	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/22/2001 11:33	Y	7440-39-3	Barium	23.5	ug/L	B	[NULL]	[NULL]	R	B11D99	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/22/2001 11:33	Y	7440-41-7	Beryllium	0.53	ug/L	U	[NULL]	[NULL]	R	B11D99	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/22/2001 11:33	Y	7440-41-7	Beryllium	0.1	ug/L	U	[NULL]	[NULL]	R	B11DB1	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/22/2001 11:33	N	13966-02-4	Beryllium-7	15.3	pCi/L	U	[NULL]	[NULL]	R	B11DB0	13966-02-4	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/22/2001 11:33	N	24959-67-9	Bromide	250	ug/L	U	[NULL]	[NULL]	R	B11DB2	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/22/2001 11:33	Y	7440-43-9	Cadmium	0.24	ug/L	U	[NULL]	[NULL]	R	B11D99	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/22/2001 11:33	Y	7440-43-9	Cadmium	0.3	ug/L	U	[NULL]	[NULL]	R	B11DB1	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/22/2001 11:33	Y	7440-70-2	Calcium	42900	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB1	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/22/2001 11:33	Y	7440-70-2	Calcium	44900	ug/L	[NULL]	[NULL]	[NULL]	R	B11D99	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/22/2001 11:33	N	13967-70-9	Cesium-134	-1.34	pCi/L	U	[NULL]	[NULL]	R	B11DB0	13967-70-9	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/22/2001 11:33	N	10045-97-3	Cesium-137	0.0212	pCi/L	U	[NULL]	[NULL]	R	B11DB0	10045-97-3	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/22/2001 11:33	N	10045-97-3	Cesium-137	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B11DB2	10045-97-3	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/22/2001 11:33	N	16887-00-6	Chloride	8300	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB0	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/22/2001 11:33	N	16887-00-6	Chloride	10500	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB2	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/22/2001 11:33	Y	7440-47-3	Chromium	3.1	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB1	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/22/2001 11:33	Y	7440-47-3	Chromium	5.7	ug/L	U	[NULL]	[NULL]	R	B11D99	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/22/2001 11:33	Y	7440-48-4	Cobalt	8.2	ug/L	U	[NULL]	[NULL]	R	B11D99	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/22/2001 11:33	Y	7440-48-4	Cobalt	0.7	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB1	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/22/2001 11:33	N	10198-40-0	Cobalt-60	-0.156	pCi/L	U	[NULL]	[NULL]	R	B11DB0	10198-40-0	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/22/2001 11:33	N	10198-40-0	Cobalt-60	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B11DB2	10198-40-0	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/22/2001 11:33	Y	7440-50-8	Copper	8.2	ug/L	U	[NULL]	[NULL]	R	B11D99	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/22/2001 11:33	Y	7440-50-8	Copper	0.76	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB1	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/22/2001 11:33	N	14683-23-9	Europium-152	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B11DB2	14683-23-9	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/22/2001 11:33	N	15585-10-1	Europium-154	12.5	pCi/L	U	[NULL]	[NULL]	R	B11DB0	15585-10-1	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/22/2001 11:33	N	15585-10-1	Europium-154	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B11DB2	15585-10-1	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/22/2001 11:33	N	14391-16-3	Europium-155	0.666	pCi/L	U	[NULL]	[NULL]	R	B11DB0	14391-16-3	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/22/2001 11:33	N	14391-16-3	Europium-155	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B11DB2	14391-16-3	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/22/2001 11:33	N	16984-48-8	Fluoride	500	ug/L	U	[NULL]	[NULL]	R	B11DB2	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/22/2001 11:33	N	16984-48-8	Fluoride	190	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB0	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/22/2001 11:33	N	12587-47-2	Gross beta	388	pCi/L	[NULL]	[NULL]	[NULL]	R	B11DB2	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-76	3/22/2001 11:33	N	12587-47-2	Gross beta	366	pCi/L	[NULL]	[NULL]	[NULL]	R	B11DB0	12587-47-2	STLRL	BETA_GPC	100-NR-2
199-N-76	3/22/2001 11:33	Y	7439-89-6	Iron	20.4	ug/L	U	[NULL]	[NULL]	R	B11D99	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/22/2001 11:33	Y	7439-89-6	Iron	20.5	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB1	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/22/2001 11:33	Y	7439-95-4	Magnesium	6980	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB1	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/22/2001 11:33	Y	7439-95-4	Magnesium	7310	ug/L	[NULL]	[NULL]	[NULL]	R	B11D99	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/22/2001 11:33	Y	7439-96-5	Manganese	2.9	ug/L	U	[NULL]	[NULL]	R	B11D99	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/22/2001 11:33	Y	7439-96-5	Manganese	0.5	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB1	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/22/2001 11:33	Y	7440-02-0	Nickel	1.6	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB1	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/22/2001 11:33	Y	7440-02-0	Nickel	37.5	ug/L	U	[NULL]	[NULL]	R	B11D99	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/22/2001 11:33	N	14797-55-8	Nitrate	39700	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB2	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/22/2001 11:33	N	14797-55-8	Nitrate	31900	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB0	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/22/2001 11:33	N	14797-65-0	Nitrite	6.57	ug/L	U	[NULL]	[NULL]	R	B11DB0	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/22/2001 11:33	N	14797-65-0	Nitrite	250	ug/L	U	[NULL]	[NULL]	R	B11DB2	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/22/2001 11:33	N	14265-44-2	Phosphate	250	ug/L	U	[NULL]	[NULL]	R	B11DB2	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/22/2001 11:33	Y	7440-09-7	Potassium	1870	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB1	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/22/2001 11:33	Y	7440-09-7	Potassium	2280	ug/L	U	[NULL]	[NULL]	R	B11D99	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/22/2001 11:33	N	13966-00-2	Potassium-40	-5.96	pCi/L	U	[NULL]	[NULL]	R	B11DB0	13966-00-2	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/22/2001 11:33	N	13966-00-2	Potassium-40	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B11DB2	13966-00-2	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/22/2001 11:33	N	13982-63-3	Radium-226	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B11DB2	13982-63-3	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/22/2001 11:33	N	15262-20-1	Radium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B11DB2	15262-20-1	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/22/2001 11:33	N	13967-48-1	Ruthenium-106	7.99	pCi/L	U	[NULL]	[NULL]	R	B11DB0	13967-48-1	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/22/2001 11:33	Y	7440-22-4	Silver	0.6	ug/L	U	[NULL]	[NULL]	R	B11DB1	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/22/2001 11:33	Y	7440-22-4	Silver	1.1	ug/L	U	[NULL]	[NULL]	R	B11D99	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/22/2001 11:33	Y	7440-23-5	Sodium	3200	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB1	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	3/22/2001 11:33	Y	7440-23-5	Sodium	3180	ug/L	B	[NULL]	[NULL]	R	B11D99	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/22/2001 11:33	Y	7440-24-6	Strontium	190	ug/L	[NULL]	[NULL]	[NULL]	R	B11D99	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/22/2001 11:33	Y	7440-24-6	Strontium	175	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB1	7440-24-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/22/2001 11:33	N	10098-97-2	Strontium-90	182	pCi/L	[NULL]	[NULL]	[NULL]	R	B11DB0	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-76	3/22/2001 11:33	N	10098-97-2	Strontium-90	172	pCi/L	[NULL]	[NULL]	[NULL]	R	B11DB2	10098-97-2	TMANC	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-76	3/22/2001 11:33	N	14808-79-8	Sulfate	42700	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB2	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/22/2001 11:33	N	14808-79-8	Sulfate	42900	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB0	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/22/2001 11:33	N	14274-82-9	Thorium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B11DB2	14274-82-9	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/22/2001 11:33	N	TH-232	Thorium-232	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B11DB2	TH-232	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/22/2001 11:33	N	10028-17-8	Tritium	32100	pCi/L	[NULL]	[NULL]	[NULL]	R	B11DB2	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-76	3/22/2001 11:33	N	10028-17-8	Tritium	29400	pCi/L	[NULL]	[NULL]	[NULL]	R	B11DB0	10028-17-8	STLRL	TRITIUM_ELECT_LSC	100-NR-2
199-N-76	3/22/2001 11:33	N	15117-96-1	Uranium-235	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B11DB2	15117-96-1	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/22/2001 11:33	N	U-238	Uranium-238	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B11DB2	U-238	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/22/2001 11:33	Y	7440-62-2	Vanadium	2.7	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB1	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/22/2001 11:33	Y	7440-62-2	Vanadium	12.6	ug/L	U	[NULL]	[NULL]	R	B11D99	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/22/2001 11:33	Y	7440-66-6	Zinc	7.1	ug/L	U	[NULL]	[NULL]	R	B11D99	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/22/2001 11:33	Y	7440-66-6	Zinc	1.5	ug/L	[NULL]	[NULL]	[NULL]	R	B11DB1	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	Y	7429-90-5	Aluminum	45.1	ug/L	U	[NULL]	[NULL]	R	B12MT0	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	Y	7429-90-5	Aluminum	45.1	ug/L	U	[NULL]	[NULL]	R	B12MR8	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	N	14596-10-2	Americium-241	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MT1	14596-10-2	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/6/2001 9:41	N	14596-10-2	Americium-241	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MR9	14596-10-2	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/6/2001 9:41	Y	7440-36-0	Antimony	45.4	ug/L	U	[NULL]	[NULL]	R	B12MR8	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	Y	7440-36-0	Antimony	45.4	ug/L	U	[NULL]	[NULL]	R	B12MT0	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	Y	7440-39-3	Barium	21.2	ug/L	[NULL]	[NULL]	[NULL]	R	B12MT0	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	Y	7440-39-3	Barium	22.2	ug/L	[NULL]	[NULL]	[NULL]	R	B12MR8	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	Y	7440-41-7	Beryllium	0.45	ug/L	[NULL]	[NULL]	[NULL]	R	B12MR8	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	Y	7440-41-7	Beryllium	0.45	ug/L	[NULL]	[NULL]	[NULL]	R	B12MT0	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B12MT1	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	9/6/2001 9:41	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B12MR9	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	9/6/2001 9:41	Y	7440-43-9	Cadmium	6.3	ug/L	U	[NULL]	[NULL]	R	B12MT0	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	Y	7440-43-9	Cadmium	6.3	ug/L	U	[NULL]	[NULL]	R	B12MR8	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	Y	7440-70-2	Calcium	44100	ug/L	[NULL]	[NULL]	[NULL]	R	B12MR8	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	Y	7440-70-2	Calcium	42700	ug/L	[NULL]	[NULL]	[NULL]	R	B12MT0	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	N	10045-97-3	Cesium-137	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MR9	10045-97-3	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/6/2001 9:41	N	10045-97-3	Cesium-137	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MT1	10045-97-3	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/6/2001 9:41	N	16887-00-6	Chloride	7300	ug/L	[NULL]	[NULL]	[NULL]	R	B12MR9	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	9/6/2001 9:41	N	16887-00-6	Chloride	7400	ug/L	[NULL]	[NULL]	[NULL]	R	B12MT1	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	9/6/2001 9:41	Y	7440-47-3	Chromium	4.8	ug/L	U	[NULL]	[NULL]	R	B12MT0	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	Y	7440-47-3	Chromium	4.8	ug/L	U	[NULL]	[NULL]	R	B12MR8	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	Y	7440-48-4	Cobalt	5.8	ug/L	U	[NULL]	[NULL]	R	B12MR8	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	Y	7440-48-4	Cobalt	5.8	ug/L	U	[NULL]	[NULL]	R	B12MT0	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	N	10198-40-0	Cobalt-60	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MR9	10198-40-0	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/6/2001 9:41	N	10198-40-0	Cobalt-60	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MT1	10198-40-0	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/6/2001 9:41	Y	7440-50-8	Copper	8	ug/L	U	[NULL]	[NULL]	R	B12MT0	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	Y	7440-50-8	Copper	8	ug/L	U	[NULL]	[NULL]	R	B12MR8	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	N	14683-23-9	Europium-152	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MT1	14683-23-9	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/6/2001 9:41	N	14683-23-9	Europium-152	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MR9	14683-23-9	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/6/2001 9:41	N	15585-10-1	Europium-154	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MR9	15585-10-1	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/6/2001 9:41	N	15585-10-1	Europium-154	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MT1	15585-10-1	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/6/2001 9:41	N	14391-16-3	Europium-155	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MR9	14391-16-3	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/6/2001 9:41	N	14391-16-3	Europium-155	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MT1	14391-16-3	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/6/2001 9:41	N	16984-48-8	Fluoride	1000	ug/L	U	[NULL]	[NULL]	R	B12MT1	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	9/6/2001 9:41	N	16984-48-8	Fluoride	1000	ug/L	U	[NULL]	[NULL]	R	B12MR9	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	9/6/2001 9:41	N	12587-47-2	Gross beta	314	pCi/L	[NULL]	[NULL]	[NULL]	R	B12MT1	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-76	9/6/2001 9:41	N	12587-47-2	Gross beta	318	pCi/L	[NULL]	[NULL]	[NULL]	R	B12MR9	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	9/6/2001 9:41	Y	7439-89-6	Iron	12.7	ug/L	[NULL]	[NULL]	[NULL]	R	B12MR8	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	Y	7439-89-6	Iron	16.8	ug/L	[NULL]	[NULL]	[NULL]	R	B12MT0	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	Y	7439-95-4	Magnesium	6490	ug/L	[NULL]	[NULL]	[NULL]	R	B12MT0	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	Y	7439-95-4	Magnesium	6730	ug/L	[NULL]	[NULL]	[NULL]	R	B12MR8	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	Y	7439-96-5	Manganese	2.8	ug/L	U	[NULL]	[NULL]	R	B12MR8	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	Y	7439-96-5	Manganese	2.8	ug/L	U	[NULL]	[NULL]	R	B12MT0	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	Y	7440-02-0	Nickel	11.3	ug/L	U	[NULL]	[NULL]	R	B12MT0	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	Y	7440-02-0	Nickel	11.3	ug/L	U	[NULL]	[NULL]	R	B12MR8	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	N	14797-55-8	Nitrate	26100	ug/L	[NULL]	[NULL]	[NULL]	R	B12MT1	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	9/6/2001 9:41	N	14797-55-8	Nitrate	26200	ug/L	[NULL]	[NULL]	[NULL]	R	B12MR9	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	9/6/2001 9:41	N	14797-65-0	Nitrite	500	ug/L	U	[NULL]	[NULL]	R	B12MR9	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	9/6/2001 9:41	N	14797-65-0	Nitrite	500	ug/L	U	[NULL]	[NULL]	R	B12MT1	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	9/6/2001 9:41	N	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B12MR9	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	9/6/2001 9:41	N	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B12MT1	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	9/6/2001 9:41	Y	7440-09-7	Potassium	1820	ug/L	[NULL]	[NULL]	[NULL]	R	B12MT0	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	Y	7440-09-7	Potassium	1860	ug/L	[NULL]	[NULL]	[NULL]	R	B12MR8	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	N	13966-00-2	Potassium-40	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MR9	13966-00-2	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/6/2001 9:41	N	13966-00-2	Potassium-40	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MT1	13966-00-2	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/6/2001 9:41	N	13982-63-3	Radium-226	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MT1	13982-63-3	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/6/2001 9:41	N	13982-63-3	Radium-226	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MR9	13982-63-3	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/6/2001 9:41	N	15262-20-1	Radium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MR9	15262-20-1	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/6/2001 9:41	N	15262-20-1	Radium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MT1	15262-20-1	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/6/2001 9:41	Y	7440-22-4	Silver	9.6	ug/L	U	[NULL]	[NULL]	R	B12MR8	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	Y	7440-22-4	Silver	9.6	ug/L	U	[NULL]	[NULL]	R	B12MT0	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	Y	7440-23-5	Sodium	3150	ug/L	[NULL]	[NULL]	[NULL]	R	B12MR8	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	Y	7440-23-5	Sodium	3020	ug/L	[NULL]	[NULL]	[NULL]	R	B12MT0	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	N	CONDUCT	Specific Conductance	299	uS/cm	[NULL]	[NULL]	[NULL]	R	B12MR9	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-76	9/6/2001 9:41	Y	7440-24-6	Strontium	170	ug/L	[NULL]	[NULL]	[NULL]	R	B12MR8	7440-24-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	Y	7440-24-6	Strontium	160	ug/L	[NULL]	[NULL]	[NULL]	R	B12MT0	7440-24-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	N	10098-97-2	Strontium-90	135	pCi/L	[NULL]	[NULL]	[NULL]	R	B12MT1	10098-97-2	TMANC	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-76	9/6/2001 9:41	N	10098-97-2	Strontium-90	156	pCi/L	[NULL]	[NULL]	[NULL]	R	B12MR9	10098-97-2	TMANC	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-76	9/6/2001 9:41	N	14808-79-8	Sulfate	47200	ug/L	[NULL]	[NULL]	[NULL]	R	B12MT1	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	9/6/2001 9:41	N	14808-79-8	Sulfate	47700	ug/L	[NULL]	[NULL]	[NULL]	R	B12MR9	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	9/6/2001 9:41	N	TEMPERATURE	Temperature	18.8	Deg C	[NULL]	[NULL]	[NULL]	R	B12MR9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	9/6/2001 9:41	N	14274-82-9	Thorium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MT1	14274-82-9	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/6/2001 9:41	N	14274-82-9	Thorium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MR9	14274-82-9	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/6/2001 9:41	N	TH-232	Thorium-232	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MT1	TH-232	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/6/2001 9:41	N	TH-232	Thorium-232	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MR9	TH-232	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/6/2001 9:41	N	10028-17-8	Tritium	28200	pCi/L	[NULL]	[NULL]	[NULL]	R	B12MR9	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-76	9/6/2001 9:41	N	10028-17-8	Tritium	28500	pCi/L	[NULL]	[NULL]	[NULL]	R	B12MT1	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-76	9/6/2001 9:41	N	TURBIDITY	Turbidity	4.66	NTU	[NULL]	[NULL]	[NULL]	R	B12MR9	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-76	9/6/2001 9:41	N	15117-96-1	Uranium-235	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MT1	15117-96-1	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/6/2001 9:41	N	15117-96-1	Uranium-235	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MR9	15117-96-1	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/6/2001 9:41	N	U-238	Uranium-238	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MR9	U-238	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/6/2001 9:41	N	U-238	Uranium-238	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B12MT1	U-238	TMANC	GAMMA_GS	100-NR-2
199-N-76	9/6/2001 9:41	Y	7440-62-2	Vanadium	8.9	ug/L	U	[NULL]	[NULL]	R	B12MR8	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	Y	7440-62-2	Vanadium	8.9	ug/L	U	[NULL]	[NULL]	R	B12MT0	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	Y	7440-66-6	Zinc	3.7	ug/L	[NULL]	[NULL]	[NULL]	R	B12MR8	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	Y	7440-66-6	Zinc	6.8	ug/L	[NULL]	[NULL]	[NULL]	R	B12MT0	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	9/6/2001 9:41	N	PH	pH Measurement	8.14	unitless	[NULL]	[NULL]	[NULL]	R	B12MR9	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-76	3/7/2002 9:11	Y	7429-90-5	Aluminum	25.2	ug/L	U	[NULL]	[NULL]	R	B142K1	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2002 9:11	N	14596-10-2	Americium-241	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B142K2	14596-10-2	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/7/2002 9:11	Y	7440-36-0	Antimony	24.8	ug/L	U	[NULL]	[NULL]	R	B142K1	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2002 9:11	Y	7440-39-3	Barium	22.9	ug/L	[NULL]	[NULL]	[NULL]	R	B142K1	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2002 9:11	Y	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	R	B142K1	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	3/7/2002 9:11	N	24959-67-9	Bromide	250	ug/L	U	[NULL]	[NULL]	R	B142K2	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/7/2002 9:11	Y	7440-43-9	Cadmium	6.8	ug/L	U	[NULL]	[NULL]	R	B142K1	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2002 9:11	Y	7440-70-2	Calcium	40800	ug/L	[NULL]	[NULL]	[NULL]	R	B142K1	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2002 9:11	N	10045-97-3	Cesium-137	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B142K2	10045-97-3	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/7/2002 9:11	N	16887-00-6	Chloride	7000	ug/L	[NULL]	[NULL]	[NULL]	R	B142K2	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/7/2002 9:11	Y	7440-47-3	Chromium	7	ug/L	[NULL]	[NULL]	[NULL]	R	B142K1	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2002 9:11	Y	7440-48-4	Cobalt	5.4	ug/L	U	[NULL]	[NULL]	R	B142K1	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2002 9:11	N	13981-38-9	Cobalt-58	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B142K2	13981-38-9	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/7/2002 9:11	N	10198-40-0	Cobalt-60	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B142K2	10198-40-0	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/7/2002 9:11	Y	7440-50-8	Copper	2.2	ug/L	U	[NULL]	[NULL]	R	B142K1	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2002 9:11	N	14683-23-9	Europium-152	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B142K2	14683-23-9	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/7/2002 9:11	N	15585-10-1	Europium-154	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B142K2	15585-10-1	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/7/2002 9:11	N	14391-16-3	Europium-155	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B142K2	14391-16-3	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/7/2002 9:11	N	16984-48-8	Fluoride	250	ug/L	U	[NULL]	[NULL]	R	B142K2	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/7/2002 9:11	N	12587-47-2	Gross beta	312	pCi/L	[NULL]	[NULL]	[NULL]	R	B142K2	12587-47-2	TMANC	900.0_ALPHABETA_GPC	100-NR-2
199-N-76	3/7/2002 9:11	Y	7439-89-6	Iron	10.4	ug/L	[NULL]	[NULL]	[NULL]	R	B142K1	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2002 9:11	N	14596-12-4	Iron-59	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B142K2	14596-12-4	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/7/2002 9:11	Y	7439-95-4	Magnesium	6580	ug/L	[NULL]	[NULL]	[NULL]	R	B142K1	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2002 9:11	Y	7439-96-5	Manganese	1	ug/L	U	[NULL]	[NULL]	R	B142K1	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2002 9:11	Y	7440-02-0	Nickel	14.6	ug/L	[NULL]	[NULL]	[NULL]	R	B142K1	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2002 9:11	N	14797-55-8	Nitrate	26800	ug/L	[NULL]	[NULL]	[NULL]	R	B142K2	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/7/2002 9:11	N	14797-65-0	Nitrite	250	ug/L	U	[NULL]	[NULL]	R	B142K2	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/7/2002 9:11	N	14265-44-2	Phosphate	250	ug/L	U	[NULL]	[NULL]	R	B142K2	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/7/2002 9:11	Y	7440-09-7	Potassium	1990	ug/L	[NULL]	[NULL]	[NULL]	R	B142K1	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2002 9:11	N	13966-00-2	Potassium-40	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B142K2	13966-00-2	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/7/2002 9:11	N	13982-63-3	Radium-226	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B142K2	13982-63-3	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/7/2002 9:11	N	15262-20-1	Radium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B142K2	15262-20-1	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/7/2002 9:11	Y	7440-22-4	Silver	2.8	ug/L	U	[NULL]	[NULL]	R	B142K1	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2002 9:11	Y	7440-23-5	Sodium	3220	ug/L	[NULL]	[NULL]	[NULL]	R	B142K1	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2002 9:11	N	CONDUCT	Specific Conductance	289	uS/cm	[NULL]	[NULL]	[NULL]	R	B14463	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	3/7/2002 9:11	Y	7440-24-6	Strontium	166	ug/L	[NULL]	[NULL]	[NULL]	R	B142K1	7440-24-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2002 9:11	N	10098-97-2	Strontium-90	158	pCi/L	[NULL]	[NULL]	[NULL]	R	B142K2	10098-97-2	TMANC	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-76	3/7/2002 9:11	N	14808-79-8	Sulfate	40400	ug/L	[NULL]	[NULL]	[NULL]	R	B142K2	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/7/2002 9:11	N	TEMPERATURE	Temperature	18.5	Deg C	[NULL]	[NULL]	[NULL]	R	B14463	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	3/7/2002 9:11	N	14274-82-9	Thorium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B142K2	14274-82-9	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/7/2002 9:11	N	TH-232	Thorium-232	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B142K2	TH-232	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/7/2002 9:11	N	10028-17-8	Tritium	31200	pCi/L	[NULL]	[NULL]	[NULL]	R	B142K2	10028-17-8	TMANC	906.0_H3_LSC	100-NR-2
199-N-76	3/7/2002 9:11	N	TURBIDITY	Turbidity	2.05	NTU	[NULL]	[NULL]	[NULL]	R	B14463	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-76	3/7/2002 9:11	N	15117-96-1	Uranium-235	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B142K2	15117-96-1	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/7/2002 9:11	N	U-238	Uranium-238	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B142K2	U-238	TMANC	GAMMA_GS	100-NR-2
199-N-76	3/7/2002 9:11	Y	7440-62-2	Vanadium	4.3	ug/L	U	[NULL]	[NULL]	R	B142K1	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2002 9:11	Y	7440-66-6	Zinc	3.3	ug/L	U	[NULL]	[NULL]	R	B142K1	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2002 9:11	N	PH	pH Measurement	8.25	unitless	[NULL]	[NULL]	[NULL]	R	B14463	PH	FIELD	9040_PH	100-NR-2
199-N-76	9/10/2002 9:15	Y	7429-90-5	Aluminum	73.1	ug/L	[NULL]	[NULL]	[NULL]	R	B15728	7429-90-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/10/2002 9:15	N	14596-10-2	Americium-241	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B15729	14596-10-2	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	9/10/2002 9:15	Y	7440-36-0	Antimony	3.5	ug/L	U	[NULL]	[NULL]	R	B15728	7440-36-0	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/10/2002 9:15	Y	7440-39-3	Barium	25.3	ug/L	[NULL]	[NULL]	[NULL]	R	B15728	7440-39-3	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/10/2002 9:15	Y	7440-41-7	Beryllium	0.1	ug/L	U	[NULL]	[NULL]	R	B15728	7440-41-7	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/10/2002 9:15	N	24959-67-9	Bromide	250	ug/L	U	[NULL]	[NULL]	R	B15729	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	9/10/2002 9:15	Y	7440-43-9	Cadmium	0.3	ug/L	U	[NULL]	[NULL]	R	B15728	7440-43-9	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/10/2002 9:15	Y	7440-70-2	Calcium	45000	ug/L	[NULL]	[NULL]	[NULL]	R	B15728	7440-70-2	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/10/2002 9:15	N	10045-97-3	Cesium-137	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B15729	10045-97-3	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	9/10/2002 9:15	N	16887-00-6	Chloride	11300	ug/L	[NULL]	[NULL]	[NULL]	R	B15729	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	9/10/2002 9:15	Y	7440-47-3	Chromium	2.2	ug/L	[NULL]	[NULL]	[NULL]	R	B15728	7440-47-3	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/10/2002 9:15	Y	7440-48-4	Cobalt	1.4	ug/L	U	[NULL]	[NULL]	R	B15728	7440-48-4	RLNP	6010_METALS_ICP_TR	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	9/10/2002 9:15	N	13981-38-9	Cobalt-58	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B15729	13981-38-9	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	9/10/2002 9:15	N	10198-40-0	Cobalt-60	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B15729	10198-40-0	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	9/10/2002 9:15	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B15728	7440-50-8	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/10/2002 9:15	N	14683-23-9	Europium-152	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B15729	14683-23-9	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	9/10/2002 9:15	N	15585-10-1	Europium-154	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B15729	15585-10-1	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	9/10/2002 9:15	N	14391-16-3	Europium-155	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B15729	14391-16-3	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	9/10/2002 9:15	N	16984-48-8	Fluoride	250	ug/L	U	[NULL]	[NULL]	R	B15729	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	9/10/2002 9:15	N	12587-47-2	Gross beta	508	pCi/L	[NULL]	[NULL]	[NULL]	R	B15729	12587-47-2	EBRLNE	900.0_ALPHABETA_GPC	100-NR-2
199-N-76	9/10/2002 9:15	Y	7439-89-6	Iron	20.2	ug/L	[NULL]	[NULL]	[NULL]	R	B15728	7439-89-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/10/2002 9:15	N	14596-12-4	Iron-59	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B15729	14596-12-4	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	9/10/2002 9:15	Y	7439-95-4	Magnesium	7540	ug/L	[NULL]	[NULL]	[NULL]	R	B15728	7439-95-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/10/2002 9:15	Y	7439-96-5	Manganese	0.69	ug/L	[NULL]	[NULL]	[NULL]	R	B15728	7439-96-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/10/2002 9:15	Y	7440-02-0	Nickel	2.2	ug/L	[NULL]	[NULL]	[NULL]	R	B15728	7440-02-0	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/10/2002 9:15	N	14797-55-8	Nitrate	34600	ug/L	[NULL]	[NULL]	[NULL]	R	B15729	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	9/10/2002 9:15	N	14797-65-0	Nitrite	1250	ug/L	U	[NULL]	[NULL]	R	B15729	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	9/10/2002 9:15	N	14265-44-2	Phosphate	250	ug/L	U	[NULL]	[NULL]	R	B15729	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	9/10/2002 9:15	Y	7440-09-7	Potassium	1930	ug/L	[NULL]	[NULL]	[NULL]	R	B15728	7440-09-7	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/10/2002 9:15	N	13966-00-2	Potassium-40	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B15729	13966-00-2	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	9/10/2002 9:15	N	13982-63-3	Radium-226	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B15729	13982-63-3	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	9/10/2002 9:15	N	15262-20-1	Radium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B15729	15262-20-1	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	9/10/2002 9:15	Y	7440-22-4	Silver	1.1	ug/L	U	[NULL]	[NULL]	R	B15728	7440-22-4	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/10/2002 9:15	Y	7440-23-5	Sodium	3330	ug/L	[NULL]	[NULL]	[NULL]	R	B15728	7440-23-5	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/10/2002 9:15	N	CONDUCT	Specific Conductance	334	uS/cm	[NULL]	G	[NULL]	R	B15729	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-76	9/10/2002 9:15	Y	7440-24-6	Strontium	185	ug/L	[NULL]	[NULL]	[NULL]	R	B15728	7440-24-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/10/2002 9:15	N	10098-97-2	Strontium-90	296	pCi/L	[NULL]	[NULL]	[NULL]	R	B15729	10098-97-2	EBRLNE	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-76	9/10/2002 9:15	N	14808-79-8	Sulfate	49100	ug/L	[NULL]	[NULL]	[NULL]	R	B15729	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	9/10/2002 9:15	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B15729	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	9/10/2002 9:15	N	14274-82-9	Thorium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B15729	14274-82-9	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	9/10/2002 9:15	N	TH-232	Thorium-232	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B15729	TH-232	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	9/10/2002 9:15	N	10028-17-8	Tritium	29800	pCi/L	[NULL]	[NULL]	[NULL]	R	B15729	10028-17-8	EBRLNE	906.0_H3_LSC	100-NR-2
199-N-76	9/10/2002 9:15	N	TURBIDITY	Turbidity	2.29	NTU	[NULL]	[NULL]	[NULL]	R	B15729	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-76	9/10/2002 9:15	N	15117-96-1	Uranium-235	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B15729	15117-96-1	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	9/10/2002 9:15	N	U-238	Uranium-238	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B15729	U-238	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	9/10/2002 9:15	Y	7440-62-2	Vanadium	2.7	ug/L	[NULL]	[NULL]	[NULL]	R	B15728	7440-62-2	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/10/2002 9:15	Y	7440-66-6	Zinc	7.7	ug/L	[NULL]	[NULL]	[NULL]	R	B15728	7440-66-6	RLNP	6010_METALS_ICP_TR	100-NR-2
199-N-76	9/10/2002 9:15	N	PH	pH Measurement	8.21	unitless	[NULL]	[NULL]	[NULL]	R	B15729	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-76	3/7/2003 10:05	Y	7429-90-5	Aluminum	30.4	ug/L	U	[NULL]	[NULL]	R	B16H51	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:05	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B16H51	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:05	Y	7440-39-3	Barium	21.3	ug/L	B	[NULL]	[NULL]	R	B16H51	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:05	Y	7440-41-7	Beryllium	0.73	ug/L	U	[NULL]	[NULL]	R	B16H51	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:05	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B16H51	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:05	Y	7440-70-2	Calcium	40800	ug/L	[NULL]	[NULL]	[NULL]	R	B16H51	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:05	N	16887-00-6	Chloride	5700	ug/L	CD	[NULL]	[NULL]	R	B16H52	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/7/2003 10:05	Y	7440-47-3	Chromium	3.8	ug/L	B	[NULL]	[NULL]	R	B16H51	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:05	Y	7440-48-4	Cobalt	4.9	ug/L	U	[NULL]	[NULL]	R	B16H51	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:05	Y	7440-50-8	Copper	3.1	ug/L	U	[NULL]	[NULL]	R	B16H51	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:05	N	16984-48-8	Fluoride	97	ug/L	BC	[NULL]	[NULL]	R	B16H52	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/7/2003 10:05	Y	7439-89-6	Iron	52.8	ug/L	B	[NULL]	[NULL]	R	B16H51	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:05	Y	7439-95-4	Magnesium	6480	ug/L	[NULL]	[NULL]	[NULL]	R	B16H51	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:05	Y	7439-96-5	Manganese	3	ug/L	B	[NULL]	[NULL]	R	B16H51	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:05	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	B16H51	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:05	N	14797-55-8	Nitrate	27400	ug/L	CD	[NULL]	[NULL]	R	B16H52	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/7/2003 10:05	N	14797-65-0	Nitrite	36.1	ug/L	U	[NULL]	[NULL]	R	B16H52	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/7/2003 10:05	Y	7440-09-7	Potassium	1420	ug/L	U	[NULL]	[NULL]	R	B16H51	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:05	Y	7440-22-4	Silver	3.3	ug/L	B	[NULL]	[NULL]	R	B16H51	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	3/7/2003 10:05	Y	7440-23-5	Sodium	3110	ug/L	B	[NULL]	[NULL]	R	B16H51	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:05	Y	7440-24-6	Strontium	158	ug/L	[NULL]	[NULL]	[NULL]	R	B16H51	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:05	N	14808-79-8	Sulfate	39400	ug/L	D	[NULL]	[NULL]	R	B16H52	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/7/2003 10:05	Y	7440-62-2	Vanadium	10.4	ug/L	U	[NULL]	[NULL]	R	B16H51	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:05	Y	7440-66-6	Zinc	6.3	ug/L	B	[NULL]	[NULL]	R	B16H51	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:25	Y	7429-90-5	Aluminum	41	ug/L	[NULL]	[NULL]	[NULL]	R	B16H49	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:25	N	14596-10-2	Americium-241	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B16H50	14596-10-2	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/7/2003 10:25	Y	7440-36-0	Antimony	2.5	ug/L	U	[NULL]	[NULL]	R	B16H49	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:25	N	14234-35-6	Antimony-125	0.407	pCi/L	U	[NULL]	[NULL]	R	B16H53	14234-35-6	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/7/2003 10:25	Y	7440-39-3	Barium	21.9	ug/L	C	[NULL]	[NULL]	R	B16H49	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:25	Y	7440-41-7	Beryllium	0.1	ug/L	U	[NULL]	[NULL]	R	B16H49	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:25	N	13966-02-4	Beryllium-7	-5.31	pCi/L	U	[NULL]	[NULL]	R	B16H53	13966-02-4	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/7/2003 10:25	N	24959-67-9	Bromide	250	ug/L	U	[NULL]	[NULL]	R	B16H50	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/7/2003 10:25	Y	7440-43-9	Cadmium	0.4	ug/L	U	[NULL]	[NULL]	R	B16H49	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:25	Y	7440-70-2	Calcium	41000	ug/L	C	[NULL]	[NULL]	R	B16H49	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:25	N	13967-70-9	Cesium-134	0.995	pCi/L	U	[NULL]	[NULL]	R	B16H53	13967-70-9	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/7/2003 10:25	N	10045-97-3	Cesium-137	[NULL]	pCi/L	U	G	[NULL]	R	B16H50	10045-97-3	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/7/2003 10:25	N	10045-97-3	Cesium-137	-1.45	pCi/L	U	[NULL]	[NULL]	R	B16H53	10045-97-3	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/7/2003 10:25	N	16887-00-6	Chloride	7020	ug/L	[NULL]	[NULL]	[NULL]	R	B16H50	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/7/2003 10:25	Y	7440-47-3	Chromium	6.1	ug/L	[NULL]	[NULL]	[NULL]	R	B16H49	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:25	Y	7440-48-4	Cobalt	0.7	ug/L	U	[NULL]	[NULL]	R	B16H49	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:25	N	13981-38-9	Cobalt-58	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B16H50	13981-38-9	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/7/2003 10:25	N	10198-40-0	Cobalt-60	1.42	pCi/L	U	[NULL]	[NULL]	R	B16H53	10198-40-0	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/7/2003 10:25	N	10198-40-0	Cobalt-60	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B16H50	10198-40-0	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/7/2003 10:25	Y	7440-50-8	Copper	1	ug/L	[NULL]	[NULL]	[NULL]	R	B16H49	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:25	N	14683-23-9	Europium-152	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B16H50	14683-23-9	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/7/2003 10:25	N	14683-23-9	Europium-152	0.755	pCi/L	U	[NULL]	[NULL]	R	B16H53	14683-23-9	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/7/2003 10:25	N	15585-10-1	Europium-154	0.0929	pCi/L	U	[NULL]	[NULL]	R	B16H53	15585-10-1	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/7/2003 10:25	N	15585-10-1	Europium-154	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B16H50	15585-10-1	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/7/2003 10:25	N	14391-16-3	Europium-155	1.65	pCi/L	U	[NULL]	[NULL]	R	B16H53	14391-16-3	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/7/2003 10:25	N	14391-16-3	Europium-155	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B16H50	14391-16-3	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/7/2003 10:25	N	16984-48-8	Fluoride	250	ug/L	U	[NULL]	[NULL]	R	B16H50	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/7/2003 10:25	N	12587-47-2	Gross beta	316	pCi/L	[NULL]	[NULL]	[NULL]	R	B16H53	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	3/7/2003 10:25	N	12587-47-2	Gross beta	320	pCi/L	[NULL]	[NULL]	[NULL]	R	B16H50	12587-47-2	EBRLNE	BETA_GPC	100-NR-2
199-N-76	3/7/2003 10:25	Y	7439-89-6	Iron	65.8	ug/L	[NULL]	[NULL]	[NULL]	R	B16H49	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:25	N	14596-12-4	Iron-59	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B16H50	14596-12-4	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/7/2003 10:25	Y	7439-92-1	Lead	2.6	ug/L	U	[NULL]	[NULL]	R	B16H49	7439-92-1	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:25	Y	7439-95-4	Magnesium	6450	ug/L	[NULL]	[NULL]	[NULL]	R	B16H49	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:25	Y	7439-96-5	Manganese	1.8	ug/L	[NULL]	[NULL]	[NULL]	R	B16H49	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:25	Y	7440-02-0	Nickel	1.8	ug/L	[NULL]	[NULL]	[NULL]	R	B16H49	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:25	N	14797-55-8	Nitrate	26300	ug/L	D	[NULL]	[NULL]	R	B16H50	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/7/2003 10:25	N	14797-65-0	Nitrite	250	ug/L	U	[NULL]	[NULL]	R	B16H50	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/7/2003 10:25	N	14265-44-2	Phosphate	250	ug/L	U	[NULL]	[NULL]	R	B16H50	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/7/2003 10:25	Y	7440-09-7	Potassium	1780	ug/L	[NULL]	[NULL]	[NULL]	R	B16H49	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:25	N	13966-00-2	Potassium-40	6.84	pCi/L	U	[NULL]	[NULL]	R	B16H53	13966-00-2	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/7/2003 10:25	N	13966-00-2	Potassium-40	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B16H50	13966-00-2	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/7/2003 10:25	N	13982-63-3	Radium-226	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B16H50	13982-63-3	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/7/2003 10:25	N	15262-20-1	Radium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B16H50	15262-20-1	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/7/2003 10:25	N	13967-48-1	Ruthenium-106	-5.39	pCi/L	U	[NULL]	[NULL]	R	B16H53	13967-48-1	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/7/2003 10:25	Y	7440-22-4	Silver	0.8	ug/L	U	[NULL]	[NULL]	R	B16H49	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:25	Y	7440-23-5	Sodium	3020	ug/L	C	[NULL]	[NULL]	R	B16H49	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:25	N	CONDUCT	Specific Conductance	286	uS/cm	[NULL]	[NULL]	[NULL]	R	B16H50	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	3/7/2003 10:25	Y	7440-24-6	Strontium	162	ug/L	[NULL]	[NULL]	[NULL]	R	B16H49	7440-24-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:25	N	10098-97-2	Strontium-90	169	pCi/L	[NULL]	[NULL]	[NULL]	R	B16H53	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-76	3/7/2003 10:25	N	10098-97-2	Strontium-90	153	pCi/L	[NULL]	[NULL]	[NULL]	R	B16H50	10098-97-2	EBRLNE	SRISO_SEP_PRECIP_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	3/7/2003 10:25	N	14808-79-8	Sulfate	39700	ug/L	D	[NULL]	[NULL]	R	B16H50	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/7/2003 10:25	N	TEMPERATURE	Temperature	18.1	Deg C	[NULL]	[NULL]	[NULL]	R	B16H50	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	3/7/2003 10:25	N	14274-82-9	Thorium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B16H50	14274-82-9	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/7/2003 10:25	N	TH-232	Thorium-232	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B16H50	TH-232	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/7/2003 10:25	Y	7440-31-5	Tin	3.6	ug/L	U	[NULL]	[NULL]	R	B16H49	7440-31-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:25	N	10028-17-8	Tritium	25700	pCi/L	[NULL]	[NULL]	[NULL]	R	B16H53	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-76	3/7/2003 10:25	N	10028-17-8	Tritium	29600	pCi/L	[NULL]	[NULL]	[NULL]	R	B16H50	10028-17-8	EBRLNE	TRITIUM_DIST_LSC	100-NR-2
199-N-76	3/7/2003 10:25	N	TURBIDITY	Turbidity	3.41	NTU	[NULL]	[NULL]	[NULL]	R	B16H50	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-76	3/7/2003 10:25	N	15117-96-1	Uranium-235	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B16H50	15117-96-1	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/7/2003 10:25	N	U-238	Uranium-238	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B16H50	U-238	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/7/2003 10:25	Y	7440-62-2	Vanadium	2.7	ug/L	[NULL]	[NULL]	[NULL]	R	B16H49	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:25	Y	7440-66-6	Zinc	17.5	ug/L	C	[NULL]	[NULL]	R	B16H49	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/7/2003 10:25	N	PH	pH Measurement	8.3	unitless	[NULL]	[NULL]	[NULL]	R	B16H50	PH	FIELD	9040_PH	100-NR-2
199-N-76	9/25/2003 10:17	Y	7429-90-5	Aluminum	95.8	ug/L	U	[NULL]	[NULL]	R	B17D85	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2003 10:17	Y	7440-36-0	Antimony	28.5	ug/L	U	[NULL]	[NULL]	R	B17D85	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2003 10:17	N	14234-35-6	Antimony-125	4.41	pCi/L	U	[NULL]	[NULL]	R	B17D87	14234-35-6	STLRL	GAMMA_GS	100-NR-2
199-N-76	9/25/2003 10:17	Y	7440-39-3	Barium	27.7	ug/L	B	[NULL]	[NULL]	R	B17D85	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2003 10:17	Y	7440-41-7	Beryllium	0.33	ug/L	U	[NULL]	[NULL]	R	B17D85	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2003 10:17	N	13966-02-4	Beryllium-7	2.55	pCi/L	U	[NULL]	[NULL]	R	B17D87	13966-02-4	STLRL	GAMMA_GS	100-NR-2
199-N-76	9/25/2003 10:17	Y	7440-43-9	Cadmium	2.5	ug/L	U	[NULL]	[NULL]	R	B17D85	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2003 10:17	Y	7440-70-2	Calcium	49600	ug/L	[NULL]	[NULL]	[NULL]	R	B17D85	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2003 10:17	N	13967-70-9	Cesium-134	-0.599	pCi/L	U	[NULL]	[NULL]	R	B17D87	13967-70-9	STLRL	GAMMA_GS	100-NR-2
199-N-76	9/25/2003 10:17	N	10045-97-3	Cesium-137	0.814	pCi/L	U	[NULL]	[NULL]	R	B17D87	10045-97-3	STLRL	GAMMA_GS	100-NR-2
199-N-76	9/25/2003 10:17	N	16887-00-6	Chloride	12800	ug/L	D	[NULL]	[NULL]	R	B17D86	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/25/2003 10:17	Y	7440-47-3	Chromium	5.5	ug/L	B	[NULL]	[NULL]	R	B17D85	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2003 10:17	Y	7440-48-4	Cobalt	4.5	ug/L	U	[NULL]	[NULL]	R	B17D85	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2003 10:17	N	10198-40-0	Cobalt-60	2.01	pCi/L	U	[NULL]	[NULL]	R	B17D87	10198-40-0	STLRL	GAMMA_GS	100-NR-2
199-N-76	9/25/2003 10:17	Y	7440-50-8	Copper	3.2	ug/L	U	[NULL]	[NULL]	R	B17D85	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2003 10:17	N	14683-23-9	Europium-152	-1.42	pCi/L	U	[NULL]	[NULL]	R	B17D87	14683-23-9	STLRL	GAMMA_GS	100-NR-2
199-N-76	9/25/2003 10:17	N	15585-10-1	Europium-154	0.0255	pCi/L	U	[NULL]	[NULL]	R	B17D87	15585-10-1	STLRL	GAMMA_GS	100-NR-2
199-N-76	9/25/2003 10:17	N	14391-16-3	Europium-155	-1.67	pCi/L	U	[NULL]	[NULL]	R	B17D87	14391-16-3	STLRL	GAMMA_GS	100-NR-2
199-N-76	9/25/2003 10:17	N	16984-48-8	Fluoride	110	ug/L	[NULL]	[NULL]	[NULL]	R	B17D86	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/25/2003 10:17	N	12587-47-2	Gross beta	430	pCi/L	[NULL]	[NULL]	[NULL]	R	B17D87	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	9/25/2003 10:17	Y	7439-89-6	Iron	49.4	ug/L	U	[NULL]	[NULL]	R	B17D85	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2003 10:17	Y	7439-95-4	Magnesium	7920	ug/L	[NULL]	[NULL]	[NULL]	R	B17D85	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2003 10:17	Y	7439-96-5	Manganese	0.81	ug/L	U	[NULL]	[NULL]	R	B17D85	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2003 10:17	Y	7440-02-0	Nickel	12.9	ug/L	U	[NULL]	[NULL]	R	B17D85	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2003 10:17	N	14797-55-8	Nitrate	38100	ug/L	D	[NULL]	[NULL]	R	B17D86	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/25/2003 10:17	N	14797-65-0	Nitrite	24.3	ug/L	U	[NULL]	[NULL]	R	B17D86	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/25/2003 10:17	Y	7440-09-7	Potassium	2810	ug/L	B	[NULL]	[NULL]	R	B17D85	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2003 10:17	N	13966-00-2	Potassium-40	6.84	pCi/L	U	[NULL]	[NULL]	R	B17D87	13966-00-2	STLRL	GAMMA_GS	100-NR-2
199-N-76	9/25/2003 10:17	N	13967-48-1	Ruthenium-106	6.2	pCi/L	U	[NULL]	[NULL]	R	B17D87	13967-48-1	STLRL	GAMMA_GS	100-NR-2
199-N-76	9/25/2003 10:17	Y	7440-22-4	Silver	3.7	ug/L	U	[NULL]	[NULL]	R	B17D85	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2003 10:17	Y	7440-23-5	Sodium	3420	ug/L	B	[NULL]	[NULL]	R	B17D85	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2003 10:17	N	CONDUCT	Specific Conductance	360	uS/cm	[NULL]	[NULL]	[NULL]	R	B17D86	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	9/25/2003 10:17	Y	7440-24-6	Strontium	207	ug/L	[NULL]	[NULL]	[NULL]	R	B17D85	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2003 10:17	N	10098-97-2	Strontium-90	202	pCi/L	[NULL]	[NULL]	[NULL]	R	B17D87	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-76	9/25/2003 10:17	N	14808-79-8	Sulfate	58200	ug/L	D	[NULL]	[NULL]	R	B17D86	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/25/2003 10:17	N	TEMPERATURE	Temperature	20.4	Deg C	[NULL]	[NULL]	[NULL]	R	B17D86	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	9/25/2003 10:17	N	10028-17-8	Tritium	22400	pCi/L	[NULL]	[NULL]	[NULL]	R	B17D87	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-76	9/25/2003 10:17	N	TURBIDITY	Turbidity	2.06	NTU	[NULL]	[NULL]	[NULL]	R	B17D86	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-76	9/25/2003 10:17	Y	7440-62-2	Vanadium	9.2	ug/L	B	[NULL]	[NULL]	R	B17D85	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2003 10:17	Y	7440-66-6	Zinc	3.5	ug/L	U	[NULL]	[NULL]	R	B17D85	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/25/2003 10:17	N	PH	pH Measurement	8.18	unitless	[NULL]	[NULL]	[NULL]	R	B17D86	PH	FIELD	9040_PH	100-NR-2
199-N-76	3/23/2004 12:13	Y	7429-90-5	Aluminum	20	ug/L	U	[NULL]	[NULL]	R	B18KP3	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	3/23/2004 12:13	Y	7429-90-5	Aluminum	34.2	ug/L	U	[NULL]	[NULL]	R	B18KP1	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/23/2004 12:13	N	14596-10-2	Americium-241	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B18KP4	14596-10-2	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/23/2004 12:13	Y	7440-36-0	Antimony	2.7	ug/L	U	[NULL]	[NULL]	R	B18KP3	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/23/2004 12:13	Y	7440-36-0	Antimony	39	ug/L	U	[NULL]	[NULL]	R	B18KP1	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/23/2004 12:13	N	14234-35-6	Antimony-125	-3.66	pCi/L	U	[NULL]	[NULL]	R	B18KP5	14234-35-6	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/23/2004 12:13	Y	7440-39-3	Barium	27.6	ug/L	[NULL]	[NULL]	[NULL]	R	B18KP3	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/23/2004 12:13	Y	7440-39-3	Barium	28.6	ug/L	B	[NULL]	[NULL]	R	B18KP1	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/23/2004 12:13	Y	7440-41-7	Beryllium	0.4	ug/L	U	[NULL]	[NULL]	R	B18KP1	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/23/2004 12:13	Y	7440-41-7	Beryllium	0.27	ug/L	C	[NULL]	[NULL]	R	B18KP3	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/23/2004 12:13	N	13966-02-4	Beryllium-7	0.331	pCi/L	U	[NULL]	[NULL]	R	B18KP5	13966-02-4	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/23/2004 12:13	N	24959-67-9	Bromide	250	ug/L	U	[NULL]	[NULL]	R	B18KP4	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/23/2004 12:13	Y	7440-43-9	Cadmium	0.4	ug/L	U	[NULL]	[NULL]	R	B18KP3	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/23/2004 12:13	Y	7440-43-9	Cadmium	3.3	ug/L	U	[NULL]	[NULL]	R	B18KP1	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/23/2004 12:13	Y	7440-70-2	Calcium	52700	ug/L	[NULL]	[NULL]	[NULL]	R	B18KP1	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/23/2004 12:13	Y	7440-70-2	Calcium	51900	ug/L	C	[NULL]	[NULL]	R	B18KP3	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/23/2004 12:13	N	13967-70-9	Cesium-134	3.13	pCi/L	U	[NULL]	[NULL]	R	B18KP5	13967-70-9	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/23/2004 12:13	N	10045-97-3	Cesium-137	-1.18	pCi/L	U	[NULL]	[NULL]	R	B18KP5	10045-97-3	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/23/2004 12:13	N	10045-97-3	Cesium-137	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B18KP4	10045-97-3	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/23/2004 12:13	N	16887-00-6	Chloride	13900	ug/L	D	[NULL]	[NULL]	R	B18KP4	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/23/2004 12:13	N	16887-00-6	Chloride	15800	ug/L	D	[NULL]	[NULL]	R	B18KP2	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/23/2004 12:13	Y	7440-47-3	Chromium	4.4	ug/L	U	[NULL]	[NULL]	R	B18KP1	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/23/2004 12:13	Y	7440-47-3	Chromium	2.8	ug/L	C	[NULL]	[NULL]	R	B18KP3	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/23/2004 12:13	Y	7440-48-4	Cobalt	0.6	ug/L	U	[NULL]	[NULL]	R	B18KP3	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/23/2004 12:13	Y	7440-48-4	Cobalt	4.8	ug/L	U	[NULL]	[NULL]	R	B18KP1	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/23/2004 12:13	N	13981-38-9	Cobalt-58	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B18KP4	13981-38-9	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/23/2004 12:13	N	10198-40-0	Cobalt-60	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B18KP4	10198-40-0	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/23/2004 12:13	N	10198-40-0	Cobalt-60	1.29	pCi/L	U	[NULL]	[NULL]	R	B18KP5	10198-40-0	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/23/2004 12:13	Y	7440-50-8	Copper	2.9	ug/L	U	[NULL]	[NULL]	R	B18KP1	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/23/2004 12:13	Y	7440-50-8	Copper	2.1	ug/L	C	[NULL]	[NULL]	R	B18KP3	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/23/2004 12:13	N	14683-23-9	Europium-152	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B18KP4	14683-23-9	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/23/2004 12:13	N	14683-23-9	Europium-152	-2.69	pCi/L	U	[NULL]	[NULL]	R	B18KP5	14683-23-9	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/23/2004 12:13	N	15585-10-1	Europium-154	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B18KP4	15585-10-1	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/23/2004 12:13	N	15585-10-1	Europium-154	0.639	pCi/L	U	[NULL]	[NULL]	R	B18KP5	15585-10-1	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/23/2004 12:13	N	14391-16-3	Europium-155	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B18KP4	14391-16-3	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/23/2004 12:13	N	14391-16-3	Europium-155	1.67	pCi/L	U	[NULL]	[NULL]	R	B18KP5	14391-16-3	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/23/2004 12:13	N	16984-48-8	Fluoride	250	ug/L	U	[NULL]	[NULL]	R	B18KP4	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/23/2004 12:13	N	16984-48-8	Fluoride	40	ug/L	U	[NULL]	[NULL]	R	B18KP2	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/23/2004 12:13	N	12587-47-2	Gross beta	370	pCi/L	[NULL]	[NULL]	[NULL]	R	B18KP4	12587-47-2	EBRLNE	BETA_GPC	100-NR-2
199-N-76	3/23/2004 12:13	N	12587-47-2	Gross beta	333	pCi/L	[NULL]	[NULL]	[NULL]	R	B18KP5	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	3/23/2004 12:13	Y	7439-89-6	Iron	54.5	ug/L	U	[NULL]	[NULL]	R	B18KP1	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/23/2004 12:13	Y	7439-89-6	Iron	12.5	ug/L	C	[NULL]	[NULL]	R	B18KP3	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/23/2004 12:13	N	14596-12-4	Iron-59	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B18KP4	14596-12-4	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/23/2004 12:13	Y	7439-95-4	Magnesium	8520	ug/L	C	[NULL]	[NULL]	R	B18KP3	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/23/2004 12:13	Y	7439-95-4	Magnesium	8720	ug/L	[NULL]	[NULL]	[NULL]	R	B18KP1	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/23/2004 12:13	Y	7439-96-5	Manganese	0.44	ug/L	C	[NULL]	[NULL]	R	B18KP3	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/23/2004 12:13	Y	7439-96-5	Manganese	2.2	ug/L	B	[NULL]	[NULL]	R	B18KP1	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/23/2004 12:13	Y	7440-02-0	Nickel	2.3	ug/L	C	[NULL]	[NULL]	R	B18KP3	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/23/2004 12:13	Y	7440-02-0	Nickel	14	ug/L	U	[NULL]	[NULL]	R	B18KP1	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/23/2004 12:13	N	14797-55-8	Nitrate	46900	ug/L	D	[NULL]	[NULL]	R	B18KP2	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/23/2004 12:13	N	14797-55-8	Nitrate	45700	ug/L	D	H	[NULL]	R	B18KP4	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/23/2004 12:13	N	14797-65-0	Nitrite	24.3	ug/L	U	[NULL]	[NULL]	R	B18KP2	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/23/2004 12:13	N	14797-65-0	Nitrite	250	ug/L	U	H	[NULL]	R	B18KP4	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/23/2004 12:13	N	14265-44-2	Phosphate	250	ug/L	U	H	[NULL]	R	B18KP4	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/23/2004 12:13	Y	7440-09-7	Potassium	2300	ug/L	C	[NULL]	[NULL]	R	B18KP3	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/23/2004 12:13	Y	7440-09-7	Potassium	3000	ug/L	U	[NULL]	[NULL]	R	B18KP1	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	3/23/2004 12:13	N	13966-00-2	Potassium-40	-66	pCi/L	U	[NULL]	[NULL]	R	B18KP5	13966-00-2	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/23/2004 12:13	N	13966-00-2	Potassium-40	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B18KP4	13966-00-2	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/23/2004 12:13	N	13982-63-3	Radium-226	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B18KP4	13982-63-3	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/23/2004 12:13	N	15262-20-1	Radium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B18KP4	15262-20-1	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/23/2004 12:13	N	13967-48-1	Ruthenium-106	-3.82	pCi/L	U	[NULL]	[NULL]	R	B18KP5	13967-48-1	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/23/2004 12:13	Y	7440-22-4	Silver	0.6	ug/L	U	[NULL]	[NULL]	R	B18KP3	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/23/2004 12:13	Y	7440-22-4	Silver	3.1	ug/L	U	[NULL]	[NULL]	R	B18KP1	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/23/2004 12:13	Y	7440-23-5	Sodium	3870	ug/L	C	[NULL]	[NULL]	R	B18KP3	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/23/2004 12:13	Y	7440-23-5	Sodium	3650	ug/L	B	[NULL]	[NULL]	R	B18KP1	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/23/2004 12:13	N	CONDUCT	Specific Conductance	377	uS/cm	[NULL]	[NULL]	[NULL]	R	B18KP2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	3/23/2004 12:13	Y	7440-24-6	Strontium	217	ug/L	[NULL]	[NULL]	[NULL]	R	B18KP1	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/23/2004 12:13	Y	7440-24-6	Strontium	214	ug/L	C	[NULL]	[NULL]	R	B18KP3	7440-24-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/23/2004 12:13	N	10098-97-2	Strontium-90	177	pCi/L	[NULL]	[NULL]	[NULL]	R	B18KP5	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-76	3/23/2004 12:13	N	10098-97-2	Strontium-90	164	pCi/L	[NULL]	[NULL]	[NULL]	R	B18KP4	10098-97-2	EBRLNE	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-76	3/23/2004 12:13	N	14808-79-8	Sulfate	53300	ug/L	D	[NULL]	[NULL]	R	B18KP2	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/23/2004 12:13	N	14808-79-8	Sulfate	58200	ug/L	D	[NULL]	[NULL]	R	B18KP4	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/23/2004 12:13	N	TEMPERATURE	Temperature	19.8	Deg C	[NULL]	[NULL]	[NULL]	R	B18KP2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	3/23/2004 12:13	N	14274-82-9	Thorium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B18KP4	14274-82-9	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/23/2004 12:13	N	TH-232	Thorium-232	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B18KP4	TH-232	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/23/2004 12:13	N	10028-17-8	Tritium	22600	pCi/L	[NULL]	[NULL]	[NULL]	R	B18KP5	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-76	3/23/2004 12:13	N	10028-17-8	Tritium	25500	pCi/L	[NULL]	[NULL]	[NULL]	R	B18KP4	10028-17-8	EBRLNE	TRITIUM_DIST_LSC	100-NR-2
199-N-76	3/23/2004 12:13	N	TURBIDITY	Turbidity	1.36	NTU	[NULL]	[NULL]	[NULL]	R	B18KP2	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-76	3/23/2004 12:13	N	15117-96-1	Uranium-235	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B18KP4	15117-96-1	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/23/2004 12:13	N	U-238	Uranium-238	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B18KP4	U-238	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/23/2004 12:13	Y	7440-62-2	Vanadium	2.4	ug/L	[NULL]	[NULL]	[NULL]	R	B18KP3	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/23/2004 12:13	Y	7440-62-2	Vanadium	6.5	ug/L	B	[NULL]	[NULL]	R	B18KP1	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/23/2004 12:13	Y	7440-66-6	Zinc	4.3	ug/L	[NULL]	[NULL]	[NULL]	R	B18KP3	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/23/2004 12:13	Y	7440-66-6	Zinc	2.7	ug/L	U	[NULL]	[NULL]	R	B18KP1	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/23/2004 12:13	N	PH	pH Measurement	8.24	unitless	[NULL]	[NULL]	[NULL]	R	B18KP2	PH	FIELD	9040_PH	100-NR-2
199-N-76	9/20/2004 10:34	Y	7429-90-5	Aluminum	45.5	ug/L	U	[NULL]	[NULL]	R	B1B164	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/20/2004 10:34	Y	7440-36-0	Antimony	21.3	ug/L	U	[NULL]	[NULL]	R	B1B164	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/20/2004 10:34	N	14234-35-6	Antimony-125	-0.0681	pCi/L	U	[NULL]	[NULL]	R	B1B166	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
199-N-76	9/20/2004 10:34	Y	7440-39-3	Barium	28.1	ug/L	B	[NULL]	[NULL]	R	B1B164	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/20/2004 10:34	Y	7440-41-7	Beryllium	0.56	ug/L	BC	[NULL]	[NULL]	R	B1B164	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/20/2004 10:34	N	13966-02-4	Beryllium-7	-9.93	pCi/L	U	[NULL]	[NULL]	R	B1B166	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
199-N-76	9/20/2004 10:34	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	B1B164	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/20/2004 10:34	Y	7440-70-2	Calcium	47900	ug/L	[NULL]	[NULL]	[NULL]	R	B1B164	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/20/2004 10:34	N	13967-70-9	Cesium-134	-0.864	pCi/L	U	[NULL]	[NULL]	R	B1B166	13967-70-9	STLRL	GAMMALL_GS	100-NR-2
199-N-76	9/20/2004 10:34	N	10045-97-3	Cesium-137	1.86	pCi/L	U	[NULL]	[NULL]	R	B1B166	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
199-N-76	9/20/2004 10:34	N	16887-00-6	Chloride	14000	ug/L	CD	[NULL]	[NULL]	R	B1B165	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/20/2004 10:34	Y	7440-47-3	Chromium	3.3	ug/L	U	[NULL]	[NULL]	R	B1B164	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/20/2004 10:34	Y	7440-48-4	Cobalt	3.3	ug/L	U	[NULL]	[NULL]	R	B1B164	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/20/2004 10:34	N	10198-40-0	Cobalt-60	1.06	pCi/L	U	[NULL]	[NULL]	R	B1B166	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
199-N-76	9/20/2004 10:34	Y	7440-50-8	Copper	2.4	ug/L	U	[NULL]	[NULL]	R	B1B164	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/20/2004 10:34	N	14683-23-9	Europium-152	1.7	pCi/L	U	[NULL]	[NULL]	R	B1B166	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
199-N-76	9/20/2004 10:34	N	15585-10-1	Europium-154	2.33	pCi/L	U	[NULL]	[NULL]	R	B1B166	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
199-N-76	9/20/2004 10:34	N	14391-16-3	Europium-155	-3.96	pCi/L	U	[NULL]	[NULL]	R	B1B166	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
199-N-76	9/20/2004 10:34	N	16984-48-8	Fluoride	53	ug/L	B	[NULL]	[NULL]	R	B1B165	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/20/2004 10:34	N	12587-47-2	Gross beta	288	pCi/L	[NULL]	[NULL]	[NULL]	R	B1B166	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	9/20/2004 10:34	Y	7439-89-6	Iron	6.9	ug/L	U	[NULL]	[NULL]	R	B1B164	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/20/2004 10:34	Y	7439-95-4	Magnesium	8090	ug/L	[NULL]	[NULL]	[NULL]	R	B1B164	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/20/2004 10:34	Y	7439-96-5	Manganese	0.99	ug/L	U	[NULL]	[NULL]	R	B1B164	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/20/2004 10:34	Y	7440-02-0	Nickel	8.6	ug/L	U	[NULL]	[NULL]	R	B1B164	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/20/2004 10:34	N	14797-55-8	Nitrate	40300	ug/L	D	[NULL]	[NULL]	R	B1B165	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/20/2004 10:34	N	14797-65-0	Nitrite	13.1	ug/L	UN	[NULL]	[NULL]	R	B1B165	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	9/20/2004 10:34	Y	7440-09-7	Potassium	2940	ug/L	B	[NULL]	[NULL]	R	B1B164	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/20/2004 10:34	N	13966-00-2	Potassium-40	6.75	pCi/L	U	[NULL]	[NULL]	R	B1B166	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
199-N-76	9/20/2004 10:34	N	13967-48-1	Ruthenium-106	-4.52	pCi/L	U	[NULL]	[NULL]	R	B1B166	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
199-N-76	9/20/2004 10:34	Y	7440-22-4	Silver	4.8	ug/L	BC	[NULL]	[NULL]	R	B1B164	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/20/2004 10:34	Y	7440-23-5	Sodium	3830	ug/L	BC	[NULL]	[NULL]	R	B1B164	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/20/2004 10:34	N	CONDUCT	Specific Conductance	341	uS/cm	[NULL]	[NULL]	[NULL]	R	B1B165	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	9/20/2004 10:34	Y	7440-24-6	Strontium	205	ug/L	C	[NULL]	[NULL]	R	B1B164	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/20/2004 10:34	N	10098-97-2	Strontium-90	171	pCi/L	[NULL]	[NULL]	[NULL]	R	B1B166	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-76	9/20/2004 10:34	N	14808-79-8	Sulfate	43000	ug/L	D	[NULL]	[NULL]	R	B1B165	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/20/2004 10:34	N	TEMPERATURE	Temperature	18.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1B165	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	9/20/2004 10:34	N	10028-17-8	Tritium	20500	pCi/L	[NULL]	[NULL]	[NULL]	R	B1B166	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-76	9/20/2004 10:34	N	TURBIDITY	Turbidity	3.5	NTU	[NULL]	[NULL]	[NULL]	R	B1B165	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-76	9/20/2004 10:34	Y	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	B1B164	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/20/2004 10:34	Y	7440-66-6	Zinc	4.5	ug/L	BC	[NULL]	[NULL]	R	B1B164	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/20/2004 10:34	N	PH	pH Measurement	8.06	unitless	[NULL]	[NULL]	[NULL]	R	B1B165	PH	FIELD	9040_PH	100-NR-2
199-N-76	3/15/2005 9:19	Y	7429-90-5	Aluminum	45.5	ug/L	U	[NULL]	[NULL]	R	B1CB53	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	Y	7429-90-5	Aluminum	86.8	ug/L	[NULL]	Y	[NULL]	R	B1CB51	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	N	14596-10-2	Americium-241	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1CB55	14596-10-2	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/15/2005 9:19	Y	7440-36-0	Antimony	22.9	ug/L	U	[NULL]	[NULL]	R	B1CB51	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	Y	7440-36-0	Antimony	21.3	ug/L	U	[NULL]	[NULL]	R	B1CB53	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	N	14234-35-6	Antimony-125	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1CB55	14234-35-6	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/15/2005 9:19	N	14234-35-6	Antimony-125	1.34	pCi/L	U	[NULL]	[NULL]	R	B1CB56	14234-35-6	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/15/2005 9:19	Y	7440-39-3	Barium	22.6	ug/L	B	[NULL]	[NULL]	R	B1CB53	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	Y	7440-39-3	Barium	22.4	ug/L	C	[NULL]	[NULL]	R	B1CB51	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	Y	7440-41-7	Beryllium	0.29	ug/L	U	[NULL]	[NULL]	R	B1CB53	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	Y	7440-41-7	Beryllium	0.2	ug/L	U	[NULL]	[NULL]	R	B1CB51	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	N	13966-02-4	Beryllium-7	-0.0648	pCi/L	U	[NULL]	[NULL]	R	B1CB56	13966-02-4	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/15/2005 9:19	N	24959-67-9	Bromide	250	ug/L	U	[NULL]	[NULL]	R	B1CB52	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/15/2005 9:19	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	B1CB53	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	Y	7440-43-9	Cadmium	4.2	ug/L	C	[NULL]	[NULL]	R	B1CB51	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	Y	7440-70-2	Calcium	40400	ug/L	[NULL]	[NULL]	[NULL]	R	B1CB53	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	Y	7440-70-2	Calcium	36100	ug/L	C	[NULL]	[NULL]	R	B1CB51	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	N	13967-70-9	Cesium-134	-0.0248	pCi/L	U	[NULL]	[NULL]	R	B1CB56	13967-70-9	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/15/2005 9:19	N	10045-97-3	Cesium-137	0.515	pCi/L	U	[NULL]	[NULL]	R	B1CB56	10045-97-3	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/15/2005 9:19	N	10045-97-3	Cesium-137	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1CB55	10045-97-3	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/15/2005 9:19	N	16887-00-6	Chloride	8630	ug/L	[NULL]	[NULL]	[NULL]	R	B1CB52	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/15/2005 9:19	N	16887-00-6	Chloride	8300	ug/L	CD	[NULL]	[NULL]	R	B1CB54	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/15/2005 9:19	Y	7440-47-3	Chromium	9.7	ug/L	U	[NULL]	[NULL]	R	B1CB51	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	Y	7440-47-3	Chromium	3.3	ug/L	U	[NULL]	[NULL]	R	B1CB53	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	Y	7440-48-4	Cobalt	6.4	ug/L	U	[NULL]	[NULL]	R	B1CB51	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	Y	7440-48-4	Cobalt	3.3	ug/L	U	[NULL]	[NULL]	R	B1CB53	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	N	13981-38-9	Cobalt-58	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1CB55	13981-38-9	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/15/2005 9:19	N	10198-40-0	Cobalt-60	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1CB55	10198-40-0	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/15/2005 9:19	N	10198-40-0	Cobalt-60	0.839	pCi/L	U	[NULL]	[NULL]	R	B1CB56	10198-40-0	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/15/2005 9:19	Y	7440-50-8	Copper	4	ug/L	C	[NULL]	[NULL]	R	B1CB51	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	Y	7440-50-8	Copper	2.4	ug/L	U	[NULL]	[NULL]	R	B1CB53	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	N	14683-23-9	Europium-152	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1CB55	14683-23-9	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/15/2005 9:19	N	14683-23-9	Europium-152	4.59	pCi/L	U	[NULL]	[NULL]	R	B1CB56	14683-23-9	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/15/2005 9:19	N	15585-10-1	Europium-154	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1CB55	15585-10-1	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/15/2005 9:19	N	15585-10-1	Europium-154	-0.692	pCi/L	U	[NULL]	[NULL]	R	B1CB56	15585-10-1	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/15/2005 9:19	N	14391-16-3	Europium-155	0.617	pCi/L	U	[NULL]	[NULL]	R	B1CB56	14391-16-3	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/15/2005 9:19	N	14391-16-3	Europium-155	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1CB55	14391-16-3	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/15/2005 9:19	N	16984-48-8	Fluoride	44	ug/L	B	[NULL]	[NULL]	R	B1CB54	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/15/2005 9:19	N	16984-48-8	Fluoride	250	ug/L	U	[NULL]	[NULL]	R	B1CB52	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/15/2005 9:19	N	12587-47-2	Gross beta	249	pCi/L	[NULL]	[NULL]	[NULL]	R	B1CB56	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	3/15/2005 9:19	N	12587-47-2	Gross beta	264	pCi/L	[NULL]	[NULL]	[NULL]	R	B1CB55	12587-47-2	EBRLNE	BETA_GPC	100-NR-2
199-N-76	3/15/2005 9:19	Y	7439-89-6	Iron	98.5	ug/L	C	Y	[NULL]	R	B1CB51	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	Y	7439-89-6	Iron	28.8	ug/L	B	[NULL]	[NULL]	R	B1CB53	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	N	14596-12-4	Iron-59	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1CB55	14596-12-4	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/15/2005 9:19	Y	7439-95-4	Magnesium	6110	ug/L	C	[NULL]	[NULL]	R	B1CB51	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	Y	7439-95-4	Magnesium	6540	ug/L	[NULL]	[NULL]	[NULL]	R	B1CB53	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	Y	7439-96-5	Manganese	2.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1CB51	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	Y	7439-96-5	Manganese	0.99	ug/L	U	[NULL]	[NULL]	R	B1CB53	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	Y	7440-02-0	Nickel	18	ug/L	U	[NULL]	[NULL]	R	B1CB51	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	Y	7440-02-0	Nickel	8.6	ug/L	U	[NULL]	[NULL]	R	B1CB53	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	N	14797-55-8	Nitrate	31900	ug/L	D	[NULL]	[NULL]	R	B1CB54	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/15/2005 9:19	N	14797-55-8	Nitrate	29900	ug/L	D	H	[NULL]	R	B1CB52	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/15/2005 9:19	N	14797-65-0	Nitrite	13.1	ug/L	U	[NULL]	[NULL]	R	B1CB54	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/15/2005 9:19	N	14797-65-0	Nitrite	250	ug/L	U	H	[NULL]	R	B1CB52	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/15/2005 9:19	N	14265-44-2	Phosphate	250	ug/L	U	H	[NULL]	R	B1CB52	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/15/2005 9:19	Y	7440-09-7	Potassium	2010	ug/L	C	[NULL]	[NULL]	R	B1CB51	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	Y	7440-09-7	Potassium	1950	ug/L	U	[NULL]	[NULL]	R	B1CB53	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	N	13966-00-2	Potassium-40	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1CB55	13966-00-2	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/15/2005 9:19	N	13966-00-2	Potassium-40	-3.56	pCi/L	U	[NULL]	[NULL]	R	B1CB56	13966-00-2	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/15/2005 9:19	N	13982-63-3	Radium-226	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1CB55	13982-63-3	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/15/2005 9:19	N	15262-20-1	Radium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1CB55	15262-20-1	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/15/2005 9:19	N	13967-48-1	Ruthenium-106	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1CB55	13967-48-1	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/15/2005 9:19	N	13967-48-1	Ruthenium-106	-8.22	pCi/L	U	[NULL]	[NULL]	R	B1CB56	13967-48-1	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/15/2005 9:19	Y	7440-22-4	Silver	4.1	ug/L	U	[NULL]	[NULL]	R	B1CB53	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	Y	7440-22-4	Silver	5.3	ug/L	U	[NULL]	[NULL]	R	B1CB51	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	Y	7440-23-5	Sodium	3220	ug/L	C	[NULL]	[NULL]	R	B1CB51	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	Y	7440-23-5	Sodium	3450	ug/L	BN	[NULL]	[NULL]	R	B1CB53	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	N	CONDUCT	Specific Conductance	286	uS/cm	[NULL]	[NULL]	[NULL]	R	B1CB52	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	3/15/2005 9:19	Y	7440-24-6	Strontium	177	ug/L	[NULL]	[NULL]	[NULL]	R	B1CB53	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	N	10098-97-2	Strontium-90	91.7	pCi/L	[NULL]	[NULL]	[NULL]	R	B1CB55	10098-97-2	EBRLNE	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-76	3/15/2005 9:19	N	10098-97-2	Strontium-90	123	pCi/L	[NULL]	[NULL]	[NULL]	R	B1CB56	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-76	3/15/2005 9:19	N	14808-79-8	Sulfate	33200	ug/L	D	[NULL]	[NULL]	R	B1CB52	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/15/2005 9:19	N	14808-79-8	Sulfate	32700	ug/L	D	[NULL]	[NULL]	R	B1CB54	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/15/2005 9:19	N	TEMPERATURE	Temperature	19.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1CB52	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	3/15/2005 9:19	N	14274-82-9	Thorium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1CB55	14274-82-9	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/15/2005 9:19	N	TH-232	Thorium-232	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1CB55	TH-232	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/15/2005 9:19	N	10028-17-8	Tritium	23000	pCi/L	[NULL]	[NULL]	[NULL]	R	B1CB55	10028-17-8	EBRLNE	TRITIUM_DIST_LSC	100-NR-2
199-N-76	3/15/2005 9:19	N	10028-17-8	Tritium	19200	pCi/L	[NULL]	[NULL]	[NULL]	R	B1CB56	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-76	3/15/2005 9:19	N	TURBIDITY	Turbidity	1.29	NTU	[NULL]	[NULL]	[NULL]	R	B1CB52	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-76	3/15/2005 9:19	N	15117-96-1	Uranium-235	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1CB55	15117-96-1	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/15/2005 9:19	N	U-238	Uranium-238	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1CB55	U-238	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/15/2005 9:19	Y	7440-62-2	Vanadium	5	ug/L	U	[NULL]	[NULL]	R	B1CB53	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	Y	7440-62-2	Vanadium	3.1	ug/L	U	[NULL]	[NULL]	R	B1CB51	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	Y	7440-66-6	Zinc	8.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1CB51	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	Y	7440-66-6	Zinc	3.9	ug/L	BC	[NULL]	[NULL]	R	B1CB53	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/15/2005 9:19	N	PH	pH Measurement	8.18	unitless	[NULL]	[NULL]	[NULL]	R	B1CB52	PH	FIELD	9040_PH	100-NR-2
199-N-76	9/16/2005 9:45	Y	7429-90-5	Aluminum	64.2	ug/L	B	Y	[NULL]	R	B1DP97	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/16/2005 9:45	Y	7440-36-0	Antimony	23	ug/L	U	[NULL]	[NULL]	R	B1DP97	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/16/2005 9:45	N	14234-35-6	Antimony-125	0.61	pCi/L	U	[NULL]	[NULL]	R	B1DPB0	14234-35-6	STLRL	GAMMALL_GS	100-NR-2
199-N-76	9/16/2005 9:45	Y	7440-39-3	Barium	35.7	ug/L	B	[NULL]	[NULL]	R	B1DP97	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/16/2005 9:45	Y	7440-41-7	Beryllium	0.18	ug/L	U	[NULL]	[NULL]	R	B1DP97	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/16/2005 9:45	N	13966-02-4	Beryllium-7	-0.305	pCi/L	U	[NULL]	[NULL]	R	B1DPB0	13966-02-4	STLRL	GAMMALL_GS	100-NR-2
199-N-76	9/16/2005 9:45	Y	7440-43-9	Cadmium	0.86	ug/L	U	[NULL]	[NULL]	R	B1DP97	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/16/2005 9:45	Y	7440-70-2	Calcium	59600	ug/L	C	[NULL]	[NULL]	R	B1DP97	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/16/2005 9:45	N	13967-70-9	Cesium-134	0.911	pCi/L	U	[NULL]	[NULL]	R	B1DPB0	13967-70-9	STLRL	GAMMALL_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	9/16/2005 9:45	N	10045-97-3	Cesium-137	0.908	pCi/L	U	[NULL]	[NULL]	R	B1DPB0	10045-97-3	STLRL	GAMMALL_GS	100-NR-2
199-N-76	9/16/2005 9:45	N	16887-00-6	Chloride	24700	ug/L	CD	[NULL]	[NULL]	R	B1DP98	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/16/2005 9:45	Y	7440-47-3	Chromium	7.4	ug/L	B	[NULL]	[NULL]	R	B1DP97	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/16/2005 9:45	Y	7440-48-4	Cobalt	1.7	ug/L	U	[NULL]	[NULL]	R	B1DP97	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/16/2005 9:45	N	10198-40-0	Cobalt-60	1.57	pCi/L	U	[NULL]	[NULL]	R	B1DPB0	10198-40-0	STLRL	GAMMALL_GS	100-NR-2
199-N-76	9/16/2005 9:45	Y	7440-50-8	Copper	4.3	ug/L	U	[NULL]	[NULL]	R	B1DP97	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/16/2005 9:45	N	14683-23-9	Europium-152	-1.16	pCi/L	U	[NULL]	[NULL]	R	B1DPB0	14683-23-9	STLRL	GAMMALL_GS	100-NR-2
199-N-76	9/16/2005 9:45	N	15585-10-1	Europium-154	2.35	pCi/L	U	[NULL]	[NULL]	R	B1DPB0	15585-10-1	STLRL	GAMMALL_GS	100-NR-2
199-N-76	9/16/2005 9:45	N	14391-16-3	Europium-155	-1.18	pCi/L	U	[NULL]	[NULL]	R	B1DPB0	14391-16-3	STLRL	GAMMALL_GS	100-NR-2
199-N-76	9/16/2005 9:45	N	16984-48-8	Fluoride	37	ug/L	B	[NULL]	[NULL]	R	B1DP98	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/16/2005 9:45	N	12587-47-2	Gross beta	339	pCi/L	[NULL]	[NULL]	[NULL]	R	B1DPB0	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	9/16/2005 9:45	Y	7439-89-6	Iron	112	ug/L	[NULL]	[NULL]	[NULL]	R	B1DP97	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/16/2005 9:45	Y	7439-95-4	Magnesium	9400	ug/L	[NULL]	[NULL]	[NULL]	R	B1DP97	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/16/2005 9:45	Y	7439-96-5	Manganese	3.6	ug/L	B	[NULL]	[NULL]	R	B1DP97	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/16/2005 9:45	Y	7440-02-0	Nickel	4	ug/L	B	[NULL]	[NULL]	R	B1DP97	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/16/2005 9:45	N	14797-55-8	Nitrate	58000	ug/L	D	H	[NULL]	R	B1DP98	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/16/2005 9:45	N	14797-65-0	Nitrite	20	ug/L	U	[NULL]	[NULL]	R	B1DP98	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/16/2005 9:45	Y	7440-09-7	Potassium	3280	ug/L	B	[NULL]	[NULL]	R	B1DP97	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/16/2005 9:45	N	13966-00-2	Potassium-40	8.01	pCi/L	U	[NULL]	[NULL]	R	B1DPB0	13966-00-2	STLRL	GAMMALL_GS	100-NR-2
199-N-76	9/16/2005 9:45	N	13967-48-1	Ruthenium-106	-5.25	pCi/L	U	[NULL]	[NULL]	R	B1DPB0	13967-48-1	STLRL	GAMMALL_GS	100-NR-2
199-N-76	9/16/2005 9:45	Y	7440-22-4	Silver	2.2	ug/L	U	[NULL]	[NULL]	R	B1DP97	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/16/2005 9:45	Y	7440-23-5	Sodium	3880	ug/L	B	[NULL]	[NULL]	R	B1DP97	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/16/2005 9:45	N	CONDUCT	Specific Conductance	412	uS/cm	[NULL]	[NULL]	[NULL]	R	B1DP99	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-76	9/16/2005 9:45	Y	7440-24-6	Strontium	268	ug/L	[NULL]	[NULL]	[NULL]	R	B1DP97	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/16/2005 9:45	N	10098-97-2	Strontium-90	216	pCi/L	[NULL]	[NULL]	[NULL]	R	B1DPB0	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-76	9/16/2005 9:45	N	14808-79-8	Sulfate	54400	ug/L	D	[NULL]	[NULL]	R	B1DP98	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/16/2005 9:45	N	TEMPERATURE	Temperature	18.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1DP99	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	9/16/2005 9:45	N	10028-17-8	Tritium	22300	pCi/L	[NULL]	[NULL]	[NULL]	R	B1DPB0	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-76	9/16/2005 9:45	N	TURBIDITY	Turbidity	2.5	NTU	[NULL]	[NULL]	[NULL]	R	B1DP99	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-76	9/16/2005 9:45	Y	7440-62-2	Vanadium	2.8	ug/L	B	[NULL]	[NULL]	R	B1DP97	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/16/2005 9:45	Y	7440-66-6	Zinc	10.7	ug/L	BC	[NULL]	[NULL]	R	B1DP97	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/16/2005 9:45	N	PH	pH Measurement	8.81	unitless	[NULL]	[NULL]	[NULL]	R	B1DP99	PH	FIELD	9040_PH	100-NR-2
199-N-76	3/27/2006 11:19	Y	7429-90-5	Aluminum	24.3	ug/L	[NULL]	[NULL]	[NULL]	R	B1HR16	7429-90-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/27/2006 11:19	N	14596-10-2	Americium-241	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1HR20	14596-10-2	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/27/2006 11:19	Y	7440-36-0	Antimony	4.4	ug/L	U	[NULL]	[NULL]	R	B1HR16	7440-36-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/27/2006 11:19	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1HR18	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/27/2006 11:19	N	14234-35-6	Antimony-125	-2.46	pCi/L	U	[NULL]	[NULL]	R	B1HR21	14234-35-6	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/27/2006 11:19	N	14234-35-6	Antimony-125	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1HR20	14234-35-6	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/27/2006 11:19	Y	7440-39-3	Barium	26.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1HR16	7440-39-3	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/27/2006 11:19	Y	7440-39-3	Barium	29.2	ug/L	B	[NULL]	[NULL]	R	B1HR18	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/27/2006 11:19	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1HR18	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/27/2006 11:19	Y	7440-41-7	Beryllium	0.2	ug/L	U	[NULL]	[NULL]	R	B1HR16	7440-41-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/27/2006 11:19	N	13966-02-4	Beryllium-7	2.63	pCi/L	U	[NULL]	[NULL]	R	B1HR21	13966-02-4	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/27/2006 11:19	N	13966-02-4	Beryllium-7	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1HR20	13966-02-4	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/27/2006 11:19	N	24959-67-9	Bromide	250	ug/L	U	[NULL]	[NULL]	R	B1HR17	24959-67-9	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/27/2006 11:19	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1HR18	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/27/2006 11:19	Y	7440-43-9	Cadmium	0.7	ug/L	U	[NULL]	[NULL]	R	B1HR16	7440-43-9	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/27/2006 11:19	Y	7440-70-2	Calcium	46000	ug/L	[NULL]	[NULL]	[NULL]	R	B1HR16	7440-70-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/27/2006 11:19	Y	7440-70-2	Calcium	50100	ug/L	[NULL]	[NULL]	[NULL]	R	B1HR18	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/27/2006 11:19	N	13967-70-9	Cesium-134	0.688	pCi/L	U	[NULL]	[NULL]	R	B1HR21	13967-70-9	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/27/2006 11:19	N	10045-97-3	Cesium-137	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1HR20	10045-97-3	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/27/2006 11:19	N	10045-97-3	Cesium-137	0.715	pCi/L	U	[NULL]	[NULL]	R	B1HR21	10045-97-3	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/27/2006 11:19	N	16887-00-6	Chloride	15400	ug/L	CDN	[NULL]	[NULL]	R	B1HR19	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/27/2006 11:19	N	16887-00-6	Chloride	14000	ug/L	D	[NULL]	[NULL]	R	B1HR17	16887-00-6	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/27/2006 11:19	Y	7440-47-3	Chromium	2.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1HR16	7440-47-3	RLNP	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	3/27/2006 11:19	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1HR18	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/27/2006 11:19	Y	7440-48-4	Cobalt	2.6	ug/L	U	[NULL]	[NULL]	R	B1HR18	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/27/2006 11:19	Y	7440-48-4	Cobalt	1.4	ug/L	U	[NULL]	[NULL]	R	B1HR16	7440-48-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/27/2006 11:19	N	13981-38-9	Cobalt-58	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1HR20	13981-38-9	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/27/2006 11:19	N	10198-40-0	Cobalt-60	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1HR20	10198-40-0	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/27/2006 11:19	N	10198-40-0	Cobalt-60	1.33	pCi/L	U	[NULL]	[NULL]	R	B1HR21	10198-40-0	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/27/2006 11:19	Y	7440-50-8	Copper	1.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1HR16	7440-50-8	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/27/2006 11:19	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1HR18	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/27/2006 11:19	N	14683-23-9	Europium-152	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1HR20	14683-23-9	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/27/2006 11:19	N	14683-23-9	Europium-152	2.38	pCi/L	U	[NULL]	[NULL]	R	B1HR21	14683-23-9	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/27/2006 11:19	N	15585-10-1	Europium-154	3.02	pCi/L	U	[NULL]	[NULL]	R	B1HR21	15585-10-1	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/27/2006 11:19	N	15585-10-1	Europium-154	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1HR20	15585-10-1	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/27/2006 11:19	N	14391-16-3	Europium-155	0.31	pCi/L	U	[NULL]	[NULL]	R	B1HR21	14391-16-3	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/27/2006 11:19	N	14391-16-3	Europium-155	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1HR20	14391-16-3	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/27/2006 11:19	N	16984-48-8	Fluoride	250	ug/L	U	[NULL]	[NULL]	R	B1HR17	16984-48-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/27/2006 11:19	N	16984-48-8	Fluoride	5.1	ug/L	U	[NULL]	[NULL]	R	B1HR19	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/27/2006 11:19	N	12587-47-2	Gross beta	298	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HR20	12587-47-2	EBRLNE	BETA_GPC	100-NR-2
199-N-76	3/27/2006 11:19	N	12587-47-2	Gross beta	286	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HR21	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	3/27/2006 11:19	Y	7439-89-6	Iron	5.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1HR16	7439-89-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/27/2006 11:19	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1HR18	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/27/2006 11:19	N	14596-12-4	Iron-59	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1HR20	14596-12-4	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/27/2006 11:19	Y	7439-95-4	Magnesium	7630	ug/L	[NULL]	[NULL]	[NULL]	R	B1HR16	7439-95-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/27/2006 11:19	Y	7439-95-4	Magnesium	7850	ug/L	[NULL]	[NULL]	[NULL]	R	B1HR18	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/27/2006 11:19	Y	7439-96-5	Manganese	0.89	ug/L	[NULL]	[NULL]	[NULL]	R	B1HR16	7439-96-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/27/2006 11:19	Y	7439-96-5	Manganese	2.5	ug/L	U	[NULL]	[NULL]	R	B1HR18	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/27/2006 11:19	Y	7440-02-0	Nickel	2.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1HR16	7440-02-0	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/27/2006 11:19	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1HR18	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/27/2006 11:19	N	14797-55-8	Nitrate	42900	ug/L	DN	[NULL]	[NULL]	R	B1HR19	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/27/2006 11:19	N	14797-55-8	Nitrate	43000	ug/L	D	[NULL]	[NULL]	R	B1HR17	14797-55-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/27/2006 11:19	N	14797-65-0	Nitrite	250	ug/L	U	[NULL]	[NULL]	R	B1HR17	14797-65-0	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/27/2006 11:19	N	14797-65-0	Nitrite	887	ug/L	[NULL]	R	[NULL]	R	B1HR19	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/27/2006 11:19	N	14265-44-2	Phosphate	250	ug/L	U	[NULL]	[NULL]	R	B1HR17	14265-44-2	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/27/2006 11:19	Y	7440-09-7	Potassium	1630	ug/L	B	[NULL]	[NULL]	R	B1HR18	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/27/2006 11:19	Y	7440-09-7	Potassium	1980	ug/L	[NULL]	[NULL]	[NULL]	R	B1HR16	7440-09-7	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/27/2006 11:19	N	13966-00-2	Potassium-40	7.58	pCi/L	U	[NULL]	[NULL]	R	B1HR21	13966-00-2	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/27/2006 11:19	N	13966-00-2	Potassium-40	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1HR20	13966-00-2	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/27/2006 11:19	N	13982-63-3	Radium-226	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1HR20	13982-63-3	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/27/2006 11:19	N	15262-20-1	Radium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1HR20	15262-20-1	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/27/2006 11:19	N	13967-48-1	Ruthenium-106	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1HR20	13967-48-1	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/27/2006 11:19	N	13967-48-1	Ruthenium-106	-7.86	pCi/L	U	[NULL]	[NULL]	R	B1HR21	13967-48-1	STLRL	GAMMA_GS	100-NR-2
199-N-76	3/27/2006 11:19	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1HR18	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/27/2006 11:19	Y	7440-22-4	Silver	0.78	ug/L	[NULL]	[NULL]	[NULL]	R	B1HR16	7440-22-4	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/27/2006 11:19	Y	7440-23-5	Sodium	3560	ug/L	B	[NULL]	[NULL]	R	B1HR18	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/27/2006 11:19	Y	7440-23-5	Sodium	3380	ug/L	[NULL]	[NULL]	[NULL]	R	B1HR16	7440-23-5	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/27/2006 11:19	N	CONDUCT	Specific Conductance	353	uS/cm	[NULL]	[NULL]	[NULL]	R	B1HR22	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-76	3/27/2006 11:19	Y	7440-24-6	Strontium	227	ug/L	[NULL]	[NULL]	[NULL]	R	B1HR18	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/27/2006 11:19	N	10098-97-2	Strontium-90	125	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HR20	10098-97-2	EBRLNE	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-76	3/27/2006 11:19	N	10098-97-2	Strontium-90	143	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HR21	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-76	3/27/2006 11:19	N	14808-79-8	Sulfate	48100	ug/L	DN	[NULL]	[NULL]	R	B1HR19	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/27/2006 11:19	N	14808-79-8	Sulfate	48300	ug/L	D	[NULL]	[NULL]	R	B1HR17	14808-79-8	RLNP	300.0_ANIONS_IC	100-NR-2
199-N-76	3/27/2006 11:19	N	TEMPERATURE	Temperature	18.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1HR22	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-76	3/27/2006 11:19	N	14274-82-9	Thorium-228	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1HR20	14274-82-9	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/27/2006 11:19	N	TH-232	Thorium-232	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1HR20	TH-232	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/27/2006 11:19	N	10028-17-8	Tritium	22400	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HR21	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-76	3/27/2006 11:19	N	10028-17-8	Tritium	20900	pCi/L	[NULL]	[NULL]	[NULL]	R	B1HR20	10028-17-8	EBRLNE	TRITIUM_DIST_LSC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	3/27/2006 11:19	N	TURBIDITY	Turbidity	0.84	NTU	[NULL]	[NULL]	[NULL]	R	B1HR22	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-76	3/27/2006 11:19	N	15117-96-1	Uranium-235	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1HR20	15117-96-1	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/27/2006 11:19	N	U-238	Uranium-238	[NULL]	pCi/L	U	[NULL]	[NULL]	R	B1HR20	U-238	EBRLNE	GAMMA_GS	100-NR-2
199-N-76	3/27/2006 11:19	Y	7440-62-2	Vanadium	2.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1HR16	7440-62-2	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/27/2006 11:19	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1HR18	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/27/2006 11:19	Y	7440-66-6	Zinc	6.9	ug/L	BC	[NULL]	[NULL]	R	B1HR18	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	3/27/2006 11:19	Y	7440-66-6	Zinc	2.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1HR16	7440-66-6	RLNP	6010_METALS_ICP	100-NR-2
199-N-76	3/27/2006 11:19	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B1HR22	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-76	6/7/2006 11:14	N	DO	Dissolved oxygen	5990	ug/L	[NULL]	[NULL]	[NULL]	R	B1JDL1	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-76	6/7/2006 11:14	N	CONDUCT	Specific Conductance	246	uS/cm	[NULL]	[NULL]	[NULL]	R	B1JDL1	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-76	6/7/2006 11:14	N	10098-97-2	Strontium-90	124	pCi/L	[NULL]	[NULL]	[NULL]	R	B1JDL2	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-76	6/7/2006 11:14	N	TEMPERATURE	Temperature	20.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1JDL1	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-76	6/7/2006 11:14	N	TURBIDITY	Turbidity	4.55	NTU	[NULL]	[NULL]	[NULL]	R	B1JDL1	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-76	6/7/2006 11:14	N	PH	pH Measurement	8.34	unitless	[NULL]	[NULL]	[NULL]	R	B1JDL1	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-76	9/19/2006 12:21	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B1KC73	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/19/2006 12:21	N	14234-35-6	Antimony-125	1.44	pCi/L	U	[NULL]	[NULL]	R	B1KC76	14234-35-6	STLRL	GAMMA_GS	100-NR-2
199-N-76	9/19/2006 12:21	Y	7440-39-3	Barium	29.2	ug/L	B	[NULL]	[NULL]	R	B1KC73	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/19/2006 12:21	Y	7440-41-7	Beryllium	0.51	ug/L	U	[NULL]	[NULL]	R	B1KC73	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/19/2006 12:21	N	13966-02-4	Beryllium-7	2.45	pCi/L	U	[NULL]	[NULL]	R	B1KC76	13966-02-4	STLRL	GAMMA_GS	100-NR-2
199-N-76	9/19/2006 12:21	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B1KC73	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/19/2006 12:21	Y	7440-70-2	Calcium	56300	ug/L	[NULL]	[NULL]	[NULL]	R	B1KC73	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/19/2006 12:21	N	13967-70-9	Cesium-134	0.488	pCi/L	U	[NULL]	[NULL]	R	B1KC76	13967-70-9	STLRL	GAMMA_GS	100-NR-2
199-N-76	9/19/2006 12:21	N	10045-97-3	Cesium-137	0.275	pCi/L	U	[NULL]	[NULL]	R	B1KC76	10045-97-3	STLRL	GAMMA_GS	100-NR-2
199-N-76	9/19/2006 12:21	N	16887-00-6	Chloride	16300	ug/L	D	[NULL]	[NULL]	R	B1KC74	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/19/2006 12:21	Y	7440-47-3	Chromium	3.1	ug/L	U	[NULL]	[NULL]	R	B1KC73	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/19/2006 12:21	Y	7440-48-4	Cobalt	5	ug/L	U	[NULL]	[NULL]	R	B1KC73	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/19/2006 12:21	N	10198-40-0	Cobalt-60	-0.523	pCi/L	U	[NULL]	[NULL]	R	B1KC76	10198-40-0	STLRL	GAMMA_GS	100-NR-2
199-N-76	9/19/2006 12:21	Y	7440-50-8	Copper	2.8	ug/L	U	[NULL]	[NULL]	R	B1KC73	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/19/2006 12:21	N	DO	Dissolved oxygen	7170	ug/L	[NULL]	[NULL]	[NULL]	R	B1KC75	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-76	9/19/2006 12:21	N	14683-23-9	Europium-152	2.17	pCi/L	U	[NULL]	[NULL]	R	B1KC76	14683-23-9	STLRL	GAMMA_GS	100-NR-2
199-N-76	9/19/2006 12:21	N	15585-10-1	Europium-154	-1.31	pCi/L	U	[NULL]	[NULL]	R	B1KC76	15585-10-1	STLRL	GAMMA_GS	100-NR-2
199-N-76	9/19/2006 12:21	N	14391-16-3	Europium-155	-0.041	pCi/L	U	[NULL]	[NULL]	R	B1KC76	14391-16-3	STLRL	GAMMA_GS	100-NR-2
199-N-76	9/19/2006 12:21	N	16984-48-8	Fluoride	76	ug/L	BN	[NULL]	[NULL]	R	B1KC74	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/19/2006 12:21	N	12587-47-2	Gross beta	278	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KC76	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	9/19/2006 12:21	Y	7439-89-6	Iron	25	ug/L	U	[NULL]	[NULL]	R	B1KC73	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/19/2006 12:21	Y	7439-95-4	Magnesium	9000	ug/L	[NULL]	[NULL]	[NULL]	R	B1KC73	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/19/2006 12:21	Y	7439-96-5	Manganese	2.5	ug/L	U	[NULL]	[NULL]	R	B1KC73	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/19/2006 12:21	Y	7440-02-0	Nickel	7.5	ug/L	U	[NULL]	[NULL]	R	B1KC73	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/19/2006 12:21	N	14797-55-8	Nitrate	47800	ug/L	D	[NULL]	[NULL]	R	B1KC74	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/19/2006 12:21	N	14797-65-0	Nitrite	1280	ug/L	N	R	[NULL]	R	B1KC74	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/19/2006 12:21	Y	7440-09-7	Potassium	1840	ug/L	B	[NULL]	[NULL]	R	B1KC73	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/19/2006 12:21	N	13966-00-2	Potassium-40	-27.6	pCi/L	U	[NULL]	[NULL]	R	B1KC76	13966-00-2	STLRL	GAMMA_GS	100-NR-2
199-N-76	9/19/2006 12:21	N	13967-48-1	Ruthenium-106	-7.74	pCi/L	U	[NULL]	[NULL]	R	B1KC76	13967-48-1	STLRL	GAMMA_GS	100-NR-2
199-N-76	9/19/2006 12:21	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B1KC73	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/19/2006 12:21	Y	7440-23-5	Sodium	3760	ug/L	B	[NULL]	[NULL]	R	B1KC73	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/19/2006 12:21	N	CONDUCT	Specific Conductance	388	uS/cm	[NULL]	[NULL]	[NULL]	R	B1KC75	CONDUCT	FIELD	120.1_CONDUCT_FLD	100-NR-2
199-N-76	9/19/2006 12:21	Y	7440-24-6	Strontium	234	ug/L	[NULL]	[NULL]	[NULL]	R	B1KC73	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/19/2006 12:21	N	10098-97-2	Strontium-90	156	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KC76	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-76	9/19/2006 12:21	N	14808-79-8	Sulfate	52000	ug/L	D	[NULL]	[NULL]	R	B1KC74	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-76	9/19/2006 12:21	N	TEMPERATURE	Temperature	19.3	Deg C	[NULL]	[NULL]	[NULL]	R	B1KC75	TEMPERATURE	FIELD	170.1_TEMP_FLD	100-NR-2
199-N-76	9/19/2006 12:21	N	10028-17-8	Tritium	17400	pCi/L	[NULL]	[NULL]	[NULL]	R	B1KC76	10028-17-8	STLRL	906.0_H3_LSC	100-NR-2
199-N-76	9/19/2006 12:21	N	TURBIDITY	Turbidity	1.11	NTU	[NULL]	[NULL]	[NULL]	R	B1KC75	TURBIDITY	FIELD	180.1_TURBIDITY_FLD	100-NR-2
199-N-76	9/19/2006 12:21	Y	7440-62-2	Vanadium	5.9	ug/L	U	[NULL]	[NULL]	R	B1KC73	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/19/2006 12:21	Y	7440-66-6	Zinc	9.6	ug/L	U	[NULL]	[NULL]	R	B1KC73	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-76	9/19/2006 12:21	N	PH	pH Measurement	8.13	unitless	[NULL]	[NULL]	[NULL]	R	B1KC75	PH	FIELD	PH_ELECT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	4/18/2007 13:01	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1MDH1	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	4/18/2007 13:01	N	14234-35-6	Antimony-125	2.37	pCi/L	U	[NULL]	[NULL]	R	B1MDH4	14234-35-6	STLRL	GAMMA_GS	100-NR-2
199-N-76	4/18/2007 13:01	Y	7440-39-3	Barium	29.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDH1	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	4/18/2007 13:01	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1MDH1	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	4/18/2007 13:01	N	13966-02-4	Beryllium-7	-8.32	pCi/L	U	[NULL]	[NULL]	R	B1MDH4	13966-02-4	STLRL	GAMMA_GS	100-NR-2
199-N-76	4/18/2007 13:01	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1MDH1	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	4/18/2007 13:01	Y	7440-70-2	Calcium	55000	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDH1	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	4/18/2007 13:01	N	13967-70-9	Cesium-134	0.539	pCi/L	U	[NULL]	[NULL]	R	B1MDH4	13967-70-9	STLRL	GAMMA_GS	100-NR-2
199-N-76	4/18/2007 13:01	N	10045-97-3	Cesium-137	0.0895	pCi/L	U	[NULL]	[NULL]	R	B1MDH4	10045-97-3	STLRL	GAMMA_GS	100-NR-2
199-N-76	4/18/2007 13:01	N	16887-00-6	Chloride	11200	ug/L	D	[NULL]	[NULL]	R	B1MDH2	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-76	4/18/2007 13:01	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	R	B1MDH1	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	4/18/2007 13:01	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1MDH1	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	4/18/2007 13:01	N	10198-40-0	Cobalt-60	0.788	pCi/L	U	[NULL]	[NULL]	R	B1MDH4	10198-40-0	STLRL	GAMMA_GS	100-NR-2
199-N-76	4/18/2007 13:01	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1MDH1	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	4/18/2007 13:01	N	DO	Dissolved oxygen	6620	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDH3	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-76	4/18/2007 13:01	N	14683-23-9	Europium-152	-3.1	pCi/L	U	[NULL]	[NULL]	R	B1MDH4	14683-23-9	STLRL	GAMMA_GS	100-NR-2
199-N-76	4/18/2007 13:01	N	15585-10-1	Europium-154	1.47	pCi/L	U	[NULL]	[NULL]	R	B1MDH4	15585-10-1	STLRL	GAMMA_GS	100-NR-2
199-N-76	4/18/2007 13:01	N	14391-16-3	Europium-155	0.101	pCi/L	U	[NULL]	[NULL]	R	B1MDH4	14391-16-3	STLRL	GAMMA_GS	100-NR-2
199-N-76	4/18/2007 13:01	N	16984-48-8	Fluoride	37.6	ug/L	B	[NULL]	[NULL]	R	B1MDH2	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-76	4/18/2007 13:01	N	12587-47-2	Gross beta	669	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MDH4	12587-47-2	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	4/18/2007 13:01	Y	7439-89-6	Iron	9	ug/L	U	[NULL]	[NULL]	R	B1MDH1	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	4/18/2007 13:01	Y	7439-95-4	Magnesium	8640	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDH1	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	4/18/2007 13:01	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1MDH1	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	4/18/2007 13:01	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1MDH1	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	4/18/2007 13:01	N	14797-55-8	Nitrate	38800	ug/L	D	[NULL]	[NULL]	R	B1MDH2	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-76	4/18/2007 13:01	N	14797-65-0	Nitrite	42.7	ug/L	U	[NULL]	[NULL]	R	B1MDH2	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-76	4/18/2007 13:01	Y	7440-09-7	Potassium	2070	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDH1	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	4/18/2007 13:01	N	13966-00-2	Potassium-40	-15.5	pCi/L	U	[NULL]	[NULL]	R	B1MDH4	13966-00-2	STLRL	GAMMA_GS	100-NR-2
199-N-76	4/18/2007 13:01	N	13967-48-1	Ruthenium-106	-1.78	pCi/L	U	[NULL]	[NULL]	R	B1MDH4	13967-48-1	STLRL	GAMMA_GS	100-NR-2
199-N-76	4/18/2007 13:01	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1MDH1	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	4/18/2007 13:01	Y	7440-23-5	Sodium	3420	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDH1	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	4/18/2007 13:01	N	CONDUCT	Specific Conductance	365	uS/cm	[NULL]	[NULL]	[NULL]	R	B1MDH3	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-76	4/18/2007 13:01	Y	7440-24-6	Strontium	216	ug/L	[NULL]	[NULL]	[NULL]	R	B1MDH1	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	4/18/2007 13:01	N	10098-97-2	Strontium-90	363	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MDH4	10098-97-2	STLRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-76	4/18/2007 13:01	N	14808-79-8	Sulfate	54200	ug/L	D	[NULL]	[NULL]	R	B1MDH2	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-76	4/18/2007 13:01	N	TEMPERATURE	Temperature	18.8	Deg C	[NULL]	[NULL]	[NULL]	R	B1MDH3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	4/18/2007 13:01	N	10028-17-8	Tritium	18000	pCi/L	[NULL]	[NULL]	[NULL]	R	B1MDH2	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-76	4/18/2007 13:01	N	TURBIDITY	Turbidity	4.16	NTU	[NULL]	[NULL]	[NULL]	R	B1MDH3	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-76	4/18/2007 13:01	Y	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	R	B1MDH1	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	4/18/2007 13:01	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1MDH1	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	4/18/2007 13:01	N	PH	pH Measurement	8.24	unitless	[NULL]	[NULL]	[NULL]	R	B1MDH3	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-76	9/14/2007 10:25	N	DO	Dissolved oxygen	8540	ug/L	[NULL]	[NULL]	[NULL]	R	B1PF33	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-76	9/14/2007 10:25	N	CONDUCT	Specific Conductance	418	uS/cm	[NULL]	[NULL]	[NULL]	R	B1PF33	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-76	9/14/2007 10:25	N	TEMPERATURE	Temperature	19.7	Deg C	[NULL]	[NULL]	[NULL]	R	B1PF33	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	9/14/2007 10:25	N	TURBIDITY	Turbidity	1.45	NTU	[NULL]	[NULL]	[NULL]	R	B1PF33	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-76	9/14/2007 10:25	N	PH	pH Measurement	8.07	unitless	[NULL]	[NULL]	[NULL]	R	B1PF33	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-76	9/14/2007 10:26	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1PF31	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/14/2007 10:26	N	14234-35-6	Antimony-125	6.15	pCi/L	U	[NULL]	[NULL]	R	B1PF32	14234-35-6	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/14/2007 10:26	Y	7440-39-3	Barium	36.4	ug/L	C	[NULL]	[NULL]	R	B1PF31	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/14/2007 10:26	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1PF31	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/14/2007 10:26	N	13966-02-4	Beryllium-7	-8	pCi/L	U	[NULL]	[NULL]	R	B1PF32	13966-02-4	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/14/2007 10:26	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1PF31	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/14/2007 10:26	Y	7440-70-2	Calcium	64000	ug/L	[NULL]	[NULL]	[NULL]	R	B1PF31	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/14/2007 10:26	N	13967-70-9	Cesium-134	3.66	pCi/L	U	[NULL]	[NULL]	R	B1PF32	13967-70-9	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/14/2007 10:26	N	10045-97-3	Cesium-137	0.0133	pCi/L	U	[NULL]	[NULL]	R	B1PF32	10045-97-3	WSCF	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	9/14/2007 10:26	N	16887-00-6	Chloride	15100	ug/L	D	[NULL]	[NULL]	R	B1PF32	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-76	9/14/2007 10:26	Y	7440-47-3	Chromium	12.6	ug/L	C	[NULL]	[NULL]	R	B1PF31	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/14/2007 10:26	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1PF31	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/14/2007 10:26	N	10198-40-0	Cobalt-60	2.49	pCi/L	U	[NULL]	[NULL]	R	B1PF32	10198-40-0	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/14/2007 10:26	Y	7440-50-8	Copper	11.4	ug/L	C	[NULL]	[NULL]	R	B1PF31	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/14/2007 10:26	N	14683-23-9	Europium-152	-5.97	pCi/L	U	[NULL]	[NULL]	R	B1PF32	14683-23-9	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/14/2007 10:26	N	15585-10-1	Europium-154	6.57	pCi/L	U	[NULL]	[NULL]	R	B1PF32	15585-10-1	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/14/2007 10:26	N	14391-16-3	Europium-155	-9.75	pCi/L	U	[NULL]	[NULL]	R	B1PF32	14391-16-3	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/14/2007 10:26	N	16984-48-8	Fluoride	44.9	ug/L	B	[NULL]	[NULL]	R	B1PF32	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-76	9/14/2007 10:26	N	12587-46-1	Gross alpha	0.169	pCi/L	U	[NULL]	[NULL]	R	B1PF34	12587-46-1	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	9/14/2007 10:26	N	12587-47-2	Gross beta	373	pCi/L	[NULL]	[NULL]	[NULL]	R	B1PF34	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	9/14/2007 10:26	Y	7439-89-6	Iron	23.9	ug/L	C	[NULL]	[NULL]	R	B1PF31	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/14/2007 10:26	Y	7439-95-4	Magnesium	9580	ug/L	[NULL]	[NULL]	[NULL]	R	B1PF31	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/14/2007 10:26	Y	7439-96-5	Manganese	7.9	ug/L	C	[NULL]	[NULL]	R	B1PF31	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/14/2007 10:26	Y	7440-02-0	Nickel	4.6	ug/L	C	[NULL]	[NULL]	R	B1PF31	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/14/2007 10:26	N	14797-55-8	Nitrate	50000	ug/L	D	[NULL]	[NULL]	R	B1PF32	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-76	9/14/2007 10:26	N	14797-65-0	Nitrite	32.8	ug/L	U	[NULL]	[NULL]	R	B1PF32	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-76	9/14/2007 10:26	Y	7440-09-7	Potassium	2160	ug/L	[NULL]	[NULL]	[NULL]	R	B1PF31	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/14/2007 10:26	N	13966-00-2	Potassium-40	-19.6	pCi/L	U	[NULL]	[NULL]	R	B1PF32	13966-00-2	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/14/2007 10:26	N	13967-48-1	Ruthenium-106	18.4	pCi/L	U	[NULL]	[NULL]	R	B1PF32	13967-48-1	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/14/2007 10:26	Y	7440-22-4	Silver	14.2	ug/L	C	[NULL]	[NULL]	R	B1PF31	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/14/2007 10:26	Y	7440-23-5	Sodium	3490	ug/L	[NULL]	[NULL]	[NULL]	R	B1PF31	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/14/2007 10:26	Y	7440-24-6	Strontium	224	ug/L	[NULL]	[NULL]	[NULL]	R	B1PF31	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/14/2007 10:26	N	10098-97-2	Strontium-90	203	pCi/L	[NULL]	[NULL]	[NULL]	R	B1PF34	10098-97-2	TARL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-76	9/14/2007 10:26	N	14808-79-8	Sulfate	67200	ug/L	D	[NULL]	[NULL]	R	B1PF32	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-76	9/14/2007 10:26	N	10028-17-8	Tritium	16000	pCi/L	[NULL]	[NULL]	[NULL]	R	B1PF32	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-76	9/14/2007 10:26	Y	7440-62-2	Vanadium	19.5	ug/L	C	[NULL]	[NULL]	R	B1PF31	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/14/2007 10:26	Y	7440-66-6	Zinc	22.5	ug/L	C	[NULL]	[NULL]	R	B1PF31	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	N	ALKALINITY	Alkalinity	70000	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJN5	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-76	3/28/2008 11:05	N	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1TJN5	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	Y	7440-36-0	Antimony	32	ug/L	U	[NULL]	[NULL]	R	B1TJN4	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	N	14234-35-6	Antimony-125	5.76	pCi/L	U	[NULL]	[NULL]	R	B1TJN5	14234-35-6	WSCF	GAMMA_GS	100-NR-2
199-N-76	3/28/2008 11:05	Y	7440-39-3	Barium	30.8	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJN4	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	N	7440-39-3	Barium	30.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJN5	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1TJN5	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1TJN4	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	N	13966-02-4	Beryllium-7	-46	pCi/L	U	[NULL]	[NULL]	R	B1TJN5	13966-02-4	WSCF	GAMMA_GS	100-NR-2
199-N-76	3/28/2008 11:05	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1TJN5	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1TJN4	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	Y	7440-70-2	Calcium	62300	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJN4	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	N	7440-70-2	Calcium	61800	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJN5	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	N	13967-70-9	Cesium-134	-12.6	pCi/L	U	[NULL]	[NULL]	R	B1TJN5	13967-70-9	WSCF	GAMMA_GS	100-NR-2
199-N-76	3/28/2008 11:05	N	10045-97-3	Cesium-137	-4.15	pCi/L	U	[NULL]	[NULL]	R	B1TJN5	10045-97-3	WSCF	GAMMA_GS	100-NR-2
199-N-76	3/28/2008 11:05	N	16887-00-6	Chloride	14200	ug/L	D	[NULL]	[NULL]	R	B1TJN5	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-76	3/28/2008 11:05	N	7440-47-3	Chromium	4.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJN5	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	Y	7440-47-3	Chromium	4	ug/L	U	[NULL]	[NULL]	R	B1TJN4	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1TJN4	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1TJN5	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	N	10198-40-0	Cobalt-60	3.2	pCi/L	U	[NULL]	[NULL]	R	B1TJN5	10198-40-0	WSCF	GAMMA_GS	100-NR-2
199-N-76	3/28/2008 11:05	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1TJN5	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	Y	7440-50-8	Copper	4	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJN4	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	N	14683-23-9	Europium-152	-9.82	pCi/L	U	[NULL]	[NULL]	R	B1TJN5	14683-23-9	WSCF	GAMMA_GS	100-NR-2
199-N-76	3/28/2008 11:05	N	15585-10-1	Europium-154	-11.2	pCi/L	U	[NULL]	[NULL]	R	B1TJN5	15585-10-1	WSCF	GAMMA_GS	100-NR-2
199-N-76	3/28/2008 11:05	N	14391-16-3	Europium-155	17.3	pCi/L	U	[NULL]	[NULL]	R	B1TJN5	14391-16-3	WSCF	GAMMA_GS	100-NR-2
199-N-76	3/28/2008 11:05	N	16984-48-8	Fluoride	12	ug/L	DU	[NULL]	[NULL]	R	B1TJN5	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	3/28/2008 11:05	N	12587-47-2	Gross beta	314	pCi/L	[NULL]	[NULL]	[NULL]	R	B1TJN7	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	3/28/2008 11:05	N	7439-89-6	Iron	57.5	ug/L	C	[NULL]	[NULL]	R	B1TJN5	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	Y	7439-89-6	Iron	9	ug/L	U	[NULL]	[NULL]	R	B1TJN4	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	Y	7439-95-4	Magnesium	9400	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJN4	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	N	7439-95-4	Magnesium	9270	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJN5	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1TJN4	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1TJN5	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1TJN4	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	N	7440-02-0	Nickel	6.2	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJN5	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	N	14797-55-8	Nitrate	47800	ug/L	D	[NULL]	[NULL]	R	B1TJN5	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-76	3/28/2008 11:05	N	14797-65-0	Nitrite	65.7	ug/L	DU	[NULL]	[NULL]	R	B1TJN5	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-76	3/28/2008 11:05	Y	7440-09-7	Potassium	2360	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJN4	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	N	7440-09-7	Potassium	2350	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJN5	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	N	13966-00-2	Potassium-40	-52.7	pCi/L	U	[NULL]	[NULL]	R	B1TJN5	13966-00-2	WSCF	GAMMA_GS	100-NR-2
199-N-76	3/28/2008 11:05	N	13967-48-1	Ruthenium-106	-23.8	pCi/L	U	[NULL]	[NULL]	R	B1TJN5	13967-48-1	WSCF	GAMMA_GS	100-NR-2
199-N-76	3/28/2008 11:05	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1TJN5	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1TJN4	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	N	7440-23-5	Sodium	3530	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJN5	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	Y	7440-23-5	Sodium	3590	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJN4	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	N	CONDUCT	Specific Conductance	423	uS/cm	[NULL]	[NULL]	[NULL]	R	B1TJN6	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-76	3/28/2008 11:05	N	7440-24-6	Strontium	219	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJN5	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	Y	7440-24-6	Strontium	225	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJN4	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	N	10098-97-2	Strontium-90	174	pCi/L	[NULL]	[NULL]	[NULL]	R	B1THD3	10098-97-2	TARL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-76	3/28/2008 11:05	N	14808-79-8	Sulfate	65500	ug/L	D	[NULL]	[NULL]	R	B1TJN5	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-76	3/28/2008 11:05	N	TEMPERATURE	Temperature	18.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1TJN6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	3/28/2008 11:05	N	10028-17-8	Tritium	15000	pCi/L	[NULL]	[NULL]	[NULL]	R	B1TJN5	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-76	3/28/2008 11:05	N	TURBIDITY	Turbidity	1.11	NTU	[NULL]	[NULL]	[NULL]	R	B1TJN6	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-76	3/28/2008 11:05	Y	7440-62-2	Vanadium	11.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1TJN4	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	N	7440-62-2	Vanadium	7	ug/L	U	[NULL]	[NULL]	R	B1TJN5	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1TJN4	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	N	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1TJN5	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/28/2008 11:05	N	PH	pH Measurement	8.01	unitless	[NULL]	[NULL]	[NULL]	R	B1TJN6	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-76	9/23/2008 9:11	N	ALKALINITY	Alkalinity	65000	ug/L	[NULL]	[NULL]	[NULL]	R	B1WTN9	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-76	9/23/2008 9:11	Y	7440-36-0	Antimony	4	ug/L	U	[NULL]	[NULL]	R	B1WTN8	7440-36-0	TASL	6010_METALS_ICP	100-NR-2
199-N-76	9/23/2008 9:11	N	7440-36-0	Antimony	4	ug/L	U	[NULL]	[NULL]	R	B1WXP2	7440-36-0	TASL	6010_METALS_ICP	100-NR-2
199-N-76	9/23/2008 9:11	N	14234-35-6	Antimony-125	-1.12	pCi/L	U	[NULL]	[NULL]	R	B1WTN9	14234-35-6	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/23/2008 9:11	N	7440-39-3	Barium	36.8	ug/L	B	[NULL]	[NULL]	R	B1WXP2	7440-39-3	TASL	6010_METALS_ICP	100-NR-2
199-N-76	9/23/2008 9:11	Y	7440-39-3	Barium	39.9	ug/L	B	[NULL]	[NULL]	R	B1WTN8	7440-39-3	TASL	6010_METALS_ICP	100-NR-2
199-N-76	9/23/2008 9:11	Y	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	R	B1WTN8	7440-41-7	TASL	6010_METALS_ICP	100-NR-2
199-N-76	9/23/2008 9:11	N	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	R	B1WXP2	7440-41-7	TASL	6010_METALS_ICP	100-NR-2
199-N-76	9/23/2008 9:11	N	13966-02-4	Beryllium-7	21.9	pCi/L	U	[NULL]	[NULL]	R	B1WTN9	13966-02-4	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/23/2008 9:11	N	7440-43-9	Cadmium	0.45	ug/L	U	[NULL]	[NULL]	R	B1WXP2	7440-43-9	TASL	6010_METALS_ICP	100-NR-2
199-N-76	9/23/2008 9:11	Y	7440-43-9	Cadmium	0.45	ug/L	U	[NULL]	[NULL]	R	B1WTN8	7440-43-9	TASL	6010_METALS_ICP	100-NR-2
199-N-76	9/23/2008 9:11	N	7440-70-2	Calcium	63900	ug/L	D	[NULL]	[NULL]	R	B1WXP2	7440-70-2	TASL	6010_METALS_ICP	100-NR-2
199-N-76	9/23/2008 9:11	Y	7440-70-2	Calcium	79000	ug/L	CD	[NULL]	[NULL]	R	B1WTN8	7440-70-2	TASL	6010_METALS_ICP	100-NR-2
199-N-76	9/23/2008 9:11	N	13967-70-9	Cesium-134	-0.554	pCi/L	U	[NULL]	[NULL]	R	B1WTN9	13967-70-9	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/23/2008 9:11	N	10045-97-3	Cesium-137	-0.0812	pCi/L	U	[NULL]	[NULL]	R	B1WTN9	10045-97-3	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/23/2008 9:11	N	16887-00-6	Chloride	17600	ug/L	D	[NULL]	[NULL]	R	B1WTN9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-76	9/23/2008 9:11	N	7440-47-3	Chromium	7.6	ug/L	B	[NULL]	[NULL]	R	B1WXP2	7440-47-3	TASL	6010_METALS_ICP	100-NR-2
199-N-76	9/23/2008 9:11	Y	7440-47-3	Chromium	4	ug/L	B	[NULL]	[NULL]	R	B1WTN8	7440-47-3	TASL	6010_METALS_ICP	100-NR-2
199-N-76	9/23/2008 9:11	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1WXP2	7440-48-4	TASL	6010_METALS_ICP	100-NR-2
199-N-76	9/23/2008 9:11	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1WTN8	7440-48-4	TASL	6010_METALS_ICP	100-NR-2
199-N-76	9/23/2008 9:11	N	10198-40-0	Cobalt-60	-3.32	pCi/L	U	[NULL]	[NULL]	R	B1WTN9	10198-40-0	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/23/2008 9:11	N	7440-50-8	Copper	4.6	ug/L	U	[NULL]	[NULL]	R	B1WXP2	7440-50-8	TASL	6010_METALS_ICP	100-NR-2
199-N-76	9/23/2008 9:11	Y	7440-50-8	Copper	4.6	ug/L	U	[NULL]	[NULL]	R	B1WTN8	7440-50-8	TASL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	9/23/2008 9:11	N	DO	Dissolved oxygen	8550	ug/L	[NULL]	[NULL]	[NULL]	R	B1WTP0	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-76	9/23/2008 9:11	N	14683-23-9	Europium-152	0.607	pCi/L	U	[NULL]	[NULL]	R	B1WTN9	14683-23-9	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/23/2008 9:11	N	15585-10-1	Europium-154	3.89	pCi/L	U	[NULL]	[NULL]	R	B1WTN9	15585-10-1	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/23/2008 9:11	N	14391-16-3	Europium-155	-10.9	pCi/L	U	[NULL]	[NULL]	R	B1WTN9	14391-16-3	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/23/2008 9:11	N	16984-48-8	Fluoride	46.4	ug/L	DU	[NULL]	[NULL]	R	B1WTN9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-76	9/23/2008 9:11	N	12587-47-2	Gross beta	390	pCi/L	[NULL]	[NULL]	[NULL]	R	B1WTN9	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-76	9/23/2008 9:11	Y	7439-89-6	Iron	16	ug/L	U	[NULL]	[NULL]	R	B1WTN8	7439-89-6	TASL	6010_METALS_ICP	100-NR-2
199-N-76	9/23/2008 9:11	N	7439-89-6	Iron	43	ug/L	B	[NULL]	[NULL]	R	B1WXP2	7439-89-6	TASL	6010_METALS_ICP	100-NR-2
199-N-76	9/23/2008 9:11	Y	7439-95-4	Magnesium	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B1WTN8	7439-95-4	TASL	6010_METALS_ICP	100-NR-2
199-N-76	9/23/2008 9:11	N	7439-95-4	Magnesium	11000	ug/L	[NULL]	[NULL]	[NULL]	R	B1WXP2	7439-95-4	TASL	6010_METALS_ICP	100-NR-2
199-N-76	9/23/2008 9:11	Y	7439-96-5	Manganese	0.96	ug/L	U	[NULL]	[NULL]	R	B1WTN8	7439-96-5	TASL	6010_METALS_ICP	100-NR-2
199-N-76	9/23/2008 9:11	N	7439-96-5	Manganese	1.2	ug/L	B	[NULL]	[NULL]	R	B1WXP2	7439-96-5	TASL	6010_METALS_ICP	100-NR-2
199-N-76	9/23/2008 9:11	N	7440-02-0	Nickel	13.3	ug/L	U	[NULL]	[NULL]	R	B1WXP2	7440-02-0	TASL	6010_METALS_ICP	100-NR-2
199-N-76	9/23/2008 9:11	Y	7440-02-0	Nickel	13.3	ug/L	U	[NULL]	[NULL]	R	B1WTN8	7440-02-0	TASL	6010_METALS_ICP	100-NR-2
199-N-76	9/23/2008 9:11	N	14797-55-8	Nitrate	59300	ug/L	D	[NULL]	[NULL]	R	B1WTN9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-76	9/23/2008 9:11	N	14797-65-0	Nitrite	84.1	ug/L	DU	[NULL]	[NULL]	R	B1WTN9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-76	9/23/2008 9:11	N	7440-09-7	Potassium	3760	ug/L	B	[NULL]	[NULL]	R	B1WXP2	7440-09-7	TASL	6010_METALS_ICP	100-NR-2
199-N-76	9/23/2008 9:11	Y	7440-09-7	Potassium	3640	ug/L	BC	[NULL]	[NULL]	R	B1WTN8	7440-09-7	TASL	6010_METALS_ICP	100-NR-2
199-N-76	9/23/2008 9:11	N	13966-00-2	Potassium-40	-108	pCi/L	U	[NULL]	[NULL]	R	B1WTN9	13966-00-2	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/23/2008 9:11	N	13967-48-1	Ruthenium-106	-13.4	pCi/L	U	[NULL]	[NULL]	R	B1WTN9	13967-48-1	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/23/2008 9:11	N	7440-22-4	Silver	6	ug/L	U	[NULL]	[NULL]	R	B1WXP2	7440-22-4	TASL	6010_METALS_ICP	100-NR-2
199-N-76	9/23/2008 9:11	Y	7440-22-4	Silver	6	ug/L	U	[NULL]	[NULL]	R	B1WTN8	7440-22-4	TASL	6010_METALS_ICP	100-NR-2
199-N-76	9/23/2008 9:11	N	7440-23-5	Sodium	3920	ug/L	B	[NULL]	[NULL]	R	B1WXP2	7440-23-5	TASL	6010_METALS_ICP	100-NR-2
199-N-76	9/23/2008 9:11	Y	7440-23-5	Sodium	4190	ug/L	BC	[NULL]	[NULL]	R	B1WTN8	7440-23-5	TASL	6010_METALS_ICP	100-NR-2
199-N-76	9/23/2008 9:11	N	CONDUCT	Specific Conductance	450	uS/cm	[NULL]	[NULL]	[NULL]	R	B1WTP0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-76	9/23/2008 9:11	Y	7440-24-6	Strontium	309	ug/L	CD	[NULL]	[NULL]	R	B1WTN8	7440-24-6	TASL	6010_METALS_ICP	100-NR-2
199-N-76	9/23/2008 9:11	N	7440-24-6	Strontium	268	ug/L	D	[NULL]	[NULL]	R	B1WXP2	7440-24-6	TASL	6010_METALS_ICP	100-NR-2
199-N-76	9/23/2008 9:11	N	10098-97-2	Strontium-90	180	pCi/L	[NULL]	[NULL]	[NULL]	R	B1WRM3	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	9/23/2008 9:11	N	14808-79-8	Sulfate	79200	ug/L	D	[NULL]	[NULL]	R	B1WTN9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-76	9/23/2008 9:11	N	TEMPERATURE	Temperature	18.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1WTP0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	9/23/2008 9:11	N	10028-17-8	Tritium	14000	pCi/L	[NULL]	[NULL]	[NULL]	R	B1WTN9	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-76	9/23/2008 9:11	N	TURBIDITY	Turbidity	1.15	NTU	[NULL]	[NULL]	[NULL]	R	B1WTP0	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-76	9/23/2008 9:11	Y	7440-62-2	Vanadium	4.1	ug/L	U	[NULL]	[NULL]	R	B1WTN8	7440-62-2	TASL	6010_METALS_ICP	100-NR-2
199-N-76	9/23/2008 9:11	N	7440-62-2	Vanadium	4.1	ug/L	U	[NULL]	[NULL]	R	B1WXP2	7440-62-2	TASL	6010_METALS_ICP	100-NR-2
199-N-76	9/23/2008 9:11	N	7440-66-6	Zinc	7	ug/L	B	[NULL]	[NULL]	R	B1WXP2	7440-66-6	TASL	6010_METALS_ICP	100-NR-2
199-N-76	9/23/2008 9:11	Y	7440-66-6	Zinc	5.4	ug/L	B	[NULL]	[NULL]	R	B1WTN8	7440-66-6	TASL	6010_METALS_ICP	100-NR-2
199-N-76	9/23/2008 9:11	N	PH	pH Measurement	7.91	unitless	[NULL]	[NULL]	[NULL]	R	B1WTP0	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-76	3/18/2009 10:09	N	ALKALINITY	Alkalinity	66000	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRT8	ALKALINITY	TASL	310.1_ALKALINITY	100-NR-2
199-N-76	3/18/2009 10:09	N	ALKALINITY	Alkalinity	67000	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRV0	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-76	3/18/2009 10:09	N	7440-36-0	Antimony	4	ug/L	U	[NULL]	[NULL]	R	B1YRT8	7440-36-0	TASL	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1YRV0	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B1YRT9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	Y	7440-36-0	Antimony	4	ug/L	U	[NULL]	[NULL]	R	B1YRT7	7440-36-0	TASL	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	14234-35-6	Antimony-125	-0.437	pCi/L	U	[NULL]	[NULL]	R	B1YRV1	14234-35-6	TARL	GAMMA_GS	100-NR-2
199-N-76	3/18/2009 10:09	N	14234-35-6	Antimony-125	12	pCi/L	U	[NULL]	[NULL]	R	B1YRV0	14234-35-6	WSCF	GAMMA_GS	100-NR-2
199-N-76	3/18/2009 10:09	Y	7440-39-3	Barium	40.4	ug/L	B	[NULL]	[NULL]	R	B1YRT7	7440-39-3	TASL	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	7440-39-3	Barium	36.5	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRV0	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	Y	7440-39-3	Barium	36.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRT9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	7440-39-3	Barium	40.3	ug/L	B	[NULL]	[NULL]	R	B1YRT8	7440-39-3	TASL	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1YRV0	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B1YRT9	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	R	B1YRT8	7440-41-7	TASL	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	Y	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	R	B1YRT7	7440-41-7	TASL	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	13966-02-4	Beryllium-7	-10.5	pCi/L	U	[NULL]	[NULL]	R	B1YRV1	13966-02-4	TARL	GAMMA_GS	100-NR-2
199-N-76	3/18/2009 10:09	N	13966-02-4	Beryllium-7	2.3	pCi/L	U	[NULL]	[NULL]	R	B1YRV0	13966-02-4	WSCF	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	3/18/2009 10:09	Y	7440-43-9	Cadmium	0.45	ug/L	U	[NULL]	[NULL]	R	B1YRT7	7440-43-9	TASL	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1YRT9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B1YRV0	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	7440-43-9	Cadmium	0.45	ug/L	U	[NULL]	[NULL]	R	B1YRT8	7440-43-9	TASL	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	Y	7440-70-2	Calcium	76000	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRT9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	Y	7440-70-2	Calcium	78200	ug/L	D	[NULL]	[NULL]	R	B1YRT7	7440-70-2	TASL	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	7440-70-2	Calcium	76400	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRV0	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	7440-70-2	Calcium	77100	ug/L	D	[NULL]	[NULL]	R	B1YRT8	7440-70-2	TASL	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	13967-70-9	Cesium-134	0.237	pCi/L	U	[NULL]	[NULL]	R	B1YRV1	13967-70-9	TARL	GAMMA_GS	100-NR-2
199-N-76	3/18/2009 10:09	N	13967-70-9	Cesium-134	2.9	pCi/L	U	[NULL]	[NULL]	R	B1YRV0	13967-70-9	WSCF	GAMMA_GS	100-NR-2
199-N-76	3/18/2009 10:09	N	10045-97-3	Cesium-137	0.149	pCi/L	U	[NULL]	[NULL]	R	B1YRV1	10045-97-3	TARL	GAMMA_GS	100-NR-2
199-N-76	3/18/2009 10:09	N	10045-97-3	Cesium-137	-6.8	pCi/L	U	[NULL]	[NULL]	R	B1YRV0	10045-97-3	WSCF	GAMMA_GS	100-NR-2
199-N-76	3/18/2009 10:09	N	16887-00-6	Chloride	20500	ug/L	D	[NULL]	[NULL]	R	B1YRT8	16887-00-6	TASL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/18/2009 10:09	N	16887-00-6	Chloride	21100	ug/L	D	[NULL]	[NULL]	R	B1YRV0	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-76	3/18/2009 10:09	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1YRV0	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B1YRT9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	7440-47-3	Chromium	16	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRT8	7440-47-3	TASL	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	Y	7440-47-3	Chromium	3.5	ug/L	B	[NULL]	[NULL]	R	B1YRT7	7440-47-3	TASL	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1YRT7	7440-48-4	TASL	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1YRV0	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1YRT9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B1YRT8	7440-48-4	TASL	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	10198-40-0	Cobalt-60	-0.343	pCi/L	U	[NULL]	[NULL]	R	B1YRV1	10198-40-0	TARL	GAMMA_GS	100-NR-2
199-N-76	3/18/2009 10:09	N	10198-40-0	Cobalt-60	2.3	pCi/L	U	[NULL]	[NULL]	R	B1YRV0	10198-40-0	WSCF	GAMMA_GS	100-NR-2
199-N-76	3/18/2009 10:09	N	7440-50-8	Copper	4.6	ug/L	U	[NULL]	[NULL]	R	B1YRT8	7440-50-8	TASL	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1YRV0	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B1YRT9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	Y	7440-50-8	Copper	4.6	ug/L	U	[NULL]	[NULL]	R	B1YRT7	7440-50-8	TASL	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	14683-23-9	Europium-152	11	pCi/L	U	[NULL]	[NULL]	R	B1YRV0	14683-23-9	WSCF	GAMMA_GS	100-NR-2
199-N-76	3/18/2009 10:09	N	14683-23-9	Europium-152	-0.2	pCi/L	U	[NULL]	[NULL]	R	B1YRV1	14683-23-9	TARL	GAMMA_GS	100-NR-2
199-N-76	3/18/2009 10:09	N	15585-10-1	Europium-154	0.935	pCi/L	U	[NULL]	[NULL]	R	B1YRV1	15585-10-1	TARL	GAMMA_GS	100-NR-2
199-N-76	3/18/2009 10:09	N	15585-10-1	Europium-154	-13	pCi/L	U	[NULL]	[NULL]	R	B1YRV0	15585-10-1	WSCF	GAMMA_GS	100-NR-2
199-N-76	3/18/2009 10:09	N	14391-16-3	Europium-155	-2.46	pCi/L	U	[NULL]	[NULL]	R	B1YRV1	14391-16-3	TARL	GAMMA_GS	100-NR-2
199-N-76	3/18/2009 10:09	N	14391-16-3	Europium-155	4	pCi/L	U	[NULL]	[NULL]	R	B1YRV0	14391-16-3	WSCF	GAMMA_GS	100-NR-2
199-N-76	3/18/2009 10:09	N	16984-48-8	Fluoride	46	ug/L	UD	[NULL]	[NULL]	R	B1YRV0	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-76	3/18/2009 10:09	N	16984-48-8	Fluoride	61	ug/L	B	[NULL]	[NULL]	R	B1YRT8	16984-48-8	TASL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/18/2009 10:09	N	12587-47-2	Gross beta	331	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YRV1	12587-47-2	TARL	9310_ALPHABETA_GPC	100-NR-2
199-N-76	3/18/2009 10:09	N	12587-47-2	Gross beta	340	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YRV0	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-76	3/18/2009 10:09	Y	7439-89-6	Iron	42.6	ug/L	B	[NULL]	[NULL]	R	B1YRT7	7439-89-6	TASL	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	Y	7439-89-6	Iron	64.3	ug/L	BC	[NULL]	[NULL]	R	B1YRT9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	7439-89-6	Iron	52.5	ug/L	BC	[NULL]	[NULL]	R	B1YRV0	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	7439-89-6	Iron	129	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRT8	7439-89-6	TASL	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	7439-95-4	Magnesium	11200	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRT8	7439-95-4	TASL	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	7439-95-4	Magnesium	11600	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRV0	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	Y	7439-95-4	Magnesium	11500	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRT7	7439-95-4	TASL	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	Y	7439-95-4	Magnesium	11400	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRT9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1YRT9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B1YRV0	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	Y	7439-96-5	Manganese	3.6	ug/L	B	[NULL]	[NULL]	R	B1YRT7	7439-96-5	TASL	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	7439-96-5	Manganese	4.3	ug/L	B	[NULL]	[NULL]	R	B1YRT8	7439-96-5	TASL	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	Y	7440-02-0	Nickel	13.3	ug/L	U	[NULL]	[NULL]	R	B1YRT7	7440-02-0	TASL	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	7440-02-0	Nickel	13.3	ug/L	U	[NULL]	[NULL]	R	B1YRT8	7440-02-0	TASL	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1YRT9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B1YRV0	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	14797-55-8	Nitrate	64600	ug/L	D	[NULL]	[NULL]	R	B1YRV0	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	3/18/2009 10:09	N	14797-55-8	Nitrate	63300	ug/L	D	[NULL]	[NULL]	R	B1YRT8	NO3-N	TASL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/18/2009 10:09	N	14797-65-0	Nitrite	9.85	ug/L	U	[NULL]	[NULL]	R	B1YRT8	NO2-N	TASL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/18/2009 10:09	N	14797-65-0	Nitrite	85.4	ug/L	UD	[NULL]	[NULL]	R	B1YRV0	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-76	3/18/2009 10:09	N	7440-09-7	Potassium	2420	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRV0	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	Y	7440-09-7	Potassium	2400	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRT9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	Y	7440-09-7	Potassium	1650	ug/L	U	[NULL]	[NULL]	R	B1YRT7	7440-09-7	TASL	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	7440-09-7	Potassium	3080	ug/L	B	[NULL]	[NULL]	R	B1YRT8	7440-09-7	TASL	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	13966-00-2	Potassium-40	-10.8	pCi/L	U	[NULL]	[NULL]	R	B1YRV1	13966-00-2	TARL	GAMMA_GS	100-NR-2
199-N-76	3/18/2009 10:09	N	13966-00-2	Potassium-40	-23	pCi/L	U	[NULL]	[NULL]	R	B1YRV0	13966-00-2	WSCF	GAMMA_GS	100-NR-2
199-N-76	3/18/2009 10:09	N	13967-48-1	Ruthenium-106	2.2	pCi/L	U	[NULL]	[NULL]	R	B1YRV1	13967-48-1	TARL	GAMMA_GS	100-NR-2
199-N-76	3/18/2009 10:09	N	13967-48-1	Ruthenium-106	-9.9	pCi/L	U	[NULL]	[NULL]	R	B1YRV0	13967-48-1	WSCF	GAMMA_GS	100-NR-2
199-N-76	3/18/2009 10:09	Y	7440-22-4	Silver	6	ug/L	U	[NULL]	[NULL]	R	B1YRT7	7440-22-4	TASL	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	7440-22-4	Silver	6	ug/L	U	[NULL]	[NULL]	R	B1YRT8	7440-22-4	TASL	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1YRV0	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B1YRT9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	7440-23-5	Sodium	4150	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRV0	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	Y	7440-23-5	Sodium	4250	ug/L	B	[NULL]	[NULL]	R	B1YRT7	7440-23-5	TASL	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	7440-23-5	Sodium	4060	ug/L	B	[NULL]	[NULL]	R	B1YRT8	7440-23-5	TASL	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	Y	7440-23-5	Sodium	4150	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRT9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	CONDUCT	Specific Conductance	483	uS/cm	[NULL]	[NULL]	[NULL]	R	B1YRV2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-76	3/18/2009 10:09	Y	7440-24-6	Strontium	289	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRT7	7440-24-6	TASL	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	7440-24-6	Strontium	284	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRT8	7440-24-6	TASL	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	7440-24-6	Strontium	294	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRV0	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	Y	7440-24-6	Strontium	292	ug/L	[NULL]	[NULL]	[NULL]	R	B1YRT9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	10098-97-2	Strontium-90	196	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YRV1	10098-97-2	TARL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-76	3/18/2009 10:09	N	10098-97-2	Strontium-90	190	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YRV0	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	3/18/2009 10:09	N	14808-79-8	Sulfate	79000	ug/L	D	[NULL]	[NULL]	R	B1YRT8	14808-79-8	TASL	300.0_ANIONS_IC	100-NR-2
199-N-76	3/18/2009 10:09	N	14808-79-8	Sulfate	80500	ug/L	D	[NULL]	[NULL]	R	B1YRV0	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-76	3/18/2009 10:09	N	TEMPERATURE	Temperature	17	Deg C	[NULL]	[NULL]	[NULL]	R	B1YRV2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	3/18/2009 10:09	N	10028-17-8	Tritium	15000	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YRV0	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-76	3/18/2009 10:09	N	10028-17-8	Tritium	14800	pCi/L	[NULL]	[NULL]	[NULL]	R	B1YRV1	10028-17-8	TARL	906.0_H3_LSC	100-NR-2
199-N-76	3/18/2009 10:09	N	TURBIDITY	Turbidity	2.89	NTU	[NULL]	[NULL]	[NULL]	R	B1YRV2	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-76	3/18/2009 10:09	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1YRT9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	7440-62-2	Vanadium	4.1	ug/L	U	[NULL]	[NULL]	R	B1YRT8	7440-62-2	TASL	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B1YRV0	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	Y	7440-62-2	Vanadium	4.1	ug/L	U	[NULL]	[NULL]	R	B1YRT7	7440-62-2	TASL	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	Y	7440-66-6	Zinc	5.2	ug/L	U	[NULL]	[NULL]	R	B1YRT7	7440-66-6	TASL	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	Y	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1YRT9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	7440-66-6	Zinc	4	ug/L	U	[NULL]	[NULL]	R	B1YRV0	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	7440-66-6	Zinc	6	ug/L	B	[NULL]	[NULL]	R	B1YRT8	7440-66-6	TASL	6010_METALS_ICP	100-NR-2
199-N-76	3/18/2009 10:09	N	PH	pH Measurement	8.16	unitless	[NULL]	[NULL]	[NULL]	R	B1YRV2	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-76	9/10/2009 11:34	N	ALKALINITY	Alkalinity	66000	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH7	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-76	9/10/2009 11:34	N	ALKALINITY	Alkalinity	66000	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH9	ALKALINITY	WSCF	2320_ALKALINITY	100-NR-2
199-N-76	9/10/2009 11:34	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B21JH7	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B21JH9	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B21JH8	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	Y	7440-36-0	Antimony	38	ug/L	U	[NULL]	[NULL]	R	B21JH6	7440-36-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	14234-35-6	Antimony-125	-4000	pCi/sample	U	[NULL]	[NULL]	R	B21JH9	14234-35-6	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/10/2009 11:34	N	14234-35-6	Antimony-125	-10	pCi/L	U	[NULL]	[NULL]	R	B21JH7	14234-35-6	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/10/2009 11:34	Y	7440-39-3	Barium	36.5	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH8	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	7440-39-3	Barium	36	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH9	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	7440-39-3	Barium	37.2	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH7	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	Y	7440-39-3	Barium	35.9	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH6	7440-39-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B21JH8	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	9/10/2009 11:34	Y	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B21JH6	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B21JH9	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	7440-41-7	Beryllium	4	ug/L	U	[NULL]	[NULL]	R	B21JH7	7440-41-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	13966-02-4	Beryllium-7	-6200	pCi/sample	U	[NULL]	[NULL]	R	B21JH9	13966-02-4	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/10/2009 11:34	N	13966-02-4	Beryllium-7	-25	pCi/L	U	[NULL]	[NULL]	R	B21JH7	13966-02-4	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/10/2009 11:34	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B21JH8	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B21JH7	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B21JH9	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	Y	7440-43-9	Cadmium	4	ug/L	U	[NULL]	[NULL]	R	B21JH6	7440-43-9	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	Y	7440-70-2	Calcium	70800	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH8	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	7440-70-2	Calcium	69800	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH9	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	7440-70-2	Calcium	72200	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH7	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	Y	7440-70-2	Calcium	70500	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH6	7440-70-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	13967-70-9	Cesium-134	3.3	pCi/L	U	[NULL]	[NULL]	R	B21JH7	13967-70-9	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/10/2009 11:34	N	13967-70-9	Cesium-134	630	pCi/sample	U	[NULL]	[NULL]	R	B21JH9	13967-70-9	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/10/2009 11:34	N	10045-97-3	Cesium-137	-610	pCi/sample	U	[NULL]	[NULL]	R	B21JH9	10045-97-3	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/10/2009 11:34	N	10045-97-3	Cesium-137	3.2	pCi/L	U	[NULL]	[NULL]	R	B21JH7	10045-97-3	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/10/2009 11:34	N	16887-00-6	Chloride	21600	ug/L	D	[NULL]	[NULL]	R	B21JH7	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-76	9/10/2009 11:34	N	16887-00-6	Chloride	21500	ug/L	D	[NULL]	[NULL]	R	B21JH9	16887-00-6	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-76	9/10/2009 11:34	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B21JH8	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	Y	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B21JH6	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B21JH7	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	7440-47-3	Chromium	13	ug/L	U	[NULL]	[NULL]	R	B21JH9	7440-47-3	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B21JH7	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B21JH6	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	Y	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B21JH8	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	7440-48-4	Cobalt	4	ug/L	U	[NULL]	[NULL]	R	B21JH9	7440-48-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	10198-40-0	Cobalt-60	680	pCi/sample	U	[NULL]	[NULL]	R	B21JH9	10198-40-0	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/10/2009 11:34	N	10198-40-0	Cobalt-60	-1.9	pCi/L	U	[NULL]	[NULL]	R	B21JH7	10198-40-0	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/10/2009 11:34	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B21JH6	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B21JH7	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	Y	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B21JH8	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	7440-50-8	Copper	4	ug/L	U	[NULL]	[NULL]	R	B21JH9	7440-50-8	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	14683-23-9	Europium-152	4.3	pCi/L	U	[NULL]	[NULL]	R	B21JH7	14683-23-9	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/10/2009 11:34	N	14683-23-9	Europium-152	3000	pCi/sample	U	[NULL]	[NULL]	R	B21JH9	14683-23-9	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/10/2009 11:34	N	15585-10-1	Europium-154	2200	pCi/sample	U	[NULL]	[NULL]	R	B21JH9	15585-10-1	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/10/2009 11:34	N	15585-10-1	Europium-154	1.2	pCi/L	U	[NULL]	[NULL]	R	B21JH7	15585-10-1	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/10/2009 11:34	N	14391-16-3	Europium-155	-1000	pCi/sample	U	[NULL]	[NULL]	R	B21JH9	14391-16-3	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/10/2009 11:34	N	14391-16-3	Europium-155	-5.9	pCi/L	U	[NULL]	[NULL]	R	B21JH7	14391-16-3	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/10/2009 11:34	N	16984-48-8	Fluoride	60	ug/L	UD	[NULL]	[NULL]	R	B21JH9	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-76	9/10/2009 11:34	N	16984-48-8	Fluoride	60	ug/L	UD	[NULL]	[NULL]	R	B21JH7	16984-48-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-76	9/10/2009 11:34	N	12587-47-2	Gross beta	360	pCi/L	[NULL]	[NULL]	[NULL]	R	B21JH7	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-76	9/10/2009 11:34	N	12587-47-2	Gross beta	380	pCi/L	[NULL]	[NULL]	[NULL]	R	B21JH9	12587-47-2	WSCF	BETA_GPC	100-NR-2
199-N-76	9/10/2009 11:34	Y	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B21JH8	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	7439-89-6	Iron	21.4	ug/L	B	[NULL]	[NULL]	R	B21JH7	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	7439-89-6	Iron	25.3	ug/L	B	[NULL]	[NULL]	R	B21JH9	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	Y	7439-89-6	Iron	18	ug/L	U	[NULL]	[NULL]	R	B21JH6	7439-89-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	7439-95-4	Magnesium	11700	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH7	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	9/10/2009 11:34	Y	7439-95-4	Magnesium	11400	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH6	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	7439-95-4	Magnesium	11300	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH9	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	Y	7439-95-4	Magnesium	11400	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH8	7439-95-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B21JH9	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B21JH7	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B21JH8	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	Y	7439-96-5	Manganese	4	ug/L	U	[NULL]	[NULL]	R	B21JH6	7439-96-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B21JH9	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B21JH6	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B21JH7	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	Y	7440-02-0	Nickel	4	ug/L	U	[NULL]	[NULL]	R	B21JH8	7440-02-0	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	14797-55-8	Nitrate	66800	ug/L	D	[NULL]	[NULL]	R	B21JH7	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-76	9/10/2009 11:34	N	14797-55-8	Nitrate	66800	ug/L	D	[NULL]	[NULL]	R	B21JH9	NO3-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-76	9/10/2009 11:34	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	R	B21JH7	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-76	9/10/2009 11:34	N	14797-65-0	Nitrite	118	ug/L	UD	[NULL]	[NULL]	R	B21JH9	NO2-N	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-76	9/10/2009 11:34	N	7440-09-7	Potassium	2520	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH9	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	7440-09-7	Potassium	2550	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH7	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	Y	7440-09-7	Potassium	2530	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH6	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	Y	7440-09-7	Potassium	2520	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH8	7440-09-7	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	13966-00-2	Potassium-40	-41000	pCi/sample	U	[NULL]	[NULL]	R	B21JH9	13966-00-2	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/10/2009 11:34	N	13966-00-2	Potassium-40	-35	pCi/L	U	[NULL]	[NULL]	R	B21JH7	13966-00-2	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/10/2009 11:34	N	13967-48-1	Ruthenium-106	-0.89	pCi/L	U	[NULL]	[NULL]	R	B21JH7	13967-48-1	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/10/2009 11:34	N	13967-48-1	Ruthenium-106	1600	pCi/sample	U	[NULL]	[NULL]	R	B21JH9	13967-48-1	WSCF	GAMMA_GS	100-NR-2
199-N-76	9/10/2009 11:34	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B21JH9	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B21JH6	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	Y	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B21JH8	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	7440-22-4	Silver	5	ug/L	U	[NULL]	[NULL]	R	B21JH7	7440-22-4	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	Y	7440-23-5	Sodium	4260	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH8	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	Y	7440-23-5	Sodium	4180	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH6	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	7440-23-5	Sodium	4190	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH7	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	7440-23-5	Sodium	4240	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH9	7440-23-5	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	CONDUCT	Specific Conductance	465	uS/cm	[NULL]	[NULL]	[NULL]	R	B21JJ0	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-76	9/10/2009 11:34	Y	7440-24-6	Strontium	290	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH6	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	7440-24-6	Strontium	294	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH7	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	Y	7440-24-6	Strontium	287	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH8	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	7440-24-6	Strontium	286	ug/L	[NULL]	[NULL]	[NULL]	R	B21JH9	7440-24-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	10098-97-2	Strontium-90	160	pCi/L	B	[NULL]	[NULL]	R	B21JH9	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	9/10/2009 11:34	N	10098-97-2	Strontium-90	180	pCi/L	B	[NULL]	[NULL]	R	B21JH7	SR-RAD	WSCF	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-76	9/10/2009 11:34	N	14808-79-8	Sulfate	81300	ug/L	D	[NULL]	[NULL]	R	B21JH9	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-76	9/10/2009 11:34	N	14808-79-8	Sulfate	81400	ug/L	D	[NULL]	[NULL]	R	B21JH7	14808-79-8	WSCF	300.0_ANIONS_IC	100-NR-2
199-N-76	9/10/2009 11:34	N	TEMPERATURE	Temperature	20.4	Deg C	[NULL]	[NULL]	[NULL]	R	B21JJ0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	9/10/2009 11:34	N	10028-17-8	Tritium	14000	pCi/L	[NULL]	[NULL]	[NULL]	R	B21JH9	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-76	9/10/2009 11:34	N	10028-17-8	Tritium	14000	pCi/L	[NULL]	[NULL]	[NULL]	R	B21JH7	10028-17-8	WSCF	TRITIUM_EIE_LSC	100-NR-2
199-N-76	9/10/2009 11:34	N	TURBIDITY	Turbidity	1.41	NTU	[NULL]	[NULL]	[NULL]	R	B21JJ0	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-76	9/10/2009 11:34	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B21JH6	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	Y	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B21JH8	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B21JH7	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	7440-62-2	Vanadium	12	ug/L	U	[NULL]	[NULL]	R	B21JH9	7440-62-2	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B21JH6	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B21JH9	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B21JH8	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B21JH7	7440-66-6	WSCF	6010_METALS_ICP	100-NR-2
199-N-76	9/10/2009 11:34	N	PH	pH Measurement	7.98	unitless	[NULL]	[NULL]	[NULL]	R	B21JJ0	PH	FIELD	PH_ELECT_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-76	3/9/2010 12:03	N	CONDUCT	Specific Conductance	501	uS/cm	[NULL]	[NULL]	[NULL]	R	B244N1	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-76	3/9/2010 12:03	N	TEMPERATURE	Temperature	18.2	Deg C	[NULL]	[NULL]	[NULL]	R	B244N1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-76	3/9/2010 12:03	N	TURBIDITY	Turbidity	0.71	NTU	[NULL]	[NULL]	[NULL]	R	B244N1	TURBIDITY	FIELD	TURBIDITY_FLD	100-NR-2
199-N-76	3/9/2010 12:03	N	PH	pH Measurement	8.09	unitless	[NULL]	[NULL]	[NULL]	R	B244N1	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-77	11/19/1992 11:00	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	B07P55	93-76-5	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	B07P55	93-72-1	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07P40	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	10	ug/L	U	[NULL]	[NULL]	R	B07P55	94-75-7	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07P40	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B07P40	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B07P40	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07P40	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07P40	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B07P40	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	72-54-8	4,4'-DDD (Dichlorodiphenyldichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	B07P55	72-54-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	72-55-9	4,4'-DDE (Dichlorodiphenyldichloroethylene)	0.05	ug/L	U	[NULL]	[NULL]	R	B07P55	72-55-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	50-29-3	4,4'-DDT (Dichlorodiphenyltrichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	B07P55	50-29-3	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B07P40	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B07P40	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B07P40	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	309-00-2	Aldrin	0.05	ug/L	U	[NULL]	[NULL]	R	B07P55	309-00-2	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	319-84-6	Alpha-BHC	0.05	ug/L	U	[NULL]	[NULL]	R	B07P55	319-84-6	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	14596-10-2	Americium-241	-0.003	pCi/L	U	[NULL]	[NULL]	R	B07P55	14596-10-2	ITASRL	AMCMISO_AEA	100-NR-2
199-N-77	11/19/1992 11:00	N	14798-03-9	Ammonium ion	500	ug/L	[NULL]	[NULL]	[NULL]	R	B07P40	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-77	11/19/1992 11:00	Y	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B07P44	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/19/1992 11:00	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B07P40	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/19/1992 11:00	N	14234-35-6	Antimony-125	-15.1	pCi/L	U	[NULL]	[NULL]	R	B07P40	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-77	11/19/1992 11:00	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B07P44	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-77	11/19/1992 11:00	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B07P40	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-77	11/19/1992 11:00	Y	7440-39-3	Barium	33	ug/L	[NULL]	[NULL]	[NULL]	R	B07P44	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/19/1992 11:00	N	7440-39-3	Barium	44	ug/L	[NULL]	[NULL]	[NULL]	R	B07P40	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/19/1992 11:00	Y	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B07P44	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/19/1992 11:00	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B07P40	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/19/1992 11:00	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B07P40	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	11/19/1992 11:00	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B07P44	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/19/1992 11:00	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B07P40	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/19/1992 11:00	Y	7440-70-2	Calcium	31000	ug/L	[NULL]	[NULL]	[NULL]	R	B07P44	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/19/1992 11:00	N	7440-70-2	Calcium	32000	ug/L	[NULL]	[NULL]	[NULL]	R	B07P40	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/19/1992 11:00	N	14762-75-5	Carbon-14	-0.833	pCi/L	U	[NULL]	[NULL]	R	B07P40	14762-75-5	ITASRL	C14_PRECIP_LSC	100-NR-2
199-N-77	11/19/1992 11:00	N	10045-97-3	Cesium-137	-4.35	pCi/L	U	[NULL]	[NULL]	R	B07P40	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-77	11/19/1992 11:00	N	57-74-9	Chlordane	0.1	ug/L	U	[NULL]	[NULL]	R	B07P55	57-74-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	16887-00-6	Chloride	8200	ug/L	[NULL]	[NULL]	[NULL]	R	B07P40	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-77	11/19/1992 11:00	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B07P44	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/19/1992 11:00	N	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B07P40	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/19/1992 11:00	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B07P40	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/19/1992 11:00	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B07P44	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/19/1992 11:00	N	10198-40-0	Cobalt-60	1.91	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P40	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-77	11/19/1992 11:00	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B07P40	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-77	11/19/1992 11:00	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B07P40	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/19/1992 11:00	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B07P44	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/19/1992 11:00	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	B07P55	319-86-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	60-57-1	Dieldrin	0.05	ug/L	U	[NULL]	[NULL]	R	B07P55	60-57-1	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B07P40	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1	ug/L	U	[NULL]	[NULL]	R	B07P55	88-85-7	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	959-98-8	Endosulfan I	0.1	ug/L	U	[NULL]	[NULL]	R	B07P55	959-98-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	33213-65-9	Endosulfan II	0.05	ug/L	U	[NULL]	[NULL]	R	B07P55	33213-65-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	1031-07-8	Endosulfan sulfate	0.5	ug/L	U	[NULL]	[NULL]	R	B07P55	1031-07-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	B07P55	72-20-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	7421-93-4	Endrin aldehyde	0.2	ug/L	U	[NULL]	[NULL]	R	B07P55	7421-93-4	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	16984-48-8	Fluoride	1000	ug/L	[NULL]	[NULL]	[NULL]	R	B07P40	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	11/19/1992 11:00	N	58-89-9	Gamma-BHC (Lindane)	0.05	ug/L	U	[NULL]	[NULL]	R	B07P55	58-89-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	12587-46-1	Gross alpha	4.03	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P40	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-77	11/19/1992 11:00	N	12587-47-2	Gross beta	2.53	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P40	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-77	11/19/1992 11:00	N	76-44-8	Heptachlor	0.05	ug/L	U	[NULL]	[NULL]	R	B07P55	76-44-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	1024-57-3	Heptachlor epoxide	1	ug/L	U	[NULL]	[NULL]	R	B07P55	1024-57-3	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B07P40	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-77	11/19/1992 11:00	Y	7439-89-6	Iron	48	ug/L	[NULL]	[NULL]	[NULL]	R	B07P44	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/19/1992 11:00	N	7439-89-6	Iron	1100	ug/L	[NULL]	[NULL]	[NULL]	R	B07P40	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/19/1992 11:00	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B07P40	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-77	11/19/1992 11:00	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B07P44	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-77	11/19/1992 11:00	Y	7439-95-4	Magnesium	7100	ug/L	[NULL]	[NULL]	[NULL]	R	B07P44	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/19/1992 11:00	N	7439-95-4	Magnesium	7300	ug/L	[NULL]	[NULL]	[NULL]	R	B07P40	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/19/1992 11:00	Y	7439-96-5	Manganese	19	ug/L	[NULL]	[NULL]	[NULL]	R	B07P44	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/19/1992 11:00	N	7439-96-5	Manganese	57	ug/L	[NULL]	[NULL]	[NULL]	R	B07P40	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/19/1992 11:00	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B07P44	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-77	11/19/1992 11:00	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B07P40	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-77	11/19/1992 11:00	N	72-43-5	Methoxychlor	2	ug/L	U	[NULL]	[NULL]	R	B07P55	72-43-5	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	11/19/1992 11:00	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B07P44	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/19/1992 11:00	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B07P40	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/19/1992 11:00	N	14797-55-8	Nitrate	1100	ug/L	[NULL]	[NULL]	[NULL]	R	B07P40	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	11/19/1992 11:00	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B07P40	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	11/19/1992 11:00	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B07P40	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B07P40	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B07P40	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	11/19/1992 11:00	N	13981-16-3	Plutonium-238	0.001	pCi/L	U	[NULL]	[NULL]	R	B07P55	13981-16-3	ITASRL	PUISO_IE_AEA	100-NR-2
199-N-77	11/19/1992 11:00	N	PU-239/240	Plutonium-239/240	-0.001	pCi/L	U	[NULL]	[NULL]	R	B07P55	PU-239/240	ITASRL	PUISO_IE_AEA	100-NR-2
199-N-77	11/19/1992 11:00	Y	7440-09-7	Potassium	3700	ug/L	[NULL]	[NULL]	[NULL]	R	B07P44	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/19/1992 11:00	N	7440-09-7	Potassium	3600	ug/L	[NULL]	[NULL]	[NULL]	R	B07P40	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/19/1992 11:00	N	7440-14-4	Radium	0.417	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P40	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-77	11/19/1992 11:00	N	13967-48-1	Ruthenium-106	45.5	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P40	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-77	11/19/1992 11:00	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B07P40	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-77	11/19/1992 11:00	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B07P44	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-77	11/19/1992 11:00	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B07P40	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/19/1992 11:00	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B07P44	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-77	11/19/1992 11:00	Y	7440-23-5	Sodium	38000	ug/L	[NULL]	[NULL]	[NULL]	R	B07P44	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/19/1992 11:00	N	7440-23-5	Sodium	39000	ug/L	[NULL]	[NULL]	[NULL]	R	B07P40	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/19/1992 11:00	N	CONDUCT	Specific Conductance	437	uS/cm	[NULL]	[NULL]	[NULL]	R	B07P42	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	11/19/1992 11:00	N	CONDUCT	Specific Conductance	437	uS/cm	[NULL]	[NULL]	[NULL]	R	B07P43	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	11/19/1992 11:00	N	CONDUCT	Specific Conductance	390	uS/cm	[NULL]	[NULL]	[NULL]	R	B07P55	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-77	11/19/1992 11:00	N	CONDUCT	Specific Conductance	440	uS/cm	[NULL]	[NULL]	[NULL]	R	B07P40	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	11/19/1992 11:00	N	CONDUCT	Specific Conductance	440	uS/cm	[NULL]	[NULL]	[NULL]	R	B07P41	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	11/19/1992 11:00	N	10098-97-2	Strontium-90	-0.535	pCi/L	U	[NULL]	[NULL]	R	B07P40	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-77	11/19/1992 11:00	N	14808-79-8	Sulfate	100000	ug/L	[NULL]	[NULL]	[NULL]	R	B07P40	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	11/19/1992 11:00	N	TEMPERATURE	Temperature	18.3	Deg C	[NULL]	[NULL]	[NULL]	R	B07P40	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	11/19/1992 11:00	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B07P40	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-77	11/19/1992 11:00	Y	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B07P44	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/19/1992 11:00	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B07P40	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/19/1992 11:00	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B07P40	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07P41	TOC	DATACH	9060_TOC	100-NR-2
199-N-77	11/19/1992 11:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07P40	TOC	DATACH	9060_TOC	100-NR-2
199-N-77	11/19/1992 11:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07P42	TOC	DATACH	9060_TOC	100-NR-2
199-N-77	11/19/1992 11:00	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B07P43	TOC	DATACH	9060_TOC	100-NR-2
199-N-77	11/19/1992 11:00	N	59473-04-0	Total organic halides	50	ug/L	[NULL]	Y	[NULL]	R	B07P41	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-77	11/19/1992 11:00	N	59473-04-0	Total organic halides	70	ug/L	[NULL]	Y	[NULL]	R	B07P40	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-77	11/19/1992 11:00	N	59473-04-0	Total organic halides	30	ug/L	[NULL]	Y	[NULL]	R	B07P42	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-77	11/19/1992 11:00	N	59473-04-0	Total organic halides	80	ug/L	[NULL]	Y	[NULL]	R	B07P43	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-77	11/19/1992 11:00	N	8001-35-2	Toxaphene	2	ug/L	U	[NULL]	[NULL]	R	B07P55	8001-35-2	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B07P40	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	10028-17-8	Tritium	53.7	pCi/L	U	[NULL]	[NULL]	R	B07P40	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-77	11/19/1992 11:00	N	TURBIDITY	Turbidity	3.2	NTU	[NULL]	[NULL]	[NULL]	R	B07P40	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-77	11/19/1992 11:00	N	13966-29-5	Uranium-234	0.275	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P40	13966-29-5	ITASRL	UISO_IE_AEA	100-NR-2
199-N-77	11/19/1992 11:00	N	15117-96-1	Uranium-235	-0.005	pCi/L	U	[NULL]	[NULL]	R	B07P40	15117-96-1	ITASRL	UISO_IE_AEA	100-NR-2
199-N-77	11/19/1992 11:00	N	U-238	Uranium-238	0.224	pCi/L	[NULL]	[NULL]	[NULL]	R	B07P40	U-238	ITASRL	UISO_IE_AEA	100-NR-2
199-N-77	11/19/1992 11:00	Y	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B07P44	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/19/1992 11:00	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B07P40	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/19/1992 11:00	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B07P44	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/19/1992 11:00	N	7440-66-6	Zinc	15	ug/L	[NULL]	[NULL]	[NULL]	R	B07P40	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/19/1992 11:00	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.05	ug/L	U	[NULL]	[NULL]	R	B07P55	319-85-7	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	11/19/1992 11:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	B07P55	PH	DATACH	D1293_PH	100-NR-2
199-N-77	11/19/1992 11:00	N	PH	pH Measurement	6.61	unitless	[NULL]	[NULL]	[NULL]	R	B07P42	PH	FIELD	9040_PH	100-NR-2
199-N-77	11/19/1992 11:00	N	PH	pH Measurement	6.7	unitless	[NULL]	[NULL]	[NULL]	R	B07P40	PH	FIELD	9040_PH	100-NR-2
199-N-77	11/19/1992 11:00	N	PH	pH Measurement	6.67	unitless	[NULL]	[NULL]	[NULL]	R	B07P41	PH	FIELD	9040_PH	100-NR-2
199-N-77	11/19/1992 11:00	N	PH	pH Measurement	6.55	unitless	[NULL]	[NULL]	[NULL]	R	B07P43	PH	FIELD	9040_PH	100-NR-2
199-N-77	2/17/1993 9:30	N	88-06-2	2,4,6-Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085P3	88-06-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-77	2/17/1993 9:30	N	120-83-2	2,4-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085P3	120-83-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-77	2/17/1993 9:30	N	105-67-9	2,4-Dimethylphenol	5	ug/L	U	[NULL]	[NULL]	R	B085P3	105-67-9	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-77	2/17/1993 9:30	N	51-28-5	2,4-Dinitrophenol	150	ug/L	U	[NULL]	[NULL]	R	B085P3	51-28-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-77	2/17/1993 9:30	N	87-65-0	2,6-Dichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085P3	87-65-0	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-77	2/17/1993 9:30	N	95-57-8	2-Chlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085P3	95-57-8	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-77	2/17/1993 9:30	N	88-75-5	2-Nitrophenol	5	ug/L	U	[NULL]	[NULL]	R	B085P3	88-75-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-77	2/17/1993 9:30	N	534-52-1	4,6-Dinitro-2-methylphenol	200	ug/L	U	[NULL]	[NULL]	R	B085P3	534-52-1	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-77	2/17/1993 9:30	N	59-50-7	4-Chloro-3-methylphenol	5	ug/L	U	[NULL]	[NULL]	R	B085P3	59-50-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-77	2/17/1993 9:30	N	100-02-7	4-Nitrophenol	30	ug/L	U	[NULL]	[NULL]	R	B085P3	100-02-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-77	2/17/1993 9:30	N	14798-03-9	Ammonium ion	100	ug/L	U	[NULL]	[NULL]	R	B085P3	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-77	2/17/1993 9:30	N	7440-36-0	Antimony	200	ug/L	U	[NULL]	[NULL]	R	B085P3	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/17/1993 9:30	Y	7440-36-0	Antimony	69.4	ug/L	U	F	[NULL]	R	B085P7	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-77	2/17/1993 9:30	N	14234-35-6	Antimony-125	13.3	pCi/L	[NULL]	[NULL]	[NULL]	R	B085P3	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-77	2/17/1993 9:30	Y	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B085P7	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-77	2/17/1993 9:30	N	7440-38-2	Arsenic	5	ug/L	U	[NULL]	[NULL]	R	B085P3	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-77	2/17/1993 9:30	Y	7440-39-3	Barium	0.001	ug/L	U	F	[NULL]	R	B085P7	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/17/1993 9:30	N	7440-39-3	Barium	30	ug/L	[NULL]	[NULL]	[NULL]	R	B085P3	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/17/1993 9:30	N	7440-41-7	Beryllium	3	ug/L	U	[NULL]	[NULL]	R	B085P3	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/17/1993 9:30	Y	7440-41-7	Beryllium	0.814	ug/L	U	F	[NULL]	R	B085P7	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/17/1993 9:30	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B085P3	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	2/17/1993 9:30	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B085P3	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/17/1993 9:30	Y	7440-43-9	Cadmium	4.7	ug/L	U	F	[NULL]	R	B085P7	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/17/1993 9:30	N	7440-70-2	Calcium	32000	ug/L	[NULL]	FQ	[NULL]	R	B085P3	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/17/1993 9:30	Y	7440-70-2	Calcium	20.9	ug/L	U	FQ	[NULL]	R	B085P7	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/17/1993 9:30	N	10045-97-3	Cesium-137	0.091	pCi/L	U	[NULL]	[NULL]	R	B085P3	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-77	2/17/1993 9:30	N	16887-00-6	Chloride	7000	ug/L	[NULL]	[NULL]	[NULL]	R	B085P3	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	2/17/1993 9:30	Y	7440-47-3	Chromium	5.42	ug/L	U	F	[NULL]	R	B085P7	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/17/1993 9:30	N	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B085P3	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/17/1993 9:30	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B085P3	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/17/1993 9:30	Y	7440-48-4	Cobalt	4.05	ug/L	U	F	[NULL]	R	B085P7	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/17/1993 9:30	N	10198-40-0	Cobalt-60	-2.32	pCi/L	U	[NULL]	[NULL]	R	B085P3	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-77	2/17/1993 9:30	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B085P3	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-77	2/17/1993 9:30	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B085P3	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/17/1993 9:30	Y	7440-50-8	Copper	2.65	ug/L	U	F	[NULL]	R	B085P7	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/17/1993 9:30	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	5	ug/L	U	[NULL]	[NULL]	R	B085P3	88-85-7	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-77	2/17/1993 9:30	N	16984-48-8	Fluoride	900	ug/L	[NULL]	[NULL]	[NULL]	R	B085P3	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	2/17/1993 9:30	N	12587-46-1	Gross alpha	1.88	pCi/L	[NULL]	[NULL]	[NULL]	R	B085P3	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-77	2/17/1993 9:30	N	12587-47-2	Gross beta	7.13	pCi/L	[NULL]	[NULL]	[NULL]	R	B085P3	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-77	2/17/1993 9:30	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B085P3	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-77	2/17/1993 9:30	N	7439-89-6	Iron	120	ug/L	[NULL]	[NULL]	[NULL]	R	B085P3	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/17/1993 9:30	Y	7439-89-6	Iron	10.3	ug/L	U	F	[NULL]	R	B085P7	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/17/1993 9:30	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B085P3	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-77	2/17/1993 9:30	Y	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B085P7	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-77	2/17/1993 9:30	N	7439-95-4	Magnesium	7300	ug/L	[NULL]	[NULL]	[NULL]	R	B085P3	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/17/1993 9:30	Y	7439-95-4	Magnesium	26	ug/L	U	F	[NULL]	R	B085P7	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/17/1993 9:30	Y	7439-96-5	Manganese	1.35	ug/L	U	F	[NULL]	R	B085P7	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/17/1993 9:30	N	7439-96-5	Manganese	10	ug/L	U	[NULL]	[NULL]	R	B085P3	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/17/1993 9:30	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B085P7	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-77	2/17/1993 9:30	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B085P3	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-77	2/17/1993 9:30	Y	7440-02-0	Nickel	17.9	ug/L	U	F	[NULL]	R	B085P7	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/17/1993 9:30	N	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B085P3	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/17/1993 9:30	N	14797-55-8	Nitrate	1000	ug/L	[NULL]	[NULL]	[NULL]	R	B085P3	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	2/17/1993 9:30	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B085P3	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	2/17/1993 9:30	N	87-86-5	Pentachlorophenol	100	ug/L	U	[NULL]	[NULL]	R	B085P3	87-86-5	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-77	2/17/1993 9:30	N	108-95-2	Phenol	1	ug/L	U	[NULL]	[NULL]	R	B085P3	108-95-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-77	2/17/1993 9:30	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B085P3	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	2/17/1993 9:30	N	7440-09-7	Potassium	3500	ug/L	[NULL]	[NULL]	[NULL]	R	B085P3	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/17/1993 9:30	Y	7440-09-7	Potassium	662	ug/L	U	F	[NULL]	R	B085P7	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/17/1993 9:30	N	7440-14-4	Radium	0.114	pCi/L	U	[NULL]	[NULL]	R	B085P3	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-77	2/17/1993 9:30	N	13967-48-1	Ruthenium-106	47.5	pCi/L	[NULL]	[NULL]	[NULL]	R	B085P3	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-77	2/17/1993 9:30	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B085P3	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-77	2/17/1993 9:30	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B085P7	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-77	2/17/1993 9:30	Y	7440-22-4	Silver	2.87	ug/L	U	F	[NULL]	R	B085P7	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/17/1993 9:30	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B085P3	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/17/1993 9:30	Y	7440-23-5	Sodium	40.9	ug/L	U	F	[NULL]	R	B085P7	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-77	2/17/1993 9:30	N	7440-23-5	Sodium	38000	ug/L	[NULL]	[NULL]	[NULL]	R	B085P3	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/17/1993 9:30	N	CONDUCT	Specific Conductance	380	uS/cm	[NULL]	[NULL]	[NULL]	R	B085X6	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-77	2/17/1993 9:30	N	CONDUCT	Specific Conductance	382	uS/cm	[NULL]	[NULL]	[NULL]	R	B085P4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	2/17/1993 9:30	N	CONDUCT	Specific Conductance	386	uS/cm	[NULL]	[NULL]	[NULL]	R	B085P5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	2/17/1993 9:30	N	CONDUCT	Specific Conductance	384	uS/cm	[NULL]	[NULL]	[NULL]	R	B085P6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	2/17/1993 9:30	N	CONDUCT	Specific Conductance	382	uS/cm	[NULL]	[NULL]	[NULL]	R	B085P3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	2/17/1993 9:30	N	10098-97-2	Strontium-90	-0.574	pCi/L	U	[NULL]	[NULL]	R	B085P3	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-77	2/17/1993 9:30	N	14808-79-8	Sulfate	85000	ug/L	[NULL]	[NULL]	[NULL]	R	B085P3	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	2/17/1993 9:30	N	TEMPERATURE	Temperature	19.7	Deg C	[NULL]	[NULL]	[NULL]	R	B085P5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	2/17/1993 9:30	N	TEMPERATURE	Temperature	19.7	Deg C	[NULL]	[NULL]	[NULL]	R	B085P6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	2/17/1993 9:30	N	TEMPERATURE	Temperature	19.7	Deg C	[NULL]	[NULL]	[NULL]	R	B085P4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	2/17/1993 9:30	N	TEMPERATURE	Temperature	19.7	Deg C	[NULL]	[NULL]	[NULL]	R	B085P3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	2/17/1993 9:30	N	25167-83-3	Tetrachlorophenol	10	ug/L	U	[NULL]	[NULL]	R	B085P3	25167-83-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-77	2/17/1993 9:30	Y	7440-31-5	Tin	51.1	ug/L	U	F	[NULL]	R	B085P7	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/17/1993 9:30	N	7440-31-5	Tin	100	ug/L	U	[NULL]	[NULL]	R	B085P3	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/17/1993 9:30	N	1319-77-3	Total cresols	10	ug/L	U	[NULL]	[NULL]	R	B085P3	1319-77-3	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-77	2/17/1993 9:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B085P6	TOC	DATACH	9060_TOC	100-NR-2
199-N-77	2/17/1993 9:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B085P3	TOC	DATACH	9060_TOC	100-NR-2
199-N-77	2/17/1993 9:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B085P4	TOC	DATACH	9060_TOC	100-NR-2
199-N-77	2/17/1993 9:30	N	TOC	Total organic carbon	1000	ug/L	U	[NULL]	[NULL]	R	B085P5	TOC	DATACH	9060_TOC	100-NR-2
199-N-77	2/17/1993 9:30	N	59473-04-0	Total organic halides	50	ug/L	[NULL]	HY	[NULL]	R	B085P3	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-77	2/17/1993 9:30	N	59473-04-0	Total organic halides	40	ug/L	[NULL]	HY	[NULL]	R	B085P6	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-77	2/17/1993 9:30	N	59473-04-0	Total organic halides	40	ug/L	[NULL]	HY	[NULL]	R	B085P5	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-77	2/17/1993 9:30	N	59473-04-0	Total organic halides	40	ug/L	[NULL]	HY	[NULL]	R	B085P4	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-77	2/17/1993 9:30	N	25167-82-2	Trichlorophenol	5	ug/L	U	[NULL]	[NULL]	R	B085P3	25167-82-2	DATACH	8040_PHENOLIC_GC	100-NR-2
199-N-77	2/17/1993 9:30	N	10028-17-8	Tritium	117	pCi/L	U	[NULL]	[NULL]	R	B085P3	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-77	2/17/1993 9:30	N	TURBIDITY	Turbidity	0.7	NTU	[NULL]	[NULL]	[NULL]	R	B085P3	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-77	2/17/1993 9:30	N	7440-62-2	Vanadium	30	ug/L	U	[NULL]	[NULL]	R	B085P3	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/17/1993 9:30	Y	7440-62-2	Vanadium	3.84	ug/L	U	F	[NULL]	R	B085P7	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/17/1993 9:30	N	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B085P3	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/17/1993 9:30	Y	7440-66-6	Zinc	3.44	ug/L	U	F	[NULL]	R	B085P7	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/17/1993 9:30	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	B085X6	PH	DATACH	D1293_PH	100-NR-2
199-N-77	2/17/1993 9:30	N	PH	pH Measurement	8.22	unitless	[NULL]	[NULL]	[NULL]	R	B085P6	PH	FIELD	9040_PH	100-NR-2
199-N-77	2/17/1993 9:30	N	PH	pH Measurement	8.21	unitless	[NULL]	[NULL]	[NULL]	R	B085P5	PH	FIELD	9040_PH	100-NR-2
199-N-77	2/17/1993 9:30	N	PH	pH Measurement	8.22	unitless	[NULL]	[NULL]	[NULL]	R	B085P4	PH	FIELD	9040_PH	100-NR-2
199-N-77	2/17/1993 9:30	N	PH	pH Measurement	8.21	unitless	[NULL]	[NULL]	[NULL]	R	B085P3	PH	FIELD	9040_PH	100-NR-2
199-N-77	5/10/1993 10:10	N	630-20-6	1,1,1,2-Tetrachloroethane	0.31	ug/L	U	[NULL]	[NULL]	R	B08JB5	630-20-6	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	71-55-6	1,1,1-Trichloroethane	0.64	ug/L	U	[NULL]	[NULL]	R	B08JB5	71-55-6	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	79-34-5	1,1,2,2-Tetrachloroethane	0.3	ug/L	U	[NULL]	[NULL]	R	B08JB5	79-34-5	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	79-00-5	1,1,2-Trichloroethane	0.25	ug/L	U	[NULL]	[NULL]	R	B08JB5	79-00-5	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	75-34-3	1,1-Dichloroethane	0.61	ug/L	U	[NULL]	[NULL]	R	B08JB5	75-34-3	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	75-35-4	1,1-Dichloroethene	1.03	ug/L	U	[NULL]	[NULL]	R	B08JB5	75-35-4	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	96-18-4	1,2,3-Trichloropropane	0.52	ug/L	U	[NULL]	[NULL]	R	B08JB5	96-18-4	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	95-94-3	1,2,4,5-Tetrachlorobenzene	4.39	ug/L	U	[NULL]	[NULL]	R	B08JB5	95-94-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	120-82-1	1,2,4-Trichlorobenzene	4.14	ug/L	U	[NULL]	[NULL]	R	B08JB5	120-82-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	96-12-8	1,2-Dibromo-3-chloropropane	0.83	ug/L	U	[NULL]	[NULL]	R	B08JB5	96-12-8	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	106-93-4	1,2-Dibromoethane	0.14	ug/L	U	[NULL]	[NULL]	R	B08JB5	106-93-4	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	95-50-1	1,2-Dichlorobenzene	3.77	ug/L	U	[NULL]	[NULL]	R	B08JB5	95-50-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	107-06-2	1,2-Dichloroethane	0.45	ug/L	U	[NULL]	[NULL]	R	B08JB5	107-06-2	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	540-59-0	1,2-Dichloroethene (Total)	1.2	ug/L	U	[NULL]	[NULL]	R	B08JB5	540-59-0	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	78-87-5	1,2-Dichloropropane	0.5	ug/L	U	[NULL]	[NULL]	R	B08JB5	78-87-5	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	541-73-1	1,3-Dichlorobenzene	7.85	ug/L	U	[NULL]	[NULL]	R	B08JB5	541-73-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	106-46-7	1,4-Dichlorobenzene	4.64	ug/L	U	[NULL]	[NULL]	R	B08JB5	106-46-7	DATACH	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-77	5/10/1993 10:10	N	123-91-1	1,4-Dioxane	43.6	ug/L	U	[NULL]	[NULL]	R	B08JB5	123-91-1	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	130-15-4	1,4-Naphthoquinone	10	ug/L	U	[NULL]	[NULL]	R	B08JB5	130-15-4	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	71-36-3	1-Butanol	13.1	ug/L	U	[NULL]	[NULL]	R	B08JB5	71-36-3	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	134-32-7	1-Naphthylamine	25.3	ug/L	U	[NULL]	[NULL]	R	B08JB5	134-32-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	58-90-2	2,3,4,6-Tetrachlorophenol	4.77	ug/L	U	[NULL]	[NULL]	R	B08JB5	58-90-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	1746-01-6	2,3,7,8-Tetrachlorodibenzo-p-dioxin	0.001	ug/L	U	[NULL]	[NULL]	R	B08JB5	1746-01-6	DATACH	8280_DIOXINS_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	93-76-5	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	2	ug/L	U	[NULL]	[NULL]	R	B08JB5	93-76-5	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-77	5/10/1993 10:10	N	93-72-1	2,4,5-TP(2-(2,4,5-Trichlorophenoxy)propionic acid)Silvex	2	ug/L	U	[NULL]	[NULL]	R	B08JB5	93-72-1	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-77	5/10/1993 10:10	N	95-95-4	2,4,5-Trichlorophenol	4.01	ug/L	U	[NULL]	[NULL]	R	B08JB5	95-95-4	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	88-06-2	2,4,6-Trichlorophenol	2.54	ug/L	U	[NULL]	[NULL]	R	B08JB5	88-06-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	94-75-7	2,4-D(2,4-Dichlorophenoxyacetic acid)	10	ug/L	U	[NULL]	[NULL]	R	B08JB5	94-75-7	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-77	5/10/1993 10:10	N	120-83-2	2,4-Dichlorophenol	2.8	ug/L	U	[NULL]	[NULL]	R	B08JB5	120-83-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	105-67-9	2,4-Dimethylphenol	5.88	ug/L	U	[NULL]	[NULL]	R	B08JB5	105-67-9	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	51-28-5	2,4-Dinitrophenol	4.46	ug/L	U	[NULL]	[NULL]	R	B08JB5	51-28-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	121-14-2	2,4-Dinitrotoluene	2.59	ug/L	U	[NULL]	[NULL]	R	B08JB5	121-14-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	87-65-0	2,6-Dichlorophenol	3.47	ug/L	U	[NULL]	[NULL]	R	B08JB5	87-65-0	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	606-20-2	2,6-Dinitrotoluene	2.85	ug/L	U	[NULL]	[NULL]	R	B08JB5	606-20-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	53-96-3	2-Acetylaminofluorene	2.83	ug/L	U	[NULL]	[NULL]	R	B08JB5	53-96-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	78-93-3	2-Butanone	4.25	ug/L	U	[NULL]	[NULL]	R	B08JB5	78-93-3	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	91-58-7	2-Chloronaphthalene	3.02	ug/L	U	[NULL]	[NULL]	R	B08JB5	91-58-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	95-57-8	2-Chlorophenol	1.91	ug/L	U	[NULL]	[NULL]	R	B08JB5	95-57-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	591-78-6	2-Hexanone	0.75	ug/L	U	[NULL]	[NULL]	R	B08JB5	591-78-6	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	91-57-6	2-Methylnaphthalene	2.76	ug/L	U	[NULL]	[NULL]	R	B08JB5	91-57-6	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	95-48-7	2-Methylphenol (cresol, o-)	1.8	ug/L	U	[NULL]	[NULL]	R	B08JB5	95-48-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	91-59-8	2-Naphthylamine	15.6	ug/L	U	[NULL]	[NULL]	R	B08JB5	91-59-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	88-74-4	2-Nitroaniline	7.82	ug/L	U	[NULL]	[NULL]	R	B08JB5	88-74-4	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	88-75-5	2-Nitrophenol	3.96	ug/L	U	[NULL]	[NULL]	R	B08JB5	88-75-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	108-10-1	2-Pentanone, 4-Methyl	0.85	ug/L	U	[NULL]	[NULL]	R	B08JB5	108-10-1	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	109-06-8	2-Picoline	5.83	ug/L	U	[NULL]	[NULL]	R	B08JB5	109-06-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	91-94-1	3,3'-Dichlorobenzidine	3.88	ug/L	U	[NULL]	[NULL]	R	B08JB5	91-94-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	119-93-7	3,3'-Dimethylbenzidine	10.4	ug/L	U	[NULL]	[NULL]	R	B08JB5	119-93-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	56-49-5	3-Methylcholanthrene	2.63	ug/L	U	[NULL]	[NULL]	R	B08JB5	56-49-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	108-39-4	3-Methylphenol (cresol, m-)	1.44	ug/L	U	[NULL]	[NULL]	R	B08JB5	108-39-4	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	99-09-2	3-Nitroaniline	9.52	ug/L	U	[NULL]	[NULL]	R	B08JB5	99-09-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	72-54-8	4,4'-DDD (Dichlorodiphenyldichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	B08JB5	72-54-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	5/10/1993 10:10	N	72-55-9	4,4'-DDE (Dichlorodiphenyldichloroethylene)	0.05	ug/L	U	[NULL]	[NULL]	R	B08JB5	72-55-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	5/10/1993 10:10	N	50-29-3	4,4'-DDT (Dichlorodiphenyltrichloroethane)	0.1	ug/L	U	[NULL]	[NULL]	R	B08JB5	50-29-3	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	5/10/1993 10:10	N	534-52-1	4,6-Dinitro-2-methylphenol	5.54	ug/L	U	[NULL]	[NULL]	R	B08JB5	534-52-1	DATACH	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-77	5/10/1993 10:10	N	92-67-1	4-Aminobiphenyl	3.83	ug/L	U	[NULL]	[NULL]	R	B08JB5	92-67-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	101-55-3	4-Bromophenylphenyl ether	2.34	ug/L	U	[NULL]	[NULL]	R	B08JB5	101-55-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	59-50-7	4-Chloro-3-methylphenol	7.41	ug/L	U	[NULL]	[NULL]	R	B08JB5	59-50-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	106-47-8	4-Chloroaniline	13.2	ug/L	U	[NULL]	[NULL]	R	B08JB5	106-47-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	7005-72-3	4-Chlorophenylphenyl ether	3.04	ug/L	U	[NULL]	[NULL]	R	B08JB5	7005-72-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	106-44-5	4-Methylphenol (cresol, p-)	3.54	ug/L	U	[NULL]	[NULL]	R	B08JB5	106-44-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	100-01-6	4-Nitroaniline	21.4	ug/L	U	[NULL]	[NULL]	R	B08JB5	100-01-6	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	100-02-7	4-Nitrophenol	1.52	ug/L	U	[NULL]	[NULL]	R	B08JB5	100-02-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	56-57-5	4-Nitroquinoline-1-oxide	6	ug/L	U	[NULL]	[NULL]	R	B08JB5	56-57-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	99-55-8	5-Nitro-o-toluidine	5.25	ug/L	U	[NULL]	[NULL]	R	B08JB5	99-55-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	57-97-6	7,12-Dimethylbenz[a]anthracene	1.82	ug/L	U	[NULL]	[NULL]	R	B08JB5	57-97-6	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	83-32-9	Acenaphthene	2.88	ug/L	U	[NULL]	[NULL]	R	B08JB5	83-32-9	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	208-96-8	Acenaphthylene	3.96	ug/L	U	[NULL]	[NULL]	R	B08JB5	208-96-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	67-64-1	Acetone	13.4	ug/L	U	[NULL]	[NULL]	R	B08JB5	67-64-1	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	75-05-8	Acetonitrile	19.4	ug/L	U	[NULL]	[NULL]	R	B08JB5	75-05-8	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	98-86-2	Acetophenone	2.38	ug/L	U	[NULL]	[NULL]	R	B08JB5	98-86-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	107-02-8	Acrolein	9.72	ug/L	U	[NULL]	[NULL]	R	B08JB5	107-02-8	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	107-13-1	Acrylonitrile	4.28	ug/L	U	[NULL]	[NULL]	R	B08JB5	107-13-1	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	309-00-2	Aldrin	0.05	ug/L	U	[NULL]	[NULL]	R	B08JB5	309-00-2	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	5/10/1993 10:10	N	107-05-1	Allyl chloride	0.84	ug/L	U	[NULL]	[NULL]	R	B08JB5	107-05-1	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	319-84-6	Alpha-BHC	0.05	ug/L	U	[NULL]	[NULL]	R	B08JB5	319-84-6	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	5/10/1993 10:10	N	7429-90-5	Aluminum	100	ug/L	L	[NULL]	[NULL]	R	B08JB5	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	Y	7429-90-5	Aluminum	36	ug/L	L	[NULL]	[NULL]	R	B08JB9	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	N	14798-03-9	Ammonium ion	100	ug/L	U	[NULL]	[NULL]	R	B08JB5	14798-03-9	DATACH	D1426D_AMMONIUM	100-NR-2
199-N-77	5/10/1993 10:10	N	62-53-3	Aniline	3.53	ug/L	U	[NULL]	[NULL]	R	B08JB5	62-53-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	120-12-7	Anthracene	2.95	ug/L	U	[NULL]	[NULL]	R	B08JB5	120-12-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	Y	7440-36-0	Antimony	120	ug/L	L	Q	[NULL]	R	B08JB9	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	N	7440-36-0	Antimony	96	ug/L	L	Q	[NULL]	R	B08JB5	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	N	14234-35-6	Antimony-125	-5.64	pCi/L	U	[NULL]	[NULL]	R	B08JB5	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-77	5/10/1993 10:10	N	140-57-8	Aramite	8.6	ug/L	U	[NULL]	[NULL]	R	B08JB5	140-57-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	12674-11-2	Aroclor-1016	1	ug/L	U	[NULL]	[NULL]	R	B08JB5	12674-11-2	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	5/10/1993 10:10	N	11104-28-2	Aroclor-1221	1	ug/L	U	[NULL]	[NULL]	R	B08JB5	11104-28-2	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	5/10/1993 10:10	N	11141-16-5	Aroclor-1232	1	ug/L	U	[NULL]	[NULL]	R	B08JB5	11141-16-5	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	5/10/1993 10:10	N	53469-21-9	Aroclor-1242	1	ug/L	U	[NULL]	[NULL]	R	B08JB5	53469-21-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	5/10/1993 10:10	N	12672-29-6	Aroclor-1248	1	ug/L	U	[NULL]	[NULL]	R	B08JB5	12672-29-6	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	5/10/1993 10:10	N	11097-69-1	Aroclor-1254	1	ug/L	U	[NULL]	[NULL]	R	B08JB5	11097-69-1	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	5/10/1993 10:10	N	11096-82-5	Aroclor-1260	1	ug/L	U	[NULL]	[NULL]	R	B08JB5	11096-82-5	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	5/10/1993 10:10	Y	7440-38-2	Arsenic	3	ug/L	L	[NULL]	[NULL]	R	B08JB9	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-77	5/10/1993 10:10	N	7440-38-2	Arsenic	3	ug/L	L	[NULL]	[NULL]	R	B08JB5	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-77	5/10/1993 10:10	N	7440-39-3	Barium	17	ug/L	L	[NULL]	[NULL]	R	B08JB5	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	Y	7440-39-3	Barium	17	ug/L	L	[NULL]	[NULL]	R	B08JB9	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	N	71-43-2	Benzene	0.65	ug/L	U	[NULL]	[NULL]	R	B08JB5	71-43-2	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	56-55-3	Benzo(a)anthracene	2.34	ug/L	U	[NULL]	[NULL]	R	B08JB5	56-55-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	50-32-8	Benzo(a)pyrene	1.7	ug/L	U	[NULL]	[NULL]	R	B08JB5	50-32-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	205-99-2	Benzo(b)fluoranthene	4.41	ug/L	U	[NULL]	[NULL]	R	B08JB5	205-99-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	191-24-2	Benzo(ghi)perylene	3.65	ug/L	U	[NULL]	[NULL]	R	B08JB5	191-24-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	207-08-9	Benzo(k)fluoranthene	2.21	ug/L	U	[NULL]	[NULL]	R	B08JB5	207-08-9	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	95-16-9	Benzothiazole	2.55	ug/L	U	[NULL]	[NULL]	R	B08JB5	95-16-9	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	100-51-6	Benzyl alcohol	5.16	ug/L	U	[NULL]	[NULL]	R	B08JB5	100-51-6	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	Y	7440-41-7	Beryllium	3	ug/L	U	Q	[NULL]	R	B08JB9	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-77	5/10/1993 10:10	N	7440-41-7	Beryllium	2.9	ug/L	L	Q	[NULL]	R	B08JB5	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	N	111-91-1	Bis(2-Chloroethoxy)methane	7.13	ug/L	U	[NULL]	[NULL]	R	B08JB5	111-91-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	108-60-1	Bis(2-chloro-1-methylethyl)ether	3.35	ug/L	U	[NULL]	[NULL]	R	B08JB5	108-60-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	111-44-4	Bis(2-chloroethyl) ether	2.9	ug/L	U	[NULL]	[NULL]	R	B08JB5	111-44-4	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	117-81-7	Bis(2-ethylhexyl) phthalate	4.07	ug/L	U	[NULL]	[NULL]	R	B08JB5	117-81-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	24959-67-9	Bromide	500	ug/L	U	[NULL]	[NULL]	R	B08JB5	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	5/10/1993 10:10	N	75-27-4	Bromodichloromethane	2.3	ug/L	L	[NULL]	[NULL]	R	B08JB5	75-27-4	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	75-25-2	Bromoform	0.19	ug/L	U	[NULL]	[NULL]	R	B08JB5	75-25-2	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	74-83-9	Bromomethane	0.58	ug/L	U	[NULL]	[NULL]	R	B08JB5	74-83-9	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	85-68-7	Butylbenzylphthalate	5.94	ug/L	U	[NULL]	[NULL]	R	B08JB5	85-68-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	Y	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B08JB9	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	N	7440-43-9	Cadmium	10	ug/L	U	[NULL]	[NULL]	R	B08JB5	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	Y	7440-70-2	Calcium	20000	ug/L	[NULL]	[NULL]	[NULL]	R	B08JB9	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	N	7440-70-2	Calcium	20000	ug/L	[NULL]	[NULL]	[NULL]	R	B08JB5	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	N	75-15-0	Carbon disulfide	0.95	ug/L	U	[NULL]	[NULL]	R	B08JB5	75-15-0	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	56-23-5	Carbon tetrachloride	0.87	ug/L	U	[NULL]	[NULL]	R	B08JB5	56-23-5	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	10045-97-3	Cesium-137	1.22	pCi/L	U	[NULL]	[NULL]	R	B08JB5	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-77	5/10/1993 10:10	N	57-74-9	Chlordane	0.1	ug/L	U	[NULL]	[NULL]	R	B08JB5	57-74-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	5/10/1993 10:10	N	16887-00-6	Chloride	6500	ug/L	[NULL]	[NULL]	[NULL]	R	B08JB5	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	5/10/1993 10:10	N	108-90-7	Chlorobenzene	0.53	ug/L	U	[NULL]	[NULL]	R	B08JB5	108-90-7	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	510-15-6	Chlorobenzilate	8.69	ug/L	U	[NULL]	[NULL]	R	B08JB5	510-15-6	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	75-00-3	Chloroethane	0.71	ug/L	U	[NULL]	[NULL]	R	B08JB5	75-00-3	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	67-66-3	Chloroform	40	ug/L	[NULL]	[NULL]	[NULL]	R	B08JB5	67-66-3	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	74-87-3	Chloromethane	0.57	ug/L	U	[NULL]	[NULL]	R	B08JB5	74-87-3	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	126-99-8	Chloroprene	0.77	ug/L	U	[NULL]	[NULL]	R	B08JB5	126-99-8	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	7440-47-3	Chromium	20	ug/L	[NULL]	[NULL]	[NULL]	R	B08JB5	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	Y	7440-47-3	Chromium	20	ug/L	U	[NULL]	[NULL]	R	B08JB9	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	N	218-01-9	Chrysene	1.7	ug/L	U	[NULL]	[NULL]	R	B08JB5	218-01-9	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	Y	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B08JB9	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	N	7440-48-4	Cobalt	20	ug/L	U	[NULL]	[NULL]	R	B08JB5	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	N	10198-40-0	Cobalt-60	-0.734	pCi/L	U	[NULL]	[NULL]	R	B08JB5	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-77	5/10/1993 10:10	N	COLIFORM	Coliform Bacteria	1	Col/100mL	U	[NULL]	[NULL]	R	B08JB5	COLIFORM	DATACH	9132_COLIFORM	100-NR-2
199-N-77	5/10/1993 10:10	Y	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B08JB9	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	N	7440-50-8	Copper	20	ug/L	U	[NULL]	[NULL]	R	B08JB5	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	N	57-12-5	Cyanide	20	ug/L	U	[NULL]	[NULL]	R	B08JB5	57-12-5	DATACH	9010_CYANIDE	100-NR-2
199-N-77	5/10/1993 10:10	N	319-86-8	Delta-BHC	0.1	ug/L	U	[NULL]	[NULL]	R	B08JB5	319-86-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	5/10/1993 10:10	N	84-74-2	Di-n-butylphthalate	4.34	ug/L	U	[NULL]	[NULL]	R	B08JB5	84-74-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	117-84-0	Di-n-octylphthalate	2.98	ug/L	U	[NULL]	[NULL]	R	B08JB5	117-84-0	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	2303-16-4	Diallate	3.15	ug/L	U	[NULL]	[NULL]	R	B08JB5	2303-16-4	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	53-70-3	Dibenz[a,h]anthracene	1.92	ug/L	U	[NULL]	[NULL]	R	B08JB5	53-70-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	132-64-9	Dibenzofuran	2.54	ug/L	U	[NULL]	[NULL]	R	B08JB5	132-64-9	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	124-48-1	Dibromochloromethane	0.29	ug/L	U	[NULL]	[NULL]	R	B08JB5	124-48-1	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	74-95-3	Dibromomethane	0.36	ug/L	U	[NULL]	[NULL]	R	B08JB5	74-95-3	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	75-71-8	Dichlorodifluoromethane	1	ug/L	U	[NULL]	[NULL]	R	B08JB5	75-71-8	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	60-57-1	Dieldrin	0.05	ug/L	U	[NULL]	[NULL]	R	B08JB5	60-57-1	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	5/10/1993 10:10	N	84-66-2	Diethylphthalate	8.94	ug/L	U	[NULL]	[NULL]	R	B08JB5	84-66-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	60-51-5	Dimethoate	10	ug/L	U	[NULL]	[NULL]	R	B08JB5	60-51-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	131-11-3	Dimethyl phthalate	5.55	ug/L	U	[NULL]	[NULL]	R	B08JB5	131-11-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	88-85-7	Dinoseb(2-secButyl-4,6-dinitrophenol)	1	ug/L	U	[NULL]	[NULL]	R	B08JB5	88-85-7	DATACH	8150_HERBICIDE_GC	100-NR-2
199-N-77	5/10/1993 10:10	N	122-39-4	Diphenylamine	2.86	ug/L	U	[NULL]	[NULL]	R	B08JB5	122-39-4	DATACH	8270_SVOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-77	5/10/1993 10:10	N	298-04-4	Disulfoton	0.12	ug/L	U	[NULL]	[NULL]	R	B08JB5	298-04-4	DATACH	8140_PEST_GC	100-NR-2
199-N-77	5/10/1993 10:10	N	959-98-8	Endosulfan I	0.1	ug/L	U	[NULL]	[NULL]	R	B08JB5	959-98-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	5/10/1993 10:10	N	33213-65-9	Endosulfan II	0.05	ug/L	U	[NULL]	[NULL]	R	B08JB5	33213-65-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	5/10/1993 10:10	N	1031-07-8	Endosulfan sulfate	0.5	ug/L	U	[NULL]	[NULL]	R	B08JB5	1031-07-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	5/10/1993 10:10	N	72-20-8	Endrin	0.1	ug/L	U	[NULL]	[NULL]	R	B08JB5	72-20-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	5/10/1993 10:10	N	7421-93-4	Endrin aldehyde	0.2	ug/L	U	[NULL]	[NULL]	R	B08JB5	7421-93-4	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	5/10/1993 10:10	N	107-12-0	Ethyl cyanide	4.34	ug/L	U	[NULL]	[NULL]	R	B08JB5	107-12-0	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	97-63-2	Ethyl methacrylate	0.29	ug/L	U	[NULL]	[NULL]	R	B08JB5	97-63-2	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	62-50-0	Ethyl methanesulfonate	2.07	ug/L	U	[NULL]	[NULL]	R	B08JB5	62-50-0	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	100-41-4	Ethylbenzene	0.49	ug/L	U	[NULL]	[NULL]	R	B08JB5	100-41-4	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	52-85-7	Famphur	12.8	ug/L	U	[NULL]	[NULL]	R	B08JB5	52-85-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	206-44-0	Fluoranthene	4.62	ug/L	U	[NULL]	[NULL]	R	B08JB5	206-44-0	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	86-73-7	Fluorene	2.56	ug/L	U	[NULL]	[NULL]	R	B08JB5	86-73-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	16984-48-8	Fluoride	700	ug/L	[NULL]	[NULL]	[NULL]	R	B08JB5	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	5/10/1993 10:10	N	58-89-9	Gamma-BHC (Lindane)	0.05	ug/L	U	[NULL]	[NULL]	R	B08JB5	58-89-9	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	5/10/1993 10:10	N	12587-46-1	Gross alpha	1.14	pCi/L	[NULL]	[NULL]	[NULL]	R	B08JB5	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-77	5/10/1993 10:10	N	12587-47-2	Gross beta	4.41	pCi/L	[NULL]	[NULL]	[NULL]	R	B08JB5	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-77	5/10/1993 10:10	N	76-44-8	Heptachlor	0.05	ug/L	U	[NULL]	[NULL]	R	B08JB5	76-44-8	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	5/10/1993 10:10	N	1024-57-3	Heptachlor epoxide	1	ug/L	U	[NULL]	[NULL]	R	B08JB5	1024-57-3	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	5/10/1993 10:10	N	118-74-1	Hexachlorobenzene	2.38	ug/L	U	[NULL]	[NULL]	R	B08JB5	118-74-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	87-68-3	Hexachlorobutadiene	4.29	ug/L	U	[NULL]	[NULL]	R	B08JB5	87-68-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	77-47-4	Hexachlorocyclopentadiene	2.62	ug/L	U	[NULL]	[NULL]	R	B08JB5	77-47-4	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	67-72-1	Hexachloroethane	4.73	ug/L	U	[NULL]	[NULL]	R	B08JB5	67-72-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	70-30-4	Hexachlorophene	19.6	ug/L	U	[NULL]	[NULL]	R	B08JB5	70-30-4	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	1888-71-7	Hexachloropropene	3.68	ug/L	U	[NULL]	[NULL]	R	B08JB5	1888-71-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	302-01-2	Hydrazine	30	ug/L	U	[NULL]	[NULL]	R	B08JB5	302-01-2	DATACH	D1385_HYDRAZINE	100-NR-2
199-N-77	5/10/1993 10:10	N	193-39-5	Indeno(1,2,3-cd)pyrene	3.21	ug/L	U	[NULL]	[NULL]	R	B08JB5	193-39-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	74-88-4	Iodomethane	0.51	ug/L	U	[NULL]	[NULL]	R	B08JB5	74-88-4	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	7439-89-6	Iron	280	ug/L	[NULL]	[NULL]	[NULL]	R	B08JB5	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	Y	7439-89-6	Iron	40	ug/L	[NULL]	[NULL]	[NULL]	R	B08JB9	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	N	78-83-1	Isobutyl alcohol	26.9	ug/L	U	[NULL]	[NULL]	R	B08JB5	78-83-1	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	465-73-6	Isodrin	1.44	ug/L	U	[NULL]	[NULL]	R	B08JB5	465-73-6	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	78-59-1	Isophorone	3.29	ug/L	U	[NULL]	[NULL]	R	B08JB5	78-59-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	120-58-1	Isosafrole	2.25	ug/L	U	[NULL]	[NULL]	R	B08JB5	120-58-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	143-50-0	Kepone	9.59	ug/L	U	[NULL]	[NULL]	R	B08JB5	143-50-0	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	Y	7439-92-1	Lead	5.5	ug/L	[NULL]	[NULL]	[NULL]	R	B08JB9	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-77	5/10/1993 10:10	N	7439-92-1	Lead	5	ug/L	U	[NULL]	[NULL]	R	B08JB5	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-77	5/10/1993 10:10	Y	7439-95-4	Magnesium	4400	ug/L	[NULL]	[NULL]	[NULL]	R	B08JB9	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	N	7439-95-4	Magnesium	4500	ug/L	[NULL]	[NULL]	[NULL]	R	B08JB5	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	Y	7439-96-5	Manganese	3	ug/L	L	[NULL]	[NULL]	R	B08JB9	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	N	7439-96-5	Manganese	20	ug/L	[NULL]	[NULL]	[NULL]	R	B08JB5	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	N	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B08JB5	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-77	5/10/1993 10:10	Y	7439-97-6	Mercury	0.2	ug/L	U	[NULL]	[NULL]	R	B08JB9	7439-97-6	DATACH	7470_HG_CVAA	100-NR-2
199-N-77	5/10/1993 10:10	N	126-98-7	Methacrylonitrile	0.74	ug/L	U	[NULL]	[NULL]	R	B08JB5	126-98-7	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	91-80-5	Methapyrilene	8.45	ug/L	U	[NULL]	[NULL]	R	B08JB5	91-80-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	72-43-5	Methoxychlor	2	ug/L	U	[NULL]	[NULL]	R	B08JB5	72-43-5	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	5/10/1993 10:10	N	80-62-6	Methyl methacrylate	0.18	ug/L	U	[NULL]	[NULL]	R	B08JB5	80-62-6	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	66-27-3	Methyl methanesulfonate	1.61	ug/L	U	[NULL]	[NULL]	R	B08JB5	66-27-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	298-00-0	Methyl parathion	0.24	ug/L	U	[NULL]	[NULL]	R	B08JB5	298-00-0	DATACH	8140_PEST_GC	100-NR-2
199-N-77	5/10/1993 10:10	N	75-09-2	Methylene chloride	2.6	ug/L	BL	Q	[NULL]	R	B08JB5	75-09-2	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	91-20-3	Naphthalene	6.5	ug/L	U	[NULL]	[NULL]	R	B08JB5	91-20-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	7440-02-0	Nickel	40	ug/L	[NULL]	[NULL]	[NULL]	R	B08JB5	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	Y	7440-02-0	Nickel	30	ug/L	U	[NULL]	[NULL]	R	B08JB9	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	N	14797-55-8	Nitrate	700	ug/L	[NULL]	[NULL]	[NULL]	R	B08JB5	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-77	5/10/1993 10:10	N	14797-65-0	Nitrite	200	ug/L	U	[NULL]	[NULL]	R	B08JB5	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	5/10/1993 10:10	N	98-95-3	Nitrobenzene	3.16	ug/L	U	[NULL]	[NULL]	R	B08JB5	98-95-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	930-55-2	Nitrosopyrrolidine	2.78	ug/L	U	[NULL]	[NULL]	R	B08JB5	930-55-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	126-68-1	O,O,O-Triethyl phosphorothioate	5.19	ug/L	U	[NULL]	[NULL]	R	B08JB5	126-68-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	297-97-2	O,O-Diethyl O-2-pyrazinyl phosphorothioate	3.04	ug/L	U	[NULL]	[NULL]	R	B08JB5	297-97-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	56-38-2	Parathion	3.9	ug/L	U	[NULL]	[NULL]	R	B08JB5	56-38-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	608-93-5	Pentachlorobenzene	3.99	ug/L	U	[NULL]	[NULL]	R	B08JB5	608-93-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	76-01-7	Pentachloroethane	0.67	ug/L	U	[NULL]	[NULL]	R	B08JB5	76-01-7	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	82-68-8	Pentachloronitrobenzene (PCNB)	2.49	ug/L	U	[NULL]	[NULL]	R	B08JB5	82-68-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	87-86-5	Pentachlorophenol	8.07	ug/L	U	[NULL]	[NULL]	R	B08JB5	87-86-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	62-44-2	Phenacetin	4.78	ug/L	U	[NULL]	[NULL]	R	B08JB5	62-44-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	85-01-8	Phenanthrene	5.27	ug/L	U	[NULL]	[NULL]	R	B08JB5	85-01-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	108-95-2	Phenol	0.833	ug/L	U	[NULL]	[NULL]	R	B08JB5	108-95-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	298-02-2	Phorate	0.1	ug/L	U	[NULL]	[NULL]	R	B08JB5	298-02-2	DATACH	8140_PEST_GC	100-NR-2
199-N-77	5/10/1993 10:10	N	14265-44-2	Phosphate	400	ug/L	U	[NULL]	[NULL]	R	B08JB5	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	5/10/1993 10:10	N	136677-09-3	Polychlorinated dibenzo-p-dioxins	0.002	ug/L	U	[NULL]	[NULL]	R	B08JB5	136677-09-3	DATACH	8280_DIOXINS_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	136677-10-6	Polychlorinated dibenzofurans	0.002	ug/L	U	[NULL]	[NULL]	R	B08JB5	136677-10-6	DATACH	8280_DIOXINS_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	7440-09-7	Potassium	2000	ug/L	[NULL]	[NULL]	[NULL]	R	B08JB5	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	Y	7440-09-7	Potassium	2000	ug/L	[NULL]	[NULL]	[NULL]	R	B08JB9	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	N	23950-58-5	Pronamide	3.42	ug/L	U	[NULL]	[NULL]	R	B08JB5	23950-58-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	129-00-0	Pyrene	3.69	ug/L	U	[NULL]	[NULL]	R	B08JB5	129-00-0	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	110-86-1	Pyridine	4.57	ug/L	U	[NULL]	[NULL]	R	B08JB5	110-86-1	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	7440-14-4	Radium	0.136	pCi/L	U	[NULL]	[NULL]	R	B08JB5	7440-14-4	ITASRL	9315_RADIUMISO_AEA	100-NR-2
199-N-77	5/10/1993 10:10	N	13967-48-1	Ruthenium-106	37.1	pCi/L	U	[NULL]	[NULL]	R	B08JB5	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-77	5/10/1993 10:10	N	94-59-7	Safrol	3.22	ug/L	U	[NULL]	[NULL]	R	B08JB5	94-59-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	Y	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B08JB9	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-77	5/10/1993 10:10	N	7782-49-2	Selenium	10	ug/L	U	[NULL]	[NULL]	R	B08JB5	7782-49-2	DATACH	7740_SE_GFAA	100-NR-2
199-N-77	5/10/1993 10:10	N	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B08JB5	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	Y	7440-22-4	Silver	20	ug/L	U	[NULL]	[NULL]	R	B08JB9	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	N	7440-23-5	Sodium	26000	ug/L	[NULL]	Q	[NULL]	R	B08JB5	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	Y	7440-23-5	Sodium	26000	ug/L	[NULL]	Q	[NULL]	R	B08JB9	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	N	CONDUCT	Specific Conductance	260	uS/cm	[NULL]	[NULL]	[NULL]	R	B08JB5	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-77	5/10/1993 10:10	N	CONDUCT	Specific Conductance	265	uS/cm	[NULL]	[NULL]	[NULL]	R	B08JB5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	5/10/1993 10:10	N	CONDUCT	Specific Conductance	266	uS/cm	[NULL]	[NULL]	[NULL]	R	B08JB6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	5/10/1993 10:10	N	CONDUCT	Specific Conductance	265	uS/cm	[NULL]	[NULL]	[NULL]	R	B08JB7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	5/10/1993 10:10	N	CONDUCT	Specific Conductance	266	uS/cm	[NULL]	[NULL]	[NULL]	R	B08JB8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	5/10/1993 10:10	N	10098-97-2	Strontium-90	-0.162	pCi/L	U	[NULL]	[NULL]	R	B08JB5	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-77	5/10/1993 10:10	N	100-42-5	Styrene	0.43	ug/L	U	[NULL]	[NULL]	R	B08JB5	100-42-5	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	14808-79-8	Sulfate	36000	ug/L	[NULL]	[NULL]	[NULL]	R	B08JB5	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	5/10/1993 10:10	N	18496-25-8	Sulfide	10000	ug/L	U	[NULL]	[NULL]	R	B08JB5	18496-25-8	DATACH	9030_SULFIDE	100-NR-2
199-N-77	5/10/1993 10:10	N	TEMPERATURE	Temperature	20.4	Deg C	[NULL]	[NULL]	[NULL]	R	B08JB8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	5/10/1993 10:10	N	TEMPERATURE	Temperature	20.4	Deg C	[NULL]	[NULL]	[NULL]	R	B08JB5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	5/10/1993 10:10	N	TEMPERATURE	Temperature	20.4	Deg C	[NULL]	[NULL]	[NULL]	R	B08JB6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	5/10/1993 10:10	N	TEMPERATURE	Temperature	20.4	Deg C	[NULL]	[NULL]	[NULL]	R	B08JB7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	5/10/1993 10:10	N	127-18-4	Tetrachloroethene	1.1	ug/L	U	[NULL]	[NULL]	R	B08JB5	127-18-4	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	3689-24-5	Tetraethyl dithiopyrophosphate (Sulfotepp)	2.81	ug/L	U	[NULL]	[NULL]	R	B08JB5	3689-24-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	109-99-9	Tetrahydrofuran	3.67	ug/L	U	[NULL]	[NULL]	R	B08JB5	109-99-9	DATACH	8240_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-77	5/10/1993 10:10	N	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B08JB5	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-77	5/10/1993 10:10	Y	7440-28-0	Thallium	5	ug/L	U	[NULL]	[NULL]	R	B08JB9	7440-28-0	DATACH	7841_TL_GFAA	100-NR-2
199-N-77	5/10/1993 10:10	N	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B08JB5	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	Y	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B08JB9	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	N	108-88-3	Toluene	0.73	ug/L	U	[NULL]	[NULL]	R	B08JB5	108-88-3	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	TOC	Total organic carbon	600	ug/L	L	[NULL]	[NULL]	R	B08JB5	TOC	DATACH	9060_TOC	100-NR-2
199-N-77	5/10/1993 10:10	N	TOC	Total organic carbon	500	ug/L	L	[NULL]	[NULL]	R	B08JB8	TOC	DATACH	9060_TOC	100-NR-2
199-N-77	5/10/1993 10:10	N	TOC	Total organic carbon	800	ug/L	L	[NULL]	[NULL]	R	B08JB7	TOC	DATACH	9060_TOC	100-NR-2
199-N-77	5/10/1993 10:10	N	TOC	Total organic carbon	600	ug/L	L	[NULL]	[NULL]	R	B08JB6	TOC	DATACH	9060_TOC	100-NR-2
199-N-77	5/10/1993 10:10	N	59473-04-0	Total organic halides	50	ug/L	[NULL]	Y	[NULL]	R	B08JB5	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-77	5/10/1993 10:10	N	59473-04-0	Total organic halides	40	ug/L	[NULL]	Y	[NULL]	R	B08JB8	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-77	5/10/1993 10:10	N	59473-04-0	Total organic halides	20	ug/L	[NULL]	Y	[NULL]	R	B08JB7	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-77	5/10/1993 10:10	N	59473-04-0	Total organic halides	30	ug/L	[NULL]	Y	[NULL]	R	B08JB6	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-77	5/10/1993 10:10	N	TPHKEROSENE	Total petroleum hydrocarbons - kerosene range	4.03	ug/L	U	[NULL]	[NULL]	R	B08JB5	TPHKEROSENE	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	8001-35-2	Toxaphene	2	ug/L	U	[NULL]	[NULL]	R	B08JB5	8001-35-2	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	5/10/1993 10:10	N	126-73-8	Tributyl phosphate	4.42	ug/L	U	[NULL]	[NULL]	R	B08JB5	126-73-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	79-01-6	Trichloroethene	0.77	ug/L	U	[NULL]	[NULL]	R	B08JB5	79-01-6	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	75-69-4	Trichloromonofluoromethane	1.41	ug/L	U	[NULL]	[NULL]	R	B08JB5	75-69-4	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	115-96-8	Tris-2-chloroethyl phosphate	2.88	ug/L	U	[NULL]	[NULL]	R	B08JB5	115-96-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	10028-17-8	Tritium	65.5	pCi/L	U	[NULL]	[NULL]	R	B08JB5	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-77	5/10/1993 10:10	N	TURBIDITY	Turbidity	6	NTU	[NULL]	[NULL]	[NULL]	R	B08JB5	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-77	5/10/1993 10:10	Y	7440-62-2	Vanadium	11	ug/L	L	[NULL]	[NULL]	R	B08JB9	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	N	7440-62-2	Vanadium	11	ug/L	L	[NULL]	[NULL]	R	B08JB5	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	N	108-05-4	Vinyl acetate	0.3	ug/L	U	[NULL]	[NULL]	R	B08JB5	108-05-4	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	75-01-4	Vinyl chloride	0.78	ug/L	U	[NULL]	[NULL]	R	B08JB5	75-01-4	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	1330-20-7	Xylenes (total)	1.7	ug/L	U	[NULL]	[NULL]	R	B08JB5	1330-20-7	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	7440-66-6	Zinc	20	ug/L	[NULL]	[NULL]	[NULL]	R	B08JB5	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	Y	7440-66-6	Zinc	10	ug/L	U	[NULL]	[NULL]	R	B08JB9	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/10/1993 10:10	N	122-09-8	alpha,alpha-Dimethylphenethylamine	37.8	ug/L	U	[NULL]	[NULL]	R	B08JB5	122-09-8	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	319-85-7	beta-1,2,3,4,5,6-Hexachlorocyclohexane (beta-BHC)	0.05	ug/L	U	[NULL]	[NULL]	R	B08JB5	319-85-7	DATACH	8080_PESTPCB_GC	100-NR-2
199-N-77	5/10/1993 10:10	N	10061-01-5	cis-1,3-Dichloropropene	0.65	ug/L	U	[NULL]	[NULL]	R	B08JB5	10061-01-5	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	99-65-0	m-Dinitrobenzene	9.35	ug/L	U	[NULL]	[NULL]	R	B08JB5	99-65-0	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	924-16-3	n-Nitrosodi-n-butylamine	3.22	ug/L	U	[NULL]	[NULL]	R	B08JB5	924-16-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	621-64-7	n-Nitrosodi-n-dipropylamine	3.67	ug/L	U	[NULL]	[NULL]	R	B08JB5	621-64-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	55-18-5	n-Nitrosodiethylamine	2.9	ug/L	U	[NULL]	[NULL]	R	B08JB5	55-18-5	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	62-75-9	n-Nitrosodimethylamine	3.81	ug/L	U	[NULL]	[NULL]	R	B08JB5	62-75-9	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	86-30-6	n-Nitrosodiphenylamine	2.11	ug/L	U	[NULL]	[NULL]	R	B08JB5	86-30-6	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	10595-95-6	n-Nitrosomethylethylamine	2.83	ug/L	U	[NULL]	[NULL]	R	B08JB5	10595-95-6	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	59-89-2	n-Nitrosomorpholine	3.27	ug/L	U	[NULL]	[NULL]	R	B08JB5	59-89-2	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	100-75-4	n-Nitrosopiperidine	4.35	ug/L	U	[NULL]	[NULL]	R	B08JB5	100-75-4	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	95-53-4	o-Toluidine	2.27	ug/L	U	[NULL]	[NULL]	R	B08JB5	95-53-4	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	60-11-7	p-Dimethylaminoazobenzene	3.36	ug/L	U	[NULL]	[NULL]	R	B08JB5	60-11-7	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	106-50-3	p-Phenylenediamine	3.09	ug/L	U	[NULL]	[NULL]	R	B08JB5	106-50-3	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	PH	pH Measurement	7.84	unitless	[NULL]	[NULL]	[NULL]	R	B08JB6	PH	FIELD	9040_PH	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-77	5/10/1993 10:10	N	PH	pH Measurement	7.85	unitless	[NULL]	[NULL]	[NULL]	R	B08JB7	PH	FIELD	9040_PH	100-NR-2
199-N-77	5/10/1993 10:10	N	PH	pH Measurement	7.84	unitless	[NULL]	[NULL]	[NULL]	R	B08JB8	PH	FIELD	9040_PH	100-NR-2
199-N-77	5/10/1993 10:10	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	B08JB5	PH	DATACH	D1293_PH	100-NR-2
199-N-77	5/10/1993 10:10	N	PH	pH Measurement	7.83	unitless	[NULL]	[NULL]	[NULL]	R	B08JB5	PH	FIELD	9040_PH	100-NR-2
199-N-77	5/10/1993 10:10	N	99-35-4	sym-Trinitrobenzene	3.74	ug/L	U	[NULL]	[NULL]	R	B08JB5	99-35-4	DATACH	8270_SVOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	10061-02-6	trans-1,3-Dichloropropene	0.41	ug/L	U	[NULL]	[NULL]	R	B08JB5	10061-02-6	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	5/10/1993 10:10	N	110-57-6	trans-1,4-Dichloro-2-butene	0.7	ug/L	U	[NULL]	[NULL]	R	B08JB5	110-57-6	DATACH	8240_VOA_GCMS	100-NR-2
199-N-77	8/20/1993 9:55	Y	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B090N7	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 9:55	Y	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B090N7	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 9:55	Y	7440-38-2	Arsenic	2.9	ug/L	L	[NULL]	[NULL]	R	B090N7	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-77	8/20/1993 9:55	Y	7440-39-3	Barium	19	ug/L	L	[NULL]	[NULL]	R	B090N7	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 9:55	Y	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B090N7	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 9:55	Y	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B090N7	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 9:55	Y	7440-70-2	Calcium	25000	ug/L	[NULL]	Q	[NULL]	R	B090N7	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 9:55	Y	7440-47-3	Chromium	5.42	ug/L	U	[NULL]	[NULL]	R	B090N7	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 9:55	Y	7440-48-4	Cobalt	4.05	ug/L	U	[NULL]	[NULL]	R	B090N7	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 9:55	Y	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B090N7	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 9:55	Y	7439-89-6	Iron	31	ug/L	[NULL]	[NULL]	[NULL]	R	B090N7	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 9:55	Y	7439-92-1	Lead	0.508	ug/L	U	[NULL]	[NULL]	R	B090N7	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-77	8/20/1993 9:55	Y	7439-95-4	Magnesium	5600	ug/L	[NULL]	[NULL]	[NULL]	R	B090N7	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 9:55	Y	7439-96-5	Manganese	2.7	ug/L	L	[NULL]	[NULL]	R	B090N7	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 9:55	Y	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B090N7	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 9:55	Y	7440-09-7	Potassium	2600	ug/L	[NULL]	[NULL]	[NULL]	R	B090N7	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 9:55	Y	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B090N7	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 9:55	Y	7440-23-5	Sodium	26000	ug/L	[NULL]	[NULL]	[NULL]	R	B090N7	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 9:55	Y	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B090N7	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 9:55	Y	7440-62-2	Vanadium	7.1	ug/L	L	[NULL]	[NULL]	R	B090N7	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 9:55	Y	7440-66-6	Zinc	4.7	ug/L	L	[NULL]	[NULL]	R	B090N7	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 10:15	N	71-55-6	1,1,1-Trichloroethane	0.072	ug/L	U	[NULL]	[NULL]	R	B090N3	71-55-6	DATACH	8010_VOA_GC	100-NR-2
199-N-77	8/20/1993 10:15	N	79-00-5	1,1,2-Trichloroethane	0.043	ug/L	U	[NULL]	[NULL]	R	B090N3	79-00-5	DATACH	8010_VOA_GC	100-NR-2
199-N-77	8/20/1993 10:15	N	75-34-3	1,1-Dichloroethane	0.337	ug/L	U	[NULL]	[NULL]	R	B090N3	75-34-3	DATACH	8010_VOA_GC	100-NR-2
199-N-77	8/20/1993 10:15	N	107-06-2	1,2-Dichloroethane	0.139	ug/L	U	[NULL]	[NULL]	R	B090N3	107-06-2	DATACH	8010_VOA_GC	100-NR-2
199-N-77	8/20/1993 10:15	N	106-46-7	1,4-Dichlorobenzene	0.107	ug/L	U	[NULL]	[NULL]	R	B090N3	106-46-7	DATACH	8010_VOA_GC	100-NR-2
199-N-77	8/20/1993 10:15	N	ALKALINITY	Alkalinity	70000	ug/L	B	[NULL]	[NULL]	R	B090N3	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-77	8/20/1993 10:15	N	7429-90-5	Aluminum	58	ug/L	L	[NULL]	[NULL]	R	B090N3	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 10:15	N	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B090N3	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 10:15	N	7440-38-2	Arsenic	2.9	ug/L	L	[NULL]	[NULL]	R	B090N3	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-77	8/20/1993 10:15	N	7440-39-3	Barium	19	ug/L	L	[NULL]	[NULL]	R	B090N3	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 10:15	N	71-43-2	Benzene	0.105	ug/L	U	[NULL]	[NULL]	R	B090N3	71-43-2	DATACH	8010_VOA_GC	100-NR-2
199-N-77	8/20/1993 10:15	N	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B090N3	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 10:15	N	24959-67-9	Bromide	52.8	ug/L	U	[NULL]	[NULL]	R	B090N3	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	8/20/1993 10:15	N	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B090N3	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 10:15	N	7440-70-2	Calcium	24000	ug/L	[NULL]	Q	[NULL]	R	B090N3	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 10:15	N	56-23-5	Carbon tetrachloride	0.121	ug/L	U	[NULL]	[NULL]	R	B090N3	56-23-5	DATACH	8010_VOA_GC	100-NR-2
199-N-77	8/20/1993 10:15	N	16887-00-6	Chloride	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B090N3	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	8/20/1993 10:15	N	67-66-3	Chloroform	94	ug/L	D	[NULL]	[NULL]	R	B090N3	67-66-3	DATACH	8010_VOA_GC	100-NR-2
199-N-77	8/20/1993 10:15	N	7440-47-3	Chromium	28	ug/L	[NULL]	[NULL]	[NULL]	R	B090N3	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 10:15	N	7440-48-4	Cobalt	4.05	ug/L	U	[NULL]	[NULL]	R	B090N3	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 10:15	N	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B090N3	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 10:15	N	100-41-4	Ethylbenzene	0.046	ug/L	U	[NULL]	[NULL]	R	B090N3	100-41-4	DATACH	8010_VOA_GC	100-NR-2
199-N-77	8/20/1993 10:15	N	16984-48-8	Fluoride	600	ug/L	[NULL]	[NULL]	[NULL]	R	B090N3	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	8/20/1993 10:15	N	7439-89-6	Iron	190	ug/L	[NULL]	[NULL]	[NULL]	R	B090N3	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 10:15	N	7439-92-1	Lead	0.508	ug/L	U	[NULL]	[NULL]	R	B090N3	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-77	8/20/1993 10:15	N	7439-95-4	Magnesium	5500	ug/L	[NULL]	[NULL]	[NULL]	R	B090N3	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-77	8/20/1993 10:15	N	7439-96-5	Manganese	7.6	ug/L	L	[NULL]	[NULL]	R	B090N3	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 10:15	N	75-09-2	Methylene chloride	0.097	ug/L	LB	[NULL]	[NULL]	R	B090N3	75-09-2	DATACH	8010_VOA_GC	100-NR-2
199-N-77	8/20/1993 10:15	N	7440-02-0	Nickel	23	ug/L	L	[NULL]	[NULL]	R	B090N3	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 10:15	N	14797-55-8	Nitrate	1000	ug/L	[NULL]	[NULL]	[NULL]	R	B090N3	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	8/20/1993 10:15	N	14797-65-0	Nitrite	38.3	ug/L	U	[NULL]	[NULL]	R	B090N3	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	8/20/1993 10:15	N	14265-44-2	Phosphate	147	ug/L	U	[NULL]	[NULL]	R	B090N3	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	8/20/1993 10:15	N	7440-09-7	Potassium	2800	ug/L	[NULL]	[NULL]	[NULL]	R	B090N3	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 10:15	N	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B090N3	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 10:15	N	7440-23-5	Sodium	26000	ug/L	[NULL]	[NULL]	[NULL]	R	B090N3	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 10:15	N	CONDUCT	Specific Conductance	281	uS/cm	[NULL]	[NULL]	[NULL]	R	B090N6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	8/20/1993 10:15	N	CONDUCT	Specific Conductance	280	uS/cm	[NULL]	[NULL]	[NULL]	R	B090N3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	8/20/1993 10:15	N	CONDUCT	Specific Conductance	281	uS/cm	[NULL]	[NULL]	[NULL]	R	B090N4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	8/20/1993 10:15	N	CONDUCT	Specific Conductance	290	uS/cm	[NULL]	[NULL]	[NULL]	R	B090N3	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-77	8/20/1993 10:15	N	CONDUCT	Specific Conductance	281	uS/cm	[NULL]	[NULL]	[NULL]	R	B090N5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	8/20/1993 10:15	N	14808-79-8	Sulfate	52000	ug/L	[NULL]	[NULL]	[NULL]	R	B090N3	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	8/20/1993 10:15	N	TEMPERATURE	Temperature	17.8	Deg C	[NULL]	[NULL]	[NULL]	R	B090N3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	8/20/1993 10:15	N	127-18-4	Tetrachloroethene	0.049	ug/L	U	[NULL]	[NULL]	R	B090N3	127-18-4	DATACH	8010_VOA_GC	100-NR-2
199-N-77	8/20/1993 10:15	N	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B090N3	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 10:15	N	108-88-3	Toluene	0.056	ug/L	U	[NULL]	[NULL]	R	B090N3	108-88-3	DATACH	8010_VOA_GC	100-NR-2
199-N-77	8/20/1993 10:15	N	TC	Total carbon	19000	ug/L	B	[NULL]	[NULL]	R	B090N3	TC	DATACH	D2579A_CARBON	100-NR-2
199-N-77	8/20/1993 10:15	N	TDS	Total dissolved solids	210000	ug/L	[NULL]	[NULL]	[NULL]	R	B090N3	TDS	DATACH	209B_TDS	100-NR-2
199-N-77	8/20/1993 10:15	N	TOC	Total organic carbon	500	ug/L	L	[NULL]	[NULL]	R	B090N5	TOC	DATACH	9060_TOC	100-NR-2
199-N-77	8/20/1993 10:15	N	TOC	Total organic carbon	600	ug/L	L	[NULL]	[NULL]	R	B090N4	TOC	DATACH	9060_TOC	100-NR-2
199-N-77	8/20/1993 10:15	N	TOC	Total organic carbon	600	ug/L	L	[NULL]	[NULL]	R	B090N3	TOC	DATACH	9060_TOC	100-NR-2
199-N-77	8/20/1993 10:15	N	TOC	Total organic carbon	500	ug/L	L	[NULL]	[NULL]	R	B090N6	TOC	DATACH	9060_TOC	100-NR-2
199-N-77	8/20/1993 10:15	N	59473-04-0	Total organic halides	80	ug/L	[NULL]	Y	[NULL]	R	B090N5	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-77	8/20/1993 10:15	N	59473-04-0	Total organic halides	100	ug/L	[NULL]	Y	[NULL]	R	B090N4	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-77	8/20/1993 10:15	N	59473-04-0	Total organic halides	90	ug/L	[NULL]	Y	[NULL]	R	B090N3	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-77	8/20/1993 10:15	N	59473-04-0	Total organic halides	100	ug/L	[NULL]	Y	[NULL]	R	B090N6	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-77	8/20/1993 10:15	N	79-01-6	Trichloroethene	0.065	ug/L	U	[NULL]	[NULL]	R	B090N3	79-01-6	DATACH	8010_VOA_GC	100-NR-2
199-N-77	8/20/1993 10:15	N	TURBIDITY	Turbidity	1.9	NTU	[NULL]	[NULL]	[NULL]	R	B090N3	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-77	8/20/1993 10:15	N	7440-62-2	Vanadium	11	ug/L	L	[NULL]	[NULL]	R	B090N3	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 10:15	N	75-01-4	Vinyl chloride	0.266	ug/L	U	[NULL]	[NULL]	R	B090N3	75-01-4	DATACH	8010_VOA_GC	100-NR-2
199-N-77	8/20/1993 10:15	N	1330-20-7	Xylenes (total)	0.202	ug/L	U	[NULL]	[NULL]	R	B090N3	1330-20-7	DATACH	8010_VOA_GC	100-NR-2
199-N-77	8/20/1993 10:15	N	7440-66-6	Zinc	4.5	ug/L	L	[NULL]	[NULL]	R	B090N3	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/20/1993 10:15	N	156-59-2	cis-1,2-Dichloroethylene	0.127	ug/L	U	[NULL]	[NULL]	R	B090N3	156-59-2	DATACH	8010_VOA_GC	100-NR-2
199-N-77	8/20/1993 10:15	N	PH	pH Measurement	8.3	unitless	[NULL]	[NULL]	[NULL]	R	B090N3	PH	DATACH	D1293_PH	100-NR-2
199-N-77	8/20/1993 10:15	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B090N6	PH	FIELD	9040_PH	100-NR-2
199-N-77	8/20/1993 10:15	N	PH	pH Measurement	8.11	unitless	[NULL]	[NULL]	[NULL]	R	B090N4	PH	FIELD	9040_PH	100-NR-2
199-N-77	8/20/1993 10:15	N	PH	pH Measurement	8.11	unitless	[NULL]	[NULL]	[NULL]	R	B090N3	PH	FIELD	9040_PH	100-NR-2
199-N-77	8/20/1993 10:15	N	PH	pH Measurement	8.11	unitless	[NULL]	[NULL]	[NULL]	R	B090N5	PH	FIELD	9040_PH	100-NR-2
199-N-77	8/20/1993 10:15	N	156-60-5	trans-1,2-Dichloroethylene	0.149	ug/L	U	[NULL]	[NULL]	R	B090N3	156-60-5	DATACH	8010_VOA_GC	100-NR-2
199-N-77	11/12/1993 10:00	N	71-55-6	1,1,1-Trichloroethane	0.072	ug/L	U	[NULL]	[NULL]	R	B09LD2	71-55-6	DATACH	8010_VOA_GC	100-NR-2
199-N-77	11/12/1993 10:00	N	79-00-5	1,1,2-Trichloroethane	0.043	ug/L	U	[NULL]	[NULL]	R	B09LD2	79-00-5	DATACH	8010_VOA_GC	100-NR-2
199-N-77	11/12/1993 10:00	N	75-34-3	1,1-Dichloroethane	0.337	ug/L	U	[NULL]	[NULL]	R	B09LD2	75-34-3	DATACH	8010_VOA_GC	100-NR-2
199-N-77	11/12/1993 10:00	N	107-06-2	1,2-Dichloroethane	0.139	ug/L	U	[NULL]	[NULL]	R	B09LD2	107-06-2	DATACH	8010_VOA_GC	100-NR-2
199-N-77	11/12/1993 10:00	N	106-46-7	1,4-Dichlorobenzene	0.107	ug/L	U	[NULL]	[NULL]	R	B09LD2	106-46-7	DATACH	8010_VOA_GC	100-NR-2
199-N-77	11/12/1993 10:00	N	ALKALINITY	Alkalinity	70000	ug/L	[NULL]	[NULL]	[NULL]	R	B09LD2	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-77	11/12/1993 10:00	Y	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B09LD3	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	N	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B09LD2	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	Y	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B09LD3	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	N	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B09LD2	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	N	7440-38-2	Arsenic	4.3	ug/L	L	[NULL]	[NULL]	R	B09LD2	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-77	11/12/1993 10:00	Y	7440-38-2	Arsenic	3.8	ug/L	L	[NULL]	[NULL]	R	B09LD3	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-77	11/12/1993 10:00	N	7440-39-3	Barium	16	ug/L	L	[NULL]	[NULL]	R	B09LD2	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	Y	7440-39-3	Barium	17	ug/L	L	[NULL]	[NULL]	R	B09LD3	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	N	71-43-2	Benzene	0.105	ug/L	U	[NULL]	[NULL]	R	B09LD2	71-43-2	DATACH	8010_VOA_GC	100-NR-2
199-N-77	11/12/1993 10:00	N	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B09LD2	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	Y	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B09LD3	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	N	24959-67-9	Bromide	52.8	ug/L	U	[NULL]	[NULL]	R	B09LD2	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	11/12/1993 10:00	N	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B09LD2	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	Y	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B09LD3	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	N	7440-70-2	Calcium	26000	ug/L	[NULL]	[NULL]	[NULL]	R	B09LD2	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	Y	7440-70-2	Calcium	25000	ug/L	[NULL]	[NULL]	[NULL]	R	B09LD3	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	N	56-23-5	Carbon tetrachloride	0.121	ug/L	U	[NULL]	[NULL]	R	B09LD2	56-23-5	DATACH	8010_VOA_GC	100-NR-2
199-N-77	11/12/1993 10:00	N	16887-00-6	Chloride	11000	ug/L	D	[NULL]	[NULL]	R	B09LD2	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	11/12/1993 10:00	N	67-66-3	Chloroform	83	ug/L	D	[NULL]	[NULL]	R	B09LD2	67-66-3	DATACH	8010_VOA_GC	100-NR-2
199-N-77	11/12/1993 10:00	Y	7440-47-3	Chromium	5.42	ug/L	U	[NULL]	[NULL]	R	B09LD3	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	N	7440-47-3	Chromium	5.42	ug/L	U	[NULL]	[NULL]	R	B09LD2	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	N	7440-48-4	Cobalt	4.05	ug/L	U	[NULL]	[NULL]	R	B09LD2	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	Y	7440-48-4	Cobalt	4.05	ug/L	U	[NULL]	[NULL]	R	B09LD3	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	N	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B09LD2	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	Y	7440-50-8	Copper	6.8	ug/L	LB	[NULL]	[NULL]	R	B09LD3	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	N	100-41-4	Ethylbenzene	0.046	ug/L	U	[NULL]	[NULL]	R	B09LD2	100-41-4	DATACH	8010_VOA_GC	100-NR-2
199-N-77	11/12/1993 10:00	N	16984-48-8	Fluoride	800	ug/L	[NULL]	[NULL]	[NULL]	R	B09LD2	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	11/12/1993 10:00	Y	7439-89-6	Iron	13	ug/L	LB	Q	[NULL]	R	B09LD3	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	N	7439-89-6	Iron	52	ug/L	B	Q	[NULL]	R	B09LD2	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	Y	7439-92-1	Lead	9.1	ug/L	[NULL]	[NULL]	[NULL]	R	B09LD3	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-77	11/12/1993 10:00	N	7439-92-1	Lead	1.1	ug/L	L	[NULL]	[NULL]	R	B09LD2	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-77	11/12/1993 10:00	N	7439-95-4	Magnesium	5700	ug/L	[NULL]	[NULL]	[NULL]	R	B09LD2	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	Y	7439-95-4	Magnesium	5600	ug/L	[NULL]	[NULL]	[NULL]	R	B09LD3	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	Y	7439-96-5	Manganese	2	ug/L	L	[NULL]	[NULL]	R	B09LD3	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	N	7439-96-5	Manganese	3.4	ug/L	L	[NULL]	[NULL]	R	B09LD2	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	N	75-09-2	Methylene chloride	0.056	ug/L	U	[NULL]	[NULL]	R	B09LD2	75-09-2	DATACH	8010_VOA_GC	100-NR-2
199-N-77	11/12/1993 10:00	Y	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B09LD3	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	N	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B09LD2	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	N	14797-55-8	Nitrate	800	ug/L	[NULL]	[NULL]	[NULL]	R	B09LD2	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	11/12/1993 10:00	N	14797-65-0	Nitrite	38.3	ug/L	U	[NULL]	[NULL]	R	B09LD2	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	11/12/1993 10:00	N	14265-44-2	Phosphate	147	ug/L	U	[NULL]	[NULL]	R	B09LD2	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	11/12/1993 10:00	N	7440-09-7	Potassium	2800	ug/L	[NULL]	[NULL]	[NULL]	R	B09LD2	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	Y	7440-09-7	Potassium	2300	ug/L	[NULL]	[NULL]	[NULL]	R	B09LD3	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	Y	7440-22-4	Silver	4.9	ug/L	L	[NULL]	[NULL]	R	B09LD3	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	N	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B09LD2	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	N	7440-23-5	Sodium	20000	ug/L	[NULL]	[NULL]	[NULL]	R	B09LD2	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	Y	7440-23-5	Sodium	20000	ug/L	[NULL]	[NULL]	[NULL]	R	B09LD3	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	N	CONDUCT	Specific Conductance	260	uS/cm	[NULL]	[NULL]	[NULL]	R	B09LD2	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-77	11/12/1993 10:00	N	CONDUCT	Specific Conductance	261	uS/cm	[NULL]	[NULL]	[NULL]	R	B09LD2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	11/12/1993 10:00	N	14808-79-8	Sulfate	31000	ug/L	D	[NULL]	[NULL]	R	B09LD2	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	11/12/1993 10:00	N	TEMPERATURE	Temperature	17.2	Deg C	[NULL]	[NULL]	[NULL]	R	B09LD2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	11/12/1993 10:00	N	127-18-4	Tetrachloroethene	0.049	ug/L	U	[NULL]	[NULL]	R	B09LD2	127-18-4	DATACH	8010_VOA_GC	100-NR-2
199-N-77	11/12/1993 10:00	N	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B09LD2	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	Y	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B09LD3	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	N	108-88-3	Toluene	0.056	ug/L	U	[NULL]	[NULL]	R	B09LD2	108-88-3	DATACH	8010_VOA_GC	100-NR-2
199-N-77	11/12/1993 10:00	N	TC	Total carbon	19000	ug/L	B	[NULL]	[NULL]	R	B09LD2	TC	DATACH	D2579A_CARBON	100-NR-2
199-N-77	11/12/1993 10:00	N	TDS	Total dissolved solids	190000	ug/L	[NULL]	[NULL]	[NULL]	R	B09LD2	TDS	DATACH	209B_TDS	100-NR-2
199-N-77	11/12/1993 10:00	N	TOC	Total organic carbon	600	ug/L	LB	[NULL]	[NULL]	R	B09LD2	TOC	DATACH	9060_TOC	100-NR-2
199-N-77	11/12/1993 10:00	N	59473-04-0	Total organic halides	76	ug/L	[NULL]	[NULL]	[NULL]	R	B09LH7	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-77	11/12/1993 10:00	N	79-01-6	Trichloroethene	0.065	ug/L	U	[NULL]	[NULL]	R	B09LD2	79-01-6	DATACH	8010_VOA_GC	100-NR-2
199-N-77	11/12/1993 10:00	N	TURBIDITY	Turbidity	0.9	NTU	[NULL]	[NULL]	[NULL]	R	B09LD2	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-77	11/12/1993 10:00	N	7440-62-2	Vanadium	12	ug/L	L	[NULL]	[NULL]	R	B09LD2	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	Y	7440-62-2	Vanadium	12	ug/L	L	[NULL]	[NULL]	R	B09LD3	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	N	75-01-4	Vinyl chloride	0.266	ug/L	U	[NULL]	[NULL]	R	B09LD2	75-01-4	DATACH	8010_VOA_GC	100-NR-2
199-N-77	11/12/1993 10:00	N	1330-20-7	Xylenes (total)	0.202	ug/L	U	[NULL]	[NULL]	R	B09LD2	1330-20-7	DATACH	8010_VOA_GC	100-NR-2
199-N-77	11/12/1993 10:00	Y	7440-66-6	Zinc	3.44	ug/L	U	[NULL]	[NULL]	R	B09LD3	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	N	7440-66-6	Zinc	3.44	ug/L	U	[NULL]	[NULL]	R	B09LD2	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/12/1993 10:00	N	156-59-2	cis-1,2-Dichloroethylene	0.127	ug/L	U	[NULL]	[NULL]	R	B09LD2	156-59-2	DATACH	8010_VOA_GC	100-NR-2
199-N-77	11/12/1993 10:00	N	PH	pH Measurement	8.04	unitless	[NULL]	[NULL]	[NULL]	R	B09LD2	PH	FIELD	9040_PH	100-NR-2
199-N-77	11/12/1993 10:00	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	B09LD2	PH	DATACH	D1293_PH	100-NR-2
199-N-77	11/12/1993 10:00	N	156-60-5	trans-1,2-Dichloroethylene	0.149	ug/L	U	[NULL]	[NULL]	R	B09LD2	156-60-5	DATACH	8010_VOA_GC	100-NR-2
199-N-77	2/1/1994 9:15	N	71-55-6	1,1,1-Trichloroethane	0.072	ug/L	U	[NULL]	[NULL]	R	B09TW3	71-55-6	DATACH	8010_VOA_GC	100-NR-2
199-N-77	2/1/1994 9:15	N	79-00-5	1,1,2-Trichloroethane	0.043	ug/L	U	[NULL]	[NULL]	R	B09TW3	79-00-5	DATACH	8010_VOA_GC	100-NR-2
199-N-77	2/1/1994 9:15	N	75-34-3	1,1-Dichloroethane	0.337	ug/L	U	[NULL]	[NULL]	R	B09TW3	75-34-3	DATACH	8010_VOA_GC	100-NR-2
199-N-77	2/1/1994 9:15	N	107-06-2	1,2-Dichloroethane	0.139	ug/L	UX	[NULL]	[NULL]	R	B09TW3	107-06-2	DATACH	8010_VOA_GC	100-NR-2
199-N-77	2/1/1994 9:15	N	106-46-7	1,4-Dichlorobenzene	0.107	ug/L	U	[NULL]	[NULL]	R	B09TW3	106-46-7	DATACH	8010_VOA_GC	100-NR-2
199-N-77	2/1/1994 9:15	N	ALKALINITY	Alkalinity	70000	ug/L	B	[NULL]	[NULL]	R	B09TW3	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-77	2/1/1994 9:15	Y	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B09TW4	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	N	7429-90-5	Aluminum	32.5	ug/L	U	[NULL]	[NULL]	R	B09TW3	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	N	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B09TW3	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	Y	7440-36-0	Antimony	69.4	ug/L	U	[NULL]	[NULL]	R	B09TW4	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	Y	7440-38-2	Arsenic	3	ug/L	L	[NULL]	[NULL]	R	B09TW4	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-77	2/1/1994 9:15	N	7440-38-2	Arsenic	2.8	ug/L	L	[NULL]	[NULL]	R	B09TW3	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-77	2/1/1994 9:15	N	7440-39-3	Barium	16	ug/L	LB	[NULL]	[NULL]	R	B09TW3	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	Y	7440-39-3	Barium	17	ug/L	LB	[NULL]	[NULL]	R	B09TW4	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	N	71-43-2	Benzene	0.105	ug/L	U	[NULL]	[NULL]	R	B09TW3	71-43-2	DATACH	8010_VOA_GC	100-NR-2
199-N-77	2/1/1994 9:15	N	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B09TW3	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	Y	7440-41-7	Beryllium	0.814	ug/L	U	[NULL]	[NULL]	R	B09TW4	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	N	24959-67-9	Bromide	52.8	ug/L	U	[NULL]	[NULL]	R	B09TW3	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	2/1/1994 9:15	Y	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B09TW4	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	N	7440-43-9	Cadmium	4.7	ug/L	U	[NULL]	[NULL]	R	B09TW3	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	Y	7440-70-2	Calcium	23000	ug/L	B	[NULL]	[NULL]	R	B09TW4	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	N	7440-70-2	Calcium	22000	ug/L	B	[NULL]	[NULL]	R	B09TW3	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	N	56-23-5	Carbon tetrachloride	0.121	ug/L	U	[NULL]	[NULL]	R	B09TW3	56-23-5	DATACH	8010_VOA_GC	100-NR-2
199-N-77	2/1/1994 9:15	N	16887-00-6	Chloride	7300	ug/L	[NULL]	[NULL]	[NULL]	R	B09TW3	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	2/1/1994 9:15	N	67-66-3	Chloroform	33	ug/L	[NULL]	[NULL]	[NULL]	R	B09TW3	67-66-3	DATACH	8010_VOA_GC	100-NR-2
199-N-77	2/1/1994 9:15	Y	7440-47-3	Chromium	7.3	ug/L	L	[NULL]	[NULL]	R	B09TW4	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	N	7440-47-3	Chromium	27	ug/L	[NULL]	[NULL]	[NULL]	R	B09TW3	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	N	7440-48-4	Cobalt	4.05	ug/L	U	[NULL]	[NULL]	R	B09TW3	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	Y	7440-48-4	Cobalt	4.05	ug/L	U	[NULL]	[NULL]	R	B09TW4	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	Y	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B09TW4	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	N	7440-50-8	Copper	2.65	ug/L	U	[NULL]	[NULL]	R	B09TW3	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	N	100-41-4	Ethylbenzene	0.05	ug/L	BL	[NULL]	[NULL]	R	B09TW3	100-41-4	DATACH	8010_VOA_GC	100-NR-2
199-N-77	2/1/1994 9:15	N	16984-48-8	Fluoride	700	ug/L	[NULL]	[NULL]	[NULL]	R	B09TW3	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	2/1/1994 9:15	Y	7439-89-6	Iron	37	ug/L	[NULL]	Q	[NULL]	R	B09TW4	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	N	7439-89-6	Iron	130	ug/L	[NULL]	Q	[NULL]	R	B09TW3	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	N	7439-92-1	Lead	1.1	ug/L	L	[NULL]	[NULL]	R	B09TW3	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-77	2/1/1994 9:15	Y	7439-92-1	Lead	0.66	ug/L	L	[NULL]	[NULL]	R	B09TW4	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-77	2/1/1994 9:15	N	7439-95-4	Magnesium	4800	ug/L	[NULL]	[NULL]	[NULL]	R	B09TW3	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	Y	7439-95-4	Magnesium	5000	ug/L	[NULL]	[NULL]	[NULL]	R	B09TW4	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	N	7439-96-5	Manganese	3.2	ug/L	L	[NULL]	[NULL]	R	B09TW3	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	Y	7439-96-5	Manganese	1.35	ug/L	U	[NULL]	[NULL]	R	B09TW4	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	N	75-09-2	Methylene chloride	0.056	ug/L	U	[NULL]	[NULL]	R	B09TW3	75-09-2	DATACH	8010_VOA_GC	100-NR-2
199-N-77	2/1/1994 9:15	Y	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B09TW4	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	N	7440-02-0	Nickel	17.9	ug/L	U	[NULL]	[NULL]	R	B09TW3	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-77	2/1/1994 9:15	N	14797-55-8	Nitrate	1500	ug/L	[NULL]	[NULL]	[NULL]	R	B09TW3	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	2/1/1994 9:15	N	14797-65-0	Nitrite	38.3	ug/L	U	[NULL]	[NULL]	R	B09TW3	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	2/1/1994 9:15	N	14265-44-2	Phosphate	147	ug/L	U	[NULL]	[NULL]	R	B09TW3	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	2/1/1994 9:15	Y	7440-09-7	Potassium	2800	ug/L	B	[NULL]	[NULL]	R	B09TW4	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	N	7440-09-7	Potassium	2800	ug/L	B	[NULL]	[NULL]	R	B09TW3	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	N	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B09TW3	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	Y	7440-22-4	Silver	2.87	ug/L	U	[NULL]	[NULL]	R	B09TW4	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	N	7440-23-5	Sodium	17000	ug/L	B	[NULL]	[NULL]	R	B09TW3	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	Y	7440-23-5	Sodium	18000	ug/L	B	[NULL]	[NULL]	R	B09TW4	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	N	CONDUCT	Specific Conductance	250	uS/cm	[NULL]	[NULL]	[NULL]	R	B09TW3	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-77	2/1/1994 9:15	N	CONDUCT	Specific Conductance	237	uS/cm	[NULL]	[NULL]	[NULL]	R	B09TW3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	2/1/1994 9:15	N	14808-79-8	Sulfate	37000	ug/L	D	[NULL]	[NULL]	R	B09TW3	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	2/1/1994 9:15	N	TEMPERATURE	Temperature	18.1	Deg C	[NULL]	[NULL]	[NULL]	R	B09TW3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	2/1/1994 9:15	N	127-18-4	Tetrachloroethene	0.056	ug/L	L	[NULL]	[NULL]	R	B09TW3	127-18-4	DATACH	8010_VOA_GC	100-NR-2
199-N-77	2/1/1994 9:15	Y	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B09TW4	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	N	7440-31-5	Tin	51.1	ug/L	U	[NULL]	[NULL]	R	B09TW3	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	N	108-88-3	Toluene	0.065	ug/L	L	[NULL]	[NULL]	R	B09TW3	108-88-3	DATACH	8010_VOA_GC	100-NR-2
199-N-77	2/1/1994 9:15	N	TC	Total carbon	17000	ug/L	B	Q	[NULL]	R	B09TW3	TC	DATACH	D2579A_CARBON	100-NR-2
199-N-77	2/1/1994 9:15	N	TDS	Total dissolved solids	200000	ug/L	[NULL]	[NULL]	[NULL]	R	B09TW3	TDS	DATACH	209B_TDS	100-NR-2
199-N-77	2/1/1994 9:15	N	TOC	Total organic carbon	400	ug/L	L	[NULL]	[NULL]	R	B09TW3	TOC	DATACH	9060_TOC	100-NR-2
199-N-77	2/1/1994 9:15	N	59473-04-0	Total organic halides	32.1	ug/L	[NULL]	[NULL]	[NULL]	R	B09TW3	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-77	2/1/1994 9:15	N	79-01-6	Trichloroethene	0.065	ug/L	U	[NULL]	[NULL]	R	B09TW3	79-01-6	DATACH	8010_VOA_GC	100-NR-2
199-N-77	2/1/1994 9:15	N	TURBIDITY	Turbidity	1	NTU	[NULL]	[NULL]	[NULL]	R	B09TW3	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-77	2/1/1994 9:15	Y	7440-62-2	Vanadium	11	ug/L	L	[NULL]	[NULL]	R	B09TW4	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	N	7440-62-2	Vanadium	11	ug/L	L	[NULL]	[NULL]	R	B09TW3	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	N	75-01-4	Vinyl chloride	0.266	ug/L	UX	[NULL]	[NULL]	R	B09TW3	75-01-4	DATACH	8010_VOA_GC	100-NR-2
199-N-77	2/1/1994 9:15	N	1330-20-7	Xylenes (total)	0.23	ug/L	L	[NULL]	[NULL]	R	B09TW3	1330-20-7	DATACH	8010_VOA_GC	100-NR-2
199-N-77	2/1/1994 9:15	N	7440-66-6	Zinc	6	ug/L	LB	[NULL]	[NULL]	R	B09TW3	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	Y	7440-66-6	Zinc	5.1	ug/L	LB	[NULL]	[NULL]	R	B09TW4	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	2/1/1994 9:15	N	156-59-2	cis-1,2-Dichloroethylene	0.127	ug/L	U	[NULL]	[NULL]	R	B09TW3	156-59-2	DATACH	8010_VOA_GC	100-NR-2
199-N-77	2/1/1994 9:15	N	PH	pH Measurement	8.14	unitless	[NULL]	[NULL]	[NULL]	R	B09TW3	PH	FIELD	9040_PH	100-NR-2
199-N-77	2/1/1994 9:15	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	B09TW3	PH	DATACH	D1293_PH	100-NR-2
199-N-77	2/1/1994 9:15	N	156-60-5	trans-1,2-Dichloroethylene	0.149	ug/L	U	[NULL]	[NULL]	R	B09TW3	156-60-5	DATACH	8010_VOA_GC	100-NR-2
199-N-77	5/12/1994 10:15	N	71-55-6	1,1,1-Trichloroethane	0.22	ug/L	U	[NULL]	[NULL]	R	B0BWP0	71-55-6	DATACH	8010_VOA_GC	100-NR-2
199-N-77	5/12/1994 10:15	N	79-00-5	1,1,2-Trichloroethane	0.062	ug/L	U	[NULL]	[NULL]	R	B0BWP0	79-00-5	DATACH	8010_VOA_GC	100-NR-2
199-N-77	5/12/1994 10:15	N	75-34-3	1,1-Dichloroethane	0.08	ug/L	U	[NULL]	[NULL]	R	B0BWP0	75-34-3	DATACH	8010_VOA_GC	100-NR-2
199-N-77	5/12/1994 10:15	N	107-06-2	1,2-Dichloroethane	0.055	ug/L	U	[NULL]	[NULL]	R	B0BWP0	107-06-2	DATACH	8010_VOA_GC	100-NR-2
199-N-77	5/12/1994 10:15	N	106-46-7	1,4-Dichlorobenzene	0.107	ug/L	U	[NULL]	[NULL]	R	B0BWP0	106-46-7	DATACH	8010_VOA_GC	100-NR-2
199-N-77	5/12/1994 10:15	N	ALKALINITY	Alkalinity	70000	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWP0	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-77	5/12/1994 10:15	Y	7429-90-5	Aluminum	38	ug/L	BL	[NULL]	[NULL]	R	B0BWP1	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	N	7429-90-5	Aluminum	130	ug/L	BL	[NULL]	[NULL]	R	B0BWP0	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	Y	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0BWP1	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	N	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0BWP0	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	N	7440-38-2	Arsenic	3.9	ug/L	L	[NULL]	[NULL]	R	B0BWP0	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-77	5/12/1994 10:15	Y	7440-38-2	Arsenic	4.2	ug/L	L	[NULL]	[NULL]	R	B0BWP1	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-77	5/12/1994 10:15	N	7440-39-3	Barium	20	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWP0	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	Y	7440-39-3	Barium	17	ug/L	L	[NULL]	[NULL]	R	B0BWP1	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	N	71-43-2	Benzene	0.24	ug/L	U	[NULL]	[NULL]	R	B0BWP0	71-43-2	DATACH	8010_VOA_GC	100-NR-2
199-N-77	5/12/1994 10:15	N	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0BWP0	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	Y	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0BWP1	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	N	24959-67-9	Bromide	110	ug/L	U	[NULL]	[NULL]	R	B0BWP0	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	5/12/1994 10:15	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0BWP0	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0BWP1	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	N	7440-70-2	Calcium	26000	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWP0	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-77	5/12/1994 10:15	Y	7440-70-2	Calcium	25000	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWP1	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	N	56-23-5	Carbon tetrachloride	0.32	ug/L	U	[NULL]	[NULL]	R	B0BWP0	56-23-5	DATACH	8010_VOA_GC	100-NR-2
199-N-77	5/12/1994 10:15	N	16887-00-6	Chloride	7000	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWP0	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	5/12/1994 10:15	N	67-66-3	Chloroform	28	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWP0	67-66-3	DATACH	8010_VOA_GC	100-NR-2
199-N-77	5/12/1994 10:15	Y	7440-47-3	Chromium	11	ug/L	U	[NULL]	[NULL]	R	B0BWP1	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	N	7440-47-3	Chromium	19	ug/L	L	[NULL]	[NULL]	R	B0BWP0	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	N	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0BWP0	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	Y	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0BWP1	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	N	7440-50-8	Copper	3.8	ug/L	L	[NULL]	[NULL]	R	B0BWP0	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	Y	7440-50-8	Copper	3.2	ug/L	L	[NULL]	[NULL]	R	B0BWP1	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	N	100-41-4	Ethylbenzene	0.043	ug/L	U	[NULL]	[NULL]	R	B0BWP0	100-41-4	DATACH	8010_VOA_GC	100-NR-2
199-N-77	5/12/1994 10:15	N	16984-48-8	Fluoride	800	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWP0	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	5/12/1994 10:15	Y	7439-89-6	Iron	30	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWP1	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	N	7439-89-6	Iron	240	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWP0	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	N	7439-92-1	Lead	1.1	ug/L	BL	[NULL]	[NULL]	R	B0BWP0	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-77	5/12/1994 10:15	Y	7439-92-1	Lead	1.3	ug/L	BL	[NULL]	[NULL]	R	B0BWP1	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-77	5/12/1994 10:15	N	7439-95-4	Magnesium	5600	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWP0	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	Y	7439-95-4	Magnesium	5400	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWP1	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	N	7439-96-5	Manganese	11	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWP0	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	Y	7439-96-5	Manganese	1	ug/L	U	[NULL]	[NULL]	R	B0BWP1	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	N	75-09-2	Methylene chloride	0.082	ug/L	U	[NULL]	[NULL]	R	B0BWP0	75-09-2	DATACH	8010_VOA_GC	100-NR-2
199-N-77	5/12/1994 10:15	N	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0BWP0	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	Y	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0BWP1	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	N	14797-55-8	Nitrate	700	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWP0	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	5/12/1994 10:15	N	14797-65-0	Nitrite	110	ug/L	U	[NULL]	[NULL]	R	B0BWP0	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	5/12/1994 10:15	N	14265-44-2	Phosphate	470	ug/L	U	[NULL]	[NULL]	R	B0BWP0	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	5/12/1994 10:15	Y	7440-09-7	Potassium	3500	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWP1	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	N	7440-09-7	Potassium	3300	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWP0	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	Y	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0BWP1	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	N	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0BWP0	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	Y	7440-23-5	Sodium	21000	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWP1	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	N	7440-23-5	Sodium	20000	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWP0	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	N	CONDUCT	Specific Conductance	244	uS/cm	[NULL]	[NULL]	[NULL]	R	B0BWP0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	5/12/1994 10:15	N	CONDUCT	Specific Conductance	260	uS/cm	[NULL]	[NULL]	[NULL]	R	B0BWP0	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-77	5/12/1994 10:15	N	14808-79-8	Sulfate	43000	ug/L	D	[NULL]	[NULL]	R	B0BWP0	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	5/12/1994 10:15	N	TEMPERATURE	Temperature	19.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0BWP0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	5/12/1994 10:15	N	127-18-4	Tetrachloroethene	0.08	ug/L	U	[NULL]	[NULL]	R	B0BWP0	127-18-4	DATACH	8010_VOA_GC	100-NR-2
199-N-77	5/12/1994 10:15	Y	7440-31-5	Tin	52	ug/L	BL	Q	[NULL]	R	B0BWP1	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	N	7440-31-5	Tin	49	ug/L	BL	Q	[NULL]	R	B0BWP0	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	N	108-88-3	Toluene	0.077	ug/L	U	[NULL]	[NULL]	R	B0BWP0	108-88-3	DATACH	8010_VOA_GC	100-NR-2
199-N-77	5/12/1994 10:15	N	TC	Total carbon	18000	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWP0	TC	DATACH	D2579A_CARBON	100-NR-2
199-N-77	5/12/1994 10:15	N	TDS	Total dissolved solids	190000	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWP0	TDS	DATACH	209B_TDS	100-NR-2
199-N-77	5/12/1994 10:15	N	TOC	Total organic carbon	500	ug/L	L	[NULL]	[NULL]	R	B0BWP0	TOC	DATACH	9060_TOC	100-NR-2
199-N-77	5/12/1994 10:15	N	59473-04-0	Total organic halides	58.2	ug/L	[NULL]	[NULL]	[NULL]	R	B0BWP0	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-77	5/12/1994 10:15	N	79-01-6	Trichloroethene	0.043	ug/L	U	[NULL]	[NULL]	R	B0BWP0	79-01-6	DATACH	8010_VOA_GC	100-NR-2
199-N-77	5/12/1994 10:15	N	TURBIDITY	Turbidity	3	NTU	[NULL]	[NULL]	[NULL]	R	B0BWP0	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-77	5/12/1994 10:15	Y	7440-62-2	Vanadium	12	ug/L	L	[NULL]	[NULL]	R	B0BWP1	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	N	7440-62-2	Vanadium	13	ug/L	L	[NULL]	[NULL]	R	B0BWP0	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	N	75-01-4	Vinyl chloride	0.15	ug/L	U	[NULL]	[NULL]	R	B0BWP0	75-01-4	DATACH	8010_VOA_GC	100-NR-2
199-N-77	5/12/1994 10:15	N	1330-20-7	Xylenes (total)	0.2	ug/L	U	[NULL]	[NULL]	R	B0BWP0	1330-20-7	DATACH	8010_VOA_GC	100-NR-2
199-N-77	5/12/1994 10:15	Y	7440-66-6	Zinc	4.4	ug/L	U	[NULL]	[NULL]	R	B0BWP1	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	N	7440-66-6	Zinc	4.4	ug/L	U	[NULL]	[NULL]	R	B0BWP0	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/12/1994 10:15	N	156-59-2	cis-1,2-Dichloroethylene	0.045	ug/L	U	[NULL]	[NULL]	R	B0BWP0	156-59-2	DATACH	8010_VOA_GC	100-NR-2
199-N-77	5/12/1994 10:15	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B0BWP0	PH	DATACH	D1293_PH	100-NR-2
199-N-77	5/12/1994 10:15	N	PH	pH Measurement	8.05	unitless	[NULL]	[NULL]	[NULL]	R	B0BWP0	PH	FIELD	9040_PH	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-77	5/12/1994 10:15	N	156-60-5	trans-1,2-Dichloroethylene	0.067	ug/L	U	[NULL]	[NULL]	R	B0BWP0	156-60-5	DATACH	8010_VOA_GC	100-NR-2
199-N-77	8/26/1994 10:35	N	71-55-6	1,1,1-Trichloroethane	0.22	ug/L	U	[NULL]	[NULL]	R	B0C9D1	71-55-6	DATACH	8010_VOA_GC	100-NR-2
199-N-77	8/26/1994 10:35	N	79-00-5	1,1,2-Trichloroethane	0.062	ug/L	U	[NULL]	[NULL]	R	B0C9D1	79-00-5	DATACH	8010_VOA_GC	100-NR-2
199-N-77	8/26/1994 10:35	N	75-34-3	1,1-Dichloroethane	0.08	ug/L	U	[NULL]	[NULL]	R	B0C9D1	75-34-3	DATACH	8010_VOA_GC	100-NR-2
199-N-77	8/26/1994 10:35	N	107-06-2	1,2-Dichloroethane	0.055	ug/L	U	[NULL]	[NULL]	R	B0C9D1	107-06-2	DATACH	8010_VOA_GC	100-NR-2
199-N-77	8/26/1994 10:35	N	106-46-7	1,4-Dichlorobenzene	0.107	ug/L	U	[NULL]	[NULL]	R	B0C9D1	106-46-7	DATACH	8010_VOA_GC	100-NR-2
199-N-77	8/26/1994 10:35	N	ALKALINITY	Alkalinity	90000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9D1	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-77	8/26/1994 10:35	N	7429-90-5	Aluminum	120	ug/L	LB	[NULL]	[NULL]	R	B0C9D1	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	Y	7429-90-5	Aluminum	54	ug/L	LB	[NULL]	[NULL]	R	B0C9D2	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	Y	7440-36-0	Antimony	26	ug/L	U	[NULL]	[NULL]	R	B0C9D2	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	N	7440-36-0	Antimony	31	ug/L	L	[NULL]	[NULL]	R	B0C9D1	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	N	14234-35-6	Antimony-125	3.98	pCi/L	U	[NULL]	[NULL]	R	B0CJF7	14234-35-6	ITASRL	GAMMA_GS	100-NR-2
199-N-77	8/26/1994 10:35	Y	7440-38-2	Arsenic	1.7	ug/L	L	[NULL]	[NULL]	R	B0C9D2	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-77	8/26/1994 10:35	N	7440-38-2	Arsenic	1.9	ug/L	L	[NULL]	[NULL]	R	B0C9D1	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-77	8/26/1994 10:35	N	7440-39-3	Barium	57	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9D1	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	Y	7440-39-3	Barium	68	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9D2	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	N	71-43-2	Benzene	0.24	ug/L	U	[NULL]	[NULL]	R	B0C9D1	71-43-2	DATACH	8010_VOA_GC	100-NR-2
199-N-77	8/26/1994 10:35	N	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C9D1	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	Y	7440-41-7	Beryllium	1.5	ug/L	U	[NULL]	[NULL]	R	B0C9D2	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	N	24959-67-9	Bromide	110	ug/L	U	[NULL]	[NULL]	R	B0C9D1	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	8/26/1994 10:35	N	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C9D1	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0C9D2	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	Y	7440-70-2	Calcium	96000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9D2	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	N	7440-70-2	Calcium	79000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9D1	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	N	56-23-5	Carbon tetrachloride	0.32	ug/L	U	[NULL]	[NULL]	R	B0C9D1	56-23-5	DATACH	8010_VOA_GC	100-NR-2
199-N-77	8/26/1994 10:35	N	10045-97-3	Cesium-137	-1.61	pCi/L	U	[NULL]	[NULL]	R	B0CJF7	10045-97-3	ITASRL	GAMMA_GS	100-NR-2
199-N-77	8/26/1994 10:35	N	16887-00-6	Chloride	6300	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9D1	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	8/26/1994 10:35	N	67-66-3	Chloroform	30	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9D1	67-66-3	DATACH	8010_VOA_GC	100-NR-2
199-N-77	8/26/1994 10:35	Y	7440-47-3	Chromium	11	ug/L	U	[NULL]	[NULL]	R	B0C9D2	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	N	7440-47-3	Chromium	14	ug/L	L	[NULL]	[NULL]	R	B0C9D1	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	Y	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C9D2	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	N	7440-48-4	Cobalt	6.5	ug/L	U	[NULL]	[NULL]	R	B0C9D1	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	N	10198-40-0	Cobalt-60	-2.19	pCi/L	U	[NULL]	[NULL]	R	B0CJF7	10198-40-0	ITASRL	GAMMA_GS	100-NR-2
199-N-77	8/26/1994 10:35	Y	7440-50-8	Copper	2.6	ug/L	U	[NULL]	[NULL]	R	B0C9D2	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	N	7440-50-8	Copper	2.6	ug/L	U	[NULL]	[NULL]	R	B0C9D1	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	N	100-41-4	Ethylbenzene	0.043	ug/L	U	[NULL]	[NULL]	R	B0C9D1	100-41-4	DATACH	8010_VOA_GC	100-NR-2
199-N-77	8/26/1994 10:35	N	16984-48-8	Fluoride	1000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9D1	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	8/26/1994 10:35	N	12587-46-1	Gross alpha	2.09	pCi/L	U	[NULL]	[NULL]	R	B0CJF7	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-77	8/26/1994 10:35	N	12587-47-2	Gross beta	4.81	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CJF7	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-77	8/26/1994 10:35	Y	7439-89-6	Iron	67	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9D2	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	N	7439-89-6	Iron	220	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9D1	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	Y	7439-92-1	Lead	1.2	ug/L	L	[NULL]	[NULL]	R	B0C9D2	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-77	8/26/1994 10:35	N	7439-92-1	Lead	1.2	ug/L	L	[NULL]	[NULL]	R	B0C9D1	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-77	8/26/1994 10:35	Y	7439-95-4	Magnesium	20000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9D2	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	N	7439-95-4	Magnesium	16000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9D1	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	Y	7439-96-5	Manganese	3.9	ug/L	L	[NULL]	[NULL]	R	B0C9D2	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	N	7439-96-5	Manganese	12	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9D1	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	N	75-09-2	Methylene chloride	0.082	ug/L	U	[NULL]	[NULL]	R	B0C9D1	75-09-2	DATACH	8010_VOA_GC	100-NR-2
199-N-77	8/26/1994 10:35	N	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0C9D1	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	Y	7440-02-0	Nickel	16	ug/L	U	[NULL]	[NULL]	R	B0C9D2	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	N	14797-55-8	Nitrate	2200	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9D1	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	8/26/1994 10:35	N	14797-65-0	Nitrite	110	ug/L	U	[NULL]	[NULL]	R	B0C9D1	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	8/26/1994 10:35	N	14265-44-2	Phosphate	470	ug/L	U	[NULL]	[NULL]	R	B0C9D1	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	8/26/1994 10:35	N	7440-09-7	Potassium	3900	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9D1	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-77	8/26/1994 10:35	Y	7440-09-7	Potassium	4600	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9D2	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	N	13967-48-1	Ruthenium-106	-12.5	pCi/L	U	[NULL]	[NULL]	R	B0CJF7	13967-48-1	ITASRL	GAMMA_GS	100-NR-2
199-N-77	8/26/1994 10:35	N	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C9D1	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	Y	7440-22-4	Silver	3.4	ug/L	U	[NULL]	[NULL]	R	B0C9D2	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	Y	7440-23-5	Sodium	44000	ug/L	B	[NULL]	[NULL]	R	B0C9D2	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	N	7440-23-5	Sodium	38000	ug/L	B	[NULL]	[NULL]	R	B0C9D1	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	N	CONDUCT	Specific Conductance	670	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C9D1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	8/26/1994 10:35	N	CONDUCT	Specific Conductance	690	uS/cm	[NULL]	[NULL]	[NULL]	R	B0C9D1	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-77	8/26/1994 10:35	N	10098-97-2	Strontium-90	0.448	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CJF7	10098-97-2	ITASRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-77	8/26/1994 10:35	N	14808-79-8	Sulfate	410000	ug/L	D	[NULL]	[NULL]	R	B0C9D1	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	8/26/1994 10:35	N	TEMPERATURE	Temperature	19.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0C9D1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	8/26/1994 10:35	N	127-18-4	Tetrachloroethene	0.08	ug/L	U	[NULL]	[NULL]	R	B0C9D1	127-18-4	DATACH	8010_VOA_GC	100-NR-2
199-N-77	8/26/1994 10:35	N	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0C9D1	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	Y	7440-31-5	Tin	24	ug/L	U	[NULL]	[NULL]	R	B0C9D2	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	N	108-88-3	Toluene	0.077	ug/L	U	[NULL]	[NULL]	R	B0C9D1	108-88-3	DATACH	8010_VOA_GC	100-NR-2
199-N-77	8/26/1994 10:35	N	TC	Total carbon	17000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9D1	TC	DATACH	415.1_TOC	100-NR-2
199-N-77	8/26/1994 10:35	N	TDS	Total dissolved solids	530000	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9D1	TDS	DATACH	209B_TDS	100-NR-2
199-N-77	8/26/1994 10:35	N	TOC	Total organic carbon	320	ug/L	L	[NULL]	[NULL]	R	B0C9D1	TOC	DATACH	9060_TOC	100-NR-2
199-N-77	8/26/1994 10:35	N	59473-04-0	Total organic halides	50.1	ug/L	[NULL]	[NULL]	[NULL]	R	B0C9D1	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-77	8/26/1994 10:35	N	79-01-6	Trichloroethene	0.043	ug/L	U	[NULL]	[NULL]	R	B0C9D1	79-01-6	DATACH	8010_VOA_GC	100-NR-2
199-N-77	8/26/1994 10:35	N	10028-17-8	Tritium	584	pCi/L	[NULL]	[NULL]	[NULL]	R	B0CJF7	10028-17-8	ITASRL	TRITIUM_DIST_LSC	100-NR-2
199-N-77	8/26/1994 10:35	N	TURBIDITY	Turbidity	3.2	NTU	[NULL]	Q	[NULL]	R	B0C9D1	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-77	8/26/1994 10:35	Y	7440-62-2	Vanadium	7.2	ug/L	L	[NULL]	[NULL]	R	B0C9D2	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	N	7440-62-2	Vanadium	6.6	ug/L	L	[NULL]	[NULL]	R	B0C9D1	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	N	75-01-4	Vinyl chloride	0.15	ug/L	U	[NULL]	[NULL]	R	B0C9D1	75-01-4	DATACH	8010_VOA_GC	100-NR-2
199-N-77	8/26/1994 10:35	N	1330-20-7	Xylenes (total)	0.2	ug/L	U	[NULL]	[NULL]	R	B0C9D1	1330-20-7	DATACH	8010_VOA_GC	100-NR-2
199-N-77	8/26/1994 10:35	N	7440-66-6	Zinc	4.4	ug/L	U	[NULL]	[NULL]	R	B0C9D1	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	Y	7440-66-6	Zinc	6.7	ug/L	L	[NULL]	[NULL]	R	B0C9D2	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	8/26/1994 10:35	N	156-59-2	cis-1,2-Dichloroethylene	0.045	ug/L	U	[NULL]	[NULL]	R	B0C9D1	156-59-2	DATACH	8010_VOA_GC	100-NR-2
199-N-77	8/26/1994 10:35	N	PH	pH Measurement	7.8	unitless	[NULL]	[NULL]	[NULL]	R	B0C9D1	PH	FIELD	9040_PH	100-NR-2
199-N-77	8/26/1994 10:35	N	PH	pH Measurement	8	unitless	[NULL]	[NULL]	[NULL]	R	B0C9D1	PH	DATACH	D1293_PH	100-NR-2
199-N-77	8/26/1994 10:35	N	156-60-5	trans-1,2-Dichloroethylene	0.067	ug/L	U	[NULL]	[NULL]	R	B0C9D1	156-60-5	DATACH	8010_VOA_GC	100-NR-2
199-N-77	11/7/1994 10:30	N	71-55-6	1,1,1-Trichloroethane	0.036	ug/L	U	[NULL]	[NULL]	R	B0D725	71-55-6	DATACH	8010_VOA_GC	100-NR-2
199-N-77	11/7/1994 10:30	N	79-00-5	1,1,2-Trichloroethane	0.078	ug/L	U	[NULL]	[NULL]	R	B0D725	79-00-5	DATACH	8010_VOA_GC	100-NR-2
199-N-77	11/7/1994 10:30	N	75-34-3	1,1-Dichloroethane	0.058	ug/L	U	[NULL]	[NULL]	R	B0D725	75-34-3	DATACH	8010_VOA_GC	100-NR-2
199-N-77	11/7/1994 10:30	N	107-06-2	1,2-Dichloroethane	0.029	ug/L	U	[NULL]	[NULL]	R	B0D725	107-06-2	DATACH	8010_VOA_GC	100-NR-2
199-N-77	11/7/1994 10:30	N	106-46-7	1,4-Dichlorobenzene	0.055	ug/L	U	[NULL]	[NULL]	R	B0D725	106-46-7	DATACH	8010_VOA_GC	100-NR-2
199-N-77	11/7/1994 10:30	N	ALKALINITY	Alkalinity	100000	ug/L	[NULL]	[NULL]	[NULL]	R	B0D725	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-77	11/7/1994 10:30	N	7429-90-5	Aluminum	26	ug/L	U	[NULL]	[NULL]	R	B0D725	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	Y	7429-90-5	Aluminum	26	ug/L	U	[NULL]	[NULL]	R	B0D726	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	Y	7440-36-0	Antimony	62	ug/L	U	[NULL]	[NULL]	R	B0D726	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	N	7440-36-0	Antimony	62	ug/L	U	[NULL]	[NULL]	R	B0D725	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	Y	7440-38-2	Arsenic	2.8	ug/L	U	[NULL]	[NULL]	R	B0D726	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-77	11/7/1994 10:30	N	7440-38-2	Arsenic	2.8	ug/L	U	[NULL]	[NULL]	R	B0D725	7440-38-2	DATACH	7060_AS_GFAA	100-NR-2
199-N-77	11/7/1994 10:30	N	7440-39-3	Barium	59	ug/L	[NULL]	[NULL]	[NULL]	R	B0D725	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	Y	7440-39-3	Barium	60	ug/L	[NULL]	[NULL]	[NULL]	R	B0D726	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	N	71-43-2	Benzene	0.013	ug/L	U	[NULL]	[NULL]	R	B0D725	71-43-2	DATACH	8010_VOA_GC	100-NR-2
199-N-77	11/7/1994 10:30	Y	7440-41-7	Beryllium	0.17	ug/L	U	[NULL]	[NULL]	R	B0D726	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	N	7440-41-7	Beryllium	0.17	ug/L	U	[NULL]	[NULL]	R	B0D725	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	N	24959-67-9	Bromide	100	ug/L	U	[NULL]	[NULL]	R	B0D725	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	11/7/1994 10:30	Y	7440-43-9	Cadmium	3.3	ug/L	U	[NULL]	[NULL]	R	B0D726	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	N	7440-43-9	Cadmium	3.3	ug/L	U	[NULL]	[NULL]	R	B0D725	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	Y	7440-70-2	Calcium	58000	ug/L	[NULL]	[NULL]	[NULL]	R	B0D726	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	N	7440-70-2	Calcium	56000	ug/L	[NULL]	[NULL]	[NULL]	R	B0D725	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-77	11/7/1994 10:30	N	56-23-5	Carbon tetrachloride	0.075	ug/L	U	[NULL]	[NULL]	R	B0D725	56-23-5	DATACH	8010_VOA_GC	100-NR-2
199-N-77	11/7/1994 10:30	N	16887-00-6	Chloride	5600	ug/L	[NULL]	[NULL]	[NULL]	R	B0D725	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	11/7/1994 10:30	N	67-66-3	Chloroform	8.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0D725	67-66-3	DATACH	8010_VOA_GC	100-NR-2
199-N-77	11/7/1994 10:30	N	7440-47-3	Chromium	6.9	ug/L	L	[NULL]	[NULL]	R	B0D725	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	Y	7440-47-3	Chromium	4.5	ug/L	U	[NULL]	[NULL]	R	B0D726	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	N	7440-48-4	Cobalt	5.9	ug/L	U	[NULL]	[NULL]	R	B0D725	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	Y	7440-48-4	Cobalt	5.9	ug/L	U	[NULL]	[NULL]	R	B0D726	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	N	7440-50-8	Copper	4.1	ug/L	U	[NULL]	[NULL]	R	B0D725	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	Y	7440-50-8	Copper	4.1	ug/L	U	[NULL]	[NULL]	R	B0D726	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	N	100-41-4	Ethylbenzene	0.051	ug/L	U	[NULL]	[NULL]	R	B0D725	100-41-4	DATACH	8010_VOA_GC	100-NR-2
199-N-77	11/7/1994 10:30	N	16984-48-8	Fluoride	800	ug/L	[NULL]	[NULL]	[NULL]	R	B0D725	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	11/7/1994 10:30	Y	7439-89-6	Iron	14	ug/L	BL	[NULL]	[NULL]	R	B0D726	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	N	7439-89-6	Iron	45	ug/L	B	[NULL]	[NULL]	R	B0D725	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	Y	7439-92-1	Lead	1.5	ug/L	U	[NULL]	[NULL]	R	B0D726	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-77	11/7/1994 10:30	N	7439-92-1	Lead	1.5	ug/L	U	[NULL]	[NULL]	R	B0D725	7439-92-1	DATACH	7421_PB_GFAA	100-NR-2
199-N-77	11/7/1994 10:30	Y	7439-95-4	Magnesium	14000	ug/L	B	[NULL]	[NULL]	R	B0D726	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	N	7439-95-4	Magnesium	14000	ug/L	B	[NULL]	[NULL]	R	B0D725	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	N	7439-96-5	Manganese	2.3	ug/L	L	[NULL]	[NULL]	R	B0D725	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	Y	7439-96-5	Manganese	1.6	ug/L	L	[NULL]	[NULL]	R	B0D726	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	N	75-09-2	Methylene chloride	0.09	ug/L	U	[NULL]	[NULL]	R	B0D725	75-09-2	DATACH	8010_VOA_GC	100-NR-2
199-N-77	11/7/1994 10:30	N	7440-02-0	Nickel	13	ug/L	L	[NULL]	[NULL]	R	B0D725	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	Y	7440-02-0	Nickel	13	ug/L	U	[NULL]	[NULL]	R	B0D726	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	N	14797-55-8	Nitrate	2700	ug/L	[NULL]	[NULL]	[NULL]	R	B0D725	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	11/7/1994 10:30	N	14797-65-0	Nitrite	18	ug/L	U	[NULL]	[NULL]	R	B0D725	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	11/7/1994 10:30	N	14265-44-2	Phosphate	82	ug/L	U	[NULL]	[NULL]	R	B0D725	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	11/7/1994 10:30	N	7440-09-7	Potassium	5300	ug/L	[NULL]	[NULL]	[NULL]	R	B0D725	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	Y	7440-09-7	Potassium	5100	ug/L	[NULL]	[NULL]	[NULL]	R	B0D726	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	N	7440-22-4	Silver	3.6	ug/L	U	[NULL]	[NULL]	R	B0D725	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	Y	7440-22-4	Silver	3.6	ug/L	U	[NULL]	[NULL]	R	B0D726	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	N	7440-23-5	Sodium	160000	ug/L	B	[NULL]	[NULL]	R	B0D725	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	Y	7440-23-5	Sodium	170000	ug/L	B	[NULL]	[NULL]	R	B0D726	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	N	CONDUCT	Specific Conductance	1009	uS/cm	[NULL]	[NULL]	[NULL]	R	B0D725	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	11/7/1994 10:30	N	CONDUCT	Specific Conductance	1200	uS/cm	[NULL]	[NULL]	[NULL]	R	B0D725	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-77	11/7/1994 10:30	N	14808-79-8	Sulfate	460000	ug/L	D	[NULL]	[NULL]	R	B0D725	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	11/7/1994 10:30	N	TEMPERATURE	Temperature	18.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0D725	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	11/7/1994 10:30	N	127-18-4	Tetrachloroethene	0.22	ug/L	U	[NULL]	[NULL]	R	B0D725	127-18-4	DATACH	8010_VOA_GC	100-NR-2
199-N-77	11/7/1994 10:30	Y	7440-31-5	Tin	69	ug/L	U	[NULL]	[NULL]	R	B0D726	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	N	7440-31-5	Tin	69	ug/L	U	[NULL]	[NULL]	R	B0D725	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	N	108-88-3	Toluene	0.016	ug/L	U	[NULL]	[NULL]	R	B0D725	108-88-3	DATACH	8010_VOA_GC	100-NR-2
199-N-77	11/7/1994 10:30	N	TC	Total carbon	22000	ug/L	B	[NULL]	[NULL]	R	B0D725	TC	DATACH	415.1_TOC	100-NR-2
199-N-77	11/7/1994 10:30	N	TDS	Total dissolved solids	800000	ug/L	[NULL]	[NULL]	[NULL]	R	B0D725	TDS	DATACH	209B_TDS	100-NR-2
199-N-77	11/7/1994 10:30	N	TOC	Total organic carbon	300	ug/L	LB	Q	[NULL]	R	B0D725	TOC	DATACH	9060_TOC	100-NR-2
199-N-77	11/7/1994 10:30	N	59473-04-0	Total organic halides	15.4	ug/L	[NULL]	Q	[NULL]	R	B0D725	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-77	11/7/1994 10:30	N	79-01-6	Trichloroethene	0.11	ug/L	U	[NULL]	[NULL]	R	B0D725	79-01-6	DATACH	8010_VOA_GC	100-NR-2
199-N-77	11/7/1994 10:30	N	TURBIDITY	Turbidity	0.73	NTU	[NULL]	Q	[NULL]	R	B0D725	TURBIDITY	DATACH	214A_TURBIDITY	100-NR-2
199-N-77	11/7/1994 10:30	N	7440-62-2	Vanadium	10	ug/L	L	[NULL]	[NULL]	R	B0D725	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	Y	7440-62-2	Vanadium	7.6	ug/L	L	[NULL]	[NULL]	R	B0D726	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	N	75-01-4	Vinyl chloride	0.13	ug/L	U	[NULL]	[NULL]	R	B0D725	75-01-4	DATACH	8010_VOA_GC	100-NR-2
199-N-77	11/7/1994 10:30	N	1330-20-7	Xylenes (total)	0.035	ug/L	U	[NULL]	[NULL]	R	B0D725	1330-20-7	DATACH	8010_VOA_GC	100-NR-2
199-N-77	11/7/1994 10:30	N	7440-66-6	Zinc	6.3	ug/L	U	[NULL]	[NULL]	R	B0D725	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	Y	7440-66-6	Zinc	6.3	ug/L	U	[NULL]	[NULL]	R	B0D726	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/7/1994 10:30	N	156-59-2	cis-1,2-Dichloroethylene	0.11	ug/L	U	[NULL]	[NULL]	R	B0D725	156-59-2	DATACH	8010_VOA_GC	100-NR-2
199-N-77	11/7/1994 10:30	N	PH	pH Measurement	7.65	unitless	[NULL]	[NULL]	[NULL]	R	B0D725	PH	FIELD	9040_PH	100-NR-2
199-N-77	11/7/1994 10:30	N	PH	pH Measurement	8.1	unitless	[NULL]	[NULL]	[NULL]	R	B0D725	PH	DATACH	D1293_PH	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-77	11/7/1994 10:30	N	156-60-5	trans-1,2-Dichloroethylene	0.073	ug/L	U	[NULL]	[NULL]	R	B0D725	156-60-5	DATACH	8010_VOA_GC	100-NR-2
199-N-77	3/10/1995 12:22	N	71-55-6	1,1,1-Trichloroethane	0.036	ug/L	U	[NULL]	[NULL]	R	B0DYH9	71-55-6	DATACH	8010_VOA_GC	100-NR-2
199-N-77	3/10/1995 12:22	N	79-00-5	1,1,2-Trichloroethane	0.078	ug/L	U	[NULL]	[NULL]	R	B0DYH9	79-00-5	DATACH	8010_VOA_GC	100-NR-2
199-N-77	3/10/1995 12:22	N	75-34-3	1,1-Dichloroethane	0.058	ug/L	U	[NULL]	[NULL]	R	B0DYH9	75-34-3	DATACH	8010_VOA_GC	100-NR-2
199-N-77	3/10/1995 12:22	N	107-06-2	1,2-Dichloroethane	0.029	ug/L	U	[NULL]	[NULL]	R	B0DYH9	107-06-2	DATACH	8010_VOA_GC	100-NR-2
199-N-77	3/10/1995 12:22	N	106-46-7	1,4-Dichlorobenzene	0.055	ug/L	U	[NULL]	[NULL]	R	B0DYH9	106-46-7	DATACH	8010_VOA_GC	100-NR-2
199-N-77	3/10/1995 12:22	N	ALKALINITY	Alkalinity	110000	ug/L	B	[NULL]	[NULL]	R	B0DYH9	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-77	3/10/1995 12:22	Y	7429-90-5	Aluminum	38.4	ug/L	U	[NULL]	[NULL]	R	B0DX72	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/10/1995 12:22	N	7429-90-5	Aluminum	23.5	ug/L	U	[NULL]	[NULL]	R	B0DX71	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/10/1995 12:22	Y	7440-36-0	Antimony	32.7	ug/L	U	[NULL]	[NULL]	R	B0DX72	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/10/1995 12:22	N	7440-36-0	Antimony	32.7	ug/L	U	[NULL]	[NULL]	R	B0DX71	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/10/1995 12:22	N	7440-39-3	Barium	47.4	ug/L	B	[NULL]	[NULL]	R	B0DX71	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/10/1995 12:22	Y	7440-39-3	Barium	50.5	ug/L	B	[NULL]	[NULL]	R	B0DX72	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/10/1995 12:22	N	71-43-2	Benzene	0.013	ug/L	U	[NULL]	[NULL]	R	B0DYH9	71-43-2	DATACH	8010_VOA_GC	100-NR-2
199-N-77	3/10/1995 12:22	N	7440-41-7	Beryllium	0.2	ug/L	U	[NULL]	[NULL]	R	B0DX71	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/10/1995 12:22	Y	7440-41-7	Beryllium	0.2	ug/L	U	[NULL]	[NULL]	R	B0DX72	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/10/1995 12:22	N	7440-43-9	Cadmium	3.8	ug/L	U	[NULL]	[NULL]	R	B0DX71	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/10/1995 12:22	Y	7440-43-9	Cadmium	3.8	ug/L	U	[NULL]	[NULL]	R	B0DX72	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/10/1995 12:22	Y	7440-70-2	Calcium	44300	ug/L	J	[NULL]	[NULL]	R	B0DX72	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/10/1995 12:22	N	7440-70-2	Calcium	42000	ug/L	J	[NULL]	[NULL]	R	B0DX71	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/10/1995 12:22	N	56-23-5	Carbon tetrachloride	0.075	ug/L	U	[NULL]	[NULL]	R	B0DYH9	56-23-5	DATACH	8010_VOA_GC	100-NR-2
199-N-77	3/10/1995 12:22	N	10045-97-3	Cesium-137	0.189	pCi/L	U	[NULL]	[NULL]	R	B0DX71	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-77	3/10/1995 12:22	Y	16887-00-6	Chloride	5540	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX72	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/10/1995 12:22	N	16887-00-6	Chloride	5480	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX71	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/10/1995 12:22	N	67-66-3	Chloroform	7.6	ug/L	[NULL]	[NULL]	[NULL]	R	B0DYH9	67-66-3	DATACH	8010_VOA_GC	100-NR-2
199-N-77	3/10/1995 12:22	N	7440-47-3	Chromium	9.6	ug/L	B	[NULL]	[NULL]	R	B0DX71	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/10/1995 12:22	Y	7440-47-3	Chromium	3.3	ug/L	B	[NULL]	[NULL]	R	B0DX72	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/10/1995 12:22	Y	7440-48-4	Cobalt	4.1	ug/L	U	[NULL]	[NULL]	R	B0DX72	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/10/1995 12:22	N	7440-48-4	Cobalt	4.6	ug/L	B	[NULL]	[NULL]	R	B0DX71	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/10/1995 12:22	N	13981-38-9	Cobalt-58	0	pCi/L	U	[NULL]	[NULL]	R	B0DX71	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-77	3/10/1995 12:22	N	10198-40-0	Cobalt-60	-0.991	pCi/L	U	[NULL]	[NULL]	R	B0DX71	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-77	3/10/1995 12:22	Y	7440-50-8	Copper	12.2	ug/L	B	[NULL]	[NULL]	R	B0DX72	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/10/1995 12:22	N	7440-50-8	Copper	3.2	ug/L	U	[NULL]	[NULL]	R	B0DX71	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/10/1995 12:22	N	100-41-4	Ethylbenzene	0.051	ug/L	U	[NULL]	[NULL]	R	B0DYH9	100-41-4	DATACH	8010_VOA_GC	100-NR-2
199-N-77	3/10/1995 12:22	N	14683-23-9	Europium-152	-2.05	pCi/L	U	[NULL]	[NULL]	R	B0DX71	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-77	3/10/1995 12:22	N	15585-10-1	Europium-154	3.75	pCi/L	U	[NULL]	[NULL]	R	B0DX71	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-77	3/10/1995 12:22	N	14391-16-3	Europium-155	2.37	pCi/L	U	[NULL]	[NULL]	R	B0DX71	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-77	3/10/1995 12:22	Y	16984-48-8	Fluoride	800	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX72	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/10/1995 12:22	N	16984-48-8	Fluoride	780	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX71	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/10/1995 12:22	N	12587-46-1	Gross alpha	0.696	pCi/L	U	[NULL]	[NULL]	R	B0DX71	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-77	3/10/1995 12:22	N	12587-47-2	Gross beta	7.63	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DX71	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-77	3/10/1995 12:22	Y	7439-89-6	Iron	146	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX72	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/10/1995 12:22	N	7439-89-6	Iron	181	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX71	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/10/1995 12:22	N	14596-12-4	Iron-59	-31.2	pCi/L	U	[NULL]	[NULL]	R	B0DX71	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-77	3/10/1995 12:22	N	7439-95-4	Magnesium	10800	ug/L	J	[NULL]	[NULL]	R	B0DX71	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/10/1995 12:22	Y	7439-95-4	Magnesium	11300	ug/L	J	[NULL]	[NULL]	R	B0DX72	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/10/1995 12:22	Y	7439-96-5	Manganese	2.9	ug/L	B	[NULL]	[NULL]	R	B0DX72	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/10/1995 12:22	N	7439-96-5	Manganese	1.7	ug/L	B	[NULL]	[NULL]	R	B0DX71	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/10/1995 12:22	N	75-09-2	Methylene chloride	0.09	ug/L	U	[NULL]	[NULL]	R	B0DYH9	75-09-2	DATACH	8010_VOA_GC	100-NR-2
199-N-77	3/10/1995 12:22	N	7440-02-0	Nickel	15.2	ug/L	U	[NULL]	[NULL]	R	B0DX71	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/10/1995 12:22	Y	7440-02-0	Nickel	15.2	ug/L	U	[NULL]	[NULL]	R	B0DX72	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/10/1995 12:22	N	14797-55-8	Nitrate	3050	ug/L	J	[NULL]	[NULL]	R	B0DX71	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/10/1995 12:22	Y	14797-55-8	Nitrate	3190	ug/L	J	[NULL]	[NULL]	R	B0DX72	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/10/1995 12:22	N	14797-65-0	Nitrite	65.7	ug/L	U	R	R	R	B0DX71	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-77	3/10/1995 12:22	Y	14797-65-0	Nitrite	65.7	ug/L	U	R	R	R	B0DX72	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/10/1995 12:22	N	14265-44-2	Phosphate	1000	ug/L	U	R	R	R	B0DX71	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/10/1995 12:22	Y	14265-44-2	Phosphate	1000	ug/L	U	R	R	R	B0DX72	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/10/1995 12:22	N	7440-09-7	Potassium	4440	ug/L	BJ	[NULL]	[NULL]	R	B0DX71	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/10/1995 12:22	Y	7440-09-7	Potassium	4310	ug/L	BJ	[NULL]	[NULL]	R	B0DX72	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/10/1995 12:22	N	7440-22-4	Silver	3.8	ug/L	U	[NULL]	[NULL]	R	B0DX71	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/10/1995 12:22	Y	7440-22-4	Silver	3.8	ug/L	U	[NULL]	[NULL]	R	B0DX72	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/10/1995 12:22	N	7440-23-5	Sodium	182000	ug/L	J	[NULL]	[NULL]	R	B0DX71	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/10/1995 12:22	Y	7440-23-5	Sodium	183000	ug/L	J	[NULL]	[NULL]	R	B0DX72	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/10/1995 12:22	N	CONDUCT	Specific Conductance	1150	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DYH9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	3/10/1995 12:22	N	CONDUCT	Specific Conductance	1086	uS/cm	[NULL]	[NULL]	[NULL]	R	B0DX71	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-77	3/10/1995 12:22	N	10098-97-2	Strontium-90	0.138	pCi/L	U	[NULL]	[NULL]	R	B0DX71	10098-97-2	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-77	3/10/1995 12:22	Y	14808-79-8	Sulfate	420000	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX72	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/10/1995 12:22	N	14808-79-8	Sulfate	413000	ug/L	[NULL]	[NULL]	[NULL]	R	B0DX71	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/10/1995 12:22	N	TEMPERATURE	Temperature	15.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0DYH9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	3/10/1995 12:22	N	127-18-4	Tetrachloroethene	0.22	ug/L	U	[NULL]	[NULL]	R	B0DYH9	127-18-4	DATACH	8010_VOA_GC	100-NR-2
199-N-77	3/10/1995 12:22	N	108-88-3	Toluene	0.016	ug/L	U	[NULL]	[NULL]	R	B0DYH9	108-88-3	DATACH	8010_VOA_GC	100-NR-2
199-N-77	3/10/1995 12:22	N	TDS	Total dissolved solids	770000	ug/L	[NULL]	[NULL]	[NULL]	R	B0DYH9	TDS	DATACH	209B_TDS	100-NR-2
199-N-77	3/10/1995 12:22	N	TOC	Total organic carbon	400	ug/L	L	[NULL]	[NULL]	R	B0DYH9	TOC	DATACH	9060_TOC	100-NR-2
199-N-77	3/10/1995 12:22	N	59473-04-0	Total organic halides	15.2	ug/L	[NULL]	[NULL]	[NULL]	R	B0DYH9	59473-04-0	WESTON	9020_TOX	100-NR-2
199-N-77	3/10/1995 12:22	N	79-01-6	Trichloroethene	0.11	ug/L	U	[NULL]	[NULL]	R	B0DYH9	79-01-6	DATACH	8010_VOA_GC	100-NR-2
199-N-77	3/10/1995 12:22	N	10028-17-8	Tritium	822	pCi/L	[NULL]	[NULL]	[NULL]	R	B0DX71	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-77	3/10/1995 12:22	N	TURBIDITY	Turbidity	0.94	NTU	J	[NULL]	[NULL]	R	B0DX71	TURBIDITY	QTESSL	180.1_TURBIDITY	100-NR-2
199-N-77	3/10/1995 12:22	N	7440-62-2	Vanadium	9.9	ug/L	B	[NULL]	[NULL]	R	B0DX71	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/10/1995 12:22	Y	7440-62-2	Vanadium	19.2	ug/L	B	[NULL]	[NULL]	R	B0DX72	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/10/1995 12:22	N	75-01-4	Vinyl chloride	0.13	ug/L	U	[NULL]	[NULL]	R	B0DYH9	75-01-4	DATACH	8010_VOA_GC	100-NR-2
199-N-77	3/10/1995 12:22	N	1330-20-7	Xylenes (total)	0.035	ug/L	U	[NULL]	[NULL]	R	B0DYH9	1330-20-7	DATACH	8010_VOA_GC	100-NR-2
199-N-77	3/10/1995 12:22	N	7440-66-6	Zinc	10.4	ug/L	B	[NULL]	[NULL]	R	B0DX71	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/10/1995 12:22	Y	7440-66-6	Zinc	15	ug/L	B	[NULL]	[NULL]	R	B0DX72	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/10/1995 12:22	N	156-59-2	cis-1,2-Dichloroethylene	0.11	ug/L	U	[NULL]	[NULL]	R	B0DYH9	156-59-2	DATACH	8010_VOA_GC	100-NR-2
199-N-77	3/10/1995 12:22	N	PH	pH Measurement	8.11	unitless	[NULL]	[NULL]	[NULL]	R	B0DYH9	PH	FIELD	9040_PH	100-NR-2
199-N-77	3/10/1995 12:22	N	PH	pH Measurement	8.19	unitless	J	[NULL]	[NULL]	R	B0DX71	PH	QTESSL	9040_PH	100-NR-2
199-N-77	3/10/1995 12:22	N	156-60-5	trans-1,2-Dichloroethylene	0.073	ug/L	U	[NULL]	[NULL]	R	B0DYH9	156-60-5	DATACH	8010_VOA_GC	100-NR-2
199-N-77	5/3/1995 9:15	N	71-55-6	1,1,1-Trichloroethane	0.036	ug/L	U	[NULL]	[NULL]	R	B0FCC0	71-55-6	DATACH	8010_VOA_GC	100-NR-2
199-N-77	5/3/1995 9:15	N	79-00-5	1,1,2-Trichloroethane	0.078	ug/L	U	[NULL]	[NULL]	R	B0FCC0	79-00-5	DATACH	8010_VOA_GC	100-NR-2
199-N-77	5/3/1995 9:15	N	75-34-3	1,1-Dichloroethane	0.058	ug/L	U	[NULL]	[NULL]	R	B0FCC0	75-34-3	DATACH	8010_VOA_GC	100-NR-2
199-N-77	5/3/1995 9:15	N	107-06-2	1,2-Dichloroethane	0.029	ug/L	U	[NULL]	[NULL]	R	B0FCC0	107-06-2	DATACH	8010_VOA_GC	100-NR-2
199-N-77	5/3/1995 9:15	N	106-46-7	1,4-Dichlorobenzene	0.055	ug/L	U	[NULL]	[NULL]	R	B0FCC0	106-46-7	DATACH	8010_VOA_GC	100-NR-2
199-N-77	5/3/1995 9:15	N	ALKALINITY	Alkalinity	120000	ug/L	[NULL]	[NULL]	[NULL]	R	B0FCC0	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-77	5/3/1995 9:15	Y	7429-90-5	Aluminum	31	ug/L	U	[NULL]	[NULL]	R	B0FCC1	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/3/1995 9:15	Y	7440-36-0	Antimony	24	ug/L	U	[NULL]	[NULL]	R	B0FCC1	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/3/1995 9:15	Y	7440-39-3	Barium	37	ug/L	[NULL]	[NULL]	[NULL]	R	B0FCC1	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/3/1995 9:15	N	71-43-2	Benzene	0.013	ug/L	U	[NULL]	[NULL]	R	B0FCC0	71-43-2	DATACH	8010_VOA_GC	100-NR-2
199-N-77	5/3/1995 9:15	Y	7440-41-7	Beryllium	0.63	ug/L	U	[NULL]	[NULL]	R	B0FCC1	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/3/1995 9:15	N	24959-67-9	Bromide	11	ug/L	U	[NULL]	[NULL]	R	B0FCC0	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	5/3/1995 9:15	Y	7440-43-9	Cadmium	0.98	ug/L	U	[NULL]	[NULL]	R	B0FCC1	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/3/1995 9:15	Y	7440-70-2	Calcium	33000	ug/L	[NULL]	[NULL]	[NULL]	R	B0FCC1	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/3/1995 9:15	N	56-23-5	Carbon tetrachloride	6.5	ug/L	[NULL]	F	[NULL]	R	B0FCC0	56-23-5	DATACH	8010_VOA_GC	100-NR-2
199-N-77	5/3/1995 9:15	N	16887-00-6	Chloride	5700	ug/L	[NULL]	[NULL]	[NULL]	R	B0FCC0	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	5/3/1995 9:15	N	67-66-3	Chloroform	6.7	ug/L	[NULL]	[NULL]	[NULL]	R	B0FCC0	67-66-3	DATACH	8010_VOA_GC	100-NR-2
199-N-77	5/3/1995 9:15	Y	7440-47-3	Chromium	3.7	ug/L	U	[NULL]	[NULL]	R	B0FCC1	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/3/1995 9:15	Y	7440-48-4	Cobalt	5.3	ug/L	U	[NULL]	[NULL]	R	B0FCC1	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/3/1995 9:15	Y	7440-50-8	Copper	2.1	ug/L	U	[NULL]	[NULL]	R	B0FCC1	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/3/1995 9:15	N	100-41-4	Ethylbenzene	0.051	ug/L	U	[NULL]	[NULL]	R	B0FCC0	100-41-4	DATACH	8010_VOA_GC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-77	5/3/1995 9:15	N	16984-48-8	Fluoride	1400	ug/L	[NULL]	[NULL]	[NULL]	R	B0FCC0	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	5/3/1995 9:15	N	12587-46-1	Gross alpha	-0.387	pCi/L	U	[NULL]	[NULL]	R	B0FCC0	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-77	5/3/1995 9:15	N	12587-47-2	Gross beta	4.5	pCi/L	[NULL]	[NULL]	[NULL]	R	B0FCC0	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-77	5/3/1995 9:15	Y	7439-89-6	Iron	16	ug/L	BL	[NULL]	[NULL]	R	B0FCC1	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/3/1995 9:15	Y	7439-95-4	Magnesium	8300	ug/L	[NULL]	[NULL]	[NULL]	R	B0FCC1	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/3/1995 9:15	Y	7439-96-5	Manganese	0.84	ug/L	BL	[NULL]	[NULL]	R	B0FCC1	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/3/1995 9:15	N	75-09-2	Methylene chloride	0.09	ug/L	U	[NULL]	[NULL]	R	B0FCC0	75-09-2	DATACH	8010_VOA_GC	100-NR-2
199-N-77	5/3/1995 9:15	Y	7440-02-0	Nickel	11	ug/L	U	[NULL]	[NULL]	R	B0FCC1	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/3/1995 9:15	N	14797-55-8	Nitrate	2900	ug/L	[NULL]	[NULL]	[NULL]	R	B0FCC0	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	5/3/1995 9:15	N	14797-65-0	Nitrite	18	ug/L	U	[NULL]	[NULL]	R	B0FCC0	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	5/3/1995 9:15	N	14265-44-2	Phosphate	82	ug/L	U	[NULL]	[NULL]	R	B0FCC0	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	5/3/1995 9:15	Y	7440-09-7	Potassium	4600	ug/L	[NULL]	[NULL]	[NULL]	R	B0FCC1	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/3/1995 9:15	Y	7440-22-4	Silver	5.5	ug/L	U	[NULL]	[NULL]	R	B0FCC1	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/3/1995 9:15	Y	7440-23-5	Sodium	180000	ug/L	B	[NULL]	[NULL]	R	B0FCC1	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/3/1995 9:15	N	CONDUCT	Specific Conductance	1077	uS/cm	[NULL]	[NULL]	[NULL]	R	B0FCC0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	5/3/1995 9:15	N	CONDUCT	Specific Conductance	1100	uS/cm	[NULL]	[NULL]	[NULL]	R	B0FCC0	CONDUCT	DATACH	D1125A_CONDUCT	100-NR-2
199-N-77	5/3/1995 9:15	N	14808-79-8	Sulfate	310000	ug/L	D	[NULL]	[NULL]	R	B0FCC0	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	5/3/1995 9:15	N	TEMPERATURE	Temperature	17.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0FCC0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	5/3/1995 9:15	N	127-18-4	Tetrachloroethene	0.22	ug/L	U	[NULL]	[NULL]	R	B0FCC0	127-18-4	DATACH	8010_VOA_GC	100-NR-2
199-N-77	5/3/1995 9:15	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	B0FCC1	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/3/1995 9:15	N	108-88-3	Toluene	0.016	ug/L	U	[NULL]	[NULL]	R	B0FCC0	108-88-3	DATACH	8010_VOA_GC	100-NR-2
199-N-77	5/3/1995 9:15	N	TDS	Total dissolved solids	750000	ug/L	[NULL]	[NULL]	[NULL]	R	B0FCC0	TDS	DATACH	209B_TDS	100-NR-2
199-N-77	5/3/1995 9:15	N	TOC	Total organic carbon	200	ug/L	L	[NULL]	[NULL]	R	B0FCC0	TOC	DATACH	9060_TOC	100-NR-2
199-N-77	5/3/1995 9:15	N	59473-04-0	Total organic halides	5	ug/L	U	[NULL]	[NULL]	R	B0FCC0	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-77	5/3/1995 9:15	N	79-01-6	Trichloroethene	0.11	ug/L	U	[NULL]	[NULL]	R	B0FCC0	79-01-6	DATACH	8010_VOA_GC	100-NR-2
199-N-77	5/3/1995 9:15	N	TURBIDITY	Turbidity	0.41	NTU	[NULL]	[NULL]	[NULL]	R	B0FCC0	TURBIDITY	FIELD	180.1_TURBIDITY	100-NR-2
199-N-77	5/3/1995 9:15	Y	7440-62-2	Vanadium	14	ug/L	L	[NULL]	[NULL]	R	B0FCC1	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/3/1995 9:15	N	75-01-4	Vinyl chloride	0.13	ug/L	U	[NULL]	[NULL]	R	B0FCC0	75-01-4	DATACH	8010_VOA_GC	100-NR-2
199-N-77	5/3/1995 9:15	N	1330-20-7	Xylenes (total)	0.035	ug/L	U	[NULL]	[NULL]	R	B0FCC0	1330-20-7	DATACH	8010_VOA_GC	100-NR-2
199-N-77	5/3/1995 9:15	Y	7440-66-6	Zinc	3.7	ug/L	U	[NULL]	[NULL]	R	B0FCC1	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	5/3/1995 9:15	N	156-59-2	cis-1,2-Dichloroethylene	0.11	ug/L	U	[NULL]	[NULL]	R	B0FCC0	156-59-2	DATACH	8010_VOA_GC	100-NR-2
199-N-77	5/3/1995 9:15	N	PH	pH Measurement	8.2	unitless	[NULL]	[NULL]	[NULL]	R	B0FCC0	PH	DATACH	D1293_PH	100-NR-2
199-N-77	5/3/1995 9:15	N	PH	pH Measurement	8.07	unitless	[NULL]	[NULL]	[NULL]	R	B0FCC0	PH	FIELD	9040_PH	100-NR-2
199-N-77	5/3/1995 9:15	N	156-60-5	trans-1,2-Dichloroethylene	0.073	ug/L	U	[NULL]	[NULL]	R	B0FCC0	156-60-5	DATACH	8010_VOA_GC	100-NR-2
199-N-77	9/15/1995 0:00	Y	7429-90-5	Aluminum	24.6	ug/L	U	[NULL]	[NULL]	R	B0GJW3	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/15/1995 0:00	N	7429-90-5	Aluminum	24.6	ug/L	U	[NULL]	[NULL]	R	B0GJW2	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/15/1995 0:00	Y	7440-36-0	Antimony	45.9	ug/L	U	[NULL]	[NULL]	R	B0GJW3	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/15/1995 0:00	N	7440-36-0	Antimony	45.9	ug/L	U	[NULL]	[NULL]	R	B0GJW2	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/15/1995 0:00	Y	7440-39-3	Barium	37.9	ug/L	B	[NULL]	[NULL]	R	B0GJW3	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/15/1995 0:00	N	7440-39-3	Barium	37.9	ug/L	B	[NULL]	[NULL]	R	B0GJW2	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/15/1995 0:00	N	7440-41-7	Beryllium	0.66	ug/L	U	[NULL]	[NULL]	R	B0GJW2	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/15/1995 0:00	Y	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	R	B0GJW3	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/15/1995 0:00	N	7440-43-9	Cadmium	3.1	ug/L	U	[NULL]	[NULL]	R	B0GJW2	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/15/1995 0:00	Y	7440-43-9	Cadmium	3.1	ug/L	U	[NULL]	[NULL]	R	B0GJW3	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/15/1995 0:00	Y	7440-70-2	Calcium	31200	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJW3	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/15/1995 0:00	N	7440-70-2	Calcium	30500	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJW2	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/15/1995 0:00	N	10045-97-3	Cesium-137	-0.31	pCi/L	U	[NULL]	[NULL]	R	B0GJW2	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-77	9/15/1995 0:00	Y	16887-00-6	Chloride	6140	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJW3	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	9/15/1995 0:00	N	16887-00-6	Chloride	5850	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJW2	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	9/15/1995 0:00	N	7440-47-3	Chromium	11.2	ug/L	B	[NULL]	[NULL]	R	B0GJW2	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/15/1995 0:00	Y	7440-47-3	Chromium	3.2	ug/L	B	[NULL]	[NULL]	R	B0GJW3	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/15/1995 0:00	N	7440-48-4	Cobalt	4.3	ug/L	U	[NULL]	[NULL]	R	B0GJW2	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/15/1995 0:00	Y	7440-48-4	Cobalt	4.3	ug/L	U	[NULL]	[NULL]	R	B0GJW3	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/15/1995 0:00	N	13981-38-9	Cobalt-58	0.719	pCi/L	U	[NULL]	[NULL]	R	B0GJW2	13981-38-9	QTESRL	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-77	9/15/1995 0:00	N	10198-40-0	Cobalt-60	3.62	pCi/L	U	[NULL]	[NULL]	R	B0GJW2	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-77	9/15/1995 0:00	Y	7440-50-8	Copper	4.7	ug/L	U	[NULL]	[NULL]	R	B0GJW3	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/15/1995 0:00	N	7440-50-8	Copper	4.7	ug/L	B	[NULL]	[NULL]	R	B0GJW2	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/15/1995 0:00	N	DO	Dissolved oxygen	8650	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJW2	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-77	9/15/1995 0:00	N	14683-23-9	Europium-152	1.76	pCi/L	U	[NULL]	[NULL]	R	B0GJW2	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-77	9/15/1995 0:00	N	15585-10-1	Europium-154	4.62	pCi/L	U	[NULL]	[NULL]	R	B0GJW2	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-77	9/15/1995 0:00	N	14391-16-3	Europium-155	4.02	pCi/L	U	[NULL]	[NULL]	R	B0GJW2	14391-16-3	QTESRL	GAMMA_GS	100-NR-2
199-N-77	9/15/1995 0:00	Y	16984-48-8	Fluoride	660	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJW3	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	9/15/1995 0:00	N	16984-48-8	Fluoride	670	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJW2	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	9/15/1995 0:00	N	12587-46-1	Gross alpha	2.14	pCi/L	U	[NULL]	[NULL]	R	B0GJW2	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-77	9/15/1995 0:00	N	12587-47-2	Gross beta	6.63	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GJW2	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-77	9/15/1995 0:00	N	7439-89-6	Iron	63.5	ug/L	U	[NULL]	[NULL]	R	B0GJW2	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/15/1995 0:00	Y	7439-89-6	Iron	32.2	ug/L	U	[NULL]	[NULL]	R	B0GJW3	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/15/1995 0:00	N	14596-12-4	Iron-59	5.02	pCi/L	U	[NULL]	[NULL]	R	B0GJW2	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-77	9/15/1995 0:00	N	7439-95-4	Magnesium	7900	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJW2	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/15/1995 0:00	Y	7439-95-4	Magnesium	8040	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJW3	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/15/1995 0:00	Y	7439-96-5	Manganese	3.3	ug/L	B	[NULL]	[NULL]	R	B0GJW3	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/15/1995 0:00	N	7439-96-5	Manganese	4.1	ug/L	B	[NULL]	[NULL]	R	B0GJW2	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/15/1995 0:00	N	7440-02-0	Nickel	14.2	ug/L	U	[NULL]	[NULL]	R	B0GJW2	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/15/1995 0:00	Y	7440-02-0	Nickel	14.2	ug/L	U	[NULL]	[NULL]	R	B0GJW3	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/15/1995 0:00	Y	14797-55-8	Nitrate	3590	ug/L	J	[NULL]	[NULL]	R	B0GJW3	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	9/15/1995 0:00	N	14797-55-8	Nitrate	3500	ug/L	J	[NULL]	[NULL]	R	B0GJW2	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	9/15/1995 0:00	Y	14797-65-0	Nitrite	65.7	ug/L	U	R	R	R	B0GJW3	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	9/15/1995 0:00	N	14797-65-0	Nitrite	65.7	ug/L	U	R	R	R	B0GJW2	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	9/15/1995 0:00	Y	14265-44-2	Phosphate	500	ug/L	U	R	R	R	B0GJW3	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	9/15/1995 0:00	N	14265-44-2	Phosphate	500	ug/L	U	R	R	R	B0GJW2	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	9/15/1995 0:00	N	7440-09-7	Potassium	3890	ug/L	B	[NULL]	[NULL]	R	B0GJW2	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/15/1995 0:00	Y	7440-09-7	Potassium	3820	ug/L	B	[NULL]	[NULL]	R	B0GJW3	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/15/1995 0:00	N	7440-22-4	Silver	2.2	ug/L	U	[NULL]	[NULL]	R	B0GJW2	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/15/1995 0:00	Y	7440-22-4	Silver	2.2	ug/L	U	[NULL]	[NULL]	R	B0GJW3	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/15/1995 0:00	N	7440-23-5	Sodium	171000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJW2	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/15/1995 0:00	Y	7440-23-5	Sodium	172000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJW3	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/15/1995 0:00	N	CONDUCT	Specific Conductance	1040	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GJW2	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-77	9/15/1995 0:00	N	CONDUCT	Specific Conductance	107	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GJW2	CONDUCT	FIELD	CONDUCT_FLD	100-NR-2
199-N-77	9/15/1995 0:00	N	10098-97-2	Strontium-90	0.109	pCi/L	U	[NULL]	[NULL]	R	B0GJW2	SR-RAD	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-77	9/15/1995 0:00	N	14808-79-8	Sulfate	340000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJW2	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	9/15/1995 0:00	Y	14808-79-8	Sulfate	350000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJW3	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	9/15/1995 0:00	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0GJW2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	9/15/1995 0:00	N	10028-17-8	Tritium	628	pCi/L	J	[NULL]	[NULL]	R	B0GJW2	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-77	9/15/1995 0:00	N	TURBIDITY	Turbidity	0.93	NTU	J	[NULL]	[NULL]	R	B0GJW2	TURBIDITY	QTESSL	180.1_TURBIDITY	100-NR-2
199-N-77	9/15/1995 0:00	N	TURBIDITY	Turbidity	1.43	NTU	[NULL]	[NULL]	[NULL]	R	B0GJW2	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-77	9/15/1995 0:00	N	7440-62-2	Vanadium	26.8	ug/L	B	[NULL]	[NULL]	R	B0GJW2	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/15/1995 0:00	Y	7440-62-2	Vanadium	23.2	ug/L	B	[NULL]	[NULL]	R	B0GJW3	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/15/1995 0:00	N	7440-66-6	Zinc	27.9	ug/L	U	[NULL]	[NULL]	R	B0GJW2	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/15/1995 0:00	Y	7440-66-6	Zinc	44.4	ug/L	[NULL]	[NULL]	[NULL]	R	B0GJW3	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/15/1995 0:00	N	PH	pH Measurement	8.14	unitless	[NULL]	[NULL]	[NULL]	R	B0GJW2	PH	FIELD	PH_ELECT_FLD	100-NR-2
199-N-77	9/15/1995 0:00	N	PH	pH Measurement	8.13	unitless	J	[NULL]	[NULL]	R	B0GJW2	PH	QTESSL	9040_PH	100-NR-2
199-N-77	9/15/1995 14:33	N	71-55-6	1,1,1-Trichloroethane	0.28	ug/L	U	[NULL]	[NULL]	R	B0GC08	71-55-6	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	9/15/1995 14:33	N	79-00-5	1,1,2-Trichloroethane	0.19	ug/L	U	[NULL]	[NULL]	R	B0GC08	79-00-5	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	9/15/1995 14:33	N	75-34-3	1,1-Dichloroethane	0.22	ug/L	U	[NULL]	[NULL]	R	B0GC08	75-34-3	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	9/15/1995 14:33	N	107-06-2	1,2-Dichloroethane	0.24	ug/L	U	[NULL]	[NULL]	R	B0GC08	107-06-2	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	9/15/1995 14:33	N	540-59-0	1,2-Dichloroethene (Total)	0.26	ug/L	U	[NULL]	[NULL]	R	B0GC08	540-59-0	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	9/15/1995 14:33	N	106-46-7	1,4-Dichlorobenzene	0.2	ug/L	U	[NULL]	[NULL]	R	B0GC08	106-46-7	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	9/15/1995 14:33	N	71-36-3	1-Butanol	84	ug/L	U	[NULL]	[NULL]	R	B0GC08	71-36-3	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	9/15/1995 14:33	N	78-93-3	2-Butanone	3.9	ug/L	U	[NULL]	[NULL]	R	B0GC08	78-93-3	DATACH	8260_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-77	9/15/1995 14:33	N	108-10-1	2-Pentanone, 4-Methyl	0.65	ug/L	U	[NULL]	[NULL]	R	B0GC08	108-10-1	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	9/15/1995 14:33	N	67-64-1	Acetone	4.7	ug/L	U	[NULL]	[NULL]	R	B0GC08	67-64-1	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	9/15/1995 14:33	N	ALKALINITY	Alkalinity	120000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GC08	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-77	9/15/1995 14:33	N	71-43-2	Benzene	0.14	ug/L	U	[NULL]	[NULL]	R	B0GC08	71-43-2	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	9/15/1995 14:33	N	75-15-0	Carbon disulfide	0.65	ug/L	U	[NULL]	[NULL]	R	B0GC08	75-15-0	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	9/15/1995 14:33	N	56-23-5	Carbon tetrachloride	0.22	ug/L	U	[NULL]	[NULL]	R	B0GC08	56-23-5	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	9/15/1995 14:33	N	67-66-3	Chloroform	8.3	ug/L	[NULL]	[NULL]	[NULL]	R	B0GC08	67-66-3	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	9/15/1995 14:33	N	107-12-0	Ethyl cyanide	2.7	ug/L	U	[NULL]	[NULL]	R	B0GC08	107-12-0	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	9/15/1995 14:33	N	75-09-2	Methylene chloride	0.62	ug/L	U	[NULL]	[NULL]	R	B0GC08	75-09-2	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	9/15/1995 14:33	N	CONDUCT	Specific Conductance	107	uS/cm	[NULL]	R	[NULL]	R	B0GC08	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	9/15/1995 14:33	N	TEMPERATURE	Temperature	19.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0GC08	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	9/15/1995 14:33	N	127-18-4	Tetrachloroethene	0.24	ug/L	U	[NULL]	[NULL]	R	B0GC08	127-18-4	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	9/15/1995 14:33	N	109-99-9	Tetrahydrofuran	0.45	ug/L	U	[NULL]	[NULL]	R	B0GC08	109-99-9	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	9/15/1995 14:33	N	108-88-3	Toluene	0.13	ug/L	U	[NULL]	[NULL]	R	B0GC08	108-88-3	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	9/15/1995 14:33	N	TDS	Total dissolved solids	710000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GC08	TDS	DATACH	209B_TDS	100-NR-2
199-N-77	9/15/1995 14:33	N	TOC	Total organic carbon	300	ug/L	L	[NULL]	[NULL]	R	B0GC08	TOC	DATACH	9060_TOC	100-NR-2
199-N-77	9/15/1995 14:33	N	59473-04-0	Total organic halides	7	ug/L	L	[NULL]	[NULL]	R	B0GC08	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-77	9/15/1995 14:33	N	79-01-6	Trichloroethene	0.24	ug/L	U	[NULL]	[NULL]	R	B0GC08	79-01-6	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	9/15/1995 14:33	N	TURBIDITY	Turbidity	1.43	NTU	[NULL]	[NULL]	[NULL]	R	B0GC08	TURBIDITY	FIELD	180.1_TURBIDITY	100-NR-2
199-N-77	9/15/1995 14:33	N	75-01-4	Vinyl chloride	0.33	ug/L	U	[NULL]	[NULL]	R	B0GC08	75-01-4	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	9/15/1995 14:33	N	1330-20-7	Xylenes (total)	0.57	ug/L	U	[NULL]	[NULL]	R	B0GC08	1330-20-7	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	9/15/1995 14:33	N	PH	pH Measurement	8.14	unitless	[NULL]	[NULL]	[NULL]	R	B0GC08	PH	FIELD	9040_PH	100-NR-2
199-N-77	11/13/1995 10:40	N	71-55-6	1,1,1-Trichloroethane	0.28	ug/L	U	[NULL]	[NULL]	R	B0GWL8	71-55-6	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	11/13/1995 10:40	N	79-00-5	1,1,2-Trichloroethane	0.19	ug/L	U	[NULL]	[NULL]	R	B0GWL8	79-00-5	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	11/13/1995 10:40	N	75-34-3	1,1-Dichloroethane	0.22	ug/L	U	[NULL]	[NULL]	R	B0GWL8	75-34-3	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	11/13/1995 10:40	N	107-06-2	1,2-Dichloroethane	0.24	ug/L	U	[NULL]	[NULL]	R	B0GWL8	107-06-2	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	11/13/1995 10:40	N	106-46-7	1,4-Dichlorobenzene	0.2	ug/L	U	[NULL]	[NULL]	R	B0GWL8	106-46-7	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	11/13/1995 10:40	N	71-36-3	1-Butanol	84	ug/L	U	[NULL]	[NULL]	R	B0GWL8	71-36-3	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	11/13/1995 10:40	N	78-93-3	2-Butanone	3.9	ug/L	U	[NULL]	[NULL]	R	B0GWL8	78-93-3	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	11/13/1995 10:40	N	108-10-1	2-Pentanone, 4-Methyl	0.65	ug/L	U	[NULL]	[NULL]	R	B0GWL8	108-10-1	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	11/13/1995 10:40	N	67-64-1	Acetone	4.7	ug/L	U	[NULL]	[NULL]	R	B0GWL8	67-64-1	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	11/13/1995 10:40	N	ALKALINITY	Alkalinity	130000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GWL1	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-77	11/13/1995 10:40	Y	7429-90-5	Aluminum	31	ug/L	U	[NULL]	[NULL]	R	B0GWL2	7429-90-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/13/1995 10:40	Y	7440-36-0	Antimony	79	ug/L	LU	[NULL]	[NULL]	R	B0GWL2	7440-36-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/13/1995 10:40	Y	7440-39-3	Barium	27	ug/L	[NULL]	[NULL]	[NULL]	R	B0GWL2	7440-39-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/13/1995 10:40	N	71-43-2	Benzene	0.14	ug/L	U	[NULL]	[NULL]	R	B0GWL8	71-43-2	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	11/13/1995 10:40	Y	7440-41-7	Beryllium	0.63	ug/L	U	[NULL]	[NULL]	R	B0GWL2	7440-41-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/13/1995 10:40	N	24959-67-9	Bromide	72	ug/L	U	[NULL]	[NULL]	R	B0GWL1	24959-67-9	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	11/13/1995 10:40	Y	7440-43-9	Cadmium	0.98	ug/L	U	[NULL]	[NULL]	R	B0GWL2	7440-43-9	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/13/1995 10:40	Y	7440-70-2	Calcium	24000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GWL2	7440-70-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/13/1995 10:40	N	75-15-0	Carbon disulfide	0.65	ug/L	U	[NULL]	[NULL]	R	B0GWL8	75-15-0	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	11/13/1995 10:40	N	56-23-5	Carbon tetrachloride	0.22	ug/L	U	[NULL]	[NULL]	R	B0GWL8	56-23-5	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	11/13/1995 10:40	N	16887-00-6	Chloride	6400	ug/L	[NULL]	[NULL]	[NULL]	R	B0GWL1	16887-00-6	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	11/13/1995 10:40	N	67-66-3	Chloroform	7.3	ug/L	[NULL]	Q	[NULL]	R	B0GWL8	67-66-3	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	11/13/1995 10:40	Y	7440-47-3	Chromium	3.7	ug/L	U	[NULL]	[NULL]	R	B0GWL2	7440-47-3	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/13/1995 10:40	Y	7440-48-4	Cobalt	5.3	ug/L	U	[NULL]	[NULL]	R	B0GWL2	7440-48-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/13/1995 10:40	Y	7440-50-8	Copper	3.3	ug/L	L	[NULL]	[NULL]	R	B0GWL2	7440-50-8	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/13/1995 10:40	N	107-12-0	Ethyl cyanide	2.7	ug/L	U	[NULL]	[NULL]	R	B0GWL8	107-12-0	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	11/13/1995 10:40	N	16984-48-8	Fluoride	670	ug/L	[NULL]	[NULL]	[NULL]	R	B0GWL1	16984-48-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	11/13/1995 10:40	N	12587-46-1	Gross alpha	0.275	pCi/L	U	[NULL]	[NULL]	R	B0GWL1	12587-46-1	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-77	11/13/1995 10:40	N	12587-47-2	Gross beta	5.234	pCi/L	[NULL]	[NULL]	[NULL]	R	B0GWL1	12587-47-2	ITASRL	9310_ALPHABETA_GPC	100-NR-2
199-N-77	11/13/1995 10:40	Y	7439-89-6	Iron	21	ug/L	L	[NULL]	[NULL]	R	B0GWL2	7439-89-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/13/1995 10:40	Y	7439-95-4	Magnesium	5900	ug/L	[NULL]	[NULL]	[NULL]	R	B0GWL2	7439-95-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/13/1995 10:40	Y	7439-96-5	Manganese	1.2	ug/L	L	[NULL]	[NULL]	R	B0GWL2	7439-96-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/13/1995 10:40	N	75-09-2	Methylene chloride	0.62	ug/L	U	Q	[NULL]	R	B0GWL8	75-09-2	DATACH	8260_VOA_GCMS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-77	11/13/1995 10:40	Y	7440-02-0	Nickel	11	ug/L	U	[NULL]	[NULL]	R	B0GWL2	7440-02-0	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/13/1995 10:40	N	14797-55-8	Nitrate	2900	ug/L	[NULL]	[NULL]	[NULL]	R	B0GWL1	14797-55-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	11/13/1995 10:40	N	14797-65-0	Nitrite	140	ug/L	U	[NULL]	[NULL]	R	B0GWL1	14797-65-0	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	11/13/1995 10:40	N	14265-44-2	Phosphate	340	ug/L	DU	[NULL]	[NULL]	R	B0GWL1	14265-44-2	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	11/13/1995 10:40	Y	7440-09-7	Potassium	4300	ug/L	[NULL]	[NULL]	[NULL]	R	B0GWL2	7440-09-7	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/13/1995 10:40	Y	7440-22-4	Silver	5.5	ug/L	U	[NULL]	[NULL]	R	B0GWL2	7440-22-4	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/13/1995 10:40	Y	7440-23-5	Sodium	160000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GWL2	7440-23-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/13/1995 10:40	N	CONDUCT	Specific Conductance	988	uS/cm	[NULL]	[NULL]	[NULL]	R	B0GWL1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	11/13/1995 10:40	Y	7440-24-6	Strontium	160	ug/L	[NULL]	[NULL]	[NULL]	R	B0GWL2	7440-24-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/13/1995 10:40	N	14808-79-8	Sulfate	320000	ug/L	D	[NULL]	[NULL]	R	B0GWL1	14808-79-8	DATACH	D4327_ANIONS_IC	100-NR-2
199-N-77	11/13/1995 10:40	N	TEMPERATURE	Temperature	18.1	Deg C	[NULL]	[NULL]	[NULL]	R	B0GWL1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	11/13/1995 10:40	N	127-18-4	Tetrachloroethene	0.24	ug/L	U	[NULL]	[NULL]	R	B0GWL8	127-18-4	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	11/13/1995 10:40	N	109-99-9	Tetrahydrofuran	0.45	ug/L	U	[NULL]	[NULL]	R	B0GWL8	109-99-9	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	11/13/1995 10:40	Y	7440-31-5	Tin	30	ug/L	U	[NULL]	[NULL]	R	B0GWL2	7440-31-5	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/13/1995 10:40	N	108-88-3	Toluene	0.13	ug/L	U	[NULL]	[NULL]	R	B0GWL8	108-88-3	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	11/13/1995 10:40	N	TDS	Total dissolved solids	630000	ug/L	[NULL]	[NULL]	[NULL]	R	B0GWL1	TDS	DATACH	209B_TDS	100-NR-2
199-N-77	11/13/1995 10:40	N	TOC	Total organic carbon	400	ug/L	L	[NULL]	[NULL]	R	B0GWL1	TOC	DATACH	9060_TOC	100-NR-2
199-N-77	11/13/1995 10:40	N	59473-04-0	Total organic halides	6.9	ug/L	U	[NULL]	[NULL]	R	B0GWL1	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-77	11/13/1995 10:40	N	79-01-6	Trichloroethene	0.24	ug/L	U	[NULL]	[NULL]	R	B0GWL8	79-01-6	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	11/13/1995 10:40	N	TURBIDITY	Turbidity	0.7	NTU	[NULL]	[NULL]	[NULL]	R	B0GWL1	TURBIDITY	FIELD	180.1_TURBIDITY	100-NR-2
199-N-77	11/13/1995 10:40	Y	7440-62-2	Vanadium	22	ug/L	[NULL]	[NULL]	[NULL]	R	B0GWL2	7440-62-2	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/13/1995 10:40	N	75-01-4	Vinyl chloride	0.33	ug/L	U	[NULL]	[NULL]	R	B0GWL8	75-01-4	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	11/13/1995 10:40	N	1330-20-7	Xylenes (total)	0.57	ug/L	U	[NULL]	[NULL]	R	B0GWL8	1330-20-7	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	11/13/1995 10:40	Y	7440-66-6	Zinc	3.7	ug/L	U	[NULL]	[NULL]	R	B0GWL2	7440-66-6	DATACH	6010_METALS_ICP	100-NR-2
199-N-77	11/13/1995 10:40	N	156-59-2	cis-1,2-Dichloroethylene	0.17	ug/L	U	[NULL]	[NULL]	R	B0GWL8	156-59-2	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	11/13/1995 10:40	N	PH	pH Measurement	6.67	unitless	[NULL]	F	[NULL]	R	B0GWL1	PH	FIELD	9040_PH	100-NR-2
199-N-77	11/13/1995 10:40	N	156-60-5	trans-1,2-Dichloroethylene	0.14	ug/L	U	[NULL]	[NULL]	R	B0GWL8	156-60-5	DATACH	8260_VOA_GCMS	100-NR-2
199-N-77	3/27/1996 8:39	N	ALKALINITY	Alkalinity	130000	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNJ4	ALKALINITY	DATACH	310.2_ALKALINITY	100-NR-2
199-N-77	3/27/1996 8:39	Y	7429-90-5	Aluminum	53.2	ug/L	U	[NULL]	[NULL]	R	B0H8K6	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/27/1996 8:39	N	7429-90-5	Aluminum	53.2	ug/L	U	[NULL]	[NULL]	R	B0H8K5	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/27/1996 8:39	N	7440-36-0	Antimony	34.6	ug/L	U	[NULL]	[NULL]	R	B0H8K5	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/27/1996 8:39	Y	7440-36-0	Antimony	34.6	ug/L	U	[NULL]	[NULL]	R	B0H8K6	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/27/1996 8:39	N	7440-39-3	Barium	31	ug/L	B	[NULL]	[NULL]	R	B0H8K5	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/27/1996 8:39	Y	7440-39-3	Barium	31	ug/L	B	[NULL]	[NULL]	R	B0H8K6	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/27/1996 8:39	Y	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	R	B0H8K6	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/27/1996 8:39	N	7440-41-7	Beryllium	0.5	ug/L	U	[NULL]	[NULL]	R	B0H8K5	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/27/1996 8:39	N	7440-43-9	Cadmium	2.4	ug/L	U	[NULL]	[NULL]	R	B0H8K5	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/27/1996 8:39	Y	7440-43-9	Cadmium	2.4	ug/L	U	[NULL]	[NULL]	R	B0H8K6	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/27/1996 8:39	N	7440-70-2	Calcium	25400	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K5	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/27/1996 8:39	Y	7440-70-2	Calcium	25400	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K6	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/27/1996 8:39	N	10045-97-3	Cesium-137	2.12	pCi/L	U	[NULL]	[NULL]	R	B0H8K5	10045-97-3	QTESRL	GAMMA_GS	100-NR-2
199-N-77	3/27/1996 8:39	N	16887-00-6	Chloride	6560	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K5	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/27/1996 8:39	Y	16887-00-6	Chloride	6490	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K6	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/27/1996 8:39	Y	7440-47-3	Chromium	4.1	ug/L	U	[NULL]	[NULL]	R	B0H8K6	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/27/1996 8:39	N	7440-47-3	Chromium	4.1	ug/L	U	[NULL]	[NULL]	R	B0H8K5	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/27/1996 8:39	N	7440-48-4	Cobalt	4.8	ug/L	U	[NULL]	[NULL]	R	B0H8K5	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/27/1996 8:39	Y	7440-48-4	Cobalt	4.8	ug/L	U	[NULL]	[NULL]	R	B0H8K6	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/27/1996 8:39	N	13981-38-9	Cobalt-58	0.651	pCi/L	U	[NULL]	[NULL]	R	B0H8K5	13981-38-9	QTESRL	GAMMA_GS	100-NR-2
199-N-77	3/27/1996 8:39	N	10198-40-0	Cobalt-60	0.877	pCi/L	U	[NULL]	[NULL]	R	B0H8K5	10198-40-0	QTESRL	GAMMA_GS	100-NR-2
199-N-77	3/27/1996 8:39	Y	7440-50-8	Copper	5.6	ug/L	U	[NULL]	[NULL]	R	B0H8K6	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/27/1996 8:39	N	7440-50-8	Copper	5.6	ug/L	U	[NULL]	[NULL]	R	B0H8K5	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/27/1996 8:39	N	14683-23-9	Europium-152	0.434	pCi/L	U	[NULL]	[NULL]	R	B0H8K5	14683-23-9	QTESRL	GAMMA_GS	100-NR-2
199-N-77	3/27/1996 8:39	N	15585-10-1	Europium-154	-8.68	pCi/L	U	[NULL]	[NULL]	R	B0H8K5	15585-10-1	QTESRL	GAMMA_GS	100-NR-2
199-N-77	3/27/1996 8:39	N	14391-16-3	Europium-155	0.79	pCi/L	U	[NULL]	[NULL]	R	B0H8K5	14391-16-3	QTESRL	GAMMA_GS	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-77	3/27/1996 8:39	N	16984-48-8	Fluoride	860	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K5	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/27/1996 8:39	Y	16984-48-8	Fluoride	850	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K6	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/27/1996 8:39	N	12587-46-1	Gross alpha	0.524	pCi/L	U	[NULL]	[NULL]	R	B0H8K5	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-77	3/27/1996 8:39	N	12587-47-2	Gross beta	8.52	pCi/L	[NULL]	[NULL]	[NULL]	R	B0H8K5	12587-47-2	QTESRL	BETA_GPC	100-NR-2
199-N-77	3/27/1996 8:39	Y	7439-89-6	Iron	33.2	ug/L	B	[NULL]	[NULL]	R	B0H8K6	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/27/1996 8:39	N	7439-89-6	Iron	65.4	ug/L	B	[NULL]	[NULL]	R	B0H8K5	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/27/1996 8:39	N	14596-12-4	Iron-59	-5.32	pCi/L	U	[NULL]	[NULL]	R	B0H8K5	14596-12-4	QTESRL	GAMMA_GS	100-NR-2
199-N-77	3/27/1996 8:39	Y	7439-95-4	Magnesium	6380	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K6	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/27/1996 8:39	N	7439-95-4	Magnesium	6310	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K5	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/27/1996 8:39	Y	7439-96-5	Manganese	1.6	ug/L	B	[NULL]	[NULL]	R	B0H8K6	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/27/1996 8:39	N	7439-96-5	Manganese	2.6	ug/L	B	[NULL]	[NULL]	R	B0H8K5	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/27/1996 8:39	N	7440-02-0	Nickel	9.1	ug/L	U	[NULL]	[NULL]	R	B0H8K5	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/27/1996 8:39	Y	7440-02-0	Nickel	9.1	ug/L	U	[NULL]	[NULL]	R	B0H8K6	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/27/1996 8:39	Y	14797-55-8	Nitrate	3100	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K6	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/27/1996 8:39	N	14797-55-8	Nitrate	3140	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K5	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/27/1996 8:39	N	14797-65-0	Nitrite	65.7	ug/L	U	[NULL]	[NULL]	R	B0H8K5	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/27/1996 8:39	Y	14797-65-0	Nitrite	65.7	ug/L	U	[NULL]	[NULL]	R	B0H8K6	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/27/1996 8:39	N	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B0H8K5	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/27/1996 8:39	Y	14265-44-2	Phosphate	500	ug/L	U	[NULL]	[NULL]	R	B0H8K6	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/27/1996 8:39	Y	7440-09-7	Potassium	3910	ug/L	B	[NULL]	[NULL]	R	B0H8K6	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/27/1996 8:39	N	7440-09-7	Potassium	3720	ug/L	B	[NULL]	[NULL]	R	B0H8K5	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/27/1996 8:39	Y	7440-22-4	Silver	5.9	ug/L	U	[NULL]	[NULL]	R	B0H8K6	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/27/1996 8:39	N	7440-22-4	Silver	5.9	ug/L	U	[NULL]	[NULL]	R	B0H8K5	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/27/1996 8:39	Y	7440-23-5	Sodium	178000	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K6	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/27/1996 8:39	N	7440-23-5	Sodium	175000	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K5	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/27/1996 8:39	N	CONDUCT	Specific Conductance	971	uS/cm	[NULL]	[NULL]	[NULL]	R	B0H8K5	CONDUCT	QTESSL	9050_CONDUCT	100-NR-2
199-N-77	3/27/1996 8:39	N	CONDUCT	Specific Conductance	988	uS/cm	[NULL]	[NULL]	[NULL]	R	B0HNJ4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	3/27/1996 8:39	N	14158-27-1	Strontium-89	0.0751	pCi/L	U	[NULL]	[NULL]	R	B0H8K5	14158-27-1	QTESRL	SRTOT_SEP_PRECIP_GPC	100-NR-2
199-N-77	3/27/1996 8:39	N	10098-97-2	Strontium-90	0.0127	pCi/L	U	[NULL]	[NULL]	R	B0H8K5	10098-97-2	QTESRL	SRISO_SEP_PRECIP_GPC	100-NR-2
199-N-77	3/27/1996 8:39	Y	14808-79-8	Sulfate	300000	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K6	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/27/1996 8:39	N	14808-79-8	Sulfate	301000	ug/L	[NULL]	[NULL]	[NULL]	R	B0H8K5	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/27/1996 8:39	N	TEMPERATURE	Temperature	17.7	Deg C	[NULL]	[NULL]	[NULL]	R	B0HNJ4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	3/27/1996 8:39	N	TDS	Total dissolved solids	670000	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNJ4	TDS	DATACH	209B_TDS	100-NR-2
199-N-77	3/27/1996 8:39	N	TOC	Total organic carbon	226	ug/L	L	[NULL]	[NULL]	R	B0HNJ4	TOC	DATACH	9060_TOC	100-NR-2
199-N-77	3/27/1996 8:39	N	59473-04-0	Total organic halides	10.3	ug/L	[NULL]	[NULL]	[NULL]	R	B0HNJ4	59473-04-0	DATACH	9020_TOX	100-NR-2
199-N-77	3/27/1996 8:39	N	10028-17-8	Tritium	498	pCi/L	[NULL]	[NULL]	[NULL]	R	B0H8K5	10028-17-8	QTESRL	TRITIUM_DIST_LSC	100-NR-2
199-N-77	3/27/1996 8:39	N	TURBIDITY	Turbidity	0.45	NTU	[NULL]	[NULL]	[NULL]	R	B0HNJ4	TURBIDITY	FIELD	180.1_TURBIDITY	100-NR-2
199-N-77	3/27/1996 8:39	Y	7440-62-2	Vanadium	17.1	ug/L	B	[NULL]	[NULL]	R	B0H8K6	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/27/1996 8:39	N	7440-62-2	Vanadium	19.3	ug/L	B	[NULL]	[NULL]	R	B0H8K5	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/27/1996 8:39	N	7440-66-6	Zinc	13.9	ug/L	B	[NULL]	[NULL]	R	B0H8K5	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/27/1996 8:39	Y	7440-66-6	Zinc	6.5	ug/L	U	[NULL]	[NULL]	R	B0H8K6	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/27/1996 8:39	N	PH	pH Measurement	8.34	unitless	[NULL]	[NULL]	[NULL]	R	B0HNJ4	PH	FIELD	9040_PH	100-NR-2
199-N-77	3/6/1997 9:30	N	ALKALINITY	Alkalinity	148000	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2J4	ALKALINITY	QTESSL	310.1_ALKALINITY	100-NR-2
199-N-77	3/6/1997 9:30	Y	7429-90-5	Aluminum	20.1	ug/L	UC	[NULL]	[NULL]	R	B0K2J8	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/6/1997 9:30	Y	7440-36-0	Antimony	20.2	ug/L	U	[NULL]	[NULL]	R	B0K2J8	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/6/1997 9:30	Y	7440-39-3	Barium	22	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2J8	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/6/1997 9:30	Y	7440-41-7	Beryllium	0.4	ug/L	U	[NULL]	[NULL]	R	B0K2J8	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/6/1997 9:30	N	24959-67-9	Bromide	23	ug/L	U	[NULL]	[NULL]	R	B0K2J4	24959-67-9	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/6/1997 9:30	Y	7440-43-9	Cadmium	3.4	ug/L	U	[NULL]	[NULL]	R	B0K2J8	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/6/1997 9:30	Y	7440-70-2	Calcium	17200	ug/L	C	Q	[NULL]	R	B0K2J8	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/6/1997 9:30	N	16887-00-6	Chloride	6940	ug/L	D	[NULL]	[NULL]	R	B0K2J4	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/6/1997 9:30	Y	7440-47-3	Chromium	2.7	ug/L	U	[NULL]	[NULL]	R	B0K2J8	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/6/1997 9:30	Y	7440-48-4	Cobalt	2.7	ug/L	U	[NULL]	[NULL]	R	B0K2J8	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/6/1997 9:30	Y	7440-50-8	Copper	7.5	ug/L	U	[NULL]	[NULL]	R	B0K2J8	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/6/1997 9:30	N	16984-48-8	Fluoride	650	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2J4	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-77	3/6/1997 9:30	N	12587-46-1	Gross alpha	1.66	pCi/L	U	[NULL]	[NULL]	R	B0K2J4	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-77	3/6/1997 9:30	Y	7439-89-6	Iron	20.4	ug/L	BC	Q	[NULL]	R	B0K2J8	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/6/1997 9:30	Y	7439-95-4	Magnesium	4230	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2J8	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/6/1997 9:30	Y	7439-96-5	Manganese	0.94	ug/L	B	[NULL]	[NULL]	R	B0K2J8	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/6/1997 9:30	Y	7440-02-0	Nickel	8.7	ug/L	U	[NULL]	[NULL]	R	B0K2J8	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/6/1997 9:30	N	14797-55-8	Nitrate	2210	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2J4	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/6/1997 9:30	N	14797-65-0	Nitrite	6.57	ug/L	U	[NULL]	[NULL]	R	B0K2J4	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/6/1997 9:30	N	14265-44-2	Phosphate	36	ug/L	U	[NULL]	[NULL]	R	B0K2J4	14265-44-2	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/6/1997 9:30	Y	7440-09-7	Potassium	4260	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2J8	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/6/1997 9:30	Y	7440-22-4	Silver	3.6	ug/L	UN	[NULL]	[NULL]	R	B0K2J8	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/6/1997 9:30	Y	7440-23-5	Sodium	155000	ug/L	[NULL]	Q	[NULL]	R	B0K2J8	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/6/1997 9:30	N	CONDUCT	Specific Conductance	835	uS/cm	[NULL]	[NULL]	[NULL]	R	B0K2J6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	3/6/1997 9:30	N	CONDUCT	Specific Conductance	835	uS/cm	[NULL]	[NULL]	[NULL]	R	B0K2J7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	3/6/1997 9:30	N	CONDUCT	Specific Conductance	834	uS/cm	[NULL]	[NULL]	[NULL]	R	B0K2J5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	3/6/1997 9:30	N	CONDUCT	Specific Conductance	834	uS/cm	[NULL]	[NULL]	[NULL]	R	B0K2J4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	3/6/1997 9:30	Y	7440-24-6	Strontium	115	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2J8	7440-24-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/6/1997 9:30	N	14808-79-8	Sulfate	249000	ug/L	D	[NULL]	[NULL]	R	B0K2J4	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/6/1997 9:30	N	TEMPERATURE	Temperature	17.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0K2J7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	3/6/1997 9:30	N	TEMPERATURE	Temperature	17.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0K2J5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	3/6/1997 9:30	N	TEMPERATURE	Temperature	17.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0K2J6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	3/6/1997 9:30	N	TEMPERATURE	Temperature	17.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0K2J4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	3/6/1997 9:30	N	TOC	Total organic carbon	532	ug/L	U	[NULL]	[NULL]	R	B0K2J4	TOC	QTESSL	9060_TOC	100-NR-2
199-N-77	3/6/1997 9:30	N	TOC	Total organic carbon	532	ug/L	U	[NULL]	[NULL]	R	B0K2J5	TOC	QTESSL	9060_TOC	100-NR-2
199-N-77	3/6/1997 9:30	N	TOC	Total organic carbon	720	ug/L	B	[NULL]	[NULL]	R	B0K2J7	TOC	QTESSL	9060_TOC	100-NR-2
199-N-77	3/6/1997 9:30	N	TOC	Total organic carbon	555	ug/L	B	[NULL]	[NULL]	R	B0K2J6	TOC	QTESSL	9060_TOC	100-NR-2
199-N-77	3/6/1997 9:30	N	59473-04-0	Total organic halides	2.65	ug/L	U	[NULL]	[NULL]	R	B0K2J4	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-77	3/6/1997 9:30	N	59473-04-0	Total organic halides	5.75	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2J5	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-77	3/6/1997 9:30	N	59473-04-0	Total organic halides	7.85	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2J7	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-77	3/6/1997 9:30	N	59473-04-0	Total organic halides	7	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2J6	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-77	3/6/1997 9:30	N	TURBIDITY	Turbidity	0.68	NTU	[NULL]	[NULL]	[NULL]	R	B0K2J7	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-77	3/6/1997 9:30	Y	7440-62-2	Vanadium	30.7	ug/L	[NULL]	[NULL]	[NULL]	R	B0K2J8	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/6/1997 9:30	Y	7440-66-6	Zinc	17.4	ug/L	[NULL]	Q	[NULL]	R	B0K2J8	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/6/1997 9:30	N	PH	pH Measurement	8.32	unitless	[NULL]	[NULL]	[NULL]	R	B0K2J7	PH	FIELD	9040_PH	100-NR-2
199-N-77	3/6/1997 9:30	N	PH	pH Measurement	8.32	unitless	[NULL]	[NULL]	[NULL]	R	B0K2J5	PH	FIELD	9040_PH	100-NR-2
199-N-77	3/6/1997 9:30	N	PH	pH Measurement	8.32	unitless	[NULL]	[NULL]	[NULL]	R	B0K2J6	PH	FIELD	9040_PH	100-NR-2
199-N-77	3/6/1997 9:30	N	PH	pH Measurement	8.32	unitless	[NULL]	[NULL]	[NULL]	R	B0K2J4	PH	FIELD	9040_PH	100-NR-2
199-N-77	9/22/1997 10:54	N	CONDUCT	Specific Conductance	863	uS/cm	[NULL]	[NULL]	[NULL]	R	B0LYK5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	9/22/1997 10:54	N	CONDUCT	Specific Conductance	866	uS/cm	[NULL]	[NULL]	[NULL]	R	B0LYK7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	9/22/1997 10:54	N	CONDUCT	Specific Conductance	858	uS/cm	[NULL]	[NULL]	[NULL]	R	B0LYK6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	9/22/1997 10:54	N	CONDUCT	Specific Conductance	867	uS/cm	[NULL]	[NULL]	[NULL]	R	B0LYK8	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	9/22/1997 10:54	N	TEMPERATURE	Temperature	18.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0LYK6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	9/22/1997 10:54	N	TEMPERATURE	Temperature	18.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0LYK5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	9/22/1997 10:54	N	TEMPERATURE	Temperature	18.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0LYK7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	9/22/1997 10:54	N	TEMPERATURE	Temperature	18.6	Deg C	[NULL]	[NULL]	[NULL]	R	B0LYK8	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	9/22/1997 10:54	N	TOC	Total organic carbon	370	ug/L	U	[NULL]	[NULL]	R	B0LYK8	TOC	QTESSL	9060_TOC	100-NR-2
199-N-77	9/22/1997 10:54	N	TOC	Total organic carbon	370	ug/L	U	[NULL]	[NULL]	R	B0LYK6	TOC	QTESSL	9060_TOC	100-NR-2
199-N-77	9/22/1997 10:54	N	TOC	Total organic carbon	498	ug/L	B	[NULL]	[NULL]	R	B0LYK5	TOC	QTESSL	9060_TOC	100-NR-2
199-N-77	9/22/1997 10:54	N	TOC	Total organic carbon	370	ug/L	U	[NULL]	[NULL]	R	B0LYK7	TOC	QTESSL	9060_TOC	100-NR-2
199-N-77	9/22/1997 10:54	N	59473-04-0	Total organic halides	17.7	ug/L	[NULL]	[NULL]	[NULL]	R	B0LYK7	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-77	9/22/1997 10:54	N	59473-04-0	Total organic halides	12.6	ug/L	[NULL]	[NULL]	[NULL]	R	B0LYK6	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-77	9/22/1997 10:54	N	59473-04-0	Total organic halides	16.9	ug/L	[NULL]	[NULL]	[NULL]	R	B0LYK5	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-77	9/22/1997 10:54	N	59473-04-0	Total organic halides	14.4	ug/L	[NULL]	[NULL]	[NULL]	R	B0LYK8	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-77	9/22/1997 10:54	N	TURBIDITY	Turbidity	1.37	NTU	[NULL]	[NULL]	[NULL]	R	B0LYK8	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-77	9/22/1997 10:54	N	PH	pH Measurement	8.28	unitless	[NULL]	[NULL]	[NULL]	R	B0LYK5	PH	FIELD	9040_PH	100-NR-2
199-N-77	9/22/1997 10:54	N	PH	pH Measurement	8.29	unitless	[NULL]	[NULL]	[NULL]	R	B0LYK6	PH	FIELD	9040_PH	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-77	9/22/1997 10:54	N	PH	pH Measurement	8.28	unitless	[NULL]	[NULL]	[NULL]	R	B0LYK8	PH	FIELD	9040_PH	100-NR-2
199-N-77	9/22/1997 10:54	N	PH	pH Measurement	8.28	unitless	[NULL]	[NULL]	[NULL]	R	B0LYK7	PH	FIELD	9040_PH	100-NR-2
199-N-77	3/2/1998 13:01	N	ALKALINITY	Alkalinity	142000	ug/L	[NULL]	[NULL]	[NULL]	R	B0N4X4	ALKALINITY	QTESSL	310.1_ALKALINITY	100-NR-2
199-N-77	3/2/1998 13:01	Y	7429-90-5	Aluminum	32.4	ug/L	BC	[NULL]	[NULL]	R	B0N4X3	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/2/1998 13:01	Y	7440-36-0	Antimony	42.5	ug/L	U	[NULL]	[NULL]	R	B0N4X3	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/2/1998 13:01	Y	7440-39-3	Barium	18	ug/L	[NULL]	[NULL]	[NULL]	R	B0N4X3	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/2/1998 13:01	Y	7440-41-7	Beryllium	0.61	ug/L	B	[NULL]	[NULL]	R	B0N4X3	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/2/1998 13:01	Y	7440-43-9	Cadmium	3.3	ug/L	U	[NULL]	[NULL]	R	B0N4X3	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/2/1998 13:01	Y	7440-70-2	Calcium	16500	ug/L	C	[NULL]	[NULL]	R	B0N4X3	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/2/1998 13:01	N	16887-00-6	Chloride	10300	ug/L	D	[NULL]	[NULL]	R	B0N4X4	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/2/1998 13:01	Y	7440-47-3	Chromium	2.7	ug/L	U	[NULL]	[NULL]	R	B0N4X3	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/2/1998 13:01	Y	7440-48-4	Cobalt	4.3	ug/L	U	[NULL]	[NULL]	R	B0N4X3	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/2/1998 13:01	Y	7440-50-8	Copper	4.1	ug/L	U	[NULL]	[NULL]	R	B0N4X3	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/2/1998 13:01	N	16984-48-8	Fluoride	733	ug/L	D	[NULL]	[NULL]	R	B0N4X4	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/2/1998 13:01	N	12587-46-1	Gross alpha	0.497	pCi/L	U	[NULL]	[NULL]	R	B0N4X4	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-77	3/2/1998 13:01	Y	7439-89-6	Iron	121	ug/L	NC	[NULL]	[NULL]	R	B0N4X3	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/2/1998 13:01	Y	7439-95-4	Magnesium	4040	ug/L	C	[NULL]	[NULL]	R	B0N4X3	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/2/1998 13:01	Y	7439-96-5	Manganese	2.6	ug/L	B	[NULL]	[NULL]	R	B0N4X3	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/2/1998 13:01	Y	7440-02-0	Nickel	14.6	ug/L	U	[NULL]	[NULL]	R	B0N4X3	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/2/1998 13:01	N	14797-55-8	Nitrate	5530	ug/L	D	[NULL]	[NULL]	R	B0N4X4	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/2/1998 13:01	N	14797-65-0	Nitrite	3.28	ug/L	U	[NULL]	[NULL]	R	B0N4X4	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/2/1998 13:01	Y	7440-09-7	Potassium	3770	ug/L	[NULL]	[NULL]	[NULL]	R	B0N4X3	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/2/1998 13:01	Y	7440-22-4	Silver	6	ug/L	U	[NULL]	[NULL]	R	B0N4X3	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/2/1998 13:01	Y	7440-23-5	Sodium	147000	ug/L	[NULL]	[NULL]	[NULL]	R	B0N4X3	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/2/1998 13:01	N	CONDUCT	Specific Conductance	811	uS/cm	[NULL]	[NULL]	[NULL]	R	B0N4X2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	3/2/1998 13:01	N	CONDUCT	Specific Conductance	808	uS/cm	[NULL]	[NULL]	[NULL]	R	B0N4X1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	3/2/1998 13:01	N	CONDUCT	Specific Conductance	802	uS/cm	[NULL]	[NULL]	[NULL]	R	B0N4W9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	3/2/1998 13:01	N	CONDUCT	Specific Conductance	808	uS/cm	[NULL]	[NULL]	[NULL]	R	B0N4X0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	3/2/1998 13:01	Y	7440-24-6	Strontium	113	ug/L	[NULL]	[NULL]	[NULL]	R	B0N4X3	7440-24-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/2/1998 13:01	N	14808-79-8	Sulfate	208000	ug/L	D	[NULL]	[NULL]	R	B0N4X4	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/2/1998 13:01	N	TEMPERATURE	Temperature	17.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0N4X1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	3/2/1998 13:01	N	TEMPERATURE	Temperature	17.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0N4X2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	3/2/1998 13:01	N	TEMPERATURE	Temperature	17.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0N4X0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	3/2/1998 13:01	N	TEMPERATURE	Temperature	17.5	Deg C	[NULL]	[NULL]	[NULL]	R	B0N4W9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	3/2/1998 13:01	N	TOC	Total organic carbon	370	ug/L	U	[NULL]	[NULL]	R	B0N4X2	TOC	QTESSL	9060_TOC	100-NR-2
199-N-77	3/2/1998 13:01	N	TOC	Total organic carbon	370	ug/L	U	[NULL]	[NULL]	R	B0N4W9	TOC	QTESSL	9060_TOC	100-NR-2
199-N-77	3/2/1998 13:01	N	TOC	Total organic carbon	444	ug/L	B	[NULL]	[NULL]	R	B0N4X0	TOC	QTESSL	9060_TOC	100-NR-2
199-N-77	3/2/1998 13:01	N	TOC	Total organic carbon	370	ug/L	U	[NULL]	[NULL]	R	B0N4X1	TOC	QTESSL	9060_TOC	100-NR-2
199-N-77	3/2/1998 13:01	N	59473-04-0	Total organic halides	11.7	ug/L	[NULL]	[NULL]	[NULL]	R	B0N4X2	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-77	3/2/1998 13:01	N	59473-04-0	Total organic halides	13.3	ug/L	[NULL]	[NULL]	[NULL]	R	B0N4X1	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-77	3/2/1998 13:01	N	59473-04-0	Total organic halides	14.3	ug/L	[NULL]	[NULL]	[NULL]	R	B0N4X0	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-77	3/2/1998 13:01	N	59473-04-0	Total organic halides	6.7	ug/L	[NULL]	[NULL]	[NULL]	R	B0N4W9	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-77	3/2/1998 13:01	N	TURBIDITY	Turbidity	0.87	NTU	[NULL]	[NULL]	[NULL]	R	B0N4X1	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-77	3/2/1998 13:01	N	TURBIDITY	Turbidity	1.01	NTU	[NULL]	[NULL]	[NULL]	R	B0N4X2	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-77	3/2/1998 13:01	N	TURBIDITY	Turbidity	0.69	NTU	[NULL]	[NULL]	[NULL]	R	B0N4X0	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-77	3/2/1998 13:01	N	TURBIDITY	Turbidity	2.13	NTU	[NULL]	[NULL]	[NULL]	R	B0N4W9	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-77	3/2/1998 13:01	Y	7440-62-2	Vanadium	36.6	ug/L	[NULL]	[NULL]	[NULL]	R	B0N4X3	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/2/1998 13:01	Y	7440-66-6	Zinc	6.4	ug/L	B	[NULL]	[NULL]	R	B0N4X3	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/2/1998 13:01	N	PH	pH Measurement	8.34	unitless	[NULL]	[NULL]	[NULL]	R	B0N4W9	PH	FIELD	9040_PH	100-NR-2
199-N-77	3/2/1998 13:01	N	PH	pH Measurement	8.34	unitless	[NULL]	[NULL]	[NULL]	R	B0N4X2	PH	FIELD	9040_PH	100-NR-2
199-N-77	3/2/1998 13:01	N	PH	pH Measurement	8.34	unitless	[NULL]	[NULL]	[NULL]	R	B0N4X1	PH	FIELD	9040_PH	100-NR-2
199-N-77	3/2/1998 13:01	N	PH	pH Measurement	8.33	unitless	[NULL]	[NULL]	[NULL]	R	B0N4X0	PH	FIELD	9040_PH	100-NR-2
199-N-77	9/9/1998 10:50	N	CONDUCT	Specific Conductance	715	uS/cm	[NULL]	[NULL]	[NULL]	R	B0PRX5	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	9/9/1998 10:50	N	CONDUCT	Specific Conductance	717	uS/cm	[NULL]	[NULL]	[NULL]	R	B0PRX6	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	9/9/1998 10:50	N	CONDUCT	Specific Conductance	715	uS/cm	[NULL]	[NULL]	[NULL]	R	B0PRX4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-77	9/9/1998 10:50	N	CONDUCT	Specific Conductance	714	uS/cm	[NULL]	[NULL]	[NULL]	R	B0PRX3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	9/9/1998 10:50	N	TEMPERATURE	Temperature	18.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0PRX4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	9/9/1998 10:50	N	TEMPERATURE	Temperature	18.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0PRX5	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	9/9/1998 10:50	N	TEMPERATURE	Temperature	18.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0PRX6	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	9/9/1998 10:50	N	TEMPERATURE	Temperature	18.2	Deg C	[NULL]	[NULL]	[NULL]	R	B0PRX3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	9/9/1998 10:50	N	TOC	Total organic carbon	630	ug/L	B	Q	[NULL]	R	B0PRX5	TOC	QTESSL	9060_TOC	100-NR-2
199-N-77	9/9/1998 10:50	N	TOC	Total organic carbon	785	ug/L	B	Q	[NULL]	R	B0PRX6	TOC	QTESSL	9060_TOC	100-NR-2
199-N-77	9/9/1998 10:50	N	TOC	Total organic carbon	932	ug/L	B	Q	[NULL]	R	B0PRX3	TOC	QTESSL	9060_TOC	100-NR-2
199-N-77	9/9/1998 10:50	N	TOC	Total organic carbon	867	ug/L	B	Q	[NULL]	R	B0PRX4	TOC	QTESSL	9060_TOC	100-NR-2
199-N-77	9/9/1998 10:50	N	59473-04-0	Total organic halides	7.95	ug/L	[NULL]	[NULL]	[NULL]	R	B0PRX5	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-77	9/9/1998 10:50	N	59473-04-0	Total organic halides	7.25	ug/L	[NULL]	[NULL]	[NULL]	R	B0PRX4	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-77	9/9/1998 10:50	N	59473-04-0	Total organic halides	8.2	ug/L	[NULL]	[NULL]	[NULL]	R	B0PRX3	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-77	9/9/1998 10:50	N	59473-04-0	Total organic halides	7.9	ug/L	[NULL]	[NULL]	[NULL]	R	B0PRX6	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-77	9/9/1998 10:50	N	TURBIDITY	Turbidity	0.47	NTU	[NULL]	[NULL]	[NULL]	R	B0PRX6	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-77	9/9/1998 10:50	N	PH	pH Measurement	8.37	unitless	[NULL]	[NULL]	[NULL]	R	B0PRX3	PH	FIELD	9040_PH	100-NR-2
199-N-77	9/9/1998 10:50	N	PH	pH Measurement	8.38	unitless	[NULL]	[NULL]	[NULL]	R	B0PRX6	PH	FIELD	9040_PH	100-NR-2
199-N-77	9/9/1998 10:50	N	PH	pH Measurement	8.37	unitless	[NULL]	[NULL]	[NULL]	R	B0PRX4	PH	FIELD	9040_PH	100-NR-2
199-N-77	9/9/1998 10:50	N	PH	pH Measurement	8.38	unitless	[NULL]	[NULL]	[NULL]	R	B0PRX5	PH	FIELD	9040_PH	100-NR-2
199-N-77	3/18/1999 10:05	N	ALKALINITY	Alkalinity	140000	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX50	ALKALINITY	QTESSL	310.1_ALKALINITY	100-NR-2
199-N-77	3/18/1999 10:05	Y	7429-90-5	Aluminum	33.5	ug/L	U	[NULL]	[NULL]	R	B0TX49	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/18/1999 10:05	Y	7440-36-0	Antimony	36.4	ug/L	U	[NULL]	[NULL]	R	B0TX49	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/18/1999 10:05	Y	7440-39-3	Barium	13.2	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX49	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/18/1999 10:05	Y	7440-41-7	Beryllium	0.57	ug/L	B	[NULL]	[NULL]	R	B0TX49	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/18/1999 10:05	Y	7440-43-9	Cadmium	3.9	ug/L	U	[NULL]	[NULL]	R	B0TX49	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/18/1999 10:05	Y	7440-70-2	Calcium	12600	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX49	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/18/1999 10:05	N	16887-00-6	Chloride	14300	ug/L	D	Q	[NULL]	R	B0TX50	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/18/1999 10:05	Y	7440-47-3	Chromium	4.8	ug/L	U	[NULL]	[NULL]	R	B0TX49	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/18/1999 10:05	Y	7440-48-4	Cobalt	5.1	ug/L	U	[NULL]	[NULL]	R	B0TX49	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/18/1999 10:05	Y	7440-50-8	Copper	3.9	ug/L	U	[NULL]	[NULL]	R	B0TX49	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/18/1999 10:05	N	16984-48-8	Fluoride	698	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX50	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/18/1999 10:05	Y	7439-89-6	Iron	26.9	ug/L	B	[NULL]	[NULL]	R	B0TX49	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/18/1999 10:05	Y	7439-95-4	Magnesium	3160	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX49	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/18/1999 10:05	Y	7439-96-5	Manganese	2.6	ug/L	B	Q	[NULL]	R	B0TX49	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/18/1999 10:05	Y	7440-02-0	Nickel	8.6	ug/L	U	[NULL]	[NULL]	R	B0TX49	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/18/1999 10:05	N	14797-55-8	Nitrate	8500	ug/L	D	[NULL]	[NULL]	R	B0TX50	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/18/1999 10:05	N	14797-65-0	Nitrite	23	ug/L	U	[NULL]	[NULL]	R	B0TX50	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/18/1999 10:05	Y	7440-09-7	Potassium	3580	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX49	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/18/1999 10:05	Y	7440-22-4	Silver	5.9	ug/L	U	[NULL]	[NULL]	R	B0TX49	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/18/1999 10:05	Y	7440-23-5	Sodium	130000	ug/L	[NULL]	Q	[NULL]	R	B0TX49	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/18/1999 10:05	N	CONDUCT	Specific Conductance	669	uS/cm	C	Q	[NULL]	R	B0TX50	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-77	3/18/1999 10:05	N	CONDUCT	Specific Conductance	695	uS/cm	[NULL]	[NULL]	[NULL]	R	B0V0V0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	3/18/1999 10:05	N	CONDUCT	Specific Conductance	695	uS/cm	[NULL]	[NULL]	[NULL]	R	B0V0T9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	3/18/1999 10:05	N	CONDUCT	Specific Conductance	694	uS/cm	[NULL]	[NULL]	[NULL]	R	B0TX50	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	3/18/1999 10:05	N	CONDUCT	Specific Conductance	694	uS/cm	[NULL]	[NULL]	[NULL]	R	B0V0V1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	3/18/1999 10:05	Y	7440-24-6	Strontium	81.3	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX49	7440-24-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/18/1999 10:05	N	14808-79-8	Sulfate	166000	ug/L	D	Q	[NULL]	R	B0TX50	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/18/1999 10:05	N	TEMPERATURE	Temperature	17.8	Deg C	[NULL]	[NULL]	[NULL]	R	B0V0V1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	3/18/1999 10:05	N	TEMPERATURE	Temperature	17.9	Deg C	[NULL]	[NULL]	[NULL]	R	B0V0T9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	3/18/1999 10:05	N	TEMPERATURE	Temperature	17.9	Deg C	[NULL]	[NULL]	[NULL]	R	B0V0V0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	3/18/1999 10:05	N	TEMPERATURE	Temperature	17.9	Deg C	[NULL]	[NULL]	[NULL]	R	B0TX50	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	3/18/1999 10:05	N	TOC	Total organic carbon	263	ug/L	B	[NULL]	[NULL]	R	B0TX50	TOC	QTESSL	9060_TOC	100-NR-2
199-N-77	3/18/1999 10:05	N	TOC	Total organic carbon	222	ug/L	B	[NULL]	[NULL]	R	B0V0V1	TOC	QTESSL	9060_TOC	100-NR-2
199-N-77	3/18/1999 10:05	N	TOC	Total organic carbon	222	ug/L	U	[NULL]	[NULL]	R	B0V0T9	TOC	QTESSL	9060_TOC	100-NR-2
199-N-77	3/18/1999 10:05	N	TOC	Total organic carbon	222	ug/L	U	[NULL]	[NULL]	R	B0V0V0	TOC	QTESSL	9060_TOC	100-NR-2
199-N-77	3/18/1999 10:05	N	59473-04-0	Total organic halides	3.35	ug/L	B	[NULL]	[NULL]	R	B0TX50	59473-04-0	QTESSL	9020_TOX	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-77	3/18/1999 10:05	N	59473-04-0	Total organic halides	9.5	ug/L	[NULL]	[NULL]	[NULL]	R	B0V0V1	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-77	3/18/1999 10:05	N	59473-04-0	Total organic halides	5.15	ug/L	[NULL]	[NULL]	[NULL]	R	B0V0V0	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-77	3/18/1999 10:05	N	59473-04-0	Total organic halides	10.1	ug/L	[NULL]	[NULL]	[NULL]	R	B0V0T9	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-77	3/18/1999 10:05	Y	TURBIDITY	Turbidity	0.22	NTU	[NULL]	[NULL]	[NULL]	R	B0TX49	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-77	3/18/1999 10:05	N	TURBIDITY	Turbidity	0.57	NTU	[NULL]	[NULL]	[NULL]	R	B0V0V1	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-77	3/18/1999 10:05	Y	7440-62-2	Vanadium	48.3	ug/L	[NULL]	[NULL]	[NULL]	R	B0TX49	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/18/1999 10:05	Y	7440-66-6	Zinc	6	ug/L	B	Q	[NULL]	R	B0TX49	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/18/1999 10:05	N	PH	pH Measurement	8.45	unitless	[NULL]	[NULL]	[NULL]	R	B0TX50	PH	FIELD	9040_PH	100-NR-2
199-N-77	3/18/1999 10:05	N	PH	pH Measurement	8.48	unitless	[NULL]	[NULL]	[NULL]	R	B0V0V1	PH	FIELD	9040_PH	100-NR-2
199-N-77	3/18/1999 10:05	N	PH	pH Measurement	8.47	unitless	[NULL]	[NULL]	[NULL]	R	B0V0T9	PH	FIELD	9040_PH	100-NR-2
199-N-77	3/18/1999 10:05	N	PH	pH Measurement	8.47	unitless	[NULL]	[NULL]	[NULL]	R	B0V0V0	PH	FIELD	9040_PH	100-NR-2
199-N-77	9/13/1999 10:12	N	ALKALINITY	Alkalinity	154000	ug/L	[NULL]	[NULL]	[NULL]	R	B0W6R4	ALKALINITY	QTESSL	310.1_ALKALINITY	100-NR-2
199-N-77	9/13/1999 10:12	Y	7429-90-5	Aluminum	22.3	ug/L	U	[NULL]	[NULL]	R	B0W6R3	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/13/1999 10:12	Y	7440-36-0	Antimony	57.9	ug/L	U	[NULL]	[NULL]	R	B0W6R3	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/13/1999 10:12	Y	7440-39-3	Barium	12.6	ug/L	[NULL]	[NULL]	[NULL]	R	B0W6R3	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/13/1999 10:12	Y	7440-41-7	Beryllium	0.4	ug/L	U	[NULL]	[NULL]	R	B0W6R3	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/13/1999 10:12	Y	7440-43-9	Cadmium	3	ug/L	U	[NULL]	[NULL]	R	B0W6R3	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/13/1999 10:12	Y	7440-70-2	Calcium	12000	ug/L	[NULL]	[NULL]	[NULL]	R	B0W6R3	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/13/1999 10:12	N	16887-00-6	Chloride	22900	ug/L	D	[NULL]	[NULL]	R	B0W6R4	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	9/13/1999 10:12	Y	7440-47-3	Chromium	3.2	ug/L	U	[NULL]	[NULL]	R	B0W6R3	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/13/1999 10:12	Y	7440-48-4	Cobalt	3.6	ug/L	U	[NULL]	[NULL]	R	B0W6R3	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/13/1999 10:12	Y	7440-50-8	Copper	4.4	ug/L	U	[NULL]	[NULL]	R	B0W6R3	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/13/1999 10:12	N	16984-48-8	Fluoride	757	ug/L	[NULL]	[NULL]	[NULL]	R	B0W6R4	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	9/13/1999 10:12	N	12587-46-1	Gross alpha	0.122	pCi/L	U	[NULL]	[NULL]	R	B0W6R5	12587-46-1	QTESRL	ALPHA_GPC	100-NR-2
199-N-77	9/13/1999 10:12	Y	7439-89-6	Iron	74.2	ug/L	[NULL]	[NULL]	[NULL]	R	B0W6R3	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/13/1999 10:12	Y	7439-95-4	Magnesium	2860	ug/L	[NULL]	[NULL]	[NULL]	R	B0W6R3	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/13/1999 10:12	Y	7439-96-5	Manganese	0.8	ug/L	U	[NULL]	[NULL]	R	B0W6R3	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/13/1999 10:12	Y	7440-02-0	Nickel	10.3	ug/L	U	[NULL]	[NULL]	R	B0W6R3	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/13/1999 10:12	N	14797-55-8	Nitrate	10800	ug/L	D	[NULL]	[NULL]	R	B0W6R4	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	9/13/1999 10:12	N	14797-65-0	Nitrite	23	ug/L	U	[NULL]	[NULL]	R	B0W6R4	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	9/13/1999 10:12	Y	7440-09-7	Potassium	3830	ug/L	[NULL]	[NULL]	[NULL]	R	B0W6R3	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/13/1999 10:12	Y	7440-22-4	Silver	8.8	ug/L	U	[NULL]	[NULL]	R	B0W6R3	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/13/1999 10:12	Y	7440-23-5	Sodium	125000	ug/L	[NULL]	[NULL]	[NULL]	R	B0W6R3	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/13/1999 10:12	N	CONDUCT	Specific Conductance	668	uS/cm	[NULL]	[NULL]	[NULL]	R	B0W6R1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	9/13/1999 10:12	N	CONDUCT	Specific Conductance	666	uS/cm	[NULL]	[NULL]	[NULL]	R	B0W6R0	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	9/13/1999 10:12	N	CONDUCT	Specific Conductance	665	uS/cm	[NULL]	[NULL]	[NULL]	R	B0W6P9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	9/13/1999 10:12	N	CONDUCT	Specific Conductance	669	uS/cm	[NULL]	[NULL]	[NULL]	R	B0W6R2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	9/13/1999 10:12	N	CONDUCT	Specific Conductance	651	uS/cm	C	[NULL]	[NULL]	R	B0W6R4	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-77	9/13/1999 10:12	Y	7440-24-6	Strontium	81.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0W6R3	7440-24-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/13/1999 10:12	N	14808-79-8	Sulfate	149000	ug/L	D	[NULL]	[NULL]	R	B0W6R4	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	9/13/1999 10:12	N	TEMPERATURE	Temperature	18.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0W6R1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	9/13/1999 10:12	N	TEMPERATURE	Temperature	18.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0W6P9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	9/13/1999 10:12	N	TEMPERATURE	Temperature	18.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0W6R2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	9/13/1999 10:12	N	TEMPERATURE	Temperature	18.3	Deg C	[NULL]	[NULL]	[NULL]	R	B0W6R0	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	9/13/1999 10:12	N	TOC	Total organic carbon	594	ug/L	B	[NULL]	[NULL]	R	B0W6R0	TOC	QTESSL	9060_TOC	100-NR-2
199-N-77	9/13/1999 10:12	N	TOC	Total organic carbon	567	ug/L	B	[NULL]	[NULL]	R	B0W6R1	TOC	QTESSL	9060_TOC	100-NR-2
199-N-77	9/13/1999 10:12	N	TOC	Total organic carbon	588	ug/L	B	[NULL]	[NULL]	R	B0W6R2	TOC	QTESSL	9060_TOC	100-NR-2
199-N-77	9/13/1999 10:12	N	TOC	Total organic carbon	586	ug/L	B	[NULL]	[NULL]	R	B0W6P9	TOC	QTESSL	9060_TOC	100-NR-2
199-N-77	9/13/1999 10:12	N	59473-04-0	Total organic halides	8.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0W6R0	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-77	9/13/1999 10:12	N	59473-04-0	Total organic halides	9.2	ug/L	[NULL]	[NULL]	[NULL]	R	B0W6R2	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-77	9/13/1999 10:12	N	59473-04-0	Total organic halides	11.7	ug/L	[NULL]	[NULL]	[NULL]	R	B0W6R1	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-77	9/13/1999 10:12	N	59473-04-0	Total organic halides	9.85	ug/L	[NULL]	[NULL]	[NULL]	R	B0W6P9	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-77	9/13/1999 10:12	N	TURBIDITY	Turbidity	1.43	NTU	[NULL]	[NULL]	[NULL]	R	B0W6R2	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-77	9/13/1999 10:12	N	TURBIDITY	Turbidity	1.47	NTU	[NULL]	[NULL]	[NULL]	R	B0W6R0	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-77	9/13/1999 10:12	Y	7440-62-2	Vanadium	39.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0W6R3	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-77	9/13/1999 10:12	Y	7440-66-6	Zinc	10.3	ug/L	[NULL]	[NULL]	[NULL]	R	B0W6R3	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	9/13/1999 10:12	N	PH	pH Measurement	8.45	unitless	[NULL]	[NULL]	[NULL]	R	B0W6R0	PH	FIELD	9040_PH	100-NR-2
199-N-77	9/13/1999 10:12	N	PH	pH Measurement	8.43	unitless	[NULL]	[NULL]	[NULL]	R	B0W6R2	PH	FIELD	9040_PH	100-NR-2
199-N-77	9/13/1999 10:12	N	PH	pH Measurement	8.45	unitless	[NULL]	[NULL]	[NULL]	R	B0W6P9	PH	FIELD	9040_PH	100-NR-2
199-N-77	9/13/1999 10:12	N	PH	pH Measurement	8.43	unitless	[NULL]	[NULL]	[NULL]	R	B0W6R1	PH	FIELD	9040_PH	100-NR-2
199-N-77	3/24/2000 9:01	N	ALKALINITY	Alkalinity	154000	ug/L	[NULL]	[NULL]	[NULL]	R	B0XL98	ALKALINITY	QTESSL	310.1_ALKALINITY	100-NR-2
199-N-77	3/24/2000 9:01	Y	7429-90-5	Aluminum	41.8	ug/L	U	[NULL]	[NULL]	R	B0XL97	7429-90-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/24/2000 9:01	Y	7440-36-0	Antimony	24.7	ug/L	U	[NULL]	[NULL]	R	B0XL97	7440-36-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/24/2000 9:01	Y	7440-39-3	Barium	12.5	ug/L	B	[NULL]	[NULL]	R	B0XL97	7440-39-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/24/2000 9:01	Y	7440-41-7	Beryllium	0.52	ug/L	B	[NULL]	[NULL]	R	B0XL97	7440-41-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/24/2000 9:01	Y	7440-43-9	Cadmium	2.8	ug/L	U	[NULL]	[NULL]	R	B0XL97	7440-43-9	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/24/2000 9:01	Y	7440-70-2	Calcium	12300	ug/L	[NULL]	[NULL]	[NULL]	R	B0XL97	7440-70-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/24/2000 9:01	N	16887-00-6	Chloride	23600	ug/L	D	[NULL]	[NULL]	R	B0XL98	16887-00-6	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/24/2000 9:01	Y	7440-47-3	Chromium	4.6	ug/L	U	[NULL]	[NULL]	R	B0XL97	7440-47-3	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/24/2000 9:01	Y	7440-48-4	Cobalt	4.3	ug/L	U	[NULL]	[NULL]	R	B0XL97	7440-48-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/24/2000 9:01	Y	7440-50-8	Copper	5	ug/L	B	[NULL]	[NULL]	R	B0XL97	7440-50-8	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/24/2000 9:01	N	16984-48-8	Fluoride	830	ug/L	[NULL]	[NULL]	[NULL]	R	B0XL98	16984-48-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/24/2000 9:01	N	12587-46-1	Gross alpha	0.662	pCi/L	U	[NULL]	[NULL]	R	B0XL99	12587-46-1	QTESRL	9310_ALPHABETA_GPC	100-NR-2
199-N-77	3/24/2000 9:01	Y	7439-89-6	Iron	15.6	ug/L	U	[NULL]	[NULL]	R	B0XL97	7439-89-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/24/2000 9:01	Y	7439-95-4	Magnesium	2690	ug/L	B	[NULL]	[NULL]	R	B0XL97	7439-95-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/24/2000 9:01	Y	7439-96-5	Manganese	0.9	ug/L	U	[NULL]	[NULL]	R	B0XL97	7439-96-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/24/2000 9:01	Y	7440-02-0	Nickel	15.4	ug/L	U	[NULL]	[NULL]	R	B0XL97	7440-02-0	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/24/2000 9:01	N	14797-55-8	Nitrate	10600	ug/L	D	[NULL]	[NULL]	R	B0XL98	NO3-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/24/2000 9:01	N	14797-65-0	Nitrite	24.3	ug/L	U	[NULL]	[NULL]	R	B0XL98	NO2-N	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/24/2000 9:01	Y	7440-09-7	Potassium	2620	ug/L	B	[NULL]	[NULL]	R	B0XL97	7440-09-7	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/24/2000 9:01	Y	7440-22-4	Silver	6.9	ug/L	U	[NULL]	[NULL]	R	B0XL97	7440-22-4	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/24/2000 9:01	Y	7440-23-5	Sodium	134000	ug/L	[NULL]	[NULL]	[NULL]	R	B0XL97	7440-23-5	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/24/2000 9:01	N	CONDUCT	Specific Conductance	674	uS/cm	[NULL]	[NULL]	[NULL]	R	B0XL94	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	3/24/2000 9:01	N	CONDUCT	Specific Conductance	668	uS/cm	[NULL]	[NULL]	[NULL]	R	B0XL93	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	3/24/2000 9:01	N	CONDUCT	Specific Conductance	669	uS/cm	[NULL]	[NULL]	[NULL]	R	B0XL96	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	3/24/2000 9:01	N	CONDUCT	Specific Conductance	670	uS/cm	[NULL]	[NULL]	[NULL]	R	B0XL95	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	3/24/2000 9:01	N	CONDUCT	Specific Conductance	625	uS/cm	C	[NULL]	[NULL]	R	B0XL98	CONDUCT	QTESSL	120.1_CONDUCT	100-NR-2
199-N-77	3/24/2000 9:01	Y	7440-24-6	Strontium	83.6	ug/L	[NULL]	[NULL]	[NULL]	R	B0XL97	7440-24-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/24/2000 9:01	N	14808-79-8	Sulfate	122000	ug/L	D	[NULL]	[NULL]	R	B0XL98	14808-79-8	QTESSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/24/2000 9:01	N	TEMPERATURE	Temperature	18	Deg C	[NULL]	[NULL]	[NULL]	R	B0XL95	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	3/24/2000 9:01	N	TEMPERATURE	Temperature	18	Deg C	[NULL]	[NULL]	[NULL]	R	B0XL96	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	3/24/2000 9:01	N	TEMPERATURE	Temperature	18	Deg C	[NULL]	[NULL]	[NULL]	R	B0XL93	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	3/24/2000 9:01	N	TEMPERATURE	Temperature	18	Deg C	[NULL]	[NULL]	[NULL]	R	B0XL94	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	3/24/2000 9:01	N	TOC	Total organic carbon	580	ug/L	B	[NULL]	[NULL]	R	B0XL96	TOC	QTESSL	9060_TOC	100-NR-2
199-N-77	3/24/2000 9:01	N	TOC	Total organic carbon	550	ug/L	B	[NULL]	[NULL]	R	B0XL95	TOC	QTESSL	9060_TOC	100-NR-2
199-N-77	3/24/2000 9:01	N	TOC	Total organic carbon	520	ug/L	B	[NULL]	[NULL]	R	B0XL94	TOC	QTESSL	9060_TOC	100-NR-2
199-N-77	3/24/2000 9:01	N	TOC	Total organic carbon	570	ug/L	B	[NULL]	[NULL]	R	B0XL93	TOC	QTESSL	9060_TOC	100-NR-2
199-N-77	3/24/2000 9:01	N	59473-04-0	Total organic halides	6	ug/L	[NULL]	[NULL]	[NULL]	R	B0XL93	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-77	3/24/2000 9:01	N	59473-04-0	Total organic halides	6.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0XL95	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-77	3/24/2000 9:01	N	59473-04-0	Total organic halides	7.8	ug/L	[NULL]	[NULL]	[NULL]	R	B0XL94	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-77	3/24/2000 9:01	N	59473-04-0	Total organic halides	4.8	ug/L	B	[NULL]	[NULL]	R	B0XL96	59473-04-0	QTESSL	9020_TOX	100-NR-2
199-N-77	3/24/2000 9:01	N	TURBIDITY	Turbidity	0.52	NTU	[NULL]	[NULL]	[NULL]	R	B0XL94	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-77	3/24/2000 9:01	N	TURBIDITY	Turbidity	0.39	NTU	[NULL]	[NULL]	[NULL]	R	B0XL96	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-77	3/24/2000 9:01	Y	7440-62-2	Vanadium	34.5	ug/L	B	[NULL]	[NULL]	R	B0XL97	7440-62-2	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/24/2000 9:01	Y	7440-66-6	Zinc	3.1	ug/L	U	[NULL]	[NULL]	R	B0XL97	7440-66-6	QTESSL	6010_METALS_ICP	100-NR-2
199-N-77	3/24/2000 9:01	N	PH	pH Measurement	8.42	unitless	[NULL]	[NULL]	[NULL]	R	B0XL94	PH	FIELD	9040_PH	100-NR-2
199-N-77	3/24/2000 9:01	N	PH	pH Measurement	8.42	unitless	[NULL]	[NULL]	[NULL]	R	B0XL93	PH	FIELD	9040_PH	100-NR-2
199-N-77	3/24/2000 9:01	N	PH	pH Measurement	8.42	unitless	[NULL]	[NULL]	[NULL]	R	B0XL96	PH	FIELD	9040_PH	100-NR-2
199-N-77	3/24/2000 9:01	N	PH	pH Measurement	8.42	unitless	[NULL]	[NULL]	[NULL]	R	B0XL95	PH	FIELD	9040_PH	100-NR-2
199-N-77	9/21/2000 8:45	N	ALKALINITY	Alkalinity	144000	ug/L	[NULL]	H	[NULL]	R	B10233	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-77	9/21/2000 8:45	Y	7429-90-5	Aluminum	89.9	ug/L	U	[NULL]	[NULL]	R	B10232	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/21/2000 8:45	Y	7440-36-0	Antimony	2.8	ug/L	U	[NULL]	[NULL]	R	B10232	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/21/2000 8:45	Y	7440-39-3	Barium	11.6	ug/L	B	[NULL]	[NULL]	R	B10232	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/21/2000 8:45	Y	7440-41-7	Beryllium	0.3	ug/L	U	[NULL]	[NULL]	R	B10232	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/21/2000 8:45	Y	7440-43-9	Cadmium	4.3	ug/L	U	[NULL]	[NULL]	R	B10232	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/21/2000 8:45	Y	7440-70-2	Calcium	11500	ug/L	[NULL]	[NULL]	[NULL]	R	B10232	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/21/2000 8:45	N	16887-00-6	Chloride	23500	ug/L	D	[NULL]	[NULL]	R	B10233	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-77	9/21/2000 8:45	Y	7440-47-3	Chromium	4.1	ug/L	U	[NULL]	[NULL]	R	B10232	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/21/2000 8:45	Y	7440-48-4	Cobalt	4.3	ug/L	U	[NULL]	[NULL]	R	B10232	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/21/2000 8:45	Y	7440-50-8	Copper	4.1	ug/L	U	[NULL]	[NULL]	R	B10232	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/21/2000 8:45	N	16984-48-8	Fluoride	830	ug/L	[NULL]	[NULL]	[NULL]	R	B10233	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-77	9/21/2000 8:45	N	12587-46-1	Gross alpha	0	pCi/L	U	[NULL]	[NULL]	R	B10234	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-77	9/21/2000 8:45	Y	7439-89-6	Iron	34.9	ug/L	U	[NULL]	[NULL]	R	B10232	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/21/2000 8:45	Y	7439-95-4	Magnesium	2630	ug/L	B	[NULL]	[NULL]	R	B10232	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/21/2000 8:45	Y	7439-96-5	Manganese	1.2	ug/L	U	[NULL]	[NULL]	R	B10232	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/21/2000 8:45	Y	7440-02-0	Nickel	19.9	ug/L	U	[NULL]	[NULL]	R	B10232	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/21/2000 8:45	N	14797-55-8	Nitrate	9740	ug/L	D	[NULL]	[NULL]	R	B10233	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-77	9/21/2000 8:45	N	14797-65-0	Nitrite	24.3	ug/L	U	[NULL]	[NULL]	R	B10233	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-77	9/21/2000 8:45	Y	7440-09-7	Potassium	2980	ug/L	B	[NULL]	[NULL]	R	B10232	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/21/2000 8:45	Y	7440-22-4	Silver	5.2	ug/L	U	[NULL]	[NULL]	R	B10232	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/21/2000 8:45	Y	7440-23-5	Sodium	128000	ug/L	[NULL]	[NULL]	[NULL]	R	B10232	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/21/2000 8:45	N	CONDUCT	Specific Conductance	629	uS/cm	[NULL]	[NULL]	[NULL]	R	B10228	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	9/21/2000 8:45	N	CONDUCT	Specific Conductance	626	uS/cm	C	[NULL]	[NULL]	R	B10233	CONDUCT	STLSL	120.1_CONDUCT	100-NR-2
199-N-77	9/21/2000 8:45	N	CONDUCT	Specific Conductance	633	uS/cm	[NULL]	[NULL]	[NULL]	R	B10231	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	9/21/2000 8:45	N	CONDUCT	Specific Conductance	630	uS/cm	[NULL]	[NULL]	[NULL]	R	B10230	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	9/21/2000 8:45	N	CONDUCT	Specific Conductance	629	uS/cm	[NULL]	[NULL]	[NULL]	R	B10229	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	9/21/2000 8:45	Y	7440-24-6	Strontium	78.3	ug/L	[NULL]	[NULL]	[NULL]	R	B10232	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/21/2000 8:45	N	14808-79-8	Sulfate	121000	ug/L	D	[NULL]	[NULL]	R	B10233	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-77	9/21/2000 8:45	N	TEMPERATURE	Temperature	17.9	Deg C	[NULL]	[NULL]	[NULL]	R	B10231	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	9/21/2000 8:45	N	TEMPERATURE	Temperature	18	Deg C	[NULL]	[NULL]	[NULL]	R	B10229	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	9/21/2000 8:45	N	TEMPERATURE	Temperature	17.9	Deg C	[NULL]	[NULL]	[NULL]	R	B10228	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	9/21/2000 8:45	N	TEMPERATURE	Temperature	17.9	Deg C	[NULL]	[NULL]	[NULL]	R	B10230	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	9/21/2000 8:45	N	TOC	Total organic carbon	220	ug/L	U	[NULL]	[NULL]	R	B10230	TOC	STLSL	9060_TOC	100-NR-2
199-N-77	9/21/2000 8:45	N	TOC	Total organic carbon	220	ug/L	U	[NULL]	[NULL]	R	B10228	TOC	STLSL	9060_TOC	100-NR-2
199-N-77	9/21/2000 8:45	N	TOC	Total organic carbon	220	ug/L	U	[NULL]	[NULL]	R	B10231	TOC	STLSL	9060_TOC	100-NR-2
199-N-77	9/21/2000 8:45	N	TOC	Total organic carbon	220	ug/L	U	[NULL]	[NULL]	R	B10229	TOC	STLSL	9060_TOC	100-NR-2
199-N-77	9/21/2000 8:45	N	59473-04-0	Total organic halides	8.3	ug/L	[NULL]	H	[NULL]	R	B10229	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-77	9/21/2000 8:45	N	59473-04-0	Total organic halides	12.4	ug/L	[NULL]	H	[NULL]	R	B10228	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-77	9/21/2000 8:45	N	59473-04-0	Total organic halides	7.4	ug/L	[NULL]	H	[NULL]	R	B10231	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-77	9/21/2000 8:45	N	59473-04-0	Total organic halides	7.5	ug/L	[NULL]	H	[NULL]	R	B10230	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-77	9/21/2000 8:45	N	TURBIDITY	Turbidity	0.56	NTU	[NULL]	[NULL]	[NULL]	R	B10229	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-77	9/21/2000 8:45	N	TURBIDITY	Turbidity	0.67	NTU	[NULL]	[NULL]	[NULL]	R	B10231	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-77	9/21/2000 8:45	Y	7440-62-2	Vanadium	38.9	ug/L	B	[NULL]	[NULL]	R	B10232	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/21/2000 8:45	Y	7440-66-6	Zinc	14.3	ug/L	U	[NULL]	[NULL]	R	B10232	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/21/2000 8:45	N	PH	pH Measurement	8.48	unitless	[NULL]	[NULL]	[NULL]	R	B10229	PH	FIELD	9040_PH	100-NR-2
199-N-77	9/21/2000 8:45	N	PH	pH Measurement	8.48	unitless	[NULL]	[NULL]	[NULL]	R	B10231	PH	FIELD	9040_PH	100-NR-2
199-N-77	9/21/2000 8:45	N	PH	pH Measurement	8.48	unitless	[NULL]	[NULL]	[NULL]	R	B10228	PH	FIELD	9040_PH	100-NR-2
199-N-77	9/21/2000 8:45	N	PH	pH Measurement	8.47	unitless	[NULL]	[NULL]	[NULL]	R	B10230	PH	FIELD	9040_PH	100-NR-2
199-N-77	3/23/2001 9:31	N	ALKALINITY	Alkalinity	134000	ug/L	[NULL]	[NULL]	[NULL]	R	B11FR7	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-77	3/23/2001 9:31	Y	7429-90-5	Aluminum	46	ug/L	B	[NULL]	[NULL]	R	B11FR6	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/23/2001 9:31	Y	7440-36-0	Antimony	2.5	ug/L	U	[NULL]	[NULL]	R	B11FR6	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/23/2001 9:31	Y	7440-39-3	Barium	8.8	ug/L	B	[NULL]	[NULL]	R	B11FR6	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/23/2001 9:31	Y	7440-41-7	Beryllium	0.16	ug/L	U	[NULL]	[NULL]	R	B11FR6	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/23/2001 9:31	Y	7440-43-9	Cadmium	0.26	ug/L	U	[NULL]	[NULL]	R	B11FR6	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/23/2001 9:31	Y	7440-70-2	Calcium	8490	ug/L	[NULL]	[NULL]	[NULL]	R	B11FR6	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-77	3/23/2001 9:31	N	16887-00-6	Chloride	10800	ug/L	DC	[NULL]	[NULL]	R	B11FR7	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/23/2001 9:31	Y	7440-47-3	Chromium	2.8	ug/L	B	[NULL]	[NULL]	R	B11FR6	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/23/2001 9:31	Y	7440-48-4	Cobalt	1.3	ug/L	U	[NULL]	[NULL]	R	B11FR6	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/23/2001 9:31	Y	7440-50-8	Copper	1.2	ug/L	U	[NULL]	[NULL]	R	B11FR6	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/23/2001 9:31	N	16984-48-8	Fluoride	860	ug/L	[NULL]	[NULL]	[NULL]	R	B11FR7	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/23/2001 9:31	N	12587-46-1	Gross alpha	1.13	pCi/L	U	[NULL]	[NULL]	R	B11FR8	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-77	3/23/2001 9:31	Y	7439-89-6	Iron	14.5	ug/L	U	[NULL]	[NULL]	R	B11FR6	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/23/2001 9:31	Y	7439-95-4	Magnesium	1970	ug/L	B	[NULL]	[NULL]	R	B11FR6	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/23/2001 9:31	Y	7439-96-5	Manganese	0.83	ug/L	B	[NULL]	[NULL]	R	B11FR6	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/23/2001 9:31	Y	7440-02-0	Nickel	1.1	ug/L	U	[NULL]	[NULL]	R	B11FR6	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/23/2001 9:31	N	14797-55-8	Nitrate	4070	ug/L	[NULL]	[NULL]	[NULL]	R	B11FR7	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/23/2001 9:31	N	14797-65-0	Nitrite	6.57	ug/L	U	[NULL]	[NULL]	R	B11FR7	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/23/2001 9:31	Y	7440-09-7	Potassium	1220	ug/L	U	[NULL]	[NULL]	R	B11FR6	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/23/2001 9:31	Y	7440-22-4	Silver	1.3	ug/L	U	[NULL]	[NULL]	R	B11FR6	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/23/2001 9:31	Y	7440-23-5	Sodium	114000	ug/L	[NULL]	[NULL]	[NULL]	R	B11FR6	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/23/2001 9:31	N	CONDUCT	Specific Conductance	468	uS/cm	C	Y	[NULL]	R	B11FR7	CONDUCT	STLSL	120.1_CONDUCT	100-NR-2
199-N-77	3/23/2001 9:31	N	CONDUCT	Specific Conductance	542	uS/cm	[NULL]	[NULL]	[NULL]	R	B11FR7	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	3/23/2001 9:31	Y	7440-24-6	Strontium	58.7	ug/L	[NULL]	[NULL]	[NULL]	R	B11FR6	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/23/2001 9:31	N	14808-79-8	Sulfate	102000	ug/L	D	[NULL]	[NULL]	R	B11FR7	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/23/2001 9:31	N	TEMPERATURE	Temperature	17.9	Deg C	[NULL]	[NULL]	[NULL]	R	B11FR7	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	3/23/2001 9:31	N	TOC	Total organic carbon	280	ug/L	B	[NULL]	[NULL]	R	B11FR5	TOC	STLSL	9060_TOC	100-NR-2
199-N-77	3/23/2001 9:31	N	59473-04-0	Total organic halides	9.2	ug/L	[NULL]	[NULL]	[NULL]	R	B11FR5	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-77	3/23/2001 9:31	N	TURBIDITY	Turbidity	0.64	NTU	[NULL]	[NULL]	[NULL]	R	B11FR7	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-77	3/23/2001 9:31	Y	7440-62-2	Vanadium	47.3	ug/L	B	[NULL]	[NULL]	R	B11FR6	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/23/2001 9:31	Y	7440-66-6	Zinc	6	ug/L	U	[NULL]	[NULL]	R	B11FR6	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/23/2001 9:31	N	PH	pH Measurement	8.51	unitless	[NULL]	[NULL]	[NULL]	R	B11FR7	PH	FIELD	9040_PH	100-NR-2
199-N-77	9/5/2001 9:14	N	ALKALINITY	Alkalinity	133000	ug/L	[NULL]	[NULL]	[NULL]	R	B12N64	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-77	9/5/2001 9:14	Y	7429-90-5	Aluminum	12.7	ug/L	B	[NULL]	[NULL]	R	B12N63	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/5/2001 9:14	Y	7440-36-0	Antimony	2.2	ug/L	U	[NULL]	[NULL]	R	B12N63	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/5/2001 9:14	Y	7440-39-3	Barium	9.1	ug/L	B	[NULL]	[NULL]	R	B12N63	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/5/2001 9:14	Y	7440-41-7	Beryllium	0.11	ug/L	B	[NULL]	[NULL]	R	B12N63	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/5/2001 9:14	Y	7440-43-9	Cadmium	0.15	ug/L	U	[NULL]	[NULL]	R	B12N63	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/5/2001 9:14	Y	7440-70-2	Calcium	8400	ug/L	[NULL]	[NULL]	[NULL]	R	B12N63	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/5/2001 9:14	N	16887-00-6	Chloride	16800	ug/L	D	[NULL]	[NULL]	R	B12N64	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-77	9/5/2001 9:14	Y	7440-47-3	Chromium	2.5	ug/L	B	[NULL]	[NULL]	R	B12N63	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/5/2001 9:14	Y	7440-48-4	Cobalt	0.87	ug/L	U	[NULL]	[NULL]	R	B12N63	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/5/2001 9:14	Y	7440-50-8	Copper	2.4	ug/L	B	[NULL]	[NULL]	R	B12N63	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/5/2001 9:14	N	DO	Dissolved oxygen	8040	ug/L	[NULL]	[NULL]	[NULL]	R	B12N64	DO	FIELD	360.1_OXYGEN_FLD	100-NR-2
199-N-77	9/5/2001 9:14	N	16984-48-8	Fluoride	880	ug/L	[NULL]	[NULL]	[NULL]	R	B12N64	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-77	9/5/2001 9:14	N	12587-46-1	Gross alpha	0.247	pCi/L	U	[NULL]	[NULL]	R	B12N65	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-77	9/5/2001 9:14	Y	7439-89-6	Iron	22.6	ug/L	B	[NULL]	[NULL]	R	B12N63	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/5/2001 9:14	Y	7439-95-4	Magnesium	1850	ug/L	B	[NULL]	[NULL]	R	B12N63	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/5/2001 9:14	Y	7439-96-5	Manganese	0.5	ug/L	B	[NULL]	[NULL]	R	B12N63	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/5/2001 9:14	Y	7440-02-0	Nickel	1.7	ug/L	B	[NULL]	[NULL]	R	B12N63	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/5/2001 9:14	N	14797-55-8	Nitrate	8850	ug/L	D	[NULL]	[NULL]	R	B12N64	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-77	9/5/2001 9:14	N	14797-65-0	Nitrite	6.57	ug/L	U	[NULL]	[NULL]	R	B12N64	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-77	9/5/2001 9:14	N	EH	Oxidation Reduction Potential	89.6	mV	[NULL]	[NULL]	[NULL]	R	B12N64	EH	FIELD	REDOX_PROBE_FLD	100-NR-2
199-N-77	9/5/2001 9:14	Y	7440-09-7	Potassium	3530	ug/L	B	[NULL]	[NULL]	R	B12N63	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/5/2001 9:14	Y	7440-22-4	Silver	1.2	ug/L	U	[NULL]	[NULL]	R	B12N63	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/5/2001 9:14	Y	7440-23-5	Sodium	108000	ug/L	[NULL]	[NULL]	[NULL]	R	B12N63	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/5/2001 9:14	N	CONDUCT	Specific Conductance	514	uS/cm	[NULL]	[NULL]	[NULL]	R	B12N64	CONDUCT	STLSL	120.1_CONDUCT	100-NR-2
199-N-77	9/5/2001 9:14	N	CONDUCT	Specific Conductance	557	uS/cm	[NULL]	[NULL]	[NULL]	R	B12N64	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	9/5/2001 9:14	Y	7440-24-6	Strontium	59.1	ug/L	[NULL]	[NULL]	[NULL]	R	B12N63	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/5/2001 9:14	N	14808-79-8	Sulfate	103000	ug/L	D	[NULL]	[NULL]	R	B12N64	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-77	9/5/2001 9:14	N	TEMPERATURE	Temperature	17.6	Deg C	[NULL]	[NULL]	[NULL]	R	B12N64	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	9/5/2001 9:14	N	TOC	Total organic carbon	310	ug/L	B	[NULL]	[NULL]	R	B12N64	TOC	STLSL	9060_TOC	100-NR-2
199-N-77	9/5/2001 9:14	N	59473-04-0	Total organic halides	9.6	ug/L	[NULL]	[NULL]	[NULL]	R	B12N64	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-77	9/5/2001 9:14	N	TURBIDITY	Turbidity	0.89	NTU	[NULL]	[NULL]	[NULL]	R	B12N64	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-77	9/5/2001 9:14	Y	7440-62-2	Vanadium	40.3	ug/L	B	[NULL]	[NULL]	R	B12N63	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/5/2001 9:14	Y	7440-66-6	Zinc	3.8	ug/L	B	[NULL]	[NULL]	R	B12N63	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	9/5/2001 9:14	N	PH	pH Measurement	8.52	unitless	[NULL]	[NULL]	[NULL]	R	B12N64	PH	FIELD	9040_PH	100-NR-2
199-N-77	3/7/2002 11:40	N	ALKALINITY	Alkalinity	246000	ug/L	[NULL]	[NULL]	[NULL]	R	B142W4	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-77	3/7/2002 11:40	Y	7429-90-5	Aluminum	47	ug/L	B	[NULL]	[NULL]	R	B142W3	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/7/2002 11:40	Y	7440-36-0	Antimony	3.3	ug/L	U	[NULL]	[NULL]	R	B142W3	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/7/2002 11:40	Y	7440-39-3	Barium	10.8	ug/L	U	[NULL]	[NULL]	R	B142W3	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/7/2002 11:40	Y	7440-41-7	Beryllium	0.22	ug/L	U	[NULL]	[NULL]	R	B142W3	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/7/2002 11:40	Y	7440-43-9	Cadmium	0.31	ug/L	U	[NULL]	[NULL]	R	B142W3	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/7/2002 11:40	Y	7440-70-2	Calcium	8580	ug/L	[NULL]	[NULL]	[NULL]	R	B142W3	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/7/2002 11:40	N	16887-00-6	Chloride	14100	ug/L	D	[NULL]	[NULL]	R	B142W4	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/7/2002 11:40	Y	7440-47-3	Chromium	2.2	ug/L	B	[NULL]	[NULL]	R	B142W3	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/7/2002 11:40	Y	7440-48-4	Cobalt	1.6	ug/L	U	[NULL]	[NULL]	R	B142W3	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/7/2002 11:40	Y	7440-50-8	Copper	1.4	ug/L	U	[NULL]	[NULL]	R	B142W3	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/7/2002 11:40	N	16984-48-8	Fluoride	880	ug/L	[NULL]	[NULL]	[NULL]	R	B142W4	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/7/2002 11:40	N	12587-46-1	Gross alpha	0.915	pCi/L	U	[NULL]	[NULL]	R	B142W5	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-77	3/7/2002 11:40	Y	7439-89-6	Iron	19.6	ug/L	U	[NULL]	[NULL]	R	B142W3	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/7/2002 11:40	Y	7439-95-4	Magnesium	1930	ug/L	B	[NULL]	[NULL]	R	B142W3	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/7/2002 11:40	Y	7439-96-5	Manganese	0.4	ug/L	U	[NULL]	[NULL]	R	B142W3	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/7/2002 11:40	Y	7440-02-0	Nickel	1.3	ug/L	U	[NULL]	[NULL]	R	B142W3	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/7/2002 11:40	N	14797-55-8	Nitrate	9300	ug/L	D	[NULL]	[NULL]	R	B142W4	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/7/2002 11:40	N	14797-65-0	Nitrite	36.1	ug/L	U	[NULL]	[NULL]	R	B142W4	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/7/2002 11:40	Y	7440-09-7	Potassium	2850	ug/L	B	[NULL]	[NULL]	R	B142W3	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/7/2002 11:40	Y	7440-22-4	Silver	1.7	ug/L	U	[NULL]	[NULL]	R	B142W3	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/7/2002 11:40	Y	7440-23-5	Sodium	111000	ug/L	[NULL]	[NULL]	[NULL]	R	B142W3	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/7/2002 11:40	N	CONDUCT	Specific Conductance	548	uS/cm	[NULL]	[NULL]	[NULL]	R	B142W4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	3/7/2002 11:40	N	CONDUCT	Specific Conductance	500	uS/cm	[NULL]	[NULL]	[NULL]	R	B142W4	CONDUCT	STLSL	120.1_CONDUCT	100-NR-2
199-N-77	3/7/2002 11:40	Y	7440-24-6	Strontium	64.6	ug/L	[NULL]	[NULL]	[NULL]	R	B142W3	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/7/2002 11:40	N	14808-79-8	Sulfate	95900	ug/L	D	[NULL]	[NULL]	R	B142W4	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/7/2002 11:40	N	TEMPERATURE	Temperature	16.9	Deg C	[NULL]	[NULL]	[NULL]	R	B142W4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	3/7/2002 11:40	N	TOC	Total organic carbon	320	ug/L	B	[NULL]	[NULL]	R	B142W4	TOC	STLSL	9060_TOC	100-NR-2
199-N-77	3/7/2002 11:40	N	59473-04-0	Total organic halides	9.1	ug/L	[NULL]	[NULL]	[NULL]	R	B142W4	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-77	3/7/2002 11:40	N	TURBIDITY	Turbidity	0.8	NTU	[NULL]	[NULL]	[NULL]	R	B142W4	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-77	3/7/2002 11:40	Y	7440-62-2	Vanadium	46.5	ug/L	B	[NULL]	[NULL]	R	B142W3	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/7/2002 11:40	Y	7440-66-6	Zinc	2.4	ug/L	B	[NULL]	[NULL]	R	B142W3	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/7/2002 11:40	N	PH	pH Measurement	8.53	unitless	[NULL]	[NULL]	[NULL]	R	B142W4	PH	FIELD	9040_PH	100-NR-2
199-N-77	9/13/2002 9:20	N	CONDUCT	Specific Conductance	549	uS/cm	[NULL]	[NULL]	[NULL]	R	B157F2	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	9/13/2002 9:20	N	CONDUCT	Specific Conductance	596	uS/cm	C	[NULL]	[NULL]	R	B157F2	CONDUCT	STLSL	120.1_CONDUCT	100-NR-2
199-N-77	9/13/2002 9:20	N	TEMPERATURE	Temperature	18.1	Deg C	[NULL]	[NULL]	[NULL]	R	B157F2	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	9/13/2002 9:20	N	TOC	Total organic carbon	140	ug/L	U	[NULL]	[NULL]	R	B157F2	TOC	STLSL	9060_TOC	100-NR-2
199-N-77	9/13/2002 9:20	N	59473-04-0	Total organic halides	4	ug/L	U	[NULL]	[NULL]	R	B157F2	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-77	9/13/2002 9:20	N	TURBIDITY	Turbidity	1.89	NTU	[NULL]	[NULL]	[NULL]	R	B157F2	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-77	9/13/2002 9:20	N	PH	pH Measurement	8.54	unitless	[NULL]	[NULL]	[NULL]	R	B157F2	PH	FIELD	9040_PH	100-NR-2
199-N-77	3/3/2003 11:58	N	ALKALINITY	Alkalinity	124000	ug/L	[NULL]	[NULL]	[NULL]	R	B16HN4	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-77	3/3/2003 11:58	Y	7429-90-5	Aluminum	30.4	ug/L	U	[NULL]	[NULL]	R	B16HN3	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/3/2003 11:58	Y	7440-36-0	Antimony	44.8	ug/L	U	[NULL]	[NULL]	R	B16HN3	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/3/2003 11:58	Y	7440-39-3	Barium	8.6	ug/L	B	[NULL]	[NULL]	R	B16HN3	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/3/2003 11:58	Y	7440-41-7	Beryllium	0.73	ug/L	U	[NULL]	[NULL]	R	B16HN3	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/3/2003 11:58	Y	7440-43-9	Cadmium	2.3	ug/L	U	[NULL]	[NULL]	R	B16HN3	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/3/2003 11:58	Y	7440-70-2	Calcium	8590	ug/L	[NULL]	[NULL]	[NULL]	R	B16HN3	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/3/2003 11:58	N	16887-00-6	Chloride	14000	ug/L	CD	[NULL]	[NULL]	R	B16HN4	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-77	3/3/2003 11:58	Y	7440-47-3	Chromium	7.1	ug/L	B	[NULL]	[NULL]	R	B16HN3	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/3/2003 11:58	Y	7440-48-4	Cobalt	4.9	ug/L	U	[NULL]	[NULL]	R	B16HN3	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/3/2003 11:58	Y	7440-50-8	Copper	6	ug/L	B	[NULL]	[NULL]	R	B16HN3	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/3/2003 11:58	N	16984-48-8	Fluoride	1000	ug/L	N	[NULL]	[NULL]	R	B16HN4	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/3/2003 11:58	N	12587-46-1	Gross alpha	1.34	pCi/L	U	[NULL]	[NULL]	R	B16HN5	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-77	3/3/2003 11:58	Y	7439-89-6	Iron	42.8	ug/L	U	[NULL]	[NULL]	R	B16HN3	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/3/2003 11:58	Y	7439-95-4	Magnesium	1990	ug/L	B	[NULL]	[NULL]	R	B16HN3	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/3/2003 11:58	Y	7439-96-5	Manganese	1.5	ug/L	U	[NULL]	[NULL]	R	B16HN3	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/3/2003 11:58	Y	7440-02-0	Nickel	10	ug/L	U	[NULL]	[NULL]	R	B16HN3	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/3/2003 11:58	N	14797-55-8	Nitrate	13700	ug/L	CDN	[NULL]	[NULL]	R	B16HN4	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/3/2003 11:58	N	14797-65-0	Nitrite	36.1	ug/L	U	[NULL]	[NULL]	R	B16HN4	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/3/2003 11:58	Y	7440-09-7	Potassium	5660	ug/L	[NULL]	[NULL]	[NULL]	R	B16HN3	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/3/2003 11:58	Y	7440-22-4	Silver	3	ug/L	U	[NULL]	[NULL]	R	B16HN3	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/3/2003 11:58	Y	7440-23-5	Sodium	111000	ug/L	[NULL]	[NULL]	[NULL]	R	B16HN3	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/3/2003 11:58	N	CONDUCT	Specific Conductance	548	uS/cm	[NULL]	[NULL]	[NULL]	R	B16HN4	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	3/3/2003 11:58	Y	7440-24-6	Strontium	56	ug/L	[NULL]	[NULL]	[NULL]	R	B16HN3	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/3/2003 11:58	N	14808-79-8	Sulfate	90800	ug/L	CD	[NULL]	[NULL]	R	B16HN4	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/3/2003 11:58	N	TEMPERATURE	Temperature	17.8	Deg C	[NULL]	[NULL]	[NULL]	R	B16HN4	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	3/3/2003 11:58	N	TOC	Total organic carbon	140	ug/L	U	[NULL]	[NULL]	R	B16HN4	TOC	STLSL	9060_TOC	100-NR-2
199-N-77	3/3/2003 11:58	N	59473-04-0	Total organic halides	15	ug/L	[NULL]	[NULL]	[NULL]	R	B16HN4	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-77	3/3/2003 11:58	N	TURBIDITY	Turbidity	0.78	NTU	[NULL]	[NULL]	[NULL]	R	B16HN4	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-77	3/3/2003 11:58	Y	7440-62-2	Vanadium	52	ug/L	[NULL]	[NULL]	[NULL]	R	B16HN3	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/3/2003 11:58	Y	7440-66-6	Zinc	28.9	ug/L	[NULL]	[NULL]	[NULL]	R	B16HN3	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/3/2003 11:58	N	PH	pH Measurement	8.53	unitless	[NULL]	[NULL]	[NULL]	R	B16HN4	PH	FIELD	9040_PH	100-NR-2
199-N-77	9/18/2003 10:41	N	CONDUCT	Specific Conductance	572	uS/cm	[NULL]	[NULL]	[NULL]	R	B17DY3	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	9/18/2003 10:41	N	TEMPERATURE	Temperature	18.1	Deg C	[NULL]	[NULL]	[NULL]	R	B17DY3	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	9/18/2003 10:41	N	TOC	Total organic carbon	390	ug/L	U	[NULL]	[NULL]	R	B17DY3	TOC	STLSL	9060_TOC	100-NR-2
199-N-77	9/18/2003 10:41	N	59473-04-0	Total organic halides	7.2	ug/L	[NULL]	[NULL]	[NULL]	R	B17DY3	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-77	9/18/2003 10:41	N	TURBIDITY	Turbidity	0.97	NTU	[NULL]	[NULL]	[NULL]	R	B17DY3	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-77	9/18/2003 10:41	N	PH	pH Measurement	9.09	unitless	[NULL]	Y	[NULL]	R	B17DY3	PH	FIELD	9040_PH	100-NR-2
199-N-77	3/15/2004 9:09	N	ALKALINITY	Alkalinity	126000	ug/L	[NULL]	[NULL]	[NULL]	R	B18L30	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-77	3/15/2004 9:09	Y	7429-90-5	Aluminum	34.2	ug/L	U	[NULL]	[NULL]	R	B18L29	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2004 9:09	Y	7440-36-0	Antimony	39	ug/L	U	[NULL]	[NULL]	R	B18L29	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2004 9:09	Y	7440-39-3	Barium	8.9	ug/L	B	[NULL]	[NULL]	R	B18L29	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2004 9:09	Y	7440-41-7	Beryllium	0.95	ug/L	B	[NULL]	[NULL]	R	B18L29	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2004 9:09	Y	7440-43-9	Cadmium	3.3	ug/L	U	[NULL]	[NULL]	R	B18L29	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2004 9:09	Y	7440-70-2	Calcium	9120	ug/L	[NULL]	[NULL]	[NULL]	R	B18L29	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2004 9:09	N	16887-00-6	Chloride	22400	ug/L	D	[NULL]	[NULL]	R	B18L30	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/15/2004 9:09	Y	7440-47-3	Chromium	4.4	ug/L	U	[NULL]	[NULL]	R	B18L29	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2004 9:09	Y	7440-48-4	Cobalt	4.8	ug/L	U	[NULL]	[NULL]	R	B18L29	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2004 9:09	Y	7440-50-8	Copper	2.9	ug/L	U	[NULL]	[NULL]	R	B18L29	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2004 9:09	N	16984-48-8	Fluoride	760	ug/L	[NULL]	[NULL]	[NULL]	R	B18L30	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/15/2004 9:09	Y	7439-89-6	Iron	54.5	ug/L	U	[NULL]	[NULL]	R	B18L29	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2004 9:09	Y	7439-95-4	Magnesium	2070	ug/L	B	[NULL]	[NULL]	R	B18L29	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2004 9:09	Y	7439-96-5	Manganese	2.1	ug/L	B	[NULL]	[NULL]	R	B18L29	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2004 9:09	Y	7440-02-0	Nickel	14	ug/L	U	[NULL]	[NULL]	R	B18L29	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2004 9:09	N	14797-55-8	Nitrate	24300	ug/L	D	[NULL]	[NULL]	R	B18L30	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/15/2004 9:09	N	14797-65-0	Nitrite	24.3	ug/L	U	[NULL]	[NULL]	R	B18L30	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/15/2004 9:09	Y	7440-09-7	Potassium	3000	ug/L	U	[NULL]	[NULL]	R	B18L29	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2004 9:09	Y	7440-22-4	Silver	3.1	ug/L	U	[NULL]	[NULL]	R	B18L29	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2004 9:09	Y	7440-23-5	Sodium	117000	ug/L	[NULL]	[NULL]	[NULL]	R	B18L29	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2004 9:09	N	CONDUCT	Specific Conductance	590	uS/cm	[NULL]	[NULL]	[NULL]	R	B18L28	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	3/15/2004 9:09	Y	7440-24-6	Strontium	61.8	ug/L	[NULL]	[NULL]	[NULL]	R	B18L29	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2004 9:09	N	14808-79-8	Sulfate	108000	ug/L	CD	[NULL]	[NULL]	R	B18L30	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/15/2004 9:09	N	TEMPERATURE	Temperature	17.4	Deg C	[NULL]	[NULL]	[NULL]	R	B18L28	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2

WELL NAME	SAMP DATE TIME	FILTERED FLAG	STD CON ID	STD CON LONGNAME	STD VALUE RPTD	STD ANAL UNITS RPTD	LAB QUALIFIER	REVIEW QUALIFIER	VALIDATION QUALIFIER	COLLECTION PURPOSE	SAMP NUM	CON ID	LAB CODE	METHOD NAME	GW AREA OF INTEREST
199-N-77	3/15/2004 9:09	N	TOC	Total organic carbon	880	ug/L	B	[NULL]	[NULL]	R	B18L28	TOC	STLSL	9060_TOC	100-NR-2
199-N-77	3/15/2004 9:09	N	59473-04-0	Total organic halides	14.8	ug/L	C	[NULL]	[NULL]	R	B18L28	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-77	3/15/2004 9:09	N	TURBIDITY	Turbidity	0.77	NTU	[NULL]	[NULL]	[NULL]	R	B18L28	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-77	3/15/2004 9:09	Y	7440-62-2	Vanadium	49.1	ug/L	[NULL]	[NULL]	[NULL]	R	B18L29	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2004 9:09	Y	7440-66-6	Zinc	2.7	ug/L	U	[NULL]	[NULL]	R	B18L29	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2004 9:09	N	PH	pH Measurement	8.48	unitless	[NULL]	[NULL]	[NULL]	R	B18L28	PH	FIELD	9040_PH	100-NR-2
199-N-77	9/21/2004 11:01	N	CONDUCT	Specific Conductance	599	uS/cm	[NULL]	[NULL]	[NULL]	R	B1B252	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	9/21/2004 11:01	N	TEMPERATURE	Temperature	18.4	Deg C	[NULL]	[NULL]	[NULL]	R	B1B252	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	9/21/2004 11:01	N	TOC	Total organic carbon	390	ug/L	U	[NULL]	[NULL]	R	B1B252	TOC	STLSL	9060_TOC	100-NR-2
199-N-77	9/21/2004 11:01	N	59473-04-0	Total organic halides	8.4	ug/L	[NULL]	[NULL]	[NULL]	R	B1B252	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-77	9/21/2004 11:01	N	TURBIDITY	Turbidity	1.23	NTU	[NULL]	[NULL]	[NULL]	R	B1B252	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-77	9/21/2004 11:01	N	PH	pH Measurement	8.47	unitless	[NULL]	[NULL]	[NULL]	R	B1B252	PH	FIELD	9040_PH	100-NR-2
199-N-77	3/15/2005 9:35	N	ALKALINITY	Alkalinity	122000	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBJ9	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-77	3/15/2005 9:35	Y	7429-90-5	Aluminum	45.5	ug/L	U	[NULL]	[NULL]	R	B1CBJ8	7429-90-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2005 9:35	Y	7440-36-0	Antimony	21.3	ug/L	U	[NULL]	[NULL]	R	B1CBJ8	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2005 9:35	Y	7440-39-3	Barium	10.7	ug/L	B	[NULL]	[NULL]	R	B1CBJ8	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2005 9:35	Y	7440-41-7	Beryllium	0.29	ug/L	U	[NULL]	[NULL]	R	B1CBJ8	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2005 9:35	Y	7440-43-9	Cadmium	2	ug/L	U	[NULL]	[NULL]	R	B1CBJ8	7440-43-9	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2005 9:35	Y	7440-70-2	Calcium	9760	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBJ8	7440-70-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2005 9:35	N	16887-00-6	Chloride	23900	ug/L	CD	[NULL]	[NULL]	R	B1CBJ9	16887-00-6	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/15/2005 9:35	Y	7440-47-3	Chromium	4.7	ug/L	B	[NULL]	[NULL]	R	B1CBJ8	7440-47-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2005 9:35	Y	7440-48-4	Cobalt	3.3	ug/L	U	[NULL]	[NULL]	R	B1CBJ8	7440-48-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2005 9:35	Y	7440-50-8	Copper	2.4	ug/L	U	[NULL]	[NULL]	R	B1CBJ8	7440-50-8	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2005 9:35	N	16984-48-8	Fluoride	730	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBJ9	16984-48-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/15/2005 9:35	N	12587-46-1	Gross alpha	-0.175	pCi/L	U	[NULL]	[NULL]	R	B1CBK0	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-77	3/15/2005 9:35	Y	7439-89-6	Iron	17.6	ug/L	B	[NULL]	[NULL]	R	B1CBJ8	7439-89-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2005 9:35	Y	7439-95-4	Magnesium	2120	ug/L	B	[NULL]	[NULL]	R	B1CBJ8	7439-95-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2005 9:35	Y	7439-96-5	Manganese	1.9	ug/L	B	[NULL]	[NULL]	R	B1CBJ8	7439-96-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2005 9:35	Y	7440-02-0	Nickel	8.6	ug/L	U	[NULL]	[NULL]	R	B1CBJ8	7440-02-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2005 9:35	N	14797-55-8	Nitrate	27900	ug/L	D	H	[NULL]	R	B1CBJ9	NO3-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/15/2005 9:35	N	14797-65-0	Nitrite	13.1	ug/L	U	[NULL]	[NULL]	R	B1CBJ9	NO2-N	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/15/2005 9:35	Y	7440-09-7	Potassium	3090	ug/L	B	[NULL]	[NULL]	R	B1CBJ8	7440-09-7	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2005 9:35	Y	7440-22-4	Silver	4.1	ug/L	U	[NULL]	[NULL]	R	B1CBJ8	7440-22-4	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2005 9:35	Y	7440-23-5	Sodium	119000	ug/L	N	[NULL]	[NULL]	R	B1CBJ8	7440-23-5	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2005 9:35	N	CONDUCT	Specific Conductance	613	uS/cm	[NULL]	[NULL]	[NULL]	R	B1CBJ9	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	3/15/2005 9:35	Y	7440-24-6	Strontium	70.6	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBJ8	7440-24-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2005 9:35	N	14808-79-8	Sulfate	113000	ug/L	D	[NULL]	[NULL]	R	B1CBJ9	14808-79-8	STLSL	300.0_ANIONS_IC	100-NR-2
199-N-77	3/15/2005 9:35	N	TEMPERATURE	Temperature	18.1	Deg C	[NULL]	[NULL]	[NULL]	R	B1CBJ9	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	3/15/2005 9:35	N	TOC	Total organic carbon	600	ug/L	B	[NULL]	[NULL]	R	B1CBJ9	TOC	STLSL	9060_TOC	100-NR-2
199-N-77	3/15/2005 9:35	N	59473-04-0	Total organic halides	15.9	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBJ9	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-77	3/15/2005 9:35	N	TURBIDITY	Turbidity	0.74	NTU	[NULL]	[NULL]	[NULL]	R	B1CBJ9	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-77	3/15/2005 9:35	Y	7440-62-2	Vanadium	43	ug/L	[NULL]	[NULL]	[NULL]	R	B1CBJ8	7440-62-2	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2005 9:35	Y	7440-66-6	Zinc	2.4	ug/L	BC	[NULL]	[NULL]	R	B1CBJ8	7440-66-6	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	3/15/2005 9:35	N	PH	pH Measurement	8.37	unitless	[NULL]	[NULL]	[NULL]	R	B1CBJ9	PH	FIELD	9040_PH	100-NR-2
199-N-77	6/10/2005 9:39	N	12587-46-1	Gross alpha	-0.275	pCi/L	U	[NULL]	[NULL]	R	B1D2P9	12587-46-1	STLRL	9310_ALPHABETA_GPC	100-NR-2
199-N-77	6/10/2005 9:39	N	CONDUCT	Specific Conductance	622	uS/cm	[NULL]	[NULL]	[NULL]	R	B1D1D1	CONDUCT	FIELD	9050_CONDUCT	100-NR-2
199-N-77	6/10/2005 9:39	N	TEMPERATURE	Temperature	19	Deg C	[NULL]	[NULL]	[NULL]	R	B1D1D1	TEMPERATURE	FIELD	TEMP_FLD	100-NR-2
199-N-77	6/10/2005 9:39	N	TOC	Total organic carbon	430	ug/L	U	[NULL]	[NULL]	R	B1D1D1	TOC	STLSL	9060_TOC	100-NR-2
199-N-77	6/10/2005 9:39	N	59473-04-0	Total organic halides	14.1	ug/L	[NULL]	[NULL]	[NULL]	R	B1D1D1	59473-04-0	STLSL	9020_TOX	100-NR-2
199-N-77	6/10/2005 9:39	N	TURBIDITY	Turbidity	1.31	NTU	[NULL]	[NULL]	[NULL]	R	B1D1D1	TURBIDITY	FIELD	214A_TURBIDITY	100-NR-2
199-N-77	6/10/2005 9:39	N	PH	pH Measurement	8.47	unitless	[NULL]	[NULL]	[NULL]	R	B1D1D1	PH	FIELD	9040_PH	100-NR-2
199-N-77	12/12/2005 10:40	N	ALKALINITY	Alkalinity	104000	ug/L	[NULL]	[NULL]	[NULL]	R	B1FY63	ALKALINITY	STLSL	310.1_ALKALINITY	100-NR-2
199-N-77	12/12/2005 10:40	Y	7440-36-0	Antimony	23	ug/L	U	[NULL]	[NULL]	R	B1FY62	7440-36-0	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	12/12/2005 10:40	Y	7440-39-3	Barium	11.8	ug/L	BC	[NULL]	[NULL]	R	B1FY62	7440-39-3	STLSL	6010_METALS_ICP	100-NR-2
199-N-77	12/12/2005 10:40	Y	7440-41-7	Beryllium	0.18	ug/L	U	[NULL]	[NULL]	R	B1FY62	7440-41-7	STLSL	6010_METALS_ICP	100-NR-2